

A perfectly matched layer for the absorption of electron

Journal of Computational Physics

114, 185-200

DOI: [10.1006/jcph.1994.1159](https://doi.org/10.1006/jcph.1994.1159)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A new 2-D image reconstruction algorithm based on FDTD and design sensitivity analysis. , 0, , .		1
2	Optical studies of photonic crystal waveguide using grating decoupler. , 0, , .		0
44	Full Wave Electromagnetic Analysis in the Time Domain. , 0, , 222-258.		0
46	Modeling of membrane patch antennas using MRTD analysis. , 0, , .		3
47	Modeling of Gaussian beam diffraction from a thick single-slit perfectly conducting screen: finite-difference time-domain method vs. rigorous theory. , 0, , .		0
48	FDTD-SUPML simulation of photonic integrated circuits. , 0, , .		0
49	A study of uncertainties in modeling the handset antenna and human head interaction using the FDTD method. , 0, , .		1
50	An efficient PML absorbing medium in FDTD simulations of acoustic scattering in lossy media. , 0, , .		3
51	Influence of a transverse magnetic field on the characteristics of an Heâ€“Ne laser with a transverse microwave discharge. Soviet Journal of Quantum Electronics, 1989, 19, 975-976.	0.1	1
52	Edge-based finite element analysis of singly- and doubly-periodic scatterers using absorbing and periodic boundary conditions. , 0, , .		1
53	Applied Mathematics and Mechanics. North-Holland Series in Applied Mathematics and Mechanics, 1994, 38, ii.	0.0	0
54	Ultrawideband absorbing boundary condition for termination of waveguiding structures in FD-TD simulations. , 1994, 4, 344-346.		85
55	Validation and extension to three dimensions of the Berenger PML absorbing boundary condition for FD-TD meshes. , 1994, 4, 268-270.		335
56	Comparative evaluation of absorbing boundary conditions using Green's functions for layered media. , 0, , .		0
57	Optimal selection of uniaxial artificial absorber layer for truncating finite element meshes. Electronics Letters, 1995, 31, 1559-1561.	0.5	4
58	Nonlinear analysis of microwave superconductor devices using full-wave electromagnetic model. IEEE Transactions on Microwave Theory and Techniques, 1995, 43, 2590-2599.	2.9	24
59	Analysis of a coupled patch antenna with application in personal communications. IET Microwaves Antennas and Propagation, 1995, 142, 495.	1.2	6
60	A finite-element-method frequency-domain application of the perfectly matched layer (PML) concept. Microwave and Optical Technology Letters, 1995, 9, 117-122.	0.9	29

#	ARTICLE	IF	CITATIONS
61	Mesh truncation in the finite-element frequency-domain method with a perfectly matched layer (PML) applied in conjunction with analytic and numerical absorbing boundary conditions. Microwave and Optical Technology Letters, 1995, 9, 176-180.	0.9	7
62	Quartic perfectly matched layers for dielectric waveguides and gratings. Microwave and Optical Technology Letters, 1995, 10, 319-323.	0.9	35
63	AN extension of the PML technique to the fdtd analysis of multilayer planar circuits and antennas. Microwave and Optical Technology Letters, 1995, 10, 323-327.	0.9	16
64	A perfectly matched anisotropic absorber for use as an absorbing boundary condition. IEEE Transactions on Antennas and Propagation, 1995, 43, 1460-1463.	3.1	861
65	Proof of perfectly matched layer conditions in three dimensions. Electronics Letters, 1995, 31, 1675-1676.	0.5	5
66	Modified Berenger PML absorbing boundary condition for FD-TD meshes. , 1995, 5, 399-401.		82
67	A stretched coordinate technique for numerical absorption of evanescent and propagating waves in planar waveguiding structures. IEEE Transactions on Microwave Theory and Techniques, 1995, 43, 2883-2889.	2.9	8
68	A comparison of FDTD algorithms for subcellular modeling of slots in shielding enclosures. , 0, , .		0
69	A Monte-Carlo FDTD Technique for Rough Surface Scattering. IEEE Transactions on Antennas and Propagation, 1995, 43, 1183.	3.1	108
70	A stretched coordinate technique for numerical absorption of evanescent and propagating waves in planar waveguiding structures. , 0, , .		2
71	Applications of planar multiple-slot antennas for impedance control, and analysis using FDTD with Berenger's PML method. , 0, , .		2
72	Application of non-uniform FDTD method to PCS antennas. , 0, , .		0
73	FDTD analysis of Apache helicopter HF antennas. , 0, , .		0
74	Multi-mode FDTD simulations of indoor propagation including antenna properties. , 0, , .		8
75	Dynamic Measurement of Capacitance Variation of Piezoelectric Ceramics with Stress. Japanese Journal of Applied Physics, 1995, 34, 1591-1594.	0.8	3
76	Elastic wave equations. , 1995, , 57-83.		0
77	Interfacing unstructured tetrahedron grids to structured-grid FDTD. , 1995, 5, 284-286.		19
78	Implementation of Berenger absorbing boundary conditions in TLM by interfacing FDTD perfectly matched layers. Electronics Letters, 1995, 31, 1264-1266.	0.5	34

#	ARTICLE	IF	CITATIONS
79	FDTD modeling of thin wires for simulating common-mode radiation from structures with attached cables. , 0, , .		5
80	A selective survey of the finite-difference time-domain literature. IEEE Antennas and Propagation Magazine, 1995, 37, 39-57.	1.2	168
81	A comparison of the Berenger perfectly matched layer and the Lindman higher-order ABC's for the FDTD method. , 1995, 5, 192-194.		32
82	Behavior of Berenger's ABC for evanescent waves. , 1995, 5, 344-346.		55
83	Numerical implementation and performance of perfectly matched layer boundary condition for waveguide structures. IEEE Transactions on Microwave Theory and Techniques, 1995, 43, 2676-2683.	2.9	48
84	A novel design to reduce losses at dielectric waveguide discontinuities. , 0, , .		1
85	Application of the PML absorbing boundary condition to the FDTD analysis of microwave circuits. , 0, , .		13
86	Reinventing electromagnetics: emerging applications for FD-TD computation. IEEE Computational Science and Engineering, 1995, 2, 24-34.	0.6	6
87	A fast recursive highly dispersive absorbing boundary condition using time domain diakoptics and Laguerre polynomials. , 1995, 5, 183-185.		10
88	An application of the perfectly matched layer (PML) concept to the finite element method frequency domain analysis of scattering problems. , 1995, 5, 258-260.		38
89	A Monte-Carlo FDTD technique for rough surface scattering. IEEE Transactions on Antennas and Propagation, 1995, 43, 1183-1191.	3.1	58
90	A novel wide band absorbing boundary condition for FDTD method simulations. , 0, , .		0
91	A broadband absorbing boundary condition for the FDTD modeling of circular waveguides. , 0, , .		4
92	Perfectly matched absorbing boundary conditions based on anisotropic lossy mapping of space. , 1995, 5, 90-92.		154
93	A new look at the perfectly matched layer (PML) concept for the reflectionless absorption of electromagnetic waves. , 1995, 5, 84-86.		108
94	Generalized perfectly matched layer-an extension of Berenger's perfectly matched layer boundary condition. , 1995, 5, 451-453.		51
95	The analysis and measurement of frequency selective surfaces. , 0, , .		0
96	Generalized perfectly matched layer for the absorption of propagating and evanescent waves in lossless and lossy media. IEEE Transactions on Microwave Theory and Techniques, 1996, 44, 2216-2222.	2.9	157

#	ARTICLE	IF	CITATIONS
97	A simplified PML for use with the FDTD method. , 1996, 6, 97.		58
98	Three-dimensional FDTD analysis of quasi-optical arrays using Floquet boundary conditions and Berenger's PML. , 1996, 6, 138-140.		27
99	Highly efficient absorbing boundary conditions for the beam propagation method. Journal of Lightwave Technology, 1996, 14, 1570-1577.	2.7	60
100	Finite difference and finite volume time domain techniques in electromagnetics: A comparative study. Radio Science, 1996, 31, 1823-1836.	0.8	8
101	Analysis of antireflection coatings using the FD-TD method with the PML absorbing boundary condition. IEEE Photonics Technology Letters, 1996, 8, 239-241.	1.3	31
102	The perfectly matched layer (PML) boundary condition for the beam propagation method. IEEE Photonics Technology Letters, 1996, 8, 649-651.	1.3	127
103	Proximity effects of absorbing boundary conditions on antenna radiation patterns. Radio Science, 1996, 31, 1845-1852.	0.8	1
104	Ideal absorption condition for FDTD method in isotropic lossy dispersive media. , 0, , .		0
105	Single-mode waveguide microcavity for fast optical switching. Optics Letters, 1996, 21, 2017.	1.7	136
106	The perfectly matched layer boundary condition for modal analysis of optical waveguides: leaky mode calculations. IEEE Photonics Technology Letters, 1996, 8, 652-654.	1.3	85
107	Frequency dependence of the constitutive parameters of causal perfectly matched anisotropic absorbers. , 1996, 6, 447-449.		446
108	Perfectly matched layer for the FDTD solution of wave-structure interaction problems. IEEE Transactions on Antennas and Propagation, 1996, 44, 110-117.	3.1	375
109	A three-wave FDTD approach to surface scattering with applications to remote sensing of geophysical surfaces. IEEE Transactions on Antennas and Propagation, 1996, 44, 504-514.	3.1	48
110	Three-dimensional wideband electromagnetic modeling on massively parallel computers. Radio Science, 1996, 31, 1-23.	0.8	126
111	Three-dimensional computation of light scattering from cells. IEEE Journal of Selected Topics in Quantum Electronics, 1996, 2, 898-905.	1.9	239
112	A fully three-dimensional simulation of a ground-penetrating radar: FDTD theory compared with experiment. IEEE Transactions on Geoscience and Remote Sensing, 1996, 34, 36-44.	2.7	184
113	Application of the perfectly matched layer (PML) absorbing boundary condition to elastic wave propagation. Journal of the Acoustical Society of America, 1996, 100, 3061-3069.	0.5	266
114	The application of the finite-difference time-domain method to EMC analysis. , 0, , .		10

#	ARTICLE	IF	CITATIONS
115	An Anisotropic PML Absorbing Media for the FDTD Simulation of Fields in Lossy and Dispersive Media. Electromagnetics, 1996, 16, 399-415.	0.3	255
116	ABSORBING BOUNDARY CONDITIONS FOR TIME-DOMAIN TLM AND FDTD ANALYSIS OF ELECTROMAGNETIC STRUCTURES. Electromagnetics, 1996, 16, 489-519.	0.3	9
117	Comparative evaluation of absorbing boundary conditions using Green's functions for layered media. IEEE Transactions on Antennas and Propagation, 1996, 44, 152-156.	3.1	10
118	A study of the handset antenna and human body interaction. IEEE Transactions on Microwave Theory and Techniques, 1996, 44, 1855-1864.	2.9	334
119	Closed-form expression of numerical reflection coefficient at PML interfaces and optimization of PML performance. , 1996, 6, 332-334.		25
120	A general approach for the development of unsplit-field time-domain implementations of perfectly matched layers for FDTD grid truncation. , 1996, 6, 209-211.		63
121	Interpreting and improving the PML absorbing boundary condition using anisotropic lossy mapping of space. IEEE Transactions on Magnetics, 1996, 32, 968-974.	1.2	55
122	Optical filters from photonic band gap air bridges. Journal of Lightwave Technology, 1996, 14, 2575-2580.	2.7	70
123	FDTD simulation of power/ground bounce and crosstalk in IC packages. , 0, , .		4
124	An efficient way to compare ABCs. IEEE Antennas and Propagation Magazine, 1996, 38, 71-75.	1.2	5
125	Frequency-domain finite element methods for electromagnetic field simulation: fundamentals, state of the art, and applications to EMI/EMC analysis. , 0, , .		13
126	FDTD scattering analysis of cavities with dielectric protrusions. , 0, , .		1
127	Performance of an anisotropic artificial absorber for truncating finite-element meshes. IEEE Transactions on Antennas and Propagation, 1996, 44, 975-982.	3.1	37
128	Application of anisotropic absorbers to the analysis of MMIC devices by the finite element method. IEEE Transactions on Magnetics, 1996, 32, 854-857.	1.2	6
129	FDTD analysis of the handset antenna and human body interaction. , 0, , .		0
130	A new TLM node for Berenger's perfectly matched layer. , 1996, 6, 410-412.		13
131	High-performance PML algorithms. , 1996, 6, 335-337.		14
132	A two-dimensional finite element formulation of the perfectly matched layer. , 1996, 6, 338-340.		17

#	ARTICLE	IF	CITATIONS
133	Numerical investigation of radiated emissions mechanisms in single-chip packages. , 0, , .		2
134	Some considerations on the accuracy of the nonuniform FDTD method and its application to waveguide analysis when combined with the perfectly matched layer technique. IEEE Transactions on Microwave Theory and Techniques, 1996, 44, 1115-1124.	2.9	18
135	The use of absorbing boundary conditions in the method of lines. , 1996, 6, 212-214.		11
136	Comparison of backpropagation and synthetic aperture imaging algorithms for processing GPR data. , 0, , .		2
137	The Perfectly Matched Layer (PML) Boundary Condition for the Simulation of Guided-Wave Optical Devices. , 1996, , IMB5.		0
138	In-situ measurement of the complex dielectric constant of sea ice from 1 to 10 GHz. , 0, , .		3
139	On the accuracy of perfectly matched layers using a finite element formulation. , 0, , .		1
140	Application of PML to FDTD simulation of electromagnetic tomography. , 1996, , .		1
141	Extension of Berenger's PML boundary condition in matching lossy medium and evanescent waves. Electronics Letters, 1996, 32, 974.	0.5	8
142	Applicability of the PML absorbing boundary condition to dielectric anisotropic media. Electronics Letters, 1996, 32, 1270.	0.5	21
143	On buffer layers as non-reflecting computational boundaries. , 1996, , .		0
144	Scattering simulations of computational electromagnetics. , 1996, , .		1
145	An anisotropic perfectly matched layer-absorbing medium for the truncation of FDTD lattices. IEEE Transactions on Antennas and Propagation, 1996, 44, 1630-1639.	3.1	1,103
146	A perfectly matched layer for free-space simulation in finite-difference computer codes. Annales Des Telecommunications/Annals of Telecommunications, 1996, 51, 39-46.	1.6	10
147	A new photonic band gap equivalent model using finite difference time domain method. Annales Des Telecommunications/Annals of Telecommunications, 1996, 51, 656-662.	1.6	10
148	FDTD modeling of common-mode radiation from cables. IEEE Transactions on Electromagnetic Compatibility, 1996, 38, 376-387.	1.4	58
149	Minimization of reflection error caused by absorbing boundary condition in the FDTD simulation of planar transmission lines. IEEE Transactions on Microwave Theory and Techniques, 1996, 44, 41-46.	2.9	8
150	Application of a simple and efficient source excitation technique to the FDTD analysis of waveguide and microstrip circuits. IEEE Transactions on Microwave Theory and Techniques, 1996, 44, 1535-1539.	2.9	59

#	ARTICLE	IF	CITATIONS
151	Hybrid FE/MoM analysis of a cavity-backed slit loaded with anisotropic material. IET Microwaves Antennas and Propagation, 1996, 143, 422.	1.2	3
152	Finite-volume/time-domain analysis of electromagnetic wave propagation in two-dimensional tunnels with fundamental junctions. Electronics and Communications in Japan, 1996, 79, 1-9.	0.2	0
153	Mesh truncation by perfectly matched anisotropic absorbers in the finite-element method. Microwave and Optical Technology Letters, 1996, 12, 136-140.	0.9	16
154	Combining PML and ABC for the finite-element analysis of scattering problems. Microwave and Optical Technology Letters, 1996, 12, 192-197.	0.9	36
155	Synthesis of a wideband, global boundary condition based on the reciprocity theorem for finite-element analysis. Microwave and Optical Technology Letters, 1996, 13, 72-77.	0.9	0
156	Constitutive equivalent principle and an ideal absorption condition for the FDTD method in isotropic lossy dispersive media. Microwave and Optical Technology Letters, 1996, 13, 190-193.	0.9	0
157	FDTD analysis of an E-sectoral horn excited by an opened microstrip. Microwave and Optical Technology Letters, 1996, 13, 294-297.	0.9	4
158	Extraction of higher-order modes in open microstrip lines via FDTD and joint time-frequency analysis. Microwave and Optical Technology Letters, 1996, 13, 319-321.	0.9	3
159	A study of the optimum compensation of open microstrip discontinuities using the FDTD method with boundary reflection error cancellation. The International Executive, 1996, 6, 47-57.	0.2	2
160	A Brief Perspective on Computational Electromagnetics. Journal of Computational Physics, 1996, 126, 237-239.	1.9	6
161	Three-Dimensional Perfectly Matched Layer for the Absorption of Electromagnetic Waves. Journal of Computational Physics, 1996, 127, 363-379.	1.9	853
162	Application of the PML Absorbing Boundary Condition to the Analysis of Patch Antennas. Electromagnetics, 1996, 16, 435-449.	0.3	7
163	Finite-element methods in microwaves: a selected bibliography. IEEE Antennas and Propagation Magazine, 1996, 38, 34-48.	1.2	28
164	Genetic algorithm optimized perfectly matched layers for finite difference frequency domain applications. , 0, , .		10
165	Reflection analysis of PML ABCs for low-frequency applications. , 1996, 6, 177-179.		16
166	GT-PML: generalized theory of perfectly matched layers and its application to the reflectionless truncation of finite-difference time-domain grids. IEEE Transactions on Microwave Theory and Techniques, 1996, 44, 2555-2563.	2.9	180
167	Bridging the gap between TLM and FDTD. , 1996, 6, 4-6.		9
168	Edge-Based Finite Element Analysis of Singly-and Doubly-Periodic Scatterers Using Absorbing and Periodic Boundary Conditions. Electromagnetics, 1996, 16, 1-16.	0.3	6

#	ARTICLE	IF	CITATIONS
169	FDTD analysis of CPW-fed folded-slot and multiple-slot antennas on thin substrates. IEEE Transactions on Antennas and Propagation, 1996, 44, 217-226.	3.1	56
170	3D FEM/BEM-Hybrid Approach for Planar Layered Media. Electromagnetics, 1996, 16, 253-272.	0.3	9
171	EM Scattering Using Nonuniform Mesh FDTD, PML and Mur's ABC. Electromagnetics, 1996, 16, 341-358.	0.3	5
172	Stability Analysis for Perfectly Matched Layered Absorbers. Electromagnetics, 1996, 16, 385-397.	0.3	15
173	Design of Planar Absorbing Layers for Domain Truncation in FEM Applications. Electromagnetics, 1996, 16, 451-464.	0.3	9
174	A rigorous analysis of twisted pair transmission lines using non-orthogonal FDTD and the PML absorbing boundary condition. , 0, , .		8
175	An efficient implementation of Berenger's perfectly matched layer (PML) for finite-difference time-domain mesh truncation. , 1996, 6, 94.		39
176	Perfectly Matched Layers in the Discretized Space: An Analysis and Optimization. Electromagnetics, 1996, 16, 325-340.	0.3	83
177	How to Design the Imperfect Berenger PML. Electromagnetics, 1996, 16, 465-485.	0.3	21
178	Analysis of a magnetically-shielded cellular phone antenna using finite-difference time-domain method. , 0, , .		7
179	A new reflection-free truncation in finite methods: transparent absorbing technique (TAT). , 0, , .		2
180	Stability considerations in the application of PML absorbing boundary condition to FDTD simulation of microwave circuits. , 0, , .		1
181	The modeling of coplanar circuits in a parallel computing environment. , 0, , .		2
182	Application of the PML absorber to the MRTD technique. , 0, , .		7
183	Numerical stability analysis for perfectly matched absorbers. , 0, , .		0
184	TLM modeling of planar microwave circuits. , 1996, , .		0
185	GT-PML: generalized theory of perfectly matched layers and its application to the reflectionless truncation of finite-difference time-domain grids. , 0, , .		4
186	MRTD modeling of nonlinear pulse propagation. , 0, , .		2

#	ARTICLE	IF	CITATIONS
187	Synthesis of absorbing boundary condition with digital filter bank. , 0, , .		0
188	Using perfectly matched layers for elastodynamics. , 0, , .		8
189	FDTD analysis of an infinite array of microstrip patches. , 0, , .		1
190	Perfectly matched layer formulation for simulating microwave axisymmetric structures using finite elements. Electronics Letters, 1996, 32, 1456.	0.5	2
191	Improved wideband highly dispersive absorbing boundary condition. Electronics Letters, 1996, 32, 1109.	0.5	6
192	Numerical study of electromagnetic wave propagation in twisted birefringent layers by the spectral moments method. Modelling and Simulation in Materials Science and Engineering, 1996, 4, 597-611.	0.8	5
193	On perfectly matched layer as an absorbing boundary condition. , 1996, , .		32
194	The synthesis of passive circuits using the FDTD. , 0, , .		2
195	Numerical simulation of antennas using three-dimensional finite-difference time-domain method. , 0, , .		1
196	Perfectly matched layer in cylindrical coordinates. , 0, , .		11
197	Wideband ultralow reverberation antenna for biological sensing. Electronics Letters, 1997, 33, 1594.	0.5	43
198	Numerical Modeling of Scattering Problems Using a Time Domain Finite Volume Method. Journal of Electromagnetic Waves and Applications, 1997, 11, 1165-1189.	1.0	17
199	3D PML-FDTD simulation of ground penetrating radar on dispersive Earth media. , 0, , .		1
200	EMI from apertures at enclosure cavity mode resonances. , 0, , .		2
201	Time domain modelling techniques improvement for new EMC problems. , 0, , .		2
202	Time-derivative Lorentz materials and their utilization as electromagnetic absorbers. Physical Review E, 1997, 55, 7696-7703.	0.8	31
203	A comparison of anisotropic PML to Berenger's PML and its application to the finite-element method for EM scattering. IEEE Transactions on Antennas and Propagation, 1997, 45, 40-50.	3.1	63
204	Simulation of Large Electromagnetic Structures with an Application to Quasi-optical Amplifier. , 1997, , .		1

#	ARTICLE	IF	CITATIONS
205	A finite-difference time-domain solution to scattering from a rough pressure-release surface. Journal of the Acoustical Society of America, 1997, 102, 3394-3400.	0.5	27
206	An FDTD-Touchstone hybrid technique for equivalent circuit modeling of SOP electronic packages. IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 1911-1918.	2.9	10
207	Extension of Berenger's absorbing boundary conditions to match dielectric anisotropic media. , 1997, 7, 302-304.		14
208	On the optimal design of the PML absorbing boundary condition for the FDTD code. IEEE Transactions on Antennas and Propagation, 1997, 45, 914-917.	3.1	25
209	Spatial soliton propagation in a nonlinear slab waveguide using nonlinear Maxwell's equations. , 0, , .		0
210	Numerical studies of forest backscatter in the VHF-band. , 0, , .		1
211	Pseudospectral methods for large-scale bioacoustic models. , 0, , .		23
212	An anisotropic perfectly matched layer-absorbing medium in finite element time domain method for Maxwell's equations. , 0, , .		3
213	PML-FDTD in cylindrical and spherical grids. , 1997, 7, 285-287.		165
214	Characteristic-Based Methods in Computational Electromagnetics. ICASE/LaRC Interdisciplinary Series in Science and Engineering, 1997, , 189-211.	0.1	0
215	A hybrid method on calculating EM coupling in large problem spaces. , 1997, , .		0
216	Challenges for computational electromagnetics in the time domain. , 0, , .		5
217	Characterizing resonant property of waveguide loaded cavities using finite-difference time-domain method. , 0, , .		0
218	Improvements in the simulation of absorbing boundaries for the finite-difference time-domain method. , 0, , .		0
219	Time adaptive time-domain techniques for the design of microwave circuits. , 0, , .		0
220	Optimization and design of conductivity profiles for the PML boundary condition and its application to bioelectromagnetic problems. , 0, , .		1
221	FDTD analysis of a shorted and truncated microstrip antenna for mobile communications systems. , 0, , .		1
222	A comparison and evaluation of the PML and COM mesh truncation techniques for FDTD simulation. , 0, , .		4

#	ARTICLE	IF	CITATIONS
223	Using GPR and seismic reflection measurements to characterize buried objects: large-scale simulations. , 0, , .		1
224	<title>Electromagnetic scattering and detection of mines near a rough air-ground interface</title> . , 1997, 3079, 704.		1
225	Applicability of higher-order FDTD schemes with Berenger's ABC for indoor fading channels. , 0, , .		1
226	High-Q microcavity ring and disk resonators: FDTD analysis of resonance and coupling characteristics. , 0, , .		0
227	A review of some recent advances in perfectly-matched absorbers for mesh truncation in FEM. , 0, , .		0
228	Modeling of interaction of electromagnetic fields from a cellular telephone with hearing aids. , 0, , .		0
229	The TLM-equivalent FD-TD analysis of antenna radiation problems with the PML absorbing conditions. , 0, , .		0
230	Parameter extraction for microstrip components via FDTD and superresolution techniques. , 0, , .		0
231	Reconstruction of a high-contrast penetrable object in pulsed time domain by using the genetic algorithm. , 0, , .		5
232	3D electromagnetic modeling using staggered finite differences. , 0, , .		2
233	PML absorbing boundary condition for noncubic cell time-domain method. , 1997, 7, 335-337.		6
234	The generalized theory of perfectly matched layers (GT-PML): numerical reflection analysis and optimization. , 0, , .		3
235	Measurement and design of frequency selective surfaces. , 1997, , .		1
236	The pseudospectral time-domain (PSTD) method: a new algorithm for solutions of Maxwell's equations. , 0, , .		26
237	Diffusion Flame Adjacent to a Rotating Solid Fuel Disk in Zero Gravity. AIAA Journal, 1997, 35, 742-744.	1.5	5
238	Performance of the modified Berenger PML absorbing boundary condition for evanescent waves in three-dimensional structures. , 0, , .		2
239	Parallel 3D PML-FDTD simulation of GPR on dispersive, inhomogeneous and conductive media. , 0, , .		4
240	Measured equation of invariance in time domain. , 0, , .		6

#	ARTICLE	IF	CITATIONS
241	Non-homogeneous perfectly matched layers (PML) for the analysis of planar radiating structures with TLM method. , 0, , .		0
242	Far field radiation in sub-picosecond systems. , 0, , .		0
243	Finite-difference and pseudospectral time-domain methods for subsurface radar applications. , 0, , .		6
244	A new numerical method for large-scale complex media: the PSTD algorithm. , 0, , .		3
245	Electromagnetic wave diffraction using a finite volume method. Electronics Letters, 1997, 33, 31.	0.5	4
246	Improved formulations for higher order absorbing boundary conditions. Electronics Letters, 1997, 33, 568.	0.5	1
247	Coax via-A technique to reduce crosstalk and enhance impedance match at vias in high-frequency multilayer packages verified by FDTD and MoM modeling. IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 1981-1985.	2.9	70
248	Transparent absorbing boundary (TAB) for the truncation of the computational domain. , 1997, 7, 347-349.		12
249	Time-derivative Lorentz material model-based absorbing boundary condition. IEEE Transactions on Antennas and Propagation, 1997, 45, 1530-1535.	3.1	63
250	Modal PML. , 1997, 7, 33-35.		7
251	A simplified model for calculating the decay rate of the impulse response for an indoor propagation channel. , 0, , .		2
252	Modeling and characterization of interconnects and IC packages by FDTD 3D simulation. , 0, , .		0
253	Analysis of exponential time-differencing for FDTD in lossy dielectrics. IEEE Transactions on Antennas and Propagation, 1997, 45, 1054-1057.	3.1	47
254	FDTD analysis of submillimeter-wave CPW with finite-width ground metallization. , 1997, 7, 414-416.		14
255	Radiation imaging operators applied to the detection of velocity and density contrast boundaries. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 1997, 44, 1401-1404.	1.7	1
256	Investigation of nonplanar perfectly matched absorbers for finite-element mesh truncation. IEEE Transactions on Antennas and Propagation, 1997, 45, 474-486.	3.1	96
257	The complementary operators method in FDTD simulations. IEEE Antennas and Propagation Magazine, 1997, 39, 33-45.	1.2	10
258	An unstaggered colocated finite-difference scheme for solving time-domain Maxwell's equations in curvilinear coordinates. IEEE Transactions on Antennas and Propagation, 1997, 45, 1584-1591.	3.1	18

#	ARTICLE	IF	CITATIONS
259	Fourth order method for Maxwell equations on a staggered mesh. , 0, , .		12
260	A new finite-element solution for parameter extraction of multilayer and multiconductor interconnects. , 1997, 7, 156-158.		9
261	FDTD analysis of E-sectoral horn antennas for broad-band applications. IEEE Transactions on Antennas and Propagation, 1997, 45, 1484-1487.	3.1	31
262	Comparison of FDTD and MoM for shielding effectiveness modelling of test enclosures. , 0, , .		9
263	FDTD method with a conformal polygonal mesh and perfectly matched layer absorbing boundary condition. , 0, , .		0
264	Numerical reflection of evanescent waves from perfectly matched layers. , 0, , .		5
265	Application of FD-TD method for the analysis and design of microstrip slot antenna arrays. , 0, , .		0
266	The generalized TLM-based FDTD-summary of recent progress. , 1997, 7, 12-14.		5
267	Finite-difference time-domain analysis of a dual resonance and shielded cellular antenna. , 0, , .		1
268	Performance of PCS handset antennas in mobile environments. , 0, , .		2
269	Introduction of artificial boundary conditions in the spectral moments method. , 1997, 7, 396-398.		3
270	Numerical implementations of PML boundary conditions in the TLM-based SCN FDTD grid. IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 1263-1267.	2.9	6
271	A technique for fast calculations of capacitance matrices of interconnect structures. , 1997, , .		4
272	Extending FDTD/convolution techniques to 3-D microwave structures. , 0, , .		2
273	Near and far fields analysis from flat cables. , 0, , .		3
274	Perfectly matched layer absorbing boundary condition for dispersive medium. , 1997, 7, 264-266.		35
275	The incorporation of microscopic material models into the FDTD approach for ultrafast optical pulse simulations. IEEE Transactions on Antennas and Propagation, 1997, 45, 375-391.	3.1	59
276	Finite element analysis of multiport filters using perfectly matched layers. IEEE Transactions on Magnetics, 1997, 33, 1480-1483.	1.2	7

#	ARTICLE	IF	CITATIONS
277	Subsurface-scattering calculations via the 3D FDTD method employing PML ABC for layered media. , 0, , .		3
278	Application of perfectly matched layers to the transient modeling of subsurface EM problems. Geophysics, 1997, 62, 1730-1736.	1.4	54
279	Systematic derivation of anisotropic PML absorbing media in cylindrical and spherical coordinates. , 1997, 7, 371-373.		206
280	Finite element modeling in therapeutic and diagnostic bioelectromagnetics applications. , 0, , .		0
281	Nonlinear PML for absorption of nonlinear electromagnetic waves. , 0, , .		3
282	Absorbing-boundary conditions using perfectly matched-layer (PML) technique for three-dimensional TLM simulations. IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 1749-1755.	2.9	27
283	Three dimensional optical fiber simulation. , 0, , .		1
284	Formulation and validation of Berenger's PML absorbing boundary for the FDTD simulation of acoustic scattering. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 1997, 44, 816-822.	1.7	116
285	Improved PML for the FDTD solution of wave-structure interaction problems. IEEE Transactions on Antennas and Propagation, 1997, 45, 466-473.	3.1	94
286	Proposed Inflow/Outflow Boundary Condition for Direct Computation of Aerodynamic Sound. AIAA Journal, 1997, 35, 740-742.	1.5	333
287	A comparative study of the Berenger perfectly matched layer, the superabsorption technique and several higher-order ABC's for the FDTD algorithm in two and three dimensional problems. IEEE Transactions on Magnetics, 1997, 33, 1460-1463.	1.2	21
288	The modified Berenger PML (MPML) absorbing boundary conditions for FD-TD meshes in anisotropic medium. , 0, , .		3
289	Material independent PML absorbers for arbitrary anisotropic dielectric media. Electronics Letters, 1997, 33, 1535.	0.5	33
290	A modified FDTD (2, 4) scheme for modeling electrically large structures with high-phase accuracy. IEEE Transactions on Antennas and Propagation, 1997, 45, 254-264.	3.1	145
291	FDTD calculations of the whole-body averaged SAR in an anatomically realistic voxel model of the human body from 1 MHz to 1 GHz. Physics in Medicine and Biology, 1997, 42, 479-490.	1.6	270
292	The perfectly matched layer for acoustic waves in absorptive media. Journal of the Acoustical Society of America, 1997, 102, 2072-2082.	0.5	197
293	Interpolation techniques to improve the accuracy of the plane wave excitations in the finite difference time domain method. Radio Science, 1997, 32, 2189-2199.	0.8	28
294	Application of the finite difference time domain algorithm to quasi-static field analysis. Radio Science, 1997, 32, 329-341.	0.8	61

#	ARTICLE	IF	CITATIONS
295	Analytic studies of absorbing and impedance-matched boundary layers. IEEE Photonics Technology Letters, 1997, 9, 73-75.	1.3	20
296	Higher order impedance and absorbing boundary conditions. IEEE Transactions on Antennas and Propagation, 1997, 45, 107-114.	3.1	27
297	Complex coordinate system as a generalized absorbing boundary condition. , 0, , .		26
298	The finite-element method for modeling circuits and interconnects for electronic packaging. IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 1868-1874.	2.9	43
299	FDTD analysis of a metal-strip-loaded dielectric leaky-wave antenna. IEEE Transactions on Antennas and Propagation, 1997, 45, 1294-1301.	3.1	28
300	FDTD microcavity simulations: design and experimental realization of waveguide-coupled single-mode ring and whispering-gallery-mode disk resonators. Journal of Lightwave Technology, 1997, 15, 2154-2165.	2.7	214
302	The design of Maxwellian absorbers for numerical boundary conditions and for practical applications using engineered artificial materials. IEEE Transactions on Antennas and Propagation, 1997, 45, 656-671.	3.1	64
303	Numerical calculation of diffraction coefficients of generic conducting and dielectric wedges using FDTD. IEEE Transactions on Antennas and Propagation, 1997, 45, 1525-1529.	3.1	34
304	Advances in numerical boundary conditions for computational aeroacoustics. , 1997, , .		21
305	Towards perfectly absorbing boundary conditions for Euler equations. , 1997, , .		10
306	A review of high-order and optimized finite-difference methods for simulating linear wave phenomena. , 1997, , .		10
307	An accuracy assessment of a finite-volume, time-domain method for CEM. , 1997, , .		1
308	Fast solution methods in electromagnetics. IEEE Transactions on Antennas and Propagation, 1997, 45, 533-543.	3.1	243
309	An unsplit step 3-D PML for use with the FDTD method. , 1997, 7, 184-186.		97
310	Time-domain fields exterior to a two-dimensional FDTD space. IEEE Transactions on Antennas and Propagation, 1997, 45, 1655-1663.	3.1	17
311	An iterative scheme solution for the analysis of printed arrays. Microwave and Optical Technology Letters, 1997, 16, 106-115.	0.9	11
312	Approximation of Electromagnetic Fields: Part I. Continuous Problems. SIAM Journal on Applied Mathematics, 1997, 57, 1716-1736.	0.8	17
313	The finite-difference time-domain (FDTD) and the finite-volume time-domain (FVTD) methods in solving Maxwell's equations. IEEE Transactions on Antennas and Propagation, 1997, 45, 354-363.	3.1	138

#	ARTICLE	IF	CITATIONS
314	Finite Element Methods for the Solution of 3D Eddy Current Problems. Advances in Imaging and Electron Physics, 1997, , 1-86.	0.1	117
315	Numerical analysis of microdisk lasers with rough boundaries. IEEE Journal of Quantum Electronics, 1997, 33, 791-795.	1.0	15
316	A perspective of computational electromagnetics in the time domain. , 1997, , .		3
317	Scattering simulations of complex configurations. , 1997, , .		0
318	Effects of electron-cyclotron instabilities on gyrotron beam quality. Computer Physics Communications, 1997, 100, 47-55.	3.0	10
319	Berenger absorbing boundary condition with time finite-volume scheme for triangular meshes. Applied Numerical Mathematics, 1997, 25, 333-354.	1.2	20
320	Simulation of Berenger's perfectly matched layer with a modified TLM node. IET Microwaves Antennas and Propagation, 1997, 144, 205.	1.2	16
321	Finite-difference time-domain analysis of HF antennas on helicopter airframes. IEEE Transactions on Electromagnetic Compatibility, 1997, 39, 100-113.	1.4	10
322	Comparison of FDTD algorithms for subcellular modeling of slots in shielding enclosures. IEEE Transactions on Electromagnetic Compatibility, 1997, 39, 147-155.	1.4	64
323	Numerical and experimental corroboration of an FDTD thin-slot model for slots near corners of shielding enclosures. IEEE Transactions on Electromagnetic Compatibility, 1997, 39, 225-232.	1.4	45
324	Nonlinear time-domain modeling by multiresolution time domain (MRTD). IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 385-393.	2.9	10
325	Enhanced spatial network method for the analysis of open microstrip discontinuities. IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 905-910.	2.9	3
326	3-D FEM/BEM-hybrid approach based on a general formulation of Huygens' principle for planar layered media. IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 1105-1112.	2.9	39
327	Reflection analysis of FDTD boundary conditions. II. Berenger's PML absorbing layers. IEEE Transactions on Microwave Theory and Techniques, 1997, 45, 1171-1178.	2.9	14
328	Accurate plane-wave excitation in the FDTD method. , 0, , .		1
329	Time-domain finite-element methods. IEEE Transactions on Antennas and Propagation, 1997, 45, 430-442.	3.1	311
330	Electromagnetic Subsurface Imaging. A Case for an Adaptive Born Approximation. Surveys in Geophysics, 1997, 18, 477-510.	2.1	14
332	Two techniques for the absorption of elastic waves using an artificial transition layer. Wave Motion, 1997, 25, 15-33.	1.0	16

#	ARTICLE	IF	CITATIONS
333	Theory for the propagation of short electromagnetic pulses. Optics Communications, 1997, 139, 1-6.	1.0	4
334	ROBUST NUMERICAL METHODS FOR TRANSONIC FLOWS. International Journal for Numerical Methods in Fluids, 1997, 24, 457-476.	0.9	6
335	On the SAR and field inhomogeneity of birdcage coils loaded with the human head. Magnetic Resonance in Medicine, 1997, 38, 953-963.	1.9	81
336	MODAL ABSORPTION IN THE FDTD METHOD: A CRITICAL REVIEW. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 1997, 10, 245-264.	1.2	25
337	An FDTD algorithm with perfectly matched layers for conductive media. Microwave and Optical Technology Letters, 1997, 14, 134-137.	0.9	90
338	Modeling of chip resistors for high-frequency microwave applications with the use of the FD-TD method. Microwave and Optical Technology Letters, 1997, 14, 259-261.	0.9	2
339	A simple description for waveguiding in photonic bandgap materials. Microwave and Optical Technology Letters, 1997, 14, 261-266.	0.9	19
340	Complementary perfectly matched layers to reduce reflection errors. Microwave and Optical Technology Letters, 1997, 14, 284-287.	0.9	5
341	Analysis of electrically large concave scatterers with the integral equation MEI. Microwave and Optical Technology Letters, 1997, 14, 287-289.	0.9	13
342	New Y-junction configuration with a hole as an open-circuit matching element. Microwave and Optical Technology Letters, 1997, 15, 72-74.	0.9	0
343	Use of PML boundary conditions for wireless telephone simulations. Microwave and Optical Technology Letters, 1997, 15, 95-98.	0.9	2
344	Numerical modeling of a nonuniform grating with FDTD. , 1997, 15, 134-139.		15
345	The PSTD algorithm: A time-domain method requiring only two cells per wavelength. Microwave and Optical Technology Letters, 1997, 15, 158-165.	0.9	432
346	Modeling waveguide couplers with an explicit FDTD discrete-surface integral method. Microwave and Optical Technology Letters, 1997, 15, 208-213.	0.9	0
347	A coupled-mode formulation based on the second-order coupled-mode equations. Microwave and Optical Technology Letters, 1997, 15, 213-216.	0.9	0
348	Complex coordinate stretching as a generalized absorbing boundary condition. Microwave and Optical Technology Letters, 1997, 15, 363-369.	0.9	242
349	Ground error curves formulas for VHF omnirange radio beacon antenna system. Microwave and Optical Technology Letters, 1997, 15, 369-373.	0.9	0
350	A new field scaling interpretation of Berenger's PML and its comparison to other PML formulations. Microwave and Optical Technology Letters, 1997, 16, 103-106.	0.9	9

#	ARTICLE	IF	CITATIONS
351	A performance assessment of Liao's absorbing boundary conditions for FD-TD method. Microwave and Optical Technology Letters, 1997, 16, 186-197.	0.9	0
352	Computation of resonant modes of open resonators using the FEM and the anisotropic perfectly matched layer boundary condition. Microwave and Optical Technology Letters, 1997, 16, 352-356.	0.9	6
353	Numerical solution of scattering of waves by lossy dielectric surfaces using a physics-based two-grid method. Microwave and Optical Technology Letters, 1997, 16, 356-364.	0.9	17
354	Refraction Scattering in the Anomalous Reflections from Icy Surfaces. Icarus, 1997, 130, 313-322.	1.1	20
355	Perfectly Matched Absorbing Layers for the Paraxial Equations. Journal of Computational Physics, 1997, 131, 164-180.	1.9	72
356	Complementary Boundary Operators for Wave Propagation Problems. Journal of Computational Physics, 1997, 133, 113-128.	1.9	39
357	Spectral Simulations of Electromagnetic Wave Scattering. Journal of Computational Physics, 1997, 134, 216-230.	1.9	137
358	A Mathematical Analysis of the PML Method. Journal of Computational Physics, 1997, 134, 357-363.	1.9	212
359	A Domain Decomposition Method for the Helmholtz Equation and Related Optimal Control Problems. Journal of Computational Physics, 1997, 136, 68-82.	1.9	174
360	Hybrid Finite-Difference Method for High-Resolution Modelling of Low-Frequency Electric Induction in Humans. Journal of Computational Physics, 1997, 136, 640-653.	1.9	19
361	G2DEM: A parallel two-dimensional electromagnetic PIC code for the study of electron-cyclotron instabilities of relativistic electron beams in cylindrical cavities. Computer Physics Communications, 1997, 104, 188-200.	3.0	0
362	Computation of discrete transparent boundary conditions for the 2D Helmholtz equation. Optical and Quantum Electronics, 1998, 30, 427-441.	1.5	4
363	Second-Order Absorbing Boundary Conditions for TLM Analysis of Open Region Scattering Problems. Journal of Infrared, Millimeter and Terahertz Waves, 1998, 19, 651-671.	0.6	0
364	A fast vector-potential method using tangentially continuous vector finite elements. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 863-868.	2.9	47
365	Uniaxial Omega Medium as a Physically Realizable Alternative for the Perfectly Matched Layer (Pml). Journal of Electromagnetic Waves and Applications, 1998, 12, 821-837.	1.0	18
366	Time-domain analysis of periodic structures at oblique incidence: orthogonal and nonorthogonal FDTD implementations. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 420-427.	2.9	155
367	Absorbing PML boundary layers for wave-like equations. Applied Numerical Mathematics, 1998, 27, 533-557.	1.2	276
368	Numerical simulation of SAR and B/sub 1/-field inhomogeneity of shielded RF coils loaded with the human head. IEEE Transactions on Biomedical Engineering, 1998, 45, 650-659.	2.5	125

#	ARTICLE	IF	CITATIONS
369	Total-field absorbing boundary conditions for the time-domain electromagnetic field equations. IEEE Transactions on Electromagnetic Compatibility, 1998, 40, 100-102.	1.4	38
370	Multimode parameter extraction for multiconductor transmission lines via single-pass FDTD and signal-processing techniques. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 89-96.	2.9	14
371	Twofold Mur's first-order ABC in the FDTD method. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 299-301.	2.9	3
372	Emerging trends in millimeter-wave CAD. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 747-755.	2.9	53
373	An efficient and accurate technique for the incident-wave excitations in the FDTD method. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 869-882.	2.9	50
374	Reducing losses in dielectric waveguide discontinuities. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1045-1054.	2.9	1
375	A planar diversity antenna for handheld PCS devices. IEEE Transactions on Vehicular Technology, 1998, 47, 747-754.	3.9	49
376	A technique for fast calculation of capacitance matrices of interconnect structures. IEEE Transactions on Advanced Packaging, 1998, 21, 241-249.	0.7	17
377	FDTD analysis of EM wave circulated by a magnetised ferrite body of arbitrary shape. IET Microwaves Antennas and Propagation, 1998, 145, 433.	1.2	12
378	Design of corner reflector antennas using FDTD. IET Microwaves Antennas and Propagation, 1998, 145, 481.	1.2	3
379	Smallest possible electromagnetic mode volume in a dielectric cavity. IEE Proceedings: Optoelectronics, 1998, 145, 391-397.	0.8	138
380	A Reflectionless Sponge Layer Absorbing Boundary Condition for the Solution of Maxwell's Equations with High-Order Staggered Finite Difference Schemes. Journal of Computational Physics, 1998, 139, 184-208.	1.9	84
381	Evaluation of the Perfectly Matched Layer for Computational Acoustics. Journal of Computational Physics, 1998, 139, 166-183.	1.9	97
382	Nonreflecting Boundary Conditions for Maxwell's Equations. Journal of Computational Physics, 1998, 139, 327-342.	1.9	81
383	A Block Pseudospectral Method for Maxwell's Equations. Journal of Computational Physics, 1998, 140, 47-65.	1.9	26
384	On the Analysis and Construction of Perfectly Matched Layers for the Linearized Euler Equations. Journal of Computational Physics, 1998, 142, 129-147.	1.9	99
385	Perfectly Matched Layer as an Absorbing Boundary Condition for the Linearized Euler Equations in Open and Ducted Domains. Journal of Computational Physics, 1998, 144, 213-234.	1.9	68
386	Plane-Wave Analysis and Comparison of Split-Field, Biaxial, and Uniaxial PML Methods as ABCs for Pseudospectral Electromagnetic Wave Simulations in Curvilinear Coordinates. Journal of Computational Physics, 1998, 146, 747-774.	1.9	10

#	ARTICLE	IF	CITATIONS
387	Gauss point mass lumping schemes for Maxwell's equations. Numerical Methods for Partial Differential Equations, 1998, 14, 63-88.	2.0	112
388	Application of the material-independent PML absorbers to the FDTD analysis of electromagnetic waves in nonlinear media. Microwave and Optical Technology Letters, 1998, 17, 164-168.	0.9	17
389	Analytical derivation of a conformal perfectly matched absorber for electromagnetic waves. Microwave and Optical Technology Letters, 1998, 17, 231-236.	0.9	127
390	An efficient artificial absorbing layer for the wave-equation FDTD method. Microwave and Optical Technology Letters, 1998, 17, 243-244.	0.9	1
391	FDTD analysis of scattering by a magnetized ferrite sphere. Microwave and Optical Technology Letters, 1998, 17, 297-300.	0.9	0
392	Nonlinear circuit modeling tools coupling with FDTD method. Microwave and Optical Technology Letters, 1998, 18, 108-112.	0.9	2
393	Generalization of Berenger's absorbing boundary conditions for 3-D magnetic and dielectric anisotropic media. Microwave and Optical Technology Letters, 1998, 18, 126-130.	0.9	7
394	Full two-port analysis of coaxial-probe-fed TE ₀₁ and HE ₁₁ mode dielectric resonator filters using FDTD. Microwave and Optical Technology Letters, 1998, 18, 149-154.	0.9	9
395	Combined effect of group velocity and group-velocity dispersion mismatches on wavelength-division multiplexing with fiber solitons. Microwave and Optical Technology Letters, 1998, 18, 154-159.	0.9	0
396	Finite-element analysis of open microwave waveguides using a PML-like spatial mapping. Microwave and Optical Technology Letters, 1998, 18, 180-184.	0.9	2
397	Radio propagation within coal mine longwall faces at 900 MHz. Microwave and Optical Technology Letters, 1998, 18, 184-187.	0.9	5
398	Comparison between FDTD and hybrid FDTD-FETD applied to scattering and antenna problems. Microwave and Optical Technology Letters, 1998, 18, 247-250.	0.9	50
399	Truncating FDTD computational domains with perfectly matched layer regions backed by lossy ABCs. Microwave and Optical Technology Letters, 1998, 18, 328-331.	0.9	0
400	AnX-band aperture-coupled microstrip Yagi array antenna for wireless communications. Microwave and Optical Technology Letters, 1998, 18, 331-335.	0.9	8
401	A modified perfectly matched layer (PML) for waveguide problems. Microwave and Optical Technology Letters, 1998, 18, 360-362.	0.9	2
402	Quasi-PML for waves in cylindrical coordinates. Microwave and Optical Technology Letters, 1998, 19, 107-111.	0.9	15
403	Study of coplanar waveguide-fed antennas using the FDTD method. Microwave and Optical Technology Letters, 1998, 19, 173-176.	0.9	6
404	A method of subregion connection in the FDTD algorithm. Microwave and Optical Technology Letters, 1998, 19, 229-233.	0.9	4

#	ARTICLE	IF	CITATIONS
405	Rigorous analysis of shielded uniaxial anisotropic DRs by the mode-matching method. <i>Microwave and Optical Technology Letters</i> , 1998, 19, 233-238.	0.9	1
406	Perfectly matched layers for the truncation of finite-element meshes in layered half-space geometries and applications to electromagnetic scattering by buried objects. <i>Microwave and Optical Technology Letters</i> , 1998, 19, 427-434.	0.9	14
407	Small perturbation analysis of oblique incidence in dielectric gratings. <i>Microwave and Optical Technology Letters</i> , 1998, 19, 434-437.	0.9	0
408	On the existence and convergence of the solution of PML equations. <i>Computing (Vienna/New York)</i> , 1998, 60, 229-241.	3.2	116
409	Matched absorbing medium techniques for full-wave tlm simulation of microwave and millimeter-wave components. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 1998, 53, 115-129.	1.6	10
410	Application of the PML absorbing boundary condition to FD-TD simulation. <i>Journal of Electronics</i> , 1998, 15, 168-173.	0.2	1
411	On the use of rational iterations and domain decomposition methods for the Helmholtz problem. <i>Numerische Mathematik</i> , 1998, 79, 529-552.	0.9	3
412	Light scattering from irregular tetrahedral aggregates. <i>Optics Communications</i> , 1998, 156, 5-9.	1.0	24
413	Optimizing the perfectly matched layer. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1998, 164, 157-171.	3.4	185
414	InterprÃ©tation dispersive du milieu PML de BÃ©renger. <i>Comptes Rendus Mathematique</i> , 1998, 327, 59-64.	0.5	4
415	On the construction and analysis of absorbing layers in CEM. <i>Applied Numerical Mathematics</i> , 1998, 27, 331-340.	1.2	89
416	Numerical solution of problems on unbounded domains. A review. <i>Applied Numerical Mathematics</i> , 1998, 27, 465-532.	1.2	507
417	Target scattering calculations with the parabolic equation method. <i>Journal of the Acoustical Society of America</i> , 1998, 103, 735-741.	0.5	43
418	The Perfectly Matched Layer in Curvilinear Coordinates. <i>SIAM Journal of Scientific Computing</i> , 1998, 19, 2061-2090.	1.3	260
419	Finite-difference time-domain simulation of ground penetrating radar on dispersive, inhomogeneous, and conductive soils. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1998, 36, 1928-1937.	2.7	153
420	Introduction of fractal absorbing boundary conditions in electromagnetic simulation by SMM. <i>Modelling and Simulation in Materials Science and Engineering</i> , 1998, 6, 111-121.	0.8	3
421	Time-domain sensing of targets buried under a rough air-ground interface. <i>IEEE Transactions on Antennas and Propagation</i> , 1998, 46, 360-372.	3.1	77
422	Analytic modeling of loss and cross-coupling in capacitive micromachined ultrasonic transducers. , 0, , .		23

#	ARTICLE	IF	CITATIONS
423	Computation of electromagnetic waves diffraction by spectral moments method. IEEE Transactions on Antennas and Propagation, 1998, 46, 165-175.	3.1	5
424	Extension of Berenger's PML for bi-isotropic media. , 1998, 8, 297-299.		26
425	FDTD analysis of human head-mobile phone interaction in terms of specific absorption rate calculations and antenna design. , 0, , .		8
426	Implementation of transparent sources in FDTD simulations. IEEE Transactions on Antennas and Propagation, 1998, 46, 1159-1168.	3.1	30
427	A generalized reflection-free domain-truncation method: transparent absorbing boundary. IEEE Transactions on Antennas and Propagation, 1998, 46, 1015-1022.	3.1	17
428	Efficient 2-D analysis of an inductive iris waveguide filter using nonuniform mesh FDTD and PML. , 0, , .		1
429	Finite difference time domain analysis of nonlinear optical waveguide. , 0, , .		0
430	An optimized anisotropic PML for the analysis of microwave circuits. , 1998, 8, 30-32.		18
431	FDTD characterization of waveguide-probe structures. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1452-1460.	2.9	5
432	Partially prism-gridded FDTD analysis for layered structures of transversely curved boundary. , 0, , .		1
433	Numerical validations of a nonlinear PML scheme for absorption of nonlinear electromagnetic waves. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1752-1758.	2.9	9
434	The analysis of human head interaction with a hand-held mobile using the non-uniform FDTD. , 0, , .		8
435	Electromagnetics in magnetic resonance imaging. IEEE Antennas and Propagation Magazine, 1998, 40, 7-22.	1.2	35
436	Soil surface backscatter model using FDTD method. , 0, , .		0
437	Generalized material-independent PML absorbers for the FDTD simulation of electromagnetic waves in arbitrary anisotropic dielectric and magnetic media. , 1998, 8, 52-54.		34
438	The pseudospectral time-domain (PSTD) algorithm for acoustic waves in absorptive media. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 1998, 45, 1044-1055.	1.7	86
439	Equivalence and optimization of absorbing boundary conditions. , 0, , .		0
440	Antennas and human in personal communications: applications of modern EM computational techniques. , 0, , .		10

#	ARTICLE	IF	CITATIONS
441	Nonlinear FD-TD modelling-summary of recent progress. , 0, , .		0
442	Bound states in photonic crystal waveguides and waveguide bends. Physical Review B, 1998, 58, 4809-4817.	1.1	202
443	A robust iterative scheme for FEM applications terminated by the perfectly matched layer (PML) absorbers. , 0, , .		2
444	A novel implementation of Berenger's PML for FDTD applications. , 1998, 8, 324-326.		10
445	Modeling boundary sources and implementation of the subgridding technique in FDTD method. , 0, , .		0
446	Material independent PML absorbers for arbitrary lossy anisotropic dielectric media. , 0, , .		1
447	General PML constitutive tensors to match arbitrary bianisotropic and dispersive linear media. , 0, , .		1
448	An improved near- to far-zone transformation for the finite-difference time-domain method. IEEE Transactions on Antennas and Propagation, 1998, 46, 1263-1271.	3.1	44
449	Perfectly matched layer mesh terminations for nodal-based finite-element methods in electromagnetic scattering. IEEE Transactions on Antennas and Propagation, 1998, 46, 507-516.	3.1	19
450	A 155-GHz monolithic low-noise amplifier. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1660-1666.	2.9	31
451	Analysis of a conformal microstrip antenna for microwave hyperthermia using FDTD. , 0, , .		4
452	Interfacing a full wave circuit approach to lumped networks and PML absorbing boundary conditions. , 0, , .		0
453	A general approach to extend Berenger's absorbing boundary condition to anisotropic and dispersive media. IEEE Transactions on Antennas and Propagation, 1998, 46, 1386-1387.	3.1	47
454	Modeling of interaction of electromagnetic fields from a cellular telephone with hearing aids. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1686-1693.	2.9	20
455	Extension of Berenger's PML absorbing boundary conditions to arbitrary anisotropic magnetic media. , 1998, 8, 15-17.		8
456	Perfectly matched layers in static fields. IEEE Transactions on Magnetics, 1998, 34, 2433-2436.	1.2	17
457	Analytical properties of the anisotropic PML constitutive tensors in curvilinear coordinates. , 0, , .		2
458	A fictitious domain method for conformal modeling of the perfect electric conductors in the FDTD method. IEEE Transactions on Antennas and Propagation, 1998, 46, 1519-1526.	3.1	3

#	ARTICLE	IF	CITATIONS
459	Parameter estimation for PMLs used with 3D finite element codes. IEEE Transactions on Magnetics, 1998, 34, 2755-2758.	1.2	8
460	Generalized-material-independent PML absorbers used for the FDTD simulation of electromagnetic waves in 3-D arbitrary anisotropic dielectric and magnetic media. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1511-1513.	2.9	23
461	Three-dimensional modeling of amplitude-object imaging in scanning near-field optical microscopy. Optics Letters, 1998, 23, 1155.	1.7	9
462	Electromagnetic analysis of diffraction gratings by the finite-difference time-domain method. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 1998, 15, 152.	0.8	69
463	Resonant modes of two-dimensional photonic bandgap cavities determined by the finite-element method and by use of the anisotropic perfectly matched layer boundary condition. Journal of the Optical Society of America B: Optical Physics, 1998, 15, 2316.	0.9	30
464	Construction of the absorbing boundary conditions for the FDTD method with transfer functions. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1807-1809.	2.9	12
465	Cylindrical coordinates FD-TD analysis of cylindrical microstrip GPS antennas for ships. , 0, , .		0
466	Comparison between numerical and experimental near-field evaluation of a DCS1800 mobile telephone. Radio Science, 1998, 33, 1553-1563.	0.8	7
467	Analysis of optical waveguides with high-reflection coatings using the FD-TD method. IEEE Photonics Technology Letters, 1998, 10, 111-113.	1.3	23
468	Complementary operators method as the absorbing boundary condition for the beam propagation method. IEEE Photonics Technology Letters, 1998, 10, 976-978.	1.3	10
469	Nonlinear PML boundary conditions for nonparaxial BPM in $\chi^{(2)}$ materials. IEEE Photonics Technology Letters, 1998, 10, 1434-1436.	1.3	9
470	The Finite-Difference Time-Domain Method. , 1998, , 35-67.		70
471	<title>Finite element modeling for ultrasonic transducers</title>. , 1998, , .		74
472	Perfectly matched layer and piecewise-linear recursive convolution for the FDTD solution of the 3D dispersive half-space problem. IEEE Transactions on Magnetics, 1998, 34, 2747-2750.	1.2	7
473	Folded loop antenna for mobile hand-held units. IEEE Transactions on Antennas and Propagation, 1998, 46, 260-266.	3.1	62
474	IUTAM Symposium on Computational Methods for Unbounded Domains. Fluid Mechanics and Its Applications, 1998, , .	0.1	5
475	Development of a high-order compact algorithm for aeroacoustics employing PML absorbing boundaries. , 1998, , .		1
476	Modeling of human interaction with antennas using the finite difference time domain technique. , 0, , .		2

#	ARTICLE	IF	CITATIONS
477	Linear Bicharacteristic Schemes Without Dissipation. SIAM Journal of Scientific Computing, 1998, 19, 1405-1427.	1.3	46
478	General closed-form PML constitutive tensors to match arbitrary bianisotropic and dispersive linear media. , 1998, 8, 223-225.		170
479	Accurate analysis of periodic structures with an additional symmetry in the unit cell from classical matrix eigenvalues. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1513-1515.	2.9	13
480	The design and analysis of a Ka-band coaxial to waveguide transition. , 0, , .		3
481	Development of thin wire models in TLM. , 0, , .		6
482	Theoretical proof of the material independent PML absorbers used for arbitrary anisotropic media. Electronics Letters, 1998, 34, 48.	0.5	12
483	Ensemble Monte Carlo simulations of ultrafast phenomena in semiconductors. , 1998, , .		0
484	Electron Beam Induced Damage of MOS Gate Oxide. Japanese Journal of Applied Physics, 1998, 37, 1129-1136.	0.8	12
485	FDTD analysis of propagation of radio waves through a modified T-junction in two-dimensional tunnels. , 0, , .		1
486	Rigorous simulation of mask corner effects in extreme ultraviolet lithography. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 1998, 16, 3449.	1.6	23
487	The 2.5D pseudospectral time-domain (PSTD) algorithm with PML absorbing boundary condition. , 0, , .		1
488	A dual-frequency strip-sleeve monopole antenna for a laptop computer. , 0, , .		2
489	A simple method to correct the reflection error of absorbing boundary condition in the FDTD analysis of waveguides. , 0, , .		1
490	Characterization of a CPW-MS transition for antenna applications. , 0, , .		1
491	Modified Berenger PML (MPML) absorbing boundary condition for FD-TD meshes in lossy media. , 0, , .		0
492	The Adaptive Computation of Far-Field Patterns by A Posteriori Error Estimation of Linear Functionals. SIAM Journal on Numerical Analysis, 1998, 36, 251-274.	1.1	73
493	Perfectly matched layer absorbing boundary conditions for the method of lines modeling scheme. , 1998, 8, 357-359.		11
494	The concurrent complementary operators method for FDTD mesh truncation. IEEE Transactions on Antennas and Propagation, 1998, 46, 1475-1482.	3.1	31

#	ARTICLE	IF	CITATIONS
495	A new absorbing boundary condition structure for waveguide analysis. , 0, , .		0
496	Reducing the phase error for finite-difference methods without increasing the order. IEEE Transactions on Antennas and Propagation, 1998, 46, 1194-1201.	3.1	80
497	The complementary operators method applied to acoustic finite-difference time-domain simulations. Journal of the Acoustical Society of America, 1998, 104, 686-693.	0.5	18
498	A systematic approach to the derivation of constitutive parameters of a perfectly matched absorber. , 1998, 8, 313-315.		3
499	Generalized Bremmer series with rational approximation for the scattering of waves in inhomogeneous media. Journal of the Acoustical Society of America, 1998, 104, 1943-1963.	0.5	21
500	Implementing PML boundary conditions in TLM. , 0, , .		0
501	High-resolution organ dosimetry for human exposure to low-frequency electric fields. IEEE Transactions on Power Delivery, 1998, 13, 366-373.	2.9	55
502	Non-reflecting boundary conditions for wave propagation problems and their stability analysis. Developments in Geotechnical Engineering, 1998, , 161-174.	0.1	1
503	Calibration of electric coaxial near-field probes and applications. IEEE Transactions on Microwave Theory and Techniques, 1998, 46, 1694-1703.	2.9	46
504	Stable and efficient ABCs for graded mesh FDTD simulations. , 0, , .		4
505	A nonuniform cylindrical FDTD algorithm with PML for borehole radar modeling. , 1998, , .		0
506	A comparative study of ray tracing and FDTD for indoor propagation modeling. , 0, , .		6
507	Advances in Numerical Boundary Conditions for Computational Aeroacoustics. Journal of Computational Acoustics, 1998, 06, 377-402.	1.0	88
508	Transient response of terahertz emitter using finite-difference time-domain (FDTD) method. , 0, , .		0
509	Extension of the PML absorbing boundary condition to 3D spherical coordinates: scalar case. IEEE Transactions on Magnetics, 1998, 34, 2680-2683.	1.2	12
510	A higher-order FDTD technique for the implementation of enhanced dispersionless perfectly matched layers combined with efficient absorbing boundary conditions. IEEE Transactions on Magnetics, 1998, 34, 2736-2739.	1.2	26
511	A generalized nondiagonally anisotropic perfectly matched layer for wide-angle absorption in finite element electromagnetic scattering analysis. IEEE Transactions on Magnetics, 1998, 34, 2732-2735.	1.2	7
512	An iterative solution to scattering from cavity-backed apertures in a perfectly conducting wedge. IEEE Transactions on Magnetics, 1998, 34, 2704-2707.	1.2	12

#	ARTICLE	IF	CITATIONS
513	Comparative study of the PML and C-COM mesh-truncation techniques. , 1998, 8, 55-57.		13
514	Modeling of performance of wireless communication antennas in the vicinity of the user. , 0, , .		0
515	Some properties of the non-homogeneous anisotropic perfectly matched layer. IEEE Transactions on Magnetics, 1998, 34, 2692-2695.	1.2	1
516	Unsplit-field formulations for generalised material independent PML absorbers. , 0, , .		2
517	3D-FEM analysis for microwave reflection and absorption on/in dielectric materials with conductivity. , 0, , .		0
518	Modeling of antennas for mobile communication. , 0, , .		0
519	A study of second harmonic generation by focused medical transducer pulses. , 0, , .		26
520	Far-field aeroacoustic computation of unsteady cavity flows. , 1998, , .		6
521	Absorbing boundary conditions for measured equation of invariance in time domain. , 0, , .		1
522	Arbitrarily oriented perfectly matched layer in the frequency domain. , 0, , .		0
523	A nonuniform cylindrical FDTD algorithm using new split PML formulations. , 0, , .		0
524	Computer Modelling of High Frequency Electromagnetic Field Penetration into the Human Head. Measurement and Control, 1998, 31, 170-175.	0.9	8
525	FVTD analysis of electromagnetic wave scattering by rough surface. , 1998, , .		3
526	High-order compact-difference schemes for time-dependent Maxwell equations. , 1998, , .		1
527	A PSTD algorithm for general dispersive media and its applications to GPR simulations. , 1998, , .		2
528	Application of fast multimodal ABCs in time domain analysis of electromagnetic waves in infinite shielded structures. , 0, , .		0
529	Artificial boundary conditions of absolute transparency for two- and three-dimensional external time-dependent scattering problems. European Journal of Applied Mathematics, 1998, 9, 561-588.	1.4	46
530	A case study of the Virginia Tech Corporate Research Center in the context of the Cabral-Dahab Paradigm, with comparison to other US research parks. International Journal of Technology Management, 1998, 16, 761.	0.2	5

#	ARTICLE	IF	CITATIONS
531	Perfectly matched layer as absorbing boundary condition for the linearized Euler equations in open and ducted domains. , 1998, , .		0
532	Absorbing layers for the simulation of open boundaries in TLM field computation. , 1998, , .		0
533	Portable radio handset patterns in the presence of a model of the head. , 1998, , .		0
537	A Body of Revolution Finite Difference Time Domain Method with Perfectly Matched Layer Absorbing Boundary. Progress in Electromagnetics Research, 1999, 24, 257-277.	1.6	6
538	Analysis of electromagnetic wave scattering from building walls with periodic and random surface. , 0, , .		1
539	Improvements in GdfidL. , 0, , .		0
540	Reflectivity calculation of a periodical-patch-loaded absorber by the FD-TD method. , 0, , .		3
541	Anticipating EMI from coupling between high-speed digital and I/O lines. , 0, , .		9
542	Finite Difference Time Domain (FDTD) Analysis of Microwave Circuitsâ€™A Review with Examples. IETE Journal of Research, 1999, 45, 3-20.	1.8	1
543	Slot and aperture coupling for airflow aperture arrays in shielding enclosure designs. , 0, , .		8
544	Significant contribution of improper-real solution to the fields excited by a practical source in printed-circuit transmission lines. , 0, , .		1
545	Finite element beam propagation method with perfectly matched layer boundary conditions. IEEE Transactions on Magnetics, 1999, 35, 1482-1485.	1.2	18
546	Open-region, electromagnetic finite-element scattering calculations in anisotropic media on parallel computers. , 0, , .		2
547	Employing PML absorbers in the design and simulation of ground penetrating radars. , 0, , .		1
548	Exact Representations on Artificial Interfaces and Applications in Mechanics. Applied Mechanics Reviews, 1999, 52, 333-349.	4.5	92
549	Comparison of Analytical Calculations to Finite-Difference Time-Domain Simulations of One-Dimensional Spatially Varying Anisotropic Liquid Crystal Structures. Japanese Journal of Applied Physics, 1999, 38, 1488-1494.	0.8	29
550	An optimal edge based finite difference solution to the vector Helmholtz equation in two dimensions. IEEE Transactions on Magnetics, 1999, 35, 1462-1465.	1.2	0
551	Investigation of boundary conditions for computational aeroacoustics. , 1999, , .		1

#	ARTICLE	IF	CITATIONS
552	Finite difference calculations of electro-magnetic fields in arbitrary curvilinear coordinates for coaxial microwave plasma sources. Plasma Sources Science and Technology, 1999, 8, 325-331.	1.3	13
553	High-order time-domain solutions for periodic gust/flat-plate interaction. , 1999, , .		0
554	Performance evaluation and absorption enhancement of the Grote-Keller and unsplit PML boundary conditions for the 3-D FDTD method in spherical coordinates. IEEE Transactions on Magnetics, 1999, 35, 1418-1421.	1.2	2
555	FDTD approach for modelling PBG structures. Journal of Optics, 1999, 1, 495-500.	1.5	10
556	Advances in time-domain computational electromagnetics. , 1999, , .		3
557	Air-bridged gate MESFET: a new structure to reduce wave propagation effects in high-frequency transistors. IEEE Transactions on Microwave Theory and Techniques, 1999, 47, 890-899.	2.9	16
558	Biological effects of microwave and RF. , 0, , .		3
559	A frequency-dependent PSTD algorithm for general dispersive media. , 1999, 9, 51-53.		17
560	Nonlocal boundary conditions for finite-difference parabolic equation solvers. Journal of the Acoustical Society of America, 1999, 106, 143-150.	0.5	38
561	Reduced FDTD formulation (R-FDTD) for the analysis of 30 GHz dielectric resonator coupled to a microstrip line. , 0, , .		2
562	Field singularity correction in 2-D time domain Haar wavelet modeling of waveguide components. , 0, , .		2
563	NSERC industrial research chair in electromagnetic fields and living systems and research in wireless communication. , 1999, , .		0
564	PML absorbing boundary conditions for the characterization of open microwave circuit components using multiresolution time-domain techniques (MRTD). IEEE Transactions on Antennas and Propagation, 1999, 47, 1709-1715.	3.1	22
565	Improvement on superabsorption technique and numerical validation. , 0, , .		0
566	Accurate mesh truncation for Schrödinger equations by a perfectly matched layer absorber: Application to the calculation of optical spectra. Physical Review B, 1999, 60, R5109-R5112.	1.1	26
567	Dual-frequency strip-sleeve monopole for laptop computers. IEEE Transactions on Antennas and Propagation, 1999, 47, 317-323.	3.1	68
568	FDTD Characterization of Meander Line Antennas for Rf and Wireless Communications. Journal of Electromagnetic Waves and Applications, 1999, 13, 1649-1651.	1.0	16
569	A nonlinear inversion method for 3D electromagnetic imaging using adjoint fields. Inverse Problems, 1999, 15, 1523-1558.	1.0	114

#	ARTICLE	IF	CITATIONS
570	A probe antenna for in situ measurement of the complex dielectric constant of materials. IEEE Transactions on Antennas and Propagation, 1999, 47, 1085-1093.	3.1	9
571	Transmission properties at microwave frequencies of two-dimensional metallic lattices. Journal of Applied Physics, 1999, 86, 1177-1180.	1.1	1
572	PML and MUR 'ABC' time-domain analysis in PSTD algorithm. , 0, , .		0
573	Large-scale simulations of electromagnetic and acoustic measurements using the pseudospectral time-domain (PSTD) algorithm. IEEE Transactions on Geoscience and Remote Sensing, 1999, 37, 917-926.	2.7	137
574	On dynamic stability of conformal PML-FDTD for electromagnetic field computations. , 0, , .		0
575	Accurate analysis of the coax-to-microstrip transition by using FDTD method. , 0, , .		0
576	A versatile second order absorbing boundary condition. , 0, , .		0
578	Computational Aeroacoustics Simulations Using the Expansion About Incompressible Flow Approach. AIAA Journal, 1999, 37, 409-416.	1.5	42
579	Radiation boundary conditions for the numerical simulation of waves. Acta Numerica, 1999, 8, 47-106.	6.3	310
580	Mur-nÃ©dÃ©lec finite element schemes for Maxwell's equations. Computer Methods in Applied Mechanics and Engineering, 1999, 169, 197-217.	3.4	44
581	Maxwellian material based absorbing boundary conditions. Computer Methods in Applied Mechanics and Engineering, 1999, 169, 237-262.	3.4	35
582	Finite-difference time domain method for light wave propagation within liquid crystal devices. Optics Communications, 1999, 165, 99-105.	1.0	60
583	BEST: a finite difference simulator for time electromagnetics. Simulation Modelling Practice and Theory, 1999, 7, 279-293.	0.4	20
584	Calcul direct du rayonnement acoustique d'une couche de mÃ©lange par macrosimulation. Comptes Rendus De L'Academie De Sciences - Serie Iib: Mecanique, Physique, Chimie, Astronomie, 1999, 327, 1029-1034.	0.1	3
585	CaractÃ©re bien posÃ© du problÃ©me de Cauchy pour le systÃ©me de BÃ©renger. Comptes Rendus Mathematique, 1999, 328, 847-852.	0.5	7
586	Analysis of complex eigenenergies of an electron in two- and three-dimensionally confined systems using the weighted potential method. Microelectronics Journal, 1999, 30, 1001-1006.	1.1	6
587	Implementation of BÃ©renger layers as boundary conditions for the beam propagation method: applications to integrated waveguides. Optics Communications, 1999, 159, 43-48.	1.0	6
588	FDTD analysis of PBG waveguides, power splitters and switches. Optical and Quantum Electronics, 1999, 31, 843-855.	1.5	59

#	ARTICLE	IF	CITATIONS
589	New true fourth-order accurate scalar beam propagation methods for both TE and TM polarization. <i>Optical and Quantum Electronics</i> , 1999, 31, 705-720.	1.5	4
590	Full-wave electromagnetic simulation of millimeter-wave active devices and circuits. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 1999, 54, 30-42.	1.6	1
591	Numerical Evaluation of Polarization-Selective Characteristics of a Binary Relief Grating with Subwavelength Structures. <i>Optical Review</i> , 1999, 6, 501-506.	1.2	5
592	Cosite interference between wire antennas on helicopter structures and rotor modulation effects: FDTD versus measurements. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 1999, 41, 221-233.	1.4	10
593	Perfectly matched anisotropic layer for the numerical analysis of unbounded eddy-current problems. <i>IEEE Transactions on Magnetics</i> , 1999, 35, 4452-4458.	1.2	7
594	The dispersive boundary condition applied to nonuniform orthogonal meshes. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 257-264.	2.9	3
595	A nonuniform FDTD technique for efficient analysis of propagation characteristics of optical-fiber waveguides. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 345-349.	2.9	12
596	A technique for improving the accuracy of the nonuniform finite-difference time-domain algorithm. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 353-356.	2.9	29
597	A modal analysis of TEM mode in circular-rectangular coaxial waveguides. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 356-359.	2.9	4
598	An anisotropic PML for use with biaxial media. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 374-377.	2.9	6
599	Evaluation of perfectly matched layer mesh terminations in finite-element bioelectromagnetic scattering computations. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 410-415.	2.9	7
600	Analysis and applications of a new CPW-slotline transition. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 426-432.	2.9	86
601	Directive photonic-bandgap antennas. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 2115-2122.	2.9	280
602	Significant contribution of improper-real solution to the fields excited by a practical source in printed-circuit transmission lines. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1999, 47, 2487-2492.	2.9	4
603	A model for predicting the power delay profile characteristics inside a room. <i>IEEE Transactions on Vehicular Technology</i> , 1999, 48, 1110-1120.	3.9	64
604	Hybrid analysis/design method for active integrated antennas. <i>IET Microwaves Antennas and Propagation</i> , 1999, 146, 131.	1.2	11
605	FDTD analysis of serial corner-fed square patch antennas for single- and dual-polarised applications. <i>IET Microwaves Antennas and Propagation</i> , 1999, 146, 205.	1.2	14
606	Performance study of an adaptive dual antenna handset for indoor communications. <i>IET Microwaves Antennas and Propagation</i> , 1999, 146, 138.	1.2	5

#	ARTICLE	IF	CITATIONS
607	Efficient analysis of propagation characteristics of printed cylindrical transmission lines using non-uniform FDTD technique. IET Microwaves Antennas and Propagation, 1999, 146, 187.	1.2	3
608	Mutual coupling between rectangular dielectric resonator antennas by FDTD. IET Microwaves Antennas and Propagation, 1999, 146, 292.	1.2	11
609	A Modified Perfectly Matched Layer Implementation for Use in Electromagnetic PIC Codes. Journal of Computational Physics, 1999, 148, 125-132.	1.9	8
610	Time-Domain Deconvolution Removes the Effects of Near-Field Scatterers. Journal of Computational Physics, 1999, 149, 293-305.	1.9	0
611	High-Order Compact-Difference Schemes for Time-Dependent Maxwell Equations. Journal of Computational Physics, 1999, 153, 312-333.	1.9	125
612	Well-posed Perfectly Matched Layers for Advective Acoustics. Journal of Computational Physics, 1999, 154, 266-283.	1.9	105
613	Spectral Collocation Time-Domain Modeling of Diffractive Optical Elements. Journal of Computational Physics, 1999, 155, 287-306.	1.9	77
614	Bipml: a pml to match waves in bianisotropic media. Microwave and Optical Technology Letters, 1999, 20, 44-48.	0.9	18
615	An fdtd approach to the time-domain inverse scattering problem for an inhomogeneous cylindrical object. Microwave and Optical Technology Letters, 1999, 20, 72-77.	0.9	25
616	Unified analysis of perfectly matched layers using differential forms. Microwave and Optical Technology Letters, 1999, 20, 124-126.	0.9	21
617	Design of a dichroic surface for dual-frequency radioastronomical observations. Microwave and Optical Technology Letters, 1999, 20, 126-129.	0.9	0
618	Extension of the material-independent PML absorbers to arbitrary lossy anisotropic dielectric media. Microwave and Optical Technology Letters, 1999, 20, 245-249.	0.9	2
619	Parametrical study of printed quadrifilar helical antennas with central dielectric rods. Microwave and Optical Technology Letters, 1999, 20, 249-255.	0.9	19
620	FDTD investigation of end effect and multislot effect on the circumferentially slotted coaxial antenna. Microwave and Optical Technology Letters, 1999, 21, 35-39.	0.9	1
621	Optical 2R remodulator using feedforward control of semiconductor optical amplifier gain. Microwave and Optical Technology Letters, 1999, 21, 39-42.	0.9	7
622	An efficient formulation of a 1-D modal PML for waveguide structures. Microwave and Optical Technology Letters, 1999, 21, 48-51.	0.9	5
623	Theoretical confirmation of the generalized material-independent PML absorbers used for arbitrary anisotropic dielectric and magnetic media. Microwave and Optical Technology Letters, 1999, 21, 102-105.	0.9	1
624	Numerical computation of PML absorbing coefficients for analysis of TEM and quasi-TEM problems using ESN. Microwave and Optical Technology Letters, 1999, 21, 134-140.	0.9	0

#	ARTICLE	IF	CITATIONS
625	A novel hardware configuration for an adaptive beamforming array using quadrature mirror filter banks. Microwave and Optical Technology Letters, 1999, 21, 140-145.	0.9	2
626	Analysis of waveguide Tee-junctions with discontinuities using FDTD. Microwave and Optical Technology Letters, 1999, 21, 267-269.	0.9	1
627	Measurements of complex permittivity with waveguide resonator using perturbation technique. Microwave and Optical Technology Letters, 1999, 21, 269-272.	0.9	12
628	Causal perfectly matched anisotropic absorbers for the numerical solution of unbounded problems in the time domain. Microwave and Optical Technology Letters, 1999, 21, 295-299.	0.9	5
629	A dielectric photonic parabolic reflector. Microwave and Optical Technology Letters, 1999, 21, 411-414.	0.9	7
630	Application of an internal resistive source modeling for the FDTD analysis of CPW and CPS circuits. Microwave and Optical Technology Letters, 1999, 22, 78-81.	0.9	0
631	Design of a new photonic cover to increase antenna directivity. Microwave and Optical Technology Letters, 1999, 22, 136-139.	0.9	50
632	A PML-FDTD formulation for the simulation of optical structures. Microwave and Optical Technology Letters, 1999, 22, 355-358.	0.9	1
633	Dual-polarization broadband patch antenna. Microwave and Optical Technology Letters, 1999, 22, 414-420.	0.9	4
634	Perfectly matched anisotropic layers for optical waveguide analysis through the finite-element beam-propagation method. Microwave and Optical Technology Letters, 1999, 23, 67-69.	0.9	30
635	An improved zoning rule of the Fresnel zone plate. Microwave and Optical Technology Letters, 1999, 23, 69-73.	0.9	7
636	Perfectly matched layer termination for finite-element meshes: Implementation and application. Microwave and Optical Technology Letters, 1999, 23, 166-172.	0.9	10
637	Incorporating non-linear lumped elements in FDTD: the equivalent source method. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 1999, 12, 157-170.	1.2	8
638	FDTD analysis of radiowave propagation in two-dimensional tunnels with arbitrary bending angle. Electronics and Communications in Japan, 1999, 82, 1-9.	0.1	1
639	Finite element beam propagation method for nonlinear optical waveguides. Electronics and Communications in Japan, 1999, 82, 47-53.	0.2	3
640	Combined beam propagation and finite element method for bidirectional optical beam propagation analysis. Electronics and Communications in Japan, 1999, 82, 1-9.	0.2	2
641	A time domain beam propagation method based on a finite element scheme. Electronics and Communications in Japan, 1999, 82, 52-58.	0.2	4
642	Perfectly matched layers for elastic waves in cylindrical and spherical coordinates. Journal of the Acoustical Society of America, 1999, 105, 2075-2084.	0.5	89

#	ARTICLE	IF	CITATIONS
643	Three-dimensional FDTD analysis of a pulsed microwave confocal system for breast cancer detection: design of an antenna-array element. IEEE Transactions on Antennas and Propagation, 1999, 47, 783-791.	3.1	267
644	Simulation of acoustic wave propagation in dispersive media with relaxation losses by using FDTD method with PML absorbing boundary condition. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 1999, 46, 14-23.	1.7	50
645	Land mine detection using a ground-penetrating radar based on resistively loaded Vee dipoles. IEEE Transactions on Antennas and Propagation, 1999, 47, 1795-1806.	3.1	108
646	An efficient FDTD algorithm for the analysis of microstrip patch antennas printed on a general anisotropic dielectric substrate. IEEE Transactions on Microwave Theory and Techniques, 1999, 47, 1142-1146.	2.9	38
647	An image reconstruction method using GPR data. IEEE Transactions on Geoscience and Remote Sensing, 1999, 37, 327-334.	2.7	16
648	Spontaneous emission rate of an electric dipole in a general microcavity. Physical Review B, 1999, 60, 4688-4695.	1.1	80
649	Modeling tools for integrated and fiber optical devices. , 1999, 3620, 162.		6
650	Transmission Line Modeling Method. , 1999, , 237-277.		1
651	The time domain discrete Green's function as a boundary condition for three dimensional waveguide problems. , 0, , .		0
652	Stability of absorbing boundary conditions. IEEE Transactions on Antennas and Propagation, 1999, 47, 593-599.	3.1	19
653	Nonuniform fast cosine transform and the Chebyshev PSTD algorithm. , 0, , .		0
654	FDTD analysis of resistor-loaded bow-tie antennas covered with ferrite-coated conducting cavity for subsurface radar. IEEE Transactions on Antennas and Propagation, 1999, 47, 970-977.	3.1	80
655	Computation of mixing layer noise using large eddy simulation. , 1999, , .		5
656	Assessment of computational boundary conditions for hyperbolic systems. , 1999, , .		3
657	Electromagnetic analysis of axi-symmetric structures. , 0, , .		0
658	Absorbing boundary conditions for FDTD simulations of photonic crystal waveguides. , 1999, 9, 502-504.		49
659	Calculations on 2-dimensional waveguides in photonic crystals. , 0, , .		1
660	An efficient series expansion for the 2D Green's function of a microstrip substrate using perfectly matched layers. , 1999, 9, 505-507.		45

#	ARTICLE	IF	CITATIONS
661	Analysis of a Ka-band microstrip-to-waveguide transition by the FDTD expanding-cell algorithm. , 0, , .		0
662	A nonuniform cylindrical FDTD algorithm with improved PML and quasi-PML absorbing boundary conditions. IEEE Transactions on Geoscience and Remote Sensing, 1999, 37, 1066-1072.	2.7	37
663	Current marching technique for electromagnetic scattering computations. IEEE Transactions on Antennas and Propagation, 1999, 47, 1016-1024.	3.1	10
664	A new anisotropic perfectly matched layer medium for mesh truncation in finite difference time domain analysis. International Journal of Electronics, 1999, 86, 1085-1091.	0.9	20
665	MWI in 3D cylindrical coordinates. , 0, , .		0
666	Optimum PML ABC conductivity profile in FDFD. IEEE Transactions on Magnetics, 1999, 35, 1506-1509.	1.2	39
667	Extending PML absorbing boundary condition to truncate microstrip line in nonuniform 3D FDTD grid. IEEE Transactions on Microwave Theory and Techniques, 1999, 47, 1771-1776.	2.9	8
668	Numerical simulation of transient electromagnetic field. State-of-art. , 0, , .		0
669	MRTD analysis of a transient electromagnetic pulse propagating through a dielectric layer. International Journal of Electronics, 1999, 86, 459-474.	0.9	11
670	Waveguide bandpass filter analysis and design using multimode parallel FDTD diakoptics. IEEE Transactions on Microwave Theory and Techniques, 1999, 47, 867-876.	2.9	5
671	A review of global modeling of charge transport in semiconductors and full-wave electromagnetics. IEEE Transactions on Microwave Theory and Techniques, 1999, 47, 817-829.	2.9	83
672	An optimization method for the design of physical and Maxwellian absorbers. IEEE Transactions on Magnetics, 1999, 35, 1430-1433.	1.2	2
673	An investigation of new FETD/ABC methods of computation of scattering from three-dimensional material objects. IEEE Transactions on Antennas and Propagation, 1999, 47, 1579-1585.	3.1	16
674	Comments on "Generalized material-independent PML absorbers for the FD-TD simulation of electromagnetic waves in arbitrary anisotropic dielectric and magnetic media" [and reply]. , 1999, 9, 201-203.		3
675	A pseudospectral method for time-domain computation of electromagnetic scattering by bodies of revolution. IEEE Transactions on Antennas and Propagation, 1999, 47, 132-141.	3.1	60
676	An algorithm for computations of the power deposition in human tissue. IEEE Antennas and Propagation Magazine, 1999, 41, 102-107.	1.2	80
677	Block Pseudospectral Methods for Maxwell's Equations II: Two-Dimensional, Discontinuous-Coefficient Case. SIAM Journal of Scientific Computing, 1999, 21, 1146-1167.	1.3	35
678	The Fringe Region Technique and the Fourier Method Used in the Direct Numerical Simulation of Spatially Evolving Viscous Flows. SIAM Journal of Scientific Computing, 1999, 20, 1365-1393.	1.3	132

#	ARTICLE	IF	CITATIONS
679	Finite element solution of electromagnetic problems over a wide frequency range via the Padé approximation. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1999, 169, 263-277.	3.4	19
680	The frequency-domain TLM method with absorbing boundary conditions. , 0, , .		4
681	Bistatic RCS calculations with the vector parabolic equation method. <i>IEEE Transactions on Antennas and Propagation</i> , 1999, 47, 1688-1696.	3.1	46
682	Toward Perfectly Absorbing Boundary Conditions for Euler Equations. <i>AIAA Journal</i> , 1999, 37, 912-918.	1.5	13
683	The electromagnetic simulation software package MAFFIA 4. , 0, , .		4
684	Improved boundary conditions for the beam propagation method. <i>IEEE Photonics Technology Letters</i> , 1999, 11, 1000-1002.	1.3	5
685	FDTD validations of a nonlinear PML scheme. , 1999, 9, 93-95.		5
686	Time adaptive time-domain techniques for the design of microwave circuits. , 1999, 9, 96-98.		14
687	Application of a hyperbolic grid generation technique to a conformal PML implementation. , 1999, 9, 137-139.		14
688	Microwave system for breast tumor detection. , 1999, 9, 470-472.		59
689	PML and PSTD algorithm for arbitrary lossy anisotropic media. , 1999, 9, 48-50.		35
690	EMI associated with inter-board connection for module-on-backplane and stacked-card configurations. , 0, , .		10
691	Ground bouncing analysis using a program linking FDTD and SPICE. , 0, , .		3
692	Differential Forms, Metrics, and the Reflectionless Absorption of Electromagnetic Waves. <i>Journal of Electromagnetic Waves and Applications</i> , 1999, 13, 665-686.	1.0	112
693	Time-domain inverse scattering of a chiral slab. , 0, , .		2
694	Evanescent waves in PML's: origin of the numerical reflection in wave-structure interaction problems. <i>IEEE Transactions on Antennas and Propagation</i> , 1999, 47, 1497-1503.	3.1	90
695	Analysis of femtosecond-order optical pulses diffracted by periodic structure. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 1999, 16, 299.	0.8	18
696	Formulation and application of the finite-difference time-domain method for the analysis of axially symmetric diffractive optical elements. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 1999, 16, 1131.	0.8	122

#	ARTICLE	IF	CITATIONS
697	R-matrix propagator with perfectly matched layers for the study of integrated optical components. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 1999, 16, 2983.	0.8	4
698	Finite-difference time-domain calculation of spontaneous emission lifetime in a microcavity. Journal of the Optical Society of America B: Optical Physics, 1999, 16, 465.	0.9	115
699	On causality and dynamic stability of perfectly matched layers for FDTD simulations. IEEE Transactions on Microwave Theory and Techniques, 1999, 47, 775-785.	2.9	60
700	Simulations of GPR in dispersive media using a frequency-dependent PSTD algorithm. IEEE Transactions on Geoscience and Remote Sensing, 1999, 37, 2317-2324.	2.7	58
701	Finite-difference time-domain solution of light scattering by dielectric particles with a perfectly matched layer absorbing boundary condition. Applied Optics, 1999, 38, 3141.	2.1	151
702	Highly efficient full-vectorial 3-D BPM modeling of fiber to planar waveguide couplers. Journal of Lightwave Technology, 1999, 17, 136-143.	2.7	21
703	A wide-angle finite element beam propagation method with perfectly matched layers for nonlinear optical waveguides. Journal of Lightwave Technology, 1999, 17, 1909-1915.	2.7	26
704	Three-dimensional noniterative full-vectorial beam propagation method based on the alternating direction implicit method. Journal of Lightwave Technology, 1999, 17, 2389-2397.	2.7	48
705	Modeling of Scattering and Absorption by Nonspherical Cirrus Ice Particles at Thermal Infrared Wavelengths. Journals of the Atmospheric Sciences, 1999, 56, 2937-2947.	0.6	63
706	The Analysis of a Coaxial-to-Waveguide Transition Using FDTD with Cylindrical to Rectangular Cell Interpolation Scheme. ETRI Journal, 1999, 21, 1-8.	1.2	7
707	Two-Dimensional Optical Simulation Tool for Use in Microdisplay Analysis. Digest of Technical Papers SID International Symposium, 1999, 30, 624.	0.1	14
708	Some considerations about the perfectly matched layer for static fields. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 1999, 18, 337-347.	0.5	6
709	Successful applications of PML-ABC to the symplectic FDTD scheme with 4th-order accuracy in time and space. , 0, , .		10
710	Reciprocity in perfectly matched absorbers. , 0, , .		0
711	Validation of acoustic-analogy predictions for sound radiated by turbulence. Physics of Fluids, 2000, 12, 381-391.	1.6	20
712	Finite Difference Methods. , 2000, , .		1
713	Shielding properties of infinite metallic plate with an aperture. , 0, , .		0
714	Analysis and design of L-probe proximity fed patch antennas. , 0, , .		5

#	ARTICLE	IF	CITATIONS
715	Photonic crystal and its application. Proceedings of SPIE, 2000, , .	0.8	3
716	Poroelastic model for acoustic land mine detection. , 2000, 4038, 748.		0
717	Detection of electronic mines, timers, and fuses through electromagnetic interference signatures and stimulated emissions. , 2000, 4038, 66.		0
718	FDTD and FEM/MOM modeling of EMI resulting from a trace near a PCB edge. , 0, , .		10
719	Design silicon based race track resonators using FDTD. , 0, , .		2
720	Inter-laboratory comparison of numerical dosimetry for human exposure to 60 Hz electric and magnetic fields. Bioelectromagnetics, 2000, 21, 167-174.	0.9	41
721	A new in vitro exposure device for the mobile frequency of 900 MHz. Bioelectromagnetics, 2000, 21, 255-263.	0.9	55
722	Accurate radiation boundary conditions for the time-dependent wave equation on unbounded domains. International Journal for Numerical Methods in Engineering, 2000, 47, 1569-1603.	1.5	47
723	On the stretching of Maxwell's equations in general orthogonal coordinate systems and the perfectly matched layer. Microwave and Optical Technology Letters, 2000, 24, 31-34.	0.9	28
724	Modeling and measuring depolarization by building obstacles in the 41.5 GHz band. Microwave and Optical Technology Letters, 2000, 24, 34-36.	0.9	8
725	A nonuniform cylindrical FDTD algorithm for analysis of generalized cylindrical electromagnetic problems. Microwave and Optical Technology Letters, 2000, 24, 46-51.	0.9	3
726	Comparison study of the PSTD and FDTD methods for scattering analysis. Microwave and Optical Technology Letters, 2000, 25, 220-226.	0.9	20
727	An explicit method for the analysis of guided waves in a line-defect channel in a photonic crystal. Microwave and Optical Technology Letters, 2000, 25, 236-240.	0.9	4
728	Application and optimization of the perfectly matched layer boundary condition for geophysical simulations. Microwave and Optical Technology Letters, 2000, 25, 253-255.	0.9	7
729	On plane-wave scattering from an azimuthally periodic cylindrical structure. Microwave and Optical Technology Letters, 2000, 25, 255-257.	0.9	5
730	Numerical reflection of evanescent waves by PMLs: origin and interpretation in the FDTD case. Expected consequences to other finite methods. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2000, 13, 103-114.	1.2	5
731	Finite element beam propagation method with perfectly matched layer boundary conditions for three-dimensional optical waveguides. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2000, 13, 115-126.	1.2	17
732	Curved perfectly matched layer in frequency domain. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2000, 13, 155-165.	1.2	0

#	ARTICLE	IF	CITATIONS
733	Accuracy of the Robin boundary condition iteration method for the finite element solution of scattering problems. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2000, 13, 217-231.	1.2	12
734	A comparison of PML for TVFEM and FDTD. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2000, 13, 233-244.	1.2	0
735	GMRES Computation of High Frequency Electrical Field Propagation in Land Mine Detection. <i>Journal of Computational Physics</i> , 2000, 158, 98-115.	1.9	12
736	Application of the Difference Gaussian Rules to Solution of Hyperbolic Problems. <i>Journal of Computational Physics</i> , 2000, 158, 116-135.	1.9	22
737	Development of Computational Aeroacoustics Equations for Subsonic Flows Using a Mach Number Expansion Approach. <i>Journal of Computational Physics</i> , 2000, 159, 377-406.	1.9	34
738	Nonreflecting Boundary Conditions for Elastodynamic Scattering. <i>Journal of Computational Physics</i> , 2000, 161, 331-353.	1.9	28
739	Low Frequency Finite Difference Time Domain (FDTD) for Modeling of Induced Fields in Humans Close to Line Sources. <i>Journal of Computational Physics</i> , 2000, 162, 82-103.	1.9	22
740	A New Absorbing Layer Boundary Condition for the Wave Equation. <i>Journal of Computational Physics</i> , 2000, 165, 511-521.	1.9	17
741	Transparent Boundary Conditions for a Wide-Angle Approximation of the One-Way Helmholtz Equation. <i>Journal of Computational Physics</i> , 2000, 165, 645-659.	1.9	4
742	BI-FDTD: A new technique for modeling electromagnetic wave interaction with bi-isotropic media. <i>Microwave and Optical Technology Letters</i> , 2000, 26, 239-242.	0.9	19
743	The influence of the dielectric-air interface on the radiation pattern of an antenna in a metallic photonic bandgap structure in a dielectric host medium. <i>Microwave and Optical Technology Letters</i> , 2000, 26, 367-371.	0.9	5
744	Characterization of a wideband, low-Q, electrically small antenna. <i>Microwave and Optical Technology Letters</i> , 2000, 27, 53-58.	0.9	7
745	Novel meandered planar inverted-F antenna for triple-frequency operation. <i>Microwave and Optical Technology Letters</i> , 2000, 27, 58-60.	0.9	66
746	On the matching conditions of different PML schemes applied to multilayer isotropic dielectric media. <i>Microwave and Optical Technology Letters</i> , 2000, 27, 129-134.	0.9	4
747	Convolution PML (CPML): An efficient FDTD implementation of the CFS-PML for arbitrary media. <i>Microwave and Optical Technology Letters</i> , 2000, 27, 334-339.	0.9	771
748	A finite-difference time-domain approach to waveguide discontinuities using one-dimensional modal perfectly matched layer based on diagonally anisotropic material. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2000, 10, 264-270.	0.8	2
749	Non-reflecting boundary conditions for electromagnetic scattering. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2000, 13, 397-416.	1.2	11
750	A generalized methodology based on higher-order conventional and non-standard FDTD concepts for the systematic development of enhanced dispersionless wide-angle absorbing perfectly matched layers. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2000, 13, 417-440.	1.2	33

#	ARTICLE	IF	CITATIONS
751	Complex space approach to perfectly matched layers: a review and some new developments. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2000, 13, 441-455.	1.2	99
752	The generalized theory of perfectly matched layers (GT-PML) in curvilinear co-ordinates. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2000, 13, 457-469.	1.2	5
753	Radiation electromagnetic waves suppressed by the curve shape of microstrip lines. Electronics and Communications in Japan, 2000, 83, 22-31.	0.2	2
754	Reflection and transmission control of electromagnetic wave for concrete walls. Electronics and Communications in Japan, 2000, 83, 12-21.	0.2	11
755	Computation of far-field solutions based on exact nonreflecting boundary conditions for the time-dependent wave equation. Computer Methods in Applied Mechanics and Engineering, 2000, 190, 1551-1577.	3.4	15
756	Light wave propagation in liquid crystal displays by the 2-D finite-difference time-domain method. Optics Communications, 2000, 177, 69-77.	1.0	69
758	Fourth order compact implicit method for the Maxwell equations with discontinuous coefficients. Applied Numerical Mathematics, 2000, 33, 125-134.	1.2	44
759	Reflectionless sponge layers for the numerical solution of Maxwell's equations in cylindrical and spherical coordinates. Applied Numerical Mathematics, 2000, 33, 517-524.	1.2	2
760	Convergence analysis of iterative methods by pseudodifference operators. Journal of Computational and Applied Mathematics, 2000, 115, 397-417.	1.1	2
761	Computational analysis of the high pass birdcage resonator: finite difference time domain simulations for high-field MRI. Magnetic Resonance Imaging, 2000, 18, 835-843.	1.0	74
763	Higher-order variational finite difference schemes for solving 3-D paraxial wave equations using splitting techniques. Wave Motion, 2000, 31, 101-116.	1.0	4
764	CÃ©ration de bruit par appariement de tourbillons dans les zones cisailÃ©es. Mecanique Et Industries, 2000, 1, 487-497.	0.2	1
765	On the construction of a high order difference scheme for complex domains in a Cartesian grid. Applied Numerical Mathematics, 2000, 33, 113-124.	1.2	27
766	Guided modes in a two-dimensional metallic photonic crystal waveguide. Physics Letters, Section A: General, Atomic and Solid State Physics, 2000, 266, 425-429.	0.9	44
767	Characterisation of low-loss waveguide bends with offset-optimisation for compact photonic integrated circuits. IEE Proceedings: Optoelectronics, 2000, 147, 382.	0.8	15
768	Computation of the signal-to-noise ratio of high-frequency magnetic resonance imagers. IEEE Transactions on Biomedical Engineering, 2000, 47, 1525-1533.	2.5	17
769	EMI from cavity modes of shielding enclosures-FDTD modeling and measurements. IEEE Transactions on Electromagnetic Compatibility, 2000, 42, 29-38.	1.4	156
770	EMI reduction from airflow aperture arrays using dual-perforated screens and loss. IEEE Transactions on Electromagnetic Compatibility, 2000, 42, 135-141.	1.4	14

#	ARTICLE	IF	CITATIONS
771	FDTD modeling of lumped ferrites. IEEE Transactions on Electromagnetic Compatibility, 2000, 42, 142-151.	1.4	5
772	EMI from airflow aperture arrays in shielding enclosures-experiments, FDTD, and MoM modeling. IEEE Transactions on Electromagnetic Compatibility, 2000, 42, 265-275.	1.4	75
773	Analysis of the influence of the power control and discontinuous transmission on RF exposure with GSM mobile phones. IEEE Transactions on Electromagnetic Compatibility, 2000, 42, 376-385.	1.4	77
774	Temperature rises in the human eye exposed to EM waves in the frequency range 0.6-6 GHz. IEEE Transactions on Electromagnetic Compatibility, 2000, 42, 386-393.	1.4	141
775	Analysis of coplanar waveguide-to-coplanar stripline transitions. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 23-29.	2.9	41
776	A new absorbing boundary condition structure for waveguide analysis. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 147-152.	2.9	1
777	Theoretical and experimental study of various types of compensated dielectric bridges for millimeter-wave coplanar applications. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 152-156.	2.9	17
778	Partially prism-gridded FDTD analysis for layered structures of transversely curved boundary. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 339-346.	2.9	5
779	Arbitrarily oriented perfectly matched layer in the frequency domain. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 461-463.	2.9	1
780	Design and modeling of twin-spiral coplanar-waveguide-to-slotline transitions. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 463-466.	2.9	20
781	The perfectly matched layer as lateral boundary in finite-difference transmission-line analysis. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 2249-2253.	2.9	14
782	Optimal shape design of microwave device using FDTD and design sensitivity analysis. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 2289-2296.	2.9	40
783	A study of uncertainties in modeling antenna performance and power absorption in the head of a cellular phone user. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 2676-2685.	2.9	38
784	Improving the accuracy of ray-tracing techniques for indoor propagation modeling. IEEE Transactions on Vehicular Technology, 2000, 49, 2350-2358.	3.9	78
785	CTLSS-an advanced electromagnetic simulation tool for designing high-power microwave sources. IEEE Transactions on Plasma Science, 2000, 28, 841-866.	0.6	44
786	Perfectly matched layer media for an unconditionally stable three-dimensional ADI-FDTD method. , 2000, 10, 261-263.		62
787	Frequency-domain PML layer based on the complex mapping of space boundary condition treatment. , 2000, 10, 356-358.		7
788	The second-order condition for the dielectric interface orthogonal to the Yee-lattice axis in the FDTD scheme. , 2000, 10, 359-361.		52

#	ARTICLE	IF	CITATIONS
789	Microstrip posts and dielectric resonators showing a steep slope at lower and upper stopbands for bandpass properties. , 2000, 10, 365-367.		48
790	Using the PML ABC for Air/Soil Wave Interaction Modeling in the Time and Frequency Domains. Subsurface Sensing Technologies and Applications, 2000, 1, 289-303.	0.9	9
791	Am Rande des Unendlichen: Numerische Verfahren für unbegrenzte Gebiete. Elemente Der Mathematik, 2000, 55, 67-83.	0.1	0
792	Numerical simulation and visualization of elastic waves using mass-spring lattice model. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2000, 47, 549-558.	1.7	45
793	3-D ICEPIC simulations of the relativistic klystron oscillator. IEEE Transactions on Plasma Science, 2000, 28, 821-829.	0.6	38
794	Effective permittivity of mixtures: numerical validation by the FDTD method. IEEE Transactions on Geoscience and Remote Sensing, 2000, 38, 1303-1308.	2.7	278
795	Wide band meander line antenna for wireless communication systems. , 0, , .		12
796	A finite-difference model to study the elastic-wave interactions with buried land mines. IEEE Transactions on Geoscience and Remote Sensing, 2000, 38, 1505-1512.	2.7	51
797	A generalized theory on the penetrating boundary conditions. Science in China Series D: Earth Sciences, 2000, 43, 275-281.	0.9	3
798	Determination of optimum conductivity profile for PML and PML-D using multiple-variables Padé approximation. , 0, , .		0
799	Use of Eigenfields as the Incident Fields in Finite-Difference Time-Domain Analysis of Photonic-Bandgap Waveguide Devices. , 2000, , ITh15.		0
800	The perfectly matched layer as lateral boundary in finite-difference transmission-line analysis. , 0, , .		12
801	A new update algorithm in FDTD implementation of anisotropic PML as an absorbing boundary condition. , 0, , .		1
802	Nonuniform Fast Cosine Transform and Chebyshev PSTD Algorithms. Progress in Electromagnetics Research, 2000, 28, 253-273.	1.6	16
803	Boundaries, Interfaces, and Implicit Algorithms. , 2000, , 353-404.		0
804	Numerical Simulation of Sound Generated by Vortex Pairing in a Mixing Layer. AIAA Journal, 2000, 38, 2210-2218.	1.5	90
805	ANALYTICAL AND NUMERICAL STUDIES OF A FINITE ELEMENT PML FOR THE HELMHOLTZ EQUATION. Journal of Computational Acoustics, 2000, 08, 121-137.	1.0	87
806	FDTD characterization of evanescent modes-multimode analysis of waveguide discontinuities. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 606-610.	2.9	10

#	ARTICLE	IF	CITATIONS
807	3-D simulation of GPR surveys over pipes in dispersive soils. <i>Geophysics</i> , 2000, 65, 1560-1568.	1.4	18
808	FINITE ELEMENT SOLUTION OF TWO-DIMENSIONAL ACOUSTIC SCATTERING PROBLEMS USING ARBITRARILY SHAPED CONVEX ARTIFICIAL BOUNDARIES. <i>Journal of Computational Acoustics</i> , 2000, 08, 81-99.	1.0	28
809	Microwave Imaging of Electrical Property Distributions By a Forward-Backward Time-Stepping Method. <i>Journal of Electromagnetic Waves and Applications</i> , 2000, 14, 1609-1626.	1.0	64
810	Beam propagation analysis of quasi-phase matched second harmonic generation devices. <i>IEEE Transactions on Magnetics</i> , 2000, 36, 1871-1875.	1.2	3
811	Investigation and optimization of a waveguide slot antenna array by finite-difference time-domain method. , 0, , .		3
812	Microwave breast cancer detection. , 0, , .		12
813	Field methods and computational techniques. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2000, 19, 165-375.	0.5	0
814	Analysis of CPW-fed back-to-back patch antenna on finite-size substrate. , 0, , .		0
815	Optimal shape design of passive device using FDTD and design sensitivity analysis. , 0, , .		1
816	Development of perfectly matched layer boundary conditions for aeroacoustic applications. , 2000, , .		2
817	Evaluation of boundary conditions and numerical schemes for jet noise computation. , 2000, , .		8
818	Modeling of arbitrary shaped radiating structures by the wave concept iterative process. , 0, , .		1
819	Theory and experiment on microstrip patch antennas with shorting walls. <i>IET Microwaves Antennas and Propagation</i> , 2000, 147, 521.	1.2	75
820	Multipole acoustic waveforms in fluid-filled boreholes in biaxially stressed formations: A finite-difference method. <i>Geophysics</i> , 2000, 65, 190-201.	1.4	26
821	An anisotropic PML absorbing boundary condition using for waves propagating in dispersive medium. , 2000, , .		0
822	Reconstruction of dielectric cylinders using FDTD and topology optimization technique. <i>IEEE Transactions on Magnetics</i> , 2000, 36, 956-959.	1.2	17
823	Numerical method for computing defect modes in two-dimensional photonic crystals with dielectric or metallic inclusions. <i>Physical Review B</i> , 2000, 61, 12871-12876.	1.1	106
824	Specifying PML conductivities by considering numerical reflection dependencies. <i>IEEE Transactions on Antennas and Propagation</i> , 2000, 48, 1055-1063.	3.1	30

#	ARTICLE	IF	CITATIONS
825	CONTINUED-FRACTION ABSORBING BOUNDARY CONDITIONS FOR THE WAVE EQUATION. Journal of Computational Acoustics, 2000, 08, 139-156.	1.0	87
826	Modeling antenna close to the human body. , 0, , .		1
827	Fast and efficient FDTD simulations of personal wireless devices for SAR compliance testing and antenna design. , 0, , .		1
828	FD-TD analysis of scattered fields excited by a high energy pulsed beam of charged particles using point charge responses. IEEE Transactions on Magnetics, 2000, 36, 888-891.	1.2	1
829	Used FDTD method with PML and Mur ABC to calculate effective dielectric constant. , 0, , .		1
830	The time domain discrete Green's function method (GFM) as an ABC for arbitrarily-shaped boundaries. , 0, , .		1
831	Finite-aperture wire grid polarizers. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2000, 17, 2191.	0.8	18
832	Propagation and second-harmonic generation of electromagnetic waves in a coupled-resonator optical waveguide. Journal of the Optical Society of America B: Optical Physics, 2000, 17, 387.	0.9	137
833	Modified spontaneous emission from a two-dimensional photonic bandgap crystal slab. Journal of the Optical Society of America B: Optical Physics, 2000, 17, 1438.	0.9	69
834	A pulsed finite-difference time-domain (FDTD) method for calculating light scattering from biological cells over broad wavelength ranges. Optics Express, 2000, 6, 147.	1.7	109
835	A rigorous unidirectional method for designing finite aperture diffractive optical elements. Optics Express, 2000, 7, 237.	1.7	36
836	Three-dimensional analysis of subwavelength diffractive optical elements with the finite-difference time-domain method. Applied Optics, 2000, 39, 2871.	2.1	33
837	Efficient finite-difference time-domain scheme for light scattering by dielectric particles: application to aerosols. Applied Optics, 2000, 39, 3727.	2.1	128
838	Design of compact optical bends with a trench by use of finite-element and beam-propagation methods. Applied Optics, 2000, 39, 4946.	2.1	24
839	Finite-difference time-domain solution of light scattering by dielectric particles with large complex refractive indices. Applied Optics, 2000, 39, 5569.	2.1	36
840	Time-domain beam propagation method and its application to photonic crystal circuits. Journal of Lightwave Technology, 2000, 18, 102-110.	2.7	182
841	New full-vectorial numerically efficient propagation algorithm based on the finite element method. Journal of Lightwave Technology, 2000, 18, 409-415.	2.7	122
842	Guided-mode and leaky-mode analysis by imaginary distance beam propagation method based on finite element scheme. Journal of Lightwave Technology, 2000, 18, 618-623.	2.7	65

#	ARTICLE	IF	CITATIONS
843	Properties of the slab modes in photonic crystal optical waveguides. <i>Journal of Lightwave Technology</i> , 2000, 18, 1554-1564.	2.7	98
844	Adiabatic coupling between conventional dielectric waveguides and waveguides with discrete translational symmetry. <i>Optics Letters</i> , 2000, 25, 755.	1.7	80
845	Light propagation in domain walls in ferroelectric liquid crystal devices by the finite-difference time-domain method. <i>Journal of Optics</i> , 2000, 2, 27-33.	1.5	44
846	A coherent scattering model to determine forest backscattering in the VHF-band. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2000, 38, 238-248.	2.7	31
847	Full-vectorial finite-element beam propagation method for nonlinear directional coupler devices. <i>IEEE Journal of Quantum Electronics</i> , 2000, 36, 556-562.	1.0	26
848	A numerical model for electromagnetic scattering from sea ice. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2000, 38, 1309-1319.	2.7	13
849	Exact Nonreflecting Boundary Condition For Elastic Waves. <i>SIAM Journal on Applied Mathematics</i> , 2000, 60, 803-819.	0.8	58
850	Reflectionless Sponge Layers as Absorbing Boundary Conditions for the Numerical Solution of Maxwell Equations in Rectangular, Cylindrical, and Spherical Coordinates. <i>SIAM Journal on Applied Mathematics</i> , 2000, 60, 1037-1058.	0.8	86
851	Design of photonic crystal optical waveguides with singlemode propagation in the photonic bandgap. <i>Electronics Letters</i> , 2000, 36, 1376.	0.5	72
852	Theory of light propagation in strongly modulated photonic crystals: Refractionlike behavior in the vicinity of the photonic band gap. <i>Physical Review B</i> , 2000, 62, 10696-10705.	1.1	1,185
853	An Analysis of New Mixed Finite Elements for the Approximation of Wave Propagation Problems. <i>SIAM Journal on Numerical Analysis</i> , 2000, 37, 1053-1084.	1.1	117
854	Rapid Evaluation of Nonreflecting Boundary Kernels for Time-Domain Wave Propagation. <i>SIAM Journal on Numerical Analysis</i> , 2000, 37, 1138-1164.	1.1	166
855	Comparison of High-Accuracy Finite-Difference Methods for Linear Wave Propagation. <i>SIAM Journal of Scientific Computing</i> , 2000, 22, 476-502.	1.3	137
856	Dispersion compensation for Huygens' sources and far-zone transformation in FDTD. <i>IEEE Transactions on Antennas and Propagation</i> , 2000, 48, 494-501.	3.1	20
857	A novel finite-difference time-domain wave propagator. <i>IEEE Transactions on Antennas and Propagation</i> , 2000, 48, 839-841.	3.1	58
858	Microwave detection of breast cancer. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2000, 48, 1854-1863.	2.9	265
859	Virtual Prototyping of RF weapons. , 2000, , .		1
860	An FDTD algorithm with perfectly matched layers for general dispersive media. <i>IEEE Transactions on Antennas and Propagation</i> , 2000, 48, 637-646.	3.1	70

#	ARTICLE	IF	CITATIONS
861	Transient photoconductivity in GaAs as measured by time-resolved terahertz spectroscopy. Physical Review B, 2000, 62, 15764-15777.	1.1	460
862	A parallel finite-element tearing and interconnecting algorithm for solution of the vector wave equation with PML absorbing medium. IEEE Transactions on Antennas and Propagation, 2000, 48, 278-284.	3.1	83
863	Three-dimensional FDTD modeling of a GPR. , 0, , .		0
864	A nonorthogonally-oriented higher-order FDTD technique for 3-D waveguide and antenna structures on curvilinear grids. , 2000, , .		0
865	THIRD-ORDER DOUBLY ASYMPTOTIC APPROXIMATIONS FOR COMPUTATIONAL ACOUSTICS. Journal of Computational Acoustics, 2000, 08, 101-120.	1.0	18
866	FDTD analysis of the interaction between electromagnetic wave and inhomogenous anisotropic media. , 2000, , .		0
867	Impedance-matched absorbers for finite-difference parabolic equation algorithms. Journal of the Acoustical Society of America, 2000, 107, 1226-1234.	0.5	21
868	Scattering of Time-Harmonic Electromagnetic Waves by Anisotropic Inhomogeneous Scatterers or Impenetrable Obstacles. SIAM Journal on Numerical Analysis, 2000, 37, 1590-1617.	1.1	18
869	An efficient ways of overcoming sampling-plane truncation error in time-domain near-field measurement. , 0, , .		0
870	Finite-Difference Time-Domain Simulator for Half-Space Bioacoustic Problems. Computer Methods in Biomechanics and Biomedical Engineering, 2000, 3, 109-118.	0.9	0
871	Nondiagonally anisotropic PML: a generalized unsplit wide-angle absorber for the treatment of the near-grazing effect in FDTD meshes. IEEE Transactions on Magnetics, 2000, 36, 907-911.	1.2	4
872	Experimental and FDTD study of the EMI performance of an open-pin-field connector for modules-on-backplanes. , 0, , .		1
873	Analysis and design of cylindrical multilayered MMICs using a unified non-uniform FDTD algorithm. , 0, , .		0
874	Simulation of human interaction with mobile telephones using hybrid techniques over coupled domains. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 2014-2021.	2.9	45
875	The finite volume, finite element, and finite difference methods as numerical methods for physical field problems. Advances in Imaging and Electron Physics, 2000, 113, 1-146.	0.1	52
876	Determination of electromagnetic phased-array driving signals for hyperthermia based on a steady-state temperature criterion. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 1864-1873.	2.9	11
877	An excellent artificial attenuate absorbing boundary condition for FDTD calculations. , 0, , .		0
878	Generalized FDTD-ADI: an unconditionally stable full-wave Maxwell's equations solver for VLSI interconnect modeling. , 0, , .		28

#	ARTICLE	IF	CITATIONS
879	A conformal FDTD software package modeling antennas and microstrip circuit components. IEEE Antennas and Propagation Magazine, 2000, 42, 28-39.	1.2	80
880	Conformal perfectly matched absorbers in finite element mesh truncation. , 0, , .		2
881	Anisotropic perfectly matched layer absorbing boundary condition used for biaxial media. , 0, , .		0
882	Use of PML absorbing layers for the truncation of the head model in cellular telephone simulations. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 2033-2039.	2.9	22
883	A path integral time-domain method for electromagnetic scattering. IEEE Transactions on Antennas and Propagation, 2000, 48, 565-573.	3.1	19
884	Comparison between some absorbing boundary conditions and numerical validation. , 0, , .		1
885	Two time-derivative Lorentz material (2TDLM) formulation of a Maxwellian absorbing layer matched to a lossy medium. IEEE Transactions on Antennas and Propagation, 2000, 48, 192-199.	3.1	26
886	Multigrid methods for open boundary problems in geophysics. IEEE Transactions on Magnetics, 2000, 36, 633-638.	1.2	7
887	A new model for coupling a one-dimensional transmission line to FDTD grid for transient excitation of antennas. , 0, , .		0
888	The hybrid perfectly matched layer and finite element solution for open region problems. IEEE Transactions on Magnetics, 2000, 36, 1635-1639.	1.2	1
889	FDTD Analysis of Side-Coupled Microstrip Filter. Journal of Electromagnetic Waves and Applications, 2000, 14, 1533-1548.	1.0	1
890	A band-pass filter with two ring DRs analysis using the FDTD method in an MIC environment. , 0, , .		0
891	Conformal Thompson-FDTD method using MEI-ABC. , 2000, , .		0
892	Finite-difference time-domain analysis of spontaneous emission in a microdisk cavity. Physical Review A, 2000, 61, .	1.0	39
893	FDTD analysis of microwave hearing effect. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 2126-2132.	2.9	35
894	Electromagnetic simulation of bonding wires and comparison with wide band measurements. IEEE Transactions on Advanced Packaging, 2000, 23, 69-79.	1.7	43
895	A three-dimensional transmission line matrix method (TLM) for simulations of logging tools. IEEE Transactions on Geoscience and Remote Sensing, 2000, 38, 1522-1529.	2.7	15
896	Optimization of the PML efficiency in 3-D TLM method. IEEE Transactions on Microwave Theory and Techniques, 2000, 48, 1081-1088.	2.9	20

#	ARTICLE	IF	CITATIONS
897	Applications of nonuniform fast transform algorithms in numerical solutions of differential and integral equations. IEEE Transactions on Geoscience and Remote Sensing, 2000, 38, 1551-1560.	2.7	39
898	Analysis of optical waveguide devices using the FD-TD method based on the principles of multidimensional wave digital filters. Radio Science, 2000, 35, 595-605.	0.8	7
899	Multiresolution time domain analysis of scattering from a rough dielectric surface. Radio Science, 2000, 35, 1279-1292.	0.8	13
900	Concurrent complementary operator boundary conditions for optical beam propagation. IEEE Photonics Technology Letters, 2000, 12, 56-58.	1.3	4
901	An artificially-synthesized absorbing medium for the truncation of FDTD lattices. , 2000, 10, 128-130.		5
902	Maxwellian material-based absorbing boundary conditions for lossy media in 3-D. IEEE Transactions on Antennas and Propagation, 2000, 48, 200-213.	3.1	21
903	Signal-processing techniques to reduce the sinusoidal steady-state error in the FDTD method. IEEE Transactions on Antennas and Propagation, 2000, 48, 585-593.	3.1	23
904	Scattering simulations in inhomogenous volumes for scanning near-field optical microscopy. Journal of Modern Optics, 2000, 47, 805-820.	0.6	0
905	Optimized radiofrequency resonators for high field NMR clinical imaging. , 0, , .		1
906	A fast method for computation of the bistatic radar cross section. IEEE Transactions on Magnetics, 2000, 36, 921-924.	1.2	5
907	A broad-band U-slot rectangular patch antenna on a microwave substrate. IEEE Transactions on Antennas and Propagation, 2000, 48, 954-960.	3.1	252
908	Three-dimensional FDTD modeling of a ground-penetrating radar. IEEE Transactions on Geoscience and Remote Sensing, 2000, 38, 1513-1521.	2.7	86
909	Generalized Characteristic Boundary Conditions for Computational Aeroacoustics. AIAA Journal, 2000, 38, 2040-2049.	1.5	227
910	An FDTD method for analysis of scattering from rough fluid-fluid interfaces. IEEE Journal of Oceanic Engineering, 2001, 26, 94-101.	2.1	10
911	Comparative study of absorbing boundary conditions for the time-domain beam propagation method. IEEE Photonics Technology Letters, 2001, 13, 314-316.	1.3	10
912	The perfectly matched layer boundary condition for scalar finite-difference time-domain method. IEEE Photonics Technology Letters, 2001, 13, 454-456.	1.3	53
913	Perfectly matched layer truncation for parabolic wave equation models. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2001, 457, 2609-2624.	1.0	11
914	Perfectly matched layer media with CFS for an unconditionally stable ADI-FDTD method. IEEE Transactions on Antennas and Propagation, 2001, 49, 1554-1559.	3.1	122

#	ARTICLE	IF	CITATIONS
915	Reflection characteristic analysis of an artificially synthesized absorbing medium. IEEE Transactions on Magnetics, 2001, 37, 3798-3802.	1.2	9
916	A k-space method for large-scale models of wave propagation in tissue. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2001, 48, 341-354.	1.7	132
917	Analysis and design of L-probe proximity fed-patch antennas. IEEE Transactions on Antennas and Propagation, 2001, 49, 145-149.	3.1	163
918	The time-domain discrete Green's function method (GFM) characterizing the FDTD grid boundary. IEEE Transactions on Antennas and Propagation, 2001, 49, 1079-1093.	3.1	58
919	Role of distributed Bragg reflection in photonic-crystal optical waveguides. Physical Review B, 2001, 64, .	1.1	37
920	The application of the perfectly matched layer in numerical modeling of wave propagation in poroelastic media. Geophysics, 2001, 66, 1258-1266.	1.4	176
921	Design of circular polarized microstrip aperture coupled patch antenna for 5.8 GHz ISM band. , 0, , .		2
922	Modeling of ground-penetrating-radar antennas with shields and simulated absorbers. IEEE Transactions on Antennas and Propagation, 2001, 49, 1560-1567.	3.1	15
923	Optimal time-domain detection of a deterministic target buried under a randomly rough interface. IEEE Transactions on Antennas and Propagation, 2001, 49, 313-326.	3.1	34
924	Noise from the fine scale turbulence of nonaxisymmetric jets. , 2001, , .		3
925	Development of three-dimensional PML boundary conditions for aeroacoustics applications. , 2001, , .		0
926	On the solution of a class of large body problems with partial circular symmetry (multiple) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Transactions on Antennas and Propagation, 2001, 49, 354-360.	3.1	3
927	FDTD and PSTD simulations for plasma applications. IEEE Transactions on Plasma Science, 2001, 29, 341-348.	0.6	10
928	Propagation of intense ultrashort laser pulses in a plasma filled capillary tube: Simulations and experiments. Physics of Plasmas, 2001, 8, 3445-3456.	0.7	69
929	Photonic crystal tapers for ultracompact mode conversion. Optics Letters, 2001, 26, 1102.	1.7	120
930	Asymmetric transmissive behavior of liquid-crystal diffraction gratings. Optics Letters, 2001, 26, 1188.	1.7	35
931	Performance of multilevel diffractive lenses as a function of f-number. Applied Optics, 2001, 40, 207.	2.1	16
932	Multichannel wavelength division multiplexing with photonic crystals. Applied Optics, 2001, 40, 2247.	2.1	144

#	ARTICLE	IF	CITATIONS
933	Scattering and internal fields of a microsphere that contains a saturable absorber: finite-difference time-domain simulations. <i>Applied Optics</i> , 2001, 40, 5487.	2.1	12
934	Full-vectorial finite element beam propagation method with perfectly matched layers for anisotropic optical waveguides. <i>Journal of Lightwave Technology</i> , 2001, 19, 405-413.	2.7	128
935	Approximate scalar finite-element beam-propagation method with perfectly matched layers for anisotropic optical waveguides. <i>Journal of Lightwave Technology</i> , 2001, 19, 786-792.	2.7	17
936	Tapered couplers for efficient interfacing between dielectric and photonic crystal waveguides. <i>Journal of Lightwave Technology</i> , 2001, 19, 861-865.	2.7	127
937	Photonic bandgap structures in planar waveguides. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2001, 18, 435.	0.8	28
938	Comparison of highly efficient absorbing boundary conditions for the beam propagation method. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2001, 18, 2015.	0.8	3
939	Use of grating theories in integrated optics. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2001, 18, 2865.	0.8	329
940	A study of high-index-contrast 90 degree waveguide bend structures. <i>Optics Express</i> , 2001, 8, 517.	1.7	97
941	Comparative study of air-core and coaxial Bragg fibers: single-mode transmission and dispersion characteristics. <i>Optics Express</i> , 2001, 9, 733.	1.7	50
942	Selective Excitation of Localized Modes in Active Random Media. <i>Physical Review Letters</i> , 2001, 87, .	2.9	183
943	Deep-etched distributed Bragg reflector lasers with curved mirrors. Experiments and modeling. <i>IEEE Journal of Quantum Electronics</i> , 2001, 37, 752-761.	1.0	3
944	A wavelet formulation of the finite-difference method: full-vector analysis of optical waveguide junctions. <i>IEEE Journal of Quantum Electronics</i> , 2001, 37, 1015-1029.	1.0	32
945	A matched-filter-based reverse-time migration algorithm for ground-penetrating radar data. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2001, 39, 929-936.	2.7	148
946	Simulations of ground-penetrating radars over lossy and heterogeneous grounds. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2001, 39, 1190-1197.	2.7	51
947	Acoustic detection of buried objects in 3-D fluid saturated porous media: numerical modeling. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2001, 39, 1165-1173.	2.7	30
948	New TLM nodes with PML absorbing boundary conditions for the characterization of axially symmetric antennas. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2001, 14, 185-203.	1.2	3
949	Rigorous solutions for electromagnetic scattering from rough surfaces. <i>Waves in Random and Complex Media</i> , 2001, 11, 103-137.	1.5	69
950	Numerical Solution of the Time-Domain Maxwell Equations Using High-Accuracy Finite-Difference Methods. <i>SIAM Journal of Scientific Computing</i> , 2001, 22, 1675-1696.	1.3	29

#	ARTICLE	IF	CITATIONS
951	QMR-Based Projection Techniques for the Solution of Non-Hermitian Systems with Multiple Right-Hand Sides. SIAM Journal of Scientific Computing, 2001, 23, 761-780.	1.3	17
952	A Vector Finite Element Time-Domain Method for Solving Maxwell's Equations on Unstructured Hexahedral Grids. SIAM Journal of Scientific Computing, 2001, 23, 683-706.	1.3	67
953	Model-based permittivity measurement of construction materials by the standing wave method. , 0, , .		5
954	Meander delay line challenge problem: a comparison using FDTD, FEM and MoM. , 0, , .		11
955	Grounding of heatpipe/heatspreader and heatsink structures for EMI mitigation. , 0, , .		10
956	Parallel simulation of radio-base antennas on massively parallel systems. , 0, , .		0
957	Efficient mode-matching analysis of discontinuities in finite planar substrates using perfectly matched layers. IEEE Transactions on Antennas and Propagation, 2001, 49, 185-195.	3.1	92
958	High-performance absorbing boundary conditions for photonic crystal waveguide simulations. IEEE Microwave and Wireless Components Letters, 2001, 11, 152-154.	2.0	98
959	Zero reflection coefficient in discretized PML. IEEE Microwave and Wireless Components Letters, 2001, 11, 155-157.	2.0	8
960	Modeling and application of 2D photonic band gap structures. , 0, , .		10
961	Optimal design method for microwave device using time domain method and design sensitivity analysis. II. FDTD case. IEEE Transactions on Magnetics, 2001, 37, 3255-3259.	1.2	72
962	Combination of PML and ABC for scattering problem. IEEE Transactions on Magnetics, 2001, 37, 3510-3513.	1.2	9
963	Broadband time-domain characterization of multiple flip-chip interconnects. , 0, , .		0
964	Advances in the finite difference beam propagation method. , 0, , .		1
965	Ultra-wideband antenna design using the Green's function method (GFM) ABC with genetic algorithm. , 0, , .		1
966	Implementing the Perfectly Matched Layer Absorbing Boundary Condition With Mimetic Differencing Schemes - Abstract. Journal of Electromagnetic Waves and Applications, 2001, 15, 201-202.	1.0	5
967	3-D FDTD design simulation and experimental measurement of a Ka-band planar antipodal linearly-tapered slot antenna (ALISA). , 0, , .		0
968	A novel hybridization of higher order finite element and boundary integral methods for electromagnetic scattering and radiation problems. IEEE Transactions on Antennas and Propagation, 2001, 49, 1794-1806.	3.1	80

#	ARTICLE	IF	CITATIONS
969	Numerical studies of mode gaps and coupling efficiency for line-defect waveguides in two-dimensional photonic crystals. <i>Physical Review B</i> , 2001, 64, .	1.1	68
970	A compact duplexer for IMT-2000 handsets using microstrip slow-wave open-loop resonators with high-impedance meander lines. , 0, , .		8
971	Field-singularity correction in 2-D time-domain Haar-wavelet modeling of waveguide components. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2001, 49, 685-691.	2.9	16
972	3-D FDTD design simulation and experimental measurement of a Ka-band planar antipodal linearly-tapered slot antenna (AL TSA). <i>IEEE Microwave and Wireless Components Letters</i> , 2001, 11, 382-384.	2.0	6
973	Conformal PML-FDTD schemes for electromagnetic field simulations: a dynamic stability study. <i>IEEE Transactions on Antennas and Propagation</i> , 2001, 49, 902-907.	3.1	34
974	Cross-borehole delineation of a conductive ore deposit in a resistive host experimental design. <i>Geophysics</i> , 2001, 66, 824-835.	1.4	9
975	FDTD Analysis of Stacked Microstrip Antenna with High Gain. <i>Progress in Electromagnetics Research</i> , 2001, 33, 29-43.	1.6	24
976	Two Dimensional Photonic Crystal Modes and Resonances in Three-dimensional Structures. <i>Materials Research Society Symposia Proceedings</i> , 2001, 694, 1.	0.1	0
977	Two Dimensional Photonic Crystal Modes and Resonances in Three-dimensional Structures. <i>Materials Research Society Symposia Proceedings</i> , 2001, 692, 1.	0.1	0
978	Numerical Modelling of Multi-Dimensional Liquid Crystal Optics: Finite-Difference Time-Domain Method. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 359, 289-299.	0.3	2
979	A well-posed PML absorbing boundary condition for lossy media. , 0, , .		9
980	On the computation of eigen modes for lossy microwave transmission lines including perfectly matched layer boundary conditions. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2001, 20, 948-965.	0.5	5
981	Applicability of the finite-difference time-domain method to photonic crystal structures. <i>AIP Conference Proceedings</i> , 2001, , .	0.3	8
982	Coupling paths in multilayer printed circuit boards for electromagnetic interference and immunity: experiments and FDTD modeling. , 2001, , .		0
983	Computation of the transmissivity in heterogeneous layers. <i>EPJ Applied Physics</i> , 2001, 13, 15-21.	0.3	0
984	Implementation of anisotropic PML for frequency domain FEM solution of discontinuity in dielectric waveguide. <i>Journal of Electronics</i> , 2001, 18, 297-305.	0.2	0
985	A novel absorbing boundary condition for the frequency-dependent finite-difference time-domain method. <i>Journal of Shanghai University</i> , 2001, 5, 111-115.	0.1	0
986	Finite Difference Time Domain Calculations Combined with Analytical Methods for Study of Near-Field Optical Probe. <i>Optical Review</i> , 2001, 8, 54-58.	1.2	4

#	ARTICLE	IF	CITATIONS
987	Finite-Difference-Time-Domain Analysis for Electro-Magnetic Field Distribution on Near-Field Optical Recording Probe Head. <i>Optical Review</i> , 2001, 8, 120-125.	1.2	18
988	Effect of RF coil excitation on field inhomogeneity at ultra high fields: a field optimized TEM resonator. <i>Magnetic Resonance Imaging</i> , 2001, 19, 1339-1347.	1.0	206
989	Sur l'existence et l'unicité des solutions pour le système de Maxwell harmonique en présence de couches de Bragg. <i>Comptes Rendus Mathématique</i> , 2001, 333, 599-604.	0.5	0
990	Theoretical study of transient phenomena in near-field optics. <i>Journal of Microscopy</i> , 2001, 202, 296-306.	0.8	15
991	A coupled-mode model for the refraction-diffraction of linear waves over steep three-dimensional bathymetry. <i>Applied Ocean Research</i> , 2001, 23, 319-336.	1.8	71
992	Analysis of the effects arising from the near-field optical microscopy of homogeneous dielectric slabs. <i>Optics Communications</i> , 2001, 196, 17-31.	1.0	4
993	Interference of signals in parallel waveguides in a two-dimensional photonic crystal. <i>Physica B: Condensed Matter</i> , 2001, 299, 187-193.	1.3	4
994	Extended PML-TLM node: an efficient approach for full-wave analysis of open structures. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2001, 14, 129-144.	1.2	17
995	TLM method and acoustics. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2001, 14, 171-183.	1.2	6
996	An iterative method for modeling of antennas. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2001, 11, 194-201.	0.8	7
997	Numerical analysis of the relationship between the coupling ratio and the time delay along microstrip lines using the FDTD method. <i>Microwave and Optical Technology Letters</i> , 2001, 31, 256-260.	0.9	0
998	Analysis of a new bandpass filter with two ring DRs using the FDTD method. <i>Microwave and Optical Technology Letters</i> , 2001, 29, 319-322.	0.9	2
999	Explicit formulas for obtaining the radiation characteristics of an antenna based on a three-dimensional metallic photonic bandgap structure. <i>Microwave and Optical Technology Letters</i> , 2001, 29, 376-381.	0.9	1
1000	Infrared microstrip dipole antennas?FDTD predictions versus experiment. <i>Microwave and Optical Technology Letters</i> , 2001, 29, 381-383.	0.9	13
1001	High-directivity patch antenna with both photonic bandgap substrate and photonic bandgap cover. <i>Microwave and Optical Technology Letters</i> , 2001, 30, 41-44.	0.9	62
1002	A finite-element realization of a 3-D conformal PML. <i>Microwave and Optical Technology Letters</i> , 2001, 30, 170-173.	0.9	18
1003	Comment on ?On the Matching Conditions of Different PML Schemes Applied to Multilayer Isotropic Dielectric Media?. <i>Microwave and Optical Technology Letters</i> , 2001, 30, 289-291.	0.9	1
1004	Analysis of guided modes in photonic crystal fibers using the finite-difference time-domain method. <i>Microwave and Optical Technology Letters</i> , 2001, 30, 327-330.	0.9	89

#	ARTICLE	IF	CITATIONS
1005	Integrated-circuit pressed-ceramic package antenna for the single-chip solution of a wireless transceiver. <i>Microwave and Optical Technology Letters</i> , 2001, 30, 330-332.	0.9	4
1006	Investigation of the performance of the resistive voltage source used for the FDTD analysis of microstrip circuits. <i>Microwave and Optical Technology Letters</i> , 2001, 30, 378-381.	0.9	2
1007	A THREE-DIMENSIONAL SYMMETRICAL CONDENSED TLM NODE FOR ACOUSTICS. <i>Journal of Sound and Vibration</i> , 2001, 241, 207-222.	2.1	12
1008	Time-dependent absorbing boundary conditions for elastic wave propagation. <i>International Journal for Numerical Methods in Engineering</i> , 2001, 50, 2159-2174.	1.5	30
1009	An Extended FDTD Scheme for the Wave Equation: Application to Multiscale Electromagnetic Simulation. <i>Journal of Computational Physics</i> , 2001, 167, 72-98.	1.9	9
1010	A Fast Method for Solving Acoustic Scattering Problems in Frequency Bands. <i>Journal of Computational Physics</i> , 2001, 168, 412-432.	1.9	29
1011	FDFD: A 3D Finite-Difference Frequency-Domain Code for Electromagnetic Induction Tomography. <i>Journal of Computational Physics</i> , 2001, 170, 830-848.	1.9	48
1012	Transparent Boundary Conditions for MHD Simulations in Stratified Atmospheres. <i>Journal of Computational Physics</i> , 2001, 171, 448-478.	1.9	22
1013	A Stable, Perfectly Matched Layer for Linearized Euler Equations in Unsplit Physical Variables. <i>Journal of Computational Physics</i> , 2001, 173, 455-480.	1.9	256
1014	Global Discrete Artificial Boundary Conditions for Time-Dependent Wave Propagation. <i>Journal of Computational Physics</i> , 2001, 174, 712-758.	1.9	37
1015	Generalized Electromagnetic Scattering in a Complex Geometry. <i>Journal of Mathematical Analysis and Applications</i> , 2001, 254, 498-514.	0.5	1
1016	Towards a transparent boundary condition for compressible Navier-Stokes equations. <i>International Journal for Numerical Methods in Fluids</i> , 2001, 36, 807-840.	0.9	14
1017	Scattering analysis of large-scale cavities using the nonstandard FDTD method. <i>Electronics and Communications in Japan</i> , 2001, 84, 8-16.	0.2	9
1018	An absorbing boundary condition for the path-integral time-domain method. <i>Microwave and Optical Technology Letters</i> , 2001, 28, 93-98.	0.9	0
1019	Transformed-space nonuniform pseudospectral time-domain algorithm. <i>Microwave and Optical Technology Letters</i> , 2001, 28, 391-396.	0.9	10
1020	Compact wideband dual-polarized microstrip antenna. <i>Microwave and Optical Technology Letters</i> , 2001, 28, 396-398.	0.9	4
1021	A unified look at Berenger's PML for general anisotropic media. <i>Microwave and Optical Technology Letters</i> , 2001, 28, 414-416.	0.9	4
1022	An improved masking method for absorbing boundaries in electromagnetic particle simulations. <i>Computer Physics Communications</i> , 2001, 137, 286-299.	3.0	58

#	ARTICLE	IF	CITATIONS
1023	Complex Riemannian metric and absorbing boundary conditions. Journal Des Mathematiques Pures Et Appliquees, 2001, 80, 739-768.	0.8	30
1024	Efficient Analysis of Millimeter Wave Circuit Using Numerical Calibration Technique. Journal of Infrared, Millimeter and Terahertz Waves, 2001, 22, 1223-1242.	0.6	3
1025	Extending Anisotropic Perfectly Matched Layer Absorbing Boundary Condition to Biaxial Media. Journal of Infrared, Millimeter and Terahertz Waves, 2001, 22, 101-111.	0.6	2
1026	Spatial harmonics modelling of planar periodic segmented waveguides. Optical and Quantum Electronics, 2001, 33, 485-498.	1.5	4
1027	A Resistively Loaded Thin-Wire Antenna for Mine Detection. Subsurface Sensing Technologies and Applications, 2001, 2, 265-271.	0.9	5
1028	Surface modes in two-dimensional dielectric and metallic photonic band gap structures: a FDTD study. Physics Letters, Section A: General, Atomic and Solid State Physics, 2001, 282, 85-91.	0.9	22
1029	FDTD and experimental investigation of EMI from stacked-card PCB configurations. IEEE Transactions on Electromagnetic Compatibility, 2001, 43, 1-10.	1.4	42
1030	Transmission link radiation and localized defect contribution. IEEE Transactions on Electromagnetic Compatibility, 2001, 43, 109-116.	1.4	6
1031	Innovative absorbing-boundary conditions for the efficient FDTD analysis of lightning-interaction problems. IEEE Transactions on Electromagnetic Compatibility, 2001, 43, 368-381.	1.4	18
1032	EMI mitigation with multilayer power-bus stacks and via stitching of reference planes. IEEE Transactions on Electromagnetic Compatibility, 2001, 43, 538-548.	1.4	63
1033	DC power-bus design using FDTD modeling with dispersive media and surface mount technology components. IEEE Transactions on Electromagnetic Compatibility, 2001, 43, 579-587.	1.4	54
1034	The effect of dielectric loss in FDTD simulations of microstrip structures. IEEE Transactions on Microwave Theory and Techniques, 2001, 49, 250-262.	2.9	13
1035	A technique for determining the normalized impedance of slots in the image plane of the image NRDG. IEEE Transactions on Microwave Theory and Techniques, 2001, 49, 995-997.	2.9	3
1036	A memory-efficient formulation of the finite-difference time-domain method for the solution of Maxwell equations. IEEE Transactions on Microwave Theory and Techniques, 2001, 49, 1310-1320.	2.9	31
1037	Absorbing boundary conditions in the frequency-domain TLM method and their application to planar circuits. IEEE Transactions on Microwave Theory and Techniques, 2001, 49, 1469-1476.	2.9	9
1038	A three-dimensional fourth-order finite-difference time-domain scheme using a symplectic integrator propagator. IEEE Transactions on Microwave Theory and Techniques, 2001, 49, 1640-1648.	2.9	89
1039	Scaling-function based multiresolution time domain analysis for planar printed millimetre-wave integrated circuits. IET Microwaves Antennas and Propagation, 2001, 148, 179.	1.2	6
1040	A nonorthogonal higher-order wavelet-oriented FDTD technique for 3-D waveguide structures on generalized curvilinear grids. IEEE Transactions on Magnetics, 2001, 37, 3264-3268.	1.2	15

#	ARTICLE	IF	CITATIONS
1041	Analysis of the PML equations in general convex geometry. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2001, 131, 1183-1207.	0.8	62
1042	Laser-Diode-Tuned Sequential Laser Atom Cooling and Trapping for Nanofabrications. Japanese Journal of Applied Physics, 2001, 40, L711-L714.	0.8	7
1043	Estimation of E-field distribution in a loaded GTEM cell. , 0, , .		12
1044	Analysis of the numerical error for time domain MEI absorbing boundary condition. , 0, , .		6
1045	Modeling a complex antenna on a handheld telephone close to human tissue. , 0, , .		0
1046	FDTD method: analysis of an one-dimensional array of H-plane sectoral horn antennas with dielectric lens. , 0, , .		3
1047	Handling of the perfect electric conductor in higher-order FDTD method. , 0, , .		1
1048	Analysis and improvement for the performance of ID perfectly matched layers. , 0, , .		1
1049	Pade boundary conditions for the frequency domain finite-element solution of arbitrary planar junctions. , 0, , .		0
1050	Sonic-crystal wave-guides by acrylic cylinders in air - experimental observations based on numerical analyses. , 0, , .		6
1051	Investigation of PCB layout parasitics in EMI filtering of I/O lines. , 0, , .		4
1052	Advances in finite element methods for microwave engineering. , 0, , .		0
1053	Analysis of multiport waveguide structures by a higher-order FDTD methodology based on non-orthogonal curvilinear grids. , 0, , .		1
1054	Investigation of signal quality and radiated emission of microstrip line on imperfect ground plane: FDTD analysis and measurement. , 0, , .		11
1055	A COMPARISON OF NUMERICAL METHODS FOR ACTIVE SONAR ARRAY PERFORMANCE. Journal of Computational Acoustics, 2001, 09, 1583-1597.	1.0	0
1056	FICTITIOUS DOMAINS, MIXED FINITE ELEMENTS AND PERFECTLY MATCHED LAYERS FOR 2-D ELASTIC WAVE PROPAGATION. Journal of Computational Acoustics, 2001, 09, 1175-1201.	1.0	47
1057	Nanofabrication of two-dimensional photonic crystal mirrors for 1.5 μ m short cavity lasers. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2001, 19, 2775.	1.6	38
1058	Hybrid FDTD-SPICE analysis of radiated emission from PCB with integrated circuits. , 0, , .		2

#	ARTICLE	IF	CITATIONS
1059	Analysis of diffractive optical elements using a nonuniform finite-difference time-domain method. <i>Optical Engineering</i> , 2001, 40, 503.	0.5	8
1060	Guided Modes in a Two-Dimensional Photonic Crystal Waveguide Consisting of Nearly-Free-Electron Metals. <i>Chinese Physics Letters</i> , 2001, 18, 1363-1365.	1.3	3
1061	B1field homogeneity and SAR calculations for the birdcage coil. <i>Physics in Medicine and Biology</i> , 2001, 46, 609-619.	1.6	79
1062	An implicit LU/AF FDTD method. , 0, , .		0
1063	Unsplit Berenger's PML equations for arbitrary media. <i>Electronics Letters</i> , 2001, 37, 1509.	0.5	4
1064	Acoustic landmine detection: a 3D poroelastic model. , 2001, 4394, 583.		0
1065	Defect Mode Computation in Two-Dimensional Photonic Crystals Consisting of Nearly-Free-Electron Metals. <i>Chinese Physics Letters</i> , 2001, 18, 1218-1221.	1.3	2
1066	A new finite-difference time-domain method for photonic crystals consisting of nearly-free-electron metals. <i>Journal of Physics A</i> , 2001, 34, 9713-9721.	1.6	14
1067	Plasma curvature effects on microwave reflectometry fluctuation measurements. <i>Plasma Physics and Controlled Fusion</i> , 2001, 43, L1-L8.	0.9	59
1068	Advances in the development of simulation tools for integrated optics devices: FDTD, BPM, and mode-solving techniques. , 2001, , .		4
1069	Finite Difference Time Domain (FDTD) Analysis of an Artificially-Synthesized Absorbing Medium. <i>Journal of Electromagnetic Waves and Applications</i> , 2001, 15, 1005-1026.	1.0	1
1070	Closed-form expressions for the numerical dispersion and reflection in FEM simulations involving biaxial materials. <i>IEEE Transactions on Antennas and Propagation</i> , 2001, 49, 158-164.	3.1	5
1071	Modelling of millimetre-wave receivers using an extended FDTD method. , 2001, , .		0
1072	An approximate analytic solution for the radiation from a line-driven fluid-loaded plate. <i>Journal of the Acoustical Society of America</i> , 2001, 110, 3018-3024.	0.5	7
1073	Using the finite-difference time-domain pulse propagation method to simulate time-resolved THz experiments. <i>Journal of Chemical Physics</i> , 2001, 114, 2903-2909.	1.2	56
1074	A novel hybridization of higher order finite element and boundary integral methods for electromagnetic scattering and radiation problems. , 0, , .		5
1075	A staggered-grid finite-difference method with perfectly matched layers for poroelastic wave equations. <i>Journal of the Acoustical Society of America</i> , 2001, 109, 2571-2580.	0.5	74
1076	Numerical Investigations of Transmission and Waveguide Properties of Sonic Crystals by Finite-Difference Time-Domain Method. <i>Japanese Journal of Applied Physics</i> , 2001, 40, 3488-3492.	0.8	58

#	ARTICLE	IF	CITATIONS
1077	Optimal design method for microwave device using time domain method and design sensitivity analysis. I. FETD case. IEEE Transactions on Magnetics, 2001, 37, 3289-3293.	1.2	34
1078	Two-dimensional full-wave simulation of microwave reflectometry on Alcatel C-Mod. Review of Scientific Instruments, 2001, 72, 344-347.	0.6	8
1079	Guiding mechanisms in dielectric-core photonic-crystal optical waveguides. Physical Review B, 2001, 64, .	1.1	39
1080	Multiresolution time-domain analysis of plane-wave scattering from general three-dimensional surface and subsurface dielectric targets. IEEE Transactions on Antennas and Propagation, 2001, 49, 1568-1578.	3.1	16
1081	Single-mode operation of coupled-cavity lasers based on two-dimensional photonic crystals. Applied Physics Letters, 2001, 79, 4091-4093.	1.5	32
1082	Study on pulsed radiating characteristics of doublet antenna loaded by lumped resistors with FDTD method. , 0, , .		0
1083	Stability analysis of the Green's function method (GFM) used as an ABC for arbitrarily shaped boundaries. IEEE Transactions on Antennas and Propagation, 2002, 50, 1017-1029.	3.1	29
1084	Equivalent network synthesis for via holes discontinuities. IEEE Transactions on Advanced Packaging, 2002, 25, 528-536.	1.7	33
1085	The study of crosstalk in high-speed circuit design. , 0, , .		1
1086	Short-Open Calibration Technique for Accurate LE-FDTD Simulation of MEM switches. , 2002, , .		0
1087	Nondegenerate monopole mode of single defect two-dimensional triangular photonic band-gap cavity. Journal of Applied Physics, 2002, 92, 654-659.	1.1	29
1088	Toward a simulation of an optically controlled microwave microstrip line at 10 GHz. IEEE Transactions on Magnetics, 2002, 38, 681-684.	1.2	14
1089	Sensitivity analysis of a nonlinear inversion method for 3D electromagnetic imaging in anisotropic media. Inverse Problems, 2002, 18, 285-317.	1.0	29
1090	Split-field and anisotropic-medium PML-FDTD implementations for inhomogeneous media. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 30-35.	2.9	15
1091	A new generalized perfectly matched layer for terminating 3D lossy media. IEEE Transactions on Magnetics, 2002, 38, 713-716.	1.2	11
1092	A Z-transform-based absorbing boundary conditions for 3-D TLM-SCN method. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 222-225.	2.9	4
1093	Application of Haar-wavelet-based multiresolution time-domain schemes to electromagnetic scattering problems. IEEE Transactions on Antennas and Propagation, 2002, 50, 774-784.	3.1	42
1094	FDTD analysis of microwave circuits using edge condition. IEEE Transactions on Magnetics, 2002, 38, 705-708.	1.2	5

#	ARTICLE	IF	CITATIONS
1095	On the completeness of eigenmodes in a parallel plate waveguide with a perfectly matched layer termination. IEEE Transactions on Antennas and Propagation, 2002, 50, 1650-1653.	3.1	17
1096	Analysis of enclosure with an aperture using FDTD method. , 0, , .		4
1097	All-angle negative refraction in a three-dimensionally periodic photonic crystal. Applied Physics Letters, 2002, 81, 2352-2354.	1.5	180
1098	The prolate and oblate spheroid perfectly matched layers. IEEE Transactions on Magnetics, 2002, 38, 669-672.	1.2	5
1099	Analysis of slot-eavesdrop of coaxial cable with FDTD method. , 0, , .		3
1100	Accuracy limitations of perfectly matched layers in 3D finite-difference frequency-domain method. , 0, , .		4
1101	Absorbing boundary conditions and perfectly matched layers - an analytic time-domain performance analysis. IEEE Transactions on Magnetics, 2002, 38, 657-660.	1.2	16
1102	High-resolution human anatomy models for advanced electromagnetic field computations. IEEE Transactions on Magnetics, 2002, 38, 357-360.	1.2	52
1103	Switched-beam single patch antenna. Electronics Letters, 2002, 38, 7.	0.5	21
1104	A modeling study of borehole radar for oil&field applications. Geophysics, 2002, 67, 1486-1494.	1.4	41
1105	Numerical reflection from FDTD-PMLs: a comparison of the split PML with the unsplit and CFS PMLs. IEEE Transactions on Antennas and Propagation, 2002, 50, 258-265.	3.1	152
1106	Comments on "Spheroidal vector wave eigenfunction expansion of dyadic Green's functions for a dielectric spheroid" [with reply]. IEEE Transactions on Antennas and Propagation, 2002, 50, 1653.	3.1	2
1107	A parallel FDTD tool for the solution of large dosimetric problems: an application to the interaction between humans and radiobase antennas. , 0, , .		5
1108	<title>Three-dimensional FDTD model for GPR detection of objects buried in realistic dispersive soil</title>. , 2002, 4742, 330.		8
1109	Dielectric Substrates Anisotropy Effects on the Characteristics of Microstrip Structures. , 2002, , 449-460.		0
1110	Application of Signal-Processing Techniques To Dipole Excitations in the Finite-Difference Time-Domain Method. Journal of Electromagnetic Waves and Applications, 2002, 16, 671-687.	1.0	1
1111	Resonant responses of high voltage switchgear and connected networks. , 0, , .		0
1112	Fast and efficient algorithms in computational electromagnetics [Book Review]. IEEE Antennas and Propagation Magazine, 2002, 44, 68-69.	1.2	0

#	ARTICLE	IF	CITATIONS
1113	The effect of slotted ground on digital signal. , 0, , .		0
1114	Significant contribution of nonphysical leaky mode to the fields excited by a practical source in printed-circuit transmission lines. , 0, , .		4
1115	Time domain analysis of three-dimensional photonic crystal waveguide components. , 0, , .		0
1116	Analysis for shielding effect of metal plate with apertures with FDTD. , 0, , .		1
1117	On constructing stable perfectly matched layers as an absorbing boundary condition for Euler equations. , 2002, , .		8
1118	DSP techniques for implementation of perfectly matched layer for truncating FDTD domains. Electronics Letters, 2002, 38, 211.	0.5	26
1119	Time reversal through a solid-liquid interface and super-resolution. Inverse Problems, 2002, 18, 1639-1657.	1.0	24
1120	Holograms for shaping radio-wave fields. Journal of Optics, 2002, 4, S161-S167.	1.5	27
1121	Time-domain finite-element simulation of three-dimensional scattering and radiation problems using perfectly matched layers. , 0, , .		5
1122	A new time-domain approach to the analysis of scattering problems. IEEE Transactions on Magnetics, 2002, 38, 327-332.	1.2	1
1123	Unified higher-order curvilinear FDTD-PMLs for 3-D electromagnetics and advective acoustics. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2002, 21, 451-471.	0.5	2
1124	Subwavelength Diffractive Optical Elements. , 2002, , 79-99.		3
1125	Photonic crystal waveguides in InP-based heterostructures. , 2002, , .		3
1126	A reference discretization strategy for the numerical solution of physical field problems. Advances in Imaging and Electron Physics, 2002, , 143-279.	0.1	8
1127	Differential Methods in Electromagnetic Modeling and Inversion. Methods in Geochemistry and Geophysics, 2002, 36, 361-391.	0.2	1
1129	<title>Transmission analysis and applications of bent waveguides in hexagonal photonic crystals</title>. , 2002, , .		2
1130	Enhancement of phase sensitivity by exploring slow light in photonic crystals. , 2002, 4870, 289.		2
1131	On the analysis of BÃ©renger's Perfectly Matched Layers for Maxwell's equations. ESAIM: Mathematical Modelling and Numerical Analysis, 2002, 36, 87-119.	0.8	91

#	ARTICLE	IF	CITATIONS
1133	31.3: A New Type of Liquid Crystal Diffractive Light Valve with Very Small Pixel Size. Digest of Technical Papers SID International Symposium, 2002, 33, 962.	0.1	0
1134	Finite-difference time-domain techniques for SAW device analysis. , 0, , .		8
1135	Calculating the seismic effect of 3D underground structures and topography with the finite-difference method. , 2002, , .		3
1136	The role of top management teams in the development of resources and capabilities. International Journal of Healthcare Technology and Management, 2002, 4, 363.	0.1	0
1137	<title>Design of electromagnetic modes in photonic crystal optical waveguides</title>. , 2002, 4655, 73.		0
1138	TSNU-PSTD modeling of a simplified indoor wave propagation for wireless network communications. , 0, , .		2
1140	Third-order effective permittivities for the 4th-order FDTD method in the 2D TM polarization case. , 2002, , .		2
1141	<title>Suzuki phase in two-dimensional photonic crystals</title>. , 2002, 4655, 251.		1
1142	Numerical analysis of scattered waves from rough surfaces with and without an object. , 2002, 4780, 7.		1
1143	Photonic Green's functions calculation by using FDTD method. , 0, , .		0
1144	<title>Analysis of optical splitters in photonic crystals</title>. , 2002, , .		0
1145	Near-Field Diffraction Tomography. Ultrasonic Imaging, 2002, 24, 13-24.	1.4	10
1146	A nonlinear and dispersive APML ABC for the FD-TD methods. IEEE Microwave and Wireless Components Letters, 2002, 12, 444-446.	2.0	21
1147	Three-dimensional CAD-based mesh generator for the dey-mitra conformal FDTD algorithm. , 0, , .		0
1148	Fine resolution calculations of SAR in the human body for frequencies up to 3 GHz. Physics in Medicine and Biology, 2002, 47, 2835-2846.	1.6	143
1149	Enhanced PML-like ABCs for layered media transmission line termination. , 0, , .		0
1150	All-angle negative refraction without negative effective index. Physical Review B, 2002, 65, .	1.1	821
1151	Modern Methods in Scientific Computing and Applications. , 2002, , .		9

#	ARTICLE	IF	CITATIONS
1152	Finite-element solution to electromagnetic scattering problems by means of the Robin boundary condition iteration method. IEEE Transactions on Antennas and Propagation, 2002, 50, 132-140.	3.1	27
1153	Finite-difference time-domain simulation of scattering from objects in continuous random media. IEEE Transactions on Geoscience and Remote Sensing, 2002, 40, 178-186.	2.7	60
1154	Extraordinary refraction and dispersion in two-dimensional photonic-crystal slabs. Optics Letters, 2002, 27, 1397.	1.7	27
1155	High-efficiency coupling structure for a single-line-defect photonic-crystal waveguide. Optics Letters, 2002, 27, 1601.	1.7	88
1156	Multidomain pseudospectral time-domain simulations of scattering by objects buried in lossy media. IEEE Transactions on Geoscience and Remote Sensing, 2002, 40, 1366-1373.	2.7	79
1157	Stable and efficient Bloch-mode computational method for one-dimensional grating waveguides. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2002, 19, 335.	0.8	67
1158	Analysis of optical waveguide structures by use of a combined finite-difference/finite-difference time-domain method. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2002, 19, 610.	0.8	2
1159	Photonic-crystal slow-light enhancement of nonlinear phase sensitivity. Journal of the Optical Society of America B: Optical Physics, 2002, 19, 2052.	0.9	437
1160	Modified spontaneous-emission rate in an inverted-opal structure with complete photonic bandgap. Journal of the Optical Society of America B: Optical Physics, 2002, 19, 3013.	0.9	53
1161	FDTD Simulation of Photonic-Crystal Lasers and Their Relaxation Oscillation. Journal of the Optical Society of Korea, 2002, 6, 87-95.	0.6	5
1162	Modal conversion with artificial materials for photonic-crystal waveguides. Optics Express, 2002, 10, 354.	1.7	56
1163	Hybrid integration of conventional waveguide and photonic crystal structures. Optics Express, 2002, 10, 1334.	1.7	33
1164	Mode matching technique for highly efficient coupling between dielectric waveguides and planar photonic crystal circuits. Optics Express, 2002, 10, 1391.	1.7	54
1165	Three-dimensional simulations of light propagation in periodic liquid-crystal microstructures. Applied Optics, 2002, 41, 5346.	2.1	16
1166	Tunable photonic crystal microcavities. Applied Optics, 2002, 41, 5574.	2.1	46
1167	Finite-difference time-domain solution of light scattering and absorption by particles in an absorbing medium. Applied Optics, 2002, 41, 5728.	2.1	60
1168	Heterostructure photonic crystals: theory and applications. Applied Optics, 2002, 41, 7245.	2.1	44
1169	Asymptotic matrix theory of Bragg fibers. Journal of Lightwave Technology, 2002, 20, 428-440.	2.7	77

#	ARTICLE	IF	CITATIONS
1170	Finite element method using port truncation by perfectly matched layer boundary conditions for optical waveguide discontinuity problems. Journal of Lightwave Technology, 2002, 20, 463-468.	2.7	113
1171	Computation of full-vector modes for bending waveguide using cylindrical perfectly matched layers. Journal of Lightwave Technology, 2002, 20, 1976-1980.	2.7	76
1172	Inverse scattering in the time domain: an iterative method using an FDTD sensitivity analysis scheme. IEEE Transactions on Magnetics, 2002, 38, 1117-1120.	1.2	14
1173	Higher-order finite-difference schemes for electromagnetic radiation, scattering, and penetration .1. Theory. IEEE Antennas and Propagation Magazine, 2002, 44, 134-142.	1.2	84
1174	Random laser in the localized regime. Physical Review B, 2002, 66, .	1.1	172
1175	Imaging and time reversal in random media. Inverse Problems, 2002, 18, 1247-1279.	1.0	241
1176	Noise from Fine-Scale Turbulence of Nonaxisymmetric Jets. AIAA Journal, 2002, 40, 456-464.	1.5	32
1177	Exponential discretization of the Perfectly Matched Layer (PML) absorbing boundary condition simulation in FD-TD 3D. Optik, 2002, 113, 354-360.	1.4	5
1178	Calculation of bending losses in dielectric waveguides using eigenmode expansion and perfectly matched layers. IEEE Photonics Technology Letters, 2002, 14, 164-166.	1.3	50
1179	An improved ADI-FDTD method and its application to photonic simulations. IEEE Photonics Technology Letters, 2002, 14, 477-479.	1.3	57
1180	Transmitter-receiver-transmitter configurations of ground-penetrating radar. Radio Science, 2002, 37, 5-1-5-7.	0.8	4
1181	Transmitter-receiver-transmitter-configured ground-penetrating radars over randomly heterogeneous ground models. Radio Science, 2002, 37, 6-1-6-9.	0.8	1
1182	Modeling and design of T-probe-fed patch antennas using the finite difference time domain method. Radio Science, 2002, 37, 1-1-1-7.	0.8	1
1183	Data set generation and inversion simulation of radio waves propagating through a two-dimensional comet nucleus (CONSERT experiment). Radio Science, 2002, 37, 3-1-3-16.	0.8	9
1184	An effective algorithm for implementing perfectly matched layers in time-domain finite-element simulation of open-region EM problems. IEEE Transactions on Antennas and Propagation, 2002, 50, 1615-1623.	3.1	26
1185	Analysis and characterization of package resonance. , 0, , .		0
1186	A 3D Discontinuous Galerkin Method for multiple pure tone noise problems. , 2002, , .		5
1187	Simulation of 3-D Acoustic Scattering with a Pentadiagonal Compact-Difference Method. , 2002, , .		0

#	ARTICLE	IF	CITATIONS
1188	Large Scale Frequency Domain Numerical Simulation of Aircraft Engine Tone Noise Radiation and Scattering. , 2002, , .		3
1189	Anticipating full vehicle radiated EMI from module-level testing in automobiles. , 0, , .		1
1190	A perfectly matched layer for the 3-D wave equation in the time domain. IEEE Microwave and Wireless Components Letters, 2002, 12, 181-183.	2.0	14
1191	Super resolution near field structure study. , 0, , .		0
1192	Finite-difference modeling of wave propagation in a fluid-solid configuration. Geophysics, 2002, 67, 618-624.	1.4	94
1193	Methods to reduce radiation from split ground planes in RF and mixed signal packaging structures. IEEE Transactions on Advanced Packaging, 2002, 25, 409-416.	1.7	25
1194	Uniaxial perfectly matched layer media for an unconditionally stable 3-D ADI-FD-TD method. IEEE Microwave and Wireless Components Letters, 2002, 12, 497-499.	2.0	30
1195	Optimization and design of a photonic integrated circuits based on uniform diluated waveguide. , 0, , .		0
1196	Enhanced grid scheme for one-dimensional integro-differential Volterra equation in the time domain. IEEE Transactions on Antennas and Propagation, 2002, 50, 492-499.	3.1	0
1198	Elastic waves interacting with buried land mines: a study using the FDTD method. IEEE Transactions on Geoscience and Remote Sensing, 2002, 40, 1405-1415.	2.7	12
1199	Frequency responses of ground-penetrating radars operating over highly lossy grounds. IEEE Transactions on Geoscience and Remote Sensing, 2002, 40, 1385-1394.	2.7	29
1200	Seismic modeling. Geophysics, 2002, 67, 1304-1325.	1.4	233
1201	FDTD modeling and analysis of a broadband antenna suitable for oil-field imaging while drilling. IEEE Transactions on Geoscience and Remote Sensing, 2002, 40, 434-442.	2.7	8
1202	Models and measurements for the transmission of submicron-width waveguide bends defined in two-dimensional photonic crystals. IEEE Journal of Quantum Electronics, 2002, 38, 770-785.	1.0	52
1203	Optical study of two-dimensional InP-based photonic crystals by internal light source technique. IEEE Journal of Quantum Electronics, 2002, 38, 786-799.	1.0	68
1204	Electromagnetic analysis of photonic crystal waveguides operating above the light cone. IEEE Journal of Quantum Electronics, 2002, 38, 800-804.	1.0	52
1205	An out-of-plane grating coupler for efficient butt-coupling between compact planar waveguides and single-mode fibers. IEEE Journal of Quantum Electronics, 2002, 38, 949-955.	1.0	513
1206	Method for the design of diffractive optical elements through low-dimensional optimization. IEEE Journal of Quantum Electronics, 2002, 38, 1436-1445.	1.0	0

#	ARTICLE	IF	CITATIONS
1207	Finite integration technique numerical modeling for EMC and signal integrity problems. , 2002, , .		6
1208	A New Family of Mixed Finite Elements for the Linear Elastodynamic Problem. SIAM Journal on Numerical Analysis, 2002, 39, 2109-2132.	1.1	65
1209	Sharp asymmetric line shapes in side-coupled waveguide-cavity systems. Applied Physics Letters, 2002, 80, 908-910.	1.5	459
1210	Analysis of guided resonances in photonic crystal slabs. Physical Review B, 2002, 65, .	1.1	1,146
1211	Adiabatic theorem and continuous coupled-mode theory for efficient taper transitions in photonic crystals. Physical Review E, 2002, 66, 066608.	0.8	196
1212	A Hybrid FDFD-BIE Approach to Two-Dimensional Scattering from an Inhomogeneous Biisotropic Cylinder. Progress in Electromagnetics Research, 2002, 38, 1-27.	1.6	9
1213	Noncubic cell time-domain method in 3-D coordinates using prism cells applied PML absorbing boundary conditions. International Journal of Applied Electromagnetics and Mechanics, 2002, 16, 1-12.	0.3	1
1214	Development of Three-Dimensional PML Boundary Conditions for Aeroacoustics Applications. International Journal of Aeroacoustics, 2002, 1, 307-327.	0.8	0
1215	Visualization of sound reflection and diffraction using finite difference time domain method.. Acoustical Science and Technology, 2002, 23, 34-39.	0.3	40
1216	Numerical Studies of Left Handed Metamaterials. Progress in Electromagnetics Research, 2002, 35, 315-334.	1.6	56
1217	Scattering and absorption by thin metal wires in rectangular waveguide-FDTD simulation and physical experiments. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 1621-1627.	2.9	22
1218	An unconditionally stable extended (USE) finite-element time-domain solution of active nonlinear microwave circuits using perfectly matched layers. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 2226-2232.	2.9	59
1219	A new termination condition for the application of the TLM method to discontinuity problems in closed homogeneous waveguide. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 2513-2518.	2.9	16
1220	Analysis and application of new quasi-network characteristics of nonuniform mesh in FDTD simulation. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 2519-2526.	2.9	4
1221	Two-dimensional photonic crystal semiconductor lasers: computational design, fabrication, and characterization. IEEE Journal of Selected Topics in Quantum Electronics, 2002, 8, 891-908.	1.9	71
1222	Planar photonic crystal coupled cavity waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 2002, 8, 909-918.	1.9	49
1223	High-performance inter-PCB connectors: analysis of EMI characteristics. IEEE Transactions on Electromagnetic Compatibility, 2002, 44, 165-174.	1.4	19
1224	FDTD modeling incorporating a two-port network for I/O line EMI filtering design. IEEE Transactions on Electromagnetic Compatibility, 2002, 44, 175-181.	1.4	7

#	ARTICLE	IF	CITATIONS
1225	Full-wave analysis and modeling of multiconductor transmission lines via 2-D-FDTD and signal-processing techniques. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 570-577.	2.9	19
1226	Improvement to the PML boundary condition in the FEM using mesh compression. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 1297-1302.	2.9	5
1227	Confocal microwave imaging for breast cancer detection: localization of tumors in three dimensions. IEEE Transactions on Biomedical Engineering, 2002, 49, 812-822.	2.5	740
1228	A versatile microwave plethysmograph for the monitoring of physiological parameters. IEEE Transactions on Biomedical Engineering, 2002, 49, 1204-1210.	2.5	34
1229	Optimization of electromagnetic phased-arrays for hyperthermia via magnetic resonance temperature estimation. IEEE Transactions on Biomedical Engineering, 2002, 49, 1229-1241.	2.5	48
1230	Behavior of multifilar connectors in electromagnetic compatibility: a new experimental transient approach. IEEE Transactions on Electromagnetic Compatibility, 2002, 44, 424-433.	1.4	5
1231	Computing optical modes for VCSEL device simulation. IEE Proceedings: Optoelectronics, 2002, 149, 166-173.	0.8	21
1232	Modelling and simulation of electroabsorption modulators. IEE Proceedings: Optoelectronics, 2002, 149, 122-130.	0.8	4
1233	Rigorous and efficient optical VCSEL model based on vectorial eigenmode expansion and perfectly matched layers. IEE Proceedings: Optoelectronics, 2002, 149, 161-165.	0.8	13
1234	Edge coatings that reduce monostatic RCS. IET Radar, Sonar & Navigation, 2002, 149, 310.	2.1	12
1235	Analysis and design of ribbon cables for high-speed digital applications. International Journal of RF and Microwave Computer-Aided Engineering, 2002, 12, 148-158.	0.8	0
1236	Analysis and design of cylindrical MICs with the use of a unified nonuniform cylindrical FDTD algorithm. Microwave and Optical Technology Letters, 2002, 33, 256-262.	0.9	0
1237	On analytical absorbing boundary conditions in FDTD. Microwave and Optical Technology Letters, 2002, 33, 437-440.	0.9	0
1238	Hybrid PSTD-FDTD technique for scattering analysis. Microwave and Optical Technology Letters, 2002, 34, 19-24.	0.9	8
1239	Design of an ultra-broadband V antenna for microwave detection of breast tumors. Microwave and Optical Technology Letters, 2002, 34, 164-166.	0.9	24
1240	Planar monopole folded into a rectangular-disk-like structure as surface-mountable antenna for 2.4/5.2-GHz dual-band operation. Microwave and Optical Technology Letters, 2002, 34, 166-169.	0.9	11
1241	Time-domain 2D modeling of slab-waveguide based photonic-crystal devices in the presence of radiation losses. Microwave and Optical Technology Letters, 2002, 34, 387-393.	0.9	37
1242	Numerical analysis of optical waveguides with the use of Fourier-series expansion method combined with perfectly matched layer. Microwave and Optical Technology Letters, 2002, 34, 422-426.	0.9	7

#	ARTICLE	IF	CITATIONS
1243	Finite difference time domain (FDTD) method for modeling the effect of switched gradients on the human body in MRI. <i>Magnetic Resonance in Medicine</i> , 2002, 48, 1037-1042.	1.9	41
1244	Application of the Difference Gaussian Rules to Solution of Hyperbolic Problems. <i>Journal of Computational Physics</i> , 2002, 175, 24-49.	1.9	8
1245	An Explicit Fourth-Order Orthogonal Curvilinear Staggered-Grid FDTD Method for Maxwell's Equations. <i>Journal of Computational Physics</i> , 2002, 175, 739-763.	1.9	86
1246	Nonreflecting Boundary Conditions for the Time-Dependent Wave Equation. <i>Journal of Computational Physics</i> , 2002, 180, 270-296.	1.9	108
1247	Asymmetric Perfectly Matched Layer for the Absorption of Waves. <i>Journal of Computational Physics</i> , 2002, 183, 367-399.	1.9	15
1248	Three-dimensional finite element calculations in acoustic scattering using arbitrarily shaped convex artificial boundaries. <i>International Journal for Numerical Methods in Engineering</i> , 2002, 53, 1461-1476.	1.5	53
1249	An algorithm coupling the OSRC and FEM for the computation of an approximate scattered acoustic field by a non-convex body. <i>International Journal for Numerical Methods in Engineering</i> , 2002, 54, 1021-1041.	1.5	8
1250	Arbitrary order edge elements for electromagnetic scattering simulations using hybrid meshes and a PML. <i>International Journal for Numerical Methods in Engineering</i> , 2002, 55, 339-358.	1.5	21
1251	Evaluation of the normalized impedance of a transverse slot in the image plane of an image NRD guide. <i>Electronics and Communications in Japan</i> , 2002, 85, 25-33.	0.1	0
1252	Electromagnetic cutoff by metallic lines on the glass. <i>Electronics and Communications in Japan</i> , 2002, 85, 45-52.	0.1	1
1253	Absorption of electromagnetic waves by dome-shaped concrete walls. <i>Electronics and Communications in Japan</i> , 2002, 85, 33-43.	0.1	1
1254	Optical waveguide analysis using a Yee-lattice-based modified finite-difference formula for an arbitrary dielectric interface. <i>Electronics and Communications in Japan</i> , 2002, 85, 1-9.	0.2	0
1255	Beam propagation method based on finite element scheme and its application to optical waveguide analysis. <i>Electronics and Communications in Japan</i> , 2002, 85, 29-39.	0.2	1
1256	Bragg waveguide grating as a 1d photonic band gap structure: COST 268 modelling task. <i>Optical and Quantum Electronics</i> , 2002, 34, 455-470.	1.5	47
1257	Advanced boundary conditions for eigenmode expansion models. <i>Optical and Quantum Electronics</i> , 2002, 34, 523-540.	1.5	28
1258	Well-posed absorbing layer for hyperbolic problems. <i>Numerische Mathematik</i> , 2002, 92, 535-562.	0.9	22
1259	A finite element method for approximating electromagnetic scattering from a conducting object. <i>Numerische Mathematik</i> , 2002, 92, 501-534.	0.9	16
1260	A higher-order unsplit-field perfectly matched layer for the reflectionless truncation of 3-D spherical FDTD lattices. <i>Electrical Engineering</i> , 2002, 84, 173-187.	1.2	3

#	ARTICLE	IF	CITATIONS
1261	Computational electronics. Materials Science and Engineering Reports, 2002, 38, 181-236.	14.8	21
1262	Stabilisation des couches PML pour les Équations d'Euler linéaires. Comptes Rendus - Mécanique, 2002, 330, 347-352.	2.1	1
1263	Adaptive wavelet-based finite-difference modelling of SH-wave propagation. Geophysical Journal International, 2002, 148, 476-498.	1.0	11
1264	A note on stability of pseudospectral methods for wave propagation. Journal of Computational and Applied Mathematics, 2002, 143, 127-139.	1.1	11
1265	An explicit fourth-order staggered finite-difference time-domain method for Maxwell's equations. Journal of Computational and Applied Mathematics, 2002, 147, 75-98.	1.1	44
1266	Analysis of CMOS interconnections combining LE-FDTD method and SOC procedure. , 0, , .		4
1267	Efficient modeling of infinite scatterers using a generalized total-field/scattered-field FDTD boundary partially embedded within PML. IEEE Transactions on Antennas and Propagation, 2002, 50, 1337-1349.	3.1	44
1268	Negative refraction in photonic crystals. Optical and Quantum Electronics, 2002, 34, 133-143.	1.5	136
1269	Analysis of Time-Domain Maxwell's Equations for 3-D Cavities. Advances in Computational Mathematics, 2002, 16, 211-228.	0.8	8
1270	Long Time Behavior of the Perfectly Matched Layer Equations in Computational Electromagnetics. Journal of Scientific Computing, 2002, 17, 405-422.	1.1	105
1271	Advanced boundary conditions for eigenmode expansion models. Optical and Quantum Electronics, 2002, 34, 523-540.	1.5	20
1272	Title is missing!. Journal of Infrared, Millimeter and Terahertz Waves, 2002, 23, 1179-1191.	0.6	23
1273	A new 2-D image reconstruction algorithm based on FDTD and design sensitivity analysis. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 2734-2740.	2.9	8
1274	An FDTD analysis of photonic crystal waveguides comprising third-order nonlinear materials. Optical and Quantum Electronics, 2003, 35, 931-946.	1.5	26
1275	Properties of a 1 × 4 optical power splitter made of photonic crystal waveguides. Optical and Quantum Electronics, 2003, 35, 959-966.	1.5	14
1276	The Analysis of Post-Mount in W-Band Circular Groove Guide. Journal of Infrared, Millimeter and Terahertz Waves, 2003, 24, 1567-1576.	0.6	0
1277	Nonlinear Dynamics of Wave Beams and Packets in an Ionizable Medium. Radiophysics and Quantum Electronics, 2003, 46, 323-337.	0.1	1
1278	Unsplit Variables Perfectly Matched Layers for the Shallow Water Equations with Coriolis Forces. Computational Geosciences, 2003, 7, 275-294.	1.2	6

#	ARTICLE	IF	CITATIONS
1279	Ultrasonic Pulse-Echo Subwavelength Defect Detection Mechanism: Experiment and Simulation. Journal of Nondestructive Evaluation, 2003, 22, 103-115.	1.1	2
1280	Spot-size conversion effect on integrated photonic devices. Optical and Quantum Electronics, 2003, 35, 1257-1268.	1.5	1
1281	Modelling of photonic crystals for the design of photonic device based on SOI substrate. Optical and Quantum Electronics, 2003, 35, 1245-1256.	1.5	2
1282	Use of an anisotropic absorber for simulating electromagnetic scattering by a perfectly conducting wire. Optik, 2003, 114, 229-233.	1.4	1
1283	Three-dimensional FDTD Modeling and Analysis of Microwave Circulators. AEU - International Journal of Electronics and Communications, 2003, 57, 8-15.	1.7	0
1284	Exact TLM Boundary Conditions for Closed Homogeneous Waveguide. AEU - International Journal of Electronics and Communications, 2003, 57, 128-136.	1.7	0
1285	FDTD Simulation of Electromagnetic Pulse Interaction with a Switched Plasma Slab. Journal of Infrared, Millimeter and Terahertz Waves, 2003, 24, 349-365.	0.6	12
1286	Numerical and experimental investigation of an ultrawideband ridged pyramidal horn antenna with curved launching plane for pulse radiation. IEEE Antennas and Wireless Propagation Letters, 2003, 2, 259-262.	2.4	122
1287	Refraction in Media with a Negative Refractive Index. Physical Review Letters, 2003, 90, 107402.	2.9	356
1288	A new update algorithm in a finite-difference time-domain implementation of anisotropic perfectly matched layer. Electrical Engineering, 2003, 85, 109-111.	1.2	0
1289	Design and Fabrication of Microlens Array for Near-Field Vertical Cavity Surface Emitting Laser Parallel Optical Head. Optical Review, 2003, 10, 89-95.	1.2	13
1290	Non-Reflecting Boundary Conditions for Maxwell's Equations. Computing (Vienna/New York), 2003, 71, 265-292.	3.2	11
1291	A generalized higher order finite-difference time-domain method and its application in guided-wave problems. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 856-861.	2.9	49
1292	Human exposure to the near field of radiobase antennas - a full-wave solution using parallel FDTD. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 935-940.	2.9	35
1293	Reflection characteristics of a PML with a shallow corrugation. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 1691-1695.	2.9	2
1294	Correlation of maximum temperature increase and peak sar in the human head due to handset antennas. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 1834-1841.	2.9	98
1295	On the modeling of conducting media with the unconditionally stable ADI-FDTD method. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 1929-1938.	2.9	15
1296	Finite-difference frequency-domain algorithm for modeling guided-wave properties of substrate integrated waveguide. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 2221-2227.	2.9	241

#	ARTICLE	IF	CITATIONS
1297	A V-band quasi-optical GaAs HEMT monolithic integrated antenna and receiver front end. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 2461-2468.	2.9	16
1298	Analysis of a novel expanded tip wire (ETW) antenna for microwave ablation of cardiac arrhythmias. IEEE Transactions on Biomedical Engineering, 2003, 50, 890-899.	2.5	37
1299	Temperature increase in the human head due to a dipole antenna at microwave frequencies. IEEE Transactions on Electromagnetic Compatibility, 2003, 45, 109-116.	1.4	75
1300	Making use of the pml absorbing boundary condition in coupling and scattering fdtd computer codes. IEEE Transactions on Electromagnetic Compatibility, 2003, 45, 189-197.	1.4	26
1301	Semi-empirical modeling of apertures for shielding effectiveness simulations. IEEE Transactions on Electromagnetic Compatibility, 2003, 45, 229-237.	1.4	31
1302	Wave propagation through a photonic crystal in a negative phase refractive-index region. IEEE Journal of Selected Topics in Quantum Electronics, 2003, 9, 106-110.	1.9	37
1303	A comprehensive VCSEL device simulator. IEEE Journal of Selected Topics in Quantum Electronics, 2003, 9, 879-891.	1.9	55
1304	A discontinuous Galerkin method/HLLC solver for the Euler equations. International Journal for Numerical Methods in Fluids, 2003, 43, 1391-1405.	0.9	4
1305	Analysis of free-electron lasers via FDTD method. Electronics and Communications in Japan, 2003, 86, 26-36.	0.2	5
1306	Application of the short-open calibration technique to vector finite element method for analysis of microwave circuits. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2003, 16, 367-385.	1.2	3
1307	An efficient implementation of the PML for truncating FDTD domains. Microwave and Optical Technology Letters, 2003, 36, 55-60.	0.9	15
1308	Comment on 'a PML-FDTD formulation for the simulation of optical structures?'. Microwave and Optical Technology Letters, 2003, 36, 74-76.	0.9	0
1309	The 2.5D FDTD and Fourier PSTD methods and applications. Microwave and Optical Technology Letters, 2003, 36, 430-436.	0.9	6
1310	Optimization of a PML absorber's conductivity profile using FDTD. Microwave and Optical Technology Letters, 2003, 37, 380-383.	0.9	27
1311	A new design technique for optical multipass cells modelled with arbitrary surfaces. Microwave and Optical Technology Letters, 2003, 37, 383-387.	0.9	0
1312	Study of a printed meander antenna using the FDTD method. Microwave and Optical Technology Letters, 2003, 37, 440-444.	0.9	7
1313	The study of a dual-band internal handset antenna with a new compact 3D structure. Microwave and Optical Technology Letters, 2003, 37, 450-452.	0.9	2
1314	Assessment of the performances of first- and second-order time-domain ABC's for the truncation of finite element grids. Microwave and Optical Technology Letters, 2003, 38, 11-16.	0.9	10

#	ARTICLE	IF	CITATIONS
1315	Applications of transformed-space non-uniform PSTD (TSNU-PSTD) in scattering analysis without the use of the non-uniform FFT. <i>Microwave and Optical Technology Letters</i> , 2003, 38, 16-21.	0.9	3
1316	A hybrid implicit-explicit FDTD scheme with weakly conditional stability. <i>Microwave and Optical Technology Letters</i> , 2003, 39, 97-101.	0.9	76
1317	Anhp-adaptive finite element method for electromagnetics. Part 3: A three-dimensional infinite element for Maxwell's equations. <i>International Journal for Numerical Methods in Engineering</i> , 2003, 57, 899-921.	1.5	34
1318	Fast direct solution of the Helmholtz equation with a perfectly matched layer or an absorbing boundary condition. <i>International Journal for Numerical Methods in Engineering</i> , 2003, 57, 2007-2025.	1.5	27
1319	Finite element analysis of time-dependent semi-infinite wave-guides with high-order boundary treatment. <i>International Journal for Numerical Methods in Engineering</i> , 2003, 58, 1955-1983.	1.5	38
1320	The advantages of a pyramidal probe tip entirely coated with a thin metal film for SNOM. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2003, 319, 514-517.	0.9	10
1321	QWIP detectors and thermal imagers. <i>Comptes Rendus Physique</i> , 2003, 4, 1089-1102.	0.3	7
1322	Unified framework for numerical methods to solve the time-dependent Maxwell equations. <i>Computer Physics Communications</i> , 2003, 156, 43-61.	3.0	14
1323	A new family of first-order boundary conditions for the Maxwell system: derivation, well-posedness and long-time behavior. <i>Journal Des Mathematiques Pures Et Appliquees</i> , 2003, 82, 67-88.	0.8	12
1324	High-order non-reflecting boundary scheme for time-dependent waves. <i>Journal of Computational Physics</i> , 2003, 186, 24-46.	1.9	180
1325	Unconditionally stable discretization schemes of non-reflecting boundary conditions for the one-dimensional Schrödinger equation. <i>Journal of Computational Physics</i> , 2003, 188, 157-175.	1.9	114
1326	Stability of perfectly matched layers, group velocities and anisotropic waves. <i>Journal of Computational Physics</i> , 2003, 188, 399-433.	1.9	289
1327	DSC time-domain solution of Maxwell's equations. <i>Journal of Computational Physics</i> , 2003, 189, 427-453.	1.9	52
1328	An upwinding embedded boundary method for Maxwell's equations in media with material interfaces: 2D case. <i>Journal of Computational Physics</i> , 2003, 190, 159-183.	1.9	45
1329	Numerical methods in electromagnetic scattering theory. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2003, 79-80, 775-824.	1.1	381
1330	Light scattering by Gaussian particles: a solution with finite-difference time-domain technique. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2003, 79-80, 1083-1090.	1.1	39
1331	Aeroacoustics research in Europe: the CEAS-ASC report on 2002 highlights. <i>Journal of Sound and Vibration</i> , 2003, 268, 809-824.	2.1	5
1332	Iterative optimization algorithm based on electromagnetic model for designing diffractive micro-optical elements. <i>Optics Communications</i> , 2003, 220, 7-15.	1.0	2

#	ARTICLE	IF	CITATIONS
1333	Perfectly matched layer absorbing boundary conditions in rigorous vector analysis of axially symmetric diffractive optical elements. <i>Optics Communications</i> , 2003, 223, 39-45.	1.0	5
1334	Perfectly matched layers for time-harmonic elastodynamics of unbounded domains: theory and finite-element implementation. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2003, 192, 1337-1375.	3.4	274
1335	Simulation of seismic response in an idealized city. <i>Soil Dynamics and Earthquake Engineering</i> , 2003, 23, 391-402.	1.9	66
1336	High-order non-reflecting boundary conditions for dispersive waves. <i>Wave Motion</i> , 2003, 37, 257-271.	1.0	54
1337	Dirichlet-to-Neumann map for three-dimensional elastic waves. <i>Wave Motion</i> , 2003, 37, 293-311.	1.0	33
1338	The development of an hp-adaptive finite element procedure for electromagnetic scattering problems. <i>Finite Elements in Analysis and Design</i> , 2003, 39, 751-764.	1.7	12
1339	A high definition, finite difference time domain method. <i>Applied Mathematical Modelling</i> , 2003, 27, 409-419.	2.2	14
1340	High-order nonreflecting boundary conditions for the dispersive shallow water equations. <i>Journal of Computational and Applied Mathematics</i> , 2003, 158, 49-60.	1.1	30
1341	Effect of finite pixel size on optical coupling in QWIPs. <i>Infrared Physics and Technology</i> , 2003, 44, 325-330.	1.3	47
1342	Seismic response of a set of blocks partially imbedded in soft soil. <i>Comptes Rendus - Mecanique</i> , 2003, 331, 217-224.	2.1	6
1343	Un modèle paraxial de propagation de la lumière : problème aux limites pour l'équation d'advection Schrödinger en coordonnées obliques. <i>Comptes Rendus Mathématique</i> , 2003, 336, 23-28.	0.1	4
1344	Resonance characteristics of waveguide-coupled polyimide microring resonator. <i>Optical Materials</i> , 2003, 21, 535-541.	1.7	27
1345	A perfectly matched layer absorbing boundary condition for the second-order seismic wave equation. <i>Geophysical Journal International</i> , 2003, 154, 146-153.	1.0	315
1346	Optical switching due to whispering gallery modes in dielectric microspheres coated by a Kerr material. <i>Journal of Microscopy</i> , 2003, 210, 229-233.	0.8	7
1347	A multi-level direct-iterative solver for seismic wave propagation modelling: space and wavelet approaches. <i>Geophysical Journal International</i> , 2003, 155, 953-980.	1.0	10
1348	Contra-directional coupling between two-dimensional photonic crystal waveguides. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2003, 1, 23-30.	1.0	13
1349	Computer Simulation of Morphologies and Optical Properties of Filled Diblock Copolymers. <i>Macromolecules</i> , 2003, 36, 9631-9637.	2.2	52
1350	High-order accurate methods in time-domain computational electromagnetics: A review. <i>Advances in Imaging and Electron Physics</i> , 2003, , 59-123.	0.1	84

#	ARTICLE	IF	CITATIONS
1351	Design of a channel drop filter in a two-dimensional triangular photonic crystal. Applied Physics Letters, 2003, 83, 1074-1076.	1.5	167
1352	A compact planar inverted-f antenna with a pbg-type ground plane for mobile communications. IEEE Transactions on Vehicular Technology, 2003, 52, 483-489.	3.9	33
1353	Eigenmode expansion methods for simulation of optical propagation in photonics: pros and cons. , 2003, , .		108
1354	A New Construction of Perfectly Matched Layers for Hyperbolic Systems with Applications to the Linearized Euler Equations. , 2003, , 125-129.		14
1355	Theory and Modelling of Microstructured Fibres. , 2003, , 53-113.		0
1356	On aspects of the physical realizability of perfectly matched absorbers for electromagnetic waves. Radio Science, 2003, 38, n/a-n/a.	0.8	25
1357	FDTD-SUPML-ADE simulation for Ground-Penetrating Radar modeling. Radio Science, 2003, 38, 5-1-5-13.	0.8	18
1358	On the implementation of perfectly matched layers in a three-dimensional fourth-order velocity-stress finite difference scheme. Journal of Geophysical Research, 2003, 108, .	3.3	97
1359	Numerical simulation of the operation of the GPR experiment on NETLANDER. Journal of Geophysical Research, 2003, 108, .	3.3	21
1360	On the transmission line model for lightning return stroke representation. Geophysical Research Letters, 2003, 30, .	1.5	104
1361	A mode-preserving perfectly matched layer for optical waveguides. IEEE Photonics Technology Letters, 2003, 15, 1234-1236.	1.3	6
1362	A digital filter approach for complex frequency-shifted perfectly matched layer in semivectorial FDTD. IEEE Photonics Technology Letters, 2003, 15, 1552-1554.	1.3	1
1363	Propagation of light in metallic nanowire arrays: Finite-difference time-domain studies of silver cylinders. Physical Review B, 2003, 68, .	1.1	205
1364	Time-domain hybrid methods to solve complex electromagnetic problems. , 2003, , .		2
1365	Broadband EM-wave absorber based on integrated circuit concept. , 0, , .		7
1366	Suppression effect of the emission from printed circuit board using magnetic absorber located along microstrip line. , 2003, , .		3
1367	A new radiation boundary condition for FDTD based on self-teleportation of fields. , 0, , .		4
1368	Z-transform implementation of the perfectly matched layer for truncating FDTD domains. IEEE Microwave and Wireless Components Letters, 2003, 13, 402-404.	2.0	28

#	ARTICLE	IF	CITATIONS
1369	Determining PML modes in 2-D stratified media. <i>Journal of Lightwave Technology</i> , 2003, 21, 293-298.	2.7	10
1370	Improved vectorial finite-element BPM analysis for transverse anisotropic media. <i>Journal of Lightwave Technology</i> , 2003, 21, 567-576.	2.7	44
1371	Analysis and design of integrated optical mirrors in planar waveguide technology. <i>Journal of Lightwave Technology</i> , 2003, 21, 1584-1591.	2.7	11
1372	Reducing the Dispersion Errors of the Finite-Difference Time-Domain Method for Multifrequency Plane-Wave Excitations. <i>Electromagnetics</i> , 2003, 23, 539-552.	0.3	3
1373	Equivalent volume-averaged light scattering behavior of randomly inhomogeneous dielectric spheres in the resonant range. <i>Optics Letters</i> , 2003, 28, 765.	1.7	19
1374	Systematic design of single-mode coupled-resonator optical waveguides in photonic crystals. <i>Optics Letters</i> , 2003, 28, 1978.	1.7	13
1375	Ultracompact high-efficiency polarizing beam splitter with a hybrid photonic crystal and conventional waveguide structure. <i>Optics Letters</i> , 2003, 28, 2384.	1.7	75
1376	Rigorous model of the scattering of a focused spot by a grating and its application in optical recording. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2003, 20, 256.	0.8	14
1377	Rigorous electromagnetic design of finite-aperture diffractive optical elements by use of an iterative optimization algorithm. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2003, 20, 1739.	0.8	13
1378	Light propagation in variable-refractive-index materials with liquid-crystal-infiltrated microcavities. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2003, 20, 2123.	0.8	5
1379	Transmission properties of coupled-cavity waveguides based on two-dimensional photonic crystals with a triangular lattice of air holes. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2003, 20, 1922.	0.9	13
1380	Effect of a Conductor Cladding on a Dielectric Slab for Coupling with a Side-polished Fiber. <i>Journal of the Optical Society of Korea</i> , 2003, 7, 180-187.	0.6	1
1381	Small-area bends and beamsplitters for lowindex-contrast waveguides. <i>Optics Express</i> , 2003, 11, 282.	1.7	46
1382	Theoretical bandgap modeling of two-dimensional triangular photonic crystals formed by interference technique of three-noncoplanar beams. <i>Optics Express</i> , 2003, 11, 1050.	1.7	27
1383	General methods for designing single-mode planar photonic crystal waveguides in hexagonal lattice structures. <i>Optics Express</i> , 2003, 11, 1371.	1.7	11
1384	Rigorous concept for the analysis of diffractive lenses with different axial resolution and high lateral resolution. <i>Optics Express</i> , 2003, 11, 1987.	1.7	22
1385	Scattered field formulation of finite difference time domain for a focused light beam in dense media with lossy materials. <i>Optics Express</i> , 2003, 11, 3160.	1.7	48
1386	Computing Acoustic Waves in an Inhomogeneous Medium of the Plane by a Coupling of Spectral and Finite Elements. <i>SIAM Journal on Numerical Analysis</i> , 2003, 41, 1729-1750.	1.1	19

#	ARTICLE	IF	CITATIONS
1387	An Adaptive Finite Element Method with Perfectly Matched Absorbing Layers for the Wave Scattering by Periodic Structures. SIAM Journal on Numerical Analysis, 2003, 41, 799-826.	1.1	141
1388	On Optimal Finite-Difference Approximation of PML. SIAM Journal on Numerical Analysis, 2003, 41, 287-305.	1.1	69
1389	Solving Time-Harmonic Scattering Problems Based on the Pole Condition II: Convergence of the PML Method. SIAM Journal on Mathematical Analysis, 2003, 35, 547-560.	0.9	79
1390	Solving Time-Harmonic Scattering Problems Based on the Pole Condition I: Theory. SIAM Journal on Mathematical Analysis, 2003, 35, 183-210.	0.9	31
1391	3-D FDTD design analysis of a 2.4-GHz polarization-diversity printed dipole antenna with integrated balun and polarization-switching circuit for WLAN and wireless communication applications. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 374-381.	2.9	130
1392	A 3-D simulation of focused ultrasound propagation for extracorporeal shock wave osteotomy. International Congress Series, 2003, 1256, 658-663.	0.2	2
1393	Design of deeply etched antireflective waveguide terminators. IEEE Journal of Quantum Electronics, 2003, 39, 384-391.	1.0	17
1394	A scalar finite-difference time-domain method with cylindrical perfectly matched layers: application to guided and leaky modes of optical waveguides. IEEE Journal of Quantum Electronics, 2003, 39, 487-492.	1.0	4
1395	Whispering-gallery-like modes in square resonators. IEEE Journal of Quantum Electronics, 2003, 39, 1106-1110.	1.0	39
1396	Mode calculation by beam propagation method combined with digital signal processing technique. IEEE Journal of Quantum Electronics, 2003, 39, 1111-1117.	1.0	9
1397	Bloch-wave engineering for high-Q, small-V microcavities. IEEE Journal of Quantum Electronics, 2003, 39, 1430-1438.	1.0	103
1398	Modes in square resonators. IEEE Journal of Quantum Electronics, 2003, 39, 1563-1566.	1.0	87
1399	TIME-DOMAIN INVERSE SCATTERING USING LAGRANGE MULTIPLIERS: AN ITERATIVE FDTD-BASED OPTIMIZATION TECHNIQUE. Journal of Electromagnetic Waves and Applications, 2003, 17, 271-289.	1.0	45
1400	Photonic crystal optical filter based on contra-directional waveguide coupling. Applied Physics Letters, 2003, 83, 5121-5123.	1.5	81
1401	A novel TLM-based time-domain wave propagator. IEEE Transactions on Antennas and Propagation, 2003, 51, 1680-1682.	3.1	29
1402	Optimization of the transmitter-receiver separation in the ground-penetrating radar. IEEE Transactions on Antennas and Propagation, 2003, 51, 362-370.	3.1	20
1403	Theoretical analysis of left-handed metamaterials using FDTD-PML method. , 0, , .		7
1404	Ultra-Wideband, Short-Pulse Electromagnetics 6. , 2003, , .		10

#	ARTICLE	IF	CITATIONS
1405	Finite element modeling of CMUTs using a perfectly matched layer for fast simulation. , 0, , .		5
1406	Wave propagation characteristics of a reactively loaded microstrip. , 0, , .		8
1407	Theory and applications of time reversal and interferometric imaging. Inverse Problems, 2003, 19, S139-S164.	1.0	95
1408	Negative refraction and left-handed behavior in two-dimensional photonic crystals. Physical Review B, 2003, 67, .	1.1	237
1409	Suitability of FDTD-based TCAD tools for RF design of mobile phones. IEEE Antennas and Propagation Magazine, 2003, 45, 52-66.	1.2	61
1410	A comparative FDTD study of various PML configurations for the termination of nonlinear photonic bandgap waveguide structures. IEEE Transactions on Magnetics, 2003, 39, 1191-1194.	1.2	15
1411	Errata to "Z-transform implementation of the perfectly matched layer for truncating ftd domains". IEEE Microwave and Wireless Components Letters, 2003, 13, 553-553.	2.0	0
1412	Three-dimensional biorthogonal multiresolution time-domain method and its application to electromagnetic scattering problems. IEEE Transactions on Antennas and Propagation, 2003, 51, 1085-1092.	3.1	15
1413	The 2.5-D multidomain pseudospectral time-domain algorithm. IEEE Transactions on Antennas and Propagation, 2003, 51, 619-627.	3.1	41
1414	Digital filtering technique for the FDTD implementation of the anisotropic perfectly matched layer. IEEE Microwave and Wireless Components Letters, 2003, 13, 340-342.	2.0	5
1415	A strongly well-posed PML in lossy media. IEEE Antennas and Wireless Propagation Letters, 2003, 2, 97-100.	2.4	40
1416	Relevance of coupling effects on DRA array design. IEEE Transactions on Antennas and Propagation, 2003, 51, 399-404.	3.1	8
1417	An efficient PML implementation for the ADI-FDTD method. IEEE Microwave and Wireless Components Letters, 2003, 13, 72-74.	2.0	50
1418	High-order Non-reflecting Boundary Conditions for Dispersive Waves in Cartesian, Cylindrical and Spherical Coordinate Systems. International Journal of Computational Fluid Dynamics, 2003, 17, 263-274.	0.5	11
1419	Analysis and application of compact form ADI-FDTD method to substrate and interconnect simulation. , 0, , .		0
1420	Perfectly matched layer for static and quasistatic fields: a false method. IEEE Transactions on Magnetics, 2003, 39, 1115-1118.	1.2	3
1421	Generalized Z-domain absorbing boundary conditions for the analysis of electromagnetic problems with finite-difference time-domain method. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 82-90.	2.9	8
1422	Efficient mixed finite elements for the lossy Maxwell's equations in time-domain. , 2003, , .		0

#	ARTICLE	IF	CITATIONS
1423	The application of PML-FDTD and boundary consistency conditions of total-scattered fields in three dimension cylindrical coordinates. , 2003, , .		1
1424	Analysis and design on EM wave absorption by stratified construction materials - a case of vertically incident wave. , 0, , .		1
1425	Absorbing boundary conditions for adjoint problems in the design sensitivity analysis with the FDTD method. IEEE Transactions on Microwave Theory and Techniques, 2003, 51, 526-529.	2.9	3
1426	A high directivity patch antenna using a PBC cover together with a PBC substrate. , 2003, , .		5
1427	Problem-independent enhancement of PML ABC for the FDTD method. IEEE Transactions on Antennas and Propagation, 2003, 51, 3002-3006.	3.1	10
1428	Generalized PML formulations for the termination of the wave-equation FDTD domains. , 2003, , .		0
1429	Performance optimization of the PML absorber in lossy media via closed-form expressions of the reflection coefficient. IEEE Transactions on Magnetics, 2003, 39, 1234-1237.	1.2	5
1430	High-Order Radiation Boundary Conditions for the Convective Wave Equation in Exterior Domains. SIAM Journal of Scientific Computing, 2003, 25, 1088-1101.	1.3	16
1431	Numerical dispersion and impedance analysis for 3D discrete perfectly matched layers. , 2003, , .		0
1432	Two-dimensional photonic crystal coupled-defect laser diode. Applied Physics Letters, 2003, 82, 4-6.	1.5	134
1433	An improved perfectly matched layer absorbing boundary condition for microstrip line problems. IEEE Transactions on Magnetics, 2003, 39, 1250-1253.	1.2	2
1434	Unsplit-field FDTD implementations of the PML using DSP algorithms. , 2003, , .		0
1435	Application of an anisotropic perfectly matched layer absorber for open boundary truncation in the multiresolution time domain scheme. IEEE Transactions on Antennas and Propagation, 2003, 51, 350-357.	3.1	8
1436	Vortex element method-expansion about incompressible flow computation of noise generation by subsonic shear flows - the impact of external forcing. Journal of Turbulence, 2003, 4, .	0.5	2
1437	A thin-rod approximation for the improved modeling of bare and insulated cylindrical antennas using the FDTD method. IEEE Transactions on Antennas and Propagation, 2003, 51, 1780-1796.	3.1	22
1438	An unsplit formulation of the Berenger's PML absorbing boundary condition for FDTD meshes. IEEE Microwave and Wireless Components Letters, 2003, 13, 348-350.	2.0	7
1439	An analytical study of the discrete perfectly matched layer for the time-domain maxwell equations in cylindrical coordinates. IEEE Transactions on Antennas and Propagation, 2003, 51, 1671-1675.	3.1	6
1440	Designing complex optical filters using photonic crystal microcavities. , 2003, 5000, 257.		10

#	ARTICLE	IF	CITATIONS
1441	Rigorous simulation of alignment for microlithography. Journal of Micro/ Nanolithography, MEMS, and MOEMS, 2003, 2, 220.	1.0	6
1442	Light scattering from normal and dysplastic cervical cells at different epithelial depths: finite-difference time-domain modeling with a perfectly matched layer boundary condition. Journal of Biomedical Optics, 2003, 8, 484.	1.4	83
1443	A 3D cylindrical PML/FDTD method for elastic waves in fluid-filled pressurized boreholes in triaxially stressed formations. Geophysics, 2003, 68, 1731-1743.	1.4	70
1444	Finite-difference modeling of elastic wave propagation: A nonsplitting perfectly matched layer approach. Geophysics, 2003, 68, 1749-1755.	1.4	168
1445	Mathematical Modeling of EMF Energy Absorption in Biological Systems. , 2003, , 114-341.		1
1447	An absorbing boundary condition for FDTD truncation using multiple absorbing surfaces. IEEE Transactions on Antennas and Propagation, 2003, 51, 3268-3275.	3.1	12
1448	A coaxial antenna with miniaturized choke for minimally invasive interstitial heating. IEEE Transactions on Biomedical Engineering, 2003, 50, 82-88.	2.5	101
1449	Realistic surface modeling for a finite-difference time-domain wave propagator. IEEE Transactions on Antennas and Propagation, 2003, 51, 1675-1679.	3.1	23
1450	Application and optimization of PML ABC for the 3-D wave equation in the time domain. IEEE Transactions on Antennas and Propagation, 2003, 51, 286-295.	3.1	21
1451	PREDICTION OF RADIATIVE PROPERTIES OF PATTERNED SILICON WAFERS BY SOLVING MAXWELL'S EQUATIONS IN THE TIME DOMAIN. Numerical Heat Transfer, Part B: Fundamentals, 2003, 44, 329-345.	0.6	7
1452	Electromagnetic waves focused by a negative-index planar lens. Physical Review E, 2003, 67, 025602.	0.8	75
1453	Time-domain finite-element simulation of three-dimensional scattering and radiation problems using perfectly matched layers. IEEE Transactions on Antennas and Propagation, 2003, 51, 296-305.	3.1	86
1454	Shedding and interaction of solitons in weakly disordered optical fibers. Physical Review E, 2003, 67, 036615.	0.8	21
1455	Application of structural symmetries in the plane-wave-based transfer-matrix method for three-dimensional photonic crystal waveguides. Physical Review B, 2003, 68, .	1.1	61
1456	Theoretical investigation of a two-dimensional photonic crystal slab with truncated cone air holes. Applied Physics Letters, 2003, 82, 1661-1663.	1.5	125
1457	Polarization-controlled, single-transverse-mode, photonic-crystal, vertical-cavity, surface-emitting lasers. Applied Physics Letters, 2003, 82, 3182-3184.	1.5	67
1458	Proposal of non-uniform mesh FDTD with uniaxial PML (UPML). , 0, , .		0
1459	A New Hybrid Method Combining the ADI-FDTD and the MOMTD Techniques. Electromagnetics, 2003, 23, 103-118.	0.3	6

#	ARTICLE	IF	CITATIONS
1460	A NOVEL CONFORMAL FDTD TECHNIQUE. Journal of Electromagnetic Waves and Applications, 2003, 17, 1053-1061.	1.0	1
1461	Lattice Boltzmann model for photonic band gap materials. Physical Review E, 2003, 67, 025701.	0.8	5
1462	Photonic crystal horn and array antennas. Physical Review E, 2003, 68, 016609.	0.8	30
1463	Development of a graphical user interface for the conformal finite-difference/time domain (CFDTD) software package. IEEE Antennas and Propagation Magazine, 2003, 45, 58-74.	1.2	2
1464	Coupling between a point-defect cavity and a line-defect waveguide in three-dimensional photonic crystal. Physical Review B, 2003, 68, .	1.1	48
1465	Mode dispersion in biperiodic photonic crystal waveguides. Physical Review B, 2003, 68, .	1.1	26
1466	T-junction waveguide experiment to characterize left-handed properties of metamaterials. Journal of Applied Physics, 2003, 94, 3712-3716.	1.1	20
1467	Locally conformal method for acoustic finite-difference time-domain modeling of rigid surfaces. Journal of the Acoustical Society of America, 2003, 114, 2575.	0.5	17
1468	Electromagnetic fields and human body: a new challenge for the electromagnetic field computation. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2003, 22, 457-469.	0.5	53
1469	Electromagnetic modeling and analysis of wireless communication antennas. IEEE Microwave Magazine, 2003, 4, 51-67.	0.7	10
1470	The 3-D multidomain pseudospectral time-domain algorithm for inhomogeneous conductive media. , 0, , .		0
1471	Weakly Inhomogeneous Media Tomography. Ultrasonic Imaging, 2003, 25, 122-133.	1.4	5
1472	Z-transform-based FDTD algorithm for anisotropic perfectly matched layer. Electronics Letters, 2003, 39, 1570.	0.5	5
1473	A new FDTD model for lightning generated EM wave simulation. , 0, , .		2
1474	Semi-empirical modeling of apertures. , 2003, , .		1
1475	Analysis of shielding effectiveness of enclosure with an aperture using FDTD method. , 2003, , .		1
1476	Performance of a causal anisotropic absorber for the truncation of finite element meshes in time domain electromagnetic unbounded problems. IEEE Transactions on Antennas and Propagation, 2003, 51, 2523-2529.	3.1	0
1477	Crystallization of Reactively Sputtered Amorphous Tungsten Nitride Film. Japanese Journal of Applied Physics, 2003, 42, 3368-3371.	0.8	6

#	ARTICLE	IF	CITATIONS
1478	Optimization of perfectly matched layer for 2D Poisson's equation with antisymmetrical or symmetrical boundary conditions. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2003, 22, 520-534.	0.5	0
1479	Complex-frequency leaky mode computations using PML boundary layers for dielectric resonant structures. , 2003, , ITuD4.		12
1480	n-Times Absorbing Boundary Conditions for Compact Finite-Difference Modeling of Acoustic and Elastic Wave Propagation in the 2D TI Medium. Bulletin of the Seismological Society of America, 2003, 93, 2389-2401.	1.1	25
1481	Designing diffractive optical elements with subwavelength features as an uniform beam shaper. , 2003, 5175, 202.		0
1482	Application of multigrid approach to the subsurface imaging problem. , 2003, , .		0
1483	The implementation of compact multiple antennas for WCDMA MIMO handset. , 0, , .		2
1484	Analysis of antennas by FDTD method using parallel processing with MPI. , 0, , .		5
1485	Designing for beam propagation in periodic and nonperiodic photonic nanostructures: Extended Hamiltonian method. , 0, , .		1
1486	Efficient simulation of light diffraction from three-dimensional EUV masks using field decomposition techniques. , 2003, , .		18
1487	Microgenetic-algorithm-based design of combined conventional waveguide and photonic crystal devices. , 2003, , .		1
1488	Study of switchable liquid crystal polymer grating by finite-difference time-domain calculation. , 2003, , .		1
1489	Vector-based synthesis of finite aperiodic diffractive micro-optical elements with subwavelength structures as beam deflectors. , 2003, 5253, 429.		0
1490	Conformal perfectly matched layers for the time domain finite element method. , 0, , .		3
1491	P-124: Design of Switchable Grating for a Color Control Element. Digest of Technical Papers SID International Symposium, 2003, 34, 700.	0.1	0
1492	Ninety-deg. bends in low-index contrast waveguides. , 2003, 4987, 106.		1
1494	State-space FDTD implementation of anisotropic perfectly matched layer. Electronics Letters, 2003, 39, 969.	0.5	1
1495	Resolution of Maxwell's equations by spectral moments method. Local approach. EPJ Applied Physics, 2003, 24, 49-65.	0.3	0
1496	Simulation of short-pulse laser interaction with matter using finite-difference time-domain method and two temperature model. , 2003, , .		0

#	ARTICLE	IF	CITATIONS
1498	Numerical Simulation of the Wave-Guide Effect of the Near-Surface Thin Layer on Radar Wave Propagation. Journal of Environmental and Engineering Geophysics, 2003, 8, 133-141.	1.0	40
1499	Resolution of Maxwell's equations by the spectral moments method. Global approach. EPJ Applied Physics, 2003, 23, 117-138.	0.3	0
1500	NUMERICAL DISPERSION AND IMPEDANCE ANALYSIS FOR 3D PERFECTLY MATCHED LAYERS USED FOR TRUNCATION OF THE FDTD COMPUTATIONS. Progress in Electromagnetics Research, 2004, 47, 193-212.	1.6	8
1503	The impact of PMSE and NLC particles on VLF propagation. Annales Geophysicae, 2004, 22, 1563-1574.	0.6	3
1504	Computational Electromagnetism. Oberwolfach Reports, 2004, 1, 545-632.	0.0	0
1505	Calculation of the Electromagnetic Field in a Strip Line Using FDTD Method. , 0, , .		0
1506	Single-Mode Behaviour Judgment of Optical Waveguides by Imaginary-Distance Beam Propagation Method Under Perfectly Matched Layer Boundary Condition. Chinese Physics Letters, 2004, 21, 976-979.	1.3	1
1507	A simple analytical method for calculating the leakage loss of a buried rectangular waveguide. Journal of Optics, 2004, 6, 57-62.	1.5	4
1508	Enhancement of Cavity-Q in a Quasi-Three-Dimensional Photonic Crystal. Japanese Journal of Applied Physics, 2004, 43, 1990-1994.	0.8	8
1509	Imaging Properties of Three Dimensional Aperture Near-Field Scanning Optical Microscopy and Optimized Near-Field Fiber Probe Designs. Japanese Journal of Applied Physics, 2004, 43, 8115-8125.	0.8	14
1510	A novel non-acoustic voiced speech sensor. Measurement Science and Technology, 2004, 15, 1291-1302.	1.4	4
1511	Photonic nanojets. , 2004, , .		2
1512	Axial focusing characteristics of diffractive micro-lenses based on a rigorous electromagnetic theory. Journal of Optics, 2004, 6, 1067-1071.	1.5	5
1513	Significantly Enhanced Coupling Efficiency in 2D Photonic Crystal Waveguides by Using Cabin-Side-Like Tapered Structures at Two Terminals. Japanese Journal of Applied Physics, 2004, 43, L1064-L1067.	0.8	4
1514	Design of Polarization Beam Splitter in Two-Dimensional Triangular Photonic Crystals. Chinese Physics Letters, 2004, 21, 1285-1288.	1.3	14
1515	Formation of Optical Solitons in Nonlinear Photonic Crystal Waveguides. Chinese Physics Letters, 2004, 21, 1762-1765.	1.3	5
1516	Unconditionally stable ADI-FDTD implementation of PML for frequency dispersive Debye media. Electronics Letters, 2004, 40, 230.	0.5	14
1517	Highly sensitive sensors using in-fiber gratings fabricated in photonic crystal nanostructures. , 2004, , .		1

#	ARTICLE	IF	CITATIONS
1518	Analytical study of whispering gallery mode in 2D microgear cavity. , 2004, , .		4
1519	Optical properties of an ideal homogeneous causal left-handed material slab. Physical Review E, 2004, 70, 036605.	0.8	32
1520	Designing for beam propagation in periodic and nonperiodic photonic nanostructures: Extended Hamiltonian method. Physical Review E, 2004, 70, 036612.	0.8	27
1521	Emission from planar defect modes excited with surface modes in three-dimensional photonic crystals. Physical Review B, 2004, 69, .	1.1	6
1522	Analysis of multimode point-defect cavities in three-dimensional photonic crystals using group theory in frequency and time domains. Physical Review B, 2004, 70, .	1.1	28
1523	Introducing the transfer function concept for a complex structure due to electromagnetic wave penetration using FDTD method. , 0, , .		1
1524	Computational Soil-Structure Interaction. , 2003, , 61-125.		3
1526	A Novel 3-D CPFDTD Scheme for Modeling Grid Nonconformally Aligned Transmitter Structures. IEEE Transactions on Antennas and Propagation, 2004, 52, 1324-1334.	3.1	3
1527	Coupling between surface plasmon modes on metal films. Physical Review B, 2004, 69, .	1.1	36
1528	Finite-width waveguide and waveguide intersections for self-collimated beams in photonic crystals. Applied Physics Letters, 2004, 85, 4834-4836.	1.5	27
1529	Single-atom detection using whispering-gallery modes of microdisk resonators. Physical Review A, 2004, 70, .	1.0	55
1530	A simple stackable re-radiating boundary condition (rRBC) for FDTD. IEEE Antennas and Propagation Magazine, 2004, 46, 124-130.	1.2	14
1531	Influence of a two-dimensional SiO ₂ nanorod structure on the extraction efficiency of ZnS:Mn thin-film electroluminescent devices. Applied Physics Letters, 2004, 84, 1377-1379.	1.5	10
1532	A Study of the Condition Number of Various Finite Element Matrices Involved in the Numerical Solution of Maxwell's Equations. IEEE Transactions on Antennas and Propagation, 2004, 52, 3048-3059.	3.1	12
1533	Criteria for discretization of seafloor bathymetry when using a staircase approximation: Application to computation of T-phase seismograms. Journal of the Acoustical Society of America, 2004, 115, 1103-1113.	0.5	7
1534	The study of a nano-porous optical film with the finite difference time domain method. Journal of Optics, 2004, 6, 564-568.	1.5	17
1535	Optimal design of PML absorbing boundary condition for improving wide-angle reflection performance. Electronics Letters, 2004, 40, 104.	0.5	5
1536	Analysis of volume holographic long period gratings in photonic nanostructured fibers and waveguides. Optical Engineering, 2004, 43, 2003.	0.5	2

#	ARTICLE	IF	CITATIONS
1537	Optical add/drop filters using two-dimensional photonic crystals. , 2004, 5279, 286.		4
1538	MULTIDOMAIN PSEUDOSPECTRAL TIME-DOMAIN (PSTD) METHOD FOR ACOUSTIC WAVES IN LOSSY MEDIA. Journal of Computational Acoustics, 2004, 12, 277-299.	1.0	22
1539	Microgenetic algorithm design of hybrid conventional waveguide and photonic crystal structures. Optical Engineering, 2004, 43, 2143.	0.5	5
1540	Computing the liquid crystal director field in optical phased arrays. Optical Engineering, 2004, 43, 924.	0.5	6
1541	Shear wave elastography: modeling of the shear wave propagation in heterogeneous tissue by pseudospectral method. , 0, , .		3
1542	Investigation of EMI coupling at CPU interconnect. , 0, , .		6
1543	Intracell modeling of lumped elements using the composite-cell MRTD technique. , 0, , .		0
1544	Perfectly matched layer for Crank-Nicolson (CN) FDTD method. , 2004, , .		0
1545	Perfectly matched layer for FDTD computations in piezoelectric crystals. , 0, , .		8
1547	A Simple Absorbing Boundary Condition for FDTD Modeling of Lossy, Dispersive Media Based on the One-Way Wave Equation. IEEE Transactions on Antennas and Propagation, 2004, 52, 2476-2479.	3.1	11
1548	Theoretical study on THz components and systems based on photonic crystal. , 0, , .		1
1549	A New Algorithm to Achieve Rapid Field Convergence in The Frequency Domain When Using FDTD. Journal of Electromagnetic Waves and Applications, 2004, 18, 797-806.	1.0	3
1550	High-Frequency Effects in SF_6 Circuit Breakers. IEEE Transactions on Power Delivery, 2004, 19, 1095-1104.	2.9	4
1551	Implications for SAR when using a symmetric phantom exposed to RF radiation using the FDTD method. , 2004, , .		2
1552	Biological cell modelling using quasi static FDTD/lumped element method. , 0, , .		1
1553	SNOM INVESTIGATION OF THE ELECTROMAGNETIC FIELD INTENSITY AND POLARIZATION DISTRIBUTION IN THE VICINITY OF NANOSTRUCTURES. International Journal of Nanoscience, 2004, 03, 105-113.	0.4	7
1554	A low-order unstructured mesh approach for computational electromagnetics in the time domain. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2004, 362, 445-469.	1.6	19
1555	Design and analysis of annular antenna arrays with different reflectors. International Journal of Hyperthermia, 2004, 20, 625-636.	1.1	4

#	ARTICLE	IF	CITATIONS
1556	Two-dimensional full-wave code for reflectometry simulations in TJI. Review of Scientific Instruments, 2004, 75, 3822-3824.	0.6	11
1557	Scattering of elastic waves in heterogeneous media using the direct solution method. Geophysical Journal International, 2004, 156, 222-236.	1.0	4
1558	Mixed-grid and staggered-grid finite-difference methods for frequency-domain acoustic wave modelling. Geophysical Journal International, 2004, 157, 1269-1296.	1.0	260
1559	Dynamic rupture simulation of non-planar faults with a finite-difference approach. Geophysical Journal International, 2004, 158, 939-954.	1.0	49
1560	Multiscale imaging of complex structures from multifold wide-aperture seismic data by frequency-domain full-waveform tomography: application to a thrust belt. Geophysical Journal International, 2004, 159, 1032-1056.	1.0	316
1561	Waveguiding through a two-dimensional metallic photonic crystal. Journal of Microscopy, 2004, 213, 144-148.	0.8	21
1562	Broadside linear array of resonant type leaky-wave antenna composed of image NRD guide. IET Microwaves Antennas and Propagation, 2004, 151, 404.	1.2	1
1563	Implementation of an Exact Modal Absorbing Boundary Termination Condition for the Application of the Finite-Element Time-Domain Technique to Discontinuity Problems in Closed Homogeneous Waveguides. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 882-888.	2.9	23
1564	Enhanced PML Performance Using Higher Order Approximation. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 1166-1174.	2.9	13
1565	Low-Dispersion Algorithms Based on the Higher Order. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 1321-1327.	2.9	56
1566	Comments on "A Fast Converging Series Expansion for the 2-D Periodic Green's Function Based on Perfectly Matched Layers". IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 2450-2451.	2.9	0
1568	A Higher Order Nonstandard FDTD-PML Method for the Advanced Modeling of Complex EMC Problems in Generalized 3-D Curvilinear Coordinates. IEEE Transactions on Electromagnetic Compatibility, 2004, 46, 2-11.	1.4	26
1569	Study of the Coupling Between Human Head and Cellular Phone Helical Antennas. IEEE Transactions on Electromagnetic Compatibility, 2004, 46, 62-70.	1.4	63
1570	Numerical Coupling Models for Complex Systems and Results. IEEE Transactions on Electromagnetic Compatibility, 2004, 46, 359-367.	1.4	68
1571	Application of a Hybrid FiniteDifference/Finite Volume Method to Solve an Automotive EMC Problem. IEEE Transactions on Electromagnetic Compatibility, 2004, 46, 624-634.	1.4	45
1572	A deep parametric study of resistor-loaded bow-tie antennas for ground-penetrating radar applications using FDTD. IEEE Transactions on Geoscience and Remote Sensing, 2004, 42, 732-742.	2.7	60
1573	A FEM Analysis of Open Boundary Structures Using Edge Elements and a Cylindrical Harmonics Expansion. Electromagnetics, 2004, 24, 69-79.	0.3	2
1574	Algorithm Analysis on MMW Dosimetry for the Cell Monolayer Cultured in Petri Dish with the FDTD Method. Journal of Infrared, Millimeter and Terahertz Waves, 2004, 25, 759-774.	0.6	2

#	ARTICLE	IF	CITATIONS
1575	A Study of Infrared Photonic Crystal Devices Using New ADI-FDTD Algorithm. Journal of Infrared, Millimeter and Terahertz Waves, 2004, 25, 865-874.	0.6	1
1576	Transmission spectra investigation on tunable bandgap of liquid crystal infiltrated photonic crystal. Journal of Materials Science, 2004, 39, 679-681.	1.7	2
1577	Synthesis of Harmonic Field with the Prescribed Characteristics in Rock Mass by the Vibration Sources. Journal of Mining Science, 2004, 40, 1-10.	0.1	1
1578	Unstructured Grid-Based Discontinuous Galerkin Method for Broadband Electromagnetic Simulations. Journal of Scientific Computing, 2004, 20, 405-431.	1.1	22
1579	Truncation rules for modelling discontinuities with Galerkin method in electromagnetic theory. Optical and Quantum Electronics, 2004, 36, 271-284.	1.5	18
1580	A novel Fourier based 3D full-vectorial beam propagation method. Optical and Quantum Electronics, 2004, 36, 285-301.	1.5	13
1581	FDTD simulations and measurements for cell phone with planar antennas. Annales Des Telecommunications/Annals of Telecommunications, 2004, 59, 1012-1030.	1.6	3
1582	Optimization of short-pulse GPR transmit antenna. Wuhan University Journal of Natural Sciences, 2004, 9, 909-912.	0.2	0
1583	FDTD modeling of transient scattering by subsurface targets. Wuhan University Journal of Natural Sciences, 2004, 9, 319-322.	0.2	0
1584	A sequence of absorbing boundary conditions for Maxwell's equations. Journal of Computational Physics, 2004, 194, 140-155.	1.9	9
1585	Discontinuous Galerkin methods for dispersive and lossy Maxwell's equations and PML boundary conditions. Journal of Computational Physics, 2004, 200, 549-580.	1.9	188
1586	High-order FDTD methods via derivative matching for Maxwell's equations with material interfaces. Journal of Computational Physics, 2004, 200, 60-103.	1.9	178
1587	A perfectly matched layer for the Helmholtz equation in a semi-infinite strip. Journal of Computational Physics, 2004, 201, 439-465.	1.9	85
1588	Analysis of ultra-small photonic large scale integrated circuits. Optical and Quantum Electronics, 2004, 36, 1105-1115.	1.5	1
1589	On the boundary conditions for EG methods applied to the two-dimensional wave equation system. ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik, 2004, 84, 237-251.	0.9	6
1590	Light scattering by coated sphere immersed in absorbing medium: a comparison between the FDTD and analytic solutions. Journal of Quantitative Spectroscopy and Radiative Transfer, 2004, 83, 483-492.	1.1	31
1591	Fast evaluation of nonreflecting boundary conditions for the Schrödinger equation in one dimension. Computers and Mathematics With Applications, 2004, 47, 955-966.	1.4	67
1592	Finite difference time domain simulation of soil ionization in grounding systems under lightning surge conditions. Applied Numerical Analysis and Computational Mathematics, 2004, 1, 90-103.	0.6	15

#	ARTICLE	IF	CITATIONS
1593	Numerical analysis of a modified rooftop mirror using mode interference. <i>Electronics and Communications in Japan</i> , 2004, 87, 1-8.	0.2	0
1594	A study on an improved absorbing boundary condition for a multimode waveguide analysis using the FDTD method. <i>Electronics and Communications in Japan</i> , 2004, 87, 1-9.	0.2	0
1595	High-order boundary conditions for linearized shallow water equations with stratification, dispersion and advection. <i>International Journal for Numerical Methods in Fluids</i> , 2004, 46, 361-381.	0.9	7
1596	Higher-order finite-difference schemes with reduced dispersion errors for accurate time-domain electromagnetic simulations. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2004, 17, 461-486.	1.2	10
1597	Wide-band modelling of CMOS interconnections and voiding damages with the lumped element LE-FDTD method. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2004, 17, 561-573.	1.2	0
1598	Performance of PML absorbing boundary conditions in 3D photonic crystal waveguides. <i>Microwave and Optical Technology Letters</i> , 2004, 40, 1-3.	0.9	9
1599	3D-FDTD-PML analysis of left-handed metamaterials. <i>Microwave and Optical Technology Letters</i> , 2004, 40, 201-205.	0.9	43
1600	Modeling of light propagation through step-like discontinuities in slab dielectric waveguides. <i>Microwave and Optical Technology Letters</i> , 2004, 41, 108-114.	0.9	0
1601	Vectorial finite-element BPM scheme applied to the analysis of optical-fiber couplers. <i>Microwave and Optical Technology Letters</i> , 2004, 41, 204-206.	0.9	2
1602	An unsplit Berenger-like PML for the ADI-FDTD method. <i>Microwave and Optical Technology Letters</i> , 2004, 42, 466-469.	0.9	14
1603	Hybrid absorbing boundary conditions based on fast nonuniform grid integration for nonconvex scatterers. <i>Microwave and Optical Technology Letters</i> , 2004, 43, 102-106.	0.9	15
1604	Fabry-Perot-based approach for the measurement of complex permittivity of samples inserted in resonant cavities. <i>Microwave and Optical Technology Letters</i> , 2004, 43, 106-108.	0.9	7
1605	The perfectly matched layer for the ultra weak variational formulation of the 3D Helmholtz equation. <i>International Journal for Numerical Methods in Engineering</i> , 2004, 61, 1072-1092.	1.5	31
1606	Improved accuracy for the Helmholtz equation in unbounded domains. <i>International Journal for Numerical Methods in Engineering</i> , 2004, 59, 1963-1988.	1.5	16
1607	Perfectly matched layers for transient elastodynamics of unbounded domains. <i>International Journal for Numerical Methods in Engineering</i> , 2004, 59, 1039-1074.	1.5	182
1608	Quadridirectional eigenmode expansion scheme for 2-D modeling of wave propagation in integrated optics. <i>Optics Communications</i> , 2004, 235, 285-303.	1.0	34
1609	Beam focusing characteristics of diffractive lenses with binary subwavelength structures. <i>Optics Communications</i> , 2004, 239, 345-352.	1.0	12
1610	Investigation of ring resonators in photonic crystal circuits. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2004, 2, 199-206.	1.0	110

#	ARTICLE	IF	CITATIONS
1611	Diffraction tomography: a geometrical distortion free procedure. <i>Ultrasonics</i> , 2004, 42, 677-682.	2.1	6
1612	High-order local non-reflecting boundary conditions: a review. <i>Wave Motion</i> , 2004, 39, 319-326.	1.0	384
1613	A new auxiliary variable formulation of high-order local radiation boundary conditions: corner compatibility conditions and extensions to first-order systems. <i>Wave Motion</i> , 2004, 39, 327-338.	1.0	149
1614	Reduction of wave phenomena in high-field MRI experiments using absorbing layers. <i>Journal of Magnetic Resonance</i> , 2004, 169, 187-195.	1.2	19
1615	A robust and efficient subgridding algorithm for finite-difference time-domain simulations of Maxwell's equations. <i>Journal of Computational Physics</i> , 2004, 194, 117-139.	1.9	26
1616	Exact non-reflecting boundary conditions on general domains. <i>Journal of Computational Physics</i> , 2004, 194, 278-303.	1.9	36
1617	Perfectly matched layers for radio wave propagation in inhomogeneous magnetized plasmas. <i>Journal of Computational Physics</i> , 2004, 194, 481-504.	1.9	20
1618	An algebraic method to develop well-posed PML models. <i>Journal of Computational Physics</i> , 2004, 197, 99-115.	1.9	7
1619	Perfectly matched layer for the time domain finite element method. <i>Journal of Computational Physics</i> , 2004, 200, 238-250.	1.9	38
1620	Rapid evaluation of radiation boundary kernels for time-domain wave propagation on blackholes: theory and numerical methods. <i>Journal of Computational Physics</i> , 2004, 199, 376-422.	1.9	23
1621	Dirichlet-to-Neumann boundary conditions for multiple scattering problems. <i>Journal of Computational Physics</i> , 2004, 201, 630-650.	1.9	85
1622	Morphological dependence of power spectra from two-dimensional passive random media. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2004, 333, 395-398.	0.9	19
1623	Complex absorbing potentials. <i>Physics Reports</i> , 2004, 395, 357-426.	10.3	418
1624	Computational aeroacoustics: progress on nonlinear problems of sound generation. <i>Progress in Aerospace Sciences</i> , 2004, 40, 345-416.	6.3	435
1625	Effects of surface roughness on light scattering by small particles. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2004, 89, 123-131.	1.1	65
1626	The evaluation of non-reflecting boundary conditions for duct acoustic computation. <i>Journal of Sound and Vibration</i> , 2004, 270, 539-557.	2.1	83
1627	Preconditioning techniques for the solution of the Helmholtz equation by the finite element method. <i>Mathematics and Computers in Simulation</i> , 2004, 65, 303-321.	2.4	30
1628	Modified integration rules for reducing dispersion error in finite element methods. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2004, 193, 275-287.	3.4	144

#	ARTICLE	IF	CITATIONS
1629	Finite element method for time dependent scattering: nonreflecting boundary condition, adaptivity, and energy decay. Computer Methods in Applied Mechanics and Engineering, 2004, 193, 2453-2482.	3.4	3
1630	Parameterised electromagnetic scattering solutions for a range of incident wave angles. Computer Methods in Applied Mechanics and Engineering, 2004, 193, 3587-3605.	3.4	13
1631	A posteriori evaluation of wave reflection for adaptive analysis of wave propagation in unbounded domains. Computer Methods in Applied Mechanics and Engineering, 2004, 193, 4947-4959.	3.4	3
1632	An exact bounded PML for the Helmholtz equation. Comptes Rendus Mathematique, 2004, 339, 803-808.	0.1	27
1633	Asymmetric PML for the absorption of waves. Application to mesh refinement in electromagnetic Particle-In-Cell plasma simulations. Computer Physics Communications, 2004, 164, 171-177.	3.0	23
1634	A stratified dispersive wave model with high-order nonreflecting boundary conditions. Computers and Mathematics With Applications, 2004, 48, 1167-1180.	1.4	7
1635	On a class of preconditioners for solving the Helmholtz equation. Applied Numerical Mathematics, 2004, 50, 409-425.	1.2	195
1636	Antenna optimization for invasive therapy. , 0, , .		0
1637	Modeling of wave propagation in layered piezoelectric media by a recursive asymptotic method. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2004, 51, 1060-1071.	1.7	46
1638	The 3-D Multidomain Pseudospectral Time-Domain Algorithm for Inhomogeneous Conductive Media. IEEE Transactions on Antennas and Propagation, 2004, 52, 742-749.	3.1	38
1639	Author's reply by S. Wang and F. L. Teixeira. IEEE Microwave and Wireless Components Letters, 2004, 14, 249.	2.0	0
1640	Local Approximation Matching for Open Boundary Problems. IEEE Transactions on Magnetics, 2004, 40, 2152-2154.	1.2	4
1641	Unconditionally stable ADI-FDTD formulations of the APML for frequency-dependent media. IEEE Microwave and Wireless Components Letters, 2004, 14, 537-539.	2.0	6
1642	The Maximum Transmission Rate for the Silicon-Based Racetrack Microresonator. , 0, , .		0
1643	Comments on "An efficient PML implementation for the ADI-FDTD method". IEEE Microwave and Wireless Components Letters, 2004, 14, 248-249.	2.0	5
1644	A fast multipole method for layered media based on the application of perfectly matched layers - the 2-D case. IEEE Transactions on Antennas and Propagation, 2004, 52, 2631-2640.	3.1	26
1645	Antenna design for catheter-based tissue heating. , 0, , .		1
1646	Temperature rise in the human head and brain for portable handsets at 900 and 1800 MHz. , 0, , .		1

#	ARTICLE	IF	CITATIONS
1647	A Numerical Analysis of Radio-Frequency Power Requirements in Magnetic Resonance Imaging Experiment. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 1999-2003.	2.9	32
1648	Perfectly matched layer-absorbing boundary condition for left-handed materials. IEEE Microwave and Wireless Components Letters, 2004, 14, 301-303.	2.0	72
1649	A general form of perfectly matched layers for for three-dimensional problems of acoustic scattering in lossless and lossy fluid media. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2004, 51, 964-972.	1.7	19
1650	On the reflection from Cummer's nearly perfectly matched layer. IEEE Microwave and Wireless Components Letters, 2004, 14, 334-336.	2.0	20
1651	The Concurrent Complementary Operators Method Applied to Two-Dimensional Time-Harmonic Radiation and Scattering Problems. IEEE Transactions on Antennas and Propagation, 2004, 52, 408-415.	3.1	1
1652	The simulation of electromagnetic pulse coupling with computer box. , 0, , .		2
1653	Coupling effects of high power microwave. , 0, , .		0
1654	Finite-Difference and Pseudospectral Time-Domain Methods Applied to Backward-Wave Metamaterials. IEEE Transactions on Antennas and Propagation, 2004, 52, 2955-2962.	3.1	39
1655	A PML Using a Convolutional Curl Operator and a Numerical Reflection Coefficient for General Linear Media. IEEE Transactions on Antennas and Propagation, 2004, 52, 1647-1657.	3.1	16
1656	A novel FDTD application featuring OpenMP-MPI hybrid parallelization. , 2004, , .		20
1657	Dynamic FEM analysis of multiple cmut cells in immersion. , 0, , .		12
1658	Reflection analysis of the end-facet dielectric slab waveguide by FDTD method. , 0, , .		3
1659	A review of important recent developments in full-wave CEM for RF and microwave engineering. , 0, , .		5
1660	MODELINGARTIFICIALBOUNDARYCONDITIONS FORCOMPRESSIBLEFLOW. Annual Review of Fluid Mechanics, 2004, 36, 315-345.	10.8	256
1661	The Study of Acoustic Band Gaps in 2-D Air/Aluminum and Steel/Epoxy Phononic Structure. Key Engineering Materials, 2004, 270-273, 1127-1134.	0.4	3
1662	Microwave Imaging via Space-Time Beamforming: Experimental Investigation of Tumor Detection in Multilayer Breast Phantoms. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 1856-1865.	2.9	270
1663	Perfectly matched layer behavior in negative refractive index materials. IEEE Antennas and Wireless Propagation Letters, 2004, 3, 172-175.	2.4	59
1664	The nearly perfectly matched layer is a perfectly matched layer. IEEE Antennas and Wireless Propagation Letters, 2004, 3, 137-140.	2.4	30

#	ARTICLE	IF	CITATIONS
1665	E-type planar antenna printed on dielectric substrate. , 0, , .		3
1666	General Formulation of Unconditionally Stable ADI-FTD Method in Linear Dispersive Media. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 170-174.	2.9	36
1667	Transmission and reflection characteristics of in-plane hetero-photonic crystals. Applied Physics Letters, 2004, 85, 4591-4593.	1.5	55
1668	Simulations of Ground Motion in the Los Angeles Basin Based upon the Spectral-Element Method. Bulletin of the Seismological Society of America, 2004, 94, 187-206.	1.1	333
1669	RF dosimetry: a comparison between power absorption of female and male numerical models from 0.1 to 4 GHz. Physics in Medicine and Biology, 2004, 49, 5185-5201.	1.6	40
1670	Dosimetric Analysis of a 900-MHz Rat Head Exposure System. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 2076-2083.	2.9	49
1671	2-D liquid crystal optical phased array. , 0, , .		2
1672	Anticipating EMI and on-board interference in automotive platforms. , 0, , .		5
1673	A Frequency-Domain Finite Element Method for Modeling of Nonlinear Optical Waveguide Discontinuities. IEEE Photonics Technology Letters, 2004, 16, 129-131.	1.3	12
1674	Oriented Perfectly Matched Layer With Flexible Parameters for Waveguide Discontinuity Problems. IEEE Photonics Technology Letters, 2004, 16, 1089-1091.	1.3	1
1675	High Efficiency 90°\circSilica Waveguide Bend Using an Air Hole Photonic Crystal Region. IEEE Photonics Technology Letters, 2004, 16, 1846-1848.	1.3	18
1676	Multilevel plane wave time domain-based global boundary kernels for two-dimensional finite difference time domain simulations. Radio Science, 2004, 39, n/a-n/a.	0.8	10
1677	A quasi-analytical boundary condition for three-dimensional finite difference electromagnetic modeling. Radio Science, 2004, 39, n/a-n/a.	0.8	14
1678	A Study of Changes to Specific Absorption Rates in the Human Eye Close to Perfectly Conducting Spectacles Within the Radio Frequency Range 1.5 to 3.0 GHz. IEEE Transactions on Antennas and Propagation, 2004, 52, 3207-3212.	3.1	49
1679	On resonances in open systems. Journal of Fluid Mechanics, 2004, 506, 255-284.	1.4	66
1680	Full-Wave Analysis of Broad Wall Slot's Characteristics in Rectangular Waveguides. IEEE Transactions on Antennas and Propagation, 2004, 52, 2436-2444.	3.1	17
1681	Fast monostatic GPR modeling. Geophysics, 2004, 69, 466-471.	1.4	12
1682	Highly birefringent rectangular lattice photonic crystal fibres. Journal of Optics, 2004, 6, 997-1000.	1.5	38

#	ARTICLE	IF	CITATIONS
1683	Subsurface imaging of buried objects from FDTD modeled scattered field. , 0, , .		2
1684	Ultra-compact optical filter in two-dimensional photonic crystal. Electronics Letters, 2004, 40, 539.	0.5	21
1685	Electromagnetic study of the quality factor of pillar microcavities in the small diameter limit. Applied Physics Letters, 2004, 84, 4726-4728.	1.5	56
1687	On the Long-Time Behavior of Unsplit Perfectly Matched Layers. IEEE Transactions on Antennas and Propagation, 2004, 52, 1335-1342.	3.1	122
1688	Radiation pattern of a classical dipole in a photonic crystal: Photon focusing. Physical Review E, 2004, 70, 056611.	0.8	20
1689	Rigorous diffraction theory applied to the analysis of the optical force on elliptical nano- and micro-cylinders. Journal of Optics, 2004, 6, 921-931.	1.5	29
1690	Influence of the surface termination to the point imaging by a photonic crystal slab with negative refraction. Applied Physics Letters, 2004, 85, 4269.	1.5	98
1691	Three-Dimensional CAD-Based Mesh Generator for the DeYâ€“Mittra Conformal FDTD Algorithm. IEEE Transactions on Antennas and Propagation, 2004, 52, 1658-1664.	3.1	25
1692	Analysis of the Open-Ended Image NRD Guide Using FDTD. IEEE Transactions on Antennas and Propagation, 2004, 52, 2374-2380.	3.1	2
1693	Designing diffractive optical elements for special functions using a rigorous method. Journal of Optics, 2004, 6, 429-432.	1.5	0
1694	Electromagnetic Interference (EMI) of System-on-Package (SOP). IEEE Transactions on Advanced Packaging, 2004, 27, 304-314.	1.7	173
1695	Characteristics of waves guided by a grounded â€œleft-handedâ€ material slab of finite extent. Physical Review E, 2004, 70, 066606.	0.8	11
1696	A Perfectly Matched Layer Approach to the Linearized Shallow Water Equations Models. Monthly Weather Review, 2004, 132, 1369-1378.	0.5	47
1697	Concept of the equiphase sphere for light scattering by nonspherical dielectric particles. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2004, 21, 88.	0.8	16
1698	Applying a mapped pseudospectral time-domain method in simulating diffractive optical elements. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2004, 21, 777.	0.8	20
1699	Finite-difference time-domain calculations of a liquid-crystal-based switchable Bragg grating. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2004, 21, 1066.	0.8	9
1700	Two theorems on electromagnetic bistatic scattering. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2004, 21, 1438.	0.8	1
1701	Analysis of the polarization-dependent diffraction from a metallic grating by use of a three-dimensional combined vectorial method. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2004, 21, 1545.	0.8	2

#	ARTICLE	IF	CITATIONS
1702	Plane-wave expansion method for calculating band structure of photonic crystal slabs with perfectly matched layers. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2004, 21, 1769.	0.8	129
1703	Light scattering by multiple red blood cells. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2004, 21, 1953.	0.8	46
1704	Comparative study of three methods for the simulation of two-dimensional photonic crystals. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2004, 21, 2186.	0.8	16
1705	Lasing action in waveguide systems and the influence of rough walls. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2004, 21, 150.	0.9	11
1706	Optimization of a two-dimensional photonic-crystal waveguide branch by simulated annealing and the finite-element method. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2004, 21, 289.	0.9	57
1707	Theoretical bandgap modeling of two-dimensional square photonic crystals fabricated by the interference of three noncoplanar laser beams. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2004, 21, 1699.	0.9	5
1708	Propagation of self-focusing laser pulses in atmosphere: experiment versus numerical simulation. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2004, 21, 2008.	0.9	18
1709	Eigenmode of Anisotropic Planar Waveguide. <i>Journal of the Optical Society of Korea</i> , 2004, 8, 137-146.	0.6	0
1710	Two physical mechanisms for boosting the quality factor to cavity volume ratio of photonic crystal microcavities. <i>Optics Express</i> , 2004, 12, 458.	1.7	87
1711	Performance analysis of three dimensional high index contrast dielectric waveguides. <i>Optics Express</i> , 2004, 12, 633.	1.7	1
1712	Photonic nanojet enhancement of backscattering of light by nanoparticles: a potential novel visible-light ultramicroscopy technique. <i>Optics Express</i> , 2004, 12, 1214.	1.7	706
1713	New ring resonator configuration using hybrid photonic crystal and conventional waveguide structures. <i>Optics Express</i> , 2004, 12, 2356.	1.7	32
1714	Loss and dispersion analysis of microstructured fibers by finite-difference method. <i>Optics Express</i> , 2004, 12, 3341.	1.7	203
1715	Investigation of physical mechanisms in coupling photonic crystal waveguiding structures. <i>Optics Express</i> , 2004, 12, 4781.	1.7	8
1716	Larger bandgaps of two-dimensional triangular photonic crystals fabricated by holographic lithography can be realized by recording geometry design. <i>Optics Express</i> , 2004, 12, 5850.	1.7	15
1717	Examination of surface roughness on light scattering by long ice columns by use of a two-dimensional finite-difference time-domain algorithm. <i>Applied Optics</i> , 2004, 43, 1957.	2.1	32
1718	Perfectly matched layer in numerical wave propagation: factors that affect its performance. <i>Applied Optics</i> , 2004, 43, 4225.	2.1	13
1719	Effect of particle asphericity on single-scattering parameters: comparison between Platonic solids and spheres. <i>Applied Optics</i> , 2004, 43, 4427.	2.1	15

#	ARTICLE	IF	CITATIONS
1720	Equipphase-sphere approximation for analysis of light scattering by arbitrarily shaped nonspherical particles. <i>Applied Optics</i> , 2004, 43, 4497.	2.1	17
1721	Comparison of Cartesian grid configurations for application of the finite-difference time-domain method to electromagnetic scattering by dielectric particles. <i>Applied Optics</i> , 2004, 43, 4611.	2.1	17
1722	Coupling technique for efficient interfacing between silica waveguides and planar photonic crystal circuits. <i>Applied Optics</i> , 2004, 43, 6656.	2.1	50
1723	Wave Equation-Based Semivectorial Compact 2-D-FDTD Method for Optical Waveguide Modal Analysis. <i>Journal of Lightwave Technology</i> , 2004, 22, 677-683.	2.7	9
1724	Analytical Study of the Microdisk's Resonant Modes Coupling With a Waveguide Based on the Perturbation Theory. <i>Journal of Lightwave Technology</i> , 2004, 22, 827-832.	2.7	24
1725	Analysis of a Line-Defect Waveguide on a Silicon-on-Insulator Two-Dimensional Photonic-Crystal Slab. <i>Journal of Lightwave Technology</i> , 2004, 22, 2787-2792.	2.7	26
1726	Diminished normal reflectivity of one-dimensional photonic crystals due to dielectric interfacial roughness. <i>Optics Letters</i> , 2004, 29, 2791.	1.7	13
1727	Subwavelength focusing and imaging by a multimode optical waveguide. <i>Optics Letters</i> , 2004, 29, 2864.	1.7	7
1728	A new method for the calculation of the dispersion of nonperiodic photonic crystal waveguides. <i>IEEE Journal of Quantum Electronics</i> , 2004, 40, 1060-1067.	1.0	12
1729	Absorbing Boundary Conditions. <i>International Journal of Computational Fluid Dynamics</i> , 2004, 18, 513-522.	0.5	71
1730	Perfectly Matched Layers for the Convected Helmholtz Equation. <i>SIAM Journal on Numerical Analysis</i> , 2004, 42, 409-433.	1.1	90
1731	Numerical Simulation of Bistatic Scattering From a Target at Low Altitude Above Rough Sea Surface Under an EM-Wave Incidence at Low Grazing Angle by Using the Finite Element Method. <i>IEEE Transactions on Antennas and Propagation</i> , 2004, 52, 1205-1210.	3.1	65
1732	Discretization of Continuous Spectra Based on Perfectly Matched Layers. <i>SIAM Journal on Applied Mathematics</i> , 2004, 64, 1408-1433.	0.8	45
1733	Pseudospectral Time-Domain Modeling of Non-Rayleigh Reverberation: Synthesis and Statistical Analysis of a Sidescan Sonar Image of Sand Ripples. <i>IEEE Journal of Oceanic Engineering</i> , 2004, 29, 317-329.	2.1	14
1734	The Analysis of Radial Transmission-Line in W-Band Circular Groove Guide. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , 2004, 25, 393-402.	0.6	1
1735	Experimental and theoretical analysis of the self-focusing of light by a photonic crystal lens. <i>Physical Review B</i> , 2004, 69, .	1.1	54
1736	Time-domain reflective beam propagation method. <i>IEEE Journal of Quantum Electronics</i> , 2004, 40, 778-783.	1.0	8
1737	Application of the biorthogonal multiresolution time-domain method to the analysis of elastic-wave interactions with buried targets. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2004, 42, 1502-1511.	2.7	3

#	ARTICLE	IF	CITATIONS
1738	Planar Defect Modes Excited at the Band Edge of Three-dimensional Photonic Crystals. Journal of the Physical Society of Japan, 2004, 73, 2355-2357.	0.7	2
1739	What is the future for beam propagation methods?. , 2004, , .		3
1740	Absorbing Boundary Conditions for 3D Elastic Wave Numerical Modeling. Chinese Journal of Geophysics, 2004, 47, 149-154.	0.2	1
1741	Hybrid photonic crystal and conventional waveguide structures. , 2004, 5359, 324.		0
1742	Analysis of diffractive microlenses focal performance based on rigorous electromagnetic theory. , 2004, , .		0
1743	FDTD investigation of photonic crystal fiber in fiber specklegram sensing. , 2004, 5560, 284.		1
1744	Control of light propagation and localization in a photonic crystal slab by using a micromechanical actuator. , 2004, , .		1
1745	Transmitting focused B/sub 1/ field and SENSE reconstruction using an 8-element transceive torso phased array coil. , 2004, 2004, 1068-71.		0
1746	Perfectly matched layers in three dimensions for the time-domain finite element method. , 2004, , .		2
1747	A Multidomain PSTD Method for 3D Elastic Wave Equations. Bulletin of the Seismological Society of America, 2004, 94, 1002-1015.	1.1	40
1748	Realization and sensitivity analysis of low-loss hybrid photonic crystal waveguides using low-index dielectric materials. , 2004, , .		0
1749	Efficient rigorous calculations of power flow in grating coupled surface-emitting devices. , 2004, , .		8
1751	Efficient finite difference calculation of partial derivative seismic wavefield using reciprocity and convolution. , 2004, , .		3
1752	Photonic crystal and air trench approaches to realize small-area bends and splitters in low index contrast waveguides. , 2004, , .		0
1753	Short-wave scattering: problems and techniques. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2004, 362, 421-443.	1.6	32
1754	Finite difference modeling of nearly optimal sponge boundary conditions. , 2004, , .		3
1755	Inverted finite elements: a new method for solving elliptic problems in unbounded domains. ESAIM: Mathematical Modelling and Numerical Analysis, 2005, 39, 109-145.	0.8	17
1756	EUV focus sensor: design and modeling. , 2005, , .		0

#	ARTICLE	IF	CITATIONS
1757	Numerical analysis of multimode interference effect in Ti:LiNbO ₃ waveguides. , 2005, , .		4
1758	Efficient absorbing boundary condition for UWB simulation in frequency dependent ADI-FDTD. , 0, , .		1
1759	Pseudospectral time-domain method to calculate radiation pattern of lens-focused transducers. , 0, , .		3
1760	Negative refraction in semiconductor photonic crystals. , 2005, , .		0
1761	Design and analysis of small-area air trench bends and splitters. , 2005, 5729, 264.		0
1762	Simulating readout signals of 3D geometrical pit/land and surface defects. , 2005, , .		0
1763	Comparative study of modeling and characterization of diffused LiNbO ₃ waveguides. , 2005, , .		0
1764	Investigation of narrowband THz-generation in a periodically poled material. , 2005, 5971, 463.		0
1765	Optical microcavity based on zero-group-velocity surface modes in photonic crystals. , 2005, , .		0
1766	JCMmode: an adaptive finite element solver for the computation of leaky modes. , 2005, 5728, 192.		13
1767	Advanced modelling and measurements of wideband horn antennas. , 2005, , .		6
1768	Finite-Difference Time-Domain Methods. Handbook of Numerical Analysis, 2005, , 199-315.	0.9	16
1769	Mathematical models for laser-plasma interaction. ESAIM: Mathematical Modelling and Numerical Analysis, 2005, 39, 275-318.	0.8	15
1770	Ray-based finite-difference method for time-domain electromagnetics. , 0, , .		1
1771	Finite-Difference Time-Domain Analysis of Parallel-Plate Capacitors. International Journal for Computational Methods in Engineering Science and Mechanics, 2005, 6, 105-114.	1.4	3
1772	Effective cell-centred time-domain Maxwell's equations numerical solvers. Applied Mathematical Modelling, 2005, 29, 411-438.	2.2	7
1773	Time domain modeling of pulse propagation in non-isotropic dispersive media. Mathematics and Computers in Simulation, 2005, 69, 467-476.	2.4	5
1774	Phase error reduction in general FDTD methods via optimum configuration of material parameters. Journal of Materials Processing Technology, 2005, 161, 186-192.	3.1	1

#	ARTICLE	IF	CITATIONS
1775	A topologically consistent class of 3-D higher order curvilinear FDTD schemes for dispersion-optimized EMC and material modeling. Journal of Materials Processing Technology, 2005, 161, 210-217.	3.1	9
1776	Scanning near-field optical microscopy of metallic features. Optics Communications, 2005, 256, 476-488.	1.0	9
1777	A new multistack radiation boundary condition for FDTD based on self-teleportation of fields. Journal of Computational Physics, 2005, 203, 176-190.	1.9	15
1778	A high order mixed vector finite element method for solving the time dependent Maxwell equations on unstructured grids. Journal of Computational Physics, 2005, 204, 490-519.	1.9	58
1779	A windowing method for periodic inflow/outflow boundary treatment of non-periodic flows. Journal of Computational Physics, 2005, 206, 505-535.	1.9	36
1780	Perfectly matched layers for Maxwell's equations in second order formulation. Journal of Computational Physics, 2005, 209, 19-46.	1.9	34
1781	Numerical solution of the nonlinear Helmholtz equation using nonorthogonal expansions. Journal of Computational Physics, 2005, 210, 183-224.	1.9	32
1782	Sub-wavelength imaging with a left-handed material flat lens. Physics Letters, Section A: General, Atomic and Solid State Physics, 2005, 334, 326-330.	0.9	45
1783	Study of transmission properties for waveguide bends by use of a circular photonic crystal. Physics Letters, Section A: General, Atomic and Solid State Physics, 2005, 340, 474-479.	0.9	34
1784	Polarization beam splitting in two-dimensional photonic crystals based on negative refraction. Physics Letters, Section A: General, Atomic and Solid State Physics, 2005, 346, 243-247.	0.9	18
1785	Computation of optical modes in axisymmetric open cavity resonators. Future Generation Computer Systems, 2005, 21, 1263-1274.	4.9	10
1786	Eigenmodes of index-modulated layers with lateral PMLs. Optik, 2005, 116, 343-350.	1.4	0
1787	FDTD study of subwavelength imaging by a photonic crystal slab. Photonics and Nanostructures - Fundamentals and Applications, 2005, 3, 19-24.	1.0	10
1788	High-Q microcavities realized in a circular photonic crystal slab. Photonics and Nanostructures - Fundamentals and Applications, 2005, 3, 134-138.	1.0	14
1789	Calculation of propagation loss in photonic crystal waveguides by FDTD technique and Padé approximation. Optics Communications, 2005, 248, 309-315.	1.0	14
1790	Efficient mode coupling technique between photonic crystal heterostructure waveguide and silica waveguides. Optics Communications, 2005, 253, 308-314.	1.0	6
1791	An efficient algorithm for modeling photonic crystal fibers. Optical Fiber Technology, 2005, 11, 34-45.	1.4	17
1792	Frequency and time domain electromagnetic scattering simulations employing higher order edge elements. Computer Methods in Applied Mechanics and Engineering, 2005, 194, 105-125.	3.4	10

#	ARTICLE	IF	CITATIONS
1793	Modeling of electromagnetic fields in rectangular waveguides by coupled finiteâ€infinite elements. Computer Methods in Applied Mechanics and Engineering, 2005, 194, 549-558.	3.4	1
1794	A finite element method for the analysis of radiation and scattering of electromagnetic waves on complex environments. Computer Methods in Applied Mechanics and Engineering, 2005, 194, 637-655.	3.4	34
1795	Time domain electromagnetic scattering using finite elements and perfectly matched layers. Computer Methods in Applied Mechanics and Engineering, 2005, 194, 149-168.	3.4	5
1796	State of the art in computational methods for the prediction of radar cross-sections and antennaâ€platform interactions. Comptes Rendus Physique, 2005, 6, 626-639.	0.3	5
1797	Une mÃ©thode spectrale pour les Ã©quations de Maxwellâ€Bloch bidimensionnelles dans les cristaux non-linÃ©aires. Comptes Rendus Mathematique, 2005, 340, 927-932.	0.1	2
1798	New constructions of perfectly matched layers for the linearized Euler equations. Comptes Rendus Mathematique, 2005, 340, 775-778.	0.1	6
1799	Application of CPML to truncate the open boundaries of cylindrical waveguides in 2.5-dimensional problems. Science in China Series F: Information Sciences, 2005, 48, 656.	1.1	2
1800	Comparison of radio frequency energy absorption in ear and eye region of children and adults at 900, 1800 and 2450 MHz. Physics in Medicine and Biology, 2005, 50, 4355-4369.	1.6	232
1801	FDTD simulation of TE and TM plane waves at nonzero incidence in arbitrary Layered media. IEEE Transactions on Antennas and Propagation, 2005, 53, 1721-1728.	3.1	66
1802	Computer simulation of forward wave propagation in soft tissue. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 1473-1482.	1.7	78
1803	The Newmark scheme as velocity-stress time-staggering: an efficient PML implementation for spectral element simulations of elastodynamics. Geophysical Journal International, 2005, 161, 789-812.	1.0	156
1804	Planar-type sectored antenna based on slot Yagiâ€Uda array. IET Microwaves Antennas and Propagation, 2005, 152, 347.	1.2	18
1805	Linear array of image NRD guide-based dielectric rod antenna fed by slotted rectangular waveguide. IET Microwaves Antennas and Propagation, 2005, 152, 331.	1.2	4
1806	Applications of a genetic algorithm for identification of maxima in specific absorption rates in the human eye close to perfectly conducting spectacles. IET Science, Measurement and Technology, 2005, 152, 89-96.	0.7	22
1807	Large systems of equations in a discrete electromagnetism: formulations and numerical algorithms. IET Science, Measurement and Technology, 2005, 152, 50-72.	0.7	23
1808	Effective medium approach of left-handed material using a dispersive FDTD method. IEEE Transactions on Magnetics, 2005, 41, 1484-1487.	1.2	18
1809	Analysis of power magnetic components with nonlinear static hysteresis: finite-element formulation. IEEE Transactions on Magnetics, 2005, 41, 2243-2256.	1.2	10
1810	A compact 2-D FDFD method for modeling microstrip structures with nonuniform grids and perfectly matched layer. IEEE Transactions on Microwave Theory and Techniques, 2005, 53, 653-659.	2.9	39

#	ARTICLE	IF	CITATIONS
1811	Perfectly matched layer implementation using bilinear transform for microwave device applications. IEEE Transactions on Microwave Theory and Techniques, 2005, 53, 3098-3105.	2.9	25
1812	Analysis of the frequency response of SAW filters using finite-difference time-domain method. IEEE Transactions on Microwave Theory and Techniques, 2005, 53, 3364-3370.	2.9	17
1813	Numerical Simulations of Light Scattering by Red Blood Cells. IEEE Transactions on Biomedical Engineering, 2005, 52, 13-18.	2.5	46
1814	A Clinical Water-Coated Antenna Applicator for MR-Controlled Deep-Body Hyperthermia: A Comparison of Calculated and Measured 3-D Temperature Data Sets. IEEE Transactions on Biomedical Engineering, 2005, 52, 505-519.	2.5	34
1815	Design and Performance Issues of RF Coils Utilized in Ultra High Field MRI: Experimental and Numerical Evaluations. IEEE Transactions on Biomedical Engineering, 2005, 52, 1278-1284.	2.5	46
1816	A Method for Achieving Electromagnetic Wave Absorption by Low-Loss Stratified Construction Materials. IEEE Transactions on Electromagnetic Compatibility, 2005, 47, 105-111.	1.4	5
1817	Temperature Increase in Human Eyes Due to Near-Field and Far-Field Exposures at 900 MHz, 1.5 GHz, and 1.9 GHz. IEEE Transactions on Electromagnetic Compatibility, 2005, 47, 68-76.	1.4	72
1818	On the Mechanism of Attenuation of Current Waves Propagating Along a Vertical Perfectly Conducting Wire Above Ground: Application to Lightning. IEEE Transactions on Electromagnetic Compatibility, 2005, 47, 521-532.	1.4	86
1819	A New 2-D FDTD Method Applied to Scattering by Infinite Objects With Oblique Incidence. IEEE Transactions on Electromagnetic Compatibility, 2005, 47, 756-762.	1.4	16
1820	Discontinuous galerkin time-domain method for GPR simulation in dispersive media. IEEE Transactions on Geoscience and Remote Sensing, 2005, 43, 72-80.	2.7	60
1821	Migration velocity analysis and prestack migration of common-transmitter GPR data. IEEE Transactions on Geoscience and Remote Sensing, 2005, 43, 86-91.	2.7	43
1822	A non-reflecting layer method for non-linear wave-type equations on unbounded domains with applications to shape memory alloy rods. International Journal for Numerical Methods in Engineering, 2005, 62, 2053-2085.	1.5	0
1823	Numerical accuracy of a Padé-type non-reflecting boundary condition for the finite element solution of acoustic scattering problems at high-frequency. International Journal for Numerical Methods in Engineering, 2005, 64, 1275-1302.	1.5	28
1824	Elastic PMLs for resonator anchor loss simulation. International Journal for Numerical Methods in Engineering, 2005, 64, 789-818.	1.5	138
1825	Improvement of electric power unbalance for asymmetric branch of microstrip line. Electronics and Communications in Japan, 2005, 88, 20-27.	0.1	0
1826	Use of the z-transform to investigate nanopulse penetration of biological matter. Bioelectromagnetics, 2005, 26, 389-397.	0.9	27
1827	Modeling of RF head exposure in children. Bioelectromagnetics, 2005, 26, S19-S30.	0.9	227
1828	Analysis and Application of an Orthogonal Nodal Basis on Triangles for Discontinuous Spectral Element Methods. Applied Numerical Analysis and Computational Mathematics, 2005, 2, 326-345.	0.6	10

#	ARTICLE	IF	CITATIONS
1829	Imaging by photonic crystal without negative refraction. <i>Laser Physics Letters</i> , 2005, 2, 502-505.	0.6	2
1830	Implementation of the stretched co-ordinate-based PML for waveguide structures in TLM. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2005, 18, 107-118.	1.2	5
1831	Analysis and characterization of package resonance. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2005, 15, 13-21.	0.8	0
1832	Subsampling of fine features in finite-difference frequency-domain simulations. <i>Microwave and Optical Technology Letters</i> , 2005, 44, 95-101.	0.9	9
1833	On a polarization-independent frequency-selective surface (FSS). <i>Microwave and Optical Technology Letters</i> , 2005, 44, 249-251.	0.9	11
1834	Electromagnetic simulations of metallic materials using the mapped fourier PSTD algorithm. <i>Microwave and Optical Technology Letters</i> , 2005, 44, 569-575.	0.9	0
1835	3D scalar FDTD method for waveguides with circular symmetry. <i>Microwave and Optical Technology Letters</i> , 2005, 45, 218-221.	0.9	0
1836	Independently center-fed dipole array. <i>Microwave and Optical Technology Letters</i> , 2005, 45, 545-548.	0.9	3
1837	Fast analysis of optical waveguides using an improved Fourier series method with perfectly matched layer. <i>Microwave and Optical Technology Letters</i> , 2005, 46, 263-268.	0.9	8
1838	Three-dimensional unstructured-grid discontinuous Galerkin method for Maxwell's equations with well-posed perfectly matched layer. <i>Microwave and Optical Technology Letters</i> , 2005, 46, 459-463.	0.9	50
1839	Doppler effects in a left-handed material: A first-principles theoretical study. <i>Microwave and Optical Technology Letters</i> , 2005, 47, 76-79.	0.9	2
1840	Focused, eight-element transceive phased array coil for parallel magnetic resonance imaging of the chest—Theoretical considerations. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 1251-1257.	1.9	43
1841	Electromagnetic perspective on the operation of RF coils at 1.5-11.7 Tesla. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 683-690.	1.9	57
1842	Negative refraction in two-dimensional photonic crystals. <i>Applied Physics A: Materials Science and Processing</i> , 2005, 80, 1231-1236.	1.1	4
1843	On the coupling of MIXED-FEM and BEM for an exterior Helmholtz problem in the plane. <i>Numerische Mathematik</i> , 2005, 100, 663-695.	0.9	5
1844	Wideband numerical modelling and performance optimisation of arbitrarily-shaped anechoic chambers via an unconditionally stable time-domain technique. <i>Electrical Engineering</i> , 2005, 88, 55-81.	1.2	7
1845	Unidirectional transparent signal injection in finite-difference time-domain electromagnetic codes — application to reflectometry simulations. <i>Journal of Computational Physics</i> , 2005, 203, 467-492.	1.9	32
1846	A Perfectly Matched Layer absorbing boundary condition for linearized Euler equations with a non-uniform mean flow. <i>Journal of Computational Physics</i> , 2005, 208, 469-492.	1.9	118

#	ARTICLE	IF	CITATIONS
1847	The application of the finite element method to electromagnetic problems. Archives of Computational Methods in Engineering, 2005, 12, 235-302.	6.0	26
1848	A meshless method for acoustic and elastic modeling. Applied Geophysics, 2005, 2, 1-6.	0.1	8
1849	The application of the nonsplitting perfectly matched layer in numerical modeling of wave propagation in poroelastic media. Applied Geophysics, 2005, 2, 216-222.	0.1	19
1850	Optimization of Operating Mode of a Vibration Source Set for Generation of Wave Fields with the Specified Spatial Distribution. Journal of Mining Science, 2005, 41, 27-37.	0.1	1
1851	Comparative Assessment of Power Absorption in Heads of Adults and Children Exposed to the Radiation of Cellular Phones at 1800 MHz. The Environmentalist, 2005, 25, 223-232.	0.7	2
1852	Unconditionally Stable Z-Transform ADI-PML Algorithm for Lorentzian Double Negative Meta-Materials. Journal of Infrared, Millimeter and Terahertz Waves, 2005, 26, 1757-1770.	0.6	3
1853	Unsplit-Field PML Algorithm for Truncating Nonlinear FDTD Domains. Journal of Infrared, Millimeter and Terahertz Waves, 2005, 26, 1151-1161.	0.6	2
1854	Three-Dimensional Finite-Difference Time-Domain Simulation of Facet Reflection Through Parallel Computing. Journal of Computational Electronics, 2005, 4, 15-19.	1.3	5
1855	Numerical Simulation of Nanopulse Penetration of Biological Matter Using the z-Transform. Mathematical Modelling and Algorithms, 2005, 4, 99-110.	0.5	5
1856	A mixed finite element approach for viscoelastic wave propagation. Computational Geosciences, 2005, 8, 255-299.	1.2	34
1857	Efficient Absorbing Layers for the Guided-mode Analysis Using the Imaginary-Distance BPM. Optical and Quantum Electronics, 2005, 37, 855-863.	1.5	1
1858	Fourier modal methods for modeling optical dielectric waveguides. Optical and Quantum Electronics, 2005, 37, 107-119.	1.5	43
1859	3D-Scalar Fourier Eigenvector Expansion Method (Fourier-EEM) for analyzing optical waveguide discontinuities. Optical and Quantum Electronics, 2005, 37, 213-228.	1.5	14
1860	Cavity modes in one-dimensional photonic crystal slabs. Optical and Quantum Electronics, 2005, 37, 277-292.	1.5	9
1861	Design of photonic crystal superlens with improved image resolution. Optical and Quantum Electronics, 2005, 37, 575-586.	1.5	6
1862	Schnelle Lösung für partielle Differentialgleichungen. Oberwolfach Reports, 2006, 2, 1299-1370.	0.0	0
1863	Use of a curved reflector to amplify ultrasonic standing waves in an air-filled channel. Journal of the Acoustical Society of America, 2005, 117, 1122-1128.	0.5	1
1864	Considerations for the Design of UWB Antennas for Mobile and Consumer Equipment. African Journal of Information and Communication Technology, 2005, 1, 1.	0.5	2

#	ARTICLE	IF	CITATIONS
1865	Effect of ionization on femtosecond laser pulse propagation in silicon. , 2005, , .		0
1867	The finite difference time domain method in two and three dimensions. , 2005, , 68-117.		0
1868	FDTD Simulation on Array Antenna SAR-GPR for Land Mine Detection. , 2005, , 309-319.		6
1869	ANALYSIS OF THE TEMPERATURE INCREASE LINKED TO THE POWER INDUCED BY RF SOURCE. Progress in Electromagnetics Research, 2005, 52, 23-46.	1.6	49
1870	Modeling elastic wave propagation in kidney stones with application to shock wave lithotripsy. Journal of the Acoustical Society of America, 2005, 118, 2667-2676.	0.5	110
1871	Time-domain calculation of acoustical wave propagation in discontinuous media using acoustical wave propagator with mapped pseudospectral method. Journal of the Acoustical Society of America, 2005, 118, 3408-3419.	0.5	6
1872	Coupling between differential signals and the dc power-bus in multilayer PCBs. IEEE Transactions on Advanced Packaging, 2005, 28, 337-345.	1.7	17
1873	Zero-permeability materials: an artifact of losses in LHM left-handed media. IET Microwaves Antennas and Propagation, 2005, 152, 465.	1.2	4
1874	Time reversal processing for source location in an urban environment. Journal of the Acoustical Society of America, 2005, 118, 616-619.	0.5	37
1875	An Adaptive Perfectly Matched Layer Technique for Time-harmonic Scattering Problems. SIAM Journal on Numerical Analysis, 2005, 43, 645-671.	1.1	14
1876	Study on a Novel Radar Absorbing Structure Composite. Materials Science Forum, 2005, 475-479, 1023-1028.	0.3	0
1877	AN ACOUSTIC FINITE-DIFFERENCE TIME-DOMAIN ALGORITHM WITH ISOTROPIC DISPERSION. Journal of Computational Acoustics, 2005, 13, 365-384.	1.0	8
1878	Surface stress on the erythrocyte under laser irradiation with finite-difference time-domain calculation. Journal of Biomedical Optics, 2005, 10, 064013.	1.4	10
1879	Improving classification accuracy in through-wall radar imaging using hybrid prony--s and singular value decomposition method. , 0, , .		4
1880	Through-wall radar image reconstruction based on time-domain transient signals in the presence of noise. , 0, , .		2
1881	Work probability distribution in single-molecule experiments. Europhysics Letters, 2005, 69, 643-649.	0.7	32
1882	Extreme ultraviolet focus sensor design optimization. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2005, 23, 2885.	1.6	0
1883	Integrated Simulation Technique for Volume Holographic Memory Using Finite-Difference Time-Domain Method. Japanese Journal of Applied Physics, 2005, 44, 3503-3507.	0.8	10

#	ARTICLE	IF	CITATIONS
1884	FDTD simulation of exposure of biological material to electromagnetic nanopulses. <i>Physics in Medicine and Biology</i> , 2005, 50, 347-360.	1.6	27
1885	Resonant coupling of an exciton in a quantum disc with a propagating mode of an excitonâ€“polariton in a nearby waveguide. <i>Journal Physics D: Applied Physics</i> , 2005, 38, 1551-1555.	1.3	5
1886	Multi-Imaging by Photonic Crystal Slab Using Negative Refraction. <i>Chinese Physics Letters</i> , 2005, 22, 949-951.	1.3	26
1887	The perfectly matched layer in numerical simulations of nonlinear and matter waves. <i>Journal of Optics B: Quantum and Semiclassical Optics</i> , 2005, 7, 1-4.	1.4	30
1888	Fullâ€“vectorial finite element solution to open waveguide problems using adaptive perfectly matched layers. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2005, 24, 1213-1229.	0.5	0
1889	Asymmetry of aerial image after mask pattern correction for off-axis incident light in extreme ultraviolet lithography. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2005, 23, 2870.	1.6	7
1890	Imaging by Photonic Crystal Using Reflection and Negative Refraction. <i>Chinese Physics Letters</i> , 2005, 22, 2674-2676.	1.3	4
1891	Verification and Calculation of Negative Refractive Indices of a Meta-Material by Numerical Method. <i>Chinese Physics Letters</i> , 2005, 22, 2073-2076.	1.3	1
1892	Time-reversal-based detection in random media. <i>Inverse Problems</i> , 2005, 21, 1593-1619.	1.0	24
1893	TMax Electromagnetic Finite Difference Time Domain Simulations Cray X1 of the Impulse Radiating Antenna. , 0, , .		1
1894	Domain decomposition method for electromagnetic scattering problems: application to EUV lithography. , 0, , .		11
1895	A Finite Element Model for Acoustic Scattering from Objects Near the Ocean Bottom. , 0, , .		5
1896	Analysis of the Frequency Response of SAW Filters Using Finite-Difference Time-Domain Method. , 0, , .		10
1897	Analysis for Coupling between Parallel Photonic Crystal Waveguides. , 0, , .		0
1898	Imaging properties of an elliptical-rod photonic-crystal slab lens. <i>Physical Review B</i> , 2005, 72, .	1.1	31
1899	Efficient PML formulations for truncating nonlinear FDTD domains. , 0, , .		1
1900	Photonic crystals for biochemical sensing in the terahertz region. <i>Applied Physics Letters</i> , 2005, 87, 041108.	1.5	91
1901	Negative refraction in two-dimensional photonic crystals: Role of lattice orientation and interface termination. <i>Physical Review B</i> , 2005, 71, .	1.1	43

#	ARTICLE	IF	CITATIONS
1902	Effects of disorder on subwavelength lensing in two-dimensional photonic crystal slabs. Physical Review B, 2005, 71, .	1.1	30
1903	Numerical Modeling of Surface Waves Over Shallow Cavities. Journal of Environmental and Engineering Geophysics, 2005, 10, 111-121.	1.0	64
1904	Line-defect-induced bending and splitting of self-collimated beams in two-dimensional photonic crystals. Applied Physics Letters, 2005, 87, 181106.	1.5	88
1905	Perfectly matched layer in three dimensions for the time-domain finite element method applied to radiation problems. IEEE Transactions on Antennas and Propagation, 2005, 53, 1489-1499.	3.1	37
1906	Fourier Series Expansion Method Combined with Perfectly Matched Layer for Modeling of Optical Waveguides. , 0, , .		0
1907	Focusing properties of a rectangular-rod photonic-crystal slab. Journal of Applied Physics, 2005, 98, 063102.	1.1	21
1908	Confined modes in finite-size photonic crystals. Physical Review B, 2005, 72, .	1.1	25
1909	PML (Perfectly Matched Layer) Implementation in the Magic Software. IEEE International Conference on Plasma Science, 2005, , .	0.0	0
1910	Bandstructure calculation using the $k\hat{a}^{\text{TM}}_p$ method for arbitrary potentials with open boundary conditions. Journal of Applied Physics, 2005, 97, 046104.	1.1	15
1911	A computational and statistical framework for multidimensional domain acoustooptic material interrogation. Quarterly of Applied Mathematics, 2005, 63, 156-200.	0.5	5
1912	Design and measurement of a smart tunable periodic material. , 2005, , .		0
1913	High-efficiency surface-emitting channel drop filters in two-dimensional photonic crystal slabs. Applied Physics Letters, 2005, 86, 011106.	1.5	20
1914	A Parallel Variable-Mesh FDTD Algorithm for the Solution of Large Electromagnetic Problems. , 0, , .		1
1915	Plane-wave time-domain accelerated radiation boundary kernels for FDTD analysis of 3-D electromagnetic phenomena. IEEE Transactions on Antennas and Propagation, 2005, 53, 3704-3716.	3.1	11
1916	Study of crosstalk effects on the packaged SAW by the FDTD method. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 445-454.	1.7	1
1917	Localized modes in random arrays of cylinders. Physical Review E, 2005, 71, 026612.	0.8	25
1918	SECOND HARMONIC GENERATION IN TWO-DIMENSIONAL PHOTONIC CRYSTAL CONSISTING OF CENTRO-SYMMETRIC DIELECTRIC. International Journal of Modern Physics B, 2005, 19, 869-878.	1.0	2
1919	Generalized unconditionally stable Crank-Nicolson PML formulations for truncating FDTD domains. , 2005, , .		4

#	ARTICLE	IF	CITATIONS
1920	HYBRID ANALYTIC-NUMERIC METHOD FOR LIGHT THROUGH A BOUNDED PLANAR DIELECTRIC STRUCTURE. Journal of Nonlinear Optical Physics and Materials, 2005, 14, 161-176.	1.1	4
1921	Behavior of Berenger PML for Absorbing TE/TM Waves in Rectangular Waveguide. , 0, , .		0
1922	Biochemical sensors with photonic crystals in the terahertz region. , 2005, , .		2
1923	A robust parallel conformal finite-difference time-domain processing package using the MPI library. IEEE Antennas and Propagation Magazine, 2005, 47, 39-59.	1.2	54
1925	Analyses of surface acoustic wave propagation in phononic crystal waveguides using FDTD method. , 0, , .		4
1926	A Strongly Well-Posed PML with Unsplit-Field Formulations in Cylindrical and Spherical Coordinates. Journal of Electromagnetic Waves and Applications, 2005, 19, 1761-1776.	1.0	7
1927	Computational modelling of light propagation in textured liquid crystals based on the finite-difference time-domain (FDTD) method. Liquid Crystals, 2005, 32, 483-497.	0.9	13
1928	Nonlinear PML equations and their embedding into the FDTD framework. , 0, , .		0
1929	Vorpil as a Tool for Three-Dimensional Simulations of Multipacting in Superconducting RF Cavities. , 0, , .		0
1930	Switched boundary condition (XBC) in FDTD. IEEE Microwave and Wireless Components Letters, 2005, 15, 274-276.	2.0	2
1931	Study of the microgear resonators using the Floquet-Bloch formalism. , 2005, 5722, 161.		0
1932	Characteristics of Whispering Gallery Modes in Single Dielectric Spheroid Excited by Gaussian Beam. Japanese Journal of Applied Physics, 2005, 44, 4948-4955.	0.8	3
1933	Simulation of indoor ultra wideband propagation channel modeling. , 0, , .		1
1934	Numerical simulation of finite amplitude wave propagation in air using a realistic atmospheric absorption model. Journal of the Acoustical Society of America, 2005, 118, 2891-2898.	0.5	20
1935	An eigenvalue decomposition method to construct absorbing boundary conditions for acoustic and elastic wave equations. Journal of Geophysics and Engineering, 2005, 2, 192-198.	0.7	8
1936	Ultrasensitive fiber optic sensors and their applications. , 2005, , .		0
1937	Unconditionally stable ADI-FDTD formulations of the PML for left-handed materials. , 2005, , .		0
1938	Time-Domain Simulation of Time-Reversed EM Pulse Propagation in Continuous Random Media for UWB Sensing Applications. , 0, , .		2

#	ARTICLE	IF	CITATIONS
1939	Shape and material optimization using gradient methods and the adjoint problem in time and frequency domain. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2005, 24, 882-892.	0.5	5
1940	Studies on effective and stable absorbing boundary conditions in ultrasonic wave modeling. , 0, , .		3
1941	Computational Technique to UPML Absorbing Boundary Conditions by FDTD: A Complete Approach. IEEE Latin America Transactions, 2005, 3, 1-6.	1.2	1
1942	Numerical dosimetry of anatomically inhomogeneous animal models using an improved FDTD boundary implementation. , 0, , .		3
1943	Finte-difference time-domain simulation of dispersive layered saw filters including electrode massloading. , 0, , .		3
1944	Stability considerations for perfectly matched layers in piezoelectric crystals. , 0, , .		1
1945	Implementation of FDTD scheme using PML for truncation of the head model in cellular phone simulations. , 0, , .		6
1946	A Study on PML-FDTD and Boundary Consistency Conditions of Total-Scattered Fields in Cylindrical Coordinates. , 0, , .		0
1947	Analysis of LHM slab by FDTD method respectively in TM and TE case. , 0, , .		0
1948	Spectral Approximation of the Helmholtz Equation with High Wave Numbers. SIAM Journal on Numerical Analysis, 2005, 43, 623-644.	1.1	48
1949	Mixed Spectral Finite Elements for the Linear Elasticity System in Unbounded Domains. SIAM Journal of Scientific Computing, 2005, 26, 864-884.	1.3	55
1950	An Analysis of Higher Order Boundary Conditions for the Wave Equation. SIAM Journal on Applied Mathematics, 2005, 65, 1547-1575.	0.8	26
1951	The Determination of the Surface Conductivity of a Partially Coated Dielectric. SIAM Journal on Applied Mathematics, 2005, 65, 767-789.	0.8	48
1952	An FEM approach with FFT accelerated iterative robin boundary condition for electromagnetic scattering of a target with strong or weak coupled underlying randomly rough surface. IEEE Transactions on Antennas and Propagation, 2005, 53, 4137-4144.	3.1	10
1954	An Adaptive Perfectly Matched Layer Technique for Time-harmonic Scattering Problems. SIAM Journal on Numerical Analysis, 2005, 43, 645-671.	1.1	87
1955	Convergence Analysis of the Perfectly Matched Layer Problems for Time-Harmonic Maxwell's Equations. SIAM Journal on Numerical Analysis, 2005, 43, 2121-2143.	1.1	63
1956	Two-dimensional axisymmetric numerical simulation of supercritical phase conjugation of ultrasound in active solid media. Journal of the Acoustical Society of America, 2005, 118, 2880-2890.	0.5	39
1957	Modelization of the whispering gallery mode in microgear resonators using the Floquet-Bloch formalism. IEEE Journal of Quantum Electronics, 2005, 41, 357-365.	1.0	14

#	ARTICLE	IF	CITATIONS
1958	Optimization of nonlinear dispersive APML ABC for the FDTD analysis of optical solitons. IEEE Journal of Quantum Electronics, 2005, 41, 448-454.	1.0	13
1959	Analysis of modes in a freestanding microsquare resonator by 3-D finite-difference time-domain simulation. IEEE Journal of Quantum Electronics, 2005, 41, 997-1001.	1.0	16
1960	Design of an integrated optical switch based on liquid crystal infiltration. IEEE Journal of Quantum Electronics, 2005, 41, 1197-1202.	1.0	8
1961	Energy transfer through laterally confined Bragg mirrors and its impact on pillar microcavities. IEEE Journal of Quantum Electronics, 2005, 41, 1323-1329.	1.0	25
1962	A higher order FDTD method in Integral formulation. IEEE Transactions on Antennas and Propagation, 2005, 53, 2237-2246.	3.1	9
1963	Sonic crystals and sonic wave-guides. Measurement Science and Technology, 2005, 16, R47-R63.	1.4	157
1964	Improved superlensing in two-dimensional photonic crystals with a basis. Applied Physics Letters, 2005, 86, 061105.	1.5	25
1965	A theoretical comparison of two optimization methods for radiofrequency drive schemes in high frequency MRI resonators. Physics in Medicine and Biology, 2005, 50, 5281-5291.	1.6	13
1966	Negative refraction and subwavelength lensing in a polaritonic crystal. Physical Review B, 2005, 71, .	1.1	33
1967	Modified FDTD near-to-far-field transformation for improved backscattering calculation of strongly forward-scattering objects. IEEE Antennas and Wireless Propagation Letters, 2005, 4, 35-38.	2.4	32
1968	A wideband, wide angle scan, microstrip array antenna element. , 2005, , .		2
1969	Multi-Static Adaptive Microwave Imaging for Early Breast Cancer Detection. , 0, , .		24
1970	Determining a complete three-dimensional set of eigenfunctions for nanoscale structure analysis. Journal of Applied Physics, 2005, 98, 084311.	1.1	12
1971	Determining quantum eigenfunctions in three-dimensional nanoscale structures. Journal of Applied Physics, 2005, 97, 104305.	1.1	47
1972	Photonic crystal all-polymer slab resonators. Journal of Applied Physics, 2005, 98, 103101.	1.1	10
1973	Alternatives to the Perfectly Matched Layer for Waveguide Simulation Using the FDFD Method. Electromagnetics, 2005, 25, 177-186.	0.3	2
1974	Time- and frequency-domain models for Smith-Purcell radiation from a two-dimensional charge moving above a finite length grating. Physical Review E, 2005, 71, 016501.	0.8	30
1975	Three-dimensional simulation of an urban outdoor wireless channel by the block-FDTD method. , 0, , .		3

#	ARTICLE	IF	CITATIONS
1976	A full-wave Helmholtz model for continuous-wave ultrasound transmission. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 397-409.	1.7	23
1977	Electromagnetic wave propagation in two-dimensional photonic crystals: A study of anomalous refractive effects. Physical Review B, 2005, 72, .	1.1	145
1978	The Effects of Apertures’ Shape and Configuration on the Shielding Effectiveness of Metallic Enclosures. , 0, , .		4
1979	A Study on Human Body Modeling for the Mobile Terminal Antenna Design at 400 MHz Band. Journal of Electromagnetic Waves and Applications, 2005, 19, 671-687.	1.0	9
1980	Performance of the improved PML for the envelope ADI-FDTD method in two-dimensional domain. IEEE Microwave and Wireless Components Letters, 2005, 15, 820-822.	2.0	9
1981	On the development of a higher-order PML. , 0, , .		0
1982	PML-PEC and PML-PMC grounded Green's functions. , 0, , .		0
1983	Development of higher order FDTD schemes with controllable dispersion error. IEEE Transactions on Antennas and Propagation, 2005, 53, 2952-2960.	3.1	17
1984	A new spatio-temporal 2D-FEM formulation applied to optical devices with cylindrical symmetry. , 0, , .		0
1985	Unconditionally stable nearly PML algorithm for linear dispersive media. IEEE Microwave and Wireless Components Letters, 2005, 15, 490-492.	2.0	13
1986	Perfectly matched multiscale simulations. Physical Review B, 2005, 72, .	1.1	103
1987	Modeling Pulse Propagation and Scattering in a Dispersive Medium. , 0, , .		2
1988	Coupled-resonator optical waveguides for biochemical sensing of nanoliter volumes of analyte in the terahertz region. Applied Physics Letters, 2005, 87, 241119.	1.5	52
1989	Effects of lateral terrain variations on tropospheric radar propagation. IEEE Transactions on Antennas and Propagation, 2005, 53, 420-434.	3.1	19
1990	Frequency Dispersion Compensation in Time Reversal Techniques for UWB Electromagnetic Waves. IEEE Geoscience and Remote Sensing Letters, 2005, 2, 233-237.	1.4	53
1991	The FDTD Computation of Electromagnetic Wave Scattering from Wafer Surfaces. , 0, , .		0
1992	A simple and efficient implementation of CFS-PML in the FDTD analysis of periodic structures. IEEE Microwave and Wireless Components Letters, 2005, 15, 487-489.	2.0	24
1993	Resonance behaviour of whole-body averaged specific energy absorption rate (SAR) in the female voxel model, NAOMI. Physics in Medicine and Biology, 2005, 50, 4053-4063.	1.6	46

#	ARTICLE	IF	CITATIONS
1994	Human Head Modeling for Handset Antenna Design at 5 GHz Band. <i>Journal of Electromagnetic Waves and Applications</i> , 2005, 19, 401-411.	1.0	11
1995	Scaled CFS-PML: it is more robust, more accurate, more efficient, and simple to implement. <i>Why aren't you using it?</i> . , 0, , .		15
1996	Application of the symplectic finite-difference time-domain method to light scattering by small particles. <i>Applied Optics</i> , 2005, 44, 1650.	2.1	14
1997	Finite-difference time-domain solution of light scattering by an infinite dielectric column immersed in an absorbing medium. <i>Applied Optics</i> , 2005, 44, 1977.	2.1	17
1998	Computational modeling of the propagation of light through liquid crystals containing twist disclinations based on the finite-difference time-domain method. <i>Applied Optics</i> , 2005, 44, 4513.	2.1	22
1999	A stable DuFort-Frankel beam-propagation method for lossy structures and those with perfectly matched layers. <i>Journal of Lightwave Technology</i> , 2005, 23, 374-381.	2.7	6
2000	Implicit Yee-mesh-based finite-difference full-vectorial beam-propagation method. <i>Journal of Lightwave Technology</i> , 2005, 23, 1947-1955.	2.7	14
2001	Efficient analytical and numerical methods for the computation of bent loss in planar waveguides. <i>Journal of Lightwave Technology</i> , 2005, 23, 2278-2284.	2.7	7
2002	Comparative study of several time-domain methods for optical waveguide analyses. <i>Journal of Lightwave Technology</i> , 2005, 23, 2285-2293.	2.7	26
2003	Finite-difference-based mode-matching method for 3-D waveguide structures under semivectorial approximation. <i>Journal of Lightwave Technology</i> , 2005, 23, 4239-4248.	2.7	28
2004	Finite-difference time-domain simulation of a liquid-crystal optical phased array. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2005, 22, 346.	0.8	24
2005	Discontinuous spectral element method modeling of optical coupling by whispering gallery modes between microcylinders. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2005, 22, 952.	0.8	5
2006	Adaptive finite-element method for diffraction gratings. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2005, 22, 1106.	0.8	95
2007	Perfectly matched layers as nonlinear coordinate transforms: a generalized formalization. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2005, 22, 1844.	0.8	188
2008	Optical properties of electrohydrodynamic convection patterns: rigorous and approximate methods. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2005, 22, 2818.	0.8	9
2009	Three-dimensional finite-difference time-domain study of enhanced second-harmonic generation at the end of an apertureless scanning near-field optical microscope metal tip. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2005, 22, 1045.	0.9	27
2010	Analytical study of the whispering-gallery mode in two-dimensional microgear cavity using coupled-mode theory. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2005, 22, 1793.	0.9	13
2011	Compact in-plane channel drop filter design using a single cavity with two degenerate modes in 2D photonic crystal slabs. <i>Optics Express</i> , 2005, 13, 2596.	1.7	90

#	ARTICLE	IF	CITATIONS
2012	A photonic crystal superlattice based on triangular lattice. Optics Express, 2005, 13, 3166.	1.7	11
2013	Plane Wave Admittance Method - a novel approach for determining the electromagnetic modes in photonic structures. Optics Express, 2005, 13, 3196.	1.7	140
2014	Computation of the optical trapping force using an FDTD based technique. Optics Express, 2005, 13, 3707.	1.7	86
2015	Analysis of wave propagation in a two-dimensional photonic crystal with negative index of refraction: plane wave decomposition of the Bloch modes. Optics Express, 2005, 13, 4160.	1.7	22
2016	The effect of interfacial roughness on the normal incidence bandgap of one-dimensional photonic crystals. Optics Express, 2005, 13, 8380.	1.7	10
2017	Absolute left-handed behaviors in a triangular elliptical-rod photonic crystal. Optics Express, 2005, 13, 9796.	1.7	22
2018	Efficient finite difference analysis of microstructured optical fibers. Optics Express, 2005, 13, 10349.	1.7	10
2019	Novel substrate integrated waveguide cavity filter with defected ground structure. IEEE Transactions on Microwave Theory and Techniques, 2005, 53, 1280-1287.	2.9	155
2020	Stratified waveguide grating coupler for normal fiber incidence. Optics Letters, 2005, 30, 845.	1.7	17
2021	Annular aperture arrays: study in the visible region of the electromagnetic spectrum. Optics Letters, 2005, 30, 1611.	1.7	44
2022	Thermal properties of photonic crystals. Synthetic Metals, 2005, 151, 6-9.	2.1	7
2023	Revisiting open boundary conditions from the point of view of characteristic variables. Ocean Modelling, 2005, 9, 231-252.	1.0	151
2024	Enhancing the PML absorbing boundary conditions for the wave equation. IEEE Transactions on Antennas and Propagation, 2005, 53, 1242-1246.	3.1	5
2025	Light propagation in finite and infinite photonic crystals: The recursive Green's function technique. Physical Review B, 2005, 72, .	1.1	28
2026	A numerical study of time-reversed UWB electromagnetic waves in continuous random media. IEEE Antennas and Wireless Propagation Letters, 2005, 4, 43-46.	2.4	53
2027	Pulse excitation scheme for the analysis of wide-band characteristics of optical waveguides. IEEE Photonics Technology Letters, 2005, 17, 357-359.	1.3	2
2028	Design of a compact photonic-crystal-based polarizing beam splitter. IEEE Photonics Technology Letters, 2005, 17, 1435-1437.	1.3	109
2029	Embedded slanted grating for vertical coupling between fibers and silicon-on-insulator planar waveguides. IEEE Photonics Technology Letters, 2005, 17, 1884-1886.	1.3	80

#	ARTICLE	IF	CITATIONS
2030	Propagating modes in optical waveguides terminated by perfectly matched layers. IEEE Photonics Technology Letters, 2005, 17, 2601-2603.	1.3	14
2031	Interaction between surface waves and absorbing boundaries for wave propagation in geological basins: 2D numerical simulations. Geophysical Research Letters, 2005, 32, .	1.5	57
2032	Three-dimensional diffraction by infinite conducting and dielectric wedges using a generalized total-field/scattered-field FDTD formulation. IEEE Transactions on Antennas and Propagation, 2005, 53, 1444-1454.	3.1	7
2033	Simulation of light scattering by a pressure deformed red blood cell with a parallel FDTD method. , 2005, , .		0
2034	3-D simulation of light scattering from biological cells and cell differentiation. Journal of Biomedical Optics, 2005, 10, 014007.	1.4	40
2035	The spectral-element method in seismology. Geophysical Monograph Series, 2005, , 205-227.	0.1	90
2036	Long and medium waves. , 2005, , 317-348.		0
2037	Improved FDTD subgridding algorithms via digital filtering and domain overriding. IEEE Transactions on Antennas and Propagation, 2005, 53, 2938-2951.	3.1	38
2038	Acoustic Resonances in Rectangular Open Cavities. AIAA Journal, 2005, 43, 2342-2349.	1.5	59
2039	Anchor loss simulation in resonators. , 0, , .		26
2040	Surface-mode microcavity. Applied Physics Letters, 2005, 87, 111102.	1.5	24
2041	Diffraction and Refraction in Plasma Diagnostics via Microwave Probing. , 2005, , .		0
2043	FDTD Analysis of a Probe-Fed Dielectric Resonator Antenna in Rectangular Waveguide. , 0, , .		3
2044	Computational Electromagnetics: The Finite-Difference Time-Domain Method. , 2005, , 629-670.		461
2045	On the development of a higher-order PML. IEEE Transactions on Antennas and Propagation, 2005, 53, 4157-4163.	3.1	105
2046	Analyses of mode coupling in joined parallel phononic crystal waveguides. Physical Review B, 2005, 71, .	1.1	76
2047	Pseudospectral spatial-domain: a new method for nonlinear pulse propagation in the few-cycle regime with arbitrary dispersion. Journal of Modern Optics, 2005, 52, 973-986.	0.6	43
2048	Bistable diode action in left-handed periodic structures. Physical Review E, 2005, 71, 037602.	0.8	124

#	ARTICLE	IF	CITATIONS
2049	A Wideband, Wide Angle Scan, Microstrip Array Antenna Element. , 0, , .		6
2051	INTEGRATED OPTICS DESIGN: SOFTWARE TOOLS AND DIVERSIFIED APPLICATIONS. NATO Science Series Series II, Mathematics, Physics and Chemistry, 2006, , 245-280.	0.1	2
2052	Discontinuous Galerkin Implementation of the Extended Helmholtz Resonator Model in Time Domain. , 2006, , .		16
2053	Numerical Finite Element Method (FEM) for Scattering from Randomly Rough Surface and Target. , 2006, , 260-309.		0
2054	An FDTD Model for Low and High Altitude Lightning-Generated EM Fields. IEEE Transactions on Antennas and Propagation, 2006, 54, 1513-1522.	3.1	122
2055	A direct imaging algorithm for extended targets. Inverse Problems, 2006, 22, 1151-1178.	1.0	102
2056	Accurate hybrid mode analysis of hollow optical fibers. Optical Engineering, 2006, 45, 065008.	0.5	1
2057	An Antenna Array for Ultra-Short Pulse and Ultra-Wideband Communication Systems. , 2006, , .		1
2058	Solving multi-object radar cross section based on wide-angle parabolic equation method. Journal of Systems Engineering and Electronics, 2006, 17, 722-724.	1.1	2
2059	Negative refraction and focusing analysis in a left-handed material slab and realization with a 3D photonic crystal structure. Journal of Optics, 2006, 8, 199-204.	1.5	2
2060	A highly efficient and accurate full vector solver for guided and leaky modes of optical fibers. , 2006, , .		3
2061	Ultra High Field Magnetic Resonance Imaging. Biological Magnetic Resonance, 2006, , .	0.4	53
2063	Beam propagation method. , 2006, , 329-397.		10
2064	FDTD calculations of specific energy absorption rate in a seated voxel model of the human body from 10 MHz to 3 GHz. Physics in Medicine and Biology, 2006, 51, 2339-2352.	1.6	30
2065	PML Absorbing Boundary Condition for Non-linear Aeroacoustics Problems. , 2006, , .		2
2066	On the construction of PML absorbing boundary condition for the non-linear Euler equations. , 2006, , .		21
2067	Array of a U-Shaped Element on A U-Shaped Ground Plane Wideband Antenna. , 2006, , .		0
2068	Efficient beaming from photonic crystal waveguides via self-collimation effect. Applied Physics Letters, 2006, 89, 131120.	1.5	45

#	ARTICLE	IF	CITATIONS
2069	Full-Wave FDTD Analysis of UWB Pulses on Printed Coupled Lines. , 2006, , .		6
2070	Modeling Pulse Propagation and Scattering in a Dispersive Medium: Performance of MPI/OpenMP Hybrid Code. , 2006, , .		2
2071	Interfacing Multiple Macromodels Constructed with the FDTD Method. , 2006, , .		0
2072	Calculations of Heating Patterns of Interstitial Antenna for Brain Tumors Hyperthermia Treatment Planning. , 2006, , .		1
2073	FDTD Study of an UWB Radar Technique for Breast Tumor Detection. , 2006, , .		1
2074	Z-transform PML algorithm for truncating metamaterial FDTD domains. , 2006, , .		0
2075	Uniaxial and Radial Anisotropy Models for Finite-Volume Maxwellian Absorber. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 4297-4304.	2.9	12
2076	Influence of Dispersive Coupling Coefficient in Microring Channel Drop Filters. , 2006, , .		0
2077	Engineering the imaging properties of a metallic photonic-crystal slab lens. Applied Physics Letters, 2006, 88, 031104.	1.5	20
2078	`Fully Absorbing' Boundary Conditions in the `Open' Electrodynamic Problems for Pulsed Waves. , 0, , .		0
2079	Focusing Efficiency Analysis and Performance Optimization of Arbitrarily Sized DNG Metamaterial Slabs With Losses. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 4111-4121.	2.9	8
2080	Unconditionally stable Crank-Nicolson nearly PML algorithm for truncating linear Lorentz dispersive FDTD domains. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 2807-2812.	2.9	7
2081	Electromagnetic Scattering from Chiral Material using the Finite Difference Frequency Domain Method. , 0, , .		1
2082	Software for Image Simulation in Ground Penetrating Radar Problems. , 2006, , .		11
2083	A FDTD-based modal PML. IEEE Microwave and Wireless Components Letters, 2006, 16, 528-530.	2.0	3
2084	Squeezing of Open Boundaries by Maxwell-Consistent Real Coordinate Transformation. IEEE Microwave and Wireless Components Letters, 2006, 16, 576-578.	2.0	7
2085	An isotropy-improved nonstandard finite-difference time-domain method. IEEE Transactions on Antennas and Propagation, 2006, 54, 1935-1942.	3.1	7
2086	On the accuracy of the nearly PMLfor nonlinear FDTD domains. IEEE Microwave and Wireless Components Letters, 2006, 16, 101-103.	2.0	4

#	ARTICLE	IF	CITATIONS
2087	Soil Moisture and Surface Roughness Effects in Ground Penetrating Radar Detection of Land Mines. , 2006, , .		4
2088	Analysis of Perfectly Matched Double Negative Layers Via Complex Coordinate Transformations. IEEE Transactions on Antennas and Propagation, 2006, 54, 3695-3699.	3.1	6
2089	An efficient perfectly matched layer based multilevel fast multipole algorithm for large planar microwave structures. IEEE Transactions on Antennas and Propagation, 2006, 54, 1538-1548.	3.1	36
2090	Introduction to the Finite Element Method in Electromagnetics. Synthesis Lectures on Computational Electromagnetics, 2006, 1, 1-126.	0.2	61
2091	A Comparative Study of Higher Order Bragg Gratings: Coupled-Mode Theory Versus Mode Expansion Modeling. IEEE Journal of Quantum Electronics, 2006, 42, 64-70.	1.0	25
2092	Crank-Nicolson Reformulation of ADI-FDTD PML Extensions. IEEE Antennas and Wireless Propagation Letters, 2006, 5, 357-360.	2.4	5
2093	A Technique for Efficiently Modeling Long-Path Propagation for Use in Both FDFD and FDTD. IEEE Antennas and Wireless Propagation Letters, 2006, 5, 525-528.	2.4	20
2094	Perfectly Matched Layers for Hyperbolic Systems: General Formulation, Well-posedness, and Stability. SIAM Journal on Applied Mathematics, 2006, 67, 1-23.	0.8	125
2095	Computational modeling of texture formation and optical performance of liquid crystal films on patterned surfaces. SIAM Journal on Applied Mathematics, 2006, 67, 214-234.	0.8	3
2096	Coherent Interferometry in Finely Layered Random Media. Multiscale Modeling and Simulation, 2006, 5, 62-83.	0.6	18
2097	Perfectly Matched Layers for Time-Harmonic Acoustics in the Presence of a Uniform Flow. SIAM Journal on Numerical Analysis, 2006, 44, 1191-1217.	1.1	34
2098	Accuracy Properties of the Wave-Ray Multigrid Algorithm for Helmholtz Equations. SIAM Journal of Scientific Computing, 2006, 28, 1228-1251.	1.3	29
2099	An arbitrary high-order discontinuous Galerkin method for elastic waves on unstructured meshes - I. The two-dimensional isotropic case with external source terms. Geophysical Journal International, 2006, 166, 855-877.	1.0	330
2100	A TIME DOMAIN METHOD FOR MODELING VISCOACOUSTIC WAVE PROPAGATION. Journal of Computational Acoustics, 2006, 14, 201-236.	1.0	22
2101	Truncation of open boundaries of cylindrical waveguides in 2.5-dimensional problems by using the convolutional perfectly matched layer. IEEE Transactions on Plasma Science, 2006, 34, 681-690.	0.6	81
2102	Modal analysis of semiconductor cylinder fibers. IEEE Photonics Technology Letters, 2006, 18, 31-33.	1.3	1
2103	Minimizing the discrete reflectivity of perfectly matched layers. IEEE Photonics Technology Letters, 2006, 18, 487-489.	1.3	10
2104	Analysis of Slot Characteristics in Slotted Single-Mode Semiconductor Lasers Using the 2-D Scattering Matrix Method. IEEE Photonics Technology Letters, 2006, 18, 2605-2607.	1.3	76

#	ARTICLE	IF	CITATIONS
2105	An estimation of the electrical characteristics of planetary shallow subsurfaces with TAPIR antennas. Journal of Geophysical Research, 2006, 111, .	3.3	7
2106	Characterization of terminal impedance and radiation properties of a horizontal VLF antenna over Antarctic ice. Radio Science, 2006, 41, n/a-n/a.	0.8	4
2107	Photonic Crystal Structures and Applications: Perspective, Overview, and Development. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 1416-1437.	1.9	51
2108	An Improved 2-element Independently Center-Fed Dipole Array for Ultra-Wideband. , 2006, , .		0
2109	Investigation of Nonreflective Boundary Conditions for Computational Aeroacoustics. AIAA Journal, 2006, 44, 1932-1940.	1.5	0
2110	Early arrival waveform tomography on near-surface refraction data. Geophysics, 2006, 71, U47-U57.	1.4	149
2111	Analytical analysis of defect lines in two-dimensional photonic crystals based on polynomial expansion of electromagnetic fields. , 2006, , .		2
2112	Modeling and Investigation of Planar Parabolic Dipoles for GPR Applications: A Comparison with Bow-Tie using FDTD. Journal of Electromagnetic Waves and Applications, 2006, 20, 227-236.	1.0	80
2113	A novel virtual FDTD-based microstrip circuit design and analysis tool [Education Column]. IEEE Antennas and Propagation Magazine, 2006, 48, 161-173.	1.2	18
2114	Higher Order FDTD Schemes for Waveguide and Antenna Structures. Synthesis Lectures on Computational Electromagnetics, 2006, 1, 1-226.	0.2	25
2115	Nonreflecting Zonal Characteristic Boundary Condition for Direct Numerical Simulation of Aerodynamic Sound. AIAA Journal, 2006, 44, 402-405.	1.5	142
2116	Surface-plasmon-based electron acceleration. Physical Review A, 2006, 73, .	1.0	49
2117	Nesting Ocean Models. , 2006, , 127-146.		7
2118	Split-field PML implementations for the unconditionally stable LOD-FDTD method. IEEE Microwave and Wireless Components Letters, 2006, 16, 398-400.	2.0	58
2119	Transmission Characteristics of 90° Bent Photonic Crystal Waveguides. Fiber and Integrated Optics, 2006, 25, 29-40.	1.7	11
2120	UWB on-body radio channel modeling using ray theory and subband FDTD method. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 1827-1835.	2.9	121
2121	Application of the nearly perfectly matched layer in acoustic wave modeling. , 2006, , .		0
2122	Anisotropic-Medium PML for Vector FETD With Modified Basis Functions. IEEE Transactions on Antennas and Propagation, 2006, 54, 20-27.	3.1	20

#	ARTICLE	IF	CITATIONS
2123	Light scattering and absorption by nonspherical ice crystals. , 2006, , 31-71.		16
2124	Rigorous Analysis of EM-wave Penetration Into a Typical Room Using FDTD Method: The Transfer Function Concept. Journal of Electromagnetic Waves and Applications, 2006, 20, 913-926.	1.0	17
2125	Nanoscale metal waveguide arrays as plasmon lenses. Optics Letters, 2006, 31, 1322.	1.7	54
2126	Large-area surface-plasmon polariton interference lithography. Optics Letters, 2006, 31, 2613.	1.7	103
2127	The HEMP coupling effect of protective engineering's entrance. , 2006, , .		0
2128	Analysis of the Coupling Field Inside a Rectangular Shielded Enclosure with an Aperture. , 2006, , .		0
2129	Computational studies of optical textures of twist disclination loops in liquid-crystal films by using the finite-difference time-domain method. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2006, 23, 483.	0.8	7
2130	Approximate model for surface-plasmon generation at slit apertures. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2006, 23, 1608.	0.8	104
2131	Focusing properties of a photonic crystal slab with multiple mechanisms in addition to negative refraction. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2006, 23, 2283.	0.8	3
2132	Tunable superlensing by a mechanically controlled photonic crystal. Journal of the Optical Society of America B: Optical Physics, 2006, 23, 479.	0.9	12
2133	Low-loss resonant modes in deterministically aperiodic nanopillar waveguides. Journal of the Optical Society of America B: Optical Physics, 2006, 23, 2265.	0.9	9
2134	Numerical simulations of long-range plasmons. Optics Express, 2006, 14, 1611.	1.7	92
2135	Electromagnetic simulation of quantum well structures. Optics Express, 2006, 14, 2459.	1.7	6
2136	Cubic interpolated propagation scheme in numerical analysis of lightwave and optical force. Optics Express, 2006, 14, 4151.	1.7	3
2137	Numerical simulation of nanolithography with the subwavelength metallic grating waveguide structure. Optics Express, 2006, 14, 4850.	1.7	20
2138	Spatially dispersive finite-difference time-domain analysis of sub-wavelength imaging by the wire medium slabs. Optics Express, 2006, 14, 5154.	1.7	24
2139	A polarizer chip based on CMOS Cu-interconnect for optical telecommunications. Optics Express, 2006, 14, 5250.	1.7	1
2140	Optical simulation of cholesteric liquid crystal displays using the finite-difference time-domain method. Optics Express, 2006, 14, 5594.	1.7	13

#	ARTICLE	IF	CITATIONS
2141	Compact and low loss silicon-on-insulator rib waveguide 90° bend. Optics Express, 2006, 14, 6020.	1.7	54
2142	Optical impedance of metallic nano-structures. Optics Express, 2006, 14, 7709.	1.7	14
2143	Full-vectorial finite element method in a cylindrical coordinate system for loss analysis of photonic wire bends. Optics Express, 2006, 14, 11128.	1.7	57
2144	Accurate analysis of planar optical waveguide devices using higher-order FDTD scheme. Optics Express, 2006, 14, 11796.	1.7	5
2145	On the phase of plasmons excited by slits in a metal film. Optics Express, 2006, 14, 11823.	1.7	56
2146	Finite checkerboards of dissipative negative refractive index. Optics Express, 2006, 14, 12950.	1.7	24
2147	Optimization of compact lateral, vertical, and combined tapered spot-size converters by use of the beam-propagation method. Applied Optics, 2006, 45, 288.	2.1	15
2148	Backscattering enhancement of light by nanoparticles positioned in localized optical intensity peaks. Applied Optics, 2006, 45, 633.	2.1	24
2149	Laser intensification by spherical inclusions embedded within multilayer coatings. Applied Optics, 2006, 45, 1594.	2.1	74
2150	Nonlinear finite-difference time-domain method for the simulation of anisotropic, $\chi^{(2)}$, and $\chi^{(3)}$ optical effects. Journal of Lightwave Technology, 2006, 24, 624-634.	2.7	53
2151	Leaky modes of slab waveguides-asymptotic solutions. Journal of Lightwave Technology, 2006, 24, 1619-1623.	2.7	27
2152	Polarisation and crosstalk in photonic crystal waveguides with bends. Synthetic Metals, 2006, 156, 42-45.	2.1	0
2153	IMPLEMENTATION OF MUR'S ABSORBING BOUNDARIES WITH PERIODIC STRUCTURES TO SPEED UP THE DESIGN PROCESS USING FINITE-DIFFERENCE TIME-DOMAIN METHOD. Progress in Electromagnetics Research, 2006, 58, 101-114.	1.6	15
2154	TIME-DOMAIN ANALYSIS OF OPEN RESONATORS. ANALYTICAL GROUNDS.. Progress in Electromagnetics Research, 2006, 61, 1-26.	1.6	24
2155	Realistic FDTD modelling of borehole georadar antenna radiation: methodology and application. Near Surface Geophysics, 2006, 4, 19-30.	0.6	33
2156	Analysis of a finite PML approximation for the three dimensional time-harmonic Maxwell and acoustic scattering problems. Mathematics of Computation, 2006, 76, 597-614.	1.1	65
2157	Light collimator made of photonic crystal by partial band gap. EPJ Applied Physics, 2006, 35, 191-194.	0.3	0
2158	Highly dispersive photonic band-gap-edge optofluidic biosensors. Journal of the European Optical Society-Rapid Publications, 2006, 1, .	0.9	15

#	ARTICLE	IF	CITATIONS
2161	MODAL EXPANSION FOR THE 2D GREEN'S FUNCTION IN A NON-ORTHOGONAL COORDINATES SYSTEM. Progress in Electromagnetics Research, 2006, 59, 101-112.	1.6	6
2162	FDTD Investigations into UWB Radar Technique of Breast Tumor Detection and Location. African Journal of Information and Communication Technology, 2006, 2, 81.	0.5	2
2163	SIMULATIONS OF THE LEFT-HANDED MEDIUM USING DISCONTINUOUS GALERKIN METHOD BASED ON THE HYBRID DOMAINS. Progress in Electromagnetics Research, 2006, 63, 171-191.	1.6	7
2164	Piecewise Linear Model Tree: A Modified Combination of two Learning Algorithms for Neuro-Fuzzy Models. , 2006, , .		0
2165	OPTIMIZING GREEN'S FUNCTIONS IN GROUNDED LAYERED MEDIA WITH ARTIFICIAL BOUNDARY CONDITIONS. Progress in Electromagnetics Research, 2006, 62, 69-87.	1.6	2
2166	Coupled resonator optical waveguide structures with highly dispersive media. , 2006, , .		0
2167	Design of 1Å–3 photonic crystal power dividers by the technique of impedance matching. , 2006, , .		0
2168	Effect of ionization on femtosecond laser pulse interaction with silicon. Journal of Applied Physics, 2006, 100, 104907.	1.1	9
2169	Simulation of light propagation through a DOE using the FDTD method. , 2006, , .		0
2170	Highly accurate absorbing boundary conditions for wide-angle wave equations. Geophysics, 2006, 71, S85-S97.	1.4	17
2171	Wide frequency band analysis of an antenna by finite elements. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2006, 25, 660-667.	0.5	2
2172	Developments on reflectometry simulations for fusion plasmas: application to ITER position reflectometers. Journal of Plasma Physics, 2006, 72, 1205.	0.7	11
2173	Modeling of the Perfectly Matched Layer Absorbing Boundaries and Intrinsic Attenuation in Explicit Finite-Element Methods. Bulletin of the Seismological Society of America, 2006, 96, 1779-1794.	1.1	75
2174	Theoretical and experimental studies of mode dispersion in biperiodic photonic crystal structures. , 2006, 6128, 141.		1
2175	Numerical simulation of antenna transmission and reception for crosshole ground-penetrating radar. Geophysics, 2006, 71, K37-K45.	1.4	22
2176	Photonic crystal waveguide directional coupler based on adiabatic coupling. , 2006, 6025, 37.		0
2177	Discussion of the finite element method in optical diffraction tomography. , 2006, 6188, 129.		0
2178	Numerical Modeling of Magnetohydrodynamic Wave Propagation and Refraction in Sunspots. Astrophysical Journal, 2006, 653, 739-755.	1.6	142

#	ARTICLE	IF	CITATIONS
2181	Non-Contact Evaluation for Articular Cartilage Using Ultrasound. JSME International Journal Series A-Solid Mechanics and Material Engineering, 2006, 49, 242-249.	0.4	5
2182	Simulation of optical near field of a sub-wavelength gold slit array and its electric quadrupole interaction with 1s excitons in Cu ₂ O. Physica Status Solidi C: Current Topics in Solid State Physics, 2006, 3, 3547-3552.	0.8	3
2183	Element-free precise integration method and its applications in seismic modelling and imaging. Geophysical Journal International, 2006, 166, 349-372.	1.0	29
2184	Traction image method for irregular free surface boundaries in finite difference seismic wave simulation. Geophysical Journal International, 2006, 167, 337-353.	1.0	217
2185	An arbitrary high-order discontinuous Galerkin method for elastic waves on unstructured meshes - II. The three-dimensional isotropic case. Geophysical Journal International, 2006, 167, 319-336.	1.0	337
2186	Time domain Gauss-Newton seismic waveform inversion in elastic media. Geophysical Journal International, 2006, 167, 1373-1384.	1.0	104
2187	Propagation channel models for mobile communication. Comptes Rendus Physique, 2006, 7, 703-714.	0.3	8
2188	A new finite element realization of the perfectly matched layer method for Helmholtz scattering problems on polygonal domains in two dimensions. Journal of Computational and Applied Mathematics, 2006, 188, 12-32.	1.1	45
2189	Finite element formulation with high-order absorbing boundary conditions for time-dependent waves. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3666-3690.	3.4	69
2190	Padded continued fraction absorbing boundary conditions for dispersive waves. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3797-3819.	3.4	20
2191	Studies of FE/PML for exterior problems of time-harmonic elastic waves. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3854-3879.	3.4	52
2192	Non-uniform grid accelerated local-to-global boundary condition (NG-LGBC) for acoustic scattering. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3608-3621.	3.4	4
2193	Local nonreflecting boundary condition for Maxwell's equations. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3691-3708.	3.4	20
2194	Parallel iterative solution for the Helmholtz equation with exact non-reflecting boundary conditions. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3709-3741.	3.4	8
2195	A time domain analysis of PML models in acoustics. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3820-3853.	3.4	80
2196	Absorbing boundary conditions for nonlinear scalar partial differential equations. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3760-3775.	3.4	19
2197	A few new (?) facts about infinite elements. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 3572-3590.	3.4	12
2198	A survey of finite element methods for time-harmonic acoustics. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 1594-1607.	3.4	135

#	ARTICLE	IF	CITATIONS
2199	A stitching method for the generation of unstructured meshes for use with co-volume solution techniques. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006, 195, 1826-1845.	3.4	40
2200	An improved surface radiation condition for high-frequency acoustic scattering problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006, 195, 4060-4074.	3.4	50
2201	Dynamic analysis of unbounded domains by a reduced set of base functions. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006, 195, 4075-4094.	3.4	30
2202	A finite element model for acoustic scattering from objects near a fluid-fluid interface. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006, 196, 279-288.	3.4	30
2203	Super-transmission of light through subwavelength annular aperture arrays in metallic films: Spectral analysis and near-field optical images in the visible range. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2006, 4, 47-53.	1.0	22
2204	A computational approach to the optical Freedericksz transition. <i>Optics Communications</i> , 2006, 260, 474-480.	1.0	14
2205	Effects of shaded facets on the performance of metal-coated etched diffraction grating demultiplexer. <i>Optics Communications</i> , 2006, 266, 117-121.	1.0	3
2206	Tamm states and nonlinear surface modes in photonic crystals. <i>Optics Communications</i> , 2006, 266, 323-326.	1.0	12
2207	Analysis of sponge zones for computational fluid mechanics. <i>Journal of Computational Physics</i> , 2006, 212, 681-702.	1.9	209
2208	Numerical methods for the bidimensional Maxwell-Bloch equations in nonlinear crystals. <i>Journal of Computational Physics</i> , 2006, 213, 823-843.	1.9	15
2209	A new approach to perfectly matched layers for the linearized Euler system. <i>Journal of Computational Physics</i> , 2006, 214, 757-772.	1.9	43
2210	A finite integration method for conformal, structured-grid, electromagnetic simulation. <i>Journal of Computational Physics</i> , 2006, 215, 321-347.	1.9	16
2211	A spatial high-order hexahedral discontinuous Galerkin method to solve Maxwell's equations in time domain. <i>Journal of Computational Physics</i> , 2006, 217, 340-363.	1.9	103
2212	A high order finite element discretization with local absorbing boundary conditions of the linear Schrödinger equation. <i>Journal of Computational Physics</i> , 2006, 220, 409-421.	1.9	10
2213	A fast algorithm based on partial basic solution vectors domain decomposition method for scattering analysis of electrically large cylinders. <i>Journal of Computational Physics</i> , 2006, 219, 930-942.	1.9	6
2214	New evidences of negative refraction in photonic crystals. <i>Optical Materials</i> , 2006, 28, 1156-1159.	1.7	18
2215	Negative refractive behavior of a two-dimensional negative-index photonic crystals using a wave vector diagram method. <i>Solid State Communications</i> , 2006, 139, 345-350.	0.9	7
2216	Accuracy of transport models for waves in random media. <i>Wave Motion</i> , 2006, 43, 561-578.	1.0	21

#	ARTICLE	IF	CITATIONS
2217	Spectral FDTD: A Novel Technique for the Analysis of Oblique Incident Plane Wave on Periodic Structures. IEEE Transactions on Antennas and Propagation, 2006, 54, 1818-1825.	3.1	73
2218	\$\$-Transform Implementation of the CFS-PML for Arbitrary Media. IEEE Microwave and Wireless Components Letters, 2006, 16, 437-439.	2.0	22
2219	Advances in photonic crystals with MEMS and with semiconductor quantum dots. Laser Physics, 2006, 16, 223-231.	0.6	3
2220	Controlling Electromagnetic Fields. Science, 2006, 312, 1780-1782.	6.0	7,600
2221	A split-field iterative ADI method for simulating transverse-magnetic waves in lossy media. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 2196-2202.	2.9	7
2222	The Design of Single Mode Large Cross-section Glass-based Waveguides for Photonic Integrated Circuits. Optical and Quantum Electronics, 2006, 38, 97-110.	1.5	1
2223	Fracture Characterization Using Borehole Radar: Numerical Modeling. Water, Air and Soil Pollution, 2006, 6, 17-34.	0.8	21
2224	Non-Linear PML Equations for Time Dependent Electromagnetics in Three Dimensions. Journal of Scientific Computing, 2006, 28, 125-137.	1.1	18
2225	Simulating Plasma Microwave Diagnostics. Journal of Scientific Computing, 2006, 28, 507-532.	1.1	4
2226	Computer simulation of a high power relativistic plasma microwave amplifier in a finite external magnetic field. European Physical Journal D, 2006, 56, B192-B198.	0.4	1
2227	Generalized 3-D DSP-based FDTD algorithm for modelling the APML. Electrical Engineering, 2006, 88, 327-335.	1.2	4
2228	Unconditionally stable Crank-Nicolson wave-equation PML formulations for truncating FDTD domains. Electrical Engineering, 2006, 89, 89-93.	1.2	3
2229	Linear polarizer made of indefinite media. Applied Physics B: Lasers and Optics, 2006, 84, 261-264.	1.1	5
2230	Error analysis of an enhanced DtN-FE method for exterior scattering problems. Numerische Mathematik, 2006, 105, 267-298.	0.9	18
2231	Photonic-crystal resonant effect using self-assembly ordered structures in magnetic fluid films under external magnetic fields. Journal of Magnetism and Magnetic Materials, 2006, 307, 43-47.	1.0	17
2232	Using metamaterial yokes in NMR measurements. Journal of Magnetic Resonance, 2006, 182, 200-207.	1.2	15
2233	Microstructure fibers for gas detection. Materials Science and Engineering C, 2006, 26, 317-321.	3.8	15
2234	Discontinuous Galerkin methods for Maxwell's equations in the time domain. Comptes Rendus Physique, 2006, 7, 494-500.	0.3	3

#	ARTICLE	IF	CITATIONS
2235	Efficient numerical simulation for long range wave propagation. Journal of Computational Physics, 2006, 215, 448-464.	1.9	6
2236	A new absorbing layer for elastic waves. Journal of Computational Physics, 2006, 215, 642-660.	1.9	73
2237	A rotated staggered grid finite-difference with the absorbing boundary condition of a perfectly matched layer. Science Bulletin, 2006, 51, 2304-2314.	1.7	7
2238	Hybrid method of combined difference and spectrum for time-domain maxwell's equations. Frontiers of Electrical and Electronic Engineering in China: Selected Publications From Chinese Universities, 2006, 1, 248-250.	0.6	0
2239	High light-extraction-efficiency OLED based on photonic crystal slab structures with taper unit cells. Optoelectronics Letters, 2006, 2, 86-90.	0.4	4
2240	Parallel implementation of a velocity-stress staggered-grid finite-difference method for 2-D poroelastic wave propagation. Computers and Geosciences, 2006, 32, 1182-1191.	2.0	46
2241	Numerical modeling of ground-penetrating radar in 2-D using MATLAB. Computers and Geosciences, 2006, 32, 1247-1258.	2.0	172
2242	3-D envelope finite element (EVFE) solver with PML boundary conditions for microwave integrated circuits. IET Microwaves Antennas and Propagation, 2006, 153, 551.	1.2	0
2243	Mode characteristics for equilateral triangle optical resonators. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 59-65.	1.9	44
2244	Two-Element Independently Center-Fed Dipole Array for Ultrawideband and Ultrashort Pulse Applications. IEEE Antennas and Wireless Propagation Letters, 2006, 5, 127-129.	2.4	3
2245	Z-Transform Implementations of the CFS-PML. IEEE Antennas and Wireless Propagation Letters, 2006, 5, 410-413.	2.4	14
2246	FDTD analysis of a gigahertz TEM cell for ultra-wideband pulse exposure studies of biological specimens. IEEE Transactions on Biomedical Engineering, 2006, 53, 780-789.	2.5	24
2247	Evaluation of MRI RF probes utilizing infrared sensors. IEEE Transactions on Biomedical Engineering, 2006, 53, 963-967.	2.5	16
2248	Novel parameter estimation methods for ¹¹ C-acetate dual-input liver model with dynamic PET. IEEE Transactions on Biomedical Engineering, 2006, 53, 967-973.	2.5	4
2249	Multistatic Adaptive Microwave Imaging for Early Breast Cancer Detection. IEEE Transactions on Biomedical Engineering, 2006, 53, 1647-1657.	2.5	213
2250	High-Field Magnetic Resonance Imaging With Reduced Field/Tissue RF Artefacts—A Modeling Study Using Hybrid MoM/FEM and FDTD Technique. IEEE Transactions on Electromagnetic Compatibility, 2006, 48, 628-633.	1.4	16
2251	An Investigation of Some Geometrical Shapes and Selection of Shielding and Lumped Resistors of Planar Dipole Antennas for GPR Applications Using FDTD. IEEE Transactions on Geoscience and Remote Sensing, 2006, 44, 3555-3562.	2.7	10
2252	A time-domain 3-D full-Maxwell solver based on the cell method. IEEE Transactions on Magnetics, 2006, 42, 799-802.	1.2	23

#	ARTICLE	IF	CITATIONS
2253	A geometric approach for wave propagation in 2-D photonic crystals in the frequency domain. IEEE Transactions on Magnetics, 2006, 42, 827-830.	1.2	1
2254	Significant contribution of nonphysical leaky mode to the field excited by a source. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 421-427.	2.9	0
2255	Design and modeling of a specific microwave applicator for the treatment of snoring. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 302-308.	2.9	5
2256	Cell-centered finite-volume-based perfectly matched layer for time-domain Maxwell system. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 1269-1276.	2.9	21
2257	A 3-D precise integration time-domain method without the restraints of the courant-friedrich-levy stability condition for the numerical solution of Maxwell's equations. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 3026-3037.	2.9	40
2258	A Spectral Integral Method and Hybrid SIM/FEM for Layered Media. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 3878-3884.	2.9	17
2259	Dosimetric assessment of an exposure system for simulating GSM and WCDMA mobile phone usage. Bioelectromagnetics, 2006, 27, 320-327.	0.9	17
2260	Continued fraction absorbing boundary conditions for convex polygonal domains. International Journal for Numerical Methods in Engineering, 2006, 66, 949-977.	1.5	99
2261	Dynamic solution of unbounded domains using finite element method: discrete Green's functions in frequency domain. International Journal for Numerical Methods in Engineering, 2006, 67, 1491-1530.	1.5	23
2262	Proposal of a new EM-wave absorber based on integrated circuit concept. Electronics and Communications in Japan, 2006, 89, 26-33.	0.2	3
2263	Transient analysis of wave propagation in non-homogeneous elastic unbounded domains by using the scaled boundary finite-element method. Earthquake Engineering and Structural Dynamics, 2006, 35, 1787-1806.	2.5	35
2264	Multiple-acquisition parallel imaging combined with a transceive array for the amelioration of high-field RF distortion: A modeling study. Concepts in Magnetic Resonance Part B, 2006, 29B, 95-105.	0.3	11
2265	Perfectly matched layer absorbing boundary condition for truncating the boundary of the left-handed medium. Microwave and Optical Technology Letters, 2006, 48, 57-63.	0.9	14
2266	Ultra-wideband cylindrical antenna design using the Green's function method (GFM) as an absorbing boundary condition (ABC) and the radiated field propagator in a genetic optimization. Microwave and Optical Technology Letters, 2006, 48, 348-354.	0.9	9
2267	ZT-ADIPML: Unconditionally stable PML algorithm for FDTD simulations. Microwave and Optical Technology Letters, 2006, 48, 393-396.	0.9	2
2268	Calculation of antenna array far field impulse response using the finite-difference time-domain method. Microwave and Optical Technology Letters, 2006, 48, 424-430.	0.9	0
2269	ADI-WEFPM: Unconditionally stable PML algorithm for truncating WE-FDTD domains. Microwave and Optical Technology Letters, 2006, 48, 1029-1032.	0.9	6
2270	Arrayed-waveguide-grating-based correlator for optical header recognition. Microwave and Optical Technology Letters, 2006, 48, 1839-1843.	0.9	0

#	ARTICLE	IF	CITATIONS
2271	Locally-conformal perfectly matched layer implementation for finite element mesh truncation. Microwave and Optical Technology Letters, 2006, 48, 1836-1839.	0.9	7
2272	Performance of regular PML, CFS-PML, and second-order PML for waveguide problems. Microwave and Optical Technology Letters, 2006, 48, 2121-2126.	0.9	58
2273	Algorithm study of the space transformation factor in the transformed-space nonuniform pseudo-spectral time-domain scheme. Microwave and Optical Technology Letters, 2006, 48, 2367-2372.	0.9	0
2274	Negative refraction makes photonic crystal as super-concave-mirror. Laser Physics Letters, 2006, 3, 216-219.	0.6	2
2275	Achieving plane-wise uniform B1 amplitude in a 3D volume for high-field MRI: A computer simulation study. Journal of Magnetic Resonance Imaging, 2006, 24, 218-225.	1.9	6
2276	The electromagnetic effect of cooling fins. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2006, 19, 315-330.	1.2	0
2277	A new parallelization strategy for solving time-dependent 3D Maxwell equations using a high-order accurate compact implicit scheme. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2006, 19, 391-408.	1.2	1
2278	A quasi-planar incident wave excitation for time-domain scattering analysis of periodic structures. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2006, 19, 409-419.	1.2	0
2279	Computation of Acoustic Transmission Loss Through Doubly-Periodic 3D Elastic Panels. , 2006, , 19.		1
2280	Recursive Green's function technique and its application to surface-state photonic cavities and waveguides. , 2006, 6182, 272.		0
2281	Extension of the Method of Single Expression for Analysis of Materials with Complex Permittivity and Permeability. , 2006, , .		5
2282	Beam Focusing by a Non-Uniformly-Spaced Nanoslit Array in a Metallic Film. Chinese Physics Letters, 2006, 23, 1884-1887.	1.3	1
2283	Finite-Frequency Kernels Based on Adjoint Methods. Bulletin of the Seismological Society of America, 2006, 96, 2383-2397.	1.1	239
2284	Three-Dimensional Finite-Difference Time-Domain Simulation of Optical Absorption Properties of Al ^N Films with Mesoscopic Surface Roughness. Japanese Journal of Applied Physics, 2006, 45, 7784-7788.	0.8	5
2285	Two-Dimensional and Three-Dimensional Analysis of Taper Structures for Coupling into and out of Photonic Crystal Slab Waveguides. Japanese Journal of Applied Physics, 2006, 45, 7746-7752.	0.8	2
2286	Numerical study of microwave imaging reflectometry for measurements of density fluctuations in a tandem mirror plasma. Nuclear Fusion, 2006, 46, S760-S770.	1.6	11
2287	Variations in calculated SAR with distance to the perfectly matched layer boundary for a human voxel model. Physics in Medicine and Biology, 2006, 51, N411-N415.	1.6	24
2288	Negative Refraction and Imaging in a Triangular-Lattice Metallic Photonic-Crystal Slab. Chinese Physics Letters, 2006, 23, 994-997.	1.3	4

#	ARTICLE	IF	CITATIONS
2289	WG-Like Modes Selectivity in a Square Cavity with Posts. Chinese Physics Letters, 2006, 23, 1470-1472.	1.3	0
2290	Doppler reflectometry studies using a two-dimensional full-wave code. Plasma Physics and Controlled Fusion, 2006, 48, 699-714.	0.9	27
2291	Subwavelength imaging by a dielectric-tube photonic crystal. Journal of Optics, 2006, 8, 831-834.	1.5	3
2292	A new kind of light splitter made of a photonic crystal using the effect of a partial bandgap. Journal of Optics, 2006, 8, 507-510.	1.5	4
2293	Particles and continuum—Modeling pulse propagation and scattering in a dispersive medium. , 2006, , .		2
2294	Adaptive interferometric imaging in clutter and optimal illumination. Inverse Problems, 2006, 22, 1405-1436.	1.0	89
2295	A new kind of collimator made of photonic crystal with negative refraction. Journal of Optics, 2006, 8, 114-117.	1.5	1
2296	Acoustic pulse propagation near a right-angle wall. Journal of the Acoustical Society of America, 2006, 119, 2073-2083.	0.5	36
2297	Complex envelope Crank Nicolson PML algorithm for band-limited electromagnetic applications. Electronics Letters, 2006, 42, 1325.	0.5	6
2299	A Polarization Beam Splitter for Optical Telecommunications Based on Two-Dimensional Metallic Photonic Crystal Structures. Japanese Journal of Applied Physics, 2006, 45, 5039-5045.	0.8	1
2300	Efficient implementation of stretched co-ordinate perfectly matched layer using DSP techniques. Electronics Letters, 2006, 42, 953.	0.5	11
2301	Analysis of hollow optical fiber couplers using the compact two-dimensional finite-difference time-domain method. Optical Engineering, 2006, 45, 015007.	0.5	0
2302	Optical modeling of liquid crystal biosensors. Journal of Chemical Physics, 2006, 125, 174902.	1.2	12
2303	Photonic crystals. Progress in Optics, 2006, 49, 177-313.	0.4	12
2304	Design of compact ring resonator and Mach-Zehnder interferometer with air trenches. Optical Engineering, 2006, 45, 054602.	0.5	2
2306	Infrared properties of QCD from Dysonâ€™Schwinger equations. Journal of Physics G: Nuclear and Particle Physics, 2006, 32, R253-R291.	1.4	382
2307	Estimation of the modulus of a complex-valued quantity. Metrologia, 2006, 43, 531-538.	0.6	12
2308	Near-field imaging of a square-lattice metallic photonic-crystal slab at the second band. Chinese Physics B, 2006, 15, 552-555.	1.3	4

#	ARTICLE	IF	CITATIONS
2309	Advanced finite element method for nano-resonators. , 2006, , .		10
2310	Design and Optical Properties of ZnS:Mn Thin-Film Electroluminescent Devices on 2D SiO ₂ Corrugated Photonic Crystal Substrates. Journal of the Electrochemical Society, 2006, 153, H71.	1.3	5
2311	A FDTD Analysis to Investigate Capabilities of an UWB Radar for Breast Tumor Detection. , 2006, , .		0
2312	Locally-conformal and Multi-center Perfectly Matched Layer Implementations for Finite Element Mesh Truncation. , 2006, , .		0
2313	Visible photonic switch based on tunable 2D ferromagnetic photonic crystal. , 2006, , .		0
2314	Theoretical analysis of two-dimensional photonic-crystal spot-size converter in Si for $\lambda < 1.55 \mu\text{m}>$ operation. Optical Engineering, 2006, 45, 038001.	0.5	0
2315	Excitation of surface waves in a photonic crystal with negative refraction: The role of surface termination. Physical Review B, 2006, 74, .	1.1	26
2316	High-Fidelity Model for Sonar Interrogation of Bottom and Surface Targets in Shallow Water. , 2006, , .		1
2317	Finite-difference time-domain simulation of heterostructures with inclusion of arbitrarily complex geometry. Journal of Applied Physics, 2006, 99, 063502.	1.1	31
2318	Analysis and Design of Wideband Dielectric Resonator Antenna Arrays for Waveguide-Based Spatial Power Combining. , 2006, , .		3
2319	Near-Field Radar Imaging Simulation using FDTD Method. , 2006, , .		3
2320	Perfectly Matched Double Negative Metamaterials. , 2006, , .		0
2321	Indoor Propagation of Diffracted Signals. , 2006, , .		1
2322	Investigation of point-defect cavity formed in two-dimensional photonic crystal slab with one-sided dielectric cladding. Applied Physics Letters, 2006, 88, 011112.	1.5	41
2323	A PML Utilizing k-Vector Information as Applied to the Whistler Mode in a Magnetized Plasma. IEEE Transactions on Antennas and Propagation, 2006, 54, 2424-2429.	3.1	12
2324	Modeling of a Multilayer Wavelength Division Multiplexing Structure using Total-Field/Scattered-Field FDTD-PML Formulation. , 0, , .		0
2325	Spatially Dispersive Finite-Difference Time-Domain Method for Modelling of Sub-Wavelength Imaging by Wire Media. , 2006, , .		0
2326	Split and Unsplit Finite-Volume Absorbers: Formulation and Performance Comparison. , 2006, , .		5

#	ARTICLE	IF	CITATIONS
2327	A study of the validation of RF energy specific absorption rates for simulations of anatomically correct head FDTD simulations and truncated DAS4 standard equipment measurements. , 2006, , .		8
2328	Perfectly matched multiscale simulations for discrete lattice systems: Extension to multiple dimensions. Physical Review B, 2006, 74, .	1.1	54
2329	Influence of the filling factor on the spectral properties of plasmonic crystals. Physical Review B, 2006, 74, .	1.1	30
2330	Low-pass Spatial Filtering Using Optically Thinner Left-handed Photonic Crystals. , 2006, , .		2
2331	Using a priori structural information from magnetic resonance imaging to investigate the feasibility of prostate diffuse optical tomography and spectroscopy: A simulation study. Medical Physics, 2006, 34, 266-274.	1.6	24
2332	C-scan representation by FDTD simulation in realistic environment: Application to the analysis of multisensor GPR capacity. , 2006, , .		2
2333	Uniaxial Perfectly Matched Layer for 2-D FETD Method. , 2006, , .		0
2334	Finite difference time domain methods for piezoelectric crystals. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2006, 53, 1895-1901.	1.7	28
2335	Probe-Fed Rectangular Ring Antenna With a Cross-Strip for Low Cross-Polarization. IEEE Transactions on Antennas and Propagation, 2006, 54, 1586-1591.	3.1	5
2336	4G-3 Guided Surface Acoustic Waves in Phononic Crystal Waveguides. , 2006, , .		6
2337	A Novel Implementation of the CFS-PML for Arbitrary Media using DSP Techniques. , 2006, , .		0
2338	Parallel Implementation of the PML Algorithm for Truncating Finite-Difference Time-Domain Grids. , 2006, , .		1
2339	Full Time-Domain DORT for Ultrawideband Electromagnetic Fields in Dispersive, Random Inhomogeneous Media. IEEE Transactions on Antennas and Propagation, 2006, 54, 2305-2315.	3.1	100
2340	Three-Dimensional Focusing of Broadband Microwave Beams by a Layered Photonic Structure. Physical Review Letters, 2006, 96, 207402.	2.9	10
2341	Comparison of MR-thermography and planning calculations in phantoms. Medical Physics, 2006, 33, 3912-3920.	1.6	34
2342	Finite-Volume Maxwellian Absorber on Unstructured Grid. , 2006, , .		9
2343	Control of self-collimated Bloch waves by partially flat equifrequency contours in photonic crystals. Applied Physics Letters, 2006, 89, 251120.	1.5	14
2344	All-Angle Negative Refraction for Surface Plasmon Waves Using a Metal-Dielectric-Metal Structure. Physical Review Letters, 2006, 96, 073907.	2.9	199

#	ARTICLE	IF	CITATIONS
2345	Fully kinetic simulations of undriven magnetic reconnection with open boundary conditions. <i>Physics of Plasmas</i> , 2006, 13, 072101.	0.7	440
2346	Propagation of surface acoustic waves through sharply bent two-dimensional phononic crystal waveguides using a finite-difference time-domain method. <i>Physical Review B</i> , 2006, 74, .	1.1	152
2347	Hybrid PML-ABC truncation techniques for finite-volume time-domain simulations. , 2006, , .		0
2348	Improved Self – Teleportation of Fields Artificial Boundary Condition for FDTD Simulations. , 2006, , .		2
2349	A comparison between the perfectly matched layer and the self-teleportation of fields conditions. , 2006, , .		2
2350	Distributed mode coupling in microring channel drop filters. <i>Applied Physics Letters</i> , 2006, 89, 061118.	1.5	14
2351	Enhancement of Light Extraction Efficiency in OLED with Periodic Nano-Structure. , 2006, , .		3
2352	FDTD Characterisation of UWB Indoor Radio Channel Including Frequency Dependent Antenna Directivities. , 2006, , .		6
2353	P2E-5 A New Numerical Approach to Simulate Shear Waves Generated by a Localized Radiation Force in Heterogeneous Media. , 2006, , .		0
2354	Spatio-temporal and finite element method for analysis of the propagation of optical ultra-short pulses in non-linear media. , 2006, , .		0
2355	A review of finite-element methods for time-harmonic acoustics. <i>Journal of the Acoustical Society of America</i> , 2006, 119, 1315-1330.	0.5	278
2356	RELATIONSHIP BETWEEN DETECTING PITCH VIA BONE-CONDUCTED ULTRASOUND AND EIGENFREQUENCIES OF HUMAN HEAD. <i>Journal of Computational Acoustics</i> , 2006, 14, 369-378.	1.0	8
2357	A full numerical calculation of the Franz&Keldysh effect on magnetoexcitons in a bulk semiconductor. <i>Chinese Physics B</i> , 2006, 15, 2151-2157.	1.3	2
2358	On the circuit description of TLM nodes. <i>International Journal of Electronics</i> , 2006, 93, 479-491.	0.9	3
2359	A simulation study on the impact echo array technique for concrete structure NDT. <i>Nondestructive Testing and Evaluation</i> , 2006, 21, 123-140.	1.1	3
2360	Reconfiguration of Personal Computers' Internal Equipment for Improved Protection Against Penetrating EM Pulses. <i>Journal of Electromagnetic Waves and Applications</i> , 2006, 20, 677-688.	1.0	7
2361	Dielectric response of perforated two-dimensional lossy heterostructures: A finite-element approach. <i>Journal of Applied Physics</i> , 2006, 100, 094103.	1.1	29
2362	An anatomically realistic voxel model of the pregnant woman and numerical dosimetry for a whole-body exposure to RF electromagnetic fields. , 2006, 2006, 5463-7.		7

#	ARTICLE	IF	CITATIONS
2363	The Continuing Role of Beam Propagation Methods in Photonics Design. , 2007, , .		3
2364	Theoretical comparison of intraluminal heating techniques. International Journal of Hyperthermia, 2007, 23, 395-411.	1.1	10
2366	VALIDATION OF ACOUSTIC MODELS FOR TIME-HARMONIC DISSIPATIVE SCATTERING PROBLEMS. Journal of Computational Acoustics, 2007, 15, 95-121.	1.0	11
2367	Theory and Observations â€œ Forward Modeling and Synthetic Seismograms: 3-D Numerical Methods. , 2007, , 191-217.		3
2368	Development of a liquid-type human-body equivalent antenna using NaCl solution. , 2007, , .		2
2369	Modelling electromagnetically induced transparency media using the finite-difference time-domain method. New Journal of Physics, 2007, 9, 48-48.	1.2	4
2370	GENERATION OF ULTRASHORT ELECTRON BUNCHES IN NANOSTRUCTURES BY FEMTOSECOND LASER PULSES. International Journal of High Speed Electronics and Systems, 2007, 17, 571-576.	0.3	1
2371	Accuracy improvement of focusing resolution for ultra wideband imaging systems. , 2007, , .		0
2372	A Parallel Algorithmic Approach for Microwave Tomography in Breast Cancer Detection. , 2007, , .		1
2373	GPU based FDTD solver with CPML boundaries. , 2007, , .		12
2374	A conformal dispersive FDTD method for modelling of nano-plasmonic waveguides. , 2007, , .		0
2375	Accurate modelling of the optical properties of left-handed media using a finite-difference time-domain method. , 2007, , .		0
2376	Analysis of stability and numerical dispersion relation of Mur’s absorbing boundary condition in the ADI-FDTD method. , 2007, , .		1
2377	Application of the FDTD Hybrid â€œM3d24-Yeeâ€œ for simulating EM scattering from two objects separated by long distances. , 2007, , .		0
2378	STABILIZED DISCONTINUOUS GALERKIN METHODS FOR FLOW—SOUND INTERACTION. Journal of Computational Acoustics, 2007, 15, 123-143.	1.0	13
2379	Computational Modeling Analysis of Radar Scattering by Metallic Body-Worn Explosive Devices Covered with Wrinkled Clothing. IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium, 2007, , .	0.0	11
2380	Forward Modeling of Through-Wall-Sensing with Ultra-Wideband Signals using Finite-Difference Time-Domain Method. , 2007, , .		0
2381	3D finite-difference frequency-domain modeling of visco-acoustic wave propagation using a massively parallel direct solver: A feasibility study. Geophysics, 2007, 72, SM195-SM211.	1.4	255

#	ARTICLE	IF	CITATIONS
2382	Piezoresistor-equipped fluorescence-based cantilever probe for near-field scanning. Review of Scientific Instruments, 2007, 78, 083106.	0.6	2
2383	Simulation-Based Evolutionary Method in Antenna Design Optimization for WLAN and Wireless Communication Applications. AIP Conference Proceedings, 2007, , .	0.3	3
2384	Second-order split-step envelope PML algorithm for 2D FDTD simulations. Electronics Letters, 2007, 43, 792.	0.5	4
2385	Theoretical study of the transmission properties of a metallic film with surface corrugations. Journal of Optics, 2007, 9, 348-351.	1.5	8
2386	Coherent control of light propagation via nanoparticle arrays. Journal of Physics B: Atomic, Molecular and Optical Physics, 2007, 40, S283-S298.	0.6	43
2387	A BICHARACTERISTICS METHOD FOR ADAPTIVE MODELING OF TRANSIENT WAVE PROPAGATION IN UNBOUNDED ACOUSTIC MEDIA. International Journal of Computational Methods, 2007, 04, 195-221.	0.8	4
2388	Fast finite-difference time-domain modeling for marine-subsurface electromagnetic problems. Geophysics, 2007, 72, A19-A23.	1.4	114
2389	Investigation of Vertical Radiation Loss for Whispering-Gallery Modes in 3-D Microresonators by FDTD Simulation. , 2007, , .		0
2390	Modeling the Radiative Properties of Microscale Random Roughness Surfaces. Journal of Heat Transfer, 2007, 129, 71-78.	1.2	27
2391	Analytical analysis of H polarized line-defect modes in two dimensional photonic crystals based on Hermite expansion of Floquet orders. , 2007, , .		0
2393	FEM investigation of leaky modes in hollow core photonic crystal fibers. , 2007, , .		7
2394	3D finite-difference dynamic-rupture modeling along nonplanar faults. Geophysics, 2007, 72, SM123-SM137.	1.4	29
2395	Negative Refraction and Near-Field Imaging of an Elliptical-Rod Photonic Crystal Slab in the Second Band. Chinese Physics Letters, 2007, 24, 2675-2677.	1.3	1
2396	Near-Field Optics Imaging in Silica Waveguide Using Near-Field Scanning Optical Microscope. Japanese Journal of Applied Physics, 2007, 46, 238-242.	0.8	4
2397	Imaging Properties of a Rectangular-Lattice Metallic Photonic-Crystal Slab. Chinese Physics Letters, 2007, 24, 229-232.	1.3	4
2398	Numerical Investigation of Surface Plasmons Associated Subwavelength Optical Single-Pass Effect. Chinese Physics Letters, 2007, 24, 2922-2925.	1.3	3
2399	Quantitative validation of the 3D SAR profile of hyperthermia applicators using the gamma method. Physics in Medicine and Biology, 2007, 52, 3075-3088.	1.6	25
2400	Computational modelling of temperature rises in the eye in the near field of radiofrequency sources at 380, 900 and 1800 MHz. Physics in Medicine and Biology, 2007, 52, 3335-3350.	1.6	20

#	ARTICLE	IF	CITATIONS
2401	Absorbing boundary conditions for molecular dynamics and multiscale modeling. Physical Review B, 2007, 76, .	1.1	18
2402	Coupled mode characteristics for the twin coupled microdisks. , 2007, , .		0
2403	Development and implementation of LOD-CPML for efficient electromagnetics simulations. , 2007, , .		0
2404	Perfectly Matched Layers Backed with the First Order Impedance Boundary Condition for the Time-Domain Finite-Element Method. , 2007, , .		0
2405	Simulation of RF inductor by the modified ADI-FDTD method. , 2007, , .		0
2406	Analyzing fundamental propagation modes in V-groove plasmonic waveguides. , 2007, , .		0
2407	Magnetization dynamics in nanocontact current controlled oscillators. Physical Review B, 2007, 75, .	1.1	33
2408	Optimizing the FDFD Method in Order to Minimize PML-Related Numerical Problems. IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium, 2007, , .	0.0	2
2409	A Memory-Efficient Formulation of the Unconditionally Stable FDTD Method for Solving Maxwell's Equations. IEEE Transactions on Antennas and Propagation, 2007, 55, 3729-3733.	3.1	11
2410	Time-domain reconstruction using sensitivity coefficients for limited view ultrawide band tomography. Review of Scientific Instruments, 2007, 78, 084703.	0.6	3
2411	Implementation of Standing-Traveling Wave Boundary Condition in Homogeneous Isotropic Lossy Media. , 2007, , .		0
2412	Highly directional emission from photonic crystals with a wide bandwidth. Applied Physics Letters, 2007, 91, 121105.	1.5	22
2413	Performance of PML in the Numerical Analysis of Open Guides by Means of the Finite Difference Frequency Domain Method. , 2007, , .		0
2414	Implementation of second-order perfectly matched layers in the time-domain finite element method. , 2007, , .		0
2415	8E-4 Perfectly Matched Layer Finite Element Simulation of Parasitic Acoustic Wave Radiation in Microacoustic Devices. Proceedings IEEE Ultrasonics Symposium, 2007, , .	0.0	15
2416	Analysis of stability and numerical dispersion relation of μ 's absorbing boundary condition in the ADI-FDTD method. , 2007, , .		0
2417	Two-dimensional photonic crystals in lithium niobate (LiNbO3). , 2007, , .		0
2418	Coupling of laser energy into plasma channels. Physics of Plasmas, 2007, 14, 043105.	0.7	13

#	ARTICLE	IF	CITATIONS
2419	Transfer matrix method for point sources radiating in classes of negative refractive index materials with 2-fold antisymmetry. <i>Waves in Random and Complex Media</i> , 2007, 17, 581-614.	1.6	9
2420	Estimating the electromagnetic field effects in biological tissues through the finite-difference time-domain method. , 2007, , .		2
2421	The Error Reduced ADI-CPML Method for EMC Simulation. , 2007, , .		1
2422	A computationally efficient finite element model with perfectly matched layers applied to scattering from axially symmetric objects. <i>Journal of the Acoustical Society of America</i> , 2007, 122, 1472-1485.	0.5	96
2423	Finite-difference time-domain simulation of fusion plasmas at radiofrequency time scales. <i>Physics of Plasmas</i> , 2007, 14, 056104.	0.7	42
2424	Dynamics of the damping oscillator formed by the collective generation of surface polaritons for extraordinary light transmission through subwavelength hole arrays in thin metal films. <i>Physical Review B</i> , 2007, 76, .	1.1	2
2425	High refractive-index sonic material based on periodic subwavelength structure. <i>Applied Physics Letters</i> , 2007, 91, 203515.	1.5	39
2426	Three-dimensional light focusing in inverse opal photonic crystals. <i>Physical Review B</i> , 2007, 75, .	1.1	27
2427	Localized Modes in a Finite-Size Open Disordered Microwave Cavity. <i>Physical Review Letters</i> , 2007, 99, 253902.	2.9	67
2428	Accurate modeling of the optical properties of left-handed media using a finite-difference time-domain method. <i>Physical Review E</i> , 2007, 75, 037602.	0.8	26
2429	Radial Absorbers for Conformal Time-Domain Methods: A Solution to Corner Problems in Mesh Truncation. <i>IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium</i> , 2007, , .	0.0	7
2430	Modes in Air-core Bragg Fibers. , 2007, , .		0
2431	Backward surface waves at photonic crystals. <i>Physical Review B</i> , 2007, 75, .	1.1	31
2432	Simulation studies for comparison of Bone-conducted Ultrasound and Bone-conducted Audible Sound. , 2007, , .		1
2433	A Modified PML implementation in FDTD for Handling Dispersive Media. , 2007, , .		0
2434	An Improved Hybrid MoM/FDTD Technique for MRI RF Coils Modeling Using Huygen's Equivalent Surface Method. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 3898-901.	0.5	2
2435	Progress on radiation boundary conditions for electromagnetic finite element analysis. , 2007, , .		1
2436	A modified PML conductivity profile for the ADI-FDTD method with split-field PML. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
2437	Non invasive Determination of Temperature Trajectories During a Defrosting Process using Microwave Radiometry. IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium, 2007, , .	0.0	0
2438	Second-Order Perfectly Matched Layers for the Time-Domain Finite-Element Method. IEEE Transactions on Antennas and Propagation, 2007, 55, 1000-1004.	3.1	9
2439	Interpreting ISAR Images by Means of Parseval's Theorem. IEEE Transactions on Antennas and Propagation, 2007, 55, 498-500.	3.1	4
2440	Efficient 3D finite difference frequency-domain modeling of scattering in lossy half-space geometries. , 2007, , .		3
2441	Determination of the optimal heating pattern obtained with external planar applicators used for 915 MHz Microwave Hyperthermia. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 1160-3.	0.5	0
2442	Thermoacoustic tomography forward modeling with the spectral element method. Medical Physics, 2008, 35, 4-12.	1.6	13
2443	Simulation of a theta line-scanning confocal microscope. Journal of Biomedical Optics, 2007, 12, 064020.	1.4	17
2444	Whole-body-averaged SAR from 50 MHz to 4 GHz in the University of Florida child voxel phantoms. Physics in Medicine and Biology, 2007, 52, 6639-6649.	1.6	71
2445	Resonant cavity based compact efficient antireflection structures for photonic crystals. Journal Physics D: Applied Physics, 2007, 40, 5873-5877.	1.3	10
2446	A study of the porosities of polymer nanoporous films using numerical simulations and experimental methods. Journal of Optics, 2007, 9, 872-876.	1.5	6
2447	Optimal waveform design for array imaging. Inverse Problems, 2007, 23, 1973-2020.	1.0	21
2448	Selective filtering of confined optical waves in a straight waveguide coupled to lateral stubs. Journal of Optics, 2007, 9, S431-S436.	1.5	3
2449	The effect of changing scatterer positions on acoustic time-reversal refocusing in a 2D urban environment at low frequencies. Journal of Geophysics and Engineering, 2007, 4, 276-284.	0.7	12
2450	Proposal of highly sensitive optofluidic sensors based on dispersive photonic crystal waveguides. Journal of Optics, 2007, 9, S463-S467.	1.5	19
2451	Low Machnumber aeroacoustics " A direct one-grid approach. Journal of Numerical Mathematics, 2007, 15, .	1.8	1
2452	SAR in the mother and foetus for RF plane wave irradiation. Physics in Medicine and Biology, 2007, 52, 3791-3802.	1.6	55
2453	Modelling of Wave Propagation in Wire Media Using Spatially Dispersive Finite-Difference Time-Domain Method: Numerical Aspects. IEEE Transactions on Antennas and Propagation, 2007, 55, 1506-1513.	3.1	28
2454	A massively parallel frequency-domain full-waveform inversion algorithm for imaging acoustic media: Application to a dense OBS data set. , 2007, , .		5

#	ARTICLE	IF	CITATIONS
2455	Numerical modelling of electromagnetic waveguide effects on crosshole radar measurements. Exploration Geophysics, 2007, 38, 69-76.	0.5	6
2456	The SAR effects of popular jewellery on the human head. , 2007, , .		4
2457	A study of the effects of metallic pins on SAR using a specific anthropomorphic mannequin (SAM) head phantom. , 2007, , .		11
2458	Mixedâ€grid finiteâ€difference frequencyâ€domain viscoacoustic modeling in 2D TTI anisotropic media. , 2007, , .		4
2459	Investigating the effects of external fields polarization on the coupling of pure magnetic waves in the human body in very low frequencies. Biomagnetic Research and Technology, 2007, 5, 3.	2.0	9
2460	2.5D modelling of elastic waves in transversely isotropic media using the spectral element method. Exploration Geophysics, 2007, 38, 225-234.	0.5	14
2461	Enhancement of light extraction efficiency of light-emitting diode with hexagonal photonic crystal layer. , 2007, , .		0
2462	Numerical analysis and experimental investigation of highly sensitive photonic crystal fiber long-period grating refractive index sensor. , 2007, , .		0
2463	Development of a reconfigurable antenna system for Ku band applications. , 2007, , .		0
2464	Photonic crystal fiber designs for power scaling of single-polarization amplifiers. , 2007, , .		3
2465	NUMERICAL DOSIMETRY ELF: ACCURACY OF THE METHOD, VARIABILITY OF MODELS AND PARAMETERS, AND THE IMPLICATION FOR QUANTIFYING GUIDELINES. Health Physics, 2007, 92, 521-530.	0.3	30
2466	REQUIREMENTS FOR RELIABLE WORST-CASE ASSESSMENT OF HUMAN EXPOSURE TO RF ELECTROMAGNETIC FIELDS WITH KNOWN UNCERTAINTY. Health Physics, 2007, 92, 554-564.	0.3	3
2467	Computational analysis of light scattering from collagen fiber networks. Proceedings of SPIE, 2007, , .	0.8	0
2468	FDTD Simulation for Ground Penetrating Radar Wave in Dispersive Medium. Chinese Journal of Geophysics, 2007, 50, 299-306.	0.2	5
2469	Goal oriented adaptive finite element method for precise simulation of optical components. , 2007, , .		9
2470	Accurate and efficient sensitivity extraction of complex structures using FDTD. , 2007, , .		0
2471	Finite element analysis of EUV lithography. Proceedings of SPIE, 2007, , .	0.8	2
2472	Optimal photonic crystal bends with linear dispersion. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
2473	Inversion of Ground-Penetrating Radar Data for 2D Electric Parameters. Chinese Journal of Geophysics, 2007, 50, 773-782.	0.2	2
2474	Applications of the Boundary Absorption Using A Perfectly Matched Layer for Elastic Wave Simulation in Poroelastic Media. Chinese Journal of Geophysics, 2007, 50, 513-525.	0.2	5
2475	Finite-difference time-domain analysis of deformed square cavity filters with a traveling-wave-like filtering response by mode coupling. Optics Letters, 2007, 32, 967.	1.7	9
2476	Electromagnetic analysis of cylindrical invisibility cloaks and the mirage effect. Optics Letters, 2007, 32, 1069.	1.7	232
2477	Mode coupling between first- and second-order whispering-gallery modes in coupled microdisks. Optics Letters, 2007, 32, 1563.	1.7	15
2478	Effect of photonic bandgap on luminescence from silicon nanocrystals. Optics Letters, 2007, 32, 1878.	1.7	9
2479	Finite-element model for three-dimensional optical scattering problems. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2007, 24, 866.	0.8	61
2480	Complex coordinate implementation in the curvilinear coordinate method: application to plane-wave diffraction by nonperiodic rough surfaces. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2007, 24, 1097.	0.8	6
2481	Computational study of fluorescence scattering by silver nanoparticles. Journal of the Optical Society of America B: Optical Physics, 2007, 24, 2259.	0.9	47
2482	Localized light in a multiple photonic quantum well system. Journal of the Optical Society of America B: Optical Physics, 2007, 24, 2369.	0.9	11
2483	Photonic bandgaps and resonators in the one-stage Sierpinski gasket basis. Journal of the Optical Society of America B: Optical Physics, 2007, 24, A84.	0.9	3
2484	Rigorous 3D calculation of effects of pit structure in TwoDOS systems. Optics Express, 2007, 15, 2075.	1.7	3
2485	Simulations of birefringent gratings as polarizing color separator in backlight for flat-panel displays. Optics Express, 2007, 15, 5789.	1.7	19
2486	Resonant tunneling of surface plasmon-polaritons. Optics Express, 2007, 15, 6380.	1.7	42
2487	Interference and resonant cavity effects explain enhanced transmission through subwavelength apertures in thin metal films. Optics Express, 2007, 15, 7984.	1.7	17
2488	InP photonic wire waveguide using InAlAs oxide cladding layer. Optics Express, 2007, 15, 8422.	1.7	51
2489	Broadband nanowire-grid polarizers in ultraviolet-visible-near-infrared regions. Optics Express, 2007, 15, 9510.	1.7	63
2490	Offset-apertured near-field scanning optical microscope probes. Optics Express, 2007, 15, 10163.	1.7	15

#	ARTICLE	IF	CITATIONS
2491	Characterization of a subwavelength-scale 3D void structure using the FDTD-based confocal laser scanning microscopic image mapping technique. <i>Optics Express</i> , 2007, 15, 10767.	1.7	11
2492	A new conformal radiation boundary condition for high accuracy finite difference analysis of open waveguides. <i>Optics Express</i> , 2007, 15, 12605.	1.7	11
2493	Coexistence of total internal reflexion and bandgap modes in solid core photonic bandgap fibre with interstitial air holes. <i>Optics Express</i> , 2007, 15, 13783.	1.7	27
2494	Diffraction characteristics of a liquid crystal polarization grating analyzed using the finite-difference time-domain method. <i>Optics Express</i> , 2007, 15, 16702.	1.7	13
2495	Compact 90° trench-based splitter for silicon-on-insulator rib waveguides. <i>Optics Express</i> , 2007, 15, 16712.	1.7	26
2496	Improving thin-film crystalline silicon solar cell efficiencies with photonic crystals. <i>Optics Express</i> , 2007, 15, 16986.	1.7	623
2497	Ultra-high-Q three-dimensional photonic crystal nano-resonators. <i>Optics Express</i> , 2007, 15, 17254.	1.7	25
2498	Systematic comparison of the discrete dipole approximation and the finite difference time domain method for large dielectric scatterers. <i>Optics Express</i> , 2007, 15, 17902.	1.7	71
2499	The finite element method as applied to the diffraction by an anisotropic grating. <i>Optics Express</i> , 2007, 15, 18089.	1.7	49
2500	Modeling of evanescent coupling between two parallel optical nanowires. <i>Applied Optics</i> , 2007, 46, 1429.	2.1	106
2501	Accurate sensitivity analysis of photonic devices that exploit the finite-difference time-domain central adjoint variable method. <i>Applied Optics</i> , 2007, 46, 1492.	2.1	19
2502	Accurate modeling of dielectric interfaces by the effective permittivities for the fourth-order symplectic finite-difference time-domain method. <i>Applied Optics</i> , 2007, 46, 1514.	2.1	4
2503	Modified Debye model parameters of metals applicable for broadband calculations. <i>Applied Optics</i> , 2007, 46, 2229.	2.1	133
2504	Analysis of Waveguide Discontinuities by a Fourth-Order Finite-Difference Reflective Scheme. <i>Journal of Lightwave Technology</i> , 2007, 25, 556-561.	2.7	8
2505	Modeling of Aperiodic Fractal Waveguide Structures for Multifrequency Light Transport. <i>Journal of Lightwave Technology</i> , 2007, 25, 1841-1847.	2.7	19
2506	Improved Bidirectional-Mode Expansion Propagation Algorithm Based on Fourier Series. <i>Journal of Lightwave Technology</i> , 2007, 25, 2321-2330.	2.7	21
2507	Finite-Difference Time Domain Method for Nonorthogonal Unit-Cell Two-Dimensional Photonic Crystals. <i>Journal of Lightwave Technology</i> , 2007, 25, 2612-2617.	2.7	29
2508	Fast-Multipole Analysis of Electromagnetic Scattering by Photonic Crystal Slabs. <i>Journal of Lightwave Technology</i> , 2007, 25, 2847-2863.	2.7	21

#	ARTICLE	IF	CITATIONS
2509	Computing Optimal Waveguide Bends With Constant Width. Journal of Lightwave Technology, 2007, 25, 3161-3167.	2.7	21
2510	Realization of a High Coupling Efficiency by Employing a Concave Lens Based on Two-Dimensional Photonic Crystals With a Negative Refractive Index. Journal of Lightwave Technology, 2007, 25, 3168-3174.	2.7	20
2511	A Recursive-Doubling Dirichlet-to-Neumann-Map Method for Periodic Waveguides. Journal of Lightwave Technology, 2007, 25, 3649-3656.	2.7	21
2512	Perfectly Matched Layer (PML) for Computational Electromagnetics. Synthesis Lectures on Computational Electromagnetics, 2007, 2, 1-117.	0.2	121
2513	A Study of Planar Printed Dipole Antennas for Wireless Communication Applications. Journal of Electromagnetic Waves and Applications, 2007, 21, 637-652.	1.0	23
2514	Discretized Boundary Equation Method for Two-Dimensional Scattering Problems. IEEE Transactions on Antennas and Propagation, 2007, 55, 3550-3564.	3.1	8
2515	Photonic-Crystal Heterostructure Waveguides. IEEE Journal of Quantum Electronics, 2007, 43, 78-84.	1.0	22
2516	Equilateral-Triangle-Resonator Injection Lasers With Directional Emission. IEEE Journal of Quantum Electronics, 2007, 43, 440-444.	1.0	18
2517	Mode Analysis and Q-Factor Enhancement Due to Mode Coupling in Rectangular Resonators. IEEE Journal of Quantum Electronics, 2007, 43, 497-502.	1.0	43
2518	Efficient FDTD method for analysis of mushroom-structure based left-handed materials. IET Microwaves, Antennas and Propagation, 2007, 1, 100.	0.7	6
2519	Efficient implementation of the stretched co-ordinate perfectly matched layer based on the Z-transform method. IET Microwaves, Antennas and Propagation, 2007, 1, 645.	0.7	10
2520	Design of two-dimensional photonic crystal structure based in all-angle negative refractive effect for application in focusing systems. IET Optoelectronics, 2007, 1, 91-95.	1.8	4
2521	Confining light with negative refraction in checkerboard metamaterials and photonic crystals. Physical Review A, 2007, 75, .	1.0	28
2522	Finite-Difference Time-Domain Study of Guided Modes in Nano-Plasmonic Waveguides. IEEE Transactions on Antennas and Propagation, 2007, 55, 3070-3077.	3.1	49
2523	Analysis of the Coupling of Primal and Dual-Mixed Finite Element Methods for a Two-Dimensional Fluid-Solid Interaction Problem. SIAM Journal on Numerical Analysis, 2007, 45, 2072-2097.	1.1	33
2524	A Fictitious Domain Method with Mixed Finite Elements for Elastodynamics. SIAM Journal of Scientific Computing, 2007, 29, 1244-1267.	1.3	4
2525	Application of PML Absorbing Boundary Condition to Aeroacoustics Problems with an Oblique Mean Flow. , 2007, , .		2
2526	Light trapping and guidance in plasmonic nanocrystals. Journal of Chemical Physics, 2007, 126, 204702.	1.2	12

#	ARTICLE	IF	CITATIONS
2527	A Helmholtz iterative solver for 3D seismic-imaging problems. <i>Geophysics</i> , 2007, 72, SM185-SM194.	1.4	104
2528	Controlling the focusing properties of a triangular-lattice metallic photonic-crystal slab. <i>Chinese Physics B</i> , 2007, 16, 1689-1693.	1.3	1
2529	A Comprehensive Performance Study of ABC's and PML's of FDTD Method in Planar Micro-Strip Structures. , 2007, , .		0
2530	Surface Plasmon Nanophotonics. <i>Springer Series in Optical Sciences</i> , 2007, , .	0.5	282
2532	Performance of convolutional PML absorbing boundary conditions in finite-difference time-domain SAR calculations. <i>Physics in Medicine and Biology</i> , 2007, 52, 7183-7192.	1.6	34
2533	3F-1 Perfectly Matched Layer Technique for the Numerical Computation of Wave Propagation Phenomena. <i>Proceedings IEEE Ultrasonics Symposium</i> , 2007, , .	0.0	3
2534	Effect of beaming and enhanced transmission in photonic crystals. <i>Physical Review B</i> , 2007, 76, .	1.1	26
2535	Enhanced Förster Resonance Energy Transfer on Single Metal Particle. 2. Dependence on Donor-Acceptor Separation Distance, Particle Size, and Distance from Metal Surface. <i>Journal of Physical Chemistry C</i> , 2007, 111, 11784-11792.	1.5	111
2536	Spectral-element analysis in seismology. <i>Advances in Geophysics</i> , 2007, , 365-419.	1.1	140
2537	The Finite-Difference Time-Domain Method for Modeling of Seismic Wave Propagation. <i>Advances in Geophysics</i> , 2007, , 421-516.	1.1	234
2538	Accurate modelling of left-handed metamaterials using a finite-difference time-domain method with spatial averaging at the boundaries. <i>Journal of Optics</i> , 2007, 9, S468-S475.	1.5	26
2539	Focusing problems of subsurface imaging by a low-frequency SAR. , 2007, , .		1
2540	Non-Maxwellian Locally-Conformal PML Absorbers for Finite Element Mesh Truncation. <i>IEEE Transactions on Antennas and Propagation</i> , 2007, 55, 931-937.	3.1	60
2541	SIMULATION OF THE TRANSFER FUNCTION FOR A HEAD-AND-TORSO MODEL OVER THE ENTIRE AUDIBLE FREQUENCY RANGE. <i>Journal of Computational Acoustics</i> , 2007, 15, 429-448.	1.0	15
2542	Acoustic metamaterials for sound focusing and confinement. <i>New Journal of Physics</i> , 2007, 9, 399-399.	1.2	264
2543	Optimization of the Perfectly Matched Layer for the Finite-Element Time-Domain Method. <i>IEEE Microwave and Wireless Components Letters</i> , 2007, 17, 10-12.	2.0	20
2544	Propagation of UWB pulses on metal strips printed on semiconductor dielectrics. , 2007, , .		0
2545	A Comparison Between Several Mesh Truncation Methods for hp-Adaptivity in Electromagnetics. , 2007, , .		3

#	ARTICLE	IF	CITATIONS
2546	Simulation of the EMP Coupling to Circuits inside a Shielding Box by a Wire Penetrated with an Aperture. , 2007, , .		2
2547	The effect of authentic metallic implants on the SAR distribution of the head exposed to 900, 1800 and 2450 MHz dipole near field. Physics in Medicine and Biology, 2007, 52, 1221-1236.	1.6	44
2548	FDTD Characterization of UWB Indoor Radio Channel Including Frequency Dependent Antenna Directivities. IEEE Antennas and Wireless Propagation Letters, 2007, 6, 191-194.	2.4	38
2549	Multidomain Pseudospectral Time Domain Algorithm Using a Symplectic Integrator. IEEE Transactions on Antennas and Propagation, 2007, 55, 433-439.	3.1	9
2550	An Experimental and Theoretical Investigation into Capabilities of a UWB Microwave Imaging Radar System to Detect Breast Cancer. , 2007, , .		5
2551	Development of Absorbing Conditions for the Analysis of Finite Dimension Elastic Wave-Guides. Frequency Control Symposium and Exhibition, Proceedings of the IEEE International, 2007, , .	0.0	6
2552	Evaluation of a Spherical PML for Vector FEM Applications. IEEE Transactions on Antennas and Propagation, 2007, 55, 494-498.	3.1	7
2553	Observation of Brillouin zone folding in photonic crystal slab waveguides possessing a superlattice pattern. Applied Physics Letters, 2007, 90, 021102.	1.5	18
2554	On the use of the digital filtering techniques for the simulations of electromagnetic problems in the time domain. , 2007, , .		0
2555	Complex Envelope ADI-ABC PML Algorithm for Truncating Lorentz Dispersive 2-D-FDTD Domains. IEEE Microwave and Wireless Components Letters, 2007, 17, 4-6.	2.0	13
2556	Simulation and research of the coupling characteristic of a cavity with Thin-Slot. , 2007, , .		0
2557	Revisiting the Stability of Crank-Nicolson and ADI-FDTD. IEEE Transactions on Antennas and Propagation, 2007, 55, 3199-3203.	3.1	8
2558	Adjoint Sensitivity Analysis of Dielectric Discontinuities Using FDTD. Electromagnetics, 2007, 27, 123-140.	0.3	30
2559	Calculation and Experimental Validation of 3-D Parallel Plate Sensor for Transient Electric Field Measurement. , 2007, , .		1
2560	Spherical Perfectly Matched Absorber for Finite-Volume 3-D Domain Truncation. IEEE Transactions on Microwave Theory and Techniques, 2007, 55, 2773-2781.	2.9	21
2561	Numerical Simulation of the FDTD Method in LabVIEW [Application Notes]. IEEE Microwave Magazine, 2007, 8, 90-99.	0.7	11
2562	Study of Using Fractional Spherical Phantom on SAR Evaluation. , 2007, , .		1
2563	TF/SF Boundary and PML-ABC for an Unconditionally Stable FDTD Method. IEEE Microwave and Wireless Components Letters, 2007, 17, 91-93.	2.0	21

#	ARTICLE	IF	CITATIONS
2564	SAR measurement simulation on urban structures using a FDTD technique. , 2007, , .		7
2565	An Efficient Implementation of the Stretched Coordinate Perfectly Matched Layer. IEEE Microwave and Wireless Components Letters, 2007, 17, 322-324.	2.0	13
2566	Convolutional Perfectly Matched Layer for an Unconditionally Stable LOD-FDTD Method. IEEE Microwave and Wireless Components Letters, 2007, 17, 816-818.	2.0	35
2567	An Investigation of the Accuracy of Finite-Volume Radial Domain Truncation Technique. , 2007, , .		5
2568	A Hybrid Finite Difference Frequency Domain and Particle Swarm Optimization Techniques for Forward and Inverse Electromagnetic Scattering Problems. , 2007, , .		5
2569	Mode Coupling Between Coupled First and Second Order Whispering-Gallery Modes in Coupled Two Microdisks. , 2007, , .		2
2570	Analysis of an Electromagnetic Field Created by Line Current Using Constrained Interpolation Profile Method. IEEE Transactions on Antennas and Propagation, 2007, 55, 111-119.	3.1	51
2571	Wide-Angle Shift-Map PE for a Piecewise Linear Terrain—A Finite-Difference Approach. IEEE Transactions on Antennas and Propagation, 2007, 55, 2773-2789.	3.1	46
2572	How to Create Complex FDTD FORTRAN and C Codes Simply with MATHEMATICA. IEEE Antennas and Propagation Magazine, 2007, 49, 59-67.	1.2	0
2573	Fast Large RCS Calculation Using the Boundary Element Method. Journal of Electromagnetic Waves and Applications, 2007, 21, 1959-1968.	1.0	6
2574	Simulations of Ferrite-Dielectric-Wire Composite Negative Index Materials. Physical Review Letters, 2007, 99, 057202.	2.9	52
2575	Modeling Antenna Feeds by Electric and Magnetic Current Sheets in Conjunction with the Method of Moments. , 2007, , .		1
2576	A Historical Perspective of System-Level TDFD EME Simulation. , 2007, , .		1
2577	PML Design for the M24 High-Order FDTD Algorithm. , 2007, , .		0
2578	A Simulation for Effects of RF Electromagnetic Radiation from A Mobile Handset on Eyes Model Using The Finite-Difference Time-Domain Method. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 5294-7.	0.5	5
2579	Employment of parasite element for extending the bandwidth of a linear horizontal spiral monopole. , 2007, , .		0
2580	Modeling and minimization of discretization error in one-dimensional PML's using FDTD. , 2007, , .		2
2581	Performance Evaluation of Separated Aperture Sensor GPR System for Land Mine Detection. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
2582	A nonsplit complex frequency-shifted PML based on recursive integration for FDTD modeling of elastic waves. <i>Geophysics</i> , 2007, 72, T9-T17.	1.4	122
2583	Leaky modes in twisted microstructured optical fibers. <i>Waves in Random and Complex Media</i> , 2007, 17, 559-570.	1.6	50
2584	Application of the nearly perfectly matched layer in acoustic wave modeling. <i>Geophysics</i> , 2007, 72, SM169-SM175.	1.4	61
2585	Implementation of Gaussian beam sources in FDTD for scattering problems. , 2007, , .		1
2586	Time reversal imaging for sensor networks with optimal compensation in time. <i>Journal of the Acoustical Society of America</i> , 2007, 121, 2071-2085.	0.5	41
2587	A Novel Optical Coupler Design With Graded-Index Photonic Crystals. <i>IEEE Photonics Technology Letters</i> , 2007, 19, 1532-1534.	1.3	26
2588	Comparison of Q -Factors Between TE and TM Modes in 3-D Microsquares by FDTD Simulation. <i>IEEE Photonics Technology Letters</i> , 2007, 19, 1831-1833.	1.3	21
2589	Electromagnetic models of the lightning return stroke. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	82
2590	An anatomically realistic whole-body pregnant-woman model and specific absorption rates for pregnant-woman exposure to electromagnetic plane waves from 10 MHz to 2 GHz. <i>Physics in Medicine and Biology</i> , 2007, 52, 6731-6745.	1.6	100
2591	Acoustic resonances in a high-lift configuration. <i>Journal of Fluid Mechanics</i> , 2007, 582, 179-202.	1.4	55
2592	Complex resonances and trapped modes in ducted domains. <i>Journal of Fluid Mechanics</i> , 2007, 571, 119-147.	1.4	70
2593	Experiments and Simulations of Microwave Negative Refraction in Split Ring and Wire Array Negative Index Materials, 2D Split-Ring Resonator and 2D Metallic Disk Photonic Crystals. <i>Springer Series in Materials Science</i> , 2007, , 217-250.	0.4	3
2594	LOCAL HIGH-ORDER ABSORBING BOUNDARY CONDITIONS FOR TIME-DEPENDENT WAVES IN GUIDES. <i>Journal of Computational Acoustics</i> , 2007, 15, 1-22.	1.0	42
2595	An unsplit convolutional perfectly matched layer improved at grazing incidence for the seismic wave equation. <i>Geophysics</i> , 2007, 72, SM155-SM167.	1.4	583
2596	Symmetry analysis and numerical simulation of mode characteristics for equilateral-polygonal optical microresonators. <i>Physical Review A</i> , 2007, 76, .	1.0	47
2597	Electromagnetic Scattering Using the Iterative Multiregion Technique. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2007, 2, 1-100.	0.2	22
2598	Closed-Form Metamaterial Blueprints for Electromagnetic Masking of Arbitrarily Shaped Convex PEC Objects. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2007, 6, 163-164.	2.4	29
2599	Analysis of Wideband Dielectric Resonator Antenna Arrays for Waveguide-Based Spatial Power Combining. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2007, 55, 1332-1340.	2.9	18

#	ARTICLE	IF	CITATIONS
2600	PERFORMANCE EVALUATION OF SEPARATED APERTURE SENSOR GPR SYSTEM FOR LAND MINE DETECTION. Progress in Electromagnetics Research, 2007, 72, 21-37.	1.6	13
2601	Numerical analysis of a slit-groove diffraction problem. Journal of the European Optical Society-Rapid Publications, 0, 2, .	0.9	75
2602	Impact Echo Array Technique for Concrete Structure NDT: Simulation Studies. AIP Conference Proceedings, 2007, , .	0.3	1
2603	ELECTROMAGNETIC SCATTERING FROM ARBITRARILY SHAPED CHIRAL OBJECTS USING THE FINITE DIFFERENCE FREQUENCY DOMAIN METHOD. Progress in Electromagnetics Research, 2007, 67, 1-24.	1.6	37
2604	COMPUTATIONAL MODELING ANALYSIS OF RADAR SCATTERING BY CLOTHING COVERED ARRAYS OF METALLIC BODY-WORN EXPLOSIVE DEVICES. Progress in Electromagnetics Research, 2007, 76, 285-298.	1.6	13
2605	Direct Numerical Aeroacoustics for low Mach numbers using one Unstructured Grid. ESAIM: Proceedings and Surveys, 2007, 16, 16-32.	0.4	0
2606	A review of practical numerical modelling methods for the advanced interpretation of ground-penetrating radar in near-surface environments. Near Surface Geophysics, 2007, 5, 5-21.	0.6	40
2607	INTEGRAL PML ABSORBING BOUNDARY CONDITIONS FOR THE HIGH-ORDER M24 FDTD ALGORITHM. Progress in Electromagnetics Research, 2007, 76, 141-152.	1.6	13
2608	An adaptive perfectly matched layer technique for 3-D time-harmonic electromagnetic scattering problems. Mathematics of Computation, 2007, 77, 673-699.	1.1	42
2609	The 2006 Ultrasonic Benchmark Problem " FDTD Simulations in 2D. AIP Conference Proceedings, 2007, , .	0.3	0
2610	Shallow-water equations. , 0, , 342-346.		2
2611	A boundary condition in Padé series for frequency-domain solution of wave propagation in unbounded domains. International Journal for Numerical Methods in Engineering, 2007, 69, 2330-2358.	1.5	31
2612	Structural topology optimization for the design of broadband dielectric resonator antennas using the finite difference time domain technique. International Journal for Numerical Methods in Engineering, 2007, 71, 1261-1296.	1.5	81
2613	Numerical solutions of Schrödinger equations in \mathbb{R}^3 . Numerical Methods for Partial Differential Equations, 2007, 23, 511-533.	2.0	19
2614	Finite-difference time-domain simulation of acoustic propagation in heterogeneous dispersive medium. Numerical Methods for Partial Differential Equations, 2007, 23, 1420-1428.	2.0	5
2615	Improving the performance of perfectly matched layers by means of hp-adaptivity. Numerical Methods for Partial Differential Equations, 2007, 23, 832-858.	2.0	50
2616	Characteristics of biological tissue equivalent phantoms applied to UWB communications. Electronics and Communications in Japan, 2007, 90, 48-55.	0.1	22
2617	Electromagnetic scattering simulation using an H(curl) conforming hp finite element method in three dimensions. International Journal for Numerical Methods in Fluids, 2007, 53, 1267-1296.	0.9	7

#	ARTICLE	IF	CITATIONS
2618	An MRI-dedicated parallel FDTD scheme. Concepts in Magnetic Resonance Part B, 2007, 31B, 147-161.	0.3	11
2619	An efficient state-space ADI-PML algorithm for truncating DNG metamaterial FDTD domains. Microwave and Optical Technology Letters, 2007, 49, 494-498.	0.9	7
2620	Shaped beam printed antenna with waveguide power divider for synthetic aperture radar applications. Microwave and Optical Technology Letters, 2007, 49, 832-835.	0.9	2
2621	Multicenter perfectly matched layer implementation for finite element mesh truncation. Microwave and Optical Technology Letters, 2007, 49, 827-832.	0.9	7
2622	Study of ground plane of dual-band patch antenna on SAR. Microwave and Optical Technology Letters, 2007, 49, 949-953.	0.9	1
2623	Small area right angle bends fabricated with hybrid conventional and interference lithography. Microwave and Optical Technology Letters, 2007, 49, 1300-1303.	0.9	3
2624	Retro-directive array with beam steering capability, made by coupled, self-oscillating mixers. Microwave and Optical Technology Letters, 2007, 49, 1303-1309.	0.9	4
2625	A novel radiation boundary condition for finite-element method. Microwave and Optical Technology Letters, 2007, 49, 1995-2002.	0.9	5
2626	Insight into RF power requirements and B1 field homogeneity for human MRI via rigorous FDTD approach. Journal of Magnetic Resonance Imaging, 2007, 25, 1235-1247.	1.9	39
2627	Electromagnetic and modeling analyses of an implanted device at 3 and 7 Tesla. Journal of Magnetic Resonance Imaging, 2007, 26, 1362-1367.	1.9	14
2628	Finite-difference time-domain simulation of dispersive features smaller than the grid spacing. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2007, 20, 311-326.	1.2	3
2629	Guided elastic waves and perfectly matched layers. Wave Motion, 2007, 44, 573-592.	1.0	70
2630	Complex frequency shifted convolution PML for FDTD modelling of elastic waves. Wave Motion, 2007, 44, 593-604.	1.0	84
2631	A FETI-like domain decomposition method for coupling finite elements and boundary elements in large-size problems of acoustic scattering. Computers and Structures, 2007, 85, 526-535.	2.4	41
2632	Discrete non-local boundary conditions for split-step Padé approximations of the one-way Helmholtz equation. Journal of Computational and Applied Mathematics, 2007, 200, 471-490.	1.1	17
2633	Error analysis and preconditioning for an enhanced DtN-FE algorithm for exterior scattering problems. Journal of Computational and Applied Mathematics, 2007, 204, 493-504.	1.1	5
2634	Dirichlet to Neumann map for domains with corners and approximate boundary conditions. Journal of Computational and Applied Mathematics, 2007, 204, 505-514.	1.1	5
2635	Analysis of one-dimensional Helmholtz equation with PML boundary. Journal of Computational and Applied Mathematics, 2007, 206, 586-598.	1.1	3

#	ARTICLE	IF	CITATIONS
2636	Corrective meshless particle formulations for time domain Maxwell's equations. Journal of Computational and Applied Mathematics, 2007, 210, 34-46.	1.1	20
2637	Simulation of outdoor sound propagation with a transmission line matrix method. Applied Acoustics, 2007, 68, 158-172.	1.7	21
2638	Nanoring as a magnetic or electric field sensitive nano-antenna for near-field optics applications. Optics Communications, 2007, 270, 447-454.	1.0	39
2639	Vector analysis of polarization properties of rectangle phase grating. Optics Communications, 2007, 271, 24-29.	1.0	2
2640	Diverse imaging of photonic crystal by the effects of channeling and partial band gap. Optik, 2007, 118, 100-102.	1.4	3
2641	Optimized high-order finite difference wave equations modeling on reconfigurable computing platform. Microprocessors and Microsystems, 2007, 31, 103-115.	1.8	4
2642	Three dimensional MPI parallel implementation of the PML algorithm for truncating finite-difference time-domain Grids. Parallel Computing, 2007, 33, 109-115.	1.3	4
2643	Cloaking and imaging effects in plasmonic checkerboards of negative and dielectric photonic crystal checkerboards. Photonics and Nanostructures - Fundamentals and Applications, 2007, 5, 63-72.	1.0	14
2644	Localization and increased damping in irregular acoustic cavities. Journal of Sound and Vibration, 2007, 299, 965-976.	2.1	32
2645	Well-posedness and exponential stability of Maxwell-like systems coupled with strongly absorbing layers. Journal Des Mathematiques Pures Et Appliquees, 2007, 87, 253-273.	0.8	6
2646	Perfectly matched layer boundary conditions for quantum phase space transport. Physics Letters, Section A: General, Atomic and Solid State Physics, 2007, 367, 288-290.	0.9	2
2647	Periodic nanostructures for photonics. Physics Reports, 2007, 444, 101-202.	10.3	399
2648	Computational rheoptics of liquid crystal polymers. Journal of Non-Newtonian Fluid Mechanics, 2007, 143, 10-21.	1.0	9
2649	Nonreflecting boundary condition for time-dependent multiple scattering. Journal of Computational Physics, 2007, 221, 41-62.	1.9	30
2650	The 3D wave equation and its Cartesian coordinate stretched perfectly matched embedding " A time-domain Green's function performance analysis. Journal of Computational Physics, 2007, 221, 88-105.	1.9	7
2651	An upwinding boundary condition capturing method for Maxwell's equations in media with material interfaces. Journal of Computational Physics, 2007, 225, 342-362.	1.9	4
2652	Open boundaries for the nonlinear Schrödinger equation. Journal of Computational Physics, 2007, 225, 1218-1232.	1.9	18
2653	Domain decomposition method for Maxwell's equations: Scattering off periodic structures. Journal of Computational Physics, 2007, 226, 477-493.	1.9	37

#	ARTICLE	IF	CITATIONS
2654	Continuous Galerkin methods for solving the time-dependent Maxwell equations in 3D geometries. <i>Journal of Computational Physics</i> , 2007, 226, 1122-1135.	1.9	16
2655	Near-field performance analysis of locally-conformal perfectly matched absorbers via Monte Carlo simulations. <i>Journal of Computational Physics</i> , 2007, 227, 1225-1245.	1.9	29
2656	The use of hybrid techniques at CERFACS for the solution of large problems on parallel machines. <i>Proceedings in Applied Mathematics and Mechanics</i> , 2007, 7, 1140501-1140502.	0.2	0
2657	Exactness of simplified scalar optical approaches in modelling a threshold operation of possible nitride vertical-cavity surface-emitting diode lasers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2007, 204, 3562-3573.	0.8	4
2658	Finite element simulation of radiation losses in photonic crystal fibers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2007, 204, 3822-3837.	0.8	16
2659	Adaptive finite element method for simulation of optical nano structures. <i>Physica Status Solidi (B): Basic Research</i> , 2007, 244, 3419-3434.	0.7	150
2660	Perfectly matched layer method in the finite-difference time-domain and frequency-domain calculations. <i>Physica Status Solidi (B): Basic Research</i> , 2007, 244, 3506-3514.	0.7	11
2661	Two-dimensional elastic full waveform inversion using Born and Rytov formulations in the frequency domain. <i>Geophysical Journal International</i> , 2007, 168, 605-633.	1.0	100
2662	Arbitrary high-order finite volume schemes for seismic wave propagation on unstructured meshes in 2D and 3D. <i>Geophysical Journal International</i> , 2007, 171, 665-694.	1.0	70
2663	An FE Tool for the Electromagnetic Analysis of Slow-Wave Helicoidal Structures in Traveling Wave Tubes. <i>IEEE Transactions on Magnetics</i> , 2007, 43, 1793-1796.	1.2	8
2664	Computation of Electromagnetic Fields in Assemblages of Biological Cells Using a Modified Finite-Difference Time-Domain Scheme. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2007, 55, 1986-1994.	2.9	12
2665	Numerical Electromagnetic Field Analysis for EMC Problems. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2007, 49, 253-262.	1.4	49
2666	Numerical Mode-Matching Method for Tilted-Coil Antennas in Cylindrically Layered Anisotropic Media With Multiple Horizontal Beds. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2007, 45, 2451-2462.	2.7	46
2667	Full-Waveform Inversion of Crosshole Radar Data Based on 2-D Finite-Difference Time-Domain Solutions of Maxwell's Equations. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2007, 45, 2807-2828.	2.7	189
2668	Selection of magnetic screens by numerical calculations. <i>Technical Physics</i> , 2007, 52, 1407-1415.	0.2	12
2669	NUMERICAL SIMULATIONS OF LONG-RANGE PLASMONIC TRANSMISSION LINES. , 2007, , 55-71.		0
2670	OVERVIEW OF SIMULATION TECHNIQUES FOR PLASMONIC DEVICES. , 2007, , 169-182.		23
2671	Lasing with Resonant Feedback in Weakly Scattering Random Systems. <i>Physical Review Letters</i> , 2007, 98, 143902.	2.9	136

#	ARTICLE	IF	CITATIONS
2672	Design of phononic materials/structures for surface wave devices using topology optimization. Structural and Multidisciplinary Optimization, 2007, 34, 111-121.	1.7	91
2673	Subwavelength imaging with two symmetrical interfaces by dielectric-tube photonic crystals. Applied Physics A: Materials Science and Processing, 2007, 87, 223-225.	1.1	0
2674	The finite difference time domain calculation of one-dimensional photonic crystals composed of repetitive metallic and dielectric layers. Applied Physics B: Lasers and Optics, 2007, 88, 425-432.	1.1	2
2675	An Efficient Hybrid Parabolic Equation " Integral Equation Method for the Analysis of Wave Propagation in Highly Complex Indoor Communication Environments. Wireless Personal Communications, 2007, 43, 495-510.	1.8	6
2676	UPML formulation for truncating conductive media in curvilinear coordinates. Numerical Algorithms, 2007, 46, 295-319.	1.1	6
2677	Investigation of the Purcell effect in photonic crystal cavities with a 3D Finite Element Maxwell Solver. Optical and Quantum Electronics, 2007, 39, 341-352.	1.5	27
2678	Split step non-paraxial finite difference method for 3D scalar wave propagation. Optical and Quantum Electronics, 2007, 39, 865-876.	1.5	11
2679	An efficient multi-domain spectral algorithm for the simulation of dispersive metallic structures in the time domain. Optical and Quantum Electronics, 2007, 39, 877-889.	1.5	1
2680	Unconditionally Stable Complex Envelope Wave Equation PML Algorithm for Band Limited FDTD Simulations. Journal of Infrared, Millimeter and Terahertz Waves, 2007, 28, 113-119.	0.6	2
2681	FINITE-DIFFERENCE TIME-DOMAIN ANALYSIS OF UNMAGNETIZED PLASMA PHOTONIC CRYSTALS. Journal of Infrared, Millimeter and Terahertz Waves, 2007, 27, 403-423.	0.6	45
2682	Complex Envelope Crank-Nicolson Nearly PML Algorithm for the Left-handed Material FDTD Simulations. Journal of Infrared, Millimeter and Terahertz Waves, 2007, 28, 691-698.	0.6	2
2683	Collisional, Nonuniform Plasma Sphere Scattering Calculation by FDTD Employing a Drude Model. Journal of Infrared, Millimeter and Terahertz Waves, 2007, 28, 987-992.	0.6	25
2684	Simple and Efficient PML Algorithm for Truncating Nonlinear FDTD Domains Based on the Z-Transform Method. Journal of Infrared, Millimeter and Terahertz Waves, 2007, 28, 1011-1024.	0.6	2
2685	Simulation of the Paraxial Laser Propagation Coupled with Hydrodynamics in 3D Geometry. Journal of Scientific Computing, 2007, 33, 1-24.	1.1	22
2686	Electromagnetic Power Absorption and Temperature Changes due to Brain Machine Interface Operation. Annals of Biomedical Engineering, 2007, 35, 825-834.	1.3	19
2687	Optical and Thermal Simulator for Laser-assisted Magnetic Recording. Optical Review, 2007, 14, 180-185.	1.2	10
2688	Reduction of mode Q-factor due to coupling between fundamental and first order whispering-gallery modes in coupled microdisks. Optoelectronics Letters, 2007, 3, 181-183.	0.4	0
2689	Trefftz-Based Methods for Time-Harmonic Acoustics. Archives of Computational Methods in Engineering, 2007, 14, 343-381.	6.0	90

#	ARTICLE	IF	CITATIONS
2690	Comparison of perfectly matched layer and multi-transmitting formula artificial boundary condition based on hybrid finite element formulation. <i>Acta Seismologica Sinica</i> , 2007, 20, 684-695.	0.2	0
2691	An optimal perfectly matched layer with unbounded absorbing function for time-harmonic acoustic scattering problems. <i>Journal of Computational Physics</i> , 2007, 223, 469-488.	1.9	171
2692	Application of the symplectic finite-difference time-domain scheme to electromagnetic simulation. <i>Journal of Computational Physics</i> , 2007, 225, 33-50.	1.9	38
2693	A perfectly matched layer approach to the nonlinear Schrödinger wave equations. <i>Journal of Computational Physics</i> , 2007, 227, 537-556.	1.9	97
2694	Numerical simulation of optical coupling and light propagation in coupled optical resonators with size disorder. <i>Applied Numerical Mathematics</i> , 2007, 57, 475-485.	1.2	11
2695	Electric field measurements and computational modeling at ultrahigh-field MRI. <i>Magnetic Resonance Imaging</i> , 2007, 25, 1222-1226.	1.0	10
2696	A novel method for FDTD numerical GPR imaging of arbitrary shapes based on Fourier transform. <i>NDT and E International</i> , 2007, 40, 140-146.	1.7	21
2697	High-order local absorbing conditions for the wave equation: Extensions and improvements. <i>Journal of Computational Physics</i> , 2008, 227, 3322-3357.	1.9	121
2698	Finite-difference modeling of the electroseismic logging in a fluid-saturated porous formation. <i>Journal of Computational Physics</i> , 2008, 227, 5633-5648.	1.9	62
2699	Numerical analysis of refractive index sensitivity of long-period gratings in photonic crystal fiber. <i>Sensors and Actuators B: Chemical</i> , 2008, 129, 99-105.	4.0	29
2700	Pseudo-spectral time-domain simulation of the transmission and the group delay of photonic devices. <i>Optical and Quantum Electronics</i> , 2008, 40, 1-12.	1.5	7
2701	An improved perfectly matched layer for the eigenmode expansion technique. <i>Optical and Quantum Electronics</i> , 2008, 40, 957-966.	1.5	12
2702	Finite difference split step method for non-paraxial semivectorial beam propagation in 3D. <i>Optical and Quantum Electronics</i> , 2008, 40, 933-942.	1.5	2
2703	2D Analysis of multimode photonic crystal resonant cavities with the finite volume time domain method. <i>Optical and Quantum Electronics</i> , 2008, 40, 875-890.	1.5	3
2704	Nonlinear Numerical Simulations of Magneto-Acoustic Wave Propagation in Small-Scale Flux Tubes. <i>Solar Physics</i> , 2008, 251, 589-611.	1.0	82
2705	A Legendre Pseudospectral Penalty Scheme for Solving Time-Domain Maxwell's Equations. <i>Journal of Scientific Computing</i> , 2008, 36, 351-390.	1.1	19
2706	Finite-Difference Time-Domain Algorithm for Dispersive Media Based on Runge-Kutta Exponential Time Differencing Method. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , 2008, 29, 323-328.	0.6	33
2707	Application of FDTD Method to the Analysis and Design of Leaky-Wave Antennas at Microwaves and Millimeter Waves. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , 2008, 29, 457-464.	0.6	1

#	ARTICLE	IF	CITATIONS
2708	Generation of Bessel Beams at mm- and Sub mm-wavelengths by Binary Optical Elements. Journal of Infrared, Millimeter and Terahertz Waves, 2008, 29, 693-703.	0.6	20
2709	Efficient parallel PML algorithms for truncating finite difference time domain simulations. Electrical Engineering, 2008, 90, 175-180.	1.2	2
2710	Perfectly matched layers in 1-d : energy decay for continuous and semi-discrete waves. Numerische Mathematik, 2008, 109, 597-634.	0.9	19
2711	V-shaped metal-dielectric multilayers for far-field subdiffraction imaging. Applied Physics B: Lasers and Optics, 2008, 92, 127-131.	1.1	5
2712	The influence of wire shape on surface plasmon mode distribution. Applied Physics B: Lasers and Optics, 2008, 93, 111-115.	1.1	8
2713	Improved directional emission by resonant defect cavity modes in a photonic crystal waveguide with corrugated surface. Applied Physics B: Lasers and Optics, 2008, 93, 849-852.	1.1	8
2714	FDTD analysis of ground-penetrating radar antennas with shields and absorbers. Frontiers of Electrical and Electronic Engineering in China: Selected Publications From Chinese Universities, 2008, 3, 90-95.	0.6	4
2715	MRI-based anatomical model of the human head for specific absorption rate mapping. Medical and Biological Engineering and Computing, 2008, 46, 1239-1251.	1.6	69
2716	Prestack reverse-time depth migration of arbitrarily wide-angle wave equations. Acta Seismologica Sinica, 2008, 21, 492-501.	0.2	4
2717	A kind of photonic crystal fiber with high birefringence and low confinement loss. Optoelectronics Letters, 2008, 4, 110-113.	0.4	3
2718	Advances in Iterative Methods and Preconditioners for the Helmholtz Equation. Archives of Computational Methods in Engineering, 2008, 15, 37-66.	6.0	125
2719	Riemann invariant manifolds for performance evaluation of absorbing boundary conditions for an acoustic waveguide. KSCE Journal of Civil Engineering, 2008, 12, 245-257.	0.9	1
2720	Predictive multiscale theory for design of heterogeneous materials. Computational Mechanics, 2008, 42, 147-170.	2.2	47
2721	Efficient Simulation of Elastic Waves Propagation in Anisotropic Media. Proceedings in Applied Mathematics and Mechanics, 2008, 8, 10687-10688.	0.2	0
2722	A FEM-based application for numerical calculations of ellipsometric data. Physica Status Solidi (A) Applications and Materials Science, 2008, 205, 945-948.	0.8	3
2723	Modified Z-transform-based FDTD algorithm for the anisotropic perfectly matched layer. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2008, 21, 279-286.	1.2	3
2724	On the development of efficient FDTD-PML formulations for general dispersive media. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2008, 21, 395-411.	1.2	13
2725	Unconditionally stable locally one dimensional wave equation PML algorithm for truncating FDTD simulations. Microwave and Optical Technology Letters, 2008, 50, 18-22.	0.9	2

#	ARTICLE	IF	CITATIONS
2726	Efficient finite element solution of low-frequency scattering problems via anisotropic metamaterial layers. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 639-646.	0.9	10
2727	Perfectly matched layers backed with the first order impedance boundary condition for the time-domain finite element solution of waveguide problems. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 838-843.	0.9	7
2728	Analysis of the double negative metamaterials using FDTD. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 1411-1414.	0.9	5
2729	Design of compact size tapered slot antenna. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 1761-1763.	0.9	7
2730	Improved implementation of the Mur first-order absorbing boundary condition in the ADI-FDTD method. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 1757-1761.	0.9	11
2731	Leaky mode analysis of optical waveguides by Legendre and Laguerre pseudospectral method. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 2507-2509.	0.9	3
2732	A continued fraction based high-order transmitting boundary for wave propagation in unbounded domains of arbitrary geometry. <i>International Journal for Numerical Methods in Engineering</i> , 2008, 74, 209-237.	1.5	116
2733	Multiscale resolution of shortwave-longwave interaction. <i>Communications on Pure and Applied Mathematics</i> , 2009, 62, 82-124.	1.2	5
2734	Finite element approximation of the modified Boussinesq equations using a stabilized formulation. <i>International Journal for Numerical Methods in Fluids</i> , 2008, 57, 1249-1268.	0.9	23
2735	Simulation of laser propagation in a plasma with a frequency wave equation. <i>Journal of Computational Physics</i> , 2008, 227, 2610-2625.	1.9	7
2736	Absorbing boundary conditions for nonlinear Euler and Navier-Stokes equations based on the perfectly matched layer technique. <i>Journal of Computational Physics</i> , 2008, 227, 4398-4424.	1.9	94
2737	Dissipative terms and local time-stepping improvements in a spatial high order Discontinuous Galerkin scheme for the time-domain Maxwell's equations. <i>Journal of Computational Physics</i> , 2008, 227, 6795-6820.	1.9	112
2738	Lacunae based stabilization of PMLs. <i>Journal of Computational Physics</i> , 2008, 227, 7322-7345.	1.9	14
2739	A Schwarz generalized eigen-oscillation spectral element method (GeSEM) for 2-D high frequency electromagnetic scattering in dispersive inhomogeneous media. <i>Journal of Computational Physics</i> , 2008, 227, 9933-9954.	1.9	2
2740	T-shaped channel-drop filters using photonic crystal ring resonators. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2008, 40, 3151-3154.	1.3	95
2741	Heterostructure wavelength division demultiplexers using photonic crystal ring resonators. <i>Optics Communications</i> , 2008, 281, 4028-4032.	1.0	144
2742	A novel integrated method realizing iteratively optimized modeling for proximity field patterning nanolithography. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2008, 6, 69-80.	1.0	1
2743	New regime map of the geometric optics approximation for scattering from random rough surfaces. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2008, 109, 180-188.	1.1	25

#	ARTICLE	IF	CITATIONS
2744	Perfectly matched layers for modelling seismic oceanography experiments. <i>Journal of Sound and Vibration</i> , 2008, 317, 354-365.	2.1	11
2745	Modified electrode architecture for efficient and air-stable polymer solar cells based on P3HT:PCBM. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008, 194, 161-166.	2.0	9
2746	Weighted $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll" \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle L \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle \text{mml:mi} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle$ theory of the Stokes and the bilaplacian operators in the half-space. <i>Journal of Mathematical Analysis and Applications</i> , 2008, 342, 220-245.	0.5	7
2747	Numerical stabilities and boundary conditions in time-domain Eulerian simulations of acoustic wave propagations with and without background flow. <i>Applied Mathematics and Computation</i> , 2008, 202, 146-161.	1.4	23
2748	Achievements in the numerical modeling of fan noise radiation from aero-engines. <i>Aerospace Science and Technology</i> , 2008, 12, 105-113.	2.5	14
2749	A fast immersed boundary method using a nullspace approach and multi-domain far-field boundary conditions. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2008, 197, 2131-2146.	3.4	214
2750	Treatment of acoustic fluid-structure interaction by localized Lagrange multipliers: Formulation. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2008, 197, 3057-3079.	3.4	47
2751	Development of PML absorbing boundary conditions for computational aeroacoustics: A progress review. <i>Computers and Fluids</i> , 2008, 37, 336-348.	1.3	50
2752	An ultra-weak method for acoustic fluid-solid interaction. <i>Journal of Computational and Applied Mathematics</i> , 2008, 213, 166-185.	1.1	30
2753	A Fourier spectral-discontinuous Galerkin method for time-dependent 3-D Schrödinger-Poisson equations with discontinuous potentials. <i>Journal of Computational and Applied Mathematics</i> , 2008, 220, 588-614.	1.1	15
2754	Comparison of linear and quadratic hexahedral edge elements in electromagnetic scattering problems. <i>AEU - International Journal of Electronics and Communications</i> , 2008, 62, 582-587.	1.7	3
2755	Guiding acoustic waves with graded phononic crystals. <i>Solid State Communications</i> , 2008, 148, 74-77.	0.9	26
2756	Maximization of the quality factor of an optical resonator. <i>Wave Motion</i> , 2008, 45, 412-427.	1.0	39
2757	Microstubs resonators integrated to bent Y-branch waveguide. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2008, 6, 26-31.	1.0	5
2758	High spatial resolution imaging in a clipping Kagomé lattice photonic crystal. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2008, 6, 219-224.	1.0	6
2759	Coordinate stretching for finite difference optical waveguide mode solvers. <i>Optics Communications</i> , 2008, 281, 2491-2497.	1.0	2
2760	The competition between two polarization states in two-dimensional random medium. <i>Optics Communications</i> , 2008, 281, 2964-2969.	1.0	10
2761	Time evolution of power spectra from two-dimensional passive random media with different shapes. <i>Optics Communications</i> , 2008, 281, 3856-3860.	1.0	2

#	ARTICLE	IF	CITATIONS
2762	Analysis of directional emission via surface modes on photonic crystals. Optics Communications, 2008, 281, 5349-5354.	1.0	6
2763	Analysis on polarization dependence of Fraunhofer diffraction by metallic grating with short period. Optics and Laser Technology, 2008, 40, 201-207.	2.2	2
2764	Leaky modes of optical waveguides with varied refractive index for microchip optical interconnect applications – Asymptotic solutions. Microelectronics Reliability, 2008, 48, 555-562.	0.9	13
2765	Localisation and damping in resonators with complex geometry. European Physical Journal: Special Topics, 2008, 161, 225-232.	1.2	10
2766	Focusing properties of two types of diffractive photonic crystal lens. Optical Memory and Neural Networks (Information Optics), 2008, 17, 244-248.	0.4	8
2767	Asymptotic solutions of the leaky modes and PML modes in a Pekeris waveguide. Wave Motion, 2008, 45, 207-216.	1.0	15
2768	Implementation of perfectly matched layers in an arbitrary geometrical boundary for elastic wave modelling. Geophysical Journal International, 2008, 174, 1029-1036.	1.0	21
2769	A support-operator method for viscoelastic wave modelling in 3-D heterogeneous media. Geophysical Journal International, 2008, 172, 331-344.	1.0	45
2770	Parsimonious finite-volume frequency-domain method for 2-DP-SV-wave modelling. Geophysical Journal International, 2008, 175, 541-559.	1.0	65
2771	Spectral-element simulations of wave propagation in porous media. Geophysical Journal International, 2008, 175, 301-345.	1.0	112
2772	The Modeling of Diffuse Boundaries in the 2-D Digital Waveguide Mesh. IEEE Transactions on Audio Speech and Language Processing, 2008, 16, 651-665.	3.8	8
2773	Breast Surface Estimation for Radar-Based Breast Imaging Systems. IEEE Transactions on Biomedical Engineering, 2008, 55, 1678-1686.	2.5	43
2774	Novel Specific Absorption Rate (SAR) Measurement Method Using a Flat Solid Phantom. IEEE Transactions on Electromagnetic Compatibility, 2008, 50, 43-51.	1.4	17
2775	An Imaging HF GPR Using Stationary Antennas: Experimental Validation Over the Antarctic Ice Sheet. IEEE Transactions on Geoscience and Remote Sensing, 2008, 46, 3975-3986.	2.7	20
2776	Side-Face Effect of a Dielectric Strip on Its Optical Properties. IEEE Transactions on Geoscience and Remote Sensing, 2008, 46, 2337-2344.	2.7	7
2777	Finite-Element Analysis of Cylindrical Invisibility Cloaks of Elliptical Cross Section. IEEE Transactions on Magnetics, 2008, 44, 1150-1153.	1.2	35
2778	Mixed Methods for Magnetodynamics in Unbounded Multiply Connected Domains. IEEE Transactions on Magnetics, 2008, 44, 762-765.	1.2	0
2779	Optimized (2,4) FDTD Method for Conducting Media. IEEE Transactions on Magnetics, 2008, 44, 1370-1373.	1.2	2

#	ARTICLE	IF	CITATIONS
2780	A Novel Technique Combining CIP Method With FDTD Method for Implementing Efficient Absorbing Boundary Condition in 3-D High Frequency Electromagnetic Field Analysis. IEEE Transactions on Magnetics, 2008, 44, 1470-1473.	1.2	0
2781	Accurate Physical Modeling of Discretization Error in 1-D Perfectly Matched Layers Using Finite-Difference Time-Domain Method. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 2076-2085.	2.9	1
2782	Improved Finite-Difference Time-Domain Algorithm Based on Error Control for Lossy Materials. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 1440-1445.	2.9	2
2783	A practical guide to 3-D simulation. IEEE Microwave Magazine, 2008, 9, 62-75.	0.7	94
2784	Convolution-Perfectly Matched Layer (C-PML) absorbing boundary condition for wave propagation in piezoelectric solid. , 2008, , .		3
2785	Variability analysis of SAR from 20 MHz to 2.4 GHz for different adult and child models using finite-difference time-domain. Physics in Medicine and Biology, 2008, 53, 1511-1525.	1.6	157
2786	Velocity model building by 3D frequency-domain, full-waveform inversion of wide-aperture seismic data. Geophysics, 2008, 73, VE101-VE117.	1.4	112
2787	Perfect Metamaterial Absorber. Physical Review Letters, 2008, 100, 207402.	2.9	5,705
2788	A Nonconvolutional, Split-Field, Perfectly Matched Layer for Wave Propagation in Isotropic and Anisotropic Elastic Media: Stability Analysis. Bulletin of the Seismological Society of America, 2008, 98, 1811-1836.	1.1	160
2789	Underwater FDTD Simulation at Extremely Low Frequencies. IEEE Antennas and Wireless Propagation Letters, 2008, 7, 661-664.	2.4	16
2790	Tailoring the resonances of surface plasmas on fractal-featured metal film by adjusting aperture configuration. Applied Physics Letters, 2008, 92, 151902.	1.5	13
2791	A Posteriori Error Analysis and Adaptive Finite Element Methods for Electromagnetic and Acoustic Problems. , 2008, , 39-64.		0
2792	Regional seismic observations of the 9 October 2006 underground nuclear explosion in North Korea and the influence of crustal structure on regional phases. Journal of Geophysical Research, 2008, 113, .	3.3	51
2793	Broadband Polarizers Using Dual-Layer Metallic Nanowire Grids. IEEE Photonics Technology Letters, 2008, 20, 697-699.	1.3	19
2794	Numerical Simulation of Wave Propagation, Part II: Parallel Computing. Computing in Science and Engineering, 2008, 10, 76-83.	1.2	1
2795	Numerical Simulation of Wave Propagation, Part I: Sequential Computing. Computing in Science and Engineering, 2008, 10, 66-75.	1.2	5
2796	FDTD analysis of the left-handed materials and its application in microwave absorbing stealth materials. , 2008, , .		0
2797	First Approach to the Analysis of the Lasing Conditions in POLIPHENÂ© Structures. Molecular Crystals and Liquid Crystals, 2008, 488, 135-147.	0.4	5

#	ARTICLE	IF	CITATIONS
2799	Interaction of Electromagnetic Waves with Two-Dimensional Metal Covered with Radar Absorbing Material and Plasma. <i>Plasma Science and Technology</i> , 2008, 10, 717-723.	0.7	18
2801	An Immersed Boundary Method for Aeroacoustics Problems. , 2008, , .		4
2802	Passive Control of the Flow Around the Stratospheric Observatory for Infrared Astronomy. , 2008, , .		5
2803	Finite-difference time-domain synthesis of infrasound propagation through an absorbing atmosphere. <i>Journal of the Acoustical Society of America</i> , 2008, 124, 1430-1441.	0.5	42
2804	Computing the far field scattered or radiated by objects inside layered fluid media using approximate Green's functions. <i>Journal of the Acoustical Society of America</i> , 2008, 123, 4051-4058.	0.5	40
2805	Runge-Kutta exponential time differencing FDTD method for anisotropic magnetized plasma. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2008, 7, 306-309.	2.4	30
2806	Simulations of photoacoustic wave propagation using a finite-difference time-domain method with Berenger's perfectly matched layers. <i>Journal of the Acoustical Society of America</i> , 2008, 124, 3471-3480.	0.5	12
2807	Systematic Computational Study of the Effect of Silver Nanoparticle Dimers on the Coupled Emission from Nearby Fluorophores. <i>Journal of Physical Chemistry C</i> , 2008, 112, 11236-11249.	1.5	77
2808	A pretty good sponge: Dealing with open boundaries in limited-area ocean models. <i>Ocean Modelling</i> , 2008, 20, 270-292.	1.0	50
2809	Modeling of piezoelectric transducers with combined pseudospectral and finite-difference methods. <i>Journal of the Acoustical Society of America</i> , 2008, 123, 4165-4173.	0.5	21
2810	Unified approach to split absorbing boundary conditions for nonlinear Schrödinger equations. <i>Physical Review E</i> , 2008, 78, 026709.	0.8	47
2811	Three-dimensional vector holograms in anisotropic photoreactive liquid-crystal composites. <i>Applied Optics</i> , 2008, 47, 2192.	2.1	27
2812	Numerical analysis of bent waveguides: bending loss, transmission loss, mode coupling, and polarization coupling. <i>Applied Optics</i> , 2008, 47, 2961.	2.1	26
2813	Ultrafast low-threshold all-optical switch implemented by arrays of ring resonators coupled to a Mach-Zehnder interferometer arm: based on 2D photonic crystals. <i>Applied Optics</i> , 2008, 47, 5041.	2.1	41
2814	Mode Coupling and Vertical Radiation Loss for Whispering-Gallery Modes in 3-D Microcavities. <i>Journal of Lightwave Technology</i> , 2008, 26, 1411-1416.	2.7	22
2815	Improved Full-Vector Finite-Difference Complex Mode Solver for Optical Waveguides of Circular Symmetry. <i>Journal of Lightwave Technology</i> , 2008, 26, 1868-1876.	2.7	63
2816	Loss Reduction Mechanism for Coupled Cavity Waveguides in One-Dimensional Photonic Crystals. <i>Journal of Lightwave Technology</i> , 2008, 26, 3461-3467.	2.7	7
2817	Coupled Waveguide Polarization Splitter With Slightly Different Core Widths. <i>Journal of Lightwave Technology</i> , 2008, 26, 3528-3533.	2.7	33

#	ARTICLE	IF	CITATIONS
2818	Application of the pseudospectral time-domain method to the scattering of light by nonspherical particles. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2008, 25, 785.	0.8	29
2819	Spectral and spatial properties of the spontaneous emission enhancement in photonic crystal cavities. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2008, 25, 31.	0.9	26
2820	Subgridding in the finite-difference time-domain method for simulating the interaction of terahertz radiation with metal. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2008, 25, 279.	0.9	4
2821	Optimized split-step method for modeling nonlinear pulse propagation in fiber Bragg gratings. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2008, 25, 448.	0.9	17
2822	Coupled-mode analysis of photonic crystal add-drop filters based on ring resonators. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2008, 25, 1829.	0.9	22
2823	Uncoupled modes and all-angle negative refraction in walled honeycomb photonic crystals. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2008, 25, C75.	0.9	6
2824	Detection of Methane and Ethane by Continuous-Wave Cavity Ring-Down Spectroscopy Near 1.67 μ m. <i>Journal of the Optical Society of Korea</i> , 2008, 12, 1-6.	0.6	6
2825	Properties of Surface Modes Used for Directional Emission from Photonic Crystal Waveguides. <i>Journal of the Optical Society of Korea</i> , 2008, 12, 7-12.	0.6	4
2826	Effects of Surface Termination on Directional Emission from Photonic Crystal Waveguides. <i>Journal of the Optical Society of Korea</i> , 2008, 12, 13-18.	0.6	4
2827	Increase of Q-factor in photonic crystal H1-defect nanocavities after closing of photonic bandgap with optimal slab thickness. <i>Optics Express</i> , 2008, 16, 448.	1.7	36
2828	High numerical aperture vectorial imaging in coherent optical microscopes. <i>Optics Express</i> , 2008, 16, 507.	1.7	64
2829	Reflection minimization at two-dimensional photonic crystal interfaces. <i>Optics Express</i> , 2008, 16, 4270.	1.7	61
2830	Compact waveguide splitter networks. <i>Optics Express</i> , 2008, 16, 4981.	1.7	15
2831	Design and tolerance analysis of a low bending loss hole-assisted fiber using statistical design methodology. <i>Optics Express</i> , 2008, 16, 5061.	1.7	16
2832	Full-wave finite-difference time-domain simulation of electromagnetic cloaking structures. <i>Optics Express</i> , 2008, 16, 6717.	1.7	112
2833	Selective optical-optical switching for planar plasmonic waveguides and nodes. <i>Optics Express</i> , 2008, 16, 8198.	1.7	4
2834	Bend performance-enhanced photonic crystal fibers with anisotropic numerical aperture. <i>Optics Express</i> , 2008, 16, 8532.	1.7	18
2835	The failure of perfectly matched layers, and towards their redemption by adiabatic absorbers. <i>Optics Express</i> , 2008, 16, 11376.	1.7	96

#	ARTICLE	IF	CITATIONS
2836	Perfectly matched layer absorption boundary condition in planewave based transfer-scattering matrix method for photonic crystal device simulation. <i>Optics Express</i> , 2008, 16, 11548.	1.7	6
2837	Reconfigurable multimode photonic-crystal waveguides. <i>Optics Express</i> , 2008, 16, 11995.	1.7	27
2838	Photonic nanojet-enabled optical data storage. <i>Optics Express</i> , 2008, 16, 13713.	1.7	140
2839	Graded negative index lens by photonic crystals. <i>Optics Express</i> , 2008, 16, 16941.	1.7	55
2840	The complex Jacobi iterative method for three-dimensional wide-angle beam propagation. <i>Optics Express</i> , 2008, 16, 17021.	1.7	20
2841	Photonic crystal with multiple-hole defect for sensor applications. <i>Optics Express</i> , 2008, 16, 18188.	1.7	40
2842	Efficient beaming of self-collimated light from photonic crystals. <i>Optics Express</i> , 2008, 16, 20354.	1.7	20
2843	Flatband Slow Light in Asymmetric Line-Defect Photonic Crystal Waveguide Featuring Low Group Velocity and Dispersion. <i>IEEE Journal of Quantum Electronics</i> , 2008, 44, 763-769.	1.0	33
2844	Time-Domain Finite-Difference and Finite-Element Methods for Maxwell Equations in Complex Media. <i>IEEE Transactions on Antennas and Propagation</i> , 2008, 56, 2150-2166.	3.1	182
2845	Full-Vectorial Optical Waveguide Mode Solvers Using Multidomain Pseudospectral Frequency-Domain (PSFD) Formulations. <i>IEEE Journal of Quantum Electronics</i> , 2008, 44, 56-66.	1.0	57
2846	Finite Element Analysis of Photonic Crystal Rods With Inhomogeneous Anisotropic Refractive Index Tensor. <i>IEEE Journal of Quantum Electronics</i> , 2008, 44, 150-156.	1.0	11
2847	PML Enhanced with a Self-Adaptive Goal-Oriented Finite Element Method: Simulation of Through-Casing Borehole Resistivity Measurements. <i>SIAM Journal of Scientific Computing</i> , 2008, 30, 2948-2964.	1.3	31
2848	Asymptotic and Numerical Techniques for Resonances of Thin Photonic Structures. <i>SIAM Journal on Applied Mathematics</i> , 2008, 69, 37-63.	0.8	20
2849	The Discontinuous Galerkin Method for the Multiscale Modeling of Dynamics of Crystalline Solids. <i>Multiscale Modeling and Simulation</i> , 2008, 7, 294-320.	0.6	7
2850	Reduction in mutual coupling characteristics of slot-coupled planar antenna due to rectangular elements. , 2008, , .		2
2851	Scattering from bodies coated with metamaterial using FDFD method. , 2008, , .		6
2852	High-order parabolic equation method for electromagnetic computation. , 2008, , .		1
2853	Transparent Boundary Conditions for Time-Dependent Problems. <i>SIAM Journal of Scientific Computing</i> , 2008, 30, 2358-2385.	1.3	14

#	ARTICLE	IF	CITATIONS
2854	An Exact Bounded Perfectly Matched Layer for Time-Harmonic Scattering Problems. SIAM Journal of Scientific Computing, 2008, 30, 312-338.	1.3	45
2855	Universally applicable uniaxial perfect matched layer formulation for explicit and implicit finite difference time domain algorithms. IET Microwaves, Antennas and Propagation, 2008, 2, 668-676.	0.7	5
2856	Modified piecewise linear current density recursive convolution finite-difference time-domain method for anisotropic magnetised plasmas. IET Microwaves, Antennas and Propagation, 2008, 2, 677-685.	0.7	4
2857	Analysis and optimisation of high-density photonic crystal devices in a subsystem by use of finite difference time domain. IET Optoelectronics, 2008, 2, 10-15.	1.8	3
2858	Wentzel-Kramer-Brillouin and finite-difference time-domain analysis of Terahertz band electromagnetic characteristics of target coated with unmagnetized plasma. Journal of Systems Engineering and Electronics, 2008, 19, 15-20.	1.1	14
2859	Breast cancer detection using a hybrid Finite difference frequency domain and particle swarm optimization techniques. , 2008, , .		13
2860	Estimating specific absorption rates in pregnant women by using models at 12-, 20-, and 26-weeks' gestation for plane wave exposures. , 2008, , .		13
2861	Electromagnetic models of lightning. , 2008, , .		2
2862	Defect characterization using an ultrasonic array to measure the scattering coefficient matrix. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2008, 55, 2254-2265.	1.7	111
2863	Development of Anatomically Realistic Whole-Body Models of Children and their Use in Electromagnetic Dosimetry. , 2008, , .		7
2864	Mode solvers and mode expansion methods for integrated photonics. , 2008, , .		0
2865	Analysis of RF exposure in the head tissues of children and adults. Physics in Medicine and Biology, 2008, 53, 3681-3695.	1.6	282
2866	Near zone to far zone transformation with mixed finite-difference time-domain and frequency-domain. , 2008, , .		1
2867	A COMBINATION OF Dirichlet to Neumann operators and perfectly matched layers as boundary conditions for optical finite element simulations. , 2008, , .		0
2868	Conformal Perfectly Matched Layer for the Mixed Finite Element Time-Domain Method. IEEE Transactions on Antennas and Propagation, 2008, 56, 1017-1026.	3.1	45
2869	Analysis of Radiated Fields for the Design of a RJ45 Connector Using FDTD Method. IEEE Transactions on Antennas and Propagation, 2008, 56, 1041-1047.	3.1	3
2870	Study of electric field radiated by WiFi sources inside an aircraft - 3D computations and real tests. , 2008, , .		5
2871	FDTD analysis of 2-D unmagnetized plasma photonic crystals. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
2872	All-angle zero reflection at metamaterial surfaces. Applied Physics Letters, 2008, 93, .	1.5	16
2873	Wide-band acoustic collimating by phononic crystal composites. Applied Physics Letters, 2008, 92, .	1.5	74
2874	An Adjoint Enhanced Reduced-Order Model for Monostatic RCS Computation. Electromagnetics, 2008, 28, 54-76.	0.3	20
2875	The Discontinuous Galerkin Finite Element Time Domain method (DGFETD). , 2008, , .		13
2876	Analysis of on-body propagation channel using a hybrid technique combining the equivalence principle and FDTD. , 2008, , .		1
2877	Study of using fractional phantom head model on SAR evaluation in mobile antenna design. , 2008, , .		1
2878	Conformal perfectly matched absorber for finite-volume time-domain simulations. , 2008, , .		3
2879	Electromagnetic field strength assessment errors in flat roof vicinities. , 2008, , .		0
2880	Terminal Impedance and Antenna Current Distribution of a VLF Electric Dipole in the Inner Magnetosphere. IEEE Transactions on Antennas and Propagation, 2008, 56, 2454-2468.	3.1	33
2881	Magnifying perfect lens and superlens design by coordinate transformation. Physical Review B, 2008, 77, .	1.1	132
2882	Light Wave Propagation and Bragg Diffraction in Thick Polarization Gratings. Japanese Journal of Applied Physics, 2008, 47, 7963.	0.8	11
2883	Single-Molecule Studies on Fluorescently Labeled Silver Particles: Effects of Particle Size. Journal of Physical Chemistry C, 2008, 112, 18-26.	1.5	107
2884	Proportion-corrected scaled voxel models for Japanese children and their application to the numerical dosimetry of specific absorption rate for frequencies from 30 MHz to 3 GHz. Physics in Medicine and Biology, 2008, 53, 6695-6711.	1.6	82
2885	Plasmon tuning and local field enhancement maximization of the nanocrescent. Nanotechnology, 2008, 19, 275201.	1.3	56
2886	A model for sonar interrogation of complex bottom and surface targets in shallow-water waveguides. Journal of the Acoustical Society of America, 2008, 123, 2024-2034.	0.5	11
2887	Light trapping and absorption optimization in certain thin-film photonic crystal architectures. Physical Review A, 2008, 78, .	1.0	165
2888	Modelling the interaction of electromagnetic fields (10 MHz to 10 GHz) with the human body: methods and applications. Physics in Medicine and Biology, 2008, 53, R243-R286.	1.6	115
2889	Compact Antenna for Microwave Imaging Systems. , 2008, , .		7

#	ARTICLE	IF	CITATIONS
2890	Finite Element Analysis of Complex Antennas and Arrays. IEEE Transactions on Antennas and Propagation, 2008, 56, 2222-2240.	3.1	31
2891	A thin conducting sheet (TCS) model in 3D FDTD : Implementation and validation. , 2008, , .		2
2892	A scanning device for VIS&NIR multispectral imaging of paintings. Journal of Optics, 2008, 10, 064011.	1.5	33
2893	MAID: a model to simulate UT/LS aerosols and ice clouds. Environmental Research Letters, 2008, 3, 035001.	2.2	13
2894	Rod shape optimization in photonic crystal bends by the finite element method. Proceedings of SPIE, 2008, , .	0.8	0
2895	Bending loss, transition loss, mode coupling, and polarization coupling in bent waveguides. , 2008, , .		1
2897	A new modified perfectly matched layer(PML) without split-field. , 2008, , .		0
2898	Effectiveness of 2D FDTD Ground Penetrating Radar Modeling for Bridge Deck Deterioration Evaluated by 3D FDTD. , 2008, , .		2
2899	Numerical optimization of gold-dielectric nanoparticle heterostructures for surface plasmon resonance engineering. Proceedings of SPIE, 2008, , .	0.8	0
2900	A New implementation of the uniaxial perfectly matched layer. , 2008, , .		0
2901	Use of the Techniques for Uniaxial Medium in General Curvilinear Coordinates. IEEE Latin America Transactions, 2008, 6, 382-388.	1.2	0
2902	Novel design of photonic crystal dense wavelength multiplexer based on nonlinear effect. Proceedings of SPIE, 2008, , .	0.8	0
2903	Efficient coupling of light into the planar photonic crystal waveguides in the slow group velocity regime. Proceedings of SPIE, 2008, , .	0.8	8
2904	Inversion of Surface Waves in Complex Structures. , 2008, , .		0
2905	On the use of PML for the computation of leaky modes. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2008, 27, 95-109.	0.5	43
2906	Subwavelength Diffractive Photonic Crystal Lens. , 2008, , .		2
2907	Comparisons of current distributions in shoe-wearing and barefoot human models with and without clothes. , 2008, , .		0
2908	The Energy Absorbed in the Human Head Due to Ring-Type Jewelry and Face-Illuminating Mobile Phones Using a Dipole and a Realistic Source. IEEE Transactions on Antennas and Propagation, 2008, 56, 3812-3817.	3.1	13

#	ARTICLE	IF	CITATIONS
2909	FDTD method for EM propagation in plasma with perpendicular magnetic declination. , 2008, , .		0
2910	Determination of gain for pyramidal-horn antenna on basis of phase center location. , 2008, , .		7
2911	A novel boundary element method with surface conductive absorbers for 3-D analysis of nanophotonics. , 2008, , .		1
2912	On the effects of straight metallic jewellery on the specific absorption rates resulting from face-illuminating radio communication devices at popular cellular frequencies. <i>Physics in Medicine and Biology</i> , 2008, 53, 1167-1182.	1.6	28
2913	Fabrication and Analysis of GaAs Triangular Two-Dimensional Photonic Crystals on Silicon Wafers. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 7453-7458.	0.8	3
2914	An efficient FDTD implementation of the CFS-PML based on the ADE method and its validation along with the PLRC method in dispersive media. , 2008, , .		2
2915	Excitonic optical absorption in semiconductors under intense terahertz radiation. <i>Chinese Physics B</i> , 2008, 17, 4285-4291.	0.7	8
2916	Study of mur‘s and UPML absorbing boundary condition for the LOD-FDTD method. , 2008, , .		4
2917	Real time physics. , 2008, , .		43
2918	Optimal design of nanoplasmonic materials using genetic algorithms as a multiparameter optimization tool. <i>Journal of Chemical Physics</i> , 2008, 129, 064706.	1.2	17
2919	A finite difference analysis of the field present behind an acoustically impenetrable two-layer barrier. <i>Journal of the Acoustical Society of America</i> , 2008, 123, 4210-4217.	0.5	4
2920	A homogenization route towards square cylindrical acoustic cloaks. <i>New Journal of Physics</i> , 2008, 10, 115030.	1.2	46
2921	Microwave Early Detection of Breast Cancers Using a Virtual-Focus Scanning Method. <i>Electromagnetic Biology and Medicine</i> , 2008, 27, 312-322.	0.7	1
2922	Study of ITER plasma position reflectometer using a two-dimensional full-wave finite-difference time domain code. <i>Review of Scientific Instruments</i> , 2008, 79, 10F104.	0.6	6
2923	INVESTIGATION OF 3D ACOUSTICAL EFFECTS USING A MULTIPROCESSING PARABOLIC EQUATION BASED ALGORITHM. <i>Journal of Computational Acoustics</i> , 2008, 16, 137-162.	1.0	8
2924	Modern EMC Analysis Techniques Volume I: Time-Domain Computational Schemes. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2008, 3, 1-224.	0.2	5
2925	An unsplit convolutional perfectly matched layer improved at grazing incidence for seismic wave propagation in poroelastic media. <i>Geophysics</i> , 2008, 73, T51-T61.	1.4	124
2926	Design of an arbitrarily bent beam splitter for optical interconnections based on co-directional coupling mechanism. <i>Journal of Optics</i> , 2008, 10, 125303.	1.5	3

#	ARTICLE	IF	CITATIONS
2927	An improvement in the absorbing boundary technique for numerical simulation of elastic wave propagation. <i>Journal of Geophysics and Engineering</i> , 2008, 5, 203-209.	0.7	14
2928	The theoretic analysis of maskless surface plasmon resonant interference lithography by prism coupling. <i>Chinese Physics B</i> , 2008, 17, 2499-2503.	0.7	15
2929	Critical comparison of three modal methods: bidirectional eigenmode expansion propagation method, aperiodic rigorous coupled mode analysis, and harmonic expansion method. , 2008, , .		2
2930	Propagating plasmonic mode in nanoscale apertures and its implications for extraordinary transmission. <i>Journal of Nanophotonics</i> , 2008, 2, 021790.	0.4	51
2931	Geometrical transformations and equivalent materials in computational electromagnetism. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2008, 27, 806-819.	0.5	67
2932	Acoustic resonances and trapped modes in pipes and tunnels. <i>Journal of Fluid Mechanics</i> , 2008, 605, 401-428.	1.4	65
2933	Wide bandwidth directional beaming via waveguide ports in photonic crystals. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 155115.	1.3	5
2934	Design of diffractive optical elements for beam shaping of micro-pixelated LED light to a tightly focused spot. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 094005.	1.3	3
2935	Calculated SAR distributions in a human voxel phantom due to the reflection of electromagnetic fields from a ground plane between 65 MHz and 2 GHz. <i>Physics in Medicine and Biology</i> , 2008, 53, 2277-2289.	1.6	17
2936	Wave propagation in heterogeneous media: Effects of fine-scale heterogeneity. <i>Geophysics</i> , 2008, 73, T37-T49.	1.4	7
2937	JCMsuite: An Adaptive FEM Solver for Precise Simulations in Nano-Optics. , 2008, , .		35
2938	Acoustic waves guided by a fluid layer on a piezoelectric substrate. <i>Journal of Applied Physics</i> , 2008, 104, 054904.	1.1	10
2939	Analysis of Disordered Photonic Crystal Implemented in Light-Emitting Diode for High Light Extraction Efficiency. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 4527-4530.	0.8	19
2940	Light Wave Propagation in Polarization Holograms Formed in Photoreactive Polymer Liquid Crystals. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 3559-3563.	0.8	9
2941	Intercomparison of whole-body averaged SAR in European and Japanese voxel phantoms. <i>Physics in Medicine and Biology</i> , 2008, 53, 5883-5897.	1.6	55
2942	Postured voxel-based human models for electromagnetic dosimetry. <i>Physics in Medicine and Biology</i> , 2008, 53, 7047-7061.	1.6	46
2943	An analysis of millimetre-wave interferometry on Hall thruster plumes by finite difference time domain simulations. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 185205.	1.3	1
2944	Modal Analysis of Microstrip Lines Using Singular Value Decomposition Analysis of FDTD Simulations. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2008, 50, 687-696.	1.4	9

#	ARTICLE	IF	CITATIONS
2945	A Highly Birefringent Photonic Bandgap Fiber with Squeezed Modified Honeycomb Cladding. , 2008, , .		0
2946	Studies on electromagnetic coupling characteristics for apertures on metallic cylinders. , 2008, , .		0
2947	An Improved New Implementation of Complex Frequency Shifted PML for the FDTD Method. IEEE Transactions on Antennas and Propagation, 2008, 56, 2995-3000.	3.1	37
2948	Extension of a Memory-Efficient Formulation for the Unconditionally Stable WLP-FDTD Method. IEEE Microwave and Wireless Components Letters, 2008, 18, 725-727.	2.0	0
2949	EMI model of automatic implantable medical devices (AIMDs). , 2008, , .		0
2950	Single step microwave imaging in the time domain using FDTD-based gradient minimization. , 2008, , .		0
2951	Finite-difference time-domain simulation of thermal noise in open cavities. Physical Review A, 2008, 77, .	1.0	20
2952	Photonic crystals with a degenerate band edge: Field enhancement effects and sensitivity analysis. Physical Review B, 2008, 77, .	1.1	20
2953	Numerical analysis of a EMP simulator with absorbing stuff. , 2008, , .		0
2954	On the Sensitivity of Time-Reversal Imaging Techniques to Model Perturbations. IEEE Transactions on Antennas and Propagation, 2008, 56, 834-843.	3.1	59
2955	Analysis of planar defect structures in three-dimensional layer-by-layer photonic crystals. Journal of Applied Physics, 2008, 104, 063111.	1.1	7
2956	Underwater FDTD simulation at low frequencies. , 2008, , .		1
2957	Research on the Radiation Field of Leaky Coaxial Cable Using FDTD. , 2008, , .		1
2958	Study of moving phase center antenna arrays using the FDTD method. , 2008, , .		2
2959	The perfectly matched layer boundary condition for unconditionally stable WE-FDTD method. , 2008, , .		0
2960	Anatomically realistic reference models of pregnant women for gestation ages of 13, 18, and 26 weeks. , 2008, 2008, 2817-20.		16
2961	A discontinuous galerkin finite element time domain method with PML. , 2008, , .		36
2962	Near to far field transformation for underwater ELF simulation. , 2008, , .		1

#	ARTICLE	IF	CITATIONS
2963	Analysys of on-body antenna radiation pattern using a numerical technique based on FDTD and equivalence principle. , 2008, , .		5
2964	Three-dimensional finite-difference time-domain algorithm for oblique incidence with adaptation of perfectly matched layers and nonuniform meshing: Application to the study of a radar dome. Physical Review E, 2008, 77, 056701.	0.8	32
2965	Multi-objective optimization for antenna design. , 2008, , .		6
2966	Emission of terahertz electromagnetic wave in intrinsic Josephson junction stacks. Journal of Physics: Conference Series, 2008, 129, 012026.	0.3	1
2967	Numerical simulations of THz emission from intrinsic Josephson junctions. Journal of Physics: Conference Series, 2008, 129, 012028.	0.3	1
2968	Structural Optimization for the Design of Band-Gap Structures Using Discrete Structural Elements. Nippon Kikai Gakkai Ronbunshu, C Hen/Transactions of the Japan Society of Mechanical Engineers, Part C, 2008, 74, 780-788.	0.2	1
2970	Photoacoustic wave propagation simulations using the FDTD method with Berenger's perfectly matched layers. , 2008, , .		1
2971	Finite element simulation of light propagation in non-periodic mask patterns. Proceedings of SPIE, 2008, , .	0.8	1
2972	Numerical Methods for Shielding Analyses. , 0, , 87-143.		2
2973	A rigorous finite-element domain decomposition method for electromagnetic near field simulations. Proceedings of SPIE, 2008, , .	0.8	6
2974	2-D FDTD calculation of Specific Absorption Rate of hyperopic and myopic human eye: LabVIEW-based approach. International Journal of Biomedical Engineering and Technology, 2008, 1, 382.	0.2	2
2977	NUMERICAL ANALYSIS AND AURALIZATION OF THE "ROARING DRAGON" PHENOMENON BY THE FDTD METHOD. Journal of Environmental Engineering (Japan), 2008, 73, 849-856.	0.1	2
2979	FDTD method for periodic structure analysis. , 0, , 14-58.		8
2980	Designing emission spectra of photonic crystal microcavities. Proceedings of SPIE, 2008, , .	0.8	0
2981	Advanced FEM analysis of optical waveguides: algorithms and applications. , 2008, , .		2
2982	Nanoplasmonics in near-field optics and active coupling. Proceedings of SPIE, 2008, , .	0.8	0
2983	Time-Domain Finite Element Methods for Maxwell's Equations in Dispersive Media: a Review. , 2008, , .		0
2984	Reconstruction of breast composition in a free space utilizing 2-D forward-backward time-stepping for breast cancer detection. , 2008, , .		6

#	ARTICLE	IF	CITATIONS
2985	Photonic crystal-enhanced quantum dot infrared photodetectors. , 2008, , .		2
2986	The Finite Element Method as applied to the calculation of the quantum efficiency in optoelectronic imaging devices. Proceedings of SPIE, 2008, , .	0.8	0
2990	Characterization of an Implicitly Resistively-Loaded Monopole Antenna in Lossy Liquid Media. International Journal of Antennas and Propagation, 2008, 2008, 1-9.	0.7	16
2991	SCATTERING FROM BODIES COATED WITH METAMATERIAL USING FDFD METHOD. Progress in Electromagnetics Research B, 2008, 2, 279-290.	0.7	31
2992	Applications of FDTD Analyses to Photonic Crystal Studies. The Review of Laser Engineering, 2008, 36, 614-620.	0.0	0
2993	SUBWAVELENGTH DIFFRACTIVE PHOTONIC CRYSTAL LENS. Progress in Electromagnetics Research B, 2008, 7, 257-264.	0.7	22
2994	BREAST CANCER DETECTION USING A HYBRID FINITE DIFFERENCE FREQUENCY DOMAIN AND PARTICLE SWARM OPTIMIZATION TECHNIQUES. Progress in Electromagnetics Research B, 2008, 3, 35-46.	0.7	40
2995	ELECTROMAGNETIC SCATTERING ANALYSIS USING THE TWO-DIMENSIONAL MRFD FORMULATION. Progress in Electromagnetics Research, 2008, 79, 387-399.	1.6	8
2997	PROPERTIES OF APPROXIMATE BESSEL BEAMS AT MILLIMETER WAVELENGTHS GENERATED BY FRACTAL CONICAL LENS. Progress in Electromagnetics Research, 2008, 87, 105-115.	1.6	10
2998	Imaging property of two-dimensional quasiperiodic photonic crystals. EPJ Applied Physics, 2008, 42, 281-285.	0.3	14
2999	Assessment of a PML Boundary Condition for Simulating an MRI Radio Frequency Coil. International Journal of Antennas and Propagation, 2008, 2008, 1-10.	0.7	4
3000	Accurate Analysis of Practical 3D Periodic Leaky-Wave Patch Antennas. International Journal of Antennas and Propagation, 2008, 2008, 1-6.	0.7	0
3001	Directive Antenna for Ultrawideband Medical Imaging Systems. International Journal of Antennas and Propagation, 2008, 2008, 1-6.	0.7	67
3002	DESIGN AND OPTIMIZATION OF PLANAR MULTILAYER ANTIREFLECTION METAMATERIAL COATINGS AT KU BAND UNDER CIRCULARLY POLARIZED OBLIQUE PLANE WAVE INCIDENCE. Progress in Electromagnetics Research C, 2008, 3, 1-18.	0.6	22
3003	Electromagnetic Numerical Analysis of Optical Waves: FDTD Method. The Review of Laser Engineering, 2008, 36, 607-613.	0.0	0
3004	FIELD ANALYSIS OF DIELECTRIC WAVEGUIDE DEVICES BASED ON COUPLED TRANSVERSE-MODE INTEGRAL EQUATION - MATHEMATICAL AND NUMERICAL FORMULATIONS. Progress in Electromagnetics Research, 2008, 78, 329-347.	1.6	13
3005	ASSESSMENT OF HUMAN HEAD EXPOSURE TO WIRELESS COMMUNICATION DEVICES: COMBINED ELECTROMAGNETIC AND THERMAL STUDIES FOR DIVERSE FREQUENCY BANDS. Progress in Electromagnetics Research B, 2008, 9, 83-96.	0.7	10
3006	Nanostructure design for surface-enhanced Raman spectroscopy -- prospects and limits. Journal of the European Optical Society-Rapid Publications, 0, 3, .	0.9	13

#	ARTICLE	IF	CITATIONS
3007	UNIAXIAL PML ABSORBING BOUNDARY CONDITION FOR TRUNCATING THE BOUNDARY OF DNG METAMATERIALS. Progress in Electromagnetics Research Letters, 2009, 8, 125-134.	0.4	6
3008	THEORETICAL MODELING OF PROPAGATION OF MAGNETOACOUSTIC WAVES IN MAGNETIC REGIONS BELOW SUNSPOTS. Astrophysical Journal, 2009, 694, 411-424.	1.6	37
3009	SIMULATIONS OF MAGNETOACOUSTIC PULSATIONS IN ATMOSPHERES OF RAPIDLY OSCILLATING Ap STARS. Astrophysical Journal, 2009, 704, 1218-1238.	1.6	13
3010	Hybridization of the Vector Finite Element Method with the Boundary Integral Method for the Solution of Finite Arrays of Cavity-Backed Slot Antennas. , 2009, , .		0
3011	Utilisation des Équations Euler-PML en milieu hétérogène borné pour la résolution d'un problème inverse en géophysique.. ESAIM: Proceedings and Surveys, 2009, 27, 156-170.	0.4	4
3012	A Novel Technique to Generate Microwave Signal Based on Multiple-frequency Brillouin Fiber-Ring Laser. , 2009, , .		1
3013	Particle Swarm Optimization Applied for Locating an Intruder by an Ultra-Wideband Radar Network. , 0, , .		2
3015	Numerical methods for noise propagation in moving flows, with application to turbofan engines. Acoustical Science and Technology, 2009, 30, 227-239.	0.3	41
3016	FDTD MODELING OF THE BREAST: A REVIEW. Progress in Electromagnetics Research B, 2009, 18, 1-24.	0.7	28
3017	Convergence results of the fictitious domain method for a mixed formulation of the wave equation with a Neumann boundary condition. ESAIM: Mathematical Modelling and Numerical Analysis, 2009, 43, 377-398.	0.8	4
3018	SIMULATION OF TIME MODULATED LINEAR ANTENNA ARRAYS USING THE FDTD METHOD. Progress in Electromagnetics Research, 2009, 98, 175-190.	1.6	42
3019	A UNIFIED FDTD APPROACH FOR ELECTROMAGNETIC ANALYSIS OF DISPERSIVE OBJECTS. Progress in Electromagnetics Research, 2009, 96, 155-172.	1.6	42
3020	DISPERSION ANALYSIS OF FDTD SCHEMES FOR DOUBLY LOSSY MEDIA. Progress in Electromagnetics Research B, 2009, 17, 327-342.	0.7	11
3021	Three-dimensional numerical simulations of the pulsar magnetosphere: preliminary results. Astronomy and Astrophysics, 2009, 496, 495-502.	2.1	135
3022	LAYER-MODE TRANSPARENT BOUNDARY CONDITION FOR THE HYBRID FD-FD METHOD. Progress in Electromagnetics Research, 2009, 94, 175-195.	1.6	10
3023	Ultrawideband Microwave Sensing and Imaging Using Time-Reversal Techniques: A Review. Remote Sensing, 2009, 1, 466-495.	1.8	62
3024	Aperiodic dielectric design. , 0, , 88-122.		0
3025	Consideration of an absorbing boundary condition based on CIP method for finite-difference time-domain acoustic field analysis. Acoustical Science and Technology, 2009, 30, 132-135.	0.3	5

#	ARTICLE	IF	CITATIONS
3026	Acoustic mirage in two-dimensional gradient-index phononic crystals. Journal of Applied Physics, 2009, 106, 053529.	1.1	47
3027	Gradient-index phononic crystals. Physical Review B, 2009, 79, .	1.1	274
3028	Nonlinear parabolic equation model for finite-amplitude sound propagation over porous ground layers. Journal of the Acoustical Society of America, 2009, 126, 572-581.	0.5	4
3029	Application of PML to electromagnetics, acoustics, elasticity, and quantum mechanics. , 2009, , .		1
3030	FDTD Studies of Metallic Nanoparticle Systems. NATO Science for Peace and Security Series A: Chemistry and Biology, 2009, , 11-32.	0.5	8
3031	Complex-frequency shifted PML for high-order solution methods. , 2009, , .		0
3032	A k-space method for acoustic propagation using coupled first-order equations in three dimensions. Journal of the Acoustical Society of America, 2009, 126, 1231-1244.	0.5	28
3033	Spatial distribution of the emission intensity in a photonic crystal: Self-interference of Bloch eigenwaves. Physical Review A, 2009, 79, .	1.0	6
3034	Finite-difference modeling of the monopole acoustic logs in a horizontally stratified porous formation. Journal of the Acoustical Society of America, 2009, 125, 1942-1950.	0.5	30
3035	Spatio-temporal control of local plasmon on noble metal nano-structures by ultra-broad femtosecond laser excitation. , 2009, , .		0
3036	A Perfectly Matched Layer for Lossy Media at Extremely Low Frequencies. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 1080-1083.	2.4	3
3037	Subwavelength Target Detection Using Ultrawideband Time-Reversal Techniques With a Multilayered Dielectric Slab. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 835-838.	2.4	8
3038	A Perfectly matched layer for lossy media at extremely low frequencies. , 2009, , .		1
3039	Perfectly matched layers and transformation optics. , 2009, , .		1
3040	Estimation of variability of specific absorption rate with physical description of children exposed to electromagnetic field in the VHF band. , 2009, 2009, 942-5.		1
3041	Using FDTD to improve our understanding of partial wave spectroscopy for advancing ultra early-stage cancer detection techniques. , 2009, , .		1
3042	Design and simulation of superperiodic photonic-crystal light emitting diodes with highly directive luminance characteristics. , 2009, , .		0
3043	Calibration of double-ridged guide horn antenna using phase center. , 2009, , .		1

#	ARTICLE	IF	CITATIONS
3044	In-phase electrodynamics and terahertz wave emission in extended intrinsic Josephson junctions. Physical Review B, 2009, 79, .	1.1	62
3045	A method to decrease computation time of FDTD calculations for low frequency excitations. , 2009, , .		2
3046	Rayleigh wave reflection from single surface imperfections on isotropic substrates. Journal of Applied Physics, 2009, 106, 034914.	1.1	23
3047	SAR analysis in human head model exposed to mobile base-station antenna for GSM-900 band. , 2009, , .		5
3048	Fundamental constraints on the performance of broadband ultrasonic matching structures and absorbers. Journal of the Acoustical Society of America, 2009, 125, 1995-2005.	0.5	16
3049	FDTD simulation of RF coils for MRI. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	5
3050	Stability Issues in PML for Large Thin Structures arising in the Parallel FDTD Method. , 2009, , .		0
3051	Energy storage and dispersion of surface acoustic waves trapped in a periodic array of mechanical resonators. Journal of Applied Physics, 2009, 105, .	1.1	45
3052	Modal analysis of a highly multimoded microstructured optical fibre using a deflated nonlinear eigenvalue solver. , 2009, , .		0
3053	Analysis of Dispersion Characteristic of ACPW Using FDTD Method Based on Mixed Absorbing Boundary Condition. , 2009, , .		0
3054	Ionization-Induced Small-Scaled Plasma Structures in Tightly Focused Ultrashort Laser Pulses. Physical Review Letters, 2009, 102, 015002.	2.9	12
3055	Complexity of two-dimensional quasimodes at the transition from weak scattering to Anderson localization. Physical Review A, 2009, 79, .	1.0	32
3056	Perfect coupling of light to surface plasmons with ultra-narrow linewidths. Journal of Chemical Physics, 2009, 131, 034708.	1.2	13
3057	Geometrical Transformations for Numerical Modelling and for New Material Design in Photonics. NATO Science for Peace and Security Series B: Physics and Biophysics, 2009, , 49-61.	0.2	0
3058	Compact Finite Difference Time Domain Absorbing Boundary Conditions for Electrically Large Waveguide Modeling. Electromagnetics, 2009, 29, 291-302.	0.3	0
3059	Simulation of Soliton Propagation in Slab Waveguide by Frequency Dependent FDTD Method. , 2009, , .		0
3060	Robust design of slow-light tapers in periodic waveguides. Engineering Optimization, 2009, 41, 365-384.	1.5	32
3061	Empirical formula for fourier series expansion method with complex coordinate stretching layers. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
3062	The PML in frequency domain boundary integral equations: An unexpected application. , 2009, , .		0
3063	Complex Envelope Four-Stage ADI-FDTD Algorithm for Narrowband Electromagnetic Applications. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 1084-1086.	2.4	3
3064	Numerical Characterization and Link Budget Evaluation of Wireless Implants Considering Different Digital Human Phantoms. IEEE Transactions on Microwave Theory and Techniques, 2009, 57, 2605-2613.	2.9	81
3065	The one-and-only algorithm for em-field computations does not exist. , 2009, , .		0
3066	Experience of implementing PML for parallel ADI-FDTD. , 2009, , .		0
3067	Split-field PML implementation for the efficient fundamental ADI-FDTD method. , 2009, , .		2
3068	Subwavelength internal imaging by means of a wire medium. Journal of Optics, 2009, 11, 075101.	1.5	21
3069	Application of Total-Field/Scattered-Field Technique to 3D-MRTD Scattering Scheme. , 2009, , .		0
3070	Passive Control of the Flow Around the Stratospheric Observatory for Infrared Astronomy. Journal of Aircraft, 2009, 46, 1319-1325.	1.7	3
3071	Parallel data-locality aware stencil computations on modern micro-architectures. , 2009, , .		17
3072	Spectral time evolution of polarized modes under local pumping in a two-dimensional random medium. Journal of Optics, 2009, 11, 065202.	1.5	2
3074	Axicon-shape photonic crystals and limited-diffraction light propagation. Proceedings of SPIE, 2009, , .	0.8	0
3075	Rigorous vector analysis of diffractive microlens by using the finite-difference time-domain method. , 2009, , .		0
3076	Development of accuracy-enhanced time-domain schemes for bi-isotropic media and chiral metamaterials. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2009, 28, 7-21.	0.5	2
3077	Currents Induced in Human Bodies During Radiofrequency Exposure Near a Cellular Phone Base Station. Electromagnetics, 2009, 29, 13-23.	0.3	1
3078	NPML boundary conditions for second-order wave equations. , 2009, , .		6
3079	Optimization of Absorbing Boundary Methods for Acoustic Wave Modelling. , 2009, , .		0
3080	Enhanced Spontaneous Emission of Electric Dipole by Nano-optical Antenna. , 2009, , .		0

#	ARTICLE	IF	CITATIONS
3081	Investigation of cladding effects on optical guidance of microstructured holey fibres based on FDM and FDTD methods. <i>Journal of Modern Optics</i> , 2009, 56, 1091-1095.	0.6	2
3082	Analysis of mode characteristic for square resonators with a hole at the center. , 2009, , .		0
3083	Spatial averaging of fields from half-wave dipole antennas and corresponding SAR calculations in the NORMAN human voxel model between 65 MHz and 2 GHz. <i>Physics in Medicine and Biology</i> , 2009, 54, 2437-2447.	1.6	8
3084	A comparison of foetal SAR in three sets of pregnant female models. <i>Physics in Medicine and Biology</i> , 2009, 54, 2755-2767.	1.6	26
3085	A massively parallel time-domain discontinuous Galerkin method for 3D elastic wave modeling. , 2009, , .		9
3086	Calculating optical forces using the boundary integral method. <i>Physica Scripta</i> , 2009, 80, 035401.	1.2	1
3087	Measurement, simulation and uncertainty assessment of implant heating during MRI. <i>Physics in Medicine and Biology</i> , 2009, 54, 4151-4169.	1.6	78
3088	Stability Analysis of Yee Schemes to PML and UPML for Maxwell Equations. <i>Journal of Computational Mathematics</i> , 2009, 27, 729-747.	0.2	2
3089	A Finite Element Method with Rectangular Perfectly Matched Layers for the Scattering from Cavities. <i>Journal of Computational Mathematics</i> , 2009, 27, 812-834.	0.2	11
3090	FDTD calculations of SAR for child voxel models in different postures between 10 MHz and 3 GHz. <i>Radiation Protection Dosimetry</i> , 2009, 135, 226-231.	0.4	18
3091	Acoustic beamwidth compressor using gradient-index phononic crystals. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 185502.	1.3	39
3092	A Spectral Time-Domain Method for Computational Electrodynamics. , 2009, , .		1
3093	Simultaneous multifrequency inversion of full-waveform seismic data. <i>Geophysics</i> , 2009, 74, R1-R14.	1.4	128
3094	Application of the finite-difference contrast-source inversion algorithm to seismic full-waveform data. <i>Geophysics</i> , 2009, 74, WCC47-WCC58.	1.4	62
3095	Modeling of light intensification by conical pits within multilayer high reflector coatings. , 2009, , .		8
3096	Modeling near-field properties of plasmonic nanoparticles: a surface integral approach. , 2009, , .		9
3097	Highly parallel rigorous simulations of phase-shift masks with a generalized eigen-oscillation spectral element method. <i>Journal of Micro/ Nanolithography, MEMS, and MOEMS</i> , 2009, 8, 031403.	1.0	1
3098	On the inverse phase characteristics of Gaussian beams in negative refractive index materials. <i>Journal of Optics</i> , 2009, 11, 105101.	1.5	0

#	ARTICLE	IF	CITATIONS
3099	Finite element method as applied to the study of gratings embedded in complementary metal-oxide semiconductor image sensors. <i>Optical Engineering</i> , 2009, 48, 058002.	0.5	2
3100	Parametric Analysis of Perfect Matched Layer Model of Finite Difference Time Domain Method. <i>Applied Mechanics and Materials</i> , 2009, 15, 139-144.	0.2	4
3101	High-Resolution Quantitative Imaging of Cornea Elasticity Using Supersonic Shear Imaging. <i>IEEE Transactions on Medical Imaging</i> , 2009, 28, 1881-1893.	5.4	198
3102	Body Conformal Antennas for Superficial Hyperthermia: The Impact of Bending Contact Flexible Microstrip Applicators on Their Electromagnetic Behavior. <i>IEEE Transactions on Biomedical Engineering</i> , 2009, 56, 2917-2926.	2.5	30
3103	An Algorithm for Predicting the Change in SAR in a Human Phantom Due to Deviations in Its Complex Permittivity. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2009, 51, 217-226.	1.4	14
3104	Finite-Difference Time-Domain Analysis of Electromagnetic Modes Inside Printed Coupled Lines and Quantification of Crosstalk. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2009, 51, 1026-1033.	1.4	3
3105	Effectiveness of 2-D and 2.5-D FDTD Ground-Penetrating Radar Modeling for Bridge-Deck Deterioration Evaluated by 3-D FDTD. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2009, 47, 3656-3663.	2.7	26
3106	Performance Improvements in the Relativistic Magnetron: The Effect of DC Field Perturbations. <i>IEEE Transactions on Plasma Science</i> , 2009, 37, 2128-2138.	0.6	14
3107	FWT2D: A massively parallel program for frequency-domain full-waveform tomography of wide-aperture seismic data—Part 1. <i>Computers and Geosciences</i> , 2009, 35, 487-495.	2.0	51
3108	Effects of averaging procedures for electrical properties at the interface of dissimilar tissues in the human head with finite-difference time-domain modelling. <i>IET Science, Measurement and Technology</i> , 2009, 3, 51-58.	0.9	1
3109	A numerical study of heat island flows: Stationary solutions. <i>International Journal for Numerical Methods in Fluids</i> , 2009, 59, 631-655.	0.9	4
3110	A particle swarm optimization approach for hexahedral mesh smoothing. <i>International Journal for Numerical Methods in Fluids</i> , 2009, 60, 55-78.	0.9	24
3111	PML absorbing boundary conditions for the linearized and nonlinear Euler equations in the case of oblique mean flow. <i>International Journal for Numerical Methods in Fluids</i> , 2009, 60, 565-589.	0.9	17
3112	Numerical simulation of flow-induced noise using LES/SAS and Lighthill's acoustic analogy. <i>International Journal for Numerical Methods in Fluids</i> , 2010, 63, 1103-1122.	0.9	34
3113	Computational and experimental optimization of a double-tuned H_{10} four-ring birdcage head coil for MRS at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 13-22.	1.9	23
3114	Comparisons of foot currents in homogeneous and inhomogeneous human models exposed to a cellular phone base station. <i>Microwave and Optical Technology Letters</i> , 2009, 51, 213-216.	0.9	0
3115	Design of dielectric immersed tapered slotline antenna for radar-based microwave breast imaging. <i>Microwave and Optical Technology Letters</i> , 2009, 51, 633-638.	0.9	14
3116	Finite element analysis and experimental verification of SOI waveguide bending loss. <i>Microwave and Optical Technology Letters</i> , 2009, 51, 699-702.	0.9	3

#	ARTICLE	IF	CITATIONS
3117	Fast modeling using FDTD method and wave front inverse method for multisensor GPR simulations in the time domain. Microwave and Optical Technology Letters, 2009, 51, 796-802.	0.9	1
3118	An unconditionally stable wave equation PML algorithm for truncating FDTD simulation. Microwave and Optical Technology Letters, 2009, 51, 1028-1032.	0.9	2
3119	Compact monopole antenna design for WLAN/UWB applications. Microwave and Optical Technology Letters, 2009, 51, 2874-2878.	0.9	6
3120	Perfectly matched layers backed by the second-order waveguide impedance boundary condition for the time-domain finite element solution of waveguide problems. Microwave and Optical Technology Letters, 2009, 51, 2870-2874.	0.9	1
3121	FDTD assessment of human exposure to electromagnetic fields from WiFi and bluetooth devices in some operating situations. Bioelectromagnetics, 2009, 30, 142-151.	0.9	25
3122	Hybrid numerical techniques for the modelling of radiofrequency coils in MRI. NMR in Biomedicine, 2009, 22, 937-951.	1.6	29
3123	Improving SNR of RF coils using composite coil elements. NMR in Biomedicine, 2009, 22, 952-959.	1.6	11
3124	Explicit finite element perfectly matched layer for transient three-dimensional elastic waves. International Journal for Numerical Methods in Engineering, 2009, 77, 151-176.	1.5	95
3125	Multiscale coupling in function space—weak coupling between molecular dynamics and continuum mechanics. International Journal for Numerical Methods in Engineering, 2009, 79, 1517-1535.	1.5	16
3126	A parallel implicit/explicit hybrid time domain method for computational electromagnetics. International Journal for Numerical Methods in Engineering, 2009, 80, 1093-1109.	1.5	8
3127	A high order hybrid finite element method applied to the solution of electromagnetic wave scattering problems in the time domain. Computational Mechanics, 2009, 44, 321-331.	2.2	72
3128	Studies on some perfectly matched layers for one-dimensional time-dependent systems. Advances in Computational Mathematics, 2009, 30, 1-35.	0.8	16
3129	Temperature-controlled exposure systems for investigating possible changes of retinal ganglion cell activity in response to high-frequency electromagnetic fields. Radiation and Environmental Biophysics, 2009, 48, 227-235.	0.6	2
3130	Disorders influences on the focusing effect of all-dielectric photonic crystal slab superlens. Physics Letters, Section A: General, Atomic and Solid State Physics, 2009, 373, 1588-1594.	0.9	4
3131	Complex frequency shifted-perfectly matched layer for the finite-element time-domain method. AEU - International Journal of Electronics and Communications, 2009, 63, 72-77.	1.7	5
3132	Reducing the acoustical façade load from road traffic with green roofs. Building and Environment, 2009, 44, 1081-1087.	3.0	165
3133	High-accurate computation of wave propagation in complex waveguides for microchip optical interconnections. Microelectronics Reliability, 2009, 49, 562-565.	0.9	1
3134	Numerical modeling of fiber grating. Optik, 2009, 120, 911-915.	1.4	4

#	ARTICLE	IF	CITATIONS
3135	A high-order super-grid-scale absorbing layer and its application to linear hyperbolic systems. <i>Journal of Computational Physics</i> , 2009, 228, 4200-4217.	1.9	59
3136	Error control in the perfectly matched layer based multilevel fast multipole algorithm. <i>Journal of Computational Physics</i> , 2009, 228, 4811-4822.	1.9	12
3137	Simulation of Electromagnetic Wave Propagation in Plasma Using Matrix Exponential FDTD Method. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2009, 30, 1020-1026.	1.2	3
3138	Unconditionally Stable Bilinear Transformation FDTD Algorithm for Modeling Double-Negative Meta-material Electromagnetic Problems. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2009, 31, 288.	1.2	0
3139	Krylov subspace spectral methods for the time-dependent Schrödinger equation with non-smooth potentials. <i>Numerical Algorithms</i> , 2009, 51, 239-280.	1.1	11
3140	Choice of parameters for passive shielding of power-frequency magnetic fields. <i>The Environmentalist</i> , 2009, 29, 135-140.	0.7	1
3141	Current and Future Applications of 3-D Global Earth-Ionosphere Models Based on the Full-Vector Maxwell's Equations FDTD Method. <i>Surveys in Geophysics</i> , 2009, 30, 105-130.	2.1	61
3142	A brief summary of some PML formulations and discretizations for the velocity-stress equation of seismic motion. <i>Studia Geophysica Et Geodaetica</i> , 2009, 53, 459-474.	0.3	40
3143	Long-Time Performance of Unsplit PMLs with Explicit Second Order Schemes. <i>Journal of Scientific Computing</i> , 2009, 41, 1-12.	1.1	18
3144	The implementation of an improved NPML absorbing boundary condition in elastic wave modeling. <i>Applied Geophysics</i> , 2009, 6, 113-121.	0.1	27
3145	The study of perfectly matched layer absorbing boundaries for SH wave fields. <i>Applied Geophysics</i> , 2009, 6, 267-274.	0.1	11
3146	2-D elastic wave modeling with frequency-space 25-point finite-difference operators. <i>Applied Geophysics</i> , 2009, 6, 259-266.	0.1	8
3147	On local nonreflecting boundary conditions for time dependent wave propagation. <i>Chinese Annals of Mathematics Series B</i> , 2009, 30, 589-606.	0.2	6
3148	Stability analysis of FDTD to UPML for time dependent Maxwell equations. <i>Science in China Series A: Mathematics</i> , 2009, 52, 794-816.	0.5	12
3149	Engineering the near-field imaging of a rectangular-lattice photonic-crystal slab in the second band. <i>Science in China Series G: Physics, Mechanics and Astronomy</i> , 2009, 52, 87-91.	0.2	3
3150	Strong optical transmission through the ellipsoid metal-film nanohole arrays. <i>Science in China Series G: Physics, Mechanics and Astronomy</i> , 2009, 52, 693-699.	0.2	1
3151	Forward modelling of magnetic induction tomography: a sensitivity study for detecting haemorrhagic cerebral stroke. <i>Medical and Biological Engineering and Computing</i> , 2009, 47, 1301-1313.	1.6	40
3152	The directional emission sensitivity of photonic crystal waveguides to air hole removal. <i>Applied Physics B: Lasers and Optics</i> , 2009, 95, 341-344.	1.1	10

#	ARTICLE	IF	CITATIONS
3153	Spectrally selective splitters with metal-dielectric-metal surface plasmon waveguides. Applied Physics B: Lasers and Optics, 2009, 95, 807-812.	1.1	16
3154	Hot spots-induced near-field enhancements in Au nanoshell and Au nanoshell dimer. Applied Physics B: Lasers and Optics, 2009, 97, 497-503.	1.1	7
3155	Layer-oriented Element Integration Algorithm of Conformal Perfectly Matched Layer. Chinese Journal of Aeronautics, 2009, 22, 268-272.	2.8	0
3156	A support-operator method for 3-D rupture dynamics. Geophysical Journal International, 2009, 177, 1140-1150.	1.0	47
3157	An unsplit convolutional perfectly matched layer technique improved at grazing incidence for the viscoelastic wave equation. Geophysical Journal International, 2009, 179, 333-344.	1.0	138
3158	3D finite-difference synthetic acoustic logging in cylindrical coordinates. Geophysical Prospecting, 2009, 57, 367-377.	1.0	16
3159	Manipulation of photons at the surface of three-dimensional photonic crystals. Nature, 2009, 460, 367-370.	13.7	169
3160	Modelling the attenuation in the ATHENA finite elements code for the ultrasonic testing of austenitic stainless steel welds. Ultrasonics, 2009, 49, 653-658.	2.1	44
3161	High-order non-reflecting boundary conditions for the linearized 2-D Euler equations: No mean flow case. Wave Motion, 2009, 46, 210-220.	1.0	17
3162	Sharply focusing a radially polarized laser beam using a gradient Mikaelian's microlens. Optics Communications, 2009, 282, 459-464.	1.0	10
3163	The research on polarization states with local pumping in two-dimensional active random medium. Optics Communications, 2009, 282, 1004-1008.	1.0	6
3164	Implementation of ADI-FDTD subgrids in ground penetrating radar FDTD models. Journal of Applied Geophysics, 2009, 67, 309-317.	0.9	49
3165	Simulation of laser beam propagation with a paraxial model in a tilted frame. Journal of Computational Physics, 2009, 228, 861-880.	1.9	5
3166	Finite difference time domain algorithm for electromagnetic problems involving material movement. Journal of Computational Physics, 2009, 228, 2282-2295.	1.9	1
3167	Phase reduction models for improving the accuracy of the finite element solution of time-harmonic scattering problems I: General approach and low-order models. Journal of Computational Physics, 2009, 228, 3114-3136.	1.9	9
3168	A discrete action principle for electrodynamics and the construction of explicit symplectic integrators for linear, non-dispersive media. Journal of Computational Physics, 2009, 228, 3421-3432.	1.9	13
3169	Compressive sensing for multi-static scattering analysis. Journal of Computational Physics, 2009, 228, 3464-3477.	1.9	28
3170	Full-wave parallel dispersive finite-difference time-domain modeling of three-dimensional electromagnetic cloaking structures. Journal of Computational Physics, 2009, 228, 7300-7312.	1.9	28

#	ARTICLE	IF	CITATIONS
3171	Phonon absorbing boundary conditions for molecular dynamics. <i>Journal of Computational Physics</i> , 2009, 228, 8112-8134.	1.9	13
3172	Perfectly matched layers for coupled nonlinear Schrödinger equations with mixed derivatives. <i>Journal of Computational Physics</i> , 2009, 228, 8752-8765.	1.9	15
3173	TE-polarized beam shaping by a subwavelength metal slit: Finite-difference at frequency-domain simulations. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2009, 41, 1445-1450.	1.3	4
3174	The Westervelt equation with viscous attenuation versus a causal propagation operator: A numerical comparison. <i>Journal of Sound and Vibration</i> , 2009, 327, 163-172.	2.1	16
3175	An SVD-approach to Jacobi–Davidson solution of nonlinear Helmholtz eigenvalue problems. <i>Linear Algebra and Its Applications</i> , 2009, 431, 427-440.	0.4	11
3176	Higher order finite and infinite elements for the solution of Helmholtz problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2009, 198, 1171-1188.	3.4	21
3177	Numerical simulation of borehole acoustic logging in the frequency and time domains with hp-adaptive finite elements. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2009, 198, 1821-1838.	3.4	12
3178	Finite element computation of absorbing boundary conditions for time-harmonic wave problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2009, 198, 3006-3019.	3.4	7
3179	The utility of a marched absorbing layer boundary condition in the finite element analysis of diffuse photon density wave propagation in tissues relevant to breast imaging. <i>Computers in Biology and Medicine</i> , 2009, 39, 934-939.	3.9	1
3180	Evaluation of the concrete electromagnetics properties by using radar measurements in a context of building sustainability. <i>Computer Physics Communications</i> , 2009, 180, 1277-1281.	3.0	11
3181	Exact boundary conditions for time-harmonic wave propagation in locally perturbed periodic media. <i>Applied Numerical Mathematics</i> , 2009, 59, 2155-2178.	1.2	35
3182	Towards perfectly matching layers for lattice Boltzmann equation. <i>Computers and Mathematics With Applications</i> , 2009, 58, 903-913.	1.4	11
3183	A performance study of plane wave finite element methods with a Padé-type artificial boundary condition in acoustic scattering. <i>Advances in Engineering Software</i> , 2009, 40, 738-750.	1.8	8
3184	Nanoscale plasmon waveguide including cavity resonator. <i>Journal of Physics Condensed Matter</i> , 2009, 21, 375301.	0.7	21
3185	Electrodynamics of wave processes into two-connected planar wave guide structures. <i>Radioelectronics and Communications Systems</i> , 2009, 52, 324-329.	0.3	2
3186	Electric Fields Radiated from a Cellular Phone Base Station Antenna Constructed on a Roof-Top. <i>Electromagnetics</i> , 2009, 29, 235-249.	0.3	4
3187	Attenuation of lamb waves in the vicinity of a forbidden band in a phononic crystal. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2009, 56, 1960-1967.	1.7	23
3188	A Study of Properties of the Photonic Band Gap of Unmagnetized Plasma Photonic Crystal. <i>Plasma Science and Technology</i> , 2009, 11, 14-17.	0.7	43

#	ARTICLE	IF	CITATIONS
3189	Technical guidelines in numerical calculation of the scattering parameters in filled three dimensional waveguide structures. , 2009, , .		0
3190	Gain saturation in gain-guided slab waveguides with large-index antiguiding. Optics Letters, 2009, 34, 2411.	1.7	10
3191	Guided Resonances in Periodic Dielectric Waveguides. Journal of Lightwave Technology, 2009, 27, 4544-4547.	2.7	9
3192	Numerical scattering analysis of TE plane waves by a metallic diffraction grating with local defects. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2009, 26, 156.	0.8	13
3193	Calculation of light delay for coupled microrings by FDTD technique and Pad \hat{A} approximation. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2009, 26, 2419.	0.8	5
3194	Photonic crystal notch-filter design using particle swarm optimization theory and finite-difference time-domain analysis. Journal of the Optical Society of America B: Optical Physics, 2009, 26, 849.	0.9	26
3195	Analysis of the optical force dependency on beam polarization: dielectric/metallic spherical shell in a Gaussian beam. Journal of the Optical Society of America B: Optical Physics, 2009, 26, 973.	0.9	2
3196	Limited-diffraction light propagation with axicon-shape photonic crystals. Journal of the Optical Society of America B: Optical Physics, 2009, 26, 981.	0.9	14
3197	Numerical investigation of emission in finite-sized, three-dimensional photonic crystals with structural fluctuations. Journal of the Optical Society of America B: Optical Physics, 2009, 26, 1157.	0.9	20
3198	High-efficiency antireflection structures for terahertz self-collimating photonic crystals. Journal of the Optical Society of America B: Optical Physics, 2009, 26, 1967.	0.9	9
3199	Analysis of mode characteristics for equilateral-polygonal resonators with a center hole. Journal of the Optical Society of America B: Optical Physics, 2009, 26, 2449.	0.9	6
3200	Finite-difference Time-domain Study on Birefringence Changes of the Axon During Neural Activation. Journal of the Optical Society of Korea, 2009, 13, 272-278.	0.6	0
3201	Electromagnetic wave propagation in a Ag nanoparticle-based plasmonic power divider. Optics Express, 2009, 17, 337.	1.7	10
3202	Efficiency enhancement in GaAs solar cells using self-assembled microspheres. Optics Express, 2009, 17, 6519.	1.7	69
3203	Global optimization of silicon photovoltaic cell front coatings. Optics Express, 2009, 17, 7505.	1.7	28
3204	Light scattering characterization of mitochondrial aggregation in single cells. Optics Express, 2009, 17, 13381.	1.7	33
3205	Polarization-independent waveguiding with annular photonic crystals. Optics Express, 2009, 17, 18381.	1.7	33
3206	Nanoplasmonic couplers and splitters. Optics Express, 2009, 17, 19033.	1.7	110

#	ARTICLE	IF	CITATIONS
3207	Photonic crystal structures in ion-sliced lithium niobate thin films. <i>Optics Express</i> , 2009, 17, 20291.	1.7	65
3208	Three-dimensional finite difference split-step nonparaxial beam propagation method: new method for splitting of operators. <i>Applied Optics</i> , 2009, 48, 1878.	2.1	3
3209	Hybrid finite-difference time-domain Fresnel modeling of microscopy imaging. <i>Applied Optics</i> , 2009, 48, 2133.	2.1	3
3210	General finite-difference time-domain solution of an arbitrary electromagnetic source interaction with an arbitrary dielectric surface. <i>Applied Optics</i> , 2009, 48, 6015.	2.1	15
3211	Understanding leaky modes: slab waveguide revisited. <i>Advances in Optics and Photonics</i> , 2009, 1, 58.	12.1	202
3212	Unified Approach for Coupling to Cladding and Radiation Modes in Fiber Bragg and Long-Period Gratings. <i>Journal of Lightwave Technology</i> , 2009, 27, 1461-1468.	2.7	19
3213	An Efficient Numerical Method for Optical Waveguides With Holes. <i>Journal of Lightwave Technology</i> , 2009, 27, 2557-2562.	2.7	0
3214	Wide-Angle Alternating-Direction Implicit Finite-Difference Beam Propagation Method. <i>Journal of Lightwave Technology</i> , 2009, 27, 2595-2604.	2.7	24
3215	Nonparaxial Split-Step Method With Local One-Dimensional Scheme for Three-Dimensional Wide-Angle Beam Propagation. <i>Journal of Lightwave Technology</i> , 2009, 27, 2717-2723.	2.7	1
3216	A Bi-Boundary FEM-BEM Approach for Open Structure Optical Waveguide Problems. <i>Journal of Lightwave Technology</i> , 2009, 27, 2765-2770.	2.7	3
3217	Nanophotonic Sensor Based on Photonic Crystal Structure Using Negative Refraction for Effective Light Coupling. <i>Journal of Lightwave Technology</i> , 2009, 27, 3269-3274.	2.7	18
3218	Seismic imaging of complex onshore structures by 2D elastic frequency-domain full-waveform inversion. <i>Geophysics</i> , 2009, 74, WCC105-WCC118.	1.4	482
3219	Semivector Finite-Difference Formula for the Analysis of a Step-Index Waveguide With a Tilted Interface. <i>IEEE Photonics Technology Letters</i> , 2009, 21, 1867-1869.	1.3	2
3220	A heterogeneous nonlinear attenuating full-wave model of ultrasound. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2009, 56, 474-488.	1.7	171
3221	Analysis of the complex effective permittivity of a heterogeneous sample by the finite-difference time-domain method. <i>Canadian Journal of Physics</i> , 2009, 87, 337-343.	0.4	1
3222	Three-Dimensional Numerical Simulation of Surface-Wave Plasma Source. <i>Plasma Science and Technology</i> , 2009, 11, 66-70.	0.7	12
3223	Theory of Cherenkov radiation in periodic dielectric media: Emission spectrum. <i>Physical Review A</i> , 2009, 79, .	1.0	24
3224	A Radially-Dependent Dispersive Finite-Difference Time-Domain Method for the Evaluation of Electromagnetic Cloaks. <i>IEEE Transactions on Antennas and Propagation</i> , 2009, 57, 1432-1441.	3.1	47

#	ARTICLE	IF	CITATIONS
3225	A high-order Discontinuous Galerkin method for the seismic wave propagation. ESAIM: Proceedings and Surveys, 2009, 27, 70-89.	0.4	30
3226	Finite-difference frequency-domain modeling of viscoacoustic wave propagation in 2D tilted transversely isotropic (TTI) media. Geophysics, 2009, 74, T75-T95.	1.4	92
3227	A Perfectly Matched Layer Formulation for Lattice Boltzmann Method. , 2009, , .		2
3228	Radiation and Absorbing Boundary Conditions for the Lattice Boltzmann Method. , 2009, , .		1
3229	On Multidimensional Global Eigenvalue Problems for Hydrodynamic and Aeroacoustic instabilities. , 2009, , .		0
3230	Ferroelectric Crystals for Photonic Applications. Springer Series in Materials Science, 2009, , .	0.4	40
3231	Specific Absorption Rates of Anatomically Realistic Human Models Exposed to RF Electromagnetic Fields From Mobile Phones Used in Elevators. IEEE Transactions on Microwave Theory and Techniques, 2009, 57, 1250-1259.	2.9	25
3232	Photonic and Phononic Band Gap Properties of Lithium Niobate. Springer Series in Materials Science, 2009, , 307-336.	0.4	3
3233	Reverse time migration with random boundaries. , 2009, , .		111
3234	Long-time solution of the time-dependent Schrödinger equation for an atom in an electromagnetic field using complex coordinate contours. Physical Review A, 2009, 80, .	1.0	20
3235	Simulations and analysis with FDTD method for aperture coupling properties in shielding cavity. , 2009, , .		0
3237	A phase and space coherent direct imaging method. Journal of the Acoustical Society of America, 2009, 125, 227-238.	0.5	41
3238	Planar implementation of Butler Matrix feed network for a switched multibeam antenna array. , 2009, , .		1
3239	An efficient multiscale method for time-domain waveform tomography. Geophysics, 2009, 74, WCC59-WCC68.	1.4	131
3240	PML implementation for WLP-FDTD in cylindrical coordinates. , 2009, , .		0
3241	Short- and Long-Range Sensing Using Plasmonic Nanostructures: Experimental and Theoretical Studies. Journal of Physical Chemistry C, 2009, 113, 15921-15927.	1.5	43
3242	A Novel Optical Analysis Method for the Focal Length of Multi-Core Image Fiber. , 2009, , .		0
3243	Joint electromagnetic and seismic inversion using structural constraints. Geophysics, 2009, 74, R99-R109.	1.4	152

#	ARTICLE	IF	CITATIONS
3244	Computational electromagnetics: Casimir force, multiscale calculations, coordinate stretching. , 2009, , .		0
3245	Comparison of FDTD Hard Source With FDTD Soft Source and Accuracy Assessment in Debye Media. IEEE Transactions on Antennas and Propagation, 2009, 57, 2014-2022.	3.1	28
3246	An Efficient FDTD Algorithm Based on the Equivalence Principle for Analyzing Onbody Antenna Performance. IEEE Transactions on Antennas and Propagation, 2009, 57, 1006-1014.	3.1	20
3247	Soil ionization in different types of grounding grids simulated by FDTD method. , 2009, , .		3
3248	An improved quadratic interpolation ABC for ADI-FDTD method. , 2009, , .		2
3249	An Equivalent Feed Model for the FDTD Analysis of Antennas Driven Through a Ground Plane by Coaxial Lines. IEEE Transactions on Antennas and Propagation, 2009, 57, 161-167.	3.1	20
3250	Frequency domain perfectly matched layers for acoustic scattering integral equation problems. , 2009, , .		2
3251	Efficient High-Order Absorbing Boundary Condition for the ADI-FDTD Method. IEEE Microwave and Wireless Components Letters, 2009, 19, 6-8.	2.0	4
3252	Simulation of the radar observation of a sea patch using the TLM electromagnetic method. , 2009, , .		4
3253	FDTD modeling of a SIW based sensor for THz diagnostics. , 2009, , .		0
3254	A total-field/scattered-field technique applied for the TLM-integral equation method. , 2009, , .		4
3255	Efficient three-dimensional multiplatform electromagnetic simulator to analyze biological effects. , 2009, , .		0
3256	Simulations of thermally induced photoacoustic wave propagation using a pseudospectral time-domain method. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2009, 56, 1104-1112.	1.7	2
3257	A Versatile Split-Field 1-D Propagator for Perfect FDTD Plane Wave Injection. IEEE Transactions on Antennas and Propagation, 2009, 57, 2691-2697.	3.1	13
3258	A subject-specific radio propagation study in wireless body area networks. , 2009, , .		6
3259	A High-Performance Upgrade of the Perfectly Matched Layer Multilevel Fast Multipole Algorithm for Large Planar Microwave Structures. IEEE Transactions on Antennas and Propagation, 2009, 57, 1728-1739.	3.1	17
3260	Benchmark problems for acoustic scattering from elastic objects in the free field and near the seafloor. Journal of the Acoustical Society of America, 2009, 125, 89-98.	0.5	33
3261	Dual Problem Space FDTD Simulation for Underwater ELF Applications. IEEE Antennas and Wireless Propagation Letters, 2009, 8, 498-501.	2.4	6

#	ARTICLE	IF	CITATIONS
3262	Improvements in linear system solutions to Finite Element Method. , 2009, , .		0
3263	New definition of slotline characteristic impedance. , 2009, , .		0
3264	SAW reflection from surface inhomogeneities of isotropic and anisotropic substrates. , 2009, , .		0
3265	Classical theory for second-harmonic generation from metallic nanoparticles. Physical Review B, 2009, 79, .	1.1	155
3266	Compact directional antenna for ultra wideband microwave imaging systems. Digest / IEEE Antennas and Propagation Society International Symposium, 2009, , .	0.0	1
3267	Polarized Emission From Twin Microdisk Photonic Molecules. IEEE Journal of Quantum Electronics, 2009, 45, 932-936.	1.0	3
3268	Complete Radiation Boundary Conditions: Minimizing the Long Time Error Growth of Local Methods. SIAM Journal on Numerical Analysis, 2009, 47, 3678-3704.	1.1	66
3269	A General Perfectly Matched Layer Model for Hyperbolic-Parabolic Systems. SIAM Journal of Scientific Computing, 2009, 31, 3301-3323.	1.3	7
3271	Complete surface plasmon-polariton band gap and gap-governed waveguiding, bending and splitting. Journal of Physics Condensed Matter, 2009, 21, 185010.	0.7	7
3272	FDTD sources for localized state excitation in photonic crystals and photonic quasi-crystals. , 2009, , .		3
3273	Impact of human presence on the read zones of passive UHF RFID systems. International Journal of Radio Frequency Identification Technology and Applications, 2009, 2, 46.	0.5	2
3274	The case for electro-optic waveguide devices from ferroelectric (Pb,La)(Zr,Ti)O ₃ thin film epilayers. , 2009, , .		2
3276	Negative refraction of photonic and polaritonic waves in periodic structures. Bulletin of the Polish Academy of Sciences: Technical Sciences, 2009, 57, 35-39.	0.8	2
3277	Acoustic resonances and trapped modes in annular plate cascades. Journal of Fluid Mechanics, 2009, 628, 155-180.	1.4	17
3278	Scattering by a two-dimensional doped photonic crystal presenting an optical Kerr effect. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2009, 28, 656-667.	0.5	1
3279	THz Wave emission from the intrinsic Josephson junctions of high T _c superconductors. Journal of Physics: Conference Series, 2009, 150, 052156.	0.3	0
3280	Electromagnetic Fields in Inhomogeneous Media. Methods in Geochemistry and Geophysics, 2009, , 233-295.	0.2	0
3281	The computation of resonances in open systems using a perfectly matched layer. Mathematics of Computation, 2009, 78, 1375-1398.	1.1	55

#	ARTICLE	IF	CITATIONS
3282	Unified approach to split absorbing boundary conditions for nonlinear Schrödinger equations: Two-dimensional case. <i>Physical Review E</i> , 2009, 79, 046711.	0.8	42
3283	Anderson localization of light in a random configuration of nanocolumns. <i>Journal of Physics: Conference Series</i> , 2009, 193, 012055.	0.3	1
3284	INFLUENCE OF BOUNDARY CONDITION OF SOIL AND ANALYTICAL METHOD ON SEISMIC BEHAVIOR OF STRUCTURES CONSIDERING NONLINEAR SOIL-STRUCTURE INTERACTION. <i>Journal of Japan Society of Civil Engineers Ser A1 (Structural Engineering & Earthquake Engineering (SE/EE))</i> , 2009, 65, 222-235.	0.1	0
3285	Bandwidth Characteristic Improvement of Filter Integrated Antenna Composed of Aperture Coupled Patch Antenna by Using Trapezoidal Elements. <i>IEICE Transactions on Communications</i> , 2009, E92-B, 3960-3963.	0.4	1
3286	CRACK DETECTION USING A HYBRID FINITE DIFFERENCE FREQUENCY DOMAIN AND PARTICLE SWARM OPTIMIZATION TECHNIQUES. <i>Progress in Electromagnetics Research M</i> , 2009, 6, 47-58.	0.5	21
3287	Analysis of Mode Characteristics for Square Resonators with a center hole. , 2009, , .		0
3288	On the computation of the Fréchet derivatives for seismic waveform inversion in 3D general anisotropic, heterogeneous media. <i>Geophysics</i> , 2009, 74, WB153-WB163.	1.4	14
3289	Vector analysis of the characteristics of diffractive microlens having common focus for a number of wavelengths. , 2009, , .		0
3290	Enhanced spontaneous emission of electric dipole by nano-optical antenna. , 2009, , .		0
3291	Applying FDTD to the Coverage Prediction of WiMAX Femtocells. <i>Eurasip Journal on Wireless Communications and Networking</i> , 2009, 2009, .	1.5	41
3292	The organic plastic photonic crystal for terahertz filter. <i>Proceedings of SPIE</i> , 2009, , .	0.8	0
3293	Modelling Seismic Oceanography Experiments by Using First- and Second-Order Complex Frequency Shifted Perfectly Matched Layers. <i>Acta Acustica United With Acustica</i> , 2009, 95, 1104-1111.	0.8	8
3294	Saturation characteristics of gain guiding in index-antiguide waveguides. , 2010, , .		0
3295	Wide bandwidth photonic crystal waveguide bends. <i>Proceedings of SPIE</i> , 2010, , .	0.8	1
3296	Notice of Retraction: Analysis of resonance frequency for rectangular cavity with apertures and embedded materials. , 2010, , .		1
3297	An Investigation of a Preconditioner for High-Frequency Maxwell Problems. <i>Electromagnetics</i> , 2010, 30, 94-126.	0.3	1
3298	Computational Model for Long-Range Non-Linear Propagation over Urban Cities. <i>Acta Acustica United With Acustica</i> , 2010, 96, 884-898.	0.8	5
3299	Fabrication and characterization of high-Q conical polymeric microcavities. <i>Proceedings of SPIE</i> , 2010, , .	0.8	0

#	ARTICLE	IF	CITATIONS
3300	Calculation and analysis of ACPW and UWB ACPW-slotline transition. , 2010, , .		1
3301	Computational model of OCT in lung tissue. , 2010, , .		10
3302	Dynamic Rupture Models for the Southern San Andreas Fault. Bulletin of the Seismological Society of America, 2010, 100, 131-150.	1.1	26
3303	Estimation of EMI Impact by Cellular Radio on Implantable Cardiac Pacemakers in Elevator Using EMF Distributions Inside Human Body. IEICE Transactions on Communications, 2010, E93-B, 1839-1846.	0.4	1
3304	An adaptive edge element method with perfectly matched absorbing layers for wave scattering by biperiodic structures. Mathematics of Computation, 2010, 79, 1-1.	1.1	73
3305	Two-Stage Perfectly Matched Layer for the Analysis of Plasmonic Structures. IEICE Transactions on Electronics, 2010, E93-C, 1371-1374.	0.3	4
3306	An extended Fourier modal method for plane-wave scattering from finite structures. , 2010, , .		1
3308	An absorbing boundary formulation for the stratified, linearized, ideal MHD equations based on an unsplit, convolutional perfectly matched layer. Astronomy and Astrophysics, 2010, 522, A87.	2.1	13
3309	MAGNETO-ACOUSTIC WAVES IN SUNSPOTS: FIRST RESULTS FROM A NEW THREE-DIMENSIONAL NONLINEAR MAGNETOHYDRODYNAMIC CODE. Astrophysical Journal, 2010, 719, 357-377.	1.6	102
3311	GaAs-based woodpile photonic crystal fabricated by two-directional etching method. , 2010, , .		0
3312	Photonic crystal microcavity in GaN-on-sapphire slab waveguide for sensor applications. , 2010, , .		4
3313	Accurate gain determination of LPDA by considering the phase center. IEICE Electronics Express, 2010, 7, 1760-1765.	0.3	11
3314	Practical criteria for the implementation of a hybrid FDTD-MoL technique used for electromagnetic analysis of microstrip paths. IEICE Electronics Express, 2010, 7, 58-66.	0.3	2
3315	Determination of gain of double-ridged guide horn antenna by considering phase center. IEICE Electronics Express, 2010, 7, 86-91.	0.3	6
3316	Analysis of a finite PML approximation to the three dimensional elastic wave scattering problem. Mathematics of Computation, 2010, 79, 2079-2101.	1.1	29
3317	DYNAMIC CHARACTERISTICS OF FEM-PML GROUND MODEL -SEISMIC RESPONSE OF INPUT EARTHQUAKE AND INFLUENCE ON SURFACE WAVE. Journal of Japan Society of Civil Engineers Ser A1 (Structural) Tj ETQq1 1 0.784314.igBT /Overlock 107		
3318	Dirichlet-Neumann conditions and the orthogonality of three-dimensional guided waves in layered solids. Computational Mathematics and Mathematical Physics, 2010, 50, 1522-1535.	0.2	7
3319	Experimental study and numerical simulations of a plasma relativistic microwave amplifier. Plasma Physics Reports, 2010, 36, 762-771.	0.3	18

#	ARTICLE	IF	CITATIONS
3320	Rigorous interference and diffraction analysis of diffractive optic elements using the finite-difference time-domain method. <i>Computer Physics Communications</i> , 2010, 181, 1963-1973.	3.0	21
3321	A 2D rods-in-air square-lattice photonic crystal optical switch. <i>Optik</i> , 2010, 121, 1988-1993.	1.4	24
3322	Defect and dope selective of transmission properties of 2D photonic crystal. <i>Optik</i> , 2010, 121, 2133-2136.	1.4	3
3323	Generalization of the FDTD algorithm for simulations of hydrodynamic nonlinear Drude model. <i>Journal of Computational Physics</i> , 2010, 229, 5921-5932.	1.9	38
3324	Absorbing boundary conditions for the Euler and Navier-Stokes equations with the spectral difference method. <i>Journal of Computational Physics</i> , 2010, 229, 8733-8749.	1.9	40
3325	Impedance boundary conditions for pseudo-spectral time-domain methods in room acoustics. <i>Applied Acoustics</i> , 2010, 71, 402-410.	1.7	21
3326	The extraordinary optical transmission through double-layer gold slit arrays. <i>Optics Communications</i> , 2010, 283, 4017-4024.	1.0	15
3327	Modal selective tuning in a photonic crystal cavity. <i>Superlattices and Microstructures</i> , 2010, 47, 34-38.	1.4	13
3328	Analysis of the spectrum of a Cartesian Perfectly Matched Layer (PML) approximation to acoustic scattering problems. <i>Journal of Mathematical Analysis and Applications</i> , 2010, 361, 420-430.	0.5	13
3329	Analysis of a Cartesian PML approximation to acoustic scattering problems in \mathbb{R}^2 . <i>Journal of Mathematical Analysis and Applications</i> , 2010, 370, 160-186.	0.5	32
3330	Time-dependent simulations of quantum waveguides using a time-splitting spectral method. <i>Mathematics and Computers in Simulation</i> , 2010, 81, 883-898.	2.4	5
3331	On the parameters of absorbing layers for shallow water models. <i>Ocean Dynamics</i> , 2010, 60, 65-79.	0.9	20
3332	Matching boundary conditions for diatomic chains. <i>Computational Mechanics</i> , 2010, 46, 813-826.	2.2	14
3333	Extension of the FDTD Huygens subgridding to frequency dependent media. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 2010, 65, 211-217.	1.6	10
3334	Computational simulation of wave propagation problems in infinite domains. <i>Science China: Physics, Mechanics and Astronomy</i> , 2010, 53, 1397-1407.	2.0	13
3335	Impedance-Matching Surface Plasmon Absorber for FDTD Simulations. <i>Plasmonics</i> , 2010, 5, 51-55.	1.8	7
3337	A study of perfectly matched layers for joint multicomponent reverse-time migration. <i>Applied Geophysics</i> , 2010, 7, 166-173.	0.1	4
3338	Analysis of complicated structure seismic wave fields. <i>Applied Geophysics</i> , 2010, 7, 185-192.	0.1	3

#	ARTICLE	IF	CITATIONS
3339	Modeling bidirectional reflection distribution function of microscale random rough surfaces. Central South University, 2010, 17, 228-234.	0.5	5
3340	Analysis of mode characteristics for hexagonal resonator lasers. Optoelectronics Letters, 2010, 6, 256-260.	0.4	1
3341	Perfectly Matched Layers for Time-Harmonic Second Order Elliptic Problems. Archives of Computational Methods in Engineering, 2010, 17, 77-107.	6.0	47
3342	A Collocation Method with Exact Imposition of Mixed Boundary Conditions. Journal of Scientific Computing, 2010, 42, 291-317.	1.1	8
3343	Numerical Simulation of Electromagnetic Solitons and Their Interaction with Matter. Journal of Scientific Computing, 2010, 45, 259-271.	1.1	3
3344	On the application of the nonstationary form of the Tappert equation as an artificial boundary condition. Journal of Mathematical Sciences, 2010, 167, 857-867.	0.1	0
3345	Mixed unsplit-field perfectly matched layers for transient simulations of scalar waves in heterogeneous domains. Computational Geosciences, 2010, 14, 623-648.	1.2	29
3346	Finite-difference Time-domain Algorithm for Plasma Based on Trapezoidal Recursive Convolution Technique. Journal of Infrared, Millimeter, and Terahertz Waves, 2010, 31, 620.	1.2	4
3347	Modeling the Subsurface Structure of Sunspots. Solar Physics, 2010, 267, 1-62.	1.0	88
3348	Pseudospectral time-domain method for pressure-release rough surface scattering using a surface transformation and image method. Numerical Algorithms, 2010, 54, 411-430.	1.1	2
3349	Numerical Modelling in Geo-Electromagnetics: Advances and Challenges. Surveys in Geophysics, 2010, 31, 225-245.	2.1	114
3350	Q-Bursts: Natural ELF Radio Transients. Surveys in Geophysics, 2010, 31, 409-425.	2.1	25
3351	Investigation of on-body Bluetooth transmission. IET Microwaves, Antennas and Propagation, 2010, 4, 871.	0.7	31
3352	Split-step finite difference time domain algorithm for double negative meta-materials. IET Microwaves, Antennas and Propagation, 2010, 4, 566.	0.7	0
3353	Numerical Simulations of a Relativistic Inverted Magnetron. IEEE Transactions on Plasma Science, 2010, 38, 1563-1573.	0.6	11
3354	Optimum Loss Factor for a Perfectly Matched Layer in Finite-Difference Time-Domain Acoustic Simulation. IEEE Transactions on Audio Speech and Language Processing, 2010, 18, 1068-1071.	3.8	6
3355	Large-Scale Propagation of Ultrasound in a 3-D Breast Model Based on High-Resolution MRI Data. IEEE Transactions on Biomedical Engineering, 2010, 57, 1273-1284.	2.5	11
3356	Using Transfer Function Calculation and Extrapolation to Improve the Efficiency of the Finite-Difference Time-Domain Method at Low Frequencies. IEEE Transactions on Electromagnetic Compatibility, 2010, 52, 173-178.	1.4	7

#	ARTICLE	IF	CITATIONS
3357	Novel Right-Handed Metamaterial Based on the Concept of "Autonomous Control System of Living Cells" and Its Absorber Applications. IEEE Transactions on Electromagnetic Compatibility, 2010, 52, 556-565.	1.4	11
3358	A New Vector Waveform Inversion Algorithm for Simultaneous Updating of Conductivity and Permittivity Parameters From Combination Crosshole/Borehole-to-Surface GPR Data. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 3391-3407.	2.7	175
3359	Efficient Implementation of the UPML in the Generalized Finite-Difference Time-Domain Method. IEEE Transactions on Magnetics, 2010, 46, 3492-3495.	1.2	14
3360	Imaging Electric Properties of Biological Tissues by RF Field Mapping in MRI. IEEE Transactions on Medical Imaging, 2010, 29, 474-481.	5.4	79
3361	Analysis of the Role of Lead Resistivity in Specific Absorption Rate for Deep Brain Stimulator Leads at 3T MRI. IEEE Transactions on Medical Imaging, 2010, 29, 1029-1038.	5.4	46
3362	Mode Characteristics for Square Resonators With a Metal Confinement Layer. IEEE Journal of Quantum Electronics, 2010, 46, 414-420.	1.0	15
3363	Bending Loss Evaluations of Holey Fibers Having a Core Consisting of an Elliptical-Hole Lattice by Various Approaches. IEEE Journal of Quantum Electronics, 2010, 46, 601-609.	1.0	2
3364	Finite element simulation of sound propagation concerning meteorological conditions. International Journal for Numerical Methods in Fluids, 2010, 64, 1296-1318.	0.9	2
3365	Numerical simulation of the tissue ablation in high-intensity focused ultrasound therapy with array transducer. International Journal for Numerical Methods in Fluids, 2010, 64, 1395-1411.	0.9	11
3366	High-order absorbing boundary conditions incorporated in a spectral element formulation. International Journal for Numerical Methods in Biomedical Engineering, 2010, 26, 1130-1143.	1.0	12
3367	Comparison of high-order absorbing boundary conditions and perfectly matched layers in the frequency domain. International Journal for Numerical Methods in Biomedical Engineering, 2010, 26, 1351-1369.	1.0	76
3371	Accurate numerical prediction of acoustic wave propagation. International Journal of Adaptive Control and Signal Processing, 2010, 24, 128-141.	2.3	8
3372	Analysis for scattering of conductive objects covered with anisotropic magnetized plasma by trapezoidal recursive convolution finite-difference time-domain method. International Journal of RF and Microwave Computer-Aided Engineering, 2010, 20, 465-472.	0.8	7
3373	Evaluation of EMI risk due to the interaction between cellular phones and medical devices. Microwave and Optical Technology Letters, 2010, 52, 1449-1454.	0.9	1
3374	Benchmarking of different wave models for sound propagation in non-uniform flows. Procedia Engineering, 2010, 6, 163-172.	1.2	8
3375	New absorbing layers conditions for short water waves. Journal of Computational Physics, 2010, 229, 58-72.	1.9	12
3376	Coupling of finite element and boundary integral methods for electromagnetic scattering in a two-layered medium. Journal of Computational Physics, 2010, 229, 481-497.	1.9	21
3377	High-order Absorbing Boundary Conditions for anisotropic and convective wave equations. Journal of Computational Physics, 2010, 229, 1099-1129.	1.9	69

#	ARTICLE	IF	CITATIONS
3378	Nonreflecting boundary conditions for discrete waves. <i>Journal of Computational Physics</i> , 2010, 229, 1879-1896.	1.9	4
3379	A non-uniform basis order for the discontinuous Galerkin method of the 3D dissipative wave equation with perfectly matched layer. <i>Journal of Computational Physics</i> , 2010, 229, 5144-5160.	1.9	16
3380	A parallel algorithm for solving the 3d Schrödinger equation. <i>Journal of Computational Physics</i> , 2010, 229, 6015-6026.	1.9	28
3381	A linear nonconforming finite element method for Maxwell's equations in two dimensions. Part I: Frequency domain. <i>Journal of Computational Physics</i> , 2010, 229, 6534-6547.	1.9	5
3382	A Trefftz-based numerical modelling framework for Helmholtz problems with complex multiple-scatterer configurations. <i>Journal of Computational Physics</i> , 2010, 229, 6623-6643.	1.9	32
3383	Absorbing boundary conditions for scalar waves in anisotropic media. Part 2: Time-dependent modeling. <i>Journal of Computational Physics</i> , 2010, 229, 6644-6662.	1.9	21
3384	Absorbing boundary conditions for scalar waves in anisotropic media. Part 1: Time harmonic modeling. <i>Journal of Computational Physics</i> , 2010, 229, 6696-6714.	1.9	26
3385	On the indefinite Helmholtz equation: Complex stretched absorbing boundary layers, iterative analysis, and preconditioning. <i>Journal of Computational Physics</i> , 2010, 229, 8384-8405.	1.9	22
3386	Perfectly matched layers for the heat and advection-diffusion equations. <i>Journal of Computational Physics</i> , 2010, 229, 9042-9052.	1.9	11
3387	Low-pass rugate spatial filters for beam smoothing. <i>Optics Communications</i> , 2010, 283, 2665-2668.	1.0	8
3388	Surface plasmon polaritons on square-lattice arrays of three-fold symmetric nanostructures. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2010, 8, 297-302.	1.0	2
3389	Numerical study on high intensity focused ultrasound therapy using array transducer. <i>Physics Procedia</i> , 2010, 3, 315-322.	1.2	5
3391	The importance of roof shape for road traffic noise shielding in the urban environment. <i>Journal of Sound and Vibration</i> , 2010, 329, 1422-1434.	2.1	39
3392	Two-dimensional frequency domain scattering and point excitation of partially filled elastic cylinders. <i>Journal of Sound and Vibration</i> , 2010, 329, 2147-2157.	2.1	1
3393	Numerical simulation of passive-active cells with microperforated plates or porous veils. <i>Journal of Sound and Vibration</i> , 2010, 329, 3233-3246.	2.1	0
3394	Simulation-based evolutionary method in antenna design optimization. <i>Mathematical and Computer Modelling</i> , 2010, 51, 944-955.	2.0	14
3395	Joly-Mercier boundary condition for the finite element solution of 3D Maxwell equations. <i>Mathematical and Computer Modelling</i> , 2010, 51, 935-943.	2.0	5
3396	Anomalous Doppler effects in bulk phononic crystal. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2010, 374, 3971-3976.	0.9	2

#	ARTICLE	IF	CITATIONS
3397	Reprint of: Benchmarking of Different Wave Models for Sound Propagation in Non-Uniform Flows. <i>Procedia IUTAM</i> , 2010, 1, 163-172.	1.2	3
3398	Design of microcavities in diamond-based photonic crystals by Fourier- and real-space analysis of cavity fields. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2010, 8, 150-162.	1.0	9
3399	Imaging properties of a two-dimensional photonic crystal with rectangular air holes embedded in a silicon slab. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2010, 8, 163-171.	1.0	7
3400	A multimodal method for non-uniform open waveguides. <i>Physics Procedia</i> , 2010, 3, 497-503.	1.2	3
3401	The optical transmission characteristics through gold nanoslit arrays embedded in nonlinear medium. <i>Optics Communications</i> , 2010, 283, 998-1003.	1.0	2
3402	Structural symmetry of two-dimensional metallic arrays: Implications for surface plasmon excitations. <i>Optics Communications</i> , 2010, 283, 1546-1552.	1.0	2
3403	Improving the performance of a photonic crystal ring-resonator-based channel drop filter using particle swarm optimization method. <i>Optics Communications</i> , 2010, 283, 4099-4103.	1.0	52
3404	Design of a large effective mode area photonic crystal fiber with modified rings. <i>Optics Communications</i> , 2010, 283, 5218-5223.	1.0	32
3405	On the dynamics of locally resonant sonic composites. <i>European Journal of Mechanics, A/Solids</i> , 2010, 29, 871-878.	2.1	15
3406	On the stability of a non-convolutional perfectly matched layer for isotropic elastic media. <i>Soil Dynamics and Earthquake Engineering</i> , 2010, 30, 68-81.	1.9	37
3407	A semi-analytical artificial boundary for time-dependent elastic wave propagation in two-dimensional homogeneous half space. <i>Soil Dynamics and Earthquake Engineering</i> , 2010, 30, 1352-1360.	1.9	8
3408	Escaping losses of diffuse light emitted by luminescent dyes doped in micro/nanostructured solar cell systems. <i>Solar Energy Materials and Solar Cells</i> , 2010, 94, 413-419.	3.0	13
3409	Transmission of light through coaxial and non-coaxial double-layer gold slit arrays. <i>Solid State Communications</i> , 2010, 150, 1225-1230.	0.9	3
3410	Tunable optical transmission through gold hole arrays with converging and diverging shaped channels. <i>Solid State Communications</i> , 2010, 150, 2162-2167.	0.9	3
3411	Application of ground penetrating radar in grouting evaluation for shield tunnel construction. <i>Tunnelling and Underground Space Technology</i> , 2010, 25, 99-107.	3.0	101
3412	Wave guide imaging through Time Domain Topological Energy. <i>Ultrasonics</i> , 2010, 50, 172-179.	2.1	17
3413	A novel software for an energy efficient GPR. <i>Advances in Engineering Software</i> , 2010, 41, 1195-1199.	1.8	5
3414	Error propagation when approximating multi-solitons: The KdV equation as a case study. <i>Applied Mathematics and Computation</i> , 2010, 217, 1522-1539.	1.4	3

#	ARTICLE	IF	CITATIONS
3415	A finite element alternative to infinite elements. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2010, 199, 2204-2223.	3.4	25
3416	Mathematical modeling of seismic and acousto-gravitational waves in a heterogeneous earth-atmosphere model. <i>Journal of Computational and Applied Mathematics</i> , 2010, 234, 1678-1684.	1.1	1
3417	3D finite-difference synthetic acoustic log in cylindrical coordinates. <i>Journal of Computational and Applied Mathematics</i> , 2010, 234, 1766-1772.	1.1	7
3418	Reflectionless truncation of target area for axially symmetric anisotropic elasticity. <i>Journal of Computational and Applied Mathematics</i> , 2010, 234, 1803-1809.	1.1	7
3419	Acoustic band gaps in arrays of neutral inclusions. <i>Journal of Computational and Applied Mathematics</i> , 2010, 234, 1962-1969.	1.1	9
3420	Radiation boundary conditions for time-dependent waves based on complete plane wave expansions. <i>Journal of Computational and Applied Mathematics</i> , 2010, 234, 1988-1995.	1.1	41
3421	Numerical approximation of electromagnetic signals arising in the evaluation of geological formations. <i>Computers and Mathematics With Applications</i> , 2010, 59, 338-351.	1.4	9
3422	Computation of scattering resonances for dielectric resonators. <i>Computers and Mathematics With Applications</i> , 2010, 60, 1620-1632.	1.4	13
3423	Perfectly matched layers for the heat and advection-diffusion equations. <i>Comptes Rendus Mathematique</i> , 2010, 348, 781-785.	0.1	1
3424	Finite element simulation of the optical modes of semiconductor lasers. <i>Physica Status Solidi (B): Basic Research</i> , 2010, 247, 846-853.	0.7	12
3425	The ShakeOut earthquake scenario: Verification of three simulation sets. <i>Geophysical Journal International</i> , 2010, 180, 375-404.	1.0	112
3426	A localized waveform inversion at teleseismic distances: an application to the D ³ region beneath the Cocos plate. <i>Geophysical Journal International</i> , 2010, 180, 1344-1352.	1.0	1
3427	Fast and slow flexural waves in a deviated borehole in homogeneous and layered anisotropic formations. <i>Geophysical Journal International</i> , 2010, 181, 417-426.	1.0	28
3428	Accelerating a three-dimensional finite-difference wave propagation code using GPU graphics cards. <i>Geophysical Journal International</i> , 2010, , no-no.	1.0	67
3429	Two-dimensional Laplace-domain waveform inversion using adaptive meshes: an experience of the 2004 BP velocity-analysis benchmark data set. <i>Geophysical Journal International</i> , 0, 182, 865-879.	1.0	12
3430	An hp-adaptive discontinuous Galerkin finite-element method for 3-D elastic wave modelling. <i>Geophysical Journal International</i> , 2010, 183, 941-962.	1.0	118
3431	Lebedev scheme for the numerical simulation of wave propagation in 3D anisotropic elasticity. <i>Geophysical Prospecting</i> , 2010, 58, 619-635.	1.0	123
3432	The pulsar synchrotron in 3D: curvature radiation. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, 404, 767-778.	1.6	47

#	ARTICLE	IF	CITATIONS
3433	Controlled source electromagnetic three-dimensional grid-modelling based on a complex resistivity structure of the seafloor: effects of acquisition parameters and geometry of multi-layered resistors. Geophysical Prospecting, 2010, 58, 505-533.	1.0	8
3434	2D Frequency-domain Seismic Wave Modeling in VTI Media Based on a Hp-adaptive Discontinuous Galerkin Method. , 2010, , .		5
3435	Finite element computation for scattering problems of micro-hologram using DtN map. JSIAM Letters, 2010, 2, 45-48.	0.3	0
3436	ELECTROMAGNETIC FIELD INTENSITY GENERATED BY PARTIAL DISCHARGE IN HIGH VOLTAGE INSULATING MATERIALS. Progress in Electromagnetics Research, 2010, 104, 167-182.	1.6	22
3438	OPTIMIZING NANO-OPTICAL ANTENNA FOR THE ENHANCEMENT OF SPONTANEOUS EMISSION. Progress in Electromagnetics Research, 2010, 104, 313-331.	1.6	23
3439	GPU-ACCELERATED FUNDAMENTAL ADI-FDTD WITH COMPLEX FREQUENCY SHIFTED CONVOLUTIONAL PERFECTLY MATCHED LAYER. Progress in Electromagnetics Research M, 2010, 14, 177-192.	0.5	21
3440	Frequency-Domain Numerical Modelling of Visco-Acoustic Waves Based on Finite-Difference and Finite-Element Discontinuous Galerkin Methods. , 0, , .		17
3441	The finite difference time domain method in two and three dimensions. , 0, , 74-129.		0
3442	OPTIMIZED SIMULATION ALGORITHMS FOR FRACTAL GENERATION AND ANALYSIS. Progress in Electromagnetics Research M, 2010, 11, 225-240.	0.5	6
3443	TRANSMITTER-GROUPING ROBUST CAPON BEAMFORMING FOR BREAST CANCER DETECTION. Progress in Electromagnetics Research, 2010, 108, 401-416.	1.6	24
3444	DATA INDEPENDENT RADAR BEAMFORMING ALGORITHMS FOR BREAST CANCER DETECTION. Progress in Electromagnetics Research, 2010, 107, 331-348.	1.6	61
3445	A COMPUTATIONAL METHOD FOR HIGHLY STIFF NONLINEAR SPATIOTEMPORAL SYSTEMS. International Journal of Computational Methods, 2010, 07, 609-625.	0.8	1
3446	Design of diffractive lenses for focusing surface plasmons. Journal of Optics (United Kingdom), 2010, 12, 015001.	1.0	56
3447	Characterization and modelling of electromagnetic interactions in aircraft. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering, 2010, 224, 449-458.	0.7	6
3448	Accurate Permittivity Measurements for Microwave Imaging via Ultra-Wideband Removal of Spurious Reflectors. Sensors, 2010, 10, 8491-8503.	2.1	3
3449	High-order finite-difference simulations of marine CSEM surveys using a correspondence principle for wave and diffusion fields. Geophysics, 2010, 75, F33-F50.	1.4	90
3450	High-power high-brightness semiconductor lasers based on novel waveguide concepts. Proceedings of SPIE, 2010, , .	0.8	16
3451	Finite-difference time-domain studies of low-frequency stop band in superconductor-dielectric superlattice. Chinese Physics B, 2010, 19, 084101.	0.7	13

#	ARTICLE	IF	CITATIONS
3452	Analysis of a diffractive microlens using the finite-difference time-domain method. Journal of Micro/Nanolithography, MEMS, and MOEMS, 2010, 9, 033004.	1.0	4
3453	Unsplit complex frequency-shifted PML implementation using auxiliary differential equations for seismic wave modeling. Geophysics, 2010, 75, T141-T154.	1.4	168
3454	A legendre pseudospectral frequency-domain method for solving Maxwell's equations. , 2010, , .		0
3455	Application of the nearly perfectly matched layer to the propagation of low-frequency acoustic waves. Journal of Geophysics and Engineering, 2010, 7, 277-283.	0.7	6
3456	A dimensionality reduction technique for 2D scattering problems in photonics. Journal of Optics (United Kingdom), 2010, 12, 035502.	1.0	2
3457	Absorbing Boundary Conditions for Hyperbolic Systems. Numerical Mathematics, 2010, 3, 295-337.	0.6	17
3458	Numerical Boundary Conditions. Mathematics in Science and Engineering, 2010, 213, 145-174.	0.1	0
3459	Variational data assimilation to estimate the velocity in the wave equation. Inverse Problems, 2010, 26, 115005.	1.0	2
3460	Investigation of Coâ€C cells to improve thermocouple calibration. Metrologia, 2010, 47, 90-95.	0.6	23
3461	A novel mixed FDTD absorbing boundary condition based on mur and PML. , 2010, , .		0
3462	Discrete Green's function diakoptics — A toy problem. , 2010, , .		9
3463	Light localization characteristics in a random configuration of dielectric cylindrical columns. Physical Review B, 2010, 82, .	1.1	14
3464	Symmetry properties of acoustic fields in piezoelectrics and their implementation in FEM simulations of the SAW propagation. , 2010, , .		0
3465	Periodic rough surface scattering analysis using spectral FDTD method. , 2010, , .		0
3466	The application of CPML in analysis of the characteristic of EMP propagation in crooked tunnel. , 2010, , .		0
3467	On the modelling of transient scattering under ultra wideband short-pulse electromagnetic excitation. , 2010, , .		1
3468	Highly accurate Finite Difference analysis of leaky, guided and complex waves in photonic optical fibres and dielectric waveguiding structures. , 2010, , .		0
3469	Interior Penalty Discontinuous Galerkin Finite Element Method for the Time-Dependent First Order Maxwell's Equations. IEEE Transactions on Antennas and Propagation, 2010, 58, 4085-4090.	3.1	76

#	ARTICLE	IF	CITATIONS
3470	Analysis of the Discretization Error at Material Interfaces in Staggered Grids. IEEE Transactions on Antennas and Propagation, 2010, 58, 1653-1661.	3.1	2
3471	Source Decomposition as a Diakoptic Boundary Condition in FDTD With Reflecting External Regions. IEEE Transactions on Antennas and Propagation, 2010, 58, 3602-3609.	3.1	11
3472	A modified stretching factor for perfect matched layers in 2D FDTD simulations. , 2010, , .		0
3473	SAR deposition by curved CFMA-434 applicators for superficial hyperthermia: Measurements and simulations. International Journal of Hyperthermia, 2010, 26, 171-184.	1.1	18
3474	Simplified treatment for radiation mode in coupled-mode analysis. , 2010, , .		0
3475	Equivalent Refractive Index of Multilayer-Type Photonic Crystals. Japanese Journal of Applied Physics, 2010, 49, 092001.	0.8	1
3476	The effect of buildings on acoustic pulse propagation in an urban environment. Journal of the Acoustical Society of America, 2010, 127, 1335-1346.	0.5	27
3477	A modified NPML scheme for truncating anisotropic dispersive medium. , 2010, , .		0
3478	Implementation of UPML for weakly conditionally stable FDTD in periodic structures. , 2010, , .		1
3479	Mode characteristics of metallicly coated square microcavity connected with an output waveguide. Journal of Applied Physics, 2010, 107, 113103.	1.1	12
3480	Electromagnetic Propagation From the Intestine-Ingested Source in the Human Body Model. IEEE Transactions on Antennas and Propagation, 2010, 58, 1683-1688.	3.1	11
3481	A Domain Decomposition Technique for Efficient Iterative Solution of Nonlinear Electromagnetic Problems. IEEE Transactions on Antennas and Propagation, 2010, 58, 4090-4095.	3.1	2
3482	Time and frequency domain simulation of photonic nanocavities. , 2010, , .		0
3483	Locally resonant surface acoustic wave band gaps in a two-dimensional phononic crystal of pillars on a surface. Physical Review B, 2010, 81, .	1.1	212
3484	The challenges for numerical time domain simulations of optical resonators. , 2010, , .		1
3485	Characterization of electromagnetic propagation in multilayered structures using the Finite-Difference Time Domain method. , 2010, , .		0
3486	Efficient non-reflecting boundary condition constructed via optimization of damped layers. Physical Review B, 2010, 81, .	1.1	13
3487	Photonic crystal composites-based wide-band optical collimator. Journal of Applied Physics, 2010, 108, .	1.1	6

#	ARTICLE	IF	CITATIONS
3488	Exact absorbing conditions for FDTD analysis of axially-symmetrical open structures. , 2010, , .		2
3489	Absorbing boundary conditions for dynamical many-body quantum systems. Journal of Physics B: Atomic, Molecular and Optical Physics, 2010, 43, 065004.	0.6	24
3490	Design of two-dimensional photonic crystal nanocavities with low-refractive-index material cladding. Journal of Optics (United Kingdom), 2010, 12, 015108.	1.0	4
3491	The ADI-FDTD Method for Transverse-Magnetic Waves in Conductive Materials. IEEE Transactions on Antennas and Propagation, 2010, 58, 2790-2793.	3.1	1
3492	Acoustic confinement and waveguiding with a line-defect structure in phononic crystal slabs. Journal of Applied Physics, 2010, 108, 084515.	1.1	41
3493	PML's Optimal Choice in Solving Helmholtz Equation. Applied Mechanics and Materials, 2010, 39, 312-316.	0.2	0
3494	Optical and Electrical Modeling of Polymer Thin-film Photovoltaics. Materials Research Society Symposia Proceedings, 2010, 1270, 1.	0.1	0
3495	Prediction of Sound Generated by Complex Flows at Low Mach Numbers. AIAA Journal, 2010, 48, 306-316.	1.5	67
3496	The impact of the waveguide aperture size of the 3D 70 MHz AMC-8 locoregional hyperthermia system on tumour coverage. Physics in Medicine and Biology, 2010, 55, 4899-4916.	1.6	10
3497	FE-PML MODELING OF 3D SCATTERING OF TRANSIENT ELASTIC WAVES IN CRACKED PLATE WITH RECTANGULAR CROSS SECTION. International Journal of Structural Stability and Dynamics, 2010, 10, 1123-1139.	1.5	3
3498	Multi-PC FDTD: Solving large scale EM problems. , 2010, , .		4
3499	Specific absorption rate evaluation for people using wireless communication device in vehicle. , 2010, , .		9
3500	Computational dosimetry in embryos exposed to electromagnetic plane waves over the frequency range of 10 MHz to 1.5 GHz. Physics in Medicine and Biology, 2010, 55, N1-N11.	1.6	1
3501	Enhanced optical transmission through double-layer gold slit arrays. Chinese Physics B, 2010, 19, 077803.	0.7	3
3502	Perfectly Matched Layers in the Cylindrical and Spherical Coordinates for Elastic Waves in Solids. Japanese Journal of Applied Physics, 2010, 49, 07HB08.	0.8	5
3503	Comparison of two different 70 MHz applicators for large extremity lesions: Simulation and application. International Journal of Hyperthermia, 2010, 26, 376-388.	1.1	12
3504	DSP-PML algorithm for open region DNG meta-material FDTD simulations. Electronics Letters, 2010, 46, 16.	0.5	5
3505	Structures of diffusion regions in collisionless magnetic reconnection. Physics of Plasmas, 2010, 17, 052103.	0.7	11

#	ARTICLE	IF	CITATIONS
3506	Scholte surface wave in a soft film deposited on rigid plate immersed in water: Dispersion relation and collimation effect. <i>Journal of Applied Physics</i> , 2010, 107, 064505.	1.1	2
3507	Large-scale analysis of focused ultrasound in heterogeneous media. , 2010, , .		1
3508	A perfectly matched layer applied to a reactive scattering problem. <i>Journal of Chemical Physics</i> , 2010, 133, 054306.	1.2	19
3509	A Numerical Method for the Solution of Time-Harmonic Maxwell Equations for Two-Dimensional Scatterers. , 2010, , .		2
3510	Thermal characteristics of thermobrachytherapy surface applicators for treating chest wall recurrence. <i>Physics in Medicine and Biology</i> , 2010, 55, 1949-1969.	1.6	25
3511	Convolutional perfectly matched layer for isotropic and anisotropic acoustic wave equations. , 2010, , .		37
3512	A hybrid scheme for absorbing edge reflections in numerical modeling of wave propagation. <i>Geophysics</i> , 2010, 75, A1-A6.	1.4	125
3513	Comparison of SAR and induced current densities in adults and children exposed to electromagnetic fields from electronic article surveillance devices. <i>Physics in Medicine and Biology</i> , 2010, 55, 1041-1055.	1.6	14
3514	An Improvement of Absorbing Boundary Condition Based on Algorithm of Constrained Interpolation Profile Method for Finite-Difference Time-Domain Acoustic Simulation. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 07HC09.	0.8	13
3515	Novel polarization beam splitter with a tolerance to large random disorder. <i>Journal Physics D: Applied Physics</i> , 2010, 43, 425102.	1.3	3
3516	Statistical analysis of whole-body absorption depending on anatomical human characteristics at a frequency of 2.1 GHz. <i>Physics in Medicine and Biology</i> , 2010, 55, 1875-1887.	1.6	32
3517	Stochastic joint inversion of 2D seismic and seismoelectric signals in linear poroelastic materials: A numerical investigation. <i>Geophysics</i> , 2010, 75, N19-N31.	1.4	75
3518	Numerical Simulation of High Intensity Focused Ultrasound Therapy with Volume Model of Human Body. , 2010, , .		0
3519	Acoustic analysis of the vocal tract during vowel production by finite-difference time-domain method. <i>Journal of the Acoustical Society of America</i> , 2010, 128, 3724-3738.	0.5	72
3520	Theory and Simulation of Electromagnetic Wave Emission from Intrinsic Josephson Junctions. <i>Journal of Physics: Conference Series</i> , 2010, 248, 012037.	0.3	9
3521	Impact of substrate surface scratches on the laser damage resistance of multilayer coatings. , 2010, , .		10
3522	Finite-Difference Time-Domain Analysis of Laser Action in Cholesteric Photonic Liquid Crystal. <i>Applied Physics Express</i> , 2010, 3, 061701.	1.1	17
3523	A PML-based nonreflective boundary for free surface fluid animation. <i>ACM Transactions on Graphics</i> , 2010, 29, 1-17.	4.9	14

#	ARTICLE	IF	CITATIONS
3524	Acceleration of 2-D Finite Difference Time Domain Acoustic Wave Simulation Using GPUs. , 2010, , .		3
3525	Usage of symmetry in the simulation of interdigital transducers. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2010, 57, 2356-2359.	1.7	16
3526	Iridescence of Patterned Carbon Nanotube Forests on Flexible Substrates: From Darkest Materials to Colorful Films. ACS Nano, 2010, 4, 1327-1336.	7.3	38
3527	Modeling power law absorption and dispersion for acoustic propagation using the fractional Laplacian. Journal of the Acoustical Society of America, 2010, 127, 2741-2748.	0.5	237
3528	k-Wave: MATLAB toolbox for the simulation and reconstruction of photoacoustic wave fields. Journal of Biomedical Optics, 2010, 15, 021314.	1.4	1,501
3529	Interdigital Ring Coupler Sensor for Parameter Estimation of Moving Objects. Key Engineering Materials, 0, 459, 190-193.	0.4	0
3530	A hybrid absorbing boundary condition for elastic wave modeling with staggeredâ€grid finite difference. , 2010, , .		2
3531	Directional Photofluidization Lithography for Nanoarchitectures with Controlled Shapes and Sizes. Nano Letters, 2010, 10, 296-304.	4.5	72
3532	SAR Calculations in Human Head Model Extracted from Thermal Infrared Images. , 2010, , .		0
3533	Modeling laser wakefield accelerator experiments with ultrafast particle-in-cell simulations in boosted frames. Physics of Plasmas, 2010, 17, 056705.	0.7	14
3534	Convolutional perfectly matched layer for elastic second-order wave equation. Journal of the Acoustical Society of America, 2010, 127, 1318-1327.	0.5	62
3535	Spectrum measurement of fast optical signal of neural activity in brain tissue and its theoretical origin. NeuroImage, 2010, 51, 713-722.	2.1	33
3536	An Elliptical Cylindrical FDTD Algorithm for Modeling Conformal Patch Antenna. IEEE Transactions on Antennas and Propagation, 2010, 58, 3990-3996.	3.1	8
3537	Surface acoustic wave scattering from steps, grooves, and strips on piezoelectric substrates. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2010, 57, 2042-2050.	1.7	39
3538	Synthetic modelling of acoustical propagation applied to seismic oceanography experiments. Geophysical Research Letters, 2010, 37, .	1.5	8
3539	Pseudospectral Frequency-Domain Formulae Based on Modified Perfectly Matched Layers for Calculating Both Guided and Leaky Modes. IEEE Photonics Technology Letters, 2010, 22, 908-910.	1.3	9
3540	A Numerical Study on Helix Nanowire Metamaterials as Optical Circular Polarizers in the Visible Region. IEEE Photonics Technology Letters, 2010, 22, 1303-1305.	1.3	19
3541	Vertical high emission in photonic crystal nanocavities by band-folding design. Physical Review B, 2010, 82, .	1.1	39

#	ARTICLE	IF	CITATIONS
3542	Sensitivity of Plasmonic Nanostructures Coated with Thin Oxide Films for Refractive Index Sensing: Experimental and Theoretical Investigations. Journal of Physical Chemistry C, 2010, 114, 11769-11775.	1.5	37
3543	Development and Characterization of a Diamond-Based Localized Surface Plasmon Resonance Interface. Journal of Physical Chemistry C, 2010, 114, 3346-3353.	1.5	33
3544	Research on electromagnetic shielding of cavity with complex aperture structure. , 2010, , .		2
3545	Validity of Modal Expansion Method for the optical waveguide with PML. , 2010, , .		0
3546	Complex frequency shifted (CFS) PML for the WLP-FDTD method. , 2010, , .		1
3547	Surrogate-Based Modeling of the Optical Response of Metallic Nanostructures. Journal of Physical Chemistry C, 2010, 114, 20741-20748.	1.5	7
3548	A novel FDTD algorithm based on alternating-direction explicit method with PML absorbing boundary condition. , 2010, , .		3
3549	3-D numerical modeling for axisymmetrical piezoelectric structures: application to high-frequency ultrasonic transducers. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2010, 57, 1188-1199.	1.7	11
3550	Discrete Coordinate Transformation for Designing All-Dielectric Flat Antennas. IEEE Transactions on Antennas and Propagation, 2010, 58, 3795-3804.	3.1	108
3551	Microlens performance limits in sub-2 $\frac{1}{4}$ μ m pixel CMOS image sensors. Optics Express, 2010, 18, 5861.	1.7	71
3552	A comprehensive study for the plasmonic thin-film solar cell with periodic structure. Optics Express, 2010, 18, 5993.	1.7	67
3553	Design of binary diffractive microlenses with subwavelength structures using the genetic algorithm. Optics Express, 2010, 18, 8383.	1.7	10
3554	Subwavelength metal-optic semiconductor nanopatch lasers. Optics Express, 2010, 18, 8790.	1.7	224
3555	Self-collimating photonic crystal antireflection structure for both TE and TM polarizations. Optics Express, 2010, 18, 13083.	1.7	23
3556	Acceleration of FDTD mode solver by high-performance computing techniques. Optics Express, 2010, 18, 13679.	1.7	2
3557	Structural coloration and photonic pseudogap in natural random close-packing photonic structures. Optics Express, 2010, 18, 14430.	1.7	112
3558	Ring-type Fabry-Pérot filter based on the self-collimation effect in a 2D photonic crystal. Optics Express, 2010, 18, 17106.	1.7	23
3559	New insight into quasi leaky mode approximations for unified coupled-mode analysis. Optics Express, 2010, 18, 20595.	1.7	21

#	ARTICLE	IF	CITATIONS
3560	Modeling and design of nano-plasmonic structures using transmission line modeling. Optics Express, 2010, 18, 21784.	1.7	19
3561	Beam splitting at the output of photonic crystal waveguides with discrete surface point defects. Optics Express, 2010, 18, 24245.	1.7	7
3562	Photonic crystal slab sensor with enhanced surface area. Optics Express, 2010, 18, 27930.	1.7	153
3563	Ultrabroadband optical circular polarizers consisting of double-helical nanowire structures. Optics Letters, 2010, 35, 2588.	1.7	94
3564	Physical insight into light scattering by photoreceptor cell nuclei. Optics Letters, 2010, 35, 2639.	1.7	38
3565	Application of the Complex Coupled-Mode Theory to Optical Fiber Grating Structures. Journal of Lightwave Technology, 2010, 28, 761-767.	2.7	10
3566	Compact 2-D FDTD Method Combined With Padé Approximation Transform for Leaky Mode Analysis. Journal of Lightwave Technology, 2010, 28, 1638-1645.	2.7	9
3567	Efficient Computation of TM- and TE-Polarized Leaky Modes in Multilayered Circular Waveguides. Journal of Lightwave Technology, 2010, 28, 1661-1669.	2.7	4
3568	Similar Structures, Different Characteristics: Optical Performances of Circular Polarizers With Single- and Double-Helical Metamaterials. Journal of Lightwave Technology, 2010, , .	2.7	4
3569	Modeling and analysis of transients in periodic gratings I Fully absorbing boundaries for 2-D open problems. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2010, 27, 532.	0.8	10
3570	Aperiodic Fourier modal method in contrast-field formulation for simulation of scattering from finite structures. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2010, 27, 2423.	0.8	25
3571	Simulation of whispering gallery modes in the Mie regime using the nonstandard finite-difference time domain algorithm. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 631.	0.9	15
3572	Anisotropic metamaterial blueprints for cladding control of waveguide modes. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 1603.	0.9	7
3573	Full-vectorial modal analysis for circular optical waveguides based on the multidomain Chebyshev pseudospectral method. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 1722.	0.9	7
3574	FDTD analysis of the optical black hole. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 2020.	0.9	30
3575	High-efficiency polarization beam splitter based on a self-collimating photonic crystal. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 2247.	0.9	28
3576	Dirichlet-to-Neumann map method for analyzing hole arrays in a slab. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 2568.	0.9	11
3577	PID controller tuning using particle filtering optimization. , 2010, , .		2

#	ARTICLE	IF	CITATIONS
3578	Convergence of the Uniaxial Perfectly Matched Layer Method for Time-Harmonic Scattering Problems in Two-Layered Media. SIAM Journal on Numerical Analysis, 2010, 48, 2158-2185.	1.1	36
3579	Accelerated A Posteriori Error Estimation for the Reduced Basis Method with Application to 3D Electromagnetic Scattering Problems. SIAM Journal of Scientific Computing, 2010, 32, 498-520.	1.3	29
3580	Fano resonances in acoustics. Journal of Fluid Mechanics, 2010, 664, 238-264.	1.4	48
3581	Noise Coupling Mitigation in PWR/GND Plane Pair by Means of Photonic Crystal Fence: Sensitivity Analysis and Design Parameters Extraction. IEEE Transactions on Advanced Packaging, 2010, 33, 574-581.	1.7	17
3582	Design of a Common Mode Filter by Using Planar Electromagnetic Bandgap Structures. IEEE Transactions on Advanced Packaging, 2010, 33, 994-1002.	1.7	38
3583	The extended Fourier pseudospectral time-domain method for atmospheric sound propagation. Journal of the Acoustical Society of America, 2010, 128, 1632-1646.	0.5	69
3584	Computation of Transient Electromagnetic Fields Due to Switching in High-Voltage Substations. IEEE Transactions on Power Delivery, 2010, 25, 1154-1161.	2.9	80
3585	Observability properties of a semi-discrete 1d wave equation derived from a mixed finite element method on nonuniform meshes. ESAIM - Control, Optimisation and Calculus of Variations, 2010, 16, 298-326.	0.7	25
3586	Interaction between electromagnetic field and human body for dual band balanced antenna using hybrid computational method. , 2010, , .		0
3587	Hybrid method (JM-ECS) combining the j-matrix and exterior complex scaling methods for scattering calculations. Physical Review C, 2010, 82, .	1.1	2
3588	A novel UPML FDTD absorbing boundary condition for dispersive media. Waves in Random and Complex Media, 2010, 20, 511-527.	1.6	15
3589	On the Feasibility of Using the Intrinsic Fluorescence of Nucleotides for DNA Sequencing. Journal of Physical Chemistry C, 2010, 114, 7448-7461.	1.5	25
3591	On the Perfectly Matched Layer for the Boltzmann-BGK Equation and its Application to Computational Aeroacoustics. , 2010, , .		0
3592	Prediction of sound transmission through an annular cascade Using an analytical cascade response function. , 2010, , .		5
3593	Numerical solution of an inverse medium scattering problem with a stochastic source. Inverse Problems, 2010, 26, 074014.	1.0	22
3594	Surface plasmon resonator: Design, construction, and observation in the farfield. Journal of Applied Physics, 2010, 108, 103109.	1.1	2
3595	Modern Theory of Gratings. Springer Series in Optical Sciences, 2010, , .	0.5	29
3596	Stable Perfectly Matched Layers for the Schrödinger Equations. , 2010, , 287-295.		1

#	ARTICLE	IF	CITATIONS
3597	A multistage <i>ab initio</i> quantum wavepacket dynamics formalism for electronic structure and dynamics in open systems. <i>Journal of Chemical Physics</i> , 2010, 133, 044105.	1.2	14
3598	Accurate FDTD Simulation of RF Coils for MRI Using the Thin-Rod Approximation. <i>IEEE Transactions on Antennas and Propagation</i> , 2010, 58, 2004-2011.	3.1	2
3599	Experimental evaluation of UWB transmission waveform for short-range wireless networks. , 2010, , .		0
3600	Meshless RPIM modeling of open-structures using PMLs. , 2010, , .		9
3601	Alternating-direction explicit FDTD method for three-dimensional full-wave simulation. , 2010, , .		7
3602	Scalable Earthquake Simulation on Petascale Supercomputers. , 2010, , .		110
3603	A GPU-based calculation using the three-dimensional FDTD method for electromagnetic field analysis. , 2010, 2010, 327-30.		20
3604	Self-collimating photonic crystal antireflection structure for both TE and TM polarizations. , 2010, , .		0
3605	Development of the CPML for Three-Dimensional Unconditionally Stable LOD-FDTD Method. <i>IEEE Transactions on Antennas and Propagation</i> , 2010, 58, 832-837.	3.1	30
3606	Modelling of out-of-plane losses in a 2D photonic crystal waveguiding structure fabricated by interference lithography in slow light regime. , 2010, , .		0
3607	A residual-potential boundary for time-dependent, infinite-domain problems in computational acoustics. <i>Journal of the Acoustical Society of America</i> , 2010, 127, 675-682.	0.5	4
3608	Rigorous formulation of oblique incidence scattering from dispersive media. <i>Physical Review B</i> , 2010, 82, .	1.1	12
3609	Perfectly Matched Layer based modelling of layered media: Overview and perspective. , 2010, , .		2
3610	A human exposure modelling method for HF transmitter sites. , 2010, , .		1
3611	FEM/BEM simulation of SAW components with electrode passivation by anodic oxidation. , 2010, , .		0
3612	Focusing: coming to the point in metamaterials. <i>Journal of Modern Optics</i> , 2010, 57, 511-527.	0.6	26
3613	An Auxiliary Differential Equation Formulation for the Complex-Frequency Shifted PML. <i>IEEE Transactions on Antennas and Propagation</i> , 2010, 58, 838-847.	3.1	115
3614	A permanent optical storage medium exhibiting ultrahigh contrast, superior stability, and a broad working wavelength regime. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 5747.	1.3	3

#	ARTICLE	IF	CITATIONS
3615	A Magnetic Field-Independent Absorbing Boundary Condition for Magnetized Cold Plasma. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 294-297.	2.4	15
3616	Multi-GPU accelerated three-dimensional FDTD method for electromagnetic simulation. , 2011, 2011, 401-4.		5
3617	Numerical analysis of on-body channel for statistically-generated body shapes. , 2011, , .		6
3618	Plasmonic properties of silver nanostructures coated with an amorphous silicon-carbon alloy and their applications for sensitive sensing of DNA hybridization. Analyst, The, 2011, 136, 1859.	1.7	12
3619	High order explicit convolution free time-domain finite element PML implementation. , 2011, , .		0
3620	3D Optical and device simulation of surface plasmonic effects on organic solar cells using silver nano prisms. , 2011, , .		2
3621	Impact of Soil Structure on Microwave Volume Scattering Evaluated by a Two-Dimensional Numerical Model. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 415-425.	2.7	12
3622	Incorporating the G-TFSF Concept into the Analytic Field Propagation TFSF Method. IEEE Transactions on Antennas and Propagation, 2011, 59, 3296-3304.	3.1	3
3623	Eigenvalue computation of open periodically composed waveguides by series expansion. , 2011, , .		4
3624	On accuracy of simple FDTD models for the simulation of human body path loss. , 2011, , .		8
3625	Numerical calculation of the RCS of conductive objects covered with time-varying inhomogeneous plasma. , 2011, , .		1
3626	Efficient Modeling of Open Structures Using Nonuniform Leapfrog ADI-FDTD. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 561-564.	2.4	10
3627	Recursive iterative surface equivalence approach for solving electromagnetic scattering from conducting bodies. , 2011, , .		1
3628	Perfectly Matched Layers for Diffraction Gratings in Inhomogeneous Media. Stability and Error Estimates. SIAM Journal on Numerical Analysis, 2011, 49, 309-330.	1.1	3
3629	A two-dimensional single-field FDTD formulation for oblique incident electromagnetic simulations. , 2011, , .		0
3630	On the modeling of optical systems containing elements of different scales. Journal of Modern Optics, 2011, 58, 496-508.	0.6	3
3631	Using intruded gold nanoclusters as highly active catalysts to fabricate silicon nanostalactite structures exhibiting excellent light trapping and field emission properties. Energy and Environmental Science, 2011, 4, 5020.	15.6	11
3632	Generation of isolated attosecond extreme ultraviolet pulses employing nanoplasmonic field enhancement: optimization of coupled ellipsoids. New Journal of Physics, 2011, 13, 073010.	1.2	56

#	ARTICLE	IF	CITATIONS
3633	Combined Piecewise Linear Recursive Convolution-Bilinear Transform Implementation of the CFS-PML for Unmagnetized Plasma. IEEE Microwave and Wireless Components Letters, 2011, 21, 277-279.	2.0	7
3634	Meshed ground microstrip antennas with low radar cross section. , 2011, , .		1
3635	A Java platform for the implementation of the finite-difference time-domain method. , 2011, , .		0
3636	A hybrid FDTD and leapfrog ADI-FDTD method with PML implementation. , 2011, , .		2
3637	A whole body statistical shape model for radio frequency simulation. , 2011, 2011, 7143-6.		5
3638	Strongly coupled regime of ionization-induced scattering in ultrashort laser-matter interactions. Physical Review E, 2011, 84, 036408.	0.8	7
3639	Modeling Accuracy and Features of Body-Area Networks with Out-of-Body Antennas at 402 MHz. IEEE Antennas and Propagation Magazine, 2011, 53, 118-143.	1.2	7
3640	Low profile small size monopole antenna for mobile communication. , 2011, , .		0
3641	Two - dimensional Multi - Resolution Time - Domain forward modeling of electromagnetic scattering. , 2011, , .		0
3642	Analytical model to predict the effect of a finite impedance surface on the propagation properties of 2D Sonic Crystals. Journal Physics D: Applied Physics, 2011, 44, 265501.	1.3	15
3643	Near-Field PML Optimization for Low and High Order FDTD Algorithms Using Closed-Form Predictive Equations. IEEE Transactions on Antennas and Propagation, 2011, 59, 2933-2942.	3.1	11
3644	An efficient implementation of the higher-order PML based on the Z-transform method. , 2011, , .		11
3645	Three-Dimensional Magnetic Field and NMR Sensitivity Computations Incorporating Conductivity Anomalies and Variable-Surface Topography. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 3878-3891.	2.7	35
3646	Underground Anomaly Detection by Electromagnetic Shock Waves. IEEE Transactions on Antennas and Propagation, 2011, 59, 149-153.	3.1	14
3647	CFS-PML Implementation for the Unconditionally Stable FDLTD Method. Journal of Electromagnetic Waves and Applications, 2011, 25, 879-888.	1.0	8
3648	Confined Optical Fields in Nanovoid Chain Structures Directly Visualized by Near-Field Optical Imaging. Journal of Physical Chemistry C, 2011, 115, 1548-1555.	1.5	11
3649	Tunable wideband bandstop acoustic filter based on two-dimensional multiphysical phenomena periodic systems. Journal of Applied Physics, 2011, 110, .	1.1	66
3650	Effect of anisotropy on the reflection of SAW from grooves and strips. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
3651	Numerical Simulation of Lasing Dynamics in Cholesteric Liquid Crystal. <i>Molecular Crystals and Liquid Crystals</i> , 2011, 544, 77/[1065]-87/[1075].	0.4	4
3652	Reducing support loss in micromechanical ring resonators using phononic band-gap structures. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 375101.	1.3	31
3653	Finite-difference time-domain modeling of transient infrasonic wavefields excited by volcanic explosions. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	52
3654	Full-wave modeling of the time domain reflectometry signal in wetted sandy soils using a random microstructure discretization: Comparison with experiments. <i>Water Resources Research</i> , 2011, 47, .	1.7	1
3655	Modeling scattering from lightning-induced ionospheric disturbances with the discontinuous Galerkin method. <i>Journal of Geophysical Research</i> , 2011, 116, n/a-n/a.	3.3	4
3656	Computation of resonances in photonic crystal nanocavities. <i>Radio Science</i> , 2011, 46, .	0.8	2
3657	Computational methods in vectorial imaging. <i>Journal of Modern Optics</i> , 2011, 58, 339-364.	0.6	60
3658	Application of the Nearly Perfectly Matched Layer to Seismic-Wave Propagation Modeling in Elastic Anisotropic Media. <i>Bulletin of the Seismological Society of America</i> , 2011, 101, 2866-2871.	1.1	5
3659	Spectral and High Order Methods for Partial Differential Equations. <i>Lecture Notes in Computational Science and Engineering</i> , 2011, , .	0.1	10
3660	Uncertainty in hyperthermia treatment planning: the need for robust system design. <i>Physics in Medicine and Biology</i> , 2011, 56, 3233-3250.	1.6	52
3661	Analysis of the diffraction efficiency of reflection and transmission holographic gratings by means of a parallel FDTD approach. , 2011, , .		1
3662	In-plane acoustic reflectors for reducing effective anchor loss in lateral "extensional MEMS resonators. <i>Journal of Micromechanics and Microengineering</i> , 2011, 21, 085021.	1.5	136
3663	Ionization-induced dynamics of laser-matter interaction in a focused laser pulse: A comparative analysis. <i>Physics of Plasmas</i> , 2011, 18, 032107.	0.7	4
3664	Sources of image degradation in fundamental and harmonic ultrasound imaging using nonlinear, full-wave simulations. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011, 58, 754-765.	1.7	91
3665	Perfectly matched layers for frequency-domain integral equation acoustic scattering problems. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011, 58, 1077-1086.	1.7	9
3667	Phononic plate waves. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011, 58, 2146-2161.	1.7	61
3668	Assessment of viscous and elastic properties of sub-wavelength layered soft tissues using shear wave spectroscopy: Theoretical framework and in vitro experimental validation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011, 58, 2305-2315.	1.7	69
3669	Effective Local Absorbing Boundary Conditions for a Finite Difference Implementation of the Parabolic Equation. <i>IEEE Transactions on Antennas and Propagation</i> , 2011, 59, 1616-1625.	3.1	3

#	ARTICLE	IF	CITATIONS
3670	The Use of Aluminum Nanostructures in Plasmon-Controlled Fluorescence Applications in the Ultraviolet Toward the Label-Free Detection of Biomolecules. , 2011, , 215-255.		3
3671	Eliminating the memory bottleneck. , 2011, , .		23
3672	Spectral Methods. Springer Series in Computational Mathematics, 2011, , .	0.1	865
3673	PARALLEL 3D FINITE-DIFFERENCE TIME-DOMAIN METHOD ON MULTI-GPU SYSTEMS. International Journal of Modern Physics C, 2011, 22, 107-121.	0.8	9
3675	Compact FDTD Formulation for Structures With Spherical Invariance. IEEE Transactions on Antennas and Propagation, 2011, 59, 987-993.	3.1	4
3676	Discrete Symbol Calculus. SIAM Review, 2011, 53, 71-104.	4.2	20
3677	Optical and electrochemical properties of tunable host-guest complexes linked to plasmonic interfaces. Journal of Materials Chemistry, 2011, 21, 3006.	6.7	19
3678	Novel technique for improvement of transmission line matrix method algorithm frequency response. , 2011, , .		0
3679	A MATLAB-based frequency-domain finite-difference package for solving 2D visco-acoustic wave equation. Waves in Random and Complex Media, 2011, 21, 161-183.	1.6	14
3680	An Optimized Perfectly Matched Layer for the Schrödinger Equation. Communications in Computational Physics, 2011, 9, 147-179.	0.7	30
3681	Surface Nanophotonics Theory. , 2011, , 187-208.		3
3682	A Tunable Plasmon Resonance in Gold Nanobelts. Nano Letters, 2011, 11, 5034-5037.	4.5	56
3683	Finite element simulation of optical modes in VCSELs. , 2011, , .		0
3684	The electromagnetic property of chemically reduced graphene oxide and its application as microwave absorbing material. Applied Physics Letters, 2011, 98, .	1.5	597
3685	Ensemble and Single Molecule Studies on the Use of Metallic Nanostructures to Enhance the Intrinsic Emission of Enzyme Cofactors. Journal of Physical Chemistry C, 2011, 115, 7298-7308.	1.5	17
3686	Wave propagation in heterogeneous porous media formulated in the frequency-space domain using a discontinuous Galerkin method. Geophysics, 2011, 76, N13-N28.	1.4	50
3688	Analysis of a Microstructure for Highly Reflective Thermal Radiation Barrier Coatings. , 2011, , .		0
3689	Wave Computation Using a A High Order Space-time Riemann Solver Free Method. , 2011, , .		2

#	ARTICLE	IF	CITATIONS
3690	A Novel Boundary Element Method Using Surface Conductive Absorbers for Full-Wave Analysis of 3-D Nanophotonics. <i>Journal of Lightwave Technology</i> , 2011, 29, 949-959.	2.7	7
3691	A 3-D LOD-FDTD Method for the Wideband Analysis of Optical Devices. <i>Journal of Lightwave Technology</i> , 2011, 29, 1652-1658.	2.7	17
3692	Relaxed Dimensional Tolerance Whispering Gallery Microbends. <i>Journal of Lightwave Technology</i> , 2011, 29, 1892-1898.	2.7	16
3693	Gain Saturation and Output Characteristics of Index-Antiguide Planar Waveguide Amplifiers With Homogeneous Broadening. <i>Journal of Lightwave Technology</i> , 2011, 29, 1958-1964.	2.7	7
3694	Dispersion Relation of Leaky Modes in Nonhomogeneous Waveguides and Its Applications. <i>Journal of Lightwave Technology</i> , 2011, 29, 3230-3236.	2.7	10
3695	Broadband terahertz circular polarizers with single- and double-helical array metamaterials. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2011, 28, 19.	0.8	35
3696	Exact transparent boundary condition for the parabolic equation in a rectangular computational domain. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2011, 28, 373.	0.8	17
3697	Tunable optical transmission through gold slit arrays with Z-shaped channels. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2011, 28, 441.	0.8	8
3698	Modified S-matrix algorithm for the aperiodic Fourier modal method in contrast-field formulation. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2011, 28, 1364.	0.8	19
3699	Highly efficient and broadband light transmission in 90° nanophotonic wire waveguide bends. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011, 28, 495.	0.9	16
3700	Impedance-matched absorbers and optical pseudo black holes. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011, 28, 1317.	0.9	35
3701	Anomalous transmission properties of a conducting fiber composite material at high frequency. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011, 28, 1439.	0.9	1
3702	Efficient numerical method for analyzing photonic crystal slab waveguides. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011, 28, 2265.	0.9	7
3703	Absorbing boundary conditions for low group velocity electromagnetic waves in photonic crystals. <i>Applied Optics</i> , 2011, 50, 1266.	2.1	3
3704	Controlling light transport by using a graded photonic crystal. <i>Applied Optics</i> , 2011, 50, 2152.	2.1	16
3705	Proposal for postfabrication fine-tuning of three-port photonic crystal channel drop filters by means of optofluidic infiltration. <i>Applied Optics</i> , 2011, 50, 2622.	2.1	19
3706	Manipulating wavelength-selective emission with heterogeneous photonic crystals. <i>Applied Optics</i> , 2011, 50, 5256.	2.1	1
3707	Surface plasmon near-field resonance characteristics of silver shell nanocylinders arranged in triangular geometry. <i>Applied Optics</i> , 2011, 50, 6277.	2.1	3

#	ARTICLE	IF	CITATIONS
3708	Optical properties of three-dimensional woodpile photonic crystals composed of circular cylinders with planar defect structures. <i>Applied Optics</i> , 2011, 50, 6657.	2.1	0
3709	Modes of random lasers. <i>Advances in Optics and Photonics</i> , 2011, 3, 88.	12.1	163
3710	Introduction to the Finite-Difference Time-Domain (FDTD) Method for Electromagnetics. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2011, 6, 1-250.	0.2	142
3711	Effect of perfectly matched layer reflection coefficient on modal analysis of leaky waveguide modes. <i>Optics Express</i> , 2011, 19, 562.	1.7	6
3712	A high-accuracy pseudospectral full-vectorial leaky optical waveguide mode solver with carefully implemented UPML absorbing boundary conditions. <i>Optics Express</i> , 2011, 19, 1594.	1.7	6
3713	Improving the signal-to-noise ratio for circular polarizers consisting of helical metamaterials. <i>Optics Express</i> , 2011, 19, 4255.	1.7	54
3714	Stretched-coordinate PMLs for Maxwell's equations in the discontinuous Galerkin time-domain method. <i>Optics Express</i> , 2011, 19, 4618.	1.7	8
3715	Single mode emission and non-stochastic laser system based on disordered point-sized structures: toward a tuneable random laser. <i>Optics Express</i> , 2011, 19, 9262.	1.7	9
3716	Higher extinction ratio circular polarizers with hetero-structured double-helical metamaterials. <i>Optics Express</i> , 2011, 19, 10886.	1.7	42
3717	Design of wavelength selective concentrator for micro PV/TPV systems using evolutionary algorithm. <i>Optics Express</i> , 2011, 19, 13140.	1.7	5
3718	Temporal control of local plasmon distribution on Au nanocrosses by ultra-broadband femtosecond laser pulses and its application for selective two-photon excitation of multiple fluorophores. <i>Optics Express</i> , 2011, 19, 13618.	1.7	11
3719	Optical design of organic solar cell with hybrid plasmonic system. <i>Optics Express</i> , 2011, 19, 15908.	1.7	22
3720	Polarization characteristics of the metallic structure with elliptically helical metamaterials. <i>Optics Express</i> , 2011, 19, 17539.	1.7	8
3721	Compact wavelength de-multiplexer design using slow light regime of photonic crystal waveguides. <i>Optics Express</i> , 2011, 19, 24129.	1.7	29
3722	Design of T-shaped nanophotonic wire waveguide for optical interconnection in H-tree network. <i>Optics Express</i> , 2011, 19, 26827.	1.7	17
3723	Port output of metallo-dielectric confined circular microlasers. <i>Optics Letters</i> , 2011, 36, 1374.	1.7	2
3724	PMMA-micro goblet resonators for biosensing applications. <i>Proceedings of SPIE</i> , 2011, , .	0.8	6
3725	Analysis of metamaterial absorber blueprints for optical "black holes", 2011, , .		1

#	ARTICLE	IF	CITATIONS
3726	Artificial Boundary Conditions for the Simulation of the Heat Equation in an Infinite Domain. SIAM Journal of Scientific Computing, 2011, 33, 1765-1784.	1.3	3
3727	Finite Differences and Finite Elements. Modern Acoustics and Signal Processing, 2011, , 531-610.	0.8	3
3728	Engineering Photonicâ€“Plasmonic Coupling in Metal Nanoparticle Necklaces. ACS Nano, 2011, 5, 6578-6585.	7.3	85
3729	Plasmonic interaction of visible light with gold nanoscale checkerboards. Physical Review B, 2011, 84, .	1.1	19
3730	An Efficient Neumann Seriesâ€“Based Algorithm for Thermoacoustic and Photoacoustic Tomography with Variable Sound Speed. SIAM Journal on Imaging Sciences, 2011, 4, 850-883.	1.3	84
3731	Coupling Molecular Dynamics and Continua with Weak Constraints. Multiscale Modeling and Simulation, 2011, 9, 1459-1494.	0.6	13
3732	Sweeping Preconditioner for the Helmholtz Equation: Moving Perfectly Matched Layers. Multiscale Modeling and Simulation, 2011, 9, 686-710.	0.6	163
3733	Trying to Interpret Modern Art as a Finite-Element Practitioner. IEEE Antennas and Propagation Magazine, 2011, 53, 158-166.	1.2	0
3734	NURBS-Enhanced Finite Element Method (NEFEM). Archives of Computational Methods in Engineering, 2011, 18, 441-484.	6.0	78
3735	The Use of Aluminum Nanostructures in Plasmon-Controlled Fluorescence Applications in the Ultraviolet Toward the Label-Free Detection of Biomolecules. , 2011, , 153-188.		0
3736	The perfectly matched layer. , 0, , 199-236.		0
3737	MODELING OF THE HUMAN EXPOSURE INSIDE A RANDOM PLANE WAVE FIELD. Progress in Electromagnetics Research B, 2011, 29, 251-267.	0.7	16
3738	A HYBRID HIGHER ORDER FDTD SCHEME FOR MODELING RADAR CROSS SECTION OF ELECTRICALLY LARGE TARGETS. Progress in Electromagnetics Research M, 2011, 18, 143-157.	0.5	2
3739	Comparisons between the hybrid ABC and the PML method for 2D highâ€“order finiteâ€“difference acoustic modeling. , 2011, , .		2
3740	ANALYSIS OF REFLECTION GRATINGS BY MEANS OF A MATRIX METHOD APPROACH. Progress in Electromagnetics Research, 2011, 118, 167-183.	1.6	9
3741	Electrically Small Microstrip Antennas Targeting Miniaturized Satellites: the CubeSat Paradigm. , 0, , .		5
3742	A Frequency-Domain Linearized Euler Model for Noise Radiation. , 2011, , .		1
3743	Numerical Simulation of Lasing Dynamics in Cholesteric Liquid Crystal Based on ADE-FDTD Method. , 2011, , .		1

#	ARTICLE	IF	CITATIONS
3744	FAST COMPUTATION OF DIPOLE RADIATION IN STRATIFIED BACKGROUND USING GRAPHICS PROCESSING UNIT. Progress in Electromagnetics Research M, 2011, 20, 115-126.	0.5	5
3745	Effect of fill-factor on the Talbot effect of diffraction gratings. Journal of the European Optical Society-Rapid Publications, 0, 6, .	0.9	5
3746	Review of Numerical Simulation of Microwave Heating Process. , 0, , .		19
3747	Light propagation through dispersive dielectric slabs. , 0, , 28-62.		0
3748	A Hybrid Method to Predict the Distribution of Vibro-Acoustic Energy in Complex Built-Up Structures. , 2011, , .		1
3749	Photonic Band Structure and Transmittance of the Superconductor Photonic Crystal. , 0, , .		1
3750	Computing modal dispersion characteristics of radially Asymmetric Bragg fiber. International Journal of Engineering, Science and Technology, 2011, 2, .	0.3	1
3751	Perfect Matched Layer Optimization for Acoustic Wave Modelling. , 2011, , .		1
3752	The Work of David Gottlieb: A Success Story. Communications in Computational Physics, 2011, 9, 481-496.	0.7	2
3753	Simulating Acoustic Engine Performance Over a Broad Frequency Range. , 0, , .		5
3754	Applicability evaluation of earthquake wave and influence evaluation of surface wave in FEM-CPML ground model. Journal of Japan Society of Civil Engineers Ser A2 (Applied Mechanics (AM)), 2011, 67, I_965-I_974.	0.1	0
3755	An approximate hybrid method for modeling of electromagnetic scattering from an underground target. Geophysics, 2011, 76, Z27-Z27.	1.4	1
3756	The pole condition as transparent boundary condition for resonance problems: detection of spurious modes. Proceedings of SPIE, 2011, , .	0.8	1
3757	Small-scale modeling of onshore seismic experiment: A tool to validate numerical modeling and seismic imaging methods. Geophysics, 2011, 76, T101-T112.	1.4	38
3758	Optical near field in silicon photonics. Proceedings of SPIE, 2011, , .	0.8	1
3759	Investigation of born approximation applied to non-destructive evaluation of concrete media. Proceedings of SPIE, 2011, , .	0.8	0
3760	Emission control with metallic hole arrays. , 2011, , .		0
3761	Irregular perfectly matched layers for 3D elastic wave modeling. Geophysics, 2011, 76, T27-T36.	1.4	12

#	ARTICLE	IF	CITATIONS
3762	On High-Order FEM Applied to Canonical Scattering Problems in Plasmonics. Journal of Computational and Theoretical Nanoscience, 2011, 8, 1564-1572.	0.4	4
3763	Slope efficiency characteristics of mode-hop driven tunable single-mode cholesteric liquid crystal laser. , 2011, , .		0
3764	Creating finite-difference time-domain models of commercial ground-penetrating radar antennas using Taguchi's optimization method. Geophysics, 2011, 76, G37-G47.	1.4	221
3765	Analysis of High-Order Absorbing Boundary Conditions for the Schrödinger Equation. Communications in Computational Physics, 2011, 10, 742-766.	0.7	18
3766	Estimating the Effect of Semi-Transparent Low-Height Road Traffic Noise Barriers with Ultra Weak Variational Formulation. Acta Acustica United With Acustica, 2011, 97, 391-402.	0.8	11
3767	Reducing high Reynolds number hydroacoustic noise using superhydrophobic coating. Journal of Physics: Conference Series, 2011, 318, 092004.	0.3	0
3768	A Finite-Difference Scheme Based on PML Boundary Condition with High Power Grid Step Variation. Chinese Journal of Geophysics, 2011, 54, 393-402.	0.2	5
3769	LAMB WAVES IN PHONONIC BAND GAP STRUCTURES. , 2011, , 1-48.		0
3770	Effect of Transverse Acoustic Flow on the Input Impedance of Rapidly Flaring Horns. Archives of Acoustics, 2011, 36, 533-544.	0.9	0
3771	Numerical simulation of UWB impulse radar vital signal detection at an earthquake disaster site. , 2011, , .		0
3772	A multigrid preconditioner for 3D acoustic fourth-order finite-difference frequency-domain modeling using the PML boundary condition. , 2011, , .		2
3773	Numerical modelling of microwave heating in landmines detection. International Journal of Applied Electromagnetics and Mechanics, 2011, 37, 215-229.	0.3	6
3774	An improved perfectly matched layer absorbing boundary condition. , 2011, , .		0
3775	Anderson localization of light in a random configuration of semiconductor nanocolumns. Proceedings of SPIE, 2011, , .	0.8	0
3776	Efficient approach for the calculation of transmission and reflection spectra of photonic crystal waveguide devices. Proceedings of SPIE, 2011, , .	0.8	0
3777	Negative refraction using plasmonic structures that are atomically flat. , 0, , 269-286.		0
3778	Cloaking. , 0, , 316-385.		0
3779	On perfectly matched layer schemes in finite difference simulations of acoustic Logging-While-Drilling. , 2011, , .		2

#	ARTICLE	IF	CITATIONS
3780	The application of the nearly perfectly matched layer to numerical modeling in poroelastic media. , 2011, , .		0
3781	Elastic modeling in 3D tilted transversely isotropic (TTI) media with convolutional perfectly matched layer (CPML) boundary conditions. , 2011, , .		1
3782	A coupled modal-finite element method for the wave propagation modeling in irregular open waveguides. Journal of the Acoustical Society of America, 2011, 129, 1240-1249.	0.5	25
3783	Time-varying boundary conditions in simulation of seismic wave propagation. , 2011, , .		1
3784	MAGNETOACOUSTIC WAVE ENERGY FROM NUMERICAL SIMULATIONS OF AN OBSERVED SUNSPOT UMBRA. Astrophysical Journal, 2011, 735, 65.	1.6	33
3785	Simulation for Thermal Radiation Emitted from Functional Surface. 880-02 Nihon Kikai Gakkai RonbunshÅ« Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2011, 77, 1978-1993.	0.2	3
3787	Computing Optimized Factors for Absorbing Boundary Techniques. , 2011, , .		0
3788	Sweeping preconditioner for the 3D Helmholtz equation. , 2011, , .		9
3789	3-D frequency-domain seismic wave modelling in heterogeneous, anisotropic media using a Gaussian quadrature grid approach. Geophysical Journal International, 2011, 184, 507-526.	1.0	15
3790	Finite difference synthesis of infrasound propagation through a windy, viscous atmosphere: application to a bolide explosion detected by seismic networks. Geophysical Journal International, 2011, 185, 305-320.	1.0	33
3791	High-resolution seismic attenuation imaging from wide-aperture onshore data by visco-acoustic frequency-domain full-waveform inversion. Geophysical Journal International, 2011, 186, 1179-1204.	1.0	104
3792	Three-dimensional adaptive higher order finite element simulation for geo-electromagnetics-a marine CSEM example. Geophysical Journal International, 2011, 187, 63-74.	1.0	165
3793	On the footprint of anisotropy on isotropic full waveform inversion: the Valhall case study. Geophysical Journal International, 2011, 187, 1495-1515.	1.0	100
3794	Preconditioned non-linear conjugate gradient method for frequency domain full-waveform seismic inversion. Geophysical Prospecting, 2011, 59, 477-491.	1.0	55
3795	Application of the nearly perfectly matched layer for seismic wave propagation in 2D homogeneous isotropic media. Geophysical Prospecting, 2011, 59, 662-672.	1.0	23
3796	Three-dimensional parallel frequency-domain visco-acoustic wave modelling based on a hybrid direct/iterative solver. Geophysical Prospecting, 2011, 59, 834-856.	1.0	35
3797	A review of the spectral, pseudo-spectral, finite-difference and finite-element modelling techniques for geophysical imaging. Geophysical Prospecting, 2011, 59, 794-813.	1.0	149
3798	Hardy space infinite elements for Helmholtz-type problems with unbounded inhomogeneities. Wave Motion, 2011, 48, 116-129.	1.0	11

#	ARTICLE	IF	CITATIONS
3799	Interlocked optimization and fast gradient algorithm for a seismic inverse problem. <i>Journal of Computational Physics</i> , 2011, 230, 7502-7518.	1.9	6
3800	Efficient enforcement of far-field boundary conditions in the Transformed Field Expansions method. <i>Journal of Computational Physics</i> , 2011, 230, 8290-8303.	1.9	12
3801	Infrared radiative properties of two-dimensional square optical black holes. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2011, 112, 2584-2591.	1.1	6
3802	Time-domain impedance formulation for transmission line matrix modelling of outdoor sound propagation. <i>Journal of Sound and Vibration</i> , 2011, 330, 6467-6481.	2.1	19
3803	Volume-averaged SAR in adult and child head models when using mobile phones: A computational study with detailed CAD-based models of commercial mobile phones. <i>Progress in Biophysics and Molecular Biology</i> , 2011, 107, 439-442.	1.4	7
3804	Systematic split-step perfectly matched layer formulations for modelling dispersive open region finite difference time domain applications. <i>IET Microwaves, Antennas and Propagation</i> , 2011, 5, 1062.	0.7	3
3805	Z-transform-based complex envelope alternating direction implicit perfectly matched layer algorithm for modelling Drude dispersive source-free wave equation finite-difference time domain applications. <i>IET Microwaves, Antennas and Propagation</i> , 2011, 5, 1067.	0.7	0
3806	Experimental and numerical investigation of the maximum specific absorption rate in a spherical phantom when operating a mobile phone near a metallic wall. <i>IET Science, Measurement and Technology</i> , 2011, 5, 225-230.	0.9	1
3807	Distributed Etched Diffraction Grating Demultiplexer With Flat-Top Insertion Loss Envelope. <i>IEEE Photonics Journal</i> , 2011, 3, 748-755.	1.0	1
3808	Modal Analysis of Nanoplasmonic Multilayer Spherical Resonators. <i>IEEE Photonics Journal</i> , 2011, 3, 765-776.	1.0	5
3809	Through-Wall Bio-Radiolocation With UWB Impulse Radar: Observation, Simulation and Signal Extraction. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2011, 4, 791-798.	2.3	92
3810	Rigorous Full-Vectorial Solutions of Photonics Nanowires. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011, 17, 952-959.	1.9	1
3811	Multiple-Port InP/InGaAsP Square-Resonator Microlasers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011, 17, 1656-1661.	1.9	15
3812	Comprehensive Analysis of Mode Competition in High-Power CW-Operating Diode Lasers of the Antiresonant Reflecting Optical Waveguide (ARROW) Type. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2011, 17, 1735-1744.	1.9	9
3813	A New Trend in Propagation Prediction. <i>IEEE Vehicular Technology Magazine</i> , 2011, 6, 73-81.	2.8	16
3814	Focusing Problems of a Buried Point Scatterer using a Low Frequency SAR. <i>IEEE Transactions on Aerospace and Electronic Systems</i> , 2011, 47, 438-453.	2.6	9
3815	Microchamber Setup Characterization for Nanosecond Pulsed Electric Field Exposure. <i>IEEE Transactions on Biomedical Engineering</i> , 2011, 58, 1656-1662.	2.5	40
3816	Influence of Plane-Wave Incidence Angle on Whole Body and Local Exposure at 2100 MHz. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2011, 53, 48-52.	1.4	27

#	ARTICLE	IF	CITATIONS
3817	Analysis of FDTD to UPML for Maxwell equations in polar coordinates. <i>Acta Mathematica Scientia</i> , 2011, 31, 2007-2032.	0.5	2
3818	Application of M-PML reflectionless boundary conditions to the numerical simulation of wave propagation in anisotropic media. Part I: Reflectivity. <i>Numerical Analysis and Applications</i> , 2011, 4, 271-280.	0.2	19
3819	Asymptotic boundary conditions with immersed finite elements for interface magnetostatic/electrostatic field problems with open boundary. <i>Computer Physics Communications</i> , 2011, 182, 2331-2338.	3.0	22
3820	Improving the performance of Higdon non-reflecting boundary conditions by using weighted differencing. <i>Applied Numerical Mathematics</i> , 2011, 61, 1186-1197.	1.2	3
3821	Two-dimensional frequency-domain visco-elastic full waveform inversion: Parallel algorithms, optimization and performance. <i>Computers and Geosciences</i> , 2011, 37, 444-455.	2.0	83
3822	An optimal 25-point finite difference scheme for the Helmholtz equation with PML. <i>Journal of Computational and Applied Mathematics</i> , 2011, 236, 1240-1258.	1.1	27
3823	Ultra-High-Responsivity Broadband Detection of Si Metal-Semiconductor-Metal Schottky Photodetectors Improved by ZnO Nanorod Arrays. <i>ACS Nano</i> , 2011, 5, 7748-7753.	7.3	145
3824	Time-varying boundary conditions in simulation of seismic wave propagation. <i>Geophysics</i> , 2011, 76, A1-A6.	1.4	26
3825	Study on a novel photonic crystal temperature sensor. <i>Optoelectronics Letters</i> , 2011, 7, 419-422.	0.4	13
3826	Simulation of the Rayleigh waves in the proximity of the scattering velocity heterogeneities. Exploring the capabilities of the microseismic sounding method. <i>Izvestiya, Physics of the Solid Earth</i> , 2011, 47, 354-369.	0.2	37
3827	Numerical solution of time-dependent nonlinear Schrödinger equations using domain truncation techniques coupled with relaxation scheme. <i>Laser Physics</i> , 2011, 21, 1491-1502.	0.6	18
3828	Tilted Wave Lasers: A Way to High Brightness Sources of Light. <i>IEEE Journal of Quantum Electronics</i> , 2011, 47, 1014-1027.	1.0	22
3829	The convolutional PML for FDTD analysis: Transient electromagnetic absorption from DC to daylight. , 2011, , .		4
3830	Time-Domain Field and Scattering Parameter Computation in Waveguide Structures by GPU-Accelerated Discontinuous-Galerkin Method. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2011, 59, 2788-2797.	2.9	15
3831	A Formula for Fourier Series Expansion Method with Complex Coordinate Stretching Layers. <i>Journal of Infrared, Millimeter, and Terahertz Waves</i> , 2011, 32, 196-203.	1.2	3
3832	Design of a compact photonic crystal sensor. <i>Optical and Quantum Electronics</i> , 2011, 42, 463-472.	1.5	23
3833	Novel fast photonic crystal multiplexer-demultiplexer switches. <i>Optical and Quantum Electronics</i> , 2011, 42, 425-433.	1.5	43
3834	Nonlinear Force-Free Reconstruction of the Global Solar Magnetic Field: Methodology. <i>Solar Physics</i> , 2011, 269, 351-365.	1.0	26

#	ARTICLE	IF	CITATIONS
3835	Quasi-Normal Modes and Exponential Energy Decay for the Kerr-de Sitter Black Hole. <i>Communications in Mathematical Physics</i> , 2011, 306, 119-163.	1.0	72
3836	Finite elements modelling of scattering problems for flexural waves in thin plates: Application to elliptic invisibility cloaks, rotators and the mirage effect. <i>Journal of Computational Physics</i> , 2011, 230, 2237-2245.	1.9	8
3837	Local nonreflecting boundary condition for time-dependent multiple scattering. <i>Journal of Computational Physics</i> , 2011, 230, 3135-3154.	1.9	33
3838	Semi-empirical boundary conditions for the linearized acoustic Euler equations using Pseudo-Spectral Time-Domain methods. <i>Applied Acoustics</i> , 2011, 72, 226-230.	1.7	9
3839	A comprehensive discrete-time computer modeling of acoustic Transmission Line loudspeakers. <i>Applied Acoustics</i> , 2011, 72, 742-753.	1.7	0
3840	On the stability of the high-order Higdon Absorbing Boundary Conditions. <i>Applied Numerical Mathematics</i> , 2011, 61, 768-784.	1.2	13
3841	A surrogate model to assess the whole body SAR induced by multiple plane waves at 2.4 GHz. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 2011, 66, 419-428.	1.6	14
3842	PML absorbing boundary condition for seismic numerical modeling by convolutional differentiator in fluid-saturated porous media. <i>Journal of Earth Science (Wuhan, China)</i> , 2011, 22, 377-385.	1.1	2
3843	Designing birefringence of index-guiding non-hexagonal photonic crystal fibers. <i>Journal of Optics (India)</i> , 2011, 40, 56-64.	0.8	15
3844	Analysis of a nano-porous multi-layer film for thermal radiation barrier coatings. <i>Applied Nanoscience (Switzerland)</i> , 2011, 1, 173-188.	1.6	1
3845	Stability and superconvergence analysis of the FDTD scheme for the 2D Maxwell equations in a lossy medium. <i>Science China Mathematics</i> , 2011, 54, 2693-2712.	0.8	11
3846	Frequency domain wave equation forward modeling using gaussian elimination with static pivoting. <i>Applied Geophysics</i> , 2011, 8, 60-68.	0.1	2
3847	Single-polarization photonic crystal fibers with a multiplex structure. <i>Optoelectronics Letters</i> , 2011, 7, 57-60.	0.4	0
3848	Electromagnetic modeling of waveguide amplifier based on Nd ³⁺ Si-rich SiO ₂ layers by means of the ADE-FDTD method. <i>Nanoscale Research Letters</i> , 2011, 6, 278.	3.1	2
3849	Photonic nanoarchitectures in butterflies and beetles: valuable sources for bioinspiration. <i>Laser and Photonics Reviews</i> , 2011, 5, 27-51.	4.4	173
3850	Topology optimization for nano-photonics. <i>Laser and Photonics Reviews</i> , 2011, 5, 308-321.	4.4	492
3851	PML absorbing boundary condition for the integral-based high-order FV24 FDTD algorithm. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2011, 24, 2-12.	1.2	1
3852	Scattering from gyrotropic bodies using FDFD method. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2011, 21, 77-84.	0.8	1

#	ARTICLE	IF	CITATIONS
3853	Efficient SP ϵ -FDTD algorithm for solving oblique incident plane wave in dispersive materials. <i>Microwave and Optical Technology Letters</i> , 2011, 53, 2123-2127.	0.9	0
3854	Giant Efficiency Enhancement of GaAs Solar Cells with Graded Antireflection Layers Based on Syringelike ZnO Nanorod Arrays. <i>Advanced Energy Materials</i> , 2011, 1, 506-510.	10.2	91
3855	Infinite elements in a poroelastodynamic FEM. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2011, 35, 1774-1800.	1.7	8
3856	Tailoring unstructured meshes for use with a 3D time domain co ϵ -volume algorithm for computational electromagnetics. <i>International Journal for Numerical Methods in Engineering</i> , 2011, 87, 48-65.	1.5	13
3857	A simple multi ϵ -directional absorbing layer method to simulate elastic wave propagation in unbounded domains. <i>International Journal for Numerical Methods in Engineering</i> , 2011, 85, 1543-1563.	1.5	57
3858	Non ϵ -reflecting boundary conditions for acoustic propagation in ducts with acoustic treatment and mean flow. <i>International Journal for Numerical Methods in Engineering</i> , 2011, 86, 1360-1378.	1.5	38
3859	Explicit finite element artificial boundary scheme for transient scalar waves in two ϵ -dimensional unbounded waveguide. <i>International Journal for Numerical Methods in Engineering</i> , 2011, 87, 1074-1104.	1.5	54
3860	Replica time integrators. <i>International Journal for Numerical Methods in Engineering</i> , 2011, 88, 586-611.	1.5	1
3861	An efficient finite element time ϵ -domain formulation for the elastic second ϵ -order wave equation: A non ϵ -split complex frequency shifted convolutional PML. <i>International Journal for Numerical Methods in Engineering</i> , 2011, 88, 951-973.	1.5	57
3862	Development of high intensity focused ultrasound simulator for large ϵ -scale computing. <i>International Journal for Numerical Methods in Fluids</i> , 2011, 65, 43-66.	0.9	26
3863	Sweeping preconditioner for the Helmholtz equation: Hierarchical matrix representation. <i>Communications on Pure and Applied Mathematics</i> , 2011, 64, 697-735.	1.2	123
3864	Implicit Chebyshev spectral element method for acoustics wave equations. <i>Finite Elements in Analysis and Design</i> , 2011, 47, 184-194.	1.7	18
3865	An experimental adaptation of Higdon-type non-reflecting boundary conditions to linear first-order systems. <i>Journal of Computational and Applied Mathematics</i> , 2011, 235, 1354-1366.	1.1	7
3866	Numerical analysis of a PML model for time-dependent Maxwell ϵ 's equations. <i>Journal of Computational and Applied Mathematics</i> , 2011, 235, 3932-3942.	1.1	18
3867	Mixed perfectly-matched-layers for direct transient analysis in 2D elastic heterogeneous media. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2011, 200, 57-76.	3.4	74
3868	A finite element scheme with a high order absorbing boundary condition for elastodynamics. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2011, 200, 2048-2066.	3.4	36
3869	Absorbing boundary conditions for time harmonic wave propagation in discretized domains. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2011, 200, 2483-2497.	3.4	10
3870	A coupled-mode system with application to nonlinear water waves propagating in finite water depth and in variable bathymetry regions. <i>Coastal Engineering</i> , 2011, 58, 337-350.	1.7	50

#	ARTICLE	IF	CITATIONS
3871	Absorbing boundary condition for nonlinear Euler equations in primitive variables based on the Perfectly Matched Layer technique. <i>Computers and Fluids</i> , 2011, 40, 333-337.	1.3	16
3872	Time-domain analysis of gravity dam-reservoir interaction using high-order doubly asymptotic open boundary. <i>Computers and Structures</i> , 2011, 89, 668-680.	2.4	33
3873	Long-time behavior of PML absorbing boundaries for layered periodic structures. <i>Computer Physics Communications</i> , 2011, 182, 149-151.	3.0	31
3874	Remarks on the Huygens absorbing boundary conditions for electromagnetics. <i>Applied Mathematics Letters</i> , 2011, 24, 1658-1662.	1.5	0
3875	Propagation loss computation of W1 photonic crystal waveguides using the cutback technique with the 3D-FDTD method. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2011, 9, 235-247.	1.0	7
3876	An ultra compact photonic crystal wavelength division demultiplexer using resonance cavities in a modified Y-branch structure. <i>Optik</i> , 2011, 122, 1481-1485.	1.4	118
3877	GPR numerical simulation of full wave field based on UPML boundary condition of ADI-FDTD. <i>NDT and E International</i> , 2011, 44, 495-504.	1.7	31
3878	Photonic crystal based cross connect filters. <i>Optics Communications</i> , 2011, 284, 1424-1428.	1.0	9
3879	Steering the optical response with asymmetric bowtie 2-color controllers in the visible and near infrared range. <i>Optics Communications</i> , 2011, 284, 3474-3478.	1.0	15
3880	1-to-N beam splitter based on photonic crystal branched waveguide structure. <i>Optics and Laser Technology</i> , 2011, 43, 1325-1330.	2.2	8
3881	On optimization of finite-difference time-domain (FDTD) computation on heterogeneous and GPU clusters. <i>Journal of Parallel and Distributed Computing</i> , 2011, 71, 584-593.	2.7	28
3882	Spatial distribution of enhanced optical fields in monolayered assemblies of metal nanoparticles: Effects of interparticle coupling. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 221, 154-159.	2.0	10
3883	Radiative properties of optical board embedded with optical black holes. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2011, 112, 832-838.	1.1	8
3884	Absorbing boundary conditions for solid waveguides. <i>Mechanics Research Communications</i> , 2011, 38, 158-163.	1.0	2
3885	Surface plasmon tunneling through a touching gold nanocylinder array on a thin gold film. <i>Optics Communications</i> , 2011, 284, 2036-2041.	1.0	2
3886	Improving unrestricted imaging quality of a triangular lattice photonic crystal slab by modifying surface configuration. <i>Physica B: Condensed Matter</i> , 2011, 406, 461-466.	1.3	2
3887	A multigrid-based preconditioned Krylov subspace method for the Helmholtz equation with PML. <i>Journal of Mathematical Analysis and Applications</i> , 2011, 383, 522-540.	0.5	10
3888	Hyperboloidal layers for hyperbolic equations on unbounded domains. <i>Journal of Computational Physics</i> , 2011, 230, 2286-2302.	1.9	51

#	ARTICLE	IF	CITATIONS
3889	Distinguishing correct from incorrect PML proposals and a corrected unsplit PML for anisotropic, dispersive media. <i>Journal of Computational Physics</i> , 2011, 230, 2369-2377.	1.9	36
3890	Numerical methods for instability mitigation in the modeling of laser wakefield accelerators in a Lorentz-boosted frame. <i>Journal of Computational Physics</i> , 2011, 230, 5908-5929.	1.9	83
3891	Enhancement of light extraction from light emitting diodes. <i>Physics Reports</i> , 2011, 498, 189-241.	10.3	269
3892	Controlling the transmission of ultrahigh frequency bulk acoustic waves in silicon by 45° mirrors. <i>Ultrasonics</i> , 2011, 51, 532-538.	2.1	5
3893	Improving the imaging intensity of a photonic crystal flat lens by an antireflection method. <i>Superlattices and Microstructures</i> , 2011, 49, 562-571.	1.4	0
3894	Tunable plasmon resonance wavelength of the periodic gold film with converging and diverging shaped slits and grooves. <i>Solid State Communications</i> , 2011, 151, 159-163.	0.9	0
3895	Analysis of the wave propagation properties of a periodic array of rigid cylinders perpendicular to a finite impedance surface. <i>Europhysics Letters</i> , 2011, 96, 44003.	0.7	5
3896	Number of adaptive steps to a local fitness peak. <i>Europhysics Letters</i> , 2011, 96, 58006.	0.7	13
3897	Analysis of Reflection Powers from a Perfectly Matched Layer for Elastic Waves in the Frequency Domain Finite Element Model. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 07HC13.	0.8	1
3898	GPU implementation and optimization of electromagnetic simulation using the FDTD method for antenna designing. <i>Computer Architecture News</i> , 2011, 39, 26-31.	2.5	1
3899	Optical response of a disordered bicontinuous macroporous structure in the longhorn beetle <i>Sphingnotus mirabilis</i> . <i>Physical Review E</i> , 2011, 84, 011915.	0.8	41
3900	Recursive integration CFS-PML for GPR FDTD modelling. , 2011, , .		2
3901	Local absorbing boundary conditions for nonlinear wave equation on unbounded domain. <i>Physical Review E</i> , 2011, 84, 036707.	0.8	13
3902	Electromagnetic scattering from conductors: The recursive iterative surface equivalence approach. , 2011, , .		0
3903	Electromagnetic Scattering by Unbounded Rough Surfaces. <i>SIAM Journal on Mathematical Analysis</i> , 2011, 43, 1205-1231.	0.9	28
3904	Improved power steering with double and triple ring waveguide systems: The impact of the operating frequency. <i>International Journal of Hyperthermia</i> , 2011, 27, 224-239.	1.1	24
3905	Full Seismic Waveform Modelling and Inversion. <i>Advances in Geophysical and Environmental Mechanics and Mathematics</i> , 2011, , .	0.1	221
3906	The WLP-FDTD Method for Periodic Structures With Oblique Incident Wave. <i>IEEE Transactions on Antennas and Propagation</i> , 2011, 59, 3780-3785.	3.1	17

#	ARTICLE	IF	CITATIONS
3907	Feasibility study of tumor size classification via contrast-enhanced UWB breast imaging â€” A complex-domain analysis. , 2011, , .		0
3908	Analysis of the distribution of specific absorption rate induced by five plane waves with a fast and new method in Visible Human. , 2011, , .		0
3909	Recent developments in Fourier modal methods for modeling guided-wave devices. , 2011, , .		0
3910	Efficient TDFEM schemes with second-order PML based on different temporal basis functions. Waves in Random and Complex Media, 2011, 21, 199-219.	1.6	4
3911	The general MIPML absorbing boundary condition for frequency-dispersive media in FDTD analyses. , 2011, , .		0
3912	A Novel and Efficient Algorithm of the Uniaxial Perfectly Matched Layer Based on the Z-Transform Method. , 2011, , .		2
3913	PML Absorbing Boundary Condition for Efficient 2-D WLP-FDTD Method. IEEE Antennas and Wireless Propagation Letters, 2011, 10, 846-849.	2.4	3
3914	Novel implementation of the CFS-PML and its validation for dispersive media. , 2011, , .		2
3915	Comparison of frequency responses of cloaking devices under nonmonochromatic illumination. Physical Review B, 2011, 84, .	1.1	27
3916	Numerical electromagnetic analysis methods and its applications to surge phenomena. , 2011, , .		0
3917	Application of the multiaxial perfectly matched layer (M-PML) to near-surface seismic modeling with Rayleigh waves. Geophysics, 2011, 76, T43-T52.	1.4	84
3918	A Shape-Based Inversion Algorithm Applied to Microwave Imaging of Breast Tumors. IEEE Transactions on Antennas and Propagation, 2011, 59, 3719-3729.	3.1	5
3919	An Algorithm of the D-H Uniaxial Perfectly Matched Layer Based on the Direct Discretizing of the Second-Order Differential Equation. , 2011, , .		0
3920	High order parallel discontinuous Galerkin time domain method with curvilinear element and continuously varying material properties for Maxwell's equations. , 2011, , .		0
3921	Comparison of induced ankle currents of the human-body equivalent antennas and anatomically human models exposed to nearby monopole antennas. , 2011, , .		0
3922	The Minimum Wave Damping Selects the Most Favored Solution from Multiple Ones to Acoustic-Like Problems. Materials Science Forum, 2011, 673, 11-20.	0.3	0
3923	Self-Collimation in Square Lattice Two Dimensional Photonic Crystals with Ring-Shaped Holes. Applied Mechanics and Materials, 0, 110-116, 1024-1029.	0.2	0
3924	3D acoustic wave modelling with time-space domain dispersion-relation-based finite-difference schemes and hybrid absorbing boundary conditions. Exploration Geophysics, 2011, 42, 176-189.	0.5	24

#	ARTICLE	IF	CITATIONS
3925	Microdisplacement sensor based on high-Q nanocavity in slot photonic crystal. Optical Engineering, 2011, 50, 054402.	0.5	18
3926	A 2D nonlinear inversion of well-seismic data. Inverse Problems, 2011, 27, 055005.	1.0	5
3927	Early stage breast cancer detection by means of time-domain ultra-wide band sensing. Measurement Science and Technology, 2011, 22, 114016.	1.4	11
3928	Finite element modeling of reverberation and transmission loss in shallow water waveguides with rough boundaries. Journal of the Acoustical Society of America, 2011, 129, 1273-1279.	0.5	30
3929	A Numerical Method for Predicting Acoustical Wave Propagation in Open Spaces. ISRN Mechanical Engineering, 2011, 2011, 1-15.	0.9	0
3930	Efficient simulation of quantum cascade lasers using the Pauli master equation. , 2011, , .		5
3931	Gain-guided leaky-waveguide laser amplifiers: analytical methods and recent progress on experiments. , 2011, , .		0
3932	Comparative study of the free-surface boundary condition in two-dimensional finite-difference elastic wave field simulation. Journal of Geophysics and Engineering, 2011, 8, 275-286.	0.7	26
3933	Optical design of a single-sided microholographic data-storage system using a diffractive optical element and a blue laser. Journal of Optics (United Kingdom), 2011, 13, 055403.	1.0	4
3934	The dependence of $J/\hat{\Gamma}$ -nucleon inelastic cross section on the Feynman variable. Chinese Physics C, 2011, 35, 804-807.	1.5	0
3935	Broadband optical circular polarizers in the terahertz region using helical metamaterials. Journal of Optics (United Kingdom), 2011, 13, 055104.	1.0	12
3936	Invisible anti-cloak with elliptic cross section using phase complement. Chinese Physics B, 2011, 20, 024101.	0.7	5
3937	Signal-to-noise ratio of lensless ghost interference with thermal incoherent light. Chinese Physics B, 2011, 20, 024201.	0.7	6
3938	Introduction to Applications of Numerical Analysis in Time Domain Computational Electromagnetism. Lecture Notes in Computational Science and Engineering, 2011, , 149-225.	0.1	3
3939	Representation Methods for Microwave Absorption Ceramics. Key Engineering Materials, 2011, 492, 176-179.	0.4	1
3940	A Study of Wideband Absorbers in a Non-Environment Control Room: Characterisation of the Sound Field by Means of p-p Probe Measurements. Acta Acustica United With Acustica, 2011, 97, 82-92.	0.8	3
3941	Similar structures, different characteristics: optical performances of circular polarizers with single-, double-, and multi-helical metamaterials. , 2011, , .		1
3942	TM wave of finite-difference time-domain analyses. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
3943	IMAGING USING TRANSPORT MODELS FOR WAVE-WAVE CORRELATIONS. <i>Mathematical Models and Methods in Applied Sciences</i> , 2011, 21, 1071-1093.	1.7	13
3944	3D versus 2D steering in patient anatomies: A comparison using hyperthermia treatment planning. <i>International Journal of Hyperthermia</i> , 2011, 27, 74-85.	1.1	26
3945	Comparing image reconstruction algorithms for microwave camera featuring ultra wide band sensor. , 2011, , .		4
3946	Microwave transmission properties of conductive slabs. , 2011, , .		0
3947	2D source decomposition in finite-difference-time-domain. , 2011, , .		0
3948	Boundary absorbing computations in wave simulation with the finite element method. , 2011, , .		0
3949	A dual vector spectral element method for waveguide analysis. , 2011, , .		0
3950	Application of PML substructure method to waveguide discontinuities. , 2011, , .		0
3951	A hybrid approach for predicting the distribution of vibro-acoustic energy in complex built-up structures. <i>Journal of the Acoustical Society of America</i> , 2011, 130, 1337-1347.	0.5	11
3952	A Perfectly Matched Layer Absorbing Boundary Condition and Wave-Maker Modeling for Wave Propagation Problems in Inhomogeneous Infinite-Domains. <i>Coastal Engineering Journal</i> , 2011, 53, 245-284.	0.7	0
3953	Multi-scale simulation for terahertz wave emission from the intrinsic Josephson junctions. <i>Superconductor Science and Technology</i> , 2011, 24, 085007.	1.8	31
3954	Oxide-Film Effect on Infrared Radiative Properties of Grating Structures of Aluminum. <i>Journal of Thermophysics and Heat Transfer</i> , 2011, 25, 80-86.	0.9	4
3955	Structural-acoustic modeling for three-dimensional freefield and littoral environments with verification and validation. <i>Journal of the Acoustical Society of America</i> , 2011, 129, 2979-2990.	0.5	13
3956	Complex envelope split-step wave-equation FDTD formulations for dispersive electromagnetic applications. <i>Electronics Letters</i> , 2011, 47, 250.	0.5	1
3957	New head models extracted from thermal infrared (IR) images for dosimetry computations. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2011, 14, 665-671.	0.9	1
3958	Multistageab initioquantum wavepacket dynamics for electronic structure and dynamics in open systems: Momentum representation, coupled electron-nuclear dynamics, and external fields. <i>Journal of Chemical Physics</i> , 2011, 134, 074107.	1.2	9
3959	All-electron time-dependent density functional theory with finite elements: Time-propagation approach. <i>Journal of Chemical Physics</i> , 2011, 135, 154104.	1.2	15
3960	High-Order Local Absorbing Boundary Conditions for Heat Equation in Unbounded Domains. <i>Journal of Computational Mathematics</i> , 2011, 29, 74-90.	0.2	26

#	ARTICLE	IF	CITATIONS
3961	In-plane confinement and waveguiding of surface acoustic waves through line defects in pillars-based phononic crystal. AIP Advances, 2011, 1, .	0.6	12
3962	Use of the G-TFSF and AFP methods to study scattering from 3D defects in edges or wedges. , 2011, , .		0
3963	Exploitation of data-information content in elastic-waveform inversions. Geophysics, 2012, 77, R105-R115.	1.4	18
3964	Excitation of a slow wave structure. Physics of Plasmas, 2012, 19, .	0.7	8
3965	Assessment of the excitelet algorithm for in-situ mechanical characterization of orthotropic structures. , 2012, , .		2
3966	Mechanism for generating peaks and notches of head-related transfer functions in the median plane. Journal of the Acoustical Society of America, 2012, 132, 3832-3841.	0.5	55
3967	Finite-element analysis of lasing modes within photonic random media. Journal of Physics B: Atomic, Molecular and Optical Physics, 2012, 45, 085404.	0.6	8
3968	Convective Raman amplification of light pulses causing kinetic inflation in inertial fusion plasmas. Physics of Plasmas, 2012, 19, .	0.7	18
3969	All-angle negative refraction for surface acoustic waves in pillar-based two-dimensional phononic structures. New Journal of Physics, 2012, 14, 123030.	1.2	25
3970	Study of the Accuracy of the Multiaxial Perfectly Matched Layer for the Elastic-Wave Equation. Bulletin of the Seismological Society of America, 2012, 102, 2458-2467.	1.1	23
3971	Application of PML to Analysis of Dam-Reservoir-Foundation System with Cavitation Using Mixed Formulation. Applied Mechanics and Materials, 0, 256-259, 427-440.	0.2	0
3972	A numerical evaluation of eddy currents distribution in the human knee with metallic implant. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2012, 31, 1441-1447.	0.5	6
3973	Diffusive wave-absorbing control: example of the boundary stabilization of a thin flexible beam. JVC/Journal of Vibration and Control, 2012, 18, 1708-1721.	1.5	4
3974	Review and comparison of different support loss models for micro-electro-mechanical systems resonators undergoing in-plane vibration. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2012, 226, 283-295.	1.1	19
3975	Trapped modes and Fano resonances in two-dimensional acoustical ductâ€‘cavity systems. Journal of Fluid Mechanics, 2012, 692, 257-287.	1.4	88
3976	Joint inversion approaches for geophysical electromagnetic and elastic full-waveform data. Inverse Problems, 2012, 28, 055016.	1.0	66
3977	Adaptive perfectly matched layer for Woodâ€™s anomalies in diffraction gratings. Optics Express, 2012, 20, 28094.	1.7	4
3978	Phononic crystal strips for engineering micromechanical resonators. Proceedings of SPIE, 2012, , .	0.8	0

#	ARTICLE	IF	CITATIONS
3979	Modeling of photonic crystal fibers with Fibonacci-patterned circular and elliptical air holes. <i>Optical Engineering</i> , 2012, 51, 115001.	0.5	5
3980	Split-step finite-difference time-domain method with perfectly matched layers for efficient analysis of two-dimensional photonic crystals with anisotropic media. <i>Optics Letters</i> , 2012, 37, 326.	1.7	4
3981	Highly nonlinear all-solid photonic crystal fibers with low dispersion slope. <i>Applied Optics</i> , 2012, 51, 1021.	0.9	8
3982	Modified annular photonic crystals for enhanced band gap properties and iso-frequency contour engineering. <i>Applied Optics</i> , 2012, 51, 1287.	0.9	22
3983	High-Sensitivity Fiber-Optic Fabry-Perot Interferometer Temperature Sensor. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 06FL10.	0.8	5
3984	Finite-Difference Time-Domain Analysis of Twist-Defect-Mode Lasing Dynamics in Cholesteric Photonic Liquid Crystal. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 04DK02.	0.8	2
3985	Choice of the perfectly matched layer boundary condition for iterative solvers of the frequency-domain Maxwell's equations. , 2012, , .		2
3986	Numerical study on microbubble-enhanced heating for various parameters in EUS-FUS. , 2012, , .		1
3987	FEM simulation of SAW reflection in crystals. , 2012, , .		0
3988	Direct calculation of acoustic streaming including the boundary layer phenomena in an ultrasonic air pump. , 2012, , .		0
3989	Finite difference calculation of acoustic streaming including the boundary layer phenomena in an ultrasonic air pump on graphics processing unit array. , 2012, , .		0
3990	Simulation of Sound Propagation over Barriers of Arbitrary Shapes. , 2012, , .		0
3991	Modified annular photonic crystals with enhanced dispersion relations: polarization insensitive self-collimation and nanophotonic wire waveguide designs. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2012, 29, 1589.	0.9	26
3992	What makes single-helical metamaterials generate "pure" circularly polarized light?. <i>Optics Express</i> , 2012, 20, 1552.	1.7	20
3993	Crescent shaped dielectric periodic structure for light manipulation. <i>Optics Express</i> , 2012, 20, 7184.	1.7	20
3994	Comparison between the pseudo-spectral time domain method and the discrete dipole approximation for light scattering simulations. <i>Optics Express</i> , 2012, 20, 16763.	1.7	49
3995	A waveguide-typed plasmonic mode converter. <i>Optics Express</i> , 2012, 20, 18636.	1.7	9
3996	Photonic crystal-based all-optical on-chip sensor. <i>Optics Express</i> , 2012, 20, 19912.	1.7	111

#	ARTICLE	IF	CITATIONS
3997	Vector analysis of bending waveguides by using a modified finite-difference method in a local cylindrical coordinate system. Optics Express, 2012, 20, 21583.	1.7	10
3998	Simple boundary condition for terminating photonic crystal waveguides. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 1356.	0.9	8
3999	Refraction-based photonic crystal diode. Optics Letters, 2012, 37, 2937.	1.7	60
4000	Modeling of cavities using the analytic modal method and an open geometry formalism. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2012, 29, 1237.	0.8	3
4001	Double-layered nanoparticle stacks for spectro-electrochemical applications. Optics Letters, 2012, 37, 3603.	1.7	6
4002	Physical specifications of photonic crystal slab lenses and their effects on image quality. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 1829.	0.9	1
4003	Wide-angle absorber achieved by optical black holes using graded index photonic crystals. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 2222.	0.9	4
4004	Highly controllable form birefringence in subwavelength-period grating structures fabricated by imprinting onpolarization-sensitive liquid crystalline polymers. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 2386.	0.9	3
4005	Joint petrophysical inversion of electromagnetic and full-waveform seismic data. Geophysics, 2012, 77, WA3-WA18.	1.4	95
4006	Design, Manufacture and Characterization of an Acoustic Barrier Made of Multi-Phenomena Cylindrical Scatterers Arranged in a Fractal-Based Geometry. Archives of Acoustics, 2012, 37, 455-462.	0.9	35
4007	Hybrid finite-element/rigorous coupled wave analysis for scattering from three-dimensional doubly periodic structures. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2012, 29, 1399.	0.8	0
4008	Study on transition from photonic-crystal laser to random laser. Optics Express, 2012, 20, 7300.	1.7	22
4009	Guiding and thermal properties of a hybrid polymer-infused photonic crystal fiber. Optical Materials Express, 2012, 2, 929.	1.6	36
4010	Computational modeling of optical projection tomographic microscopy using the finite difference time domain method. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2012, 29, 2696.	0.8	7
4011	Dispersion relations of the modes for open nonhomogeneous waveguides terminated by perfectly matched layers. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 2524.	0.9	5
4012	Numerical solution of the Maxwell Equations With A High-Order Divergence Free Preserving DG Method. , 2012, , .		5
4013	Enhanced Light Extraction Efficiency of GaN-Based LEDs With 3-D Colloidal-Photonic-Crystal Bottom Reflector. IEEE Photonics Technology Letters, 2012, 24, 1298-1300.	1.3	23
4014	Acoustic analysis of the vocal tract from a 3D physiological articulatory model by finite-difference time-domain method. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
4015	Nearly PML for an unconditionally-stable six-stages split-step FDTD method. , 2012, , .		0
4016	A FDTD solution to the Maxwell-Schrödinger coupled model at the microwave range. , 2012, , .		1
4017	Limiting Absorption Principle and Perfectly Matched Layer Method for Dirichlet Laplacians in Quasi-cylindrical Domains. SIAM Journal on Mathematical Analysis, 2012, 44, 355-382.	0.9	6
4018	Virtual laboratory for teaching electromagnetism using MATLAB. , 2012, , .		2
4019	Three-dimensional numerical prediction of domain walls in class-A ring lasers. Physical Review A, 2012, 86, .	1.0	1
4020	Convolutional Perfectly Matched Layer Absorbing Boundary Condition of the Finite-Difference Time-Domain Method for the Microstrip Antenna. , 2012, , .		1
4021	Efficiency enhancement of InGaN multi-quantum-well solar cells via light-harvesting SiO ₂ nano-honeycombs. Applied Physics Letters, 2012, 100, .	1.5	24
4022	A study of SAR estimation by shape-deformable human models in anatomy. , 2012, , .		1
4023	Reduction and mastering of electromagnetic field due to lightning in a structure. , 2012, , .		0
4024	Time-domain determination of transmission in quantum nanostructures. Journal of Applied Physics, 2012, 112, .	1.1	11
4025	An Effective CFS-PML Implementation for Cylindrical Coordinate FDTD Method. IEEE Microwave and Wireless Components Letters, 2012, 22, 300-302.	2.0	11
4026	Numerical analysis on effect of building materials on electromagnetic fields in VHF band. , 2012, , .		0
4027	An unsplit complex-frequency-shifted PML based on matched Z -transform for FDTD modelling of seismic wave equations. Journal of Geophysics and Engineering, 2012, 9, 218-229.	0.7	27
4028	ABSORBING BOUNDARY CONDITIONS FOR THE TWO-DIMENSIONAL SCHRÖDINGER EQUATION WITH AN EXTERIOR POTENTIAL PART I: CONSTRUCTION AND <i>A PRIORI</i> ESTIMATES. Mathematical Models and Methods in Applied Sciences, 2012, 22, .	1.7	22
4029	A SCENARIO STUDY FOR IMPROVING COST-EFFECTIVENESS IN ACOUSTIC TIME-REVERSAL SOURCE RELOCATION IN AN URBAN ENVIRONMENT. Journal of Computational Acoustics, 2012, 20, 1240003.	1.0	3
4030	Flow noise reduction from superhydrophobic surfaces. Geophysics, 2012, 77, P1-P10.	1.4	17
4031	Amorphous diamond-structured photonic crystal in the feather barbs of the scarlet macaw. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 10798-10801.	3.3	126
4032	LOW- TO MID-FREQUENCY SCATTERING FROM ELASTIC OBJECTS ON A SAND SEA FLOOR: SIMULATION OF FREQUENCY AND ASPECT DEPENDENT STRUCTURAL ECHOES. Journal of Computational Acoustics, 2012, 20, 1240007.	1.0	22

#	ARTICLE	IF	CITATIONS
4033	Investigation of image magnification properties of hyperlenses formed by a tapered array of metallic wires using a spatially dispersive finite-difference time-domain method in cylindrical coordinates. Journal of Optics (United Kingdom), 2012, 14, 035102.	1.0	0
4034	Perfectly Matched Layer for the Wave Equation Finite Difference Time Domain Method. Japanese Journal of Applied Physics, 2012, 51, 07GB02.	0.8	14
4035	An adaptive pseudospectral method for wave packet dynamics. Journal of Chemical Physics, 2012, 137, 044111.	1.2	1
4036	Scattering of Object Buried below Random Rough Surface—A Monte Carlo Pseudospectral Time-Domain Approach. Electromagnetics, 2012, 32, 330-344.	0.3	2
4037	A Hybrid 2D/3D cylindrical FDTD method based on azimuthal mode decomposition. , 2012, , .		0
4038	Strategies for HIRF simulations using FDTD. , 2012, , .		1
4039	STABLE MATCHED LAYER FOR THE ACOUSTIC CONSERVATION EQUATIONS IN THE TIME DOMAIN. Journal of Computational Acoustics, 2012, 20, 1250004.	1.0	5
4040	Improving the integral equation in the hybrid FEM-RCI method for scalar electromagnetic scattering problems. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2012, 31, 1318-1327.	0.5	1
4041	Enhancing the Out-Coupling Efficiency of Organic Light-Emitting Diodes Using Two-Dimensional Periodic Nanostructures. Advances in Materials Science and Engineering, 2012, 2012, 1-9.	1.0	22
4042	Enhanced control of light and sound trajectories with three-dimensional gradient index lenses. New Journal of Physics, 2012, 14, 035011.	1.2	37
4043	Wave Equation Simulation by Finite-Element Method with Perfectly Matched Layer. Advanced Materials Research, 0, 524-527, 96-100.	0.3	2
4044	Dual-frequency transducer for nonlinear contrast agent imaging. , 2012, , .		0
4045	Improving SAR estimations in MRI using subject-specific models. Physics in Medicine and Biology, 2012, 57, 8153-8171.	1.6	27
4046	Comprehensive analysis of the PhC-based filters for optical micro-devices engineering. Optical Engineering, 2012, 51, 074002.	0.5	1
4047	Astrophysical parameters of ten poorly studied open star clusters. Research in Astronomy and Astrophysics, 2012, 12, 75-83.	0.7	1
4048	Determining the influence of Korean population variation on whole-body average SAR. Physics in Medicine and Biology, 2012, 57, 2709-2725.	1.6	17
4049	Higher-order schemes for 3D first-arrival traveltimes and amplitudes. Geophysics, 2012, 77, T47-T56.	1.4	31
4050	MHz isolated XLIV attosecond pulses generation using plasmonic enhancement in asymmetric metallic nanoantenna. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
4051	Efficient Laplace-domain modeling and inversion using an axis transformation technique. <i>Geophysics</i> , 2012, 77, R141-R148.	1.4	5
4052	Bi-fidelity fitting and optimization. <i>Journal of Chemical Physics</i> , 2012, 136, 074102.	1.2	7
4053	Development and Application of Perfectly Matched Layer for Numerical Boundary Treatment. , 2012, , .		2
4054	Design of an effective energy storage cavity in two-dimensional photonic crystal slab. <i>Proceedings of SPIE</i> , 2012, , .	0.8	0
4055	Numerical studies of thermal lensing effects on high-CW-power single-spatial- mode diode lasers. , 2012, , .		0
4056	3D scalar-wave absorbing boundary conditions with optimal coefficients in the frequency-space domain. <i>Geophysics</i> , 2012, 77, T83-T96.	1.4	2
4057	High-Order Finite-Difference Numerical Modeling of Wave Propagation in Viscoelastic TTI Media Using Rotated Staggered Grid. <i>Chinese Journal of Geophysics</i> , 2012, 55, 252-265.	0.2	12
4058	Comparison of simplified theories in the analysis of the diffraction efficiency in surface-relief gratings. , 2012, , .		12
4059	Implementation of a GPU-Oriented Absorbing Boundary Condition for 3D-FDTD Electromagnetic Simulation. <i>IEICE Transactions on Information and Systems</i> , 2012, E95.D, 2787-2795.	0.4	2
4060	Fundamental study on application of Convolutional PML to Mixed Finite Element Method. <i>Journal of Japan Society of Civil Engineers Ser A2 (Applied Mechanics (AM))</i> , 2012, 68, I_833-I_840.	0.1	0
4061	A Preconditioned Iterative Solver for the Scattering Solutions of the Schrödinger Equation. <i>Communications in Computational Physics</i> , 2012, 11, 415-434.	0.7	1
4062	Massively parallel structured direct solver for equations describing time-harmonic qP-polarized waves in TTI media. <i>Geophysics</i> , 2012, 77, T69-T82.	1.4	21
4063	A compact SEOP ³ He neutron spin filter with AFP NMR. <i>Journal of Physics: Conference Series</i> , 2012, 340, 012006.	0.3	16
4064	An Iterative Two-Grid Method of A Finite Element PML Approximation for the Two Dimensional Maxwell Problem. <i>Advances in Applied Mathematics and Mechanics</i> , 2012, 4, 175-189.	0.7	3
4065	A perfectly matched layer for peridynamics in two dimensions. <i>Journal of Mechanics of Materials and Structures</i> , 2012, 7, 765-781.	0.4	25
4066	Efficient perfect matched layer for hybrid MRTD-FDTD computation with lossy dielectric material boundaries. <i>EPJ Applied Physics</i> , 2012, 57, 10501.	0.3	1
4067	Harmonic suppression of microstrip ring resonator using double spurlines. <i>International Journal of Physical Sciences</i> , 2012, 7, .	0.1	7
4068	Numerical Simulation of Nanopulse Penetration of Biological Matters Using the ADI-FDTD Method. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
4069	Numerical Simulation of Focused Ultrasound Wave Propagation in Bubbly Fluid Using Equation of Sound Wave. 880-02 Nihon Kikai Gakkai Ronbunshu Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2012, 78, 2096-2112.	0.2	0
4070	A Well-Posed and Discretely Stable Perfectly Matched Layer for Elastic Wave Equations in Second Order Formulation. Communications in Computational Physics, 2012, 11, 1643-1672.	0.7	39
4071	3D poroviscoelastic rotated staggered finite-difference modeling with PML absorbing boundary conditions. , 2012, , .		2
4072	Low-loss multimode interference couplers for terahertz waves. Proceedings of SPIE, 2012, , .	0.8	3
4073	Elastic waves simulation using CUDA technology and multiple GPU workstations. Proceedings of SPIE, 2012, , .	0.8	0
4074	Frequency-domain elastic full waveform inversion using a denoise function. , 2012, , .		1
4075	Finite-difference time-domain simulation of light induced charge dynamics in silver nanoparticles. Journal of Chemical Physics, 2012, 136, 054504.	1.2	2
4076	Fast and Accurate Computation of Time-Domain Acoustic Scattering Problems with Exact Nonreflecting Boundary Conditions. SIAM Journal on Applied Mathematics, 2012, 72, 1869-1898.	0.8	23
4077	Perfectly matched layers via transformation electromagnetism for the computation of quasi-modes. , 2012, , .		0
4078	Efficient, Wide Angle, Structure Tuned 1\$,imes,\$3 Photonic Crystal Power Splitter at 1550 nm for Triple Play Applications. Journal of Lightwave Technology, 2012, 30, 2818-2823.	2.7	33
4079	Long-Time Stability and Convergence of the Uniaxial Perfectly Matched Layer Method for Time-Domain Acoustic Scattering Problems. SIAM Journal on Numerical Analysis, 2012, 50, 2632-2655.	1.1	26
4080	Coherent Interferometry Algorithms for Photoacoustic Imaging. SIAM Journal on Numerical Analysis, 2012, 50, 2259-2280.	1.1	15
4081	High Extinction Ratio Circular Polarizer With Conical Double-Helical Metamaterials. Journal of Lightwave Technology, 2012, 30, 2442-2446.	2.7	24
4082	Flexible Variants of Block Restarted GMRES Methods with Application to Geophysics. SIAM Journal of Scientific Computing, 2012, 34, A714-A736.	1.3	44
4083	The variance of quantitative estimates in shear wave imaging: Theory and experiments. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2012, 59, 2390-410.	1.7	65
4085	Design for directional emitter based on self-collimation photonic crystal by adding two-layer dielectric rods. Optical Review, 2012, 19, 264-267.	1.2	2
4086	High Order Weighted Essentially Non-oscillation Schemes for Two-Dimensional Detonation Wave Simulations. Journal of Scientific Computing, 2012, 53, 80-101.	1.1	16
4087	Design of a novel sensor based on tapered photonic crystal with negative refraction structures. Optical and Quantum Electronics, 2012, 44, 691-699.	1.5	2

#	ARTICLE	IF	CITATIONS
4088	Alfvén Reflection and Reverberation in the Solar Atmosphere. Solar Physics, 2012, 280, 33-50.	1.0	13
4089	Element free method forward modeling for GPR based on improved sarma absorbing boundary. , 2012, , .		0
4090	Dispersive Waves and PML Performance for Large-Stencil Differencing in the Parabolic Equation. IEEE Transactions on Antennas and Propagation, 2012, 60, 5268-5277.	3.1	2
4091	Introduction of Oblique Incidence Plane Wave to Stratified Lossy Dispersive Media for FDTD Analysis. IEEE Transactions on Antennas and Propagation, 2012, 60, 3693-3705.	3.1	9
4092	Simulation effects of lateral coupling between L3 cavity and two quasi waveguides bends in 2D Photonic Crystal Bandpass Filter. , 2012, , .		0
4093	Eigenvalues in spectral gaps of differential operators. Journal of Spectral Theory, 2012, 2, 293-320.	0.4	16
4094	Waveform Inversion of Crosshole Georadar Data: Influence of Source Wavelet Variability and the Suitability of a Single Wavelet Assumption. IEEE Transactions on Geoscience and Remote Sensing, 2012, 50, 4610-4625.	2.7	19
4095	An Innovative method to determine multi-system performance for the detection of clandestine tunnels. , 2012, , .		5
4096	Elastic modelling in tilted transversely isotropic media with convolutional perfectly matched layer boundary conditions. Exploration Geophysics, 2012, 43, 77-86.	0.5	18
4097	Fano-Like Resonances in Asymmetric Homodimer of Gold Elliptical Nanowires. Journal of Physical Chemistry C, 2012, 116, 13745-13748.	1.5	21
4098	Time domain simulation of three dimensional elastic wave scattering. , 2012, , .		0
4099	Generalized Modal Expansion of Electromagnetic Field in 2-D Bounded and Unbounded Media. IEEE Antennas and Wireless Propagation Letters, 2012, 11, 1052-1055.	2.4	14
4100	All the modes in a layered medium background truncated by a PML backed with a PEC. , 2012, , .		0
4101	A Convolutional Perfect Matched Layer (CPML) for One-Step Leapfrog ADI-FDTD Method and Its Applications to EMC Problems. IEEE Transactions on Electromagnetic Compatibility, 2012, 54, 1066-1076.	1.4	47
4102	Numerical modelling of anchor losses in MEMS resonators. , 2012, , .		0
4103	Adaptation of the TLM method for sea radar application and simulation. , 2012, , .		0
4104	Boundary and initial conditions in the finite difference time domain methods applied to study metal hole arrays. , 2012, , .		0
4105	Accurate Calculation of Gate Tunneling Current in Double-Gate and Single-Gate SOI MOSFETs Through Gate Dielectric Stacks. IEEE Transactions on Electron Devices, 2012, 59, 2589-2596.	1.6	9

#	ARTICLE	IF	CITATIONS
4106	Unsplit Implementation of Higher Order PMLs. IEEE Transactions on Antennas and Propagation, 2012, 60, 1479-1485.	3.1	57
4107	Switchable Frequency Gaps in Piezoelectric Phononic Crystal Slabs. Japanese Journal of Applied Physics, 2012, 51, 07GA04.	0.8	5
4108	Modified Maxwell fish-eye approach for efficient coupler design by graded photonic crystals. Optics Express, 2012, 20, 22018.	1.7	21
4110	The influence of perforation on electrostatic and damping forces in thick SOI MEMS structures. Journal of Micromechanics and Microengineering, 2012, 22, 115006.	1.5	7
4111	Towards Experimental Perfectly-Matched Layers With Ultra-Thin Metamaterial Surfaces. IEEE Transactions on Antennas and Propagation, 2012, 60, 5164-5172.	3.1	66
4112	Total-field scattered-field plane wave sources for FDTD analysis of stratified lossy dispersive media. , 2012, , .		0
4113	Plasmonic Nanoparticles Array for High-Sensitivity Sensing: A Theoretical Investigation. Journal of Physical Chemistry C, 2012, 116, 17819-17827.	1.5	30
4114	Three-dimensional analysis of wakefields generated by flat electron beams in planar dielectric-loaded structures. Physical Review Special Topics: Accelerators and Beams, 2012, 15, .	1.8	22
4115	Wideband trapping of light by edge states in honeycomb photonic crystals. Journal of Physics Condensed Matter, 2012, 24, 492203.	0.7	5
4116	Strong-field approximation for the wavelength scaling of high-harmonic generation. Physical Review A, 2012, 86, .	1.0	27
4117	Large-scale time-harmonic electromagnetic field analysis using a multigrid solver on a distributed memory parallel computer. Parallel Computing, 2012, 38, 485-500.	1.3	4
4118	A High-Efficiency Megawatt-Class Nonrelativistic Magnetron. IEEE Transactions on Plasma Science, 2012, 40, 2112-2118.	0.6	5
4119	Enhanced absorption in silicon nanocone arrays for photovoltaics. Nanotechnology, 2012, 23, 194003.	1.3	120
4120	Heterostructure four channel wavelength demultiplexer using square photonic crystals ring resonators. Journal of Electromagnetic Waves and Applications, 2012, 26, 1700-1707.	1.0	37
4121	Bilinear Transform Implementation of the Higher-Order PML. , 2012, , .		6
4122	Design of Multicavities on Left-Handed Photonic-Crystal-Based Chemical Sensors. Journal of Lightwave Technology, 2012, 30, 3288-3293.	2.7	12
4123	An isotropic PML for the FDTD solver. , 2012, , .		1
4124	Time-domain simulation of acoustic wave propagation and interaction with flexible structures using Chebyshev collocation method. Journal of Sound and Vibration, 2012, 331, 4343-4358.	2.1	9

#	ARTICLE	IF	CITATIONS
4125	On the use of absorbing layers to simulate the propagation of elastic waves in unbounded isotropic media using commercially available Finite Element packages. <i>NDT and E International</i> , 2012, 51, 30-40.	1.7	159
4126	A combined three-dimensional finite element and scattering matrix method for the analysis of plane wave diffraction by bi-periodic, multilayered structures. <i>Journal of Computational Physics</i> , 2012, 231, 6969-6989.	1.9	14
4127	Performance of convolutional perfectly matched layers for pseudospectral time domain poroviscoelastic schemes. <i>Computers and Geosciences</i> , 2012, 45, 149-160.	2.0	15
4128	Improving Light Extraction Efficiency of GaN-Based LEDs by Al _x Ga _{1-x} N Confining Layer and Embedded Photonic Crystals. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2012, 18, 1650-1660.	1.9	20
4129	Tunable Polarization States With Helical Metamaterials. <i>IEEE Photonics Technology Letters</i> , 2012, 24, 1708-1711.	1.3	3
4130	A generic hybrid model for bulk elastodynamics, with application to ultrasonic nondestructive evaluation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2012, 59, 1239-1252.	1.7	14
4131	UPML-FDTD parallel computing on GPU. , 2012, , .		0
4132	Educational software for wave propagation phenomena using MATLAB GUIs and FDTD method. , 2012, , .		4
4133	Stable Absorbing Layer for Convective Wave Equation. , 2012, , .		0
4135	An improved model of the lightning electromagnetic field interaction with the D ₂ region ionosphere. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	61
4136	Estimation of the strike angle of an empty tunnel in different rocks using a cross-borehole pulse radar. <i>Radio Science</i> , 2012, 47, .	0.8	6
4137	An established numerical method applied to geophysics. <i>Eos</i> , 2012, 93, 265-266.	0.1	3
4138	Accurate absorbing boundary conditions for anisotropic elastic media. Part 1: Elliptic anisotropy. <i>Journal of Computational Physics</i> , 2012, 231, 7584-7607.	1.9	10
4139	Accurate absorbing boundary conditions for anisotropic elastic media. Part 2: Untilted non-elliptic anisotropy. <i>Journal of Computational Physics</i> , 2012, 231, 7608-7625.	1.9	6
4140	A dispersion minimizing finite difference scheme and preconditioned solver for the 3D Helmholtz equation. <i>Journal of Computational Physics</i> , 2012, 231, 8152-8175.	1.9	32
4141	Efficient solution of Maxwell's equations for geometries with repeating patterns by an exchange of discretization directions in the aperiodic Fourier modal method. <i>Journal of Computational Physics</i> , 2012, 231, 8209-8228.	1.9	7
4142	Remarks on the stability of Cartesian PMLs in corners. <i>Applied Numerical Mathematics</i> , 2012, 62, 1639-1653.	1.2	7
4143	GPR simulation based on complex frequency shifted recursive integration PML boundary of 3D high order FDTD. <i>Computers and Geosciences</i> , 2012, 49, 121-130.	2.0	32

#	ARTICLE	IF	CITATIONS
4144	Long-time stable high-order absorbing boundary conditions for elastodynamics. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2012, 241-244, 20-37.	3.4	39
4145	An absorbing boundary condition for the lattice Boltzmann method based on the perfectly matched layer. <i>Computers and Fluids</i> , 2012, 68, 203-218.	1.3	24
4146	Beam propagation method in rectangular structures with a high step index. <i>Optics Communications</i> , 2012, 285, 4184-4189.	1.0	2
4147	Imaging enhancement of a photonic crystal superlens due to a surface mode with a specific dispersion. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2012, 10, 485-492.	1.0	2
4148	Ultra-high transmission of photonic nanojet induced modes in chains of core-shell microcylinders. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2012, 376, 3261-3266.	0.9	16
4149	Multiresolution Frequency Domain Technique for Electromagnetics. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2012, 7, 1-134.	0.2	0
4150	Three-Dimensional Finite-Element Solutions for Crossing Slot-Waveguides With Finite Core-Height. <i>Journal of Lightwave Technology</i> , 2012, 30, 3394-3400.	2.7	28
4151	The truncated Newton method for Full Waveform Inversion. , 2012, , .		12
4153	A new family of finite-difference schemes to solve the heterogeneous acoustic wave equation. <i>Geophysics</i> , 2012, 77, T187-T199.	1.4	48
4155	Finite Element Methods for Computational Nano-optics. , 2012, , 837-843.		3
4156	All Cavity-Magnetron Axial Extraction Technique. <i>IEEE Transactions on Plasma Science</i> , 2012, 40, 3046-3051.	0.6	35
4157	Specific Absorption Rate Evaluation for Passengers Using Wireless Communication Devices Inside Vehicles With Different Handedness, Passenger Counts, and Seating Locations. <i>IEEE Transactions on Biomedical Engineering</i> , 2012, 59, 2905-2912.	2.5	13
4158	Transformation plasmonics. <i>Nanophotonics</i> , 2012, 1, 51-64.	2.9	39
4159	Sound propagation in periodic urban areas. <i>Journal of Applied Physics</i> , 2012, 111, .	1.1	13
4160	Optical absorption of silicon nanowires. <i>Journal of Applied Physics</i> , 2012, 112, 033506.	1.1	24
4161	High angle prestack depth migration with absorption compensation. <i>Applied Geophysics</i> , 2012, 9, 293-300.	0.1	6
4162	Polarization properties in helical metamaterials. <i>Frontiers of Optoelectronics</i> , 2012, 5, 248-255.	1.9	8
4163	FDTD modeling based comparison of RIE based and Sol-gel based PC-OLED devices. <i>Journal of Optics (India)</i> , 2012, 41, 243-250.	0.8	2

#	ARTICLE	IF	CITATIONS
4164	Fundamentals of Slot Antenna Designing for Application in Surface Wave Plasma Sources. IEEE Transactions on Plasma Science, 2012, 40, 470-480.	0.6	1
4165	Metal-enhanced intrinsic fluorescence of nucleic acids using platinum nanostructured substrates. Chemical Physics Letters, 2012, 548, 45-50.	1.2	17
4166	Numerical simulation of seismic waves in models with anisotropic formations: coupling Virieux and Lebedev finite-difference schemes. Computational Geosciences, 2012, 16, 1135-1152.	1.2	20
4167	Calculation of Wave Attenuation in Sand and Dust Storms by the FDTD and Turning Bands Methods at 10 ⁶ -100 GHz. IEEE Transactions on Antennas and Propagation, 2012, 60, 2951-2960.	3.1	28
4168	The Microscope in a Computer: Image Synthesis from Three-Dimensional Full-Vector Solutions of Maxwell's Equations at the Nanometer Scale. Progress in Optics, 2012, 57, 1-91.	0.4	15
4170	A Study of RF Dosimetry from Exposure to an AMI Smart Meter. IEEE Antennas and Propagation Magazine, 2012, 54, 69-80.	1.2	8
4171	A New Viscous Boundary Condition in the Two-Dimensional Discontinuous Deformation Analysis Method for Wave Propagation Problems. Rock Mechanics and Rock Engineering, 2012, 45, 919.	2.6	44
4172	Zero-Mode Waveguides for Single-Molecule Analysis. Annual Review of Biophysics, 2012, 41, 269-293.	4.5	104
4173	An elementary introduction to the construction and the analysis of perfectly matched layers for time domain wave propagation. Boletín De La Sociedad Española De Matemática Aplicada, 2012, 57, 5-48.	0.9	21
4174	Artificial boundary conditions for atomic simulations of face-centered-cubic lattice. Computational Mechanics, 2012, 50, 645-655.	2.2	6
4175	Optimization of Electro-mechanical Smart Structures. International Series of Numerical Mathematics, 2012, , 501-519.	1.0	0
4176	Numerical solution of a non-linear Maxwell problem for the characterization of nematic liquid crystals. , 2012, , .		0
4177	Efficient DSP-Higher-Order PML Formulations for the Metal Plate Buried in Dispersive Soil Half-Space Problem. IEEE Transactions on Electromagnetic Compatibility, 2012, 54, 1178-1181.	1.4	15
4178	FEM simulation of BAW/SAW and SAW/BAW conversions in gratings on the surface of half-infinite substrates. , 2012, , .		0
4179	RADIATION BOUNDARY CONDITIONS FOR THE HELMHOLTZ EQUATION FOR ELLIPSOIDAL, PROLATE SPHEROIDAL, OBLATE SPHEROIDAL AND SPHERICAL DOMAIN BOUNDARIES. Journal of Computational Acoustics, 2012, 20, 1230001.	1.0	5
4180	2D Numerical Modeling for Transducers with Combined Pseudospectral and Finite Difference Methods: Application to High Frequency Linear Arrays. Acoustical Imaging, 2012, , 351-361.	0.2	3
4181	Excitation of Surface Plasmon Polaritons on sinusoidally corrugated metal-dielectric interface fabricated using interference lithography. , 2012, , .		0
4182	Negative refraction and superlensing in two-dimensional triangular lattice graded photonic crystals. , 2012, , .		2

#	ARTICLE	IF	CITATIONS
4183	A Mode-Matching Approach to Electromagnetic Wave Propagation in Nematic Liquid Crystals. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 2950-2958.	2.9	10
4184	COMPUTATIONAL SIMULATIONS OF NANOSTRUCTURED SOLAR CELLS. Nano LIFE, 2012, 02, 1230007.	0.6	3
4185	Electromagnetic Evaluation of FM Antenna on Vehicle Models. , 0, , .		0
4186	Design of Matched Absorbing Layers for Surface Plasmon-Polaritons. Advances in OptoElectronics, 2012, 2012, 1-7.	0.6	0
4187	Optimized Operator-Splitting Methods in Numerical Integration of Maxwell's Equations. International Journal of Antennas and Propagation, 2012, 2012, 1-8.	0.7	1
4188	ON THE USE OF FDTD FOR HIRF VALIDATION AND CERTIFICATION. Progress in Electromagnetics Research Letters, 2012, 32, 145-156.	0.4	6
4189	Modelling Seismic Wave Propagation for Geophysical Imaging. , 0, , .		15
4190	Perfectly Matched Layer for Finite Element Analysis of Elastic Waves in Solids. , 2012, , .		1
4191	RIGOROUS SUBSTANTIATION OF THE METHOD OF EXACT ABSORBING CONDITIONS IN TIME-DOMAIN ANALYSIS OF OPEN ELECTRODYNAMIC STRUCTURES. Progress in Electromagnetics Research B, 2012, 41, 231-249.	0.7	8
4192	FDTD STUDY ON SCATTERING FOR CONDUCTING TARGET COATED WITH MAGNETIZED PLASMA OF TIME-VARYING PARABOLIC DENSITY DISTRIBUTION. Progress in Electromagnetics Research M, 2012, 22, 13-25.	0.5	9
4193	DEVELOPMENT OF A SYMPLECTIC SCHEME WITH OPTIMIZED NUMERICAL DISPERSION-RELATION EQUATION TO SOLVE MAXWELL'S EQUATIONS IN DISPERSIVE MEDIA. Progress in Electromagnetics Research, 2012, 132, 517-549.	1.6	3
4194	On the Applicability of Photonic Crystal Membranes to Multi-Channel Propagation. , 0, , .		1
4195	Transparent Boundary Conditions for Elastic Anisotropic VTI Media: Axially Symmetric Case. Communications in Computational Physics, 2012, 11, 541-554.	0.7	1
4196	High-Performance Computing and Engineering Applications in Electromagnetics. International Journal of Antennas and Propagation, 2012, 2012, 1-2.	0.7	0
4197	NUMERICAL SIMULATIONS OF CONVERSION TO ALFVÉN WAVES IN SUNSPOTS. Astrophysical Journal, 2012, 746, 68.	1.6	95
4198	Efficient Laplace-domain modeling using an axis transformation technique. , 2012, , .		0
4199	SUPER-RESOLUTION IMAGING OF THE GRADED PHOTONIC CRYSTAL WITH NEGATIVE REFRACTION. Progress in Electromagnetics Research M, 2012, 25, 185-195.	0.5	1
4201	Perfectly Matched Layer with Mixed Spectral Elements for the Propagation of Linearized Water Waves. Communications in Computational Physics, 2012, 11, 285-302.	0.7	7

#	ARTICLE	IF	CITATIONS
4203	SCATTERING OF THE <i>f</i> -MODE BY SMALL MAGNETIC FLUX ELEMENTS FROM OBSERVATIONS AND NUMERICAL SIMULATIONS. <i>Astrophysical Journal</i> , 2012, 757, 148.	1.6	14
4204	A METHOD OF IMPROVING THE STABILITY OF LIAO'S HIGHER-ORDER ABSORBING BOUNDARY CONDITION. <i>Progress in Electromagnetics Research M</i> , 2012, 27, 167-178.	0.5	4
4205	TRANSIENT RESISTANCE ANALYSIS OF LARGE GROUNDING SYSTEMS USING THE FDTD METHOD. <i>Progress in Electromagnetics Research</i> , 2012, 132, 159-175.	1.6	20
4206	A COMPARISON BETWEEN PML, INFINITE ELEMENTS AND AN ITERATIVE BEM AS MESH TRUNCATION METHODS FOR HP SELF-ADAPTIVE PROCEDURES IN ELECTROMAGNETICS. <i>Progress in Electromagnetics Research</i> , 2012, 126, 499-519.	1.6	11
4207	Some Aspects of Numerical Simulation of Seismic Wave Propagation. <i>Journal of Geology & Geosciences</i> , 2012, 02, .	0.2	0
4208	GRAPHICS PROCESSOR UNIT (GPU) ACCELERATION OF FINITE-DIFFERENCE FREQUENCY-DOMAIN (FDFD) METHOD. <i>Progress in Electromagnetics Research M</i> , 2012, 23, 29-51.	0.5	5
4209	A multi-time stepping integration method for the ultrasound heating problem. <i>ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik</i> , 2012, 92, 869-881.	0.9	8
4210	Brief review on PE method application to propagation channel modeling in sea environment. <i>Open Engineering</i> , 2012, 2, 19-38.	0.7	36
4211	Imaging and tracking of targets in clutter using differential time-reversal techniques. <i>Waves in Random and Complex Media</i> , 2012, 22, 66-108.	1.6	32
4212	Concentric Necklace Nanolenses for Optical Near-Field Focusing and Enhancement. <i>ACS Nano</i> , 2012, 6, 4341-4348.	7.3	24
4213	Full-Scale Three-Dimensional Electromagnetic Simulations of a Terahertz Folded-Waveguide Traveling-Wave Tube Using ICEPIC. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2012, 2, 222-230.	2.0	8
4214	Surface Plasmon Polaritons in Metallic Nanostructures: Fundamentals and Their Application to Thin-Film Solar Cells. <i>Springer Series in Optical Sciences</i> , 2012, , 131-155.	0.5	3
4215	Light-trapping plasmonic nanovoid arrays. <i>Physical Review B</i> , 2012, 85, .	1.1	34
4216	Recent developments of the meshless radial point interpolation method for time-domain electromagnetics. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2012, 25, 468-489.	1.2	40
4217	General aspects of Hertzian potentials modeling in integrated optics. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2012, 25, 115-129.	1.2	0
4218	An overfilled cavity problem for Maxwell's equations. <i>Mathematical Methods in the Applied Sciences</i> , 2012, 35, 1951-1979.	1.2	12
4219	Analyzing the wave number dependency of the convergence rate of a multigrid preconditioned Krylov method for the Helmholtz equation with an absorbing layer. <i>Numerical Linear Algebra With Applications</i> , 2012, 19, 232-252.	0.9	11
4220	PMLs: A direct approach. <i>International Journal for Numerical Methods in Engineering</i> , 2012, 90, 343-352.	1.5	30

#	ARTICLE	IF	CITATIONS
4221	Review and assessment of interpolatory model order reduction methods for frequency response structural dynamics and acoustics problems. <i>International Journal for Numerical Methods in Engineering</i> , 2012, 90, 1636-1662.	1.5	61
4222	Design and Simulation of a Mega-Watt Class Nonrelativistic Magnetron. <i>IEEE Transactions on Plasma Science</i> , 2012, 40, 1563-1568.	0.6	9
4223	Application of the pseudo-spectral time domain method to compute particle single-scattering properties for size parameters up to 200. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2012, 113, 1728-1740.	1.1	76
4224	Influence of dentures on SAR in the visible Chinese human head voxel phantom exposed to a mobile phone at 900 and 1800 MHz. <i>Bioelectromagnetics</i> , 2012, 33, 508-517.	0.9	5
4225	Scattering Analysis of Periodic Structures Using Finite-Difference Time-Domain Method. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2012, 7, 1-140.	0.2	4
4226	Computational electromagnetics for nanowire solar cells. <i>Journal of Computational Electronics</i> , 2012, 11, 153-165.	1.3	20
4227	Y-shaped beam splitter by graded structure design in a photonic crystal. <i>Science Bulletin</i> , 2012, 57, 1241-1245.	1.7	16
4228	Optimization of the Field Enhancement and Spectral Bandwidth of Single and Coupled Bimetal Core-Shell Nanoparticles for Few-Cycle Laser Applications. <i>Plasmonics</i> , 2012, 7, 99-106.	1.8	11
4229	A study on the effect of filling factor for laser action in dielectric random media. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 107, 35-42.	1.1	9
4230	An effective perfectly matched layer design for acoustic fourth-order frequency-domain finite-difference scheme. <i>Geophysical Journal International</i> , 2012, 188, 211-222.	1.0	31
4231	Three-dimensional anisotropic seismic wave modelling in spherical coordinates by a collocated-grid finite-difference method. <i>Geophysical Journal International</i> , 2012, 188, 1359-1381.	1.0	66
4232	A hybrid absorbing boundary condition for elastic staggered-grid modelling. <i>Geophysical Prospecting</i> , 2012, 60, 1114-1132.	1.0	29
4233	2.5-D frequency-domain seismic wave modeling in heterogeneous, anisotropic media using a Gaussian quadrature grid technique. <i>Computers and Geosciences</i> , 2012, 39, 18-33.	2.0	18
4234	Application of W boundary condition in dam-reservoir interaction problem. <i>Finite Elements in Analysis and Design</i> , 2012, 50, 86-97.	1.7	14
4235	Modeling of acoustic wave propagation in time-domain using the discontinuous Galerkin method – A comparison with measurements. <i>Applied Acoustics</i> , 2012, 73, 173-183.	1.7	13
4236	On the approximation of total absorption of the street open ceiling at low frequencies. <i>Applied Acoustics</i> , 2012, 73, 734-740.	1.7	3
4237	Adaptive perfectly matched layer method for multiple scattering problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2012, 201-204, 42-52.	3.4	24
4238	Numerical comparison of high-order absorbing boundary conditions and perfectly matched layers for a dispersive one-dimensional medium. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2012, 209-212, 74-86.	3.4	20

#	ARTICLE	IF	CITATIONS
4239	Perfectly matched layers in the thin layer method. Computer Methods in Applied Mechanics and Engineering, 2012, 217-220, 262-274.	3.4	47
4240	The DtN nonreflecting boundary condition for multiple scattering problems in the half-plane. Computer Methods in Applied Mechanics and Engineering, 2012, 217-220, 1-11.	3.4	8
4241	Certified reduced basis method for electromagnetic scattering and radar cross section estimation. Computer Methods in Applied Mechanics and Engineering, 2012, 233-236, 92-108.	3.4	18
4242	Mobile phone as a platform for numerical simulation. Computer Physics Communications, 2012, 183, 26-29.	3.0	0
4243	Unified matrix-exponential FDTD formulations for modeling electrically and magnetically dispersive materials. Computer Physics Communications, 2012, 183, 1101-1106.	3.0	4
4244	High-order unified symplectic FDTD scheme for the metamaterials. Computer Physics Communications, 2012, 183, 1192-1200.	3.0	29
4245	Multi-channel drop filters using photonic crystal ring resonators. Optik, 2012, 123, 167-170.	1.4	77
4246	Compressed implicit Jacobian scheme for elastic full-waveform inversion. Geophysical Journal International, 2012, 189, 1626-1634.	1.0	19
4247	On elastic-electromagnetic mathematical equivalences. Geophysical Journal International, 2012, 189, 1771-1780.	1.0	12
4248	Numerical implementation of the asymptotic boundary conditions for steadily propagating 2D solitons of Boussinesq type equations. Mathematics and Computers in Simulation, 2012, 82, 1079-1092.	2.4	2
4249	Synthetic aperture imaging for flaw detection in a concrete medium. NDT and E International, 2012, 45, 79-90.	1.7	27
4250	Nano-optic label-free biosensors based on photonic crystal platform with negative refraction. Optics Communications, 2012, 285, 1970-1975.	1.0	4
4251	Alternative approach to realize all-angle negative refraction and far-field imaging effects via two-dimensional all-solid photonic crystals. Optics Communications, 2012, 285, 2462-2465.	1.0	5
4252	Mode classification and loss mechanism in air-core Bragg fibers. Optics Communications, 2012, 285, 3066-3074.	1.0	4
4253	Near field modeling of the Moiré interferometer for nanoscale strain measurement. Optics and Lasers in Engineering, 2012, 50, 976-984.	2.0	1
4254	Analysis of vertical coupling between a 2D photonic crystal cavity and a hydrogenated-amorphous-silicon-wire waveguide. Photonics and Nanostructures - Fundamentals and Applications, 2012, 10, 287-295.	1.0	3
4255	Superenhanced photonic nanojet by core-shell microcylinders. Physics Letters, Section A: General, Atomic and Solid State Physics, 2012, 376, 1856-1860.	0.9	38
4256	Perfectly matched layers in a divergence preserving ADI scheme for electromagnetics. Journal of Computational Physics, 2012, 231, 39-44.	1.9	1

#	ARTICLE	IF	CITATIONS
4257	A non-deteriorating algorithm for computational electromagnetism based on quasi-lacunae of Maxwell's equations. Journal of Computational Physics, 2012, 231, 558-585.	1.9	9
4258	Wave propagation in locally perturbed periodic media (case with absorption): Numerical aspects. Journal of Computational Physics, 2012, 231, 1244-1271.	1.9	8
4259	Stretched backgrounds for acoustic scattering models. Journal of Computational Physics, 2012, 231, 1728-1742.	1.9	1
4260	Developing a time-domain finite-element method for modeling of electromagnetic cylindrical cloaks. Journal of Computational Physics, 2012, 231, 2880-2891.	1.9	29
4261	Choice of the perfectly matched layer boundary condition for frequency-domain Maxwell's equations solvers. Journal of Computational Physics, 2012, 231, 3406-3431.	1.9	122
4262	A sweeping preconditioner for time-harmonic Maxwell's equations with finite elements. Journal of Computational Physics, 2012, 231, 3770-3783.	1.9	31
4263	Determination of Surface Plasmon Modes and Guided Modes Supported by Periodic Subwavelength Slits on Metals Using a Finite-Difference Frequency-Domain Method Based Eigenvalue Algorithm. Journal of Lightwave Technology, 2012, 30, 76-83.	2.7	3
4264	An Efficient Scalar, Non-Paraxial Beam Propagation Method. Journal of Lightwave Technology, 2012, 30, 4-8.	2.7	7
4265	The CFS-PML for Periodic Laguerre-Based FDTD Method. IEEE Microwave and Wireless Components Letters, 2012, 22, 164-166.	2.0	14
4266	Educational Software for Interference and Optical Diffraction Analysis in Fresnel and Fraunhofer Regions Based on MATLAB GUIs and the FDTD Method. IEEE Transactions on Education, 2012, 55, 118-125.	2.0	23
4267	Development of Liquid-Type Human-Body Equivalent Antennas for Induced Ankle Current Measurements at VHF Band. IEEE Transactions on Electromagnetic Compatibility, 2012, 54, 565-573.	1.4	4
4268	Bilinear Transform Implementation of the SC-PML for General Media and General FDTD Schemes. IEEE Transactions on Electromagnetic Compatibility, 2012, 54, 343-350.	1.4	7
4269	Electrooptic Probe Adapted for Bioelectromagnetic Experimental Investigations. IEEE Transactions on Instrumentation and Measurement, 2012, 61, 2051-2058.	2.4	23
4270	Modeling of Waveguide Structures Using DG-FETD Method With Higher Order Tetrahedral Elements. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 2046-2054.	2.9	15
4271	Dispersive finite-difference time-domain (FDTD) analysis of the elliptic cylindrical cloak. Journal of the Korean Physical Society, 2012, 60, 1349-1360.	0.3	3
4272	Application of M-PML absorbing boundary conditions to the numerical simulation of wave propagation in anisotropic media. Part II: Stability. Numerical Analysis and Applications, 2012, 5, 36-44.	0.2	12
4273	Two-Level preconditioned Krylov subspace methods for the solution of three-dimensional heterogeneous Helmholtz problems in seismics. Numerical Analysis and Applications, 2012, 5, 175-181.	0.2	11
4274	Comparison of outflow boundary conditions for subsonic aeroacoustic simulations. International Journal for Numerical Methods in Fluids, 2012, 68, 1207-1233.	0.9	27

#	ARTICLE	IF	CITATIONS
4275	Numerical optimization of a three-channel radiofrequency coil for open, vertical-field, MR-guided, focused ultrasound surgery using the hybrid method of moment/finite difference time domain method. <i>NMR in Biomedicine</i> , 2012, 25, 909-916.	1.6	17
4276	An improved continued-fraction-based high-order transmitting boundary for time-domain analyses in unbounded domains. <i>International Journal for Numerical Methods in Engineering</i> , 2012, 89, 269-298.	1.5	69
4277	Moving mesh method for problems with blow-up on unbounded domains. <i>Numerical Algorithms</i> , 2012, 59, 63-77.	1.1	2
4278	Investigation on parameters affecting the performance of two dimensional photonic crystal based bandpass filter. <i>Optical and Quantum Electronics</i> , 2012, 43, 69-82.	1.5	17
4279	Transient analysis of printed lines using finite-difference time-domain method. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2013, 26, 74-86.	1.2	0
4280	GPU-based acceleration of computational electromagnetics codes. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2013, 26, 309-323.	1.2	2
4281	On consideration of radiated power in RF field simulations for MRI. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 290-294.	1.9	11
4282	Numerical modeling of electromagnetic wave propagation in a liquid crystal cell at oblique incidence. <i>Applied Mathematics and Computation</i> , 2013, 219, 10643-10654.	1.4	0
4283	High-order absorbing boundary conditions for the meshless radial point interpolation method in the frequency domain. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2013, 26, 478-492.	1.2	4
4284	Simulated Transient Electromagnetic Response for the Inspection of GFRP-Wrapped Concrete Cylinders Using Radar NDE. <i>Research in Nondestructive Evaluation</i> , 2013, 24, 125-153.	0.5	5
4285	An adaptive anisotropic perfectly matched layer method for 3-D time harmonic electromagnetic scattering problems. <i>Numerische Mathematik</i> , 2013, 125, 639-677.	0.9	12
4286	A Matlab Edge Element Code for Metamaterials. <i>Springer Series in Computational Mathematics</i> , 2013, , 195-214.	0.1	0
4287	Polarization-independent beam splitting by a photonic crystal right prism. <i>Applied Physics B: Lasers and Optics</i> , 2013, 113, 107-114.	1.1	3
4288	Analysis on the Light Extraction Efficiency of GaN-Based Nanowires Light-Emitting Diodes. <i>IEEE Journal of Quantum Electronics</i> , 2013, 49, 697-704.	1.0	24
4289	Development of a wavenumber-preserving scheme for solving Maxwell's equations in curvilinear non-staggered grids. <i>Journal of Computational Physics</i> , 2013, 247, 208-227.	1.9	1
4290	THREE-DIMENSIONAL SOUND PROPAGATION MODELS USING THE PARABOLIC-EQUATION APPROXIMATION AND THE SPLIT-STEP FOURIER METHOD. <i>Journal of Computational Acoustics</i> , 2013, 21, 1250018.	1.0	62
4291	CUDA Fortran acceleration for the finite-difference time-domain method. <i>Computer Physics Communications</i> , 2013, 184, 1395-1400.	3.0	6
4292	Analysis of perfectly matched layer operators for acoustic scattering on manifolds with quasicylindrical ends. <i>Journal Des Mathematiques Pures Et Appliquees</i> , 2013, 100, 204-219.	0.8	3

#	ARTICLE	IF	CITATIONS
4293	A pseudo-spectral time domain method for light scattering computation. , 2013, , 139-188.		9
4294	Search of Extremely Sensitive Near-Infrared Plasmonic Interfaces: A Theoretical Study. Plasmonics, 2013, 8, 1691-1698.	1.8	6
4295	Modeling of the perfect electromagnetic conducting boundary in the finite difference time domain method. Radio Science, 2013, 48, 453-462.	0.8	12
4296	High-order continuous and discontinuous Galerkin methods for wave problems. International Journal for Numerical Methods in Fluids, 2013, 73, 883-903.	0.9	13
4297	Transmission properties of a two-dimensional photonic crystal in a dielectric constant supercell. Journal of Applied Spectroscopy, 2013, 80, 372-377.	0.3	0
4298	Simple absorbing layer conditions for shallow wave simulations with Smoothed Particle Hydrodynamics. Ocean Engineering, 2013, 62, 78-90.	1.9	15
4299	Polarization-independent unidirectional light transmission by an annular photonic crystal prism. Photonics and Nanostructures - Fundamentals and Applications, 2013, 11, 270-278.	1.0	8
4300	Coupling between opposite-parity modes in parallel photonic crystal waveguides and its application in unidirectional light transmission. Applied Physics B: Lasers and Optics, 2013, 113, 619-626.	1.1	6
4301	Design and experimental evidence of a flat graded-index photonic crystal lens. Journal of Applied Physics, 2013, 114, .	1.1	19
4302	Parametric finite elements, exact sequences and perfectly matched layers. Computational Mechanics, 2013, 51, 35-45.	2.2	32
4303	Numerical Methods for Metamaterial Design. Topics in Applied Physics, 2013, , .	0.4	44
4304	Data structure and movement for lattice-based simulations. Physical Review E, 2013, 88, 013314.	0.8	37
4305	Scattered-field FDTD and PSTD algorithms with CPML absorbing boundary conditions for light scattering by aerosols. Journal of Quantitative Spectroscopy and Radiative Transfer, 2013, 131, 166-174.	1.1	27
4306	Electron beam coupling to a metamaterial structure. Physics of Plasmas, 2013, 20, .	0.7	29
4307	Perfectly Matched Layers. Springer Series in Computational Mathematics, 2013, , 215-240.	0.1	0
4308	The Finite Element Method. Texts in Applied Mathematics, 2013, , 93-184.	0.4	1
4309	An adaptive edge finite element method for electromagnetic cloaking simulation. Journal of Computational Physics, 2013, 249, 216-232.	1.9	21
4310	Characteristics of Symmetric Surface Plasmon Polariton Mode in Glass-Metal-Glass Waveguide. Plasmonics, 2013, 8, 1621-1625.	1.8	6

#	ARTICLE	IF	CITATIONS
4311	Time-Domain Simulation of Long-Range Sound Propagation in an Atmosphere with Temperature Gradient. , 2013, , .		0
4312	Viscoacoustic prestack reverse-time migration based on the time-space domain adaptive high-order finite-difference method. Geophysical Prospecting, 2013, 61, 941-954.	1.0	26
4313	Hybridizable discontinuous Galerkin adaptivity for wave propagation problems. International Journal for Numerical Methods in Fluids, 2013, 72, 1244-1262.	0.9	46
4314	Geometric Optics Approximation with Considering Interference for Reflection from Random Rough Surface. Journal of Thermophysics and Heat Transfer, 2013, 27, 458-464.	0.9	8
4315	Application of a perfectly matched layer in problems of simulation of electromagnetic ultralong wave propagation in the spherical earth-ionosphere waveguide channel. Journal of Communications Technology and Electronics, 2013, 58, 448-454.	0.2	0
4316	The rotation of polarization of a terahertz wave through subwavelength metallic structures. Science China: Physics, Mechanics and Astronomy, 2013, 56, 514-518.	2.0	8
4317	Introduction to Metamaterials. Springer Series in Computational Mathematics, 2013, , 1-18.	0.1	0
4318	Introduction to Finite Element Methods. Springer Series in Computational Mathematics, 2013, , 19-51.	0.1	3
4319	Copper nanowire arrays for transparent electrodes. Journal of Applied Physics, 2013, 114, .	1.1	14
4320	Time-Domain Finite Element Methods for Metamaterials. Springer Series in Computational Mathematics, 2013, , 53-125.	0.1	4
4321	Superconvergence Analysis for Metamaterials. Springer Series in Computational Mathematics, 2013, , 151-171.	0.1	0
4322	Simulations of Wave Propagation in Metamaterials. Springer Series in Computational Mathematics, 2013, , 241-283.	0.1	0
4323	A Posteriori Error Estimation. Springer Series in Computational Mathematics, 2013, , 173-193.	0.1	0
4324	Comparison of optical properties of Si and ZnO/CdTe core/shell nanowire arrays. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2013, 178, 665-669.	1.7	19
4325	The Purcell factor of nanoresonators. Nature Photonics, 2013, 7, 674-675.	15.6	41
4326	Plasmon-enhanced plastic devices. Nature Photonics, 2013, 7, 675-677.	15.6	13
4327	Transparent boundary conditions based on the pole condition for time-dependent, two-dimensional problems. Numerical Methods for Partial Differential Equations, 2013, 29, 1367-1390.	2.0	3
4328	Computational methods for the dynamics of the nonlinear Schrödinger/Gross-Pitaevskii equations. Computer Physics Communications, 2013, 184, 2621-2633.	3.0	258

#	ARTICLE	IF	CITATIONS
4329	A new design of tunable four-port wavelength demultiplexer by photonic crystal ring resonators. <i>Optik</i> , 2013, 124, 5923-5926.	1.4	56
4330	Identification of water content in nanocavities. <i>Nanoscale Research Letters</i> , 2013, 8, 171.	3.1	1
4331	A study of damping factors in perfectly matched layers for the numerical simulation of seismic waves. <i>Applied Geophysics</i> , 2013, 10, 63-70.	0.1	4
4332	A computational method for the Helmholtz equation in unbounded domains based on the minimization of an integral functional. <i>Journal of Computational Physics</i> , 2013, 246, 78-95.	1.9	4
4333	Influence of near-source volcano topography on the acoustic wavefield and implication for source modeling. <i>Journal of Volcanology and Geothermal Research</i> , 2013, 250, 9-18.	0.8	71
4334	In situ fabrication and characterization of cobalt ferrite nanorods/graphene composites. <i>Materials Characterization</i> , 2013, 86, 303-315.	1.9	51
4335	On the efficacy of GPU-integrated MPI for scientific applications. , 2013, , .		1
4336	2D and 3D modeling of wave propagation in cold magnetized plasma near the Tore Supra ICRH antenna relying on the perfectly matched layer technique. <i>Plasma Physics and Controlled Fusion</i> , 2013, 55, 115004.	0.9	35
4337	An investigation of natural convection in parallel square plates with a heated bottom surface by an absorbing boundary condition. <i>International Journal of Heat and Mass Transfer</i> , 2013, 56, 35-44.	2.5	10
4338	Realization of tunable optical filter by photonic crystal ring resonators. <i>Optik</i> , 2013, 124, 5377-5380.	1.4	49
4339	A new FDTD method for N-th order Lorentz dispersive media. <i>Optik</i> , 2013, 124, 1199-1201.	1.4	5
4340	A GFD with PML for seismic wave equations in heterogeneous media. <i>Journal of Computational and Applied Mathematics</i> , 2013, 252, 40-51.	1.1	27
4341	A COMPARISON OF TRANSIENT INFINITE ELEMENTS AND TRANSIENT KIRCHHOFF INTEGRAL METHODS FOR FAR FIELD ACOUSTIC ANALYSIS. <i>Journal of Computational Acoustics</i> , 2013, 21, 1350006.	1.0	5
4342	Time-Domain Analysis of Gravity Damâ€™Reservoir Interaction Using High-Order Doubly Asymptotic Open Boundary. , 2013, , 139-171.		1
4343	Tunable ultracompact electro-optical photonic crystal ring resonator. <i>Journal of Modern Optics</i> , 2013, 60, 1337-1342.	0.6	2
4344	A high-order based boundary condition for dynamic analysis of infinite reservoirs. <i>Computers and Structures</i> , 2013, 120, 65-76.	2.4	5
4345	A hybrid absorbing boundary condition for frequency-domain finite-difference modelling. <i>Journal of Geophysics and Engineering</i> , 2013, 10, 054003.	0.7	26
4346	Resonant reflection of a surface acoustic wave from strip waveguides. <i>Wave Motion</i> , 2013, 50, 1185-1196.	1.0	5

#	ARTICLE	IF	CITATIONS
4347	High-Accuracy Waveguide Leaky-Mode Analysis Using a Multidomain Pseudospectral Frequency-Domain Method Incorporated With Stretched Coordinate PML. <i>Journal of Lightwave Technology</i> , 2013, 31, 2347-2360.	2.7	9
4348	Metamaterials beyond electromagnetism. <i>Reports on Progress in Physics</i> , 2013, 76, 126501.	8.1	378
4349	Localised point defect states in asymptotic models of discrete lattices. <i>Quarterly Journal of Mechanics and Applied Mathematics</i> , 2013, 66, 289-316.	0.5	21
4350	Computational Electromagnetics. <i>Texts in Applied Mathematics</i> , 2013, , .	0.4	34
4351	Focusing light in a bianisotropic slab with negatively refracting materials. <i>Journal of Physics Condensed Matter</i> , 2013, 25, 135901.	0.7	3
4352	Accuracy analysis of simplified and rigorous numerical methods applied to binary nanopatterning gratings in non-paraxial domain. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2013, 377, 2245-2250.	0.9	4
4353	High-resolution computation of electrical field propagation in land mine detection. , 2013, , .		0
4354	Stable perfectly-matched-layer boundary conditions for finite-difference time-domain simulation of acoustic waves in piezoelectric crystals. <i>Journal of Computational Physics</i> , 2013, 253, 239-246.	1.9	3
4355	Multimode Interference 3 dB Splitters in Hollow Core Metallic Waveguides for Low-Loss THz Wave Transmission. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2013, 19, 8500606-8500606.	1.9	7
4356	Plasmonic Resonance Tunability and Surface-Enhanced Raman Scattering Gain of Metallic Nanoparticles Embedded in a Liquid Crystal Cell. <i>Journal of Physical Chemistry C</i> , 2013, 117, 24537-24542.	1.5	10
4357	Synthesis of three-dimensional phase images of nanoobjects: Numerical simulation. <i>Optics and Spectroscopy (English Translation of Optika I Spektroskopiya)</i> , 2013, 115, 938-946.	0.2	5
4358	Study of L-shaped resonators at terahertz frequencies. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	17
4359	Optical image contrast enhancement in near-field optics induced by water condensation. <i>Ultramicroscopy</i> , 2013, 135, 50-55.	0.8	11
4360	Perfectly matched layer-absorbing boundary condition for finite-element time-domain modeling of elastic wave equations. <i>Applied Geophysics</i> , 2013, 10, 323-336.	0.1	14
4361	Stability of finite difference numerical simulations of acoustic logging-while-drilling with different perfectly matched layer schemes. <i>Applied Geophysics</i> , 2013, 10, 384-396.	0.1	24
4362	GPR utilization in artificial freezing engineering. <i>Journal of Geophysics and Engineering</i> , 2013, 10, 034004.	0.7	6
4363	Extraction of optimized parameters for Si _{0.6} Ge _{0.4} material and SPP mode propagation through Si _{0.6} Ge _{0.4} /Ag/Si _{0.6} Ge _{0.4} waveguide. <i>Optoelectronics Letters</i> , 2013, 9, 454-457.	0.4	4
4364	Improved hybrid iterative optimization method for seismic full waveform inversion. <i>Applied Geophysics</i> , 2013, 10, 265-277.	0.1	7

#	ARTICLE	IF	CITATIONS
4365	A versatile high voltage nano- and sub-nanosecond pulse generator. IEEE Transactions on Dielectrics and Electrical Insulation, 2013, 20, 1201-1208.	1.8	21
4366	Improved Sensing Pulses for Increased Human Head Depth Measurement Sensitivity With Electrical Impedance Spectroscopy. IEEE Transactions on Biomedical Engineering, 2013, 60, 3306-3313.	2.5	1
4367	Design and simulation of wavelength demultiplexer based on heterostructure photonic crystals ring resonators. Physica E: Low-Dimensional Systems and Nanostructures, 2013, 50, 97-101.	1.3	100
4368	Analysis of the dissipation and dispersion properties of the multi-domain Chebyshev pseudospectral method. Journal of Computational Physics, 2013, 255, 31-47.	1.9	1
4369	FDTD-based computed terahertz wave propagation in multilayer medium structures. , 2013, , .		3
4370	A Source Transfer Domain Decomposition Method for Helmholtz Equations in Unbounded Domain. SIAM Journal on Numerical Analysis, 2013, 51, 2331-2356.	1.1	78
4371	A 21-point finite difference scheme for 2D frequency-domain elastic wave modelling. Exploration Geophysics, 2013, 44, 156-166.	0.5	17
4372	Characteristic study on an ESD suppressor by the FDTD method. Journal of Electrostatics, 2013, 71, 625-634.	1.0	2
4373	Fast thermal simulations and temperature optimization for hyperthermia treatment planning, including realistic 3D vessel networks. Medical Physics, 2013, 40, 103303.	1.6	32
4375	Analysis of backscattering RCS of targets coated with parabolic distribution and time-varying plasma media. Optik, 2013, 124, 6850-6852.	1.4	14
4376	Electric fields inside an ambulance due to cellular phone radiation. , 2013, , .		1
4377	Introducing the equivalence source in 2D-FDTD method to improve the computational speed. , 2013, , .		0
4378	High Electromagnetic Conductance Media. IEEE Transactions on Antennas and Propagation, 2013, 61, 775-778.	3.1	9
4379	Investigation of propagation properties of Surface Plasmon Polariton mode in AlGaAs/Ag/AlGaAs waveguide. , 2013, , .		1
4380	Optimization of debye parameters for dielectric materials and investigation of symmetric SPP mode propagation properties in DMD waveguide. , 2013, , .		1
4381	Transmission characteristics of EM wave in a finite thickness plasma. Acta Mechanica Sinica/Lixue Xuebao, 2013, 29, 189-195.	1.5	5
4382	Shape-deformable models for computational electromagnetic dosimetry of a human body. , 2013, , .		0
4383	Super-resolved complex amplitude reconstruction of nanostructured binary data with pattern matching. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
4384	One and two dimensional LiNbO ₃ photonic crystals. , 2013, , .		0
4385	Dual-frequency transducer for nonlinear contrast agent imaging. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2013, 60, 2634-2644.	1.7	26
4386	Wavelet analysis of signals in problem of short range radiolocation. , 2013, , .		1
4387	A Novel Hybrid Implicit Explicit - Pseudospectral Time Domain Method for TMz Waves. IEEE Transactions on Antennas and Propagation, 2013, 61, 3721-3727.	3.1	2
4388	Local Fourier analysis of the complex shifted Laplacian preconditioner for Helmholtz problems. Numerical Linear Algebra With Applications, 2013, 20, 575-597.	0.9	33
4389	Transient response of C-band microstrip antenna under impact of UWB EMP. , 2013, , .		1
4390	Selective Imaging of Extended Reflectors in Two-Dimensional Waveguides. SIAM Journal on Imaging Sciences, 2013, 6, 2714-2739.	1.3	10
4391	Full Waveform Inversion and the Truncated Newton Method. SIAM Journal of Scientific Computing, 2013, 35, B401-B437.	1.3	205
4392	Dynamic Localization Phenomena in Elasticity, Acoustics and Electromagnetism. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2013, , .	0.3	11
4393	Efficient FDTD-PML Simulation of Gain Medium Based on Exponential Time Differencing Algorithm. IEEE Transactions on Antennas and Propagation, 2013, 61, 2123-2129.	3.1	2
4394	PML Implementation for a New and Efficient 2-D Laguerre-Based FDTD Method. IEEE Antennas and Wireless Propagation Letters, 2013, 12, 1339-1342.	2.4	10
4395	A High-Accuracy Multidomain Legendre Pseudospectral Frequency-Domain Method With Penalty Scheme for Solving Scattering and Coupling Problems of Nano-Cylinders. Journal of Lightwave Technology, 2013, 31, 768-778.	2.7	1
4396	Sparse Finite Difference Time Domain Method. IEEE Photonics Technology Letters, 2013, 25, 2259-2262.	1.3	3
4397	Performance analysis of gallium lanthanum sulfide and cuprous oxide as nanoplasmonic couplers. , 2013, , .		1
4398	Grooved Backing Structure for CMUTs. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2013, 60, 2440-2452.	1.7	9
4399	Full Wave Modelling of Light Propagation and Reflection. Computer Graphics Forum, 2013, 32, 24-37.	1.8	29
4400	Acoustic full waveform tomography in the presence of attenuation: a sensitivity analysis. Geophysical Journal International, 2013, 195, 985-1000.	1.0	51
4401	Near-field analysis of waveguide and loop antennas for RFID inventory systems using FDTD simulation. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
4402	Design of Three-Dimensional Optical Circuit Devices by Using Topology Optimization Method With Function-Expansion-Based Refractive Index Distribution. <i>Journal of Lightwave Technology</i> , 2013, 31, 3765-3770.	2.7	20
4403	Validation of PML-based models for the evaluation of anchor dissipation in MEMS resonators. <i>European Journal of Mechanics, A/Solids</i> , 2013, 37, 256-265.	2.1	57
4404	Multi-resonant scatterers in sonic crystals: Locally multi-resonant acoustic metamaterial. <i>Journal of Sound and Vibration</i> , 2013, 332, 184-198.	2.1	76
4405	Improved convergence of scattering calculations in the oscillator representation. <i>Journal of Computational Physics</i> , 2013, 234, 60-78.	1.9	1
4406	Time-space domain dispersion-relation-based finite-difference method with arbitrary even-order accuracy for the 2D acoustic wave equation. <i>Journal of Computational Physics</i> , 2013, 232, 327-345.	1.9	74
4407	Anisotropy effects in the reflection of surface acoustic waves from obstacles. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2013, 60, 235-242.	1.7	9
4408	Buried crack reconstruction through far-field electromagnetic inverse scattering measurement. <i>NDT and E International</i> , 2013, 54, 84-90.	1.7	3
4409	Effects of elastic anisotropy in phononic band-gap plates with two-dimensional lattices. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 015301.	1.3	18
4410	Theory and Modeling of Plasmonic Structures. <i>Journal of Physical Chemistry C</i> , 2013, 117, 1983-1994.	1.5	34
4411	The Finite-Difference Time-Domain Method. <i>Texts in Applied Mathematics</i> , 2013, , 63-92.	0.4	1
4412	Discontinuous Galerkin Time-Domain Methods for Multiscale Electromagnetic Simulations: A Review. <i>Proceedings of the IEEE</i> , 2013, 101, 242-254.	16.4	151
4413	Achieving frequency red-shift and multiple extraordinary optical transmission via sub-wavelength perfect electrical conductor structure. <i>Optics Communications</i> , 2013, 306, 140-144.	1.0	0
4414	A novel design of a photonic crystal sensor with improved sensitivity. <i>Optik</i> , 2013, 124, 3936-3939.	1.4	5
4415	A fast frequency sweep approach using Padé approximations for solving Helmholtz finite element models. <i>Journal of Sound and Vibration</i> , 2013, 332, 1897-1917.	2.1	23
4416	A simple absorbing layer implementation for transmission line matrix modeling. <i>Journal of Sound and Vibration</i> , 2013, 332, 4560-4571.	2.1	6
4417	Photonic crystal bend and applications. <i>Optik</i> , 2013, 124, 2791-2797.	1.4	2
4418	Linearized Euler simulations of sound propagation with wind effects over a reconstructed urban terrain using digital geographic information. <i>Applied Acoustics</i> , 2013, 74, 1354-1366.	1.7	16
4419	Optimization of Q-factor in direct-coupled cavity-waveguide photonic crystal structures. <i>Optik</i> , 2013, 124, 7056-7061.	1.4	6

#	ARTICLE	IF	CITATIONS
4420	Back-propagating modes in elastic logging-while-drilling collars and their effect on PML stability. <i>Computers and Mathematics With Applications</i> , 2013, 66, 2335-2343.	1.4	6
4421	A modified and stable version of a perfectly matched layer technique for the 3-d second order wave equation in time domain with an application to aeroacoustics. <i>Journal of Computational Physics</i> , 2013, 235, 407-422.	1.9	69
4422	High-precision Berenger modes of dual-layer micro-waveguides terminated with a perfectly matched layer for on-chip optical interconnections. <i>Microelectronics Reliability</i> , 2013, 53, 1164-1167.	0.9	0
4423	Numerical study for electromagnetic wave emission from intrinsic Josephson junction stacks with a dielectric cover. <i>Physica C: Superconductivity and Its Applications</i> , 2013, 491, 20-23.	0.6	0
4424	A Galerkin least squares method for time harmonic Maxwell equations using $\tilde{\mathcal{L}}^c$ elements. <i>Journal of Computational Physics</i> , 2013, 235, 67-81.	1.9	5
4425	Finite element analysis for laser action in random porous media. , 2013, , .		0
4429	Absorbing boundary conditions: a spectral collocation approach. <i>International Journal for Numerical Methods in Fluids</i> , 2013, 72, 913-936.	0.9	4
4430	Enhanced Visible Light Sensitivity by Gold Line-and-Space Grating Gate Electrode in Thin Silicon-On-Insulator p-n Junction Photodiode. <i>IEEE Transactions on Electron Devices</i> , 2013, 60, 812-818.	1.6	12
4431	A rapidly converging domain decomposition method for the Helmholtz equation. <i>Journal of Computational Physics</i> , 2013, 241, 240-252.	1.9	95
4432	Non-reflecting boundary condition for Lamb wave propagation problems in honeycomb and CFRP plates using dashpot elements. <i>Composites Part B: Engineering</i> , 2013, 54, 1-10.	5.9	12
4433	An FDTD-based computer simulation platform for shock wave propagation in electrohydraulic lithotripsy. <i>Computer Methods and Programs in Biomedicine</i> , 2013, 110, 389-398.	2.6	3
4434	Variations in seismic velocity and attenuation associated with seismogenesis: A numerical verification using ambient noise. <i>Tectonophysics</i> , 2013, 584, 54-63.	0.9	2
4435	Analysis on polarization characteristics of electromagnetic propagation in anisotropic magnetized plasma media. <i>Optik</i> , 2013, 124, 389-392.	1.4	1
4436	Acoustic VTI modeling and pre-stack reverse-time migration based on the time-space domain staggered-grid finite-difference method. <i>Journal of Applied Geophysics</i> , 2013, 90, 41-52.	0.9	13
4437	Study of dipole arrays at terahertz frequencies. <i>Optics Communications</i> , 2013, 291, 26-30.	1.0	7
4438	A symmetric hybrid formulation for transient wave simulations in PML-truncated heterogeneous media. <i>Wave Motion</i> , 2013, 50, 57-79.	1.0	56
4439	Broadband super-collimation with low-symmetric photonic crystal. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2013, 11, 132-138.	1.0	12
4440	Improvement of Bowtie UHF Antenna Model for Detecting PD in GIS. <i>Procedia Technology</i> , 2013, 11, 227-234.	1.1	21

#	ARTICLE	IF	CITATIONS
4441	Unconditionally stable finite-difference time-domain methods for modeling the Sagnac effect. <i>Physical Review E</i> , 2013, 87, 023303.	0.8	8
4442	Efficient FDTD Implementations of the Higher-Order PML Using DSP Techniques for Arbitrary Media. <i>IEEE Transactions on Antennas and Propagation</i> , 2013, 61, 2623-2629.	3.1	27
4443	Near-field to far-field projection algorithm for free-field or buried scatterer. <i>Journal of the Acoustical Society of America</i> , 2013, 133, 912-917.	0.5	1
4445	Dynamics of structures coupled with elastic media—A review of numerical models and methods. <i>Journal of Sound and Vibration</i> , 2013, 332, 2415-2436.	2.1	47
4446	Simulating interference and diffraction in instructional laboratories. <i>Physics Education</i> , 2013, 48, 227-232.	0.3	3
4447	Locally Resonant Structures for Low Frequency Surface Acoustic Band Gap Applications. <i>Springer Series in Materials Science</i> , 2013, , 43-59.	0.4	4
4448	Pre-stack reverse-time migration based on the time-space domain adaptive high-order finite-difference method in acoustic VTI medium. <i>Journal of Geophysics and Engineering</i> , 2013, 10, 015010.	0.7	8
4449	Nanometal plasmonpolaritons. <i>Surface Science Reports</i> , 2013, 68, 1-67.	3.8	31
4450	The ultrasonic measurement of high water volume fraction in dispersed oil-in-water flows. <i>Chemical Engineering Science</i> , 2013, 94, 271-283.	1.9	32
4451	Mutual conversion of bulk and surface acoustic waves in gratings of finite length on half-infinite substrates. I. FE analysis of surface wave generation. <i>Ultrasonics</i> , 2013, 53, 998-1003.	2.1	21
4452	Accurate modeling of the scattering of 2D cloaks using dispersive FDTD method with higher-order algorithm. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2013, 124, 28-36.	1.1	5
4453	A fast parallel algorithm for solving block-tridiagonal systems of linear equations including the domain decomposition method. <i>Parallel Computing</i> , 2013, 39, 245-258.	1.3	23
4454	Nonuniform depth grids in parabolic equation solutions. <i>Journal of the Acoustical Society of America</i> , 2013, 133, 1953-1958.	0.5	16
4455	Design of a Wavelength Selective Medium by Graded Index Photonic Crystals. <i>IEEE Journal of Quantum Electronics</i> , 2013, 49, 477-484.	1.0	16
4456	Preparation of NiFe ₂ O ₄ nanorod-graphene composites via an ionic liquid assisted one-step hydrothermal approach and their microwave absorbing properties. <i>Journal of Materials Chemistry A</i> , 2013, 1, 5577.	5.2	334
4457	Metamaterial-Coated Plates for Emulating Non-Specular Reflection and Antenna Reflectors. <i>IEEE Transactions on Antennas and Propagation</i> , 2013, 61, 3093-3101.	3.1	1
4458	Mutual conversion of bulk and surface acoustic waves in gratings of finite length on half-infinite substrates. II. FE analysis of bulk wave generation. <i>Ultrasonics</i> , 2013, 53, 1004-1011.	2.1	13
4459	Development of a unified FDTD-FEM library for electromagnetic analysis with CPU and GPU computing. <i>Journal of Supercomputing</i> , 2013, 64, 28-37.	2.4	6

#	ARTICLE	IF	CITATIONS
4460	A liquid refractive index detect method based on negative refraction phenomenon in 2D photonic crystal structure. <i>Optik</i> , 2013, 124, 4374-4377.	1.4	0
4461	Low-damping epsilon-near-zero slabs: Nonlinear and nonlocal optical properties. <i>Physical Review B</i> , 2013, 87, .	1.1	72
4462	On the use of an analytical cascade response function to predict sound transmission through an annular cascade. <i>Journal of Sound and Vibration</i> , 2013, 332, 3706-3739.	2.1	10
4463	Multi-Region Finite-Difference Time-Domain (MR-FDTD) Based on Domain-Optimal Green's Functions. <i>IEEE Transactions on Antennas and Propagation</i> , 2013, 61, 2655-2663.	3.1	4
4464	Convergence and superconvergence of staggered discontinuous Galerkin methods for the three-dimensional Maxwell's equations on Cartesian grids. <i>Journal of Computational Physics</i> , 2013, 235, 14-31.	1.9	57
4465	Tunable photonic nanojet achieved using a core-shell microcylinder with nematic liquid crystal. <i>Journal of Modern Optics</i> , 2013, 60, 538-543.	0.6	20
4466	Finite Element Analysis in Combination with Perfectly Matched Layer to the Numerical Modeling of Acoustic Devices in Piezoelectric Materials. <i>Applied Mathematics</i> , 2013, 04, 64-71.	0.1	9
4467	A Unified FDTD/PML Scheme Based on Critical Points for Accurate Studies of Plasmonic Structures. <i>Journal of Lightwave Technology</i> , 2013, 31, 2467-2476.	2.7	52
4468	Computation of Radar Scattering From Heterogeneous Rough Soil Using the Finite-Element Method. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2013, 51, 3461-3469.	2.7	16
4469	Photonic Crystals: Manipulating Light with Periodic Structures. <i>Springer Series in Materials Science</i> , 2013, , 39-65.	0.4	1
4470	Optical response of oriented and highly anisotropic subwavelength metallic nanostructure arrays. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	6
4471	Superlens realized by the two dimensional graded photonic crystal. <i>Optik</i> , 2013, 124, 4536-4538.	1.4	1
4472	Double-Grid Finite-Difference Frequency-Domain (DG-FDFD) Method for Scattering from Chiral Objects. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2013, 8, 1-129.	0.2	0
4473	A Leap-Frog Discontinuous Galerkin Time-Domain Method for HIRF Assessment. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2013, 55, 1250-1259.	1.4	12
4474	Validation of finite element computations for the quantitative prediction of underwater noise from impact pile driving. <i>Journal of the Acoustical Society of America</i> , 2013, 133, 72-81.	0.5	69
4475	Threshold improvement in uniformly lying helix cholesteric liquid crystal laser using auxiliary π -conjugated polymer active layer. <i>Journal of Applied Physics</i> , 2013, 113, .	1.1	6
4476	STRESS-VELOCITY COMPLETE RADIATION BOUNDARY CONDITIONS. <i>Journal of Computational Acoustics</i> , 2013, 21, 1350003.	1.0	9
4477	Eigenvalue Problems. <i>Texts in Applied Mathematics</i> , 2013, , 43-61.	0.4	0

#	ARTICLE	IF	CITATIONS
4478	Regularized seismic full waveform inversion with prior model information. <i>Geophysics</i> , 2013, 78, R25-R36.	1.4	151
4479	Analysis of a Cartesian PML approximation to acoustic scattering problems in \mathbb{R}^2 . <i>Journal of Computational Physics</i> , 2013, 232, 318-326.	1.9	32
4480	Absorbing boundary conditions for the fractional wave equation. <i>Applied Mathematics and Computation</i> , 2013, 219, 9810-9820.	1.4	8
4481	Zero reflection from layered anisotropic metamaterial structures. <i>Waves in Random and Complex Media</i> , 2013, 23, 152-168.	1.6	5
4482	Modeling methods of MEMS micro-speaker with electrostatic working principle. <i>Proceedings of SPIE</i> , 2013, , .	0.8	4
4483	Theoretical Studies of Plasmonic Effects in Organic Solar Cells. <i>Green Energy and Technology</i> , 2013, , 177-210.	0.4	1
4484	Novel and efficient FDTD implementation of higher-order perfectly matched layer based on ADE method. <i>Journal of Computational Physics</i> , 2013, 232, 318-326.	1.9	32
4485	On decomposition method for acoustic wave scattering by multiple obstacles. <i>Acta Mathematica Scientia</i> , 2013, 33, 1-22.	0.5	15
4486	Microbubble behavior in an ultrasound field for high intensity focused ultrasound therapy enhancement. <i>Journal of the Acoustical Society of America</i> , 2013, 134, 1576-1585.	0.5	28
4487	Exact transparent boundary condition for the three-dimensional Schrödinger equation in a rectangular cuboid computational domain. <i>Physical Review E</i> , 2013, 88, 053308.	0.8	17
4488	Optical Waveguiding and Applied Photonics. <i>Lecture Notes in Nanoscale Science and Technology</i> , 2013, , .	0.4	2
4489	On the late-time instability of perfectly matched layers in the meshless radial point interpolation method. , 2013, , .		3
4490	Guiding surface plasmon polariton along 90 degree bend MDM waveguide models. , 2013, , .		2
4491	Performance analysis of the FDTD method applied to holographic volume gratings: Multi-core CPU versus GPU computing. <i>Computer Physics Communications</i> , 2013, 184, 469-479.	3.0	11
4492	Experimental Microdosimetry Techniques for Biological Cells Exposed to Nanosecond Pulsed Electric Fields Using Microfluorimetry. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2013, 61, 2015-2022.	2.9	38
4493	FPGA-implementation of a holographic pattern-matching algorithm. , 2013, , .		0
4494	Scattering from targets in three-dimensional littoral and surf-zone environments with multi-layered elastic sediments based on an interior-transmission formulation. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2013, 260, 24-39.	3.4	3
4495	A goal-oriented error estimator for the analysis of simplified designs. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2013, 255, 89-103.	3.4	10

#	ARTICLE	IF	CITATIONS
4496	Discrete stability of perfectly matched layers for anisotropic wave equations in first and second order formulation. BIT Numerical Mathematics, 2013, 53, 641-663.	1.0	10
4497	SAW resonance excitation of acoustic strip waveguide modes. , 2013, , .		0
4498	An infinite element for the solution of Galbrun equation. ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik, 2013, 93, 154-162.	0.9	6
4499	Peridynamic Simulations of Infinite Regions Using a Perfectly Matched Layer. Conference Proceedings of the Society for Experimental Mechanics, 2013, , 223-234.	0.3	0
4500	Frequency-domain finite-element simulations of 2D sonic wireline borehole measurements acquired in fractured and thinly bedded formations. Geophysics, 2013, 78, D193-D207.	1.4	28
4501	Recreating the Sound of Stonehenge. Acta Acustica United With Acustica, 2013, 99, 110-117.	0.8	15
4502	Absorbing boundary conditions and perfectly matched layers in wave propagation problems. , 2013, , 219-232.		9
4503	Evaluating stretched grids and introducing black hole layers as alternative non-reflecting buffer zone. , 2013, , .		0
4504	Efficient ADEa€WEa€PML formulations for scalar dispersive FDTD applications. Electronics Letters, 2013, 49, 157-159.	0.5	3
4505	Rigorous analysis of axisymmetric transformation optics lenses embedded in layered media illuminated by obliquely incident plane waves. Radio Science, 2013, 48, 232-247.	0.8	5
4506	Higher Order Finite and Infinite Acoustical Elements Based on Ultraspherical Polynomials. Acta Acustica United With Acustica, 2013, 99, 759-769.	0.8	0
4507	Adaptive boundaryless finite-difference method. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2013, 30, 259.	0.8	3
4508	Efficient mode-order conversion using a photonic crystal structure with low symmetry. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 3086.	0.9	11
4509	Modal method based on subsectional Gegenbauer polynomial expansion for nonperiodic structures: complex coordinates implementation. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2013, 30, 631.	0.8	14
4510	Efficient mode converter design using asymmetric graded index photonic structures. Optics Letters, 2013, 38, 220.	1.7	30
4511	Finite-difference time-domain analysis of cholesteric blue phase II using the Landaua€de Gennes tensor order parameter model. Optics Letters, 2013, 38, 3380.	1.7	16
4512	Numerical solution of ionized gas compressible flows under the influence of electromagnetic fields. , 2013, , .		3
4513	Near-field interference of slit doublet. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2013, 30, 2273.	0.8	2

#	ARTICLE	IF	CITATIONS
4514	Enhanced method for determining the optical response of highly complex biological photonic structures. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2013, 30, 1746.	0.8	7
4515	Asymptotic solutions of eigenmodes in slab waveguides terminated by perfectly matched layers. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2013, 30, 2090.	0.8	13
4516	Theoretical and experimental analysis of the structural pattern responsible for the iridescence of Morpho butterflies. <i>Optics Express</i> , 2013, 21, 14351.	1.7	73
4517	Absorbing boundary condition for Bloch-Floquet eigenmodes. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2013, 30, 2615.	0.9	7
4518	Mode resolved bend loss in few-mode optical fibers. <i>Optics Express</i> , 2013, 21, 3170.	1.7	87
4519	The finite element method applied to the study of two-dimensional photonic crystals and resonant cavities. <i>Optics Express</i> , 2013, 21, 4072.	1.7	46
4520	The role of propagating modes in silver nanowire arrays for transparent electrodes. <i>Optics Express</i> , 2013, 21, A419.	1.7	16
4521	Hybrid photonic-plasmonic molecule based on metal/Si disks. <i>Optics Express</i> , 2013, 21, 11037.	1.7	22
4522	Directional emission of dielectric disks with a finite scatterer in the THz regime. <i>Optics Express</i> , 2013, 21, 16370.	1.7	23
4523	Super-resolution complex amplitude reconstruction of nanostructured binary data using an interference microscope with pattern matching. <i>Optics Express</i> , 2013, 21, 18424.	1.7	6
4524	Modeling of the electromagnetic field and level populations in a waveguide amplifier: a multi-scale time problem. <i>Optics Express</i> , 2013, 21, 24171.	1.7	4
4525	3D-PSTD simulation and polarization analysis of a light pulse transmitted through a scattering medium. <i>Optics Express</i> , 2013, 21, 24969.	1.7	6
4526	Cylindrical beam propagation modelling of perturbed whispering-gallery mode microcavities. <i>Optics Express</i> , 2013, 21, 30243.	1.7	13
4527	Bound-to-continuum absorption with tunneling in type-II nanostructures: a multiband source-radiation approach. <i>Optics Express</i> , 2013, 21, 30778.	1.7	10
4528	Influence of reflected radiation waves caused by large mode field and large refractive index mismatches on splice loss evaluation between elliptical-hole lattice core holey fibers and conventional fibers. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2013, 30, 410.	0.9	12
4529	On the perfectly matched layer and the DB boundary condition. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2013, 30, 1941.	0.8	16
4530	Label-free, single-object sensing with a microring resonator: FDTD simulation. <i>Optics Express</i> , 2013, 21, 49.	1.7	21
4531	Near- to far-field transformation in the aperiodic Fourier modal method. <i>Applied Optics</i> , 2013, 52, 6962.	0.9	0

#	ARTICLE	IF	CITATIONS
4532	Boundary Conditions for Two-Dimensional Finite-Element Modeling of Microwave Devices. , 2013, , 401-451.		0
4533	Breast tumour identification based on inverse scattering approach. IET Microwaves, Antennas and Propagation, 2013, 7, 535-542.	0.7	3
4534	Submicron texturing for broadband light management in thin-film PV. , 2013, , .		1
4535	Weighting technique using backpropagated wavefields incited by deconvolved residuals for frequency-domain elastic full waveform inversion. Geophysical Journal International, 2013, 194, 322-347.	1.0	11
4536	Acoustic waveguiding by pliable conduits with axial cross sections as linear waveguides in two-dimensional sonic crystals. Journal of the Acoustical Society of America, 2013, 134, 3613-3618.	0.5	6
4537	<sc>photon-plasma</sc>: A modern high-order particle-in-cell code. Physics of Plasmas, 2013, 20, .	0.7	26
4538	A Source Transfer Domain Decomposition Method for Helmholtz Equations in Unbounded Domain Part II: Extensions. Numerical Mathematics, 2013, 6, 538-555.	0.6	12
4539	Numerical Simulation of Underground Plant Rhizome Detection. Applied Mechanics and Materials, 0, 433-435, 489-493.	0.2	0
4540	A Multi-Domain Spectral IPDG Method for Helmholtz Equation with High Wave Number. Journal of Computational Mathematics, 2013, 31, 107-136.	0.2	3
4541	Implementation of FDTD based simulation environment. Facta Universitatis - Series Electronics and Energetics, 2013, 26, 121-132.	0.6	6
4542	Acoustic interaction between the right and left piriform fossae in generating spectral dips. Journal of the Acoustical Society of America, 2013, 134, 2955-2964.	0.5	19
4543	Evaluating a linearized Euler equations model for strong turbulence effects on sound propagation. Journal of the Acoustical Society of America, 2013, 133, 1922-1933.	0.5	17
4544	Finite element computation of elliptical vocal tract impedances using the two-microphone transfer function method. Journal of the Acoustical Society of America, 2013, 133, 4197-4209.	0.5	23
4545	Compact Time-Domain Models of Complex RF Structures Based on the Real Eigenmodes of Segments. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 2282-2294.	2.9	13
4546	Iterative solution of 3D acoustic wave equation with perfectly matched layer boundary condition and multigrid preconditioner. Geophysics, 2013, 78, T133-T140.	1.4	11
4547	Determination of the complex acoustic scattering matrix of a right-angled duct. Journal of the Acoustical Society of America, 2013, 134, 292-299.	0.5	11
4548	Graphics processing unitâ€“accelerated finite-difference time-domain method for characterization of photonic crystal fibers. Optical Engineering, 2013, 52, 126109.	0.5	3
4549	Multi-Component Seismic Wave Field Prestack Reverse-Time Depth Migration. Advanced Materials Research, 0, 868, 11-14.	0.3	0

#	ARTICLE	IF	CITATIONS
4550	A temporal fourth-order scheme for the first-order acoustic wave equations. <i>Geophysical Journal International</i> , 2013, 194, 1473-1485.	1.0	27
4551	Effects of head geometry simplifications on acoustic radiation of vowel sounds based on time-domain finite-element simulations. <i>Journal of the Acoustical Society of America</i> , 2013, 134, 2946-2954.	0.5	28
4552	A mechanism study of sound wave-trapping barriers. <i>Journal of the Acoustical Society of America</i> , 2013, 134, 1960-1969.	0.5	25
4553	Study of photonic crystal cavity sensor integrated with microfluidic channel in the visible region. , 2013, , .		3
4554	Perfectly Matched Layer as an Absorbing Boundary Condition for Computational Aero-Acoustic. <i>Advanced Materials Research</i> , 2013, 726-731, 3153-3158.	0.3	0
4555	Tunable acoustic waveguides in periodic arrays made of rigid square-rod scatterers: theory and experimental realization. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 305108.	1.3	31
4557	Effects of a bar on optical transmission through Z-shaped metallic slit arrays. <i>Chinese Physics B</i> , 2013, 22, 057301.	0.7	3
4558	2D elastic full-waveform imaging of the near-surface: application to synthetic and physical modelling data sets. <i>Near Surface Geophysics</i> , 2013, 11, 307-316.	0.6	58
4559	Seismic waveform simulation with pseudo-orthogonal grids for irregular topographic models. <i>Geophysical Journal International</i> , 2013, 194, 1778-1788.	1.0	33
4560	Optical analysis of human eye using electromagnetic wave theory. <i>Journal of Biomedical Optics</i> , 2013, 18, 105006.	1.4	2
4561	Finite-Difference Time-Domain Simulation on Transmission of Millimeter Waves through Miter Bends. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 11ND02.	0.8	2
4562	Numerical Modeling of Wave Propagation in Poroelastic Media with a Staggered-Grid Finite-Difference Method. <i>Applied Mechanics and Materials</i> , 0, 275-277, 612-617.	0.2	0
4563	Expression of Plant Sweet Protein Brazzein in the Milk of Transgenic Mice. <i>PLoS ONE</i> , 2013, 8, e76769.	1.1	20
4564	Design and Analysis of Taper Structure for Light Coupling into Photonic Crystal Waveguides Fabricated by Si-Ion Implantation. <i>Key Engineering Materials</i> , 0, 534, 162-166.	0.4	0
4565	Perfectly Matched Layers for Elastic Waves in Piezoelectric Solids. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 07HB01.	0.8	0
4566	Acoustic wave diffraction at the upper edge of a two-dimensional periodic array of finite rigid cylinders. A comprehensive design model of periodicity-based devices. <i>Europhysics Letters</i> , 2013, 101, 64002.	0.7	10
4567	Effect of condensed water on scanning near-field optical microscope measurement. <i>Physica Scripta</i> , 2013, T157, 014060.	1.2	0
4568	Removal of NO ₂ and O ₃ generated from corona discharge in indoor air cleaning with MnO ₂ catalyst. <i>Journal of Physics: Conference Series</i> , 2013, 418, 012120.	0.3	0

#	ARTICLE	IF	CITATIONS
4569	A double constrained robust capon beamforming based imaging method for early breast cancer detection. Chinese Physics B, 2013, 22, 094101.	0.7	22
4570	Acoustic beam splitting in a sonic crystal around a directional band gap. Chinese Physics B, 2013, 22, 114301.	0.7	6
4571	Improvement of the Focusing Resolution of Photonic Crystal Negative Refraction Imaging with a Hollow Component Structure. Chinese Physics Letters, 2013, 30, 054206.	1.3	2
4572	Focus Control Aided by Numerical Simulation in Heterogeneous Media for High-Intensity Focused Ultrasound Treatment. Japanese Journal of Applied Physics, 2013, 52, 07HF01.	0.8	34
4573	Examination of Absorbing Boundary Condition Using Perfectly Matched Layer for Collocated Orthogonal Grid in Method of Characteristics. Japanese Journal of Applied Physics, 2013, 52, 07HG05.	0.8	1
4574	Refractive Index Sensors Based Resonant Coupling in Solid-Core Photonic Band-Gap Fibers. Advanced Materials Research, 0, 753-755, 2103-2106.	0.3	2
4576	Application of perfectly matched layer for scalar arbitrarily wide-angle wave equations. Geophysics, 2013, 78, T29-T39.	1.4	11
4577	A Modified MRTD Forward Model of Electromagnetic Scattering with an FDTD/PML Connection Absorbing Boundary Condition. Chinese Physics Letters, 2013, 30, 034101.	1.3	1
4578	Electromagnetic Scattering From 3-D Targets in a Random Medium Using Finite Difference Frequency Domain. IEEE Transactions on Antennas and Propagation, 2013, 61, 5621-5626.	3.1	18
4579	Influence of borehole eccentric tools on wireline and logging while drilling sonic logging measurements. Geophysical Prospecting, 2013, 61, 268-283.	1.0	25
4580	Acoustic full waveform inversion of surface seismic data using the Gauss-Newton method with active constraint balancing. Geophysical Prospecting, 2013, 61, 166-182.	1.0	8
4581	Alternative discretization in the aperiodic Fourier modal method leading to reduction in computational costs. Proceedings of SPIE, 2013, , .	0.8	3
4582	THE FREQUENCY CHARACTERISTICS OF COUPLED MICROSTRIP LINES / SUSIETÄJÄ ² MIKROJUOSTELINIÄ ² LINIJÄ ² DÄÄ ^{1/2} NINÄ-S CHARAKTERISTIKOS. Science: Future of Lithuania, 2013, 5, 173-180.	0.0	0
4583	Differential Forms in Lattice Field Theories: An Overview. ISRN Mathematical Analysis, 2013, 2013, 1-16.	0.3	18
4584	Solution of electromagnetic inverse medium scattering problems by the adaptive finite element method and perfectly matched layer. Inverse Problems in Science and Engineering, 2013, 21, 968-986.	1.2	0
4585	Three-dimensional FinFET simulation using the FDTD method. , 2013, , .		0
4586	Extended slow-light field enhancement in positive-index/negative-index heterostructures. Physical Review B, 2013, 88, .	1.1	10
4587	A Homotopy Method for Locating All the Poles of a Parallel Plate Waveguide With the PML. IEEE Transactions on Antennas and Propagation, 2013, 61, 4685-4694.	3.1	3

#	ARTICLE	IF	CITATIONS
4588	Superradiant instabilities of rotating black holes in the time domain. <i>Physical Review D</i> , 2013, 87, .	1.6	137
4589	Matching boundary conditions for lattice dynamics. <i>International Journal for Numerical Methods in Engineering</i> , 2013, 93, 1255-1285.	1.5	32
4590	Level set based topology optimization for optical cloaks. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	61
4591	Oscillating Directional Domains in a Ring Semiconductor Laser. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2013, 19, 1800108-1800108.	1.9	3
4592	Optimization of the radiative antenna for 7â€ magnetic resonance body imaging. <i>Concepts in Magnetic Resonance Part B</i> , 2013, 43B, 1-10.	0.3	10
4593	Specific absorption rate in human fetus with fetal growth for RF far-field exposure. , 2013, , .		1
4594	A novel domain decomposition preconditioner for the solution of boundary integral equations. , 2013, , .		0
4595	Asymptotics for Rayleigh-Bloch Waves along Lattice Line Defects. <i>Multiscale Modeling and Simulation</i> , 2013, 11, 871-889.	0.6	10
4596	High electromagnetic conductance media. , 2013, , .		1
4597	Modeling Backward Wave Propagation in Metamaterials by the Finite Element Time-Domain Method. <i>SIAM Journal of Scientific Computing</i> , 2013, 35, B248-B274.	1.3	35
4598	An adaptive scheme for a class of interpolatory model reduction methods for frequency response problems. <i>International Journal for Numerical Methods in Engineering</i> , 2013, 93, 1109-1124.	1.5	32
4599	An improved twoâ€grid preconditioner for the solution of threeâ€dimensional Helmholtz problems in heterogeneous media. <i>Numerical Linear Algebra With Applications</i> , 2013, 20, 663-688.	0.9	35
4600	A Modified Block Flexible GMRES Method with Deflation at Each Iteration for the Solution of Non-Hermitian Linear Systems with Multiple Right-Hand Sides. <i>SIAM Journal of Scientific Computing</i> , 2013, 35, S345-S367.	1.3	22
4601	A Krylov Stability-Corrected Coordinate-Stretching Method to Simulate Wave Propagation in Unbounded Domains. <i>SIAM Journal of Scientific Computing</i> , 2013, 35, B376-B400.	1.3	21
4602	Exact Sequences of High Order Hardy Space Infinite Elements for Exterior Maxwell Problems. <i>SIAM Journal of Scientific Computing</i> , 2013, 35, A1024-A1048.	1.3	8
4603	An inverse scattering problem for the timeâ€dependent Maxwell equations: nonlinear optimization and modelâ€order reduction. <i>Numerical Linear Algebra With Applications</i> , 2013, 20, 689-711.	0.9	7
4604	Full-wave nonlinear ultrasound simulation in an axisymmetric coordinate system using the discrete sine and cosine transforms. , 2013, , .		2
4605	Computational modeling of laser-plasma interactions: Pulse self-modulation and energy transfer between intersecting laser pulses. <i>Physical Review E</i> , 2013, 88, 013307.	0.8	4

#	ARTICLE	IF	CITATIONS
4606	Mode Analysis for Unidirectional Emission AlGaInAs/InP Octagonal Resonator Microlasers. IEEE Journal of Selected Topics in Quantum Electronics, 2013, 19, 1501808-1501808.	1.9	23
4607	Perfectly matched transmission problem with absorbing layers: Application to anisotropic acoustics in convex polygonal domains. International Journal for Numerical Methods in Engineering, 2013, 96, 689-711.	1.5	23
4608	A domain truncation method for radiowave propagations over long range. , 2013, , .		0
4609	Towards an infinitely thin PML. , 2013, , .		0
4610	Geoacoustic characterization of Stone Age cultural layers: Preliminary FE modelling. , 2013, , .		7
4611	Sensitivity approach for eigenmode characterization of structures with open boundary conditions. , 2013, , .		1
4612	Recent New Trends for Solving Open-Region Problems with Refinement of Taylor Polynomial Order [EM Programmer's Notebook]. IEEE Antennas and Propagation Magazine, 2013, 55, 170-175.	1.2	0
4613	An efficient application of PML in fourth-order precise integration time domain method for the numerical solution of Maxwell's equations. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2013, 33, 116-125.	0.5	1
4614	Frequency-domain full waveform inversion with a scattering-integral approach and its sensitivity analysis. Journal of Geophysics and Engineering, 2013, 10, 065008.	0.7	23
4615	MODELING BONE CONDUCTION OF SOUND IN THE HUMAN HEAD: II. SIMULATION RESULTS. Journal of Computational Acoustics, 2013, 21, 1350013.	1.0	1
4616	Incorporation of Exact Boundary Conditions into a Discontinuous Galerkin Finite Element Method for Accurately Solving 2D Time-Dependent Maxwell Equations. IEEE Transactions on Antennas and Propagation, 2013, 61, 472-477.	3.1	21
4617	The generation of MHz isolated XUV attosecond pulses by plasmonic enhancement in a tailored symmetric Ag cross nanoantenna with a few-cycle laser. Laser Physics, 2013, 23, 045301.	0.6	4
4618	A decomposition scheme for acoustic obstacle scattering in a multilayered medium. Applicable Analysis, 2013, 92, 831-854.	0.6	0
4619	ALL-DIELECTRIC PERIODIC MEDIA ENGINEERED FOR SLOW LIGHT STUDIES. International Journal of Modern Physics B, 2013, 27, 1330020.	1.0	11
4620	Efficient and intuitive method for the analysis of light scattering by a resonant nanostructure. Optics Express, 2013, 21, 27371.	1.7	170
4621	Subwavelength drains designed for mirror-closed dielectric lenses. Journal of Optics (United Tj ETQq1 1 0.784314 150 /Overlock 10 TF		
4622	Sound absorption of porous substrates covered by foliage: Experimental results and numerical predictions. Journal of the Acoustical Society of America, 2013, 134, 4599-4609.	0.5	24
4623	Optimization of tether geometry to achieve low anchor loss in Lamé-mode resonators. , 2013, , .		24

#	ARTICLE	IF	CITATIONS
4624	FDTD simulation of millimeter-wave corrugated waveguides with cylindrical symmetry model. Journal of Physics: Conference Series, 2013, 410, 012029.	0.3	2
4625	ABSORBING BOUNDARY CONDITIONS FOR A WAVE EQUATION WITH A TEMPERATURE-DEPENDENT SPEED OF SOUND. Journal of Computational Acoustics, 2013, 21, 1250028.	1.0	1
4626	Three-dimensional integral equation approach to light scattering, extinction cross sections, local density of states, and quasi-normal modes. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 1996.	0.9	22
4627	Boundary Conditions for Three-Dimensional Finite-Element Modeling of Microwave Devices. , 2013, , 453-487.		0
4628	Investigation of Perfectly Matched Layer Boundary Condition for Nonlinear Euler Equations. , 2013, , .		1
4629	Applying the t-method to viscoelastic forward modeling. , 2013, , .		1
4630	Augmented Reality Aided Operation and Maintenance System for Indoor Environments. Plasma and Fusion Research, 2013, 8, 2406102-2406102.	0.3	1
4631	Radio propagation modeling. , 0, , 15-56.		1
4632	A hybrid absorbing boundary condition with AWWEs for finite-difference modeling. , 2013, , .		1
4633	Numerical Simulation of the Effect of Structure-Structure Interaction in the Frequency Response. Journal of Algorithms and Computational Technology, 2013, 7, 325-342.	0.4	0
4634	A parametric analysis of two-dimensional elastic full waveform inversion of teleseismic data for lithospheric imaging. Geophysical Journal International, 2013, 193, 1479-1505.	1.0	26
4635	Broadband and wide angle light absorption for an aluminum nanorod array in a prism-coupling system. Proceedings of SPIE, 2013, , .	0.8	0
4636	Optimal 15-Point Finite Difference Forward Modeling in Frequency-Space Domain. Chinese Journal of Geophysics, 2013, 56, 91-100.	0.2	9
4637	Acoustic Prestack Reverse Time Migration Using the Adaptive High-Order Finite-Difference Method in the Time-Space Domain. Chinese Journal of Geophysics, 2013, 56, 181-195.	0.2	6
4638	Optimal Symplectic Scheme and Generalized Discrete Convolutional Differentiator for Seismic Wave Modeling. Chinese Journal of Geophysics, 2013, 56, 623-635.	0.2	2
4639	Study on Anisotropy of Shale in Shale Gas Exploration Using Seismic Forward Modeling. Chinese Journal of Geophysics, 2013, 56, 170-180.	0.2	7
4640	Performance improvement of an ESD suppressor by studying its characteristics. Journal of Physics: Conference Series, 2013, 418, 012053.	0.3	0
4641	Density of modes maps for design of the photonic crystal devices. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
4642	Structural similarity regularization scheme for multiparameter seismic full waveform inversion. , 2013, , .		8
4643	An optimum PML for scattering problems in the time domain. EPJ Applied Physics, 2013, 64, 24502.	0.3	6
4644	Extension of split perfectly matched absorbing layer for 2D wave propagation in porous transversely isotropic media. Exploration Geophysics, 2013, 44, 25-30.	0.5	2
4645	Development of an Explicit Symplectic Scheme that Optimizes the Dispersion-Relation Equation of the Maxwell's Equations. Communications in Computational Physics, 2013, 13, 1107-1133.	0.7	9
4646	Application of regularization to FWI in noisy data. , 2013, , .		1
4647	Application of the perfectly matched layer in numerical modeling of wave propagation with an irregular free surface. , 2013, , .		1
4648	Free Surface Effects on Hydrodynamic Analysis of Flapping Foil Thruster in Waves. , 2013, , .		2
4649	Surface-enhanced Raman spectroscopy for biomedical diagnostics and imaging. Biomedical Spectroscopy and Imaging, 2013, 2, 51-71.	1.2	10
4650	Prestack reverse-time migration with a time-space domain adaptive high-order staggered-grid finite-difference method. Exploration Geophysics, 2013, 44, 77-86.	0.5	6
4651	A polar-coordinate-discretized wave equation finite-difference time-domain simulation for controlling the emission characteristics of sound source. Proceedings of Meetings on Acoustics, 2013, , .	0.3	0
4652	Love wave numerical modeling with ADE CFS-PML. , 2013, , .		0
4653	A new perfectly matched layer (CFS-NPML) in elastic wave modeling with discontinuous Galerkin finite-element method. , 2013, , .		2
4654	Inverse Design of Selective Concentrator Microlens Using Evolutionary Algorithm. 880-02 Nihon Kikai Gakkai RonbunshÅ« Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2013, 79, 712-722.	0.2	0
4655	Electromagnetic Modeling of Metamaterials. IEICE Transactions on Communications, 2013, E96.B, 2340-2347.	0.4	5
4656	Iterative Solution of 3D Helmholtz Equation with Approximate Boundary Conditions. , 2013, , .		0
4657	Numerical Simulation of Polarity Characteristics of Vector Elastic Wave of Advanced Detection in the Roadway. Research Journal of Applied Sciences, Engineering and Technology, 2013, 5, 5337-5344.	0.1	0
4658	Increasing the convergence rate to steady-state by using multiple penalty terms applied in a domain. , 2013, , .		0
4659	Forward and inverse modeling. , 2013, , 110-153.		2

#	ARTICLE	IF	CITATIONS
4660	Photonic Crystal Ring Resonator Based Optical Filters. , 0, , .		20
4661	Improvement of sound insulation of doors or windows by absorption treatment inside the peripheral gaps. Acoustical Science and Technology, 2013, 34, 241-252.	0.3	8
4662	Towards robust algorithms for current deposition and dynamic load-balancing in a GPU particle in cell code. AIP Conference Proceedings, 2013, , .	0.3	5
4663	Spatial Filter Housing for Enhancement of the Shielding Effectiveness of Perforated Enclosures with Lossy Internal Coating: Broadband Characterization. International Journal of Antennas and Propagation, 2013, 2013, 1-10.	0.7	5
4664	MRI-Based Multiscale Model for Electromagnetic Analysis in the Human Head with Implanted DBS. Computational and Mathematical Methods in Medicine, 2013, 2013, 1-12.	0.7	22
4665	Well-posedness and Stability of Exact Non-reflecting Boundary Conditions. , 2013, , .		0
4666	3D MT Data Modelling using Multi-order Hexahedral Vector Finite Element Method, including Anisotropy and Complex Geometry. ASEG Extended Abstracts, 2013, 2013, 1-3.	0.1	1
4667	Dynamic Characteristics of Linear and Nonlinear Wideband Photonic Crystal Filters. , 0, , .		0
4668	HP-FEM AND PML ANALYSIS OF PLASMONIC PARTICLES IN LAYERED MEDIA. Progress in Electromagnetics Research, 2013, 142, 523-544.	1.6	1
4669	FDTD Analysis of Polarization Properties and Backscattering Coefficients in Aperture-less SNOM. Journal of the Magnetics Society of Japan, 2014, 38, 127-130.	0.5	3
4670	Analytical Study on Response Characteristics of Optical Instruments for Measuring Surface Texture. Journal of the Japan Society for Precision Engineering, 2014, 80, 851-855.	0.0	0
4671	SETUP FOR SIMULTANEOUS MICROWAVE HEATING AND REAL-TIME SPECTROFLUOROMETRIC MEASUREMENTS IN BIOLOGICAL SYSTEMS. Progress in Electromagnetics Research, 2014, 145, 229-240.	1.6	9
4672	CPML AND QUASI-CPML FOR CYLINDRICAL MRTD METHOD. Progress in Electromagnetics Research B, 2014, 61, 17-30.	0.7	0
4673	Using FDFD Technique in Two-Dimensional TE Analysis for Modeling Clutter in Wall Penetrating Radar. International Journal of Antennas and Propagation, 2014, 2014, 1-9.	0.7	4
4674	Defects-Induced Hot Spots in TATB. Advances in Condensed Matter Physics, 2014, 2014, 1-8.	0.4	1
4675	Simulations and Measurements of Electric Fields Emitted from a LTE Base Station in an Urban Area. International Journal of Antennas and Propagation, 2014, 2014, 1-10.	0.7	3
4676	The Exact Absorbing Conditions Method in the Analysis of Open Electrodynamical Structures: Circular and Coaxial Waveguides. International Journal of Antennas and Propagation, 2014, 2014, 1-12.	0.7	2
4677	Finite-Difference Simulation of Elastic Wave with Separation in Pure P- and S-Modes. Journal of Computational Methods in Physics, 2014, 2014, 1-14.	0.5	5

#	ARTICLE	IF	CITATIONS
4678	Neural Cell Apoptosis Induced by Microwave Exposure Through Mitochondria-dependent Caspase-3 Pathway. <i>International Journal of Medical Sciences</i> , 2014, 11, 426-435.	1.1	54
4679	Numerical Modeling of Sub-Wavelength Anti-Reflective Structures for Solar Module Applications. <i>Nanomaterials</i> , 2014, 4, 87-128.	1.9	100
4680	GPU-Accelerated Parallel FDTD on Distributed Heterogeneous Platform. <i>International Journal of Antennas and Propagation</i> , 2014, 2014, 1-8.	0.7	2
4681	SIMULATIONS AND EFFECTS OF NATURAL ENVIRONMENTS ON LOW FREQUENCY ANTENNAS WITH THREE-DIMENSIONAL FDTD METHOD. <i>Progress in Electromagnetics Research M</i> , 2014, 38, 45-52.	0.5	2
4682	NEAR-FIELD PROPERTIES OF PLASMONIC NANOSTRUCTURES WITH HIGH ASPECT RATIO. <i>Progress in Electromagnetics Research</i> , 2014, 146, 77-88.	1.6	10
4683	Absorbing Boundary Conditions for 2D Tilted Transverse Isotropic elastic media. <i>ESAIM Proceedings and Surveys</i> , 2014, 45, 400-409.	0.5	5
4684	INDUCED VOLTAGE ON THE OVERHEAD LINE AT OIL EXPLOITING PORT UNDER LIGHTNING STRIKE. <i>Progress in Electromagnetics Research</i> , 2014, 144, 33-43.	1.6	0
4685	AN EFFICIENT MODE REDUCTION TECHNIQUE FOR MODELING OF WAVEGUIDE GRATINGS. <i>Progress in Electromagnetics Research M</i> , 2014, 40, 1-8.	0.5	0
4686	Multi-GPU numerical simulation of electromagnetic waves. <i>ESAIM Proceedings and Surveys</i> , 2014, 45, 199-208.	0.5	2
4687	FINITE-DIFFERENCE FREQUENCY-DOMAIN ALGORITHM FOR MODELING ELECTROMAGNETIC SCATTERING FROM GENERAL ANISOTROPIC OBJECTS. <i>Progress in Electromagnetics Research B</i> , 2014, 61, 55-67.	0.7	27
4688	OPTIMIZATION OF A PLASMON-ASSISTED WAVEGUIDE COUPLER USING FEM AND MMP. <i>Progress in Electromagnetics Research B</i> , 2014, 59, 219-229.	0.7	2
4690	Three-Dimensional Full-Wave Electromagnetics and Nonlinear Hot Electron Transport With Electronic Band Structure for High-Speed Semiconductor Device Simulation. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2014, 62, 2868-2877.	2.9	10
4691	FDTD-based quantitative analysis of terahertz wave detection for multilayered structures. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2014, 31, 2285.	0.8	9
4692	Roundtrip matrix method for calculating the leaky resonant modes of open nanophotonic structures. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2014, 31, 2142.	0.8	26
4693	Low frequency acoustic resonances in urban courtyards. <i>Journal of the Acoustical Society of America</i> , 2014, 135, 74-82.	0.5	3
4694	Comparative study of absorption in tilted silicon nanowire arrays for photovoltaics. <i>Nanoscale Research Letters</i> , 2014, 9, 620.	3.1	14
4695	Strong broadband absorption in GaAs nanocone and nanowire arrays for solar cells. <i>Optics Express</i> , 2014, 22, A386.	1.7	55
4696	Transformation Optics of Surface Plasmon Polaritons. <i>Handbook of Surface Science</i> , 2014, 4, 279-307.	0.3	0

#	ARTICLE	IF	CITATIONS
4697	Simulations of the lower-hybrid antenna in the Madison Symmetric Torus reversed-field pinch. <i>Plasma Physics and Controlled Fusion</i> , 2014, 56, 055007.	0.9	0
4698	Backward Raman amplification in the Langmuir wavebreaking regime. <i>Physics of Plasmas</i> , 2014, 21, 113110.	0.7	48
4699	Applications of the FDTD method to lightning electromagnetic pulse and surge simulations. , 2014, , .		7
4700	Compact pulley-type microring resonator with high quality factor. <i>Applied Physics Express</i> , 2014, 7, 112202.	1.1	6
4701	A unified implementation of the perfectly matched layer in the finite-element time-domain method. , 2014, , .		0
4702	Exact modal absorbing boundary condition for waveguide simulations - discrete Green's function approach. , 2014, , .		0
4703	Surface acoustic wave scattering by substrate edges. , 2014, , .		0
4704	Boundary Waves and Stability of the Perfectly Matched Layer for the Two Space Dimensional Elastic Wave Equation in Second Order Form. <i>SIAM Journal on Numerical Analysis</i> , 2014, 52, 2883-2904.	1.1	9
4705	Modeling Using Coupled FEM-SBFEM for Three-Dimensional Seismic SSI in Time Domain. <i>International Journal of Geomechanics</i> , 2014, 14, 118-129.	1.3	19
4706	Electromagnetic scattering characteristics of DNM rough surface in the terahertz regime by the FDTD algorithm. , 2014, , .		0
4707	Single track location viscosity estimation by maximum likelihood estimation. , 2014, , .		1
4708	Estimation of aquifer dimensions from passive seismic signals with approximate wave propagation models. <i>Inverse Problems</i> , 2014, 30, 015003.	1.0	12
4709	Multicomponent seismic forward modeling of gas hydrates beneath the seafloor. <i>Applied Geophysics</i> , 2014, 11, 418-428.	0.1	6
4710	Convolution perfectly matched layer (CPML) implementation of the WCS-FDTD method for graphene applications. , 2014, , .		0
4711	Improving the Vertical Light-Extraction Efficiency of GaN-Based Thin-Film Flip-Chip LEDs With p-Side Deep-Hole Photonic Crystals. <i>Journal of Display Technology</i> , 2014, 10, 909-916.	1.3	16
4712	Analytical study on optically measured surface profiles of referential geometry using a finite-difference time-domain method. <i>Surface Topography: Metrology and Properties</i> , 2014, 2, 014004.	0.9	1
4713	Electromagnetic interference from shielding effectiveness of a rectangular enclosure with apertures â€œ circuital approach, FDTD and FIT modelling. <i>Journal of Electromagnetic Waves and Applications</i> , 2014, 28, 494-514.	1.0	17
4714	Solving leaky modes on a dielectric slab waveguide involving materials of arbitrary dielectric anisotropy with a finite-element formulation. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2014, 31, 1360.	0.9	4

#	ARTICLE	IF	CITATIONS
4715	Well-posedness study and finite element simulation of time-domain cylindrical and elliptical cloaks. <i>Mathematics of Computation</i> , 2014, 84, 543-562.	1.1	12
4716	Z -transform for unconditional stable Crank-Nicolson FDTD implementation of SC-PML for dispersive Debye media. <i>Electronics Letters</i> , 2014, 50, 1959-1961.	0.5	10
4717	FDTD Analysis of Light Control by Magnetically Oriented Guanine Crystal Plates. <i>IEEE Transactions on Magnetics</i> , 2014, 50, 1-4.	1.2	0
4718	Improved and efficient unconditionally stable complex-envelope frequency-dependent FDTD formulations based on the implicit locally one-dimensional scheme. <i>Journal of Electromagnetic Waves and Applications</i> , 2014, 28, 334-345.	1.0	4
4719	Simulation and Implementation of a Morphology-Tuned Gold Nano-Islands Integrated Plasmonic Sensor. <i>Sensors</i> , 2014, 14, 10497-10513.	2.1	26
4720	Time-Domain Absorbing Boundary Terminations for Waveguide Ports Based on State-Space Models. <i>IEEE Transactions on Magnetics</i> , 2014, 50, 145-148.	1.2	7
4721	Angle-Domain Gathers Computation Using Poynting Vector of Two-Way Acoustic Wave Equation. <i>Advanced Materials Research</i> , 2014, 962-965, 2984-2987.	0.3	0
4722	Long and Medium Waves. , 2014, , 355-388.		0
4723	Application of the multilevel compressed block decomposition to electromagnetic problems analysis based on FETD method. <i>Microwave and Optical Technology Letters</i> , 2014, 56, 654-660.	0.9	0
4724	Analysis of birefringence effects in laser crystals by full vectorial beam propagation method. <i>Proceedings of SPIE</i> , 2014, , .	0.8	2
4725	Simulation of Ultrasound Fields. , 2014, , 465-500.		29
4726	Local Volcano Infrasond and Source Localization Investigated by 3D Simulation. <i>Seismological Research Letters</i> , 2014, 85, 1177-1186.	0.8	42
4727	Reverse Time Migration Based Ultrasonic Wave Detection for Concrete Structures. , 2014, , .		4
4728	Fano Resonance of the Symmetry-Reduced Metal Bar Grating Structure. <i>Journal of Nanomaterials</i> , 2014, 2014, 1-7.	1.5	2
4729	Ultrasonic Lens Based on a Subwavelength Slit Surrounded by Grooves. <i>Sensors</i> , 2014, 14, 8821-8828.	2.1	6
4730	Comparison of temporal and spectral scattering methods using acoustically large breast models derived from magnetic resonance images. <i>Journal of the Acoustical Society of America</i> , 2014, 136, 682-692.	0.5	0
4731	Controlling the resonances of indefinite materials for maximizing efficiency in wireless power transfer. <i>Microwave and Optical Technology Letters</i> , 2014, 56, 867-875.	0.9	16
4732	Stability for Imposing Absorbing Boundary Conditions in the Finite Element Simulation of Acoustic Wave Propagation. <i>Journal of Computational Mathematics</i> , 2014, 32, 1-20.	0.2	6

#	ARTICLE	IF	CITATIONS
4733	Application of an oblique absorbing boundary condition in the finite element simulation of phased array antennas. <i>Microwave and Optical Technology Letters</i> , 2014, 56, 178-184.	0.9	1
4734	Generation of a head phantom according to the 95th percentile Chinese population data for evaluating the specific absorption rate by wireless communication devices. <i>Radiation Protection Dosimetry</i> , 2014, 158, 378-388.	0.4	1
4735	Convolution Approximating Perfect Matched Layer Absorbing Boundary Condition of 3D Scalar Acoustic Wave Equation. <i>Advanced Materials Research</i> , 0, 971-973, 1095-1098.	0.3	0
4736	Towards Realistic Simulations of Sound Radiation by Moving Sources in Outdoor Environments. <i>International Journal of Aeroacoustics</i> , 2014, 13, 405-426.	0.8	7
4737	Bayesian approximation error approach in full-wave ultrasound tomography. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2014, 61, 1627-1637.	1.7	18
4738	Wave Propagation in Unbounded Domains under a Dirac Delta Function with FPM. <i>Mathematical Problems in Engineering</i> , 2014, 2014, 1-8.	0.6	2
4739	3D-PSTD applied to the resolution in time and space of the time reversal of an image transmitted through a scattering medium. <i>Proceedings of SPIE</i> , 2014, , .	0.8	1
4740	Toward bound-to-continuum photon absorption with quantum tunneling in type-II nanostructures: a source-radiation scheme using perfectly-matched layers. , 2014, , .		0
4741	Acoustics propagation and wave interference by scalar wave equation. , 2014, , .		0
4742	Perfectly matched layer on curvilinear grid for the second-order seismic acoustic wave equation. <i>Exploration Geophysics</i> , 2014, 45, 94-104.	0.5	28
4743	First Results in Near and Mid IR Lithium Niobate-Based Integrated Optics Interferometer Based on SWIFTS-Lippmann Concept. <i>Journal of Lightwave Technology</i> , 2014, 32, 4338-4344.	2.7	21
4744	Opto-mechanical design of a buckling cavity in a novel high-performance outside-plant robust field installable single-mode fibre connector. <i>Proceedings of SPIE</i> , 2014, , .	0.8	0
4745	Investigation of rectangular multi-band microstrip patch antennas with slots. , 2014, , .		1
4746	2D frequency-domain elastic full-waveform inversion using time-domain modeling and a multistep-length gradient approach. <i>Geophysics</i> , 2014, 79, R41-R53.	1.4	70
4747	Velocity estimation via registration-guided least-squares inversion. <i>Geophysics</i> , 2014, 79, R79-R89.	1.4	33
4748	Relation construction of transverse magnetic modes and its application for nonhomogeneous waveguides terminated by perfectly matched layers. <i>Applied Optics</i> , 2014, 53, 5685.	0.9	1
4749	Hybrid staggered perfectly matched layers in non-staggered meshless time-domain vector potential technique. , 2014, , .		3
4750	Quasi-modal analysis of segmented waveguides. , 2014, , .		2

#	ARTICLE	IF	CITATIONS
4751	Algorithmic perspective of PML transmission conditions for domain decomposition methods. , 2014, , .		0
4752	3D frequency-domain finite-difference viscoelastic-wave modeling using weighted average 27-point operators with optimal coefficients. Geophysics, 2014, 79, T169-T188.	1.4	39
4753	A new effective SC-PML implementation for WLP-FDTD method in plasma medium. , 2014, , .		1
4754	Subwavelength waveguiding of surface phonons in pillars-based phononic crystal. AIP Advances, 2014, 4, .	0.6	33
4755	Influence of Near-surface on Seismic Wave Propagation. , 2014, , .		1
4756	Time-lapse full-waveform inversion of limited-offset seismic data using a local migration regularization. Geophysics, 2014, 79, WA117-WA128.	1.4	48
4757	Design of a compact polarization demultiplexer for silicon-based slot waveguides. Applied Optics, 2014, 53, 8305.	2.1	12
4758	Photonic band structure and transmission analysis of cholesteric blue phase II: electrostriction in the [100] direction. Optics Express, 2014, 22, 3766.	1.7	8
4759	Transmission enhancement through square coaxial aperture arrays in metallic film: when leaky modes filter infrared light for multispectral imaging. Optics Letters, 2014, 39, 4723.	1.7	7
4760	Near-perfect absorption in epsilon-near-zero structures with hyperbolic dispersion. Optics Express, 2014, 22, 7337.	1.7	40
4761	A study on the optics of copper indium gallium (di)selenide (CIGS) solar cells with ultra-thin absorber layers. Optics Express, 2014, 22, A425.	1.7	11
4762	Rigorous microlens design using vector electromagnetic method combined with simulated annealing optimization. Optics Express, 2014, 22, 12653.	1.7	4
4763	Femtosecond laser pulse-induced breakdown of a single water microdroplet. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 534.	0.9	23
4764	Transmission time in the reflectionless complex potential. Chinese Physics B, 2014, 23, 100301.	0.7	0
4765	One efficient implementation of CPML in CE-FDTD algorithm. , 2014, , .		0
4766	Frequency-domain acoustic-wave modeling with hybrid absorbing boundary conditions. Geophysics, 2014, 79, A39-A44.	1.4	30
4767	Rational Control of Diffraction and Interference from Conformal Phase Gratings: Toward High-Resolution 3D Nanopatterning. Advanced Optical Materials, 2014, 2, 1213-1220.	3.6	33
4768	Simultaneous sensing of light and sound velocities of fluids in a two-dimensional photonic crystal with defects. Journal of Applied Physics, 2014, 115, .	1.1	71

#	ARTICLE	IF	CITATIONS
4769	Implementation and accuracy analysis of ETD method in FDTD simulation environment. , 2014, , .		0
4770	The optimization study of textured a-Si:H solar cells. Journal of Renewable and Sustainable Energy, 2014, 6, 023111.	0.8	10
4771	Superlensing effect for surface acoustic waves in a pillar-based phononic crystal with negative refractive index. Applied Physics Letters, 2014, 105, .	1.5	40
4772	Study of the optical properties of a micro pillar array solar cell for different configurations. , 2014, , .		0
4773	Improved forward wave propagation and adjoint-based sensitivity kernel calculations using a numerically stable finite-element PML. Geophysical Journal International, 2014, 198, 1714-1747.	1.0	45
4774	Reducing the computer memory requirement for 3D reverse-time migration with a boundary-wavefield extrapolation method. Geophysics, 2014, 79, S185-S194.	1.4	34
4775	Vertical mode expansion method for transmission of light through a single circular hole in a slab. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2014, 31, 293.	0.8	21
4776	All-optical on-chip sensor for high refractive index sensing in photonic crystals. Europhysics Letters, 2014, 107, 34008.	0.7	28
4777	Comparison of multifrequency selection strategies for simultaneous-source full-waveform inversion. Geophysics, 2014, 79, R165-R181.	1.4	30
4778	3-D Discrete Dispersion Relation, Numerical Stability, and Accuracy of the Hybrid FDTD Model for Cold Magnetized Toroidal Plasma. IEEE Transactions on Antennas and Propagation, 2014, 62, 6307-6316.	3.1	11
4779	Review on photonic crystal coatings for scintillators. International Journal of Modern Physics A, 2014, 29, 1430070.	0.5	38
4780	Radiation-loss management in modulated waveguides. Optics Letters, 2014, 39, 6831.	1.7	20
4781	Calculation, normalization, and perturbation of quasinormal modes in coupled cavity-waveguide systems. Optics Letters, 2014, 39, 6359.	1.7	23
4782	Nanowire light scattering variation induced by magnetic alignment. Journal of Applied Physics, 2014, 116, 074305.	1.1	5
4783	An efficient complex-frequency shifted perfectly matched layer for second-order acoustic wave equation. International Journal for Numerical Methods in Engineering, 2014, 97, 130-148.	1.5	8
4784	A Parallel Full Geometric Multigrid Solver for Time Harmonic Maxwell Problems. SIAM Journal of Scientific Computing, 2014, 36, C119-C138.	1.3	4
4786	Electromagnetic simulation of VLSI circuits by the modified ADI-FDTD method. Microwave and Optical Technology Letters, 2014, 56, 2530-2534.	0.9	0
4787	Complex absorbing potential based Lorentzian fitting scheme and time dependent quantum transport. Journal of Chemical Physics, 2014, 141, 164122.	1.2	21

#	ARTICLE	IF	CITATIONS
4788	FDTD analysis of nano dipole antenna for terahertz applications. , 2014, , .		0
4789	Implementation of Perfectly Matched Layer (PML) for the WCS-FDTD Method Using DSP Techniques. IEEE Antennas and Wireless Propagation Letters, 2014, 13, 479-482.	2.4	10
4790	Antenna reflector emulation by simplified metamaterial-coated plates. Journal of Electromagnetic Waves and Applications, 2014, 28, 2210-2227.	1.0	0
4791	Reflectionless Beam Propagation on a Piecewise Linear Complex Domain. Journal of Lightwave Technology, 2014, 32, 4272-4278.	2.7	8
4792	An efficient time-domain perfectly matched layers formulation for elastodynamics on spherical domains. International Journal for Numerical Methods in Engineering, 2014, 100, 419-441.	1.5	6
4793	A new level-dependent coarse grid correction scheme for indefinite Helmholtz problems. Numerical Linear Algebra With Applications, 2014, 21, 513-533.	0.9	10
4794	An Efficient Multigrid Calculation of the Far Field Map for Helmholtz and Schrödinger Equations. SIAM Journal of Scientific Computing, 2014, 36, B367-B395.	1.3	5
4795	Integrated HF antenna for vertical tail plane using virtual prototyping. , 2014, , .		0
4796	Origami with negative refractive index to generate super-lenses. Journal of Physics Condensed Matter, 2014, 26, 405303.	0.7	5
4797	The optimization of textured a-Si:H solar cells with a fully three-dimensional simulation. , 2014, , .		1
4798	Design of a Simple Integrated Coupler for SPP Excitation in a Dielectric Coated Ag Thin Film. Chinese Physics Letters, 2014, 31, 064201.	1.3	2
4799	Estimating pipeline location using ground-penetrating radar data in the presence of model uncertainties. Inverse Problems, 2014, 30, 114006.	1.0	7
4800	Analysis of phase conjugation in a turbid medium. Proceedings of SPIE, 2014, , .	0.8	0
4801	FDTD simulation of an optical absorber based on CPML absorbing boundary condition. Proceedings of SPIE, 2014, , .	0.8	0
4802	FDTD Modelling of Transformation Electromagnetics Based Devices. , 2014, , 487-515.		0
4803	The PSTD Method with the 4th-Order Time Integration for 3D TAT Reconstruction of a Breast Model. Journal of Computational Acoustics, 2014, 22, 1450011.	1.0	3
4804	Beam filter and splitter based on surface plasmon propagation in ring metal heterowaveguide. Pramana - Journal of Physics, 2014, 83, 995-1002.	0.9	3
4805	An asymptotic theory for waves guided by diffraction gratings or along microstructured surfaces. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2014, 470, 20130467.	1.0	12

#	ARTICLE	IF	CITATIONS
4806	Conformal finite difference time domain technique using efficient overlapping grid method to analyze curved structures. , 2014, , .		0
4807	A Multigrid Method for the Helmholtz Equation with Optimized Coarse Grid Corrections. SIAM Journal of Scientific Computing, 2014, 36, A2819-A2841.	1.3	34
4808	Multiscale viscoacoustic waveform inversion with the second generation wavelet transform and adaptive time-space domain finite-difference method. Geophysical Journal International, 2014, 197, 948-974.	1.0	21
4809	Modified Unsplitted Perfectly Matched Layer Absorbing Boundary Conditions for Truncating Anisotropic Medium. Advanced Materials Research, 0, 900, 386-389.	0.3	0
4810	Zebrafish as animal model for aquaculture nutrition research. Frontiers in Genetics, 2014, 5, 313.	1.1	68
4811	Simulation of a metal nano-strip grating distributed Bragg reflector (DBR) Laser. Proceedings of SPIE, 2014, , .	0.8	0
4812	Optomechanical design of a buckling cavity in a low-cost high-performance ferruleless field-installable single-mode fiber connector. Optical Engineering, 2014, 53, 106102.	0.5	2
4813	Analysis of Cavity-Waveguide Coupling in Two-Dimensional Photonic Crystals. IEEE Photonics Journal, 2014, 6, 1-9.	1.0	3
4814	Sweeping preconditioners for elastic wave propagation with spectral element methods. ESAIM: Mathematical Modelling and Numerical Analysis, 2014, 48, 433-447.	0.8	15
4815	Two-dimensional permittivity and conductivity imaging by full waveform inversion of multioffset GPR data: a frequency-domain quasi-Newton approach. Geophysical Journal International, 2014, 197, 248-268.	1.0	90
4816	Complex frequency-shifted multi-axial perfectly matched layer for elastic wave modelling on curvilinear grids. Geophysical Journal International, 2014, 198, 140-153.	1.0	38
4817	Credit risk and the instability of the financial system: An ensemble approach. Europhysics Letters, 2014, 105, 38004.	0.7	15
4818	Selective growth of GaN by liquid phase electroepitaxy using aluminum oxide mask. Japanese Journal of Applied Physics, 2014, 53, 11RC06.	0.8	2
4819	Quantum Noise Suppression in Two Dimensional Photonic Crystal Fibers. Advanced Materials Research, 2014, 938, 305-310.	0.3	0
4820	Efficient Outdoor Sound Propagation Modeling with the Finite-Difference Time-Domain (FDTD) Method: A Review. International Journal of Aeroacoustics, 2014, 13, 385-404.	0.8	26
4821	Planet-disc interaction on a freely moving mesh. Monthly Notices of the Royal Astronomical Society, 2014, 445, 3475-3495.	1.6	19
4822	Numerical analysis for wave propagation in circular waveguide using cylindrical coordinate system-based FDTD method. , 2014, , .		5
4823	Simulation of ultrasound beam formation of baiji (<i>Lipotes vexillifer</i>) with a finite element model. Journal of the Acoustical Society of America, 2014, 136, 423-429.	0.5	32

#	ARTICLE	IF	CITATIONS
4824	Element-free Method Forward Modeling for GPR Based on an Improved Sarma-type Absorbing Boundary. <i>Journal of Environmental and Engineering Geophysics</i> , 2014, 19, 277-285.	1.0	2
4825	Enhancement of Optical Output Power of Light-Emitting Diodes with Photonic Crystals in InGaN/GaN Multiple Quantum Wells by Sulfide Passivation. <i>ECS Journal of Solid State Science and Technology</i> , 2014, 3, Q153-Q156.	0.9	5
4826	Fast full-FEM computation of COM parameters. Application to multilayered SAW structures. , 2014, , .		7
4827	Extraction of lorentz model parameters for dielectrics and their application in nanoplasmonics. , 2014, , .		3
4828	Numerical simulation of UWB impulse radar vital sign detection at an earthquake disaster site. <i>Ad Hoc Networks</i> , 2014, 13, 34-41.	3.4	37
4829	Investigation and Simulation of a Two-Channel Drop Filter with Tunable Double Optical Resonators. <i>Journal of Superconductivity and Novel Magnetism</i> , 2014, 27, 827-834.	0.8	4
4830	A perfectly matched layer for the time-dependent wave equation in heterogeneous and layered media. <i>Journal of Computational Physics</i> , 2014, 257, 757-781.	1.9	10
4831	Open boundary conditions for the Diffuse Interface Model in 1-D. <i>Journal of Computational Physics</i> , 2014, 263, 393-418.	1.9	9
4832	On the non-equivalence of perfectly matched layers and exterior complex scaling. <i>Journal of Computational Physics</i> , 2014, 269, 98-107.	1.9	8
4833	Fast Huygens sweeping methods for Helmholtz equations in inhomogeneous media in the high frequency regime. <i>Journal of Computational Physics</i> , 2014, 270, 378-401.	1.9	35
4834	Hydrodynamic analysis of flapping-foil thrusters operating beneath the free surface and in waves. <i>Engineering Analysis With Boundary Elements</i> , 2014, 41, 47-59.	2.0	54
4835	Cartesian PML approximation to resonances in open systems in. <i>Applied Numerical Mathematics</i> , 2014, 81, 50-75.	1.2	8
4836	Energy-dissipation splitting finite-difference time-domain method for Maxwell equations with perfectly matched layers. <i>Journal of Computational Physics</i> , 2014, 269, 201-214.	1.9	23
4837	2D simulation of the enhancement effect for DSSCs by using the micro-air hole in substrate. <i>Optics Communications</i> , 2014, 324, 178-181.	1.0	1
4838	Numerical interaction of boundary waves with perfectly matched layers in two space dimensional elastic waveguides. <i>Wave Motion</i> , 2014, 51, 445-465.	1.0	15
4839	Simulation and analysis of TE wave propagation for measurement of electron cloud densities in particle accelerators. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2014, 754, 83-93.	0.7	3
4840	Design of high-Q polystyrene nonlinear cavity for ultrafast all-optical switching in mid-infrared photonic crystal slabs with cavity-waveguide structure. <i>Optics Communications</i> , 2014, 326, 43-47.	1.0	17
4841	Effects of structural factors on filtering operation of photonic band gap air bridges with circular and square shape holes. <i>Optik</i> , 2014, 125, 2625-2632.	1.4	5

#	ARTICLE	IF	CITATIONS
4842	A novel unsplit perfectly matched layer for the second-order acoustic wave equation. <i>Ultrasonics</i> , 2014, 54, 1568-1574.	2.1	11
4843	Finite difference modeling of ultrasonic propagation (coda waves) in digital porous cores with un-split convolutional PML and rotated staggered grid. <i>Journal of Applied Geophysics</i> , 2014, 104, 75-89.	0.9	20
4844	Optimum design of a sloping-wall-type wave absorber placed in a sinusoidal propagating wave. <i>Ocean Engineering</i> , 2014, 88, 588-597.	1.9	5
4845	Analysis of near-field radiation transfer within nano-gaps using FDTD method. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2014, 146, 214-226.	1.1	44
4846	Absorbing boundary conditions for the FDTD-TLM method : the perfectly matched layer and the one-way equation technique. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2014, 27, 62-78.	1.2	4
4847	Comparison between discrete dipole approximation and other modelling methods for the plasmonic response of gold nanospheres. <i>Applied Physics B: Lasers and Optics</i> , 2014, 115, 237-246.	1.1	23
4848	Optical microcavities with tubular geometry: properties and applications. <i>Laser and Photonics Reviews</i> , 2014, 8, 521-547.	4.4	91
4849	Flapping and contact FSI computations with the fluid-solid interface-tracking/interface-capturing technique and mesh adaptivity. <i>Computational Mechanics</i> , 2014, 53, 29-43.	2.2	46
4850	<i>Computational Electromagnetics</i> , 2014, . .		17
4851	Ultrasound propagation in trabecular bone: A numerical study of the influence of microcracks. <i>Ultrasonics</i> , 2014, 54, 1231-1236.	2.1	6
4852	A novel nonreflecting boundary condition for unsteady flow. <i>International Journal for Numerical Methods in Fluids</i> , 2014, 74, 59-72.	0.9	1
4853	Propagation of surface plasmon polariton in the single interface of gallium lanthanum sulfide and silver. <i>Photonic Sensors</i> , 2014, 4, 58-62.	2.5	0
4854	Study of light extraction efficiency of GaN-based light emitting diodes by using top micro/nanorod hybrid arrays. <i>Optical and Quantum Electronics</i> , 2014, 46, 1413-1423.	1.5	9
4855	Quasimodal expansion of electromagnetic fields in open two-dimensional structures. <i>Physical Review A</i> , 2014, 89, .	1.0	87
4856	Single-cone real-space finite difference scheme for the time-dependent Dirac equation. <i>Journal of Computational Physics</i> , 2014, 265, 50-70.	1.9	33
4857	Theory and modelling of constant-Q P- and S-waves using fractional spatial derivatives. <i>Geophysical Journal International</i> , 2014, 196, 1787-1795.	1.0	103
4858	Numerical investigation of ultrasonic attenuation through 2D trabecular bone structures reconstructed from CT scans and random realizations. <i>Computers in Biology and Medicine</i> , 2014, 45, 143-156.	3.9	14
4859	Terahertz spoof plasmonic coaxial microcavity. <i>Applied Optics</i> , 2014, 53, 1118.	0.9	12

#	ARTICLE	IF	CITATIONS
4860	A Stiffness Reduction Method for efficient absorption of waves at boundaries for use in commercial Finite Element codes. <i>Ultrasonics</i> , 2014, 54, 1868-1879.	2.1	73
4861	Weak Galerkin finite element method for valuation of American options. <i>Frontiers of Mathematics in China</i> , 2014, 9, 455-476.	0.4	15
4862	Source Estimation by Full Wave Form Inversion. <i>Journal of Scientific Computing</i> , 2014, 59, 247-276.	1.1	21
4863	Numerical simulation of resonance structures with FDTD algorithms based on GPU B-CALM and CPU Meep. <i>Optical and Quantum Electronics</i> , 2014, 46, 1021-1026.	1.5	4
4864	An ultra-small heterostructure wavelength division multiplexer (WDM) with the ability to select two wavelengths from the s-band. <i>Optical and Quantum Electronics</i> , 2014, 46, 897-909.	1.5	1
4865	Computation of transmission coefficients in the plain and corrugated electro-magnetic waveguides using finite point set method. <i>Applied Mathematical Modelling</i> , 2014, 38, 1838-1845.	2.2	0
4866	An overview of micro/nanoscaled thermal radiation and its applications. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2014, 12, 93-113.	1.0	57
4867	Electro-optical channel drop switching in a photonic crystal waveguide-cavity side-coupling system. <i>Optics Communications</i> , 2014, 316, 10-16.	1.0	8
4868	Comparison of discrete exterior calculus and discrete-dipole approximation for electromagnetic scattering. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2014, 146, 417-423.	1.1	7
4869	Transformation optics based local mesh refinement for solving Maxwell's equations. <i>Journal of Computational Physics</i> , 2014, 258, 359-370.	1.9	9
4870	Quantum theory of photonic crystals. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2014, 59, 174-180.	1.3	3
4871	X-Ray Lasers 2012. <i>Springer Proceedings in Physics</i> , 2014, , .	0.1	3
4872	A fast and high-order method for the three-dimensional elastic wave scattering problem. <i>Journal of Computational Physics</i> , 2014, 258, 856-870.	1.9	17
4873	A 3-D Interlayer-Based FDTD/NS-FDTD Connection Technique Combined With a Stable Subgrid Model for Low-Cost Simulations. <i>IEEE Transactions on Magnetics</i> , 2014, 50, 153-156.	1.2	4
4874	Structure, dynamics, and light localization in self-induced plasma photonic lattices. <i>Physical Review A</i> , 2014, 89, .	1.0	0
4875	Numerical assessment of the combination of subgridding and the perfectly matched layer grid termination in the finite difference time domain method. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2014, 27, 527-543.	1.2	1
4876	Optimized Programs for Shaped Conductive Backfill Material of Grounding Systems Based on the FDTD Simulations. <i>IEEE Transactions on Power Delivery</i> , 2014, 29, 1744-1751.	2.9	12
4878	A broadband and omnidirectional light-harvesting scheme employing nanospheres on Si solar cells. <i>Nano Energy</i> , 2014, 6, 36-43.	8.2	38

#	ARTICLE	IF	CITATIONS
4879	A high-order approach for modelling transient wave propagation problems using the scaled boundary finite element method. <i>International Journal for Numerical Methods in Engineering</i> , 2014, 97, 937-959.	1.5	59
4880	Basis Functions With Divergence Constraints for the Finite Element Method. <i>IEEE Transactions on Magnetics</i> , 2014, 50, 1-13.	1.2	2
4881	A Sommerfeld non-reflecting boundary condition for the wave equation in mixed form. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2014, 276, 122-148.	3.4	29
4882	The role of numerical simulation for the development of an advanced HIFU system. <i>Computational Mechanics</i> , 2014, 54, 1023-1033.	2.2	14
4883	Using the Matrix Pencil in order to analyze the disturbances induced by the radiation of static converters. <i>International Journal of Electrical Power and Energy Systems</i> , 2014, 62, 258-264.	3.3	1
4884	Low loss silica high-mesa waveguide for infrared sensing. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 022502.	0.8	5
4885	Optimization of the optical properties of nanostructured silicon surfaces for solar cell applications. <i>Journal of Applied Physics</i> , 2014, 115, .	1.1	24
4886	Analysis of the convected Helmholtz equation with a uniform mean flow in a waveguide with complete radiation boundary conditions. <i>Journal of Mathematical Analysis and Applications</i> , 2014, 410, 275-291.	0.5	12
4887	A Higdon-like non-reflecting boundary condition for the Klein-Gordon equation with evanescent waves. <i>Wave Motion</i> , 2014, 51, 256-265.	1.0	3
4888	Current neutralization and plasma polarization for intense ion beams propagating through magnetized background plasmas in a two-dimensional slab approximation. <i>Frontiers of Physics</i> , 2014, 9, 226-233.	2.4	9
4889	The Double Absorbing Boundary method. <i>Journal of Computational Physics</i> , 2014, 259, 220-241.	1.9	47
4890	Bioinspired micrograting arrays mimicking the reverse color diffraction elements evolved by the butterfly <i>Pierella luna</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 15630-15634.	3.3	89
4891	A Hybrid Time-Domain Discontinuous Galerkin-Boundary Integral Method for Electromagnetic Scattering Analysis. <i>IEEE Transactions on Antennas and Propagation</i> , 2014, 62, 2841-2846.	3.1	165
4892	Ground-penetrating radar for soil and underground pipelines using the forward modeling simulation method. <i>Optik</i> , 2014, 125, 7075-7079.	1.4	10
4893	A comparative study of dielectric materials as nano-plasmonic couplers. , 2014, , .		5
4894	SMART layers: a simple and robust alternative to PML approaches for elastodynamics. <i>Geophysical Journal International</i> , 2014, 199, 700-706.	1.0	13
4895	Mathematical analysis of a PML model obtained with stretched coordinates and its application to backward wave propagation in metamaterials. <i>Numerical Methods for Partial Differential Equations</i> , 2014, 30, 1558-1574.	2.0	8
4896	A versatile optical junction using photonic band-gap guidance and self collimation. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	14

#	ARTICLE	IF	CITATIONS
4897	Perfectly matched layer boundary condition for two-dimensional Euler equations in generalized coordinate system. International Journal of Computational Fluid Dynamics, 2014, 28, 437-460.	0.5	3
4898	Transmission of light through metallic Z-shaped slit array with inner metallic bar. Optik, 2014, 125, 6797-6800.	1.4	0
4899	Efficient waveform inversion for average earthquake rupture in three-dimensional structures. Geophysical Journal International, 2014, 198, 1279-1292.	1.0	16
4900	Excitation of Complex Modes of Periodic Structures Using Inhomogeneous Plane Wave Scattering in Fast and Slow Wave Regions. IEEE Transactions on Antennas and Propagation, 2014, 62, 6290-6298.	3.1	4
4901	Controlling the resonances of indefinite materials for maximizing efficiency in wireless power transfer. , 2014, , .		2
4902	Fano resonances of a metal nanorod array with a symmetry breaking wedge and gain medium filling. Journal of Modern Optics, 2014, 61, 671-675.	0.6	1
4903	Modeling of Broadband Moving Sources for Time-Domain Simulations of Outdoor Sound Propagation. AIAA Journal, 2014, 52, 1928-1939.	1.5	6
4904	Construction of equivalent single planar fault model for strike-slip stepovers. Tectonophysics, 2014, 632, 244-249.	0.9	4
4905	Photonic Nanojet Analysis by Spectral Element Method. IEEE Photonics Journal, 2014, 6, 1-14.	1.0	49
4906	HRRF Transfer Functions of a Fuselage Model: Measurements and Simulations. IEEE Transactions on Electromagnetic Compatibility, 2014, 56, 311-319.	1.4	9
4907	An optimal control problem in photoacoustic tomography. Mathematical Models and Methods in Applied Sciences, 2014, 24, 2525-2548.	1.7	16
4908	Mode characteristics of subwavelength aluminum/silica-coated InAlGaAs/InP circular nanolasers. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 865.	0.9	9
4909	Optimal Matched Rectifying Surface for Space Solar Power Satellite Applications. IEEE Transactions on Microwave Theory and Techniques, 2014, 62, 1080-1089.	2.9	47
4910	Finite element modeling of PSAW devices. , 2014, , .		0
4911	Efficient implementation of multi-pole UPML using trapezoidal approximation for general media. Journal of Applied Geophysics, 2014, 111, 59-65.	0.9	6
4912	Electromagnetic Scattering from Dielectric Objects Using the Eigenmode Projection Technique. IEEE Transactions on Antennas and Propagation, 2014, 62, 3222-3231.	3.1	5
4913	Vapor diffusion synthesis of CoFe ₂ O ₄ hollow sphere/graphene composites as absorbing materials. Journal of Materials Chemistry A, 2014, 2, 735-744.	5.2	276
4914	Rational Design of Inverted Nanopencil Arrays for Cost-Effective, Broadband, and Omnidirectional Light Harvesting. ACS Nano, 2014, 8, 3752-3760.	7.3	106

#	ARTICLE	IF	CITATIONS
4915	Generalized Modal Expansion and Reduced Modal Representation of 3-D Electromagnetic Fields. IEEE Transactions on Antennas and Propagation, 2014, 62, 783-793.	3.1	24
4916	Design and analysis of a gallium lanthanum sulfide based nanoplasmonic coupler yielding 67% efficiency. Optik, 2014, 125, 5374-5377.	1.4	6
4917	Low-power optical switching with Kerr nonlinear material in two-dimensional photonic crystal nanocavity. Journal of Modern Optics, 2014, 61, 904-909.	0.6	10
4918	A discontinuous galerkin time domain-boundary integral method for analyzing transient electromagnetic scattering. , 2014, , .		2
4919	Approximate local magnetic-to-electric surface operators for time-harmonic Maxwell's equations. Journal of Computational Physics, 2014, 279, 241-260.	1.9	26
4920	Computational Simulation in Architectural and Environmental Acoustics. , 2014, , .		26
4921	Modeling acoustic wave propagation in heterogeneous attenuating media using decoupled fractional Laplacians. Geophysics, 2014, 79, T105-T116.	1.4	221
4922	A facile method to realize perfectly matched layers for elastic waves. Wave Motion, 2014, 51, 1170-1178.	1.0	8
4923	Numerical analysis of elastic wave propagation in unbounded structures. Finite Elements in Analysis and Design, 2014, 90, 1-10.	1.7	10
4924	Optical diode based on plasmonic nanosphere chains. Optics Communications, 2014, 332, 25-30.	1.0	7
4925	Numerical analysis of propagation characteristics of electromagnetic wave in lossy left-handed material media. Optik, 2014, 125, 4233-4237.	1.4	6
4926	Perfectly Matched Layers versus discrete transparent boundary conditions in quantum device simulations. Journal of Computational Physics, 2014, 275, 1-24.	1.9	14
4927	Layered and core-shell uniaxial absorbers. , 2014, , .		0
4928	Layered and core-shell uniaxial absorbers. , 2014, , .		0
4929	Development of best fit Cole-Cole parameters for measurement data from biological tissues and organs between 1 MHz and 20 GHz. Radio Science, 2014, 49, 459-472.	0.8	36
4930	A new parameterization for frequency-domain elastic full waveform inversion for VTI media. Journal of Applied Geophysics, 2014, 109, 88-110.	0.9	10
4931	A staggered-grid finite-difference scheme optimized in the time-space domain for modeling scalar-wave propagation in geophysical problems. Journal of Computational Physics, 2014, 276, 613-634.	1.9	41
4932	Scalable numerical approach for the steady-state ab initio laser theory. Physical Review A, 2014, 90, .	1.0	40

#	ARTICLE	IF	CITATIONS
4933	An optical target to eliminate impinging light in a light scattering simulation. Computer Physics Communications, 2014, 185, 2504-2509.	3.0	6
4934	Photonic nanojet shaping of dielectric non-spherical microparticles. Physica E: Low-Dimensional Systems and Nanostructures, 2014, 64, 23-28.	1.3	21
4935	Enhanced optical output power of InGaN/GaN vertical light-emitting diodes by ZnO nanorods on plasma-treated N-face GaN. Nanoscale, 2014, 6, 10187-10192.	2.8	11
4936	Preparation of rugby-shaped CoFe_2O_4 particles and their microwave absorbing properties. Journal of Materials Chemistry A, 2014, 2, 18033-18039.	5.2	83
4937	Frequency-domain simulation of logging-while-drilling borehole sonic waveforms. Geophysics, 2014, 79, D99-D113.	1.4	13
4938	A normalized wavefield separation cross-correlation imaging condition for reverse time migration based on Poynting vector. Applied Geophysics, 2014, 11, 158-166.	0.1	19
4939	Numerical simulation of an acoustic field generated by a phased arc array in a fluid-filled cased borehole. Petroleum Science, 2014, 11, 385-390.	2.4	12
4940	Maxwell solvers for the simulations of the laser-matter interaction. European Physical Journal D, 2014, 68, 1.	0.6	26
4941	Solution of coupled poroelastic/acoustic/elastic wave propagation problems using automatic $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si24.gif" display="inline" overflow="scroll" \rangle \langle \text{mml:mi} \rangle \text{h} \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \text{p} \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle$ -adaptivity. Computer Methods in Applied Mechanics and Engineering, 2014, 281, 54-80.	3.4	29
4942	A fully implicit scheme for simulating ionized gas flows using the gas dynamics electrodynamics coupled system. International Journal for Numerical Methods in Fluids, 2014, 76, 909-937.	0.9	5
4943	A level set-based topology optimization incorporating arbitrary Lagrangian Eulerian method for wavelength filter using extraordinary optical transmission. Structural and Multidisciplinary Optimization, 2014, 50, 465-474.	1.7	2
4944	Inverse material identification in coupled acoustic-structure interaction using a modified error in constitutive equation functional. Computational Mechanics, 2014, 54, 645-659.	2.2	24
4945	Multi field modeling of a microelectromechanical speaker system with electrostatic driving principle. Microsystem Technologies, 2014, 20, 995-1006.	1.2	6
4946	Numerical modeling of vibrations induced by railway traffic in tunnels: From the source to the nearby buildings. Soil Dynamics and Earthquake Engineering, 2014, 61-62, 269-285.	1.9	150
4947	Spectral and High Order Methods for Partial Differential Equations - ICOSAHOM 2012. Lecture Notes in Computational Science and Engineering, 2014, , .	0.1	5
4948	Determination of concentration of ethanol in water by a linear waveguide in a 2-dimensional phononic crystal slab. Sensors and Actuators A: Physical, 2014, 208, 50-55.	2.0	43
4949	Acoustic streaming in an ultrasonic air pump with three-dimensional finite-difference time-domain analysis and comparison to the measurement. Ultrasonics, 2014, 54, 2119-2125.	2.1	8
4950	Polarization-sensitive diffraction in vector gratings combined with form birefringence in subwavelength-periodic structures fabricated by imprinting on polarization-sensitive liquid crystalline polymers. Journal of the Optical Society of America B: Optical Physics, 2014, 31, 11.	0.9	2

#	ARTICLE	IF	CITATIONS
4951	Applications of the FDTD Method to Lightning Electromagnetic Pulse and Surge Simulations. IEEE Transactions on Electromagnetic Compatibility, 2014, 56, 1506-1521.	1.4	63
4952	Poroelastic finite-difference modeling for ultrasonic waves in digital porous cores. Earthquake Science, 2014, 27, 285-299.	0.4	2
4953	Switching behaviour of nonlinear Mach-Zehnder interferometer based on photonic crystal geometry. Pramana - Journal of Physics, 2014, 82, 1061-1074.	0.9	9
4954	Boundary element method based on preliminary discretization. Mathematical Models and Computer Simulations, 2014, 6, 172-182.	0.1	4
4955	Multiphysics Simulation. Simulation Foundations, Methods and Applications, 2014, , .	0.8	40
4956	A robust absorbing layer method for anisotropic seismic wave modeling. Journal of Computational Physics, 2014, 279, 218-240.	1.9	15
4957	Absorption in quantum electrodynamic cavities in terms of a quantum jump operator. Physical Review A, 2014, 90, .	1.0	4
4958	Generation of vector beams with liquid crystal disclination lines. Physical Review E, 2014, 90, 022503.	0.8	30
4959	Transformation optics based moving frame FDTD method. , 2014, , .		0
4960	Mode Reduction for Efficient Modeling of Photonic Crystal Slab Structures. Journal of Lightwave Technology, 2014, 32, 2340-2344.	2.7	1
4961	Finite-difference time-domain (fdtd) matlab codes for first- and second-order em differential equations [testing ourselves]. IEEE Antennas and Propagation Magazine, 2014, 56, 221-239.	1.2	12
4962	PARTIALLY PUMPED RANDOM LASERS. International Journal of Modern Physics B, 2014, 28, 1430001.	1.0	26
4963	Indoor propagation modelling for UWB communications. , 2014, , .		1
4964	On the use of perfectly matched layers in the presence of long or backward propagating guided elastic waves. Wave Motion, 2014, 51, 266-283.	1.0	16
4965	Three-dimensional wave diffraction in the vicinity of openings in coastal structures. Applied Ocean Research, 2014, 45, 40-54.	1.8	12
4966	Optimizing perfectly matched layers in discrete contexts. International Journal for Numerical Methods in Engineering, 2014, 99, 410-437.	1.5	32
4967	A new wave theory of photonic crystals. Journal of Modern Optics, 2014, 61, 1056-1063.	0.6	1
4968	Dosimetric study on eye's exposure to wide band radio frequency electromagnetic fields: Variability by the ocular axial length. Bioelectromagnetics, 2014, 35, 324-336.	0.9	10

#	ARTICLE	IF	CITATIONS
4969	The Stretched-Mesh Huygens Absorbing Boundary Condition (SM-HABC). IEEE Transactions on Antennas and Propagation, 2014, 62, 3100-3107.	3.1	3
4970	Electromagnetic behaviors in a bilayered metal helical structure. Optik, 2014, 125, 1723-1726.	1.4	1
4971	On the complexity of aperiodic Fourier modal methods for finite periodic structures. Journal of Computational Physics, 2014, 261, 130-144.	1.9	8
4972	Real-space observation of nanojet-induced modes in a chain of microspheres. Physics Letters, Section A: General, Atomic and Solid State Physics, 2014, 378, 1636-1641.	0.9	1
4973	A multiaxial perfectly matched layer (M-PML) for the long-time simulation of elastic wave propagation in the second-order equations. Journal of Applied Geophysics, 2014, 101, 124-135.	0.9	30
4974	Tunable nanojet-induced mode achieved by coupled core-shell microcylinders with nematic liquid crystals. Physics Letters, Section A: General, Atomic and Solid State Physics, 2014, 378, 229-234.	0.9	6
4975	Photonic nanojet modulation by elliptical microcylinders. Optik, 2014, 125, 4043-4046.	1.4	21
4976	Efficient and stable perfectly matched layer for CEM. Applied Numerical Mathematics, 2014, 76, 34-47.	1.2	7
4977	Transparency windows of the plasmonic structure composed of a metal semi-ring grating and a dielectric semi-circle groove grating. Optik, 2014, 125, 461-463.	1.4	2
4978	Microlocal approach towards construction of nonreflecting boundary conditions. Journal of Computational Physics, 2014, 272, 588-607.	1.9	1
4979	Spectral radiative properties of three-dimensionally ordered macroporous ceria particles. Journal of Quantitative Spectroscopy and Radiative Transfer, 2014, 143, 63-72.	1.1	14
4980	Application of perfectly matched layers in the transient analysis of dam-reservoir systems. Soil Dynamics and Earthquake Engineering, 2014, 60, 51-68.	1.9	32
4981	SFM-FDTD analysis of triangular-lattice AAA structure: Parametric study of the TEM mode. Optics Communications, 2014, 318, 47-52.	1.0	5
4982	An extended Krylov subspace model-order reduction technique to simulate wave propagation in unbounded domains. Journal of Computational Physics, 2014, 272, 608-618.	1.9	15
4983	Thermal and Nonthermal Effects of Discontinuous Microwave Exposure (2.45 Gigahertz) on the Cell Membrane of Escherichia coli. Applied and Environmental Microbiology, 2014, 80, 4832-4841.	1.4	43
4984	Full waveform inversion and the truncated Newton method: quantitative imaging of complex subsurface structures. Geophysical Prospecting, 2014, 62, 1353-1375.	1.0	125
4985	A Modulus-Squared Dirichlet Boundary Condition for Time-Dependent Complex Partial Differential Equations and Its Application to the Nonlinear Schrödinger Equation. SIAM Journal of Scientific Computing, 2014, 36, A1-A19.	1.3	19
4986	Rayleigh wave scattering from a vertical edge of isotropic substrates. Ultrasonics, 2014, 54, 1999-2005.	2.1	13

#	ARTICLE	IF	CITATIONS
4987	Automatically Adapted Perfectly Matched Layers for Problems with High Contrast Materials Properties. <i>Procedia Computer Science</i> , 2014, 29, 970-979.	1.2	3
4988	The numerical manifold method for elastic wave propagation in rock with time-dependent absorbing boundary conditions. <i>Engineering Analysis With Boundary Elements</i> , 2014, 46, 41-50.	2.0	43
4989	An investigation of natural convection in parallel square plates with a heated top surface by a hybrid boundary condition. <i>International Journal of Thermal Sciences</i> , 2014, 84, 48-61.	2.6	10
4990	Comparative evaluation of PML technique for hydrodynamic impact loading on spar-type floating platform. <i>Ocean Engineering</i> , 2014, 85, 80-92.	1.9	6
4991	A split formulation of the nearly perfectly matched layer for an acoustic wave equation using the discontinuous Galerkin method. , 2014, , .		2
4992	The PML boundary of small-scale seismic modeling. , 2014, , .		0
4993	Influence of atmospheric structure and topography on infrasonic wave propagation. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 2988-3005.	1.4	56
4994	Super-Grid Modeling of the Elastic Wave Equation in Semi-Bounded Domains. <i>Communications in Computational Physics</i> , 2014, 16, 913-955.	0.7	33
4995	Metamaterials: The early years in the USA. <i>EPJ Applied Metamaterials</i> , 2014, 1, 5.	0.8	18
4996	Least squares staggered-grid finite-difference for elastic wave modelling. <i>Exploration Geophysics</i> , 2014, 45, 255-260.	0.5	34
4997	Seismic forward modeling and pre-stack depth migration method optimization of carbonate fracture-cavity reservoirs. , 2014, , .		0
4998	Optical Properties of Metamaterials and Nanoparticles Made from Them. , 2014, , 367-420.		0
4999	Numerical Simulation of Far-Field Gain Determination at Reduced Distances Using Phase Center. <i>IEICE Transactions on Communications</i> , 2014, E97.B, 2001-2010.	0.4	8
5000	Optical Waveguide Theory by the Finite Element Method. <i>IEICE Transactions on Electronics</i> , 2014, E97.C, 625-635.	0.3	16
5001	An efficient ILUT preconditioner based on diagonally complex shifted system for Helmholtz solution. , 2014, , .		2
5002	Modeling attenuation and dispersion of acoustic waves due to immiscible fluids in macroscopic porous media. , 2014, , .		0
5003	CARP-CG: A robust parallel iterative solver for frequency-domain elastic wave modeling, application to the Marmousi2 model. , 2014, , .		0
5004	Transmission Efficiency in Complex-Shaped Waveguide using Real Metals. <i>Plasma and Fusion Research</i> , 2014, 9, 3401074-3401074.	0.3	0

#	ARTICLE	IF	CITATIONS
5005	Interactive visualization system to analyze corrugated millimeter-waveguide component of ECH in nuclear fusion with FDTD simulation. Journal of Physics: Conference Series, 2014, 490, 012179.	0.3	0
5006	Ground penetrating abilities of broadband pulsed radar in the 1-70MHz range. , 2014, , .		3
5007	Acoustic Effects of Trees Simulated by a Finite-Difference Time-Domain Model. Acta Acustica United With Acustica, 2014, 100, 1112-1119.	0.8	3
5008	Generalized natural mode expansion for arbitrary electromagnetic fields. , 2014, , .		0
5009	Application of unsplit convolutional perfectly matched layer for scalar arbitrarily wide-angle wave equation. Geophysics, 2014, 79, T313-T321.	1.4	19
5010	High-order approximation compact schemes for forward subsurface scattering problems. , 2014, , .		0
5011	A Bloch modal approach for engineering waveguide and cavity modes in two-dimensional photonic crystals. , 2014, , .		0
5012	Theoretical modeling and optimization design of high frequency piezoelectric polymer film hydrophone array. , 2014, , .		2
5013	Fabrication and characterisation of Si micropillar PV structures. Materials Research Innovations, 2014, 18, 500-504.	1.0	3
5014	Plasmonic Lens Based on Elliptically Tapered Metallic Nano Slits. , 2014, , .		0
5015	Bound states in the continuum in open acoustic resonators. Journal of Fluid Mechanics, 2015, 780, 370-387.	1.4	93
5016	Simulation as a tool to improve wave heating in fusion plasmas. Journal of Plasma Physics, 2015, 81, .	0.7	6
5017	Characteristic fast marching method on triangular grids for the generalized eikonal equation in moving media. Wave Motion, 2015, 59, 81-93.	1.0	5
5018	Numerical modeling of wave propagation with an irregular free surface and graphic processing unit (gpu) implementation. , 2015, , .		2
5019	Absorbing Boundaries and Layers. , 2015, , 10-17.		0
5020	Electro-Mechanical Coupling in Cardiac Tissue. , 2015, , 423-427.		0
5021	Discrete Sommerfeld diffraction problems on hexagonal lattice with a zigzag semi-infinite crack and rigid constraint. Zeitschrift Fur Angewandte Mathematik Und Physik, 2015, 66, 3591-3625.	0.7	9
5022	Compressed Absorbing Boundary Conditions via Matrix Probing. SIAM Journal on Numerical Analysis, 2015, 53, 2441-2471.	1.1	7

#	ARTICLE	IF	CITATIONS
5023	High frequency Gaussian beam interaction with plasma medium. , 2015, , .		1
5024	Electric field effects due to radiation from cellular phone and roof transmitter in an ambulance. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an, 2015, 38, 760-769.	0.6	1
5025	Actin Cytoskeleton, Multi-scale Modeling. , 2015, , 17-23.		1
5026	Source decomposition as a global absorbing boundary condition for multi-region problems. , 2015, , .		0
5027	Characterization of a perfect absorber. , 2015, , .		3
5028	Efficient Time Integration of Maxwell's Equations with Generalized Finite Differences. SIAM Journal of Scientific Computing, 2015, 37, B834-B854.	1.3	18
5029	An unsplit convolutional perfectly matched layer for visco-acoustic wave equation with fractional time derivatives. , 2015, , .		5
5030	Numerical methods for nanophotonics: standard problems and future challenges. Laser and Photonics Reviews, 2015, 9, 577-603.	4.4	129
5031	Discontinuous Galerkin pseudospectral time domain algorithm (DG-PSTD) with auxiliary ordinary differential equations perfectly matched layer (AODE-PML) for 3D seismic modelling. , 2015, , .		10
5032	-Wave-based frequency-domain methods. , 2015, , 408-447.		0
5033	Computational Electromagnetic Methods for Design Analysis of Metamaterials. IEICE Communications Society Magazine, 2015, 9, 12-19.	0.0	0
5034	An effective CFS-PML implementation for 2-D WLP-FDTD method. IEICE Electronics Express, 2015, 12, 20150191-20150191.	0.3	12
5035	Preconditioning and multiple-right hand sides strategies for the solution of the frequency-domain wave propagation problem using the CGMN method. , 2015, , .		0
5036	Steady-state<i>ab initio</i>laser theory for fully or nearly degenerate cavity modes. Physical Review A, 2015, 92, .	1.0	16
5037	Spectral method for efficient computation of time-dependent phenomena in complex lasers. Physical Review A, 2015, 92, .	1.0	9
5038	Surface-Wave Enhanced Biosensing. , 2015, , 139-162.		1
5039	The small-scale forward modeling method for large models based on the wave equation. Journal of Geophysics and Engineering, 2015, 12, 988-995.	0.7	1
5040	Electromagnetic energy sink. Physical Review B, 2015, 92, .	1.1	28

#	ARTICLE	IF	CITATIONS
5041	Wave-based frequency-domain methods. , 2015, , 387-425.		0
5042	Performance of the Double Absorbing Boundary Method when Applied to the 3D Acoustic Wave Equation. ASEG Extended Abstracts, 2015, 2015, 1-4.	0.1	0
5043	An agent-oriented hierarchic strategy for solving inverse problems. International Journal of Applied Mathematics and Computer Science, 2015, 25, 483-498.	1.5	19
5044	Perfectly matched layers in negative index metamaterials and plasmas. ESAIM Proceedings and Surveys, 2015, 50, 113-132.	0.5	17
5045	Unsplit complex frequency shifted perfectly matched layer for second-order wave equation using auxiliary differential equations. Journal of the Acoustical Society of America, 2015, 138, EL551-EL557.	0.5	12
5047	Estimation of elastic constants in HTI media using Gauss-Newton and Full-Newton multi-parameter full waveform inversion. , 2015, , .		5
5048	A framework for solving atomistic phonon-structure scattering problems in the frequency domain using perfectly matched layer boundaries. Journal of Applied Physics, 2015, 118, .	1.1	14
5049	Fast solver for Helmholtz equation using multiscale basis functions. , 2015, , .		1
5050	Demonstrating the saturation of stimulated Brillouin scattering by ion acoustic decay using fully kinetic simulations. Physics of Plasmas, 2015, 22, .	0.7	8
5051	Ultra-wide acoustic band gaps in pillar-based phononic crystal strips. Journal of Applied Physics, 2015, 118, .	1.1	49
5052	Full wave propagation modelling in view to integrated ICRH wave coupling/RF sheaths modelling. AIP Conference Proceedings, 2015, , .	0.3	22
5053	An effective preconditioner for a PML system for electromagnetic scattering problem. ESAIM: Mathematical Modelling and Numerical Analysis, 2015, 49, 839-854.	0.8	4
5054	Measurements and simulations of the optical gain and anti-reflection coating modal reflectivity in quantum cascade lasers with multiple active region stacks. Journal of Applied Physics, 2015, 118, .	1.1	17
5055	Accurate Simulation of Circular and Elliptic Cylindrical Invisibility Cloaks. Communications in Computational Physics, 2015, 17, 822-849.	0.7	14
5056	Frequency-space domain high-order modeling based on an average-derivative optimal method. , 2015, , .		6
5057	Frequency-space domain VTI media modeling based on an average-derivative optimal method. , 2015, , .		0
5058	Magnetohydrodynamic wave propagation from the subphotosphere to the corona in an arcade-shaped magnetic field with a null point. Astronomy and Astrophysics, 2015, 577, A70.	2.1	35
5059	Boundary conditions for the solution of the three-dimensional Poisson equation in open metallic enclosures. Physics of Plasmas, 2015, 22, .	0.7	4

#	ARTICLE	IF	CITATIONS
5060	A tunable microplasma gradient-index lens for millimeter waves. <i>Physics of Plasmas</i> , 2015, 22, 100701.	0.7	0
5061	Asynchronous OpenCL/MPI numerical simulations of conservation laws. , 2015, , .		1
5062	Modes of a planar optical waveguide truncated with perfectly matched layer: Collocation method. , 2015, , .		0
5063	A 3D pseudospectral solver for nonlinear wave propagation in inhomogeneous attenuating media. , 2015, , .		0
5064	Two-dimensional frequency-domain acoustic full-waveform inversion with rugged topography. <i>Applied Geophysics</i> , 2015, 12, 378-388.	0.1	3
5065	Seismic imaging of the carbon dioxide gas cloud at Sleipner using 3D elastic time-lapse full waveform inversion. <i>International Journal of Greenhouse Gas Control</i> , 2015, 42, 26-45.	2.3	17
5066	Design and simulation of a dual-tuned ¹ H/ ²³ Na birdcage coil for MRS studies in human calf. <i>Applied Magnetic Resonance</i> , 2015, 46, 1221-1238.	0.6	8
5067	The study of PML in rectangular waveguide for sheet-beam vacuum devices. , 2015, , .		0
5068	An optimised stiffness reduction method for simulating infinite elastic space using commercial Finite Elements codes. <i>Journal of Physics: Conference Series</i> , 2015, 581, 012005.	0.3	1
5069	Forward Modeling of VTI Media in the Frequency-Space Domain Based on an Average-Derivative Optimal Method. <i>Chinese Journal of Geophysics</i> , 2015, 58, 718-729.	0.2	1
5070	Fast Huygens's sweeping methods for multiarrival Green's functions of Helmholtz equations in the high-frequency regime. <i>Geophysics</i> , 2015, 80, T91-T100.	1.4	17
5071	Coupling of Gaussian Beam and Finite Difference Solvers for Semiclassical Schrödinger Equations. <i>Advances in Applied Mathematics and Mechanics</i> , 2015, 7, 687-714.	0.7	3
5072	Computational benchmark on sound transmission through an elastic plate: Comparison between frequency-domain and time-domain approaches. <i>Acoustical Science and Technology</i> , 2015, 36, 355-357.	0.3	0
5073	Road traffic noise prediction model "ASJ RTN-Model 2013": Report of the Research Committee on Road Traffic Noise. <i>Acoustical Science and Technology</i> , 2015, 36, 49-108.	0.3	33
5074	Experimental and Finite-Difference Time-Domain Simulation Study of the Precise Measurement of the Gonad of a Small Fish Using a 25-MHz Acoustic Focus Probe. <i>Marine Technology Society Journal</i> , 2015, 49, 31-37.	0.3	1
5075	Hybrid Pseudospectral/Finite-Difference Numerical Simulation and Stability Analysis of Pure P-Wave Propagation in Vti Media. <i>Chinese Journal of Geophysics</i> , 2015, 58, 287-301.	0.2	1
5076	Approximation of Manifold-Valued Functions. , 2015, , 87-89.		0
5077	Theory of equivalent staggered-grid schemes: application to rotated and standard grids in anisotropic media. <i>Geophysical Prospecting</i> , 2015, 63, 1097-1125.	1.0	12

#	ARTICLE	IF	CITATIONS
5078	Piezoelectric transducer design for a miniaturized injectable acoustic transmitter. <i>Smart Materials and Structures</i> , 2015, 24, 115010.	1.8	8
5079	A posterior error estimates for the nonlinear grating problem with transparent boundary condition. <i>Numerical Methods for Partial Differential Equations</i> , 2015, 31, 1101-1118.	2.0	1
5080	Sparsifying Preconditioner for the Lippmann-Schwinger Equation. <i>Multiscale Modeling and Simulation</i> , 2015, 13, 644-660.	0.6	16
5081	An adaptable 17-point scheme for high-accuracy frequency-domain acoustic wave modeling in 2D constant density media. <i>Geophysics</i> , 2015, 80, T211-T221.	1.4	18
5082	Power balance and loss mechanism analysis in RF transmit coil arrays. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 1165-1176.	1.9	33
5083	Band gap and optical transmission in the Fibonacci type one-dimensional $A^5B^6C^7$ based photonic crystals. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2015, 12, 540-544.	0.8	2
5084	High-resolution adaptive beamforming for borehole acoustic reflection imaging. <i>Geophysics</i> , 2015, 80, D565-D574.	1.4	14
5085	DISPERSION ANALYSIS OF DOUBLE-SIDED OPEN PERIODIC MEDIA USING INHOMOGENEOUS PLANE WAVE EXCITATION. <i>Progress in Electromagnetics Research M</i> , 2015, 43, 81-90.	0.5	1
5086	UPML-ABC of dispersive materials for the unconditionally stable 2-D WLP-FDTD method. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2015, 48, 447-457.	0.3	3
5087	COMPREHENSIVE RCS SIMULATION OF DISPERSIVE MEDIA USING SO-FDTD-DPW METHOD. <i>Progress in Electromagnetics Research M</i> , 2015, 43, 19-30.	0.5	1
5088	SPEEDING BEYOND FDTD, PERFORATED FINITE ELEMENT TIME DOMAIN METHOD FOR 3D ELECTROMAGNETICS. <i>Progress in Electromagnetics Research B</i> , 2015, 64, 171-193.	0.7	1
5089	Three-Dimensional Energy Transmitting Boundary in the Time Domain. <i>Frontiers in Built Environment</i> , 2015, 1, .	1.2	4
5090	Design of a High-Performance Micro Integrated Surface Plasmon Resonance Sensor Based on Silicon-On-Insulator Rib Waveguide Array. <i>Sensors</i> , 2015, 15, 17313-17328.	2.1	18
5091	Mach-Zehnder Interferometer Biochemical Sensor Based on Silicon-on-Insulator Rib Waveguide with Large Cross Section. <i>Sensors</i> , 2015, 15, 21500-21517.	2.1	48
5092	Direct and Inverse Scattering Problems for Domains with Multiple Corners. <i>International Journal of Partial Differential Equations</i> , 2015, 2015, 1-9.	0.4	2
5093	Floquet-Bloch Theory and Its Application to the Dispersion Curves of Nonperiodic Layered Systems. <i>Mathematical Problems in Engineering</i> , 2015, 2015, 1-12.	0.6	26
5094	Frequency-domain modelling and inversion of electromagnetic data for 2D permittivity and conductivity imaging: An application to the Institut Fresnel experimental dataset. <i>Near Surface Geophysics</i> , 2015, 13, 227-241.	0.6	7
5095	The Caughey absorbing layer method - implementation and validation in Ansys software. <i>Latin American Journal of Solids and Structures</i> , 2015, 12, 1540-1564.	0.6	3

#	ARTICLE	IF	CITATIONS
5096	Differential Methods in Electromagnetic Modeling and Inversion. , 2015, , 441-475.		0
5097	Finite Element Modeling of Acoustic Scattering From Fluid and Elastic Rough Interfaces. IEEE Journal of Oceanic Engineering, 2015, 40, 475-484.	2.1	18
5098	Design of high-sensitive biosensor based on cavity-waveguides coupling in 2D photonic crystal. Journal of Electromagnetic Waves and Applications, 2015, 29, 659-667.	1.0	41
5099	A Vector Meshless Parabolic Equation Method for Three-Dimensional Electromagnetic Scatterings. IEEE Transactions on Antennas and Propagation, 2015, 63, 2595-2603.	3.1	17
5100	Fast Shape Optimization of Antennas Using Model Order Reduction. IEEE Transactions on Magnetics, 2015, 51, 1-4.	1.2	21
5101	Three-dimensional parabolic equation model for low frequency sound propagation in irregular urban canyons. Journal of the Acoustical Society of America, 2015, 137, 310-320.	0.5	5
5102	Design and study of nanoâ€plasmonic couplers using aluminium arsenide and alumina. IET Optoelectronics, 2015, 9, 125-130.	1.8	12
5103	Limitations of nonlinear optical isolators due to dynamic reciprocity. Nature Photonics, 2015, 9, 388-392.	15.6	372
5104	A 2-D enlarged cell technique (ECT) for elastic wave modelling on a curved free surface. Geophysical Journal International, 2015, 201, 475-485.	1.0	5
5105	Modeling and Simulation for EMC-Part I. IEEE Electromagnetic Compatibility Magazine, 2015, 4, 47-56.	0.1	5
5106	Theory and Observations - Forward Modeling and Synthetic Seismograms, 3D Numerical Methods. , 2015, , 231-251.		2
5107	Electromagnetic Scattering Computation by Means of the Hybrid FEM-SRBCI Method. IEEE Transactions on Magnetics, 2015, 51, 1-4.	1.2	3
5109	The double absorbing boundary method for elastodynamics in homogeneous and layered media. Advanced Modeling and Simulation in Engineering Sciences, 2015, 2, .	0.7	15
5110	2D and 3D frequency-domain elastic wave modeling in complex media with a parallel iterative solver. Geophysics, 2015, 80, T101-T118.	1.4	57
5111	Optimization of Plasmon-Enhanced Thin-Film Heterojunction Solar Cells. IEEE Transactions on Magnetics, 2015, 51, 1-4.	1.2	2
5112	On the Acoustic Radiation of Axisymmetric Fluid-Filled Pipes Using the Wave Finite Element (WFE) Method. Journal of Computational Acoustics, 2015, 23, 1550011.	1.0	10
5113	2D-FDTD-UPML simulation of wave propagation on dispersive media. , 2015, , .		1
5114	A mixed frequency approach to optimize locoregional RF hyperthermia. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
5115	Temperature distribution analysis for high intensity focused ultrasound breast cancer treatment by numerical simulation. , 2015, , .		2
5116	Improvised absorbing boundary conditions for three-dimensional electromagnetic finite elements. , 2015, , .		4
5117	Time-domain model of complex media: Application to non-saturated and non-homogeneously magnetized ferrite medium. , 2015, , .		3
5118	Complex-frequency shifted perfectly matched layers with respect to particle treatment in a particle-in-cell scheme. , 2015, , .		0
5119	In search of the perfect absorber as an internal and external ABC. , 2015, , .		0
5120	Source decomposition as a global absorbing boundary condition for multi-region problems. , 2015, , .		0
5121	Quantifying the ground-penetrating radar response to ultrathin layers of nonaqueous phase liquid contaminants. Interpretation, 2015, 3, SAB23-SAB31.	0.5	1
5122	Thermo-Magnetic Effects in Nano-Scaled MOSFET: An Experimental, Modeling, and Simulation Approach. IEEE Journal of the Electron Devices Society, 2015, 3, 78-84.	1.2	1
5123	Finite element analysis of BAW devices: Principles and perspectives. , 2015, , .		5
5125	Hybrid MM-MOC-based numerical simulation of acoustic wave propagation with non-uniform grid and perfectly matched layer absorbing boundaries. , 2015, , .		0
5126	Agent-Based Models in Infectious Disease and Immunology. , 2015, , 38-43.		0
5127	Optical Modeling of MEMS. , 2015, , 313-332.		0
5128	3D optical nano-antenna. , 2015, , .		1
5129	Current state of the art of regional hyperthermia treatment planning: a review. Radiation Oncology, 2015, 10, 196.	1.2	122
5130	BRDF analysis of material with fractal rough surface. , 2015, , .		2
5131	A precise technique for ground wave radiation and propagation over an irregular surface. , 2015, , .		0
5132	Calculation of lightning transient voltages in cables considering a large industrial site using a FDTD thin wire model. , 2015, , .		3
5133	Elastodynamics. , 2015, , 397-404.		0

#	ARTICLE	IF	CITATIONS
5134	Numerical modeling and uncertainty analysis of light emitting diodes for photometric measurements. Proceedings of SPIE, 2015, , .	0.8	0
5135	Subwavelength slit acoustic metamaterial barrier. Journal Physics D: Applied Physics, 2015, 48, 395501.	1.3	6
5136	A Priori and A Posteriori Error Analysis in Chemistry. , 2015, , 5-10.		0
5137	A Posteriori Error Estimates of Quantities of Interest. , 2015, , 1-5.		0
5138	A numerical study of 3D elastic time-lapse full-waveform inversion using multicomponent seismic data. Geophysics, 2015, 80, R303-R315.	1.4	20
5139	Integrated antenna with a via-hole balun and hairpin resonator narrow band pass filter for microwave communications. , 2015, , .		3
5140	A staggered-grid convolutional differentiator for elastic wave modelling. Journal of Computational Physics, 2015, 301, 59-76.	1.9	10
5141	Extended Finite Element Method (XFEM). , 2015, , 472-477.		0
5142	Dependence between the Refractive-Index Sensitivity of Metallic Nanoparticles and the Spectral Position of Their Localized Surface Plasmon Band: A Numerical and Analytical Study. Journal of Physical Chemistry C, 2015, 119, 28551-28559.	1.5	39
5143	Analysis of convex PML media. , 2015, , .		2
5144	Shape Optimization in Electromagnetic Applications. International Series of Numerical Mathematics, 2015, , 251-269.	1.0	10
5145	Advanced numerical solution algorithms for modern EM wave propagation problems. , 2015, , .		0
5146	Design of metallic nanoparticle gratings for filtering properties in the visible spectrum. Applied Optics, 2015, 54, 10359.	2.1	4
5147	Body area networks at radio frequencies: Creeping waves and antenna analysis. Comptes Rendus Physique, 2015, 16, 789-801.	0.3	4
5148	Efficient pseudo-Gauss-Newton full-waveform inversion in the \ddot{t} ,-p domain. Geophysics, 2015, 80, R225-R14.	1.4	27
5149	A Lowâ€Dispersive Symplectic Partitioned Rungeâ€Kutta Method for Solving Seismicâ€Wave Equations: II. Wavefield Simulations. Bulletin of the Seismological Society of America, 2015, 105, 657-675.	1.1	15
5150	Calculation of electromagnetic emission using Discontinuous Galerkin Time Domain method. , 2015, , .		1
5151	An analysis of 3D anisotropicâ€viscoelastic forward modeling and dissipation. Journal of Geophysics and Engineering, 2015, 12, 1036-1048.	0.7	6

#	ARTICLE	IF	CITATIONS
5152	Angiogenesis, Mathematical Modeling Perspective. , 2015, , 67-72.		0
5153	Electromagnetic metamaterial simulations using a GPU-accelerated FDTD method. Journal of the Korean Physical Society, 2015, 67, 2026-2032.	0.3	2
5154	The fourth-order absorbing boundary condition with optimized coefficients for the simulation of the acoustic equation. Journal of Geophysics and Engineering, 2015, 12, 996-1007.	0.7	6
5155	Poroelastic model-based time-lapse modeling of the Quest carbon storage project in Alberta. , 2015, , .		0
5156	Angiogenesis, Computational Modeling Perspective. , 2015, , 58-67.		2
5157	Fracture identification based on remote detection acoustic reflection logging. Applied Geophysics, 2015, 12, 473-481.	0.1	9
5158	Detailed Investigations on Flat Single-Layer Selective Magnetic Absorber Based on the Equivalent Transformation Method of Material Constants. IEEE Transactions on Electromagnetic Compatibility, 2015, 57, 1398-1407.	1.4	4
5159	The Force-Gradient Symplectic Finite-Difference Time-Domain Scheme for Maxwell's Equations. IEEE Transactions on Antennas and Propagation, 2015, 63, 834-838.	3.1	4
5160	Simulation of electromagnetic scattering with stationary or accelerating targets. International Journal of Modern Physics C, 2015, 26, 1550075.	0.8	3
5161	A computational method for full waveform inversion of crosswell seismic data using automatic differentiation. Computer Physics Communications, 2015, 188, 47-58.	3.0	8
5162	Perfectly matched layer absorbing boundary condition for nonlinear two-fluid plasma equations. Journal of Computational Physics, 2015, 286, 128-142.	1.9	5
5163	Quantitative Analysis of the Subject-Specific On-Body Propagation Channel Based on Statistically Created Models. IEEE Antennas and Wireless Propagation Letters, 2015, 14, 398-401.	2.4	14
5164	Estimation of aquifer dimensions from passive seismic signals in the presence of material and source uncertainties. Geophysical Journal International, 2015, 200, 1662-1675.	1.0	14
5165	The Impact of the Polarization Orientation on Laser SEE Modeling in Complex ICs. IEEE Transactions on Nuclear Science, 2015, 62, 195-201.	1.2	4
5166	Reconfigurable Diffractive Antenna Based on Switchable Electrically Induced Transparency. IEEE Transactions on Microwave Theory and Techniques, 2015, 63, 925-936.	2.9	47
5167	Accuracy and efficiency of a moving-zone method in the time-domain simulation. Applied Acoustics, 2015, 92, 1-5.	1.7	2
5168	Spectral-difference parallel algorithm for the seismic forward modeling in the presence of complex topography. Journal of Applied Geophysics, 2015, 115, 206-219.	0.9	4
5169	Exact Analytical Equations for Eigenmodes in Varying Refractive-Index Profile's Waveguides Terminated by Perfectly Matched Layers. Journal of Lightwave Technology, 2015, 33, 324-332.	2.7	3

#	ARTICLE	IF	CITATIONS
5170	Boundary conditions for simulations of oscillating bubbles using the non-linear acoustic approximation. <i>Journal of Computational Physics</i> , 2015, 284, 273-290.	1.9	8
5171	A new surrogate modeling technique combining Kriging and polynomial chaos expansions "Application to uncertainty analysis in computational dosimetry. <i>Journal of Computational Physics</i> , 2015, 286, 103-117.	1.9	189
5172	A weighted Runge-Kutta discontinuous Galerkin method for wavefield modelling. <i>Geophysical Journal International</i> , 2015, 200, 1389-1410.	1.0	37
5173	Vapor diffusion synthesis of rugby-shaped CoFe ₂ O ₄ /graphene composites as absorbing materials. <i>Journal of Alloys and Compounds</i> , 2015, 630, 195-201.	2.8	40
5174	Time-lapse seismic imaging using regularized full-waveform inversion with a prior model: which strategy?. <i>Geophysical Prospecting</i> , 2015, 63, 78-98.	1.0	74
5175	Simulation of sound propagation over porous barriers of arbitrary shapes. <i>Journal of the Acoustical Society of America</i> , 2015, 137, 303-309.	0.5	7
5176	Systematic wave-equation finite difference time domain formulations for modeling electromagnetic wave-propagation in general linear and nonlinear dispersive materials. <i>International Journal of Modern Physics C</i> , 2015, 26, 1550046.	0.8	6
5177	An explicit Wave based model as alternative to the DtN map for solving unbounded Helmholtz problems with the finite element method. <i>Engineering Analysis With Boundary Elements</i> , 2015, 55, 58-66.	2.0	4
5178	Second-order PML: Optimal choice of nth-order PML for truncating FDTD domains. <i>Journal of Computational Physics</i> , 2015, 285, 71-83.	1.9	33
5179	Multilayer metamaterial absorbers inspired by perfectly matched layers. <i>Optical and Quantum Electronics</i> , 2015, 47, 89-97.	1.5	9
5180	The impact of laser polarization direction on local dose rate effects simulation for modern integrated circuits. <i>Russian Microelectronics</i> , 2015, 44, 22-26.	0.1	2
5181	Time domain characterization for the electric field considering a Chinese female physical phantom. <i>EPJ Applied Physics</i> , 2015, 69, 21201.	0.3	0
5182	On the Influences of Boundary Reflections and Piezoelectric Sensors to the Characteristics of Elastic Waves for Pattern Recognition Methods. <i>Journal of Nondestructive Evaluation</i> , 2015, 34, 1.	1.1	3
5183	Cancellation of singularities for synthetic aperture radar. <i>Inverse Problems</i> , 2015, 31, 015002.	1.0	2
5184	Photonic crystal microcrystalline silicon solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2015, 23, 1475-1483.	4.4	23
5185	Uniform stable conformal convolutional perfectly matched layer for enlarged cell technique conformal finite-difference time-domain method. <i>Chinese Physics B</i> , 2015, 24, 024101.	0.7	2
5186	Modeling of transient wave propagation in a heterogeneous solid layer coupled with fluid: Application to long bones. <i>Journal of the Acoustical Society of America</i> , 2015, 137, 668-678.	0.5	6
5187	Application of the double absorbing boundary condition in seismic modeling. <i>Applied Geophysics</i> , 2015, 12, 111-119.	0.1	8

#	ARTICLE	IF	CITATIONS
5188	On Quasinormal Modes of Asymptotically Anti-de Sitter Black Holes. <i>Communications in Mathematical Physics</i> , 2015, 333, 959-1035.	1.0	51
5189	Stable numerical coupling of exterior and interior problems for the wave equation. <i>Numerische Mathematik</i> , 2015, 129, 611-646.	0.9	57
5190	Importance of crustal structure and anelastic attenuation for estimating ground motion parameters by finite difference simulation. <i>Bulletin of Earthquake Engineering</i> , 2015, 13, 1893-1911.	2.3	1
5191	A spectral approach to a constrained optimization problem for the Helmholtz equation in unbounded domains. <i>Computational and Applied Mathematics</i> , 2015, 34, 1035-1055.	1.3	2
5192	All-optical on-chip sensor for high refractive index sensing. <i>Applied Physics Letters</i> , 2015, 106, .	1.5	19
5193	Direct \mathcal{H}^1 -Transform Implementation of the CFS-PML Based on Memory-Minimized Method. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015, 63, 877-882.	2.9	21
5194	Experimental and Simulation Results of Magnetic Modulation of Gate Oxide Tunneling Current in Nanoscaled MOS Transistors. <i>IEEE Electron Device Letters</i> , 2015, 36, 387-389.	2.2	2
5196	An optimized implicit finite-difference scheme for the two-dimensional Helmholtz equation. <i>Geophysical Journal International</i> , 2015, 202, 1805-1826.	1.0	9
5197	Diffraction of Waves on Square Lattice by Semi-Infinite Crack. <i>SIAM Journal on Applied Mathematics</i> , 2015, 75, 1171-1192.	0.8	32
5198	3D hybrid-domain full waveform inversion on GPU. <i>Computers and Geosciences</i> , 2015, 83, 27-36.	2.0	34
5199	Efficiency of the Perfectly Matched Layer with high-order finite difference and pseudo-spectral Maxwell solvers. <i>Computer Physics Communications</i> , 2015, 194, 1-9.	3.0	7
5200	A parameter-free perfectly matched layer formulation for the finite-element-based solution of the Helmholtz equation. <i>Journal of Computational Physics</i> , 2015, 296, 329-347.	1.9	13
5201	Compact high order schemes with gradient-direction derivatives for absorbing boundary conditions. <i>Journal of Computational Physics</i> , 2015, 297, 295-315.	1.9	19
5202	A multigrid-based preconditioned solver for the Helmholtz equation with a discretization by 25-point difference scheme. <i>Mathematics and Computers in Simulation</i> , 2015, 117, 54-67.	2.4	9
5203	Plasma sheath multipath analysis and its effect on GNSS navigation. <i>Applied Physics A: Materials Science and Processing</i> , 2015, 121, 1081-1085.	1.1	5
5204	Self-pinch ion beam transport in plasmas with finite radius and nonuniform transverse density. <i>Plasma Physics and Controlled Fusion</i> , 2015, 57, 095003.	0.9	4
5205	Fictitious domain method for acoustic waves through a granular suspension of movable rigid spheres. <i>Journal of Computational Physics</i> , 2015, 280, 676-691.	1.9	2
5206	Study on the polarization properties of electromagnetic waves with arbitrary magnetic declination in magnetized plasma. <i>Waves in Random and Complex Media</i> , 2015, 25, 393-404.	1.6	6

#	ARTICLE	IF	CITATIONS
5207	Aero-Acoustic Performance of Adaptive Nacelle Inlet. , 2015, , .		1
5209	Acoustic performance of balconies having inhomogeneous ceiling surfaces on a roadside building facade. Building and Environment, 2015, 93, 1-8.	3.0	27
5210	Talbot effect of the defective grating in deep Fresnel region. Optics Communications, 2015, 336, 213-223.	1.0	1
5211	Exact non-reflecting boundary condition for 3D time-dependent multiple scatteringâ€“multiple source problems. Wave Motion, 2015, 58, 281-302.	1.0	12
5212	Surface Impedance Boundary Conditions in Time Domain for Guided Structures of Arbitrary Cross Section With Lossy Dielectric Walls. IEEE Transactions on Antennas and Propagation, 2015, 63, 1086-1097.	3.1	4
5213	A GPU-Accelerated Finite-Difference Time-Domain Scheme for Electromagnetic Wave Interaction With Plasma. IEEE Transactions on Antennas and Propagation, 2015, 63, 3042-3054.	3.1	32
5214	3-D Electromagnetic Scattering Computation in Free-Space With the FETI-FDP2 Method. IEEE Transactions on Antennas and Propagation, 2015, 63, 2604-2613.	3.1	8
5215	Numerical analysis of very weakly well-posed hyperbolic Cauchy problems. IMA Journal of Numerical Analysis, 2015, 35, 989-1010.	1.5	2
5216	Effective non-reflective boundary for Lamb waves: Theory, finite element implementation, and applications. Wave Motion, 2015, 58, 22-41.	1.0	75
5217	Correspondence - Perfectly matched layer stability in 3-D finite-difference time-domain simulation of electroacoustic wave propagation in piezoelectric crystals with different symmetry class. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2015, 62, 600-603.	1.7	0
5218	Spatial Kramersâ€“Kronig relations and the reflection of waves. Nature Photonics, 2015, 9, 436-439.	15.6	176
5219	Environmental noise control during its transmission phase to protect buildings. Design model for acoustic barriers based on arrays of isolated scatterers. Building and Environment, 2015, 93, 179-185.	3.0	46
5220	Efficient 3-D frequency-domain mono-parameter full-waveform inversion of ocean-bottom cable data: application to Valhall in the visco-acoustic vertical transverse isotropic approximation. Geophysical Journal International, 2015, 202, 1362-1391.	1.0	125
5221	Finite element method to improve the computational performance in optical devices analysis. Microwave and Optical Technology Letters, 2015, 57, 1423-1426.	0.9	2
5222	Fast computation of wave propagation in the open acoustical waveguide with a curved interface. Wave Motion, 2015, 57, 171-181.	1.0	1
5223	Dispersive multidomain pseudospectral timeâ€“domain method for fullâ€“wave analysis of radioâ€“frequency invisible cloaks. IET Microwaves, Antennas and Propagation, 2015, 9, 762-768.	0.7	2
5224	Numerical Modeling in Antenna Engineering. , 2015, , 1-71.		1
5225	Sound barriers from materials of inhomogeneous impedance. Journal of the Acoustical Society of America, 2015, 137, 3190-3197.	0.5	20

#	ARTICLE	IF	CITATIONS
5226	3-D FDTD Simulation of the Lightning-Induced Waves on Overhead Lines Considering the Vertically Stratified Ground. IEEE Transactions on Electromagnetic Compatibility, 2015, 57, 1112-1122.	1.4	13
5227	A 4-D Subgrid Scheme for the NS-FDTD Technique Using the CNS-FDTD Algorithm With the Shepard Method and a Gaussian Smoothing Filter. IEEE Transactions on Magnetics, 2015, 51, 1-4.	1.2	6
5228	A Survey on FDTD-Based Interconnect Modeling. Journal of Circuits, Systems and Computers, 2015, 24, 1530001.	1.0	6
5229	Nematic topological line defects as optical waveguides. , 2015, , .		1
5230	Generalized Multiscale Finite-Element Method (GMsFEM) for elastic wave propagation in heterogeneous, anisotropic media. Journal of Computational Physics, 2015, 295, 161-188.	1.9	70
5231	Surface plasmon hurdles leading to a strongly localized giant field enhancement on two-dimensional (2D) metallic diffraction gratings. Optics Express, 2015, 23, 9167.	1.7	3
5232	Directional luminescence control of InGaN/GaN heterostructures using quantum structure lattice arrays. Applied Physics Letters, 2015, 106, 111109.	1.5	1
5233	Proper generalized decomposition for parameterized Helmholtz problems in heterogeneous and unbounded domains: Application to harbor agitation. Computer Methods in Applied Mechanics and Engineering, 2015, 295, 127-149.	3.4	59
5234	Analysis on the effectiveness of decoupling capacitor on mitigating radiated emission from power ground planes by BEM. Journal of China Universities of Posts and Telecommunications, 2015, 22, 77-82.	0.8	1
5235	Thermal radiation in subwavelength aluminum foam structures by finite-difference time-domain method. Journal of Quantitative Spectroscopy and Radiative Transfer, 2015, 158, 101-110.	1.1	13
5236	Boundary element and finite element coupling for aeroacoustics simulations. Journal of Computational Physics, 2015, 294, 274-296.	1.9	20
5237	Staggered-grid spectral element methods for elastic wave simulations. Journal of Computational and Applied Mathematics, 2015, 285, 132-150.	1.1	5
5238	Absorbing layers for the Dirac equation. Journal of Computational Physics, 2015, 289, 169-180.	1.9	14
5239	Dual negative refraction in a two dimension square photonic crystal. Optics Communications, 2015, 350, 213-216.	1.0	5
5240	Dynamical Processes in Open Quantum Systems from a TDDFT Perspective: Resonances and Electron Photoemission. Topics in Current Chemistry, 2015, 368, 219-271.	4.0	3
5241	Anatomical-based model for simulation of HIFU-induced lesions in atherosclerotic plaques. International Journal of Hyperthermia, 2015, 31, 433-442.	1.1	26
5242	High-Performance Organic Solar Cells with Broadband Absorption Enhancement and Reliable Reproducibility Enabled by Collective Plasmonic Effects. Advanced Optical Materials, 2015, 3, 1220-1231.	3.6	66
5243	Convergence of infinite element methods for scalar waveguide problems. BIT Numerical Mathematics, 2015, 55, 215-254.	1.0	12

#	ARTICLE	IF	CITATIONS
5244	Structure-Preserving Numerical Methods for Infinite-Dimensional Birkhoffian Systems. Journal of Scientific Computing, 2015, 65, 196-223.	1.1	5
5245	Vertical seismic profile waveform inversion. Studia Geophysica Et Geodaetica, 2015, 59, 283-293.	0.3	2
5246	A secondary field based hp-Finite Element Method for the simulation of magnetotelluric measurements. Journal of Computational Science, 2015, 11, 137-144.	1.5	9
5247	Fast division-free parallel structure for convolution perfectly matched layer in finite difference time domain method. Journal of China Universities of Posts and Telecommunications, 2015, 22, 72-82.	0.8	2
5248	An efficient finite element method for pricing American multi-asset put options. Communications in Nonlinear Science and Numerical Simulation, 2015, 29, 25-36.	1.7	15
5249	An FDTD absorbing boundary condition for anisotropic media based on NPML. Waves in Random and Complex Media, 2015, 25, 293-305.	1.6	3
5250	Theory and Design of Phononic Crystals for Unreleased CMOS-MEMS Resonant Body Transistors. Journal of Microelectromechanical Systems, 2015, 24, 1520-1533.	1.7	22
5251	Design of Photonic Crystal Triplexer with Core-Shell Rod Defects. Chinese Physics Letters, 2015, 32, 054204.	1.3	6
5252	Tuning the Plasmonic Extinction Resonances of Hexagonal Arrays of Ag Nanoparticles. Plasmonics, 2015, 10, 1505-1512.	1.8	5
5253	Numerical analysis of color holograms based on surface-plasmons. , 2015, , .		1
5254	Front-fixing FEMs for the pricing of American options based on a PML technique. Applicable Analysis, 2015, 94, 903-931.	0.6	10
5255	Modeling Borehole Radar by Finite-difference Time-domain in Conductive Sandstone. Journal of Environmental and Engineering Geophysics, 2015, 20, 19-29.	1.0	6
5256	Thin Perfect Absorbers for Electromagnetic Waves: Theory, Design, and Realizations. Physical Review Applied, 2015, 3, .	1.5	433
5257	Application of the Memristor in Reconfigurable Electromagnetic Devices. IEEE Antennas and Propagation Magazine, 2015, 57, 239-248.	1.2	33
5258	Near-tip field for diffraction on square lattice by rigid constraint. Zeitschrift Fur Angewandte Mathematik Und Physik, 2015, 66, 2719-2740.	0.7	16
5259	Generation of Terahertz Radiation by Interaction of Intense Femtosecond Laser Pulses with a Metal Surface. Radiophysics and Quantum Electronics, 2015, 57, 807-820.	0.1	7
5260	Modeling of optical amplifier waveguide based on silicon nanostructures and rare earth ions doped silica matrix gain media by a finite-difference time-domain method: comparison of achievable gain with Er ³⁺ or Nd ³⁺ ions dopants. Proceedings of SPIE, 2015, , .	0.8	0
5261	Perfectly matched layer based multilayer absorbers. Proceedings of SPIE, 2015, , .	0.8	0

#	ARTICLE	IF	CITATIONS
5262	Design, fabrication and characterization of resonant metamaterial filters for infrared multispectral imaging. <i>Thin Solid Films</i> , 2015, 592, 296-304.	0.8	9
5263	Time-domain analysis of wave propagation in 3-D unbounded domains by the scaled boundary finite element method. <i>Soil Dynamics and Earthquake Engineering</i> , 2015, 75, 171-182.	1.9	22
5264	Engineering the Dispersion and Anisotropy of Periodic Electromagnetic Structures. <i>Solid State Physics</i> , 2015, 66, 213-300.	1.3	16
5265	Vertical mode expansion method for analyzing elliptic cylindrical objects in a layered background. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2015, 32, 630.	0.8	5
5266	Method of field expansions for vector electromagnetic scattering by layered periodic crossed gratings. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2015, 32, 701.	0.8	21
5267	A corner-free truncation strategy for FDTD method in target scattering. <i>Journal of Computational Physics</i> , 2015, 302, 567-572.	1.9	3
5268	Full wave model of image formation in optical coherence tomography applicable to general samples. <i>Optics Express</i> , 2015, 23, 2541.	1.7	32
5269	Large bandwidth mode order converter by differential waveguides. <i>Optics Express</i> , 2015, 23, 3186.	1.7	29
5270	Efficient vertical mode expansion method for scattering by arbitrary layered cylindrical structures. <i>Optics Express</i> , 2015, 23, 14618.	1.7	10
5271	Negative refraction in molybdenum disulfide. <i>Optics Express</i> , 2015, 23, 22024.	1.7	6
5272	Topology optimized all-dielectric cloak: design, performances and modal picture of the invisibility effect. <i>Optics Express</i> , 2015, 23, 23551.	1.7	27
5273	Optimization of the Antennas of the EISS Radar Designed to Perform Deep Martian Subsurface Sounding. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2015, 53, 4627-4637.	2.7	1
5274	Hardy space infinite elements for time-harmonic two-dimensional elastic waveguide problems. <i>Wave Motion</i> , 2015, 59, 94-110.	1.0	7
5275	SAR calculation in semi-homogeneous human models of pregnancy for RF exposure. , 2015, , .		4
5276	SbSI Based Photonic Crystal Superlattices: Band Structure and Optics. <i>IOP Conference Series: Materials Science and Engineering</i> , 2015, 77, 012020.	0.3	3
5277	Numeric Tuning of Surface Plasmon Enhanced Spontaneous Emission Inducted by Nano-Metallic Particle Systems Embedded in GaN-Based LED. <i>Journal of Display Technology</i> , 2015, 11, 296-303.	1.3	4
5278	Preasymptotic Error Analysis of Higher Order FEM and CIP-FEM for Helmholtz Equation with High Wave Number. <i>SIAM Journal on Numerical Analysis</i> , 2015, 53, 782-804.	1.1	51
5279	An Adaptive Finite Element Method for the Diffraction Grating Problem with Transparent Boundary Condition. <i>SIAM Journal on Numerical Analysis</i> , 2015, 53, 1585-1607.	1.1	22

#	ARTICLE	IF	CITATIONS
5280	Optimizing the performance of CPML optical target for light-scattering simulations. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 628.	0.9	1
5281	Accuracy of surface integral equation matrix elements in plasmonic calculations. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 485.	0.9	33
5282	Application of the iterative approach to modal methods for the solution of Maxwell's equations. Journal of Computational Physics, 2015, 300, 438-454.	1.9	4
5283	Evaluation and Development of Non-Reflective Boundary Conditions for Aeroacoustic Simulations. , 2015, , .		13
5284	Numerical analysis for the SAR variation due to positioning errors at 2100 MHz. , 2015, , .		1
5285	Topology-optimized multiple-disk resonators obtained using level set expression incorporating surface effects. Optics Express, 2015, 23, 11312.	1.7	7
5286	Shape optimization of microlenses. Optics Express, 2015, 23, 13099.	1.7	13
5287	Numerical simulation of a nonuniform dielectric inclusion in a waveguide aimed at reconstructing its permittivity. , 2015, , .		5
5288	Boundary conditions and stability of a perfectly matched layer for the elastic wave equation in first order form. Journal of Computational Physics, 2015, 303, 372-395.	1.9	14
5289	A higher order perfectly matched layer formulation for finite-difference time-domain seismic wave modeling. Geophysics, 2015, 80, T1-T16.	1.4	13
5290	A Study on Plasma Photonic Crystals: Electromagnetic Characteristics Using ICCG-based JEC-CN-FDTD Algorithm. Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences, 2015, 70, 881-888.	0.7	1
5291	Diffraction of waves on square lattice by semi-infinite rigid constraint. Wave Motion, 2015, 59, 52-68.	1.0	25
5292	Optimal Disturbance in a Flow Duct with a Lined Wall. Procedia IUTAM, 2015, 14, 256-263.	1.2	1
5293	Modal reduction in single crystal sapphire optical fiber. Optical Engineering, 2015, 54, 107103.	0.5	13
5294	Efficient computation of electromagnetic wave fields on unbounded domains using stability-corrected wave functions and Krylov subspace projection methods. , 2015, , .		0
5295	Transparent boundary conditions for a discontinuous Galerkin Trefftz method. Applied Mathematics and Computation, 2015, 267, 42-55.	1.4	13
5296	An efficient multi-scale waveform inversion method in Laplace-Fourier domain. Petroleum Exploration and Development, 2015, 42, 369-378.	3.0	8
5297	Edge waves and resonances in two-dimensional phononic crystal plates. Journal of Applied Physics, 2015, 117, 174504.	1.1	8

#	ARTICLE	IF	CITATIONS
5298	A New Effective SC-PML Implementation for WLP-FDTD Method. IEEE Microwave and Wireless Components Letters, 2015, 25, 499-501.	2.0	5
5299	Non-Reflecting SFBF Termination Inverting From TFSF Discontinuity Decomposition. IEEE Transactions on Microwave Theory and Techniques, 2015, 63, 2710-2719.	2.9	3
5300	Single tracking location acoustic radiation force impulse viscoelasticity estimation (STL-VE): A method for measuring tissue viscoelastic parameters. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2015, 62, 1225-1244.	1.7	26
5301	Numerical and experimental study on noise shielding effect of eaves/louvers attached on building facade. Building and Environment, 2015, 94, 773-784.	3.0	23
5302	A comparative study on the modeling of dynamic after-cavity interaction in gyrotrons. Physics of Plasmas, 2015, 22, 053106.	0.7	14
5303	Efficient Numerical Modeling of Photonic Crystal Heterostructure Devices. Journal of Lightwave Technology, 2015, 33, 2012-2018.	2.7	6
5304	Full waveform inversion of diving & reflected waves for velocity model building with impedance inversion based on scale separation. Geophysical Journal International, 2015, 202, 1535-1554.	1.0	132
5305	Imaging volcanic infrasound sources using time reversal mirror algorithm. Geophysical Journal International, 2015, 202, 1663-1676.	1.0	9
5306	A Platform for Benchmark Cases in Computational Acoustics. Acta Acustica United With Acustica, 2015, 101, 811-820.	0.8	32
5307	Topology optimized design of carpet cloaks based on a level set approach. Proceedings of SPIE, 2015, , .	0.8	1
5308	Concept for a one-dimensional discrete artificial boundary condition for the lattice Boltzmann method. Computers and Mathematics With Applications, 2015, 70, 2316-2330.	1.4	2
5309	N-single-helix photonic-metamaterial based broadband optical range circular polarizer by induced phase lags between helices. Applied Optics, 2015, 54, 1212.	0.9	16
5310	Absorbing boundary conditions for nonlinear acoustics: The Westervelt equation. Journal of Computational Physics, 2015, 302, 200-221.	1.9	22
5311	Combining ray-tracing and FDTD to enable the simulation of complex optical devices in an iterative simulation process with reduced simulation effort. , 2015, , .		0
5312	Vortex Scattering Effects on Acoustic Wave Propagation. , 2015, , .		1
5313	Plasmon-Mediated Electron Transport in Tip-Enhanced Raman Spectroscopic Junctions. Journal of Physical Chemistry Letters, 2015, 6, 4210-4218.	2.1	18
5314	Development of Chinese reference man deformable surface phantom and its application to the influence of physique on electromagnetic dosimetry. Physics in Medicine and Biology, 2015, 60, 6833-6846.	1.6	12
5315	Dynamic Load Balancing Based on Rectilinear Partitioning in Particle-in-Cell Plasma Simulation. Lecture Notes in Computer Science, 2015, , 107-119.	1.0	7

#	ARTICLE	IF	CITATIONS
5316	Influence of substrate refractive index and metallic structure size on resonant properties in terahertz split ring resonators. <i>Proceedings of SPIE</i> , 2015, , .	0.8	0
5317	On- and off-optical-resonance dynamics of dielectric microcylinders under plane wave illumination. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2015, 32, 1022.	0.9	27
5318	Time Domain Integral Equation Methods in Computational Electromagnetism. <i>Lecture Notes in Mathematics</i> , 2015, , 111-189.	0.1	4
5319	Simulating RCS of dispersive media using SO-FDTD-DPW method. , 2015, , .		1
5320	The Implementation of Convolutional Perfectly Matched Layer (CPML) for One-Step Leapfrog HIE-FDTD Method. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015, 14, 1694-1697.	2.4	15
5321	A new designed dual-guided ring-core fiber for OAM mode transmission. <i>Optical Fiber Technology</i> , 2015, 25, 58-63.	1.4	28
5322	GPU technology applied to reverse time migration and seismic modeling via OpenACC. , 2015, , .		4
5323	Digital super-resolution interference microscopy (DiSRIM). , 2015, , .		0
5324	Development of a Godunov method for Maxwell's equations with Adaptive Mesh Refinement. <i>Journal of Computational Physics</i> , 2015, 300, 186-201.	1.9	17
5325	Perfectly reflectionless omnidirectional absorbers and electromagnetic horizons. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2015, 32, 1645.	0.9	17
5326	Three-dimensional elastic full waveform inversion using seismic data from the Sleipner area. <i>Geophysical Journal International</i> , 2015, 202, 1877-1894.	1.0	57
5327	Transmission performance of 1 Å– 2 type photonic crystal power splitter with ring resonators. <i>Optik</i> , 2015, 126, 3613-3615.	1.4	6
5328	Wave propagation in anisotropic elastic materials and curvilinear coordinates using a summation-by-parts finite difference method. <i>Journal of Computational Physics</i> , 2015, 299, 820-841.	1.9	67
5329	Two-dimensional characteristic boundary conditions for open boundaries in the lattice Boltzmann methods. <i>Journal of Computational Physics</i> , 2015, 302, 191-199.	1.9	11
5330	High-precision computation of optical propagation in inhomogeneous waveguides. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2015, 32, 1653.	0.8	7
5331	Secondary Field-based Three-Dimensional Magnetotelluric Forward Modelling with Absorbing Boundary Conditions. , 2015, , .		0
5332	Perfectly matched layer's constitutive assignment scheme's influence to absorbing performance. <i>Optik</i> , 2015, 126, 5777-5780.	1.4	5
5333	A shallow water SPH model with PML boundaries. <i>Ocean Engineering</i> , 2015, 108, 315-324.	1.9	6

#	ARTICLE	IF	CITATIONS
5334	Approximate local Dirichlet-to-Neumann map for three-dimensional time-harmonic elastic waves. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2015, 297, 62-83.	3.4	23
5335	Wave propagation in soils problems using the Generalized Finite Difference Method. <i>Soil Dynamics and Earthquake Engineering</i> , 2015, 79, 190-198.	1.9	15
5336	Spectral deformations and exponential decay of eigenfunctions for the Neumann Laplacian on manifolds with quasicylindrical ends. <i>Journal of Mathematical Analysis and Applications</i> , 2015, 432, 749-760.	0.5	0
5337	Recent advances of computational aeroacoustics. <i>Applied Mathematics and Mechanics (English)</i> Tj ETQq1 1 0.784314 rgBT /Qverlock 11	1.9	6
5338	Time-Synchronized Convolutional Perfectly Matched Layer for Improved Absorbing Performance in FDTD. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015, 14, 690-693.	2.4	27
5339	An $O(N^3)$ Algorithm for the Calculation of Far Field Radiation Patterns. <i>IEEE Transactions on Antennas and Propagation</i> , 2015, 63, 322-327.	3.1	1
5340	Fast full waveform inversion with source encoding and second-order optimization methods. <i>Geophysical Journal International</i> , 2015, 200, 720-744.	1.0	61
5341	Numerical solution. <i>Nature Photonics</i> , 2015, 9, 5-6.	15.6	1
5342	Design of photonic crystal Sagnac interferometer using self-collimation effect. <i>Optik</i> , 2015, 126, 379-381.	1.4	3
5343	Domain Decomposition Method and High-Order Absorbing Boundary Conditions for the Numerical Simulation of the Time Dependent Schrödinger Equation with Ionization and Recombination by Intense Electric Field. <i>Journal of Scientific Computing</i> , 2015, 64, 620-646.	1.1	14
5344	Design of flat lens-like graded index medium by photonic crystals: Exploring both low and high frequency regimes. <i>Optics Communications</i> , 2015, 339, 22-33.	1.0	26
5345	An absorbing matched layer implementation for the transmission line matrix method. <i>Journal of Sound and Vibration</i> , 2015, 337, 233-243.	2.1	1
5346	Pseudo-Spectral simulation of 1D nonlinear propagation in heterogeneous elastic media. <i>Wave Motion</i> , 2015, 52, 54-65.	1.0	14
5347	RKIP Regulates Neural Cell Apoptosis Induced by Exposure to Microwave Radiation Partly Through the MEK/ERK/CREB Pathway. <i>Molecular Neurobiology</i> , 2015, 51, 1520-1529.	1.9	32
5348	Wave propagation in advected acoustics within a non-uniform medium under the effect of gravity. <i>Applied Numerical Mathematics</i> , 2015, 93, 61-68.	1.2	3
5349	A scanning acoustic microscope based on picosecond ultrasonics. <i>Ultrasonics</i> , 2015, 56, 153-159.	2.1	7
5350	Time-domain hybrid formulations for wave simulations in three-dimensional PML-truncated heterogeneous media. <i>International Journal for Numerical Methods in Engineering</i> , 2015, 101, 165-198.	1.5	72
5351	Local time-space mesh refinement for simulation of elastic wave propagation in multi-scale media. <i>Journal of Computational Physics</i> , 2015, 281, 669-689.	1.9	40

#	ARTICLE	IF	CITATIONS
5352	Surface acoustic wave reflection/transmission at vertical borders of piezoelectric substrates. <i>Ultrasonics</i> , 2015, 56, 318-324.	2.1	9
5353	A finite element method based flow and heat transfer model of continuous flow microwave and ohmic combination heating for particulate foods. <i>Journal of Food Engineering</i> , 2015, 149, 159-170.	2.7	29
5354	Benchmarking railway vibrations – Track, vehicle, ground and building effects. <i>Construction and Building Materials</i> , 2015, 92, 64-81.	3.2	182
5355	Computational Electromagnetics – Retrospective and Outlook. , 2015, , .		4
5356	Analysis of cuprous oxide-based ultra-compact nanoplasmonic coupler. <i>Applied Nanoscience (Switzerland)</i> , 2015, 5, 217-221.	1.6	9
5357	Method of infinite systems of equations for solving an elliptic problem in a semistrip. <i>Applied Numerical Mathematics</i> , 2015, 87, 114-124.	1.2	2
5358	A Sharply Bent Waveguide with a Microcavity Constructed by an Air-Bridge Type Two-Dimensional Photonic Crystal Slab. <i>IEICE Transactions on Electronics</i> , 2016, E99.C, 81-84.	0.3	3
5359	Optimal 25-Point Finite-Difference Subgridding Techniques for the 2D Helmholtz Equation. <i>Mathematical Problems in Engineering</i> , 2016, 2016, 1-16.	0.6	2
5364	FULL HYDRODYNAMIC MODEL OF NONLINEAR ELECTROMAGNETIC RESPONSE IN METALLIC METAMATERIALS (Invited Paper). <i>Progress in Electromagnetics Research</i> , 2016, 157, 63-78.	1.6	30
5365	Partial-aperture array imaging in acoustic waveguides. <i>Inverse Problems</i> , 2016, 32, 125011.	1.0	8
5366	3D pseudospectral time domain for modeling second-harmonic generation in periodically poled lithium niobate ridge-type waveguides. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, 703.	0.9	2
5367	Discretization by rational and quasi-rational functions of multi-dimensional elliptic problems in the whole space. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2016, 50, 263-288.	0.8	2
5368	Development of Design Methodology for 60Hz Wireless Power Transmission System. <i>IEEJ Journal of Industry Applications</i> , 2016, 5, 429-438.	0.9	18
5369	Structure-Borne Wave Radiation by Impact and Vibratory Piling in Offshore Installations: From Sound Prediction to Auditory Damage. <i>Journal of Marine Science and Engineering</i> , 2016, 4, 44.	1.2	17
5370	2D Multitransient Electromagnetic Response Modeling of South China Shale Gas Earth Model Using an Approximation of Finite Difference Time Domain with Uniaxial Perfectly Matched Layer. <i>Discrete Dynamics in Nature and Society</i> , 2016, 2016, 1-20.	0.5	5
5371	Development of a Discontinuous Galerkin Time Domain Solver on a staggered grid for pan-spectral single scattering analysis. , 2016, , .		0
5372	Characteristics of Perfectly Matched Layer Using Collocation Method. , 2016, , .		0
5373	A second-order, perfectly matched layer formulation to model 3D transient wave propagation in anisotropic elastic media. <i>Proceedings of Meetings on Acoustics</i> , 2016, , .	0.3	2

#	ARTICLE	IF	CITATIONS
5374	Forest Biomass From Radar Remote Sensing. , 2016, , 363-425.		9
5375	A Numerical Estimation of a RFID Reader Field and SAR inside a Blood Bag at UHF. Electronics (Switzerland), 2016, 5, 77.	1.8	6
5376	Preparation and characterization of two-dimensional metallic nanoparticle and void films derived from a colloidal template layer. Optics Express, 2016, 24, A424.	1.7	2
5377	Optical field and attractive force at the subwavelength slit. Optics Express, 2016, 24, 15972.	1.7	7
5378	Finite element analysis of electromagnetic waves in two-dimensional transformed bianisotropic media. Optics Express, 2016, 24, 26479.	1.7	8
5379	Multi-frequency finite-difference frequency-domain algorithm for active nanophotonic device simulations. Optica, 2016, 3, 1256.	4.8	37
5380	Ultra Wide Band Radar Cross Section Reduction of a Perfectly Electric Conductor Sphere by the Application of Multilayer Metamaterial Coatings. Journal of Microwaves, Optoelectronics and Electromagnetic Applications, 2016, 15, 457-476.	0.4	3
5381	Numerical Solution of Near-Field Thermal Radiation. , 2016, , 45-73.		0
5382	Efficient 3D elastic full-waveform inversion using wavefield reconstruction methods. Geophysics, 2016, 81, R45-R55.	1.4	27
5383	An interfaceâ€enriched generalized finite element analysis for electromagnetic problems with nonâ€conformal discretizations. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2016, 29, 265-279.	1.2	10
5384	GPU-accelerated finite-difference time-domain method for dielectric media based on CUDA. International Journal of RF and Microwave Computer-Aided Engineering, 2016, 26, 512-518.	0.8	8
5385	A convergent Born series for solving the inhomogeneous Helmholtz equation in arbitrarily large media. Journal of Computational Physics, 2016, 322, 113-124.	1.9	60
5386	An efficient and highâ€order frequencyâ€domain approach for transient acousticâ€structure interactions in three dimensions. International Journal for Numerical Methods in Engineering, 2016, 108, 790-816.	1.5	0
5387	Wave propagation in complex coordinates. Journal of Optics (United Kingdom), 2016, 18, 044016.	1.0	38
5389	Light-Emitting Diodes with Hierarchical and Multifunctional Surface Structures for High Light Extraction and an Antifouling Effect. Small, 2016, 12, 161-168.	5.2	22
5390	Optimal fourth-order staggered-grid finite-difference scheme for 3D frequency-domain viscoelastic wave modeling. Journal of Computational Physics, 2016, 321, 1055-1078.	1.9	15
5391	Smooth 2â€D ocean sound speed from Laplace and Laplaceâ€Fourier domain inversion of seismic oceanography data. Geophysical Research Letters, 2016, 43, 1211-1218.	1.5	9
5392	Optimization of an Electromagnetics Code with Multicore Wavefront Diamond Blocking and Multi-dimensional Intra-Tile Parallelization. , 2016, , .		6

#	ARTICLE	IF	CITATIONS
5393	The aero-acoustic Galbrun equation in the time domain with perfectly matched layer boundary conditions. Journal of the Acoustical Society of America, 2016, 139, 320-331.	0.5	10
5394	Hollow structure formation of intense ion beams with sharp edge in background plasmas. Physics of Plasmas, 2016, 23, .	0.7	6
5395	Accelerating a three-dimensional wave propagation with PML boundary conditions using GPU graphics cards. , 2016, , .		0
5396	Numerical simulation research and applications on scattering imaging of surface defects on optical components. , 2016, , .		3
5397	Simulated interaction of magnetohydrodynamic shock waves with a complex network-like region. Astronomy and Astrophysics, 2016, 590, L3.	2.1	11
5398	PML inspired transparent metamaterials. , 2016, , .		1
5399	Elastic reverse-time migration based on amplitude-preserving P- and S-wave separation. Applied Geophysics, 2016, 13, 500-510.	0.1	4
5400	Hierarchical cascading in 2D FEM simulation of finite SAW devices with periodic block structure. , 2016, , .		42
5401	Influence of standing waves on the solution of the inverse problem of reconstructing parameters of a dielectric inclusion in a waveguide. , 2016, , .		4
5402	Full-Waveform Inversion II Complete Session. , 2016, , .		0
5403	Seismic Velocity Estimation Complete Session. , 2016, , .		0
5404	Wavefield simulation of 3D borehole dipole radiation. , 2016, , .		1
5405	A meshless method for unbounded acoustic problems. Journal of the Acoustical Society of America, 2016, 139, 2613-2623.	0.5	21
5406	Reconstructing complex permittivity of local inhomogeneities in a radio-transparent dielectric matrix located in a waveguide. , 2016, , .		8
5407	Removal of artificial resonances for divide and conquer analysis using boundary element method. , 2016, , .		2
5408	Borehole Geophysics Complete Session. , 2016, , .		0
5409	A perfectly matched layer formulation for modeling transient wave propagation in an unbounded fluid-solids medium. Journal of the Acoustical Society of America, 2016, 139, 1528-1536.	0.5	11
5410	New Optical Approach of SAW Delay Line Characterization. Procedia Engineering, 2016, 168, 838-843.	1.2	3

#	ARTICLE	IF	CITATIONS
5411	The role of various structures in the head on the formation of the biosonar beam of the baiji (Lipotes tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.5	16
5412	Acoustic performance of boundaries having constant phase gradient. Journal of the Acoustical Society of America, 2016, 140, EL7-EL13.	0.5	4
5413	Numerical simulation of acoustic lenses based on Fresnel zone plate. , 2016, , .		1
5414	Ultra-high-field RF coil development for evaluating upper extremity imaging applications. NMR in Biomedicine, 2016, 29, 1768-1779.	1.6	10
5415	Near-to-far-field transformation in FDTD for high resolution radar signal simulation. , 2016, , .		2
5416	Seismic Modeling Complete Session. , 2016, , .		0
5417	Developments of parabolic equation method in the period of 2000â€“2016. Chinese Physics B, 2016, 25, 124315.	0.7	7
5418	A proposal and a theoretical analysis of an enhanced surface plasmon coupled emission structure for single molecule detection. Journal of Applied Physics, 2016, 119, .	1.1	13
5419	A Fourier-based total-field/scattered-field technique for three-dimensional broadband simulations of elastic targets near a water-sand interface. Journal of the Acoustical Society of America, 2016, 140, 4183-4192.	0.5	2
5420	Nonlinear acoustic propagation in bubbly liquids: Multiple scattering, softening and hardening phenomena. Journal of the Acoustical Society of America, 2016, 139, 1703-1712.	0.5	16
5421	Dynamic non-reciprocal meta-surfaces with arbitrary phase reconfigurability based on photonic transition in meta-atoms. Applied Physics Letters, 2016, 108, .	1.5	59
5422	Differential evolution algorithm based photonic structure design: numerical and experimental verification of subwavelength $\lambda/5$ focusing of light. Scientific Reports, 2016, 6, 30871.	1.6	29
5423	Modified perfectly matched layers in finite-difference time-domain schemes for the efficient truncation of propagating graphene surface waves. , 2016, , .		0
5424	Accuracy Assessment of FDTD Method for the Analysis of Sub-Wavelength Photonic Structures. IEICE Transactions on Electronics, 2016, E99.C, 780-787.	0.3	0
5425	Dielectric structure design for microwave cloaking considering material properties. Journal of Applied Physics, 2016, 119, 014102.	1.1	10
5426	An ultra-wideband shielding materials based on single negative metamaterial. , 2016, , .		0
5427	A perfectly matched layer for fluid-solid problems: Application to ocean-acoustics simulations with solid ocean bottoms. Journal of the Acoustical Society of America, 2016, 140, 165-175.	0.5	44
5428	Theory of pulsar magnetosphere and wind. Journal of Plasma Physics, 2016, 82, .	0.7	64

#	ARTICLE	IF	CITATIONS
5429	Electromagnetic analysis of wireless power transfer system with Improved Absorbing Boundary Conditions. , 2016, , .		4
5430	Investigation of 2D photonic crystal structure based channel drop filter using quad shaped photonic crystal ring resonator for CWDM system. AIP Conference Proceedings, 2016, , .	0.3	0
5431	Time domain characteristics of wave motion in dispersive and anisotropic continuum acoustic metamaterials. Journal of the Acoustical Society of America, 2016, 140, 4276-4287.	0.5	3
5432	Growth of Bi ₂ Se ₃ topological insulator films using a selenium cracker source. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2016, 34, .	0.6	32
5433	An axisymmetric time-domain spectral-element method for full-wave simulations: Application to ocean acoustics. Journal of the Acoustical Society of America, 2016, 140, 3520-3530.	0.5	42
5434	Supercontinuum generation in optimized photonic crystal fiber at 1.3 μ m for optical coherence tomography. MATEC Web of Conferences, 2016, 83, 08003.	0.1	0
5435	Modelling of dielectric resonator antennas using numerical methods: a review. Journal of Microwave Power and Electromagnetic Energy, 2016, 50, 269-293.	0.4	20
5436	Acoustical imaging in semi-geodesic coordinates without velocity knowledge. , 2016, , .		0
5437	Development of the CPML for four-stages split-step unconditionally-stable FDTD method. , 2016, , .		0
5438	Time-domain EM numerical modelling: A pulse shape causality and temporal support analysis. , 2016, , .		1
5439	Research on reinforcing mesh for vertical antenna radiant protection. , 2016, , .		0
5440	Joint reparametrized time-lapse full-waveform inversion. , 2016, , .		7
5441	A universal framework for non-deteriorating time-domain numerical algorithms in Maxwell's electrodynamics. AIP Conference Proceedings, 2016, , .	0.3	0
5442	Study of a high power sine waveguide traveling wave tube amplifier centered at 8 GHz. Physics of Plasmas, 2016, 23, 103102.	0.7	5
5443	Parallel full-waveform inversion in the frequency domain by the Gauss-Newton method. AIP Conference Proceedings, 2016, , .	0.3	0
5444	Parallel implementation of 3D-EFIT simulation using MPI library for elastic waves. , 2016, , .		0
5445	A Novel Multiphysics Optimization-Driven Methodology for the Design of Microwave Ablation Antennas. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2016, 1, 151-160.	1.4	12
5446	Study of electromagnetic wave scattering from an inhomogeneous plasma layer using Green's function volume integral equation method. Physics of Plasmas, 2016, 23, .	0.7	13

#	ARTICLE	IF	CITATIONS
5447	Dual curved photonic crystal ring resonator based channel drop filter using two-dimensional photonic crystal structure. AIP Conference Proceedings, 2016, , .	0.3	1
5448	Numerical analysis of electromagnetic band-stopping using non-metal periodic structures. , 2016, , .		3
5449	Optical and acoustic sensing using Fano-like resonances in dual phononic and photonic crystal plate. Journal of Applied Physics, 2016, 119, .	1.1	60
5450	The CFS-PML for 2-D WLP-FDTD method of dispersive materials. International Journal of Applied Electromagnetics and Mechanics, 2016, 51, 349-361.	0.3	2
5451	Using the finite difference parabolic equation with nonlocal boundary condition for complex environment radiowave propagation prediction. , 2016, , .		3
5452	Phononic thermal resistance due to a finite periodic array of nano-scatterers. Journal of Applied Physics, 2016, 120, 044305.	1.1	1
5453	Implementation of Elastic Prestack Reverse-Time Migration Using an Efficient Finite-Difference Scheme. Acta Geophysica, 2016, 64, 1605-1625.	1.0	9
5454	A 70 MHz double waveguide set-up for hyperthermia of deep superficial tumors. , 2016, , .		2
5455	An optimal control approach to photoacoustic tomography. , 2016, , .		0
5456	Near-Field Optical Properties of Ag x Au1â”x Nanoparticle Chains Embedded in a Dielectric Matrix. Plasmonics, 2016, 11, 1407-1416.	1.8	3
5457	A double-sweeping preconditioner for the Helmholtz equation. Journal of Computational Physics, 2016, 314, 800-823.	1.9	11
5458	Quantitative correlation between facets defects of RDX crystals and their laser sensitivity. Journal of Hazardous Materials, 2016, 313, 103-111.	6.5	9
5459	Numerical study of propagation properties of surface plasmon polaritons in nonlinear media. European Physical Journal D, 2016, 70, 1.	0.6	1
5460	A Fourier penalty method for solving the time-dependent Maxwell's equations in domains with curved boundaries. Journal of Computational Physics, 2016, 306, 167-198.	1.9	2
5461	The optimized gradient method for full waveform inversion and its spectral implementation. Geophysical Journal International, 2016, 205, 1823-1831.	1.0	21
5462	Research on surface lossy electromagnetic scattering of the scales of Morpho rhetenor butterflies. Optik, 2016, 127, 4418-4421.	1.4	1
5463	Guided Wave Tomography Based on Full Waveform Inversion. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2016, 63, 737-745.	1.7	104
5464	Computation of the pressure field generated by surface acoustic waves in microchannels. Lab on A Chip, 2016, 16, 2701-2709.	3.1	20

#	ARTICLE	IF	CITATIONS
5465	EM modelling of arbitrary shaped anisotropic dielectric objects using an efficient 3D leapfrog scheme on unstructured meshes. <i>Computational Mechanics</i> , 2016, 58, 441-455.	2.2	6
5466	A research for plasma electromagnetic character using JEC-CN-FDTD algorithm based on ICG method. <i>Optik</i> , 2016, 127, 1121-1125.	1.4	3
5467	Adaptive step-size algorithm for Fourier beam-propagation method with absorbing boundary layer of auto-determined width. <i>Applied Optics</i> , 2016, 55, 4402.	2.1	4
5468	Optimal implicit 2-D finite differences to model wave propagation in poroelastic media. <i>Geophysical Journal International</i> , 2016, 206, 1111-1125.	1.0	30
5469	Analysis of stretched grids as buffer zones in simulations of wave propagation. <i>Applied Numerical Mathematics</i> , 2016, 107, 1-17.	1.2	11
5470	Applying the Parabolic Equation to Tropospheric Groundwave Propagation: A review of recent achievements and significant milestones. <i>IEEE Antennas and Propagation Magazine</i> , 2016, 58, 31-44.	1.2	40
5471	Direct Threat of UVâ€œOzone-Treated Indium-Tin Oxide in Organic Optoelectronics and Stability Enhancement Using Graphene Oxide as Anode Buffer Layer. , 2016, , 365-380.		1
5472	Artificial boundary conditions for the Burgers equation on the plane. <i>Applied Mathematics and Computation</i> , 2016, 286, 1-14.	1.4	3
5473	Multigrid-based â€œshifted-Laplacianâ€™ preconditioning for the time-harmonic elastic wave equation. <i>Journal of Computational Physics</i> , 2016, 317, 47-65.	1.9	17
5474	Wave propagation in a waveguide with continuous right-angled corners: Numerical simulations and experiment measurements. <i>Applied Acoustics</i> , 2016, 104, 6-15.	1.7	5
5475	SOLAR PROMINENCES EMBEDDED IN FLUX ROPES: MORPHOLOGICAL FEATURES AND DYNAMICS FROM 3D MHD SIMULATIONS. <i>Astrophysical Journal</i> , 2016, 820, 125.	1.6	31
5476	Finite-difference strategy for elastic wave modelling on curved staggered grids. <i>Computational Geosciences</i> , 2016, 20, 245-264.	1.2	20
5477	Select Advances in Computational Accelerator Physics. <i>IEEE Transactions on Nuclear Science</i> , 2016, 63, 823-841.	1.2	4
5478	Enhancement of radiative processes in nanofibers with embedded plasmonic nanoparticles. <i>Optics Letters</i> , 2016, 41, 1632.	1.7	2
5479	Assessment of a sponge layer as a non-reflective boundary treatment with highly accurate gustâ€œairfoil interaction results. <i>International Journal of Computational Fluid Dynamics</i> , 2016, 30, 176-200.	0.5	8
5480	Elliptic Harbor Wave Model with Perfectly Matched Layer and Exterior Bathymetry Effects. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 2016, 142, 04016008.	0.5	2
5481	Comparing FDTD and Ray-Tracing Models in Numerical Simulation of HgCdTe LWIR Photodetectors. <i>Journal of Electronic Materials</i> , 2016, 45, 4524-4531.	1.0	20
5482	An amplitude finite element formulation for electromagnetic radiation and scattering. <i>Computers and Mathematics With Applications</i> , 2016, 71, 1364-1391.	1.4	6

#	ARTICLE	IF	CITATIONS
5483	On error estimates of an exponential wave integrator sine pseudospectral method for the K - G - Z akharov system. Numerical Methods for Partial Differential Equations, 2016, 32, 266-291.	2.0	31
5484	A Lanczos model-order reduction technique to efficiently simulate electromagnetic wave propagation in dispersive media. Journal of Computational Physics, 2016, 315, 348-362.	1.9	17
5485	Numerical modeling of undersea acoustics using a partition of unity method with plane waves enrichment. Computational Mechanics, 2016, 57, 717-732.	2.2	5
5486	Reverse Time Migration Using the Pseudospectral Time-Domain Algorithm. Journal of Computational Acoustics, 2016, 24, 1650005.	1.0	11
5487	Diffraction gratings: from principles to applications in high-intensity lasers. Advances in Optics and Photonics, 2016, 8, 156.	12.1	166
5488	A dispersion minimizing scheme for the 3-D Helmholtz equation based on ray theory. Journal of Computational Physics, 2016, 314, 618-646.	1.9	27
5489	Symmetric Energy-Conserved S-FDTD Scheme for Two-Dimensional Maxwell's Equations in Negative Index Metamaterials. Journal of Scientific Computing, 2016, 69, 696-735.	1.1	7
5490	Engineering inverse woodpile and woodpile photonic crystal solar cells for light trapping. Nanotechnology, 2016, 27, 225404.	1.3	4
5491	Calculation and analysis of the complex band structure of dispersive and dissipative two-dimensional photonic crystals. Journal of the Optical Society of America B: Optical Physics, 2016, 33, 691.	0.9	22
5492	First-principles modeling of electromagnetic scattering by discrete and discretely heterogeneous random media. Physics Reports, 2016, 632, 1-75.	10.3	104
5493	The Role of Numerical Boundary Procedures in the Stability of Perfectly Matched Layers. SIAM Journal of Scientific Computing, 2016, 38, A1171-A1194.	1.3	8
5494	Convergence of Hardy Space Infinite Elements for Helmholtz Scattering and Resonance Problems. SIAM Journal on Numerical Analysis, 2016, 54, 1385-1400.	1.1	9
5495	Rigorous analysis of numerical methods: a comparative study. Optical and Quantum Electronics, 2016, 48, 1.	1.5	2
5496	Additive Sweeping Preconditioner for the Helmholtz Equation. Multiscale Modeling and Simulation, 2016, 14, 799-822.	0.6	11
5497	Self-adaptive h - p finite element method with iterative mesh truncation technique accelerated with Adaptive Cross Approximation. Computers and Mathematics With Applications, 2016, 71, 1911-1932.	1.4	2
5498	Titanium oxide nanotube arrays for high light extraction efficiency of GaN-based vertical light-emitting diodes. Nanoscale, 2016, 8, 10138-10144.	2.8	12
5499	A new spectral finite volume method for elastic wave modelling on unstructured meshes. Geophysical Journal International, 2016, 206, 292-307.	1.0	9
5500	A surface wave radar simulator. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
5501	Electromagnetic horizons and convex-spherical reflectionless absorber coatings. , 2016, , .		1
5502	Polarisation maintaining fibre with pure silica core and two depressed claddings for fibre optic gyroscope. Optical Fiber Technology, 2016, 32, 6-12.	1.4	1
5503	Robust time-domain migration velocity analysis for initial-model building in a full-waveform tomography workflow. , 2016, , .		2
5504	A one dimensional numerical approach for computing the eigenmodes of elastic waves in buried pipelines. Journal of Sound and Vibration, 2016, 384, 177-193.	2.1	32
5505	Asymptotic impact behavior of Goupillaud-type layered elastic media. International Journal of Solids and Structures, 2016, 96, 38-47.	1.3	5
5506	Real-time solution of linear computational problems using databases of parametric reduced-order models with arbitrary underlying meshes. Journal of Computational Physics, 2016, 326, 373-397.	1.9	25
5507	Assessment of a sponge layer non-reflecting boundary treatment for high-order CAA/CFD computations. Computers and Fluids, 2016, 140, 478-499.	1.3	7
5508	A New High-Resolution Electromagnetic Human Head Model: A useful resource for a new specific-absorption-rate assessment model.. IEEE Antennas and Propagation Magazine, 2016, 58, 32-42.	1.2	12
5509	Modified pseudo-spectral method for wave propagation in general anisotropic media. , 2016, , .		0
5510	Finite-difference time-domain analysis of light propagation in cholesteric liquid crystalline droplet array. Japanese Journal of Applied Physics, 2016, 55, 082001.	0.8	1
5511	Scattering problems in elastodynamics. Physical Review B, 2016, 94, .	1.1	18
5512	PMLC: A perfectly matched layer collimator and its applications to time and frequency domain numerical techniques. , 2016, , .		0
5513	Topology-optimized carpet cloaks based on a level-set boundary expression. Physical Review E, 2016, 94, 043301.	0.8	19
5514	Plane-wave reflection from the interface of a novel uniaxial medium with extreme parameters. , 2016, , .		1
5515	Dynamic simulation of acoustic wave scattering. , 2016, , .		0
5516	Spectral element method for elastic and acoustic waves in frequency domain. Journal of Computational Physics, 2016, 327, 19-38.	1.9	28
5517	Quantum Electromagnetics: A New Lookâ€™Part II. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2016, 1, 85-97.	1.4	35
5518	An Optimized Higher Order PML in Domain Decomposition WLP-FDTD Method for Time Reversal Analysis. IEEE Transactions on Antennas and Propagation, 2016, 64, 4374-4383.	3.1	25

#	ARTICLE	IF	CITATIONS
5519	Multiscale real-space quantum-mechanical tight-binding calculations of electronic structure in crystals with defects using perfectly matched layers. <i>Journal of Computational Physics</i> , 2016, 323, 115-125.	1.9	1
5520	Estimation of elastic constants for HTI media using Gauss-Newton and full-Newton multiparameter full-waveform inversion. <i>Geophysics</i> , 2016, 81, R275-R291.	1.4	89
5521	Wave Propagation in Bifurcated Waveguides of Square Lattice Strips. <i>SIAM Journal on Applied Mathematics</i> , 2016, 76, 1355-1381.	0.8	18
5522	Factorisation and splitting WLP-FDTD method of wave propagation in dispersive materials. <i>IET Microwaves, Antennas and Propagation</i> , 2016, 10, 1740-1746.	0.7	0
5523	Psychoacoustic Characterization of Propagation Effects in Virtual Environments. <i>ACM Transactions on Applied Perception</i> , 2016, 13, 1-18.	1.2	3
5525	Dynamic analysis of concrete gravity dam-reservoir systems by approximate wavenumber approach. <i>Engineering Computations</i> , 2016, 33, 2045-2066.	0.7	1
5526	An efficient higher-order PML in WLP-FDTD method for time reversed wave simulation. <i>Journal of Computational Physics</i> , 2016, 321, 1206-1216.	1.9	9
5527	Comparative theoretical study of polarising Panda-type and microstructured fibres for fibre-optic gyroscope. <i>Optical and Quantum Electronics</i> , 2016, 48, 1.	1.5	1
5528	Radio frequency guided wave communication in deep oil wells. , 2016, , .		1
5529	Recent improvements of Finite Difference Time Domain simulation techniques. , 2016, , .		0
5530	Analysis of underwater acoustic scattering problems using stable node-based smoothed finite element method. <i>Engineering Analysis With Boundary Elements</i> , 2016, 72, 27-41.	2.0	42
5531	Numerical Study on Microwave Scattering by Various Plasma Objects. <i>Plasma Science and Technology</i> , 2016, 18, 791-797.	0.7	10
5532	Asymmetric light reflection at the reflecting layer incorporated in a linear, time-independent and non-magnetic two-dimensional photonic crystal. <i>Europhysics Letters</i> , 2016, 114, 54002.	0.7	9
5533	A 3-D enlarged cell technique (ECT) for elastic wave modelling of a curved free surface. <i>Geophysical Journal International</i> , 2016, 206, 1921-1932.	1.0	5
5535	A Novel Parallel Parabolic Equation Method for Electromagnetic Scatterings. <i>IEEE Transactions on Antennas and Propagation</i> , 2016, 64, 4777-4784.	3.1	12
5536	Simulation of electromagnetic wave propagation in the medium using FDTD method. , 2016, , .		1
5537	Efficiency Enhancement of InGaN-Based Solar Cells via Stacking Layers of Light-Harvesting Nanospheres. <i>Scientific Reports</i> , 2016, 6, 28671.	1.6	8
5538	Age-dependent of electromagnetic absorption in human endocrine glands for using mobile phones. , 2016, , .		1

#	ARTICLE	IF	CITATIONS
5539	Efficient edge-guided full-waveform inversion by Canny edge detection and bilateral filtering algorithms. <i>Geophysical Journal International</i> , 2016, 207, 1049-1061.	1.0	11
5540	3D elastic frequency-domain iterative solver for full-waveform inversion. , 2016, , .		2
5541	Double absorbing boundaries for finite-difference time-domain electromagnetics. <i>Journal of Computational Physics</i> , 2016, 326, 650-665.	1.9	9
5542	A New Approach of Eigenmodes for Varying Refractive-Index Profileâ€™s Waveguides. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016, 64, 3131-3138.	2.9	0
5543	Hybrid Asynchronous Perfectly Matched Layer for seismic wave propagation in unbounded domains. <i>Finite Elements in Analysis and Design</i> , 2016, 122, 1-15.	1.7	15
5544	Time-filtered leapfrog integration of Maxwell equations using unstaggered temporal grids. <i>Journal of Computational Physics</i> , 2016, 325, 98-115.	1.9	10
5545	Optimal staggered-grid finite-difference schemes by combining Taylor-series expansion and sampling approximation for wave equation modeling. <i>Journal of Computational Physics</i> , 2016, 326, 913-930.	1.9	13
5546	Transient analysis of concrete gravity dam-reservoir systems by Wavenumber-TD approach. <i>Soil Dynamics and Earthquake Engineering</i> , 2016, 90, 313-326.	1.9	9
5548	Acoustic VTI Modeling Using an Optimal Time-Space Domain Finite-Difference Scheme. <i>Journal of Computational Acoustics</i> , 2016, 24, 1650016.	1.0	1
5549	Efficiency of perfectly matched layers for seismic wave modeling in second-order viscoelastic equations. <i>Geophysical Journal International</i> , 2016, 207, 1367-1386.	1.0	14
5550	2D frequency-domain elastic full-waveform inversion using the block-diagonal pseudo-Hessian approximation. <i>Geophysics</i> , 2016, 81, R247-R259.	1.4	25
5553	Convergence of the PML method for elastic wave scattering problems. <i>Mathematics of Computation</i> , 2016, 85, 2687-2714.	1.1	21
5554	PML solution of longitudinal wave propagation in heterogeneous media. <i>Earthquake Engineering and Engineering Vibration</i> , 2016, 15, 357-368.	1.1	5
5555	Efficient Unsplit Perfectly Matched Layers for Finite-Element Time-Domain Modeling of Elastodynamics. <i>Journal of Engineering Mechanics - ASCE</i> , 2016, 142, .	1.6	4
5556	Scratch defects modulated hot spots generation in laser irradiated RDX crystals: a 3D FDTD simulation. <i>Journal of Materials Science</i> , 2016, 51, 8812-8823.	1.7	4
5557	A 2.5D finite-difference algorithm for elastic wave modeling using near-optimal quadratures. <i>Geophysics</i> , 2016, 81, T155-T162.	1.4	8
5558	Efficient split field FDTD analysis of third-order nonlinear materials in two-dimensionally periodic media. <i>Proceedings of SPIE</i> , 2016, , .	0.8	2
5559	Structured nonorthogonal ADI-FDTD for EM scattering from curved conducting bodies. <i>AEU - International Journal of Electronics and Communications</i> , 2016, 70, 1610-1616.	1.7	3

#	ARTICLE	IF	CITATIONS
5560	High-visibility multifunctional sensor based on multiple-resonant cavity of photonic crystal. , 2016, , .		0
5561	Fast Alternating BiDirectional Preconditioner for the 2D High-Frequency Lippmann–Schwinger Equation. SIAM Journal of Scientific Computing, 2016, 38, B866-B888.	1.3	16
5562	An optical channel drop filter based on 2D photonic crystal ring resonator. Journal of Electromagnetic Waves and Applications, 2016, 30, 2402-2410.	1.0	19
5563	Through-the-wall radar detection analysis via numerical modeling of Maxwell's Equations. , 2016, , .		0
5564	SAW transmission across wedge-like contacts in composite substrates. , 2016, , .		1
5566	Shape optimization of acoustic lenses for underwater imaging. Journal of Mechanical Science and Technology, 2016, 30, 4633-4644.	0.7	5
5567	Predicting Sound Absorption of Stacked Spheres: Combining an Analytical and Numerical Approach. Acta Acustica United With Acustica, 2016, 102, 971-983.	0.8	2
5568	Solving two dimensional second order elliptic equations in exterior domains using the inverted finite elements method. Computers and Mathematics With Applications, 2016, 72, 2315-2333.	1.4	7
5569	Performance comparison of the parallelized FDTD scheme with the PML implemented on GPU and MIC architectures. , 2016, , .		0
5570	Modeling and Characterization of Zero-Phase-Shift Lines and Optimization of Electrically Large ZPSL Loop Antennas for Near-Field Systems. IEEE Transactions on Antennas and Propagation, 2016, 64, 4587-4594.	3.1	19
5571	Perfectly matched layers for flexural waves: An exact analytical model. International Journal of Solids and Structures, 2016, 102-103, 1-9.	1.3	5
5572	Commercial Antenna Design Tools. , 2016, , 67-109.		0
5573	Numerical Modeling in Antenna Engineering. , 2016, , 111-195.		0
5574	Light trapping in p-i-n superlattice based InGaN/GaN solar cells using photonic crystal. Optical and Quantum Electronics, 2016, 48, 1.	1.5	7
5575	Transformation seismology: composite soil lenses for steering surface elastic Rayleigh waves. Scientific Reports, 2016, 6, 25320.	1.6	36
5576	Spectral control of near-field radiation transfer by interference of Surface Plasmon Polariton in pillar array structured conductors. Transactions of the JSME (in Japanese), 2016, 82, 16-00219-16-00219.	0.1	0
5577	Equivalent circuit of antennas generated by model order reduction. International Journal of Applied Electromagnetics and Mechanics, 2016, 52, 649-657.	0.3	1
5578	Optical field distribution in quasy-ID nanostructures. Journal of Physics: Conference Series, 2016, 741, 012154.	0.3	1

#	ARTICLE	IF	CITATIONS
5579	Perturbation approach for open boundary problems based on the equivalence theorem. , 2016, , .		2
5580	Scatterer rod radius analysis in 2D photonic crystal structure based channel drop filter using InP material. , 2016, , .		0
5581	Multi-transmission lines (MTL) loaded by nonlinear lumped elements on 2.5D: FDTD approach. , 2016, , .		0
5582	Implementation of the convolutional PML for Elastodynamic Finite Integration Technique (EFIT). , 2016, , .		0
5583	Efficiency of the perfectly matched layer with high-order finite difference and pseudo-spectral Maxwell solvers. AIP Conference Proceedings, 2016, , .	0.3	0
5584	Numerical modeling of 2D seismic wave propagation in fluid saturated porous media using graphics processing unit (GPU): Study case of realistic simple structural hydrocarbon trap. AIP Conference Proceedings, 2016, , .	0.3	1
5585	Accuracy of Weak-Form Discretisation and Extension of Recursive Transfer Method for Scattering Problems Governed by Fourth-Order Differential Equation. Journal of the Physical Society of Japan, 2016, 85, 054001.	0.7	3
5586	The influence of an adaptive nacelle inlet lip on fan noise propagation. Proceedings of Meetings on Acoustics, 2016, , .	0.3	1
5587	An Adaptive Perfectly Matched Layer Method for Multiple Cavity Scattering Problems. Communications in Computational Physics, 2016, 19, 534-558.	0.7	16
5588	A theoretical model of barriers having inhomogeneous impedance surfaces. Journal of the Acoustical Society of America, 2016, 139, EL63-EL69.	0.5	6
5589	Convergence of an Anisotropic Perfectly Matched Layer Method for Helmholtz Scattering Problems. Numerical Mathematics, 2016, 9, 358-382.	0.6	2
5590	Estimation of Impacts of Removing Arbitrarily Constrained Domain Details to the Analysis of Incompressible Fluid Flows. Communications in Computational Physics, 2016, 20, 944-968.	0.7	3
5591	Structural noise tolerance of photonic crystal optical properties. Advanced Optical Technologies, 2016, 5, 471-478.	0.9	0
5592	Modeling and analyzing of seismo-electromagnetics disturbance on crust of earth using FDTD method. , 2016, , .		1
5593	Summary report of working group 2: Computations for accelerator physics. AIP Conference Proceedings, 2016, , .	0.3	2
5595	Absorbing boundary conditions for acoustic models at low viscosity in a waveguide. Mathematical Methods in the Applied Sciences, 2016, 39, 5043-5065.	1.2	2
5596	A sweeping window method for detection of flaws using an explicit dynamic XFEM and absorbing boundary layers. International Journal for Numerical Methods in Engineering, 2016, 105, 1014-1040.	1.5	33
5598	Open-geometry Fourier modal method: modeling nanophotonic structures in infinite domains. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2016, 33, 1298.	0.8	29

#	ARTICLE	IF	CITATIONS
5599	Ultrasonic method for measuring the gas holdup of gas-liquid bubbly flow in a small-diameter pipe. Korean Journal of Chemical Engineering, 2016, 33, 1170-1180.	1.2	9
5600	Plasmon-enhanced second-harmonic generation from hybrid ZnO-covered silver-bowl array. Journal of Physics Condensed Matter, 2016, 28, 214003.	0.7	4
5601	Perfectly Matched Layer for Galbrun's aeroacoustic equation in a cylindrical coordinates system with an axial and a swirling steady mean flow. Journal of Sound and Vibration, 2016, 378, 124-143.	2.1	5
5602	Geometrically-conformal EM horizons and PML media. , 2016, , .		0
5603	Particle-in-Cell Simulations of a Multiple Beam S-Band Disk-on-Rod TWT Amplifier. IEEE Transactions on Plasma Science, 2016, 44, 1287-1290.	0.6	2
5604	A Stabilized Finite Element Method for the Mixed Wave Equation in an ALE Framework With Application to Diphthong Production. Acta Acustica United With Acustica, 2016, 102, 94-106.	0.8	18
5605	Finite-Element Analysis of Bulk-Acoustic-Wave Devices: A Review of Model Setup and Applications. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2016, 63, 1624-1635.	1.7	21
5606	Polarization-independent waveguides in air holes photonic crystals and its slow light. Optics Communications, 2016, 380, 227-232.	1.0	8
5607	A POD reduced-order finite difference time-domain extrapolating scheme for the 2D Maxwell equations in a lossy medium. Journal of Mathematical Analysis and Applications, 2016, 444, 433-451.	0.5	25
5608	A hybrid non-reflective boundary technique for efficient simulation of guided waves using local interaction simulation approach. Proceedings of SPIE, 2016, , .	0.8	1
5609	Through-the-wall radar detection analysis via numerical modeling of Maxwell's equations. Journal of Computational Physics, 2016, 313, 532-548.	1.9	12
5610	Frequency Range Determination for Reflectometry System in Alborz Tokamak Using 2D FDTD Simulation. Journal of Fusion Energy, 2016, 35, 634-642.	0.5	0
5611	Mixed GMsFEM for the simulation of waves in highly heterogeneous media. Journal of Computational and Applied Mathematics, 2016, 306, 69-86.	1.1	8
5612	Topology optimization of two-dimensional elastic wave barriers. Journal of Sound and Vibration, 2016, 376, 95-111.	2.1	33
5613	Development of a 3D staggered FDTD scheme for solving Maxwell's equations in Drude medium. Computers and Mathematics With Applications, 2016, 71, 1198-1226.	1.4	5
5614	Semi-analytical and numerical estimates of anchor losses in bistable MEMS. International Journal of Solids and Structures, 2016, 92-93, 141-148.	1.3	6
5615	Energy evolution of multi-symplectic methods for Maxwell equations with perfectly matched layer boundary. Journal of Mathematical Analysis and Applications, 2016, 439, 256-270.	0.5	5
5616	Optimum topological design of negative permeability dielectric metamaterial using a new binary particle swarm algorithm. Advances in Engineering Software, 2016, 101, 149-159.	1.8	17

#	ARTICLE	IF	CITATIONS
5617	GetDDM: An open framework for testing optimized Schwarz methods for time-harmonic wave problems. <i>Computer Physics Communications</i> , 2016, 203, 309-330.	3.0	19
5618	A framework for simulating ultrasound imaging based on first order nonlinear pressure-velocity relations. <i>Ultrasonics</i> , 2016, 69, 152-165.	2.1	5
5619	Investigation of localized surface plasmon enhancement on organic light emitting diode by numerical analysis in 3D model. , 2016, , .		0
5620	Optimization of resolution by FDTD analysis in aligner lithography. <i>Precision Engineering</i> , 2016, 44, 171-179.	1.8	0
5621	Full waveform inversion applied in defect investigation for ballastless undertrack structure of high-speed railway. <i>Tunnelling and Underground Space Technology</i> , 2016, 51, 202-211.	3.0	7
5622	An effective absorbing boundary condition for linear long-wave and linear dispersive-wave tsunami simulations. <i>Earth, Planets and Space</i> , 2016, 68, .	0.9	4
5623	Plasmons of topological crystalline insulator SnTe with nanostructured patterns. <i>RSC Advances</i> , 2016, 6, 56042-56047.	1.7	1
5624	A fully-implicit, Giles-type nonreflecting boundary condition in a DG-Chimera turbomachinery solver. , 2016, , .		2
5625	A New Hybrid Implicit-Explicit FDTD Method for Local Subgridding in Multiscale 2-D TE Scattering Problems. <i>IEEE Transactions on Antennas and Propagation</i> , 2016, 64, 3509-3520.	3.1	20
5626	Computational simulation of antennas array with 17 elements. , 2016, , .		0
5627	Transient implicit wave propagation dynamics with the method of finite spheres. <i>Computers and Structures</i> , 2016, 173, 50-60.	2.4	32
5628	Development and Evaluation of Non-Reflective Boundary Conditions for Lattice Boltzmann Method. , 2016, , .		2
5629	Full-waveform modeling and inversion of physical model data. <i>Journal of Applied Geophysics</i> , 2016, 131, 145-153.	0.9	2
5630	Multidirectional slowness vector for computing angle gathers from reverse time migration. <i>Geophysics</i> , 2016, 81, S55-S68.	1.4	36
5631	Three-port asymmetric (three-port ordered-route) light transmission in a linear, time-independent and non-magnetic structure of photonic crystals. <i>Europhysics Letters</i> , 2016, 113, 34004.	0.7	7
5632	An absorbing boundary condition for acoustic-wave propagation using a mesh-free method. <i>Geophysics</i> , 2016, 81, T145-T154.	1.4	23
5633	AJ-E Collocated WLP-FDTD Model of Wave Propagation in Isotropic Cold Plasma. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016, 64, 1957-1965.	2.9	14
5634	Application of a perfectly matched layer in seismic wavefield simulation with an irregular free surface. <i>Geophysical Prospecting</i> , 2016, 64, 112-128.	1.0	11

#	ARTICLE	IF	CITATIONS
5635	High-Sensitivity Plasmonic Sensor Based on Metal-Insulator-Metal Waveguide and Hexagonal-Ring Cavity. IEEE Sensors Journal, 2016, 16, 3041-3046.	2.4	105
5636	A Cell-Based Smoothed Radial Point Interpolation-Perfectly Matched Layer Method For Two-Dimensional Acoustic Radiation Problems. Journal of Pressure Vessel Technology, Transactions of the ASME, 2016, 138, .	0.4	6
5637	Review of Flow-Excited Resonance of Acoustic Trapped Modes in Ducted Shallow Cavities. Journal of Pressure Vessel Technology, Transactions of the ASME, 2016, 138, .	0.4	14
5638	One-way light transmission in compact SOI structures. Optical and Quantum Electronics, 2016, 48, 1.	1.5	0
5639	Elastic Metamaterials With Low-Frequency Passbands Based on Lattice System With On-Site Potential. Journal of Vibration and Acoustics, Transactions of the ASME, 2016, 138, .	1.0	20
5640	Optimization based determination of highly absorbing boundary conditions for linear finite difference schemes. Journal of Sound and Vibration, 2016, 365, 45-69.	2.1	9
5641	Efficient modeling of flat and homogeneous acoustic treatments for vibroacoustic finite element analysis. Direct field formulations. Journal of Sound and Vibration, 2016, 367, 84-100.	2.1	7
5642	Study on the similarity of photonic crystal ring resonator cavity modes and whispering-gallery-like modes in order to design more efficient optical power dividers. Photonic Network Communications, 2016, 32, 160-170.	1.4	14
5643	An Unconditionally Stable WLP-FDTD Model of Wave Propagation in Magnetized Plasma. IEEE Transactions on Plasma Science, 2016, 44, 25-30.	0.6	12
5644	Acoustic resonances in a 3D open cavity with non-parallel walls. Journal of Sound and Vibration, 2016, 363, 181-198.	2.1	8
5645	Spectral element method-based parabolic equation for EM-scattering problems. Waves in Random and Complex Media, 2016, 26, 80-88.	1.6	1
5646	A Realistic FDTD Numerical Modeling Framework of Ground Penetrating Radar for Landmine Detection. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2016, 9, 37-51.	2.3	136
5647	Analysis of wave propagation and soil-structure interaction using a perfectly matched layer model. Soil Dynamics and Earthquake Engineering, 2016, 81, 1-13.	1.9	10
5648	Topology Optimization of a Magnetic Resonator Using Finite-Difference Time-Domain Method for Wireless Energy Transfer. IEEE Transactions on Magnetics, 2016, 52, 1-4.	1.2	5
5649	Simulations of a Disk-on-Rod TWT Driven by an NLTL-Modulated Electron Beam. IEEE Transactions on Plasma Science, 2016, 44, 1265-1269.	0.6	7
5650	Recursive Sweeping Preconditioner for the Three-Dimensional Helmholtz Equation. SIAM Journal of Scientific Computing, 2016, 38, A814-A832.	1.3	15
5651	Two-dimensional numerical simulation of O-mode to Z-mode conversion in the ionosphere. Journal of Geophysical Research: Space Physics, 2016, 121, 2755-2782.	0.8	8
5652	Frozen Gaussian approximation based domain decomposition methods for the linear Schrödinger equation beyond the semi-classical regime. Journal of Computational Physics, 2016, 315, 221-237.	1.9	8

#	ARTICLE	IF	CITATIONS
5653	Finite difference time domain modelling of sound scattering by the dynamically rough surface of a turbulent open channel flow. <i>Applied Acoustics</i> , 2016, 110, 13-22.	1.7	6
5654	The SEISCOPE optimization toolbox: A large-scale nonlinear optimization library based on reverse communication. <i>Geophysics</i> , 2016, 81, F1-F15.	1.4	125
5655	Highly sensitive surface plasmon resonance sensor utilizing a long period grating with photosensitive cladding. <i>Applied Optics</i> , 2016, 55, 1470.	2.1	25
5656	Elegant deduction of three types of recursive convolution (RC) technique in simulation of dispersive material. <i>Optik</i> , 2016, 127, 4790-4793.	1.4	0
5657	Near-Optimal Perfectly Matched Layers for Indefinite Helmholtz Problems. <i>SIAM Review</i> , 2016, 58, 90-116.	4.2	42
5658	Modeling and analysis of the temperature sensitivity in two-dimensional photonic crystal microcavity. <i>Journal of Nanophotonics</i> , 2016, 10, 016007.	0.4	31
5659	Combination of the discontinuous Galerkin method with finite differences for simulation of seismic wave propagation. <i>Journal of Computational Physics</i> , 2016, 311, 142-157.	1.9	45
5660	Diffraction of waves on triangular lattice by a semi-infinite rigid constraint and crack. <i>International Journal of Solids and Structures</i> , 2016, 80, 465-485.	1.3	11
5661	An approach of waveguide mode selection based on the thin-film spatial filters. <i>Optics Communications</i> , 2016, 365, 120-124.	1.0	2
5662	Reverse time migration of 3D vertical seismic profile data. <i>Geophysics</i> , 2016, 81, S31-S38.	1.4	43
5663	Accounting for Surface Refraction in Velocity Semblance Analysis With Air-Coupled GPR. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2016, 9, 60-73.	2.3	14
5664	A New Approach of Rotated Staggered Grid FD Method With Unsplit Convolutional PML for GPR. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2016, 9, 52-59.	2.3	11
5665	A parallel evolution strategy for an earth imaging problem in geophysics. <i>Optimization and Engineering</i> , 2016, 17, 3-26.	1.3	13
5666	Theoretical study of novel dual-core microstructured photonic crystal fiber. <i>Optik</i> , 2016, 127, 3427-3429.	1.4	1
5667	Symplectic finite difference time domain scheme based on decomposition technique of the exponential operator for plasma media. <i>IET Microwaves, Antennas and Propagation</i> , 2016, 10, 129-133.	0.7	3
5668	Permafrost Subgrade Condition Assessment Using Extrapolation by Deterministic Deconvolution on Multifrequency GPR Data Acquired Along the Qinghai-Tibet Railway. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2016, 9, 83-90.	2.3	31
5669	Space-Time PML and Subgrid Connections for Finite Integration Method. <i>IEEE Transactions on Magnetics</i> , 2016, 52, 1-4.	1.2	2
5670	Study of asymmetric U-shaped resonator at terahertz frequencies. <i>Optics Communications</i> , 2016, 368, 119-122.	1.0	9

#	ARTICLE	IF	CITATIONS
5671	A fast and robust computational method for the ionization cross sections of the driven Schrödinger equation using an O(N) multigrid-based scheme. <i>Journal of Computational Physics</i> , 2016, 308, 20-39.	1.9	3
5672	Elastic frequency-domain finite-difference contrast source inversion method. <i>Inverse Problems</i> , 2016, 32, 035009.	1.0	5
5673	Three-dimensional vector holograms formed in twisted-nematic azo-dye-doped polymer liquid-crystal composite. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, 286.	0.9	2
5674	The finite-difference matrix for beam propagation: eigenvalues and eigenvectors. , 2016, , .		0
5675	Seamless integration of global Dirichlet-to-Neumann boundary condition and spectral elements for transformation electromagnetics. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2016, 301, 137-163.	3.4	25
5676	The method of polarized traces for the 2D Helmholtz equation. <i>Journal of Computational Physics</i> , 2016, 308, 347-388.	1.9	58
5677	Energy/dissipation-preserving Birkhoffian multi-symplectic methods for Maxwell's equations with dissipation terms. <i>Journal of Computational Physics</i> , 2016, 311, 213-240.	1.9	3
5678	Controlling electromagnetic wave through dual heights micro-lens array of a CMOS image sensor. <i>Optics Communications</i> , 2016, 367, 254-258.	1.0	5
5679	Frequency-space domain acoustic wave simulation with the BiCGstab ($\hat{\alpha}$, $\hat{\omega}$) iterative method. <i>Journal of Geophysics and Engineering</i> , 2016, 13, 70-77.	0.7	1
5680	Coupled acoustic response of two-dimensional bounded and unbounded domains using doubly-asymptotic open boundaries. <i>Journal of Computational Physics</i> , 2016, 310, 252-284.	1.9	31
5681	A Novel Regularization Technique for Microendoscopic Electrical Impedance Tomography. <i>IEEE Transactions on Medical Imaging</i> , 2016, 35, 1593-1603.	5.4	22
5682	Realization of the ultrawideband negative index metamaterials by its multiple-band. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, 474.	0.9	1
5683	A modulation equations approach for numerically solving the moving soliton and radiation solutions of NLS. <i>Physica D: Nonlinear Phenomena</i> , 2016, 320, 77-88.	1.3	2
5684	Reflection seismic waveform tomography of physical modelling data. <i>Journal of Geophysics and Engineering</i> , 2016, 13, 146-151.	0.7	14
5685	Modeling and analysis of the optical black hole in metamaterials by the finite element time-domain method. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2016, 304, 501-520.	3.4	13
5686	A Generic Hybrid Model for the Simulation of Three-Dimensional Bulk Elastodynamics for Use in Nondestructive Evaluation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2016, 63, 726-736.	1.7	3
5687	Hybrid smoothed finite element method for two-dimensional underwater acoustic scattering problems. <i>Ocean Engineering</i> , 2016, 116, 129-141.	1.9	84
5688	Modeling of dispersion and nonlinear characteristics of tapered photonic crystal fibers for applications in nonlinear optics. <i>Journal of Modern Optics</i> , 2016, 63, 151-158.	0.6	18

#	ARTICLE	IF	CITATIONS
5689	All-optical NOT and AND gates using counter propagating beams in nonlinear Mach-Zehnder interferometer made of photonic crystal waveguides. <i>Optik</i> , 2016, 127, 1221-1228.	1.4	52
5690	Assessing the Electromagnetic Fields Generated By a Radiofrequency MRI Body Coil at 64 MHz: Defeating Versus Accuracy. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 1591-1601.	2.5	35
5691	Infrared radiative properties of EB-PVD thermal barrier coatings. <i>International Journal of Heat and Mass Transfer</i> , 2016, 94, 199-210.	2.5	24
5692	A Corner-Free Truncation Strategy in Three-Dimensional FDTD Computation. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2016, 58, 512-522.	1.4	6
5693	DtN and NtD surface radiation conditions for two-dimensional acoustic scattering: Formal derivation and numerical validation. <i>Applied Numerical Mathematics</i> , 2016, 101, 53-70.	1.2	9
5694	A high-order perturbation of surfaces (HOPS) approach to Fokas integral equations: Vector electromagnetic scattering by periodic crossed gratings. <i>Applied Numerical Mathematics</i> , 2016, 101, 1-17.	1.2	4
5695	Study of two dimensional photonic crystal nanocavities based on Gallium Nitride (GaN). <i>Optik</i> , 2016, 127, 2708-2714.	1.4	2
5696	Development of a Perfectly Matched Layer Technique for a Discontinuous-Galerkin Spectral-Element Method. , 2016, , .		7
5697	Polarization-Independent and Wide-Incident-Angle Metamaterial Perfect Absorber. <i>Springer Series in Materials Science</i> , 2016, , 143-167.	0.4	0
5698	Subwavelength Focusing Properties of Diffractive Photonic Crystal Lens. <i>SpringerBriefs in Physics</i> , 2016, , 21-30.	0.2	0
5699	Multi-transmitting formula for finite element modeling of wave propagation in a saturated poroelastic medium. <i>Soil Dynamics and Earthquake Engineering</i> , 2016, 80, 11-24.	1.9	15
5700	The panel-clustering method for the wave equation in two spatial dimensions. <i>Journal of Computational Physics</i> , 2016, 305, 217-243.	1.9	10
5701	Detailed analysis of the effects of stencil spatial variations with arbitrary high-order finite-difference Maxwell solver. <i>Computer Physics Communications</i> , 2016, 200, 147-167.	3.0	36
5702	In situ synthesis of Mg/Fe LDO/carbon nanohelix composites as absorbing materials. <i>Journal of Alloys and Compounds</i> , 2016, 658, 505-512.	2.8	15
5703	Asymmetric transmission in modified photonic crystal waveguides. <i>Optik</i> , 2016, 127, 1993-1996.	1.4	4
5704	Application of the finite-difference contrast source inversion method to multiparameter reconstruction using seismic full-waveform data. <i>Journal of Applied Geophysics</i> , 2016, 124, 4-16.	0.9	6
5705	A reverberation chamber for rodents™ exposure to wideband radiofrequency electromagnetic fields with different small-scale fading distributions. <i>Electromagnetic Biology and Medicine</i> , 2016, 35, 30-39.	0.7	5
5706	Hybrid smoothed finite element method for two dimensional acoustic radiation problems. <i>Applied Acoustics</i> , 2016, 103, 90-101.	1.7	26

#	ARTICLE	IF	CITATIONS
5707	Numerical simulation of metallic nanostructures interacting with electromagnetic fields using the Lorentzâ€Drude model and FDTD method. International Journal of Modern Physics C, 2016, 27, 1650043.	0.8	9
5708	The Mixed Finite-Element Method With Mass Lumping for Computing Optical Waveguide Modes. IEEE Journal of Selected Topics in Quantum Electronics, 2016, 22, 187-195.	1.9	16
5709	Multidomain spectral method for SchrÃdinger equations. Advances in Computational Mathematics, 2016, 42, 395-423.	0.8	15
5710	Density-Functional Methods for Excited States. Topics in Current Chemistry, 2016, , .	4.0	52
5711	MPI-ACC: Accelerator-Aware MPI for Scientific Applications. IEEE Transactions on Parallel and Distributed Systems, 2016, 27, 1401-1414.	4.0	14
5712	Computational Problems and Numerical Techniques for the Analysis of Phononic Crystals. , 2016, , 85-107.		2
5713	Surface Acoustic Waves in Phononic Crystals. , 2016, , 145-189.		2
5714	Compact second-order time-domain perfectly matched layer formulation for elastic wave propagation in two dimensions. Mathematics and Mechanics of Solids, 2017, 22, 20-37.	1.5	15
5715	Stability of perfectly matched layer regions in generalized finite difference method for wave problems. Journal of Computational and Applied Mathematics, 2017, 312, 231-239.	1.1	27
5716	Exact Non-reflecting Boundary Conditions Revisited: Well-Posedness and Stability. Foundations of Computational Mathematics, 2017, 17, 957-986.	1.5	11
5717	Overresolving in the Laplace Domain for Convolution Quadrature Methods. SIAM Journal of Scientific Computing, 2017, 39, A188-A213.	1.3	8
5718	A Novel Computational Method Modeling Wave propagation using K-space method and Damage Detection using Adjoint Method. , 2017, , .		2
5719	This Submission is for Special Issue on Underwater Acoustics: Perfectly Matched Layer Technique for Parabolic Equation Models in Ocean Acoustics. Journal of Computational Acoustics, 2017, 25, 1650021.	1.0	7
5720	A novel CFSâ€PML boundary condition for transient electromagnetic simulation using a fictitious wave domain method. Radio Science, 2017, 52, 118-131.	0.8	13
5721	Perfect absorption in SchrÃdinger-like problems using non-equidistant complex grids. Journal of Computational Physics, 2017, 333, 199-211.	1.9	14
5722	Exact transparent boundary conditions for the parabolic wave equations with linear and quadratic potentials. Wave Motion, 2017, 68, 202-209.	1.0	6
5723	Efficiently parallelized modeling of tightly focused, large bandwidth laser pulses. Journal of Optics (United Kingdom), 2017, 19, 025604.	1.0	10
5724	A finite element model to improve noise reduction based attenuation measurement of earmuffs in a directional sound field. Applied Acoustics, 2017, 119, 66-77.	1.7	10

#	ARTICLE	IF	CITATIONS
5725	An investigation of the unstable phenomena of natural convection in parallel square plates by multi-GPU implementation. Numerical Heat Transfer, Part B: Fundamentals, 2017, 71, 66-83.	0.6	3
5726	Complex-Frequency Shifted PMLs for Maxwell's Equations With Hyperbolic Divergence Cleaning and Their Application in Particle-in-Cell Codes. IEEE Transactions on Plasma Science, 2017, 45, 2-14.	0.6	8
5727	Study of the effects of the perpendicular velocity gradient on a Doppler backscattering system using a 2D full wave code. Physics of Plasmas, 2017, 24, .	0.7	2
5728	Extending the Utility of the Parabolic Approximation in Medical Ultrasound Using Wide-Angle Diffraction Modeling. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2017, 64, 679-687.	1.7	10
5729	Improved dropping efficiency in two-dimensional photonic crystal-based channel drop filter for coarse wavelength division multiplexing application. Optical Engineering, 2017, 56, 015107.	0.5	25
5730	Effect of the elliptic rods orientations on the asymmetric light transmission in photonic crystals. Optics Communications, 2017, 392, 147-152.	1.0	7
5731	Viscoelastic reverse time migration with attenuation compensation. Geophysics, 2017, 82, S61-S73.	1.4	44
5732	Influence of wall thickness and diameter on arterial shear wave elastography: a phantom and finite element study. Physics in Medicine and Biology, 2017, 62, 2694-2718.	1.6	29
5733	First-Order Acoustic Wave Equation Reverse Time Migration Based on the Dual-Sensor Seismic Acquisition System. Pure and Applied Geophysics, 2017, 174, 1345-1360.	0.8	4
5734	Stable and convergent fully discrete interior-exterior coupling of Maxwell's equations. Numerische Mathematik, 2017, 137, 91-117.	0.9	13
5735	Meteorological effects on the noise reducing performance of a low parallel wall structure. Applied Acoustics, 2017, 121, 74-81.	1.7	3
5736	Extended variational theory of complex rays in heterogeneous Helmholtz problem. Computational Mechanics, 2017, 59, 909-918.	2.2	1
5737	Convolution quadrature for the wave equation with impedance boundary conditions. Journal of Computational Physics, 2017, 334, 442-459.	1.9	13
5738	Mechanics of ultrasound elastography. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2017, 473, 20160841.	1.0	59
5739	Effects of ceiling phase gradients on the acoustic environment on roadside balconies. Journal of the Acoustical Society of America, 2017, 141, EL146-EL152.	0.5	4
5740	Wavefield simulation of 3D borehole dipole radiation. Geophysics, 2017, 82, D155-D169.	1.4	20
5741	Modern Solvers for Helmholtz Problems. Geosystems Mathematics, 2017, , .	0.0	9
5742	Full Waveform Inversion and the Truncated Newton Method. SIAM Review, 2017, 59, 153-195.	4.2	56

#	ARTICLE	IF	CITATIONS
5743	Higher-order triangular spectral element method with optimized cubature points for seismic wavefield modeling. <i>Journal of Computational Physics</i> , 2017, 336, 458-480.	1.9	23
5744	A general optimal method for a 2D frequency-domain finite-difference solution of scalar wave equation. <i>Geophysics</i> , 2017, 82, T121-T132.	1.4	21
5745	Some Computational Aspects of the Time and Frequency Domain Formulations of Seismic Waveform Inversion. <i>Geosystems Mathematics</i> , 2017, , 159-187.	0.0	5
5746	Planning, optimisation and evaluation of hyperthermia treatments. <i>International Journal of Hyperthermia</i> , 2017, 33, 593-607.	1.1	77
5747	Transmitting boundary conditions for 1D peridynamics. <i>International Journal for Numerical Methods in Engineering</i> , 2017, 110, 379-400.	1.5	20
5748	A tunable high-efficiency optical switch based on graphene coupled photonic crystals structure. <i>Journal of Modern Optics</i> , 2017, 64, 1531-1537.	0.6	11
5749	Invited Article: Acousto-optic finite-difference frequency-domain algorithm for first-principles simulations of on-chip acousto-optic devices. <i>APL Photonics</i> , 2017, 2, 020801.	3.0	3
5750	Mathematical study of scattering resonances. <i>Bulletin of Mathematical Sciences</i> , 2017, 7, 1-85.	0.5	70
5751	Unconditionally Stable CN-PML Algorithm for Frequency-Dispersive Left-Handed Materials. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017, 16, 2006-2009.	2.4	8
5752	Fast iterative boundary element methods for high-frequency scattering problems in 3D elastodynamics. <i>Journal of Computational Physics</i> , 2017, 341, 429-446.	1.9	26
5753	A multi-domain decomposition-based Fourier finite element method for the simulation of 3D marine CSEM measurements. <i>Computational Geosciences</i> , 2017, 21, 345-357.	1.2	4
5754	A friendly review of absorbing boundary conditions and perfectly matched layers for classical and relativistic quantum waves equations. <i>Molecular Physics</i> , 2017, 115, 1861-1879.	0.8	48
5755	Efficient parallel FDTD algorithm for modeling infinite graphene sheet simulations. , 2017, , .		0
5756	Light scattering from normal and cervical cancer cells. <i>Applied Optics</i> , 2017, 56, 3608.	2.1	14
5757	An efficient FE approach for attenuation of acoustic radiation of thin structures by using passive shunted piezoelectric systems. <i>Applied Acoustics</i> , 2017, 128, 3-13.	1.7	13
5758	A memory-efficient staining algorithm in 3D seismic modelling and imaging. <i>Journal of Applied Geophysics</i> , 2017, 143, 62-73.	0.9	5
5759	Numerical modeling of embedded solid waveguides using SAFE-PML approach using a commercially available finite element package. <i>NDT and E International</i> , 2017, 90, 11-23.	1.7	41
5760	Higher Order Asymptotic Approximations of Eigenmodes for a Circular Waveguide Terminated by a Perfectly Matched Layer. <i>Journal of Lightwave Technology</i> , 2017, 35, 1980-1987.	2.7	0

#	ARTICLE	IF	CITATIONS
5761	A adaptive method for electromagnetic wave propagation. International Journal for Numerical Methods in Engineering, 2017, 112, 1687-1711.	1.5	3
5762	One-way optical transmission in silicon photonic crystal heterojunction with circular and square scatterers. Physics Letters, Section A: General, Atomic and Solid State Physics, 2017, 381, 2131-2135.	0.9	11
5763	Imaging the Yellow Sea Bottom Cold Water from multichannel seismic data. Journal of Oceanography, 2017, 73, 701-709.	0.7	4
5764	A GPU-accelerated nodal discontinuous Galerkin method with high-order absorbing boundary conditions and corner/edge compatibility. International Journal for Numerical Methods in Engineering, 2017, 112, 1659-1686.	1.5	10
5765	Stabilized multiple-region finite-difference time-domain method. , 2017, , .		1
5766	Analysis of reflection from a novel anisotropic lossy medium characterized by particular material properties. Journal of Electromagnetic Waves and Applications, 2017, 31, 798-807.	1.0	4
5767	Piecewise linear recursive convolution (PLRC) implementation of convolution perfectly matched layer (CPML) in finite-difference time-domain (FDTD). Optik, 2017, 140, 459-466.	1.4	4
5768	Numerical Dispersion Relation for the 2-D LOD-FDTD Method in Lossy Media. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 2122-2125.	2.4	3
5769	A dispersion minimizing finite difference scheme for the Helmholtz equation based on point-weighting. Computers and Mathematics With Applications, 2017, 73, 2345-2359.	1.4	15
5770	Application of symplectic finite-difference time-domain scheme for anisotropic magnetised plasma. IET Microwaves, Antennas and Propagation, 2017, 11, 600-606.	0.7	2
5771	Dielectric nanoparticles for the enhancement of OLED light extraction efficiency. Optics Communications, 2017, 387, 202-207.	1.0	31
5772	Adaptive wavelet collocation method for simulation of a 2D micro-ring resonator. Optik, 2017, 131, 655-670.	1.4	0
5773	Unidirectional light propagation photonic crystal waveguide incorporating modified defects. Optik, 2017, 130, 1370-1376.	1.4	3
5774	Free-space-to-waveguide demultiplexer featuring zero-contrast gratings. Optics Communications, 2017, 387, 89-94.	1.0	4
5775	Sound trapping and dredging barriers. Journal of the Acoustical Society of America, 2017, 141, EL561-EL566.	0.5	3
5776	Numerical simulation of 2-D seismic wave propagation in the presence of a topographic fluid-solid interface at the sea bottom by the curvilinear grid finite-difference method. Geophysical Journal International, 2017, 210, 1721-1738.	1.0	26
5777	Navier-Stokes Characteristic Boundary Conditions Using Ghost Cells. , 2017, , .		0
5778	Comparison of artificial absorbing boundaries for acoustic wave equation modelling. Exploration Geophysics, 2017, 48, 76-93.	0.5	48

#	ARTICLE	IF	CITATIONS
5779	Engineering ultra-flattened normal dispersion photonic crystal fiber with silica material. Proceedings of SPIE, 2017, , .	0.8	1
5780	Nearly perfectly matched layer boundary conditions for operator upscaling of the acoustic wave equation. Computational Geosciences, 2017, 21, 359-372.	1.2	1
5781	Optimized microwave illusion device. Scientific Reports, 2017, 7, 3929.	1.6	10
5782	A Rational Function Preconditioner For Indefinite Sparse Linear Systems. SIAM Journal of Scientific Computing, 2017, 39, A1145-A1167.	1.3	8
5783	On the internal interfaces in finite-difference schemes. Geophysics, 2017, 82, T159-T182.	1.4	30
5784	Zero reflection and transmission in graded index media. Journal of Optics (United Kingdom), 2017, 19, 085603.	1.0	8
5785	Acoustic Reflectometry for Pitot Tube Blockage Detection. , 2017, , .		1
5786	Physical Simulation of Sound Propagation from Aircraft in Close Proximity to the Ground. , 2017, , .		0
5787	High-performance ultra-compact communication triplexer on silicon-on-insulator photonic crystal structure. Photonic Network Communications, 2017, 34, 445-450.	1.4	18
5788	Effects of outer top gas injection on ICRF coupling in ASDEX Upgrade: towards modelling of ITER gas injection. Plasma Physics and Controlled Fusion, 2017, 59, 075004.	0.9	12
5789	Newmark-Beta-FDTD method for super-resolution analysis of time reversal waves. Journal of Computational Physics, 2017, 345, 475-483.	1.9	5
5790	An improved time-dependent Boundary Element Method for two-dimensional acoustic problems in a subsonic uniform flow. Journal of Computational Science, 2017, 21, 86-112.	1.5	6
5791	The Approximate Solution of Maxwell's Equations. , 0, , 129-158.		0
5792	An absorbing boundary condition for free surface water waves. Computers and Fluids, 2017, 156, 562-578.	1.3	8
5793	Seismic shaking in the North China Basin expected from ruptures of a possible seismic gap. Geophysical Research Letters, 2017, 44, 4855-4862.	1.5	7
5794	High-order finite-difference approximations to solve pseudoacoustic equations in 3D VTI media. Geophysics, 2017, 82, T225-T235.	1.4	12
5795	Mathematical aspects of variational boundary integral equations for time dependent wave propagation. Journal of Integral Equations and Applications, 2017, 29, .	0.2	17
5796	Biosonar signal propagation in the harbor porpoise's (Phocoena phocoena) head: The role of various structures in the formation of the vertical beam. Journal of the Acoustical Society of America, 2017, 141, 4179-4187.	0.5	36

#	ARTICLE	IF	CITATIONS
5797	A semi-analytical scheme for highly oscillatory integrals over tetrahedra. International Journal for Numerical Methods in Engineering, 2017, 111, 703-723.	1.5	6
5798	Pseudospectral reverse time migration based on wavefield decomposition. Geophysical Journal International, 2017, 209, 890-900.	1.0	0
5799	Method of moving frames to solve time-dependent Maxwell's equations on anisotropic curved surfaces: Applications to invisible cloak and ELF propagation. Journal of Computational Physics, 2017, 340, 85-104.	1.9	5
5800	A new high-order finite volume method for 3D elastic wave simulation on unstructured meshes. Journal of Computational Physics, 2017, 340, 534-555.	1.9	11
5801	Perfectly matched layers for convex truncated domains with discontinuous Galerkin time domain simulations. Computers and Mathematics With Applications, 2017, 73, 684-700.	1.4	9
5802	Research on the resolution of NR-PC flat lenses array detecting small target. Optik, 2017, 136, 319-326.	1.4	0
5803	Theoretical basis and application of vertical Z-component in-seam wave exploration. Journal of Applied Geophysics, 2017, 138, 91-101.	0.9	7
5804	Dipole excitation of surface plasmon on a conducting sheet: Finite element approximation and validation. Journal of Computational Physics, 2017, 339, 126-145.	1.9	19
5805	Track-ground vibrations induced by railway traffic: experimental validation of a 3D numerical model. Soil Dynamics and Earthquake Engineering, 2017, 97, 324-344.	1.9	42
5806	Time and direction of arrival detection and filtering for imaging in strongly scattering random media. Waves in Random and Complex Media, 2017, 27, 664-689.	1.6	4
5807	2-D Unconditionally Stable CFS-PML Based on CNDG for Truncating Unmagnetized Plasma Media. IEEE Microwave and Wireless Components Letters, 2017, 27, 323-325.	2.0	5
5808	Performance advantages of CPML over UPML absorbing boundary conditions in FDTD algorithm. Journal of Electrical Engineering, 2017, 68, 47-53.	0.4	6
5809	High sensitive photonic crystal multiplexed biosensor array using H0 sandwiched cavities. EPJ Web of Conferences, 2017, 139, 00003.	0.1	3
5810	Linear radial structure of reactive energetic geodesic acoustic modes. Plasma Physics and Controlled Fusion, 2017, 59, 055018.	0.9	6
5811	Stable perfectly matched layers for a cold plasma in a strong background magnetic field. Journal of Computational Physics, 2017, 341, 76-101.	1.9	14
5812	Sound Propagation Modeling. , 2017, , 185-272.		6
5813	Simulation of Maxwell's Equations on GPU Using a High-Order Error-Minimized Scheme. Communications in Computational Physics, 2017, 21, 1039-1064.	0.7	1
5815	Acoustomicrofluidic application of quasi-shear surface waves. Ultrasonics, 2017, 78, 10-17.	2.1	12

#	ARTICLE	IF	CITATIONS
5816	Accurate simulation of transcranial ultrasound propagation for ultrasonic neuromodulation and stimulation. <i>Journal of the Acoustical Society of America</i> , 2017, 141, 1726-1738.	0.5	103
5817	Constructing non-reflecting boundary conditions using summation-by-parts in time. <i>Journal of Computational Physics</i> , 2017, 331, 38-48.	1.9	3
5819	Enhancing absorption properties of composite nanosphere and nanowire arrays by localized surface plasmon resonance shift. <i>Results in Physics</i> , 2017, 7, 87-94.	2.0	8
5820	Efficient wave-mode separation in vertical transversely isotropic media. <i>Geophysics</i> , 2017, 82, C35-C47.	1.4	12
5821	High order local absorbing boundary conditions for acoustic waves in terms of farfield expansions. <i>Journal of Computational Physics</i> , 2017, 333, 331-351.	1.9	17
5822	Interaction of light with hematite hierarchical structures: Experiments and simulations. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017, 189, 369-382.	1.1	6
5823	Towards an effective non-reflective boundary condition for computational aeroacoustics. <i>Journal of Sound and Vibration</i> , 2017, 392, 217-231.	2.1	11
5824	Optimal staggered-grid finite-difference schemes based on the minimax approximation method with the Remez algorithm. <i>Geophysics</i> , 2017, 82, T27-T42.	1.4	33
5825	A fourth order accuracy summation-by-parts finite difference scheme for acoustic reverse time migration in boundary-conforming grids. <i>Journal of Applied Geophysics</i> , 2017, 136, 498-512.	0.9	5
5826	Density of optical states in rolled-up photonic crystals and quasi crystals. <i>Computer Physics Communications</i> , 2017, 214, 117-127.	3.0	5
5827	Fast computation of synthetic seismograms within a medium containing remote localized perturbations: a numerical solution to the scattering problem. <i>Geophysical Journal International</i> , 2017, 208, 674-692.	1.0	26
5828	Spectral scalability and optical spectra of fractal multilayer structures: FDTD analysis. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	1.1	2
5829	Efficiency improved scalar wave low-rank extrapolation with an effective perfectly matched layer. <i>Journal of Geophysics and Engineering</i> , 2017, 14, 113-119.	0.7	3
5830	Artificial Boundary Conditions for Nonlocal Heat Equations on Unbounded Domain. <i>Communications in Computational Physics</i> , 2017, 21, 16-39.	0.7	25
5831	A comparison of the heating characteristics of capacitive and radiative superficial hyperthermia. <i>International Journal of Hyperthermia</i> , 2017, 33, 378-386.	1.1	49
5832	Planarized nanophotonic sensor for real-time fluid sensing. <i>AIP Advances</i> , 2017, 7, 095306.	0.6	1
5833	Rapid 2D FEM simulation of advanced SAW devices. , 2017, , .		12
5834	An asynchronous spacetime discontinuous Galerkin finite element method for time domain electromagnetics. <i>Journal of Computational Physics</i> , 2017, 351, 121-144.	1.9	11

#	ARTICLE	IF	CITATIONS
5835	Photonic Chern insulator through homogenization of an array of particles. <i>Physical Review B</i> , 2017, 96, .	1.1	29
5836	Numerical study of fracture connectivity response in seismic wavefields. , 2017, , .		4
5837	An Adaptive Finite Element PML Method for the Acoustic-Elastic Interaction in Three Dimensions. <i>Communications in Computational Physics</i> , 2017, 22, 1486-1507.	0.7	6
5838	Infrasound propagation in tropospheric ducts and acoustic shadow zones. <i>Journal of the Acoustical Society of America</i> , 2017, 142, 1816-1827.	0.5	27
5839	A leap-frog discontinuous Galerkin time-domain method of analyzing electromagnetic scattering problems. <i>Chinese Physics B</i> , 2017, 26, 104101.	0.7	2
5840	Radio Frequency Electromagnetic Radiation From Streamer Collisions. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017, 122, 10497-10509.	1.2	27
5841	Temperature-activated ion channels in neural crest cells confer maternal fever-associated birth defects. <i>Science Signaling</i> , 2017, 10, .	1.6	51
5842	Diffraction Imaging and Modeling and Seismic Modeling Complete Session. , 2017, , .		0
5843	Finite Element and Discontinuous Galerkin Methods with Perfect Matched Layers for American Options. <i>Numerical Mathematics</i> , 2017, 10, 829-851.	0.6	7
5844	Convergence of Krylov subspace solvers with Schwarz preconditioner for the exterior Maxwell problem. <i>Computers and Mathematics With Applications</i> , 2017, 74, 2691-2709.	1.4	0
5845	Rock Physics II Complete Session. , 2017, , .		0
5846	Optics of exciton-plasmon nanomaterials. <i>Journal of Physics Condensed Matter</i> , 2017, 29, 443003.	0.7	73
5847	Stable and efficient Q-compensated least-squares migration with compressive sensing, sparsity-promoting, and preconditioning. <i>Journal of Applied Geophysics</i> , 2017, 145, 84-99.	0.9	6
5848	Broadband aberration-free focusing reflector for acoustic waves. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2017, 381, 3599-3603.	0.9	6
5849	Probing the validity of the diffuse mismatch model for phonons using atomistic simulations. <i>Physical Review B</i> , 2017, 95, .	1.1	23
5850	Manipulating femtosecond pulse shape using liquid crystals infiltrated one-dimensional graded index photonic crystal waveguides composed of coupled-cavities. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2017, 381, 3342-3347.	0.9	7
5851	A new frequency-domain finite-difference scheme with an elongated stencil for 2D acoustic wave simulation. , 2017, , .		0
5852	Analysis on block diagonal and triangular preconditioners for a PML system of an electromagnetic scattering problem. <i>Computers and Mathematics With Applications</i> , 2017, 74, 2856-2873.	1.4	0

#	ARTICLE	IF	CITATIONS
5853	A perfectly matched layer boundary condition for acoustic-wave simulation in mesh-free discretization using frequency-domain radial-basis-function-generated finite difference. , 2017, , .		0
5854	Global linear stability analysis of flow in a lined duct. <i>Journal of Sound and Vibration</i> , 2017, 410, 19-34.	2.1	7
5855	PML Method for Electromagnetic Scattering Problem in a Two-Layer Medium. <i>SIAM Journal on Numerical Analysis</i> , 2017, 55, 2050-2084.	1.1	12
5856	Importance of double-pole CFS-PML for broadband seismic wave simulation and optimal parameters selection. <i>Geophysical Journal International</i> , 0, , .	1.0	4
5857	Windowed Green Function Method for Nonuniform Open-Waveguide Problems. <i>IEEE Transactions on Antennas and Propagation</i> , 2017, 65, 4684-4692.	3.1	19
5859	Nonlinear fluid simulation study of stimulated Raman and Brillouin scatterings in shock ignition. <i>Physics of Plasmas</i> , 2017, 24, .	0.7	16
5860	Theoretical and experimental investigations of efficient light coupling with spatially varied all dielectric striped waveguides. <i>Journal of Applied Physics</i> , 2017, 122, 033101.	1.1	1
5861	Application of the perfectly matched layer in 2.5D marine controlled-source electromagnetic modeling. <i>Physics of the Earth and Planetary Interiors</i> , 2017, 270, 157-167.	0.7	27
5863	Online Adaptive Hyperthermia Treatment Planning During Locoregional Heating to Suppress Treatment-Limiting Hot Spots. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 99, 1039-1047.	0.4	51
5864	Computational electrodynamics in material media with constraint-preservation, multidimensional Riemann solvers and sub-cell resolution " Part I, second-order FVTD schemes. <i>Journal of Computational Physics</i> , 2017, 349, 604-635.	1.9	22
5865	The effect of sedimentary basins on surface waves that pass through them. <i>Geophysical Journal International</i> , 2017, 211, 572-592.	1.0	15
5866	Development of a CPML for scattered-field one-step leapfrog ADI-FDTD scheme. , 2017, , .		0
5867	Spectrally enhanced near-field radiation transfer using nanometer-sized pillar array structured surfaces. <i>International Journal of Heat and Mass Transfer</i> , 2017, 115, 467-473.	2.5	15
5868	Fast time-domain laser Doppler vibrometry characterization of surface acoustic waves devices. <i>Sensors and Actuators A: Physical</i> , 2017, 264, 96-106.	2.0	16
5869	Analytic properties of the electromagnetic Green's function. <i>Journal of Mathematical Physics</i> , 2017, 58, 071501.	0.5	6
5870	A boundary integral method for numerical computation of radar cross section of 3D targets using hybrid BEM/FEM with edge elements. <i>Journal of Computational Physics</i> , 2017, 348, 790-802.	1.9	6
5871	Hybrid Fourier pseudospectral/discontinuous Galerkin time-domain method for wave propagation. <i>Journal of Computational Physics</i> , 2017, 348, 416-432.	1.9	6
5872	Design of tunable surface mode waveguide based on photonic crystal composite structure using organic liquid *. <i>Chinese Physics B</i> , 2017, 26, 064209.	0.7	2

#	ARTICLE	IF	CITATIONS
5873	Navier–Stokes Characteristic Boundary Conditions Using Ghost Cells. <i>AIAA Journal</i> , 2017, 55, 3399-3408.	1.5	20
5874	Performance portability in reverse time migration and seismic modelling via OpenACC. <i>International Journal of High Performance Computing Applications</i> , 2017, 31, 422-440.	2.4	13
5875	A new hybrid numerical scheme for modelling elastodynamics in unbounded media with near-source heterogeneities. <i>Geophysical Journal International</i> , 2017, 211, 851-864.	1.0	13
5876	Resonant-state expansion of light propagation in nonuniform waveguides. <i>Physical Review A</i> , 2017, 95, .	1.0	19
5877	Uniform Error Bounds of a Finite Difference Method for the Zakharov System in the Subsonic Limit Regime via an Asymptotic Consistent Formulation. <i>Multiscale Modeling and Simulation</i> , 2017, 15, 977-1002.	0.6	17
5878	A fast solver for the Helmholtz equation based on the generalized multiscale finite-element method. <i>Geophysical Journal International</i> , 2017, 211, 797-813.	1.0	19
5879	Study and optimization on the scattering characteristic of two-dimensional metal airfoil covered with plasma using ADE-FDTD. <i>Optik</i> , 2017, 147, 224-231.	1.4	4
5880	Joint acoustic full-waveform inversion of crosshole seismic and ground-penetrating radar data in the frequency domain. <i>Geophysics</i> , 2017, 82, H41-H56.	1.4	9
5881	An adaptive meshless parameterization for full waveform inversion. <i>Engineering Analysis With Boundary Elements</i> , 2017, 83, 113-122.	2.0	2
5882	Numerical solution of the general coupled nonlinear Schrödinger equations on unbounded domains. <i>Physical Review E</i> , 2017, 96, 063305.	0.8	8
5883	The Waveguide Eigenvalue Problem and the Tensor Infinite Arnoldi Method. <i>SIAM Journal of Scientific Computing</i> , 2017, 39, A1062-A1088.	1.3	15
5884	Reconstruction of a depth velocity model by full waveform inversion. <i>Doklady Earth Sciences</i> , 2017, 476, 1233-1237.	0.2	4
5885	A photoactivatable light tracer. <i>Journal of Materials Chemistry C</i> , 2017, 5, 12714-12719.	2.7	11
5886	Finite difference time domain modelling of a point-excited elastic plate radiating into an acoustic cavity. <i>Journal of the Acoustical Society of America</i> , 2017, 142, 2996-3012.	0.5	0
5887	A Forward-Adjoint Operator Pair Based on the Elastic Wave Equation for Use in Transcranial Photoacoustic Computed Tomography. <i>SIAM Journal on Imaging Sciences</i> , 2017, 10, 2022-2048.	1.3	27
5888	Using memory-efficient algorithm for large-scale time-domain modeling of surface plasmon polaritons propagation in organic light emitting diodes. <i>Journal of Physics: Conference Series</i> , 2017, 905, 012030.	0.3	6
5889	An Absorbing Boundary Condition Based on Perfectly Matched Layer Technique Combined with Discontinuous Galerkin Boltzmann Method for Low Mach Number Flow Noise. <i>Journal of Computational Acoustics</i> , 0, , 1850011.	1.0	0
5890	The Auxiliary Differential Equations Perfectly Matched Layers Based on the Hybrid SETD and PSTD Algorithms for Acoustic Waves. <i>Journal of Computational Acoustics</i> , 2017, , 1750031.	1.0	0

#	ARTICLE	IF	CITATIONS
5891	Reverse Time Migration of Elastic Waves Using the Pseudospectral Time-Domain Method. <i>Journal of Computational Acoustics</i> , 0, , 1750033.	1.0	0
5892	Finite Element Time Domain Method for Photonics. <i>Springer Series in Optical Sciences</i> , 2017, , 1-37.	0.5	0
5893	Computational Plasmonics: Numerical Techniques. <i>Springer Series in Optical Sciences</i> , 2017, , 341-368.	0.5	3
5894	FE simulation of steady state wave motion in solids combined with a PML approach. <i>Procedia Engineering</i> , 2017, 199, 1556-1561.	1.2	5
5895	Energy stable and high-order-accurate finite difference methods on staggered grids. <i>Journal of Computational Physics</i> , 2017, 346, 572-589.	1.9	30
5896	SAFE-PML approach for modal study of waveguides with arbitrary cross sections immersed in inviscid fluid. <i>Journal of Sound and Vibration</i> , 2017, 406, 181-196.	2.1	33
5897	Seismic imaging and statistical analysis of fault facies models. <i>Interpretation</i> , 2017, 5, SP71-SP82.	0.5	16
5898	An Adaptive Finite Element Method for the Wave Scattering with Transparent Boundary Condition. <i>Journal of Scientific Computing</i> , 2017, 72, 936-956.	1.1	15
5899	Guided-Wave Approach for Spectral Peaks Characterization of Impact-Echo Tests in Layered Systems. <i>Journal of Infrastructure Systems</i> , 2017, 23, .	1.0	6
5900	2.5-D frequency-domain viscoelastic wave modelling using finite-element method. <i>Geophysical Journal International</i> , 2017, 211, 164-187.	1.0	16
5901	Efficient Method to Predict Rotor Noise Scattered by an Axisymmetric Body. <i>AIAA Journal</i> , 2017, 55, 3458-3466.	1.5	2
5902	Inverted finite elements for div-curl systems in the whole space. <i>Advances in Computational Mathematics</i> , 2017, 43, 1469-1489.	0.8	3
5903	The WISDOM Radar: Unveiling the Subsurface Beneath the ExoMars Rover and Identifying the Best Locations for Drilling. <i>Astrobiology</i> , 2017, 17, 565-584.	1.5	50
5904	The hybrid absorbing boundary condition for one-step extrapolation and its application in wavefield decomposition-based reverse time migration. <i>Journal of Geophysics and Engineering</i> , 2017, 14, 1177-1188.	0.7	6
5905	Hybrid absorbing boundary condition for three-dimensional elastic wave modeling. <i>Applied Geophysics</i> , 2017, 14, 270-278.	0.1	11
5906	Stable model order reduction for time-domain exterior vibro-acoustic finite element simulations. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017, 325, 240-264.	3.4	21
5907	Observation of reflectionless absorption due to spatial Kramersâ€™Kronig profile. <i>Nature Communications</i> , 2017, 8, 51.	5.8	44
5908	Numerical analysis of wide-field optical imaging with a sub-20â€™nm resolution based on a meta-sandwich structure. <i>Scientific Reports</i> , 2017, 7, 1328.	1.6	7

#	ARTICLE	IF	CITATIONS
5909	An equivalent circuit expression of a photonic crystal bent waveguide with a microcavity. , 2017, , .		0
5910	4-Port reciprocal optical circulators employing photonic crystals for integrated photonics circuits. Optik, 2017, 144, 586-590.	1.4	6
5911	MODELLING of a two-dimensional photonic crystal with line defect for a laser gas sensor application. Opto-electronics Review, 2017, 25, 80-88.	2.4	4
5912	Perfectly matched layer for an elastic parabolic equation model in ocean acoustics. Journal of Ocean University of China, 2017, 16, 57-64.	0.6	2
5913	Optical Circulation and Isolation Based on Indirect Photonic Transitions of Guided Resonance Modes. ACS Photonics, 2017, 4, 1639-1645.	3.2	70
5914	Learning dominant wave directions for plane wave methods for high-frequency Helmholtz equations. Research in Mathematical Sciences, 2017, 4, 1.	0.5	12
5915	Plasmonic resonances in hexagonal split-ring resonator. , 2017, , .		3
5916	Nonlinear dynamics of beamâ€“plasma instability in a finite magnetic field. Plasma Physics Reports, 2017, 43, 648-658.	0.3	3
5917	Modeling Elastic Wave Propagation Using K -Space Operator-Based Temporal High-Order Staggered-Grid Finite-Difference Method. IEEE Transactions on Geoscience and Remote Sensing, 2017, 55, 801-815.	2.7	53
5918	Design of a Single-Polarization Single-Mode Photonic Crystal Fiber Filter Based on Surface Plasmon Resonance. Plasmonics, 2017, 12, 1325-1330.	1.8	28
5919	Modeling and locating underground water pipe leak with microseismic data. Journal of Applied Geophysics, 2017, 136, 1-8.	0.9	13
5920	Asymptotically Matched Layer (AML) for transient wave propagation in a moving frame of reference. Computers and Geotechnics, 2017, 82, 124-133.	2.3	3
5921	Simulation of seismic wave propagation in 2-D poroelastic media using weighted-averaging finite difference stencils in the frequencyâ€“space domain. Geophysical Journal International, 2017, 208, 148-161.	1.0	21
5922	High sensitive optofluidic sensor array based on ring-shaped holes photonic crystal H0-cavity. Optik, 2017, 131, 49-57.	1.4	6
5923	Evaluation of Different Approximations for Correlation Coefficients in Stochastic FDTD to Estimate SAR Variance in a Human Head Model. IEEE Transactions on Electromagnetic Compatibility, 2017, 59, 509-517.	1.4	32
5924	Obtaining source current density related to irregularly structured electromagnetic target field inside human body using hybrid inverse/FDTD method. Electromagnetic Biology and Medicine, 2017, 36, 169-176.	0.7	0
5925	The Double Absorbing Boundary method for a class of anisotropic elastic media. Computer Methods in Applied Mechanics and Engineering, 2017, 315, 190-221.	3.4	20
5926	Efficient modeling of flat and homogeneous acoustic treatments for vibroacoustic finite element analysis. Finite size correction by image sources. Journal of Sound and Vibration, 2017, 388, 201-215.	2.1	8

#	ARTICLE	IF	CITATIONS
5927	PML Implementation for Efficient 3-D Laguerre-Based FDTD Method Using a New Perturbation Term. IEEE Antennas and Wireless Propagation Letters, 2017, 16, 637-640.	2.4	1
5928	Coupled FE- ∞ BE method for eigenvalue analysis of elastic structures submerged in an infinite fluid domain. International Journal for Numerical Methods in Engineering, 2017, 110, 163-185.	1.5	24
5929	Tuning light focusing with liquid crystal infiltrated graded index photonic crystals. Optics Communications, 2017, 382, 28-35.	1.0	16
5930	Finite Element and Discontinuous Galerkin Methods for Transient Wave Equations. Scientific Computation, 2017, , .	0.2	23
5931	Reverse-time migration from rugged topography using irregular, unstructured mesh. Geophysical Prospecting, 2017, 65, 453-466.	1.0	12
5932	Dimensionally adaptive hp-finite element simulation and inversion of 2D magnetotelluric measurements. Journal of Computational Science, 2017, 18, 95-105.	1.5	15
5933	Modeling of guided circumferential SH and Lamb-type waves in open waveguides with semi-analytical finite element and Perfectly Matched Layer method. Journal of Sound and Vibration, 2017, 386, 295-310.	2.1	14
5934	A new family of fourth-order locally one-dimensional schemes for the three-dimensional wave equation. Journal of Computational and Applied Mathematics, 2017, 311, 130-147.	1.1	11
5935	A comparative study of data filtering methods for imaging in strongly scattering media. Wave Motion, 2017, 68, 97-113.	1.0	1
5936	Wave filtering through a selective perfectly matched layer in multiscale couplings with dynamically incompatible models. International Journal for Numerical Methods in Engineering, 2017, 110, 745-775.	1.5	2
5937	Finite element analysis of the Rayleigh wave scattering in isotropic bi-material wedge structures. Ultrasonics, 2017, 73, 67-76.	2.1	4
5938	Parallel Ellipsoidal Perfectly Matched Layers for Acoustic Helmholtz Problems on Exterior Domains. Journal of Computational Acoustics, 0, , 1850015.	1.0	0
5939	A multiscale meshless parametrization for full waveform inversion. , 2017, , .		0
5940	Applicability and Optimization of the Alternating-Direction-Implicit Iterative Method for the 2-D Finite-Difference Frequency-Domain Solution of Scattering Problems. IEEE Transactions on Antennas and Propagation, 2017, 65, 7166-7173.	3.1	1
5941	Projection-Based model-order reduction of large-scale maxwell systems. , 2017, , .		1
5942	Finite element modeling of anisotropic half-space problems by a simple mesh truncation scheme. , 2017, , .		0
5943	Acoustic Waveguide Eigenmode Solver Based on a Staggered-Grid Finite-Difference Method. Scientific Reports, 2017, 7, 17509.	1.6	3
5944	Cloaking and anamorphism for light and mass diffusion. Journal of Optics (United Kingdom), 2017, 19, 103002.	1.0	6

#	ARTICLE	IF	CITATIONS
5945	CONSORT constrains the internal structure of 67P at a few metres size scale. Monthly Notices of the Royal Astronomical Society, 2017, 469, S805-S817.	1.6	21
5946	An examination of the scaling laws for LWFA in the self-guided nonlinear blowout regime. AIP Conference Proceedings, 2017, , .	0.3	1
5947	An efficient numerical method for a mathematical model of a transport of coagulating particles. Moscow University Computational Mathematics and Cybernetics, 2017, 41, 179-186.	0.1	10
5948	Evaluation of numerical simulation of acoustic wave propagation using method of characteristics-based constrained interpolation profile (CIP-MOC) method with non-uniform grids. Acoustical Science and Technology, 2017, 38, 31-34.	0.3	0
5949	Estimating the propagation delay of a direct or reflected wave in a large concrete caisson by impact with an impulse hammer. Acoustical Science and Technology, 2017, 38, 87-98.	0.3	1
5950	Efficient numerical evaluation of the electromagnetic scattering from arbitrarily-shaped objects by using the Dirichlet-to-Neumann map. , 2017, , .		1
5951	Absorbing boundary conditions in leapfrog ADI-FDTD method. , 2017, , .		0
5952	A numerical model for a GPR device with two receiving antennas. , 2017, , .		0
5953	Human body exposure to low frequency wireless charging: Direct coupling mechanisms and interferences with medical devices. , 2017, , .		4
5954	Simulation of light scattering from two-dimensional cells with finite-difference time-domain method. , 2017, , .		1
5955	Absorbing boundary condition for efficient 2-D WLP-FDTD method based on domain decomposition technique. , 2017, , .		0
5956	High-precision acoustic modeling with second-order staggered difference. Arabian Journal of Geosciences, 2017, 10, 1.	0.6	1
5957	Development of a computational environment for MIT electromagnetic equation propagation simulator. , 2017, , .		0
5958	CPML discretization error enhancement using second order of Higdon's annihilation equation. , 2017, , .		0
5959	Reconfiguration of plasma antenna using 3D FDTD method. , 2017, , .		0
5960	A fourier spectral method to solve high order on-surface radiation boundary conditions in electromagnetics. , 2017, , .		0
5961	2.5D quasi-axisymmetric finite difference frequency domain modeling. , 2017, , .		2
5962	Evaluation of propagation parameters of open guiding structures with the use of complex root finding algorithms. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
5963	Spectral stability of PML implementations in time domain for resonators with radiation losses. , 2017, , .		3
5964	Stable perfectly matched layers for a class of anisotropic dispersive models. Part I: necessary and sufficient conditions of stability. ESAIM: Mathematical Modelling and Numerical Analysis, 2017, 51, 2399-2434.	0.8	12
5965	An adaptive finite element PML method for the elastic wave scattering problem in periodic structures. ESAIM: Mathematical Modelling and Numerical Analysis, 2017, 51, 2017-2047.	0.8	12
5966	Fibonacci sequences quasiperiodic A5B6C7 ferroelectric based photonic crystal: FDTD analysis. Integrated Ferroelectrics, 2017, 183, 26-35.	0.3	1
5967	Gradual Absorbing Boundary Condition for Termination of Infinite Open Cross-Sections. , 2017, , .		0
5968	Analysis of cavity coupling characteristics in VFTO space field. IOP Conference Series: Earth and Environmental Science, 2017, 94, 012033.	0.2	0
5969	Implementation of Transmitting Boundary Condition in the Spectral Element Analysis of Seismic Wave Propagation. , 2017, , .		0
5970	A circular-shaped perfectly matched layer strategy for rectangular FDTD grids. , 2017, , .		2
5971	Classification of biological micro-objects using optical coherence tomography: in silico study. Biomedical Optics Express, 2017, 8, 3606.	1.5	4
5972	Scattering of surface plasmon polaritons at a planar interface by an embedded dielectric nanocube. Optics Express, 2017, 25, 9105.	1.7	1
5973	Fiber optic mechanical deformation sensors employing perpendicular photonic crystals. Optics Express, 2017, 25, 23388.	1.7	8
5974	Physical-geometric optics method for large size faceted particles. Optics Express, 2017, 25, 24044.	1.7	52
5975	Perfectly matched layers for nonlocal media with hydrodynamic-Drude description: a transformation optics approach. Optics Express, 2017, 25, 24183.	1.7	0
5976	Nonreciprocal waveguiding structures for THz region based on InSb. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2017, 34, 892.	0.8	11
5977	Modeling open nanophotonic systems using the Fourier modal method: generalization to 3D Cartesian coordinates. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2017, 34, 1632.	0.8	4
5978	A Design Space Exploration Framework for Automotive Sound Packages in the Mid-Frequency Range. , 0, , .		2
5979	Vibro -Acoustic Response Analysis of Electric Motor. , 0, , .		11
5980	Designing of a Plasmonic High Pass Wavelength Filter With Apodized Grating Waveguide. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
5981	Near-Field Coupling and Mode Competition in Multiple Anapole Systems. Applied Sciences (Switzerland), 2017, 7, 542.	1.3	26
5982	Multiphysics and Thermal Response Models to Improve Accuracy of Local Temperature Estimation in Rat Cortex under Microwave Exposure. International Journal of Environmental Research and Public Health, 2017, 14, 358.	1.2	9
5983	Atmospheric-radiation boundary conditions for high-frequency waves in time-distance helioseismology. Astronomy and Astrophysics, 2017, 608, A109.	2.1	10
5985	Multi-parameter full waveform inversion using Poisson's ratio for elastic media. Exploration Geophysics, 2017, 48, 456-475.	0.5	4
5986	Numerical Simulations of the Lunar Penetrating Radar and Investigations of the Geological Structures of the Lunar Regolith Layer at the Chang'e 3 Landing Site. International Journal of Antennas and Propagation, 2017, 2017, 1-11.	0.7	9
5987	Modified Splitting FDTD Methods for Two-Dimensional Maxwell's Equations. Mathematical Problems in Engineering, 2017, 2017, 1-11.	0.6	0
5988	Implementation of an Approximate Conformal UPML in 2-D DGTD. International Journal of Antennas and Propagation, 2017, 2017, 1-8.	0.7	8
5989	The CFS-PML for 2D Auxiliary Differential Equation FDTD Method Using Associated Hermite Orthogonal Functions. International Journal of Antennas and Propagation, 2017, 2017, 1-6.	0.7	2
5990	Design of ultracompact polarimeters based on dielectric metasurfaces. Optics Letters, 2017, 42, 1580.	1.7	54
5991	Development of a wireless power transmission simulator based on finite-difference time-domain using graphics accelerators. IET Power Electronics, 2017, 10, 1889-1895.	1.5	10
5992	The implementation of perfectly matched layers for the E-H time-domain finite-element method. , 2017, , .		0
5993	Selection of UPML parameters in DGTD calculation. , 2017, , .		1
5994	Anisotropic Locally Conformal Perfectly Matched Layer for Higher Order Curvilinear Finite-Element Modeling. IEEE Transactions on Antennas and Propagation, 2017, 65, 7157-7165.	3.1	18
5995	Uniform error bounds of a finite difference method for the Klein-Gordon-Zakharov system in the subsonic limit regime. Mathematics of Computation, 2017, 87, 2133-2158.	1.1	16
5996	Canonical symplectic structure and structure-preserving geometric algorithms for Schrödinger-Maxwell systems. Journal of Computational Physics, 2017, 349, 441-452.	1.9	14
5997	Biot's Theory in the Finite Element Method. , 2017, , 119-153.		1
5998	Sequential modelling of ICRF wave near RF fields and asymptotic RF sheaths description for AUG ICRF antennas. EPJ Web of Conferences, 2017, 157, 03020.	0.1	2
5999	Simulation of cold magnetized plasmas with the 3D electromagnetic software CST Microwave Studio®. EPJ Web of Conferences, 2017, 157, 03031.	0.1	1

#	ARTICLE	IF	CITATIONS
6000	Space-time Methods for Time-dependent Partial Differential Equations. Oberwolfach Reports, 2017, 14, 863-947.	0.0	0
6001	Experimental evaluation and FDTD method for predicting electromagnetic fields in the near zone radiated by power converter systems. Turkish Journal of Electrical Engineering and Computer Sciences, 2017, 25, 1460-1471.	0.9	4
6002	The Effect of P-Wave Propagation on the Seismic Behavior of Steel Pipelines. Periodica Polytechnica: Civil Engineering, 2017, , .	0.6	1
6003	Mitochondrial hyperpolarization and cytochrome-c release in microwave-exposed MCF-7 cells. General Physiology and Biophysics, 2017, 36, 211-218.	0.4	15
6005	On the measurement of fundamental mode bend loss in large-mode-area optical fibers. Applied Optics, 2017, 56, 928.	2.1	3
6006	On the application of the spectral element method in electromagnetic problems involving domain decomposition. Turkish Journal of Electrical Engineering and Computer Sciences, 2017, 25, 1059-1069.	0.9	36
6007	3-Dimensional density profiles in edge plasma simulations for ICRF heating. EPJ Web of Conferences, 2017, 157, 03053.	0.1	6
6008	Combination of the Improved Diffraction Nonlocal Boundary Condition and Three-Dimensional Wide-Angle Parabolic Equation Decomposition Model for Predicting Radio Wave Propagation. International Journal of Antennas and Propagation, 2017, 2017, 1-10.	0.7	2
6009	On solving separable block tridiagonal linear systems using a GPU implementation of radix-4 PSCR method. Journal of Parallel and Distributed Computing, 2018, 115, 56-66.	2.7	4
6010	Seismic waveform simulation for models with fluctuating interfaces. Scientific Reports, 2018, 8, 3098.	1.6	12
6011	Evanescent field boundary conditions for modelling of light propagation. Journal of Computational Science, 2018, 25, 115-121.	1.5	3
6012	Isogeometric analysis of acoustic scattering using infinite elements. Computer Methods in Applied Mechanics and Engineering, 2018, 335, 152-193.	3.4	8
6013	A Novel RFID-Based Strain Sensor for Wireless Structural Health Monitoring. Journal of Nondestructive Evaluation, 2018, 37, 1.	1.1	25
6014	High-performance multi-GPU solver for describing nonlinear acoustic waves in homogeneous thermoviscous media. Computers and Fluids, 2018, 173, 195-205.	1.3	8
6015	Universal impedance matching and the perfect transmission of white light. Nature Photonics, 2018, 12, 143-149.	15.6	52
6016	Non-locality prevents reflection. Nature Photonics, 2018, 12, 127-128.	15.6	2
6017	An accurate determination of the phase center position of transitions into 2â€dimensional regions. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2018, 31, e2324.	1.2	0
6018	Locoregional hyperthermia of deep-seated tumours applied with capacitive and radiative systems: a simulation study. International Journal of Hyperthermia, 2018, 34, 714-730.	1.1	29

#	ARTICLE	IF	CITATIONS
6019	An Adaptive Finite Element Method for the Diffraction Grating Problem with PML and Few-Mode DtN Truncations. <i>Journal of Scientific Computing</i> , 2018, 76, 1813-1838.	1.1	14
6020	Novel two-way artificial boundary condition for 2D vertical water wave propagation modelled with Radial-Basis-Function Collocation Method. <i>Journal of Computational Physics</i> , 2018, 359, 283-295.	1.9	3
6021	Space-coiling fractal metamaterial with multi-bandgaps on subwavelength scale. <i>Journal of Sound and Vibration</i> , 2018, 423, 322-339.	2.1	47
6022	Nonreciprocal Optical Dissipation Based on Direction-Dependent Rabi Splitting. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018, 24, 1-7.	1.9	15
6023	A new perspective for analyzing complex band structures of phononic crystals. <i>Journal of Applied Physics</i> , 2018, 123, .	1.1	7
6024	An enhanced effective mode area fluorine doped octagonal photonic crystal fiber with extremely low loss. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2018, 30, 1-6.	1.0	9
6025	A high-order local artificial boundary condition for seepage and heat transfer. <i>Computers and Geotechnics</i> , 2018, 97, 111-123.	2.3	2
6026	High intersubband absorption in long-wave quantum well infrared photodetector based on waveguide resonance. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 225105.	1.3	8
6027	Stable high-order absorbing boundary condition based on new continued fraction for scalar wave propagation in unbounded multilayer media. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2018, 334, 111-137.	3.4	46
6028	The Auxiliary Differential Equations Perfectly Matched Layers Based on the Hybrid SETD and PSTD Algorithms for Acoustic Waves. <i>Journal of Theoretical and Computational Acoustics</i> , 2018, 26, 1750031.	0.5	3
6029	Finite-difference modelling of anisotropic wave scattering in discrete fracture model. <i>Journal of Earth System Science</i> , 2018, 127, 1.	0.6	1
6030	Multiphysical modeling of the photopolymerization process for additive manufacturing of ceramics. <i>European Journal of Mechanics, A/Solids</i> , 2018, 71, 210-223.	2.1	31
6031	Parametric Shape Optimization of Lens-Focused Piezoelectric Ultrasound Transducers. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2018, 65, 844-850.	1.7	5
6032	A frequency-domain element-free method for seismic modeling and reverse-time migration. <i>Journal of Geophysics and Engineering</i> , 2018, 15, 1719-1728.	0.7	0
6033	Reverse Time Migration of Elastic Waves Using the Pseudospectral Time-Domain Method. <i>Journal of Theoretical and Computational Acoustics</i> , 2018, 26, 1750033.	0.5	3
6034	The electromagnetic waves propagation in unmagnetized plasma media using parallelized finite-difference time-domain method. <i>Optik</i> , 2018, 166, 8-14.	1.4	3
6035	Modal analysis of the ultrahigh finesse Haroche QED cavity. <i>New Journal of Physics</i> , 2018, 20, 043058.	1.2	1
6036	Launching and controlling Gaussian beams from point sources via planar transformation media. <i>Physical Review B</i> , 2018, 97, .	1.1	8

#	ARTICLE	IF	CITATIONS
6037	Perfectly Matched Discrete Layers with Analytical Wavelengths for Soil-Structure Interaction Analysis. <i>International Journal of Structural Stability and Dynamics</i> , 2018, 18, 1850103.	1.5	6
6038	Self-consistent adjoint analysis for topology optimization of electromagnetic waves. <i>Journal of Computational Physics</i> , 2018, 361, 353-376.	1.9	18
6039	Transient implicit wave propagation dynamics with overlapping finite elements. <i>Computers and Structures</i> , 2018, 199, 18-33.	2.4	52
6040	Material Optimization in Transverse Electromagnetic Scattering Applications. <i>SIAM Journal of Scientific Computing</i> , 2018, 40, B85-B109.	1.3	6
6041	Disordered resonant media: Self-induced transparency versus light localization. <i>Physical Review A</i> , 2018, 97, .	1.0	5
6042	Acoustic Tamm states of three-dimensional solid-fluid phononic crystals. <i>Journal of the Acoustical Society of America</i> , 2018, 143, 756-764.	0.5	12
6043	Acoustic Reflectometry for Pitot-Tube Blockage Detection. <i>Journal of Aircraft</i> , 2018, 55, 325-338.	1.7	2
6044	Perfectly Matched Layer Boundary Integral Equation Method for Wave Scattering in a Layered Medium. <i>SIAM Journal on Applied Mathematics</i> , 2018, 78, 246-265.	0.8	13
6045	Two-way wave equation-based depth migration using one-way propagators on a bilayer sensor seismic acquisition system. <i>Geophysics</i> , 2018, 83, S271-S278.	1.4	8
6046	Transmission in 2D Phononic Crystals and Acoustic Metamaterials. , 2018, , 271-373.		2
6047	The PML method to solve a class of potential scattering problem with tapered wave incidence. <i>Journal of Mathematical Analysis and Applications</i> , 2018, 459, 1160-1171.	0.5	2
6048	Analysis and application of an equivalent Berenger's PML model. <i>Journal of Computational and Applied Mathematics</i> , 2018, 333, 157-169.	1.1	5
6049	CMA-ES-based structural topology optimization using a level set boundary expression"Application to optical and carpet cloaks. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2018, 332, 624-643.	3.4	46
6050	Free vibration analysis of elastic structures submerged in an infinite or semi-infinite fluid domain by means of a coupled FE-BE solver. <i>Journal of Computational Physics</i> , 2018, 359, 183-198.	1.9	25
6051	Surface acoustic wave electric field effect on acoustic streaming: Numerical analysis. <i>Journal of Applied Physics</i> , 2018, 123, .	1.1	9
6052	An effective absorbing layer for the boundary condition in acoustic seismic wave simulation. <i>Journal of Geophysics and Engineering</i> , 2018, 15, 495-511.	0.7	22
6053	Time-Domain Analysis of an Acoustic-Elastic Interaction Problem. <i>Archive for Rational Mechanics and Analysis</i> , 2018, 229, 835-884.	1.1	21
6054	Longitudinal impact into viscoelastic media. <i>Archive of Applied Mechanics</i> , 2018, 88, 1275-1304.	1.2	5

#	ARTICLE	IF	CITATIONS
6055	Balanced Electric-Magnetic Absorber Green's Function Method for MoM Matrix Thinning and Conditioning. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 2996-3001.	3.1	3
6056	CFS-PML-DEC formulation in two-dimensional convex and non-convex domains. <i>Computers and Mathematics With Applications</i> , 2018, 76, 172-178.	1.4	1
6057	Finite element simulation of broadband biosonar signal propagation in the near- and far-field of an echolocating Atlantic bottlenose dolphin (<i>Tursiops truncatus</i>). <i>Journal of the Acoustical Society of America</i> , 2018, 143, 2611-2620.	0.5	15
6058	Application of perfectly matched layer to soil-foundation interaction analysis. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2018, 10, 753-768.	3.7	7
6059	An ADER discontinuous Galerkin method with local time-stepping for transient electromagnetics. <i>Computer Physics Communications</i> , 2018, 229, 106-115.	3.0	8
6060	Issues with the Use of Spatially Variable Seismic Ground Motions in Engineering Applications. <i>Geotechnical, Geological and Earthquake Engineering</i> , 2018, , 225-252.	0.1	2
6061	Polarization-independent and tunable flat lenses based on graded index two-dimensional photonic crystals. <i>Optics Communications</i> , 2018, 420, 133-140.	1.0	5
6062	Rock moduli estimation of inhomogeneous two-phase media with finite difference modeling algorithm. <i>Journal of Geophysics and Engineering</i> , 2018, 15, 1517-1527.	0.7	3
6063	A Uniformly and Optimally Accurate Method for the Zakharov System in the Subsonic Limit Regime. <i>SIAM Journal of Scientific Computing</i> , 2018, 40, A929-A953.	1.3	17
6064	Large deformation shape uncertainty quantification in acoustic scattering. <i>Advances in Computational Mathematics</i> , 2018, 44, 1475-1518.	0.8	33
6065	Discrete exterior calculus approach for discretizing Maxwell's equations on face-centered cubic grids for FDTD. <i>Journal of Computational Physics</i> , 2018, 364, 298-313.	1.9	4
6066	An Accurate 3-D CFS-PML Based Crank-Nicolson FDTD Method and Its Applications in Low-Frequency Subsurface Sensing. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 2967-2975.	3.1	31
6067	Propagation in the Open Cylindrical Guide of Arbitrary Cross Section With the Use of Field Matching Method. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 3237-3240.	3.1	7
6068	Polarization-independent one-way transmission by silicon annular photonic crystal antireflection structures. <i>Optics Communications</i> , 2018, 420, 127-132.	1.0	4
6069	Computing scattering resonances using perfectly matched layers with frequency dependent scaling functions. <i>BIT Numerical Mathematics</i> , 2018, 58, 373-395.	1.0	8
6070	Performance Analysis of Perfectly Matched Layers Applied to Spherical FDTD Grids. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 1035-1039.	3.1	6
6071	The FIT-MoM Hybrid Method for Analysis of Electromagnetic Scattering by Dielectric Bodies of Revolution. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 1384-1391.	3.1	12
6072	An average-derivative optimal scheme for modeling of the frequency-domain 3D elastic wave equation. <i>Geophysics</i> , 2018, 83, T209-T234.	1.4	16

#	ARTICLE	IF	CITATIONS
6073	A hybrid approach to solve the high-frequency Helmholtz equation with source singularity in smooth heterogeneous media. <i>Journal of Computational Physics</i> , 2018, 371, 261-279.	1.9	9
6074	Sparsify and Sweep: An Efficient Preconditioner for the Lippmann–Schwinger Equation. <i>SIAM Journal of Scientific Computing</i> , 2018, 40, B379-B404.	1.3	5
6075	Acoustic reverse-time migration using GPU card and POSIX thread based on the adaptive optimal finite-difference scheme and the hybrid absorbing boundary condition. <i>Computers and Geosciences</i> , 2018, 115, 42-55.	2.0	10
6076	The use of generalized finite difference method in perfectly matched layer analysis. <i>Applied Mathematical Modelling</i> , 2018, 60, 127-144.	2.2	8
6077	Inverts permittivity and conductivity with structural constraint in GPR FWI based on truncated Newton method. <i>Journal of Applied Geophysics</i> , 2018, 151, 186-193.	0.9	19
6078	Unified solver for fluid dynamics and aeroacoustics in isentropic gas flows. <i>Journal of Computational Physics</i> , 2018, 363, 11-29.	1.9	4
6079	A Memory-Saving Realization of the Perfectly Matched Layer in the Precise-Integration Time-Domain Method. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018, 17, 414-417.	2.4	4
6080	Capacitance Extraction With Provably Good Absorbing Boundary Conditions. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2018, 37, 2013-2021.	1.9	4
6081	A conservative numerical scheme for modeling nonlinear acoustic propagation in thermoviscous homogeneous media. <i>Journal of Computational Physics</i> , 2018, 363, 200-230.	1.9	9
6082	Influence of mode conversions in the skull on transcranial focused ultrasound and temperature fields utilizing the wave field separation method: A numerical study. <i>Chinese Physics B</i> , 2018, 27, 024302.	0.7	6
6083	Hybrid Numerical-Analytical Scheme for Calculating Elastic Wave Diffraction in Locally Inhomogeneous Waveguides. <i>Acoustical Physics</i> , 2018, 64, 1-9.	0.2	12
6084	Absorbing boundary layer control for linear one-dimensional wave propagation problems. <i>JVC/Journal of Vibration and Control</i> , 2018, 24, 1019-1031.	1.5	5
6085	Finite-Difference Modelling of Straight Waveguides. , 2018, , 77-106.		0
6086	Green's Function Integral Equation Methods for Electromagnetic Scattering Problems. , 2018, , 197-250.		0
6087	Leveraging the accelerated processing units for seismic imaging: A performance and power efficiency comparison against CPUs and GPUs. <i>International Journal of High Performance Computing Applications</i> , 2018, 32, 819-837.	2.4	7
6088	Waveport modeling for the DGTD simulation of electromagnetic devices. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2018, 31, e2226.	1.2	7
6089	SAR Simulations & Safety. <i>NeuroImage</i> , 2018, 168, 33-58.	2.1	82
6090	A discontinuous Galerkin method for acoustic scattering problem with DtN boundary condition. <i>Applicable Analysis</i> , 2018, 97, 938-961.	0.6	2

#	ARTICLE	IF	CITATIONS
6091	A plane wave discontinuous Galerkin method with a Dirichlet-to-Neumann boundary condition for the scattering problem in acoustics. <i>Journal of Computational and Applied Mathematics</i> , 2018, 327, 208-225.	1.1	6
6092	A Spectrally Tunable Plasmonic Photosensor with an Ultrathin Semiconductor Region. <i>Plasmonics</i> , 2018, 13, 897-902.	1.8	18
6093	On Solving an Acoustic Wave Problem Via Frequency-Domain Approach and Tensorial Spline Galerkin Method. <i>Journal of Scientific Computing</i> , 2018, 74, 1193-1220.	1.1	2
6094	Frequency domain finite-element and spectral-element acoustic wave modeling using absorbing boundaries and perfectly matched layer. <i>Waves in Random and Complex Media</i> , 2018, 28, 367-388.	1.6	4
6095	Axisymmetric semi-analytical finite elements for modelling waves in buried/submerged fluid-filled waveguides. <i>Computers and Structures</i> , 2018, 196, 327-340.	2.4	31
6096	Weight-adjusted discontinuous Galerkin methods: Matrix-valued weights and elastic wave propagation in heterogeneous media. <i>International Journal for Numerical Methods in Engineering</i> , 2018, 113, 1779-1809.	1.5	16
6097	Supercontinuum generation in silica photonic crystal fiber at 1.3 μm and 1.65 μm wavelengths for optical coherence tomography. <i>Optik</i> , 2018, 152, 106-115.	1.4	34
6098	Application of the perfectly matched layer in 3-D marine controlled-source electromagnetic modelling. <i>Geophysical Journal International</i> , 2018, 212, 333-344.	1.0	24
6099	The Perfectly Matched Layer absorbing boundary for fluid-structure interactions using the Immersed Finite Element Method. <i>Journal of Fluids and Structures</i> , 2018, 76, 135-152.	1.5	15
6100	Application of Smoothed Finite Element Method to Two-Dimensional Exterior Problems of Acoustic Radiation. <i>International Journal of Computational Methods</i> , 2018, 15, 1850029.	0.8	69
6101	Application of reciprocal absorbing boundary condition to transient analysis of acoustic wave propagation. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2018, 329, 55-74.	3.4	8
6102	Pseudo-analytical finite-difference elastic-wave extrapolation based on the k-space method. <i>Geophysics</i> , 2018, 83, T1-T14.	1.4	5
6103	Optimal damping profile ratios for stabilization of perfectly matched layers in general anisotropic media. <i>Geophysics</i> , 2018, 83, T15-T30.	1.4	16
6104	Smilei : A collaborative, open-source, multi-purpose particle-in-cell code for plasma simulation. <i>Computer Physics Communications</i> , 2018, 222, 351-373.	3.0	282
6105	3D elastic full-waveform inversion of surface waves in the presence of irregular topography using an envelope-based misfit function. <i>Geophysics</i> , 2018, 83, R1-R11.	1.4	54
6106	Preconditioned acoustic least-squares two-way wave-equation migration with exact adjoint operator. <i>Geophysics</i> , 2018, 83, S1-S13.	1.4	24
6107	Meshed doped silicon photonic crystals for manipulating near-field thermal radiation. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2018, 204, 56-62.	1.1	10
6108	On Coarse Grids Simulation of Compressible Mixing Layer Flows Using Vorticity Confinement. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2018, 140, .	0.8	1

#	ARTICLE	IF	CITATIONS
6109	Assessment of Characteristic Boundary Conditions Based on the Artificial Compressibility Method in Generalized Curvilinear Coordinates for Solution of the Euler Equations. <i>Computational Methods in Applied Mathematics</i> , 2018, 18, 717-740.	0.4	5
6110	The Linearized Bregman Method for Frugal Full-waveform Inversion with Compressive Sensing and Sparsity-promoting. <i>Pure and Applied Geophysics</i> , 2018, 175, 1085-1101.	0.8	12
6111	Prediction of transmission, reflection and absorption coefficients of periodic structures using a hybrid Wave Based " Finite Element unit cell method. <i>Journal of Computational Physics</i> , 2018, 356, 282-302.	1.9	21
6112	FE analysis of surface acoustic wave transmission in composite piezoelectric wedge structures. <i>Ultrasonics</i> , 2018, 84, 366-372.	2.1	1
6113	An optimized hybrid Convolutional Perfectly Matched Layer for efficient absorption of electromagnetic waves. <i>Journal of Computational Physics</i> , 2018, 356, 31-45.	1.9	9
6114	Velocity model building by waveform inversion of early arrivals and reflections: A 2D case study with gas-cloud effects. <i>Geophysics</i> , 2018, 83, R141-R157.	1.4	21
6115	Computational electrodynamics in material media with constraint-preservation, multidimensional Riemann solvers and sub-cell resolution " Part II, higher order FDTD schemes. <i>Journal of Computational Physics</i> , 2018, 354, 613-645.	1.9	22
6116	A Novel Coupling Algorithm for Perfectly Matched Layer With Wave Equation-Based Discontinuous Galerkin Time-Domain Method. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 255-261.	3.1	15
6117	Simulating the injection of magnetized plasma without electromagnetic precursor wave. <i>Journal of Computational Physics</i> , 2018, 353, 258-263.	1.9	1
6118	Feasibility of on-line temperature-based hyperthermia treatment planning to improve tumour temperatures during locoregional hyperthermia. <i>International Journal of Hyperthermia</i> , 2018, 34, 1082-1091.	1.1	24
6119	Broadband direction-dependent transmission of light with photonic crystal heterostructure grating. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 02LT01.	1.3	3
6120	Anisotropic resonator analysis using the Fourier" Bessel mode solver. <i>Optics Communications</i> , 2018, 410, 317-327.	1.0	2
6121	High-order Pad" and singly diagonally Runge"Kutta schemes for linear ODEs, application to wave propagation problems. <i>Numerical Methods for Partial Differential Equations</i> , 2018, 34, 760-798.	2.0	4
6122	Electromagnetic Fields in Inhomogeneous Media. , 2018, , 201-266.		5
6124	Perfectly matched layers for flexural waves in Kirchhof"Love plates. <i>International Journal of Solids and Structures</i> , 2018, 134, 293-303.	1.3	5
6125	Enhanced Absorption Due to Formation of Quasi-Bound States in Type-II Coupled Quantum Rings. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018, 24, 1-7.	1.9	0
6126	Optical absorption of carbon-gold core-shell nanoparticles. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2018, 205, 291-298.	1.1	52
6127	A Non-Contact Ultrasonic Sensor for General Corrosion Inspection of Thin Plates. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
6128	Analysis of the PML Performance on Spherical FDTD Grids. , 2018, , .		0
6129	On the analysis of perfectly matched layers for a class of dispersive media and application to negative index metamaterials. Mathematics of Computation, 2018, 87, 2775-2810.	1.1	11
6130	Scenario Earthquake and Ground Motion Simulations in North China: Effects of Heterogeneous Fault Stress and 3D Basin Structure. Bulletin of the Seismological Society of America, 2018, 108, 2148-2169.	1.1	13
6131	Numerical and Laboratory Experiments on the Destruction of Construction Materials under the Impact of an Electromagnetic Field. Moscow University Physics Bulletin (English Translation of) Tj ETQq1 1 0.784314rgBT /Overlock 10		0
6132	High-frequency simulation of acoustic lenses based on Fresnel zone plate. Journal of Physics: Conference Series, 2018, 1144, 012032.	0.3	1
6133	Time Domain Simulation of Geomagnetically Induced Current (GIC) Flowing in 500kV Power Grid in Japan Including a Three-Dimensional Ground Inhomogeneity. Space Weather, 2018, 16, 1946-1959.	1.3	27
6134	On the Dynamic Electric Field Distribution of 500kV GIS Basin-type Insulators Under Very Fast Transient Over-voltage. , 2018, , .		1
6135	Reflection Analysis of Spherical FDTD Absorbing Boundary Conditions. , 2018, , .		1
6136	Design of a Wideband Probe for the Measurement of the Electrical Parameters of Soil. , 2018, , .		0
6137	Comparasion of FDTD Analysis With Absorbing Boundary Condition Based on Inverted-F Antenna. , 2018, , .		0
6138	A Brief Review of Mueller Matrix Calculations Associated with Oceanic Particles. Applied Sciences (Switzerland), 2018, 8, 2686.	1.3	4
6139	Study of the Application of Perfectly Matched Layer in Small-Scale Radio Propagation. , 2018, , .		0
6140	Boundary Concepts for an Improvement of the Numerical Solution with regard to the Wigner Transport Equation. , 2018, , .		3
6141	Novel Effects and Functionalities in Subwavelength Photonic and Plasmonic (Nano)Structures. , 2018, , .		0
6142	Second-order scalar wave field modeling with a first-order perfectly matched layer. Solid Earth, 2018, 9, 1277-1298.	1.2	0
6143	An integrated experimental and theoretical study on the optical properties of uniform hairy noble metal nanoparticles. Nanoscale, 2018, 10, 22750-22757.	2.8	18
6144	Joint inversion of GPR and ER data. , 2018, , .		5
6146	The simulation of single photon and applied to the design of quantum antenna. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
6147	A Novel Directional Multilevel Method Using Waveguide Eigenmode Expansion. , 2018, , .		0
6148	An Efficient Multiscale Finite-Element Method for Frequency-Domain Seismic Wave Propagation. Bulletin of the Seismological Society of America, 2018, 108, 966-982.	1.1	12
6149	Improved sweeping preconditioners for domain decomposition algorithms applied to time-harmonic Helmholtz and Maxwell problems. ESAIM Proceedings and Surveys, 2018, 61, 93-111.	0.5	7
6150	Numerical Solution of Electromagnetic Scattering Problems Based on the Dirichlet-to-Neumann Map. , 2018, , .		1
6151	Development of the Wavefront Matching Method Based on the 3-D Finite-Element Method and Its Application to Si-wire Mode Converters. Journal of Lightwave Technology, 2018, 36, 3652-3659.	2.7	14
6152	Error estimates of a semi-discrete LDG method for the system of damped acoustic wave equation. Advances in Difference Equations, 2018, 2018, .	3.5	0
6153	Full-Wave Ultrasound Reconstruction with Linear Arrays Based on a Fourier Split-Step Approach. , 2018, , .		5
6154	Mathematical and Physical Model of the Generation and the Transmission of Single Photon and Its Quantum State Representations. , 2018, , .		0
6155	A Study on Highly Resonant Wireless Power Transfer Scheme Using Planar Coils. , 2018, , .		0
6156	Deep Thinning of MoM Matrices with the Balanced Electromagnetic Absorber Method in 3 Dimensions. , 2018, , .		0
6157	Weighted-averaging operators for accurate 2.5D finite-difference frequency domain radar waves modeling. , 2018, , .		1
6158	An Unsplit Formulation of the 3D-PML Absorbing Boundary Conditions for TLM-Method in Time Domain. , 2018, , .		2
6159	An Adaptive Least Angle Regression Method for Uncertainty Quantification in FDTD Computation. IEEE Transactions on Antennas and Propagation, 2018, 66, 7188-7197.	3.1	35
6160	Full-Wave Interior Penalty Discontinuous Galerkin Method for Waveguide Analysis. Journal of Lightwave Technology, 2018, 36, 5168-5176.	2.7	3
6161	Performance Analyses of Perfectly Matched Layer Applied to the Node-based RPIM Method. , 2018, , .		0
6162	Parallel DGTd method for transient electromagnetic problems. , 2018, , .		6
6163	Modeling and Analysis of an Opto-Fluidic Sensor for Lab-on-a-Chip Applications. Micromachines, 2018, 9, 134.	1.4	4
6164	RF Heating of Pancreatic Tumours Guided by Hyperthermia Treatment Planning and Limited Thermometry. , 2018, , .		2

#	ARTICLE	IF	CITATIONS
6166	Self-Dual Wideband Absorbers. , 2018, , .		1
6167	Two-phase pore-fluid distribution in fractured media: acoustic wave velocity vs saturation. Applied Geophysics, 2018, 15, 311-317.	0.1	2
6168	Numerical modelling of wave barrier in 2D unbounded medium using Explicit/Implicit multi-time step co-simulation. IOP Conference Series: Materials Science and Engineering, 2018, 365, 042062.	0.3	3
6169	Investigation of Wave Propagation in a Plasma Antenna using 3D FDTD. , 2018, , .		0
6170	A Single Simulation Platform for Hybrid Photoacoustic and RF-Acoustic Computed Tomography. Applied Sciences (Switzerland), 2018, 8, 1568.	1.3	14
6171	Hierarchical Cascading in FEM Simulations of SAW Devices. , 2018, , .		5
6172	High-frequency behaviour of corner singularities in Helmholtz problems. ESAIM: Mathematical Modelling and Numerical Analysis, 2018, 52, 1803-1845.	0.8	20
6173	Mathematical Modeling of Photonic Crystal based Optical Filters using Machine Learning. , 2018, , .		3
6174	An Absorbing Boundary Condition Based on Perfectly Matched Layer Technique Combined with Discontinuous Galerkin Boltzmann Method for Low Mach Number Flow Noise. Journal of Theoretical and Computational Acoustics, 2018, 26, 1850011.	0.5	1
6175	Large-scale microwave analysis based on domain decomposition method. , 2018, , .		0
6176	Comparison of the Standard Differencing With the Exponential Differencing for the FDTD Method in Lossy Media. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2018, 3, 295-302.	1.4	2
6177	Plasmonic HEMT Terahertz Transmitter based on the Dyakonov-Shur Instability: Performance Analysis and Impact of Nonideal Boundaries. Physical Review Applied, 2018, 10, .	1.5	26
6178	Tailoring near and Far Electromagnetic Fields Through Optimization. , 2018, , .		1
6179	Dimensional Splitting of Hyperbolic Partial Differential Equations Using the Radon Transform. SIAM Journal of Scientific Computing, 2018, 40, A4184-A4207.	1.3	15
6180	Integrating Poroelastic Effects of Wastewater Injection and Rupture Dynamics to Understand Induced Seismicity. , 2018, , .		2
6181	Spatially-Controllable Hot Spots for Plasmon-Enhanced Second-Harmonic Generation in AgNP-ZnO Nanocavity Arrays. Nanomaterials, 2018, 8, 1012.	1.9	4
6182	Diffusive-Probabilistic Model for Inter-Pixel Crosstalk in HgCdTe Focal Plane Arrays. IEEE Journal of the Electron Devices Society, 2018, 6, 664-673.	1.2	20
6183	Asymmetric light transmission effect based on an evolutionary optimized semi-Dirac cone dispersion photonic structure. Physical Review B, 2018, 98, .	1.1	18

#	ARTICLE	IF	CITATIONS
6185	Prediction of fluid flow and acoustic field of a supersonic jet using vorticity confinement. Journal of the Acoustical Society of America, 2018, 144, 1521-1527.	0.5	0
6186	Investigation of nonlinear ultrasonic guided waves in open waveguides based on perfectly matched layers. Journal of the Acoustical Society of America, 2018, 144, 1572-1588.	0.5	8
6187	A simple absorbing layer for EM-radiation from a beam-plasma interaction system. Mathematical Methods in the Applied Sciences, 2018, 41, 9276-9282.	1.2	3
6188	Nanostructure identification using interference microscope with database. Optical Review, 2018, 25, 571-577.	1.2	1
6189	An Approximate PML Applied to Cylindrical and Spherical Coordinate Sectors. IEEE Microwave and Wireless Components Letters, 2018, 28, 741-743.	2.0	1
6191	Riesz-projection-based theory of light-matter interaction in dispersive nanoresonators. Physical Review A, 2018, 98, .	1.0	46
6192	Transfer matrix method application on semiconductor-based solar cell characteristics measurements. Modern Physics Letters B, 2018, 32, 1850346.	1.0	6
6193	The Split-Field PML Absorbing Boundary Condition for the Unconditionally Stable Node-Based LOD-RPIM Method. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 1920-1924.	2.4	2
6194	Sound focusing of a wavelength-scale gas-filled flat lens. Europhysics Letters, 2018, 123, 64002.	0.7	10
6195	Additional Sound Absorption Within a Poroelastic Lamella Network Under Oblique Incidence. Acta Acustica United With Acustica, 2018, 104, 211-219.	0.8	4
6196	Metamaterial Superlenses Operating at Visible Wavelength for Imaging Applications. Scientific Reports, 2018, 8, 16119.	1.6	57
6197	Compact acoustic lens composed of annular cavities covered by a membrane. Applied Physics Letters, 2018, 113, .	1.5	4
6198	A Preconditioned Finite Element Solution of the Coupled Pressure-Temperature Equations Used to Model Trace Gas Sensors. SIAM Journal of Scientific Computing, 2018, 40, B1470-B1493.	1.3	5
6199	Light-Trapping Front Textures for Solar Cells from Tailored Mixtures of Nanospheres: A Numerical Study. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1800699.	0.8	0
6200	Simulation of seismoelectric waves using finite-difference frequency-domain method: 2D SHTE mode. Geophysical Journal International, 0, , .	1.0	8
6201	Unconditionally Stable CNAD- and BT-Based CFS-PML Implementation for Truncating Anisotropic Magnetic Plasma. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 1176-1180.	2.4	5
6202	Reduction of Electromagnetic Reflections in 3D Airborne Transient Electromagnetic Modeling: Application of the CFS-PML in Source-Free Media. International Journal of Antennas and Propagation, 2018, 2018, 1-14.	0.7	5
6203	MHDSTS: a new explicit numerical scheme for simulations of partially ionised solar plasma. Astronomy and Astrophysics, 2018, 615, A67.	2.1	31

#	ARTICLE	IF	CITATIONS
6204	Numerical analysis of thermal response of tissues subjected to high intensity focused ultrasound. International Journal of Hyperthermia, 2018, 35, 419-434.	1.1	30
6205	Maxwell-consistent, symmetry- and energy-preserving solutions for ultrashort-laser-pulse propagation beyond the paraxial approximation. Physical Review A, 2018, 98, .	1.0	5
6206	A generalized average-derivative optimal finite-difference scheme for 2D frequency-domain acoustic-wave modeling on continuous nonuniform grids. Geophysics, 2018, 83, T265-T279.	1.4	10
6207	A high expansion implicit finite-element prestack reverse time migration method. Exploration Geophysics, 2018, 49, 844-855.	0.5	0
6208	Analysis of High Sensitivity Photonic Crystal Fiber Sensor Based on Surface Plasmon Resonance of Refractive Indexes of Liquids. Sensors, 2018, 18, 2922.	2.1	47
6209	Stiffness matrices for fluid and anisotropic soil layers with applications in soil dynamics. Soil Dynamics and Earthquake Engineering, 2018, 115, 169-182.	1.9	11
6210	Broad-band 3-D earthquake simulation at nuclear site by an all-embracing source-to-structure approach. Soil Dynamics and Earthquake Engineering, 2018, 115, 263-280.	1.9	16
6211	Structure and Dynamics of Three-Dimensional Magnetotail Reconnection. Journal of Geophysical Research: Space Physics, 2018, 123, 8241-8260.	0.8	5
6212	Polarization-independent one-way transmission of silicon annular photonic crystal heterojunctions. AIP Advances, 2018, 8, 095011.	0.6	1
6213	Time-domain PML formulation for modeling viscoelastic waves with Rayleigh-type damping in an unbounded domain: Theory and application in ABAQUS. Finite Elements in Analysis and Design, 2018, 152, 1-16.	1.7	23
6214	A Hybrid Method for Acoustic Analysis of the Vocal Tract During Vowel Production. Lecture Notes in Computer Science, 2018, , 68-77.	1.0	0
6215	Effect of nanoscale roughness on optical trapping properties of surface plasmon polaritons exerted on nanoparticle. Journal of Quantitative Spectroscopy and Radiative Transfer, 2018, 219, 339-349.	1.1	8
6216	Direct Detection of Anchor Damping in MEMS Tuning Fork Resonators. Journal of Microelectromechanical Systems, 2018, 27, 800-809.	1.7	28
6217	Versatile and accurate schemes of discretization for the electromagnetic scattering analysis of arbitrarily shaped piecewise homogeneous objects. Journal of Computational Physics, 2018, 374, 478-494.	1.9	13
6218	An improved hybrid absorbing boundary condition for wave equation modeling. Journal of Geophysics and Engineering, 2018, 15, 2602-2613.	0.7	20
6219	Reconfigurable Half-Mode Substrate Integrated Waveguide Filter With Wide Out-Of-Band Rejection. , 2018, , .		1
6221	Computational Analysis of Metasurfaces. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2018, 3, 37-49.	1.4	64
6222	Efficiency enhancement of flexible OLEDs by using nano-corrugated substrates and conformal Ag transparent anodes. AIP Advances, 2018, 8, 055030.	0.6	2

#	ARTICLE	IF	CITATIONS
6223	TSOS and TSOS-FK hybrid methods for modelling the propagation of seismic waves. <i>Geophysical Journal International</i> , 2018, 214, 1665-1682.	1.0	5
6225	Designing scattering-free isotropic index profiles using phase-amplitude equations. <i>Physical Review A</i> , 2018, 97, .	1.0	3
6226	The multi-physics metawedge: graded arrays on fluid-loaded elastic plates and the mechanical analogues of rainbow trapping and mode conversion. <i>New Journal of Physics</i> , 2018, 20, 053017.	1.2	36
6227	Electronic transport across a junction between armchair graphene nanotube and zigzag nanoribbon. <i>European Physical Journal B</i> , 2018, 91, 1.	0.6	8
6228	GPU acceleration of time gating based reverse time migration using the pseudospectral time-domain algorithm. <i>Computers and Geosciences</i> , 2018, 117, 57-62.	2.0	10
6229	A mesh-free finite-difference method for elastic wave propagation in the frequency-domain. <i>Computers and Geosciences</i> , 2018, 118, 65-78.	2.0	26
6230	Earthquake input for finite element analysis of soil-structure interaction on rigid bedrock. <i>Tunnelling and Underground Space Technology</i> , 2018, 79, 250-262.	3.0	34
6231	Computing parametrized solutions for plasmonic nanogap structures. <i>Journal of Computational Physics</i> , 2018, 366, 89-106.	1.9	13
6232	Nonreflective Conditions for Perfectly Matched Layer in Computational Aeroacoustics. <i>International Journal of Aeronautical and Space Sciences</i> , 2018, 19, 279-290.	1.0	0
6233	Application of the edge-based gradient smoothing technique to acoustic radiation and acoustic scattering from rigid and elastic structures in two dimensions. <i>Computers and Structures</i> , 2018, 203, 43-58.	2.4	53
6234	Relativistic finite-difference time-domain analysis of high-speed moving metamaterials. <i>Scientific Reports</i> , 2018, 8, 7686.	1.6	9
6235	Scaled boundary point interpolation method for seismic soil-tunnel interaction analysis. <i>Computers and Geotechnics</i> , 2018, 101, 208-216.	2.3	8
6236	A Finite Difference Time Domain Investigation of Electric Field Enhancements Along Ocean-Continent Boundaries During Space Weather Events. <i>Journal of Geophysical Research: Space Physics</i> , 2018, 123, 5033-5046.	0.8	11
6237	Multipole Perfectly Matched Layer for Finite-Difference Time-Domain Electromagnetic Modeling. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 2987-2995.	3.1	11
6238	Adaptive 9-point frequency-domain finite difference scheme for wavefield modeling of 2D acoustic wave equation. <i>Journal of Geophysics and Engineering</i> , 2018, 15, 1432-1445.	0.7	15
6239	Ring resonator optical modes in InGaN/GaN structures grown on micro-cone-patterned sapphire substrates. <i>Journal of Physics: Conference Series</i> , 2018, 993, 012020.	0.3	0
6240	Wavenumber explicit analysis for time-harmonic Maxwell equations in a spherical shell and spectral approximations. <i>IMA Journal of Numerical Analysis</i> , 2018, 38, 810-851.	1.5	4
6241	Efficient time-domain deconvolution of seismic ground motions using the equivalent-linear method for soil-structure interaction analyses. <i>Soil Dynamics and Earthquake Engineering</i> , 2018, 112, 138-151.	1.9	27

#	ARTICLE	IF	CITATIONS
6242	Transparent boundary conditions for the Bogoliubov-de Gennes equation in (1+1)D. Computer Physics Communications, 2018, 229, 129-147.	3.0	4
6243	Stochastic excitation method for calculating the resolvent band structure of periodic media and waveguides. Physical Review B, 2018, 97, .	1.1	12
6244	Analysis of Electromagnetic Propagation from MHz to THz with a Memory-Optimised CPML-FDTD Algorithm. International Journal of Antennas and Propagation, 2018, 2018, 1-20.	0.7	1
6245	Toward a stable iterative migration velocity analysis scheme. Geophysics, 2018, 83, R475-R495.	1.4	4
6246	Efficient PML implementation based on the unconditionally stable CN-FDTD algorithm for anisotropic magnetized plasma. Optik, 2018, 171, 468-475.	1.4	6
6247	Modeling of the multimodal radiation from an open-ended waveguide. Journal of the Acoustical Society of America, 2018, 143, 3520-3528.	0.5	10
6248	Hierarchical Cascading Algorithm for 2-D FEM Simulation of Finite SAW Devices. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2018, 65, 1933-1942.	1.7	36
6249	Analysis of an ultra miniature capsule antenna for gastrointestinal endoscopy. Engineering Science and Technology, an International Journal, 2018, 21, 938-944.	2.0	7
6250	Integrated antenna with balun design for Miracast. , 2018, , .		0
6252	Asymmetric light transport in L-shaped and U-shaped photonic crystal waveguides. Chinese Journal of Physics, 2018, 56, 2357-2364.	2.0	2
6253	Model parametrization strategies for Newton-based acoustic full waveform inversion. Journal of Applied Geophysics, 2018, 157, 23-36.	0.9	8
6254	Maxwell Equations. , 0, , 71-107.		0
6255	Localized Plasmonic Resonances of Prolate Nanoparticles in a Symmetric Environment: Experimental Verification of the Accuracy of Numerical and Analytical Models. Physical Review Applied, 2018, 9, .	1.5	14
6256	CMA-ES based topology optimization for acoustic cloak. Transactions of the JSME (in Japanese), 2018, 84, 17-00590-17-00590.	0.1	2
6257	Stochastic PLRC-FDTD Method for Modeling Wave Propagation in Unmagnetized Plasma. IEEE Antennas and Wireless Propagation Letters, 2018, 17, 1024-1028.	2.4	17
6258	Vehicle Acoustic Performance Analysis towards Effective Sound Package Design in Mid-Frequency. , 2018, , .		3
6259	Nonsplit complex-frequency shifted perfectly matched layer combined with symplectic methods for solving second-order seismic wave equations – Part 1: Method. Geophysics, 2018, 83, T301-T311.	1.4	13
6260	Benchmarking five numerical simulation techniques for computing resonance wavelengths and quality factors in photonic crystal membrane line defect cavities. Optics Express, 2018, 26, 11366.	1.7	16

#	ARTICLE	IF	CITATIONS
6261	Information carried by a surface-plasmon-polariton wave across a gap. <i>Journal of Applied Physics</i> , 2018, 124, .	1.1	10
6262	Fast vertical mode expansion method for the simulation of extraordinary terahertz field enhancement in an annular nanogap. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2018, 35, 30.	0.9	3
6263	Extended coupled Lorentz oscillator model and analogue of electromagnetically induced transparency in coupled plasmonic structures. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2018, 35, 1854.	0.9	6
6264	Computational design of nanostructural color for additive manufacturing. <i>ACM Transactions on Graphics</i> , 2018, 37, 1-16.	4.9	30
6265	Local Space-Time Dirichlet-Neumann Nonreflecting Boundary Values: Half-Space Spatial Orthogonal Mode Projections. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 5378-5386.	3.1	2
6266	Numerical simulation and laboratory measurements on an open tunable acoustic barrier. <i>Applied Acoustics</i> , 2018, 141, 144-150.	1.7	15
6267	On the Shaping of a Short Signal at the Output of the Receiving Piezoelectric Transducer in the Radiation-Reception System. <i>Materials</i> , 2018, 11, 974.	1.3	2
6268	Simple PML implementation for finite-difference time-domain method. <i>Electronics Letters</i> , 2018, 54, 988-990.	0.5	2
6269	Generation of coherent acoustic beams in solids by mixing of counterpropagating, detuned optical beams [Invited]. <i>Applied Optics</i> , 2018, 57, C77.	0.9	4
6270	Electron-Positron Pair Flow and Current Composition in the Pulsar Magnetosphere. <i>Astrophysical Journal</i> , 2018, 858, 81.	1.6	57
6271	A high-order perturbation of surfaces method for vector electromagnetic scattering by doubly layered periodic crossed gratings. <i>Journal of Computational Physics</i> , 2018, 372, 748-772.	1.9	5
6272	A Methodology to Empirically Compare Computational Bioelectromagnetics Methods: Evaluation of Three Competitive Methods. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 4123-4136.	3.1	6
6273	Parallel Ellipsoidal Perfectly Matched Layers for Acoustic Helmholtz Problems on Exterior Domains. <i>Journal of Theoretical and Computational Acoustics</i> , 2018, 26, 1850015.	0.5	8
6274	Wave Propagation Simulation in Damaged Isotropic and Anisotropic Solids Using K-Space Method. <i>Journal of Theoretical and Computational Acoustics</i> , 2018, 26, 1850023.	0.5	0
6275	Local absorbing boundary conditions to simulate wave propagation in unbounded viscoelastic domains. <i>Computers and Structures</i> , 2018, 208, 1-16.	2.4	5
6276	Wide-Angle Parabolic Approximation for Modeling High-Intensity Fields from Strongly Focused Ultrasound Transducers. <i>Acoustical Physics</i> , 2018, 64, 309-319.	0.2	11
6277	Normal Modes and Modal Reduction in Exterior Acoustics. <i>Journal of Theoretical and Computational Acoustics</i> , 2018, 26, 1850029.	0.5	16
6278	Manipulating Light in Coupled Asymmetric Nanostructures Induced by a Visible-NIR Laser. <i>Journal of Russian Laser Research</i> , 2018, 39, 267-274.	0.3	0

#	ARTICLE	IF	CITATIONS
6279	Hybrid absorbing boundary condition for piecewise smooth curved boundary in 2D acoustic finite difference modelling. <i>Exploration Geophysics</i> , 2018, 49, 469-483.	0.5	5
6280	Nested Domain Decomposition with Polarized Traces for the 2D Helmholtz Equation. <i>SIAM Journal of Scientific Computing</i> , 2018, 40, B942-B981.	1.3	12
6281	Stable absorbing boundary conditions for molecular dynamics in general domains. <i>Computational Mechanics</i> , 2018, 62, 1259-1272.	2.2	5
6282	Revised Three-Dimensional Navier-Stokes Characteristic Boundary Conditions for Intense Reactive Turbulence. <i>Journal of Shanghai Jiaotong University (Science)</i> , 2018, 23, 190-201.	0.5	0
6283	Acoustic reflection well logging modeling using the frequency-domain finite-element method with a hybrid PML. <i>Applied Geophysics</i> , 2018, 15, 35-45.	0.1	5
6284	Trapped modes and reflectionless modes as eigenfunctions of the same spectral problem. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2018, 474, 20180050.	1.0	28
6285	Finite element implementation of efficient absorbing layers for time harmonic elastodynamics of unbounded domains. <i>Soil Dynamics and Earthquake Engineering</i> , 2018, 114, 625-638.	1.9	11
6286	Absorption Performance of an Anechoic Layer with a Steel Plate Backing at Oblique Incidence. <i>Acoustics Australia</i> , 2018, 46, 317-327.	1.4	8
6287	Fractal acoustic metamaterials for transformer noise reduction. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	37
6288	A Nonstandard Schwarz Domain Decomposition Method for Finite-Element Mesh Truncation of Infinite Arrays. <i>IEEE Transactions on Antennas and Propagation</i> , 2018, 66, 6179-6190.	3.1	2
6289	A Novel Method for Estimating Wave Energy Converter Performance in Variable Bathymetry Regions and Applications. <i>Energies</i> , 2018, 11, 2092.	1.6	24
6290	Wideband, Periodically Arranged Self-Dual Subwavelength Waveguides. , 2018, , .		0
6291	Modeling of frequency-domain elastic-wave equation with a general optimal scheme. <i>Journal of Applied Geophysics</i> , 2018, 159, 1-15.	0.9	7
6292	Well-posedness and numerical treatment of the Blackstock equation in nonlinear acoustics. <i>Mathematical Models and Methods in Applied Sciences</i> , 2018, 28, 2557-2597.	1.7	5
6293	Numerical modeling of the coupling efficiency of single quantum emitters in photonic-crystal waveguides. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2018, 35, 514.	0.9	27
6294	Energy Dissipation Contribution Modeling of Vibratory Behavior for Silicon Micromachined Gyroscope. <i>Shock and Vibration</i> , 2018, 2018, 1-10.	0.3	2
6295	Reciprocal absorbing boundary condition with perfectly matched discrete layers for transient analysis of SV-P waves in a layered half-space. <i>International Journal of Solids and Structures</i> , 2018, 155, 89-108.	1.3	3
6296	Ultrasensitive optical reflectivity in annular nanohole array on Photonic crystal slab based on bound states in the continuum. <i>Scientific Reports</i> , 2018, 8, 12455.	1.6	12

#	ARTICLE	IF	CITATIONS
6297	Modeling underwater noise propagation from marine hydrokinetic power devices through a time-domain, velocity-pressure solution. <i>Journal of the Acoustical Society of America</i> , 2018, 143, 3242-3253.	0.5	13
6298	A Multiscale Unconditionally Stable Time-Domain (MUST) Solver Unifying Electrodynamics and Micromagnetics. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018, 66, 2683-2696.	2.9	19
6299	Mathematical Foundations of Computational Electromagnetism. <i>Applied Mathematical Sciences (Switzerland)</i> , 2018, , .	0.4	40
6300	Exceptional points of resonant states on a periodic slab. <i>Physical Review A</i> , 2018, 97, .	1.0	15
6301	Strategy for tailoring the size distribution of nanospheres to optimize rough backreflectors of solar cells. <i>Optics Express</i> , 2018, 26, A111.	1.7	10
6302	Application of hierarchical cascading technique to finite element method simulation in bulk acoustic wave devices. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 07LC08.	0.8	17
6303	Physical Framework and Models. <i>Applied Mathematical Sciences (Switzerland)</i> , 2018, , 1-71.	0.4	0
6304	Self-Assembled Chiral Photonic Crystals from a Colloidal Helix Racemate. <i>ACS Nano</i> , 2018, 12, 6860-6870.	7.3	22
6305	Perfectly matched layer absorbing boundary conditions for AH FDTD method. , 2018, , .		0
6306	A high-order doubly asymptotic continued-fraction solution for frequency-domain analysis of vector wave propagation in unbounded domains. <i>Soil Dynamics and Earthquake Engineering</i> , 2018, 113, 230-240.	1.9	9
6307	Frequency-Domain Multi-Scale Early-Arrival Waveform Tomography with a Time-Domain Wavefield Modeling Engine. <i>Journal of Earth Science (Wuhan, China)</i> , 2018, 29, 679-688.	1.1	4
6308	Development of Photonic Crystal Fiber-Based Gas/Chemical Sensors. , 2019, , 287-317.		31
6309	Finite Element Method for Sensing Applications. , 2019, , 109-151.		2
6310	A high-order absorbing boundary condition for 2D time-harmonic elastodynamic scattering problems. <i>Computers and Mathematics With Applications</i> , 2019, 77, 1703-1721.	1.4	14
6311	Review of Computational Techniques for Performance Evaluation of RF Localization Inside the Human Body. <i>IEEE Reviews in Biomedical Engineering</i> , 2019, 12, 123-137.	13.1	6
6312	Attenuation mechanisms in fractured fluid-saturated porous rocks: a numerical modelling study. <i>Geophysical Prospecting</i> , 2019, 67, 935-955.	1.0	32
6313	Convolution quadrature methods for time-domain scattering from unbounded penetrable interfaces. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2019, 475, 20190029.	1.0	4
6314	A Robust Optimal Finite Difference Scheme for the Three-Dimensional Helmholtz Equation. <i>Mathematical Problems in Engineering</i> , 2019, 2019, 1-13.	0.6	5

#	ARTICLE	IF	CITATIONS
6315	An efficient high-order multiscale finite element method for frequency-domain elastic wave modeling. Computational Geosciences, 2019, 23, 997-1010.	1.2	3
6316	A perfectly matched layer formulation adapted for fast frequency sweeps of exterior acoustics finite element models. Journal of Computational Physics, 2019, 398, 108878.	1.9	4
6317	Analysis of Multiple Waveguide Discontinuities Using Propagation Operator Method and Beam Propagation Method. IEEE Journal of Quantum Electronics, 2019, 55, 1-8.	1.0	4
6318	Bias of the Reflectometric Sea Level Measurement of the Using the GPS Satellite Signals Caused by Sea Surface Waves. , 2019, , .		0
6319	Nearly PML for a Novel Four-Steps Weakly Conditionally Stable HIE-FDTD Method. , 2019, , .		1
6320	Simulation of Dual-Layer Metallic Nanowire Grids Broadband Polarizers Using the Finite-Difference Frequency-Domain Method. , 2019, , .		0
6321	A Time-Domain Formulation of Elastic Waves in Heterogeneous Unbounded Domains. Multiscale Science and Engineering, 2019, 1, 220-235.	0.9	3
6322	An Optimized Choice of UCPML to Truncate Lattices With Rotated Staggered Grid Scheme for Ground Penetrating Radar Simulation. IEEE Transactions on Geoscience and Remote Sensing, 2019, 57, 8695-8706.	2.7	12
6323	Modeling and analysis of an impact-acoustic method for bolt looseness identification. Mechanical Systems and Signal Processing, 2019, 133, 106249.	4.4	72
6324	Comprehensive Zakharov-type model for parametric instabilities in the corona of direct-drive targets. Physics of Plasmas, 2019, 26, 072118.	0.7	5
6325	A local collocation method to construct Dirichlet-type absorbing boundary conditions for transient scalar wave propagation problems. Computer Methods in Applied Mechanics and Engineering, 2019, 356, 629-651.	3.4	18
6326	<i>a priori</i> estimates of attraction basins for nonlinear least squares, with application to Helmholtz seismic inverse problem. Inverse Problems, 2019, 35, 115004.	1.0	12
6327	Complete Planar Impedance Conservation and PML Boundary Value Solutions. IEEE Transactions on Antennas and Propagation, 2019, 67, 3208-3214.	3.1	2
6328	Change in the Generation Mode of the Plasma Relativistic Microwave Oscillator. Plasma Physics Reports, 2019, 45, 674-684.	0.3	6
6329	Accelerated refilling speed in rapid stereolithography based on nano-textured functional release film. Additive Manufacturing, 2019, 29, 100791.	1.7	5
6330	Well-Designed Termination Wall of Perfectly Matched Layers for ATS-FDTD Method. International Journal of Antennas and Propagation, 2019, 2019, 1-6.	0.7	0
6331	Phase Shift Induced Degradation of Polarization Caused by Bends in Inhibited-Coupling Guiding Hollow-Core Fibers. IEEE Photonics Technology Letters, 2019, 31, 1362-1365.	1.3	6
6332	Computing resonant modes of circular cylindrical resonators by vertical mode expansions. Physical Review E, 2019, 100, 013303.	0.8	0

#	ARTICLE	IF	CITATIONS
6333	Analytical Derivation of Ellipsoid Conformal Perfectly Matched Layers for Electromagnetic Simulations. IEEE Transactions on Antennas and Propagation, 2019, 67, 4718-4725.	3.1	3
6334	Singular boundary method for 3D time-harmonic electromagnetic scattering problems. Applied Mathematical Modelling, 2019, 76, 617-631.	2.2	17
6335	Cellular Neural Network Based Contour Detection for Seismic Image. Lecture Notes in Computer Science, 2019, , 327-337.	1.0	0
6336	The use of faÅšade sun shading systems for the reduction of indoor and outdoor sound pressure levels. Building Acoustics, 2019, 26, 181-206.	1.1	7
6337	Optimized compact finite difference scheme for frequency-domain acoustic wave equation. Acta Geophysica, 2019, 67, 1391-1402.	1.0	3
6338	Optimization of discharges with ion cyclotron range of frequencies using local gas injection in EAST. Nuclear Fusion, 2019, 59, 066023.	1.6	10
6339	Design and Analysis of a Novel Air Gapâ€“Based Semi-elliptical Nanoplasmonic Coupler. Plasmonics, 2019, 14, 1993-2001.	1.8	7
6340	Enhanced conformal perfectly matched layers for Bernsteinâ€“BÃ©zier finite element modelling of short wave scattering. Computer Methods in Applied Mechanics and Engineering, 2019, 355, 614-638.	3.4	9
6341	Photon recycling in nanopatterned perovskite thin-films for photovoltaic applications. APL Photonics, 2019, 4, 076104.	3.0	21
6342	System-Combined ADI-FDTD Method and Its Electromagnetic Applications in Microwave Circuits and Antennas. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 3260-3270.	2.9	14
6343	Freeâ€“surface implementation in a meshâ€“free finiteâ€“difference method for elastic wave propagation in the frequency domain. Geophysical Prospecting, 2019, 67, 2104-2114.	1.0	6
6344	Design of Solar Cell Structure Based on Au Nanoparticles. , 2019, , .		2
6345	Comparative study of grids based on the cubic crystal system for the FDTD solution of the wave equation. Mathematics and Computers in Simulation, 2019, 166, 395-409.	2.4	5
6346	Two-fluid simulations of waves in the solar chromosphere. Astronomy and Astrophysics, 2019, 627, A25.	2.1	42
6347	Reconstruction of an early viola da gamba informed by physical modeling. Journal of the Acoustical Society of America, 2019, 145, 3435-3442.	0.5	13
6348	A Statistical Parsimony Method for Uncertainty Quantification of FDTD Computation Based on the PCA and Ridge Regression. IEEE Transactions on Antennas and Propagation, 2019, 67, 4726-4737.	3.1	15
6349	Modeling Frequencyâ€“Independent Q Viscoacoustic Wave Propagation in Heterogeneous Media. Journal of Geophysical Research: Solid Earth, 2019, 124, 11568-11584.	1.4	36
6350	Simulation of the ion cyclotron range of frequencies slow wave and the lower hybrid resonance in 3D in RAPLICASOL. Plasma Physics and Controlled Fusion, 2019, 61, 115011.	0.9	15

#	ARTICLE	IF	CITATIONS
6351	A first look on 3D effects in open axion haloscopes. Journal of Cosmology and Astroparticle Physics, 2019, 2019, 026-026.	1.9	16
6352	An Accurate and Efficient Time-domain Model for Simulating Wave Propagation in Half-space. IOP Conference Series: Earth and Environmental Science, 2019, 304, 032067.	0.2	0
6353	Research and Development of Partial Discharge Anti Disturbance System for Switch Cabinet. , 2019, , .		2
6354	Cm-Level Photonic-Crystal-Like Subwavelength Waveguide Platform with High Integration Density. Applied Sciences (Switzerland), 2019, 9, 3410.	1.3	3
6356	A phase of diabetes care at the verge of paradigm shift. Journal of the Formosan Medical Association, 2019, 118, S63-S65.	0.8	0
6357	Modal analysis for nanoplasmonics with nonlocal material properties. Physical Review B, 2019, 100, .	1.1	15
6358	A Novel Hybrid Finite Elementâ€”Spectral Boundary Integral Scheme for Modeling Earthquake Cycles: Application to Rate and State Faults With Lowâ€”Velocity Zones. Journal of Geophysical Research: Solid Earth, 2019, 124, 12854-12881.	1.4	16
6359	Bound states in the continuum in double-hole array perforated in a layer of photonic crystal slab. Applied Physics Express, 2019, 12, 125002.	1.1	10
6361	Microwave analysis based on parallel finite element method. Journal of Advanced Simulation in Science and Engineering, 2019, 6, 215-233.	0.1	0
6362	Efficient Near-Field Analysis of the Electromagnetic Scattering Based on the Dirichlet-to-Neumann Map. Applied Sciences (Switzerland), 2019, 9, 4179.	1.3	1
6363	Energy Decay and Stability of a Perfectly Matched Layer For the Wave Equation. Journal of Scientific Computing, 2019, 81, 2237-2270.	1.1	9
6364	Comparative evaluation of foundation modeling for SSI analyses using two different ABC approaches: Applications to dams. Engineering Structures, 2019, 200, 109725.	2.6	7
6365	LPSE: A 3-D wave-based model of cross-beam energy transfer in laser-irradiated plasmas. Journal of Computational Physics, 2019, 399, 108916.	1.9	20
6366	Frequency-domain elastic wavefield simulation with hybrid absorbing boundary conditions. Journal of Geophysics and Engineering, 2019, 16, 690-706.	0.7	4
6367	Unconditionally Stable Higher Order CNAD-PML for Left-Handed Materials. IEEE Transactions on Antennas and Propagation, 2019, 67, 7156-7161.	3.1	13
6368	Multilevel Monte Carlo acceleration of seismic wave propagation under uncertainty. GEM - International Journal on Geomathematics, 2019, 10, 1.	0.7	5
6369	Perfectly matched absorbing layer for modelling transient wave propagation in heterogeneous poroelastic media. Journal of Geophysics and Engineering, 2019, , .	0.7	1
6370	A method to simulate the optical image from farâ€”field scattering numerical data and its application to the total internal reflection microscopy of metallic nanowires. Journal of Microscopy, 2019, 276, 21-26.	0.8	0

#	ARTICLE	IF	CITATIONS
6371	Effectiveness of Convolutional Perfectly Matched Layer in Time-domain Numerical Analysis of Low-frequency Wireless Power Transfer. <i>IEEJ Journal of Industry Applications</i> , 2019, 8, 131-139.	0.9	13
6372	Electron Beam-Induced Directional Terahertz Radiation from Metamaterials. , 0, , .		0
6373	ADMM-based multiparameter wavefield reconstruction inversion in VTI acoustic media with TV regularization. <i>Geophysical Journal International</i> , 2019, 219, 1316-1333.	1.0	16
6374	3D Nonlinear Ground Motion Simulation Using a Physics-Based Method for the Kinburn Basin. <i>Bulletin of the Seismological Society of America</i> , 2019, , .	1.1	1
6375	Graphene-Enhanced Surface Plasmon Resonance Liquid Refractive Index Sensor Based on Photonic Crystal Fiber. <i>Sensors</i> , 2019, 19, 3666.	2.1	30
6376	A fourth-order optimal finite difference scheme for the Helmholtz equation with PML. <i>Computers and Mathematics With Applications</i> , 2019, 78, 2147-2165.	1.4	15
6377	Design and analysis of thin film GaAs solar cells using silver nanoparticle plasmons. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2019, 37, 100731.	1.0	18
6378	Modelling analysis of the limitation of P-wave AVAZ inversion. <i>Journal of Applied Geophysics</i> , 2019, 170, 103842.	0.9	2
6379	Constructing a partially transparent computational boundary for UPPE using leaky modes. <i>Journal of Mathematical Physics</i> , 2019, 60, 083505.	0.5	0
6380	Review of crosshole ground-penetrating radar full-waveform inversion of experimental data: Recent developments, challenges, and pitfalls. <i>Geophysics</i> , 2019, 84, H13-H28.	1.4	52
6381	An exact PML to truncate lattices with unstructured-mesh-based adaptive finite element method in frequency domain for ground penetrating radar simulation. <i>Journal of Applied Geophysics</i> , 2019, 170, 103836.	0.9	8
6382	Locating embedded iron bars for wireless power transmission through reinforced-concrete wall. <i>SN Applied Sciences</i> , 2019, 1, 1.	1.5	1
6383	A two-stage Markov chain Monte Carlo method for seismic inversion and uncertainty quantification. <i>Geophysics</i> , 2019, 84, R1003-R1020.	1.4	27
6384	Acoustic scattering from a stiffened finite cylindrical shell with external rings. <i>MATEC Web of Conferences</i> , 2019, 283, 03002.	0.1	0
6385	Full-waveform inversion of salt models using shape optimization and simulated annealing. <i>Geophysics</i> , 2019, 84, R793-R804.	1.4	12
6386	Two-Dimensional Hybrid Photonic Crystal With Graded Low-Index Using a Nonuniform Voltage. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2019, 75, 65-71.	0.7	1
6387	Three Dimensional Time Domain Simulation of the Quantum Magnetic Susceptibility. , 2019, , .		1
6388	A Perfectly Matched Layer Approach for P_N -Approximations in Radiative Transfer. <i>SIAM Journal on Numerical Analysis</i> , 2019, 57, 2166-2188.	1.1	4

#	ARTICLE	IF	CITATIONS
6389	Cross Orthogonality Between Eigenfunctions and Conjugate Eigenfunctions of a Class of Modified Helmholtz Operator for Pekeris Waveguide. <i>Journal of Theoretical and Computational Acoustics</i> , 2019, 27, 1850048.	0.5	2
6390	A Bayesian Approach for Full-waveform Inversion Using Wide-aperture Seismic Data. , 2019, , .		0
6391	Comparative study of different non-reflecting boundary conditions for compressible flows. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2019, 41, 1.	0.8	1
6392	About Horizontal Inhomogeneities of Electron Concentration Influence on the Propagation of ULF Signals in the Earth-Ionosphere Waveguide. , 2019, , .		3
6393	Analysis of acoustic radiation problems using the cell-based smoothed radial point interpolation method with Dirichlet-to-Neumann boundary condition. <i>Engineering Analysis With Boundary Elements</i> , 2019, 108, 447-458.	2.0	22
6394	Modeling of Dielectric Resonator Antennas using Numerical Methods Applied to EPR. , 0, , .		0
6395	The golden age of arthropods: ancient mechanisms of colour production in body scales. <i>Journal of the Royal Society Interface</i> , 2019, 16, 20190366.	1.5	4
6396	Joint Inverse Medium and Optimal Control Problem for Acoustic Waves. , 2019, , .		2
6397	Prediction of vibroacoustic transmission characteristics through double-plate floor structures by using finite-difference time-domain analysis. <i>Acoustical Science and Technology</i> , 2019, 40, 344-356.	0.3	8
6398	Well-posedness of the Westervelt equation with higher order absorbing boundary conditions. <i>Journal of Mathematical Analysis and Applications</i> , 2019, 479, 1595-1617.	0.5	3
6399	Research of step-length estimation methods for full waveform inversion in time domain. <i>Exploration Geophysics</i> , 2019, 50, 583-599.	0.5	7
6400	A modified domain reduction method for numerical simulation of wave propagation in localized regions. <i>Earthquake Engineering and Engineering Vibration</i> , 2019, 18, 35-52.	1.1	14
6401	Unsplit perfectly matched layer absorbing boundary conditions for second-order poroelastic wave equations. <i>Wave Motion</i> , 2019, 89, 116-130.	1.0	13
6402	Side-Supported Radial-Mode Thin-Film Piezoelectric-on-Silicon Disk Resonators. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2019, 66, 727-736.	1.7	9
6403	The Crank-Nicolson hybrid difference method for the time wave equation on exterior domains with the discrete radial absorbing boundary condition. <i>Wave Motion</i> , 2019, 86, 32-43.	1.0	1
6404	Hybrid asynchronous absorbing layers based on Kosloff damping for seismic wave propagation in unbounded domains. <i>Computers and Geotechnics</i> , 2019, 109, 69-81.	2.3	30
6405	Design and Analysis of a Novel Optical Circulator Based on Photonic Crystal for Photonic Integrated Circuit Applications. <i>Plasmonics</i> , 2019, 14, 1261-1267.	1.8	4
6406	Selective absorption of a thermophotovoltaic cell using a thin semiconductor and a top fishnet-structured electrode. <i>International Journal of Heat and Mass Transfer</i> , 2019, 134, 807-814.	2.5	6

#	ARTICLE	IF	CITATIONS
6407	An edge-based smoothed finite element method for wave scattering by an obstacle in elastic media. <i>Engineering Analysis With Boundary Elements</i> , 2019, 101, 121-138.	2.0	8
6408	Anderson Photon-Phonon Colocalization in Certain Random Superlattices. <i>Physical Review Letters</i> , 2019, 122, 043903.	2.9	28
6409	Metamaterials absorber based on doped semiconductor for THz and FIR frequency ranges. <i>Journal of Optics (United Kingdom)</i> , 2019, 21, 035102.	1.0	9
6410	An extension of DG methods for hyperbolic problems to one-dimensional semi-infinite domains. <i>Applied Mathematics and Computation</i> , 2019, 350, 266-282.	1.4	2
6411	Fast-to-Alfvén Mode Conversion Mediated by Hall Current. II. Application to the Solar Atmosphere. <i>Astrophysical Journal</i> , 2019, 870, 94.	1.6	18
6412	Seismic analysis of dam-foundation-reservoir system including the effects of foundation mass and radiation damping. <i>Earthquake Engineering and Engineering Vibration</i> , 2019, 18, 203-218.	1.1	27
6413	Energy conservation and super convergence analysis of the ECSS-FDTD schemes for Maxwell equations with periodic boundaries. <i>Numerical Methods for Partial Differential Equations</i> , 2019, 35, 1562-1587.	2.0	5
6415	PHIL pantograph testing via FE-based catenary model with absorbing boundaries. <i>Control Engineering Practice</i> , 2019, 88, 97-109.	3.2	5
6416	Back and forth error compensation and correction method for linear hyperbolic systems with application to the Maxwell's equations. <i>Journal of Computational Physics: X</i> , 2019, 1, 100014.	1.1	1
6417	Time-Harmonic Acoustic Scattering from a Nonlocally Perturbed Trapezoidal Surface. <i>SIAM Journal of Scientific Computing</i> , 2019, 41, B522-B544.	1.3	4
6418	Automatic three-dimensional acoustic-structure interaction analysis using the scaled boundary finite element method. <i>Journal of Computational Physics</i> , 2019, 395, 432-460.	1.9	24
6419	Enhancing Light Extraction Efficiency of Vertical Emission of AlGaIn Nanowire Light Emitting Diodes With Photonic Crystal. <i>IEEE Photonics Journal</i> , 2019, 11, 1-9.	1.0	9
6420	A generalized non-reflecting inlet boundary condition for steady and forced compressible flows with injection of vortical and acoustic waves. <i>Computers and Fluids</i> , 2019, 190, 503-513.	1.3	22
6421	An ABAQUS toolbox for soil-structure interaction analysis. <i>Computers and Geotechnics</i> , 2019, 114, 103143.	2.3	39
6422	Robust shape and topology optimization of nanophotonic devices using the level set method. <i>Journal of Computational Physics</i> , 2019, 395, 710-746.	1.9	26
6423	Study of integrated calculation method of fluid-structure coupling vibrations, acoustic radiation, and propagation for axisymmetric structures in ocean acoustic environment. <i>Engineering Analysis With Boundary Elements</i> , 2019, 106, 334-348.	2.0	10
6424	2-D poroelastic wave modelling with a topographic free surface by the curvilinear grid finite-difference method. <i>Geophysical Journal International</i> , 2019, 218, 1961-1982.	1.0	13
6426	Nearly perfectly matched layer absorber for viscoelastic wave equations. <i>Geophysics</i> , 2019, 84, T335-T345.	1.4	9

#	ARTICLE	IF	CITATIONS
6427	Seismic elastic RTM with vector-wavefield decomposition. Journal of Geophysics and Engineering, 2019, 16, 509-524.	0.7	28
6428	An adaptive local discrete convolution method for the numerical solution of Maxwell's equations. Communications in Applied Mathematics and Computational Science, 2019, 14, 105-119.	0.7	2
6429	Acoustical coupling and radiation control of open cavity using an array of Helmholtz resonators. Mechanical Systems and Signal Processing, 2019, 130, 632-648.	4.4	10
6430	Indirect link between resonant and guided modes on uniform and periodic slabs. Physical Review A, 2019, 99, .	1.0	10
6431	Topological Insulators by Topology Optimization. Physical Review Letters, 2019, 122, 234502.	2.9	78
6432	A 3D nonlinear Maxwell's equations solver based on a hybrid numerical method. Physica Scripta, 2019, 94, 085211.	1.2	3
6433	Concentric Split Aluminum with Silicon-Aluminum Nitride Annular Rings Resonators. Micromachines, 2019, 10, 296.	1.4	13
6434	Saul Abarbanel; Half a Century of Scientific Work. Journal of Scientific Computing, 2019, 81, 1124-1135.	1.1	0
6435	Interferences in locally resonant sonic metamaterials formed from Helmholtz resonators. Applied Physics Letters, 2019, 114, .	1.5	20
6436	The numerical modeling of frequency domain scalar wave equation based on the rhombus stencil. Journal of Applied Geophysics, 2019, 166, 42-56.	0.9	4
6437	Revisiting infinite mapping layer for open domain problems. Journal of Computational Physics, 2019, 392, 354-367.	1.9	7
6438	Numerical study of optical trapping properties of nanoparticle on metallic film with periodic structure. Chinese Physics B, 2019, 28, 024203.	0.7	6
6439	A nonlinear least squares framework for periodic grating identification with a high-order perturbation of surfaces implementation. Applied Numerical Mathematics, 2019, 143, 20-34.	1.2	1
6440	Synergetic light trapping effects in organic solar cells with a patterned semi-transparent electrode. Physical Chemistry Chemical Physics, 2019, 21, 11306-11312.	1.3	21
6441	A graph space optimal transport distance as a generalization of $\langle i \rangle_L \langle p \rangle^{\infty}$ distances: application to a seismic imaging inverse problem. Inverse Problems, 2019, 35, 085001.	1.0	54
6442	Wave reflection and cutoff frequencies in coupled FE-periodic grids. International Journal for Numerical Methods in Engineering, 2019, 120, 29-55.	1.5	15
6443	Shape optimization for the design of passive mid-infrared photonic components. Optical and Quantum Electronics, 2019, 51, 1.	1.5	8
6444	Designing photonic topological insulators with quantum-spin-Hall edge states using topology optimization. Nanophotonics, 2019, 8, 1363-1369.	2.9	48

#	ARTICLE	IF	CITATIONS
6445	Parameter crosstalk and modeling errors in viscoacoustic seismic full-waveform inversion. <i>Geophysics</i> , 2019, 84, R641-R653.	1.4	29
6446	Towards Perfectly Matched Layers for time-dependent space fractional PDEs. <i>Journal of Computational Physics</i> , 2019, 391, 59-90.	1.9	20
6447	Using fish lateral line sensing to improve seismic acquisition and processing. <i>PLoS ONE</i> , 2019, 14, e0213847.	1.1	6
6449	Electromagnetic Wave Propagation in Isotropic Media. , 2019, , 3-106.		0
6450	Wave Propagation in Anisotropic Media. , 2019, , 107-159.		0
6451	Surface Waves, Metamaterials and Perfect Imaging. , 2019, , 160-188.		0
6452	Foundations of Geometrical Optics. , 2019, , 191-265.		0
6453	Aberration Analysis of Optical Systems. , 2019, , 266-382.		1
6454	Analytic Design and Optimisation of Optical Systems. , 2019, , 383-424.		0
6455	Design Methods for Optical Imaging Systems. , 2019, , 425-542.		0
6456	Vectorial and Scalar Theory of Diffraction and Focusing. , 2019, , 545-581.		0
6457	The Aberrated Scalar and Vector Point-spread Function. , 2019, , 582-656.		0
6458	Frequency Analysis of Optical Imaging. , 2019, , 657-781.		0
6459	Theory of Vector Imaging. , 2019, , 782-859.		0
6468	A 3D DPG Maxwell approach to nonlinear Raman gain in fiber laser amplifiers. <i>Journal of Computational Physics: X</i> , 2019, 2, 100002.	1.1	7
6469	A highly efficient time-space-domain optimized method with Lax-Wendroff type time discretization for the scalar wave equation. <i>Journal of Computational Physics</i> , 2019, 393, 1-28.	1.9	4
6470	The method of polarized traces for the 3D Helmholtz equation. <i>Geophysics</i> , 2019, 84, T313-T333.	1.4	3
6471	An efficient preconditioner for adaptive Fast Multipole accelerated Boundary Element Methods to model time-harmonic 3D wave propagation. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 352, 189-210.	3.4	5

#	ARTICLE	IF	CITATIONS
6472	Elastic full waveform inversion on unstructured meshes by the finite element method. <i>Physica Scripta</i> , 2019, 94, 115002.	1.2	7
6473	Implementing bound constraints and total-variation regularization in extended full waveform inversion with the alternating direction method of multiplier: application to large contrast media. <i>Geophysical Journal International</i> , 0, , .	1.0	17
6474	Self-adaptive absorbing boundary conditions for quasilinear acoustic wave propagation. <i>Journal of Computational Physics</i> , 2019, 388, 279-299.	1.9	8
6475	An Additive Overlapping Domain Decomposition Method for the Helmholtz Equation. <i>SIAM Journal of Scientific Computing</i> , 2019, 41, A1252-A1277.	1.3	10
6476	Thermal cloaking of complex objects with the neutral inclusion and the coordinate transformation methods. <i>AIP Advances</i> , 2019, 9, .	0.6	9
6477	High-Performance and Ultra-Broadband Metamaterial Absorber Based on Mixed Absorption Mechanisms. <i>IEEE Access</i> , 2019, 7, 57259-57266.	2.6	40
6478	Complex frequency-shifted multi-axial perfectly matched layer for frequency-domain seismic wavefield simulation in anisotropic media. <i>Geophysical Prospecting</i> , 2019, 67, 1329-1344.	1.0	4
6479	A stable auxiliary differential equation perfectly matched layer condition combined with low-dispersive symplectic methods for solving second-order elastic wave equations. <i>Geophysics</i> , 2019, 84, T193-T206.	1.4	5
6480	Adaptive finite element simulations of waveguide configurations involving parallel 2D material sheets. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 351, 20-34.	3.4	9
6481	A Unified 2D/3D Large-Scale Software Environment for Nonlinear Inverse Problems. <i>ACM Transactions on Mathematical Software</i> , 2019, 45, 1-35.	1.6	12
6482	Absorbing boundary conditions for time-dependent Schrödinger equations: A density-matrix formulation. <i>Journal of Chemical Physics</i> , 2019, 150, 114111.	1.2	7
6483	Finite difference time domain modelling as support to ground penetrating radar surveys of precast concrete units. <i>Near Surface Geophysics</i> , 2019, 17, 277-289.	0.6	6
6484	Tunable electromagnetic wave-absorbing capability achieved in liquid-metal-based nanocomposite. <i>Applied Physics Express</i> , 2019, 12, 045005.	1.1	12
6485	Regenerated amplification of terahertz spoof surface plasmon radiation. <i>New Journal of Physics</i> , 2019, 21, 033021.	1.2	15
6486	Efficient PML Implementation for Approximate CN-FDTD Method. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019, 18, 698-701.	2.4	18
6487	A multiscale continuous Galerkin method for stochastic simulation and robust design of photonic crystals. <i>Journal of Computational Physics: X</i> , 2019, 2, 100016.	1.1	0
6488	Study on the integrated calculation method of fluid-structure interaction vibration, acoustic radiation, and propagation from an elastic spherical shell in ocean acoustic environments. <i>Ocean Engineering</i> , 2019, 177, 29-39.	1.9	13
6489	Nonsplit complex-frequency-shifted perfectly matched layer combined with symplectic methods for solving second-order seismic wave equations – Part 2: Wavefield simulations. <i>Geophysics</i> , 2019, 84, T167-T179.	1.4	9

#	ARTICLE	IF	CITATIONS
6490	Reverse Time Migration of Seismic Forward-Prospecting Data in Tunnels Based on Beamforming Methods. <i>Rock Mechanics and Rock Engineering</i> , 2019, 52, 3261-3278.	2.6	17
6491	Beam Transmission Properties in High Power Ytterbium-Doped Tandem-Pumping Fiber Amplifier. <i>IEEE Photonics Journal</i> , 2019, 11, 1-12.	1.0	6
6492	A Numerical Mode Matching Method for Wave Scattering in a Layered Medium with a Stratified Inhomogeneity. <i>SIAM Journal of Scientific Computing</i> , 2019, 41, B274-B294.	1.3	5
6493	Investigation on acoustic reflection logging of LWD using a flexible finite difference technique. <i>Exploration Geophysics</i> , 2019, 50, 172-180.	0.5	2
6494	Structure-soil-structure interaction of adjacent buildings subjected to seismic loading. <i>Earthquake Engineering and Structural Dynamics</i> , 2019, 48, 731-748.	2.5	41
6495	Numerical study of exterior acoustic problems using a novel finite element-least square point interpolation method with perfectly matched layer. <i>Engineering Analysis With Boundary Elements</i> , 2019, 102, 87-96.	2.0	9
6496	Laser-driven plasma pinching in cascade. <i>Physical Review E</i> , 2019, 99, 031201.	3.8	120
6497	On energy stable discontinuous Galerkin spectral element approximations of the perfectly matched layer for the wave equation. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 350, 898-937.	3.4	6
6498	An optimized, parameter-free PML-FEM for wave scattering problems in the ocean and coastal environment. <i>Ocean Engineering</i> , 2019, 179, 307-324.	1.9	10
6499	Smoothed particle hydrodynamics (SPH) model for coupled analysis of a damaged ship with internal sloshing in beam seas. <i>Physics of Fluids</i> , 2019, 31, .	1.6	37
6500	Discontinuous Galerkin discretizations of the Boltzmann-BGK equations for nearly incompressible flows: Semi-analytic time stepping and absorbing boundary layers. <i>Journal of Computational Physics</i> , 2019, 390, 175-202.	1.9	4
6501	A multiscale method for wave propagation in 3D heterogeneous poroelastic media. <i>Geophysics</i> , 2019, 84, T237-T257.	1.4	0
6502	Connecting PML to Classical Robin Boundary Value Problems. <i>IEEE Transactions on Antennas and Propagation</i> , 2019, 67, 4032-4039.	3.1	1
6503	Perfectly matched layer boundary conditions for frequency-domain acoustic wave simulation in the mesh-free discretization. <i>Geophysical Prospecting</i> , 2019, 67, 1732-1744.	1.0	6
6504	Fast Huygens Sweeping Methods for Time-Dependent Schrödinger Equation with Perfectly Matched Layers. <i>SIAM Journal of Scientific Computing</i> , 2019, 41, A877-A899.	1.3	5
6505	Modelling of Electromagnetic Heating Process and its Applications in Oil Sands Reservoirs. , 2019, , .		7
6506	Daubechies wavelets as basis functions for the vectorial beam propagation method. <i>Journal of Electromagnetic Waves and Applications</i> , 2019, 33, 1027-1041.	1.0	9
6507	A new family of discontinuous finite element methods for elliptic problems in the whole space. <i>Mathematical Methods in the Applied Sciences</i> , 2019, 42, 2949-2973.	1.2	2

#	ARTICLE	IF	CITATIONS
6508	Direct frequency-domain 3D acoustic solver with intermediate data compression benchmarked against time-domain modeling for full-waveform inversion applications. <i>Geophysics</i> , 2019, 84, T207-T219.	1.4	13
6509	Three channel GHz-ranged demultiplexer in solid-solid phononic crystals. <i>Chinese Journal of Physics</i> , 2019, 59, 291-297.	2.0	32
6510	Fictitious eigenfrequencies in the BEM for interior acoustic problems. <i>Engineering Analysis With Boundary Elements</i> , 2019, 104, 170-182.	2.0	31
6511	Complex Frequency Shifted Perfectly Matched Layer Boundary Conditions for Frequency-Domain Elastic Wavefield Simulations. <i>Pure and Applied Geophysics</i> , 2019, 176, 2529-2542.	0.8	2
6512	Self-collimation and slow-sound effect of spoof surface acoustic waves. <i>Journal of Applied Physics</i> , 2019, 125, .	1.1	11
6513	Fano resonance in asymmetric gold nano-dimers with square and rectangular sections. <i>Chinese Journal of Physics</i> , 2019, 59, 40-48.	2.0	4
6514	A Class of Iterative Solvers for the Helmholtz Equation: Factorizations, Sweeping Preconditioners, Source Transfer, Single Layer Potentials, Polarized Traces, and Optimized Schwarz Methods. <i>SIAM Review</i> , 2019, 61, 3-76.	4.2	91
6515	Absorbing boundary condition (ABC) and perfectly matched layer (PML) in numerical beam propagation: a comparison. <i>Optical and Quantum Electronics</i> , 2019, 51, 1.	1.5	7
6516	Numerical solution of the regularized logarithmic Schrödinger equation on unbounded domains. <i>Applied Numerical Mathematics</i> , 2019, 140, 91-103.	1.2	12
6517	Embedding particle-in-cell simulations in global magnetohydrodynamic simulations of the magnetosphere. <i>Journal of Plasma Physics</i> , 2019, 85, .	0.7	9
6518	A Modified PML Acoustic Wave Equation. <i>Symmetry</i> , 2019, 11, 177.	1.1	9
6519	A Perfectly Matched Layer for the Nonlinear Dispersive Finite-Element Time-Domain Method. <i>IEEE Transactions on Magnetics</i> , 2019, 55, 1-4.	1.2	3
6520	Numerical Modeling and Intelligent Designs. , 2019, , 149-177.		1
6521	Applications of Hybrid Nanoparticles in Biosensors. , 2019, , 431-455.		3
6522	Design and Analysis of a Semi-Elliptical Ultra-Compact Nano-plasmonic Coupler. , 2019, , .		3
6523	Highly sensitive SPR PCF biosensors based on Ag/TiN and Ag/ZrN configurations. <i>Optical and Quantum Electronics</i> , 2019, 51, 1.	1.5	30
6524	A Low-Dispersion Time Differencing Scheme for Maxwell's Equations. <i>IEEE Transactions on Antennas and Propagation</i> , 2019, 67, 3221-3231.	3.1	0
6525	Photonic crystals based on aperiodic dielectric multilayers for optical filtering. <i>Journal of Optics (United Kingdom)</i> , 2019, 21, 045101.	1.0	5

#	ARTICLE	IF	CITATIONS
6526	Self-assembled multi-layer simple cubic photonic crystals of oppositely charged colloids in confinement. <i>Soft Matter</i> , 2019, 15, 3104-3110.	1.2	6
6527	Application of a Mesh Free Monte-Carlo Method to the Analysis of Dielectric Slabs in Electromagnetics. , 2019, , .		0
6528	A stable high-order absorbing boundary based on continued fraction for scalar wave propagation in 2D and 3D unbounded layers. <i>Engineering Computations</i> , 2019, ahead-of-print, .	0.7	3
6529	Application of matched Z-transform perfectly matched layer in the numerical modeling of poroelastic wave equations. , 2019, , .		2
6531	Misfit function for full waveform inversion based on Shannon entropy for deeper velocity model updates. , 2019, , .		2
6532	A hybrid regularization scheme combining Tikhonov stabilizer with Cauchy function for multiscale frequency domain full-waveform inversion. , 2019, , .		0
6533	A High-Order Finite Volume Method for 3D Elastic Modelling on Unstructured Meshes. , 2019, , .		0
6534	Towards Real-Time Detection and Mitigation of Driver Frustration using SVM. , 2019, , .		8
6535	Euclidean Space Controllability Conditions of Singularly Perturbed Systems with Multiple State and Control Delays. , 2019, , .		3
6536	Global Navigational Satellite System Phase Altimetry of the Sea Level: Systematic Bias Effect Caused by Sea Surface Waves. , 2019, , .		3
6537	Defect Classification of Power Secondary Equipment Based on XGBoost Algorithm. , 2019, , .		0
6538	Low complexity decoding of Reed-Solomon codes over magnetic recording channels. <i>Electronics Letters</i> , 2019, 55, 159-161.	0.5	0
6539	Dispersive Quasi-Normal Mode (DQNM) Expansion in Open and Periodic Nanophotonic Structures. , 2019, , .		0
6540	A New Approach for a Single-Phase Matrix Converter Operating as Frequency Changer. , 2019, , .		3
6541	Multi-robot Formation Control Based on Parameter optimization Algorithm. , 2019, , .		0
6542	NPRank: Nexus based Predicate Ranking of Linked Data. , 2019, , .		0
6543	W-band Radio Communication System for High Speed Train using RoF Technologies. , 2019, , .		2
6544	State of the Art Simulation of Electromagnetic Fields in Time Domain using the Finite Integration Technique. , 2019, , .		2

#	ARTICLE	IF	CITATIONS
6545	Inter-pixel Crosstalk in Auger-Suppressed Dense Infrared Detectors. , 2019, , .		0
6546	The Method of Grid Disturbance Test for Very Large Capacity Photovoltaic Inverter Based on Hardware-In-Loop Simulation Platform. , 2019, , .		0
6547	Low literacy adults education: Towards a holistic view of the context. , 2019, , .		2
6548	An Ergodic Method with Harmonic Signal-to-Noise Ratio in the Squared Envelope Spectrum Matrix for Planetary Gearbox Fault Diagnosis. , 2019, , .		0
6549	ToonToy: a node-based NPR solution for UnrealEngine4. , 2019, , .		0
6550	Integration of Tool Support for Assurance and Certification and for Knowledge-Centric Systems Engineering. , 2019, , .		3
6551	Hybrid Current Mode Control for Phase-Shift Full-Bridge Converter. , 2019, , .		1
6552	Cross Spectral Periocular Matching using ResNet Features. , 2019, , .		12
6553	Modified AES using Dynamic S-Box and DNA Cryptography. , 2019, , .		6
6554	Accelerating DNN Inference with GraphBLAS and the GPU. , 2019, , .		7
6555	Small Scale Characteristics Analysis on Highway V2V Channel for Intelligent Transportation Systems. , 2019, , .		2
6556	Improvement of sponge boundary condition for seismic wave modeling. , 2019, , .		0
6557	Sound propagation in the near and far-field of a broadband echolocating dolphin and a narrowband echolocating porpoise. Proceedings of Meetings on Acoustics, 2019, , .	0.3	2
6558	Influence of Area Dimensions with Absorbing Boundary Conditions on the Result of Numerical Modelling of Decameter Waves Antenna Directivity Diagramm. , 2019, , .		1
6559	Determination of electrical percolation threshold of carbon nanotube-based epoxy nanocomposites and its experimental validation. IET Science, Measurement and Technology, 2019, 13, 1299-1304.	0.9	9
6560	On Acoustic Modeling for Broadband Beamforming. , 2019, , .		4
6561	Effect of EKG Sampling Rate on Heart Rate Variability Analysis. , 2019, 2019, 6780-6783.		4
6563	Effective EEG Channels for Emotion Identification over the Brain Regions using Differential Evolution Algorithm. , 2019, 2019, 4703-4706.		16

#	ARTICLE	IF	CITATIONS
6564	Adaptive Notch Filter for Induction Motor Condition Monitoring. , 2019, , .		1
6565	Students' Use of Metacognitive Skills in Undergraduate Research Experiences in Computational Modeling. , 2019, , .		2
6566	Realistic Channel Models Pre-Training. , 2019, , .		2
6567	Estimation of the Maximum Transmission Rate for the Silicon-Based Racetrack MicroResonator. , 2019, , .		0
6568	Depth-Wise Pooling: A Parameter-Less Solution for Channel Reduction of Feature-Map in Convolutional Neural Network. , 2019, , .		0
6569	PML and CFS-PML boundary conditions for a mesh-free finite difference solution of the elastic wave equation. Applied Geophysics, 2019, 16, 438-454.	0.1	7
6570	A Novel Approach to Resource Starvation Attacks on Message Queuing Telemetry Transport Brokers. , 2019, , .		2
6571	Pinpoint and Efficient DZT-based FDTD Implementations Using Optimal 2nd-order PML Truncation. , 2019, , .		2
6572	FrameNet: Learning Local Canonical Frames of 3D Surfaces From a Single RGB Image. , 2019, , .		27
6573	Origin of the chromospheric three-minute oscillations in sunspot umbrae. Astronomy and Astrophysics, 2019, 627, A169.	2.1	17
6574	Efficient method for the solution of Maxwell's equations for nanostructured materials. ITM Web of Conferences, 2019, 30, 08007.	0.4	0
6575	Boundary value problems governed by Helmholtz equation for anisotropic trigonometrically graded materials: A boundary element method solution. Journal of Physics: Conference Series, 2019, 1341, 062007.	0.3	1
6576	Electromagnetic field and numerical analysis in two dimensions and its interaction in biological tissue. Journal of Physics: Conference Series, 2019, 1418, 012010.	0.3	0
6577	3D Natural Interaction for an Augmented Reality System. , 2019, , .		1
6578	Efficient & Secure Physical Layer Cipher Scheme for VLC Systems. , 2019, , .		4
6579	Development of an intelligent UAV path planning approach to minimize the costs in flight distance, time, altitude, and obstacle collision. , 2019, , .		0
6580	Fuzzy-Rough Cognitive Networks: Building Blocks and Their Contribution to Performance. , 2019, , .		0
6581	A Game-Theoretic Approach to Analyzing Equilibria in Coupled Power and Transportation Networks. , 2019, , .		4

#	ARTICLE	IF	CITATIONS
6582	Evaluation of Object Recognition Intelligence of Social Robots. , 2019, , .		0
6583	Design and Decoding of Polar Codes with a Mixture of Reed-Solomon and Arikan Kernels. , 2019, , .		0
6584	Real-time Communication Measurement on Web Services in the Fingerprint Machine. , 2019, , .		1
6585	DeepAoA: Online Vehicular Direction Finding Based on a Deep Learning Method. , 2019, , .		2
6586	Global Stability Analysis of a Boundary Layer with Surface Indentations. , 2019, , .		2
6587	Research and Implementation of Teleoperation System for Space Flexible Manipulator. , 2019, , .		1
6588	Affective Computing Out-of-The-Lab: The Cost of Low Cost. , 2019, , .		6
6589	Two-fluid simulations of waves in the solar chromosphere. Astronomy and Astrophysics, 2019, 630, A79.	2.1	24
6590	A Neural Approach for Text Extraction from Scholarly Figures. , 2019, , .		8
6591	Hybridization between the FDTD Method and Sommerfeld Integrals for Lightning Electromagnetic Field Calculation. , 2019, , .		0
6592	Simulation of Acoustic Propagation in 3D Viscoelastic Inhomogeneous Media with Application to Medical Shear Wave Elastography. Journal of Theoretical and Computational Acoustics, 2019, 27, 1950003.	0.5	0
6593	Study by the FDTD Method of Multiband Microstrip Patch Antenna Loaded with L-Shaped Slot. , 2019, , .		2
6594	Are you using the right tools in computational electromagnetics?. Engineering Reports, 2019, 1, e12041.	0.9	16
6595	SwitchNet: A Neural Network Model for Forward and Inverse Scattering Problems. SIAM Journal of Scientific Computing, 2019, 41, A3182-A3201.	1.3	58
6596	Ultrafast Simulation and Optimization of Nanophotonic Devices with Integral Equation Methods. ACS Photonics, 2019, 6, 3233-3240.	3.2	18
6597	Meshfree simulation of acoustic scattering. , 2019, , .		0
6598	Numeric Modeling of Phononic Crystal with Time-Dependent Properties. IOP Conference Series: Materials Science and Engineering, 2019, 704, 012017.	0.3	0
6599	Modeling of wave propagation in a geomedium layer using PML absorbing boundary conditions. AIP Conference Proceedings, 2019, , .	0.3	0

#	ARTICLE	IF	CITATIONS
6600	Modelling of Photonic Crystal (PhC) Cavities: Theory and Applications. , 0, , .		1
6601	Computationally Efficient CN-PML for EM Simulations. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 4646-4655.	2.9	22
6602	Non-Hermitian defect states from lifetime differences. Physical Review A, 2019, 100, .	1.0	8
6603	Reflectometric Altimetry of the Sea Level using the GPS Satellite Signals: Errors Caused by Sea Surface Waves. , 2019, , .		1
6604	Three-Dimensional Higher Order PML Based on Alternating Direction Implicit Algorithm. IEEE Antennas and Wireless Propagation Letters, 2019, 18, 2592-2596.	2.4	21
6607	Time evolution of the electric field using the rapid expansion method with pseudospectral evaluation of spatial derivatives â€” Part 1. Geophysics, 2019, 84, E311-E321.	1.4	1
6608	Effect of the Distance of Plasmaâ€™Beam Interaction on the Oscillation Regimes in a Plasma Relativistic Microwave Oscillator. Journal of Russian Laser Research, 2019, 40, 435-446.	0.3	4
6609	Applying of Luneburg lens for multiâ€™beam TEMâ€™horn antenna. Journal of Engineering, 2019, 2019, 6558-6561.	0.6	1
6610	Reducing inter-pixel crosstalk in HgCdTe detectors. , 2019, , .		0
6611	Evaluation of Horizontal Electric Field from the Lightning Channel by Electromagnetic Field Equations of Moving Charges. International Journal of Antennas and Propagation, 2019, 2019, 1-8.	0.7	1
6612	Vertical Spin-Wave Transport in Magnonic Waveguides With Broken Translation Symmetry. IEEE Magnetics Letters, 2019, 10, 1-5.	0.6	6
6613	Functional Magnon Network Blocks Based on Structures with Translational Symmetry Violation. Technical Physics, 2019, 64, 1615-1621.	0.2	0
6614	Electronicâ€™Electromagnetic Multiphysics Modeling for Terahertz Plasmonics: A Review. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2019, 4, 307-316.	1.4	1
6615	A new family of fourth-order locally one-dimensional schemes for the 3D elastic wave equation. Journal of Computational and Applied Mathematics, 2019, 348, 246-260.	1.1	6
6616	Dispersion properties of rectangularlyâ€™corrugated waveguide structures by the inâ€™house 3D FDTD code COCHLEA in cylindrical coordinates. IET Microwaves, Antennas and Propagation, 2019, 13, 28-34.	0.7	6
6617	Influence of particle shape in the additive manufacturing process for ceramics. Computers and Mathematics With Applications, 2019, 78, 2360-2376.	1.4	11
6618	Open Boundary Conditions and Nesting Techniques. Springer Textbooks in Earth Sciences, Geography and Environment, 2019, , 159-182.	0.1	0
6619	Numerical modelling of sound propagation in rooms bounded by walls with rectangular-shaped irregularities and frequency-dependent impedance. Journal of Sound and Vibration, 2019, 440, 291-314.	2.1	11

#	ARTICLE	IF	CITATIONS
6620	Frequency domain multiparameter acoustic inversion for transversely isotropic media with a vertical axis of symmetry. <i>Geophysics</i> , 2019, 84, C1-C14.	1.4	16
6621	An elongated finite-difference scheme for 2D acoustic and elastic wave simulations in the frequency domain. <i>Geophysics</i> , 2019, 84, T29-T45.	1.4	5
6622	Toward Information Transfer Around a Concave Corner by a Surface-Plasmon-Polariton Wave. <i>IEEE Photonics Journal</i> , 2019, 11, 1-12.	1.0	6
6623	A stabilized radial basis-finite difference (RBF-FD) method with hybrid kernels. <i>Computers and Mathematics With Applications</i> , 2019, 77, 2354-2368.	1.4	33
6624	An automatic approach for the acoustic analysis of three-dimensional bounded and unbounded domains by scaled boundary finite element method. <i>International Journal of Mechanical Sciences</i> , 2019, 151, 563-581.	3.6	41
6625	Sparsifying preconditioner for the time-harmonic Maxwell's equations. <i>Journal of Computational Physics</i> , 2019, 376, 913-923.	1.9	4
6626	Nobody's Perfect; Matched Layers for Heterogeneous Media. <i>SIAM Journal of Scientific Computing</i> , 2019, 41, A1-A25.	1.3	1
6627	Large-scale numerical simulation of ionospheric Langmuir turbulence excited by a radio frequency electromagnetic wave. <i>Plasma Physics and Controlled Fusion</i> , 2019, 61, 035013.	0.9	2
6628	B-Spline FEM for Time-Harmonic Acoustic Scattering and Propagation. <i>Journal of Theoretical and Computational Acoustics</i> , 2019, 27, 1850059.	0.5	18
6629	Multilayered Maxwell's fish-eye lens as waveguide crossing. <i>Optics Communications</i> , 2019, 435, 385-393.	1.0	33
6630	Efficient Implementations of SC-PML for Arbitrary Media Using DSP Techniques. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2019, 61, 962-965.	1.4	5
6631	A 3-D Stochastic FDTD Algorithm for Wave Propagation in Isotropic Cold Plasma Medium Based on Bilinear Transform. <i>IEEE Transactions on Plasma Science</i> , 2019, 47, 173-178.	0.6	12
6632	Impedance inversion by using the low-frequency full-waveform inversion result as an a priori model. <i>Geophysics</i> , 2019, 84, R149-R164.	1.4	72
6633	A New Second Order Absorbing Boundary Layer Formulation for Anisotropic-Elastic Wavefield Simulation. <i>Pure and Applied Geophysics</i> , 2019, 176, 1717-1730.	0.8	5
6634	Polarization-independent and super broadband flat lens composed of graded index annular photonic crystals. <i>Optics Communications</i> , 2019, 435, 202-211.	1.0	3
6635	Modulation of localized surface plasmon resonances of a silver nanoparticle array upon the presence of MoS ₂ coatings or underlying thin films. <i>Optik</i> , 2019, 179, 819-827.	1.4	9
6636	Frequency-domain reverse-time migration with accelerated wave simulation via generalized multiscale finite element. <i>Journal of Applied Geophysics</i> , 2019, 160, 103-120.	0.9	4
6637	Enhancement of pupil-masked wavelength-scale gas-filled flat acoustic lens based on anomaly apodization effect. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2019, 383, 396-399.	0.9	7

#	ARTICLE	IF	CITATIONS
6638	Performance and stability of the double absorbing boundary method for acoustic-wave propagation. <i>Geophysics</i> , 2019, 84, T59-T72.	1.4	4
6639	Coarsening and filtering for absorbing layers in a discontinuous Galerkin method. , 2019, , .		0
6640	An integrated finite particle method with perfectly matched layer for modeling wave-structure interaction. <i>Coastal Engineering Journal</i> , 2019, 61, 78-95.	0.7	3
6641	FEM and CIP-FEM for Helmholtz Equation with High Wave Number and Perfectly Matched Layer Truncation. <i>SIAM Journal on Numerical Analysis</i> , 2019, 57, 96-126.	1.1	22
6642	Acoustic directional source based on Penrose quasi-crystal arrangements of metallic rods embedded in a fluid. <i>Ultrasonics</i> , 2019, 94, 3-9.	2.1	3
6643	Phononic and photonic crystals for sensing applications. <i>Advances in Applied Mechanics</i> , 2019, 52, 105-145.	1.4	22
6644	FDTD simulation of compositionally graded HgCdTe photodetectors. <i>Infrared Physics and Technology</i> , 2019, 97, 203-209.	1.3	9
6645	A reflectionless discrete perfectly matched layer. <i>Journal of Computational Physics</i> , 2019, 381, 91-109.	1.9	20
6646	Numerical solutions for the Helmholtz boundary value problems of anisotropic homogeneous media. <i>Journal of Computational Physics</i> , 2019, 381, 42-51.	1.9	29
6647	Analysis of Photonic Crystal Diffraction Grating Based Light Trapping Structure for GaAs Solar Cell. <i>IETE Journal of Research</i> , 2021, 67, 714-725.	1.8	6
6648	A compact perfectly matched layer algorithm for acoustic simulations in the time domain with smoothed particle hydrodynamic method. <i>Journal of the Acoustical Society of America</i> , 2019, 145, 204-214.	0.5	5
6649	A sponge layer for accurate aeroacoustic simulations using high-order discontinuous Galerkin methods. , 2019, , .		0
6650	A hybrid finite elementâ€spectral boundary integral approach: Applications to dynamic rupture modeling in unbounded domains. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2019, 43, 317-338.	1.7	18
6651	Theoretical Comparison of Methods for Modeling Thin Dielectric or Conducting Sheets in the FDTD Grid. <i>IEEE Transactions on Antennas and Propagation</i> , 2019, 67, 601-605.	3.1	2
6652	An Alternative PML Implementation for Arbitrary Media. <i>IEEE Transactions on Antennas and Propagation</i> , 2019, 67, 612-615.	3.1	7
6653	Damage detection method for RC members using local vibration testing. <i>Engineering Structures</i> , 2019, 178, 361-374.	2.6	20
6654	Wave modeling in viscoacoustic media with transverse isotropy. <i>Geophysics</i> , 2019, 84, C41-C56.	1.4	24
6655	Improving full-waveform inversion by wavefield reconstruction with the alternating direction method of multipliers. <i>Geophysics</i> , 2019, 84, R125-R148.	1.4	79

#	ARTICLE	IF	CITATIONS
6656	Statistical analysis of free-surface variability's impact on seismic wavefield. <i>Soil Dynamics and Earthquake Engineering</i> , 2019, 116, 86-95.	1.9	8
6657	Fractionalâ€Calculusâ€Based Electromagnetic Tool to Study Pulse Propagation in Arbitrary Dispersive Dielectrics. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800557.	0.8	14
6658	Frequency-dependent absorption and transmission boundary for the finite-difference time-domain method. <i>Applied Acoustics</i> , 2019, 145, 159-166.	1.7	5
6659	Traveling wave excitation sources for FEM analysis of scattering in acoustic waveguide. <i>Microsystem Technologies</i> , 2019, 25, 2783-2792.	1.2	8
6660	Coupling of boundary integral equation and finite element methods for transmission problems in acoustics. <i>Numerical Algorithms</i> , 2019, 82, 479-501.	1.1	3
6661	On perfectly matched layers for discontinuous Petrovâ€Galerkin methods. <i>Computational Mechanics</i> , 2019, 63, 1131-1145.	2.2	8
6662	The implementation of unconditionally stable higher order PML based on the implicit CNAD-FDTD algorithm. <i>Journal of Electromagnetic Waves and Applications</i> , 2019, 33, 151-164.	1.0	5
6663	Imaging conditions for elastic reverse time migration. <i>Geophysics</i> , 2019, 84, S95-S111.	1.4	33
6664	Gll regularization technique for seismic data inversion. <i>Journal of Applied Geophysics</i> , 2019, 160, 229-235.	0.9	3
6665	Calculation of Electromagnetic Scattering From an Inhomogeneous Sphere. <i>IEEE Transactions on Antennas and Propagation</i> , 2019, 67, 1772-1778.	3.1	3
6666	Combining finite element and finite difference methods for isotropic elastic wave simulations in an energy-conserving manner. <i>Journal of Computational Physics</i> , 2019, 378, 665-685.	1.9	20
6667	An iterative domain decomposition, spectral finite element method on non-conforming meshes suitable for high frequency Helmholtz problems. <i>Journal of Computational Physics</i> , 2019, 379, 132-172.	1.9	5
6668	Direct implementation of high order BGT artificial boundary conditions. <i>Journal of Computational Physics</i> , 2019, 376, 98-128.	1.9	11
6669	Hollow-core photonic crystal fibers for efficient terahertz transmission. <i>Optics Communications</i> , 2019, 433, 81-88.	1.0	33
6670	Acoustic gradient surfaces and gradient-index surfaces: Principles and applications on noise control. <i>Applied Acoustics</i> , 2019, 143, 151-156.	1.7	3
6671	SBPâ€SAT finite difference discretization of acoustic wave equations on staggered block-wise uniform grids. <i>Journal of Computational and Applied Mathematics</i> , 2019, 348, 421-444.	1.1	22
6672	Design of ultra-wideband antenna using tapered slot for low-end frequency extension. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2019, 29, e21553.	0.8	1
6673	Targetâ€level waveform inversion: a prospective application of the convolutionâ€type representation for the acoustic wavefield. <i>Geophysical Prospecting</i> , 2019, 67, 69-84.	1.0	13

#	ARTICLE	IF	CITATIONS
6674	Finite element time-domain body-of-revolution Maxwell solver based on discrete exterior calculus. <i>Journal of Computational Physics</i> , 2019, 376, 249-275.	1.9	8
6675	Millimeter wave wireless interconnects in deep submicron chips: Challenges and opportunities. <i>The Integration VLSI Journal</i> , 2019, 64, 127-136.	1.3	15
6676	A new FDTD scheme for Maxwell's equations in Kerr-type nonlinear media. <i>Numerical Algorithms</i> , 2019, 82, 223-243.	1.1	12
6677	Optimization of the Periodic PML for SEM. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2019, 61, 1578-1585.	1.4	9
6678	Two-step perfectly matched layer for arbitrary-order pseudo-spectral analytical time-domain methods. <i>Computer Physics Communications</i> , 2019, 235, 102-110.	3.0	9
6679	Time-Domain Stability of Artificial Boundary Condition Coupled with Finite Element for Dynamic and Wave Problems in Unbounded Media. <i>International Journal of Computational Methods</i> , 2019, 16, 1850099.	0.8	18
6680	An Optical Five Channel Demultiplexer-Based Simple Photonic Crystal Ring Resonator for WDM Applications. <i>Journal of Optical Communications</i> , 2019, 41, 37-43.	4.0	31
6681	Explicit/implicit multi-time step co-simulation in unbounded medium with Rayleigh damping and application for wave barrier. <i>European Journal of Environmental and Civil Engineering</i> , 2020, 24, 2400-2421.	1.0	10
6682	Incoherent source localization in random acoustic waveguides. <i>Waves in Random and Complex Media</i> , 2020, 30, 81-106.	1.6	1
6683	Dynamic soil-structure interaction analysis in time domain based on a modified version of perfectly matched discrete layers. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2020, 12, 168-179.	3.7	4
6684	Inverse design of efficient and compact $1 \text{ \AA} - N$ wavelength demultiplexer. <i>Optics Communications</i> , 2020, 454, 124522.	1.0	17
6685	Application of perfectly matched layers in 3D transient controlled-source electromagnetic modeling by the rapid expansion method. <i>Geophysics</i> , 2020, 85, E15-E26.	1.4	2
6686	DLSFEM's PML formulation for the steady-state response of a taut string on visco-elastic support under moving load. <i>Meccanica</i> , 2020, 55, 765-790.	1.2	6
6687	Mathematical analysis of Ziolkowski's PML model with application for wave propagation in metamaterials. <i>Journal of Computational and Applied Mathematics</i> , 2020, 366, 112434.	1.1	5
6688	A boundary integral approach to linear and nonlinear transient wave scattering. <i>Applied Numerical Mathematics</i> , 2020, 147, 277-300.	1.2	0
6689	Transient analysis of full-space unbounded domains by reciprocal absorbing boundaries. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2020, 44, 3-18.	1.7	2
6690	Switchable Truncations Between the 1st- and 2nd-Order DZT-CFS-UPMLs for Relevant FDTD Problems. <i>IEEE Transactions on Antennas and Propagation</i> , 2020, 68, 360-365.	3.1	6
6691	ART: Adaptive residual-time restarting for Krylov subspace matrix exponential evaluations. <i>Journal of Computational and Applied Mathematics</i> , 2020, 364, 112311.	1.1	20

#	ARTICLE	IF	CITATIONS
6692	Vibration mitigation in saturated soil by periodic pile barriers. <i>Computers and Geotechnics</i> , 2020, 117, 103251.	2.3	40
6693	Practical Implementation of Accurate Finite-Element Calculations for Electromagnetic Scattering by Nanoparticles. <i>Plasmonics</i> , 2020, 15, 109-121.	1.8	15
6694	Design of narrowband perfect absorber for enhancing photoluminescence in atomically thin WSe ₂ . <i>Optics Communications</i> , 2020, 454, 124443.	1.0	7
6695	Effective Electromagnetic Properties of Woven Fiber Composites for Shielding Applications. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2020, 62, 1082-1089.	1.4	8
6696	Adaptive finite element method for the sound wave problems in two kinds of media. <i>Computers and Mathematics With Applications</i> , 2020, 79, 789-801.	1.4	8
6697	Electromagnetic wave propagation based upon spectral-element methodology in dispersive and attenuating media. <i>Geophysical Journal International</i> , 2020, 220, 951-966.	1.0	7
6698	Transparent boundary conditions for higher-order finite-difference schemes of the Schrödinger equation in (1+1)D. <i>Computer Physics Communications</i> , 2020, 250, 107048.	3.0	5
6699	On block triangular preconditioned iteration methods for solving the Helmholtz equation. <i>Applied Mathematics and Computation</i> , 2020, 369, 124695.	1.4	0
6700	A nested Schur complement solver with mesh-independent convergence for the time domain photonics modeling. <i>Computers and Mathematics With Applications</i> , 2020, 80, 295-304.	1.4	0
6701	A Dual-Slot Barrier Sensor for Partial Discharge Detection in Gas-Insulated Equipment. <i>IEEE Sensors Journal</i> , 2020, 20, 860-867.	2.4	33
6702	Impact of the Coulomb Potential and the Electrostatic Potential on the Eigen-Frequencies of the Coupled Plasmons. <i>Plasmonics</i> , 2020, 15, 351-359.	1.8	1
6703	Ring Artifact Correction for Phase-Insensitive Ultrasound Computed Tomography. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2020, 67, 513-525.	1.7	3
6704	Perfectly matched layer boundary conditions for the second-order acoustic wave equation solved by the rapid expansion method. <i>Geophysical Prospecting</i> , 2020, 68, 572-590.	1.0	3
6707	Isogeometric boundary element method for acoustic scattering by a submarine. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 359, 112670.	3.4	24
6708	Unconditionally stable higher order perfectly matched layer applied to terminate anisotropic magnetized plasma. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020, 30, e22011.	0.8	2
6709	Multiblock SBP-SAT Methodology of Symmetric Matrix Form of Elastic Wave Equations on Curvilinear Grids. <i>Shock and Vibration</i> , 2020, 2020, 1-16.	0.3	2
6710	Finite element generation of sibilants /s/ and /z/ using random distributions of Kirchhoff vortices. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2020, 36, e3302.	1.0	8
6711	Reducing inter-pixel crosstalk in HgCdTe detectors. <i>Optical and Quantum Electronics</i> , 2020, 52, 1.	1.5	13

#	ARTICLE	IF	CITATIONS
6712	Efficient stability analysis of fluid flows using complex mapping techniques. <i>Computer Physics Communications</i> , 2020, 251, 107100.	3.0	5
6713	3D frequency-domain elastic wave modeling with the spectral element method using a massively parallel direct solver. <i>Geophysics</i> , 2020, 85, T71-T88.	1.4	12
6714	Large-scale simulation of seismic wave motion: A review. <i>Soil Dynamics and Earthquake Engineering</i> , 2020, 129, 105909.	1.9	35
6715	Effect of abutment movements on nonlinear seismic response of an arch dam. <i>Structure and Infrastructure Engineering</i> , 2020, 16, 1106-1120.	2.0	8
6716	Implementation of the Crank-Nicolson Douglas-Gunn finite-difference time domain with complex frequency-shifted perfectly matched layer for modeling unbounded isotropic dispersive media in two dimensions. <i>Microwave and Optical Technology Letters</i> , 2020, 62, 1103-1111.	0.9	10
6717	Complex-conjugate Pole-residue Pair-Based FDTD Method for Assessing Ultrafast Transient Plasmonic Near Field. <i>Plasmonics</i> , 2020, 15, 495-505.	1.8	1
6718	A generating and absorbing boundary condition for dispersive waves in detailed simulations of free-surface flow interaction with marine structures. <i>Computers and Fluids</i> , 2020, 200, 104387.	1.3	10
6719	Solution of Maxwell's Equations Using Fourth-Order Modified Runge-Kutta Scheme on Transformed Coordinates. , 2020, , .		0
6720	Convergence of an adaptive finite element DtN method for the elastic wave scattering by periodic structures. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 360, 112722.	3.4	9
6721	Long-Time Instability of Pseudospectral Time-Domain Method in Curvilinear Coordinates. <i>IEEE Transactions on Antennas and Propagation</i> , 2020, 68, 2993-3001.	3.1	2
6722	A quasi-optimal non-overlapping domain decomposition method for two-dimensional time-harmonic elastic wave problems. <i>Journal of Computational Physics</i> , 2020, 401, 109050.	1.9	1
6723	Electromagnetic modelling with topography on regular grids with equivalent materials. <i>Geophysical Journal International</i> , 2020, 220, 2021-2038.	1.0	3
6724	Optimal-order preconditioners for the Morse-Ingard equations. <i>Computers and Mathematics With Applications</i> , 2020, 79, 2458-2471.	1.4	2
6725	Fast solution of elliptic harbor agitation problems under frequency-direction input spectra by model order reduction and NURBS-enhanced FEM. <i>Coastal Engineering</i> , 2020, 156, 103618.	1.7	2
6726	Meshless generalized finite difference method for water wave interactions with multiple-bottom-seated-cylinder-array structures. <i>Ocean Engineering</i> , 2020, 195, 106736.	1.9	99
6727	Numerical simulation of the blood oxygenation level-dependent functional magnetic resonance signal using finite element method. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2020, 36, e3290.	1.0	1
6728	2D full-wave simulations of conventional reflectometry using 3D gyro-fluid plasma turbulence. <i>Plasma Physics and Controlled Fusion</i> , 2020, 62, 025031.	0.9	7
6729	Surface plasmon resonance-induced high sensitivity refractive index sensor with adjustable measurement range based on an evanescent field-enhanced D-shaped five-hole photonic crystal fiber. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 115107.	1.3	10

#	ARTICLE	IF	CITATIONS
6730	A numerical study of multi-parameter full waveform inversion with iterative regularization using multi-frequency vibroseis data. <i>Computational Geosciences</i> , 2020, 24, 89-107.	1.2	3
6731	Researches on the scattering characteristics in THz band of conductor cylinder coated with parabolic distribution and time-varying plasma media. <i>Optik</i> , 2020, 207, 163891.	1.4	2
6732	High-order numerical simulation of axisymmetric wave phase conjugation. <i>Computers and Fluids</i> , 2020, 197, 104353.	1.3	1
6733	Cubic lattice-based spherical uniaxial perfectly matched layer for the FDTD method. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2020, 33, e2621.	1.2	1
6734	Development and analysis of both finite element and fourth-order in space finite difference methods for an equivalent Berenger's PML model. <i>Journal of Computational Physics</i> , 2020, 405, 109154.	1.9	6
6735	Generalized stiffness reduction method to remove the artificial edge-effects for seismic wave modelling in elastic anisotropic media. <i>Geophysical Journal International</i> , 2020, 220, 1394-1408.	1.0	8
6736	Fabrication of ultra-light nickel/graphene composite foam with 3D interpenetrating network for high-performance electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2020, 182, 107614.	5.9	60
6737	Search for tumor-specific frequencies of amplitude-modulated 27%MHz electromagnetic fields in mice with hepatocarcinoma xenografted tumors. <i>International Journal of Radiation Biology</i> , 2020, 96, 411-418.	1.0	1
6738	Computation of absorbing boundary conditions at the discrete level for acoustic waves in the frequency domain. <i>Finite Elements in Analysis and Design</i> , 2020, 169, 103346.	1.7	1
6739	Patched Green's function method applied to acoustic wave propagation in disordered media: an interdisciplinary approach. <i>Journal of Geophysics and Engineering</i> , 2020, 17, 914-922.	0.7	3
6740	An effective numerical method to remove the edge effects for seismic wave modeling in arbitrary viscoelastic anisotropic media. , 2020, , .		0
6741	Large Angle Forward Diffraction by Chiral Liquid Crystal Gratings with Inclined Helical Axis. <i>Crystals</i> , 2020, 10, 807.	1.0	18
6742	An automatic perfectly matched layer for acoustic finite element simulations in convex domains of general shape. <i>International Journal for Numerical Methods in Engineering</i> , 2021, 122, 1239.	1.5	17
6743	A property-dependent Perfectly Matched Layer with a single additional layer for Maxwell's equations in finite difference frequency domains. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 372, 113355.	3.4	1
6744	Perfectly matched layers for Schrödinger-type equations with nontrivial energy-momentum dispersion. <i>Computer Physics Communications</i> , 2020, 257, 107503.	3.0	2
6745	Hybridization of resonant modes and Bloch waves in acoustoelastic phononic crystals. <i>Physical Review B</i> , 2020, 102, .	1.1	9
6746	High-Sensitivity Capsule-Shaped Sensor Based on 2D Photonic Crystals. <i>Symmetry</i> , 2020, 12, 1480.	1.1	20
6747	Accessing long timescales in the relaxation dynamics of spins coupled to a conduction-electron system using absorbing boundary conditions. <i>Physical Review B</i> , 2020, 102, .	1.1	7

#	ARTICLE	IF	CITATIONS
6748	Computationally Efficient Implicit ADI Theory and Its Open Region Problems for Anisotropic Gyrotropic Plasma Simulations. <i>Advanced Theory and Simulations</i> , 2020, 3, 2000166.	1.3	2
6749	Al ³⁺ -Cu core-shell nanoparticles as an alternative to noble metal plasmonics: A computational study. <i>Materials Chemistry and Physics</i> , 2020, 253, 123419.	2.0	9
6750	Multi-parameter wavefield reconstruction inversion for wavespeed and attenuation with bound constraints and total variation regularization. <i>Geophysics</i> , 0, , 1-54.	1.4	5
6751	Cosine-type weighted hybrid absorbing boundary based on the second-order Higdon boundary condition and its GPU implementation. <i>Journal of Geophysics and Engineering</i> , 2020, 17, 231-248.	0.7	4
6752	A new generalized stiffness reduction method for 2D/2.5D frequency-domain seismic wave modeling in viscoelastic anisotropic media. <i>Geophysics</i> , 2020, 85, T315-T329.	1.4	10
6753	Study on calculation methods for acoustic radiation of axisymmetric structures in finite water depth. <i>Journal of Fluids and Structures</i> , 2020, 98, 103115.	1.5	3
6754	CEM methods in R.F and microwave engineering in the context of parameters that influence the outcome of modeling. <i>European Physical Journal Plus</i> , 2020, 135, 1.	1.2	0
6755	Determination of the Effective Electromagnetic Parameters of Complex Building Materials for Numerical Analysis of Wireless Transmission Networks. <i>Electronics (Switzerland)</i> , 2020, 9, 1569.	1.8	5
6756	The surrogate matrix methodology: Accelerating isogeometric analysis of waves. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 372, 113322.	3.4	6
6757	Implementation of fictitious absorbing layers with deceleration effects for one-dimensional Schrödinger equations. <i>Journal of Plasma Physics</i> , 2020, 86, .	0.7	0
6758	Parameter crosstalk and leakage between spatially separated unknowns in viscoelastic full-waveform inversion. <i>Geophysics</i> , 2020, 85, R397-R408.	1.4	17
6759	Identification problem of acoustic media in the frequency domain based on the topology optimization method. <i>Structural and Multidisciplinary Optimization</i> , 2020, 62, 1041-1059.	1.7	5
6760	A non-overlapping domain decomposition method with high-order transmission conditions and cross-point treatment for Helmholtz problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 368, 113162.	3.4	16
6761	GPU Acceleration of a Non-Standard Finite Element Mesh Truncation Technique for Electromagnetics. <i>IEEE Access</i> , 2020, 8, 94719-94730.	2.6	3
6762	Perfectly matched layer for computing the dynamics of nonlinear Schrödinger equations by pseudospectral methods. Application to rotating Bose-Einstein condensates. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2020, 90, 105406.	1.7	17
6763	GPR based RTM imaging technology for estimating rhizome diameters and application in the western China mining area. <i>Applied Geophysics</i> , 2020, 17, 154-166.	0.1	2
6764	A Complex Domain Mapping of the SCN for an Effective PML Implementation in TLM. <i>IEEE Open Journal of Antennas and Propagation</i> , 2020, 1, 126-135.	2.5	2
6765	Time-Domain Modeling and Simulation of EM-Fields Propagation in Anisotropic Dispersive Media with Non-Conformal Meshing. , 2020, , .		2

#	ARTICLE	IF	CITATIONS
6766	Higher order perfectly matched layer for the implicit CNDFDTD algorithm. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2020, 33, e2750.	1.2	3
6767	Modeling of emittance growth due to Coulomb collisions in plasma-based accelerators. Physics of Plasmas, 2020, 27, 113105.	0.7	9
6768	Acoustic Shape Optimization Based on Isogeometric Wideband Fast Multipole Boundary Element Method with Adjoint Variable Method. Journal of Theoretical and Computational Acoustics, 2020, 28, 2050015.	0.5	13
6769	Study of highly sensitivity metal wires assisted photonic crystal fiber based refractive index sensor. Optical and Quantum Electronics, 2020, 52, 1.	1.5	6
6770	Hierarchical Matrix Approximations of Hessians Arising in Inverse Problems Governed by PDEs. SIAM Journal of Scientific Computing, 2020, 42, A3397-A3426.	1.3	9
6771	Enhanced dynamic properties of Ge-on-Si mode-evolution waveguide photodetectors. , 2020, , .		2
6772	Challenges in multiphysics modeling of dual-band HgCdTe infrared detectors. , 2020, , .		0
6773	Exact line search method for using the L1-norm misfit function in full waveform inversion. Studia Geophysica Et Geodaetica, 2020, 64, 483-503.	0.3	1
6774	Quantum integrated photonic circuits. Semiconductors and Semimetals, 2020, 105, 153-234.	0.4	3
6775	Surface Enhanced Raman Scattering on Regular Arrays of Gold Nanostructures: Impact of Long-Range Interactions and the Surrounding Medium. Nanomaterials, 2020, 10, 2201.	1.9	10
6776	Imaging Research of Two-Dimensional Photonic-Crystal Flat Lens with Hexagonal Structure. Journal of Russian Laser Research, 2020, 41, 406-412.	0.3	1
6777	Two-dimensional modelling of systematic surface height deviations in optical interference microscopy based on rigorous near field calculation. Journal of Modern Optics, 2020, 67, 963-973.	0.6	12
6778	Optimized weak coupling of boundary element and finite element methods for acoustic scattering. Journal of Computational Physics, 2020, 421, 109737.	1.9	8
6779	L-Sweeps: A scalable, parallel preconditioner for the high-frequency Helmholtz equation. Journal of Computational Physics, 2020, 420, 109706.	1.9	18
6780	Characterizing the radio quiet region behind the lunar farside for low radio frequency experiments. Advances in Space Research, 2020, 66, 1265-1275.	1.2	15
6781	Performance-Enhanced Complex Envelope ADI-PML for Bandpass EM Simulation. IEEE Microwave and Wireless Components Letters, 2020, 30, 729-732.	2.0	9
6783	An Effective Stretched Coordinate TLM-PML Suitable for Analyzing Planar Periodic Structures. IEEE Microwave and Wireless Components Letters, 2020, 30, 725-728.	2.0	0
6784	Exploring Physical Links between Fluid Injection and Nearby Earthquakes: The 2012 Mw4.8 Timpson, Texas, Case Study. Bulletin of the Seismological Society of America, 2020, 110, 2350-2365.	1.1	4

#	ARTICLE	IF	CITATIONS
6785	Dirichlet absorbing boundary conditions for classical and peridynamic diffusion-type models. Computational Mechanics, 2020, 66, 773-793.	2.2	39
6786	Air Gap Based Novel Rectangular Nano Plasmonic Coupler Design and Analysis. , 2020, , .		0
6787	Designing GaAs Based Semi-Elliptical Nano Plasmonic Coupler with Analytical Assessment. , 2020, , .		2
6788	A Parallel FDTD/ADI-PE Method for Ultralarge-Scale Propagation Modeling of ILS Signal Analysis. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 2245-2249.	2.4	5
6789	Numerical modeling of mechanical wave propagation. Rivista Del Nuovo Cimento, 2020, 43, 459-514.	2.0	10
6790	Two-dimensional exterior sound field reproduction using two rigid circular loudspeaker arrays. Journal of the Acoustical Society of America, 2020, 148, 2236-2247.	0.5	1
6791	An FDTD Investigation of Orthogonality and the Backscattering of HF Waves in the Presence of Ionospheric Irregularities. Journal of Geophysical Research: Space Physics, 2020, 125, e2020JA028201.	0.8	2
6792	Frequency response analysis of concrete seawall including soil-structure-seawater interaction. Soil Dynamics and Earthquake Engineering, 2020, 139, 106392.	1.9	1
6793	Wave Propagation in Fractured-Porous Media with Different Percolation Length of Fracture Systems. Lobachevskii Journal of Mathematics, 2020, 41, 1533-1544.	0.1	7
6794	Extraordinary optical transmission through periodic Drude-like graphene sheets using FDTD algorithms and its unconditionally stable approximate Crank-Nicolson implementation. Scientific Reports, 2020, 10, 17462.	1.6	1
6795	The asymptotic local finite-difference method of the fractional wave equation and its viscous seismic wavefield simulation. Geophysics, 2020, 85, T179-T189.	1.4	6
6797	OpenMP: Portable Multi-Level Parallelism on Modern Systems. Lecture Notes in Computer Science, 2020, , .	1.0	0
6798	Computation of Resonance Modes in Open Cavities with Perfectly Matched Layers. Proceedings (mdpi), 2020, 54, 2.	0.2	0
6799	2D and 3D amplitude-preserving elastic reverse time migration based on the vector-decomposed P- and S-wave records. Geophysical Prospecting, 2020, 68, 2712-2737.	1.0	13
6800	Spectral Stochastic Infinite Element Method in Vibroacoustics. Journal of Theoretical and Computational Acoustics, 2020, 28, 2050009.	0.5	1
6801	An anisotropic multilevel preconditioner for solving the Helmholtz equation with unequal directional sampling intervals. Geophysics, 2020, 85, T293-T300.	1.4	1
6802	Impedance functions of a strip foundation in presence of a trench. European Journal of Environmental and Civil Engineering, 2020, , 1-38.	1.0	3
6803	Advanced patient-specific hyperthermia treatment planning. International Journal of Hyperthermia, 2020, 37, 992-1007.	1.1	26

#	ARTICLE	IF	CITATIONS
6804	Loco-regional Hyperthermia Delivery: Patient-specific set-up Procedures for Treatment Optimisation. , 2020, , .		4
6805	Fano feature induced by a bound state in the continuum via resonant state expansion. Scientific Reports, 2020, 10, 13691.	1.6	14
6806	Sparse constrained encoding multi-source full waveform inversion method based on K-SVD dictionary learning. Applied Geophysics, 2020, 17, 111-123.	0.1	2
6807	Second-generation wavelet finite element based on the lifting scheme for GPR simulation. Applied Geophysics, 2020, 17, 143-153.	0.1	1
6808	Dissipation Analysis Methods and Q-Enhancement Strategies in Piezoelectric MEMS Laterally Vibrating Resonators: A Review. Sensors, 2020, 20, 4978.	2.1	24
6809	Reducing error accumulation of optimized finite-difference scheme using the minimum norm. Geophysics, 2020, 85, T275-T291.	1.4	11
6810	Numerical modeling and assessment of human exposure to radiofrequency electromagnetic fields used for wireless communication system installed on a smart meter. Electronics and Communications in Japan, 2020, 103, 3-14.	0.3	0
6811	Frequency-dependent spherical-wave nonlinear AVO inversion in elastic media. Geophysical Journal International, 2020, 223, 765-776.	1.0	12
6812	Complex Envelope Approximate CN-PML Algorithm With Improved Absorption. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 1521-1525.	2.4	9
6814	Stochastic Optimization Methods for Parametric Level Set Reconstructions in 2D through-the-Wall Radar Imaging. Electronics (Switzerland), 2020, 9, 2055.	1.8	3
6815	Perfectly-matched-layer method for optical modes in dielectric cavities. Physical Review A, 2020, 102, .	1.0	6
6816	Focusing DOEs (focusators): design and investigation. , 2020, , .		5
6817	Properties comparison of three HF (50 MHz) single-element transducer radiation patterns with different focusing principles. , 2020, , .		1
6818	Exponential time differencing implementation of the stretched coordinate perfectly matched layer. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2020, , .	1.2	0
6819	CADD: A seamless solution to the Domain Decomposition problem of subdomain boundaries and cross-points. Wave Motion, 2020, 98, 102649.	1.0	4
6820	A stable discontinuous Galerkin method for the perfectly matched layer for elastodynamics in first order form. Numerische Mathematik, 2020, 146, 729-782.	0.9	11
6821	Computationally efficient complex envelope approximate Crank-Nicolson scheme and its open region problem for anisotropic gyrotropic plasma. Physics of Plasmas, 2020, 27, 103302.	0.7	4
6822	Theory of reflectionless scattering modes. Physical Review A, 2020, 102, .	1.0	47

#	ARTICLE	IF	CITATIONS
6823	Analysis and optimization of electromagnetic scattering characteristics of two-dimensional metal airfoil covered with metamaterial. <i>Journal of Physics: Conference Series</i> , 2020, 1633, 012019.	0.3	1
6824	Numerical Study on the Possible Scanning Pathways to Optimize Thermal Impacts During Multiple Sonication of HIFU. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 2117-2128.	2.5	2
6825	hp non-conforming a priori error analysis of an Interior Penalty Discontinuous Galerkin BEM for the Helmholtz equation. <i>Computers and Mathematics With Applications</i> , 2020, 80, 2644-2675.	1.4	0
6826	Feasibility of Electromagnetic Heating for Oil Sand Reservoirs. , 2020, , .		5
6827	Exact zero transmission during the Fano resonance phenomenon in non-symmetric waveguides. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2020, 71, 1.	0.7	5
6828	Bayesian trans-dimensional full waveform inversion: synthetic and field data application. <i>Geophysical Journal International</i> , 2020, 222, 610-627.	1.0	12
6829	Explicit dynamic approach for unbounded domains in frictional contact with Rate and State laws. <i>Finite Elements in Analysis and Design</i> , 2020, 174, 103402.	1.7	2
6830	Absorbing boundary conditions for the time-dependent Schrödinger-type equations in R ³ . <i>Physical Review E</i> , 2020, 101, 013304.	0.8	4
6831	A coupled Integral Transform Method - Finite Element Method approach to model the Soil Structure Interaction of finite (3D) and length invariant (2.5D) systems. <i>Journal of Sound and Vibration</i> , 2020, 482, 115443.	2.1	5
6832	Active boundary and interior absorbers for one-dimensional wave propagation: Application to transmission-line metamaterials. <i>Automatica</i> , 2020, 117, 108855.	3.0	5
6833	Calculation method of acoustic radiation for floating bodies in shallow sea considering complex ocean acoustic environments. <i>Journal of Sound and Vibration</i> , 2020, 476, 115330.	2.1	13
6834	Three-dimensional polymer wire bonds on a chip: morphology and functionality. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 355102.	1.3	7
6835	Nonlinear seismic soil-structure interaction analysis of nuclear reactor building considering the effect of earthquake frequency content. <i>Structures</i> , 2020, 26, 901-914.	1.7	32
6836	Full-waveform inversion based on Kaniadakis statistics. <i>Physical Review E</i> , 2020, 101, 053311.	0.8	16
6837	Hybrid High-Power Multiple-Beam Generator With Double-Gap Coupling Resonator System. <i>IEEE Transactions on Electron Devices</i> , 2020, 67, 2900-2904.	1.6	3
6838	New Type of Storage Resonator for an Electromagnetic Pulse Compressor. <i>Journal of Communications Technology and Electronics</i> , 2020, 65, 355-366.	0.2	3
6839	Study on the Stability of Perfectly Matched Layer Implementations Using a Hybrid Implicit-Explicit Update Scheme. <i>IEEE Transactions on Magnetics</i> , 2020, 56, 1-4.	1.2	1
6840	Low temperature behavior of entropy and specific heat of a three dimensional quantum wire: Shannon and Tsallis entropies. <i>European Physical Journal B</i> , 2020, 93, 1.	0.6	20

#	ARTICLE	IF	CITATIONS
6841	FEMâ€BEM mortar coupling for the Helmholtz problem in three dimensions. Computers and Mathematics With Applications, 2020, 80, 2351-2378.	1.4	10
6842	Comparative analysis of reflection characteristics of lunar penetrating radar data using numerical simulations. Icarus, 2020, 350, 113896.	1.1	9
6843	Convergence Analysis of the PML Method for Time-Domain Electromagnetic Scattering Problems. SIAM Journal on Numerical Analysis, 2020, 58, 1918-1940.	1.1	7
6844	Optical four-channel demultiplexer based on air-bridge structure and graphite-type ring resonators. Photonic Network Communications, 2020, 40, 40-48.	1.4	9
6845	An accurate triangular spectral element method-based numerical simulation for acoustic problems in complex geometries. International Journal of Aeroacoustics, 2020, 19, 158-190.	0.8	0
6846	Ultra-low noise graphene/copper/nylon fabric for electromagnetic interference shielding in ultra-low field magnetic resonance imaging. Journal of Magnetic Resonance, 2020, 317, 106775.	1.2	12
6847	EXACT NON-REFLECTING BOUNDARY CONDITIONS WITH AN FDTD SCHEME FOR THE SCALAR WAVE EQUATION IN WAVEGUIDE PROBLEMS. Progress in Electromagnetics Research M, 2020, 91, 39-48.	0.5	3
6848	Stretchedâ€coordinate PML in 2D TLM simulations. IET Science, Measurement and Technology, 2020, 14, 272-277.	0.9	0
6849	A Pure Source Transfer Domain Decomposition Method for Helmholtz Equations in Unbounded Domain. Journal of Scientific Computing, 2020, 83, 1.	1.1	4
6850	FD3D_TSN: A Fast and Simple Code for Dynamic Rupture Simulations with GPU Acceleration. Seismological Research Letters, 2020, 91, 2881-2889.	0.8	7
6851	Efficient numerical algorithm to simulate a 3D coupled Maxwellâ€plasma problem. Mathematics and Computers in Simulation, 2020, 174, 19-31.	2.4	5
6852	Matrix-Free Time Domain Gradient Smoothing Method With Stretched-Coordinates Perfectly Matched Layer for Analysis of Photonic Devices. Journal of Lightwave Technology, 2020, 38, 5791-5800.	2.7	1
6853	A frequency-dependent absorbing boundary condition for numerically solving u-U elastic wave equations in layered and fluid-saturated porous media. Soil Dynamics and Earthquake Engineering, 2020, 135, 106189.	1.9	9
6854	Numerical simulation of knotted solutions for Maxwell equations. Physical Review E, 2020, 101, 063305.	0.8	2
6855	<scp>Performance</scp> enhanced absorbing boundary condition for electromagnetic modelling and simulation. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2020, 33, e2760.	1.2	2
6856	2.5D crosshole GPR full-waveform inversion with synthetic and measured data. Geophysics, 2020, 85, H71-H82.	1.4	12
6857	Bandwidth Gain From Mobile Edge Computing and Caching in Wireless Multicast Systems. IEEE Transactions on Wireless Communications, 2020, 19, 3992-4007.	6.1	36
6858	Compact Fully Metallic Millimeter-Wave Waveguide-Fed Periodic Leaky-Wave Antenna Based on Corrugated Parallel-Plate Waveguides. IEEE Antennas and Wireless Propagation Letters, 2020, 19, 806-810.	2.4	14

#	ARTICLE	IF	CITATIONS
6859	Simulation of three types of nanoparticles on solar cell structure model. <i>International Journal of Modern Physics B</i> , 2020, 34, 2050054.	1.0	3
6860	Simulation of seismic wave propagation in poroelastic media using vectorized Biot's equations: an application to a CO ₂ sequestration monitoring case. <i>Acta Geophysica</i> , 2020, 68, 435-444.	1.0	5
6861	A new method for numerical dispersion analysis of Laplace-domain 2-D elastic wave equation. <i>Exploration Geophysics</i> , 2020, 51, 456-468.	0.5	0
6862	Design Paradigm for Modular Multilevel Converter-Based Generator Rectifier Systems. <i>IEEE Open Access Journal of Power and Energy</i> , 2020, 7, 130-140.	2.5	3
6863	Stable Symmetric Matrix Form Framework for the Elastic Wave Equation Combined with Perfectly Matched Layer and Discretized in the Curve Domain. <i>Symmetry</i> , 2020, 12, 202.	1.1	0
6864	Topology optimization on two-dimensional manifolds. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 364, 112937.	3.4	9
6865	Frequency-Domain Finite-Difference Elastic Wave Modeling in the Presence of Surface Topography. <i>Pure and Applied Geophysics</i> , 2020, 177, 2821-2839.	0.8	2
6866	High order methods for acoustic scattering: Coupling farfield expansions ABC with deferred-correction methods. <i>Wave Motion</i> , 2020, 95, 102529.	1.0	3
6867	Resonant energy transfer and light scattering enhancement of plasmonic random lasers embedded with silver nanoplates. <i>RSC Advances</i> , 2020, 10, 7551-7558.	1.7	11
6868	Robust full-waveform inversion using q-statistics. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2020, 548, 124473.	1.2	19
6869	Numerically Implemented Impact of a Femtosecond Laser Pulse on Glass in the Approximation of Nonlinear Maxwell Equations. <i>Mathematical Models and Computer Simulations</i> , 2020, 12, 77-89.	0.1	3
6870	Modeling of the near to far acoustic fields of an echolocating bottlenose dolphin and harbor porpoise. <i>Journal of the Acoustical Society of America</i> , 2020, 147, 1790-1801.	0.5	5
6871	Coupled vibro-acoustic modeling of a dielectric elastomer loudspeaker. <i>Journal of the Acoustical Society of America</i> , 2020, 147, 1812-1821.	0.5	10
6872	Anti-Plane Wave in a Piezoelectric Viscoelastic Composite Medium: A Semi-Analytical Finite Element Approach Using PML. <i>International Journal of Applied Mechanics</i> , 2020, 12, 2050020.	1.3	13
6874	A Multiscale Hybrid-Mixed Method for the Helmholtz Equation in Heterogeneous Domains. <i>SIAM Journal on Numerical Analysis</i> , 2020, 58, 1029-1067.	1.1	7
6875	An Efficient Unsplit Perfectly Matched Layer for Finite-Element Time-Domain Modeling of Elastodynamics in Cylindrical Coordinates. <i>Pure and Applied Geophysics</i> , 2020, 177, 4345-4363.	0.8	1
6876	Enhanced terahertz absorption of quantum wells sandwiched between heavily doped contacts based on micro-cavity resonance. <i>Journal of Applied Physics</i> , 2020, 127, .	1.1	7
6877	Modelling Curved Contact Flexible Microstrip Applicators for Patient-Specific Superficial Hyperthermia Treatment Planning. <i>Cancers</i> , 2020, 12, 656.	1.7	7

#	ARTICLE	IF	CITATIONS
6878	Perfectly matched layer absorbing boundary conditions for Euler equations with oblique mean flows modeled with smoothed particle hydrodynamics. <i>Journal of the Acoustical Society of America</i> , 2020, 147, 1311-1322.	0.5	1
6879	Analysis of scattering by finite sonic crystals in free field with infinite elements and normal modes. <i>Journal of Sound and Vibration</i> , 2020, 476, 115291.	2.1	11
6880	Enhanced Infrared Absorbance of the CMOS Compatible Thermopile by the Subwavelength Rectangular-Hole Arrays. <i>Sensors</i> , 2020, 20, 3218.	2.1	4
6881	A Riesz-projection-based method for nonlinear eigenvalue problems. <i>Journal of Computational Physics</i> , 2020, 419, 109678.	1.9	8
6882	Design and analysis of optical filter for optical communication networks using photonics technology. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	3
6883	Underwater Noise Emission Due to Offshore Pile Installation: A Review. <i>Energies</i> , 2020, 13, 3037.	1.6	35
6884	Different implementations of material independent multi-order nearly perfectly matched layers for EM simulations. <i>Microwave and Optical Technology Letters</i> , 2020, 62, 3485-3498.	0.9	7
6885	Modeling acoustic waves in locally enhanced meshes with a staggered-grid finite difference approach. <i>Wave Motion</i> , 2020, 98, 102624.	1.0	3
6886	Wide-angle mode parabolic equations for the modelling of horizontal refraction in underwater acoustics and their numerical solution on unbounded domains. <i>Journal of Sound and Vibration</i> , 2020, 484, 115526.	2.1	18
6887	A true PML approach for steady-state vibration analysis of an elastically supported beam under moving load by a DLSFEM formulation. <i>Computers and Structures</i> , 2020, 239, 106295.	2.4	11
6888	Bright-Dark Mode Coupling Model of Plasmons [*] . <i>Chinese Physics Letters</i> , 2020, 37, 037101.	1.3	4
6889	Robust wavefield inversion via phase retrieval. <i>Geophysical Journal International</i> , 2020, 221, 1327-1340.	1.0	7
6890	Finite-Difference Time-Domain Simulation of Strong-Field Ionization: A Perfectly Matched Layer Approach. <i>Physica Status Solidi (B): Basic Research</i> , 2020, 257, 1900467.	0.7	3
6891	Simulations of electromagnetic emission from colliding laser wakefields. <i>Plasma Physics and Controlled Fusion</i> , 2020, 62, 045017.	0.9	7
6892	Efficient Acoustic Reverse Time Migration With an Attenuated and Reversible Random Boundary. <i>IEEE Access</i> , 2020, 8, 34598-34610.	2.6	6
6894	A priori estimates of attraction basins for velocity model reconstruction by time-harmonic full-waveform inversion and data-space reflectivity formulation. <i>Geophysics</i> , 2020, 85, R223-R241.	1.4	6
6895	Numerical Modelling of Borehole-Surface CSEM Response of Onshore Gas Hydrate Deposit with Higher Order Finite Difference Method. <i>Journal of Applied Geophysics</i> , 2020, 174, 103968.	0.9	3
6896	Experimental and numerical investigations of mechanical displacements in surface acoustic wave bounded beams. <i>Ultrasonics</i> , 2020, 106, 106077.	2.1	6

#	ARTICLE	IF	CITATIONS
6897	Lightning Currents on Fastening Assemblies of an Aircraft Fuel Tank—Part III: Validation of the Current Assessment Method With Measurement. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2020, 62, 2174-2185.	1.4	2
6898	Higher-Order Approximate CN-PML Theory for Magnetized Ferrite Simulations. <i>Advanced Theory and Simulations</i> , 2020, 3, 1900221.	1.3	8
6899	Electromagnetic Funnel: Reflectionless Transmission and Guiding of Waves through Subwavelength Apertures. <i>Physical Review Letters</i> , 2020, 124, 033901.	2.9	11
6900	Soil hydraulic parameters estimation using ground penetrating radar data via ensemble smoother with multiple data assimilation. <i>Journal of Hydrology</i> , 2020, 583, 124552.	2.3	11
6901	Field Heterogeneities and Their Impact on Photocatalysis: Combining Optical and Kinetic Monte Carlo Simulations on the Nanoscale. <i>Journal of Physical Chemistry C</i> , 2020, 124, 3177-3187.	1.5	10
6902	Locoregional peritoneal hyperthermia to enhance the effectiveness of chemotherapy in patients with peritoneal carcinomatosis: a simulation study comparing different locoregional heating systems. <i>International Journal of Hyperthermia</i> , 2020, 37, 76-88.	1.1	14
6903	A one-way coupled model for the vibration of tuning fork-based trace gas sensors driven by a thermoacoustic wave. <i>Applied Physics B: Lasers and Optics</i> , 2020, 126, 1.	1.1	2
6904	Distributed Graph Computation Meets Machine Learning. <i>IEEE Transactions on Parallel and Distributed Systems</i> , 2020, 31, 1588-1604.	4.0	8
6905	Seismic modelling for reservoir studies: a comparison between convolutional and full-waveform methods for a deep-water turbidite sandstone reservoir. <i>Geophysical Prospecting</i> , 2020, 68, 1540-1553.	1.0	3
6906	A 2-D Pseudospectral Time-Domain (PSTD) Simulator for Large-Scale Electromagnetic Scattering and Radar Sounding Applications. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2020, 58, 4076-4098.	2.7	11
6907	Solving the Three-Dimensional High-frequency Helmholtz Equation Using Contour Integration and Polynomial Preconditioning. <i>SIAM Journal on Matrix Analysis and Applications</i> , 2020, 41, 58-82.	0.7	9
6908	An Exponential-Based DGTD Method for Modeling 3-D Plasma-Surrounded Hypersonic Vehicles. <i>IEEE Transactions on Antennas and Propagation</i> , 2020, 68, 3847-3858.	3.1	11
6909	A Refractive Index Sensor Based on H-Shaped Photonic Crystal Fibers Coated with Ag-Graphene Layers. <i>Sensors</i> , 2020, 20, 741.	2.1	96
6910	Through-the-wall radar detection using machine learning. <i>Results in Applied Mathematics</i> , 2020, 7, 100106.	0.5	7
6911	Investigating Spectral Distortion of Local Volcano Infrasound by Nonlinear Propagation at Sakurajima Volcano, Japan. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB018284.	1.4	11
6912	Numerical study of the transverse stability of the Peregrine solution. <i>Studies in Applied Mathematics</i> , 2020, 145, 36-51.	1.1	8
6913	Solving the Transport-Coagulation Problem in a Two-Dimensional Spatial Region. <i>Computational Mathematics and Modeling</i> , 2020, 31, 19-24.	0.2	1
6914	An accurate and efficient computational method for time-domain aeroacoustic scattering. <i>Journal of Computational Physics</i> , 2020, 412, 109442.	1.9	4

#	ARTICLE	IF	CITATIONS
6915	Deep Q–learning based resource allocation in industrial wireless networks for URLLC. IET Communications, 2020, 14, 1022-1027.	1.5	10
6916	New Dynamic Stochastic Source Encoding Combined With a Minmax-Concave Total Variation Regularization Strategy for Full Waveform Inversion. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 7753-7771.	2.7	14
6917	Two-dimensional simulations of coronal rain dynamics. Astronomy and Astrophysics, 2020, 634, A36.	2.1	11
6918	High-order, Dispersionless “Fast-Hybrid“Wave Equation Solver. Part I: O(1) Sampling Cost via Incident-Field Windowing and Recentering. SIAM Journal of Scientific Computing, 2020, 42, A1348-A1379.	1.3	8
6919	An Improved Harris–Hawks Optimization for SAR Target Recognition and Stock Market Index Prediction. IEEE Access, 2020, 8, 65891-65910.	2.6	25
6920	Autonomous Vehicles Still Decades Away: 2019. , 2020, , .		1
6921	FDTD simulation studies on improvement of light absorption in organic solar cells by dielectric nanoparticles. Optical and Quantum Electronics, 2020, 52, 1.	1.5	9
6922	The RCS of the 3-D conductor sphere calculated in THz band and the homogeneous magnetized dense plasma sheath. Optik, 2020, 208, 164525.	1.4	4
6923	Pseudodifferential adiabatic mode parabolic equations in curvilinear coordinates and their numerical solution. Journal of Computational Physics, 2020, 410, 109392.	1.9	8
6924	Wide-Band Electromagnetic Wave Propagation and Resonance in Long Cobalt Nanoprisms. Physical Review Applied, 2020, 13, .	1.5	3
6925	Antinoise performance of time-reverse imaging conditions for microseismic location. Geophysics, 2020, 85, KS75-KS87.	1.4	5
6926	Study on electromagnetic characteristics of plasma model-based on the symplectic multiresolution time-domain scheme. Modern Physics Letters B, 2020, 34, 2050046.	1.0	0
6927	An optimal 13-point finite difference scheme for a 2D Helmholtz equation with a perfectly matched layer boundary condition. Numerical Algorithms, 2021, 86, 1109-1141.	1.1	3
6928	Robust and Cost-Effective Synchronization Scheme for a Multicell Grid Emulator. IEEE Transactions on Industrial Electronics, 2021, 68, 1851-1859.	5.2	8
6929	Nonuniform and Higher-order FDTD Methods for the Schr–odinger Equation. Journal of Computational and Applied Mathematics, 2021, 381, 113023.	1.1	10
6930	Study of the dielectric gradient values of reinforced concrete sample by considering radar measurements in an inverse problem. Inverse Problems in Science and Engineering, 2021, 29, 2-16.	1.2	1
6931	A 3D Unstructured Mesh FDTD Scheme for EM Modelling. Archives of Computational Methods in Engineering, 2021, 28, 181-213.	6.0	3
6932	Acoustic multi-parameter full waveform inversion based on the wavelet method. Inverse Problems in Science and Engineering, 2021, 29, 220-247.	1.2	2

#	ARTICLE	IF	CITATIONS
6933	Seismic Soil-Structure Interaction Analysis of Concrete Gravity Dam Using Perfectly Matched Discrete Layers with Analytical Wavelengths. <i>Journal of Earthquake Engineering</i> , 2021, 25, 1657-1678.	1.4	6
6934	Propagation of terahertz wave in left-handed materials and the radar cross section of targets coated with left-handed materials. <i>Waves in Random and Complex Media</i> , 2021, 31, 562-572.	1.6	4
6935	Source Wavefield Reconstruction in Fractional Laplacian Viscoacoustic Wave Equation-Based Full Waveform Inversion. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2021, 59, 6496-6509.	2.7	11
6936	2.5D modelling of wave propagation in longitudinally curved viscoelastic structure using a coupled FEM-PML approach. <i>Engineering Structures</i> , 2021, 226, 111337.	2.6	7
6937	Comments on "Efficient Implementations of SC-PML for Arbitrary Media Using DSP Techniques". <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2021, 63, 956-959.	1.4	0
6938	Application of a Krylov subspace method for an efficient solution of acoustic transfer functions. <i>Mechanical Systems and Signal Processing</i> , 2021, 148, 107135.	4.4	1
6939	A Perfectly Matched Layer Metric for the Electromagnetic Diffusion Field. <i>IEEE Transactions on Antennas and Propagation</i> , 2021, 69, 928-939.	3.1	5
6940	Applying PML technique with additional differential equation method in non-uniform mixed-element DGTD method. <i>Optik</i> , 2021, 225, 165219.	1.4	0
6942	Simultaneous Effects of Temperature and Pressure on the Entropy and the Specific Heat of a Three-Dimensional Quantum Wire: Tsallis Formalism. <i>Journal of Low Temperature Physics</i> , 2021, 202, 185-195.	0.6	13
6943	A new Sierpinski-based fractal photonic crystal fiber design with low dispersion and confinement loss. <i>Optik</i> , 2021, 225, 165780.	1.4	3
6944	A directional Gaussian smoothing optimization method for computational inverse design in nanophotonics. <i>Materials and Design</i> , 2021, 197, 109213.	3.3	12
6945	Symmetry-adapted tight-binding electronic structure analysis of carbon nanotubes with defects, kinks, twist, and stretch. <i>Mathematics and Mechanics of Solids</i> , 2021, 26, 667-682.	1.5	0
6946	Reflection of oblique incident acoustic waves at various fluid-solid interface for varying material properties. <i>Applied Acoustics</i> , 2021, 174, 107611.	1.7	4
6947	Factors affecting the detectability of concrete delamination in GPR images. <i>Construction and Building Materials</i> , 2021, 274, 121837.	3.2	21
6948	Theoretical and numerical investigations of the nonlinear acoustic response of feature guided waves in a welded joint. <i>Wave Motion</i> , 2021, 101, 102696.	1.0	12
6949	Coherent interferometric imaging in a random flow. <i>Journal of Sound and Vibration</i> , 2021, 494, 115852.	2.1	1
6950	A holistic approach of numerical analysis of the geology effects on ground motion prediction: Argostoli site test. <i>Journal of Seismology</i> , 2021, 25, 115-140.	0.6	5
6951	A nested hybridizable discontinuous Galerkin method for computing second-harmonic generation in three-dimensional metallic nanostructures. <i>Journal of Computational Physics</i> , 2021, 429, 110000.	1.9	7

#	ARTICLE	IF	CITATIONS
6952	A Memory-Efficient Implementation of Perfectly Matched Layer With Smoothly Varying Coefficients in Discontinuous Galerkin Time-Domain Method. IEEE Transactions on Antennas and Propagation, 2021, 69, 3605-3610.	3.1	8
6953	Numerical investigation of the sound-insulation effect of a suspended ceiling structure with arrayed Helmholtz resonators by the finite-difference time-domain method. Applied Acoustics, 2021, 172, 107601.	1.7	5
6954	A pseudo-spectral splitting method for linear dispersive problems with transparent boundary conditions. Journal of Computational and Applied Mathematics, 2021, 385, 113240.	1.1	1
6955	Designing CFD methods for bandwidth – A physical approach. Computers and Fluids, 2021, 214, 104774.	1.3	9
6956	Highly Focused Fluorescence Emission Generated by a Cylinder on Sharp Convex Gold Groove. IEEE Journal of Selected Topics in Quantum Electronics, 2021, 27, 1-7.	1.9	1
6957	Hyperthermia Treatment Planning: Clinical Application and Ongoing Developments. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2021, 5, 214-222.	2.3	17
6958	On the far-field boundary condition treatment in the framework of aeromechanical computations using ANSYS CFX. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 2021, 235, 1103-1118.	0.8	1
6959	Permittivity Gradient Induced Depolarization: Electromagnetic Propagation With the Maxwell Vector Wave Equation. IEEE Transactions on Antennas and Propagation, 2021, 69, 1553-1559.	3.1	3
6960	Ultrawideband TEM horn with inhomogeneous dielectric medium. Microwave and Optical Technology Letters, 2021, 63, 581-586.	0.9	2
6961	Derivation and analysis of computational methods for fractional Laplacian equations with absorbing layers. Numerical Algorithms, 2021, 87, 409-444.	1.1	14
6962	DETN: Delay-Efficient Tolerant Network for Internet of Planet. IEEE Sensors Journal, 2021, 21, 2377-2384.	2.4	4
6963	Performance Enhanced Crank-Nicolson Boundary Conditions for EM Problems. IEEE Transactions on Antennas and Propagation, 2021, 69, 1513-1527.	3.1	16
6964	Vertical wave barriers for vibration reduction. Archive of Applied Mechanics, 2021, 91, 257-276.	1.2	15
6965	Transient analysis of concrete gravity dams by Wavenumber-TD method for general excitation. Proceedings of the Institution of Civil Engineers: Structures and Buildings, 2021, 174, 259-275.	0.4	1
6966	Numerical investigation of the fluid structure acoustics interaction on a simplified car model. Acta Acustica, 2021, 5, 22.	0.4	7
6967	Mathematical Analysis of Wave Radiation by a Step-Like Surface. SIAM Journal on Applied Mathematics, 2021, 81, 666-693.	0.8	3
6968	Ongoing Development of Non-reflective Boundary Conditions for Euler and Navier-Stokes Equations via the Discontinuous Galerkin Framework. , 2021, , .		0
6969	Perfectly Matched Layer Formulation of the INBC-FDTD Algorithm for Electromagnetic Analysis of Thin Film Materials. IEEE Access, 2021, 9, 118099-118106.	2.6	6

#	ARTICLE	IF	CITATIONS
6970	On Time-Domain NRBC for Maxwell's Equations and Its Application in Accurate Simulation of Electromagnetic Invisibility Cloaks. <i>Journal of Scientific Computing</i> , 2021, 86, 1.	1.1	1
6971	Ultrahigh sensitive refractive index nanosensors based on nanoshells, nanocages and nanoframes: effects of plasmon hybridization and restoring force. <i>Scientific Reports</i> , 2021, 11, 2065.	1.6	10
6972	A Full Waveform Inversion Based on Inexact Monotone and Non-Monotone Line Search. <i>Operations Research and Fuzziology</i> , 2021, 11, 19-28.	0.0	0
6973	Solution of Maxwell's Equations for Nonrectangular Electromagnetic Applications. <i>Journal of Thermophysics and Heat Transfer</i> , 2021, 35, 38-52.	0.9	0
6974	Analysis of Radial Complex Scaling Methods: Scalar Resonance Problems. <i>SIAM Journal on Numerical Analysis</i> , 2021, 59, 2054-2074.	1.1	6
6975	Concrete Delamination Depth Estimation Using a Noncontact MEMS Ultrasonic Sensor Array and an Optimization Approach. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 592.	1.3	9
6976	ESHO benchmarks for computational modeling and optimization in hyperthermia therapy. <i>International Journal of Hyperthermia</i> , 2021, 38, 1425-1442.	1.1	18
6977	Absorbing boundary conditions. , 2021, , 219-246.		0
6979	A State of Art: Seismic Soil-Structure Interaction for Nuclear Power Plants. <i>Springer Transactions in Civil and Environmental Engineering</i> , 2021, , 393-409.	0.3	1
6980	Three-dimensional hybrid asynchronous perfectly matched layer for wave propagation in heterogeneous semi-infinite media. <i>Comptes Rendus - Mecanique</i> , 2020, 348, 1003-1030.	0.3	0
6981	Silicon nanowires and nanopillars for photovoltaic. , 2021, , 393-418.		0
6983	Inverse design in photonics by topology optimization: tutorial. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2021, 38, 496.	0.9	103
6984	Compact 200 line MATLAB code for inverse design in photonics by topology optimization: tutorial. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2021, 38, 510.	0.9	30
6985	Solving the frequency-domain acoustic VTI wave equation using physics-informed neural networks. <i>Geophysical Journal International</i> , 2021, 225, 846-859.	1.0	83
6986	Introducing cobalt as a potential plasmonic candidate combining optical and magnetic functionalities within the same nanostructure. <i>Nanoscale</i> , 2021, 13, 2639-2647.	2.8	11
6987	Downflowing umbral flashes as evidence of standing waves in sunspot umbrae. <i>Astronomy and Astrophysics</i> , 2021, 645, L12.	2.1	6
6988	3-D FDTD Modeling of Long-Distance VLF Propagation in the Earth-Ionosphere Waveguide. <i>IEEE Transactions on Antennas and Propagation</i> , 2021, 69, 7743-7752.	3.1	9
6989	Complex-Valued Imaging with Total Variation Regularization: An Application to Full-Waveform Inversion in Visco-acoustic Media. <i>SIAM Journal on Imaging Sciences</i> , 2021, 14, 58-91.	1.3	4

#	ARTICLE	IF	CITATIONS
6990	One-dimensional photonic waveguide for filtering and demultiplexing. , 2021, , 373-391.		0
6991	Modeling Seismic Wave Propagation and Interaction: Recent Advances and Future Challenges. Lecture Notes in Civil Engineering, 2021, , 661-668.	0.3	1
6992	Numerical Modeling of Photonic Jet behind Triangular Prism. Asian Journal of Research and Reviews in Physics, 0, , 1-6.	0.0	1
6993	Ultra-thin boundary layer for high-accuracy simulations of light propagation. Optics Express, 2021, 29, 1649.	1.7	5
6994	An all-optical ultracompact microring-resonator-based optical switch. Journal of Computational Electronics, 2021, 20, 419-425.	1.3	26
6995	Characteristic Analysis and Structural Design of Hollow-Core Photonic Crystal Fibers with Band Gap Cladding Structures. Sensors, 2021, 21, 284.	2.1	7
6996	Small defects reconstruction in waveguides from multifrequency one-side scattering data. Inverse Problems and Imaging, 2022, 16, 417.	0.6	5
6997	Computationally Efficient Locally One-Dimensional Algorithm for Open Region Ground Penetrating Radar Problem With Improved Absorption. IEEE Access, 2021, 9, 88759-88766.	2.6	2
6998	Plasmon-Enhanced Light Absorption in Mid-Wavelength Infrared HgCdTe Detectors. IEEE Journal of Selected Topics in Quantum Electronics, 2022, 28, 1-10.	1.9	1
6999	Numerical Methods, Finite Difference. Encyclopedia of Earth Sciences Series, 2021, , 1137-1145.	0.1	0
7001	Wavefield Reconstruction Inversion of GPR Data for Permittivity and Conductivity Models in the Frequency Domain Based on Modified Total Variation Regularization. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-14.	2.7	10
7002	Non Uniform Rational B-Splines and Lagrange approximations for time-harmonic acoustic scattering: accuracy and absorbing boundary conditions. Mathematical and Computer Modelling of Dynamical Systems, 2021, 27, 263-294.	1.4	10
7003	Primitive Impulse Response Function for Near Field Calculation and Its Accuracy. IEEE Antennas and Wireless Propagation Letters, 2021, , 1-1.	2.4	2
7004	Multisector Parabolic Equation Method for Scattering From Impenetrable Objects in Fluid Waveguides. IEEE Access, 2021, 9, 45068-45077.	2.6	0
7005	An Unsplit CFS-PML Scheme for the Second-Order Wave Equation With Its Application in Fractional Viscoacoustic Simulation. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-11.	2.7	4
7006	Maxwell's equations and variational formulations. , 2021, , 47-75.		0
7007	Linear acoustics in fluids and solids and variational formulations. , 2021, , 117-156.		0
7008	Working around the Corner Problem in Numerically Exact Non-Reflecting Boundary Conditions for the Wave Equation. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
7009	An alternative amelioration of ME-based DZT-PML for truncating FDTD problems. <i>Electromagnetics</i> , 2021, 41, 83-97.	0.3	0
7010	Development and analysis of a new finite element method for the Cohenâ€™Monk PML model. <i>Numerische Mathematik</i> , 2021, 147, 127-155.	0.9	10
7011	Perfectly matched layers for the Dirac equation in general electromagnetic texture. <i>Physical Review E</i> , 2021, 103, 013301.	0.8	3
7012	Numerical Analysis of Ultrasonic Multiple Scattering for Fine Dust Number Density Estimation. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 555.	1.3	3
7013	Alternative Formulations to PML for an Infinitely Long Beam on Elastic Foundation. <i>Iranian Journal of Science and Technology - Transactions of Civil Engineering</i> , 2021, 45, 1099-1108.	1.0	0
7014	Complex Envelope Approximate Crank-Nicolson Method and Its Open Boundary Implementation for Bandpass Problem. <i>IEEE Access</i> , 2021, 9, 45095-45103.	2.6	3
7015	A General Framework for Building Surrogate Models for Uncertainty Quantification in Computational Electromagnetics. <i>IEEE Transactions on Antennas and Propagation</i> , 2022, 70, 1402-1414.	3.1	13
7016	Full-Vector Analysis of Bending Waveguides by Using Meshless Finite Cloud Method in a Local Cylindrical Coordinate System. <i>Journal of Lightwave Technology</i> , 2021, 39, 7199-7209.	2.7	4
7017	Stability and Convergence Analysis of Time-Domain Perfectly Matched Layers for the Wave Equation in Waveguides. <i>SIAM Journal on Numerical Analysis</i> , 2021, 59, 2004-2039.	1.1	6
7018	Null-space shuttles for targeted uncertainty analysis in full-waveform inversion. <i>Geophysics</i> , 2021, 86, R63-R76.	1.4	6
7019	Reparameterized full-waveform inversion using deep neural networks. <i>Geophysics</i> , 2021, 86, V1-V13.	1.4	36
7020	Modeling of Bandpass GPR Problem by HIE Procedure With Enhanced Absorption. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2022, 19, 1-5.	1.4	4
7021	Analysis and experiment of robot navigation by sound field using interaction with obstacles. <i>Transactions of the JSME (in Japanese)</i> , 2021, 87, 20-00280-20-00280.	0.1	1
7023	A frequency filter of backscattered light of stimulated Raman scattering due to the Raman rescattering in the gas-filled hohlraums. <i>Nuclear Fusion</i> , 2021, 61, 036041.	1.6	7
7024	Application of Hagstrom-Warburton high-order truncation boundary condition on time harmonic analysis of concrete arch dam-reservoir systems. <i>Engineering Computations</i> , 2021, ahead-of-print, .	0.7	1
7025	Central-difference time-lapse 4D seismic full-waveform inversion. <i>Geophysics</i> , 2021, 86, R161-R172.	1.4	13
7026	Constitutive Parameter Optimization Method of Obliquely Incident Reflectivity for Conformal PML. <i>Applied Computational Electromagnetics Society Journal</i> , 2021, 35, 1463-1470.	0.4	0
7027	Electron Flow Modulation in Double-Gap Cavity With a Multiple Ratio of the Two Modes Frequencies. <i>IEEE Transactions on Electron Devices</i> , 2021, 68, 835-840.	1.6	0

#	ARTICLE	IF	CITATIONS
7028	Modeling propagation in shallow water with the range-dependent sea surfaces and fluid seabeds using the equivalent source method. <i>Journal of the Acoustical Society of America</i> , 2021, 149, 997-1011.	0.5	8
7029	Numerical Study of Extremely Wideband-Modified Biconical Radiation Structures for Electronic Support Measures Application. <i>Electronics (Switzerland)</i> , 2021, 10, 369.	1.8	1
7030	Semi-exact local absorbing boundary condition for seismic wave simulation. <i>Journal of Geophysics and Engineering</i> , 2021, 18, 62-73.	0.7	0
7031	Dynamical visualization of anisotropic electromagnetic re-emissions from a single metal micro-helix at THz frequencies. <i>Scientific Reports</i> , 2021, 11, 3310.	1.6	5
7032	Approximate Crank-Nicolson Algorithm with Higher-Order PML Implementation for Plasma Simulation in Open Region Problems. <i>International Journal of Antennas and Propagation</i> , 2021, 2021, 1-12.	0.7	2
7033	3D forward modeling of controlled-source electromagnetic data based on the radiation boundary method. <i>Geophysics</i> , 2021, 86, E143-E155.	1.4	2
7034	RF wave propagation simulation for ICRF antenna in EAST. <i>Journal of Nuclear Science and Technology</i> , 2021, 58, 837-844.	0.7	2
7035	Cross-Shaped Titanium Resonators Based Metasurface for Ultra-Broadband Solar Absorption. <i>IEEE Photonics Journal</i> , 2021, 13, 1-8.	1.0	6
7036	Understanding the Role of Different Substrate Geometries for Achieving Optimum Tip-Enhanced Raman Scattering Sensitivity. <i>Nanomaterials</i> , 2021, 11, 376.	1.9	7
7037	Investigation of the coupling efficiency between graded index photonic crystal-based flat lenses and various types of waveguides. <i>Pramana - Journal of Physics</i> , 2021, 95, 1.	0.9	2
7038	A seismic metamaterial concept with very short resonators using depleted uranium. <i>Archive of Applied Mechanics</i> , 2021, 91, 2279-2300.	1.2	13
7039	The Equivalence and Realization of Neural Network and Finite Differences Time Domain. , 2021, , .		0
7040	Contraction operator transformation for the complex heterogeneous Helmholtz equation. <i>Computers and Mathematics With Applications</i> , 2021, 86, 63-72.	1.4	4
7041	Analytical preconditioners for Neumann elastodynamic boundary element methods. <i>SN Partial Differential Equations and Applications</i> , 2021, 2, 1.	0.3	2
7042	Simulations of ground motions under plane wave incidence in 2D complex site based on the spectral element method (SEM) and multi-transmitting formula (MTF): SH problem. <i>Journal of Seismology</i> , 2021, 25, 967-985.	0.6	1
7043	Near- to Far-Field Coupling of Evanescent Waves by Glass Microspheres. <i>Photonics</i> , 2021, 8, 73.	0.9	13
7044	Rapid additive manufacturing of optimized anisotropic metaporous surfaces for broadband absorption. <i>Journal of Applied Physics</i> , 2021, 129, 115102.	1.1	12
7045	An Improved and Novel Approach for Frequency Domain Forward Modeling of GPR Data Using the Finite Difference Staggered Grid Technique. <i>Pure and Applied Geophysics</i> , 2021, 178, 959-972.	0.8	0

#	ARTICLE	IF	CITATIONS
7046	Thermally tuned parametric gain in photonic crystal fiber-based amplifiers. <i>European Physical Journal Plus</i> , 2021, 136, 1.	1.2	8
7047	Seismic structure-water-sediment-rock interaction model and its application to immersed tunnel analysis under obliquely incident earthquake. <i>Tunnelling and Underground Space Technology</i> , 2021, 109, 103758.	3.0	30
7048	Perfect cylindrical cloak under gyration, non-inertial effects make perfect cloak visible. <i>Waves in Random and Complex Media</i> , 2024, 34, 20-32.	1.6	1
7049	Benchmark for three-dimensional explicit asynchronous absorbing layers for ground wave propagation and wave barriers. <i>Computers and Geotechnics</i> , 2021, 131, 103808.	2.3	8
7050	Efficient light-trapping sheet for the entire visible spectrum by using stacked concentric grating couplers. <i>Applied Physics Express</i> , 2021, 14, 042006.	1.1	1
7051	Matching Boundary Conditions for the Euler-Bernoulli Beam. <i>Shock and Vibration</i> , 2021, 2021, 1-12.	0.3	5
7052	Propagation of Electromagnetic Waves with Frequencies of the Beta Time Signal Service Through the Ionosphere in Different States at High Latitudes. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2021, 85, 224-229.	0.1	2
7053	Numerical studies of dielectric material modifications by a femtosecond Bessel-Gauss laser beam. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	1.1	11
7054	Optimization of sound transmission loss of open acoustic barriers with respect to unit cell topology. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2021, 235, 5962-5974.	1.1	1
7055	Efficient discontinuous Galerkin scheme for analyzing nanostructured photoconductive devices. <i>Optics Express</i> , 2021, 29, 12903.	1.7	6
7056	Lightning-Induced Magnetic Fields Inside Grid-Like Shields: An Improved Formula Complemented by a Polynomial Chaos Expansion. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2021, 63, 558-570.	1.4	3
7057	Applied electromagnetic optics simulations for nanophotonics. <i>Journal of Applied Physics</i> , 2021, 129, .	1.1	18
7058	Breast Tumour Identification based on Chimera Overset Grid with Spline Interpolation in Forward-Backward Time-Stepping. <i>ASM Science Journal</i> , 0, 14, 1-9.	0.2	0
7059	Design, Simulation, and Analysis of Optical Microring Resonators in Lithium Tantalate on Insulator. <i>Crystals</i> , 2021, 11, 480.	1.0	8
7060	Elastic wave near-cloaking. <i>Extreme Mechanics Letters</i> , 2021, 44, 101262.	2.0	15
7061	Modeling and Experimental Characterization of Bonding Delaminations in Single-Element Ultrasonic Transducer. <i>Materials</i> , 2021, 14, 2269.	1.3	1
7062	Functionally Graded Viscoelastic Artificial Boundary Layer In Time Domain Analysis Of Elastic Waves. , 2021, , .		0
7064	On a surprising instability result of Perfectly Matched Layers for Maxwell's equations in 3D media with diagonal anisotropy. <i>Comptes Rendus Mathematique</i> , 2021, 359, 249-256.	0.1	1

#	ARTICLE	IF	CITATIONS
7066	Full-Waveform Inversion for Imaging Faulted Structures: A Case Study from the Japan Trench Forearc Slope. <i>Pure and Applied Geophysics</i> , 2021, 178, 1609-1630.	0.8	2
7067	Spatially Quasi-Periodic Water Waves of Infinite Depth. <i>Journal of Nonlinear Science</i> , 2021, 31, 1.	1.0	9
7068	Review and Recent Developments on the Perfectly Matched Layer (PML) Method for the Numerical Modeling and Simulation of Elastic Wave Propagation in Unbounded Domains. <i>Archives of Computational Methods in Engineering</i> , 2022, 29, 471-518.	6.0	24
7069	Direct updating of rock-physics properties using elastic full-waveform inversion. <i>Geophysics</i> , 2021, 86, MR117-MR132.	1.4	10
7070	FDwave3D: a MATLAB solver for the 3D anisotropic wave equation using the finite-difference method. <i>Computational Geosciences</i> , 2021, 25, 1565-1578.	1.2	11
7071	The PML Boundary Application in the Implicit Hybridizable Discontinuous Galerkin Time-Domain Method for Waveguides. <i>IEEE Microwave and Wireless Components Letters</i> , 2021, 31, 337-340.	2.0	5
7072	A Spherical Harmonic Discontinuous Galerkin Method for Radiative Transfer Equations with Vacuum Boundary Conditions. <i>Journal of Scientific Computing</i> , 2021, 88, 1.	1.1	1
7073	Efficient self-imaging grating couplers on a lithium-niobate-on-insulator platform at near-visible and telecom wavelengths. <i>Optics Express</i> , 2021, 29, 20205.	1.7	21
7074	Sequential and coupled inversion of horizontal borehole ground penetrating radar data to estimate soil hydraulic properties at the field scale. <i>Journal of Hydrology</i> , 2021, 596, 126010.	2.3	13
7075	Stable Perfectly Matched Layers with Lorentz transformation for the convected Helmholtz equation. <i>Journal of Computational Physics</i> , 2021, 433, 110180.	1.9	9
7076	Double-panel active noise reducing casing with noise source enclosed inside " Modelling and simulation study. <i>Mechanical Systems and Signal Processing</i> , 2021, 152, 107371.	4.4	11
7077	Piezoelectric P(VDF-TrFE) film inkjet printed on silicon for high-frequency ultrasound applications. <i>Journal of Applied Physics</i> , 2021, 129, .	1.1	12
7078	An unsplit complex frequency-shifted perfectly matched layer for second-order acoustic wave equations. <i>Science China Earth Sciences</i> , 2021, 64, 992-1004.	2.3	3
7079	Particle-in-Cell Simulations of High-Power THz Generator Based on the Collision of Strongly Focused Relativistic Electron Beams in Plasma. <i>Photonics</i> , 2021, 8, 172.	0.9	4
7080	Investigations on 2D photonic crystal based cross waveguide structure consisting of resonant cavity. <i>Materials Today: Proceedings</i> , 2021, , .	0.9	0
7082	Wave propagation in the poro-viscoelastic orthorhombic two-phase media: plane-wave theory and wavefield simulation. <i>Geophysical Journal International</i> , 2021, 227, 99-122.	1.0	8
7083	Health Monitoring of Single-Element Piezoelectric Transducer Using Its Electromechanical Admittance. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 1819-1827.	1.7	6
7084	Propagation of Electromagnetic Waves in the Region of High Latitudes at Various States of the Ionosphere at the Frequencies of the RSDN-20 (Alpha) Radionavigation System. <i>Geomagnetism and Aeronomy</i> , 2021, 61, 376-388.	0.2	2

#	ARTICLE	IF	CITATIONS
7085	A One-Step Leapfrog ADI Procedure with Improved Absorption for Fine Geometric Details. Electronics (Switzerland), 2021, 10, 1135.	1.8	1
7086	3D Seismic-Wave Modeling with a Topographic Fluid-Solid Interface at the Sea Bottom by the Curvilinear-Grid Finite-Difference Method. Bulletin of the Seismological Society of America, 2021, 111, 2753-2779.	1.1	7
7087	An Adaptive Finite Element PML Method for the Open Cavity Scattering Problems. Communications in Computational Physics, 2021, 29, 1505-1540.	0.7	3
7088	Development of the Recursive Convolutional CFS-PML for the Wave-Equation-Based Meshless Method. IEEE Transactions on Antennas and Propagation, 2021, 69, 3599-3604.	3.1	8
7089	Multi-domain spectral approach with Sommerfeld condition for the Maxwell equations. Journal of Computational Physics, 2021, 434, 110149.	1.9	0
7090	A 3-D FDTD Thin-Wire Model of Single-Core Coaxial Cables With Multiple Conductive Layers. IEEE Transactions on Electromagnetic Compatibility, 2021, 63, 762-771.	1.4	5
7091	Electromagnetic wave induced resonance in infinitely long and hollow square cobalt nano-prisms. Journal Physics D: Applied Physics, 2021, 54, 345003.	1.3	2
7092	An Expedient DDF-Based Implementation of Perfectly Matched Monolayer. IEEE Microwave and Wireless Components Letters, 2021, 31, 541-544.	2.0	4
7093	Investigation of shape effect of silver nanostructures and governing physical mechanisms on photo-activity: Zinc oxide/silver plasmonic photocatalyst. Advanced Powder Technology, 2021, 32, 1844-1857.	2.0	14
7094	High performance for refractive index sensors via symmetry-protected guided mode resonance. Optics Express, 2021, 29, 21199.	1.7	19
7095	Three-dimensional numerical analysis of acoustic energy absorption and generation in an air-jet instrument based on Howe's energy corollary. Journal of the Acoustical Society of America, 2021, 149, 4000-4012.	0.5	4
7096	High-resolution diagnostics of GaAs wafer inhomogeneity using an optical switch within the terahertz band. Applied Physics Letters, 2021, 118, .	1.5	5
7097	A time-domain finite element scheme and its analysis for nonlinear Maxwell's equations in Kerr media. Journal of Computational Physics, 2021, 435, 110259.	1.9	5
7098	Study on spectral properties of local graphene-assisted micro-nanostructures. Results in Physics, 2021, 25, 104207.	2.0	2
7099	Implementation of uniaxial perfectly matched layer based on hexahedron element in discontinuous Galerkin time domain. IET Microwaves, Antennas and Propagation, 2021, 15, 1042.	0.7	1
7100	Nondestructive Approach for Complex-Shaped Cracks in Concrete Structures by Electromagnetic Waves with FDTD Technique. Mathematical Problems in Engineering, 2021, 2021, 1-14.	0.6	3
7101	Complex Envelope Hybrid Implicit-Explicit Procedure With Enhanced Absorption for Bandpass Nonreciprocal Application. IEEE Microwave and Wireless Components Letters, 2021, 31, 533-536.	2.0	5
7102	The cell-based smoothed radial point interpolation method for underwater acoustic scattering problems. Journal of Theoretical and Computational Acoustics, 0, , .	0.5	2

#	ARTICLE	IF	CITATIONS
7103	Efficient Bloch mode calculation of periodic systems with arbitrary geometry and open boundary conditions in the complex wavevector domain. <i>Optics Express</i> , 2021, 29, 26233.	1.7	1
7104	A Second-Order Fast Huygens Sweeping Method for Time-Dependent Schrödinger Equations with Perfectly Matched Layers. <i>Journal of Scientific Computing</i> , 2021, 88, 1.	1.1	3
7105	Visualization of internal defects using a deep generative neural network model and ultrasonic nondestructive testing. <i>Advanced Engineering Research</i> , 2021, 21, 143-153.	0.1	1
7106	Efficient magnetic-coupling excitation of LSSPs on high-Q multilayer planar-circular-grating resonators. <i>Optics Express</i> , 2021, 29, 25189.	1.7	5
7107	Scattering of a Monopolar TE-Polarized Electromagnetic Pulse on an Ideally Conducting Cylinder. <i>Journal of Communications Technology and Electronics</i> , 2021, 66, 818-821.	0.2	0
7108	Waveform Prediction of Underwater Acoustic Propagation Using Finite-difference Time-domain Method. , 2021, , .		0
7109	An adaptive edge finite element DtN method for Maxwell's equations in biperiodic structures. <i>IMA Journal of Numerical Analysis</i> , 2022, 42, 2794-2828.	1.5	4
7110	Filter and correction for a hybrid sound field analysis of geometrical and wave-based acoustics. <i>Acoustical Science and Technology</i> , 2021, 42, 170-180.	0.3	1
7111	Springtail coloration at a finer scale: mechanisms behind vibrant collembolan metallic colours. <i>Journal of the Royal Society Interface</i> , 2021, 18, 20210188.	1.5	4
7112	Non-homogeneous wave equation on a cone. <i>Integral Transforms and Special Functions</i> , 2021, 32, 604-619.	0.8	2
7113	A numerically exact nonreflecting boundary condition applied to the acoustic Helmholtz equation. <i>Geophysics</i> , 2021, 86, T229-T238.	1.4	2
7114	On cycle-skipping and misfit function modification for full-wave inversion: Comparison of five recent approaches. <i>Geophysics</i> , 2021, 86, R563-R587.	1.4	23
7115	Fundamentals of Metamaterials. , 2021, , 1-10.		0
7116	Runge-Kutta discontinuous Galerkin method for solving wave equations in 2D isotropic and anisotropic poroelastic media at low frequencies. <i>Geophysics</i> , 2021, 86, T261-T275.	1.4	8
7117	Full waveform inversion in fractured media based on velocity-stress wave equations in the time domain. <i>Geophysical Journal International</i> , 2021, 227, 1060-1075.	1.0	1
7118	Numerical solutions for point-source high frequency Helmholtz equation through efficient time propagators for Schrödinger equation. <i>Journal of Computational Physics</i> , 2021, 438, 110357.	1.9	2
7119	Efficient Integrated Vibro-Acoustic Simulation Methods. , 0, , .		0
7120	An Efficient ME-PML-based SC-ADI-FDTD Method for Electromagnetic Analysis of Microstrip Structures. , 2021, , .		1

#	ARTICLE	IF	CITATIONS
7121	Modelling and design of a perfectly-absorbing wave energy converter. Applied Ocean Research, 2021, 113, 102724.	1.8	3
7122	Physics-Informed Deep Learning for Computational Elastodynamics without Labeled Data. Journal of Engineering Mechanics - ASCE, 2021, 147, .	1.6	121
7123	On possible applications of media described by fractional-order models in electromagnetic cloaking. Communications in Nonlinear Science and Numerical Simulation, 2021, 99, 105827.	1.7	5
7124	Near-field electromagnetic coupling between helices. Journal Physics D: Applied Physics, 2021, 54, 445108.	1.3	5
7125	Dispersion optimized operator for frequency-domain acoustic wave equation in an irregular grid. Geophysics, 2021, 86, T377-T386.	1.4	0
7126	Trapezoid-grid finite difference frequency domain method for seismic wave simulation. Journal of Geophysics and Engineering, 2021, 18, 594-604.	0.7	3
7127	A concurrent two-scale coupling for wave propagation using direct solution schemes with explicit time integration. International Journal for Numerical Methods in Engineering, 2021, 122, 6361.	1.5	0
7128	Using the EC-S-FDTD Scheme to Approximate Eddy Currents Induced by Z-Gradient Coils. IEEE Transactions on Antennas and Propagation, 2021, 69, 4715-4726.	3.1	1
7129	Parameter Design of Conformal PML Based on 2D Monostatic RCS Optimization. Applied Computational Electromagnetics Society Journal, 2021, 36, 726-733.	0.4	0
7130	Material profile reconstruction using plane electromagnetic waves in PML-truncated heterogeneous domains. Applied Mathematical Modelling, 2021, 96, 813-833.	2.2	2
7131	Frequency-Domain Full-Waveform Inversion Based on Tunnel Space Seismic Data. Engineering, 2022, 18, 197-206.	3.2	4
7132	Ultra-compact, high-numerical-aperture achromatic multilevel diffractive lens via metaheuristic approach. Photonics Research, 2021, 9, 2095.	3.4	2
7133	Generation of tunable terajet via a dielectric rod covered with Dirac semimetal. Journal of Applied Physics, 2021, 130, .	1.1	3
7134	A New Approach to the Modeling of Anisotropic Media with the Transmission Line Matrix Method. Electronics (Switzerland), 2021, 10, 2071.	1.8	2
7135	The Hybrid FEM-DBCI for the Solution of Open-Boundary Low-Frequency Problems. Mathematics, 2021, 9, 1968.	1.1	0
7136	First-order particle velocity equations of decoupled P- and S-wavefields and their application in elastic reverse time migration. Geophysics, 0, , 1-78.	1.4	5
7137	Near-Source Ground Motions and Their Variability Derived from Dynamic Rupture Simulations Constrained by NGA-West2 GMPEs. Bulletin of the Seismological Society of America, 2021, 111, 2559-2573.	1.1	7
7138	Numerical boundary treatment for shock propagation in the fractional KdV-Burgers equation. Computational Mechanics, 2022, 69, 201-212.	2.2	2

#	ARTICLE	IF	CITATIONS
7139	Guided AO wave mode interaction with interfacial disbonds in an elastic-viscoelastic bilayer structure. <i>NDT and E International</i> , 2021, 124, 102543.	1.7	7
7140	Accelerating the multi-parameter least-squares reverse time migration using an appropriate preconditioner. <i>Computational Geosciences</i> , 2021, 25, 2071-2092.	1.2	6
7141	Towards a combined perfectly matching layer and infinite element formulation for unbounded elastic wave problems. <i>Mathematics and Mechanics of Solids</i> , 0, , 108128652110408.	1.5	2
7142	Computing leaky modes of optical fibers using a FEAST algorithm for polynomial eigenproblems. <i>Wave Motion</i> , 2021, 108, 102826.	1.0	2
7143	Improved Sensitivity of Surface-Enhanced Raman Scattering with Gold Nanoparticles-Insulator-Metal Sandwich Layers on Flat Sapphire Substrate. <i>Nanomaterials</i> , 2021, 11, 2416.	1.9	1
7144	Quantitative study of concentration-dependent optical characteristics of nanoparticle-embedded tumor. <i>Applied Nanoscience (Switzerland)</i> , 2021, 11, 2589-2597.	1.6	3
7145	Accurate and efficient 3D acoustic wave modeling with optimized dispersion objective function on trilinear finite elements. , 2021, , .		0
7146	Ge-on-Si waveguide photodetectors: multiphysics modeling and experimental validation. , 2021, , .		0
7147	Boundary conditions for acoustic and elastic wave propagation using deep learning. , 2021, , .		2
7148	Mesh-free based seismic modeling and reverse-time migration with surface topography. , 2021, , .		0
7149	A High-Order Finite-Difference Method on Staggered Curvilinear Grids for Seismic Wave Propagation Applications with Topography. <i>Bulletin of the Seismological Society of America</i> , 2022, 112, 3-22.	1.1	6
7150	A Coupling between Integral Equations and On-Surface Radiation Conditions for Diffraction Problems by Non Convex Scatterers. <i>Mathematics</i> , 2021, 9, 2299.	1.1	1
7151	Receiver-extension strategy for time-domain full-waveform inversion using a relocalization approach. <i>Geophysics</i> , 2022, 87, R13-R33.	1.4	5
7152	Bandpass Crank-Nicolson form with approximation and absorption for nonreciprocal ferrite material. <i>Journal of Electromagnetic Waves and Applications</i> , 2022, 36, 706-721.	1.0	0
7153	Homogenization of woven composites for shielding applications: the case of oblique incidence. <i>Journal of Electromagnetic Waves and Applications</i> , 2022, 36, 568-578.	1.0	0
7154	A stable node-based smoothed finite element method with PML technique for the elastic wave obstacle scattering. <i>Engineering Analysis With Boundary Elements</i> , 2021, 130, 249-267.	2.0	8
7155	One-step leapfrog alternating direction implicit procedure for left-handed material in open region problems with enhanced absorption. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 0, , e2954.	1.2	0
7156	Matrix Exponential Method Exploiting Field-Splitting Technique for Calculating Electromagnetic Response of Rotating Bodies: 2-D Configuration. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021, 20, 1646-1650.	2.4	0

#	ARTICLE	IF	CITATIONS
7157	A Finite Element Model for Underwater Sound Propagation in 2-D Environment. Journal of Marine Science and Engineering, 2021, 9, 956.	1.2	3
7158	Assessing the role of selected constraints in Bayesian dynamic source inversion: application to the 2017 Mw 6.3 Lesvos earthquake. Geophysical Journal International, 2021, 228, 711-727.	1.0	4
7159	Bandpass approximate Crank-Nicolson implementation for anisotropic gyrotropic plasma open region simulation. Optik, 2021, 242, 166941.	1.4	1
7160	Complex-scaling method for the complex plasmonic resonances of planar subwavelength particles with corners. Journal of Computational Physics, 2021, 440, 110433.	1.9	8
7161	Plasmonic nanorods for enhanced absorption in mid-wavelength infrared detectors. , 2021, , .		0
7162	A novel Rayleigh-type viscoelastic Perfectly-Matched-Layer for wave propagation analysis: Formulation, implementation and application. Computer Methods in Applied Mechanics and Engineering, 2021, 383, 113913.	3.4	12
7163	Wave propagation in a three-dimensional half-space with semi-infinite irregularities. Waves in Random and Complex Media, 0, , 1-20.	1.6	0
7164	Design of surface plasmon resonance based both side polished photonic crystal fiber for highly efficient refractive index sensor. Optik, 2021, 248, 168062.	1.4	7
7165	A three-dimensional hybrid finite element " spectral boundary integral method for modeling earthquakes in complex unbounded domains. International Journal for Numerical Methods in Engineering, 2021, 122, 6905-6923.	1.5	10
7166	Numerical and experimental demonstration of inverse designed low-index polarization-insensitive wavelength demultiplexer. Journal Physics D: Applied Physics, 2021, 54, 505102.	1.3	1
7167	A generalized optimal fourth-order finite difference scheme for a 2D Helmholtz equation with the perfectly matched layer boundary condition. Journal of Computational and Applied Mathematics, 2021, 394, 113544.	1.1	5
7168	Isogeometric locally-conformal perfectly matched layer for time-harmonic acoustics. Computer Methods in Applied Mechanics and Engineering, 2021, 384, 113925.	3.4	7
7169	Full waveform inversion of areal shot records. Journal of Applied Geophysics, 2021, 193, 104427.	0.9	1
7170	The double absorbing boundary method for the Helmholtz equation. Applied Numerical Mathematics, 2021, 168, 182-200.	1.2	2
7171	Acoustic waveform inversion in frequency domain: Application to a tunnel environment. Underground Space (China), 2021, 6, 560-576.	3.4	3
7172	Geometric optimization of dielectric elastomer electrodes for dynamic applications. Applied Acoustics, 2021, 181, 108120.	1.7	1
7173	Time domain analysis and localization of a non-local PML for dispersive wave equations. Journal of Computational Physics, 2021, 445, 110638.	1.9	3
7174	High-order Absorbing Boundary Condition, Domain Decomposition Method and Stratified Dispersive Wave Model. Wave Motion, 2021, 106, 102806.	1.0	1

#	ARTICLE	IF	CITATIONS
7175	Geophysical electromagnetic modeling and evaluation: A review. <i>Journal of Applied Geophysics</i> , 2021, 194, 104438.	0.9	4
7176	An asymptotic Green's function method for the wave equation. <i>Journal of Computational Physics</i> , 2021, 446, 110655.	1.9	1
7177	Acoustic Add-Drop filter involving a ring resonator based on a One-Dimensional surface phononic crystal. <i>Ultrasonics</i> , 2021, 117, 106551.	2.1	8
7178	Hybrid absorbing boundary conditions of PML and CRBC. <i>Journal of Computational and Applied Mathematics</i> , 2022, 399, 113713.	1.1	1
7179	Single-mode eccentric-core D-shaped photonic crystal fiber surface plasmon resonance sensor. <i>Optics and Laser Technology</i> , 2022, 145, 107474.	2.2	32
7180	Quantum Efficiency and Crosstalk in Subwavelength HgCdTe Dual Band Infrared Detectors. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2022, 28, 1-9.	1.9	2
7181	Pseudospectral methods with PML for nonlinear Klein-Gordon equations in classical and non-relativistic regimes. <i>Journal of Computational Physics</i> , 2022, 448, 110728.	1.9	1
7182	Time response analysis of periodic structures via wave-based absorbing boundary conditions. <i>European Journal of Mechanics, A/Solids</i> , 2022, 91, 104418.	2.1	2
7183	Treatment planning facilitates clinical decision making for hyperthermia treatments. <i>International Journal of Hyperthermia</i> , 2021, 38, 532-551.	1.1	14
7184	Luthien: A Parallel PIC Code for Modeling the Interaction of Focused Electron Beams with Plasma. <i>Communications in Computer and Information Science</i> , 2021, , 228-242.	0.4	0
7185	Efficient Enhanced Hybrid Implicit-Explicit Procedure to Gyrotropic Plasma in Open Regions With Fine Geometry Details Along Single Direction. <i>IEEE Access</i> , 2021, 9, 77079-77089.	2.6	4
7186	High-Order Conformal Perfectly Matched Layer for the DGTD Method. <i>IEEE Transactions on Antennas and Propagation</i> , 2021, 69, 7753-7760.	3.1	6
7187	Finite Elements for Helmholtz Equations with a Nonlocal Boundary Condition. <i>SIAM Journal of Scientific Computing</i> , 2021, 43, A1671-A1691.	1.3	3
7188	Radiation characteristics of terahertz GaAs photoconductive antenna arrays. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2021, 70, 248704.	0.2	3
7189	Elastic Wave Modeling With High-Order Temporal and Spatial Accuracies by a Selectively Modified and Linearly Optimized Staggered-Grid Finite-Difference Scheme. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-22.	2.7	10
7190	Development Electronic Design Automation for RF/Microwave Antenna Using MATLAB GUI. <i>Advances in Computer and Electrical Engineering Book Series</i> , 2021, , 70-148.	0.2	2
7191	Numerical Algorithm of Seismic Wave Propagation and Seismic Attenuation Estimation in Anisotropic Fractured Porous Fluid-Saturated Media. <i>Lecture Notes in Computer Science</i> , 2021, , 434-448.	1.0	0
7192	Estimating target strength and physical characteristics of gas-bearing mesopelagic fish from wideband <i>in situ</i> echoes using a viscous-elastic scattering model. <i>Journal of the Acoustical Society of America</i> , 2021, 149, 673-691.	0.5	17

#	ARTICLE	IF	CITATIONS
7193	A Truly Exact Perfect Absorbing Layer for Time-Harmonic Acoustic Wave Scattering Problems. SIAM Journal of Scientific Computing, 2021, 43, A1027-A1061.	1.3	5
7194	Automatic differentiation and its applications in physics simulation. Wuli Xuebao/Acta Physica Sinica, 2021, 70, 1-11.	0.2	1
7195	A simulation method for the computation of the effective P-wave velocity in heterogeneous rocks. Computational Mechanics, 2021, 67, 845-865.	2.2	0
7196	Finite-difference time-domain analyses of active cloaking for electrically-large objects. Optics Express, 2021, 29, 3055.	1.7	0
7197	Seismic Wave Propagation in Real Media: Numerical Modeling Approaches. Encyclopedia of Earth Sciences Series, 2021, , 1525-1537.	0.1	0
7199	Reinforcement Learning Algorithm and FDTD-Based Simulation Applied to Schroeder Diffuser Design Optimization. IEEE Access, 2021, 9, 136004-136017.	2.6	0
7200	Finite-Difference Time-Domain Analysis. , 0, , .		429
7201	Electromagnetic Field Computation in Planar Multilayers. , 0, , .		31
7202	Multiresolution Techniques. , 0, , .		1
7203	MEI Method. , 0, , .		1
7205	Carrier-Wave Nonlinear Optics. NATO Science Series Series II, Mathematics, Physics and Chemistry, 2005, , 93-186.	0.1	8
7208	Introduction to Light Scattering from Microstructures. Lecture Notes in Physics, 2000, , 1-19.	0.3	3
7209	Radiofrequency Field Calculations for High Field MRI. , 2006, , 209-248.		6
7210	MODELING OF LIGHT SCATTERING FROM INHOMOGENEOUS BIOLOGICAL CELLS. , 2007, , 19-29.		6
7211	MODELING OF LIGHT SCATTERING BY SINGLE RED BLOOD CELLS WITH THE FDTD METHOD. , 2007, , 213-242.		3
7212	Comparison of Two Explicit Time Domain Unstructured Mesh Algorithms for Computational Electromagnetics. Computational Methods in Applied Sciences (Springer), 2008, , 95-112.	0.1	2
7213	Experimental and numerical dosimetry. , 1997, , 13-64.		16
7216	F.D.T.D. Method Applied to the Generation and Propagation of Short Pulse. , 1997, , 279-286.		4

#	ARTICLE	IF	CITATIONS
7217	Scattering Resonances as Viscosity Limits. Springer Proceedings in Mathematics and Statistics, 2018, , 635-654.	0.1	3
7218	Numerical Methods, Finite Difference. Encyclopedia of Earth Sciences Series, 2020, , 1-9.	0.1	8
7219	Seismic Wave Propagation in Real Media: Numerical Modeling Approaches. Encyclopedia of Earth Sciences Series, 2020, , 1-13.	0.1	4
7220	Evaluating Performance of OpenMP Tasks in a Seismic Stencil Application. Lecture Notes in Computer Science, 2020, , 67-81.	1.0	7
7221	Numerical Methods for Elastic Wave Propagation. , 2007, , 181-281.		6
7222	On the Relation Between Optimized Schwarz Methods and Source Transfer. Lecture Notes in Computational Science and Engineering, 2016, , 217-225.	0.1	3
7223	A Geometric Multigrid Preconditioner for the Solution of the Helmholtz Equation in Three-Dimensional Heterogeneous Media on Massively Parallel Computers. Geosystems Mathematics, 2017, , 141-155.	0.0	2
7224	Fundamental Equations of Acoustics. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2018, , 1-33.	0.3	2
7225	Particle Acceleration in Pulsar Wind Nebulae: PIC Modelling. Astrophysics and Space Science Library, 2017, , 247-277.	1.0	13
7226	Connection Subnetworks for the Transmission Line Matrix (TLM) Method. Springer Proceedings in Physics, 2008, , 263-281.	0.1	4
7227	Simulation of Laser Propagation in a Plasma with a Frequency Wave Equation. , 2006, , 518-529.		1
7228	Numerical Simulation of 3D Acoustic Logging. Lecture Notes in Computer Science, 2007, , 1045-1054.	1.0	2
7229	Computational Absorbing Boundaries. , 2008, , 145-166.		27
7230	Perfectly Matched Layers. , 0, , 167-196.		9
7231	Infinite Elements. , 0, , 197-230.		7
7232	Efficient Infinite Elements based on Jacobi Polynomials. , 2008, , 231-250.		3
7233	Large Eddy Simulation of Turbulent Non-Premixed Jet Flames with a High Order Numerical Method. Lecture Notes in Computational Science and Engineering, 2009, , 269-287.	0.1	2
7234	Dosimetry Studies on a Fetus Model Combining Medical Image Information and a Synthetic Woman Body. IFMBE Proceedings, 2009, , 321-324.	0.2	3

#	ARTICLE	IF	CITATIONS
7235	The Pole Condition: A Pad $\hat{\circ}$ Approximation of the Dirichlet to Neumann Operator. Lecture Notes in Computational Science and Engineering, 2011, , 125-132.	0.1	3
7236	A Seamless Reduced Basis Element Method for 2D Maxwell $\hat{\circ}$ s Problem: An Introduction. Lecture Notes in Computational Science and Engineering, 2011, , 141-152.	0.1	10
7237	Spectral Methods for Time-Dependent Variable-Coefficient PDE Based on Block Gaussian Quadrature. Lecture Notes in Computational Science and Engineering, 2011, , 429-439.	0.1	1
7238	Finite-difference time-domain solution of light scattering by arbitrarily shaped particles and surfaces. , 2012, , 75-113.		1
7240	Different Methods for Computational Electromagnetics: Their Characteristics and Typical Practical Applications. Studies in Computational Intelligence, 2010, , 261-275.	0.7	1
7241	Fast Algorithms for High Frequency Wave Propagation. Lecture Notes in Computational Science and Engineering, 2012, , 127-161.	0.1	3
7242	Improving the Convergence of Schwarz Methods for Helmholtz Equation. Lecture Notes in Computational Science and Engineering, 2013, , 199-206.	0.1	3
7243	Perfectly Matched Layers for the Convected Helmholtz Equation. , 2003, , 142-147.		3
7244	An Application of the Buffer Layer Technique to Computations of Flow in Turbomachinery. , 2004, , 299-309.		2
7245	Radiofrequency Dosimetry and Exposure Systems. , 2006, , 223-250.		1
7247	Optical Waveguide Theory by the Finite Element Method. , 1992, , .		99
7248	Electromagnetic Field Calculations in an Anatomically Realistic Voxel Model of the Human Body. , 2000, , 123-131.		2
7249	Experimental and Numerical Near-Field Evaluation of RF Transmitters. , 2000, , 159-186.		1
7250	Artificial Boundary Conditions for Infinite-Domain Problems. ICASE/LARC Interdisciplinary Series in Science and Engineering, 1998, , 119-137.	0.1	3
7251	Singly and Doubly Asymptotic Computational Boundaries. Fluid Mechanics and Its Applications, 1998, , 135-141.	0.1	3
7252	Optimizing the Perfectly Matched Layer. Fluid Mechanics and Its Applications, 1998, , 245-254.	0.1	1
7255	Finite-Volume Time Domain Method. , 1999, , 307-367.		28
7256	Edged-based smoothed point interpolation method for acoustic radiation with perfectly matched layer. Computers and Mathematics With Applications, 2020, 80, 1596-1618.	1.4	9

#	ARTICLE	IF	CITATIONS
7257	Local Dirichlet-type absorbing boundary conditions for transient elastic wave propagation problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 362, 112856.	3.4	20
7258	Computation of scattering resonances in absorptive and dispersive media with applications to metal-dielectric nano-structures. <i>Journal of Computational Physics</i> , 2020, 407, 109220.	1.9	7
7267	Modeling the Acoustic Flux Inside the Magmatic Conduit by 3D-FDTD Simulation. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB018849.	1.4	20
7268	Smoothed particle electromagnetics with boundary absorbing condition using perfectly matched layers. , 2008, , .		1
7269	Efficient calculation of far-field patterns of waveguide discontinuities using perfectly matched layers. <i>Electronics Letters</i> , 2000, 36, 798.	0.5	4
7270	Implementation of higher order CNAD CFS-PML for truncating unmagnetised plasma. <i>IET Microwaves, Antennas and Propagation</i> , 2019, 13, 756-760.	0.7	10
7271	Numerical determination of the cutoff frequency in solar models. <i>Astronomy and Astrophysics</i> , 2020, 640, A4.	2.1	12
7272	High efficiency GaN-based LEDs: light extraction by photonic crystals. <i>Annales De Physique</i> , 2006, 31, 1-235.	0.2	9
7273	Analysis of an observer strategy for initial state reconstruction of wave-like systems in unbounded domains. <i>ESAIM - Control, Optimisation and Calculus of Variations</i> , 2020, 26, 45.	0.7	2
7274	A broadband omnidirectional absorber based on a hetero-structure composed of epsilon-negative material and mu-negative material. <i>EPJ Applied Physics</i> , 2014, 66, 30102.	0.3	3
7275	Title is missing!. <i>Waves in Random and Complex Media</i> , 2001, 11, R103-R137.	1.5	47
7276	Inverse design of light-matter interactions in macroscopic QED. <i>New Journal of Physics</i> , 2020, 22, 093014.	1.2	13
7277	A nonlinear approach to absorbing boundary conditions for the semilinear wave equation. <i>Mathematics of Computation</i> , 2006, 75, 565-594.	1.1	22
7278	On the intersection of sets of incoming and outgoing waves. <i>Quarterly of Applied Mathematics</i> , 2008, 66, 1-26.	0.5	3
7279	Concurrent Coupling of Atomistic and Continuum Models. , 2009, , 93-133.		3
7280	Antennas and Propagation in the Presence of Metamaterials and Other Complex Media: Computational Electromagnetic Advances and Challenges. <i>IEICE Transactions on Communications</i> , 2005, E88-B, 2230-2238.	0.4	4
7281	Investigation of Wall Effect on Indoor MIMO Channel Capacity by Using MoM-FDTD Hybrid Technique. <i>IEICE Transactions on Communications</i> , 2007, E90-B, 1201-1207.	0.4	4
7282	Quantitative photoacoustic imaging of two-photon absorption. <i>Journal of Biomedical Optics</i> , 2018, 23, 1.	1.4	6

#	ARTICLE	IF	CITATIONS
7283	Advanced EUV mask and imaging modeling. Journal of Micro/ Nanolithography, MEMS, and MOEMS, 2017, 16, 1.	1.0	10
7284	Polarization beam splitter based on two-dimensional modified annular photonic crystals with square and triangular lattices. Optical Engineering, 2018, 57, 1.	0.5	1
7285	Analysis of highly sensitive biosensor for glucose based on a one-dimensional photonic crystal nanocavity. Optical Engineering, 2019, 58, 1.	0.5	7
7286	Breast imaging using waveform attenuation tomography. Proceedings of SPIE, 2017, , .	0.8	5
7287	Acoustic and photonic topological insulators by topology optimization. , 2019, , .		2
7289	Long-range propagation of nonlinear infrasound waves through an absorbing atmosphere. Journal of the Acoustical Society of America, 2016, 139, 1565-1577.	0.5	22
7291	Fabrication of Two-Dimensional Photonic Crystal Slab Point-Defect Cavity Employing Local Three-Dimensional Structures. Japanese Journal of Applied Physics, 2006, 45, 6096-6102.	0.8	19
7292	On the efficacy of GPU-integrated MPI for scientific applications. , 2013, , .		15
7293	Generalized non-reflecting boundaries for fluid re-simulation. ACM Transactions on Graphics, 2016, 35, 1-7.	4.9	14
7294	Modeling of Radiation Fields in a Sub-Picosecond Photo-Conducting System. VLSI Design, 1998, 8, 407-412.	0.5	6
7295	New Design of Channel Drop Filter by Triangular Photonic Crystal. International Journal of Electrical and Computer Engineering, 2012, 3, .	0.5	3
7296	Tunable Channel Drop Filter using Hexagonal Photonic Crystal Ring Resonators. TELKOMNIKA Indonesian Journal of Electrical Engineering, 2013, 11, .	0.1	2
7297	Multi-order vector finite element modeling of 3D magnetotelluric data including complex geometry and anisotropy. Earth, Planets and Space, 2019, 71, .	0.9	13
7298	Transient modeling of subsurface EM problems using PML ABC. , 1996, , .		2
7299	2D frequencyâ€domain elastic fullâ€waveform inversion using a P_0 finite volume forward problem. , 2008, , .		2
7300	Imaging of VTI media by elastic frequencyâ€domain fullâ€waveform inversion of global offset data. , 2010, , .		2
7301	2â€D frequencyâ€space domain finiteâ€difference elasticâ€wave modeling using compressed storage format. , 2009, , .		2
7302	Application of high-order finite-element method to the P-wave propagation around and inside an underground cavity. Geophysics, 2017, 82, T197-T206.	1.4	4

#	ARTICLE	IF	CITATIONS
7303	A hybrid absorbing boundary condition for frequency-domain visco-acoustic finite-difference modeling. , 2012, , .		1
7304	Pyramid-shaped grid for elastic wave propagation. , 2012, , .		4
7305	Time-stepping beyond CFL: A locally one-dimensional scheme for acoustic wave propagation. , 2013, , .		2
7306	SMART: Robust absorbing layer and S-waves filtering for acoustic anisotropic wave simulation. , 2014, , .		1
7307	Practical aspects of 2.5D frequency-domain finite-difference modelling of viscoelastic waves. , 2014, , .		6
7308	Preconditioning the 2D Helmholtz equation with polarized traces. , 2014, , .		3
7309	A novel wave equation solver to increase the efficiency of full waveform inversion. , 2014, , .		1
7310	A short note on the nested-sweep polarized traces method for the 2D Helmholtz equation. , 2015, , .		1
7311	A short note on a fast and high-order hybridizable discontinuous Galerkin solver for the 2D high-frequency Helmholtz equation. , 2016, , .		3
7312	A short note on a pipelined polarized-trace algorithm for 3D Helmholtz. , 2016, , .		2
7313	A 27-point finite-difference method using a symmetric perfectly matched layer for the 3D Helmholtz equation. , 2017, , .		1
7314	Pollution-free and fast hybridizable discontinuous Galerkin solvers for the high-frequency Helmholtz equation. , 2017, , .		3
7315	Design and Fabrication of Planar Photonic Crystals. , 2009, , 151-189.		1
7316	Modeling and Simulation. , 2005, , .		2
7318	Modeling and Simulation of Structural Colors. Series in Optics and Optoelectronics, 2012, , 191-242.	0.0	1
7320	Sound field simulation method by combining finite difference time domain calculation and multi-channel reproduction technique. Acoustical Science and Technology, 2004, 25, 15-23.	0.3	15
7321	Prediction for architectural structure-borne sound by the finite-difference time-domain method. Acoustical Science and Technology, 2009, 30, 265-276.	0.3	32
7322	Calculation of sound propagation in three-dimensional field with constant cross section by Duhamel's efficient method using transient solutions obtained by finite-difference time-domain method. Acoustical Science and Technology, 2009, 30, 72-82.	0.3	8

#	ARTICLE	IF	CITATIONS
7323	Finite-difference time-domain analysis on leak transmission characteristics of narrow gaps. <i>Acoustical Science and Technology</i> , 2011, 32, 182-193.	0.3	10
7324	Finite-difference time-domain method for heterogeneous orthotropic media with damping. <i>Acoustical Science and Technology</i> , 2012, 33, 77-85.	0.3	7
7325	Road traffic noise prediction model "ASJ RTN-Model 2018": Report of the Research Committee on Road Traffic Noise. <i>Acoustical Science and Technology</i> , 2020, 41, 529-589.	0.3	17
7326	Direct Observation of Localized Modes in an Open Disordered Microwave Cavity. <i>Acta Physica Polonica A</i> , 2007, 112, 665-672.	0.2	1
7327	Analysis of Light Propagation in Optical Fibers with a High Step Index. <i>Acta Physica Polonica A</i> , 2012, 122, 829-832.	0.2	2
7328	DETERMINATION OF ELF WAVE CHARACTERISTICS MOST STRONGLY REACTING TO MINOR CHANGES OF IONOSPHERIC ELECTRON DENSITY IN A HIGH-LATITUDE REGION. <i>SolneĀno-zemnaĀ Fizika</i> , 2019, , 81-90.	0.2	5
7329	DETERMINATION OF ILF-WAVE CHARACTERISTICS MOST STRONGLY REACTING TO MINOR CHANGES OF IONOSPHERIC ELECTRON DENSITY IN A HIGH-LATITUDE REGION. <i>SolneĀno-zemnaĀ Fizika</i> , 2019, , 99-109.	0.2	3
7330	Wave propagation in unbounded elastic domains using the spectral element method: formulation. <i>Earthquake and Structures</i> , 2012, 3, 383-411.	1.0	3
7331	Dynamic analysis of concrete gravity dam-reservoir systems by wavenumber approach in the frequency domain. <i>Earthquake and Structures</i> , 2012, 3, 533-548.	1.0	10
7332	Efficient and accurate domain-truncation techniques for seismic soil-structure interaction. <i>Earthquake and Structures</i> , 2012, 3, 563-580.	1.0	5
7333	Time harmonic analysis of dam-foundation systems by perfectly matched layers. <i>Structural Engineering and Mechanics</i> , 2014, 50, 349-364.	1.0	6
7334	Hybrid perfectly-matched-layers for transient simulation of scalar elastic waves. <i>Structural Engineering and Mechanics</i> , 2014, 51, 685-705.	1.0	5
7335	Design and fabrication of copper-filled photonic crystal fiber based polarization filters. <i>Applied Optics</i> , 2019, 58, 2068.	0.9	39
7336	Automatic feature selection in EUV scatterometry. <i>Applied Optics</i> , 2019, 58, 5916.	0.9	8
7337	Asymptotic model for finite-element calculations of diffraction by shallow metallic surface-relief gratings. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2017, 34, 68.	0.8	3
7338	Hybrid quantum systems for enhanced nonlinear optical susceptibilities. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, E143.	0.9	2
7339	Lensing and waveguiding in birefringent double-twist cylinders demonstrated using FDTD simulations. <i>Optics Express</i> , 2018, 26, 26327.	1.7	2
7340	Integrated silicon photonic device design by attractor selection mechanism based on artificial neural networks: optical coupler and asymmetric light transmitter. <i>Optics Express</i> , 2018, 26, 29032.	1.7	17

#	ARTICLE	IF	CITATIONS
7341	Analyzing bowtie structures with sharp tips by a vertical mode expansion method. Optics Express, 2018, 26, 32346.	1.7	2
7342	Flexible Mid-IR fiber bundle for thermal imaging of inaccessible areas. Optics Express, 2019, 27, 20259.	1.7	16
7343	Accelerating adjoint variable method based photonic optimization with Schur complement domain decomposition. Optics Express, 2019, 27, 20711.	1.7	12
7344	Terahertz and infrared nonlocality and field saturation in extreme-scale nanoslits. Optics Express, 2020, 28, 8701.	1.7	4
7345	Extruded tellurite antiresonant hollow core fiber for Mid-IR operation. Optics Express, 2020, 28, 16542.	1.7	23
7346	Modal analysis of photonic and plasmonic resonators. Optics Express, 2020, 28, 20728.	1.7	3
7347	Continuous family of exact Dispersive Quasi-Normal Modal (DQNM) expansions for dispersive photonic structures. Optics Express, 2020, 28, 29016.	1.7	8
7348	Fullwave Maxwell inverse design of axisymmetric, tunable, and multi-scale multi-wavelength metalenses. Optics Express, 2020, 28, 33854.	1.7	36
7349	Fractal photonic bandgap fibers. Optics Express, 2020, 28, 33184.	1.7	1
7350	3D modeling of coherence scanning interferometry on 2D surfaces using FEM. Optics Express, 2020, 28, 39807.	1.7	23
7351	Dark mode plasmonic optical microcavity biochemical sensor. Photonics Research, 2019, 7, 939.	3.4	23
7352	Exposure to GSM RF Fields Does Not Affect Calcium Homeostasis in Human Endothelial Cells, Rat Pheochromocytoma Cells or Rat Hippocampal Neurons. PLoS ONE, 2010, 5, e11828.	1.1	42
7353	PTFOS: Flexible and Absorbable Intracranial Electrodes for Magnetic Resonance Imaging. PLoS ONE, 2012, 7, e41187.	1.1	15
7354	Accuracy of the Kirchhoff-Approximation and Kirchhoff-Ray-Mode Fish Swimbladder Acoustic Scattering Models. PLoS ONE, 2013, 8, e64055.	1.1	14
7355	Studies in RF Power Communication, SAR, and Temperature Elevation in Wireless Implantable Neural Interfaces. PLoS ONE, 2013, 8, e77759.	1.1	15
7356	Time-Domain Simulation of Three Dimensional Quantum Wires. PLoS ONE, 2016, 11, e0153802.	1.1	12
7357	Application of Finite Difference Time Domain to Calculate the Transmission Coefficient of an Electromagnetic Wave Impinging Perpendicularly on a Dielectric Interface with Modified MUR-I ABC. Defence Science Journal, 2012, 62, 228-235.	0.5	11
7358	Algebraic preconditioners for the Fast Multipole Method in electromagnetic scattering analysis from large structures: trends and problems. Electronic Journal of Boundary Elements, 2009, 7, .	0.3	9

#	ARTICLE	IF	CITATIONS
7359	Finite-difference time-domain method calculation of light propagation through H-PDLC. Semiconductor Physics, Quantum Electronics and Optoelectronics, 2007, 10, 83-87.	0.3	2
7360	Design of Subwavelength Diffractive Optical Elements using Genetic Algorithm and FDTD Method. IEEJ Transactions on Electronics, Information and Systems, 2007, 127, 1298-1303.	0.1	2
7361	Angular selectivity of SOI photodiode with surface plasmon antenna. IEICE Electronics Express, 2020, 17, 20200187-20200187.	0.3	5
7362	Application of the Recursive Transfer Method to Flexural Waves II: Reflection Enhancement Caused by Resonant Scattering in Acoustic Waveguide. IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences, 2015, E98.A, 354-361.	0.2	3
7363	Optical Fiber Coupler Analysis Using Daubechies Wavelets. Journal of Microwaves, Optoelectronics and Electromagnetic Applications, 2020, 19, 294-300.	0.4	2
7364	Analysis of Multi-Transmitting Formula for Absorbing Boundary Conditions. International Journal for Multiscale Computational Engineering, 2010, 8, 207-219.	0.8	4
7365	PLANAR STRUCTURES OF WAVEGUIDING CIRCUITRY FOR MILLIMETER BAND. Telecommunications and Radio Engineering (English Translation of Elektrosvyaz and Radiotekhnika), 2012, 71, 1411-1422.	0.2	1
7366	Modelling All-Optical Switching and Limiting Properties of AIAs Photonic Crystals. International Letters of Chemistry, Physics and Astronomy, 0, 77, 1-14.	0.0	3
7367	Forward Modeling of GPR Data by Unstaggered Finite Difference Frequency Domain (FDFD) Method: An Approach towards an Appropriate Numerical Scheme. Journal of Environmental and Engineering Geophysics, 2019, 24, 487-496.	1.0	1
7371	Resonance widths for the molecular predissociation. Analysis and PDE, 2014, 7, 1027-1055.	0.6	10
7372	A New Model for Acoustic Wave Propagation and Scattering in the Vocal Tract. , 0, , .		4
7374	Computational Methods for Multiple Scattering at High Frequency with Applications to Periodic Structure Calculations. , 2012, , 73-107.		7
7375	Exact Boundary Conditions for Wave Propagation in Periodic Media Containing a Local Perturbation. , 2012, , 108-134.		1
7376	Modeling of vibrations induced in tunnels: a 2.5D FEM-PML approach. Geotecnia, 2018, 144, 89-118.	0.1	4
7377	An outlook of CEM multidisciplinary applications. , 1999, , .		10
7378	APPLICATION OF DOUBLE ZERO METAMATERIALS AS RADAR ABSORBING MATERIALS FOR THE REDUCTION OF RADAR CROSS SECTION. Progress in Electromagnetics Research, 2010, 101, 323-337.	1.6	41
7379	ELIMINATION OF NUMERICAL DISPERSION FROM ELECTROMAGNETIC TIME DOMAIN ANALYSIS BY USING RESOURCE EFFICIENT FINITE ELEMENT TECHNIQUE. Progress in Electromagnetics Research, 2013, 137, 487-512.	1.6	5
7380	SUB-NANOSECOND ELECTROMAGNETIC-MICROMAGNETIC DYNAMIC SIMULATIONS USING THE FINITE-DIFFERENCE TIME-DOMAIN METHOD. Progress in Electromagnetics Research B, 2009, 15, 1-29.	0.7	8

#	ARTICLE	IF	CITATIONS
7381	NUMERICAL STUDY OF A PHOTONIC JET WITH APERIODIC FOURIER MODAL METHOD AND EXPERIMENTAL VALIDATION. <i>Progress in Electromagnetics Research C</i> , 2018, 88, 133-143.	0.6	2
7382	ULTRA-ELONGATED PHOTONIC NANOJETS GENERATED BY A GRADED-INDEX MICROELLIPSOID. <i>Progress in Electromagnetics Research Letters</i> , 2013, 37, 153-165.	0.4	31
7383	A Novel Design of Photonic Crystal Lens Based on Negative Refractive Index. <i>Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium</i> , 2008, 4, 296-300.	0.4	7
7384	Staggered Grid Pseudo-spectral Time-domain Method for Light Scattering Analysis. <i>Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium</i> , 2010, 6, 632-635.	0.4	9
7385	Numerical modeling of elastic wave in frequency-domain by using staggered grid fourth-order finite-difference scheme. <i>Advances in Geo-Energy Research</i> , 2019, 3, 410-423.	3.1	5
7386	Perfectly Matched Layer for Accurate FDTD for Anisotropic Magnetized Plasma. <i>Journal of Electromagnetic Engineering and Science</i> , 2020, 20, 277-284.	0.7	18
7387	A practical implementation of acoustic full waveform inversion on graphical processing units. <i>CTyF - Ciencia, Tecnología Y Futuro</i> , 2015, 6, 5-16.	0.3	3
7388	Fundamental Investigation on Matching Characteristics and Thinned Magnetic EM-Wave Absorber with Periodical Thin Conductive Patterns.. <i>Journal of the Magnetics Society of Japan</i> , 2003, 27, 583-589.	0.4	3
7389	Highly Efficient Waveguide Using Surface Plasmon Polaritons for Thermally Assisted Magnetic Recording. <i>Journal of the Magnetics Society of Japan</i> , 2013, 37, 111-114.	0.5	4
7390	Finite Element Method for the Estimation of Insertion Loss of Noise Barriers: Comparison with Various Formulae (2D). <i>Urban Science</i> , 2020, 4, 77.	1.1	12
7391	A simulator based on an energy-efficient GPR algorithm modified for the scanning of all types of regions. <i>Turkish Journal of Electrical Engineering and Computer Sciences</i> , 0, , .	0.9	1
7392	Analysis of Photonic Crystal Power Splitters with Different Configurations. <i>Journal of Applied Sciences</i> , 2008, 8, 1416-1425.	0.1	57
7393	Optimal Design of 90° Bend in Two Dimensional Photonic Crystal Waveguides. <i>Journal of Applied Sciences</i> , 2008, 8, 2449-2455.	0.1	5
7394	Hyperbolic boundary value problems with trihedral corners. <i>Discrete and Continuous Dynamical Systems</i> , 2016, 36, 4403-4450.	0.5	4
7395	Simulations on wave propagation in fluctuating fusion plasmas for Reflectometry applications and new developments. <i>Discrete and Continuous Dynamical Systems - Series S</i> , 2012, 5, 307-328.	0.6	6
7396	An adaptive edge finite element method for the Maxwell's equations in metamaterials. <i>Electronic Research Archive</i> , 2020, 28, 961-976.	0.4	4
7397	Approximation errors and truncation of computational domains with application to geophysical tomography. <i>Inverse Problems and Imaging</i> , 2007, 1, 371-389.	0.6	69
7398	An anisotropic perfectly matched layer method for Helmholtz scattering problems with discontinuous wave number. <i>Inverse Problems and Imaging</i> , 2013, 7, 663-678.	0.6	4

#	ARTICLE	IF	CITATIONS
7403	Subsurface hydrocarbons detected by electromagnetic sounding. <i>First Break</i> , 2005, 23, .	0.2	96
7404	Inversion Of Surface Waves In Complex Structures. , 2008, , .		2
7405	Modelling 3D Anisotropic Elastic Data Using the Pseudospectral Approach. , 2003, , .		4
7406	Simultaneous Frequency-Domain Seismic Full-Waveform Data Inversion. , 2007, , .		4
7407	Forward propagation of acoustic pressure pulses in 3D soft biological tissue. <i>Modeling, Identification and Control</i> , 2006, 27, 181-190.	0.6	31
7408	Advances in the On-Surface Radiation Condition Method: Theory, Numerics and Applications. <i>Computational Science, Engineering and Technology Series</i> , 0, , 207-232.	0.2	5
7409	Matching Boundary Conditions for Scalar Waves in Body-Centered-Cubic Lattices. <i>Advances in Applied Mathematics and Mechanics</i> , 2013, 5, 337-350.	0.7	2
7410	Non-Matching Grids for a Flexible Discretization in Computational Acoustics. <i>Communications in Computational Physics</i> , 2012, 11, 472-488.	0.7	13
7411	An energy absorbing far-field boundary condition for the elastic wave equation. <i>Communications in Computational Physics</i> , 2009, , 483-508.	0.7	16
7412	A CIP-FEM for High-Frequency Scattering Problem with the Truncated DtN Boundary Condition. <i>SIAM Transactions on Applied Mathematics</i> , 2020, 1, 476-506.	0.4	9
7413	Stability Analysis for Nonlinear Schrödinger Equations with Nonlinear Absorbing Boundary Conditions. <i>Journal of Computational Mathematics</i> , 2017, 35, 1-18.	0.2	3
7414	A BIE-Based DtN-FEM for Fluid-Solid Interaction Problems. <i>Journal of Computational Mathematics</i> , 2018, 36, 47-69.	0.2	3
7415	Full-waveform Velocity Inversion Based on the Acoustic Wave Equation. <i>American Journal of Computational Mathematics</i> , 2013, 03, 13-20.	0.2	2
7416	Finite-Difference Solution of the Helmholtz Equation Based on Two Domain Decomposition Algorithms. <i>Journal of Applied Mathematics and Physics</i> , 2013, 01, 18-24.	0.2	7
7417	Non-Split PML Boundary Condition for Finite Element Time-Domain Modeling of Ground Penetrating Radar. <i>Journal of Applied Mathematics and Physics</i> , 2019, 07, 1077-1096.	0.2	2
7418	GPU Accelerated 2-D Staggered-grid Finite Difference Seismic Modelling. <i>Journal of Software</i> , 2011, 6, .	0.6	8
7419	Exact artificial boundary conditions for the Schrödinger equation in \mathbb{R}^2 . <i>Communications in Mathematical Sciences</i> , 2004, 2, 79-94.	0.5	37
7420	Coupled Parabolic Equations for Wave Propagation. <i>Methods and Applications of Analysis</i> , 2004, 11, 399-412.	0.1	5

#	ARTICLE	IF	CITATIONS
7421	The exploding-reflector concept for ground-penetrating-radar modeling. <i>Annals of Geophysics</i> , 2009, 45, .	0.5	3
7422	PiCOPIC: 2.5-D PARTICLE-IN-CELL CODE, OPTIMIZED FOR SIMULATION OF BEAM-PLASMA INTERACTIONS. , 2020, , 59-63.		1
7423	Nano-Optical Investigation of Enhanced Field at Gold Nanosphere-Gold Plane Junctions. <i>Bulletin of the Korean Chemical Society</i> , 2007, 28, 2200-2202.	1.0	8
7424	Efficient determination of the left-eigenvectors for the Method of Lines. <i>Advances in Radio Science</i> , 0, 13, 19-29.	0.7	1
7425	Analysis of Stability Condition and Wideband Characteristics of 3D Isotropic Dispersion(ID)-FDTD Algorithm. <i>The Journal of Korean Institute of Electromagnetic Engineering and Science</i> , 2011, 22, 407-415.	0.0	2
7426	Dispersive FDTD Modeling of Human Body. <i>The Journal of Korean Institute of Electromagnetic Engineering and Science</i> , 2020, 31, 205-215.	0.0	1
7427	BÃ©renger/Maxwell with Discontinuous Absorptions : Existence, Perfection, and No Loss. SÃ©minaire Laurent Schwartz â€” EDP Et Applications, 0, , 1-20.	0.0	3
7428	An absorbing boundary condition for general dispersive medium and general FDTD spatial scheme. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2012, 61, 110206.	0.2	3
7429	A numerical study of effects on detection height of a radio acoustic sounding system influenced by atmospheric wind and temperature. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2015, 64, 100205.	0.2	1
7430	Finite-Difference Time-Domain Analysis of Twist-Defect-Mode Lasing Dynamics in Cholesteric Photonic Liquid Crystal. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 04DK02.	0.8	6
7431	High-Sensitivity Fiber-Optic Fabryâ€“Perot Interferometer Temperature Sensor. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 06FL10.	0.8	7
7432	Switchable Frequency Gaps in Piezoelectric Phononic Crystal Slabs. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 07GA04.	0.8	12
7433	Perfectly Matched Layer for the Wave Equation Finite Difference Time Domain Method. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 07GB02.	0.8	3
7434	On the Accuracy of Spectral Element Method in Electromagnetic Scattering Problems. <i>International Journal of Computer Theory and Engineering</i> , 2014, 6, 495-499.	3.2	23
7435	Infrasound Propagation on Mars Atmosphere. , 2021, , 267-278.		0
7436	Learned Infinite Elements. <i>SIAM Journal of Scientific Computing</i> , 2021, 43, A3552-A3579.	1.3	2
7437	Quantification of Proton Radiation Damage in Polyimide Aerogel by Cantilever-enhanced Photoacoustic Spectroscopy. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2021, , 1-1.	2.4	1
7438	On the Calculation of Electrical Surges in Underground Cables due to a Direct Lightning Strike. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
7439	Analysis of the Radial PML in Cylindrical Finite Integration Technique Using a Hybrid Implicit-Explicit Update Scheme. , 2021, , .		0
7440	Investigation of Radiation Properties of Nanoparticles by Analytical-Numerical Approach. , 2021, , .		0
7441	Convergence of the uniaxial PML method for time-domain electromagnetic scattering problems. ESAIM: Mathematical Modelling and Numerical Analysis, 2021, 55, 2421-2443.	0.8	4
7442	Accurate Boundary Treatment for Riesz Space Fractional Diffusion Equations. Journal of Scientific Computing, 2021, 89, 1.	1.1	0
7443	PIC simulations of high-power THz radiation produced by the collision of profiled plasma wakefields. Journal of Physics: Conference Series, 2021, 2028, 012008.	0.3	2
7444	Angle-Weighted Reverse Time Migration With Wavefield Decomposition Based on the Optical Flow Vector. Frontiers in Earth Science, 2021, 9, .	0.8	2
7445	A versatile framework to solve the Helmholtz equation using physics-informed neural networks. Geophysical Journal International, 2021, 228, 1750-1762.	1.0	34
7446	High-order discontinuous Galerkin method for time-domain electromagnetics on geometry-independent Cartesian meshes. International Journal for Numerical Methods in Engineering, 2021, 122, 7632-7663.	1.5	1
7447	A Simulation of the Nuclear High-Altitude Electromagnetic Pulse (HEMP) Produced by the X-Ray in the Ionosphere. Journal of Geophysical Research: Space Physics, 2021, 126, .	0.8	2
7448	Narrow-bandpass Crank-Nicolson algorithm with enhanced absorbing performance for metamaterials. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2022, 35, e2966.	1.2	0
7449	Implicit Approximate Crank-Nicolson Theory for Anisotropic Ferrite Structure Simulation with Enhanced Absorption. Advanced Theory and Simulations, 2021, 4, 2000309.	1.3	4
7450	Bandpass signal formulation with hybrid $\langle \text{implicit} \rangle \langle \text{explicit} \rangle$ procedure in open regions for unmagnetized plasma. International Journal of RF and Microwave Computer-Aided Engineering, 2022, 32, .	0.8	1
7451	A rigorous unidirectional method for designing finite aperture diffractive optical elements. , 2000, , .		0
7453	Transparent Absorbing Boundary (TAB): In-Domain Computational Domain Truncation. , 2000, , 223-230.		0
7454	Trends in Computational Electromagnetics.. IEEJ Transactions on Fundamentals and Materials, 2000, 120, 737-740.	0.2	0
7456	Efficient Parallel Implementation of a Compact Higher-Order Maxwell Solver Using Spatial Filtering. , 2000, , 75-87.		0
7457	Comparative Study of the Concurrent Complementary Operators Method and the Perfectly Matched Layer in Optical Waveguide Analysis. , 2000, , .		0
7459	Design of planar diffractive elements with a simulated annealing algorithm and the scalar Helmholtz equation. , 2001, , .		0

#	ARTICLE	IF	CITATIONS
7461	Concurrent complementary operator boundary conditions for nonlinear propagation. , 2001, , .		0
7462	Ensemble Monte Carlo Simulations of Ultrafast Phenomena in Semiconductors. , 2001, , 307-352.		0
7463	The Finite-Difference Time-Domain Method. , 2001, , 35-70.		2
7464	Error Indicator and Adaptive Meshing for Hierarchical FEM-Simulation of Waveguides. Lecture Notes in Computational Science and Engineering, 2001, , 285-292.	0.1	0
7465	Boundary Condition Based on the PadÃ© Approximation for the Finite-Element Solution of Arbitrary Planar Junctions. , 2001, , .		1
7466	A higher-order adaptive Higdon absorbing boundary condition for the beam-propagation method. , 2001, , .		0
7469	One-way operators, absorbing boundary conditions and domain decomposition for wave propagation. , 2002, , 155-209.		1
7470	Computational Methods. , 2002, , 316-365.		7
7471	High Accuracy Finite-Difference Time-Domain Simulation of Light Propagation in Photonic Crystals.. The Review of Laser Engineering, 2002, 30, 75-80.	0.0	0
7472	Stata of the Science Regarding RF Dosimetry, Measurement, and Certification. , 2002, , 55-87.		0
7475	A stretched grid formulation of a finite difference time domain scheme. , 2003, , .		1
7476	Three dimensional model for scattering problems in optics. , 2003, , .		0
7477	Laser Action In the Regime of Strong Localization. , 2003, , 229-240.		0
7478	A Coupling of Spectral and Finite Elements for an Acoustic Scattering Problem. , 2003, , 280-285.		0
7480	A Finite-Difference-Time-Domain/Perfectly-Matched-Layer Algorithm Applied for Nonlinear Dispersive Media. , 2003, , 175-191.		1
7481	A Family of First-Order Conditions for the Long-Time Stability of the Maxwell System. , 2003, , 377-382.		0
7482	Dirichlet-to-Neumann Boundary Condition for Multiple Scattering Problems. , 2003, , 263-267.		0
7483	Efficient Mixed Finite Elements for Maxwellâ€™S Equations in Time Domain. , 2003, , 251-259.		0

#	ARTICLE	IF	CITATIONS
7484	The Buffer Layer Technique Applied to Transonic Flow Calculations. Fluid Mechanics and Its Applications, 2003, , 225-230.	0.1	1
7485	Preconditioning Techniques for the Solution of the Helmholtz Equation by the Finite Element Method. Lecture Notes in Computer Science, 2003, , 847-858.	1.0	0
7486	Human Head Modeling for the Design of Handset Antennas at 900 MHz Band.. IEEJ Transactions on Fundamentals and Materials, 2003, 123, 273-279.	0.2	0
7487	Exact and High-Order Non-Reflecting Computational Boundaries. , 2003, , 26-31.		0
7488	A new approach to the solution of Maxwell's equations for low frequency and high-resolution biomedical problems. ANZIAM Journal, 0, 44, 851.	0.0	0
7489	Scattering losses from planar waveguides with material inhomogeneity. Waves in Random and Complex Media, 2003, 13, 95-105.	1.5	3
7492	Low refractive index contrast waveguide 90 degree bends and a ring resonator design using hybrid photonic crystal and conventional waveguide structures. , 2004, , .		0
7493	Aberration Correction in Near Field Tomography. Acoustical Imaging, 2004, , 255-262.	0.2	0
7494	Pulse Propagation Characteristics of a Multi-layered Printed Circuit Board with a Via and a Bump. IEEJ Transactions on Fundamentals and Materials, 2004, 124, 1154-1158.	0.2	2
7495	Parallel Implementation of the Wave-Equation Finite-Difference Time-Domain Method Using the Message Passing Interface. Lecture Notes in Computer Science, 2004, , 810-818.	1.0	6
7496	Finite Element Methods for Microwave Engineering. , 2004, , 285-301.		0
7497	Application of Perfectly Matched Layer Absorbing Boundary Conditions for Propagation of Surface Wave on the Long Plasma Cable. IEEJ Transactions on Fundamentals and Materials, 2004, 124, 35-41.	0.2	0
7498	Modeling of Photonic Waveguides and Circuits. , 2004, , 57-75.		0
7499	Numerical Calculation of the Optical Absorption in Low-Dimensional Semiconductors. Springer Series in Solid-state Sciences, 2004, , 47-100.	0.3	0
7500	Nonreflecting Boundary Conditions for Time Dependent Waves. , 2004, , 73-92.		0
7501	Fracture Characterization Using Borehole Radar: The Link Of Geophysical And Hydrogeological Model. , 2004, , .		0
7502	Trend of Simulator for Analysis of Electromagnetic Field. IEEJ Transactions on Fundamentals and Materials, 2004, 124, 356-359.	0.2	0
7503	Numerical Techniques. , 2004, , 549-578.		0

#	ARTICLE	IF	CITATIONS
7506	An Upwind Leapfrog Scheme for Computational Electromagnetics: CL-FDTD. Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium, 2005, 1, 156-160.	0.4	1
7507	A reduced forward operator for acoustic scattering problems. , 2005, , .		4
7508	FDTD Techniques for Large Scale Simulations: A Review on Some Recent Advances. , 2005, , .		0
7509	Modelling efficient NLâ€PML boundary conditions for the nonparaxial beam propagation method. Lithuanian Journal of Physics, 2005, 45, 95-100.	0.1	0
7510	Tunable Study of Frequency Selective Filter Based on Photonic Crystal. Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium, 2005, 1, 556-560.	0.4	0
7511	Eigenvalue Analysis of Curved Open Waveguides Using a Finite Difference Frequency Domain Method Employing Orthogonal Curvilinear Coordinates. Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium, 2005, 1, 271-275.	0.4	3
7512	A Method for Improving the Matched Termination of Microstrip Line in FDTD Calculation. IEEE Transactions on Electronics, Information and Systems, 2005, 125, 1707-1714.	0.1	0
7514	A Theoretical Study of the Chirped and Apodized Photonic Crystals. Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium, 2005, 1, 571-574.	0.4	1
7516	Biochemical sensing of picoliter volumes of analyte using photonic crystals based sensors in the terahertz region. , 2005, , .		1
7518	Electromagnetic Modeling. , 0, , .		1
7519	Simulation of seismograms in a 2-D viscoelastic Earth by pseudospectral methods. Geofisica International, 2005, 44, 123-142.	0.2	10
7520	Parallel Algorithms and Computing for Large-Scale Electromagnetic Simulation. , 0, , .		0
7521	Electromagnetics, Time-Domain. , 0, , .		0
7522	Fast Fourier Transforms and Nufft. , 0, , .		0
7523	Partial-wave spectroscopy to detect the initial stage of colon carcinogenesis. , 2006, , .		0
7524	Analyses of Large Scale PWB with Parallel-Distributed 3-Dimension Electromagnetic Simulatorâ€BLESSâ€ Journal of Japan Institute of Electronics Packaging, 2006, 9, 368-376.	0.0	1
7525	Fast finite difference time domain modeling for subsurface electromagnetic problems. , 2006, , .		3
7526	FDTD-Simulation of Multiple Light Scattering in Dentin. , 2006, , .		1

#	ARTICLE	IF	CITATIONS
7528	UWB body-centric network: radio channel characteristics and deterministic propagation modelling. , 2006, , .		5
7529	Numerical Analyses Using the Method of Moments. Journal of the Institute of Electrical Engineers of Japan, 2006, 126, 664-671.	0.0	2
7530	Continuous Galerkin Methods for Solving Maxwell Equations in 3D Geometries. , 2006, , 547-554.		1
7531	Discrete Reflectivity Minimized Layer for Truncating Unbounded Domains. , 2006, , .		0
7532	Numerical modeling of antenna transmission for borehole ground-penetrating radar. , 2006, , .		0
7533	Numerical Techniques. , 2006, , 161-188.		0
7534	Simulation of borehole acoustic measurements in axisymmetric media with hpâ€adaptive finite elements. , 2007, , .		0
7536	Finiteâ€volume method for 2D PSV elastodynamic equations in frequency domain with velocityâ€parsimonious formulation. , 2007, , .		2
7537	On the Radio-Frequency Power Requirements of Human MRI. Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium, 2007, 3, 886-889.	0.4	3
7540	Weighted multifrequency seismic fullâ€waveform data inversion. , 2007, , .		0
7541	Design and Applications of Photonic Crystals. The Electrical Engineering Handbook, 2007, , 25-1-25-40.	0.2	0
7543	Numerical Techniques for the Analysis and Design of RF/Microwave Structures. The Electrical Engineering Handbook, 2007, , 28-1-28-34.	0.2	0
7546	Uso do Processamento Paralelo em AnÃlises Temporais 3D de Estruturas FotÃnicas atravÃs do MÃtodo dos Elementos Finitos. , 2008, , .		0
7547	PSTD Method for Transient Electromagnetics and its Application to Optical Waveguide Analysis. The Review of Laser Engineering, 2008, 36, 621-627.	0.0	1
7548	Electromagnetic wave scattering on imperfect cloaking devices. Science of Sintering, 2008, 40, 245-250.	0.5	0
7549	Improvement of an Advection-Equation-Based Absorbing Boundary Condition for FDTD Calculations of Electromagnetic Fields and Surges. IEEJ Transactions on Power and Energy, 2008, 128, 285-290.	0.1	0
7550	A Hi-Bi Photonic Bandgap Fiber with Squeezed Modified Honeycomb Lattice. , 2008, , .		0
7551	Reduced Basis Method for Nano Optical Simulations. , 2008, , .		0

#	ARTICLE	IF	CITATIONS
7579	Review of Numerical Methods. , 2009, , 337-365.		0
7580	Implementation of SIBCs for Volume Discretization Methods. , 2009, , 263-297.		0
7581	Finite-Difference Time-Domain Modeling of Electromagnetic Cloaks. , 2010, , 115-153.		0
7582	Accurate Evaluation of RF Coil-tissue Interactions Using a Hybrid FDTD-MoM Method. Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium, 2010, 6, 212-216.	0.4	0
7583	A Spectral Time-Domain Method for Computational Electrodynamics. , 2010, , 561-569.		0
7584	Effect of Measurement Distance on Gain Calibration of Pyramidal Horn Antenna. IEICE Transactions on Communications, 2010, E93-B, 1847-1850.	0.4	6
7585	Discontinuous Galerkin method in frequency-space domain for wave propagation in 2D heterogeneous porous media. , 2010, , .		0
7586	Adiabatic Perfectly Matched Layer for Absorbing Slow Group Velocity Modes in Numerical Simulation of Photonic Crystal Waveguides. , 2010, , .		0
7587	Model-Based Analysis of Biological Tissue Heating by Point Ultrasound Sources. Journal of Automation and Information Sciences, 2010, 42, 44-50.	0.7	0
7588	Optical Modeling of MEMS. , 2010, , 239-258.		0
7589	Development of energy-based calculation methods of noise radiation from semi-underground road using a numerical analysis. Acoustical Science and Technology, 2010, 31, 75-86.	0.3	3
7590	Modified finite-difference frequency-domain method for two-dimensional metallic photonic crystal analysis. Wuli Xuebao/Acta Physica Sinica, 2010, 59, 2556.	0.2	1
7591	Evaluation of SAR and Temperature Elevation Using Japanese Anatomical Human Models for Body-Worn Devices. IEICE Transactions on Communications, 2010, E93-B, 3643-3646.	0.4	2
7592	Optical Waveguiding Properties of MNFs: Theory and Numerical Simulations. Advanced Topics in Science and Technology in China, 2010, , 15-72.	0.0	0
7593	FDTD Simulation of Electromagnetic Pulse Interaction with a Switched Plasma Slab. , 2010, , 285-297.		0
7594	Stability and Reflectivity of M-PML for Anisotropic Elastic Media. , 2010, , .		0
7595	Quantum Dot Microcavity Lasers. , 2010, , 10-1-10-23.		0
7596	Numerical Method for Antenna Radiation Problem by FDTD Method with PML. Lecture Notes in Computational Science and Engineering, 2011, , 359-365.	0.1	0

#	ARTICLE	IF	CITATIONS
7597	Absorbing Boundaries. Advances in Geophysical and Environmental Mechanics and Mathematics, 2011, , 89-110.	0.1	1
7598	Thermal Steady State in an Anatomical Model of the Human Head under High-Power EM Exposure. The Journal of Korean Institute of Electromagnetic Engineering and Science, 2010, 21, 1073-1084.	0.0	1
7599	Theoretical and Computational Methods. , 2011, , 21-55.		0
7600	Design of high efficiency photonic crystal terahertz filter. Wuli Xuebao/Acta Physica Sinica, 2011, 60, 014202.	0.2	13
7601	A new absorbing boundary condition for diffusiveâ€¦viscous wave equation. , 2011, , .		2
7602	SAR Values in a Homogenous Human Head Model. Lecture Notes in Electrical Engineering, 2011, , 53-65.	0.3	1
7603	Study of far-field directivity of optical dipole antenna. Wuli Xuebao/Acta Physica Sinica, 2011, 60, 045203.	0.2	5
7604	Seismic Wave Propagation and Perfectly Matched Layers Using a GFDM.. Lecture Notes in Computer Science, 2011, , 676-691.	1.0	1
7605	Seismic Wave Propagation in Real Media: Numerical Modeling Approaches. Encyclopedia of Earth Sciences Series, 2011, , 1200-1210.	0.1	1
7606	Adaptive Decode-and-Forward Cooperative Networks with Multiple Relay Nodes. Journal of the Korean Institute of Electromagnetic Engineering and Science, 2011, 11, 5-10.	2.9	0
7607	The Effect of Location of an Ingested Source in a Human Body Model on Electromagnetic Propagation. Journal of the Korean Institute of Electromagnetic Engineering and Science, 2011, 11, 51-55.	2.9	1
7608	Analysis of Reflection Powers from a Perfectly Matched Layer for Elastic Waves in the Frequency Domain Finite Element Model. Japanese Journal of Applied Physics, 2011, 50, 07HC13.	0.8	0
7611	Effect of fill-factor on the Talbot effect of diffraction gratings. Journal of the European Optical Society-Rapid Publications, 0, 6, .	0.9	0
7612	On the Validity of Modal Expansion in Pekeris Waveguide with PML. Journal of Applied & Computational Mathematics, 2012, 01, .	0.1	0
7613	Study on Electric Intensity Dependency of Laser Action in Randomly Distributed Dielectric Rod. IEEJ Transactions on Electronics, Information and Systems, 2012, 132, 89-95.	0.1	0
7614	Investigation of electromagnetic scattering interaction between the column with rectangular cross-section and rough land surface covered with snow using finite difference time domain method. Wuli Xuebao/Acta Physica Sinica, 2012, 61, 144101.	0.2	1
7615	Application of Nearly Perfectly Matched Layer with Second-order Acoustic Equations in Seismic Numerical Modeling. Journal of Geology & Geosciences, 2012, 02, .	0.2	1
7616	A Mur Type Analytical Absorbing Boundary Condition for Multidimensional Wave Analysis with the Directional Splitting Technique. IEICE Transactions on Electronics, 2012, E95-C, 309-312.	0.3	0

#	ARTICLE	IF	CITATIONS
7617	Broad-bandwidth and ultrafast electromagnetic response of coupled bimetal nanoantennas in few-cycle laser applications. Wuli Xuebao/Acta Physica Sinica, 2012, 61, 014207.	0.2	0
7618	Structural optimization of GaN blue light LED with double layers of photonic crystals. Wuli Xuebao/Acta Physica Sinica, 2012, 61, 127807.	0.2	2
7619	Study on the light extraction efficiency of GaN-based light emitting diode by using the defects of the photonic crystals. Wuli Xuebao/Acta Physica Sinica, 2012, 61, 208502.	0.2	2
7620	Photonic-crystal-waveguide based Mach-Zehnder interferometer for terahertz switch and modulator. Wuli Xuebao/Acta Physica Sinica, 2012, 61, 157805.	0.2	3
7621	Specific Absorption Rate Analysis of Heterogeneous Head Models with EEG Electrodes/Leads at 7T MRI. , 0, , .		1
7623	Mathematical and Numerical Techniques for Open Periodic Waveguides. , 2012, , 50-72.		1
7624	Design and Applications of Photonic Crystals. The Electrical Engineering Handbook, 2012, , 469-512.	0.2	0
7626	Quantitative Evaluation for Two-dimensional Electromagnetic Propagation in a Dielectric Medium using Markov Chain Monte Carlo Method. Proceedings of the ISCIE International Symposium on Stochastic Systems Theory and Its Applications, 2012, 2012, 43-48.	0.1	0
7627	Application of ADE-PML Boundary Condition to SEM using Variational Formulation of Velocity-Stress 3D Wave Equation. Geophysics and Geophysical Exploration, 2012, 15, 57-65.	0.2	2
7628	Application and Improvement of Complex Frequency Shifted Perfectly Matched Layers for Elastic Wave Modeling in the Frequency-domain. Geophysics and Geophysical Exploration, 2012, 15, 121-128.	0.2	0
7629	Finite Differences. Texts in Applied Mathematics, 2013, , 19-42.	0.4	0
7631	The Method of Moments. Texts in Applied Mathematics, 2013, , 185-221.	0.4	0
7632	Summary and Overview. Texts in Applied Mathematics, 2013, , 223-231.	0.4	0
7633	The application of unsplit convolutional perfectly matched layer to the arbitrary high-order discontinuous Galerkin finite element. , 2012, , .		0
7636	Application of perfectly matched layer for scalar arbitrarily wide-angle wave equations. , 2012, , .		0
7637	Discontinuous Galerkin Methods for Metamaterials. Springer Series in Computational Mathematics, 2013, , 127-150.	0.1	0
7639	An Introduction to Mathematics of Transformational Plasmonics. , 2012, , 235-277.		0
7640	Multiscale models of electromagnetic and plasmonic metamaterials. CISM International Centre for Mechanical Sciences, Courses and Lectures, 2013, , 19-71.	0.3	0

#	ARTICLE	IF	CITATIONS
7641	Optical Theory and Introduction to Optoelectronics. Lecture Notes in Nanoscale Science and Technology, 2013, , 3-25.	0.4	1
7642	Parallelized Wavelet-Based Finite-Difference Time-Domain Model for Analyzing Optical Resonators. , 2013, , .		0
7643	Low Loss Silica High-Mesa Waveguide for Infrared Sensing. , 2013, , .		2
7644	Frequency-domain Elastic wave Simulation Based on the Nonoverlapping Domain Decomposition Method. American Journal of Computational Mathematics, 2013, 03, 21-26.	0.2	0
7645	Absorption of Boundary Reflection on Simulation of Elastic Waves in Heterogeneous Medium. , 2013, , .		2
7646	Effects of Antenna Modeling in 2-D FDTD Simulation of an Ultra-Wide Band Radar for Nondestructive Testing of a Concrete Wall. The Journal of Korean Institute of Electromagnetic Engineering and Science, 2013, 24, 98-105.	0.0	0
7647	Wavefield propagation characteristics in fracture-induced TTI double-porosity medium. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 139101.	0.2	4
7649	The implement and influence of different boundary conditions in direct simulation on particle sedimentation. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 084401.	0.2	2
7650	Numerical experiments of Full Waveform Inversion on a typical Pre-Salt Model. Part 1: stability in relation to initial velocity field. , 2013, , .		1
7651	Methods of the theory of the electromagnetic field in micro-optics. , 2013, , 425-514.		0
7652	Three-dimensional simulation for early breast cancer detection by ultra-wideband. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 044105.	0.2	8
7653	Formulation and examination of the perfectly matched layer for sound field analyses using the constrained interpolation profile method. Acoustical Science and Technology, 2013, 34, 378-381.	0.3	2
7654	Analysis of the Square Pillar Electromagnetic Scattering under the PML Absorbing Boundary Condition. Lecture Notes in Computer Science, 2013, , 389-395.	1.0	0
7655	Analysis of Two-Dimensional Photonic Crystal Optical Power Splitter with Microcavity. IEICE Transactions on Electronics, 2013, E96.C, 73-76.	0.3	2
7657	Quasi-Neutrality and Magneto-Hydrodynamics. Modeling and Simulation in Science, Engineering and Technology, 2014, , 11-71.	0.4	0
7659	Electromechanical System Simulation and Optimization Studies. Simulation Foundations, Methods and Applications, 2014, , 61-187.	0.8	0
7661	Governing Equations for Electromechanical Systems. Simulation Foundations, Methods and Applications, 2014, , 21-39.	0.8	0
7662	DESARROLLO DE UN ARREGLO CIRCULAR DE ANTENAS UTILIZANDO HERRAMIENTAS DE ELECTROMAGNETISMO COMPUTACIONAL. Informacion Tecnologica (discontinued), 2014, 25, 41-54.	0.1	1

#	ARTICLE	IF	CITATIONS
7663	Alternative Time-Domain Methods. , 2014, , 117-141.		0
7664	A Comparison of Second-Order and High-Order of Finite Difference Staggered-Grid Method in 2D P-SV Wave Propagation Modelling using Graphics Processing Unit. , 0, , .		1
7665	FDTD Modeling of Lorentzian DNG Metamaterials by Auxiliary Differential Equation Method. Journal of Electromagnetic Analysis and Applications, 2014, 06, 106-114.	0.1	2
7666	Effects of Segmented Finite Difference Time Domain on GPU. Lecture Notes in Computer Science, 2014, , 130-139.	1.0	0
7667	Sequential Forward Solver. , 2014, , 21-37.		1
7668	The 2D Finite Difference Numerical Modelling of P-SV Wave Propagation In Elastic Heterogeneous Medium Using Graphic Processing Unit: Case Study of Mount Merapi Topography, Yogyakarta. , 0, , .		1
7669	Analysis of Leaky-Wave Microphotonic Structures with a Complex-Wavevector Photonic Band Structure Solver. , 2014, , .		0
7670	CIP Basis Set Method for Electromagnetic Simulation. IEICE Transactions on Electronics, 2014, E97.C, 26-32.	0.3	0
7671	Finite-Difference Time-Domain Method. , 2014, , 11-51.		0
7672	Model Reduction Approaches for Solution of Wave Equations for Multiple Frequencies. , 2014, , .		0
7673	Performance Analysis of CPML for the Compact 2-D FDTD method in Cylindrical Coordinate System. IEICE Transactions on Electronics, 2014, E97.C, 653-660.	0.3	3
7674	Deep local hyperthermia using implantable electrodes for treatment of cancer: Suppression of edge effect and evaluation of heating effect. Nihon AEM Gakkaishi, 2014, 22, 48-56.	0.0	0
7675	3-D CONVOLUTIONAL PERFECTLY MATCHED LAYER MODELS FOR DYNAMIC SOIL-STRUCTURE INTERACTION ANALYSIS IN THE FINITE ELEMENT TIME-DOMAIN. , 2014, , .		0
7677	The optimized expansion method for wavefield extrapolation with a convolutional perfectly matched layer. , 2014, , .		1
7678	The Perfectly Matched Layer for Computational Acoustics. , 1995, , 2546-2550.		0
7679	Reflectivity analysis of optical waveguides with coated and tilted facets using the FD-TD method with the PML absorbing boundary condition. , 1996, , .		3
7680	Narrow-band transmission filters from highly resonant gratings. , 1996, , .		0
7681	Microstrip Antenna Analysis Using a Suite of Modeling Techniques-A Review. , 1997, , 339-349.		0

#	ARTICLE	IF	CITATIONS
7683	Perfectly matched layer: Variable discretisation against variable conductivity. Electronics Letters, 1997, 33, 277.	0.5	0
7685	An Examination of the Performance of Two Electromagnetic Simulations on a Beowulf-Class Computer. , 1998, , 207-216.		0
7686	Uses of the Berenger PML in Pseudospectral Methods for Maxwell's Equations. Fluid Mechanics and Its Applications, 1998, , 95-102.	0.1	0
7687	Fast Algorithms for solving electromagnetic scattering problems. The IMA Volumes in Mathematics and Its Applications, 1998, , 1-22.	0.5	0
7688	PROGRESS IN COMPUTATIONAL ELECTROMAGNETICS. , 1998, , 1052-1063.		0
7689	Finite-Element Time Domain Method. , 1999, , 279-305.		2
7690	Parallel Implementation of a Compact Higher-Order Maxwell Solver. , 1999, , 327-335.		1
7691	Beam propagation methods. , 1999, , 35-65.		0
7692	Direct Numerical Simulation of High Subsonic Jets. Fluid Mechanics and Its Applications, 1999, , 329-340.	0.1	0
7693	A UNIFIED HIGH-ORDER APPROACH TO WAVE PROPAGATION IN BOUNDED AND UNBOUNDED DOMAINS USING THE SCALED BOUNDARY FINITE ELEMENT METHOD. , 0, , .		1
7695	Wave Propagation in a Honeycomb Composite Sandwich Structure in the Presence of High-Density Core Using Bonded PZT-Sensors. Mechanisms and Machine Science, 2015, , 619-628.	0.3	0
7696	Accurate source-wavefield reconstruction for large-scale 3D reverse-time migration. , 2014, , .		0
7697	CLUSTER COMPUTING OF HIGH FREQUENCY ELECTROMAGNETIC FIELD PROPAGATION. International Journal of Computing, 0, , 39-43.	1.5	0
7698	A Hybrid MRTD-FDTD Technique for Efficient Field Computation. , 2015, , 245-278.		3
7699	Least-squares rotated staggered-grid finite-difference modeling for elastic TTI media. , 2014, , .		1
7702	Wave Equation Solver. SpringerBriefs in Mathematics, 2015, , 21-45.	0.2	0
7703	Acoustic Field. , 2015, , 159-225.		1
7704	Auxiliary differential equation (ADE) implementation of complex-frequency shifted perfectly matched layer (CFS-PML). , 0, , .		0

#	ARTICLE	IF	CITATIONS
7706	Extraordinary Optical Reflection from Annular Dielectric Nanorod Arrays. The Open Optics Journal, 2015, 9, 1-6.	0.1	0
7708	Efficiency Testing of Active Noise Control by Acoustic Field Modeling. Periodica Polytechnica Electrical Engineering and Computer Science, 2015, 59, 147-159.	0.6	1
7709	Full-vectorial analysis of a polarization demultiplexer using a microring resonator with silicon-based slot waveguides. Wuli Xuebao/Acta Physica Sinica, 2015, 64, 194207.	0.2	1
7710	Electromagnetics-Maxwell Equations. , 2015, , 417-423.		0
7712	Commercial Antenna Design Tools. , 2015, , 1-38.		0
7715	An Effective Parallel FDTD Algorithm For Modeling 3D Frequency-Dependent Electromagnetic Applications. , 2015, , .		1
7716	Modeling inside building electromagnetic wave propagation using a finite difference time domain method. , 2015, , .		0
7718	Study on azimuthal characteristics of acoustic phased arc array transmitters. , 2015, , .		0
7722	The third-order Absorbing Boundary Condition for finite difference modeling of first-order stress-velocity acoustic equation. , 2015, , 93-96.		0
7723	- Cantilever Resonance Detection Using Nanophotonic Structures. , 2015, , 338-365.		0
7724	Two-dimensional forward simulation method for ground penetrating radar detection. , 2016, , .		0
7725	Eigendecompositions and fast eigensolvers for Maxwell equations. Notices of the International Congress of Chinese Mathematicians, 2016, 4, 46-54.	0.0	1
7726	Numerical Modeling in Antenna Engineering. , 2016, , 1-71.		0
7727	The Exact Absorbing Conditions Method in the Analysis of Open Electrodynamical Structures. Springer Series on Atomic, Optical, and Plasma Physics, 2016, , 225-326.	0.1	0
7728	Asynchronous OpenCL/MPI Numerical Simulations of Conservation Laws. Lecture Notes in Computational Science and Engineering, 2016, , 547-565.	0.1	0
7729	Finite Element Methods for Computational Nano-optics. , 2016, , 1191-1197.		0
7730	Three-dimensional Finite-difference Time-domain Modeling of Ground-penetrating Radar Survey for Detection of Underground Cavity. Geophysics and Geophysical Exploration, 2016, 19, 20-28.	0.2	0
7731	WpÅ,yw rozmiaru siatki rÅ³Å¼nicowej stosowanej przy analizie rozkÅ,adu pola elektromagnetycznego na poprawnoÅ,Å± wynikÅ³w uzyskanych metodÅ... numerycznÅ... FDTD. PrzeglÅd Elektrotechniczny, 2016, 1, 199-203.	0.1	0

#	ARTICLE	IF	CITATIONS
7732	Numerical methods for diffraction theory. , 2016, , 40-127.		0
7733	Exponential difference method for perfectly matched layer in ADI-FDTD. , 2016, , .		0
7734	Psychoacoustic characterization of propagation effects in virtual environments. , 2016, , .		5
7735	The Westervelt equation with a causal propagation operator coupled to the bioheat equation.. Evolution Equations and Control Theory, 2016, 5, 449-461.	0.7	3
7736	Approximating Unbounded Domains. Scientific Computation, 2017, , 285-313.	0.2	0
7737	All-Digital Self-Interference Cancellation Technique for MIMO Full-Duplex Systems. International Journal of Computer Applications, 2016, 148, 13-18.	0.2	0
7738	Technical Program in full - Part I (ACQ 1 - PS P1). , 2016, , .		0
7739	Technical Program in full - Part II (RC 1 - VSP P1). , 2016, , .		0
7742	ELECTRICALLY LARGE LOOP ANTENNA FOR RECEIVING UWB PULSED FIELDS. Telecommunications and Radio Engineering (English Translation of Elektrosvyaz and Radiotekhnika), 2017, 76, 1489-1502.	0.2	0
7743	Full-vectorial analysis of a silicon-based multimode interference mode-order converter for slot waveguide nanowires. Wuli Xuebao/Acta Physica Sinica, 2017, 66, 074203.	0.2	0
7744	NUMERICAL ANALYSIS OF THE LONGITUDINAL COMPONENT OF ELECTRIC FIELD IN ELECTROMAGNETIC WAVE. Bulletin of the South Ural State University Series Mathematics Mechanics Physics, 2017, 9, 76-82.	0.2	0
7745	High Order Transparent Boundary Conditions for the Helmholtz Equation. Geosystems Mathematics, 2017, , 27-52.	0.0	0
7746	The Multilevel Krylov-Multigrid Method for the Helmholtz Equation Preconditioned by the Shifted Laplacian. Geosystems Mathematics, 2017, , 113-139.	0.0	3
7747	Optimized Schwarz Domain Decomposition Methods for Scalar and Vector Helmholtz Equations. Geosystems Mathematics, 2017, , 189-213.	0.0	1
7750	The Principles of Antennas Constructive Synthesis in Dissipative Media. Lecture Notes in Computer Science, 2017, , 455-465.	1.0	5
7751	A Perfect Absorbing Layer for High-Order Simulation of Wave Scattering Problems. Lecture Notes in Computational Science and Engineering, 2017, , 81-101.	0.1	0
7752	On the Optimality of Shifted Laplacian in a Class of Polynomial Preconditioners for the Helmholtz Equation. Geosystems Mathematics, 2017, , 53-81.	0.0	2
7753	NUMERICAL SIMULATION OF IRREGULAR SURFACE ACOUSTIC WAVE EQUATION BASED ON ORTHOGONAL BODY-FITTED GRIDS. Applied Ecology and Environmental Research, 2017, 15, 465-476.	0.2	0

#	ARTICLE	IF	CITATIONS
7754	Implementation of perfectly matched layer absorbing boundary condition for CNâ€RPIM method. Electronics Letters, 2017, 53, 417-419.	0.5	1
7755	Multi-transmission Lines Loaded by Linear and Nonlinear Lumped Elements: FDTD Approach. J of Electrical Engineering, 2017, 5, .	0.1	0
7756	Acoustic VTI modeling with a least-squares-based staggered-grid finite-difference scheme. , 2017, , .		0
7757	Analysis of Target Stratum's Amplitude Based Seismic Modeling. , 2017, , .		0
7758	Electrically large loop antenna for receiving UWB pulsed fields. Radiofizika I Elektronika, 2017, 22, 50-57.	0.2	0
7759	High Order Finite Difference Seismic Wave Field Characteristics of Fluid-Solid Coupling Media. , 2017, , .		0
7760	Use of OpenFOAM coupled with a Hybridization of Finite Element-Boundary Element Methods using an Adaptive Absorbing Boundary Condition for Wind Noise Simulation. , 2017, , .		2
7761	Silicon nanowire and nanohole arrays. , 2017, , 193-212.		0
7762	Radar Cross Sections of Six Different Radar Reflectors Mounted on Power Boats. , 2018, , 259-273.		0
7763	ObtenciÃ³n de imÃ¡genes RTM (Reverse Time Migration), teniendo en cuenta el parÃ¡metro de amplitud verdadera en zonas estructuralmente complejas. , 2017, , .		0
7764	A Schur complement based fast 2D finite-difference multimodel modeling of acoustic wavefield in the frequency domain. , 2017, , .		2
7766	Silicon nanowire and nanohole arrays. Series in Materials Science and Engineering, 2017, , 193-212.	0.1	0
7767	Improvement of light-extraction efficiency of organic light-emitting diodes using dielectric nanoparticles. Journal of Nanophotonics, 2017, 11, 1.	0.4	2
7768	Photonics. Series in Optics and Optoelectronics, 2017, , 807-852.	0.0	0
7770	Simulation and imaging using ultrawideband ground penetrating radar and finite-difference time-domain method. Journal of Electronic Imaging, 2017, 26, 1.	0.5	1
7771	Chapter 11: Ab-Initio Techniques for Light Matter Interaction at the Nanoscale. , 2017, , 309-338.		1
7772	Numerical simulation analysis of the effect of water saturation on elastic wave velocity in gas-water two phase fractured carbonate rocks. , 2017, , .		0
7773	1-D and 2-D Ground Penetrating Radar Modeling with Finite Difference Method. UygulamalÄ± Yerbilimleri Dergisi, 2017, 16, 13-28.	0.1	0

#	ARTICLE	IF	CITATIONS
7774	Fundamentals of Metamaterials. Advances in Computer and Electrical Engineering Book Series, 2018, , 76-89.	0.2	0
7775	Numerical Assessment in Aeronautics for Electromagnetic Environmental Effects. Advances in Computer and Electrical Engineering Book Series, 2018, , 153-210.	0.2	3
7776	Nanoparticle-Based SERS Substrates for Molecular Sensing Applications. Springer Theses, 2018, , 85-112.	0.0	0
7777	Optical and electrical properties of short-pitch solar cells with finite-difference frequency-domain method. Wuli Xuebao/Acta Physica Sinica, 2018, 67, 178102.	0.2	0
7778	Acoustic Based Crosshole Full Waveform Slowness Inversion in the Time Domain. Journal of Applied Mathematics and Physics, 2018, 06, 1086-1110.	0.2	2
7779	The Establishment of Scientific Computing as a New Discipline. Texts in Computational Science and Engineering, 2018, , 133-231.	0.1	0
7781	Numerical simulations of sound propagation. Choonpa Igaku, 2018, 45, 15-23.	0.0	0
7782	Plasmonics and Metamaterials. Advances in Computer and Electrical Engineering Book Series, 2018, , 45-75.	0.2	0
7784	Acoustic Characteristics of Micro-Pressure Wave at the High Speed Railway Tunnel Exit. Open Journal of Acoustics and Vibration, 2018, 06, 62-69.	0.0	0
7785	Numerische Implementierung von Methoden zur Berücksichtigung der Boden-Bauwerk-Interaktion. , 2018, , 27-29.		0
7786	Acoustic Wave Based Time-Domain Full Waveform Inversion and Its Application. DEStech Transactions on Engineering and Technology Research, 2018, , .	0.0	0
7787	Silicon slot waveguide dispersion analysis and engineering through dynamic excess carrier generation. , 2018, , .		0
7788	Absorption enhancement in type-II coupled quantum rings due to existence of quasi-bound states. , 2018, , .		0
7789	Ultra-small mechanical deformation sensor using a hybrid fiber optic-based triangular photonic crystal structure. , 2018, , .		0
7790	Efficient optical simulation of nano structures in thin-film solar cells. , 2018, , .		1
7792	Parallel Numerical Algorithm for Solving Advection Equation for Coagulating Particles. Supercomputing Frontiers and Innovations, 2018, 5, .	0.5	5
7793	FDTD in Cartesian and Spherical Grids. , 2019, , 153-175.		0
7795	Determination of large-size liner impedance based on numerical simulation of sound propagation in a duct with specified azimuthal modal structure. Vestnik of Samara University: Aerospace and Mechanical Engineering, 2018, 17, 109.	0.0	0

#	ARTICLE	IF	CITATIONS
7797	Circular-Shaped Uniaxial Perfectly Matched Layer for the FDTD Method in Cartesian System. , 2018, , .		0
7798	Convolutional perfect-matched layer boundary for trapezoid grid finite-difference seismic modeling. , 2018, , .		2
7799	Unsplit perfectly matched layer for modeling wave propagation in fluid/porous media. , 2018, , .		0
7800	Frequency-domain seismic-wavefield simulation with rough topography. , 2018, , .		0
7801	Efficient PML Implementation in Three-Dimensional FDTD Simulation for Vehicle-to-Vehicle Communications in Urban Areas. IEICE Transactions on Electronics, 2018, E101.C, 640-643.	0.3	2
7802	Fast frequency-domain 2D elastic-wave modeling using a Schur complement-based finite-difference method. , 2018, , .		0
7803	A cylindrical symplectic multi-resolution time-domain algorithm with perfectly matched layer. , 2018, , .		0
7804	Novel Length Independent Beltrami Resonators Using Corrugated Reflectors. , 2018, , .		0
7805	Virtual Element approximations of the Vector Potential Formulation of Magnetostatic problems. SMAI Journal of Computational Mathematics, 0, 4, 399-416.	0.0	1
7806	A polarity correction method for marine multi-component seismic exploration. , 2018, , .		0
7807	Analysis of Light Transmittance according to the Array Structure of Collagen Fibers Constituting the Corneal Stroma. The Korean Journal of Vision Science, 2018, 20, 561-568.	0.1	0
7808	Numerical considerations on the modeling of source and boundary conditions for the frequency domain visco-acoustic wave equation solution. CTyF - Ciencia, Tecnologia Y Futuro, 2018, 8, .	0.3	0
7809	Double parameters full-waveform inversion for velocity and density in the time domain. , 2018, , .		0
7810	Subdomain Chebyshev spectral method for 2.5-D seismic wave modelling in VTI media. , 2018, , .		0
7812	Efficient Mode Solver Based on Immersed Interface Method for Dielectric Chiral Planar Waveguide. , 2019, , .		0
7814	SOIL-STRUCTURE INTERACTION MODELING FOR THE DYNAMIC ANALYSIS OF CONCRETE GRAVITY DAMS. , 2019, , .		2
7815	Adaptive residual-time restarting for Krylov subspace matrix exponential evaluations. Keldysh Institute Preprints, 2019, , 1-28.	0.1	0
7816	Implementation of non-reflecting boundary conditions in a finite volume unstructured solver for the study of turbine cascades. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
7817	Full-vectorial analysis of optical waveguide discontinuities using a propagation operator method based on the finite element scheme. <i>OSA Continuum</i> , 2019, 2, 540.	1.8	6
7818	Enhancing the performance of strip and 180-deg slot waveguide bends for integrated optical waveguide modulator. <i>Optical Engineering</i> , 2019, 58, 1.	0.5	0
7819	Application of Heisenberg uncertainty relation for the optimal modeling of surface diffraction. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2019, 36, 594.	0.8	0
7820	Transfer of information using surface-plasmon-polariton waves. , 2019, , .		1
7821	The exact dispersive quasi-normal mode (DQNM) expansion for photonic structures with highly dispersive media in unbounded geometries. , 2019, , .		0
7822	Scalable high-resolution algorithms for landmine imaging problem. , 2019, , .		0
7823	Solution of a P and S wave propagation model using high performance computation. <i>CTyF - Ciencia, Tecnologia Y Futuro</i> , 2019, 9, 119-130.	0.3	0
7824	Exterior Acoustics Using Infinite Elements. , 0, , .		1
7825	3D-FDTD analysis of electromagnetic shielding by using single-square-loop frequency selective surface. , 2019, , .		0
7826	Studying stress state and fault zone properties of source regions of induced seismicity using dynamic rupture models. , 2019, , .		1
7827	Pure P- and S-wave elastic reverse time migration with adjoint state method imaging condition. , 2019, , .		0
7828	A direct solver in 3D frequency-domain simulation of acoustic and elastic waves. , 2019, , .		0
7829	Generalized Veselago-Pendry lenses via complex transformation optics. <i>Optics Express</i> , 2019, 27, 25670.	1.7	4
7830	Inverse design of 2D nanophotonics devices: 1xN optical power splitters, negative refractive index medium, and photonic nanojet. , 2019, , .		1
7831	Routing of Optical Baseband Signal Depending on Wavelength in Periodic Structure. <i>Lecture Notes in Networks and Systems</i> , 2020, , 621-629.	0.5	5
7832	Effect of Ground Boundary Condition on Evaluation of Blast Resistance Performance of Precast Arch Structures. <i>Journal of the Computational Structural Engineering Institute of Korea</i> , 2019, 32, 287-296.	0.1	0
7833	Optimal shape parameter for meshless solution of the 2D Helmholtz equation. <i>CTyF - Ciencia, Tecnologia Y Futuro</i> , 2019, 9, 15-36.	0.3	0
7834	Study on the spectral and polarization properties of split circular terahertz resonators. , 2019, , .		0

#	ARTICLE	IF	CITATIONS
7835	Efficient full-vectorial modal analysis based on immersed interface method for dielectric chiral optical fibers. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2019, 36, 1957.	0.8	1
7836	Computational Methods in Nano Optics. <i>Graduate Texts in Physics</i> , 2020, , 297-339.	0.1	0
7837	2 Boyutlu Metal Fotonik Kristallerin Asimetrik Ğzelliklerinin Optik Diyot Uygulaması i Ğsin AraĞtırılması. Ğfukurova Ğniversitesi MĞhendislik-Mimarlık FakĞltesi Dergisi, 0, , 225-230.	0.1	0
7838	Optimized Cone-Shaped Motheye Structures for Fused Silica Glass Windows. , 2020, , .		0
7839	Exponential convergence of Cartesian PML method for Maxwell's equations in a two-layer medium. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2020, 54, 929-956.	0.8	4
7840	Aperiodic differential method associated with FFF: an efficient electromagnetic computational tool for integrated optical waveguides modelization. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2020, 37, 1014.	0.8	1
7841	Efficient Bayesian inversion for shape reconstruction of lithography masks. <i>Journal of Micro/Nanolithography, MEMS, and MOEMS</i> , 2020, 19, 1.	1.0	8
7842	Discontinuities in photonic waveguides: rigorous Maxwell-based 3D modeling with the finite element method. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2020, 37, 1025.	0.8	4
7843	Perfectly Matched Layer Method for Acoustic Scattering Problem by a Locally Perturbed Line with Impedance Boundary Condition. <i>Advances in Applied Mathematics and Mechanics</i> , 2020, 12, 101-140.	0.7	1
7845	Challenges in multiphysics modeling of dual-band HgCdTe infrared detectors. <i>Applied Optics</i> , 2020, 59, 5656.	0.9	5
7846	The Application of Nearly PML for a Weaker HIEFDTD Method. , 2020, , .		2
7847	Wavelength Tuning of Output Optical Signal Through Resonant Filter for WDM System by Periodic Structure Composed of Silica Glass. <i>Advances in Intelligent Systems and Computing</i> , 2021, , 488-497.	0.5	3
7848	Parallel Implenetation of the GPR Techniques for Detecting and Mapping Ancient Buildings by Using CUDA. <i>European Journal of Science and Technology</i> , 0, , 352-359.	0.5	1
7849	A Hybrid Time-Domain Maxwell/MTLN-Equations Method to Simulate EM-induced-Currents on Electric Cable-Bundles Inside Cavities. <i>Advanced Electromagnetics</i> , 2020, 9, 31-41.	0.7	0
7850	Optical coherence tomography interpreted by diffractive optics: A-scan image formation with wavelength-scale diffraction gratings as samples. <i>OSA Continuum</i> , 2020, 3, 2395.	1.8	1
7851	The Propagation of the Electromagnetic Waves at Frequencies of the Russian Radio Navigation System RSDN-20 (Alpha) during a substorm at high latitude ionosphere. , 2020, , .		0
7852	The simulation of powerful high-frequency induced parametric decay instability and oscillation two stream instability in ionosphere. , 2020, , .		0
7853	AKUSTİK DALGALARIN FARKLI ORTAM YöZeylerinde Basinı Ve Hiz EtköleröNöN FDTD METODU ÖLE ĞğöMLENMESEö. MĞhendislik Bilimleri Ve Tasarım Dergisi, 2020, 8, 844-855.	0.1	0

#	ARTICLE	IF	CITATIONS
7854	Temperature Dynamics in Rat Brains Exposed to Near-Field Waveguide Outputs at 2.8GHz. <i>Bioelectromagnetics</i> , 2022, 43, 14-24.	0.9	2
7855	Quasinormal Modes, Local Density of States, and Classical Purcell Factors for Coupled Loss-Gain Resonators. <i>Physical Review X</i> , 2021, 11, .	2.8	18
7856	An Efficient Mixed Finite Element Perfectly Matched Layer with Optimal Parameters Selection for Two-Dimensional Time Domain Soil-Structure Interaction Analysis. <i>International Journal of Structural Stability and Dynamics</i> , 0, , .	1.5	0
7857	Absorption characteristics of perfect absorber, electromagnetic "black hole" and inner perfectly matched layer. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2020, 69, 154201.	0.2	1
7858	A Stochastic Finite-Difference Time-Domain (FDTD) Method for Assessing Material and Geometric Uncertainties in Rectangular Objects. <i>Technologies</i> , 2020, 8, 12.	3.0	3
7859	Spectral absorptance of a metal-semiconductor-metal thin-multilayer structured thermophotovoltaic cell. <i>Optics Express</i> , 2020, 28, 40099.	1.7	8
7860	A stable implementation measure of multi-transmitting formula in the numerical simulation of wave motion. <i>PLoS ONE</i> , 2020, 15, e0243979.	1.1	2
7861	Optical Absorption Enhancement in Thin Film Silicon Solar Sells: The Effect of Antireflection Coatings and Back-Reflectors. <i>International Journal of Optics and Photonics</i> , 2020, 14, 129-134.	0.2	0
7862	Design and implementation of forward modeling algorithm for anisotropic seismic waves. , 2020, , .		0
7863	Design and Analysis of a Highly Efficient Rectangular Cavity Based Semi-Elliptic Nanoplasmonic Coupler. , 2020, , .		0
7864	A Thermopile Device with Sub-Wavelength Hole Arrays by CMOS-MEMS Technology. <i>Sensors</i> , 2021, 21, 180.	2.1	0
7865	Compact Matrix-Exponential-Based FDTD with Second-Order PML and Direct Z-Transform for Modeling Complex Subsurface Sensing and Imaging Problems. <i>Remote Sensing</i> , 2021, 13, 94.	1.8	3
7866	Stable thin-wire model of buried pipe-type power distribution cables for 3D FDTD transient simulation. <i>IET Generation, Transmission and Distribution</i> , 2020, 14, 6168-6178.	1.4	4
7867	Indoor Environmental Signal Strength Calculation based on Finite Difference Time Domain Method. , 2020, , .		0
7868	Transparent boundary condition for the calculation of eigenmodes in transversely infinite waveguides. <i>Advances in Radio Science</i> , 0, 18, 7-16.	0.7	0
7869	Seismic wavefield reconstruction inversion using a plane-wave encoding strategy. <i>Journal of Geophysics and Engineering</i> , 2020, 17, 1037-1048.	0.7	2
7870	Proposal of Effective Near-Field Wrap Boundary Condition under Coexistence of Radiation and Damping Components. <i>Journal of the Physical Society of Japan</i> , 2020, 89, 124004.	0.7	0
7871	A two-level Schur complement solver with mesh-independent convergence for the time domain photonics modeling. <i>Keldysh Institute Preprints</i> , 2020, , 1-21.	0.1	0

#	ARTICLE	IF	CITATIONS
7872	Input Amplitude Dependency of Duplexer with Dispersive and Nonlinear Dielectric in 2-D Photonic Crystal Waveguide. Lecture Notes on Data Engineering and Communications Technologies, 2020, , 226-236.	0.5	4
7873	Optical and Electrical Simulation of Single GaAs Nanowire/Ge Solar Cells. Lecture Notes in Electrical Engineering, 2020, , 461-468.	0.3	0
7874	Bilinear Zâ€transform perfectly matched layer for rotational symmetric microwave structures with magnetised ferrite. IET Microwaves, Antennas and Propagation, 2020, 14, 247-252.	0.7	3
7875	New Efficient Preconditioner for Helmholtz Equation. , 2020, , 243-251.		0
7876	Theoretical Investigation of a GaAs Based Novel Air Slot Nano-Plasmonic Coupler. , 2020, , .		2
7877	Partition of Unity Finite Element Method applied to exterior problems with Perfectly Matched Layers. Acta Acustica, 2020, 4, 16.	0.4	5
7878	Information Transfer by Surface-Plasmon-Polariton Wave Propagating on Silver/Silicon Interface. , 2020, , .		0
7879	Constraints and performance trade-offs in Auger-suppressed HgCdTe focal plane arrays. Applied Optics, 2020, 59, E1.	0.9	9
7880	3D adjoint-based marching scheme for optical propagation in inhomogeneous waveguides. Journal of the Optical Society of America B: Optical Physics, 2020, 37, 1298.	0.9	1
7881	Design of an electro-optical tunable race-track diamond microring resonator on lithium niobate. Diamond and Related Materials, 2021, 120, 108692.	1.8	2
7882	An adaptive finite element DtN method for the elastic wave scattering by biperiodic structures. ESAIM: Mathematical Modelling and Numerical Analysis, 0, , .	0.8	1
7883	Model reduction in acoustic inversion by artificial neural network. Journal of the Acoustical Society of America, 2021, 150, 3435-3444.	0.5	4
7884	Truncated trust region method for nonlinear inverse problems and application in full-waveform inversion. Journal of Computational and Applied Mathematics, 2022, 404, 113896.	1.1	3
7885	Extraordinary optical transmission in silicon nanoholes. Scientific Reports, 2021, 11, 21546.	1.6	7
7886	A new implementation of convolutional PML for second-order elastic wave equation. Exploration Geophysics, 2022, 53, 501-516.	0.5	3
7887	Implicit approximate decoupling procedure with Crankâ€Nicolson scheme for bandpass symmetric rotationally geophysical problems. International Journal of RF and Microwave Computer-Aided Engineering, 2022, 32, e22968.	0.8	0
7888	Microwave Non-Destructive Testing Technique for Material Characterization of Concrete Structures via Electromagnetic Waves with FDTD. , 2020, , .		0
7889	Plane-Wave Admittance Method and its Applications to Modelling Photonic Crystal Structures. , 2008, , 253-277.		1

#	ARTICLE	IF	CITATIONS
7890	Conjugated Bubnov-Galerkin Infinite Element for Maxwell Equations. , 2006, , 143-159.		0
7892	Adaptive Computation with Perfectly Matched Layers for the Wave Scattering by Periodic Structures. , 2005, , 69-84.		0
7893	A Perspective into Ultra High Field MRI RF Coils. , 2006, , 163-208.		1
7894	Nonlinear Numerical Simulations of Magneto-Acoustic Wave Propagation in Small-Scale Flux Tubes. , 2008, , 587-609.		0
7896	Numerical Modeling of Car Antennas. Springer Proceedings in Physics, 2008, , 303-319.	0.1	0
7898	A Parallel FDTD Algorithm for the Solution of Maxwell's Equations with Nearly PML Absorbing Boundary Conditions. , 2007, , 421-430.		0
7899	Elongated 3D FDTD modeling using PML. , 0, , .		1
7900	Progress in time-domain electromagnetic modelling. , 0, , .		0
7901	Grating Coupler Design for Vertical Light Coupling in Silicon Thin Films on Lithium Niobate. Crystals, 2020, 10, 850.	1.0	4
7902	Pseudospectral Time-Domain (PSTD) Methods for the Wave Equation: Realizing Boundary Conditions with Discrete Sine and Cosine Transforms. Journal of Theoretical and Computational Acoustics, 2021, 29, .	0.5	1
7903	Tuning of Output Optical Signal Wavelength Through Resonant Filter for WDM System. Lecture Notes in Networks and Systems, 2021, , 313-320.	0.5	0
7904	Inexact Newton-type methods based on Lanczos orthonormal method and application for full waveform inversion. Inverse Problems, 2020, 36, 115007.	1.0	3
7905	Lens design for high numerical aperture achromatic diffraction imaging. , 2020, , .		0
7906	A finite element model of the Japanese koto constructed from computed tomography scans. Journal of the Acoustical Society of America, 2020, 148, 3153-3170.	0.5	3
7907	Hybrid Method Analysis of Unshielded Guiding Structures. , 2020, , .		3
7908	Optical modeling of MEMS. , 2020, , 325-344.		0
7911	Elastic Full Waveform Inversion Based on the Trust Region Strategy. American Journal of Computational Mathematics, 2021, 11, 241-266.	0.2	0
7912	On the use of complex stretching coordinates in generalized finite difference method with applications in inhomogeneous visco-elasto dynamics. Engineering Analysis With Boundary Elements, 2022, 134, 466-490.	2.0	5

#	ARTICLE	IF	CITATIONS
7913	Implementation of the novel perfectly matched layer element for elastodynamic problems in time-domain finite element method. <i>Soil Dynamics and Earthquake Engineering</i> , 2022, 152, 107054.	1.9	22
7914	A non-local method in peridynamic theory for simulating elastic wave propagation in solids. <i>Applied Mathematical Modelling</i> , 2022, 103, 360-375.	2.2	8
7915	A Broadband Wide-angle Absorber Based on Stereo ITO Patch. , 2021, , .		0
7916	Exact formulation of nonlocal transparent boundary conditions for elastic strip, plate, and cylinder. , 2021, , .		0
7917	Hybrid numerical-analytical scheme for 3D scattering problems. , 2021, , .		0
7918	Quantum Leap in Simulation Technologies for Radio Frequency Surface and Bulk Acoustic Wave Devices Gifted by Hierarchical Cascading Technique. , 2021, , .		12
7919	Record (60) Uncoupled Modes in A Step-Index Fiber due to A New Light Guidance Mechanism: Topological Confinement. , 2021, , .		2
7920	Finite Element Methods. <i>Applied Mathematical Sciences (Switzerland)</i> , 2022, , 87-161.	0.4	1
7921	Nanoantennas Inversely Designed to Couple Free Space and a Metalâ€“Insulatorâ€“Metal Waveguide. <i>Nanomaterials</i> , 2021, 11, 3219.	1.9	2
7922	A pseudo-spectral Strang splitting method for linear dispersive problems with transparent boundary conditions. <i>Numerische Mathematik</i> , 2022, 150, 105-135.	0.9	0
7923	Implementation of absorbing boundary conditions in dynamic simulation of the material point method. <i>Journal of Zhejiang University: Science A</i> , 2021, 22, 870-881.	1.3	1
7924	Free and Forced Wave Motion in a Two-Dimensional Plate with Radial Periodicity. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10948.	1.3	7
7925	Modeling seismic wave propagation in TTI media using multiaxial complex frequency shifted nearly perfectly matched layer method. <i>Acta Geophysica</i> , 2022, 70, 89-109.	1.0	2
7926	Structure-acoustic simulation using the modal expansion method and the optimum sensor placement. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2021, 43, 1.	0.8	2
7927	Upwind finite element-PML approximation of a novel linear potential model for free surface flows produced by a floating rigid body. <i>Applied Mathematical Modelling</i> , 2021, 103, 824-824.	2.2	2
7928	Electromagnetic Wave Equation Approximation using FDTD method on Conductivity Material. <i>Journal of Physics: Conference Series</i> , 2021, 2110, 012032.	0.3	2
7929	A fourth-order Cartesian grid method for multiple acoustic scattering on closely packed obstacles. <i>Journal of Computational and Applied Mathematics</i> , 2022, 406, 113885.	1.1	2
7930	ESVM: an open-source finite volume Electrostatic Vlasov-Maxwell code. <i>Journal of Open Source Software</i> , 2021, 6, 3618.	2.0	0

#	ARTICLE	IF	CITATIONS
7931	A Perfectly Matched Layer Technique Applied to Lattice Spring Model in Seismic Wavefield Forward Modeling for Poisson's Solids. Bulletin of the Seismological Society of America, 2022, 112, 608-621.	1.1	2
7932	Simulation of the objective occlusion effect induced by bone-conducted stimulation using a three-dimensional finite-element model of a human head. Journal of the Acoustical Society of America, 2021, 150, 4018-4030.	0.5	1
7933	Hybrid Implicit-Explicit Procedure With Improved Absorption for Anisotropic Magnetized Plasma in Bandpass Problem. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2021, 6, 229-238.	1.4	2
7934	An Optimized CPML Formulation for High Order FDTD Schemes for CED. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2021, 6, 183-200.	1.4	2
7935	Wavelet-based Edge Multiscale Finite Element Method for Helmholtz problems in perforated domains. Multiscale Modeling and Simulation, 2021, 19, 1684-1709.	0.6	2
7936	Electromagnetic Modeling Using an FDTD-Equivalent Recurrent Convolution Neural Network: Accurate computing on a deep learning framework. IEEE Antennas and Propagation Magazine, 2023, 65, 93-102.	1.2	7
7937	An affine generalized optimal scheme with improved free-surface expression using adaptive strategy for frequency-domain elastic wave equation. Geophysics, 2022, 87, T183-T204.	1.4	3
7938	Regularization tunnelling for full waveform inversion. Geophysical Journal International, 2022, 229, 1503-1516.	1.0	0
7941	EVOLUTION OF THE WAKE WAVE EXCITED BY THE SEQUENCE OF THE RELATIVISTIC ELECTRON BUNCHES. , 2019, , 55-58.		0
7942	Domain Decomposition WLP-FDTD for Efficient Electromagnetic Scattering Analysis. , 2020, , .		1
7943	Seismic Inversion for the Calculation of Velocities Using the Generalized Inverse Linear Matrix, the Wave Equation, and a Non-Reflective-Boundaries Condition. Tecnura, 2020, 24, 13-26.	0.1	2
7944	Numerical analysis of a single-mode microring resonator on a YAG-on-insulator. Open Physics, 2021, 19, 932-940.	0.8	2
7945	Experimental Characterization of Reinforced Concrete Cable Ducts. , 2021, , .		1
7946	A massively parallel time-domain coupled electrodynamics's micromagnetics solver. International Journal of High Performance Computing Applications, 2022, 36, 167-181.	2.4	3
7947	Numerical Short-Open-Load (SOL) Calibration Technique for Accurate Extraction of Electrically-Small Planar/Non-Planar Microstrip-Line Circuits. IEEE Transactions on Microwave Theory and Techniques, 2022, 70, 2067-2076.	2.9	7
7948	Imaginary couplings in non-Hermitian coupled-mode theory: Effects on exceptional points of optical resonators. Physical Review A, 2022, 105, .	1.0	14
7949	Enhanced Seismic Response Prediction of Critical Structures via 3D Regional Scale Physics-Based Earthquake Simulation. Journal of Earthquake Engineering, 2023, 27, 546-574.	1.4	7
7950	Mathematical analysis of Goldstein's model for time harmonic acoustics in flow. ESAIM: Mathematical Modelling and Numerical Analysis, 0, , .	0.8	0

#	ARTICLE	IF	CITATIONS
7951	Beam Propagation Method. , 2022, , 339-407.		0
7952	Dynamic Response Simulation of the Slope Triggered by Fluctuating Pressure during High Dam Flood Discharge. Shock and Vibration, 2022, 2022, 1-13.	0.3	1
7953	A linearised inverse conductivity problem for the Maxwell system at a high frequency. Journal of Computational Physics, 2022, 455, 111003.	1.9	0
7954	Wave propagation in inhomogeneous media via FE/PML method. Geotechnik, 0, , .	0.3	0
7955	An Explicit Time-Domain Finite-Element Boundary Integral Method for Analysis of Electromagnetic Scattering. IEEE Transactions on Antennas and Propagation, 2022, 70, 6089-6094.	3.1	5
7956	Tunable coupling coefficient in the lens-waveguide coupled photonic crystal structures. Indian Journal of Physics, 0, , 1.	0.9	0
7957	An optimized staggered-grid finite-difference operator for seismic wave simulation in poroelastic media. Geophysics, 2022, 87, T225-T236.	1.4	4
7958	Robust design of an asymmetrically absorbing Willis acoustic metasurface subject to manufacturing-induced dimensional variations. Journal of the Acoustical Society of America, 2022, 151, 216-231.	0.5	9
7959	A non-reflecting wave equation through directional wave-field suppression and its finite difference implementation. Scientific Reports, 2022, 12, 407.	1.6	4
7960	Assessment of Human Exposure Levels Due to Mobile Phone Antennas in 5G Networks. International Journal of Environmental Research and Public Health, 2022, 19, 1546.	1.2	6
7962	Trace transfer-based diagonal sweeping domain decomposition method for the Helmholtz equation: Algorithms and convergence analysis. Journal of Computational Physics, 2022, 455, 110980.	1.9	2
7963	Bandpass Simulation of Anisotropic Magnetized Ferrite Material With Alternating Direction Implicit Scheme in Open Region. IEEE Transactions on Magnetics, 2022, 58, 1-8.	1.2	1
7964	A finite-element algorithm with a perfectly matched layer boundary condition for seismic modelling in a diffusive-viscous medium. Journal of Geophysics and Engineering, 2022, 19, 51-66.	0.7	6
7965	A high-order finite-difference scheme for time-domain modeling of time-varying seismoelectric waves. Geophysics, 2022, 87, T135-T146.	1.4	5
7966	Elastic wave full-waveform inversion in the time domain by the trust region method. Journal of Applied Geophysics, 2022, 197, 104540.	0.9	3
7967	New insights into topographically feature guided waves (FGW) propagation in non-uniform elastic waveguides. Wave Motion, 2022, 109, 102866.	1.0	5
7968	Adapt2Heat: treatment planning-assisted locoregional hyperthermia by on-line visualization, optimization and re-optimization of SAR and temperature distributions. International Journal of Hyperthermia, 2022, 39, 265-277.	1.1	8
7969	Robust full-waveform inversion with graph-space optimal transport: Application to 3D ocean-bottom cable Valhall data. Geophysics, 2022, 87, R261-R280.	1.4	11

#	ARTICLE	IF	CITATIONS
7970	Full waveform inversion through double-sweeping solver. <i>Journal of Computational Physics</i> , 2022, 453, 110914.	1.9	5
7971	A new absorbing layer for simulation of wave propagation based on a KdV model on unbounded domain. <i>Applied Numerical Mathematics</i> , 2022, 174, 46-70.	1.2	1
7972	Discontinuous Galerkin discretizations and analysis for the Cohenâ€™Monk PML model. <i>Journal of Computational and Applied Mathematics</i> , 2022, 407, 114031.	1.1	3
7973	Morphing for faster computations with finite difference time domain algorithms. <i>EPJ Applied Metamaterials</i> , 2022, 9, 2.	0.8	0
7974	A unified framework for aeroacoustics simulation of wind turbines. <i>Renewable Energy</i> , 2022, 188, 299-319.	4.3	2
7975	Field propagation study in ultra-small core photonic crystal fiber beyond the fundamental mode cut-off. <i>Revista Mexicana De Fsica</i> , 2022, 68, .	0.2	0
7976	Complex-scaled infinite elements for resonance problems in heterogeneous open systems. <i>Advances in Computational Mathematics</i> , 2022, 48, 1.	0.8	1
7977	On the seismic performance evaluation of dam-foundation-reservoir system for the effect of frequency content and foundation flexibility. <i>Ocean Engineering</i> , 2022, 247, 110586.	1.9	8
7978	Efficient method for accelerating line searches in adjoint optimization of photonic devices by combining Schur complement domain decomposition and Born series expansions. <i>Optics Express</i> , 2022, 30, 6413.	1.7	5
7979	Microwave imaging of breast cancer: Simulation analysis of SAR and temperature in tumors for different age and type. <i>Case Studies in Thermal Engineering</i> , 2022, 31, 101843.	2.8	11
7980	A scaled wave finite element method for computing scalar wave radiation and scattering in exterior domains. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022, 392, 114676.	3.4	0
7981	Full waveform inversion using Random Mixing. <i>Computers and Geosciences</i> , 2022, 161, 105041.	2.0	0
7982	A hybrid computational aeroacoustic model with application to turbulent flows over foil and bluff bodies. <i>Journal of Sound and Vibration</i> , 2022, 526, 116773.	2.1	4
7983	The Helmholtz Problem in Slowly Varying Waveguides at Locally Resonant Frequencies. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1
7984	A Dispersive Formulation of Time-Domain Meshless Method With PML Absorbing Boundary Condition for Analysis of Left-Handed Materials. <i>IEEE Transactions on Antennas and Propagation</i> , 2022, 70, 7328-7333.	3.1	3
7985	Analysis of Instantaneous Acoustic Fields Using Fast Inverse Laplace Transform. <i>IEICE Transactions on Electronics</i> , 2022, , .	0.3	0
7986	An Efficient Technique for Evaluating the Characteristics of a Polarization Converter Consisting of an Asymmetric Waveguide. <i>Journal of Lightwave Technology</i> , 2022, 40, 4344-4350.	2.7	1
7987	Solving for the Low-Rank Tensor Components of a Scattering Wave Function. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1

#	ARTICLE	IF	CITATIONS
7989	Detecting Subsurface Voids From GPR Images by 3-D Convolutional Neural Network Using 2-D Finite Difference Time Domain Method. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2022, 15, 3061-3073.	2.3	7
7990	Iterated Crank-Nicolson Procedure With Enhanced Absorption for Nonuniform Domains. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2022, 7, 61-68.	1.4	5
7993	Superior performance of optimal perfectly matched layers for modeling wave propagation in elastic and poroelastic media. Journal of Geophysics and Engineering, 2022, 19, 106-119.	0.7	0
7994	Detection and Characterization of Cracks in Highway Pavement with the Amplitude Variation of GPR Diffracted Waves: Insights from Forward Modeling and Field Data. Remote Sensing, 2022, 14, 976.	1.8	13
7995	Efficient Computational Techniques for Evaluating Distance-Dependent Head-Related Transfer Functions. Acoustics Australia, 0, , 1.	1.4	0
7996	Breaking Transmission Symmetry Without Breaking Reciprocity in Linear All-Dielectric Polarization-Preserving Metagratings. Physical Review Applied, 2022, 17, .	1.5	7
7997	2D acoustic wavefield simulation by improved stiffness and mass matrices of bilinear square element. Journal of Geophysics and Engineering, 2022, 19, 120-129.	0.7	0
7998	Narrow-band anisotropic magnetized ferrite material simulation by approximate Crank-Nicolson procedure with improved nearly absorbing condition. Journal of Electromagnetic Waves and Applications, 2022, 36, 1813-1837.	1.0	0
7999	Complex Frequency-Shifted Perfectly Matched Layers for 2.5D Frequency-Domain Marine Controlled-Source EM Field Simulations. Surveys in Geophysics, 2022, 43, 1055-1084.	2.1	4
8000	Construction and Numerical Assessment of Local Absorbing Boundary Conditions for Heterogeneous Time-Harmonic Acoustic Problems. SIAM Journal on Applied Mathematics, 2022, 82, 476-501.	0.8	4
8001	A Parabola-like Gold Nanobowtie on a Sapphire Substrate as a Nano-Cavity. Photonics, 2022, 9, 193.	0.9	0
8002	An ultrawideband TEM horn with dielectric filling characteristics investigation with the dependence on an aperture angle. Microwave and Optical Technology Letters, 0, , .	0.9	2
8003	Experiment and simulation of microwave detection using IQ demodulation method for breast tumor screening. Journal of Instrumentation, 2022, 17, P03028.	0.5	0
8004	Evidence for near-source nonlinear propagation of volcano infrasound from Strombolian explosions at Yasur Volcano, Vanuatu. Bulletin of Volcanology, 2022, 84, 1.	1.1	5
8005	SEM3D: A 3D High-Fidelity Numerical Earthquake Simulator for Broadband (0-10 Hz) Seismic Response Prediction at a Regional Scale. Geosciences (Switzerland), 2022, 12, 112.	1.0	12
8006	Standard and Phase Reduced Isogeometric On-Surface Radiation Conditions for acoustic scattering analyses. Computer Methods in Applied Mechanics and Engineering, 2022, 392, 114700.	3.4	4
8007	The application of a novel perfectly matched layer in magnetotelluric simulations. Geophysics, 2022, 87, E163-E175.	1.4	3
8008	Bandpass leapfrog hybrid <sc>implicit-explicit</sc> procedure with promoted absorption for obtaining fine geometry in a single direction. International Journal of RF and Microwave Computer-Aided Engineering, 2022, 32, .	0.8	3

#	ARTICLE	IF	CITATIONS
8009	An adaptive finite element DtN method for the elastic wave scattering problem. <i>Numerische Mathematik</i> , 2022, 150, 993-1033.	0.9	5
8010	Sensitivity Bandwidth Optimization of PMUT with Acoustical Matching Using Finite Element Method. <i>Sensors</i> , 2022, 22, 2307.	2.1	5
8011	Application of the Reflectionless Discrete Perfectly Matched Layer for Acoustic Wave Simulation. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	0
8012	A local frequency-dependent absorbing boundary condition for unsaturated porous media based on the theory of mixtures with interfaces. <i>Soil Dynamics and Earthquake Engineering</i> , 2022, 155, 107187.	1.9	1
8013	Perfectly matched layers for nonlocal Helmholtz equations II: Multi-dimensional cases. <i>Journal of Computational Physics</i> , 2022, 464, 111192.	1.9	5
8014	Finite element hybrid and direct computational aeroacoustics at low Mach numbers in slow time-dependent domains. <i>Computers and Fluids</i> , 2022, 239, 105394.	1.3	2
8015	A new viscoelastic artificial boundary with improved numerical stability in explicit calculation of wave propagation problems in infinite domains. <i>Computers and Geotechnics</i> , 2022, 145, 104698.	2.3	10
8016	Numerical Solution of a One-Dimensional Nonlocal Helmholtz Equation by Perfectly Matched Layers. <i>Numerical Mathematics</i> , 2022, 15, 387-414.	0.6	4
8017	Figure of merit and sensitivity enhancement of biosensor LSPR in investigated for visible and near infrared. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2022, 50, 101016.	1.0	5
8018	Spectral approach to Korteweg-de Vries equations on the compactified real line. <i>Applied Numerical Mathematics</i> , 2022, 177, 160-170.	1.2	1
8019	Design of a new label free active biosensor based on metallic nanoparticles-doped graphene nanodisk platform. <i>Optics Communications</i> , 2022, 515, 128220.	1.0	2
8020	A Dirichlet-to-Neumann approach to the mathematical and numerical analysis in waveguides with periodic outlets at infinity. <i>Pure and Applied Analysis</i> , 2021, 3, 487-526.	0.4	1
8021	Analysis of Acoustic Waves on Living-inanimate Media Surfaces Using Finite Differences Time Domain Method. , 2021, , .		0
8022	Bandpass HIE-PML Algorithm with Improved Absorption and Efficiency for Lorentz Medium. , 2021, , .		2
8023	Transparent relativistic quantum networks. , 2021, , .		0
8024	Theory, simulation, and experiments on a magnetically insulated line oscillator (MILO) at 10 kA, 240 kV near Hull cutoff condition. <i>Physics of Plasmas</i> , 2021, 28, .	0.7	11
8025	A PML Finite Element Method for Electromagnetic Scattering Problems in a Two-Layer Medium. <i>Journal of Scientific Computing</i> , 2022, 90, 1.	1.1	0
8026	Generation of radio frequency radiation by femtosecond filaments. <i>Physical Review E</i> , 2021, 104, L063201.	0.8	2

#	ARTICLE	IF	CITATIONS
8028	Resonance modes of a metal-semiconductor-metal multilayer mediated by electric charge. Journal of Physics Communications, 2022, 6, 045006.	0.5	2
8029	A STUDY ON EFFICIENCY OF PERFECTLY MATCHED LAYER (PML) FOR SEISMIC SOIL-STRUCTURE INTERACTION. Uludağ University Journal of the Faculty of Engineering, 0, , 467-486.	0.2	0
8030	Exponential Convergence of Perfectly Matched Layers for Scattering Problems with Periodic Surfaces. SIAM Journal on Numerical Analysis, 2022, 60, 804-823.	1.1	1
8032	A Miniaturized Anechoic Chamber: Omnidirectional Impedance Matching Based on Truncated Spatial Kramers-Kronig Medium. Advanced Optical Materials, 2022, 10, .	3.6	5
8033	Trust-region versus line search globalization strategies for inexact Newton method and application in full waveform inversion. Journal of Applied Geophysics, 2022, , 104639.	0.9	2
8034	Computation of transverse-electric polarized optical eigenstates in dielectric systems based on perfectly matched layer. Physical Review E, 2022, 105, 045309.	0.8	0
8035	Frequency-robust preconditioning of boundary integral equations for acoustic transmission. Journal of Computational Physics, 2022, 462, 111229.	1.9	3
8040	Modeling at the Speed of Light. , 2005, , 2671-2674.		0
8043	Local and Nonlocal Nonreflecting Boundary Conditions for Electromagnetic Scattering. , 2008, , 105-127.		0
8046	Finite Element Methods for Electromagnetic Scattering. Computational Science, Engineering and Technology Series, 0, , 105-120.	0.2	0
8048	A new photonic bandgap cover for a patch antenna with a photonic bandgap substrate. Journal of Zhejiang University Science B, 2004, 5, 269-73.	0.4	2
8049	Simulation of Borehole Radar Responses to Rough Fractures Based on 3-D Conformal FDTD. IEEE Transactions on Geoscience and Remote Sensing, 2022, 60, 1-15.	2.7	2
8050	Port Parameter Extraction-Based Self-Consistent Coupled EM-Circuit FEM Solvers. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2022, 12, 1040-1048.	1.4	1
8051	Low-Order Prandtl-Glauert-Lorentz Based Absorbing Boundary Conditions for Solving the Convected Helmholtz Equation with Discontinuous Galerkin Methods. SSRN Electronic Journal, 0, , .	0.4	0
8052	Seismic interpretation pitfalls caused by interference effects, exemplified by seismic modeling of outcropping chalk successions. Interpretation, 0, , 1-31.	0.5	1
8053	Wavefield Reconstruction Inversion Based on the Multi-Scale Cumulative Frequency Strategy for Ground-Penetrating Radar Data: Application to Urban Underground Pipeline. Remote Sensing, 2022, 14, 2162.	1.8	2
8054	Advanced tools for unveiling nucleation in nanostructured glass-ceramics. Critical Reviews in Solid State and Materials Sciences, 2023, 48, 411-439.	6.8	6
8055	Implementation of the convolutional perfectly matched layer (CPML) in the face-centered cubic (FCC) FDTD method. Waves in Random and Complex Media, 0, , 1-12.	1.6	1

#	ARTICLE	IF	CITATIONS
8056	An efficient numerical scheme for the FE-approximation of magnetic stray fields in infinite domains. Computational Mechanics, 0, , .	2.2	2
8057	Processing the Artificial Edge-Effects for Finite-Difference Frequency-Domain in Viscoelastic Anisotropic Formations. Applied Sciences (Switzerland), 2022, 12, 4719.	1.3	1
8059	High-order GPU-DGTD method based on unstructured grids for GPR simulation. Journal of Applied Geophysics, 2022, , 104666.	0.9	2
8060	Sparse Recovery of Acoustic Waves. , 2022, , .		0
8061	Electromagnetic modeling and simulation of the biophoton propagation in myelinated axon waveguide. Applied Optics, 2022, 61, 4013.	0.9	4
8062	Detection of Tracer Plumes Using Full-Waveform Inversion of Time-Lapse Ground Penetrating Radar Data: A Numerical Study in a High-Resolution Aquifer Model. Water Resources Research, 2022, 58, .	1.7	10
8063	Model order reduction of layered waveguides via rational Krylov fitting. BIT Numerical Mathematics, 0, , .	1.0	0
8064	An asymptotic Green's function method for time-dependent Schrödinger equations with application to Kohn-Sham equations. Journal of Computational Physics, 2022, 463, 111272.	1.9	0
8065	A finite difference method on irregular grids with local second order ghost point extension for solving Maxwell's equations around curved PEC objects. Journal of Computational Physics, 2022, 463, 111273.	1.9	1
8066	An Uncertainty Analysis on Finite Difference Time-Domain Computations With Artificial Neural Networks: Improving accuracy while maintaining low computational costs. IEEE Antennas and Propagation Magazine, 2023, 65, 60-70.	1.2	0
8067	Method for optimising the performance of PML in anchor-loss limited model via COMSOL. IET Science, Measurement and Technology, 2022, 16, 327-336.	0.9	5
8068	A Modified Mild-Slope Model for the Hydrodynamic Analysis of Arrays of Heaving WECs in Variable Bathymetry Regions. Fluids, 2022, 7, 183.	0.8	4
8069	Noise spectrum characteristics of marine pump units induced by different excitation sources. Scientific Reports, 2022, 12, .	1.6	0
8070	Analysis and application of a spatial fourth-order finite difference scheme for the Ziolkowski's PML model. Journal of Computational Physics, 2022, 464, 111350.	1.9	1
8071	A Well-Conditioned Weak Coupling of Boundary Element and High-Order Finite Element Methods for Time-Harmonic Electromagnetic Scattering by Inhomogeneous Objects. SIAM Journal of Scientific Computing, 2022, 44, B640-B667.	1.3	1
8072	A study on the use of fundamental antisymmetric-like guided wave for health monitoring of elastic-viscoelastic bilayer structures. Structural Health Monitoring, 0, , 147592172211048.	4.3	2
8073	Introducing a moving load in a simulation in time over a truncated unbounded domain. Journal of Sound and Vibration, 2022, 534, 117035.	2.1	2
8079	A Brief History of Computational Electromagnetics. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
8080	Efficient Dispersive GSTC-FDTD Algorithm Using the Drude Dispersion Model. IEEE Access, 2022, 10, 59486-59494.	2.6	2
8081	UPML Boundary Adapted to High-Q FDTD Algorithm and Its Application in High-Power Microwave Source With High-Q Value. IEEE Transactions on Plasma Science, 2022, 50, 2305-2314.	0.6	0
8082	A Measurement Image Translation-Automatic Target Recognition Technique Based on CycleGAN with SAR Simulation DB. Journal of Electromagnetic Engineering and Science, 2022, 22, 326-334.	0.7	0
8083	Recent techniques on sound field simulation. Japanese Journal of Applied Physics, 2022, 61, SG0801.	0.8	6
8084	Mesopelagic fish gas bladder elongation, as estimated from wideband acoustic backscattering measurements. Journal of the Acoustical Society of America, 2022, 151, 4073-4085.	0.5	1
8085	Substrate-supported nano-objects with high vibrational quality factors. Journal of Applied Physics, 2022, 131, .	1.1	5
8086	A Circuit-Based Wave Port Boundary Condition for the Nodal Discontinuous Galerkin Time-Domain Method. Electronics (Switzerland), 2022, 11, 1842.	1.8	2
8087	Time- and frequency-domain hybridizable discontinuous Galerkin solvers for the calculation of the Cherenkov radiation. Computer Methods in Applied Mechanics and Engineering, 2022, 402, 115170.	3.4	3
8088	Wave attenuation study on a wide-band seismic metasurface using capped pillars. Comptes Rendus - Mecanique, 2022, 350, 237-254.	0.3	0
8089	Strong Coupling of Ag@Au Hollow Nanocube/J-Aggregate Heterostructures by Absorption Spectra. Journal of Physical Chemistry C, 2022, 126, 10566-10573.	1.5	7
8090	Observation of optical precursors in free space. Journal of the Optical Society of America B: Optical Physics, 2022, 39, 1902.	0.9	0
8091	Finite Difference Scheme Based on the Lebedev Grid for Seismic Wave Propagation in Fractured Media. Pure and Applied Geophysics, 0, , .	0.8	2
8092	Near-infrared chirality of plasmonic metasurfaces with gold rectangular holes. Advanced Composites and Hybrid Materials, 2022, 5, 2527-2535.	9.9	11
8093	Design and simulation of high-quality factor all-optical demultiplexers based on a two-dimensional photonic crystal. , 2022, 1, 1458.		6
8094	Effect of bat pinna on sensing using acoustic finite difference time domain simulation. Journal of the Acoustical Society of America, 2022, 151, 4039-4045.	0.5	2
8095	Theoretical simulation of DNA hybridization based on cascaded plasmonic V-shaped channel biosensor. Optik, 2022, 265, 169551.	1.4	3
8096	Pressure attenuation due to radiative exchange in fluid-filled boreholes. Applied Acoustics, 2022, 196, 108858.	1.7	0
8097	Modeling of Resonant Tunneling Diode Oscillators Based on the Time-Domain Boundary Element Method. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2022, 7, 161-167.	1.4	2

#	ARTICLE	IF	CITATIONS
8098	Three-dimensional heating and patterning dynamics of particles in microscale acoustic tweezers. Lab on A Chip, 2022, 22, 2886-2901.	3.1	10
8099	Non-Reflecting Boundary Conditions in the Context of the Discontinuous Galerkin Method. SSRN Electronic Journal, 0, , .	0.4	0
8100	Theoretical and quantitative evaluation of hybrid PML-ABCs for seismic wave simulation. Earthquake Science, 2022, 35, 105-121.	0.4	0
8101	Reducing the reflection error of PML absorbing boundary conditions within a generalized Maxwell-Bloch framework. , 2022, , .		2
8102	<scp>FDTD</scp> Simulation of the Influence of <scp>Reinforcedâ€Concrete</scp> on Lightningâ€Induced Surges in an Apartment Building. IEEJ Transactions on Electrical and Electronic Engineering, 0, , .	0.8	0
8103	An accelerated, high-order accurate direct solver for the Lippmannâ€Schwinger equation for acoustic scattering in the plane. Advances in Computational Mathematics, 2022, 48, .	0.8	4
8104	Acoustic Negative Refraction and Planar Focusing Based on Purely Imaginary Metamaterials. Applied Sciences (Switzerland), 2022, 12, 5962.	1.3	1
8105	Fast 3D transient electromagnetic forward modeling using BEDS-FDTD algorithm and GPU parallelization. Geophysics, 2022, 87, E359-E375.	1.4	5
8106	A New Treatment for Choice of Optimal PerfectlyMatched Layers. , 0, , .		0
8107	High temporal accuracy elastic wave simulation with new timeâ€space domain implicit staggeredâ€grid finiteâ€difference schemes. Geophysical Prospecting, 0, , .	1.0	2
8108	An adaptive finite volume method for the diffraction grating problem with the truncated DtN boundary condition. Advances in Computational Mathematics, 2022, 48, .	0.8	0
8109	A Many-Objective Joint Parallel Simulation Method for Acoustic Optimization Design of Sound-Absorbing Structures. Applied Sciences (Switzerland), 2022, 12, 6892.	1.3	0
8110	Hybrid Zakharov-kinetic simulation of nonlinear stimulated Raman scattering. Physics of Plasmas, 2022, 29, 072103.	0.7	2
8111	An engineered acoustic lens for a narrow acoustic jet generation. Applied Physics Express, 2022, 15, 084005.	1.1	3
8112	Low-order Prandtl-Glauert-Lorentz based Absorbing Boundary Conditions for solving the convected Helmholtz equation with Discontinuous Galerkin methods. Journal of Computational Physics, 2022, 468, 111450.	1.9	3
8113	Viscoelastic and viscoacoustic modelling using the Lie product formula. Geophysical Prospecting, 2022, 70, 1295-1312.	1.0	1
8114	Non-volatile MWIR/LWIR beam reconfigurability with all-dielectric metagratings comprising phase-change materials with a high-refractive-index shift. Optical Materials Express, 2022, 12, 3187.	1.6	5
8115	Wave Scattering in Layered Orthotropic Media I: A Stable PML and a High-Accuracy Boundary Integral Equation Method. SIAM Journal of Scientific Computing, 2022, 44, B861-B884.	1.3	1

#	ARTICLE	IF	CITATIONS
8116	Vibroacoustic damping effect of particles on double-plate structures. <i>Applied Acoustics</i> , 2022, 197, 108920.	1.7	1
8117	A gold film coated dual-core photonic crystal fiber for refractive index and temperature sensing with high isolation. <i>Optical Fiber Technology</i> , 2022, 72, 102975.	1.4	8
8119	Effectiveness and computational efficiency of absorbing boundary conditions for full-waveform inversion. <i>Geoscientific Model Development</i> , 2022, 15, 5857-5881.	1.3	0
8120	Magnetostatic simulations with consideration of exterior domains using the scaled boundary finite element method. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022, 399, 115362.	3.4	2
8121	Transference of SH waves in a piezoelectric fiber-reinforced composite layered structure employing perfectly matched layer and infinite element techniques coupled with finite elements. <i>Finite Elements in Analysis and Design</i> , 2022, 209, 103814.	1.7	5
8122	Near-UV light emitting diode with on-chip photocatalysts for purification applications. <i>Nanoscale Advances</i> , 2022, 4, 3585-3591.	2.2	2
8123	Elastic full waveform inversion based on equivalent staggered grid FDM and inter-parameter trade-off mitigation. <i>Acta Geophysica</i> , 0, , .	1.0	0
8124	Optimal Control in a Bounded Domain for Wave Propagating in the Whole Space: Coupling Through Boundary Integral Equations. <i>Journal of Scientific Computing</i> , 2022, 92, .	1.1	0
8125	A graph-space optimal transport objective function based on q-statistics to mitigate cycle-skipping issues in FWI. <i>Geophysical Journal International</i> , 2022, 231, 1363-1385.	1.0	8
8126	Impact of Backward Waves to FEM Simulations of SAW Resonators. , 2022, , .		1
8127	Frequency-Explicit A Posteriori Error Estimates for Finite Element Discretizations of Maxwell's Equations. <i>SIAM Journal on Numerical Analysis</i> , 2022, 60, 1774-1798.	1.1	2
8128	Coupling of Photonic Crystal Surface Modes. <i>Advances in Condensed Matter Physics</i> , 2022, 2022, 1-9.	0.4	2
8129	Effects of geometric parameters on photoemission of AlGaIn nanowire array photocathode. <i>Materials Research Express</i> , 2022, 9, 085002.	0.8	2
8130	An immersed absorbing boundary condition for scalar wavefield modeling under topography. , 2022, , .		0
8131	Study on Propagation Characteristics of Ground Penetrating Radar Wave in Dikes and Dams with Polymer Grouting Repair Using Finite-Difference Time-Domain with Perfectly Matched Layer Boundary Condition. <i>Sustainability</i> , 2022, 14, 10293.	1.6	3
8132	System incorporated direct-splitting algorithm for periodic nonuniform metamaterial design in open regions. <i>Optik</i> , 2022, 271, 169812.	1.4	2
8133	High Speed Simulation and Freeform Optimization of Nanophotonic Devices with Physics-Augmented Deep Learning. <i>ACS Photonics</i> , 2022, 9, 3110-3123.	3.2	25
8134	On the use of nonlinear anisotropic diffusion filters for seismic imaging using the full waveform. <i>Inverse Problems</i> , 2022, 38, 115001.	1.0	2

#	ARTICLE	IF	CITATIONS
8135	Synthetic modeling and field GPR survey to understand the near-surface deformation induced by coseismic groundwater dynamics following the 2019 Mirpur earthquake in Pakistan. <i>The Leading Edge</i> , 2022, 41, 529-539.	0.4	1
8136	<sc>ICNâ€FDTD</sc> scheme with absorption boundary condition for nonuniform rotational symmetric geometrics. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2023, 36, .	1.2	2
8137	Suppressing position approximation imaging artifacts in full waveform modeling and inversion of marine seismic data. <i>Journal of Applied Geophysics</i> , 2022, 205, 104756.	0.9	1
8138	Angle and polarization dependent coupling of surface plasmon and gap modes in plasmonic gap metasurfaces. <i>Optical Materials</i> , 2022, 132, 112884.	1.7	1
8139	Analysis of non-noble plasmonic enhanced solar distillation using computed optical activities. <i>Desalination</i> , 2022, 541, 115999.	4.0	1
8140	The Crankâ€Nicolson mixed finite element method for the improved system of time-domain Maxwellâ€™s equations. <i>Applied Mathematics and Computation</i> , 2022, 433, 127422.	1.4	2
8141	Evaluation of the lightning performance of grounding electrodes using FDTD-based computational model: Influence of absorbing boundary conditions and representation of the frequency-dependence of soil parameters. <i>Electric Power Systems Research</i> , 2022, 213, 108728.	2.1	2
8142	The enriched degree of freedom method for the absorbing boundary and its application to XFEM in elastodynamic problems. <i>Applied Mathematical Modelling</i> , 2022, 112, 168-198.	2.2	4
8143	Investigation and Analysis of Acoustojets by Spectral Element Method. <i>Mathematics</i> , 2022, 10, 3145.	1.1	9
8144	2D electromagnetic simulation for ground penetrating radar with a topographic ground surface by the curvilinear collocated-grid finite-difference method combined with equivalent field method. <i>Journal of Applied Geophysics</i> , 2022, 206, 104812.	0.9	2
8145	Long-distance Pulse Propagation of 50 Uncoupled Fiber Modes due to Topological Confinement. , 2022, , .		1
8146	Deep-Learning-Based Seismic Variable-Size Velocity Model Building. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2022, 19, 1-5.	1.4	3
8147	FDTD Method With Explicit Non-Iterative and Second Order Treatment for Kerr Nonlinearities. <i>IEEE Journal on Multiscale and Multiphysics Computational Techniques</i> , 2022, 7, 195-199.	1.4	2
8148	Analysis of optical resonator constructed by two-dimensional MDM plasmonic waveguide. <i>IEICE Transactions on Electronics</i> , 2022, , .	0.3	1
8149	Higher Order CPML for Leapfrog Complying-Divergence Implicit FDTD Method and Its Numerical Properties. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2023, 71, 522-535.	2.9	7
8150	Full Waveform Inversion with Compound Total Variation Regularization. <i>Modern Physics</i> , 2022, 12, 115-128.	0.1	0
8151	Time-harmonic analysis of acoustic pulsation in gas pipeline systems using the Finite Element Transfer Matrix Method: Theoretical aspects. <i>Mechanical Systems and Signal Processing</i> , 2023, 186, 109824.	4.4	2
8152	A Fast and Precise Parallel Numerical Model Using PML for Maxwellâ€™s Equations. , 2022, , .		1

#	ARTICLE	IF	CITATIONS
8153	A high-resolution microseismic source location method based on contrast source algorithm. <i>Geophysical Journal International</i> , 2022, 232, 548-568.	1.0	1
8154	Observational and numerical characterization of a recurrent arc-shaped front propagating along a coronal fan. <i>Astronomy and Astrophysics</i> , 2022, 667, A21.	2.1	1
8155	Dynamic analysis of the different types of elliptic cylindrical inclusions subjected to plane SH-wave scattering. <i>Mathematical Methods in the Applied Sciences</i> , 2023, 46, 2773-2800.	1.2	3
8156	Infinite GMRES for Parameterized Linear Systems. <i>SIAM Journal on Matrix Analysis and Applications</i> , 2022, 43, 1382-1405.	0.7	1
8157	Radial Complex Scaling for Anisotropic Scalar Resonance Problems. <i>SIAM Journal on Numerical Analysis</i> , 2022, 60, 2713-2730.	1.1	0
8158	A linear approach to simulate a constant- Q model in time-domain GPR modeling using multiple Debye poles: Theory and application in karst carbonate rocks. <i>Geophysics</i> , 0, , 1-70.	1.4	1
8159	Mixed-Mode Optical/Electric Simulation of Silicon Lateral PIN Photodiode Using FDTD Method. <i>Silicon</i> , 0, , .	1.8	1
8160	Implementation of Partially Reflecting Boundary Conditions in the Generalized Maxwell-Bloch Equations. , 2022, , .		2
8161	Computing diffraction anomalies as nonlinear eigenvalue problems. <i>Physical Review E</i> , 2022, 106, .	0.8	0
8162	Simulation Study on Broadband Light Harvesting Properties of Aluminium Nanosphere and Silicon Nanopillar Arrays based Tandem Structure. <i>Silicon</i> , 0, , .	1.8	2
8163	Hybrid absorbing boundary condition based on transmitting boundary and its application in 3D fractional viscoacoustic modeling. <i>Petroleum Science</i> , 2022, , .	2.4	0
8164	Physically agnostic quasi normal mode expansion in time dispersive structures: From mechanical vibrations to nanophotonic resonances. <i>European Journal of Mechanics, A/Solids</i> , 2023, 100, 104809.	2.1	3
8165	Hybrid absorbing scheme based on hyperelliptical layers with non-reflecting boundary conditions in scalar wave equations. <i>Applied Mathematical Modelling</i> , 2023, 113, 475-513.	2.2	1
8166	PML and High-Accuracy Boundary Integral Equation Solver for Wave Scattering by a Locally Defected Periodic Surface. <i>SIAM Journal on Numerical Analysis</i> , 2022, 60, 2592-2625.	1.1	1
8167	One-Step Leapfrog Locally 1D Theory with Higher-Order Enhanced Absorption for Fine-Details Simulation. <i>Advanced Theory and Simulations</i> , 0, , 2200073.	1.3	1
8168	Multimode-Assisted Broadband Impedance-Gradient Thin Metamaterial Absorber. <i>Advanced Photonics Research</i> , 2022, 3, .	1.7	11
8169	A Novel FDTD-PML Scheme for Noise Propagation Generated by Biomimetic Flapping Thrusters in the Ocean Environment. <i>Journal of Marine Science and Engineering</i> , 2022, 10, 1240.	1.2	3
8170	Numerical modeling and field test of sonic crystal acoustic barriers. <i>Environmental Science and Pollution Research</i> , 2023, 30, 16289-16304.	2.7	6

#	ARTICLE	IF	CITATIONS
8171	FEM-BEM Coupling for the Maxwellâ€“Landauâ€“Lifshitzâ€“Gilbert Equations via Convolution Quadrature: Weak Form and Numerical Approximation. Computational Methods in Applied Mathematics, 2023, 23, 19-48.	0.4	2
8172	Finite difference modelling of SH wave propagation: A case study of Gorkha earthquake, 25th April, 2015 (Mw 7.8). Journal of Earth System Science, 2022, 131, .	0.6	0
8173	Developing and analyzing an explicit unconditionally stable finite element scheme for an equivalent BÃ©rengerâ€™s PML model. , 2023, 57, 621-644.		2
8174	Modeling of indoor network channels with dispersive media based on a modified <sc>CFDTD</sc> method. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2023, 36, .	1.2	0
8175	Isogeometric analysis of acoustic scattering with perfectly matched layers (IGAPML). Computer Methods in Applied Mechanics and Engineering, 2022, 401, 115647.	3.4	3
8176	Scattering in a partially open waveguide: The inverse problem. Inverse Problems and Imaging, 2022, .	0.6	0
8177	Wide-Band Butterfly Network: Stable and Efficient Inversion Via Multi-Frequency Neural Networks. Multiscale Modeling and Simulation, 2022, 20, 1191-1227.	0.6	2
8178	An Application-Based Study on Electromagnetic Absorber Using Metamaterial. , 0, , .		1
8179	Two exact first-order k-space formulations for low-rank viscoacoustic wave propagation on staggered grids. Petroleum Science, 2023, 20, 1521-1531.	2.4	1
8180	Elastic wave pre-stack reverse-time migration based on the second-order P- and S-wave decoupling equation. Journal of Geophysics and Engineering, 2022, 19, 1221-1234.	0.7	1
8181	Block paralleled BPM simulation of an optical waveguide with cross-sectional random refractive index distribution. Journal of the Optical Society of America B: Optical Physics, 2022, 39, 3074.	0.9	0
8182	Absorption of charged particles in perfectly matched layers by optimal damping of the deposited current. Physical Review E, 2022, 106, .	0.8	0
8183	Automated hyperparameter optimization for simulating boundary conditions for acoustic and elastic wave propagation using deep learning. Geophysics, 2023, 88, WA309-WA318.	1.4	1
8184	Weighted-average time-lapse seismic full-waveform inversion. Geophysics, 2023, 88, R25-R38.	1.4	2
8185	Ambipolar Diffusion in the Lower Solar Atmosphere: Magnetohydrodynamic Simulations of a Sunspot. Astrophysical Journal, 2022, 938, 154.	1.6	3
8186	A hybrid FDTD/MoM algorithm with a non-uniform grid for MRI RF coil design. Magnetic Resonance Imaging, 2023, 96, 75-84.	1.0	1
8187	Seismic data reconstruction using Bregman iterative algorithm based on compressed sensing and discrete orthonormal wavelet transform. Geophysical Prospecting, 0, , .	1.0	0
8188	Perfectly Matched Layers Methods for Mixed Hyperbolicâ€“Dispersive Equations. Water Waves, 2022, 4, 313-343.	0.3	3

#	ARTICLE	IF	CITATIONS
8189	Domain Decomposition Spectral Method Applied to Modal Method: Direct and Inverse Spectral Transforms. <i>Sensors</i> , 2022, 22, 8131.	2.1	0
8190	Design and analysis of electrothermal metasurfaces. <i>Frontiers in Energy</i> , 2023, 17, 134-140.	1.2	5
8191	Simulation of improved pure Pâ€wave equation in transversely isotropic media with a horizontal symmetry axis. <i>Geophysical Prospecting</i> , 0, , .	1.0	0
8192	Open-Source Computational Photonics with Auto Differentiable Topology Optimization. <i>Mathematics</i> , 2022, 10, 3912.	1.1	3
8193	Finite-difference modeling of 3D frequency-domain elastic wave equation using an affine mixed-grid method. <i>Geophysics</i> , 2023, 88, T45-T63.	1.4	1
8194	A mesh-free finite-difference scheme for frequency-domain acoustic wave simulation with topography. <i>Applied Geophysics</i> , 0, , .	0.1	0
8195	Finite Element Method for a Nonlinear Perfectly Matched Layer Helmholtz Equation with High Wave Number. <i>SIAM Journal on Numerical Analysis</i> , 2022, 60, 2866-2896.	1.1	2
8196	Comparison of 2. <scp>5D</scp> finite element formulations with perfectly matched layers for solving open axisymmetric electromagnetic cavity problems. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 0, , .	1.2	1
8197	A Fixed-Point Iteration Method for High Frequency Helmholtz Equations. <i>Journal of Scientific Computing</i> , 2022, 93, .	1.1	1
8198	A room-temperature polarization-sensitive CMOS terahertz camera based on quantum-dot-enhanced terahertz-to-visible photon upconversion. <i>Nature Nanotechnology</i> , 2022, 17, 1288-1293.	15.6	10
8199	Modal analysis of transverse Anderson localization based on the imaginary distance BPM. <i>Optics Express</i> , 2022, 30, 43900.	1.7	1
8200	Narrow band filter designed from Bravais-MoirÃ©two-dimensional photonic crystal. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2022, 52, 101082.	1.0	0
8201	Single-mode D-shaped photonic crystal fiber surface plasmon resonance sensor with open microchannel. <i>Optical Fiber Technology</i> , 2022, 74, 103105.	1.4	7
8202	Absorbing Boundary Conditions and Widened Spatial Stencils. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2006, , 95-120.	0.2	0
8203	Principal Implementation Issues of Time-Domain EMC Simulations. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2008, , 155-222.	0.2	0
8204	Fundamental Time-Domain Methodologies for EMC Analysis. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2008, , 9-62.	0.2	0
8205	The Perfectly Matched Layer (PML) Absorbing Medium. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2011, , 113-135.	0.2	0
8206	Absorbing Boundary Conditions. <i>Synthesis Lectures on Computational Electromagnetics</i> , 2011, , 101-111.	0.2	0

#	ARTICLE	IF	CITATIONS
8207	Uncertainty Assessment of Stochastic EM Problems via an Adaptive Anisotropic Polynomial-chaos Technique. <i>Progress in Electromagnetics Research B</i> , 2022, 97, 55-71.	0.7	0
8208	Numerical Simulation and Experiment for the Bottom Boundary of Riprap of Seawall by GPR. <i>IEEE Journal on Multiscale and Multiphysics Computational Techniques</i> , 2022, 7, 296-303.	1.4	0
8209	Scaled Boundary Perfectly Matched Layer (SBPML): A novel 3D time-domain artificial boundary method for wave problem in general-shaped and heterogeneous infinite domain. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2023, 403, 115738.	3.4	12
8210	FDTD Computation of Lightning-induced Surges in a Reinforced-Concrete Apartment Building. , 2022, , .		0
8211	A novel enriched degree of freedom method for absorbing boundary conditions in the time-domain finite element method. <i>Engineering With Computers</i> , 2023, 39, 3401-3419.	3.5	4
8213	Perfectly matched layer and infinite element coupled with finite elements for SH waves in an imperfect piezoelectric viscoelastic structure. <i>European Journal of Mechanics, A/Solids</i> , 2023, 98, 104863.	2.1	0
8214	A New Explicit-Implicit Hybridizable Discontinuous Galerkin Time-Domain Method for Electromagnetics. <i>IEEE Microwave and Wireless Components Letters</i> , 2022, 32, 1263-1266.	2.0	2
8215	Time-domain PML analysis of a fluid-solid interaction problem above a rough surface. <i>Mathematical Methods in the Applied Sciences</i> , 0, , .	1.2	0
8216	Nearly perfectly matched layer implementation for time domain spectral element modelling of wave propagation in 3D heterogeneous and anisotropic porous media. <i>Journal of Applied Geophysics</i> , 2023, 208, 104870.	0.9	1
8217	Data assimilated time-lapse visco-acoustic full waveform inversion: Theory and Application for injected CO2 plume monitoring. <i>Geophysics</i> , 0, , 1-87.	1.4	1
8218	Acoustic radiation performance investigation of a double-walled cylindrical shell equipped with annular plates and porous foam media. <i>Journal of Low Frequency Noise Vibration and Active Control</i> , 0, , 146134842211322.	1.3	2
8219	Non-Hermitian skin effect and lasing of absorbing open-boundary modes in photonic crystals. <i>Physical Review B</i> , 2022, 106, .	1.1	1
8220	Transparent boundary condition for simulating rogue wave solutions in the nonlinear Schrödinger equation. <i>Physical Review E</i> , 2022, 106, .	0.8	2
8221	Full-waveform inversion based on generalized Rényi entropy using patched Green's function techniques. <i>PLoS ONE</i> , 2022, 17, e0275416.	1.1	1
8222	Numerical Simulation and Application of Transient Electromagnetic Detection Method in Mine Water-Bearing Collapse Column Based on Time-Domain Finite Element Method. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 11331.	1.3	1
8224	Accelerating Electromagnetic Field Simulations Based on Memory-Optimized CPML-FDTD with OpenACC. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 11430.	1.3	1
8225	Electromagnetic radiation from multilayer printed circuit boards: a 3D FDTD-based virtual emission predictor. <i>Turkish Journal of Electrical Engineering and Computer Sciences</i> , 0, , .	0.9	2
8226	A Nodal Integral Scheme for Acoustic Wavefield Simulation. <i>Pure and Applied Geophysics</i> , 2022, 179, 3677-3691.	0.8	1

#	ARTICLE	IF	CITATIONS
8229	Vibrations Induced by a Low Dynamic Loading on a Driven Pile: Numerical Prediction and Experimental Validation. <i>Vibration</i> , 2022, 5, 829-845.	0.9	3
8230	Characterization of Transmission Lines in Microelectronic Circuits Using the ARTEMIS Solver. <i>IEEE Journal on Multiscale and Multiphysics Computational Techniques</i> , 2023, 8, 31-39.	1.4	1
8231	An investigation on the effect of crack lengths and wavelengths on the dynamic cracking behaviours of brittle materials using the improved XFEM. <i>Engineering Fracture Mechanics</i> , 2023, 277, 109008.	2.0	2
8232	Illumination guided sparse geometry optimization for target-oriented full-waveform inversion: An ocean bottom node synthetic study. <i>Journal of Applied Geophysics</i> , 2023, 209, 104915.	0.9	0
8233	A FDTD scheme and analysis for photonic crystal waveguides comprising third-order nonlinear and linear materials. <i>Journal of Computational and Applied Mathematics</i> , 2023, 424, 115005.	1.1	1
8234	Calibration of broadband double-ridged guide horn antenna by considering phase center. , 2009, , .		0
8235	Complex Envelope Weaker HIE With Higher Order PML Algorithm for FDTD Simulation. <i>IEEE Microwave and Wireless Components Letters</i> , 2023, 33, 251-254.	2.0	3
8236	Broadband and Omnidirectionally Matched Absorber for a Discrete Source. <i>IEEE Transactions on Antennas and Propagation</i> , 2023, 71, 2033-2038.	3.1	2
8237	From Microwave Acoustic Filters to Millimeter-Wave Operation and New Applications. <i>IEEE Journal of Microwaves</i> , 2023, 3, 484-508.	4.9	31
8239	Large Ion-neutral Drift Velocities and Plasma Heating in Partially Ionized Coronal Rain Blobs. <i>Astrophysical Journal Letters</i> , 2022, 940, L47.	3.0	4
8240	A novel linearized and momentum-preserving Fourier pseudo-spectral scheme for the Rosenau-Korteweg de Vries equation. <i>Numerical Methods for Partial Differential Equations</i> , 0, , .	2.0	1
8241	Multi-Directional Cloak Design by All-Dielectric Unit-Cell Optimized Structure. <i>Nanomaterials</i> , 2022, 12, 4194.	1.9	0
8242	2D frequency-domain finite-difference acoustic wave modeling using optimized perfectly matched layers. <i>Geophysics</i> , 2023, 88, F1-F13.	1.4	1
8243	Analysis of Localized Modes in Disordered Optical Waveguides Mediated by Transverse Anderson Localization. <i>IEEE Photonics Journal</i> , 2022, 14, 1-5.	1.0	0
8244	Numerical modeling of the impacts of acoustic stimulus on fish otoliths from two directions. <i>Journal of the Acoustical Society of America</i> , 2022, 152, 3226-3234.	0.5	6
8245	The Distinctive Forehead Cleft of the Risso's Dolphin (<i>Grampus griseus</i>) Hardly Affects Biosonar Beam Formation. <i>Animals</i> , 2022, 12, 3472.	1.0	0
8247	Two Dimensional Simulation of Electromagnetic Waves on Metal Materials Using the FDTD Method. <i>Journal of Physics: Conference Series</i> , 2022, 2392, 012037.	0.3	0
8248	Plasmonic lithography fast imaging model based on the decomposition machine learning method. <i>Optics Express</i> , 2023, 31, 192.	1.7	2

#	ARTICLE	IF	CITATIONS
8250	Adaptive FEM for Helmholtz Equation with Large Wavenumber. Journal of Scientific Computing, 2023, 94, .	1.1	1
8251	Spectral analysis and domain truncation for Maxwell's equations. Journal Des Mathematiques Pures Et Appliquees, 2023, 170, 96-135.	0.8	4
8252	About the Propagation of RSDNâ€”20 â€œAlphaâ€•Signals in the Earthâ€”Ionosphere Waveguide During Geomagnetic Disturbances. Radio Science, 2023, 58, .	0.8	1
8253	Microwave-Based Subsurface Characterization through A Combined Finite Element and Variable Exponent Spaces Technique. Sensors, 2023, 23, 167.	2.1	0
8254	EEG-fMRI at Ultrahigh Magnetic Fields: BO â‰¥ 3 Tesla. , 2022, , 247-266.		0
8255	A High-Efficiency Spectral Element Method Based on CFS-PML for GPR Numerical Simulation and Reverse Time Migration. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2023, 16, 1232-1243.	2.3	3
8256	Numerical simulation and time-frequency analysis of borehole acoustic logging in fractured formations. Studia Geophysica Et Geodaetica, 0, , .	0.3	0
8257	One-Step Crank-Nicolson Direct-Splitting Algorithm with Enhanced Absorption to Evaluate Low-Pressure Discharge for Satellite Sensors in Outer Space. Sensors, 2023, 23, 1085.	2.1	0
8258	Simulation of ion cyclotron resonance heating by using particle-in-cell method in MPS-LD linear plasma device. Plasma Physics and Controlled Fusion, 2023, 65, 035003.	0.9	1
8259	Numerical investigation on seismoelectric wave fields in porous media: porosity and permeability. Journal of Geophysics and Engineering, 2023, 20, 1-11.	0.7	1
8260	Resonance Expansion of Quadratic Quantities with Regularized Quasinormal Modes. Physica Status Solidi (A) Applications and Materials Science, 2023, 220, .	0.8	1
8261	Improved Least-Squares Migration through Double Sweeping Solver. Geophysics, 0, , 1-50.	1.4	1
8262	A Fictitious Domain Spectral Method for Solving the Helmholtz Equation in Exterior Domains. Journal of Scientific Computing, 2023, 94, .	1.1	1
8263	Regimes of optical propagation through turbulence: theory and direct numerical simulations. Waves in Random and Complex Media, 0, , 1-35.	1.6	1
8264	Refractive Index Measurement Using SOI Photodiode with SP Antenna toward SOI CMOS-Compatible Integrated Optical Biosensor. Sensors, 2023, 23, 568.	2.1	0
8265	Pre-conceptual studies of Travelling Wave Array antenna for EAST. Plasma Physics and Controlled Fusion, 0, , .	0.9	2
8266	Imaging the Fault Zone Structure of the Pearl River Estuary Fault in Guangzhou, China, from Waveform Inversion with an Active Source and Dense Linear Array. Remote Sensing, 2023, 15, 254.	1.8	0
8267	Electromagnetic-Thermal Analysis With FDTD and Physics-Informed Neural Networks. IEEE Journal on Multiscale and Multiphysics Computational Techniques, 2023, 8, 49-59.	1.4	4

#	ARTICLE	IF	CITATIONS
8268	A stepwise artificial boundary condition for wave propagation in elasto-plastic media. <i>Soil Dynamics and Earthquake Engineering</i> , 2023, 165, 107733.	1.9	2
8269	Local absorbing boundary conditions for the elastic wave equation. <i>Wave Motion</i> , 2023, 118, 103109.	1.0	1
8270	Phase shift migration with absorbing boundary condition for full-matrix imaging heterogenous medium with high quality. <i>Mechanical Systems and Signal Processing</i> , 2023, 189, 110055.	4.4	1
8271	Seismic Wave Modeling with an Improved Sponge Boundary Condition Considering Viscoelastic Behavior. <i>Journal of the Korean Society of Mineral and Energy Resources Engineers</i> , 2022, 59, 656-672.	0.1	0
8272	Strong spectral broadening of Cherenkov-type terahertz radiation by free carrier generation. <i>Physical Review A</i> , 2023, 107, .	1.0	2
8273	Introduction and State of the Art. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2023, , 1-9.	0.2	0
8274	Convolutional Neural Networks in the Problem of Ultrasound Imaging of Defects. <i>Springer Proceedings in Materials</i> , 2023, , 304-316.	0.1	0
8275	Rayleigh wave spectral distortions induced by an anticline structure. <i>Geophysical Journal International</i> , 2023, 233, 2067-2083.	1.0	1
8276	Inkjet-Printed P(VDF-TrFE) Film for High-Frequency Annular Array. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2023, 70, 313-323.	1.7	1
8277	A compact finite difference scheme with absorbing boundary condition for forced KdV equation. <i>MethodsX</i> , 2023, 10, 102036.	0.7	0
8278	Robust FDTD Modeling of Graphene-Based Conductive Materials with Transient Features for Advanced Antenna Applications. <i>Nanomaterials</i> , 2023, 13, 384.	1.9	2
8279	A Boundary Integral Method for 3-D Nonuniform Dielectric Waveguide Problems via the Windowed Green Function. <i>IEEE Transactions on Antennas and Propagation</i> , 2023, 71, 3758-3763.	3.1	1
8280	Fully Kinetic Simulations: Semi-Lagrangian Particle-in-Cell Codes. , 2023, , 163-207.		0
8281	On perfectly matched layers of nonlocal wave equations in unbounded multiscale media. <i>Journal of Mechanics of Materials and Structures</i> , 2022, 17, 343-364.	0.4	2
8282	Advance Reconnaissance and Optimal Monitoring. , 2023, , 9-91.		0
8283	Does rotation increase the acoustic field of view? Comparative models based on CT data of a live dolphin versus a dead dolphin. <i>Bioinspiration and Biomimetics</i> , 2023, 18, 035006.	1.5	1
8284	PyFWI: A Python package for full-waveform inversion and reservoir monitoring. <i>SoftwareX</i> , 2023, 22, 101384.	1.2	2
8285	Study on photoemission of field assisted InGaN nanocone array photocathode. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2023, 292, 116396.	1.7	0

#	ARTICLE	IF	CITATIONS
8286	Hybrid asynchronous isogeometric Perfectly Matched Layer for transient elastodynamics. <i>Computers and Geotechnics</i> , 2023, 158, 105387.	2.3	0
8287	In-situ characterization method for tool ultrasonic vibration in rotary ultrasonic machining based on radiated acoustic pressure. <i>Mechanical Systems and Signal Processing</i> , 2023, 195, 110294.	4.4	4
8288	Elastic waveform inversion in the frequency domain for an application in mechanized tunneling. <i>Tunnelling and Underground Space Technology</i> , 2023, 137, 105114.	3.0	2
8289	Parametrization-free locally-conformal perfectly matched layer method for finite element solution of Helmholtz equation. <i>Computer Physics Communications</i> , 2023, 288, 108741.	3.0	1
8293	Stability of Perfectly Matched Layers for Time Fractional Schrödinger Equation. <i>Engineering</i> , 2023, 15, 1-12.	0.4	1
8294	Scattering in a partially open waveguide: the forward problem. <i>IMA Journal of Applied Mathematics</i> , 2023, 88, 102-151.	0.8	1
8295	Numerical solutions of the time-dependent Schrödinger equation with position-dependent effective mass. <i>Numerical Methods for Partial Differential Equations</i> , 2023, 39, 3222-3245.	2.0	2
8296	Reflectometry diagnostics for atmospheric entry applications: state-of-the-art and new developments. <i>CEAS Space Journal</i> , 2024, 16, 1-18.	1.1	1
8297	Application of G-N high-order boundary condition on time harmonic analysis of concrete gravity dam-reservoir systems. <i>Engineering Computations</i> , 2023, 40, 313-334.	0.7	1
8298	Seismic forward modeling of acoustic surface-related order-separated multiples. <i>Marine Geophysical Researches</i> , 2023, 44, .	0.5	0
8299	Anisotropic minimum dissipation subgrid-scale model in hybrid aeroacoustic simulations of human phonation. <i>Journal of the Acoustical Society of America</i> , 2023, 153, 1052-1063.	0.5	3
8300	Inertial amplified topological metamaterial beams. <i>Journal of Applied Physics</i> , 2023, 133, .	1.1	2
8301	Improvement in Runtime Speed for Frequency Domain Soil-Structure Interaction Analysis Using a Coarray Parallel Processing Technique. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 2356.	1.3	0
8302	Modeling and inversion in acoustic-elastic coupled media using energy-stable summation-by-parts operators. <i>Geophysics</i> , 2023, 88, T137-T150.	1.4	0
8303	Echoes from backreacting exotic compact objects. <i>Physical Review D</i> , 2023, 107, .	1.6	3
8304	Tracking nanoscale perturbation in active disordered media. <i>Physical Review A</i> , 2023, 107, .	1.0	2
8305	Peridynamic elastic waves in two-dimensional unbounded domains: Construction of nonlocal Dirichlet-type absorbing boundary conditions. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2023, 407, 115948.	3.4	17
8306	Eigenchannel analysis of super-resolution far-field sensing with a randomly scattering analyzer. <i>Physical Review A</i> , 2023, 107, .	1.0	2

#	ARTICLE	IF	CITATIONS
8307	Pushing the Frontier in the Design of Laser-Based Electron Accelerators with Groundbreaking Mesh-Refined Particle-In-Cell Simulations on Exascale-Class Supercomputers. , 2022, , .		13
8308	Frequency-domain elastic full-waveform inversion based on Green functions. Journal of Physics: Conference Series, 2023, 2444, 012003.	0.3	0
8309	Multiscale Kinetic Simulations. , 2023, , 255-282.		0
8310	Time-domain simulation of acoustic wave scattering and internal propagation from a gas bubble of various shapes. Journal of the Acoustical Society of America, 2023, 153, 1468-1479.	0.5	1
8311	A joint absorbing boundary for the multiple-relaxation-time lattice Boltzmann method in seismic acoustic wavefield modeling. Petroleum Science, 2023, 20, 2113-2126.	2.4	5
8312	Acoustic black hole for Lamb fundamental flexural mode. European Physical Journal Plus, 2023, 138, .	1.2	1
8313	Optical perfectly matched layers based on the integration of photonic crystals and material loss. Optics Express, 2023, 31, 11080.	1.7	0
8314	On the interaction of Tollmienâ€“Schlichting waves with a wall-embedded Helmholtz resonator. Physics of Fluids, 2023, 35, 034104.	1.6	1
8315	Correlation-based full-waveform shear wave elastography. Physics in Medicine and Biology, 0, , .	1.6	0
8316	Green Reflector with Predicted Chromatic Coordinates. Materials, 2023, 16, 2316.	1.3	0
8317	Determination of 2D Particle Size Distributions in Plasmonic Nanoparticle Colloids via Analytical Ultracentrifugation: Application to Gold Bipyramids. ACS Nano, 2023, 17, 5785-5798.	7.3	2
8318	Rectangular-Shape Cladding-Based Photonic Crystal Fiber Surface Plasmon Resonance-Based Refractive Index Sensor. Plasmonics, 2023, 18, 921-929.	1.8	2
8319	A perceptual evaluation of numerical errors in acoustic FEM simulation for sound quality applications. Applied Acoustics, 2023, 207, 109295.	1.7	1
8320	Ring resonator-based highly sensitive chemical/biochemical sensor created on holes in silicon slab 2D photonic crystal. Journal of Optics (India), 2023, 52, 2315-2322.	0.8	3
8321	Reconstruction of smooth shape defects in waveguides using locally resonant frequencies. Inverse Problems, 2023, 39, 055006.	1.0	1
8322	Accurate simulation of THz generation with finite-element time domain methods. Optics Express, 2023, 31, 25915.	1.7	1
8323	Interaction analysis revisited by generalized finite difference method with perfectly matched layer. Soil Dynamics and Earthquake Engineering, 2023, 170, 107923.	1.9	1
8324	Helmholtz-equation solution in nonsmooth media by a physics-informed neural network incorporating quadratic terms and a perfectly matching layer condition. Geophysics, 2023, 88, T185-T202.	1.4	2

#	ARTICLE	IF	CITATIONS
8325	Simultaneous occurrence and compensating effects of multi-type disorder in two-dimensional photonic structures. <i>Nano Select</i> , 2023, 4, 368-385.	1.9	1
8326	A novel micro-scaled multi-layered optical stress sensor for force sensing. <i>Journal of Computational Electronics</i> , 2023, 22, 768-782.	1.3	0
8327	Patient-specific simulation of high-intensity focused ultrasound for head and neck cancer ablation. <i>Journal of Mechanical Science and Technology</i> , 2023, 37, 2119-2130.	0.7	0
8328	Attenuation of Tollmien-Schlichting waves using resonating surface-embedded phononic crystals. <i>Physics of Fluids</i> , 2023, 35, 044101.	1.6	2
8329	Stability and convergence analysis of high-order numerical schemes with DtN-type absorbing boundary conditions for nonlocal wave equations. <i>IMA Journal of Numerical Analysis</i> , 2024, 44, 604-632.	1.5	2
8330	Germanium infrared photodetector structure with Ge/SiO ₂ grating and distributed Bragg reflector for wide-angle and high response. <i>Optical and Quantum Electronics</i> , 2023, 55, .	1.5	1
8331	Deep Learning Equipped Iterative Solution of Electromagnetic Scattering From Dielectric Objects. <i>IEEE Transactions on Antennas and Propagation</i> , 2023, , 1-1.	3.1	0
8332	Full waveform inversion as training a neural network. <i>Physica Scripta</i> , 0, , .	1.2	0
8333	Monitoring fluid saturation in reservoirs using time-lapse full-waveform inversion. <i>Geophysical Prospecting</i> , 2023, 71, 1012-1029.	1.0	0
8334	An ultra-high sensitivity methane gas sensor based on Vernier effect in two parallel optical fiber Sagnac loops. <i>Optics Communications</i> , 2023, 540, 129509.	1.0	5
8335	Phonon transmission through a nonlocal metamaterial slab. <i>Communications Physics</i> , 2023, 6, .	2.0	6
8336	Particle Swarm Optimization of Resonant Sonic Crystals Noise Barriers. <i>IEEE Access</i> , 2023, , 1-1.	2.6	0
8337	Scaling information pathways in optical fibers by topological confinement. <i>Science</i> , 2023, 380, 278-282.	6.0	4
8338	Modeling of power ultrasonic transducers. , 2023, , 147-159.		0
8355	Applications of Maxwell's equations to light scattering by dielectric particles. , 2023, , 133-147.		0
8356	Assessment of a non-Hilbertian Inverse Scattering Approach for Electromagnetic Tomography in Subsurface Environments. , 2023, , .		0
8358	Finite Element Modeling of Effects of Acoustic Stimulation on Fish Otoliths. , 2023, , 1-15.		0
8405	FDTD modeling of graphene-based materials and its application in sensing devices. , 2023, , .		0

#	ARTICLE	IF	CITATIONS
8407	Evolutionary Optimization of a Focused Ultrasound Propagation Predictor Neural Network. , 2023, , .		0
8408	Computer Simulation of the Three-Dimensional Synthesis of Phase Images of Nanometer Scale Objects. Communications in Computer and Information Science, 2023, , 311-322.	0.4	0
8411	Return-Stroke Field Close to the Channel with Finitely Conducting Earth. , 2023, , .		0
8413	Physics-Informed Neural Networks for Multiphysics Simulations: Application to Coupled Electromagnetic-Thermal Modeling. , 2023, , .		0
8414	Inverse Design of Perfectly-Matched Metamaterials. , 2023, , .		0
8420	Direct Acoustic Scattering Problems. , 2023, , 5-28.		0
8446	Approaching Dielectric Silicon Slot Waveguides for THz Frequencies by Simulation From Optical and Electrical Points of View. , 2023, , .		0
8449	Patch-Based Perfectly Matched Layer Scheme in Three-Dimensional Unstructured Meshes. , 2023, , .		0
8453	Quasinormal Mode Theories and Applications in Classical and Quantum Nanophotonics. Springer Series in Optical Sciences, 2023, , 87-135.	0.5	0
8457	Photonic band edge and defect modes in 1D cholesteric liquid crystals. , 2023, , .		0
8470	Truncation of Perfectly Matched Layers Based on Recurrent Neural Networks in FDTD. , 2023, , .		0
8485	Metal Composite Backing with High Acoustic Attenuation and Impedance for P(VDF-TrFE)-based Transducer. , 2023, , .		0
8504	Suppressing Numerical Reflections through a New Boundary Condition. , 2023, , .		0
8511	Effects of Buildings on Lightning-Induced Voltages on Distribution Lines Considering Different Values of the Soil Conductivity. , 2023, , .		0
8512	Modelling the tuning of photonic band gap of 1 D periodic dielectric structure using frequency domain. AIP Conference Proceedings, 2023, , .	0.3	0
8526	Fast imaging model of periodic patterns in plasmonic lithography. , 2023, , .		0
8562	Solution of Time-Harmonic Maxwell's Equations by Domain Decomposition Method Based on PML Transmission Conditions. Mathematics in Industry, 2024, , 45-52.	0.1	0