

# Wastewater minimisation

Chemical Engineering Science

49, 981-1006

DOI: [10.1016/0009-2509\(94\)80006-5](https://doi.org/10.1016/0009-2509(94)80006-5)

Citation Report

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Integration: The key to pollution prevention. Waste Management, 1994, 14, 215-229.  | 3.7 | 3         |
| 2  | Minimizing the environmental impact of process Plants: A process systems methodology. Computers and Chemical Engineering, 1995, 19, 39-44.        | 2.0 | 54        |
| 3  | Dealing with Plant Geography and Piping Constraints in Water Network Design. Chemical Engineering Research and Design, 1996, 74, 273-276.         | 2.7 | 59        |
| 4  | Variable target mass-exchange network synthesis through linear programming. AIChE Journal, 1996, 42, 1326-1340.                                   | 1.8 | 11        |
| 5  | Synthesis of waste interception and allocation networks. AIChE Journal, 1996, 42, 3087-3101.  | 1.8 | 98        |
| 6  | An integral approach to waste minimization in process industries. Resources, Conservation and Recycling, 1996, 17, 169-188.                       | 5.3 | 58        |
| 7  | Synthesis of Mass-Exchange Networks. , 1997, , 44-83.   |     | 0         |
| 8  | Clean technology in food processing. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 1997, 355, 1363-1371. | 1.6 | 9         |
| 9  | Targeting Water Reuse with Multiple Contaminants. Chemical Engineering Research and Design, 1997, 75, 181-189.                                    | 2.7 | 124       |
| 10 | Rationalizing the water use in the batch process industry. Computers and Chemical Engineering, 1997, 21, S971-S976.                               | 2.0 | 47        |
| 11 | Capital cost targets for mass exchange networks A special case: Water minimisation. Chemical Engineering Science, 1998, 53, 293-313.              | 1.9 | 83        |
| 12 | Simultaneous Synthesis of Mass Separating Agents and Interception Networks. Chemical Engineering Research and Design, 1998, 76, 376-388.          | 2.7 | 30        |
| 13 | Designing for the Interactions Between Water-Use and Effluent Treatment. Chemical Engineering Research and Design, 1998, 76, 287-301.             | 2.7 | 158       |
| 14 | Design of Water-Using Systems Involving Regeneration. Chemical Engineering Research and Design, 1998, 76, 94-114.                                 | 2.7 | 92        |
| 15 | Pollution prevention through process integration. Clean Technologies and Environmental Policy, 1998, 1, 5-19.                                     | 2.1 | 9         |
| 16 | Wastewater minimisation of industrial systems using an integrated approach. Computers and Chemical Engineering, 1998, 22, S741-S744.              | 2.0 | 159       |
| 17 | ENVIRONMENTALLY CONSCIOUS CHEMICAL PROCESS DESIGN. Annual Review of Environment and Resources, 1998, 23, 499-536.                                 | 1.2 | 158       |
| 18 | Sustainable waste management in the food and drink industry. British Food Journal, 1999, 101, 580-589.  | 1.6 | 31        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Process and Equipment Design for Utility-Based Pollution Prevention. , 1999, , 189-203.   |     | 1         |
| 20 | Optimisation of water use in batch process industries. Computers and Chemical Engineering, 1999, 23, 1427-1437.   | 2.0 | 75        |
| 21 | A multi-contaminant transshipment model for mass exchange networks and wastewater minimisation problems. Computers and Chemical Engineering, 1999, 23, 1439-1453. | 2.0 | 128       |
| 22 | The application of life cycle assessment to process optimisation. Computers and Chemical Engineering, 1999, 23, 1509-1526.  | 2.0 | 282       |
| 23 | Interval-based targeting for pollution prevention via mass integration. Computers and Chemical Engineering, 1999, 23, 1527-1543.                                  | 2.0 | 34        |
| 24 | Energy-environment closed-loop through Oxygen Pinch. Computers and Chemical Engineering, 1999, 23, S79-S83.   | 2.0 | 35        |
| 25 | Economic optimization of the water reuse network in batch process industries. Computers and Chemical Engineering, 1999, 23, S153-S156.                            | 2.0 | 10        |
| 26 | Optimal water use and treatment allocation. Computers and Chemical Engineering, 1999, 23, S157-S160.  | 2.0 | 13        |
| 27 | Optimal operating policies in activated sludge treatment plants. Computers and Chemical Engineering, 1999, 23, S863-S866.   | 2.0 | 1         |
| 28 | Handling the increasing complexity of detailed batch process simulation and optimisation. Computers and Chemical Engineering, 1999, 23, S929-S943.                | 2.0 | 11        |
| 29 | Life cycle assessment and its application to process selection, design and optimisation. Chemical Engineering Journal, 1999, 73, 1-21.                            | 6.6 | 417       |
| 30 | Improvements for mass-exchange networks design. Chemical Engineering Science, 1999, 54, 1649-1665.  | 1.9 | 88        |
| 31 | The Global Pinch Point in Water Reuse Networks. Chemical Engineering Research and Design, 1999, 77, 305-308.  | 2.7 | 69        |
| 32 | Mathematical programming approaches to the synthesis of chemical process systems. Korean Journal of Chemical Engineering, 1999, 16, 407-426.                      | 1.2 | 128       |
| 34 | Wärmeintegration als Element der Verfahrensbearbeitung. Chemie-Ingenieur-Technik, 1999, 71, 674-679.  | 0.4 | 0         |
| 35 | On the synthesis of inorganic chemical and metallurgical processes, review and extension. Minerals Engineering, 1999, 12, 15-41.                                  | 1.8 | 13        |
| 36 | A Mathematical Programming Model for Water Usage and Treatment Network Design. Industrial & Engineering Chemistry Research, 1999, 38, 2666-2679.                  | 1.8 | 191       |
| 38 | Pollution prevention targets through integrated design and operation. Computers and Chemical Engineering, 2000, 24, 1445-1453.                                    | 2.0 | 15        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 39 | A review of recent design procedures for water networks in refineries and process plants. Computers and Chemical Engineering, 2000, 24, 2093-2113.       | 2.0 | 336       |
| 40 | Capital and total cost targets for mass exchange networks. Computers and Chemical Engineering, 2000, 23, 1661-1679.                                      | 2.0 | 71        |
| 41 | Total site: wastewater minimization. Resources, Conservation and Recycling, 2000, 30, 261-275.   | 5.3 | 24        |
| 42 | A software tool for helping in decision-making about water management in batch process industries. Waste Management, 2000, 20, 645-649.                  | 3.7 | 23        |
| 43 | Design of water utilization systems in process plants with a single contaminant. Waste Management, 2000, 20, 659-664.                                    | 3.7 | 20        |
| 44 | Synthesis of an optimal wastewater reuse network. Waste Management, 2000, 20, 311-319.   | 3.7 | 61        |
| 45 | State of the art in process integration. Applied Thermal Engineering, 2000, 20, 1337-1345.   | 3.0 | 73        |
| 46 | On the optimality conditions of water utilization systems in process plants with single contaminants. Chemical Engineering Science, 2000, 55, 5035-5048. | 1.9 | 171       |
| 47 | Waste water reuse, the South African experience. Water Science and Technology, 2000, 41, 157-163.  | 1.2 | 9         |
| 48 | Innovational adaptation in the UK water and wastewater industry: a case study of introducing DTA. Technovation, 2000, 20, 37-45.                         | 4.2 | 8         |
| 49 | THE USE OF NONLINEAR PROGRAMMING TO OPTIMAL WATER ALLOCATION. Chemical Engineering Communications, 2000, 178, 67-101.                                    | 1.5 | 36        |
| 50 | Process Synthesis and Design Optimization. , 0, , 67-142.  |     | 0         |
| 51 | New Structure and Design Methodology for Water Networks. Industrial & Engineering Chemistry Research, 2001, 40, 6140-6146.                               | 1.8 | 100       |
| 52 | Systematic reallocation of aqueous resources using mass integration in a typical pulp mill. Journal of Environmental Management, 2001, 5, 61-79.         | 1.7 | 24        |
| 53 | Water Usage and Treatment Network Design Using Genetic Algorithms. Industrial & Engineering Chemistry Research, 2001, 40, 4874-4888.                     | 1.8 | 67        |
| 54 | Design of a Switchable Water Allocation Network Based on Process Dynamics. Industrial & Engineering Chemistry Research, 2001, 40, 4866-4873.             | 1.8 | 20        |
| 56 | Process integration design methods for water conservation and wastewater reduction in industry. Clean Products and Processes, 2001, 3, 307-318.          | 0.4 | 56        |
| 57 | Wastewater reuse: a new approach to screen for designs with minimal total costs. Computers and Chemical Engineering, 2001, 25, 203-215.                  | 2.0 | 49        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 58 | Using process integration technology for CLEANER production. Journal of Cleaner Production, 2001, 9, 1-23.  | 4.6 | 82        |
| 59 | The role of equilibrium thermodynamics in process synthesis. Applied Thermal Engineering, 2001, 21, 1369-1382.  | 3.0 | 6         |
| 60 | Membrane separation for wastewater reuse in the textile industry. Resources, Conservation and Recycling, 2001, 31, 189-197.   | 5.3 | 390       |
| 61 | GreenPro: a new methodology for cleaner and greener process design. Journal of Loss Prevention in the Process Industries, 2001, 14, 307-328.                                      | 1.7 | 33        |
| 62 | Complex integration of processes. Canadian Journal of Chemical Engineering, 2001, 79, 643-654.  | 0.9 | 8         |
| 63 | Review: Developments in distillation and separation technology. AIChE Journal, 2001, 47, 1060-1066.   | 1.8 | 3         |
| 64 | Algorithmic procedure to design water utilization systems featuring a single contaminant in process plants. Chemical Engineering Science, 2001, 56, 1897-1911.                    | 1.9 | 99        |
| 65 | Combining a Geographical Information System and Process Engineering to Design an Agricultural-Industrial Ecosystem. Journal of Industrial Ecology, 2001, 5, 13-31.                | 2.8 | 13        |
| 66 | On the Use of Linear Models for the Design of Water Utilization Systems in Process Plants with a Single Contaminant. Chemical Engineering Research and Design, 2001, 79, 600-610. | 2.7 | 141       |
| 67 | Cooling water system design. Chemical Engineering Science, 2001, 56, 3641-3658.   | 1.9 | 174       |
| 68 | A process integration design method for water conservation and wastewater reduction in industry. Computer Aided Chemical Engineering, 2001, 9, 985-990.                           | 0.3 | 1         |
| 69 | ON A SYSTEMATIC DESIGN PROCEDURE FOR SINGLE COMPONENT WATER UTILIZATION SYSTEMS IN PROCESS PLANTS. Chemical Engineering Communications, 2001, 186, 183-203.                       | 1.5 | 23        |
| 70 | Integrated Design of Cooling Water Systems. Computer Aided Chemical Engineering, 2002, , 223-228.   | 0.3 | 0         |
| 72 | Cooling System Design. Heat Transfer Engineering, 2002, 23, 49-61.  | 1.2 | 40        |
| 73 | A new graphical targeting method for water minimisation. Journal of Environmental Management, 2002, 6, 377-390.   | 1.7 | 300       |
| 74 | Industrial wastewater minimization using water pinch analysis: a case study on an old textile plant. Water Science and Technology, 2002, 46, 77-84.                               | 1.2 | 28        |
| 75 | The application of pinch analysis to water, reagent and effluent management in a chlor-alkali facility. Water Science and Technology, 2002, 46, 21-28.                            | 1.2 | 9         |
| 76 | GreenPro-I: a risk-based life cycle assessment and decision-making methodology for process plant design. Environmental Modelling and Software, 2002, 17, 669-692.                 | 1.9 | 81        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 77 | Energy efficient water utilization systems in process plants. Computers and Chemical Engineering, 2002, 26, 59-79.  | 2.0 | 154       |
| 78 | UF/NF treatment of rinsing waters in a liquid detergent production plant. Desalination, 2002, 149, 175-177.   | 4.0 | 12        |
| 79 | Modified Water Pinch Method for Designing Resource-Efficient Chemical Engineering Systems. Doklady Chemistry, 2002, 383, 123-127.   | 0.2 | 2         |
| 80 | Aggregate Planning in Supply Chains by Pinch Analysis. Chemical Engineering Research and Design, 2002, 80, 597-605.   | 2.7 | 106       |
| 81 | Cost-effective wastewater treatment and recycling in mini-plants using mass integration. Clean Technologies and Environmental Policy, 2003, 4, 246-256.                     | 2.1 | 16        |
| 82 | Process integration technology review: background and applications in the chemical process industry. Journal of Chemical Technology and Biotechnology, 2003, 78, 1011-1021. | 1.6 | 138       |
| 83 | Automated retrofit design of cooling-water systems. AIChE Journal, 2003, 49, 1712-1730.   | 1.8 | 65        |
| 84 | On the necessary conditions of optimality of water utilization systems in process plants with multiple contaminants. Chemical Engineering Science, 2003, 58, 5349-5362.     | 1.9 | 93        |
| 85 | A design methodology for multiple-contaminant water networks with single internal water main. Computers and Chemical Engineering, 2003, 27, 903-911.                        | 2.0 | 57        |
| 86 | Water and wastewater minimisation study of a citrus plant. Resources, Conservation and Recycling, 2003, 37, 227-250.  | 5.3 | 71        |
| 87 | Integration of mass and energy in water network design. Computer Aided Chemical Engineering, 2003, , 796-801.   | 0.3 | 3         |
| 88 | Green process systems engineering: Challenges and perspectives. Computer Aided Chemical Engineering, 2003, 15, 600-611.   | 0.3 | 2         |
| 89 | Rigorous Graphical Targeting for Resource Conservation via Material Recycle/Reuse Networks. Industrial & Engineering Chemistry Research, 2003, 42, 4319-4328.               | 1.8 | 456       |
| 90 | Chapter 10 Pinch point analysis. Computer Aided Chemical Engineering, 2003, 13, 393-434.  | 0.3 | 2         |
| 91 | A two-stage optimisation approach to the design of water-using systems in process plants. Computer Aided Chemical Engineering, 2003, , 11-16.                               | 0.3 | 4         |
| 92 | Design water allocation network with minimum freshwater and energy consumption. Computer Aided Chemical Engineering, 2003, 15, 388-393.                                     | 0.3 | 14        |
| 93 | Wastewater minimization through the combination of process integration techniques and multi-objective optimization. Computer Aided Chemical Engineering, 2003, 15, 928-933. | 0.3 | 0         |
| 94 | Hybrid synthesis method for mass exchange networks. Computer Aided Chemical Engineering, 2003, 14, 227-232.   | 0.3 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 95  | An automatic approach to design water utilization network. Computer Aided Chemical Engineering, 2003, 15, 922-927.  | 0.3 | 1         |
| 96  | Optimum design of water-utilize systems featuring regeneration re-use for multiple contaminants. Computer Aided Chemical Engineering, 2003, , 1082-1087.  | 0.3 | 1         |
| 97  | System design aids. , 2003, , 171-226.  |     | 0         |
| 98  | GAPinch: genetic algorithm toolbox for water pinch technology. Chemical Engineering and Processing: Process Intensification, 2004, 43, 203-217.   | 1.8 | 68        |
| 99  | Automated Design of Discontinuous Water Systems. Chemical Engineering Research and Design, 2004, 82, 238-248.   | 2.7 | 86        |
| 100 | Cost Optimization of Industrial Wastewater Reuse Systems. Chemical Engineering Research and Design, 2004, 82, 249-255.  | 2.7 | 48        |
| 101 | Design of Water Network with Internal Mains for Multi-contaminant Wastewater Regeneration Recycle. Chemical Engineering Research and Design, 2004, 82, 1331-1336.                                   | 2.7 | 26        |
| 102 | Synthesis of mass exchange network for batch processesâ€”Part I: Utility targeting. Chemical Engineering Science, 2004, 59, 1009-1026.  | 1.9 | 56        |
| 103 | System closure in pulp and paper mills: network analysis by genetic algorithm. Journal of Cleaner Production, 2004, 12, 131-135.  | 4.6 | 44        |
| 104 | Cleaner flue gas and energy recovery through pinch analysis. Journal of Cleaner Production, 2004, 12, 165-170.  | 4.6 | 43        |
| 105 | Targeting the minimum water flow rate using water cascade analysis technique. AIChE Journal, 2004, 50, 3169-3183.   | 1.8 | 313       |
| 106 | Pinch analysis for aggregate production planning in supply chains. Computers and Chemical Engineering, 2004, 28, 993-999.   | 2.0 | 69        |
| 107 | Synthesis of robust water reuse networks for single-component retrofit problems using symmetric fuzzy linear programming. Computers and Chemical Engineering, 2004, 28, 2547-2551.                  | 2.0 | 75        |
| 108 | Design and optimisation of combined water and energy systems. Computer Aided Chemical Engineering, 2004, , 439-444.   | 0.3 | 4         |
| 109 | Cooling System Design for Water and Wastewater Minimization. Industrial & Engineering Chemistry Research, 2004, 43, 608-613.  | 1.8 | 25        |
| 110 | Graphical strategies for design of evaporation crystallization networks for environmental wastewater applications. Journal of Environmental Management, 2004, 8, 247-265.                           | 1.7 | 11        |
| 111 | On zero water discharge solutions in the process industry. Journal of Environmental Management, 2004, 8, 151-171.   | 1.7 | 91        |
| 112 | Superstructure Decomposition and Parametric Optimization Approach for the Synthesis of Distributed Wastewater Treatment Networks. Industrial & Engineering Chemistry Research, 2004, 43, 2175-2191. | 1.8 | 58        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 113 | Aquomin: An approach to pollution prevention based on pinch analysis. Computer Aided Chemical Engineering, 2004, 18, 475-480.  | 0.3 | 0         |
| 114 | Targeting and design of water networks for fixed flowrate and fixed contaminant load operations. Chemical Engineering Science, 2005, 60, 255-268.  | 1.9 | 296       |
| 115 | Studies on simultaneous energy and water minimisationâ€™Part II: Systems with maximum re-use of water. Chemical Engineering Science, 2005, 60, 3291-3308.  | 1.9 | 139       |
| 116 | Wastewater minimisation using central reusable water storage in batch plants. Computers and Chemical Engineering, 2005, 29, 1631-1646.   | 2.0 | 88        |
| 117 | Simultaneous synthesis of waste interception and material reuse networks: Problem reformulation for global optimization. Environmental Progress, 2005, 24, 171-180.  | 0.8 | 71        |
| 118 | Studies on simultaneous energy and water minimisationâ€™Part I: Systems with no water re-use. Chemical Engineering Science, 2005, 60, 3279-3290.   | 1.9 | 142       |
| 119 | WADOâ€™: water design optimizationâ€™methodology and software for the synthesis of process water systems. Journal of Cleaner Production, 2005, 13, 485-494.  | 4.6 | 29        |
| 120 | Making progress toward sustainability by using cleaner production technologies, improved design and economically sound operation of production facilities. Journal of Cleaner Production, 2005, 13, 451-454. | 4.6 | 25        |
| 121 | Synthesis of maximum water recovery network for batch process systems. Journal of Cleaner Production, 2005, 13, 1381-1394.   | 4.6 | 107       |
| 122 | A new systematic approach for water network design. Clean Technologies and Environmental Policy, 2005, 7, 154-161.   | 2.1 | 34        |
| 123 | An algebraic approach to targeting waste discharge and impure fresh usage via material recycle/reuse networks. Clean Technologies and Environmental Policy, 2005, 7, 294-305.                                | 2.1 | 94        |
| 124 | Tanneries: from waste to sustainability. Brazilian Archives of Biology and Technology, 2005, 48, 281-289.  | 0.5 | 10        |
| 127 | Environmental Protection Technologies for Sustainable Development. , 2004, , 341-349.  |     | 3         |
| 128 | Improved Optimization Strategies for Generating Practical Water-Usage and -Treatment Network Structures. Industrial & Engineering Chemistry Research, 2005, 44, 3607-3618.                                   | 1.8 | 33        |
| 129 | Stochastic optimization based approach for designing cost optimal water networks. Computer Aided Chemical Engineering, 2005, 20, 727-732.  | 0.3 | 16        |
| 130 | Water Savings and Reuse in the Textile Industry. , 2005, , 169-189.  |     | 4         |
| 131 | AquoMin: Targeting and design of mass-exchange networks featuring regeneration recycle. Computer Aided Chemical Engineering, 2005, 20, 685-690.  | 0.3 | 1         |
| 132 | Automated Design of Total Water Systems. Industrial & Engineering Chemistry Research, 2005, 44, 588-599.   | 1.8 | 164       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 134 | A Mathematical Programming Model for Discontinuous Water-Reuse System Design. Industrial & Engineering Chemistry Research, 2006, 45, 5027-5036.   | 1.8 | 45        |
| 135 | Graphical techniques for direct-recycle strategies. Process Systems Engineering, 2006, , 39-86.   | 0.1 | 0         |
| 136 | Evolution of Water Network Using Improved Source Shift Algorithm and Water Path Analysis. Industrial & Engineering Chemistry Research, 2006, 45, 8095-8104.                                 | 1.8 | 33        |
| 137 | Design of Optimal Water-Using Networks with Internal Water Mains. Industrial & Engineering Chemistry Research, 2006, 45, 8413-8420.   | 1.8 | 24        |
| 138 | Retrofit of Water Network with Optimization of Existing Regeneration Units. Industrial & Engineering Chemistry Research, 2006, 45, 7592-7602.   | 1.8 | 27        |
| 139 | Economic Evaluation of a Water Network System through the Net Present Value Method Based on Cost and Benefit Estimations. Industrial & Engineering Chemistry Research, 2006, 45, 7710-7718. | 1.8 | 25        |
| 140 | Process Water Management. Industrial & Engineering Chemistry Research, 2006, 45, 5287-5297.   | 1.8 | 102       |
| 141 | Setting the Minimum Utility Gas Flowrate Targets Using Cascade Analysis Technique. Industrial & Engineering Chemistry Research, 2006, 45, 5986-5995.  | 1.8 | 142       |
| 142 | Process Intensification. , 0, , 297-326.  |     | 0         |
| 143 | Water pinch analysis for an urban system: a case study on the Sultan Ismail Mosque at the Universiti Teknologi Malaysia (UTM). Desalination, 2006, 194, 52-68.                              | 4.0 | 48        |
| 144 | Source composite curve for waste reduction. Chemical Engineering Journal, 2006, 125, 99-110.  | 6.6 | 174       |
| 145 | Surplus diagram and cascade analysis technique for targeting property-based material reuse network. Chemical Engineering Science, 2006, 61, 2626-2642.                                      | 1.9 | 131       |
| 146 | Global optimization for the synthesis of integrated water systems in chemical processes. Computers and Chemical Engineering, 2006, 30, 650-673.   | 2.0 | 357       |
| 147 | Optimal design of wastewater equalization systems in batch processes. Computers and Chemical Engineering, 2006, 30, 797-806.  | 2.0 | 19        |
| 148 | On the simultaneous optimization of pressure and layout for gas permeation membrane systems. Journal of Membrane Science, 2006, 280, 832-848.   | 4.1 | 21        |
| 149 | Environmental performance optimization using process water integration and Sustainable Process Index. Journal of Cleaner Production, 2006, 14, 1586-1592.                                   | 4.6 | 41        |
| 150 | Targeting Techniques for Enhancing Process Yield. Chemical Engineering Research and Design, 2006, 84, 943-951.  | 2.7 | 13        |
| 151 | Water System Integration in a Catalyst Plant. Chemical Engineering Research and Design, 2006, 84, 645-651.  | 2.7 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 152 | Correct identification of limiting water data for water network synthesis. Clean Technologies and Environmental Policy, 2006, 8, 96-104.  | 2.1 | 27        |
| 153 | Evaluation of VOC recovery strategies. OR Spectrum, 2006, 28, 3-20.   | 2.1 | 18        |
| 154 | A graphical technique for wastewater minimisation in batch processes. Journal of Environmental Management, 2006, 78, 317-329.   | 3.8 | 87        |
| 155 | Water system integration of a chemical plant. Energy Conversion and Management, 2006, 47, 2470-2478.  | 4.4 | 29        |
| 156 | Unified conceptual approach to targeting and design of water and hydrogen networks. AIChE Journal, 2006, 52, 1071-1082.   | 1.8 | 215       |
| 157 | SHARPS: A new cost-screening technique to attain cost-effective minimum water network. AIChE Journal, 2006, 52, 3981-3988.  | 1.8 | 40        |
| 158 | An integrated approach for risk-based life cycle assessment and multi-criteria decision-making. Business Process Management Journal, 2006, 12, 770-792.   | 2.4 | 43        |
| 159 | Synthesis of mass exchange networks: A graphical approach. Process Systems Engineering, 2006, , 87-136.   | 0.1 | 2         |
| 160 | Water reuse: A successful almost zero discharge case. Computer Aided Chemical Engineering, 2006, 21, 1845-1850.   | 0.3 | 1         |
| 161 | Methodology for the design of industrial hydrogen networks and the optimal placement of purification units using multi-objective optimisation techniques. Computer Aided Chemical Engineering, 2006, , 1765-1770. | 0.3 | 7         |
| 162 | A new method for designing water network based on variable removal ratio of treatment process. Computer Aided Chemical Engineering, 2006, 21, 1783-1789.  | 0.3 | 2         |
| 163 | NEW HYBRID METHOD FOR MASS EXCHANGE NETWORK OPTIMIZATION. Chemical Engineering Communications, 2007, 194, 1688-1701.  | 1.5 | 9         |
| 165 | Process optimisation to minimise water use in food processing. , 2007, , 90-115.  |     | 5         |
| 166 | Design of non-isothermal process water networks. Computer Aided Chemical Engineering, 2007, , 377-382.  | 0.3 | 6         |
| 167 | Integration of a Malt Drying Model into a Malt Plant Scheduling Software. Drying Technology, 2007, 25, 1803-1808.   | 1.7 | 4         |
| 168 | Process water management with regeneration and recycle. Computer Aided Chemical Engineering, 2007, , 1343-1348.   | 0.3 | 0         |
| 169 | Crisp and Fuzzy Optimisation Approaches for Water Network Retrofit. Chemical Product and Process Modeling, 2007, 2, .   | 0.5 | 11        |
| 170 | WASTE REDUCTION FOR CHEMICAL PLANT OPERATIONS. , 2007, , 89-124.  |     | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 171 | OptWatNet – a software for the optimal design of water-using networks with multi-contaminants. Computer Aided Chemical Engineering, 2007, 24, 497-502.   | 0.3 | 1         |
| 172 | Optimum waste interception in Liquefied Natural Gas processes. International Journal of Environment and Pollution, 2007, 29, 47.   | 0.2 | 4         |
| 173 | Targeting the freshwater for water networks with single contaminant. Computer Aided Chemical Engineering, 2007, , 1349-1354.   | 0.3 | 1         |
| 174 | An algebraic targeting approach to resource conservation via material recycle/reuse. International Journal of Environment and Pollution, 2007, 29, 4.  | 0.2 | 46        |
| 175 | A Rule-Based Design Methodology for Water Networks with Internal Water Mains. Chemical Engineering Research and Design, 2007, 85, 431-444.   | 2.7 | 14        |
| 176 | Design Methodology for Flexible Multiple Plant Water Networks. Industrial & Engineering Chemistry Research, 2007, 46, 4954-4963.   | 1.8 | 68        |
| 177 | Targeting for Multiple Resources. Industrial & Engineering Chemistry Research, 2007, 46, 3698-3708.  | 1.8 | 68        |
| 178 | Integrated Water Network Designs for Batch Processes. Industrial & Engineering Chemistry Research, 2007, 46, 1241-1253.  | 1.8 | 49        |
| 179 | Targeting Multiple Water Utilities Using Composite Curves. Industrial & Engineering Chemistry Research, 2007, 46, 5968-5976.   | 1.8 | 29        |
| 180 | A Simple and Efficient Initialization Strategy for Optimizing Water-Using Network Designs. Industrial & Engineering Chemistry Research, 2007, 46, 8781-8786.                                     | 1.8 | 17        |
| 181 | Pinch Analysis Approach to Short-Term Scheduling of Batch Reactors in Multi-Purpose Plants. International Journal of Chemical Reactor Engineering, 2007, 5, .                                    | 0.6 | 2         |
| 182 | Evaluation of white water reuse in the bleaching process for reducing fresh water consumption. Water Science and Technology, 2007, 55, 199-204.  | 1.2 | 3         |
| 183 | Targeting for Total Water Network. 2. Waste Treatment Targeting and Interactions with Water System Elements. Industrial & Engineering Chemistry Research, 2007, 46, 9114-9125.                   | 1.8 | 74        |
| 184 | Synthesis of an Economically Friendly Water Network System by Maximizing Net Present Value. Industrial & Engineering Chemistry Research, 2007, 46, 6936-6943.                                    | 1.8 | 16        |
| 185 | Towards sustainable production networks. International Journal of Production Research, 2007, 45, 4207-4224.  | 4.9 | 57        |
| 187 | An approximate mixed integer linear programming (MILP) model for the design of water reuse/recycle networks with minimum energy. Asia-Pacific Journal of Chemical Engineering, 2007, 2, 566-574. | 0.8 | 12        |
| 188 | Water pinch analysis evolution towards a holistic approach for water minimization. Asia-Pacific Journal of Chemical Engineering, 2007, 2, 544-553.   | 0.8 | 3         |
| 189 | An Extended Pinch Analysis and Design procedure utilizing pressure based exergy for subambient cooling. Applied Thermal Engineering, 2007, 27, 2633-2649.  | 3.0 | 176       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 190 | An improved PSO algorithm for solving non-convex NLP/MINLP problems with equality constraints. Computers and Chemical Engineering, 2007, 31, 153-162.                                    | 2.0 | 163       |
| 191 | Assessing the sensitivity of water networks to noisy mass loads using Monte Carlo simulation. Computers and Chemical Engineering, 2007, 31, 1355-1363.                                   | 2.0 | 46        |
| 192 | Pinch multi-agent genetic algorithm for optimizing water-using networks. Computers and Chemical Engineering, 2007, 31, 1565-1575.  | 2.0 | 29        |
| 193 | The design of water-using systems in petroleum refining using a water-pinch decomposition. Chemical Engineering Journal, 2007, 128, 33-46.   | 6.6 | 111       |
| 194 | On application of stochastic optimization techniques to designing heat exchanger- and water networks. Chemical Engineering and Processing: Process Intensification, 2007, 46, 1160-1174. | 1.8 | 46        |
| 195 | On the use of graphical method to determine the targets of single-contaminant regeneration recycling water systems. Chemical Engineering Science, 2007, 62, 2127-2138.                   | 1.9 | 109       |
| 196 | A novel assessment tool for reusability of wastes. Journal of Hazardous Materials, 2007, 139, 575-583.   | 6.5 | 2         |
| 197 | An efficient heuristic procedure for the optimal design of wastewater treatment systems. Resources, Conservation and Recycling, 2007, 50, 158-185.                                       | 5.3 | 37        |
| 198 | Cost-based design of wastewater network optimal topology. Resources, Conservation and Recycling, 2007, 50, 186-201.  | 5.3 | 17        |
| 199 | Integrated water resource management model for process industry in Lithuania. Journal of Cleaner Production, 2007, 15, 950-957.  | 4.6 | 30        |
| 200 | Synthesis of Water Utilization System Using Concentration Interval Analysis Method (I) Non-Mass-Transfer-Based Operation. Chinese Journal of Chemical Engineering, 2007, 15, 361-368.    | 1.7 | 14        |
| 201 | Synthesis of Water Utilization System Using Concentration Interval Analysis Method (II) Discontinuous Process. Chinese Journal of Chemical Engineering, 2007, 15, 369-375.               | 1.7 | 26        |
| 202 | Water Cascade Analysis for Single and Multiple Impure Fresh Water Feed. Chemical Engineering Research and Design, 2007, 85, 1169-1177.   | 2.7 | 56        |
| 203 | Determining the Pinch Point and Calculating the Freshwater Target for Water-Using Systems with Single Contaminant. Chemical Engineering Research and Design, 2007, 85, 1485-1490.        | 2.7 | 11        |
| 204 | Graphically Based Optimization of Single-Contaminant Regeneration Reuse Water Systems. Chemical Engineering Research and Design, 2007, 85, 1178-1187.                                    | 2.7 | 58        |
| 205 | The Integration of the Hydrogen Distribution System with Multiple Impurities. Chemical Engineering Research and Design, 2007, 85, 1295-1304.   | 2.7 | 58        |
| 206 | Ultimate Flowrate Targeting with Regeneration Placement. Chemical Engineering Research and Design, 2007, 85, 1253-1267.  | 2.7 | 71        |
| 207 | Retrofit of Water Network with Regeneration Using Water Pinch Analysis. Chemical Engineering Research and Design, 2007, 85, 305-317.   | 2.7 | 55        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 208 | Water Network Synthesis Using Mutation-Enhanced Particle Swarm Optimization. Chemical Engineering Research and Design, 2007, 85, 507-514.   | 2.7 | 40        |
| 209 | Synthesis of near-optimal topologically constrained property-based water network using swarm intelligence. Clean Technologies and Environmental Policy, 2007, 9, 27-36.               | 2.1 | 28        |
| 210 | Integrated water resource management through water reuse network design for clean production technology: State of the art. Korean Journal of Chemical Engineering, 2007, 24, 567-576. | 1.2 | 19        |
| 211 | Pinch analysis approach to carbon-constrained energy sector planning. Energy, 2007, 32, 1422-1429.  | 4.5 | 291       |
| 212 | Design procedure for water/wastewater minimization: single contaminant. Journal of Cleaner Production, 2007, 15, 474-485.   | 4.6 | 98        |
| 213 | Simplified model for the determination of the steady state response of cooling systems. Applied Thermal Engineering, 2007, 27, 1173-1181.   | 3.0 | 16        |
| 214 | A rigorous targeting algorithm for resource allocation networks. Chemical Engineering Science, 2007, 62, 6212-6221.   | 1.9 | 55        |
| 215 | A process integration approach to industrial water conservation: A case study for a Chinese steel plant. Journal of Environmental Management, 2008, 86, 682-687.                      | 3.8 | 21        |
| 216 | A holistic framework for design of cost-effective minimum water utilization network. Journal of Environmental Management, 2008, 88, 219-252.  | 3.8 | 37        |
| 217 | Simultaneous optimization approach for integrated water-allocation and heat-exchange networks. Chemical Engineering Science, 2008, 63, 3664-3678.                                     | 1.9 | 110       |
| 218 | Graphically based analysis of water system with zero liquid discharge. Chemical Engineering Research and Design, 2008, 86, 165-171.   | 2.7 | 41        |
| 219 | Water use optimization in batch process industries. Part 1: design of the water network. Journal of Cleaner Production, 2008, 16, 1275-1286.  | 4.6 | 43        |
| 220 | From process integration to eco-industrial systems. Clean Technologies and Environmental Policy, 2008, 10, 15-16.   | 2.1 | 4         |
| 221 | An integrated approach for water minimisation in a PVC manufacturing process. Clean Technologies and Environmental Policy, 2008, 10, 67-79.   | 2.1 | 16        |
| 222 | Pragmatic software tools for water reuse evaluation in a factory. Clean Technologies and Environmental Policy, 2008, 10, 189-201.   | 2.1 | 4         |
| 223 | Towards cleaner technologies minimising the environmental impact. Clean Technologies and Environmental Policy, 2008, 10, 107-110.   | 2.1 | 8         |
| 224 | Simultaneous synthesis of property-based water reuse/recycle and interception networks for batch processes. AIChE Journal, 2008, 54, 2624-2632.                                       | 1.8 | 49        |
| 225 | A methodology for the design of efficient resource conservation networks using adaptive swarm intelligence. Journal of Cleaner Production, 2008, 16, 822-832.                         | 4.6 | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 226 | Hydrogen distribution network optimization: a refinery case study. <i>Journal of Cleaner Production</i> , 2008, 16, 1755-1763.  | 4.6 | 74        |
| 227 | Flowrate targeting for threshold problems and plant-wide integration for water network synthesis. <i>Journal of Environmental Management</i> , 2008, 88, 253-274.               | 3.8 | 80        |
| 228 | Sustainable development of process facilities: State-of-the-art review of pollution prevention frameworks. <i>Journal of Hazardous Materials</i> , 2008, 150, 4-20.             | 6.5 | 27        |
| 229 | Carbon and footprint-constrained energy planning using cascade analysis technique. <i>Energy</i> , 2008, 33, 1480-1488.   | 4.5 | 111       |
| 230 | AquoMin: A software tool for Mass-Exchange Networks targeting and design. <i>Computers and Chemical Engineering</i> , 2008, 32, 1085-1105.                                      | 2.0 | 13        |
| 231 | Towards an integrated framework for supply chain management in the batch chemical process industry. <i>Computers and Chemical Engineering</i> , 2008, 32, 650-670.              | 2.0 | 50        |
| 232 | A hierarchical approach for the synthesis of batch water network. <i>Computers and Chemical Engineering</i> , 2008, 32, 530-539.  | 2.0 | 43        |
| 233 | Simultaneous targeting and design for cooling water systems with multiple cooling water supplies. <i>Computers and Chemical Engineering</i> , 2008, 32, 540-551.                | 2.0 | 28        |
| 234 | Grass-roots design of regeneration recycling water networks. <i>Computers and Chemical Engineering</i> , 2008, 32, 1892-1907.   | 2.0 | 38        |
| 235 | A heuristic-based algebraic targeting technique for aggregate planning in supply chains. <i>Computers and Chemical Engineering</i> , 2008, 32, 2217-2232.                       | 2.0 | 24        |
| 236 | Synthesis of non-isothermal heat integrated water networks in chemical processes. <i>Computers and Chemical Engineering</i> , 2008, 32, 3130-3142.                              | 2.0 | 94        |
| 237 | Flexible mass transfer model for water minimization in batch plants. <i>Chemical Engineering and Processing: Process Intensification</i> , 2008, 47, 2323-2335.                 | 1.8 | 23        |
| 238 | LP-based solution strategies for the optimal design of industrial water networks with multiple contaminants. <i>Chemical Engineering Science</i> , 2008, 63, 376-394.           | 1.9 | 50        |
| 239 | A graphical technique for the design of water-using networks in batch processes. <i>Chemical Engineering Science</i> , 2008, 63, 3740-3754.                                     | 1.9 | 44        |
| 240 | Strategies and Practices for Sustainable Use of Water in Industrial Papermaking Processes. <i>Engineering in Life Sciences</i> , 2008, 8, 99-124.                               | 2.0 | 29        |
| 241 | The Design of Water-reusing Network with a Hybrid Structure Through Mathematical Programming. <i>Chinese Journal of Chemical Engineering</i> , 2008, 16, 1-10.                  | 1.7 | 14        |
| 242 | Global Optimization for the Synthesis of Integrated Water Systems with Particle Swarm Optimization Algorithm. <i>Chinese Journal of Chemical Engineering</i> , 2008, 16, 11-15. | 1.7 | 17        |
| 243 | Analysis on the Interaction of Parameters of Single-contaminant Regeneration Recycling Water Systems. <i>Chinese Journal of Chemical Engineering</i> , 2008, 16, 21-25.         | 1.7 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 244 | Improving Energy Performance of Water Allocation Networks Through Appropriate Stream Merging. Chinese Journal of Chemical Engineering, 2008, 16, 480-484.                        | 1.7 | 30        |
| 245 | Application of Life Cycle Assessment to the Structural Optimization of Process Flowsheets. Industrial & Engineering Chemistry Research, 2008, 47, 777-789.                       | 1.8 | 104       |
| 246 | Synthesis of an Environmentally Friendly Water Network System. Industrial & Engineering Chemistry Research, 2008, 47, 1988-1994.   | 1.8 | 17        |
| 247 | Two-Step Optimization Approach for Design of A Total Water System. Industrial & Engineering Chemistry Research, 2008, 47, 6045-6057.   | 1.8 | 34        |
| 248 | Continuous-Time Formulation for the Synthesis of Water-Using Networks in Batch Plants. Industrial & Engineering Chemistry Research, 2008, 47, 7818-7832.                         | 1.8 | 26        |
| 249 | Generic Graphical Technique for Simultaneous Targeting and Design of Water Networks. Industrial & Engineering Chemistry Research, 2008, 47, 2762-2777.                           | 1.8 | 32        |
| 250 | Integrating water-use networks in a paper mill. International Journal of Sustainable Development and World Ecology, 2008, 15, 44S-50S.   | 3.2 | 4         |
| 251 | Steam System Network Synthesis Using Process Integration. Industrial & Engineering Chemistry Research, 2008, 47, 4405-4413.  | 1.8 | 21        |
| 252 | Impact of Multiple Storage in Wastewater Minimization for Multicontaminant Batch Plants: Toward Zero Effluent. Industrial & Engineering Chemistry Research, 2008, 47, 369-379.   | 1.8 | 27        |
| 253 | Water Management in Process Industries Incorporating Regeneration and Recycle through a Single Treatment Unit. Industrial & Engineering Chemistry Research, 2008, 47, 1111-1119. | 1.8 | 58        |
| 254 | Synthesis of Direct and Indirect Interplant Water Network. Industrial & Engineering Chemistry Research, 2008, 47, 9485-9496.   | 1.8 | 136       |
| 255 | A new approach for the design of multicomponent water/wastewater networks. Computer Aided Chemical Engineering, 2008, 25, 43-48.   | 0.3 | 12        |
| 256 | Modelling and optimisation tools for water minimisation in the food industry. , 2008, , 200-220.   |     | 0         |
| 257 | Novel methods for combined energy and water minimisation in the food industry. , 2008, , 304-331.  |     | 1         |
| 258 | Pinch Technology Reduces Wastewater at a Paper Mill. , 2008, , .   |     | 1         |
| 259 | Minimizing water and energy use in the batch and semi-continuous processes in the food and beverage industry. , 2008, , 256-303.   |     | 1         |
| 260 | Water and energy management in the sugar industry. , 2008, , 863-884.  |     | 2         |
| 261 | Methods to minimise water use in food processing. , 2008, , 113-135.   |     | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 262 | A new systematic technique for retrofit of water network. International Journal of Environment and Pollution, 2008, 32, 519.                                    | 0.2 | 6         |
| 263 | Water minimization in the soft drinks industry. , 2008, , 904-928.  |     | 1         |
| 264 | On the appropriate architecture of the water/wastewater allocation problem in process plants. Computer Aided Chemical Engineering, 2009, 26, 1-20.              | 0.3 | 19        |
| 265 | Automated Targeting for Total Property-based Network. Computer Aided Chemical Engineering, 2009, 26, 1189-1195.   | 0.3 | 2         |
| 266 | Water Source Diagram " An Heuristic Algorithmic Methodology for Reduction of Water Comsumption. Computer Aided Chemical Engineering, 2009, 27, 1149-1154.       | 0.3 | 0         |
| 267 | Synthesis of Water Allocation Network in Process Industries. , 2009, , .  |     | 0         |
| 268 | Water footprint, water recycling and food-industry supply chains. , 2009, , 134-168.  |     | 7         |
| 269 | Water system integration of a brewhouse. Energy Conversion and Management, 2009, 50, 354-359.   | 4.4 | 14        |
| 270 | Simultaneously Designing and Targeting for Networks with Multiple Resources of Different Qualities. Chinese Journal of Chemical Engineering, 2009, 17, 445-453. | 1.7 | 7         |
| 271 | A heuristic design procedure for water-using networks with multiple contaminants. AICHE Journal, 2009, 55, 374-382.   | 1.8 | 71        |
| 272 | A simple method for design of water-using networks with multiple contaminants involving regeneration reuse. AICHE Journal, 2009, 55, 1628-1633.                 | 1.8 | 33        |
| 273 | A property-based optimization of direct recycle networks and wastewater treatment processes. AICHE Journal, 2009, 55, 2329-2344.                                | 1.8 | 93        |
| 274 | On the appropriate modeling of process plant water systems. AICHE Journal, 2010, 56, 668-689.   | 1.8 | 12        |
| 275 | Segregated targeting for multiple resource networks using decomposition algorithm. AICHE Journal, 2010, 56, 1235-1248.  | 1.8 | 29        |
| 276 | A unified model of property integration for batch and continuous processes. AICHE Journal, 2010, 56, 1845-1858.   | 1.8 | 36        |
| 277 | Linear program-based algorithm for the optimal design of wastewater treatment systems. Clean Technologies and Environmental Policy, 2009, 11, 83-93.            | 2.1 | 23        |
| 278 | Energy integration of acetylene and power polygeneration by flowrate-exergy diagram. Applied Energy, 2009, 86, 372-379.   | 5.1 | 21        |
| 279 | Targeting minimum waste treatment flow rate. Chemical Engineering Journal, 2009, 152, 367-375.  | 6.6 | 22        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 280 | MILP-based initialization strategies for the optimal design of water-using networks. <i>Chemical Engineering Science</i> , 2009, 64, 3736-3752.  | 1.9 | 25        |
| 281 | A simultaneous optimization approach for the design of wastewater and heat exchange networks based on cost estimation. <i>Journal of Cleaner Production</i> , 2009, 17, 162-171.               | 4.6 | 64        |
| 282 | Water and wastewater eco-efficiency indicators for the sugar cane industry. <i>Journal of Cleaner Production</i> , 2009, 17, 487-495.  | 4.6 | 50        |
| 283 | Effects of Water Network Synthesis on the Air Pollutant Emissions and Energy Consumption of a Whole Economy. <i>Water, Air, and Soil Pollution</i> , 2009, 199, 67-77.                         | 1.1 | 4         |
| 284 | Simultaneous optimal integration of water utilization and heat exchange networks using holistic mathematical programming. <i>Korean Journal of Chemical Engineering</i> , 2009, 26, 1161-1174. | 1.2 | 11        |
| 285 | Retrofit of sour water networks in oil refineries: A case study. <i>Chemical Engineering and Processing: Process Intensification</i> , 2009, 48, 892-901.                                      | 1.8 | 12        |
| 286 | Optimization of water networks in industrial processes. <i>Journal of Cleaner Production</i> , 2009, 17, 857-862.  | 4.6 | 46        |
| 287 | Pinch analysis approach to carbon-constrained planning for sustainable power generation. <i>Journal of Cleaner Production</i> , 2009, 17, 940-944.   | 4.6 | 109       |
| 288 | Synthesis of batch water network for a brewery plant. <i>Journal of Cleaner Production</i> , 2009, 17, 1465-1479.  | 4.6 | 39        |
| 289 | Design of Mass Exchange Network and Effluent Distribution System for effective water management. <i>Journal of Cleaner Production</i> , 2009, 17, 1580-1593.                                   | 4.6 | 6         |
| 290 | Game theory approach to the analysis of inter-plant water integration in an eco-industrial park. <i>Journal of Cleaner Production</i> , 2009, 17, 1611-1619.                                   | 4.6 | 134       |
| 291 | A process integration approach to industrial water conservation: a case study for an Indian starch industry. <i>Journal of Cleaner Production</i> , 2009, 17, 1654-1662.                       | 4.6 | 31        |
| 292 | A superstructure model for the synthesis of single-contaminant water networks with partitioning regenerators. <i>Chemical Engineering Research and Design</i> , 2009, 87, 197-205.             | 2.7 | 51        |
| 293 | Application of Water Source Diagram (WSD) method for the reduction of water consumption in petroleum refineries. <i>Resources, Conservation and Recycling</i> , 2009, 53, 149-154.             | 5.3 | 32        |
| 294 | Studies on resilience of water networks. <i>Chemical Engineering Journal</i> , 2009, 147, 117-121.   | 6.6 | 24        |
| 295 | Automated targeting for conventional and bilateral property-based resource conservation network. <i>Chemical Engineering Journal</i> , 2009, 149, 87-101.                                      | 6.6 | 87        |
| 296 | Automated targeting for inter-plant water integration. <i>Chemical Engineering Journal</i> , 2009, 153, 23-36.   | 6.6 | 86        |
| 297 | Usage of inherent storage for minimisation of wastewater in multipurpose batch plants. <i>Chemical Engineering Science</i> , 2009, 64, 3545-3554.  | 1.9 | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 298 | Synthesis of water-using network with central reusable storage in batch processes. Computers and Chemical Engineering, 2009, 33, 267-276.  | 2.0 | 22        |
| 299 | Profit-based grassroots design and retrofit of water networks in process plants. Computers and Chemical Engineering, 2009, 33, 436-453.  | 2.0 | 33        |
| 300 | Regeneration of internal streams as an effective tool for wastewater network optimisation. Computers and Chemical Engineering, 2009, 33, 731-742.  | 2.0 | 17        |
| 301 | A mathematical optimisation approach for wastewater minimisation in multipurpose batch plants: Multiple contaminants. Computers and Chemical Engineering, 2009, 33, 1826-1840.   | 2.0 | 42        |
| 302 | The use of graphical pinch analysis for visualizing water footprint constraints in biofuel production. Applied Energy, 2009, 86, 605-609.  | 5.1 | 76        |
| 303 | A new approach to design energy efficient water allocation networks. Applied Thermal Engineering, 2009, 29, 2302-2307.   | 3.0 | 47        |
| 304 | Polygeneration and efficient use of natural resources. Energy, 2009, 34, 575-586.  | 4.5 | 194       |
| 305 | Improving energy recovery for water minimisation. Energy, 2009, 34, 880-893.   | 4.5 | 52        |
| 306 | Estimating the maximum possible internal heat integrations of individual processes. Energy, 2009, 34, 1372-1377.   | 4.5 | 3         |
| 307 | Extended pinch targeting techniques for carbon-constrained energy sector planning. Applied Energy, 2009, 86, 60-67.  | 5.1 | 123       |
| 308 | Automated Targeting Technique for Single-Impurity Resource Conservation Networks. Part 1: Direct Reuse/Recycle. Industrial & Engineering Chemistry Research, 2009, 48, 7637-7646.  | 1.8 | 110       |
| 309 | Development of a Generalized Mixed Integer Nonlinear Programming Model for Assessing and Improving the Operational Flexibility of Water Network Designs. Industrial & Engineering Chemistry Research, 2009, 48, 3496-3504. | 1.8 | 26        |
| 310 | Graphical Analysis of Process Changes for Water Minimization. Industrial & Engineering Chemistry Research, 2009, 48, 7145-7151.  | 1.8 | 6         |
| 311 | Evolution of Resource Allocation Networks. Industrial & Engineering Chemistry Research, 2009, 48, 7152-7167.   | 1.8 | 34        |
| 312 | Optimal Design of an Integrated Discontinuous Water-Using Network Coordinating with a Central Continuous Regeneration Unit. Industrial & Engineering Chemistry Research, 2009, 48, 10924-10940.                            | 1.8 | 26        |
| 313 | State-of-the-Art Review of Pinch Analysis Techniques for Water Network Synthesis. Industrial & Engineering Chemistry Research, 2009, 48, 5125-5159.  | 1.8 | 336       |
| 314 | Automated Targeting Technique for Single-Impurity Resource Conservation Networks. Part 2: Single-Pass and Partitioning Waste-Interception Systems. Industrial & Engineering Chemistry Research, 2009, 48, 7647-7661.       | 1.8 | 123       |
| 315 | Operational Strategy for Water Supply in a Petrochemical Plant. Steady-State and Dynamic Approaches. Computer Aided Chemical Engineering, 2009, 27, 1485-1490.   | 0.3 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 316 | Production planning by pinch analysis for biomass use in dynamic and seasonal markets. International Journal of Production Research, 2009, 47, 2079-2090.                            | 4.9 | 22        |
| 317 | Optimal design of water networks in process industries using mathematical model. , 2010, , .   |     | 1         |
| 318 | Multiobjective optimization of industrial water networks with contaminants. Computer Aided Chemical Engineering, 2010, , 859-864.  | 0.3 | 5         |
| 319 | Technique assessment for eco-industrial parks in China. World Review of Science, Technology and Sustainable Development, 2010, 8, 47.  | 0.3 | 2         |
| 320 | A graphical representation of carbon footprint reduction for chemical processes. Journal of Cleaner Production, 2010, 18, 848-856.   | 4.6 | 49        |
| 321 | Water reuse in tannery beamhouse process. Journal of Cleaner Production, 2010, 18, 1545-1552.  | 4.6 | 35        |
| 322 | Targeting for cogeneration potential through total site integration. Applied Thermal Engineering, 2010, 30, 6-14.  | 3.0 | 125       |
| 323 | Design of water and heat recovery networks for the simultaneous minimisation of water and energy consumption. Applied Thermal Engineering, 2010, 30, 2290-2299.                      | 3.0 | 48        |
| 324 | Process integration, modelling and optimisation for energy saving and pollution reduction. Applied Thermal Engineering, 2010, 30, 2270-2280.   | 3.0 | 146       |
| 325 | On the use of graphical analysis for the design of batch water networks. Clean Technologies and Environmental Policy, 2010, 12, 117-123.   | 2.1 | 11        |
| 326 | Applying process design software for capacity increase and revamp of distillation units. Clean Technologies and Environmental Policy, 2010, 12, 97-103.                              | 2.1 | 9         |
| 327 | Synthesis of resource conservation network with sink-source interaction. Clean Technologies and Environmental Policy, 2010, 12, 613-625.   | 2.1 | 8         |
| 328 | Technical measures to achieve a cleaner production mode for recycled paper mills. Frontiers of Environmental Science and Engineering in China, 2010, 4, 466-474.                     | 0.8 | 0         |
| 329 | Energy and Water Optimization in Biofuel Plants. Chinese Journal of Chemical Engineering, 2010, 18, 914-922.   | 1.7 | 60        |
| 330 | Optimal design of single-contaminant regeneration reuse water networks with process decomposition. AIChE Journal, 2010, 56, 915-929.   | 1.8 | 8         |
| 332 | Coalescence of Water Droplets in Crude Oil Emulsions: Analytical Solution. Chemical Engineering and Technology, 2010, 33, 237-243.   | 0.9 | 21        |
| 333 | Novel approach for the treatment and recycle of wastewater from soya edible oil refinery industry-An economic perspective. Resources, Conservation and Recycling, 2010, 54, 752-758. | 5.3 | 54        |
| 334 | Hybrid optimization approach for water allocation and mass exchange network. Resources, Conservation and Recycling, 2010, 54, 783-792.   | 5.3 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 335 | The modified water source diagram method applied to reuse of textile industry continuous washing water. Resources, Conservation and Recycling, 2010, 54, 1405-1411.               | 5.3 | 18        |
| 336 | Integrating purifiers in refinery hydrogen networks: a retrofit case study. Journal of Cleaner Production, 2010, 18, 233-241.   | 4.6 | 112       |
| 337 | New objective function for data reconciliation in water balance from industrial processes. Journal of Cleaner Production, 2010, 18, 1184-1189.                                    | 4.6 | 21        |
| 338 | Reducing mine water network energy requirements. Journal of Cleaner Production, 2010, 18, 1328-1338.  | 4.6 | 46        |
| 339 | Synthesis of heat-integrated water-using networks in process plants. Journal of the Taiwan Institute of Chemical Engineers, 2010, 41, 512-521.                                    | 2.7 | 20        |
| 340 | Design of isolated renewable hybrid power systems. Solar Energy, 2010, 84, 1124-1136.   | 2.9 | 133       |
| 341 | Optimization of a waste heat utilization network in an eco-industrial park. Applied Energy, 2010, 87, 1978-1988.  | 5.1 | 112       |
| 342 | Automated targeting for the synthesis of an integrated biorefinery. Chemical Engineering Journal, 2010, 162, 67-74.   | 6.6 | 73        |
| 343 | A heuristic revamp strategy to improve operational flexibility of water networks based on active constraints. Chemical Engineering Science, 2010, 65, 2758-2770.                  | 1.9 | 24        |
| 344 | Energy conservation in water allocation networks with negligible contaminant effects. Chemical Engineering Science, 2010, 65, 4182-4193.  | 1.9 | 23        |
| 345 | Targeting and design of energy allocation networks for carbon emission reduction. Chemical Engineering Science, 2010, 65, 6155-6168.  | 1.9 | 47        |
| 346 | Optimization-based method for calculating water networks with user specified characteristics. Chemical Engineering Research and Design, 2010, 88, 109-120.                        | 2.7 | 29        |
| 347 | Graphical approach to minimum flowrate targeting for partitioning water pretreatment units. Chemical Engineering Research and Design, 2010, 88, 393-402.                          | 2.7 | 16        |
| 348 | Global optimization for the synthesis of property-based recycle and reuse networks including environmental constraints. Computers and Chemical Engineering, 2010, 34, 318-330.    | 2.0 | 81        |
| 349 | Scope for the application of mathematical programming techniques in the synthesis and planning of sustainable processes. Computers and Chemical Engineering, 2010, 34, 1365-1376. | 2.0 | 224       |
| 350 | Automated targeting technique for concentration- and property-based total resource conservation network. Computers and Chemical Engineering, 2010, 34, 825-845.                   | 2.0 | 86        |
| 351 | On the use of systems technologies and a systematic approach for the synthesis and the design of future biorefineries. Computers and Chemical Engineering, 2010, 34, 1397-1405.   | 2.0 | 127       |
| 352 | Design of inter-plant water network with central and decentralized water mains. Computers and Chemical Engineering, 2010, 34, 1522-1531.  | 2.0 | 45        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 353 | Pinch Analysis as a Knowledge Management Tool for Optimization in Supply Chain. Journal of Computer and Information Science, 2010, 4, .   | 0.2 | 3         |
| 354 | Cost-Based Optimization of a Papermaking Wastewater Regeneration Recycling System. , 2010, , .  |     | 0         |
| 355 | PARTICLE SWARM OPTIMIZATION FOR SOLVING NLP AND MINLP IN CHEMICAL ENGINEERING. Advances in Process Systems Engineering, 2010, , 271-300.  | 0.3 | 1         |
| 356 | Ecological Optimization of Generalized Irreversible Chemical Engines. International Journal of Chemical Reactor Engineering, 2010, 8, .   | 0.6 | 9         |
| 357 | Introduction to Batch Chemical Processes. , 2010, , 1-11.   |     | 2         |
| 358 | Optimization of Energy and Water Consumption in Corn-Based Ethanol Plants. Industrial & Engineering Chemistry Research, 2010, 49, 7972-7982.  | 1.8 | 103       |
| 359 | Automated Targeting Technique for Batch Process Integration. Industrial & Engineering Chemistry Research, 2010, 49, 9899-9916.  | 1.8 | 37        |
| 360 | Flowrate Targeting Algorithm for Interplant Resource Conservation Network. Part 1: Unassisted Integration Scheme. Industrial & Engineering Chemistry Research, 2010, 49, 6439-6455.                                   | 1.8 | 49        |
| 361 | Holistic Approach for Design of Minimum Water Networks Using the Mixed Integer Linear Programming (MILP) Technique. Industrial & Engineering Chemistry Research, 2010, 49, 5742-5751.                                 | 1.8 | 17        |
| 362 | Interfactory and Intrafactory Water Network System To Remodel a Conventional Industrial Park to a Green Eco-industrial Park. Industrial & Engineering Chemistry Research, 2010, 49, 1351-1358.                        | 1.8 | 40        |
| 363 | Carbon Emission Reduction using Pinch Analysis. International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering, 2010, , . | 0.0 | 4         |
| 364 | Water Integration of Eco-Industrial Parks Using a Global Optimization Approach. Industrial & Engineering Chemistry Research, 2010, 49, 9945-9960.   | 1.8 | 66        |
| 365 | On the Degeneracy of the Water/Wastewater Allocation Problem in Process Plants. Industrial & Engineering Chemistry Research, 2010, 49, 4340-4351.   | 1.8 | 17        |
| 366 | Water Minimization Techniques for Batch Processes. Industrial & Engineering Chemistry Research, 2010, 49, 8877-8893.  | 1.8 | 70        |
| 367 | Review of Water Network Design Methods with Literature Annotations. Industrial & Engineering Chemistry Research, 2010, 49, 4475-4516.   | 1.8 | 177       |
| 368 | Modified Problem Table Algorithm for Energy Targeting. Industrial & Engineering Chemistry Research, 2010, 49, 11557-11563.  | 1.8 | 52        |
| 369 | Application of water pinch technology for water and wastewater minimization in aluminum anodizing industries. International Journal of Environmental Science and Technology, 2010, 7, 281-290.                        | 1.8 | 14        |
| 370 | Optimization of Total Networks of Water-Using and Treatment Units by Genetic Algorithms. Industrial & Engineering Chemistry Research, 2010, 49, 3715-3731.  | 1.8 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 371 | Batch Chemical Process Integration. , 2010, , .   |     | 17        |
| 372 | COMPARATIVE ANALYSIS OF DIFFERENT ASSUMPTIONS FOR THE DESIGN OF SINGLE-CONTAMINANT WATER NETWORKS. Chemical Engineering Communications, 2010, 197, 859-880.                           | 1.5 | 2         |
| 373 | A Mass-Load Based Source Shift Algorithm to Simplify Water-Using Networks. , 2011, , .  |     | 0         |
| 374 | A new graphical approach for simultaneous targeting and design of a paper recycling network. Asia-Pacific Journal of Chemical Engineering, 2011, 6, 778-786.                          | 0.8 | 13        |
| 375 | Optimization of Water Consumption in Second Generation Bioethanol Plants. Industrial & Engineering Chemistry Research, 2011, 50, 3705-3721.   | 1.8 | 44        |
| 376 | On Synthesis and Optimization of Cooling Water Systems with Multiple Cooling Towers. Industrial & Engineering Chemistry Research, 2011, 50, 3775-3787.                                | 1.8 | 31        |
| 377 | Multiobjective Optimization of Water-Using Networks with Multiple Contaminants. Industrial & Engineering Chemistry Research, 2011, 50, 5651-5660.                                     | 1.8 | 7         |
| 378 | Global Optimization of Water Management Problems Using Linear Relaxation and Bound Contraction Methods. Industrial & Engineering Chemistry Research, 2011, 50, 3738-3753.             | 1.8 | 26        |
| 379 | A Model-Based Search Strategy for Exhaustive Identification of Alternative Water Network Designs. Industrial & Engineering Chemistry Research, 2011, 50, 3653-3659.                   | 1.8 | 5         |
| 380 | Preface for Water Network Synthesis Special Issue. Industrial & Engineering Chemistry Research, 2011, 50, 3634-3635.  | 1.8 | 0         |
| 381 | Targeting for Conventional and Property-Based Water Network with Multiple Resources. Industrial & Engineering Chemistry Research, 2011, 50, 3722-3737.                                | 1.8 | 48        |
| 382 | Optimization of Direct Recycle Networks with the Simultaneous Consideration of Property, Mass, and Thermal Effects. Industrial & Engineering Chemistry Research, 2011, 50, 3754-3762. | 1.8 | 39        |
| 383 | Water Reuse and Wastewater Minimization in Chemical Industries Using Differentiated Regeneration of Contaminants. Industrial & Engineering Chemistry Research, 2011, 50, 7428-7436.   | 1.8 | 17        |
| 384 | Evolutionary Design Methodology for Resource Allocation Networks with Multiple Impurities. Industrial & Engineering Chemistry Research, 2011, 50, 2959-2970.                          | 1.8 | 27        |
| 385 | Resource-Task Network Approach to Simultaneous Scheduling and Water Minimization of Batch Plants. Industrial & Engineering Chemistry Research, 2011, 50, 3660-3674.                   | 1.8 | 15        |
| 386 | Planning Model for the Design and/or Retrofit of Industrial Water Systems. Industrial & Engineering Chemistry Research, 2011, 50, 3788-3797.  | 1.8 | 15        |
| 387 | Efficient Flexibility Assessment Procedure for Water Network Designs. Industrial & Engineering Chemistry Research, 2011, 50, 3763-3774.   | 1.8 | 14        |
| 388 | Water Allocation Network Design Concerning Process Disturbance. Industrial & Engineering Chemistry Research, 2011, 50, 3675-3685.   | 1.8 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 389 | An MINLP Model for the Optimal Location of a New Industrial Plant with Simultaneous Consideration of Economic and Environmental Criteria. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 953-964.       | 1.8 | 30        |
| 390 | Security of Industrial Water Supply and Management. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2011, , .   | 0.1 | 7         |
| 391 | Heat Integration in Process Water Networks. <i>Industrial &amp; Engineering Chemistry Research</i> , 2011, 50, 3695-3704.   | 1.8 | 33        |
| 392 | Technology Roadmap for Wastewater Reuse in Petroleum Refineries in Brazil. , 2011, , .  |     | 1         |
| 393 | Achieving Dewaterization in Industrial Parks. <i>Journal of Industrial Ecology</i> , 2011, 15, 597-613.   | 2.8 | 24        |
| 394 | Synthesis of water networks considering the sustainability of the surrounding watershed. <i>Computers and Chemical Engineering</i> , 2011, 35, 2837-2852.   | 2.0 | 27        |
| 395 | Wastewater minimization in multipurpose batch plants with a regeneration unit: Multiple contaminants. <i>Computers and Chemical Engineering</i> , 2011, 35, 2824-2836.  | 2.0 | 31        |
| 396 | Design of discontinuous water-using systems with a graphical method. <i>Chemical Engineering Journal</i> , 2011, 172, 799-810.  | 6.6 | 23        |
| 397 | Optimal design of multiple-contaminant regeneration reuse water networks with process decomposition. <i>Chemical Engineering Journal</i> , 2011, 173, 80-91.  | 6.6 | 17        |
| 398 | Integrated water networks optimisation under uncertainty. <i>Chemical Engineering Journal</i> , 2011, 175, 56-69.   | 6.6 | 13        |
| 399 | Water network design with stochastic optimization approach. <i>Chemical Engineering Research and Design</i> , 2011, 89, 2085-2085.  | 2.7 | 15        |
| 400 | Unified targeting algorithm for diverse process integration problems of resource conservation networks. <i>Chemical Engineering Research and Design</i> , 2011, 89, 2686-2705.  | 2.7 | 33        |
| 401 | Design and optimization of isolated energy systems through pinch analysis. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2011, 6, 518-526.  | 0.8 | 85        |
| 402 | Energy integration across multiple water allocation networks with negligible contaminant effects. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2011, 6, 527-536.   | 0.8 | 4         |
| 403 | Analysis of inter-plant water integration with indirect integration schemes through game theory approach: Pareto optimal solution with interventions. <i>Clean Technologies and Environmental Policy</i> , 2011, 13, 49-62. | 2.1 | 44        |
| 404 | An extended graphical targeting technique for direct reuse/recycle in concentration and property-based resource conservation networks. <i>Clean Technologies and Environmental Policy</i> , 2011, 13, 347-357.              | 2.1 | 58        |
| 405 | Synthesis of property-based resource conservation network in palm oil mills with time-varying process disturbance. <i>Clean Technologies and Environmental Policy</i> , 2011, 13, 625-632.                                  | 2.1 | 5         |
| 406 | Simulation of mass exchange networks using modified genetic algorithms. <i>Korean Journal of Chemical Engineering</i> , 2011, 28, 332-341.  | 1.2 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 407 | Positive and negative effects of excessive water reuse to be considered in water network synthesis. Korean Journal of Chemical Engineering, 2011, 28, 511-518.  | 1.2 | 2         |
| 408 | Water network synthesis in refinery. Korean Journal of Chemical Engineering, 2011, 28, 1975-1985.   | 1.2 | 5         |
| 409 | Global superstructure optimization for the design of integrated process water networks. AIChE Journal, 2011, 57, 434-457.   | 1.8 | 165       |
| 410 | A property-based approach to the synthesis of material conservation networks with economic and environmental objectives. AIChE Journal, 2011, 57, 2369-2387.  | 1.8 | 34        |
| 411 | Process-based graphical approach for simultaneous targeting and design of water network. AIChE Journal, 2011, 57, 3085-3104.  | 1.8 | 30        |
| 412 | A simple method for design of distributed wastewater treatment systems with multiple contaminants. AIChE Journal, 2011, 57, 3226-3232.  | 1.8 | 9         |
| 414 | Property integration for resource conservation network synthesis in palm oil mills. Chemical Engineering Journal, 2011, 169, 207-215.   | 6.6 | 7         |
| 415 | Unified methodology for thermal energy efficiency improvement: Application to Kraft process. Chemical Engineering Science, 2011, 66, 135-151.   | 1.9 | 30        |
| 416 | Rigorous algorithmic targeting methods for hydrogen networks—Part I: Systems with no hydrogen purification. Chemical Engineering Science, 2011, 66, 813-820.  | 1.9 | 64        |
| 417 | Rigorous algorithmic targeting methods for hydrogen networks—Part II: Systems with one hydrogen purification unit. Chemical Engineering Science, 2011, 66, 821-833.   | 1.9 | 66        |
| 418 | Heuristic evolution strategies for simplifying water-using networks with multiple contaminants. Chemical Engineering Science, 2011, 66, 558-562.  | 1.9 | 3         |
| 419 | Base case process development for energy efficiency improvement, application to a Kraft pulping mill. Part I: Definition and characterization. Chemical Engineering Research and Design, 2011, 89, 742-752. | 2.7 | 12        |
| 420 | Base case process development for energy efficiency improvement, application to a Kraft pulping mill. Part II: Benchmarking analysis. Chemical Engineering Research and Design, 2011, 89, 729-741.          | 2.7 | 19        |
| 421 | A global optimal formulation for the water integration in eco-industrial parks considering multiple pollutants. Computers and Chemical Engineering, 2011, 35, 1558-1574.                                    | 2.0 | 54        |
| 422 | Water pinch analysis in oil refinery using regeneration reuse and recycling consideration. Desalination, 2011, 265, 255-265.  | 4.0 | 29        |
| 423 | Design of water and energy networks using temperature-concentration diagrams. Energy, 2011, 36, 3888-3896.  | 4.5 | 35        |
| 424 | Optimal retrofit of water conservation networks. Journal of Cleaner Production, 2011, 19, 1560-1581.  | 4.6 | 36        |
| 425 | Taking advantage of storm and waste water retention basins as part of water use minimization in industrial sites. Resources, Conservation and Recycling, 2011, 55, 316-324.                                 | 5.3 | 12        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 426 | Optimal design of water networks involving multiple contaminants for global water operations. Asia-Pacific Journal of Chemical Engineering, 2011, 6, 771-777.   | 0.8 | 7         |
| 427 | Heat integration &#x2014; History, recent developments and achievements. , 2011, , .  |     | 1         |
| 428 | A new graphical exergy targeting representation for processes operating above and below ambient temperature. Computer Aided Chemical Engineering, 2012, 30, 557-561.  | 0.3 | 3         |
| 429 | Study on the Cooling Water Systems with Multiple Cooling Water Supplies. Advanced Materials Research, 2012, 610-613, 2497-2500.   | 0.3 | 0         |
| 430 | Research and Application of Distributed Effluent-Treatment Systems. , 2012, , .   |     | 0         |
| 431 | Forest Biorefinery Supply Chain Design and Process Flexibility. , 2012, , 306-347.  |     | 1         |
| 432 | Recycling of bleach plant effluent of an Indian paper mill using water cascade analysis technique. Clean Technologies and Environmental Policy, 2012, 14, 677-685.  | 2.1 | 5         |
| 433 | Optimal design of distributed treatment systems for the effluents discharged to the rivers. Clean Technologies and Environmental Policy, 2012, 14, 925-942.   | 2.1 | 23        |
| 434 | Enhanced nearest neighbors algorithm for design of water networks. Chemical Engineering Science, 2012, 84, 197-206.   | 1.9 | 18        |
| 435 | Judicious generation of alternative water network designs with manual evolution strategy. Chemical Engineering Research and Design, 2012, 90, 1245-1261.  | 2.7 | 14        |
| 436 | DESIGN OF A CONTROL STRUCTURE FOR MASS EXCHANGER NETWORKS. Chemical Engineering Communications, 2012, 199, 1102-1124.   | 1.5 | 1         |
| 437 | Mathematically Rigorous Algebraic and Graphical Techniques for Targeting Minimum Resource Requirement and Interplant Flow Rate for Total Site Involving Two Plants. Industrial & Engineering Chemistry Research, 2012, 51, 3401-3417. | 1.8 | 13        |
| 438 | Optimization of Water Systems with the Consideration of Pressure Drop and Pumping. Industrial & Engineering Chemistry Research, 2012, 51, 848-859.  | 1.8 | 8         |
| 439 | A Rigorous Targeting to Minimize Resource Requirement in Batch Processes. Industrial & Engineering Chemistry Research, 2012, 51, 8015-8024.   | 1.8 | 9         |
| 440 | Industrial wastewater collection using a separation technique. Journal of Industrial and Engineering Chemistry, 2012, 18, 1320-1325.  | 2.9 | 3         |
| 441 | Optimal design of sustainable chemical processes and supply chains: A review. Computers and Chemical Engineering, 2012, 44, 94-103.   | 2.0 | 99        |
| 442 | Coupling multiple water-reuse network designs for agile manufacturing. Computers and Chemical Engineering, 2012, 45, 62-71.   | 2.0 | 8         |
| 443 | RESOURCE CONSERVATION THROUGH PINCH ANALYSIS, TECHNIQUES. Advances in Process Systems Engineering, 2012, , 133-158.   | 0.3 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 444 | ADAPTIVE SWARM-BASED SIMULATED ANNEALING FOR THE SYNTHESIS OF WATER NETWORKS. <i>Advances in Process Systems Engineering</i> , 2012, , 291-309.  | 0.3 | 0         |
| 445 | A PROCESS INTEGRATION FRAMEWORK FOR THE OPTIMAL DESIGN OF COMBINED HEAT AND POWER SYSTEMS IN THE PROCESS INDUSTRIES. <i>Advances in Process Systems Engineering</i> , 2012, , 423-461.                       | 0.3 | 3         |
| 446 | Prospective and perspective review in integrated supply chain modelling for the chemical process industry. <i>Current Opinion in Chemical Engineering</i> , 2012, 1, 430-445.                                | 3.8 | 27        |
| 447 | Design of distributed energy system through Electric System Cascade Analysis (ESCA). <i>Applied Energy</i> , 2012, 99, 309-315.  | 5.1 | 95        |
| 448 | Systematic approach for the synthesis of water and energy networks. <i>Applied Thermal Engineering</i> , 2012, 48, 458-464.  | 3.0 | 21        |
| 449 | A process integration targeting method for hybrid power systems. <i>Energy</i> , 2012, 44, 6-10.   | 4.5 | 125       |
| 450 | Heat, mass, and work exchange networks. <i>Frontiers of Chemical Science and Engineering</i> , 2012, 6, 484-502.   | 2.3 | 23        |
| 451 | Pinch based approach to estimate CO2 capture and storage retrofit and compensatory renewable power for South Korean electricity sector. <i>Korean Journal of Chemical Engineering</i> , 2012, 29, 1163-1170. | 1.2 | 13        |
| 452 | Industrial water recycle/reuse. <i>Current Opinion in Chemical Engineering</i> , 2012, 1, 238-245.   | 3.8 | 109       |
| 453 | Synthesis of Interplant Water-Allocation and Heat-Exchange Networks. Part 1: Fixed Flow Rate Processes. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 4299-4312.                        | 1.8 | 24        |
| 454 | A water saving methodology for the efficient development of biorefineries. <i>Computer Aided Chemical Engineering</i> , 2012, , 6-10.  | 0.3 | 5         |
| 455 | Optimal Design Of Water Networks Involving Single Contaminant. <i>Jurnal Teknologi (Sciences and)</i> Tj ETQq1 1 0.784314 rgBT <sub>0</sub> /Overlock  | 0.3 | 0         |
| 456 | Costâ€“Effective Retrofit Of A Palm Oil Refinery Using Pinch Analysis. <i>Jurnal Teknologi (Sciences and)</i> Tj ETQq0 0 0 rgBT <sub>0</sub> /Overlock 10 Tf   | 0.3 | 1         |
| 457 | Global optimization based on subspaces elimination: Applications to generalized pooling and water management problems. <i>AIChE Journal</i> , 2012, 58, 2336-2345.   | 1.8 | 8         |
| 458 | A new approach for global optimization of a class of MINLP problems with applications to water management and pooling problems. <i>AIChE Journal</i> , 2012, 58, 2320-2335.                                  | 1.8 | 47        |
| 459 | Water pinch analysis for water and wastewater minimization in Tehran oil refinery considering three contaminants. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 2709-2728.                     | 1.3 | 13        |
| 460 | Reuse water network synthesis by modified PSO approach. <i>Chemical Engineering Journal</i> , 2012, 183, 198-211.  | 6.6 | 17        |
| 461 | Optimization of water network with single and two outflow water-using processes. <i>Chemical Engineering Journal</i> , 2012, 192, 49-57.   | 6.6 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 462 | Design of wastewater treatment networks with single contaminant. Chemical Engineering Journal, 2012, 192, 315-325.   | 6.6 | 9         |
| 463 | System analysis of total water systems for water minimization. Chemical Engineering Journal, 2012, 193-194, 304-317.   | 6.6 | 12        |
| 464 | Targeting and design of energy allocation networks with carbon capture and storage. Chemical Engineering Science, 2012, 68, 313-327.   | 1.9 | 30        |
| 465 | Energy optimization in heat integrated water allocation networks. Chemical Engineering Science, 2012, 69, 352-364.   | 1.9 | 43        |
| 466 | Design of water-using networks by combining the concentration potential concepts with an LP approach. Chemical Engineering Science, 2012, 69, 565-570.                                   | 1.9 | 16        |
| 467 | A new design method for water-using networks of multiple contaminants with the concentration potential concepts. Chemical Engineering Science, 2012, 73, 345-353.                        | 1.9 | 18        |
| 468 | Minimizing water and energy consumptions in water and heat exchange networks. Applied Thermal Engineering, 2012, 36, 442-455.  | 3.0 | 64        |
| 469 | Studies on the effect of non-isothermal mixing on water-using network's energy performance. Computers and Chemical Engineering, 2012, 36, 140-148.                                       | 2.0 | 23        |
| 470 | Industrial water management by multiobjective optimization: from individual to collective solution through eco-industrial parks. Journal of Cleaner Production, 2012, 22, 85-97.         | 4.6 | 109       |
| 471 | A new design method for water-using network of multiple contaminants with single internal water main. Journal of Cleaner Production, 2012, 29-30, 38-45.                                 | 4.6 | 18        |
| 472 | On process optimization considering LCA methodology. Journal of Environmental Management, 2012, 96, 43-54.   | 3.8 | 138       |
| 473 | Optimisation of petroleum refinery water network systems retrofit incorporating reuse, regeneration and recycle strategies. Canadian Journal of Chemical Engineering, 2012, 90, 137-143. | 0.9 | 14        |
| 474 | An iterative method for design of water-using networks with regeneration recycling. AIChE Journal, 2012, 58, 456-465.  | 1.8 | 24        |
| 475 | Multilevel strategies for the retrofit of large-scale industrial water system: A brewery case study. AIChE Journal, 2012, 58, 884-898.   | 1.8 | 9         |
| 476 | Incorporating Property-Based Water Networks and Surrounding Watersheds in Site Selection of Industrial Facilities. Industrial & Engineering Chemistry Research, 2013, 52, 91-107.        | 1.8 | 26        |
| 477 | Optimization of water network integrated with process models. Clean Technologies and Environmental Policy, 2013, 15, 473-487.  | 2.1 | 16        |
| 478 | Water Sources Diagram in Multiple Contaminant Processes: Maximum Reuse. Industrial & Engineering Chemistry Research, 2013, 52, 1667-1677.  | 1.8 | 11        |
| 479 | Water reuse and recycling according to stream qualities in sugar ethanol plants. Energy for Sustainable Development, 2013, 17, 546-554.  | 2.0 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 480 | Synthesis of Heat Integrated Resource Conservation Networks with Varying Operating Parameters. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 7196-7210.                                      | 1.8 | 15        |
| 481 | Recent developments in Process Integration. <i>Chemical Engineering Research and Design</i> , 2013, 91, 2037-2053.  | 2.7 | 180       |
| 482 | Targeting and design of CWNs (cooling water networks). <i>Energy</i> , 2013, 55, 1033-1043.   | 4.5 | 18        |
| 483 | Evolutionary Graphical Approach for Simultaneous Targeting and Design of Resource Conservation Networks with Multiple Contaminants. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 1309-1321. | 1.8 | 23        |
| 484 | Integration of bioethanol as an in-process material in biorefineries using mass pinch analysis. <i>Applied Energy</i> , 2013, 104, 517-526.   | 5.1 | 57        |
| 485 | A generalised guideline for process changes for resource conservation networks. <i>Clean Technologies and Environmental Policy</i> , 2013, 15, 45-53.   | 2.1 | 15        |
| 486 | Predicting target values of the water-using networks involving regeneration recycling. <i>Chemical Engineering Science</i> , 2013, 104, 525-539.  | 1.9 | 12        |
| 487 | A discretization-based approach for the optimization of the multiperiod blend scheduling problem. <i>Computers and Chemical Engineering</i> , 2013, 53, 122-142.  | 2.0 | 67        |
| 488 | Forty years of Heat Integration: Pinch Analysis (PA) and Mathematical Programming (MP). <i>Current Opinion in Chemical Engineering</i> , 2013, 2, 461-474.  | 3.8 | 317       |
| 489 | Targeting water utilities for the threshold problem without waste discharge. <i>Chemical Engineering Research and Design</i> , 2013, 91, 2569-2578.   | 2.7 | 8         |
| 490 | Improvements in surrogate models for process synthesis. Application to water network system design. <i>Computers and Chemical Engineering</i> , 2013, 59, 197-210.  | 2.0 | 20        |
| 491 | Wastewater Reuse Focused on Industrial Applications. , 2013, , 127-164.   |     | 3         |
| 493 | An analysis of water management in Brazilian petroleum refineries using rationalization techniques. <i>Resources, Conservation and Recycling</i> , 2013, 73, 172-179.   | 5.3 | 13        |
| 494 | Pinch Sliding Approach for Targeting Hydrogen and Water Networks with Different Types of Purifier. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 8538-8549.                                  | 1.8 | 36        |
| 495 | On the Systematic Synthesis of Sustainable Biorefineries. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 3044-3064.   | 1.8 | 92        |
| 496 | Process Integration (PI): An Introduction. , 2013, , 3-27.  |     | 9         |
| 497 | Basic Process Integration Terminology. , 2013, , 28-78.   |     | 3         |
| 498 | A Mathematical Model for Water Network Synthesis Involving Mixed Batch and Continuous Units. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 7047-7055.  | 1.8 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 499 | Incorporation of the Seasonal Variations in the Optimal Treatment of Industrial Effluents Discharged to Watersheds. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 5145-5160. | 1.8 | 12        |
| 500 | An approach to industrial water conservation – A case study involving two large manufacturing companies based in Australia. <i>Journal of Environmental Management</i> , 2013, 114, 445-460.      | 3.8 | 31        |
| 501 | Targeting for multiple resources in batch processes. <i>Chemical Engineering Science</i> , 2013, 104, 1081-1089.  | 1.9 | 10        |
| 502 | Design of regeneration recycling water networks with internal water mains by using concentration potential concepts. <i>Chemical Engineering Science</i> , 2013, 91, 162-172.                     | 1.9 | 13        |
| 503 | A model-based approach for simultaneous water and energy reduction in a pulp and paper mill. <i>Applied Thermal Engineering</i> , 2013, 51, 393-400.  | 3.0 | 30        |
| 504 | Process Integration techniques for optimal design of hybrid power systems. <i>Applied Thermal Engineering</i> , 2013, 61, 26-35.  | 3.0 | 67        |
| 505 | Industrial Heat Utilization Through Water Management. <i>Heat Transfer Engineering</i> , 2013, 34, 1191-1201.   | 1.2 | 2         |
| 506 | Targeting and design for batch regeneration and total networks. <i>Clean Technologies and Environmental Policy</i> , 2013, 15, 579-590.   | 2.1 | 7         |
| 507 | Integrated Approach for Simultaneous Mass and Property Integration for Resource Conservation. <i>ACS Sustainable Chemistry and Engineering</i> , 2013, 1, 29-38.                                  | 3.2 | 14        |
| 508 | Water Targeting Models for Simultaneous Flowsheet Optimization. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 3209-3224.   | 1.8 | 40        |
| 509 | Retrofit Mass Integration of Acid Gas Removal Systems in Petrochemical Plants. , 2013, , 725-751.   |     | 0         |
| 510 | A Unified Targeting Algorithm for Diverse Process Integration Problems. , 2013, , 524-570.  |     | 0         |
| 511 | A Process Integration Approach for Supply Chain Development. , 2013, , 571-593.   |     | 2         |
| 512 | Applications of Process Integration Methodologies in Beet Sugar Plants. , 2013, , 883-913.  |     | 2         |
| 513 | Epilogue: The Importance of Problem Formulation and Data Extraction in Process Integration. , 2013, , 1099-1116.  |     | 0         |
| 514 | Process Integration Concepts for Combined Energy and Water Integration. , 2013, , 461-483.  |     | 4         |
| 515 | Process Integration for Cleaner Process Design. , 2013, , 443-460.  |     | 0         |
| 516 | Synthesis of Water Networks with Water Loss and Gain via an Extended Pinch Analysis Technique. , 2013, , 401-421.   |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 517 | Conserving Material Resources through Process Integration: Material Conservation Networks. , 2013, , 422-439.   |     | 2         |
| 518 | Water Pinch Analysis for Water Management and Minimisation: An Introduction. , 2013, , 353-382.   |     | 8         |
| 519 | Using Systematic Design Methods to Minimise Water Use in Process Industries. , 2013, , 383-400.   |     | 0         |
| 520 | Applications of Energy and Water Process Integration Methodologies in Oil Refineries and Petrochemical Complexes. , 2013, , 633-704.                              |     | 2         |
| 521 | An MINLP Model that Includes the Effect of Temperature and Composition on Property Balances for Mass Integration Networks. Processes, 2014, 2, 675-693.           | 1.3 | 2         |
| 522 | Material pinch analysis: a pilot study on global steel flows. Metallurgical Research and Technology, 2014, 111, 359-367.  | 0.4 | 7         |
| 523 | Design of Water Recovery System with Process Integration. Handbook of Environmental Chemistry, 2014, , 183-191.   | 0.2 | 2         |
| 524 | Synthesis and Design of Interplant Water Networks using Direct Recycling Techniques within Industrial Cities. Computer Aided Chemical Engineering, 2014, , 73-78. | 0.3 | 1         |
| 526 | Synthesis of Multicomponent Reuse Water Networks by PSO Approach. Lecture Notes in Computer Science, 2014, , 282-294.   | 1.0 | 1         |
| 527 | Review of the Application of Water Pinch Technology in Water-Saving and Emission Reduction. Applied Mechanics and Materials, 0, 522-524, 181-186.                 | 0.2 | 2         |
| 529 | Optimal configuration of the distributed energy system based on the multi-objective pinch analysis. , 2014, , .   |     | 0         |
| 531 | Synthesis of Water, Wastewater Treatment, and Heat-Exchanger Networks. Computer Aided Chemical Engineering, 2014, 33, 1843-1848.                                  | 0.3 | 4         |
| 532 | A Process Integration Approach to Water Conservation of a Coal to Methanol Plant Water System. Advanced Materials Research, 0, 955-959, 3418-3421.                | 0.3 | 0         |
| 533 | Generic Carbon Cascade Analysis technique for carbon emission management. Applied Thermal Engineering, 2014, 70, 1141-1147.                                       | 3.0 | 21        |
| 534 | A novel approach to hot oil system design for energy conservation. Applied Thermal Engineering, 2014, 66, 423-434.  | 3.0 | 8         |
| 535 | Simultaneously targeting for the minimum water requirement and the maximum production in a batch process. Journal of Cleaner Production, 2014, 77, 105-115.       | 4.6 | 24        |
| 536 | Total Site Heat Integration incorporating the water sensible heat. Journal of Cleaner Production, 2014, 77, 94-104.   | 4.6 | 35        |
| 537 | Electric System Cascade Analysis (ESCA): Solar PV system. International Journal of Electrical Power and Energy Systems, 2014, 54, 481-486.                        | 3.3 | 48        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 538 | A study on establishing an optimal water network in a dyeing and finishing industrial park. Clean Technologies and Environmental Policy, 2014, 16, 45-57.   | 2.1 | 16        |
| 539 | Process integration, energy and GHG emission analyses of Jatropha-based biorefinery systems. Biomass Conversion and Biorefinery, 2014, 4, 105-124.  | 2.9 | 36        |
| 540 | Transshipment model-based MILP (mixed-integer linear programming) formulation for targeting and design of hybrid power systems. Energy, 2014, 65, 550-559.  | 4.5 | 24        |
| 541 | Optimal reconfiguration of water networks based on properties. Clean Technologies and Environmental Policy, 2014, 16, 303-328.  | 2.1 | 11        |
| 542 | Energy and water interactions: implications for industry. Current Opinion in Chemical Engineering, 2014, 5, 15-21.  | 3.8 | 38        |
| 543 | Optimal interplant water networks for industrial zones: Addressing interconnectivity options through pipeline merging. AIChE Journal, 2014, 60, 2853-2874.  | 1.8 | 36        |
| 544 | An MINLP model for the simultaneous integration of energy, mass and properties in water networks. Computers and Chemical Engineering, 2014, 71, 52-66.  | 2.0 | 35        |
| 545 | Review of optimization models for integrated process water networks and their application to biofuel processes. Current Opinion in Chemical Engineering, 2014, 5, 101-109.                                  | 3.8 | 18        |
| 546 | A novel application of exergy analysis: Lean manufacturing tool to improve energy efficiency and flexibility of hydrocarbon processing. Energy, 2014, 77, 382-390.  | 4.5 | 19        |
| 547 | Simultaneous optimization of integrated heat, mass and pressure exchange network using exergoeconomic method. Applied Energy, 2014, 136, 1098-1109.   | 5.1 | 28        |
| 548 | 6. Setting the maximum water recovery targets. , 2014, , 151-176.   |     | 0         |
| 549 | Use of Pinch Concept To Optimize the Total Water Regeneration Network. Industrial & Engineering Chemistry Research, 2014, 53, 3222-3235.  | 1.8 | 19        |
| 550 | Graphical tools for production planning in small medium industries (SMIs) based on pinch analysis. Journal of Manufacturing Systems, 2014, 33, 639-646.   | 7.6 | 14        |
| 551 | Transshipment model-based linear programming formulation for targeting hybrid power systems with power loss considerations. Energy, 2014, 75, 24-30.  | 4.5 | 12        |
| 552 | Pinch Point Analysis. Computer Aided Chemical Engineering, 2014, 35, 525-564.   | 0.3 | 17        |
| 553 | Targeting and design of chilled water network. Applied Energy, 2014, 134, 589-599.  | 5.1 | 18        |
| 554 | Optimization of Multiple Freshwater Resources in a Flexible-Schedule Batch Water Network. Industrial & Engineering Chemistry Research, 2014, 53, 5996-6005.   | 1.8 | 21        |
| 555 | Integrated Sono-Fenton ultrafiltration process for 4-chlorophenol removal from aqueous effluents: process modeling and simulation Part 2. Clean Technologies and Environmental Policy, 2014, 16, 1161-1177. | 2.1 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 556 | Water integration in industrial zones: a spatial representation with direct recycle applications. Clean Technologies and Environmental Policy, 2014, 16, 1637-1659.                 | 2.1 | 42        |
| 557 | Property integration models with interdependence mixing operators. Chemical Engineering Research and Design, 2014, 92, 3038-3045.   | 2.7 | 7         |
| 558 | 1. Process Integration and Intensification: an introduction. , 2014, , 1-12.  |     | 0         |
| 559 | Simulation, Control, and Optimization of Water Systems in Industrial Plants. , 2014, , 463-487.   |     | 3         |
| 560 | Targeting for optimal grid-wide deployment of carbon capture and storage (CCS) technology. Chemical Engineering Research and Design, 2014, 92, 835-848.                             | 2.7 | 43        |
| 561 | Design of robust water exchange networks for eco-industrial symbiosis. Chemical Engineering Research and Design, 2014, 92, 160-170.   | 2.7 | 43        |
| 562 | Design of water-using networks of multiple contaminants with two internal water mains. Journal of Cleaner Production, 2014, 67, 37-44.  | 4.6 | 7         |
| 563 | Simultaneous water and energy conservation through graphical and mathematical programming: a case study for float glass industry. Journal of Cleaner Production, 2014, 78, 15-34.   | 4.6 | 12        |
| 564 | Optimization of energy and water use in multipurpose batch plants using an improved mathematical formulation. Chemical Engineering Science, 2014, 111, 335-349.                     | 1.9 | 21        |
| 565 | A two-stage approach for the synthesis of inter-plant water networks involving continuous and batch units. Chemical Engineering Research and Design, 2014, 92, 941-953.             | 2.7 | 24        |
| 566 | 8. Design of Cost-Effective Minimum Water Network (CEMWN). , 2014, , 197-228.   |     | 0         |
| 567 | Designing optimal bioethanol networks with purification for integrated biorefineries. Energy Conversion and Management, 2014, 88, 1271-1282.  | 4.4 | 9         |
| 568 | Estimating utility saving by using the technique of energy situation image. Fuel, 2014, 129, 95-101.  | 3.4 | 0         |
| 570 | Simulation techniques for an Efficient Use of Resources: An overview for the steelmaking field. , 2015, , ,   |     | 8         |
| 572 | A Tool-supported Approach towards Water Efficiency in Manufacturing. Procedia CIRP, 2015, 28, 34-39.  | 1.0 | 9         |
| 573 | Sustainable process design by the process to planet framework. AIChE Journal, 2015, 61, 3320-3331.  | 1.8 | 28        |
| 574 | A Systematic Approach for Targeting Zero Liquid Discharge in Industrial Parks. Computer Aided Chemical Engineering, 2015, , 887-892.  | 0.3 | 2         |
| 576 | Dynamic Optimization for the Optimal Location of New Industrial Facilities Considering the Sustainability of the Watershed. Computer Aided Chemical Engineering, 2015, 36, 421-450. | 0.3 | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 577 | MINLP Optimization Model for Water/wastewater Networks with Multiple Contaminants. Computer Aided Chemical Engineering, 2015, , 1319-1324.  | 0.3 | 2         |
| 578 | Material flow cost accounting (MFCA)â€‘based approach for prioritisation of waste recovery. Journal of Cleaner Production, 2015, 107, 602-614.                                    | 4.6 | 35        |
| 579 | A novel application of genetic algorithm for synthesizing optimal water reuse network with multiple objectives. Chemical Engineering Research and Design, 2015, 100, 39-56.       | 2.7 | 14        |
| 580 | Optimization Models for Process Water Networks and Their Application toÂ‘Biofuel Processes. Computer Aided Chemical Engineering, 2015, , 3-35.                                    | 0.3 | 0         |
| 581 | Integrated optimisation of blast furnace gas wash water treatment, reuse and cost savings Part I: Methodological approach. , 2015, , .  |     | 0         |
| 582 | Extension of the water sources diagram method to systems with simultaneous fixed flowrate and fixed load processes. Chemical Engineering Research and Design, 2015, 104, 752-772. | 2.7 | 10        |
| 583 | Assessing Combined Water-Energy-Efficiency Measures in the Automotive Industry. Procedia CIRP, 2015, 29, 50-55.   | 1.0 | 14        |
| 584 | Analysis of water-using networks with multiple contaminants involving regeneration recycling. Chemical Engineering Science, 2015, 134, 44-56.                                     | 1.9 | 8         |
| 585 | Inflection point method (IPM): A new method for single-contaminant industrial water networks design. Chemical Engineering Science, 2015, 126, 529-542.                            | 1.9 | 4         |
| 586 | Recovering energy from flue gas by using a utilities grid technique. Energy, 2015, 86, 85-92.   | 4.5 | 2         |
| 587 | Quantitative tools for cultivating symbiosis in industrial parks; a literature review. Applied Energy, 2015, 155, 599-612.  | 5.1 | 89        |
| 588 | Floating Automated Targeting for Resource Conservation Networks. Industrial & Engineering Chemistry Research, 2015, 54, 6135-6145.  | 1.8 | 2         |
| 589 | Progresses of PSE Studies on Water Networks and Industrial Application Practices in China. Computer Aided Chemical Engineering, 2015, , 2489-2494.                                | 0.3 | 0         |
| 590 | Water and energy integration: A comprehensive literature review of non-isothermal water network synthesis. Computers and Chemical Engineering, 2015, 82, 144-171.                 | 2.0 | 92        |
| 591 | A new methodology for the synthesis of an optimum flexible water networks. Chemical Engineering Research and Design, 2015, 95, 172-183.   | 2.7 | 11        |
| 592 | Synthesis of C&H&O Symbiosis Networks. AIChE Journal, 2015, 61, 1242-1262.  | 1.8 | 54        |
| 593 | Integrating inputâ€‘output models with pinch technology for enterprise sustainability analysis. Clean Technologies and Environmental Policy, 2015, 17, 2255-2265.                 | 2.1 | 12        |
| 594 | A new graphical representation of water footprint pinch analysis for chemical processes. Clean Technologies and Environmental Policy, 2015, 17, 1987-1995.                        | 2.1 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 595 | The re-usages of wastewater within industry: the positive impact of contaminants. Journal of Cleaner Production, 2015, 95, 124-130.  | 4.6 | 10        |
| 596 | Effective Synthesis and Optimization Framework for Integrated Water and Membrane Networks: A Focus on Reverse Osmosis Membranes. Industrial & Engineering Chemistry Research, 2015, 54, 9394-9406.                   | 1.8 | 16        |
| 597 | Waste Management Pinch Analysis (WAMPA) for Carbon Emission Reduction. Energy Procedia, 2015, 75, 2448-2453.   | 1.8 | 12        |
| 598 | Waterâ€“energy nexus in biofuels production and renewable based power. Sustainable Production and Consumption, 2015, 2, 96-108.  | 5.7 | 19        |
| 599 | Sustainable design and synthesis of energy systems. Current Opinion in Chemical Engineering, 2015, 10, 77-86.  | 3.8 | 102       |
| 600 | Modeling water and hydrogen networks with partitioning regeneration units. Egyptian Journal of Petroleum, 2015, 24, 77-85.   | 1.2 | 1         |
| 601 | Process Integration and Heat Exchanger Networks. , 2015, , 491-622.  |     | 2         |
| 602 | A synthesis approach for industrial city water reuse networks considering central and distributed treatment systems. Journal of Cleaner Production, 2015, 89, 231-250.   | 4.6 | 52        |
| 603 | A two-stage optimization approach for the synthesis of resource conservation networks involving interception units. Chemical Engineering Research and Design, 2015, 94, 52-71.                                       | 2.7 | 1         |
| 604 | Application of water pinch technology in minimization of water consumption at a refinery. Computers and Chemical Engineering, 2015, 73, 34-42.   | 2.0 | 32        |
| 605 | Continuous targeting and network design for zero wastewater discharge in water system integration. Journal of Cleaner Production, 2015, 87, 627-641.   | 4.6 | 20        |
| 606 | Optimization methods applied to the design of eco-industrial parks: a literature review. Journal of Cleaner Production, 2015, 87, 303-317.   | 4.6 | 238       |
| 607 | Process Integration for Sustainable Design. , 2016, , 87-113.  |     | 1         |
| 608 | Optimization of Water Reuse Network Using Water Pinch Technology (WPT) by Considering Single Contaminant for Kaduna Refinery and Petrochemical Company, Nigeria. Journal of Pollution Effects & Control, 2016, 04, . | 0.1 | 0         |
| 609 | An Evaluation of Biological Approach for the Effluent Treatment of Paper Boards Industry - An Economic Perspective. Journal of Bioremediation & Biodegradation, 2016, 7, .   | 0.5 | 2         |
| 610 | Embedding Sustainability in Product and Process Developmentâ€”The Role of Process Systems Engineers. , 2016, , 353-378.  |     | 2         |
| 611 | Integrated Transshipment Models for Synchronous Screening of Treatment Technologies and Targeting of Fresh Water and Recycle Flows. Computer Aided Chemical Engineering, 2016, , 715-720.                            | 0.3 | 1         |
| 612 | A Concept of Water Usage Efficiency to Support Water Reduction in Manufacturing Industry. Sustainability, 2016, 8, 1222.   | 1.6 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 614 | On the identification of optimal utility corridor locations in interplant water network synthesis. Environmental Progress and Sustainable Energy, 2016, 35, 1492-1511.   | 1.3 | 4         |
| 615 | Optimal reuse of flowback wastewater in hydraulic fracturing including seasonal and environmental constraints. AIChE Journal, 2016, 62, 1634-1645.   | 1.8 | 44        |
| 616 | Cleaner production, Process Integration and intensification. Clean Technologies and Environmental Policy, 2016, 18, 2029-2035.   | 2.1 | 10        |
| 619 | Power Pinch Analysis supply side management: strategy on purchasing and selling of electricity. Clean Technologies and Environmental Policy, 2016, 18, 2401-2418.  | 2.1 | 6         |
| 620 | Minimization of water use in the paddy parboiling process. , 2016, , .   |     | 1         |
| 621 | Design of a water allocation and energy network for multi-contaminant problems using multi-objective optimization. Chemical Engineering Research and Design, 2016, 103, 348-364.   | 2.7 | 22        |
| 622 | Minimizing carbon footprint using pinch analysis: The case of regional renewable electricity planning in China. Applied Energy, 2016, 184, 1051-1062.  | 5.1 | 38        |
| 623 | Integrated Waste Management in Multiproduct Biorefineries: Systems Optimization and Analysis of a Real-Life Industrial Plant. Industrial & Engineering Chemistry Research, 2016, 55, 3478-3492.                          | 1.8 | 15        |
| 624 | Mathematical programming synthesis of non-isothermal water networks by using a compact/reduced superstructure and an MINLP model. Clean Technologies and Environmental Policy, 2016, 18, 1779-1813.                      | 2.1 | 35        |
| 625 | Cost optimal energy sector planning: a Pinch Analysis approach. Journal of Cleaner Production, 2016, 136, 246-253.   | 4.6 | 31        |
| 626 | Feasibility study on water reclamation from the sorting/grading operation in mandarin orange canning production. Journal of Cleaner Production, 2016, 113, 224-230.  | 4.6 | 10        |
| 627 | New Vistas in Chemical Product and Process Design. Annual Review of Chemical and Biomolecular Engineering, 2016, 7, 557-582.   | 3.3 | 76        |
| 628 | Conceptual insights to debottleneck the Network Pinch in heat-integrated crude oil distillation systems without topology modifications. Energy Conversion and Management, 2016, 126, 329-341.                            | 4.4 | 21        |
| 629 | Process Integration for Hybrid Power System supply planning and demand management " A review. Renewable and Sustainable Energy Reviews, 2016, 66, 834-842.   | 8.2 | 20        |
| 630 | Mobilising the potential towards low-carbon emissions society in Asia. Clean Technologies and Environmental Policy, 2016, 18, 2337-2345.   | 2.1 | 10        |
| 631 | Multi-level simulation in manufacturing companies: The water-energy nexus case. Journal of Cleaner Production, 2016, 139, 1118-1127.   | 4.6 | 58        |
| 632 | Construction and analysis of "wastewater carrier" and "wastewater value" in the iron and steel production. Journal of Cleaner Production, 2016, 139, 540-547.  | 4.6 | 12        |
| 633 | Automated Pinch-Based Approach for the Optimum Synthesis of a Water Regeneration "Recycle Network" Study on the Interaction of Important Parameters. Industrial & Engineering Chemistry Research, 2016, 55, 11269-11282. | 1.8 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 634 | A heuristic approach based on a single-temperature-peak design principle for simultaneous optimization of water and energy in fixed flowrate systems. <i>Chemical Engineering Science</i> , 2016, 152, 323-342. | 1.9 | 14        |
| 635 | Superstructure-Based Synthesis Framework for a Batch Water Network with Multiple Regeneration Modules. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 11114-11129.                          | 1.8 | 6         |
| 636 | Using Onion Diagram for the Reduction of Water and Energy in Cooling Systems. <i>IEEE Latin America Transactions</i> , 2016, 14, 1829-1834.   | 1.2 | 0         |
| 637 | Algebraic Approach for the Integration of the Hydrogen Network with a Single Impurity. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 615-623.  | 1.8 | 14        |
| 638 | An automated composite table algorithm considering zero liquid discharge possibility in water regeneration-recycle network. <i>Clean Technologies and Environmental Policy</i> , 2016, 18, 2095-2105.           | 2.1 | 13        |
| 639 | Piper diagram – A novel visualisation tool for process design. <i>Chemical Engineering Research and Design</i> , 2016, 112, 132-145.  | 2.7 | 14        |
| 640 | Process integration approaches to optimal planning of unconventional gas field development. <i>Chemical Engineering Science</i> , 2016, 150, 85-93.   | 1.9 | 11        |
| 641 | Targeting of water-using networks involving regeneration with a graphical approach. <i>Clean Technologies and Environmental Policy</i> , 2016, 18, 2087-2094.   | 2.1 | 8         |
| 642 | Synthesis of water networks for industrial parks considering inter-plant allocation. <i>Computers and Chemical Engineering</i> , 2016, 91, 307-317.   | 2.0 | 17        |
| 643 | A stepwise optimal design of water network. <i>Chinese Journal of Chemical Engineering</i> , 2016, 24, 787-794.   | 1.7 | 10        |
| 644 | Reduction of water usage in industry by using the MINLP coordinates technique. <i>Journal of Loss Prevention in the Process Industries</i> , 2016, 43, 158-164.   | 1.7 | 7         |
| 645 | Optimal Water Management under Uncertainty for Shale Gas Production. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 1322-1335.  | 1.8 | 78        |
| 646 | Optimization of Integrated Water and Multiregenerator Membrane Systems. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 1995-2007.   | 1.8 | 20        |
| 647 | An optimization algorithm-based pinch analysis and GA for an off-grid batteryless photovoltaic-powered reverse osmosis desalination system. <i>Renewable Energy</i> , 2016, 91, 233-248.                        | 4.3 | 54        |
| 648 | Synthesis and optimisation of an integrated water and membrane network framework with multiple electro dialysis regenerators. <i>Computers and Chemical Engineering</i> , 2016, 85, 151-161.                    | 2.0 | 9         |
| 649 | A shortcut model for energy efficient water network synthesis. <i>Applied Thermal Engineering</i> , 2016, 96, 88-91.  | 3.0 | 11        |
| 650 | Optimum synthesis of an electro dialysis framework with a Background Process II: Optimization and synthesis of a water network. <i>Chemical Engineering Science</i> , 2016, 147, 189-199.                       | 1.9 | 3         |
| 651 | Wastewater Reuse and Current Challenges. <i>Handbook of Environmental Chemistry</i> , 2016, , .   | 0.2 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 652 | Greenhouse emission pinch analysis (GEPA) for evaluation of emission reduction strategies. Clean Technologies and Environmental Policy, 2016, 18, 1381-1389.  | 2.1 | 18        |
| 653 | A review on process integration techniques for carbon emissions and environmental footprint problems. Chemical Engineering Research and Design, 2016, 103, 291-307.                                 | 2.7 | 77        |
| 654 | Flow Rate Targeting for Concentration- and Property-Based Total Water Network with Multiple Partitioning Interception Units. Industrial & Engineering Chemistry Research, 2016, 55, 1965-1979.      | 1.8 | 23        |
| 655 | Pinch analysis-based approach to industrial safety risk and environmental management. Clean Technologies and Environmental Policy, 2016, 18, 2107-2117.   | 2.1 | 33        |
| 656 | Steam system network synthesis with hot liquid reuse: I. The mathematical model for steam level selection. Computers and Chemical Engineering, 2016, 85, 210-215.                                   | 2.0 | 3         |
| 657 | Steam system network synthesis with hot liquid reuse: II. Incorporating shaft work and optimum steam levels. Computers and Chemical Engineering, 2016, 85, 202-209.                                 | 2.0 | 9         |
| 658 | Using turbidity for designing water networks. Journal of Environmental Management, 2016, 172, 129-135.  | 3.8 | 8         |
| 659 | Incorporating Timesharing Scheme in Ecoindustrial Multiperiod Chilled and Cooling Water Network Design. Industrial & Engineering Chemistry Research, 2016, 55, 197-209.                             | 1.8 | 13        |
| 660 | Comprehensive approach to increase energy efficiency based on versatile industrial practices. Journal of Cleaner Production, 2016, 112, 2813-2821.  | 4.6 | 27        |
| 661 | Process integration analysis and some economic-environmental implications for an innovative environmentally friendly recovery and pre-treatment of steel scrap. Applied Energy, 2016, 161, 656-672. | 5.1 | 31        |
| 662 | Optimal design of integrated agricultural water networks. Computers and Chemical Engineering, 2016, 84, 63-82.  | 2.0 | 13        |
| 663 | Design of regeneration recycling water networks by means of concentration potentials and a linear programming method. Journal of Cleaner Production, 2016, 112, 4667-4673.                          | 4.6 | 15        |
| 664 | Total Site Heat Integration planning and design for industrial, urban and renewable systems. Renewable and Sustainable Energy Reviews, 2017, 68, 964-985.   | 8.2 | 84        |
| 665 | Simultaneous Targeting and Scheduling for Batch Water Networks. Industrial & Engineering Chemistry Research, 2017, 56, 1559-1569.   | 1.8 | 21        |
| 666 | Selection of Biorefinery Routes: The Case of Xylitol and its Integration with an Organosolv Process. Waste and Biomass Valorization, 2017, 8, 2283-2300.  | 1.8 | 29        |
| 667 | Optimization of the Water Network with Single and Double Outlet Treatment Units. Industrial & Engineering Chemistry Research, 2017, 56, 2865-2871.  | 1.8 | 6         |
| 668 | Optimal design of distributed effluent treatment systems in steam assisted gravity drainage oil sands operations. Journal of Cleaner Production, 2017, 149, 1233-1248.                              | 4.6 | 10        |
| 669 | The water-energy nexus in manufacturing systems: Framework and systematic improvement approach. CIRP Annals - Manufacturing Technology, 2017, 66, 49-52.  | 1.7 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 670 | Energy sector planning using multiple-index pinch analysis. <i>Clean Technologies and Environmental Policy</i> , 2017, 19, 1967-1975.  | 2.1 | 22        |
| 671 | Synthesis of single and interplant non-isothermal water networks. <i>Journal of Environmental Management</i> , 2017, 203, 1095-1117.   | 3.8 | 18        |
| 672 | Development of a cost-effective energy and water management system for small and medium-sized manufacturers. <i>Journal of Cleaner Production</i> , 2017, 153, 264-274.                  | 4.6 | 11        |
| 673 | Unlocking water efficiency improvements in manufacturing – From approach to tool support. <i>CIRP Journal of Manufacturing Science and Technology</i> , 2017, 19, 7-18.                  | 2.3 | 8         |
| 674 | A problem decomposition approach for developing total water networks in lignocellulosic biorefineries. <i>Chemical Engineering Research and Design</i> , 2017, 109, 732-752.             | 2.7 | 14        |
| 675 | Optimal Synthesis of Water Networks for Addressing High-Concentration Wastewater in Coal-Based Chemical Plants. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 10792-10805. | 3.2 | 12        |
| 676 | Resource Allocation Network for Segregated Targeting Problems with Dedicated Sources. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 13831-13843.                    | 1.8 | 8         |
| 677 | Advances in Process Integration research for CO2 emission reduction – A review. <i>Journal of Cleaner Production</i> , 2017, 167, 1-13.  | 4.6 | 92        |
| 678 | Systems engineering opportunities for agricultural and organic waste management in the food – water – energy nexus. <i>Current Opinion in Chemical Engineering</i> , 2017, 18, 23-31.    | 3.8 | 58        |
| 679 | Concentration potential concepts: Powerful tools for design of water-using networks with multiple contaminants. <i>Journal of Cleaner Production</i> , 2017, 165, 254-261.               | 4.6 | 13        |
| 680 | Mathematical modelling of sustainable wastewater reuse networks considering CO2 emissions. <i>Korean Journal of Chemical Engineering</i> , 2017, 34, 2648-2661.                          | 1.2 | 1         |
| 681 | Synthesis of Material Interception Networks with P-Graph. <i>Process Integration and Optimization for Sustainability</i> , 2017, 1, 225-235.   | 1.4 | 11        |
| 682 | Synthesis of Resource Conservation Networks with P-Graph Approach – Direct Reuse/Recycle. <i>Process Integration and Optimization for Sustainability</i> , 2017, 1, 69-86.               | 1.4 | 19        |
| 683 | Insight-Based Approach for the Design of Integrated Local Food-Energy-Water Systems. <i>Environmental Science &amp; Technology</i> , 2017, 51, 8643-8653.                                | 4.6 | 18        |
| 684 | Power Pinch Analysis for optimal sizing of renewable-based isolated system with uncertainties. <i>Energy</i> , 2017, 135, 466-475.   | 4.5 | 30        |
| 685 | A conceptual methodology for simultaneous optimization of water and heat with non-isothermal mixing. <i>Frontiers of Chemical Science and Engineering</i> , 2017, 11, 154-165.           | 2.3 | 13        |
| 686 | An MILP model for simultaneous mass allocation and heat exchange networks design. <i>Chemical Engineering Science</i> , 2017, 158, 411-428.  | 1.9 | 25        |
| 687 | An integrated Pinch Analysis framework for low CO2 emissions industrial site planning. <i>Journal of Cleaner Production</i> , 2017, 146, 125-138.  | 4.6 | 47        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 688 | Structured water balance methodology for water consumption estimation for a mining operation in central Chile: seasonal temperature effect on evaporation, seepage and water demand. <i>International Journal of Mining, Reclamation and Environment</i> , 2017, 31, 488-504. | 1.2 | 3         |
| 689 | A Mixed Integer Linear Programming (MILP) Model for Optimal Operation of Industrial Resource Conservation Networks (RCNs) Under Abnormal Conditions. <i>Computer Aided Chemical Engineering</i> , 2017, , 607-612.  | 0.3 | 2         |
| 690 | Supply Planning and Demand Management of Hybrid Power Systems Using Process Integration. , 2017, , 167-178.   |     | 0         |
| 691 | Efficient Use of Water Resources in the Steel Industry. <i>Water (Switzerland)</i> , 2017, 9, 874.  | 1.2 | 31        |
| 692 | Pinch Analysis as a Quantitative Decision Framework for Determining Gaps in Health Care Delivery Systems. <i>Process Integration and Optimization for Sustainability</i> , 2017, 1, 213-223.  | 1.4 | 18        |
| 693 | Segregated targeting for resource allocation networks with dedicated sources. , 2017, , .   |     | 0         |
| 694 | An automated approach for supertargeting of heating medium system. , 2017, , .  |     | 0         |
| 695 | Process Integration: Current Status and Future Challenges. <i>Computer Aided Chemical Engineering</i> , 2017, 40, 9-12.   | 0.3 | 2         |
| 696 | Optimization of a Distributed Wastewater Treatment Network Considering Lumped Parameters Interrelations. <i>Computer Aided Chemical Engineering</i> , 2017, , 2701-2706.  | 0.3 | 0         |
| 697 | Targeting and synthesis of single-impurity total water systems using coordinated transshipment models. <i>Clean Technologies and Environmental Policy</i> , 2018, 20, 271-289.  | 2.1 | 4         |
| 698 | Process Integration Using Block Superstructure. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 4377-4398.   | 1.8 | 30        |
| 699 | Heat Flows in Production Systems and its Modeling and Simulation. <i>Sustainable Production, Life Cycle Engineering and Management</i> , 2018, , 11-43.   | 0.2 | 0         |
| 701 | Financial Pinch Analysis: Minimum opportunity cost targeting algorithm. <i>Journal of Environmental Management</i> , 2018, 212, 88-98.  | 3.8 | 15        |
| 702 | Effect of the purified concentration changes on the consumption of fresh hydrogen and the flowrate of the purified stream in hydrogen networks. <i>Clean Technologies and Environmental Policy</i> , 2018, 20, 477-488.   | 2.1 | 2         |
| 703 | Deciphering Refinery Water System Design and Optimization: Superstructure and Generalized Mathematical Model. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 2302-2315.  | 3.2 | 11        |
| 704 | Design of biorefinery systems for conversion of corn stover into biofuels using a biorefinery engineering framework. <i>Clean Technologies and Environmental Policy</i> , 2018, 20, 1501-1514.  | 2.1 | 22        |
| 705 | Multi-scale water network optimization considering simultaneous intra- and inter-plant integration in steel industry. <i>Journal of Cleaner Production</i> , 2018, 176, 663-675.  | 4.6 | 30        |
| 706 | Maximizing Total Site Water Reuse via a Two-Way Centralized Water Header. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 2563-2573.  | 3.2 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 707 | Multi-period energy targeting for Total Site and Locally Integrated Energy Sectors with cascade Pinch Analysis. <i>Energy</i> , 2018, 155, 370-380.   | 4.5 | 30        |
| 708 | Waterâ€™Phosphorus Nexus for Wet-Process Phosphoric Acid Production. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 6968-6979.  | 1.8 | 11        |
| 709 | A novel step-by-step optimization method for interplant water networks. <i>Journal of Environmental Management</i> , 2018, 213, 255-270.  | 3.8 | 12        |
| 710 | Water footprint and water pinch analysis techniques for sustainable water management in the brick-manufacturing industry. <i>Journal of Cleaner Production</i> , 2018, 172, 786-794.  | 4.6 | 57        |
| 711 | Water sources diagram method in systems with multiple contaminants in fixed flowrate and fixed load processes. <i>Journal of Cleaner Production</i> , 2018, 172, 3186-3200.   | 4.6 | 16        |
| 712 | Advances and challenges in water management within energy systems. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 82, 4009-4019.   | 8.2 | 27        |
| 713 | Pinch Analysis of Sugarcane Refinery Water Integration. <i>Sugar Tech</i> , 2018, 20, 122-134.  | 0.9 | 8         |
| 714 | Analysis and Optimization of Open Circulating Cooling Water System. <i>Water (Switzerland)</i> , 2018, 10, 1592.  | 1.2 | 8         |
| 715 | Estimation of Maximum Available Heat Using Different Temperature Driving Forces by a Mathematical Surface Technique. <i>Journal of Fundamentals of Renewable Energy and Applications</i> , 2018, 08, .                          | 0.2 | 0         |
| 716 | 6. Introduction to Water Pinch Analysis. , 2018, , 191-204.   |     | 0         |
| 717 | 7. Setting the maximum water recovery targets. , 2018, , 205-230.   |     | 0         |
| 718 | 1. Process Integration and Intensification: An Introduction. , 2018, , 1-12.  |     | 1         |
| 719 | Water consumption and wastewater discharge in Chinaâ€™s steel industry. <i>Ironmaking and Steelmaking</i> , 2018, 45, 868-877.  | 1.1 | 23        |
| 720 | Simultaneous Optimization of Non-Isothermal Design of Water Networks with Regeneration and Recycling. <i>Process Integration and Optimization for Sustainability</i> , 2018, 2, 183-203.  | 1.4 | 11        |
| 721 | Stochastic Pinch Analysis To Optimize Resource Allocation Networks. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 16423-16432.   | 1.8 | 17        |
| 722 | Synthesis of Interplant Water Networks Using Principal Pipes. Part 1: Network Representation. <i>Process Integration and Optimization for Sustainability</i> , 2018, 2, 413-434.  | 1.4 | 3         |
| 723 | Modeling and Simulation of Energy Systems: A Review. <i>Processes</i> , 2018, 6, 238.   | 1.3 | 99        |
| 724 | Chemotaxis Effect on Algae by Inorganic Polymer Flocculants: Backward Bifurcations and Traveling Wave Solutions. <i>International Journal of Bifurcation and Chaos in Applied Sciences and Engineering</i> , 2018, 28, 1850159. | 0.7 | 1         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 725 | New directions in the implementation of Pinch Methodology (PM). Renewable and Sustainable Energy Reviews, 2018, 98, 439-468.   | 8.2 | 222       |
| 726 | An algebraic targeting approach for optimal planning of gas sweetening problem in non-conventional gas field development. Chemical Engineering Research and Design, 2018, 120, 248-255.                  | 2.7 | 1         |
| 727 | Hybrid power systems design considering safety and resilience. Chemical Engineering Research and Design, 2018, 120, 256-267.   | 2.7 | 17        |
| 728 | Systematic retrofit procedure for resource conservation network based on pinch analysis technique. Clean Technologies and Environmental Policy, 2018, 20, 2255-2273.                                     | 2.1 | 4         |
| 729 | A mathematical technique for the design of near-zero-effluent batch processes. Water S A, 2018, 34, 291.   | 0.2 | 7         |
| 730 | Approaches to water network design. , 2018, , 641-681.   |     | 0         |
| 732 | The energy and economic target optimization of a naphtha production unit by implementing energy pinch technology. Case Studies in Thermal Engineering, 2018, 12, 396-404.                                | 2.8 | 8         |
| 733 | Performance analyses of LP and MILP solvers based on newly introduced scale: Case studies of water network problems in chemical processes. Chemical Engineering Research and Design, 2018, 136, 417-430. | 2.7 | 5         |
| 734 | Advances in designing and targeting of water systems involving regeneration/treatment units. Journal of Cleaner Production, 2018, 197, 1394-1407.  | 4.6 | 13        |
| 735 | Industrial site water minimisation via one-way centralised water reuse header. Journal of Cleaner Production, 2018, 200, 174-187.  | 4.6 | 24        |
| 737 | Graphical Targeting Approach of Water Networks with Two-Stage Regeneration Recycling. Industrial & Engineering Chemistry Research, 2018, 57, 9591-9603.  | 1.8 | 9         |
| 738 | Synthesis of Heat-Integrated Water Allocation Networks: A Meta-Analysis of Solution Strategies and Network Features. Energies, 2018, 11, 1158.   | 1.6 | 18        |
| 739 | Cost Optimal Segregated Targeting Problems with Dedicated Sources. Process Integration and Optimization for Sustainability, 2018, 2, 143-158.  | 1.4 | 10        |
| 740 | New superstructure-based optimization of property-based industrial water system. Journal of Cleaner Production, 2018, 189, 878-886.  | 4.6 | 20        |
| 741 | Future directions in process and product synthesis and design. Computer Aided Chemical Engineering, 2018, 44, 1-10.  | 0.3 | 6         |
| 742 | Work and heat integration: An emerging research area. Energy, 2018, 158, 796-806.  | 4.5 | 18        |
| 743 | An iterative method for design of total water networks with multiple contaminants. Journal of Cleaner Production, 2019, 240, 118098.   | 4.6 | 16        |
| 744 | A review on carbon emission reduction in industries and planning emission limits. Renewable and Sustainable Energy Reviews, 2019, 114, 109304.   | 8.2 | 68        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 746 | Pinch Methods for Efficient Use of Water in Food Industry: A Survey Review. Sustainability, 2019, 11, 4492.   | 1.6 | 20        |
| 747 | A Practical Tools for Targeting and Design of Cooling Water Networks. , 2019, , .   |     | 0         |
| 748 | Simultaneous Water and Energy Saving in Cooling Water Networks Using Pinch Approach. Materials Today: Proceedings, 2019, 13, 1115-1124.   | 0.9 | 6         |
| 749 | A Pinch-Based Approach for Targeting Carbon Capture, Utilization, and Storage Systems. Industrial & Engineering Chemistry Research, 2019, 58, 3188-3198.  | 1.8 | 20        |
| 750 | A methodology for designing thermodynamic energy conversion systems in industrial mass/heat integration problems based on MILP models. Energy, 2019, 185, 121-135.  | 4.5 | 9         |
| 751 | Challenges and future directions for process and product synthesis and design. Computers and Chemical Engineering, 2019, 128, 421-436.  | 2.0 | 24        |
| 752 | Energy and carbon coupled water footprint analysis for straw pulp paper production. Journal of Cleaner Production, 2019, 233, 23-32.  | 4.6 | 16        |
| 753 | Industrial park water system optimization with joint use of water utility sub-system. Resources, Conservation and Recycling, 2019, 147, 119-127.  | 5.3 | 19        |
| 754 | Iterative Pinch Analysis to address non-linearity in a stochastic Pinch problem. Journal of Cleaner Production, 2019, 227, 543-553.   | 4.6 | 11        |
| 755 | Water Footprint and Water Pinch Analysis in Ethanol Industrial Production for Water Management. Water (Switzerland), 2019, 11, 518.   | 1.2 | 9         |
| 756 | Circular Integration of processes, industries, and economies. Renewable and Sustainable Energy Reviews, 2019, 107, 507-515.   | 8.2 | 95        |
| 757 | Systems engineering based advanced optimization for sustainable water management in refineries. Journal of Cleaner Production, 2019, 224, 661-676.  | 4.6 | 12        |
| 758 | Pitfalls of Wastewater Treatment in Oil Refinery Enterprises in Kazakhstan – A System Approach. Sustainability, 2019, 11, 1618.   | 1.6 | 27        |
| 759 | A novel approach to integration of hot oil and combined heat and power systems through Pinch technology and mathematical programming. Energy Sources, Part A: Recovery, Utilization and Environmental Effects, 2019, 41, 3026-3045. | 1.2 | 9         |
| 760 | Two-level optimization model for water consumption based on water prices in eco-industrial parks. Resources, Conservation and Recycling, 2019, 146, 308-315.  | 5.3 | 15        |
| 761 | Pinch analysis for targeting desalinated water price subsidy. Journal of Cleaner Production, 2019, 227, 950-959.  | 4.6 | 22        |
| 763 | Nonsmooth Analysis In Process Modeling, Design And Optimization. Computer Aided Chemical Engineering, 2019, 47, 7-16.   | 0.3 | 0         |
| 764 | Agent-based conceptual framework for energy and material synergy patterns in a territory with non-cooperative governance. Computers and Chemical Engineering, 2019, 131, 106596.  | 2.0 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 765 | Process systems engineering thinking and tools applied to sustainability problems: current landscape and future opportunities. <i>Current Opinion in Chemical Engineering</i> , 2019, 26, 170-179.          | 3.8 | 39        |
| 766 | Research advances on process systems integration and process safety in China. <i>Reviews in Chemical Engineering</i> , 2019, 36, 147-185.   | 2.3 | 3         |
| 767 | An adaptive discretization algorithm for the design of water usage and treatment networks. <i>Optimization and Engineering</i> , 2019, 20, 497-542.   | 1.3 | 7         |
| 768 | A hybrid method for synthesis of integrated water and regeneration networks with variable removal ratios. <i>Journal of Environmental Management</i> , 2019, 231, 666-678.                                  | 3.8 | 13        |
| 770 | Work and heat integration—A new field in process synthesis and process systems engineering. <i>AICHE Journal</i> , 2019, 65, e16477.  | 1.8 | 9         |
| 771 | Modelling of Isolated Systems. , 2019, , 33-67.   |     | 0         |
| 772 | Synthesis of Interplant Water Networks Using Principal Pipes—Part 2: Network Optimization and Application. <i>Process Integration and Optimization for Sustainability</i> , 2019, 3, 321-339.               | 1.4 | 1         |
| 773 | Modelling of industrial water circuits with a customised Modelica library. <i>Applied Thermal Engineering</i> , 2020, 169, 114840.  | 3.0 | 7         |
| 774 | Work Exchange Networks (WENs) and Work and Heat Exchange Networks (WHENs): A Review of the Current State of the Art. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 507-525.            | 1.8 | 15        |
| 775 | Raw material management networks based on an improved $\epsilon$ integrated carbon emission pinch analysis (CEPA— $\epsilon$ ) method. <i>Canadian Journal of Chemical Engineering</i> , 2020, 98, 676-689. | 0.9 | 6         |
| 776 | <i>110th Anniversary</i> : A Generalized Nonsmooth Operator for Process Integration. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 253-264.  | 1.8 | 2         |
| 777 | A Nonsmooth Approach to Multicontaminant Mass and Water Integration. <i>Computer Aided Chemical Engineering</i> , 2020, , 253-258.  | 0.3 | 0         |
| 778 | Optimum Water Network Design for Multipurpose Batch Plants with a Detailed Electrodialysis Regeneration Model. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 17944-17963.              | 1.8 | 2         |
| 779 | An iterative design approach for water networks with multiple regeneration units. <i>Journal of Cleaner Production</i> , 2020, 271, 122483.   | 4.6 | 11        |
| 780 | Interval Pinch Analysis for Resource Conservation Networks with Epistemic Uncertainties. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 13669-13681.                                    | 1.8 | 20        |
| 781 | Energy targeting and process integration of spray dryer with heat recovery systems. <i>Energy Conversion and Management</i> , 2020, 221, 113148.  | 4.4 | 14        |
| 782 | Pinch analysis for sustainable process design and integration. , 2020, , 275-291.   |     | 0         |
| 783 | Water, hydrogen and carbon emissions pinch analysis. , 2020, , 351-410.   |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 784 | Single and multi-objective optimisation for the retrofit of process water networks. Journal of the Taiwan Institute of Chemical Engineers, 2020, 117, 39-47.                            | 2.7 | 10        |
| 785 | A new graphical approach for simultaneous targeting and design of mass exchange networks. Computers and Chemical Engineering, 2020, 142, 107061.  | 2.0 | 15        |
| 788 | Disaster-Resilient Design of Manufacturing Facilities Through Process Integration: Principal Strategies, Perspectives, and Research Challenges. Frontiers in Sustainability, 2020, 1, . | 1.3 | 28        |
| 789 | Sequential Thermal and Power Integration for Locally Integrated Energy Sector. IOP Conference Series: Materials Science and Engineering, 2020, 778, 012106.                             | 0.3 | 0         |
| 790 | Optimizing the Modal Split to Reduce Carbon Dioxide Emission for Resource-Constrained Societies. Transportation Research Procedia, 2020, 48, 2063-2073.                                 | 0.8 | 4         |
| 791 | A model-based optimization study on greywater reuse as an alternative urban water resource. Sustainable Production and Consumption, 2020, 22, 186-194.                                  | 5.7 | 16        |
| 792 | Water Sources Diagram and Its Applications. Processes, 2020, 8, 313.  | 1.3 | 6         |
| 793 | Simulation-Based Estimates of Life Cycle Inventory Gate-to-Gate Process Energy Use for 151 Organic Chemical Syntheses. ACS Sustainable Chemistry and Engineering, 2020, 8, 8519-8536.   | 3.2 | 20        |
| 794 | Optimization Approach to Identify Fair Solutions in the Synthesis of Carbon, Hydrogen, and Oxygen Symbiosis Networks. Industrial & Engineering Chemistry Research, 2020, 59, 5985-5995. | 1.8 | 10        |
| 795 | A Mixed-Integer Linear Programming Formulation for Optimizing Multi-Scale Material and Energy Integration. Frontiers in Energy Research, 2020, 8, .                                     | 1.2 | 44        |
| 796 | Design and Optimisation of Water Recovery System for a Polylactide Production Process. Process Integration and Optimization for Sustainability, 2020, 4, 149-161.                       | 1.4 | 6         |
| 797 | An iterative design method for regeneration reuse water network with internal water mains. Asia-Pacific Journal of Chemical Engineering, 2020, 15, e2420.                               | 0.8 | 3         |
| 798 | Regional Water Resources Assessment using Water Scarcity Pinch Analysis. Resources, Conservation and Recycling, 2020, 157, 104749.  | 5.3 | 51        |
| 799 | Industrial symbiosis toolsâ€”A review. Journal of Cleaner Production, 2021, 280, 124327.  | 4.6 | 40        |
| 800 | Pinch-based targeting methodology for multi-contaminant material recycle/reuse. Chemical Engineering Science, 2021, 230, 116129.  | 1.9 | 27        |
| 801 | An extended corner point method for the synthesis of flexible water network. Chemical Engineering Research and Design, 2021, 148, 210-224.  | 2.7 | 9         |
| 802 | A Pinch Analysis approach for minimizing compression energy and capital investment in gas allocation network. Clean Technologies and Environmental Policy, 2021, 23, 639-652.           | 2.1 | 7         |
| 803 | Smart supply-side management of optimal hydro reservoirs using the water/energy nexus concept: A hydropower pinch analysis. Applied Energy, 2021, 281, 116136.                          | 5.1 | 24        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 804 | Cost-Based Quantitative-Qualitative Water Footprint Considering Multiple Contaminants. Resources, Conservation and Recycling, 2021, 168, 105339.                            | 5.3 | 6         |
| 805 | Urban and industrial symbiosis for circular economy: Total EcoSite Integration. Journal of Environmental Management, 2021, 279, 111829.                                     | 3.8 | 43        |
| 806 | Process assessment, integration and optimisation: The path towards cleaner production. Journal of Cleaner Production, 2021, 281, 124602.                                    | 4.6 | 15        |
| 807 | Multi-objective Optimization of Integrated Water System by FUCOM-VIKOR Approach. Process Integration and Optimization for Sustainability, 2021, 5, 43-62.                   | 1.4 | 18        |
| 808 | Greenhouse Gas Emission Reduction Using Advanced Heat Integration Techniques. , 2021, , 1-51.   |     | 0         |
| 809 | Simultaneous minimization of minimum resource and storage requirements in batch process. Computer Aided Chemical Engineering, 2021, , 1741-1746.                            | 0.3 | 1         |
| 810 | Industrial Wastewater: Health Concern and Treatment Strategies. The Open Biology Journal, 2021, 9, 1-10.  | 0.5 | 6         |
| 811 | A Note for the Extended P-Graph Model for the Synthesis of Batch Water Network. Process Integration and Optimization for Sustainability, 2021, 5, 675-686.                  | 1.4 | 5         |
| 812 | State of the art methods for combined water and energy systems optimisation in Kraft pulp mills. Optimization and Engineering, 2021, 22, 1831-1852.                         | 1.3 | 12        |
| 813 | Trade-offs between the recovery, exergy demand and economy in the recycling of multiple resources. Resources, Conservation and Recycling, 2021, 167, 105428.                | 5.3 | 22        |
| 814 | Cascaded Design of Desalination Systems: A Graphical Approach. Industrial & Engineering Chemistry Research, 2021, 60, 6208-6220.  | 1.8 | 0         |
| 815 | Graphical Design and Analysis of Mass Exchange Networks Using Composition Driving Forces. South African Journal of Chemical Engineering, 2021, 36, 94-104.                  | 1.2 | 3         |
| 816 | Enhanced Cascade Table Analysis to target and design multi-constraint resource conservation networks. Computers and Chemical Engineering, 2021, 148, 107262.                | 2.0 | 6         |
| 817 | Internal and Total Site Water Network Design with Water Mains Using Pinch-Based and Optimization Approaches. ACS Sustainable Chemistry and Engineering, 2021, 9, 6639-6658. | 3.2 | 8         |
| 818 | A structural-based model for water network synthesis. Journal of Water Process Engineering, 2021, 41, 102024.   | 2.6 | 3         |
| 819 | Robust resource targeting in continuous and batch process. Clean Technologies and Environmental Policy, 2022, 24, 273-288.  | 2.1 | 3         |
| 820 | Targeting segregated problems with common resources through Pinch Analysis. Journal of Cleaner Production, 2021, 301, 126996.   | 4.6 | 5         |
| 821 | A Heat and Power Pinch for Process Integration targeting in hybrid energy systems. Journal of Environmental Management, 2021, 287, 112305.                                  | 3.8 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 822 | Oil refinery and water pollution in the context of sustainable development: Developing and developed countries. <i>Journal of Cleaner Production</i> , 2021, 302, 126987.                           | 4.6 | 36        |
| 823 | A Bibliometric and Visualized Overview for the Evolution of Process Safety and Environmental Protection. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5985. | 1.2 | 22        |
| 824 | Optimum Integration of Regeneration in Heat-Integrated Water Networks Through a Hybrid Approach. <i>Process Integration and Optimization for Sustainability</i> , 2021, 5, 707.                     | 1.4 | 1         |
| 825 | Thirty years of mass exchanger network synthesis – A systematic review. <i>Journal of Cleaner Production</i> , 2021, 304, 127112.   | 4.6 | 17        |
| 826 | Optimal Targets of Two Parallel Regeneration Recycling Water Networks. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 10335-10351.   | 3.2 | 3         |
| 827 | Multi-criteria Decision-making in Carbon-Constrained Scenario for Sustainable Production Planning. <i>Process Integration and Optimization for Sustainability</i> , 2021, 5, 905.                   | 1.4 | 0         |
| 828 | A new technique for multiple resources targeting and optimization: Application to water-energy nexus. <i>Sustainable Energy Technologies and Assessments</i> , 2021, 46, 101213.                    | 1.7 | 2         |
| 829 | Total Site Material Recycling Network Design and Headers Targeting Framework with Minimal Cross-Plant Source Transfer. <i>Computers and Chemical Engineering</i> , 2021, 151, 107364.               | 2.0 | 7         |
| 830 | Water and wastewater optimization in a food processing industry using water pinch technology. <i>Sustainable Water Resources Management</i> , 2021, 7, 1.   | 1.0 | 5         |
| 831 | Batch process integration for resource conservation toward cleaner production – A state-of-the-art review. <i>Journal of Cleaner Production</i> , 2021, 318, 128609.                                | 4.6 | 8         |
| 832 | Assessing sustainability environmental performance of three urban agglomerations in China: An input–output modeling approach. <i>Ecological Indicators</i> , 2021, 130, 108079.                     | 2.6 | 19        |
| 833 | Conceptual approach for simultaneous targeting and design of refinery desulfurization solvent network. <i>Chemical Engineering Research and Design</i> , 2021, 175, 1-9.                            | 2.7 | 2         |
| 834 | Design of cascade analysis for renewable and waste heat recovery in a solar thermal regeneration unit of a liquid desiccant dehumidification system. <i>Energy</i> , 2021, 235, 121284.             | 4.5 | 9         |
| 835 | Subsidised water symbiosis of eco-industrial parks: A multi-stage game theory approach. <i>Computers and Chemical Engineering</i> , 2021, 155, 107539.  | 2.0 | 24        |
| 836 | Pinch Technology Approach to Freshwater and Wastewater Minimisation in Brewing Operations. <i>International Journal of Engineering Research in Africa</i> , 0, 52, 102-114.                         | 0.7 | 0         |
| 837 | Multi Objective Pinch Analysis (MOPA) for Integrated Process Design. <i>Operations Research Proceedings: Papers of the Annual Meeting = Vorträge Der Jahrestagung / DGOR</i> , 2005, , 461-469.     | 0.1 | 4         |
| 838 | Extended Enterprise Input-Output Model for Sustainability Management. <i>Advances in Intelligent and Soft Computing</i> , 2012, , 577-585.  | 0.2 | 2         |
| 839 | Reduction of Water Consumption within Manufacturing Applications. , 2012, , 455-460.  |     | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 844 | Energy targeting in heat integrated water networks with isothermal mixing. Computer Aided Chemical Engineering, 2011, 29, 1989-1993.  | 0.3 | 6         |
| 845 | Pollution Prevention. , 2004, , 971-1004.   |     | 1         |
| 846 | Design of Inter-Plant Water Networks on Mathematical Approach. , 2009, , 737-745.   |     | 1         |
| 847 | Introduction to Batch Chemical Processes. , 2015, , 3-10.   |     | 1         |
| 848 | Process Optimization Strategies. , 2015, , 27-48.   |     | 1         |
| 849 | Simplification of Data Acquisition in Process Integration Retrofit Studies Based on Uncertainty and Sensitivity Analysis. Frontiers in Energy Research, 2019, 7, .  | 1.2 | 7         |
| 850 | Optimization of Water Consumption in Industrial Systems Using Linear and Nonlinear Programming. Journal of Applied Sciences, 2006, 6, 2386-2393.  | 0.1 | 5         |
| 851 | A New Algorithm for Water and Wastewater Optimization in Multiple Contaminants Network using Water Pinch Technology. Research Journal of Environmental Sciences, 2010, 4, 193-208.  | 0.5 | 4         |
| 852 | Water and Wastewater Minimization in Petroleum Refinery Through Water Pinch Analysis-Single and Double Contaminants Approach. Research Journal of Environmental Sciences, 2011, 5, 88-104.  | 0.5 | 2         |
| 853 | Composite Table Algorithm - A Powerful Hybrid Pinch Targeting Method for Various Problems in Water Integration. International Journal of Chemical Engineering and Applications (IJCEA), 0, , 224-228.   | 0.3 | 6         |
| 854 | Optimal configuration and economic analysis of PRO-retrofitted industrial networks for sustainable energy production and material recovery considering uncertainties: Bioethanol and sugar mill case study. Renewable Energy, 2022, 182, 797-816. | 4.3 | 15        |
| 855 | Extension of pinch analysis to targeting and synthesis of water recycling networks with multiple contaminants. Chemical Engineering Science, 2022, 248, 117223.   | 1.9 | 15        |
| 856 | Pollution Prevention. , 2006, , 157-190.  |     | 0         |
| 859 | A MINLP-Based Revamp Strategy for Improving the Operational Flexibility of Water Networks. , 2009, , 203-211.   |     | 0         |
| 860 | Scope for the Application of Mathematical Programming Techniques in the Synthesis and Planning of Sustainable Processes. , 2009, , 55-76.   |     | 0         |
| 861 | Automated Targeting for Total Property Network with Bilateral Constraints. , 2009, , 815-822.   |     | 0         |
| 862 | A Graphical Technique for Wastewater Minimisation in Batch Processes. , 2010, , 247-273.  |     | 0         |
| 864 | Closing Water Cycles in Industry: Theory and Implementation. NATO Science for Peace and Security Series C: Environmental Security, 2011, , 175-191.   | 0.1 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 866 | Targeting Minimum Heat Transfer Fluid Flow for Multiple Heat Demands. Computer Aided Chemical Engineering, 2012, 31, 675-679.   | 0.3 | 1         |
| 867 | Greenhouse Gas Emission Reduction Using Advanced Heat Integration Techniques. , 2012, , 701-748.  |     | 0         |
| 868 | A superstructure model of water-using network synthesis with multiple contaminants for batch processes and its solution. Computer Aided Chemical Engineering, 2012, , 510-514.  | 0.3 | 0         |
| 870 | Sustainable Pollution Prevention Through Mass Integration. , 1999, , 233-275.   |     | 5         |
| 871 | Greenhouse Gas Emission Reduction Using Advanced Heat Integration Techniques. , 2015, , 1-40.   |     | 0         |
| 872 | Greenhouse Gas Emission Reduction Using Advanced Heat Integration Techniques. , 2017, , 1581-1630.  |     | 0         |
| 873 | Optimization of Energy and Water Use in Multipurpose Batch Plants Using an Improved Mathematical Formulation. , 2017, , 197-231.  |     | 0         |
| 874 | 6 Bioenergy and Food Production: Appropriate Allocation for Future Development. Green Chemistry and Chemical Engineering, 2017, , 221-234.  | 0.0 | 0         |
| 875 | 2 Water Management. Green Chemistry and Chemical Engineering, 2017, , 69-114.   | 0.0 | 0         |
| 876 | INDUSTRIAL WATER USAGE NETWORKS DESIGN PROCEDURE. Water and Water Purification Technologies Scientific and Technical News, 2018, 23, 47-58.   | 0.1 | 0         |
| 877 | DESIGN OF SUSTAINABLE INDUSTRIAL WATER NETWORKS: 1. GENESIS OF THE SYSTEMATIC METHODS. Water and Water Purification Technologies Scientific and Technical News, 2019, 24, 34-44.  | 0.1 | 0         |
| 878 | MINIMIZAÃÃ DO USO DE ÃGUA E GERAÃÃ DE EFLUENTES ATRAVÃS DO MÃTODO DO DIAGRAMA DE FONTES DE ÃGUA (DFA). , 0, ,   |     | 0         |
| 879 | DESIGN OF SUSTAINABLE INDUSTRIAL WATER NETWORKS: 2. "SEQUENTIAL" SYNTHESIS METHODS. Water and Water Purification Technologies Scientific and Technical News, 2019, 25, 25-37.   | 0.1 | 0         |
| 880 | Mathematical modeling for renewable process design. , 2022, , 35-100.   |     | 2         |
| 881 | Characteristics of raw water sources and analysis of the optimal model of the mixing process with parameter design in clean water pump installations. Eastern-European Journal of Enterprise Technologies, 2021, 5, 6-14. | 0.3 | 0         |
| 882 | Umwelttechnischer Fortschritt und Innovationsmanagement in China. , 2006, , 377-392.  |     | 1         |
| 884 | Multiobjective Pinch Analysis for Resource Conservation in Constrained SourceâSink Problems. Industrial & Engineering Chemistry Research, 0, ,  | 1.8 | 2         |
| 885 | Mass Integration for Rigorous Process Modelling: A Sequential Approach for Direct Recycling. Frontiers in Chemical Engineering, 2021, 3, ,  | 1.3 | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 886 | Optimizing the resource cost in multiple resources allocation problem with parametric uncertainties. Chemical Engineering Research and Design, 2022, 178, 25-37.                                     | 2.7 | 4         |
| 887 | Synthesis of large-scale total water network with multiple water resources under seasonal flow rate constraints. Journal of Cleaner Production, 2022, 337, 130462.                                   | 4.6 | 7         |
| 888 | Energy Targeting of Pressure-Retarded Osmosis with Non-Zero Driving Force: A Novel Thermodynamically Oriented Method. SSRN Electronic Journal, 0, , .  | 0.4 | 0         |
| 889 | Circular Economy of Water: Definition, Strategies and Challenges. Circular Economy and Sustainability, 2022, 2, 1463-1477.   | 3.3 | 31        |
| 890 | Incorporating Health Considerations in Water Minimisation. Process Integration and Optimization for Sustainability, 0, , 1.  | 1.4 | 0         |
| 891 | A Superstructure Based Optimization Approach for Regeneration Reuse of Water Network: Optimal Design of a Detailed Nanofiltration Regenerator Network. Frontiers in Chemical Engineering, 2022, 4, . | 1.3 | 0         |
| 892 | Developing Water Source Diagram method for effective utilization of regeneration unit in water networks: Multiple-contaminant problems. Journal of Water Process Engineering, 2022, 47, 102758.      | 2.6 | 5         |
| 893 | Stochastic Pinch Analysis to address multi-objective resources conservation problems with parametric uncertainties. Chemical Engineering Research and Design, 2022, 162, 30-48.                      | 2.7 | 1         |
| 894 | Industrial site water exchange network synthesis considering multiple quality constraints and water headers. Journal of Environmental Management, 2022, 312, 114890.                                 | 3.8 | 2         |
| 895 | Innovative Reactive Distillation Process for the Sustainable Purification of Lactic Acid. Industrial & Engineering Chemistry Research, 2022, 61, 621-637.  | 1.8 | 12        |
| 899 | Plastic Circular Economy Framework using Hybrid Machine Learning and Pinch Analysis. Resources, Conservation and Recycling, 2022, 184, 106387.   | 5.3 | 17        |
| 900 | Greenhouse Gas Emission Reduction Using Advanced Heat Integration Techniques. , 2022, , 531-581.   |     | 0         |
| 901 | Graphical approaches for cleaner production and sustainability in process systems. Journal of Cleaner Production, 2022, 366, 132790.   | 4.6 | 4         |
| 902 | Synthesis of property-based total water systems with multiple interceptors by using operator potential concepts. Chemical Engineering Research and Design, 2022, 184, 338-348.                       | 2.7 | 0         |
| 905 | Chemical conditioning of drinking water to reduce Ca precipitation using water pinch methodology for sources with different Ca and Mg hardness composition. Urban Water Journal, 0, , 1-10.          | 1.0 | 0         |
| 906 | Synthesis of refinery desulfurization solvent network with multi-stage solvent regeneration. Energy, 2022, 257, 124782.  | 4.5 | 2         |
| 907 | Uncertainties in the resource conservation problems: a review. Clean Technologies and Environmental Policy, 2022, 24, 2681-2699.   | 2.1 | 2         |
| 909 | Accounting for regional water recyclability or scarcity using Machine Learning and Pinch Analysis. Journal of Cleaner Production, 2022, 368, 133260.   | 4.6 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 910 | Disjunctive programming model for the synthesis of property-based water supply network with multiple resources. <i>Chemical Engineering Research and Design</i> , 2022, 187, 69-83.     | 2.7 | 1         |
| 911 | Process Integration for Sustainable Industries. , 2022, , .   |     | 0         |
| 912 | State-of-the-art review of heat integrated water allocation network synthesis. <i>Computers and Chemical Engineering</i> , 2022, 167, 108003.   | 2.0 | 4         |
| 913 | Simultaneous Optimization of Mass Exchanger Networks and Direct Reuse/Recycle Networks. <i>Process Integration and Optimization for Sustainability</i> , 0, , .                         | 1.4 | 1         |
| 914 | Greenhouse gas reduction through optimal breeding policy and diet configuration targeting via Carbon Emission Pinch Analysis. <i>Journal of Cleaner Production</i> , 2022, 379, 134729. | 4.6 | 5         |
| 915 | Demystification of the true cost of water within industrial facilities. <i>Journal of Water Supply: Research and Technology - AQUA</i> , 0, , .   | 0.6 | 0         |
| 917 | Process Integration for cleaner process design. , 2023, , 507-520.  |     | 0         |
| 918 | Using systematic design methods to minimise water use in process industries. , 2023, , 419-436.   |     | 0         |
| 919 | Water Integration and Water Pinch Analysis. , 2023, , 391-417.  |     | 0         |
| 920 | Pinch Analysis for regional water scarcity assessment. , 2023, , 595-632.   |     | 2         |
| 921 | Fifty years of Heat Integration. , 2023, , 73-99.   |     | 1         |
| 922 | Energy and Water Integration in Oil & Gas Refineries and Petrochemical Plants. , 2023, , 679-742.   |     | 0         |
| 923 | Extension of Pinch Analysis to sustainable solid waste management. , 2023, , 659-678.   |     | 0         |
| 924 | Process Integration concepts for Combined Energy and Water Integration. , 2023, , 521-553.  |     | 0         |
| 925 | A Process Integration Approach for Supply Chain Development. , 2023, , 633-657.   |     | 0         |
| 926 | Problem Table development and implementation. , 2023, , 487-506.  |     | 0         |
| 927 | Basic Process Integration Terminology. , 2023, , 25-72.   |     | 0         |
| 928 | Conserving material resources through Process Integration. , 2023, , 467-486.   |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 929 | Water Network Integration with Multiple Partitioning Interception Units. , 2023, , 437-465.   |     | 0         |
| 930 | An insight-based approach for batch water network with flexible production scheduling framework. Journal of Cleaner Production, 2022, , 135664.   | 4.6 | 0         |
| 931 | Approaches and application of heat and water network integration in chemical process system engineering: A review. Chemical Engineering and Processing: Process Intensification, 2023, 183, 109263. | 1.8 | 1         |
| 932 | Absorption mechanism-based approach for synthesis of refinery desulfurization solvent network. Chemical Engineering Science, 2023, 269, 118465.   | 1.9 | 3         |
| 934 | A Greedy Search Technique for Multiple Contaminant Water Network Synthesis. Process Integration and Optimization for Sustainability, 0, , .   | 1.4 | 0         |
| 938 | Application of water pinch analysis in process industry: A review. AIP Conference Proceedings, 2023, , .  | 0.3 | 0         |
| 941 | Tools and methods for efficient design and operations of ZLD systemsâ€™ water network synthesis approach. , 2023, , 295-317.  |     | 0         |
| 944 | Development of user-friendly interface for optimal water networks. AIP Conference Proceedings, 2023, , .  | 0.3 | 0         |