CITATION REPORT List of articles citing

The major acute phase reactants: C-reactive protein, serum amyloid P component and serum amyloid A protein

DOI: 10.1016/0167-5699(94)90138-4 Trends in Immunology, 1994, 15, 81-8.

Source: https://exaly.com/paper-pdf/25085317/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
911	Recruitment and recirculation of leukocytes after an ultramarathon run: preferential homing of cells expressing high levels of the adhesion molecule LFA-1. 1994 , 15 Suppl 3, S148-53		23
910	Comparative analyses of pentraxins: implications for protomer assembly and ligand binding. 1994 , 2, 1017-27		81
909	Two-dimensional arrays of human C-reactive protein formed on a dense aqueoys subphase underneath a lipid layer. 1994 , 1, 111-116		10
908	Immunodiagnostic assays. 1995 , 11, 455-89		1
907	Inflammation-induced recombinant protein expression in vivo using promoters from acute-phase protein genes. 1995 , 92, 5346-50		55
906	Tumor necrosis factor ⊕lus interleukin 1treatment protects granulocytopenic mice from Pseudomonas aeruginosa lung infection: Role of an unusual inflammatory response. 1995 , 103, 447-45	9	8
905	Tolerance and immunity to the inducible self antigen C-reactive protein in transgenic mice. 1995 , 25, 3489-95		16
904	Rapid increase in plasma tenascin-C concentration after isolated limb perfusion with high-dose tumor necrosis factor (TNF), interferon gamma (IFN gamma) and melphalan for regionally advanced tumors. 1995 , 63, 665-72		13
903	Proteolysis of human C-reactive protein by neutrophil-derived lysosomal enzymes generates peptides which modulate neutrophil function: Implication to the anti-inflammatory mechanism. 1995 , 2, 7-16		3
902	The gene encoding the mouse serum amyloid A protein, apo-SAA5, maps to proximal chromosome 7. 1995 , 42, 153-5		4
901	Recombinant human interleukin-6: safety issues of a pleiotropic growth factor. 1995 , 105, 91-107		22
900	Structure and function of the pentraxins. 1995 , 7, 54-64		262
899	Stimulus-dependent production of cytokines and pterins by peripheral blood mononuclear cells. 1995 , 45, 29-34		21
898	Evidence of different regulation of apolipoproteins A-I and B in human hepatoma HEPG2 cells under acute phase conditions. 1995 , 15, 763-773		1
897	Promoter structure and transcriptional activation of the murine TSG-14 gene encoding a tumor necrosis factor/interleukin-1-inducible pentraxin protein. 1995 , 270, 25584-90		64
896	Hepatic amyloidosis associated with systemic lupus erythematosus. 1995 , 4, 75-7		10
895	Isolation of a pentraxin-like protein from rainbow trout serum. 1995 , 19, 305-14		34

(1996-1995)

894	The effect of Trypanosoma brucei brucei infection on rabbit plasma iron and zinc concentrations. 1995 , 59, 283-91	17
893	Effect of enzymatic desialylation of human serum amyloid P component on surface exposure of laser photo CIDNP (chemically induced dynamic nuclear polarization)reactive histidine, tryptophan and tyrosine residues. 1995 , 371, 13-6	10
892	Pancreatic secretory trypsin inhibitor gene is highly expressed in the liver of adult-onset type II citrullinemia. 1995 , 372, 69-73	22
891	A novel allelic variant of serum amyloid A, SAA1 gamma: genomic evidence, evolution, frequency, and implication as a risk factor for reactive systemic AA-amyloidosis. 1995 , 4, 1083-7	92
890	Interleukin-6 production by human liver (myo)fibroblasts in culture. Evidence for a regulatory role of LPS, IL-l晦nd TNF日 1995 , 23, 295-306	2
889	Evolutionary perspectives on amyloid and inflammatory features of Alzheimer disease. 1996 , 17, 809-15	24
888	Long pentraxins: an emerging group of proteins with diverse functions. 1996 , 7, 191-202	123
887	Complementary organ expression of IL-1 vs. IL-6 and CSF-1 activities in normal and LPS-injected mice. 1996 , 8, 21-31	24
886	Reduced susceptibility to IL-1 and endotoxin in transgenic mice expressing IL-1 in their lens. 1996 , 8, 288-93	5
885	Lectin-carbohydrate interaction in the immune system. 1996 , 55, 205-23	47
88 ₅	Lectin-carbohydrate interaction in the immune system. 1996 , 55, 205-23 Bacterial endotoxin: Chemical constitution, biological recognition, host response, and immunological detoxification. 1996 , 216, 39-81	47 287
	Bacterial endotoxin: Chemical constitution, biological recognition, host response, and	
884	Bacterial endotoxin: Chemical constitution, biological recognition, host response, and immunological detoxification. 1996 , 216, 39-81 Inhibition of the activity of pro-inflammatory secretory phospholipase A(2) by acute phase proteins. 1996 , 5, 196-201 The lipopolysaccharide-binding protein is a secretory class 1 acute-phase protein whose gene is	
884	Bacterial endotoxin: Chemical constitution, biological recognition, host response, and immunological detoxification. 1996 , 216, 39-81 Inhibition of the activity of pro-inflammatory secretory phospholipase A(2) by acute phase proteins. 1996 , 5, 196-201 The lipopolysaccharide-binding protein is a secretory class 1 acute-phase protein whose gene is transcriptionally activated by APRF/STAT/3 and other cytokine-inducible nuclear proteins. 1996 , 16, 3490-503	287
884 883 882	Bacterial endotoxin: Chemical constitution, biological recognition, host response, and immunological detoxification. 1996 , 216, 39-81 Inhibition of the activity of pro-inflammatory secretory phospholipase A(2) by acute phase proteins. 1996 , 5, 196-201 The lipopolysaccharide-binding protein is a secretory class 1 acute-phase protein whose gene is transcriptionally activated by APRF/STAT/3 and other cytokine-inducible nuclear proteins. 1996 , 16, 3490-503 Liposome-Blood Protein Interactions in Relation to Liposome Clearance. 1996 , 6, 33-60 A novel STAT-like factor mediates lipopolysaccharide, interleukin 1 (IL-1), and IL-6 signaling and	287 1 171
884 883 882	Bacterial endotoxin: Chemical constitution, biological recognition, host response, and immunological detoxification. 1996, 216, 39-81 Inhibition of the activity of pro-inflammatory secretory phospholipase A(2) by acute phase proteins. 1996, 5, 196-201 The lipopolysaccharide-binding protein is a secretory class 1 acute-phase protein whose gene is transcriptionally activated by APRF/STAT/3 and other cytokine-inducible nuclear proteins. 1996, 16, 3490-503 Liposome-Blood Protein Interactions in Relation to Liposome Clearance. 1996, 6, 33-60 A novel STAT-like factor mediates lipopolysaccharide, interleukin 1 (IL-1), and IL-6 signaling and recognizes a gamma interferon activation site-like element in the IL1B gene. 1996, 16, 2183-94	287 1 171 19
884 883 882 881	Bacterial endotoxin: Chemical constitution, biological recognition, host response, and immunological detoxification. 1996, 216, 39-81 Inhibition of the activity of pro-inflammatory secretory phospholipase A(2) by acute phase proteins. 1996, 5, 196-201 The lipopolysaccharide-binding protein is a secretory class 1 acute-phase protein whose gene is transcriptionally activated by APRF/STAT/3 and other cytokine-inducible nuclear proteins. 1996, 16, 3490-503 Liposome-Blood Protein Interactions in Relation to Liposome Clearance. 1996, 6, 33-60 A novel STAT-like factor mediates lipopolysaccharide, interleukin 1 (IL-1), and IL-6 signaling and recognizes a gamma interferon activation site-like element in the IL1B gene. 1996, 16, 2183-94 Developmental regulation of expression of rabbit C-reactive protein and serum amyloid A genes.	287 1 171 19

876	Acute phase is the only significantly reduced component of the injury response after laparoscopic cholecystectomy. 1996 , 20, 528-33; discussion 533-4	35
875	Fine mapping of the human pentraxin gene region on chromosome 1q23. 1996 , 44, 62-9	29
874	Mapping of the mouse serum amyloid A gene cluster by long-range polymerase chain reaction. 1996 , 44, 468-74	19
873	Role of cytokines, acute-phase proteins, and chemokines in the progression of rheumatoid arthritis. 1996 , 26, 526-38	133
872	Semiquantitative estimation of Shigella antigen-specific antibodies: correlation with disease severity during shigellosis. 1996 , 104, 563-74	11
871	Acute phase response and plasma carotenoid concentrations in older women: findings from the nun study. 1996 , 12, 475-8	59
870	Interleukin-1 induction of type-1 plasminogen activator inhibitor (PAI-1) gene expression in the mouse hepatocyte line, AML 12. 1996 , 168, 648-56	24
869	Cytokine-induced differential expression of serum amyloid A genes in fetal and neonatal rabbits. 1996 , 103, 335-42	7
868	OKT3-induced nephrotoxicity is associated with release of group II secretory phospholipase A2. 1996 , 26, 873-8	1
867	Parathyroid hormone-related protein is induced in the adult liver during endotoxemia and stimulates the hepatic acute phase response. 1997 , 138, 2665-73	23
866	Early induction of proinflammatory cytokine and type I interferon mRNAs following Newcastle disease virus, poly [rI:rC], or low-dose LPS challenge of the mouse. 1997 , 17, 197-204	26
865	Characterization of high affinity binding between laminin and the acute-phase protein, serum amyloid A. 1997 , 272, 406-13	30
864	Multimer formation and ligand recognition by the long pentraxin PTX3. Similarities and differences with the short pentraxins C-reactive protein and serum amyloid P component. 1997 , 272, 32817-23	301
863	A family of fibrinogen-related proteins that precipitates parasite-derived molecules is produced by an invertebrate after infection. 1997 , 94, 8691-6	265
862	Interleukin-6 is necessary, but not sufficient, for induction of the humanC-reactive protein gene in vivo. 1997 , 325 (Pt 3), 617-21	72
861	Interleukin-6-dependent and -independent regulation of the human C-reactive protein gene. 1997 , 327 (Pt 2), 425-9	117
860	Messenger RNA deadenylylation precedes decapping in mammalian cells. 1997 , 94, 5628-33	192
859	Time course of circulating acute phase proteins and cytokines in septic patients. 1997 , 4, 33-39	3

858	Neuronal pentraxin receptor, a novel putative integral membrane pentraxin that interacts with neuronal pentraxin 1 and 2 and taipoxin-associated calcium-binding protein 49. 1997 , 272, 21488-94	116
857	Characterization of the promoter for the human long pentraxin PTX3. Role of NF-kappaB in tumor necrosis factor-alpha and interleukin-1beta regulation. 1997 , 272, 8172-8	129
856	Biochemical markers of nutrition: Technical aspects. 1997 , 7, 65-68	3
855	Dosage de la protíhe C ractive par mehode immunoenzymologique non competitive en deux temps. 1997 , 12, 85-88	
854	Repression of apoC-III gene expression by TNFalpha involves C/EBPdelta/NF-IL6beta via an IL-1 independent pathway. 1997 , 415, 217-20	15
853	The transcriptional activation pattern of lipopolysaccharide binding protein (LBP) involving transcription factors AP-1 and C/EBP beta. 1997 , 198, 124-35	22
852	Clinical features associated with correction of T-cell senescence: increased acute-phase response, amyloidosis and arthritis. 1997 , 21, 509-23	6
851	Extracellular matrix-anchored serum amyloid A preferentially induces mast cell adhesion. 1997 , 273, C179-87	63
850	Transgenic mice expressing rabbit C-reactive protein are resistant to endotoxemia. 1997 , 94, 2575-80	127
849	Systemic acute-phase reactants, C-reactive protein and haptoglobin, in adult periodontitis. 1997 , 107, 347-52	286
848	Cell death and longevity: implications of Fas-mediated apoptosis in T-cell senescence. 1997 , 160, 19-30	31
847	Adenovirus-mediated gene transfer of a human IL-6 antagonist. 1997 , 4, 839-45	9
846	Effect of partially modified retro-inverso analogues derived from C-reactive protein on the induction of nitric oxide synthesis in peritoneal macrophages. 1997 , 120, 1383-9	8
845	Dependence of the adaptive immune response on innate immunity: some questions answered but new paradoxes emerge. 1997 , 75, 523-7	35
844	Role of C-reactive protein in acute lung injury. 1997 , 3, 539-45	20
843	Animal lectins. 1997 , 243, 543-76	346
842	Use of the acute phase serum amyloid A2 (SAA2) gene promoter in the analysis of pro- and anti-inflammatory mediators: differential kinetics of SAA2 promoter induction by IL-1 beta and TNF-alpha compared to IL-6. 1997 , 203, 123-30	28
841	Comparison between intact and desialylated human serum amyloid P component by laser photo CIDNP (chemically induced dynamic nuclear polarization) technique: an indication for a conformational impact of sialic acid. 1997 , 14, 945-9	5

840	Systemic lupus erythematosus and amyloidosis. 1997 , 16, 422-4	9
839	Inhibition of human leukocyte elastase and cathepsin G by extended peptides and subunits derived from human C-reactive protein. 1997 , 4, 157-166	
838	NIDDM as a disease of the innate immune system: association of acute-phase reactants and interleukin-6 with metabolic syndrome X. 1997 , 40, 1286-92	995
837	Serial cytokine changes in peritoneal effluent and plasma during peritonitis in patients on continuous ambulatory peritoneal dialysis (CAPD). 1997 , 46, 132-6	14
836	Expression of the human complement C8 subunits is independently regulated by interleukin 1 beta, interleukin 6, and interferon gamma. 1997 , 38, 167-75	11
835	A role for secretory phospholipase A2 and C-reactive protein in the removal of injured cells. <i>Trends in Immunology</i> , 1997 , 18, 111-5	163
834	Structure of the mouse serum amyloid A 5 (Saa5) gene: relationship to other members of the serum amyloid A family. 1997 , 45, 160-5	5
833	Efficient in vitro cleavage of mouse acute phase serum amyloid A mRNA mediated by a synthetic hammerhead ribozyme. 1997 , 46, 51-8	1
832	Environmental change and cardiovascular disease: A new complexity. 1997 , 104, 1-24	102
831	Binding site on human C-reactive protein (CRP) recognized by the leukocyte CRP-receptor. 1997 , 64, 140-51	14
830	Serum Amyloid A Complexed with Extracellular Matrix Induces the Secretion of Tumor Necrosis Factor-By human T-lymphocytes. 1998 , 5, 349-355	2
829	A drosomycin-GFP reporter transgene reveals a local immune response in Drosophila that is not dependent on the Toll pathway. 1998 , 17, 1217-27	279
828	Inflammatory potential of C-reactive protein complexes compared to immune complexes. 1998 , 87, 155-62	13
827	The response of hepatic acute phase proteins during experimental pulmonary tuberculosis. 1998 , 65, 25-36	16
826	Effect of galactosamine, an inhibitor of hepatic protein synthesis, on endotoxin-induced fever and pyrogenic tolerance. 1998 , 856, 256-60	3
825	Interactions of liposomes and lipid-based carrier systems with blood proteins: Relation to clearance behaviour in vivo. 1998 , 32, 3-17	299
824	Competitive reverse transcription polymerase chain reaction for quantifying pre-mRNA and mRNA of major acute phase proteins. 1998 , 215, 45-58	18
823	Systematic method for determining intravenous drug treatment strategies aiding the humoral immune response. 1998 , 45, 429-39	6

822	Physiologic role of the complement system in host defense, disease, and malnutrition. 1998 , 14, 391-8	36
821	The humoral immune response to Haemophilus influenzae type b: a mathematical model based on T-zone and germinal center B-cell dynamics. 1998 , 194, 341-81	30
820	Analysis of changes in acute-phase plasma proteins in an acute inflammatory response and in rheumatoid arthritis using two-dimensional gel electrophoresis. 1998 , 19, 355-63	171
819	A two-dimensional electrophoretic study of serum amyloid A and C-reactive protein in infants and children. 1998 , 19, 776-81	11
818	Interferon-gamma inhibits expression of the long pentraxin PTX3 in human monocytes. 1998 , 28, 496-501	44
817	The combined inactivation of tumor necrosis factor and interleukin-6 prevents induction of the major acute phase proteins by endotoxin. 1998 , 28, 4130-7	46
816	Reduced TNFalpha and IL-6 production in patients who mount a preoperative acute phase response. 1998 , 383, 71-4	7
815	Serum amyloid A complexed with extracellular matrix induces the secretion of tumor necrosis factor-by human T-lymphocytes. 1998 , 5, 349-355	6
814	An analysis of interleukin-8, interleukin-6 and C-reactive protein serum concentrations to predict fever, gram-negative bacteremia and complicated infection in neutropenic cancer patients. 1998 , 26, 213-21	87
813	Proteinurie bei Mukoviszidose. 1998 , 146, 1044-1049	
812	Is type II diabetes mellitus a disease of the innate immune system?. 1998 , 41, 1241-8	786
811	Serum levels of soluble CD14 in allergic inflammation. 1998 , 47, 271-278	6
810	C-reactive protein as an outcome predictor for maintenance hemodialysis patients. 1998 , 54, 627-36	251
809	Cytokine regulation of the acute-phase protein levels in multiple myeloma. 1998 , 28, 679-86	23
808	Phospholipid-binding activity of human mannan-binding lectin. 1998 , 61, 191-5	34
°		
807	Serum amyloid A protein is elevated in relapsing-remitting multiple sclerosis. 1998 , 88, 9-12	27
806	Serum amyloid A protein is elevated in relapsing-remitting multiple sclerosis. 1998 , 88, 9-12 A comparative study of pentraxin-like proteins in different fish species. 1998 , 22, 185-94	27 44

804	Atypical phosphorylcholine-reactive protein from Atlantic salmon, Salmo salar L. 1998, 119, 471-7	5
803	C-reactive protein serum level is a valuable and simple prognostic marker in non HodgkinN lymphoma. 1998 , 31, 351-7	93
802	Bacterial or crystal-associated arthritis? Discriminating ability of serum inflammatory markers. 1998 , 30, 591-6	84
801	Systemin: a polypeptide signal for plant defensive genes. 1998 , 14, 1-17	158
800	Plasma levels of von Willebrand factor antigen in acute bronchitis and in a normal population. 1998 , 92, 395-400	7
799	Down-regulation of negative acute-phase response genes by hypotonic stress in HepG2 hepatoma cells. 1998 , 433, 15-8	4
798	Translocation of platelets into Disse spaces and their entry into hepatocytes in response to lipopolysaccharides, interleukin-1 and tumour necrosis factor: the role of Kupffer cells. 1998 , 28, 991-9	57
797	Trypanosoma cruzi: detection of a surface antigen cross-reactive to human C-reactive protein. 1998 , 90, 143-53	8
796	The acute phase response in apolipoprotein A-1 knockout mice: apolipoprotein serum amyloid A and lipid distribution in plasma high density lipoproteins. 1998 , 1394, 209-18	13
795	Induction of Serum Amyloid A Inflammatory Response Genes in Irradiated Bone Marrow Cells. 1998 , 149, 570	16
794	Hepatic and extra-hepatic transcription of inter-alpha-inhibitor family genes under normal or acute inflammatory conditions in rat. 1998 , 350, 315-23	63
793	Release of proinflammatory cytokines related to luteolysis and the periparturient acute phase response in prostaglandin-induced parturition in cows. 1998 , 49, 797-812	27
792	Cardiovascular disease, fibrinogen and the acute phase response: associations with lipids and blood pressure in patients with chronic renal disease. 1998 , 137, 133-9	98
791	Ovine allantoic fluid contains high concentrations of activin A: partial dissociation of immunoactivity and bioactivity. 1998 , 59, 233-40	7
790	Elevated serum IL-8 levels are associated with disease activity in idiopathic intermediate uveitis. 1998 , 82, 871-4	35
789	A critical role of natural immunoglobulin M in immediate defense against systemic bacterial infection. 1998 , 188, 2381-6	437
788	Complement activation in patients with sepsis is in part mediated by C-reactive protein. 1998 , 177, 81-7	69
787	Fetuin (alpha2-HS-glycoprotein) opsonizes cationic macrophagedeactivating molecules. 1998 , 95, 14429-34	135

786	The systemic inflammatory response syndrome: definitions and aetiology. 1998 , 41 Suppl A, 1-7	202
785	Acute Phase Proteins. 1998 , 18-20	
784	Interleukin-6-specific activation of the C/EBPdelta gene in hepatocytes is mediated by Stat3 and Sp1. 1998 , 18, 2108-17	140
783	Systemic inflammation present in patients undergoing CABG without extracorporeal circulation. 1998 , 113, 1290-5	135
782	Cohort study of serum total cholesterol and in-hospital incidence of infectious diseases. 1998 , 121, 335-47	65
781	Regulation of serum amyloid A protein expression during the acute-phase response. 1998 , 334 (Pt 3), 489-503	306
780	Nutritional status and survival in end-stage renal disease patients. 1998, 24, 72-81	20
779	Efficient, repeated adenovirus-mediated gene transfer in mice lacking both tumor necrosis factor alpha and lymphotoxin alpha. 1998 , 72, 9514-25	55
778	Chromogranin A to Cytochrome C Oxidase. NA-NA	
777	Increased Levels of Factor VIII and Fibrinogen in Patients with Venous Thrombosis Are not Caused by Acute Phase Reactions. 1999 , 81, 680-683	187
776	IL-1beta mediates induction of hepatic type 1 plasminogen activator inhibitor in response to local tissue injury. 1999 , 277, G801-9	6
775	Oncostatin M: development of a pleiotropic cytokine. 1999 , 27, 151-5	20
774	Acute phase protein response of ewes and the release of PGFM in relation to uterine involution and the presence of intrauterine bacteria. 1999 , 144, 502-6	44
773	Inflammation, the acute phase response and atherosclerosis. 1999 , 37, 495-503	56
772	Associations of C-reactive protein with measures of obesity, insulin resistance, and subclinical atherosclerosis in healthy, middle-aged women. 1999 , 19, 1986-91	400
771	A novel acute-phase marker: lipopolysaccharide binding protein (LBP). 1999 , 37, 271-4	69
770	The heparin/heparan sulfate-binding site on apo-serum amyloid A. Implications for the therapeutic intervention of amyloidosis. 1999 , 274, 7172-81	127
769	Serum complement levels in children in communities with different levels of air pollution in Japan. 1999 , 54, 264-70	8

768	Regulation of Fas-mediated apoptosis in CD2-fas transgenic mice. 1999 , 18, 309-27	1
767	Regulation of complement activation by C-reactive protein. 1999 , 42, 23-30	237
766	Leucocyte activation in erythema nodosum. 1999 , 24, 396-401	24
765	Negative C-reactive protein in children with bacterial infection. 1999 , 41, 496-9	15
764	CpG-DNA upregulates the major acute-phase proteins SAA and SAP. 1999 , 1, 61-7	13
763	The kinetics and magnitude of the synergistic activation of the serum amyloid A promoter by IL-1 beta and IL-6 is determined by the order of cytokine addition. 1999 , 49, 399-404	27
762	Serum amyloid A, the major vertebrate acute-phase reactant. 1999 , 265, 501-23	761
761	Inflammation enhances cardiovascular risk and mortality in hemodialysis patients. 1999 , 55, 648-58	1071
760	Interactions Between Hemodialysis Adequacy and Nutrition in Dialysis Patients. 1999 , 12, 112-116	3
759	New concepts of sepsis and their practical value. 1999 , 5, 2S13-2S16	1
75 ⁸	Enhancement by galactosamine of lipopolysaccharide(LPS)-induced tumour necrosis factor production and lethality: its suppression by LPS pretreatment. 1999 , 128, 5-12	47
757	Troglitazone reduces hyperglycaemia and selectively acute-phase serum proteins in patients with Type II diabetes. 1999 , 42, 1433-8	79
	Type II diabetes. 1999, 42, 1455-8	
756	New insights into the biology of the acute phase response. 1999 , 19, 203-14	278
756 755		278
	New insights into the biology of the acute phase response. 1999 , 19, 203-14 Association of low preoperative serum albumin concentrations and the acute phase response. 1999	,
755	New insights into the biology of the acute phase response. 1999 , 19, 203-14 Association of low preoperative serum albumin concentrations and the acute phase response. 1999 , 165, 307-13	12
755 754	New insights into the biology of the acute phase response. 1999, 19, 203-14 Association of low preoperative serum albumin concentrations and the acute phase response. 1999, 165, 307-13 Early effects of surgery on zinc and metallothionein levels in female rats. 1999, 70, 173-82 Effect of hamster pregnancy on female protein, a homolog of serum amyloid P component. 1999,	6

750	Immunogenetic Aspects of Disease Progression in Rheumatoid Arthritis. 1999 , 1, 1	78
749	Serum amyloid A (SAA): a concise review of biology, assay methods and clinical usefulness. 1999 , 37, 381-8	139
748	Ferritin correlates with C-reactive protein and acute phase serum amyloid A in synovial fluid, but not in serum. 1999 , 6, 130-5	21
747	Changes in nutritional, functional, and inflammatory markers in advanced pancreatic cancer. 1999 , 35, 106-10	129
746	NHigh doseNaprotinin and heparin-coated circuits: clinical efficacy and inflammatory response. 1999 , 7, 117-27	10
745	High levels of plasma C-reactive protein and future risk of age-related cataract. 1999 , 9, 166-71	63
744	Changes in concentrations of serum amyloid A protein, alpha 1-acid glycoprotein, haptoglobin, and C-reactive protein in feline sera due to induced inflammation and surgery. 1999 , 68, 91-8	77
743	Serum levels of chicken mannan-binding lectin (MBL) during virus infections; indication that chicken MBL is an acute phase reactant. 1999 , 70, 309-16	30
742	I-type lectins in the nervous system. 1999 , 58, 163-84	13
741	Changes in serum concentration of a serum amyloid P-like pentraxin in Atlantic salmon, Salmo salar L., during infection and inflammation. 1999 , 23, 61-70	51
740	Hepatic stellate cells and the regulation of liver inflammation. 1999 , 31, 1120-30	122
739	Plasma protein Z levels inversely correlate with plasma interleukin-6 levels in patients with acute leukemia and non-HodgkinN lymphoma. 1999 , 94, 131-4	26
738	Enhanced preoperative C-reactive protein plasma levels as a risk factor for postoperative infections after cardiac surgery. 1999 , 67, 134-8	41
737	Calcium-dependent binding of rabbit C-reactive protein to supported lipid monolayers containing exposed phosphorylcholine group. 1999 , 76, 333-41	28
736	Atherosclerosis and inflammation. Patterns of cytokine regulation in patients with peripheral arterial disease. 1999 , 145, 51-60	112
735	Laminin interactions with the apoproteins of acute-phase HDL: preliminary mapping of the laminin binding site on serum amyloid A. 1999 , 6, 37-47	17
734	Monoclonal antibody-based sensitive enzyme-linked immunosorbent assay for murine serum amyloid A. 1999 , 20, 223-35	9
733	Modulation of the non-specific defence of fish by structurally conserved microbial polymers. 1999 , 9, 269-290	118

732	A novel set of hepatic mRNAs preferentially expressed during an acute inflammation in rat represents mostly intracellular proteins. 1999 , 57, 352-64	30
731	Pentameric two-dimensional crystallization of rabbit C-reactive protein on lipid monolayers. 1999 , 127, 283-6	10
730	Serum amyloid A induces chemotaxis of human mast cells by activating a pertussis toxin-sensitive signal transduction pathway. 1999 , 254, 143-6	53
729	Identification of a signal transducer and activator of transcription (STAT) binding site in the mouse metallothionein-I promoter involved in interleukin-6-induced gene expression. 1999 , 337, 59-65	87
728	Identification of a signal transducer and activator of transcription (STAT) binding site in the mouse metallothionein-I promoter involved in interleukin-6-induced gene expression. 1999 , 337, 59	37
727	Plasma C-reactive protein in haemodialysis. 1999 , 17, 142-8	21
726	Activin A and follistatin: their role in the acute phase reaction and inflammation. 1999, 161, 195-8	57
725	Impact of blood transfusions on inflammatory mediator release in patients undergoing cardiac surgery. 1999 , 116, 1233-9	272
724	Expression of recombinant feline serum amyloid A (SAA) protein. 1999 , 61, 915-20	13
723	The microinflammatory state of uremia. 2000 , 18, 327-32	24
723 722	The microinflammatory state of uremia. 2000, 18, 327-32 Differential regulation of TSG-14 expression in murine fibroblasts and peritoneal macrophages. 2000, 67, 387-95	53
	Differential regulation of TSG-14 expression in murine fibroblasts and peritoneal macrophages.	
722	Differential regulation of TSG-14 expression in murine fibroblasts and peritoneal macrophages. 2000 , 67, 387-95 Serum amyloid A is an activator of PMN antimicrobial functions: induction of degranulation,	53
722 721	Differential regulation of TSG-14 expression in murine fibroblasts and peritoneal macrophages. 2000, 67, 387-95 Serum amyloid A is an activator of PMN antimicrobial functions: induction of degranulation, phagocytosis, and enhancement of anti-Candida activity. 2000, 67, 381-6	53 67
722 721 720	Differential regulation of TSG-14 expression in murine fibroblasts and peritoneal macrophages. 2000, 67, 387-95 Serum amyloid A is an activator of PMN antimicrobial functions: induction of degranulation, phagocytosis, and enhancement of anti-Candida activity. 2000, 67, 381-6 Regulation of phagocytic leukocyte activities by C-reactive protein. 2000, 67, 495-500 Serum retinol, the acute phase response, and the apparent misclassification of vitamin A status in	53 67 71
722 721 720 719	Differential regulation of TSG-14 expression in murine fibroblasts and peritoneal macrophages. 2000, 67, 387-95 Serum amyloid A is an activator of PMN antimicrobial functions: induction of degranulation, phagocytosis, and enhancement of anti-Candida activity. 2000, 67, 381-6 Regulation of phagocytic leukocyte activities by C-reactive protein. 2000, 67, 495-500 Serum retinol, the acute phase response, and the apparent misclassification of vitamin A status in the third National Health and Nutrition Examination Survey. 2000, 72, 1170-8 Immunogenicity of acellular pertussis vaccines using two vaccines for primary immunization. 2000,	53 67 71 139
722 721 720 719 718	Differential regulation of TSG-14 expression in murine fibroblasts and peritoneal macrophages. 2000, 67, 387-95 Serum amyloid A is an activator of PMN antimicrobial functions: induction of degranulation, phagocytosis, and enhancement of anti-Candida activity. 2000, 67, 381-6 Regulation of phagocytic leukocyte activities by C-reactive protein. 2000, 67, 495-500 Serum retinol, the acute phase response, and the apparent misclassification of vitamin A status in the third National Health and Nutrition Examination Survey. 2000, 72, 1170-8 Immunogenicity of acellular pertussis vaccines using two vaccines for primary immunization. 2000, 19, 757-9 Discrimination of sepsis and systemic inflammatory response syndrome by determination of circulating plasma concentrations of procalcitonin, protein complement 3a, and interleukin-6. 2000,	53 67 71 139

(2000-2000)

714	Disseminated infection with varicella-zoster virus vaccine strain presenting as hepatitis in a child with adenosine deaminase deficiency. 2000 , 19, 764-6	49
713	Activation of peripheral blood CD8+ T cells in adenovirus infection. 2000 , 19, 766-8	13
712	C-reactive protein in childhood non-typhi Salmonella gastroenteritis with and without bacteremia. 2000 , 19, 754-5	9
711	Enterovirus 71 infections at a Canadian center. 2000 , 19, 755-7	28
710	C-reactive protein as a marker of chronic inflammation in uremic patients. 2000 , 18, 183-90	36
709	Hemoptysis and Epstein-Barr virus infection. 2000 , 19, 759-60	3
708	Protective effect of C-reactive protein against the lethality induced by Vibrio vulnificus lipopolysaccharide. 2000 , 44, 335-40	12
707	The role of IL-6 in the inflammatory and humoral response to adenoviral vectors. 2000 , 2, 194-203	27
706	mRNA differential display of acute-phase proteins in experimental Escherichia coli infection. 2000 , 21, 2957-68	6
705	Remnants of suicidal cells fostering systemic autoaggression. Apoptosis in the origin and maintenance of autoimmunity. 2000 , 43, 1663-72	74
704	The link of biocompatibility to cytokine production. 2000 , 76, S96-103	70
703	Increase of adhesion molecules, fibrinogen, type-1 plasminogen activator inhibitor and orosomucoid in growth hormone (GH) deficient adults and their modulation by recombinant human GH replacement. 2000 , 52, 543-8	36
702	The complement system has associations also with glucose metabolism. 2000 , 30, 180	
701	Protein sgp 120 as a marker of an acquired angioedema. 2000 , 30, 930-2	
700	Circulating concentrations of C-reactive protein and total sialic acid in tobacco smokers remain unchanged following one year of validated smoking cessation. 2000 , 30, 861-5	32
699	Role of serum C-reactive protein as a marker of hepatocellular carcinoma in patients with cirrhosis. 2000 , 15, 417-21	20
698	The liver as a crucial organ in the first line of host defense: the roles of Kupffer cells, natural killer (NK) cells and NK1.1 Ag+ T cells in T helper 1 immune responses. 2000 , 174, 35-46	286
697	Fibrinogen, other putative markers of inflammation, and weight gain in middle-aged adultsthe ARIC study. Atherosclerosis Risk in Communities. 2000 , 8, 279-86	96

696	Isolation, partial characterization, and concentration in experimental sepsis of baboon lipopolysaccharide-binding protein. 2000 , 136, 363-70	7
695	Inducible expression of the long pentraxin PTX3 in the central nervous system. 2000 , 106, 87-94	66
694	Global immune disregulation in multiple sclerosis: from the adaptive response to the innate immunity. 2000 , 107, 216-9	4
693	Human neurons generate C-reactive protein and amyloid P: upregulation in AlzheimerN disease. 2000 , 887, 80-9	246
692	Effect of short-term aspirin use on C-reactive protein. 2000 , 9, 37-41	62
691	The long pentraxin PTX3 binds to apoptotic cells and regulates their clearance by antigen-presenting dendritic cells. 2000 , 96, 4300-4306	270
690	Identification of genes involved in mucosal defense and inflammation associated with normal enteric bacteria. 2000 , 279, G492-9	47
689	Relation of serum retinol to acute phase proteins and malarial morbidity in Papua New Guinea children. 2000 , 71, 1582-8	47
688	Inflammation, insulin resistance, infection, diabetes, and atherosclerosis. 2000, 6, 272-6	21
687	Serum amyloid A is present in the capillaries and microinfarcts of hypertensive monkey brain: an immunohistochemical study. 2000 , 7, 111-7	5
686	Role of IL-6 in directing the initial immune response to schistosome eggs. 2000 , 164, 2419-26	57
685	The relationship between elevated fibrinogen and markers of infection: a comparison of seasonal cycles. 2000 , 93, 745-50	30
684	Increased density of interstitial mast cells in amyloid A renal amyloidosis. 2000, 13, 1020-8	26
683	C-Reactive protein binds to apoptotic cells, protects the cells from assembly of the terminal complement components, and sustains an antiinflammatory innate immune response: implications for systemic autoimmunity. 2000 , 192, 1353-64	558
682	Evaluation of TNF-alpha and IL-1 blockade in collagen-induced arthritis and comparison with combined anti-TNF-alpha/anti-CD4 therapy. 2000 , 165, 7240-5	92
681	Serum amyloid A is a chemotactic agonist at FPR2, a low-affinity N-formylpeptide receptor on mouse neutrophils. 2000 , 270, 331-5	74
68o	Role of STAT3 and C/EBP in cytokine-dependent expression of the mouse serum amyloid P-component (SAP) and C-reactive protein (CRP) genes. 2000 , 12, 888-99	43
679	Molecular cloning and expression analysis of carp (Cyprinus carpio) interleukin-1 beta, high affinity immunoglobulin E Fc receptor gamma subunit and serum amyloid A. 2000 , 10, 229-42	150

(2000-2000)

678	subsequent development of post kala-azar dermal leishmaniasis. 2000 , 75, 35-8	18
677	Tension-free hernia repair is associated with an increase in inflammatory response markers against the mesh. 2000 , 180, 203-7	67
676	A precerebellin-like protein is part of the acute phase response in rainbow trout, Oncorhynchus mykiss. 2000 , 24, 597-607	39
675	Serum amyloid A transcription in Atlantic salmon (Salmo salar L.) hepatocytes is enhanced by stimulation with macrophage factors, recombinant human IL-1 beta, IL-6 and TNF alpha or bacterial lipopolysaccharide. 2000 , 24, 553-63	64
674	Role of natural and immune IgM antibodies in immune responses. 2000 , 37, 1141-9	386
673	Molecular cloning and sequencing of equine cDNA encoding serum amyloid A (SAA). 2000 , 77, 321-7	2
672	Use of pleural fluid C-reactive protein in diagnosis of pleural effusions. 2000 , 94, 432-5	34
671	Durë du traitement antibiotique en rënimation : donnës actuelles. 2000 , 19, 367-374	1
670	Calumenin interacts with serum amyloid P component. 2000 , 465, 129-34	38
669	Elevation of systemic markers related to cardiovascular diseases in the peripheral blood of periodontitis patients. 2000 , 71, 1528-34	560
668	Acute-phase serum amyloid A production by rheumatoid arthritis synovial tissue. 2000 , 2, 142-4	107
667	The p78 Putative Rheumatoid Arthritis T Cell Autoantigen. 2000 , 1, S07	78
666	Genetics of Rheumatoid Arthritis. 2000 , 1, S01	78
665	. 2000 , 1, S40	78
664	Rheumatoid Arthritis: A Polygenic Disease with Multiple Phenotypes. 2000 , 1, S03	1
663	Assessment of Innovative Therapies: A Mode-of-Action Approach. 2000 , 1, S42	78
662	The Role of TNF#n the Pathogenesis of Rheumatoid Synovitis. 2000 , 1, S46	78
661	T Cell Homeostasis and Repertoire Contraction in Rheumatoid Arthritis. 2000 , 1, S05	78

660	. 2000 , 1, S09	78
659	New Vectors and New Targets for Gene Therapy in Rheumatoid Arthritis. 2000 , 1, S44	78
658	Stem Cell Transplantation in the Treatment of Rheumatoid Arthritis and Other Autoimmune Diseases. 2000 , 1, S48	1
657	. 2000 , 1, S11	78
656	Can IgG Rheumatoid Factors Explain Everything?. 2000 , 1, S13	78
655	Rheumatoid Arthritis is a Lining Cell Disease: An Evolving Concept. 2000 , 1, S17	78
654	Monocytes and Macrophages in Synovitis: Villains or Victims?. 2000 , 1, S15	78
653	Activation of Synovial Fibroblasts in Rheumatoid Arthritis. 2000 , 1, S19	78
652	Effects of 1⊉5dihydroxyvitamin D3 on matrix metalloproteinase and prostaglandin E2production by cells of the rheumatoid lesion. 2000 , 1, S21	78
651	Chemokines in Rheumatoid Arthritis. 2000 , 1, S23	78
650	. 2000 , 1, S27	78
649	T Cell Maturation in Inflammatory Synovitis. 2000 , 1, S25	78
648	Role of Cytokines in Cartilage Destruction in Experimental Arthritis. 2000 , 1, S29	78
647	. 2000 , 1, S31	13
646	Apoptosis in Rheumatoid Synoviocytes. 2000 , 1, S33	78
645	. 2000 , 1, S37	78
644	Synovial Tissue Analysis in Clinical Studies. 2000 , 1, S35	78
643	Synovial Tissue Response to Treatment: The Effects of IFN-苷reatment in Rheumatoid Arthritis Patients. 2000 , 1, S39	78

(2000-2000)

642	Contribution of T Cell Subsets to Joint Degradation. 2000 , 1, S06	78
641	The Effects of PulseNCorticosteroids on Mediators of Inflammation and Joint Damage in the Rheumatoid Synovium. 2000 , 1, S41	78
640	Redox Balance Alterations and Hyporesponsiveness of Synovial T Cells in Rheumatoid Arthritis. 2000 , 1, S04	78
639	Altered T Cell Differentiation in Patients with Early Rheumatoid Arthritis. 2000, 1, S08	78
638	Lessons Learned From Gene Therapy Approaches. 2000 , 1, S43	78
637	. 2000 , 1, S47	78
636	. 2000 , 1, S10	78
635	Obstacles to Anti-CD4 Therapy in Rheumatoid Arthritis. 2000 , 1, S45	78
634	Synovial B Cells in Rheumatoid Arthritis: Clonal Expansion, Diversification, and Persistence. 2000 , 1, S12	78
633	Dendritic Cells: What Is Their True Role in Rheumatoid Arthritis?. 2000 , 1, S16	78
632	. 2000 , 1, S14	O
631	Mast Cells and the Rheumatoid Lesion. 2000 , 1, S18	78
630	Biologic Aspects of Nurse-Like Cells Found in Bone Marrow and Synovial Tissue of Rheumatoid Arthritis Patients. 2000 , 1, S20	78
629	Interleukin-1 Receptor Antagonist Isoforms in Collagen-Induced Arthritis. 2000 , 1, S22	78
628	Citrullinated Peptides as a Substrate for the Detection of Rheumatoid Arthritis-Specific Autoantibodies. 2000 , 1, S26	78
627	Chemokines and Chemokine Receptors in Lymphocyte Traffic. 2000 , 1, S24	78
626	Genetic Studies in Experimental Arthritis. 2000 , 1, S28	78
625	The Role of COX-2 in Rheumatoid Arthritis Synovial Tissues. 2000 , 1, S30	5

624	. 2000 , 1, S32	78
623	Predictors of Early Bone Erosion in Patients With Synovitis of Recent Onset. 2000 , 1, S36	78
622	Digital Image Analysis to Quantify Inflammation in Synovial Tissue. 2000 , 1, S34	78
621	Synovial Histopathology in Early Rheumatoid Arthritis. 2000 , 1, S38	1
620	C-reactive protein and serum amyloid A protein in neonatal infections. 2000 , 32, 229-35	37
619	Biochemical interactions of the neuronal pentraxins. Neuronal pentraxin (NP) receptor binds to taipoxin and taipoxin-associated calcium-binding protein 49 via NP1 and NP2. 2000 , 275, 17786-92	107
618	PTX3, A prototypical long pentraxin, is an early indicator of acute myocardial infarction in humans. 2000 , 102, 636-41	345
617	Vitamin A, infection, and immune function. 2001 , 21, 167-92	552
616	Nutritional management of maintenance dialysis patients: why arenN we doing better?. 2001 , 21, 343-79	122
615	Mice lacking serum amyloid P component do not necessarily develop severe autoimmune disease. 2001 , 286, 200-5	23
614	IL-1beta down-regulates tissue-type plasminogen activator by up-regulating low-density lipoprotein receptor-related protein in AML 12 cells. 2001 , 288, 42-8	11
613	Dissociation and subunit rearrangement of membrane-bound human C-reactive proteins. 2001 , 288, 75-9	44
612	Molecular cloning of carp (Cyprinus carpio) C-type lectin and pentraxin by use of suppression subtractive hybridisation. 2001 , 11, 275-9	43
611	Two-dimensional assembly of pentameric rabbit C-reactive proteins on lipid monolayers. 2001 , 134, 46-55	14
610	Generation of C-reactive protein and complement components in atherosclerotic plaques. 2001 , 158, 1039-51	465
609	Inflammation, autotoxicity and Alzheimer disease. 2001 , 22, 799-809	413
608	Dynamic induction of the long pentraxin PTX3 in the CNS after limbic seizures: evidence for a protective role in seizure-induced neurodegeneration. 2001 , 105, 43-53	75
60 7	The acute phase response and innate immunity of fish. 2001 , 25, 725-43	331

(2001-2001)

606	A role for parathyroid hormone-related protein in the pathogenesis of inflammatory/autoimmune diseases. 2001 , 1, 1101-21	31
605	Induction of C-reactive protein, serum amyloid P component, and kininogens in the submandibular and lacrimal glands of rats with experimentally induced inflammation. 2001 , 69, 359-68	16
604	Interactions between fish larvae and bacteria in marine aquaculture. 2001, 200, 223-247	247
603	Amyloid proteins in pathogenesis of AA amyloidosis. 2001 , 358, 4-5	18
602	The role of inflammatory and immunological mediators in periodontitis and cardiovascular disease. 2001 , 6, 30-40	109
601	Amyloid precursors and amyloidosis in inflammatory arthritis. 2001 , 13, 67-73	65
600	Circulating levels of the long pentraxin PTX3 correlate with severity of infection in critically ill patients. 2001 , 29, 1404-7	262
599	Rotavirus-associated medical visits and hospitalizations in South America: a prospective study at three large sentinel hospitals. 2001 , 20, 685-93	64
598	Relationship between C-reactive protein and intima-media thickness in the carotid and femoral arteries and to antibodies against oxidized low-density lipoprotein in healthy men: the Atherosclerosis and Insulin Resistance (AIR) study. 2001 , 100, 371-8	42
597	Relationship between C-reactive protein and intima-media thickness in the carotid and femoral arteries and to antibodies against oxidized low-density lipoprotein in healthy men: the Atherosclerosis and Insulin Resistance (AIR) study. 2001 , 100, 371	24
596	Gene transcription in hepatocytes during the acute phase of a systemic inflammation: from transcription factors to target genes. 2001 , 50, 383-90	68
595	Chromosomal assignments of mammalian genes with an acute inflammation-regulated expression in liver. 2001 , 53, 634-42	7
594	The acute phase response following implantation of triclosan-bonded vascular prostheses. 2001 , 1, 35-41	9
593	Interferon-beta1a administration results in a transient increase of serum amyloid A protein and C-reactive protein: comparison with other markers of inflammation. 2001 , 75, 191-7	15
592	Impaired degradation of serum amyloid A (SAA) protein by cytokine-stimulated monocytes. 2001 , 123, 408-11	25
591	Serum amyloid P-component-induced colony-stimulating factors production by macrophages. 2001 , 53, 155-61	3
590	In vitro evaluation of an enhanced human serum amyloid A (SAA2) promoter-regulated soluble TNF receptor fusion protein for anti-inflammatory gene therapy. 2001 , 53, 588-95	6
589	Arterial wall MRI characteristics are associated with elevated serum markers of inflammation in humans. 2001 , 14, 698-704	51

588	PTX3 in small-vessel vasculitides: an independent indicator of disease activity produced at sites of inflammation. 2001 , 44, 2841-50	228
587	Effect of abdominal surgery on the activity of acid and alkaline ribonucleases in rats. 2001 , 71, 125-31	2
586	C-reactive protein, inflammation, and innate immunity. 2001 , 24, 163-76	147
585	The acute phase response in Sicilian patients with boutonneuse fever admitted to hospitals in Palermo, 1992-1997. 2001 , 42, 33-9	23
584	Mitogenic effect of lipoproteins on human vascular smooth muscle cells: the impact of hydrolysis by gr II A phospholipase A(2). 2001 , 81, 757-65	14
583	Immune responses of teleost fish. 2001 , 79, 570-4	109
582	Innate Immune Mechanisms: Nonself Recognition. 2001,	1
581	Synergistic activity of STAT3 and c-Jun at a specific array of DNA elements in the alpha 2-macroglobulin promoter. 2001 , 276, 26421-9	48
580	Acute phase protein responses to uterine bacterial contamination in cattle after calving. 2001, 148, 172-5	103
579	Relative serum amyloid A (SAA) values: the influence of SAA1 genotypes and corticosteroid treatment in Japanese patients with rheumatoid arthritis. 2001 , 60, 124-7	31
578	STAT4 is required for antibacterial defense but enhances mortality during polymicrobial sepsis. 2001 , 8, 1044-8	16
577	Chromatin-independent binding of serum amyloid P component to apoptotic cells. 2001, 167, 647-54	108
576	Ethnic differences in fibrinogen levels: the role of environmental factors and the beta-fibrinogen gene. 2001 , 153, 799-806	49
575	Lipopolysaccharide-binding protein (LBP) and markers of acute-phase response in patients with multiple organ dysfunction syndrome (MODS) following open heart surgery. 2001 , 49, 273-8	34
574	Regional Neural Regulation of Immunity: Anatomy and Function. 2001, 353-379	
573	C reactive protein in patients with chronic renal diseases. 2001 , 23, 551-62	104
572	Hyperglycemia-induced production of acute phase reactants in adipose tissue. 2001 , 276, 42077-83	181
571	Characterization of monoclonal antibodies specific for feline serum amyloid (SAA) protein. 2001 , 20, 103-8	4

(2002-2002)

570	Differential glucocorticoid enhancement of the cytokine-driven transcriptional activation of the human acute phase serum amyloid A genes, SAA1 and SAA2. 2002 , 169, 399-406	43
569	Polymorphism of structural forms of C-reactive protein. 2002 , 9, 665	3
568	Human herpesvirus 8-derived viral IL-6 induces PTX3 expression in KaposiN sarcoma cells. 2002 , 16, F9-18	27
567	Periodontitis in humans and non-human primates: oral-systemic linkage inducing acute phase proteins. 2002 , 7, 102-11	59
566	Long pentraxin PTX3 upregulates tissue factor expression in human endothelial cells: a novel link between vascular inflammation and clotting activation. 2002 , 22, 782-7	130
565	Effect of postpartum manual examination of the vagina on uterine bacterial contamination in cows. 2002 , 151, 531-4	64
564	Systemic inflammation in cardiovascular and periodontal disease: comparative study. 2002 , 9, 425-32	67
563	The Biology and Pathology of Innate Immunity Mechanisms. 2002,	2
562	Serum haptoglobin concentration as a marker of clinical signs in finishing pigs. 2002 , 151, 85-9	30
561	Regulation of the Injury-Immune Response in the Central Nervous System. 2002 , 773-V	1
560	Diagnosis and follow-up of infections in intensive care patients: value of C-reactive protein compared with other clinical and biological variables. 2002 , 30, 529-35	82
559	Biphasic transmittance waveform in the APTT coagulation assay is due to the formation of a Ca(++)-dependent complex of C-reactive protein with very-low-density lipoprotein and is a novel marker of impending disseminated intravascular coagulation. 2002 , 100, 2522-9	101
558	Distinct patterns of IL-1 alpha and IL-1 beta organ distributiona possible basis for organ mechanisms of innate immunity. 2000 , 479, 185-202	18
557	Serum markers of inflammation and cardiovascular risk. 2002 , 345-354	
556	Do atherosclerosis and type 2 diabetes share a common inflammatory basis?. 2002 , 23, 831-4	149
555	The acute phase response of rainbow trout (Oncorhynchus mykiss) plasma proteins to viral, bacterial and fungal inflammatory agents. 2002 , 12, 229-42	52
554	Complete cDNA sequence of SAP-like pentraxin from Limulus polyphemus: implications for pentraxin evolution. 2002 , 316, 583-97	26
553	Channel formation by serum amyloid A: a potential mechanism for amyloid pathogenesis and host defense. 2002 , 9, 13-23	92

552	Primary structure and characteristics of a lectin from skin mucus of the Japanese eel Anguilla japonica. 2002 , 277, 27305-11	141
551	Initial responses to endotoxins and Gram-negative bacteria. 2002 , 323, 59-72	264
550	Stress, inflammation and cardiovascular disease. 2002 , 52, 1-23	533
549	Development of anti-bovine TNF-alpha mAb and ELISA for quantitating TNF-alpha in milk after intramammary injection of endotoxin. 2002 , 85, 765-73	22
548	Lack of effect of combining different stressors on innate immune responses of seabream (Sparus aurata L.). 2002 , 84, 17-27	63
547	Vascular calcifications as a footprint of increased calcium load and chronic inflammation in uremic patients: a need for a neutral calcium balance during hemodialysis?. 2002 , 25, 18-26	10
546	Citocinas e anestesia. 2002 , 52, 86-100	2
545	Soluble Factors That Bind to Dying Cells Control the Outcome of Corpse Disposal: The Role of Pentraxins, Collectins and Autoantibodies. 79-95	
544	The systemic reaction during inflammation: the acute-phase proteins. 2002, 9, 211-23	169
543	Serum-haptoglobin concentration in Danish slaughter pigs of different health status. 2002 , 54, 325-35	56
542	Acquired and specific immunological mechanisms co-responsible for efficacy of polymer-bound drugs. 2002 , 78, 97-114	41
541	Pro-inflammatory effects of oestrogens during use of oral contraceptives and hormone replacement treatment. 2002 , 39, 149-54	54
540	Mass spectrometric proteome analyses of synovial fluids and plasmas from patients suffering from rheumatoid arthritis and comparison to reactive arthritis or osteoarthritis. 2002 , 23, 3445-56	158
539	Genetic links between the acute-phase response and arthritis development in rats. 2002 , 46, 259-68	27
538	C-reactive protein-mediated phagocytosis and phospholipase D signalling through the high-affinity receptor for immunoglobulin G (FcgammaRI). 2002 , 107, 252-60	58
537	Relevance of C-reactive protein levels in peritoneal dialysis patients. 2002 , 61, 615-20	39
536	Direct modulatory effect of C-reactive protein on primary human monocyte adhesion to human endothelial cells. 2002 , 130, 256-62	74
535	Escherichia coli K-12 undergoes adaptive evolution to achieve in silico predicted optimal growth. 2002 , 420, 186-9	697

534	Non-redundant role of the long pentraxin PTX3 in anti-fungal innate immune response. 2002 , 420, 182-6	550
533	C-reactive protein and coronary artery disease: influence of obesity, caloric restriction and weight loss. 2002 , 13, 316-321	61
532	The disposal of dying cells in living tissues. 2002 , 7, 153-61	26
531	Epithelial induction of serum amyloid A in experimental mucosal inflammation. 2002, 47, 1438-46	11
530	Markers of experimental acute inflammation in the Wistar Han rat with particular reference to haptoglobin and C-reactive protein. 2003 , 77, 392-402	86
529	Systemic and peritoneal inflammatory response after laparoscopic or conventional colon resection in cancer patients: a prospective, randomized trial. 2003 , 46, 147-55	124
528	Acute-phase response to benzo[a]pyrene and induction of rat ALDH3A1. 2003, 143-144, 55-62	12
527	Biochemical and functional characterization of the interaction between pentraxin 3 and C1q. 2003 , 33, 465-73	279
526	Identification of genes induced in regenerating Xenopus tadpole tails by using the differential display method. 2003 , 226, 317-25	18
525	ME3738 protects from concanavalin A-induced liver failure via an IL-6-dependent mechanism. 2003 , 33, 2251-61	27
524	Production of the soluble pattern recognition receptor PTX3 by myeloid, but not plasmacytoid, dendritic cells. 2003 , 33, 2886-93	151
523	Characterization of the mouse olfactory glutathione S-transferases during the acute phase response. 2003 , 73, 679-85	7
522	Effect of treatment of chronic periodontitis on levels of serum markers of acute-phase inflammatory and vascular responses. 2003 , 30, 334-40	141
521	The acute phase protein serum amyloid A primes neutrophils. 2003 , 38, 81-4	40
520	Matrix metalloproteinases production in malignant pleural effusions after talc pleurodesis. 2003 , 134, 138-42	5
519	Two-dimensional crystallization of rabbit C-reactive protein monomeric subunits. 2003 , 59, 922-6	12
518	Plasma C-reactive protein concentrations in relation to 5-year body weight change among children: the Taipei Children Heart Study. 2003 , 27, 735-9	7
517	Humoral links between sleep and the immune system: research issues. 2003 , 992, 9-20	118

516	Serum amyloid A: a novel serum marker for the detection of systemic inflammatory response in cystitis. 2003 , 170, 804-6	5
515	C-reactive protein and antibacterial activity in blood plasma of colostrum-fed calves and the effect of lactulose. 2003 , 86, 3313-20	24
514	Jeltraxin, a frog egg jelly glycoprotein, has calcium-dependent lectin properties and is related to human serum pentraxins CRP and SAP. 2003 , 42, 12761-9	17
513	Cytokines, insulin-like growth factor 1, sarcopenia, and mortality in very old community-dwelling men and women: the Framingham Heart Study. 2003 , 115, 429-35	306
512	Pellino2 activates the mitogen activated protein kinase pathway. 2003 , 545, 199-202	40
511	Ubiquitin activated tumor necrosis factor receptor associated factor-6 (TRAF6) is recycled via deubiquitination. 2003 , 553, 190-4	24
510	The effect of intrauterine administration of estradiol on postpartum uterine involution in cattle. 2003 , 59, 1357-71	28
509	Pentraxin 3, a non-redundant soluble pattern recognition receptor involved in innate immunity. 2003 , 21 Suppl 2, S43-7	98
508	"Eat me" and "donN eat me" signals govern the innate immune response and tissue repair in the CNS: emphasis on the critical role of the complement system. 2003 , 40, 85-94	152
507	Selenium regulates transcription factor NF-kappaB activation during the acute phase reaction. 2003 , 334, 163-71	65
506	Effect of menhaden fish oil supplementation and lipopolysaccharide exposure on nursery pigs. II. Effects on the immune axis when fed simple or complex diets containing no spray-dried plasma. 2003 , 24, 353-65	30
505	Molecular diversity of skin mucus lectins in fish. 2003 , 136, 723-30	92
504	Plasma C-reactive protein levels and their relationship to anthropometric and lipid characteristics among children. 2003 , 56, 94-100	40
503	Recognition and clearance of apoptotic cells: a role for complement and pentraxins. 2003, 24, 148-54	188
502	The complement system as a therapeutic target in autoimmunity. 2003, 107, 140-51	88
501	Signaling role of hemocytes in Drosophila JAK/STAT-dependent response to septic injury. 2003 , 5, 441-50	344
500	Polymer Drugs in the Clinical Stage. 2003 ,	13
499	Diagnostic implications of C-reactive protein. 2003 , 138, 220-4	62

(2004-2003)

498	Distributions of C-reactive protein measured by high-sensitivity assays in apparently healthy men and women from different populations in Europe. 2003 , 49, 669-72	90
497	The effect of dietary n-3 fatty acids on serum concentrations of C-reactive protein: a dose-response study. 2003 , 89, 517-22	93
496	Inhibition of fibrocyte differentiation by serum amyloid P. 2003 , 171, 5537-46	252
495	Correlations between serum amyloid A protein and C-reactive protein in infectious diseases. 2003 , 63, 267-272	40
494	Simultaneous genotyping of seven single-nucleotide polymorphisms in the MDR1 gene by single-tube multiplex minisequencing. 2003 , 49, 672-6	26
493	Receptors, mediators, and mechanisms involved in bacterial sepsis and septic shock. 2003 , 16, 379-414	566
492	C-reactive protein and cardiovascular disease: new insights from an old molecule. 2003, 96, 793-807	173
491	Correlation between the severity of infectious diseases in children and the ratio of serum amyloid A protein and C-reactive protein. 2003 , 35, 488-90	10
490	An allele of serum amyloid A1 associated with amyloidosis in both Japanese and Caucasians. 2003 , 10, 7-11	42
489	Lipoprotein metabolism in patients with severe sepsis. 2003 , 31, 1359-66	234
488	Evaluation of feline serum amyloid A (SAA) as an inflammatory marker. 2003 , 65, 545-8	47
487	Acute phase reactants and cytokine levels in unilateral community-acquired pneumonia. 2003, 70, 615-22	31
486	Avaliali da protelia amilide A slica na atividade clilica da artrite reumatide. 2003 , 43, 199-205	2
485	The effects of thermal environment and spray-dried plasma on the acute-phase response of pigs challenged with lipopolysaccharide. 2003 , 81, 1166-76	57
484	mRNA expression and release of interleukin-8 induced by serum amyloid A in neutrophils and monocytes. 2003 , 12, 173-8	57
483	Effect of Grape Seed Extract and Quercetin on Cardiovascular and Endothelial Parameters in High-Risk Subjects. 2004 , 2004, 272-278	91
482	An overview of interactions between micronutrients and of micronutrients with drugs, genes and immune mechanisms. 2004 , 17, 211-40	30
481	High-density lipoproteins in sepsis and septic shock: metabolism, actions, and therapeutic applications. 2004 , 21, 210-21	142

480	Diet and Human Immune Function. 2004,	6
479	Glucocorticoid regulation of the inflammatory response to injury. 2004 , 48, 799-813	97
478	Membrane and soluble pattern recognition receptors: the unique functions of the long pentraxin PTX3. 2004 , 4, 150-154	3
477	Temporal changes in factors associated with neutrophil elastase and coagulation in intensive care patients with a biphasic waveform and disseminated intravascular coagulation. 2004 , 2, 1535-44	20
476	C-reactive protein and alpha2-macroglobulin plasma activity in medium-severe and severe psoriasis. 2004 , 18, 180-3	68
475	Humoral proinflammatory cytokine and SAA generation profiles and spatio-temporal relationship between SAA and lysosomal cathepsin B and D in murine splenic monocytoid cells during AA amyloidosis. 2004 , 59, 168-76	11
474	Serum amyloid P-component-mediated inhibition of the uptake of Mycobacterium tuberculosis by macrophages, in vitro. 2004 , 59, 425-31	10
473	Expression of CD14, CD16 and CD45RA on monocytes from periodontitis patients. 2004 , 39, 72-8	33
472	Acute and "chronic" phase reaction-a mother of disease. 2004 , 23, 1256-66	43
471	The effect of timing of pneumoperitoneum on the inflammatory response. 2004 , 18, 1640-4	8
47°	Identification of immune-relevant genes from atlantic salmon using suppression subtractive hybridization. 2004 , 6, 199-214	74
469	C-reactive protein used as an early indicator of infection in patients with systemic inflammatory response syndrome. 2004 , 30, 2038-45	94
468	Dispensable role for interferon-gamma in the burn-induced acute phase response: a proteomic analysis. 2004 , 4, 1830-9	15
467	Local expression of the serum amyloid A and formyl peptide receptor-like 1 genes in synovial tissue is associated with matrix metalloproteinase production in patients with inflammatory arthritis. 2004 , 50, 1788-99	119
467 466	is associated with matrix metalloproteinase production in patients with inflammatory arthritis.	119
	is associated with matrix metalloproteinase production in patients with inflammatory arthritis. 2004, 50, 1788-99 Assessment of the safety and efficacy of the novel tetrapeptide ITF-1697 on infarct size after	
466	is associated with matrix metalloproteinase production in patients with inflammatory arthritis. 2004, 50, 1788-99 Assessment of the safety and efficacy of the novel tetrapeptide ITF-1697 on infarct size after primary PTCA in acute myocardial infarction: a randomised, placebo-controlled pilot trial. 2004, 5, 141-51 PTX3 plays a key role in the organization of the cumulus oophorus extracellular matrix and in in	2

(2005-2004)

462	viral diarrhea virus. 2004 , 11, 302-12	45
461	The short-term effects of treatment of chronic periodontitis on circulating levels of endotoxin, C-reactive protein, tumor necrosis factor-alpha, and interleukin-6. 2004 , 75, 420-8	93
460	Inflammation and activated innate immunity in the pathogenesis of type 2 diabetes. 2004, 27, 813-23	1001
459	Effect of turpentine oil on C-reactive protein (CRP) production in rainbow trout (Oncorhynchus mykiss). 2004 , 17, 203-10	21
458	VIGRa novel inducible adhesion family G-protein coupled receptor in endothelial cells. 2004 , 569, 149-55	24
457	Lipopolysaccharide signaling induces serum amyloid A (SAA) synthesis in human hepatocytes in vitro. 2004 , 569, 235-9	27
456	Reduced anti-TNFalpha autoantibody levels coincide with flare in systemic lupus erythematosus. 2004 , 22, 315-23	32
455	Investigation of antioxidant status in children with acute otitis media and tonsillitis. 2004, 68, 1381-5	18
454	Interleukin-18 induces serum amyloid A (SAA) protein production from rheumatoid synovial fibroblasts. 2004 , 74, 1671-9	15
453	The secretion of acute phase proteins and inflammatory cytokines during Trypanosoma congolense infection is not affected by the absence of the TNF-alpha gene. 2004 , 92, 35-42	13
452	A regulatory role for complement in innate immunity and autoimmunity. 2004 , 134, 310-23	52
451	The long pentraxin PTX3: from innate immunity to ischemic heart disorders. 2004 , 1262, 63-66	
450	Procalcitonin as an early marker of infection in neonates and children. 2004 , 4, 620-30	218
449	[AA Amyloidosis: recent knowledges on pathophysiology]. 2004 , 25, 129-34	1
448	Involvement of CD14 and toll-like receptor 4 in the acute phase response of serum amyloid A proteins and serum amyloid P component in the liver after burn injury. 2004 , 21, 144-50	22
447	Dietary repletion can replenish reduced T cell subset numbers and lymphoid organ weight in zinc-deficient and energy-restricted rats. 2004 , 91, 741-7	19
446	Drug-HPMA-Hulg conjugates effective against human solid cancer. 2003 , 519, 125-43	15
445	Innate Immune Mechanisms: Nonself Recognition. 2005 ,	

444	Liposome opsonization. 2005 , 15, 109-39	146
443	Human renal epithelial cells produce the long pentraxin PTX3. 2005, 67, 543-53	84
442	A novel role for lectins in xenotransplantation. 2005 , 12, 7-12	8
441	Parasite-specific IgM plays a significant role in the protective immune response to asexual erythrocytic stage Plasmodium chabaudi AS infection. 2005 , 27, 171-80	34
440	Alterations in mouse cardiac proteome after in vivo myocardial infarction: permanent ischaemia versus ischaemia-reperfusion. 2005 , 90, 593-606	31
439	Neuronal pentraxin with chromo domain (NPCD) is a novel class of protein expressed in multiple neuronal domains. 2005 , 481, 391-402	19
438	Effective treatment of collagen-induced arthritis by adoptive transfer of CD25+ regulatory T cells. 2005 , 52, 2212-21	310
437	Increased levels of mannan-binding lectin in type 1 diabetic patients with incipient and overt nephropathy. 2005 , 48, 198-202	73
436	Serum Amyloid P Component. 169-187	1
435	Perlecan: An Extracellular Matrix Heparan Sulfate Proteoglycan that Regulates Key Events in Vascular Development and Disease. 2005 , 607-635	5
434	Pulmonary and systemic induction of SAA3 after ventilation and endotoxin in preterm lambs. 2005 , 58, 1204-9	42
433	Acute-Phase Proteins and Inflammation: Immunological and Clinical Implications. 2005 , 131-143	2
432	Serum amyloid A and lipoprotein retention in murine models of atherosclerosis. 2005 , 25, 785-90	96
431	Ambient particulate matter, C-reactive protein, and coronary artery disease. 2005 , 17, 409-13	27
430	An active metabolite of leflunomide, A77 1726, inhibits the production of serum amyloid A protein in human hepatocytes. 2005 , 44, 443-8	9
429	Evaluation of C-reactive protein measurement for assessing the risk and prognosis in ischemic stroke: a statement for health care professionals from the CRP Pooling Project members. 2005 , 36, 1316-29	226
428	Differential influence of p38 mitogen activated protein kinase (MAPK) inhibition on acute phase protein synthesis in human hepatoma cell lines. 2006 , 65, 929-35	11
427	The concentration of apolipoprotein A-I decreases during experimentally induced acute-phase processes in pigs. 2005 , 73, 3184-7	49

(2006-2005)

426	nitric oxide production in septic shock. 2005 , 77, 729-38	37
425	Liposome Opsonization. 2005 , 15, 109-139	14
424	The functional role of C-reactive protein in aortic wall calcification. 2005 , 104, 57-64	14
423	Monoclonal Antibodies. 2005 , 24, 211-223	
422	Serum C-reactive protein and complement proteins in patients with acute myocardial infarction. 2005 , 27, 405-16	4
421	Tandem repeat L-rhamnose-binding lectin from the skin mucus of ponyfish, Leiognathus nuchalis. 2005 , 333, 463-9	48
420	Clinical laboratory differentiation of infectious versus non-infectious systemic inflammatory response syndrome. 2005 , 351, 17-29	127
419	Serum amyloid A (SAA) concentration varies among rheumatoid arthritis patients estimated by SAA/CRP ratio. 2005 , 360, 97-102	17
418	Innate (inherent) control of brain infection, brain inflammation and brain repair: the role of microglia, astrocytes, "protective" glial stem cells and stromal ependymal cells. 2005 , 48, 220-33	106
417	Acute feed intake and acute-phase protein responses following a lipopolysaccharide challenge in pigs from two dam lines. 2005 , 107, 179-87	17
416	Clinical evaluation of postpartum vaginal mucus reflects uterine bacterial infection and the immune response in cattle. 2005 , 63, 102-17	351
415	Systemic markers of inflammation in periodontitis. 2005 , 76, 2106-15	416
414	Specific sensitivity of small cell lung cancer cell lines to the snake venom toxin taipoxin. 2005 , 50, 329-37	12
413	Inflammatory markers and type 2 diabetes. 2006 , 8, 1-6	12
412	Biocompatibility of electrochemical glucose sensors implanted in the subcutis of pigs. 2006, 8, 463-75	32
411	Rumen lipopolysaccharide and inflammation during grain adaptation and subacute ruminal acidosis in steers. 2006 , 89, 4404-13	95
410	In vivo properties of oncostatin M. 1995 , 762, 42-54	22
409	Novel mannose-specific lectins found in torafugu, Takifugu rubripes: A review. 2006 , 1, 122-7	10

408	Carbohydrate-binding site of a novel mannose-specific lectin from fugu (Takifugu rubripes) skin mucus. 2006 , 143, 514-9	21
407	Innate immunity of fish (overview). 2006 , 20, 137-51	1280
406	Plasma proteomic analysis of the acute phase response of rainbow trout (Oncorhynchus mykiss) to intraperitoneal inflammation and LPS injection. 2006 , 30, 393-406	49
405	Rapid recycling of cholesterol: the joint biologic role of C-reactive protein and serum amyloid A. 2006 , 66, 784-92	40
404	The porcine acute phase protein response to acute clinical and subclinical experimental infection with Streptococcus suis. 2006 , 113, 157-68	75
403	Glycoproteins: Roles in Cellular Homeostasis and Disease. 2006,	
402	The pattern recognition receptor PTX3 is recruited at the synapse between dying and dendritic cells, and edits the cross-presentation of self, viral, and tumor antigens. 2006 , 107, 151-8	87
401	Multiple interleukin-18 injections promote both mouse Th1 and Th2 responses after sublethal Escherichia coli infection. 2006 , 143, 41-9	25
400	Inflammation affects lipid metabolism during recovery from hyperinsulinaemia. 2006, 36, 860-5	5
399	Paraplegia, proteinuria, and renal failure. 2006 , 69, 412-5	5
398	Mass spectrometric quantitation of C-reactive protein using labeled tryptic peptides. 2006 , 354, 175-81	19
397	The course of high-sensitive C-reactive protein in correlation with pain and clinical function in patients with acute lumbosciatic pain and chronic low back pain - a 6 months prospective longitudinal study. 2006 , 10, 711-9	33
396	Evaluation of a commercially available human serum amyloid A (SAA) turbidimetric immunoassay for determination of feline SAA concentration. 2006 , 30, 863-72	34
395	Obesity, plasma high sensitivity C-reactive protein levels and insulin resistance status among school children in Taiwan. 2006 , 39, 810-5	28
394	Proteomic approach for acute-phase proteins of hemolymph and muscles in Scylla serrata challenged by a pathogenic bacterium. 2006 , 1, 254-258	3
393	Acute-phase serum amyloid A stimulation of angiogenesis, leukocyte recruitment, and matrix degradation in rheumatoid arthritis through an NF-kappaB-dependent signal transduction pathway. 2006 , 54, 105-14	121
392	Binding of human serum amyloid P componentto L-selectin. 2006 , 36, 446-56	10
391	Serum amyloid A has antiviral activity against hepatitis C virus by inhibiting virus entry in a cell culture system. 2006 , 44, 1626-34	75

390	Long pentraxin 3: A marker of inflammation in untreated psoriatic patients. 2006 , 18, 415	3
389	Aggregated IgG inhibits the differentiation of human fibrocytes. 2006 , 79, 1242-51	78
388	High-sensitivity C-reactive protein in patients with metabolic syndrome. 2006 , 57, 295-302	7
387	Identification of an antiangiogenic FGF2-binding site in the N terminus of the soluble pattern recognition receptor PTX3. 2006 , 281, 22605-13	93
386	Bone marrow-derived fibroblast precursors mediate ischemic cardiomyopathy in mice. 2006 , 103, 18284-9	281
385	Inflammatory response after influenza vaccination in men with and without carotid artery disease. 2006 , 26, 2738-44	29
384	Plasma pentraxin 3 in patients with chronic kidney disease: associations with renal function, protein-energy wasting, cardiovascular disease, and mortality. 2007 , 2, 889-97	124
383	Protein Misfolding, Aggregation, and Conformational Diseases. 2007,	13
382	Establishment of a high sensitivity plasma assay for human pentraxin3 as a marker for unstable angina pectoris. 2007 , 27, 161-7	197
381	Serum amyloid P and cardiovascular disease in older men and women: results from the Cardiovascular Health Study. 2007 , 27, 352-8	49
380	Serum concentrations of C-reactive protein, serum amyloid A, and haptoglobin in pigs inoculated with African swine fever or classical swine fever viruses. 2007 , 68, 772-7	21
379	Discrepancy between total white blood cell counts and serum C-reactive protein levels in febrile children. 2007 , 39, 560-5	11
378	Reduction of bleomycin-induced pulmonary fibrosis by serum amyloid P. 2007 , 179, 4035-44	179
377	Glucocorticoids enhance or spare innate immunity: effects in airway epithelium are mediated by CCAAT/enhancer binding proteins. 2007 , 179, 578-89	69
376	Ichthyophthirius multifiliis infection induces massive up-regulation of serum amyloid A in carp (Cyprinus carpio). 2007 , 115, 172-8	54
375	Influence of periodontal therapy on the regulation of soluble cell adhesion molecule expression in aggressive periodontitis patients. 2007 , 78, 683-90	27
374	Cellular mechanisms in sepsis. 2007 , 22, 63-72	120
373	Proteomic approach for caudal trauma-induced acute phase proteins reveals that creatine kinase is a key acute phase protein in amphioxus humoral fluid. 2007 , 6, 4321-9	11

372	13-cis-Retinoic acid therapy induces insulin resistance, regulates inflammatory parameters, and paradoxically increases serum adiponectin concentration. 2007 , 56, 786-91	28
371	C-reactive protein-guided approach may shorten length of antimicrobial treatment of culture-proven late-onset sepsis: an intervention study. 2007 , 11, 240-5	27
370	A female-specific pentraxin, CrOctin, bridges pattern recognition receptors to bacterial phosphoethanolamine. 2007 , 37, 3477-88	7
369	Evidence of an acute phase response in dogs naturally infected with Babesia canis. 2007 , 144, 242-50	65
368	Infection-related hypoglycemia in institutionalized demented patients: a comparative study of diabetic and nondiabetic patients. 2007 , 45, 191-200	14
367	Sensitivity of mice to lipopolysaccharide is increased by a high saturated fat and cholesterol diet. 2007 , 4, 22	51
366	Prospective non-randomized evaluation of four mediators of the systemic response after extraperitoneal laparoscopic and open retropubic radical prostatectomy. 2007 , 99, 1461-6	43
365	Conceptual Model for a Core Pathobiology of Uremia with Special Reference to Anemia, Malnourishment, and Mortality among Dialysis Patients. 2007 , 10, 115-129	21
364	Inflammation and End-Stage Renal Disease: Recent Insights. 2007 , 11, 119-123	3
363	Changes in hepatic gene expression related to innate immunity, growth and iron metabolism in GH-transgenic amago salmon (Oncorhynchus masou) by cDNA subtraction and microarray analysis, and serum lysozyme activity. 2007 , 151, 42-54	35
362	The birth process initiates an acute phase reaction in the fetus-newborn infant. 2007, 89, 1082-1086	57
361	Serum amyloid A (SAA) protein and high-sensitivity C-reactive protein (hsCRP) in healthy newborn infants and healthy young through elderly adults. 2005 , 94, 1198-202	21
360	Role of the soluble pattern recognition receptor PTX3 in vascular biology. 2007 , 11, 723-38	146
359	C-reactive protein and natural IgM antibodies are activators of complement in a rat model of intestinal ischemia and reperfusion. 2007 , 142, 722-33	22
358	Role of immunostimulants in disease resistance of fish 2007 , 2,	9
357	A gene family of putative immune recognition molecules in the hydroid Hydractinia. 2007 , 59, 233-46	32
356	Identification of differentially expressed genes from contaminant and thermal exposed goldfish Carassius auratus in Gaobeidian Lake in Beijing, China. 2007 , 16, 525-32	7
355	Morin protects acute liver damage by carbon tetrachloride (CCl(4)) in rat. 2008 , 31, 1160-5	41

(2008-2008)

354	Creatine supplementation reduces plasma levels of pro-inflammatory cytokines and PGE2 after a half-ironman competition. 2008 , 35, 425-31	65
353	Binding behavior of CRP and anti-CRP antibody analyzed with SPR and AFM measurement. 2008 , 108, 1374-8	8
352	Changes in serum interleukin-6, C-reactive protein and thrombomodulin levels under periodontal ultrasonic debridement. 2008 , 35, 969-75	19
351	Structural recognition and functional activation of FcgammaR by innate pentraxins. 2008, 456, 989-92	233
350	The acute phase protein response in patients receiving subcutaneous IL-6. 1995 , 102, 217-23	92
349	Serum amyloid P inhibits dermal wound healing. 2008 , 16, 266-73	44
348	Changes in ovarian follistatin levels during the oestrous cycle in sheep may serve as an intraovarian regulator. 2010 , 45, 509-15	5
347	Human serum amyloid A (SAA) and high sensitive C-reactive protein (hsCRP) in preterm newborn infants with nosocomial infections. 2008 , 97, 1061-5	16
346	Changes in haptoglobin, C-reactive protein and pig-MAP during a housing period following long distance transport in swine. 2008 , 177, 110-5	38
345	Structure and Function of Mammalian Carbohydrate-Lectin Interactions. 2008, 2445-2482	6
344	Pentraxin 3, a new marker for vascular inflammation, predicts adverse clinical outcomes in patients with heart failure. 2008 , 155, 75-81	155
343	Proteomic analysis of rainbow trout (Oncorhynchus mykiss, Walbaum) serum after administration of probiotics in diets. 2008 , 121, 199-205	36
342	Cloning, binding properties, and tissue localization of rainbow trout (Oncorhynchus mykiss) ladderlectin. 2008 , 24, 669-83	20
341	Biological effects of bacterial lipopolysaccharide (endotoxin) in fish: a review. 2008 , 25, 191-201	154
340	C-reactive protein genetics is associated with carotid artery compliance in men in The Cardiovascular Risk in Young Finns Study. 2008 , 196, 841-8	38
339	Ocena przydatnoli klinicznej oznaczania stlinia bialia CRP w chorobach infekcyjnych u dzieci. 2008 , 83, 49-53	3
338	Binding of the long pentraxin PTX3 to factor H: interacting domains and function in the regulation of complement activation. 2008 , 181, 8433-40	149
337	Is serum amyloid A an endogenous TLR4 agonist?. 2008 , 83, 1174-80	133

336	Emerging biomarkers for evaluating cardiovascular risk in the chronic kidney disease patient: how do new pieces fit into the uremic puzzle?. 2008 , 3, 505-21	380
335	The long pentraxin PTX-3 in prevalent hemodialysis patients: associations with comorbidities and mortality. 2008 , 101, 397-405	52
334	Verification of measurement of the feline serum amyloid A (SAA) concentration by human SAA turbidimetric immunoassay and its clinical application. 2008 , 70, 1247-52	30
333	Maldistribution of interalveolar perfusionone early step in the pathogenesis of lung injury?. 2008 , 36, 639-40	3
332	Cholinesterase inhibitors improve survival in experimental sepsis: a new way to activate the cholinergic anti-inflammatory pathway. 2008 , 36, 622-3	9
331	Neuroprotective properties of xenon and helium in an in vitro model of traumatic brain injury: one small step or one big jump?. 2008 , 36, 647-8	
330	Is continuous really continuous?. 2008 , 36, 628-30	5
329	Critical role of p38 mitogen protein kinase in sepsis. 2008 , 36, 636-7	3
328	A simplified approach to the challenging problem of resuscitation of patients who present in pulseless electrical activity. 2008 , 36, 619-20	
327	Thrombosis in central catheter-associated Staphylococcus aureus bacteremia: always scan the site?. 2008 , 36, 618-9	1
326	To cope with oxygen: a long and still tumultuous story for life. 2008 , 36, 637-8	14
325	N-acetylcysteine as the magic bullet: too good to be true. 2008 , 36, 645-6	7
324	Arterial catheters are not risk-free spigots. 2008 , 36, 620-2	9
323	The complex issue of a simple suctioning maneuver in acute respiratory distress syndrome. 2008 , 36, 644-5	Ο
322	After the first hit: rally or slump in host defense?. 2008, 36, 646-7	1
321	Dear SIRS, can MEDS help you predict patient outcome now, really?. 2008, 36, 625-6	10
320	The rapid response team paradox: why doesn' anyone call for help?. 2008, 36, 634-6	47
319	Subglottic secretions and SuttonN law: a simple and effective approach. 2008, 36, 623-4	1

(1996-2008)

318	Ultra-early hyperosmolar treatment in traumatic brain injury: will surgery soon be old-school?. 2008 , 36, 642-3	2
317	Optimizing patient-ventilator interaction: how we sync about it?. 2008 , 36, 631-3	3
316	Noninvasive ventilation, a thing of beauty!. 2008 , 36, 630-1	2
315	Reversing oversedation in the intensive care unit: the role of pharmacists in energizing guideline efforts and overcoming protocol fatigue. 2008 , 36, 626-8	20
314	A tantalizing question: Ferrari or Rolls Royce? A meta-analysis on the ideal renal replacement modality for acute kidney injury at the intensive care unit. 2008 , 36, 649-50	7
313	Pathophysiology of tissue acidosis in septic shock: blocked microcirculation or impaired cellular respiration?. 2008 , 36, 640-2	13
312	Can we really randomize the thought process?. 2008 , 36, 633-4	1
311	Fibrils from designed non-amyloid-related synthetic peptides induce AA-amyloidosis during inflammation in an animal model. 2009 , 4, e6041	34
310	Expression analysis of selected immune-relevant genes in channel catfish during Edwardsiella ictaluri infection. 2009 , 21, 23-35	22
309	Serum amyloid P inhibits fibrosis through Fc gamma R-dependent monocyte-macrophage regulation in vivo. 2009 , 1, 5ra13	156
308	Physiological variables involved in heart valve substitute calcification. 2009 , 9, 1031-42	3
307	Common skate (Raja kenojei) secretes pentraxin into the cutaneous secretion: The first skin mucus lectin in cartilaginous fish. 2009 , 146, 295-306	28
306	Blockade of CD137 signaling counteracts polymicrobial sepsis induced by cecal ligation and puncture. 2009 , 77, 3932-8	13
305	Activation of plasminogen activator inhibitor implicates protease InhA in the acute-phase response to Bacillus anthracis infection. 2009 , 58, 737-744	25
304	Reduced antioxidant capacity and diet-induced atherosclerosis in uncoupling protein-2-deficient mice. 2009 , 50, 59-70	73
303	Associations of pentraxin 3 with cardiovascular disease and all-cause death: the Cardiovascular Health Study. 2009 , 29, 594-9	126
302	Synthetic peptides derived from the sequence of human C-reactive protein inhibit the enzymatic activities of human leukocyte elastase and human leukocyte cathepsin G. 1996 , 48, 465-76	6
301	Binding of human serum amyloid A (hSAA) and its high-density lipoprotein3 complex (hSAA-HDL3) to human neutrophils. Possible implication to the function of a protein of an unknown physiological role. 1996 , 48, 503-13	9

300	Plasma ladderlectin concentration following sterile inflammation and Aeromonas salmonicida subsp. salmonicida infection. 2009 , 32, 569-76	5
299	Elevation of C-reactive protein and interleukin-6 in plasma of patients with aggressive periodontitis. 2009 , 44, 311-6	40
298	Comparative gender differences in local and systemic concentrations of pro-inflammatory cytokines in rats with experimental periodontitis. 2009 , 44, 133-40	17
297	Peptides derived from human C-reactive protein inhibit the enzymatic activities of human leukocyte elastase and cathepsin G: use of overlapping peptide sequences to identify a unique inhibitor. 1998 , 51, 282-9	9
296	A serum amyloid P-binding hydrogel speeds healing of partial thickness wounds in pigs. 2009 , 17, 397-404	17
295	Clinical experience with anthracycline antibiotics-HPMA copolymer-human immunoglobulin conjugates. 2009 , 61, 1149-58	35
294	Gene profiling studies in the neonatal ovine lung show enhancing effects of VEGF on the immune response. 2009 , 33, 761-71	23
293	Degree of gingivitis correlates to systemic inflammation parameters. 2009 , 401, 105-9	17
292	Recent developments in low molecular weight complement inhibitors. 2009 , 47, 185-95	91
291	C-reactive protein (CRP) elevation in patients with abdominal aortic aneurysm is independent of the most important CRP genetic polymorphism. 2009 , 49, 178-84	22
290	Quantitative matrix-assisted laser desorption ionization-fourier transform ion cyclotron resonance (MALDI-FT-ICR) peptide profiling and identification of multiple-sclerosis-related proteins. 2009 , 8, 1404-14	48
289	The time course of body temperature, serum amyloid A protein, C-reactive protein and interleukin-6 in patients with bacterial infection during the initial 3 days of antibiotic therapy. 2009 , 41, 663-71	17
288	Inflammatory markers and growth in South Asian and European origin infants in Britain: the Manchester ChildrenN Growth and Vascular Health Study. 2009 , 207, 227-31	11
287	Pentraxin 3 and C-reactive protein in severe meningococcal disease. 2009 , 31, 28-32	71
286	Pathogenic perspectives for the role of inflammation in diabetic nephropathy. 2009 , 116, 479-92	140
285	Immunomodulatory Ellagitannin Chemistry. 2009 , 203-272	3
284	Fibroblast growth factor-2 antagonist and antiangiogenic activity of long-pentraxin 3-derived synthetic peptides. 2009 , 15, 3577-89	29
283	Type 2 diabetes mellitus and inflammation: Prospects for biomarkers of risk and nutritional intervention. 2010 , 3, 173-86	90

282 Serum amyloid P: A novel antifibrotic agent with therapeutic potential. **2010**, 261-266

281	Molecular cloning of rhamnose-binding lectin gene and its promoter region from snakehead Channa argus. 2010 , 36, 451-459	15
280	Neonatal Procalcitonin Intervention Study (NeoPInS): Effect of Procalcitonin-guided decision making on duration of antibiotic therapy in suspected neonatal early-onset sepsis: A multi-centre randomized superiority and non-inferiority Intervention Study. 2010 , 10, 89	50
279	Serum biomarkers which correlate with failure to respond to immunotherapy and tumor progression in a murine colorectal cancer model. 2010 , 4, 682-96	6
278	Aberrant expression of serum amyloid A in head and neck squamous cell carcinoma. 2010, 39, 41-7	9
277	C-reactive protein in gingival crevicular fluid may be indicative of systemic inflammation. 2010 , 37, 797-804	56
276	Type 2 diabetes mellitus and inflammation: Prospects for biomarkers of risk and nutritional intervention. 2010 , Volume 3, 173-186	80
275	Trauma scores and neuron-specific enolase, cytokine and C-reactive protein levels as predictors of mortality in patients with blunt head trauma. 2010 , 38, 1708-20	21
274	C-reactive protein and age-related macular degeneration and cataract: the singapore malay eye study. 2010 , 51, 1880-5	21
273	Evaluation of C-reactive protein and serum amyloid A in the detection of inflammatory and infectious diseases in children. 2010 , 48, 493-9	11
272	IL-22 induces an acute-phase response. 2010 , 185, 5531-8	124
271	Bio-incompatibility and Th2 polarization during regular dialysis treatment. 2010 , 29, 608-25	9
270	Serum Amyloid A and Its Potential Physiological / Pathological Functions - an Overview of Patents. 2010 , 4, 89-99	3
269	Interaction of adenosine 3N5Ncyclic monophosphate and tumor necrosis factor-alpha on serum amyloid A3 expression in mouse granulosa cells: dependence on CCAAT-enhancing binding protein-beta isoform. 2010 , 151, 3407-19	8
268	Immune responses and expression profiles of some immune-related genes in Indian major carp, Labeo rohita to Edwardsiella tarda infection. 2010 , 28, 613-21	97
267	Nutrition and Micronutrients in Tropical Infectious Diseases. 2011 , 23-31	
266	Polymorphism in the C-reactive protein (CRP) gene affects CRP levels in plasma and one early marker of atherosclerosis in men: The Health 2000 Survey. 2011 , 71, 353-61	22
265	C reactive protein and alpha1-antitrypsin: relationship between levels and gene variants. 2011 , 157, 332-8	30

264	Cytokines in immune function and sleep regulation. 2011 , 98, 229-40	67
263	Acute phase response in Chinese soft-shelled turtle (Trionyx sinensis) with Aeromonas hydrophila infection. 2011 , 35, 441-51	34
262	Oxidative stress and inflammation: Implications in uremia and hemodialysis. 2011 , 44, 1189-98	112
261	Diagnostic Value of Acute Phase Proteins in Periodontal, Psychosomatic and Cardiometabolic Diseases: Response to Treatment. 2011 ,	2
260	Effect of Short-Term Exposure to Near Highway Pollutants in Motor Vehicle Exhaust on Inflammation Sensitive Biomarkers. 2011 ,	
259	[Association between serum amyloid A (SAA) in salivary glands and high levels of circulating beta 2-microglobulin in patients with Sjgren syndrome]. 2003 , 55, 98-101	2
258	Healing of Chronic Wounds through Systemic Effects of Electromagnetic Fields. 2011,	1
257	Vitamins D, C, and E in the prevention of type 2 diabetes mellitus: modulation of inflammation and oxidative stress. 2011 , 5, 7-19	67
256	Complement in neurobiology. 2011 , 16, 2921-60	9
255	Acute Phase Proteins as Markers of Diseases in Farm Animals. 2011 ,	2
254	Acute phase protein response in experimental canine leishmaniasis. 2011 , 180, 197-202	37
253	MOSFET-BJT hybrid mode of the gated lateral bipolar junction transistor for C-reactive protein detection. 2011 , 28, 434-7	20
252	Heat shock protein 70 is acute phase reactant: response elicited by tumor treatment with photodynamic therapy. 2011 , 16, 153-62	23
251	Effects of interleukin-6 (IL-6) and an anti-IL-6 monoclonal antibody on drug-metabolizing enzymes in human hepatocyte culture. 2011 , 39, 1415-22	120
250	Interventional stress in renal stone treatment. 2011 , 25, 1069-73	8
249	Could antibodies against serum amyloid A function as physiological regulators in humans?. 2011 , 44, 149-58	11
248	Utility of plasma transferrin receptor, ferritin and inflammatory markers in children with sickle cell disease. 2012 , 32, 27-34	7
247	Effects of potassium aluminum sulfate on TNF-∄MMP -1 and MMP-8 levels at gingival crevicular fluid in periodontally healthy subjects: a pilot study. 2012 , 37, 315-321	1

246	FcRI mediates serum amyloid P inhibition of fibrocyte differentiation. 2012, 92, 699-711	37
245	Evaluation of inflammatory and hemostatic surgical stress responses in male cats after castration under general anesthesia with or without local anesthesia. 2012 , 73, 1824-31	9
244	SAP suppresses the development of experimental autoimmune encephalomyelitis in C57BL/6 mice. 2012 , 90, 388-95	20
243	A novel, externally validated inflammation-based prognostic algorithm in hepatocellular carcinoma: the prognostic nutritional index (PNI). 2012 , 106, 1439-45	251
242	High plasma level of long Pentraxin 3 is associated with insulin resistance in women with polycystic ovary syndrome. 2012 , 28, 722-5	22
241	Biomarkers of chronic inflammatory state in uremia and cardiovascular disease. 2012 , 2012, 360147	20
240	Biomarkers determining cardiovascular risk in patients with kidney disease. 2012 , 19, 2555-71	10
239	Inflammatory responses to induced infectious endometritis in mares resistant or susceptible to persistent endometritis. 2012 , 8, 41	56
238	In vivo characterization of inflammatory biomarkers in swine and the impact of flunixin meglumine administration. 2012 , 148, 236-42	17
237	Effect of immunomodulatory therapy on the endometrial inflammatory response to induced infectious endometritis in susceptible mares. 2012 , 78, 991-1004	28
236	Pentraxins and AlzheimerN disease: at the interface between biomarkers and pharmacological targets. 2012 , 11, 189-98	17
235	A novel and validated prognostic index in hepatocellular carcinoma: the inflammation based index (IBI). 2012 , 57, 1013-20	146
234	Acute phase proteins in ruminants. 2012 , 75, 4207-31	296
233	The inhibitory effect of environmental ammonia on Danio rerio LPS induced acute phase response. 2012 , 36, 279-88	23
232	Molecular characterization and expression analysis of two new C-reactive protein genes from common carp (Cyprinus carpio). 2012 , 37, 127-38	23
231	A novel acute phase reactant, serum amyloid A-like 1, from Oplegnathus fasciatus: genomic and molecular characterization and transcriptional expression analysis. 2012 , 37, 294-305	31
230	Pairwise protein expression classifier for candidate biomarker discovery for early detection of human disease prognosis. 2012 , 13, 191	3
229	Assessment of changes in cardiac autonomic tone resulting from inflammatory response to the influenza vaccination. 2012 , 32, 437-44	6

228	Acute phase proteins in healthy and sick cats. 2012 , 93, 649-54	19
227	Novel Biosensor Based on MOSFET-BJT Hybrid Mode of Gated Lateral Bipolar Junction Transistor for C-reactive Protein Detection. 2012 ,	
226	Determination of inflammatory biomarkers in patients with COPD: a comparison of different assays. 2012 , 12, 40	10
225	Immune functions of serum amyloid A. 2012 , 32, 335-48	155
224	Acute Phase Proteins [Analysis, Clinical Applications and Potentials. 2012,	2
223	Risk factors for chronic kidney diseases may include periodontal diseases, as estimated by the correlations of plasma pentraxin-3 levels: a case-control study. 2012 , 44, 829-39	15
222	Cyclooxygenase-2 -765G>C polymorphism is associated with C-reactive protein levels in resistant smokers but not in chronic obstructive pulmonary disease patients. 2012 , 180, 119-25	1
221	Serum proteome analysis of vivax malaria: An insight into the disease pathogenesis and host immune response. 2012 , 75, 3063-80	38
220	Proteomic characterization by 2-DE in bovine serum and whey from healthy and mastitis affected farm animals. 2012 , 75, 3015-30	53
219	Coordinated proteomic signature changes in immune response and complement proteins in acute myocardial infarction: the implication of serum amyloid P-component. 2013 , 168, 5196-204	24
218	Characterization and stabilization of recombinant human protein pentraxin (rhPTX-2). 2013, 102, 827-41	10
217	Gold-nanopatterned single interleukin-6 sandwich immunoassay chips with zeptomolar detection capability based on evanescent field-enhanced fluorescence imaging. 2013 , 138, 3478-82	10
216	Inflammation, Reproduction, and the Goldilocks Principle. 2013 , 3-26	5
215	Diabetic kidney disease and immune modulation. 2013 , 13, 602-12	29
214	Proteomic analysis of endothelial cell secretome: a means of studying the pleiotropic effects of Hmg-CoA reductase inhibitors. 2013 , 78, 346-61	30
213	Chicken amyloid arthropathy: serum amyloid A, interleukin-1beta, interleukin-6, tumour necrosis factor-alpha and nitric oxide profile in acute phase (12th hour). 2013 , 16, 241-7	9
212	Biomarkers in Japanese encephalitis: a review. 2013 , 2013, 591290	14
211	Obesity and inflammation: epidemiology, risk factors, and markers of inflammation. 2013 , 2013, 678159	215

(2014-2013)

210	interleukin-6. 2013 , 77, 2151-3	4
209	Elevated levels of the long pentraxin 3 in paracetamol-induced human acute liver injury. 2013 , 25, 359-67	12
208	C-reactive protein and serum amyloid a overexpression in lung tissues of chronic obstructive pulmonary disease patients: a case-control study. 2013 , 10, 938-47	22
207	Long pentraxin PTX3 exacerbates pressure overload-induced left ventricular dysfunction. 2013 , 8, e53133	27
206	Persistent lung inflammation and fibrosis in serum amyloid P component (APCs-/-) knockout mice. 2014 , 9, e93730	52
205	Risk factors of periodontal disease: review of the literature. 2014 , 2014, 182513	141
204	The Immunology of Mammary Gland of Dairy Ruminants between Healthy and Inflammatory Conditions. 2014 , 2014, 659801	59
203	Liver-inherent immune system: its role in blood-stage malaria. 2014 , 5, 559	21
202	Relation between ultra-sensitive C-reactive protein, diabetes and periodontal disease in patients with and without myocardial infarction. 2014 , 58, 362-8	3
201	Interactions between nutrition and immune function: using inflammation biomarkers to interpret micronutrient status. 2014 , 73, 1-8	31
200	Could pentraxin 3 be a new diagnostic marker for excessive inflammatory response in cardiac surgery?. 2014 , 62, 670-6	2
199	Pentraxins and IgA share a binding hot-spot on Fc R I. 2014 , 23, 378-86	10
198	Periodontal disease and atherosclerosis. 2014 , 13, 208-216	
197	Cytokine Frontiers. 2014 ,	12
196	Biomimetic interfaces reveal activation dynamics of C-reactive protein in local microenvironments. 2014 , 3, 1733-8	26
195	Efficacy of amitraz plus inactivated parapoxvirus ovis in the treatment of canine generalised demodicosis. 2014 , 174, 556	5
194	The association between depressive symptoms and systemic inflammation in people with type 2 diabetes: findings from the South London Diabetes Study. 2014 , 37, 2186-92	77
193	Proteogenomics of selective susceptibility to endotoxin using circulating acute phase biomarkers and bioassay development in sheep: a review. 2014 , 12, 12	10

192	Serum amyloid A induces mitogenic signals in regulatory T cells via monocyte activation. 2014 , 59, 172-9	14
191	Tissue-specific molecular immune response to lipopolysaccharide challenge in emaciated anadromous Arctic charr. 2014 , 45, 133-40	11
190	Bidirectional effect of serum amyloid A on plaque stability. 2014 , 174, 179-83	2
189	The first molluscan acute phase serum amyloid A (A-SAA) identified from oyster Crassostrea hongkongensis: molecular cloning and functional characterization. 2014 , 39, 145-51	16
188	Critical update on 2-methacryloyloxyethyl phosphorylcholine (MPC) polymer science. 2015 , 132, n/a-n/a	77
187	Specific Interaction of Phospholipid Polymer with C-reactive Protein. 2015 , 28, 715-718	2
186	Serum amyloid P (SAP) is associated with impaired brachial artery flow-mediated dilation in chronically HIV-1 infected adults on stable antiretroviral therapy. 2015 , 16, 228-35	4
185	Long-term prognostic value of elevated pentraxin 3 in patients undergoing primary angioplasty for ST-elevation myocardial infarction. 2015 , 26, 592-7	17
184	Experimental gingivitis, bacteremia and systemic biomarkers: a randomized clinical trial. 2015, 50, 864-9	19
183	Protein-carbohydrate interactions as part of plant defense and animal immunity. 2015 , 20, 9029-53	63
182	Comparison of short-term outcomes and acute inflammatory response between laparoscopy-assisted and totally laparoscopic distal gastrectomy for early gastric cancer. 2015 , 89, 176-82	19
181	Evaluation of viremia, proviral load and cytokine profile in naturally feline immunodeficiency virus infected cats treated with two different protocols of recombinant feline interferon omega. 2015 , 99, 87-95	15
180	Anti-inflammatory effects of gastric bypass surgery and their association with improvement in metabolic profile. 2015 , 10, 435-446	2
179	Antibacterial effect of porcine PTX3 against Streptococcus suis type 2 infection. 2015 , 89, 128-39	9
178	Elevated inflammatory biomarkers during unemployment: modification by age and country in the UK. 2015 , 69, 673-9	18
177	AA amyloidosis treated with tocilizumab: case series and updated literature review. 2015 , 22, 84-92	28
176	Cannabis smoking and serum C-reactive protein: a quantile regressions approach based on NHANES 2005-2010. 2015 , 147, 203-7	23
175	Fibrates protect against vascular endothelial dysfunction induced by paclitaxel and carboplatin chemotherapy for cancer patients: a pilot study. 2015 , 20, 829-38	7

(2016-2015)

174	Profile of the Immune and Inflammatory Response in Individuals With Prediabetes and Type 2 Diabetes. 2015 , 38, 1356-64	120
173	Inflammation and Human Ovarian Follicular Dynamics. 2015 , 33, 270-5	83
172	Synthesis of grafted phosphorylcholine polymer layers as specific recognition ligands for C-reactive protein focused on grafting density and thickness to achieve highly sensitive detection. 2015 , 17, 9951-8	19
171	TNF-Estimulated fibroblasts secrete lumican to promote fibrocyte differentiation. 2015, 112, 11929-34	66
170	Comprehensive and comparative transcription analyses of the complement pathway in rainbow trout. 2015 , 42, 98-107	23
169	An Analysis of a New Diagnostic Test for Children with Acute Appendicitis: Plasma Leptin Level. 2016 , 6,	
168	Structure and Expression of Different Serum Amyloid A (SAA) Variants and their Concentration-Dependent Functions During Host Insults. 2016 , 23, 1725-55	108
167	Fibrocytes and Fibrovascular Membrane Formation in Proliferative Diabetic Retinopathy. 2016 , 57, 4999-5005	13
166	A Diagnostic Approach to Autoimmune Disorders: Laboratory Evaluation: Part 2. 2016 , 45, e265-71	1
165	Microbial Translocation and Inflammation Occur in Hyperacute Immunodeficiency Virus Infection and Compromise Host Control of Virus Replication. 2016 , 12, e1006048	30
164	Acute phase proteins as promising biomarkers: Perspectives and limitations for human and veterinary medicine. 2016 , 10, 1077-1092	45
163	Comparative proteomic analysis of serum of mice infected with Plasmodium berghei ANKA strain using two dimensional gel electrophoresis and matrix-assisted laser desorption ionization [] time-of-flight mass spectrometry. 2016 , 410, 57-62	
162	Investigation of the Etiology of Anemia in Thromboangiitis Obliterans. 2016 , 25, 153-8	5
161	Role of neoplastic monocyte-derived fibrocytes in primary myelofibrosis. 2016 , 213, 1723-40	93
160	C-reactive protein for diagnosing late-onset infection in newborn infants. 2016,	2
159	Tetraodon nigroviridis: A model of Vibrio parahaemolyticus infection. 2016 , 56, 388-396	10
158	Elevated autoantibodies against interleukin-17F correlate with disease activity in patients with early rheumatoid arthritis. 2016 , 19, 644-50	2
157	Biomarker levels in gingival crevicular fluid of subjects with different periodontal conditions: A cross-sectional study. 2016 , 72, 92-98	42

156	CsPTX1, a pentraxin of Cynoglossus semilaevis, is an innate immunity factor with antibacterial effects. 2016 , 56, 12-20	9
155	Pentraxin-3 as a marker of disease severity and risk of death in patients with necrotizing soft tissue infections: a nationwide, prospective, observational study. 2016 , 20, 40	30
154	Acute-phase proteins in prediction of preeclampsia in patients with abnormal midtrimester uterine Doppler velocimetry. 2016 , 294, 1151-1160	9
153	Edwardsiella tarda induces dynamic changes in immune effector activities and endocrine network of Pangasius pangasius (Hamilton, 1822). 2016 , 462, 24-29	5
152	Non-traumatic lower limb amputation in patients with end-stage renal failure on dialysis: an Australian perspective. 2016 , 38, 1036-43	14
151	Proteomic profiling of lymphedema development in mouse model. 2016 , 34, 317-25	1
150	Gastrointestinal and Colorectal Anesthesia. 2016,	1
149	Laboratory Investigations. 2016 , 117-128.e6	4
148	Implications of the inflammatory response for the identification of biomarkers of chronic obstructive pulmonary disease. 2016 , 10, 109-22	5
147	Systemic Amyloid A Amyloidosis in Island Foxes (Urocyon littoralis): Severity and Risk Factors. 2016 , 53, 637-47	10
146	Serum pentraxin-3 and tumor necrosis factor-like weak inducer of apoptosis (TWEAK) predict severity of infections in acute decompensated cirrhotic patients. 2017 , 50, 905-914	9
145	Association between C-reactive protein levels in the first 1-3 days post-transplant and allogeneic immune reactions. 2017 , 11, 117-124	1
144	Conservative/surgical treatment predictors of maternal hydronephrosis: results of a single-center retrospective non-randomized non-controlled observational study. 2017 , 49, 1347-1352	2
143	Phylogeny and expression analysis of C-reactive protein (CRP) and serum amyloid-P (SAP) like genes reveal two distinct groups in fish. 2017 , 65, 42-51	17
142	Assessment of immune status of yellowfin seabream (Acanthopagrus latus) during short term exposure to phenanthrene. 2017 , 195, 78-90	2
141	Biomarkers and Genetics in Peripheral Artery Disease. 2017 , 63, 236-244	23
140	Identification of compounds that decrease numbers of in human macrophages in the presence of serum amyloid P. 2017 , 102, 857-869	2
139	Calcium-independent binding of human C-reactive protein to lysophosphatidylcholine in supported planar phospholipid monolayers. 2017 , 48, 206-214	8

(2018-2017)

138	C-reactive protein and complement factor H polymorphism interaction in advanced exudative age-related macular degeneration. 2017 , 37, 1161-1168	4
137	Identification of a Unique Amyloid Sequence in AA Amyloidosis of a Pig Associated With Streptococcus Suis Infection. 2017 , 54, 111-118	6
136	Specific networks of plasma acute phase reactants are associated with the severity of chronic obstructive pulmonary disease: a case-control study. 2017 , 14, 67-74	10
135	A role for proteoglycans in vascular disease. 2018 , 71-72, 396-420	64
134	Usefulness of The C-Reactive Protein/Albumin Ratio for Predicting No-Reflow in ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. 2018 , 48, e12928	32
133	A novel combined systemic inflammation-based score can predict survival of intermediate-to-advanced hepatocellular carcinoma patients undergoing transarterial chemoembolization. 2018 , 18, 216	11
132	Verification of foetal Down syndrome biomarker proteins in maternal plasma and applications in prenatal screening for Down syndrome. 2018 , 3,	1
131	The Development of Serum Amyloid P as a Possible Therapeutic. 2018 , 9, 2328	28
130	Local enrichment of fatty acid-binding protein 4 in the pericardial cavity of cardiovascular disease patients. 2018 , 13, e0206802	3
129	Uncovering Biologically Coherent Peripheral Signatures of Health and Risk for AlzheimerN Disease in the Aging Brain. 2018 , 10, 390	19
128	Evaluation of ADA activity as a potential marker of disease severity in psoriasis patients. 2018, 8, 59-63	2
127	Hepatic fatty acid biosynthesis in KK-A mice is modulated by administration of persimmon peel extract: A DNA microarray study. 2018 , 6, 1657-1663	2
126	Anti-Fibrotic Therapies from Other Organs: What the Gut Can Learn from the Liver, Skin, Lung and Heart. 2018 , 347-385	
125	Pigs are useful for the molecular study of bone inflammation and regeneration in humans. 2018 , 52, 630-640	12
124	Colorectal cancer patients with different C-reactive protein levels and 5-year survival times can be differentiated with quantitative serum proteomics. 2018 , 13, e0195354	24
123	The effect of lipopolysaccharide (LPS) on inflammatory markers in blood and brain and on behavior in individually-housed pigs. 2018 , 195, 98-111	32
122	Use of Readily Accessible Inflammatory Markers to Predict Diabetic Kidney Disease. 2018 , 9, 225	20
121	The effect of zinc supplementation on plasma C-reactive protein concentrations: A systematic review and meta-analysis of randomized controlled trials. 2018 , 834, 10-16	23

120	Spatially Restricted Regulation of Sptzle/Toll Signaling during Cell Competition. 2018, 46, 706-719.e5	44
119	Incomplete ART adherence is associated with higher inflammation in individuals who achieved virologic suppression in the START study. 2019 , 22, e25297	13
118	Insights into Early Recovery from Influenza Pneumonia by Spatial and Temporal Quantification of Putative Lung Regenerating Cells and by Lung Proteomics. 2019 , 8,	2
117	Data on molecular characterization and expression of the C-reactive protein (CRP) gene from rock bream,. 2019 , 26, 104506	
116	C-reactive protein/serum amyloid P promotes pro-inflammatory function and induces M1-type polarization of monocytes/macrophages in mudskipper, Boleophthalmus pectinirostris. 2019 , 94, 318-326	3
115	Disposable paper-based electrochemical sensor using thiol-terminated poly(2-methacryloyloxyethyl phosphorylcholine) for the label-free detection of C-reactive protein. 2019 , 186, 472	24
114	A novel prognostic score model based on combining systemic and hepatic inflammation markers in the prognosis of HBV-associated hepatocellular carcinoma patients. 2019 , 47, 2246-2255	9
113	Interleukin-1¶nduces Intracellular Serum Amyloid A1 Expression in Human Coronary Artery Endothelial Cells and Promotes its Intercellular Exchange. 2019 , 42, 1413-1425	3
112	Depression and inflammation among epidermal growth factor receptor (EGFR) mutant nonsmall cell lung cancer patients. 2019 , 28, 1461-1469	5
111	Is Iron Supplementation Influenced by Sub-Clinical Inflammation?: A Randomized Controlled Trial Among Adolescent Schoolgirls in Myanmar. 2019 , 11,	4
110	New lung cancer treatments (immunotherapy and targeted therapies) and their associations with depression and other psychological side effects as compared to chemotherapy. 2019 , 60, 148-155	10
109	Intestinal Serum amyloid A suppresses systemic neutrophil activation and bactericidal activity in response to microbiota colonization. 2019 , 15, e1007381	32
108	Acute phase reactant serum amyloid A in inflammation and other diseases. 2019 , 90, 25-80	58
107	C-reactive protein for diagnosing late-onset infection in newborn infants. 2019 , 1, CD012126	13
106	Forensic Biochemistry. 2019 , 13-27	1
105	Adrenoceptor-stimulated inflammatory response in stress-induced serum amyloid A synthesis. 2019 , 236, 1687-1699	2
104	C-reactive protein and its association with depression in patients receiving treatment for metastatic lung cancer. 2019 , 125, 779-787	13
103	The Anti-bacterial and Anti-adherent Effects of Pentraxin-3 on Porcine Kidney Epithelial PK15 Cells Against Staphylococcus aureus Infection. 2019 , 25, 645-652	1

102	2020 , 325, 113160	9
101	Determination of Melatonin Deprivation Impact on Sepsis With Acute Phase Reactants. 2020 , 247, 108-114	2
100	Positive Association Between Serum Levels of High-Sensitivity C-Reactive Protein and Depression/Anxiety in Female, but Not Male, Patients With Type 2 Diabetes Mellitus. 2020 , 22, 178-187	6
99	Vitamin D Correction Down-Regulates Serum Amyloid P Component Levels in Vitamin D Deficient Arab Adults: A Single-Arm Trial. 2020 , 12,	O
98	Targeted mass spectrometry for Serum Amyloid A (SAA) isoform profiling in sequential blood samples from experimentally Staphylococcus aureus infected pigs. 2020 , 227, 103904	2
97	Periodontal therapy and cardiovascular risk. 2020 , 83, 107-124	27
96	Genetic variants entail type 2 diabetes as an innate immune disorder. 2020 , 1868, 140458	1
95	Depression and Inflammation in Patients With Lung Cancer: A Comparative Analysis of Acute Phase Reactant Inflammatory Markers. 2020 , 61, 527-537	4
94	High-fat diet-induced inflammation aggravates hepatic steatosis of blunt snout bream (Megalobrama amblycephala) through the transcription regulation of fatty acid synthesis and oxidation. 2020 , 26, 1493-1504	3
93	The Synergic Association of hs-CRP and Serum Amyloid P Component in Predicting All-Cause Mortality in Patients With Type 2 Diabetes. 2020 , 43, 1025-1032	7
92	Assessment of C-Reactive Protein Diagnostic Test Accuracy for Late-Onset Infection in Newborn Infants: A Systematic Review and Meta-analysis. 2020 , 174, 260-268	34
91	Optical Bioelectronic Device Based on a Screen-Printed Electroluminescent Transducer. 2020 , 12, 22543-2255	113
90	Markers of a plant-based diet relate to memory and executive function in older adults. 2020, 1-10	7
89	Serum amyloid A in healthy subjects: assessment of reference value using ELISA method. 2021 , 42, 129-137	2
88	Suppressed inflammation in obese children induced by a high-fiber diet is associated with the attenuation of gut microbial virulence factor genes. 2021 , 12, 1754-1770	3
87	The effects of zinc amino acid complex on biomarkers of gut integrity, inflammation, and metabolism in heat-stressed ruminants. 2021 , 104, 2410-2421	4
86	Investigating an increase in Florida manatee mortalities using a proteomic approach. 2021, 11, 4282	1
85	Hypoalbuminemia and Elevated CRP are Risk Factors for Deep Infections and Urinary Tract Infections After Lumbar Spine Surgery in a Large Retrospective Patient Population. 2021 , 2192568221990647	О

84	Inflammation and reproductive function in women with polycystic ovary syndrome 2021, 104, 1205-1217	6
83	Serum amyloid A, Serum Amyloid A1 and Haptoglobin in pregnant mares and their fetuses after experimental induction of placentitis. 2021 , 229, 106766	O
82	Circulating biomarkers associated with pelvic organ prolapse risk in late gestation sows. 2021, 99,	0
81	Supplementation of Diets With Bovine Colostrum Influences Immune and Gut Function in Kittens. 2021 , 8, 675712	1
80	Biofilm-Related Infections in the Oral Cavity. 184-225	1
79	Periodontitis and Liver Diseases. 2014 , 197-209	2
78	Effects of Infection on Nutritional and Immune Status. 2004 , 35-64	8
77	Mammalian Carbohydrate-Lectin Interactions. 2001 , 1779-1816	1
76	Complement Activation by C-Reactive Protein: An Inflammatory Mechanism in Human Disease?. 1999 , 54-63	1
75	Molecular basis for the interaction of Fc receptors with immunoglobulins. 1998 , 11-35	4
74	Fine mapping of the human pentraxin gene region on chromosome 1q23. 1996 , 44, 62	3
73	Mapping of the mouse serum amyloid A gene cluster by long-range polymerase chain reaction. 1996 , 44, 468	4
72	Comparative analysis of lipid composition of normal and acute-phase high density lipoproteins. 2000 , 41, 1035-1047	82
71	Serum amyloid A (SAA): influence on HDL-mediated cellular cholesterol efflux 1995 , 36, 1058-1065	140
70	Equine immunity to bacteria. 2000 , 16, 29-47, v-iv	9
69	Identification of immune system and response genes, and novel mutations causing melanotic tumor formation in Drosophila melanogaster. 1996 , 143, 929-40	71
68	Clinical applications of C-reactive protein in pediatrics. 1997 , 16, 735-46; quiz 746-7	271
67	Erythrocyte sedimentation rate and C-reactive protein discrepancy and high prevalence of coronary artery abnormalities in Kawasaki disease. 2001 , 20, 698-702	34

66	Biological basis for statin therapy in stroke prevention. 2000 , 13, 57-62	17
65	Expression of a long pentraxin, PTX3, by monocytes exposed to the mycobacterial cell wall component lipoarabinomannan. 1997 , 65, 1345-50	51
64	Lipopolysaccharide (LPS)-binding synthetic peptides derived from serum amyloid P component neutralize LPS. 1999 , 67, 2790-6	33
63	A t(3;8) chromosomal translocation associated with hepatitis B virus intergration involves the carboxypeptidase N locus. 1996 , 70, 7280-4	24
62	Oncostatin M in the anti-inflammatory response. 2001 , 60 Suppl 3, iii75-80	18
61	C reactive protein and its relation to cardiovascular risk factors: a population based cross sectional study. 1996 , 312, 1061-5	581
60	The long pentraxin PTX3 binds to apoptotic cells and regulates their clearance by antigen-presenting dendritic cells. 2000 , 96, 4300-4306	6
59	Efficacy of linezolid, teicoplanin, and vancomycin in prevention of an experimental polytetrafluoroethylene graft infection model caused by methicillin-resistant Staphylococcus aureus. 2015 , 21, 909-14	4
58	AA-amyloidosis can be transferred by peripheral blood monocytes. 2008 , 3, e3308	34
57	Proteomic investigation of falciparum and vivax malaria for identification of surrogate protein markers. 2012 , 7, e41751	47
56	Systemic inflammation is associated with ovarian follicular dynamics during the human menstrual cycle. 2013 , 8, e64807	35
55	Organization and biology of the porcine serum amyloid A (SAA) gene cluster: isoform specific responses to bacterial infection. 2013 , 8, e76695	22
54	Effect of periodontal treatment in patients with periodontitis and diabetes: systematic review and meta-analysis. 2020 , 28, e20190248	54
53	Labeling of Nanofiber-Forming Peptides by Site-Directed Bioconjugation: Effect of Spacer Length on Self-Assembly. 2019 , 16, 319-325	1
52	Serum concentrations of selected acute phase proteins and enzyme activities after injection of a combined mineral preparation in calves. 2009 , 59, 467-480	3
51	C-Reactive Protein in Orthopedics. 1998 , 21, 687-691	37
50	Sensitivity Alterable Biosensor Based on Gated Lateral BJT for CRP Detection. 2013, 13, 1-7	6
49	Amyloid A gastrointestinal amyloidosis associated with idiopathic retroperitoneal fibrosis. Report of a rare autopsy case and review of the literature. 2003 , 127, 735-8	10

Tumor Mutation Burden and Depression in Lung Cancer: Association With Inflammation. 2020, 18, 434-442 48 6 The relationship between C-Reactive protein and mortality in adults with diabetes: Influences of 47 demographic characteristics, lifestyle behaviors, and medications. 2021, The role of C1 inhibitor and complement as acute phase reactants: are we missing the diagnosis of 46 hereditary angioedema?. 2021, 17, 103 Mammalian Carbohydrate-Lectin Interactions. 2001, 1779-1816 45 Multiple Sclerosis Perspective. 2001, 15-24 44 Interleukin-8, Interleukin-6 and C-Reactive Protein Serum Concentrations in Acute Leukemia 43 Patients without and with Clinical Symptoms of Infection. 2003, 564-568 Vascular Inflammation as a Cardiovascular Risk Factor. 2005, 577-604 42 Immunology. 2008, 1-219 41 The expressions of C-reactive protein and macrophage colony-stimulating factor in gingival tissue 40 1 of human chronic periodontitis with hypertension. 2009, 39, 391 24 Analyse van lichaamsvochten in relatie tot parodontitis. 2009, 245-254 39 Innate Immune Mechanisms: Nonself Recognition. 38 Ultra-Sensitive C-Reactive Protein (US-CRP) in Patients With Periodontal Disease and Risk of Acute 37 Myocardial Infarction. 2011, 2, 27-35 36 Interleukin-22: A Bridge Between Epithelial Innate Host Defense and Immune Cells. 2014, 147-177 Proinflammatory Cytokines and the Host Response to Cancer. 1995, 398-412 35 Protection against pathogens. 1997, 1-34 34 Innate Immune Mechanisms: Nonself Recognition. 1-11 33 The Role of Atherosclerosis and Inflammation in the Development of Descending Aortic 32 Aneurysms: Special Aspects of Medical Correction. 2016, 08, 1335-1348 Value of C-reactive protein in differentiation between tuberculous and malignant pleural effusion. **2017**, 11, 49-55

30	Evaluation of the Serum Levels of IL-1 in Type 2 Diabetic Patients with and without Diabetic Nephropathy. 2018 , 08, 54-60		1
29	Intestinal Serum Amyloid A suppresses systemic neutrophil activation and bactericidal activity in response to microbiota colonization.		
28	Acute Phase Proteins in Staphylococcus aureus Positive Milks. 2018, 29, 111-115		1
27	Evaluation of Intercellular adhesion molecule-1 (ICAM-1), Tumor necrosis factor {{TNF-}} Interleukins (IL-6, IL-8) and C-reactive protein (CRP) Levels in Neonatal calves with presumed Septicemia. 2019 , 30, 167-173		O
26	Serum level of sVAP-1 in relation to the severity of inflammation, predictive marker of prognosis in patients scheduled for colorectal surgery. 2019 , 54, 217-224		
25	Stress and Inflammation. 1998,		
24	Core Principles in Nutrition: Nutrient Needs, Metabolism, and Potential Influences on Infectious Diseases. 2021 , 23-82		
23	On the puzzle of the acute phase reactants C-reactive protein and serum amyloid A. 1999 , 792-796		
22	Serum Amyloid A and AA Amyloidosis. 241-256		
21	The Sickness Behavior Inventory-Revised: Sickness behavior and its associations with depression and inflammation in patients with metastatic lung cancer. 2021 , 19, 312-321		O
20	Serum acute phase proteins and swine health status. 2003 , 67, 283-90		31
19	Identification of a signal transducer and activator of transcription (STAT) binding site in the mouse metallothionein-I promoter involved in interleukin-6-induced gene expression. 1999 , 337 (Pt 1), 59-65		24
18	Serum amyloid A and pairing formyl peptide receptor 2 are expressed in corneas and involved in inflammation-mediated neovascularization. 2014 , 7, 187-93		8
17	Increased Levels of Plasma Extracellular Heat-Shock Proteins 60 and 70 kDa Characterized Early-Onset Neonatal Sepsis 2021 , 9, 740274		О
16	MTX Treatment Does Not Improve Outcome in Mice with AMI. <i>Pharmacology</i> , 2021 , 106, 225-232	2.3	0
15	Rapamycin, Acarbose and 17\(\textbf{E}\)stradiol share common mechanisms regulating the MAPK pathways involved in intracellular signaling and inflammation <i>Immunity and Ageing</i> , 2022 , 19, 8	9.7	1
14	Elevated blood MxA protein levels in children with newly diagnosed B-ALL: A prospective case-control study. <i>Journal of Surgery and Medicine</i> , 2022 , 6, 131-134	0.1	
13	Review of Immunological Plasma Markers for Longitudinal Analysis of Inflammation and Infection in Rat Models <i>Journal of Orthopaedic Research</i> , 2022 ,	3.8	1

12 Image_1.pdf. **2018**,

11	Myocardial injury and inflammatory response in percutaneous device closures of pediatric patent ductus arteriosus <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 228	2.3
10	Oxidative stress, biochemical, and histopathological changes associated with acute lumpy skin disease in cattle. 1916-1923	О
9	Kraniotomi Sonras-Geli&n Enfeksiyon Tan s̃ñ da Prokalsitoninin C-Reaktif Proteinle Kar lalFt mas- -2022 , 5, 128-136	O
8	Effect of Human C-Reactive Protein on Chemokine and Chemotactic Factor-Induced Neutrophil Chemotaxis and Signaling. 1998 , 161, 2533-2540	13
7	A Synthetic Lipopolysaccharide-Binding Peptide Based on Amino Acids 27 B 9 of Serum Amyloid P Component Inhibits Lipopolysaccharide-Induced Responses in Human Blood. 1998 , 161, 3607-3615	9
6	Regulation of Inflammatory Responses by Oncostatin M. 1999 , 162, 5547-5555	20
5	The Absence of IL-6 Does Not Affect Th2 Cell Development In Vivo, But Does Lead to Impaired Proliferation, IL-2 Receptor Expression, and B Cell Responses. 1999 , 162, 5829-5837	19
4	Posttranscriptional Regulation of Acute Phase Serum Amyloid A2 Expression by the 5?- and 3?-Untranslated Regions of Its mRNA. 1999 , 163, 4537-4545	4
3	The Role of TGF-#Activin and Follistatin in Inflammatory Bowel Disease. 2023 , 5, 167-186	O
2	Detection of serum human neutrophil lipocalin is an effective biomarker for the diagnosis and monitoring of children with bacterial infection. 2023 , 106, 115943	О
1	Dose escalation randomised study of efmarodocokin alfa in healthy volunteers and patients with ulcerative colitis. gutjnl-2022-328387	O