

The behavior of suspensions and macromolecular solutions

Journal of Membrane Science

96, 1-58

DOI: [10.1016/0376-7388\(94\)00119-7](https://doi.org/10.1016/0376-7388(94)00119-7)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Improving membrane filtration processes. Trends in Biotechnology, 1995, 13, 129-131.	4.9	7
3	Microfiltration of yeast suspensions with self-cleaning spiral vortices: Possibilities for a new membrane module design. Biotechnology and Bioengineering, 1995, 48, 375-385.	1.7	40
4	Mechanisms for BSA fouling during microfiltration. Journal of Membrane Science, 1995, 107, 115-127.	4.1	197
5	Electrokinetics Methods To Control Membrane Fouling. Industrial & Engineering Chemistry Research, 1996, 35, 1133-1140.	1.8	89
6	Chapter 12 Transport and fouling phenomena in liquid phase separation with inorganic and hybrid membranes. Membrane Science and Technology, 1996, , 569-618.	0.5	19
7	Visualization of microfiltration phenomena using microscope video system and silicon microchannels.. Journal of Chemical Engineering of Japan, 1996, 29, 399-401.	0.3	20
8	Filtration Behaviors of Rod-Shaped Bacterial Broths in Unsteady-State Phase of Cross-Flow Filtration.. Journal of Chemical Engineering of Japan, 1996, 29, 973-981.	0.3	28
9	Washing frozen red blood cell concentrates using hollow fibres. Journal of Membrane Science, 1996, 110, 169-180.	4.1	24
10	Influence of surface interaction on transfer during colloid ultrafiltration. Journal of Membrane Science, 1996, 115, 49-63.	4.1	93
11	Fouling phenomena in microporous membranes. Flux decline kinetics and structural modifications. Journal of Membrane Science, 1996, 112, 171-183.	4.1	52
12	Yeast cell microfiltration: optimization of backwashing for delicate membranes. Journal of Membrane Science, 1996, 112, 241-247.	4.1	21
13	Initial transient effects during cross flow microfiltration of yeast suspensions. Journal of Membrane Science, 1996, 115, 133-145.	4.1	28
14	Mass transfer improvement by secondary flows: Dean vortices in coiled tubular membranes. Journal of Membrane Science, 1996, 114, 235-244.	4.1	94
15	Mechanisms of protein fouling in cross-flow UF through an asymmetric inorganic membrane. Journal of Membrane Science, 1996, 114, 115-126.	4.1	42
16	Interaction of dispersed phase with concentration polarization. Journal of Membrane Science, 1996, 115, 121-127.	4.1	13
17	Protein fouling of surface-modified polymeric microfiltration membranes. Journal of Membrane Science, 1996, 116, 47-60.	4.1	142
18	Optimisation of an intermittent cross-flow filtration process of mineral suspensions. Journal of Membrane Science, 1996, 118, 185-198.	4.1	14
19	Corss-flow microfiltration of bentonite-in-water dispersions: Initial transient effects at low concentration. Journal of Membrane Science, 1996, 119, 65-80.	4.1	17

#	ARTICLE	IF	CITATIONS
20	Protein recovery from bacterial cell debris using crossflow microfiltration with backpulsing. <i>Journal of Membrane Science</i> , 1996, 118, 259-268.	4.1	61
21	Membrane fouling during microfiltration of protein mixtures. <i>Journal of Membrane Science</i> , 1996, 119, 269-284.	4.1	136
22	Modeling of concentration polarization and depolarization with high-frequency backpulsing. <i>Journal of Membrane Science</i> , 1996, 121, 229-242.	4.1	80
23	Characteristics in Crossflow Filtration Using Different Yeast Suspensions. <i>Separation Science and Technology</i> , 1997, 32, 1885-1898.	1.3	32
24	Particle Back-Transport and Permeate Flux Behavior in Crossflow Membrane Filters. <i>Environmental Science & Technology</i> , 1997, 31, 819-824.	4.6	45
25	Minimizing whey protein retention in cross-flow microfiltration of skim milk. <i>International Dairy Journal</i> , 1997, 7, 237-242.	1.5	55
26	Affinity cell separations: problems and prospects. <i>Trends in Biotechnology</i> , 1997, 15, 249-255.	4.9	22
27	Design of a Crossflow Microfiltration Unit for Studies of Flux and Particle Transport. <i>Chemical Engineering Research and Design</i> , 1997, 75, 508-512.	2.7	11
28	The influence of pH and temperature on the rheology and stability of aqueous titanium dioxide dispersions. <i>Chemical Engineering Journal</i> , 1997, 67, 97-102.	6.6	57
29	Particle deposition during membrane filtration of colloids: transition between concentration polarization and cake formation. <i>Journal of Membrane Science</i> , 1997, 125, 109-122.	4.1	241
30	Effects of immobilized pectinase on the microfiltration of dilute pectin solutions by macroporous titania membranes: resistance model interpretation. <i>Journal of Membrane Science</i> , 1997, 127, 69-76.	4.1	16
31	Predicting limiting flux of skim milk in crossflow microfiltration. <i>Journal of Membrane Science</i> , 1997, 129, 277-281.	4.1	45
32	Chemical and physical aspects of natural organic matter (NOM) fouling of nanofiltration membranes. <i>Journal of Membrane Science</i> , 1997, 132, 159-181.	4.1	1,153
33	The convective model of cross-flow microfiltration is not inconsistent. <i>Journal of Membrane Science</i> , 1997, 133, 275-277.	4.1	3
34	Newly-designed proteinic membrane for low ultrafiltration. <i>Journal of Membrane Science</i> , 1997, 134, 163-170.	4.1	9
35	Influence of the concentration of a low-molecular organic solute on the flux reduction of a polyethersulphone ultrafiltration membrane. <i>Journal of Membrane Science</i> , 1997, 135, 117-128.	4.1	33
36	Cross-flow microfiltration of β -lactoglobulin solutions and the influence of silicates on the flow resistance. <i>Journal of Membrane Science</i> , 1997, 136, 41-56.	4.1	8
37	Modeling of transient permeate flux in cross-flow membrane filtration incorporating multiple particle transport mechanisms. <i>Journal of Membrane Science</i> , 1997, 136, 191-205.	4.1	57

#	ARTICLE	IF	CITATIONS
38	An investigation of the fluidity of concentration polarisation layers in crossflow membrane filtration of an oil-water emulsion using chemical shift selective flow imaging. <i>Magnetic Resonance Imaging</i> , 1997, 15, 235-242.	1.0	21
39	Application of artificial neural networks for crossflow microfiltration modelling: black-box and semi-physical approaches. <i>Computers and Chemical Engineering</i> , 1997, 21, 1021-1030.	2.0	68
40	Protein fouling during microfiltration: Comparative behavior of different model proteins. , 1997, 55, 91-100.		100
41	Flux Decline in Protein Microfiltration: Influence of Operative Parameters. <i>Journal of Colloid and Interface Science</i> , 1997, 187, 344-351.	5.0	67
42	Kinetics of Permeate Flux Decline in Crossflow Membrane Filtration of Colloidal Suspensions. <i>Journal of Colloid and Interface Science</i> , 1997, 196, 267-277.	5.0	129
43	Spectral element simulation of ultrafiltration. <i>Chemical Engineering Science</i> , 1998, 53, 3099-3115.	1.9	15
44	Effect of Cell Morphology on Dead-End Filtration of the Dimorphic Yeast <i>Kluyveromyces marxianus</i> Var. <i>marxianus</i> NRRLy2415. <i>Biotechnology Progress</i> , 1998, 14, 279-285.	1.3	47
45	Comparison of Ultra- and Microfiltration in the Presence and Absence of Secondary Flow with Polysaccharides, Proteins, and Yeast Suspensions. <i>Biotechnology Progress</i> , 1998, 14, 931-942.	1.3	32
46	A convection shear induced resuspension model for crossflow microfiltration. <i>Chemical Engineering Science</i> , 1998, 53, 3469-3481.	1.9	5
47	Application of tubular ceramic membranes for reuse of wastewater from buildings. <i>Water Science and Technology</i> , 1998, 38, 373.	1.2	24
48	Membrane Cleaning: Chemically Enhanced Removal of Deposits Formed During Yeast Cell Harvesting. <i>Food and Bioproducts Processing</i> , 1998, 76, 30-38.	1.8	31
49	Electrically Enhanced Microfiltration of Albumin Suspensions. <i>Food and Bioproducts Processing</i> , 1998, 76, 53-59.	1.8	26
50	A Practical Method to Predict Steady-State Flux and Fouling in the Crossflow Microfiltration of Rough Beer with 1.40 $\frac{1}{4}$ m Tubular Ceramic Membranes. <i>Food and Bioproducts Processing</i> , 1998, 76, 217-223.	1.8	12
51	Effect of Interparticle Electrostatic Double Layer Interactions on Permeate Flux Decline in Crossflow Membrane Filtration of Colloidal Suspensions: An Experimental Investigation. <i>Journal of Colloid and Interface Science</i> , 1998, 204, 77-86.	5.0	152
52	Analysis of protein fouling during ultrafiltration using a two-layer membrane model. , 1998, 59, 451-460.		30
53	Flux enhancement for membrane filtration of bacterial suspensions using high-frequency backpulsing. , 1998, 60, 77-87.		68
54	Crossflow microfiltration of shear-thinning aqueous titanium dioxide dispersions. <i>Chemical Engineering Journal</i> , 1998, 69, 53-61.	6.6	15
55	Floc size distribution in a membrane bioreactor and consequences for membrane fouling. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1998, 138, 403-411.	2.3	260

#	ARTICLE	IF	CITATIONS
56	Cross-flow microfiltration of latex suspensions: test of different models. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1998, 138, 245-254.	2.3	7
57	Properties of the cake layer formed during crossflow microfiltration. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1998, 138, 265-281.	2.3	27
58	Fouling kinetics and associated dynamics of structural modifications. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1998, 138, 173-183.	2.3	29
59	Effect of adsorbed protein on the hydraulic permeability, membrane and streaming potential values measured across a microporous membrane. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1998, 138, 255-264.	2.3	41
60	Evaluation of crossflow filtration models based on shear-induced diffusion and particle adhesion: Complications induced by feed suspension polydispersivity. Journal of Membrane Science, 1998, 138, 83-97.	4.1	77
61	Local properties of cake in cross-flow microfiltration of submicron particles. Journal of Membrane Science, 1998, 138, 181-192.	4.1	39
62	Flux decline in crossflow microfiltration and ultrafiltration: mechanisms and modeling of membrane fouling. Journal of Membrane Science, 1998, 139, 183-200.	4.1	284
63	Dispersed phase back transport during ultrafiltration of cutting oil emulsions with a spinning membrane disc geometry1Issued as NRCC No. 41962.1. Journal of Membrane Science, 1998, 141, 165-181.	4.1	38
64	A surface spectroscopic study of membranes fouled by pulp mill effluent1Issued as NRC #41964.1. Journal of Membrane Science, 1998, 142, 1-11.	4.1	33
65	Fouling of membranes during microfiltration of surimi wash water: Roles of pore blocking and surface cake formation. Journal of Membrane Science, 1998, 144, 113-123.	4.1	70
66	Adsorption behavior of BSA in microfiltration with porous glass membrane. Journal of Membrane Science, 1998, 145, 119-128.	4.1	33
67	Contribution of adsorbed layer resistance to the flux-decline in an ultrafiltration process. Journal of Membrane Science, 1998, 146, 105-111.	4.1	18
68	Hydrodynamic control of bioparticle deposition in a MBR applied to wastewater treatment. Journal of Membrane Science, 1998, 147, 1-12.	4.1	106
69	Direct observation of particle deposition on the membrane surface during crossflow microfiltration. Journal of Membrane Science, 1998, 149, 83-97.	4.1	269
70	Hydrodynamic behavior of anaerobic biosolids during crossflow filtration in the membrane anaerobic bioreactor. Water Research, 1998, 32, 3387-3397.	5.3	127
71	Formation of the Gel Layer of Polymers and Its Effect on the Permeation Flux in Crossflow Filtration of Corynebacterium glutamicum Broth. Separation Science and Technology, 1998, 33, 707-722.	1.3	21
72	Modeling and Experimental Verification of Pilot-Scale Hollow Fiber, Direct Flow Microfiltration with Periodic Backwashing. Environmental Science & Technology, 1998, 32, 75-81.	4.6	68
73	Existence of Critical Recovery and Impacts of Operational Mode on Potable Water Microfiltration. Journal of Environmental Engineering, ASCE, 1998, 124, 1211-1219.	0.7	26

#	ARTICLE	IF	CITATIONS
74	PERFORMANCE CHARACTERISTICS OF A CERAMIC MEMBRANE SYSTEM FOR MICROFILTRATION OF CORN STARCH HYDROLYSATE. <i>Chemical Engineering Communications</i> , 1998, 168, 81-95.	1.5	3
75	Inertial particle motion in a Taylor Couette rotating filter. <i>Physics of Fluids</i> , 1999, 11, 325-333.	1.6	71
76	FLUX ENHANCEMENT USING FLOW REVERSAL IN ULTRAFILTRATION. <i>Separation Science and Technology</i> , 1999, 34, 1319-1331.	1.3	13
77	CHARACTERISATION OF CAKE COMPRESSIBILITY IN DEAD-END MICROFILTRATION OF MICROBIAL SUSPENSIONS. <i>Chemical Engineering Communications</i> , 1999, 173, 79-90.	1.5	25
78	Pseudoplasticity of filter cakes explains cross-flow microfiltration. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999, 149, 499-506.	2.3	3
79	Theoretical analysis of the influence of the axial variation of the transmembrane pressure in cross-flow filtration of rigid spheres. <i>Journal of Membrane Science</i> , 1999, 152, 71-87.	4.1	20
80	Effect of particle shape on crossflow filtration flux. <i>Journal of Membrane Science</i> , 1999, 153, 121-139.	4.1	16
81	Microfiltration of protein mixtures and the effects of yeast on membrane fouling. <i>Journal of Membrane Science</i> , 1999, 155, 113-122.	4.1	97
82	Effect of membrane morphology on the initial rate of protein fouling during microfiltration. <i>Journal of Membrane Science</i> , 1999, 155, 261-275.	4.1	176
83	Electrically enhanced crossflow membrane filtration of oily waste water using the membrane as a cathode. <i>Journal of Membrane Science</i> , 1999, 156, 49-60.	4.1	95
84	The influence of the membrane zeta potential on the critical flux for crossflow microfiltration of particle suspensions. <i>Journal of Membrane Science</i> , 1999, 156, 153-158.	4.1	64
85	Flux improvement by Dean vortices: ultrafiltration of colloidal suspensions and macromolecular solutions. <i>Journal of Membrane Science</i> , 1999, 156, 109-130.	4.1	46
86	Influence of hydrodynamics on fouling velocity in a recirculated MBR for wastewater treatment. <i>Journal of Membrane Science</i> , 1999, 156, 131-140.	4.1	63
87	Removal of suspended clay from water using transmembrane pressure pulsed microfiltration. <i>Journal of Membrane Science</i> , 1999, 157, 199-210.	4.1	33
88	Critical stability conditions in crossflow microfiltration of skimmed milk: transition to irreversible deposition. <i>Journal of Membrane Science</i> , 1999, 158, 211-222.	4.1	120
89	Three-dimensional simulation of the deposition of multi-dispersed charged particles and prediction of resulting flux during cross-flow microfiltration. <i>Journal of Membrane Science</i> , 1999, 161, 7-20.	4.1	29
90	Flux decline in crossflow microfiltration and ultrafiltration: experimental verification of fouling dynamics. <i>Journal of Membrane Science</i> , 1999, 160, 41-50.	4.1	75
91	Use of air sparging to improve backwash efficiency in hollow-fiber modules. <i>Journal of Membrane Science</i> , 1999, 161, 95-113.	4.1	53

#	ARTICLE	IF	CITATIONS
92	Optimization of the membrane purification of a polysaccharide-protein conjugate vaccine using backpulsing. <i>Journal of Membrane Science</i> , 1999, 161, 171-184.	4.1	27
93	Washing Cryopreserved Blood Products Using Hollow Fibres. <i>Food and Bioproducts Processing</i> , 1999, 77, 287-292.	1.8	6
94	Colloidal Fouling of Ultrafiltration Membranes: Impact of Aggregate Structure and Size. <i>Journal of Colloid and Interface Science</i> , 1999, 212, 264-274.	5.0	139
95	Factors influencing critical flux in membrane filtration of activated sludge. <i>Journal of Chemical Technology and Biotechnology</i> , 1999, 74, 539-543.	1.6	73
96	Feed Cycling in Dead End Filtration. <i>Chemical Engineering and Technology</i> , 1999, 22, 1029-1033.	0.9	7
97	Fractionation of Multiwalled Carbon Nanotubes by Cascade Membrane Microfiltration. <i>Journal of Physical Chemistry B</i> , 1999, 103, 3534-3538.	1.2	36
98	Analysis of the Membrane Fouling on Cross-flow Ultrafiltration and Microfiltration of Soy Sauce Lees.. <i>Kagaku Kogaku Ronbunshu</i> , 2000, 26, 431-436.	0.1	3
100	Transient and stationary operating conditions on performance of lactic acid bacteria crossflow microfiltration. <i>Biotechnology and Bioengineering</i> , 2000, 49, 78-86.	1.7	12
101	Protein Adsorption and Deposition onto Microfiltration Membranes: The Role of Solute-Solid Interactions. <i>Journal of Colloid and Interface Science</i> , 2000, 221, 254-261.	5.0	44
102	Understanding Membrane Fouling in Terms of Surface Free Energy Changes. <i>Journal of Colloid and Interface Science</i> , 2000, 226, 367-370.	5.0	39
103	Particle transport and capture at the membrane surface in cross-flow microfiltration. <i>Chemical Engineering Science</i> , 2000, 55, 4053-4065.	1.9	28
104	Hydrodynamic aspects of filtration antifouling by helically corrugated membranes. <i>Chemical Engineering Science</i> , 2000, 55, 5049-5057.	1.9	31
105	Recovery of clay by microfiltration. <i>Desalination</i> , 2000, 127, 177-180.	4.0	2
106	Optimal operation processes of discrete-continuous biochemical processes. <i>Computers and Chemical Engineering</i> , 2000, 24, 1167-1173.	2.0	11
107	An assessment of depolarisation models of crossflow microfiltration by direct observation through the membrane. <i>Journal of Membrane Science</i> , 2000, 172, 135-147.	4.1	116
108	Model for flux prediction in high-shear microfiltration systems. <i>Journal of Membrane Science</i> , 2000, 173, 87-98.	4.1	37
109	Study of hydrodynamic parameters in the cross-flow filtration of guar gum pseudoplastic solutions. <i>Journal of Membrane Science</i> , 2000, 174, 135-145.	4.1	7
110	Experimental verification of the shear-induced hydrodynamic diffusion model of crossflow microfiltration, with consideration of the transmembrane pressure axial variation. <i>Journal of Membrane Science</i> , 2000, 175, 119-137.	4.1	22

#	ARTICLE	IF	CITATIONS
111	Analysis of cake build-up and removal in cross-flow microfiltration of CaCO ₃ suspensions under varying conditions. Journal of Membrane Science, 2000, 175, 267-283.	4.1	15
112	Fouling reduction using centrifugal membrane separation. Journal of Membrane Science, 2000, 176, 267-276.	4.1	6
113	Flux enhancement in reverse osmosis using centrifugal membrane separation. Journal of Membrane Science, 2000, 176, 257-266.	4.1	7
114	Critical particle size in membrane bioreactors Case of a denitrifying bacterial suspension. Journal of Membrane Science, 2000, 178, 141-150.	4.1	65
115	Infrasonic pulsing for foulant removal in crossflow microfiltration. Journal of Membrane Science, 2000, 180, 157-169.	4.1	7
116	Effect of cake thickness and particle polydispersity on prediction of permeate flux in microfiltration of particulate suspensions by a hydrodynamic diffusion model. Journal of Membrane Science, 2000, 164, 211-227.	4.1	28
117	Influence of pH on the adsorptive fouling of ultrafiltration membranes by fatty acid. Journal of Membrane Science, 2000, 164, 187-194.	4.1	78
118	Theoretical and experimental flux maximization by optimization of backpulsing. Journal of Membrane Science, 2000, 165, 225-236.	4.1	54
119	Membrane fouling during microfiltration of fermented beverages. Journal of Membrane Science, 2000, 166, 199-212.	4.1	69
120	Microfiltration of colloids and natural organic matter. Journal of Membrane Science, 2000, 171, 151-172.	4.1	136
121	Hydrophilic modification of polypropylene microfiltration membranes by ozone-induced graft polymerization. Journal of Membrane Science, 2000, 169, 269-276.	4.1	175
122	Effects of backflushing conditions on permeate flux in membrane crossflow microfiltration of oil emulsion. Desalination, 2000, 127, 189-198.	4.0	49
123	Aerobic MBRs for domestic wastewater treatment: a review with cost considerations. Separation and Purification Technology, 2000, 18, 119-130.	3.9	357
124	Conformation of adsorbed bovine serum albumin governing its desorption behavior at alumina-water interfaces. Journal of Bioscience and Bioengineering, 2000, 90, 105-111.	1.1	38
125	MEMBRANE SEPARATIONS Microfiltration. , 2000, , 1764-1777.		4
126	Ingredient-Wise Study of Flux Characteristics in the Ceramic Membrane Filtration of Uncontaminated Synthetic Metalworking Fluids, Part 2: Analysis of Underlying Mechanisms. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2000, 122, 746-752.	1.3	14
127	Microfiltration of Protein Precipitate from Clarified Yeast Cell Homogenate for the Recovery of a Soluble Product. Separation Science and Technology, 2000, 35, 633-649.	1.3	6
128	Formation and Structural Change of Cake during Crossflow Microfiltration of Microbial Cell Suspension Containing Fine Particles. Progress in Biotechnology, 2000, 16, 29-34.	0.2	0

#	ARTICLE	IF	CITATIONS
129	New insights into membrane operation revealed by direct observation through the membrane. Membrane Technology, 2000, 2000, 10-14.	0.5	9
130	Particle fouling of a rotating membrane disk. Water Research, 2000, 34, 557-565.	5.3	37
131	Pilot-Scale Ultrafiltration of an Emulsified Oil Wastewater. Environmental Science & Technology, 2000, 34, 2990-2996.	4.6	76
132	Mechanisms and Parameters Affecting Flux Decline in Cross-Flow Microfiltration and Ultrafiltration of Colloids. Environmental Science & Technology, 2000, 34, 3767-3773.	4.6	61
133	MEMBRANE SEPARATIONS Membrane Bioseparations. , 2000, , 1748-1755.		0
134	MEMBRANE SURFACE MODIFICATION AND BACKPULSING FOR WASTEWATER TREATMENT. Separation Science and Technology, 2001, 36, 1557-1573.	1.3	17
135	Interfacial challenges in the food industry. Trends in Food Science and Technology, 2001, 12, 382-391.	7.8	11
136	Separation of titanium dioxide from photocatalytically treated water by cross-flow microfiltration. Water Research, 2001, 35, 1256-1262.	5.3	161
137	Hydraulic effects on sludge accumulation on membrane surface in crossflow filtration. Water Research, 2001, 35, 3137-3146.	5.3	41
138	Colloidal Adsorption of Bovine Serum Albumin on Porous Polypropylene-g-Poly(2-hydroxyethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.6	48
139	Motion of Submicrometer Particles Dominated by Brownian Motion near Cell and Microfabricated Surfaces. Nano Letters, 2001, 1, 617-623.	4.5	20
140	Methods for limiting cake growth. , 2001, , 349-367.		0
141	Membrane fouling by turbidity constituents of beer and wine: characterization and prevention by means of infrasonic pulsing. Journal of Food Engineering, 2001, 49, 25-36.	2.7	32
142	Flocculation to enhance microfiltration. Journal of Membrane Science, 2001, 182, 161-172.	4.1	85
143	The effects of electrolyte concentration and pH on protein aggregation and deposition: critical flux and constant flux membrane filtration. Journal of Membrane Science, 2001, 185, 177-192.	4.1	85
144	Modelling the clarification of lactic acid fermentation broths by cross-flow microfiltration. Journal of Membrane Science, 2001, 186, 219-230.	4.1	51
145	Experimental evaluation of a uniform transmembrane pressure crossflow microfiltration unit for the concentration of micellar casein from skim milk. Journal of Membrane Science, 2001, 189, 69-82.	4.1	64
146	Direct visual observation of yeast deposition and removal during microfiltration. Journal of Membrane Science, 2001, 189, 217-230.	4.1	77

#	ARTICLE	IF	CITATIONS
147	Harvest time effects on membrane cake resistance of Escherichia coli broth. Journal of Membrane Science, 2001, 190, 93-106.	4.1	21
148	Rotating reverse osmosis: a dynamic model for flux and rejection. Journal of Membrane Science, 2001, 192, 129-143.	4.1	43
149	On the behavior of the electrostatic colloidal interaction in the membrane filtration of latex suspensions. Journal of Membrane Science, 2001, 193, 97-109.	4.1	21
150	Cake resistance and force balance mechanism in the crossflow microfiltration of lactalbumin particles. Journal of Membrane Science, 2001, 192, 165-176.	4.1	26
151	Cross-flow microfiltration of submicron microbial suspension. Journal of Membrane Science, 2001, 194, 229-243.	4.1	32
152	Membrane fouling during cross-flow microfiltration of Polyporus squamosus fermentation broth. Biochemical Engineering Journal, 2001, 9, 103-109.	1.8	26
153	Fouling and rejection behavior of ceramic and polymer-modified ceramic membranes for ultrafiltration of oil-in-water emulsions and microemulsions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2001, 191, 27-40.	2.3	121
154	Separation of lactic acid-producing bacteria from fermentation broth using a ceramic microfiltration membrane with constant permeate flow. Biotechnology and Bioengineering, 2001, 72, 269-277.	1.7	50
155	Effect of membrane support material on permeability in the microfiltration of brining wastewater. Desalination, 2001, 140, 55-65.	4.0	5
156	On the feasibility of urban wastewater tertiary treatment by membranes: a comparative assessment. Desalination, 2001, 141, 39-51.	4.0	39
157	Effect of sodium dodecyl sulphate and cross-flow velocity on membrane fouling during cross-flow microfiltration of lactoferrin solutions. Chemical Engineering and Processing: Process Intensification, 2001, 40, 321-328.	1.8	11
158	Membrane separations in biotechnology. Current Opinion in Biotechnology, 2001, 12, 208-211.	3.3	379
159	Crossflow filtration in suspension-feeding fishes. Nature, 2001, 412, 439-441.	18.7	117
160	New ceramic membranes designed for crossflow filtration enhancement. Separation and Purification Technology, 2001, 25, 333-339.	3.9	6
161	Microfiltration of beer yeast suspensions through stamped ceramic membranes. Separation and Purification Technology, 2001, 25, 535-543.	3.9	37
162	An experimental study of helically stamped ceramic microfiltration membranes using bentonite suspensions. Separation and Purification Technology, 2001, 24, 205-221.	3.9	15
163	Two-dimensional stochastic modeling of membrane fouling. Separation and Purification Technology, 2001, 24, 375-387.	3.9	17
164	CROSS-FLOW FILTRATION OF Î²-LACTOGLOBULIN SOLUTIONS LOADED WITH ADSORBENT PARTICLES. Separation Science and Technology, 2001, 36, 3337-3354.	1.3	0

#	ARTICLE	IF	CITATIONS
165	Advanced technologies in water and wastewater treatment. Canadian Journal of Civil Engineering, 2001, 28, 49-66.	0.7	48
166	Advanced technologies in water and wastewater treatment. Canadian Journal of Civil Engineering, 2001, 28, 49-66.	0.7	49
167	Leakage through filtercake into a fluid sampling probe. Physics of Fluids, 2001, 13, 1151-1159.	1.6	7
168	A Model of Membrane Fouling by Salt Precipitation from Multicomponent Ionic Mixtures in Crossflow Nanofiltration. Environmental Engineering Science, 2002, 19, 399-412.	0.8	33
169	Cross-flow microfiltration of dual-sized submicron particles. Separation Science and Technology, 2002, 37, 2231-2249.	1.3	26
170	Applicability Assessment of Subcritical Flux Operation in Crossflow Microfiltration with a Concentration Polarization Model. Journal of Environmental Engineering, ASCE, 2002, 128, 335-340.	0.7	20
171	MECHANISMS OF PROTEIN FOULING IN MICROFILTRATION. I. DETERMINATION OF PROTEINS FOULED ON MICROFILTRATION MEMBRANES. Separation Science and Technology, 2002, 37, 3025-3038.	1.3	4
172	Characteristics of a Self-Forming Dynamic Membrane Coupled with a Bioreactor for Municipal Wastewater Treatment. Environmental Science & Technology, 2002, 36, 5245-5251.	4.6	201
173	Constant Transmembrane Pressure vs. Constant Permeate Flux: Effect of Particle Size on Crossflow Membrane Filtration. Environmental Engineering Science, 2002, 19, 343-355.	0.8	20
174	Advanced technologies in water and wastewater treatment. Journal of Environmental Engineering and Science, 2002, 1, 247-264.	0.3	262
175	MECHANISMS OF PROTEIN FOULING IN MICROFILTRATION. II. ADSORPTION AND DEPOSITION OF PROTEINS ON MICROFILTRATION MEMBRANES. Separation Science and Technology, 2002, 37, 3039-3051.	1.3	6
176	Preparation of ceramic membrane and application to the crossflow microfiltration of soluble waste oil. Materials Letters, 2002, 52, 266-271.	1.3	56
177	Membrane Fouling in Membrane Bioreactors for Wastewater Treatment. Journal of Environmental Engineering, ASCE, 2002, 128, 1018-1029.	0.7	597
178	Effects of particle size distribution on the cake formation in crossflow microfiltration. Water Science and Technology: Water Supply, 2002, 2, 305-311.	1.0	9
179	Additional techniques to improve microfiltration. Separation and Purification Technology, 2002, 26, 3-18.	3.9	123
180	Modeling and optimizing submerged hollow fiber membrane modules. AIChE Journal, 2002, 48, 2203-2212.	1.8	68
182	Filtration of biomass with laboratory-scale submerged hollow fibre modules - effect of operating conditions and module configuration. Journal of Chemical Technology and Biotechnology, 2002, 77, 1030-1038.	1.6	37
183	A novel multi-coaxial hollow fiber bioreactor for adherent cell types. Part 1: Hydrodynamic studies. Biotechnology and Bioengineering, 2002, 77, 83-90.	1.7	46

#	ARTICLE	IF	CITATIONS
184	Application of a pore-blockage?Cake-filtration model to protein fouling during microfiltration. <i>Biotechnology and Bioengineering</i> , 2002, 79, 260-270.	1.7	72
185	Morphology of Deposits Formed from Chemically Heterogeneous Suspensions: Application to Membrane Filtration. <i>Journal of Colloid and Interface Science</i> , 2002, 256, 367-377.	5.0	25
186	Enhanced virus removal by flocculation and microfiltration. <i>Biotechnology and Bioprocess Engineering</i> , 2002, 7, 6-9.	1.4	11
187	A study on fouling mitigation using pulsing electric fields in electrodialysis of lactate containing BSA. <i>Korean Journal of Chemical Engineering</i> , 2002, 19, 880-887.	1.2	34
188	Yeast cells, beer composition and mean pore diameter impacts on fouling and retention during cross-flow filtration of beer with ceramic membranes. <i>Journal of Membrane Science</i> , 2002, 196, 39-57.	4.1	75
189	An hydrodynamic investigation of microfiltration and ultrafiltration in a vibrating membrane module. <i>Journal of Membrane Science</i> , 2002, 197, 37-52.	4.1	126
190	Modeling and simulation of osmotic pressure controlled electro-ultrafiltration in a cross-flow system. <i>Journal of Membrane Science</i> , 2002, 199, 29-40.	4.1	10
191	Experimental techniques for quantifying the cake mass, the cake and membrane resistances and the specific cake resistance during crossflow filtration of microbial suspensions. <i>Journal of Membrane Science</i> , 2002, 201, 31-45.	4.1	57
192	Cross-flow microfiltration of aggregated submicron particles. <i>Journal of Membrane Science</i> , 2002, 201, 137-148.	4.1	33
193	An investigation of reciprocating filtration system. <i>Journal of Membrane Science</i> , 2002, 202, 233-243.	4.1	1
194	Transmembrane pressure profiles during constant flux microfiltration of bovine serum albumin. <i>Journal of Membrane Science</i> , 2002, 209, 363-377.	4.1	96
195	Pore blocking and permeability reduction in cross-flow microfiltration. <i>Journal of Membrane Science</i> , 2002, 209, 121-142.	4.1	27
196	Fouling and regeneration of ceramic microfiltration membranes in processing acid wastewater containing fine TiO ₂ particles. <i>Journal of Membrane Science</i> , 2002, 208, 331-341.	4.1	62
197	Yeast foulant removal by backpulses in crossflow microfiltration. <i>Journal of Membrane Science</i> , 2002, 208, 389-404.	4.1	38
198	Particleâ€fluid velocities and fouling in rotating filtration of a suspension. <i>Journal of Membrane Science</i> , 2002, 209, 469-484.	4.1	36
199	An integrated centrifugationâ€ultrafiltration system in the treatment of olive mill wastewater. <i>Journal of Membrane Science</i> , 2002, 209, 519-531.	4.1	177
200	Alginate production by <i>Azotobacter vinelandii</i> in a membrane bioreactor. <i>Process Biochemistry</i> , 2002, 38, 273-278.	1.8	20
201	Production of microbial alginate in a membrane bioreactor. <i>Enzyme and Microbial Technology</i> , 2002, 30, 656-661.	1.6	27

#	ARTICLE	IF	CITATIONS
202	Interplay of the polymer stiffness and the permeability behavior of silane and siloxane polymers. <i>Polymer</i> , 2002, 43, 533-539.	1.8	17
203	The effects of intermittent permeate flow and crossflow on membrane coalescence of oil-in-water emulsions. <i>Desalination</i> , 2002, 144, 185-191.	4.0	19
204	Shear-induced hydrodynamic diffusion model for cross-flow microfiltration: role of the particle volume fraction. <i>Desalination</i> , 2002, 145, 123-128.	4.0	6
205	Mass transfer characteristics of cross-corrugated membranes. <i>Desalination</i> , 2002, 146, 255-258.	4.0	21
206	Shear-induced diffusion model for microfiltration of polydisperse suspensions. <i>Desalination</i> , 2002, 146, 63-68.	4.0	38
207	Effect of pore morphology on fluid flow and particle deposition on a track-etched polycarbonate membrane. <i>Desalination</i> , 2002, 146, 129-134.	4.0	16
208	Direct observation of membrane cleaning via rapid backpulsing. <i>Desalination</i> , 2002, 146, 135-140.	4.0	31
209	Enhanced microfiltration of yeast by flocculation. <i>Desalination</i> , 2002, 147, 25-30.	4.0	19
210	Crossflow microfiltration of marble processing wastewaters. <i>Desalination</i> , 2002, 149, 153-162.	4.0	14
211	Fouling of Microfiltration and Ultrafiltration Membranes by Natural Waters. <i>Environmental Science & Technology</i> , 2002, 36, 3571-3576.	4.6	436
212	Filterability and Filtration Experiences of Viscous Complex Food Salting Solutions. <i>Chemical Engineering Research and Design</i> , 2003, 81, 1150-1157.	2.7	2
213	Filtration of a bacterial fermentation broth: harvest conditions effects on cake hydraulic resistance. <i>Bioprocess and Biosystems Engineering</i> , 2003, 25, 309-314.	1.7	16
214	Analysis of polarized layer resistance during ultrafiltration of PEG-6000: an approach based on filtration theory. <i>Separation and Purification Technology</i> , 2003, 33, 115-126.	3.9	35
215	Flocculation of biological cells: Experiment vs. theory. <i>AIChE Journal</i> , 2003, 49, 1687-1701.	1.8	37
216	Electrochemical measurement of velocity gradient at the wall of a helical tube. <i>AIChE Journal</i> , 2003, 49, 1972-1979.	1.8	6
217	Critical flux enhancements with air sparging in axial hollow fibers cross-flow microfiltration of biologically treated wastewater. <i>Journal of Membrane Science</i> , 2003, 224, 69-79.	4.1	56
218	Effect of hydrophilicity on fouling of an emulsified oil wastewater with PVDF/PMMA membranes. <i>Journal of Membrane Science</i> , 2003, 226, 203-211.	4.1	268
219	Polymer adsorption on multicomponent surfaces with relevance to membrane fouling. <i>Chemical Engineering Science</i> , 2003, 58, 5291-5298.	1.9	16

#	ARTICLE	IF	CITATIONS
220	Computational fluid dynamics modeling of the flow in a laboratory membrane filtration cell operated at low recoveries. <i>Chemical Engineering Science</i> , 2003, 58, 239-246.	1.9	21
221	Monte Carlo simulation of biospecific interactions between cells and surfaces. <i>Chemical Engineering Science</i> , 2003, 58, 4465-4474.	1.9	5
222	Characterization of anion exchange membranes with natural organic matter (NOM) during electro dialysis. <i>Desalination</i> , 2003, 151, 43-52.	4.0	50
223	The role of blocking and cake filtration in MBR fouling. <i>Desalination</i> , 2003, 157, 335-343.	4.0	104
224	Critical flux determination by the flux-step method in a submerged membrane bioreactor. <i>Journal of Membrane Science</i> , 2003, 227, 81-93.	4.1	447
225	Membrane fouling during filtration of milk—a microstructural study. <i>Journal of Food Engineering</i> , 2003, 60, 431-437.	2.7	99
226	Contribution to the understanding of fouling build-up during microfiltration of wines. <i>Journal of Membrane Science</i> , 2003, 211, 357-370.	4.1	37
227	The effect of filament orientation on critical flux and particle deposition in spacer-filled channels. <i>Journal of Membrane Science</i> , 2003, 214, 165-178.	4.1	93
228	Preparation of coiled hollow-fiber membrane and mass transfer performance in membrane extraction. <i>Journal of Membrane Science</i> , 2003, 215, 203-211.	4.1	24
229	Predicting membrane fouling during municipal drinking water nanofiltration using artificial neural networks. <i>Journal of Membrane Science</i> , 2003, 217, 69-86.	4.1	115
230	Fouling with protein mixtures in microfiltration: BSA—lysozyme and BSA—pepsin. <i>Journal of Membrane Science</i> , 2003, 222, 41-51.	4.1	72
231	Applications of the MFI-UF to measure and predict particulate fouling in RO systems. <i>Journal of Membrane Science</i> , 2003, 220, 97-116.	4.1	88
232	Use of MF and UF membranes for reclamation of glass industry wastewater containing colloidal clay and glass particles. <i>Journal of Membrane Science</i> , 2003, 223, 89-103.	4.1	32
233	A Predictive Aggregate Transport Model for Microfiltration of Combined Macromolecular Solutions and Poly-Disperse Suspensions: Model Development. <i>Biotechnology Progress</i> , 2003, 19, 1524-1532.	1.3	21
234	A Predictive Aggregate Transport Model for Microfiltration of Combined Macromolecular Solutions and Poly-Disperse Suspensions: Testing Model with Transgenic Goat Milk. <i>Biotechnology Progress</i> , 2003, 19, 1533-1540.	1.3	20
235	Membranes, Synthetic, Applications. , 2003, , 279-344.		4
236	Electro-microfiltration of Colloidal Suspensions. <i>Separation Science and Technology</i> , 2003, 38, 797-816.	1.3	11
237	The Role of Dynamic Membrane in Cross-Flow Microfiltration of Macromolecules. <i>Separation Science and Technology</i> , 2003, 38, 779-795.	1.3	36

#	ARTICLE	IF	CITATIONS
238	Recovery of ammonium sulfate from fermentation waste by electrodialysis. <i>Water Research</i> , 2003, 37, 1091-1099.	5.3	76
239	Membrane technology. , 2003, , 13-74.		17
240	A Model for Resistance Growth During Protein Microfiltration. <i>Separation Science and Technology</i> , 2003, 38, 917-932.	1.3	5
241	Flux Enhancement in Cross-Flow Membrane Filtration by Flow Reversal: A Case Study on Ultrafiltration of BSA. <i>Separation Science and Technology</i> , 2003, 38, 3133-3144.	1.3	16
242	Fouling phenomena during microfiltration: effects of pore blockage, cake filtration, and membrane morphology. <i>Membrane Science and Technology</i> , 2003, 8, 27-44.	0.5	8
243	Étude du colmatage des membranes en ultrafiltration et en coagulation–ultrafiltration d'eau de surface. <i>Journal of Environmental Engineering and Science</i> , 2003, 2, 139-148.	0.3	4
244	Effect of Î²-Glucans and Process Conditions on the Membrane Filtration Performance of Beer. <i>Journal of the American Society of Brewing Chemists</i> , 2004, 62, 117-124.	0.8	15
245	High-Flux, Low-Fouling Membrane System for Wastewater Recycle in Space Missions. , 2004, , .		0
246	Chapter 7 Microfiltration. <i>Membrane Science and Technology</i> , 2004, 10, 169-253.	0.5	3
247	The Influence of Fluid Management Policy and Operational Changes on Metalworking Fluid Functionality. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2004, 126, 445-450.	1.3	5
248	Separation of immunoglobulin G precipitate from contaminating proteins using microfiltration. <i>Biotechnology and Applied Biochemistry</i> , 2004, 39, 241.	1.4	12
249	Secondary Membranes for Flux Optimization in Membrane Filtration of Biologic Suspensions. <i>Applied Biochemistry and Biotechnology</i> , 2004, 114, 417-432.	1.4	2
250	Analysis of continuous stirred ultrafiltration based on dimensional analysis approach. <i>Korean Journal of Chemical Engineering</i> , 2004, 21, 556-561.	1.2	4
251	Influences of colloidal stability and electrokinetic property on electrodialysis performance in the presence of silica sol. <i>Journal of Colloid and Interface Science</i> , 2004, 270, 406-412.	5.0	23
252	Multifield computational fluid dynamics model of particulate flow in curved circular tubes. <i>Theoretical and Computational Fluid Dynamics</i> , 2004, 18, 205-220.	0.9	20
253	Microfiltration of whey proteins adsorbed on yeast cells. <i>International Journal of Food Science and Technology</i> , 2004, 39, 71-78.	1.3	4
254	Clearance of minute virus of mice by flocculation and microfiltration. <i>Biotechnology and Bioengineering</i> , 2004, 86, 612-621.	1.7	15
255	Bioseparations. <i>Biotechnology and Bioengineering</i> , 2004, 87, 259-273.	1.7	89

#	ARTICLE	IF	CITATIONS
256	Optimized recovery of monoclonal antibodies from transgenic goat milk by microfiltration. <i>Biotechnology and Bioengineering</i> , 2004, 87, 274-285.	1.7	25
257	Murine leukemia virus clearance by flocculation and microfiltration. <i>Biotechnology and Bioengineering</i> , 2004, 88, 880-889.	1.7	15
258	Spiral wound modules and spacers. <i>Journal of Membrane Science</i> , 2004, 242, 129-153.	4.1	297
259	Effect of hydrodynamics and solution ionic strength on permeate flux in cross-flow filtration: direct experimental observation of filter cake cross-sections. <i>Journal of Membrane Science</i> , 2004, 241, 65-78.	4.1	73
260	Application of coagulation and conventional filtration in raw water pretreatment before microfiltration membranes. <i>Desalination</i> , 2004, 162, 61-73.	4.0	38
261	Crossflow microfiltration of mineral dispersions using ceramic membranes. <i>Desalination</i> , 2004, 163, 333-343.	4.0	15
262	Improved permeate flux by flocculation of biological feeds: comparison between theory and experiment. <i>Journal of Membrane Science</i> , 2004, 242, 57-71.	4.1	24
263	Effect of electro-acidification treatment and ionic environment on soy protein extract particle size distribution and ultrafiltration permeate flux. <i>Journal of Membrane Science</i> , 2004, 231, 169-179.	4.1	27
264	Concentration polarisation by natural organic matter (NOM) in NF and UF. <i>Journal of Membrane Science</i> , 2004, 233, 79-91.	4.1	52
265	Efficiency of membrane-sorption integrated processes. <i>Journal of Membrane Science</i> , 2004, 239, 129-141.	4.1	56
266	Indirect evidence for deposit rearrangement during dead-end microfiltration of iron coagulated suspensions. <i>Journal of Membrane Science</i> , 2004, 239, 243-254.	4.1	17
267	Membrane fractionation of milk: state of the art and challenges. <i>Journal of Membrane Science</i> , 2004, 243, 263-272.	4.1	351
268	Laminar flow in channels with wall suction or injection: a new model to study multi-channel filtration systems. <i>Chemical Engineering Science</i> , 2004, 59, 1039-1051.	1.9	67
269	In situ monitoring techniques for concentration polarization and fouling phenomena in membrane filtration. <i>Advances in Colloid and Interface Science</i> , 2004, 107, 83-108.	7.0	174
270	In-line coagulation with low-pressure membrane filtration. <i>Water Research</i> , 2004, 38, 4271-4281.	5.3	178
271	External Filter Cake Erosion: Mathematical Model and Experimental Study. , 2005, , .		39
272	A new model for calculating specific resistance of aggregated colloidal cake layers in membrane filtration processes. <i>Journal of Membrane Science</i> , 2005, 249, 89-101.	4.1	33
273	Mass transfer in microfiltration with laminar and turbulent flow of macromolecular solutions. <i>Journal of Membrane Science</i> , 2005, 249, 207-211.	4.1	7

#	ARTICLE	IF	CITATIONS
274	Artificial neural network model for transient crossflow microfiltration of polydispersed suspensions. <i>Journal of Membrane Science</i> , 2005, 258, 35-42.	4.1	76
275	A suspension flow model for hydrodynamics and concentration polarisation in crossflow microfiltration. <i>Journal of Membrane Science</i> , 2005, 253, 67-79.	4.1	44
276	Evolution of fouling during crossflow filtration of model EPS solutions. <i>Journal of Membrane Science</i> , 2005, 264, 190-199.	4.1	179
277	Development of an ultrasonic technique for in situ investigating the properties of deposited protein during crossflow ultrafiltration. <i>Journal of Colloid and Interface Science</i> , 2005, 284, 228-238.	5.0	44
278	Quantifying the effect of ionic strength on colloidal fouling potential in membrane filtration. <i>Journal of Colloid and Interface Science</i> , 2005, 284, 630-638.	5.0	51
279	Enhancement of electrodialysis performances using pulsing electric fields during extended period operation. <i>Journal of Colloid and Interface Science</i> , 2005, 287, 597-603.	5.0	42
280	Modeling flocculation of biological cells. <i>Powder Technology</i> , 2005, 156, 146-153.	2.1	22
281	Formulation and testing of a microfiltration compatible synthetic metalworking fluid. <i>Journal of Membrane Science</i> , 2005, 256, 18-18.	4.1	2
282	Interpretation of fouling characteristics of ultrafiltration membranes during the filtration of membrane bioreactor mixed liquor. <i>Journal of Membrane Science</i> , 2005, 264, 151-160.	4.1	202
283	Particle-particle interactions during normal flow filtration: Model simulations. <i>Chemical Engineering Science</i> , 2005, 60, 4073-4082.	1.9	34
284	Variations in backwash efficiency during colloidal filtration of hollow-fiber microfiltration membranes. <i>Desalination</i> , 2005, 173, 257-268.	4.0	30
285	Fouling mechanisms of alginate solutions as model extracellular polymeric substances. <i>Desalination</i> , 2005, 175, 7-20.	4.0	183
286	Critical flux aspect of air sparging and backflushing on membrane bioreactors. <i>Desalination</i> , 2005, 175, 61-71.	4.0	31
287	Influences of pH and ionic strength on ceramic microfiltration of TiO ₂ suspensions. <i>Desalination</i> , 2005, 177, 59-68.	4.0	16
288	Experimental study of domestic sewage treatment with a metal membrane bioreactor. <i>Desalination</i> , 2005, 177, 83-93.	4.0	47
289	Cross-flow microfiltration using ceramic membranes applied to the cuttlefish effluents treatment: effect of operating parameters and the addition of pre or post-treatment. <i>Desalination</i> , 2005, 177, 229-240.	4.0	13
290	Modeling of a Catalyzed Reaction Using Lipase Immobilized in a Poly(vinyl alcohol) Membrane. <i>Engineering in Life Sciences</i> , 2005, 5, 29-37.	2.0	0
291	Robust scale-up of dead end filtration: Impact of filter fouling mechanisms and flow distribution. <i>Biotechnology and Bioengineering</i> , 2005, 92, 308-320.	1.7	39

#	ARTICLE	IF	CITATIONS
292	Tangential flow microfiltration and ultrafiltration for human influenza A virus concentration and purification. <i>Biotechnology and Bioengineering</i> , 2005, 92, 199-208.	1.7	78
293	Critical flux determination of non-circular multi-channel ceramic membranes using TiO suspensions. <i>Journal of Membrane Science</i> , 2005, 254, 295-301.	4.1	29
294	Low fouling conditions in dead-end filtration: Evidence for a critical filtered volume and interpretation using critical osmotic pressure. <i>Journal of Membrane Science</i> , 2005, 264, 37-47.	4.1	64
295	Membrane treatment for palm oil mill effluent: Effect of transmembrane pressure and crossflow velocity. <i>Desalination</i> , 2005, 179, 245-255.	4.0	50
296	Effective Diameter for Shear-Induced Diffusion for Characterizing Cake Formation in Crossflow Microfiltration at Polydisperse Conditions. <i>Journal of Environmental Engineering, ASCE</i> , 2005, 131, 865-873.	0.7	17
297	Biofouling in membrane separation systems. , 2005, , 493-542.		5
298	Determination of Time Optimal Diafiltration for an Ultrafiltration Process. , 2005, , 959.		1
299	Direct Observation of Microbial Adhesion to Membranes. <i>Environmental Science & Technology</i> , 2005, 39, 6461-6469.	4.6	115
300	Methods Employed for Control of Fouling in MF and UF Membranes: A Comprehensive Review. <i>Separation Science and Technology</i> , 2005, 40, 1957-2005.	1.3	368
301	Hydrodynamic filtration for on-chip particle concentration and classification utilizing microfluidics. <i>Lab on A Chip</i> , 2005, 5, 1233.	3.1	448
302	Overview of Fouling Phenomena and Modeling Approaches for Membrane Bioreactors. <i>Separation Science and Technology</i> , 2006, 41, 1231-1251.	1.3	33
303	Separation of Plasma from Whole Human Blood in a Continuous Cross-Flow in a Molded Microfluidic Device. <i>Analytical Chemistry</i> , 2006, 78, 3765-3771.	3.2	198
304	In Situ Three-Dimensional Characterization of Membrane Fouling by Protein Suspensions Using Multiphoton Microscopy. <i>Langmuir</i> , 2006, 22, 6266-6272.	1.6	49
305	Cake Compressibility of Silica Colloids in Membrane Filtration Processes. <i>Industrial & Engineering Chemistry Research</i> , 2006, 45, 7633-7638.	1.8	22
306	Identification of wastewater sludge characteristics to predict critical flux for membrane bioreactor processes. <i>Water Research</i> , 2006, 40, 205-212.	5.3	150
307	Submerged microfiltration membrane coupled with alum coagulation/powdered activated carbon adsorption for complete decolorization of reactive dyes. <i>Water Research</i> , 2006, 40, 435-444.	5.3	183
308	Influence of Operating Conditions on Fouling Behavior in Wastewater Membrane Bioreactor Processes. <i>Proceedings of the Water Environment Federation</i> , 2006, 2006, 4791-4808.	0.0	1
309	Particle fouling in submerged microfiltration membranes: effects of hollow-fiber length and aeration rate. <i>Journal of Water Supply: Research and Technology - AQUA</i> , 2006, 55, 535-547.	0.6	9

#	ARTICLE	IF	CITATIONS
311	Sterilizing Filtration of Plasmid DNA: Effects of Plasmid Concentration, Molecular Weight, and Conformation. <i>Biotechnology Progress</i> , 2006, 22, 465-470.	1.3	19
312	Protein Fouling of Virus Filtration Membranes: Effects of Membrane Orientation and Operating Conditions. <i>Biotechnology Progress</i> , 2006, 22, 1163-1169.	1.3	43
313	Effect of Flow Configuration and Membrane Characteristics on Membrane Fouling in a Novel Multicoaxial Hollow-Fiber Bioartificial Liver. <i>Annals of the New York Academy of Sciences</i> , 2001, 944, 334-343.	1.8	30
314	The role of the nature and composition of solutions/suspensions in fouling of plane organic membranes in frontal filtration: Application to water and wastewater clarification. <i>Desalination</i> , 2006, 191, 71-78.	4.0	5
315	Performance and filtration characteristics of non-woven membranes used in a submerged membrane bioreactor for synthetic wastewater treatment. <i>Desalination</i> , 2006, 191, 8-15.	4.0	41
316	Effect of fiber lumen radius on the permeate flux of hollow fiber membrane modules. <i>Desalination</i> , 2006, 191, 365-370.	4.0	8
317	Prediction of flux decline in the ultrafiltration of macromolecules. <i>Desalination</i> , 2006, 192, 323-329.	4.0	10
318	A hybrid flotation-microfiltration cell for solid/liquid separation: operational characteristics. <i>Desalination</i> , 2006, 194, 135-145.	4.0	21
319	Study of dead-end microfiltration flux variety law. <i>Desalination</i> , 2006, 201, 175-184.	4.0	13
320	Effects of hydraulic retention time on behavior of start-up submerged membrane bioreactor with prolonged sludge retention time. <i>Desalination</i> , 2006, 195, 209-225.	4.0	35
321	Removal of phosphates from water by a hybrid flotation-membrane filtration cell. <i>Desalination</i> , 2006, 198, 198-207.	4.0	34
322	Application of a dynamic model for predicting flux decline in crossflow ultrafiltration. <i>Desalination</i> , 2006, 198, 303-309.	4.0	13
323	Efficiency of the hybrid coagulation-ultrafiltration water treatment process with the use of immersed hollow-fiber membranes. <i>Desalination</i> , 2006, 198, 102-110.	4.0	19
324	Effects of operating conditions on the performance of cross-flow microfiltration of fine particle/protein binary suspension. <i>Journal of Membrane Science</i> , 2006, 274, 183-191.	4.1	34
325	Advanced functional polymer membranes. <i>Polymer</i> , 2006, 47, 2217-2262.	1.8	1,758
326	Critical flux and rejection behaviour of non-circular-channelled membranes Influence of some operating conditions. <i>Separation and Purification Technology</i> , 2006, 50, 212-219.	3.9	22
327	The purification of protein in cross-flow microfiltration of microbe/protein mixtures. <i>Separation and Purification Technology</i> , 2006, 51, 416-423.	3.9	25
328	Blocking laws analysis of dead-end constant flux microfiltration of compressible cakes. <i>Journal of Colloid and Interface Science</i> , 2006, 301, 248-257.	5.0	78

#	ARTICLE	IF	CITATIONS
329	Protein aggregate deposition and fouling reduction strategies with high-flux silicon nitride microsieves. <i>Journal of Membrane Science</i> , 2006, 273, 68-76.	4.1	32
330	Synergistic effects in combined fouling of a loose nanofiltration membrane by colloidal materials and natural organic matter. <i>Journal of Membrane Science</i> , 2006, 278, 72-82.	4.1	174
331	Optimization of the membrane and pore design for micro-machined membranes. <i>Journal of Membrane Science</i> , 2006, 278, 239-250.	4.1	29
332	Graft coupling of PEO to mixed cellulose esters microfiltration membranes by UV irradiation. <i>Journal of Membrane Science</i> , 2006, 281, 211-218.	4.1	22
333	Critical flux enhancement in gas assisted microfiltration. <i>Journal of Membrane Science</i> , 2006, 281, 274-280.	4.1	22
334	Theoretical analysis of particle trajectories and sieving in a two-dimensional cross-flow filtration system. <i>Journal of Membrane Science</i> , 2006, 281, 666-675.	4.1	49
335	Critical flux and particle deposition of bidisperse suspensions during crossflow microfiltration. <i>Journal of Membrane Science</i> , 2006, 282, 189-197.	4.1	57
336	Cake layer formation in anaerobic submerged membrane bioreactors (AnSMBR) for wastewater treatment. <i>Journal of Membrane Science</i> , 2006, 284, 227-236.	4.1	97
337	Crossflow membrane filtration of interacting nanoparticle suspensions. <i>Journal of Membrane Science</i> , 2006, 284, 361-372.	4.1	80
338	Fouling in membrane bioreactors used in wastewater treatment. <i>Journal of Membrane Science</i> , 2006, 284, 17-53.	4.1	1,962
339	Effect of particle size on the performance of cross-flow microfiltration. <i>Advanced Powder Technology</i> , 2006, 17, 189-206.	2.0	32
340	Effect of fouling on the capacity and breakthrough characteristics of a packed bed ion exchange chromatography column. <i>Bioprocess and Biosystems Engineering</i> , 2006, 28, 405-414.	1.7	19
341	Effects of particle size segregation on crossflow microfiltration performance: Control mechanism for concentration polarisation and particle fractionation. <i>Journal of Membrane Science</i> , 2006, 268, 189-197.	4.1	52
342	Effects of ultra-/diafiltration conditions on present aggregates in human immunoglobulin G preparations. <i>Journal of Membrane Science</i> , 2006, 274, 108-115.	4.1	25
343	In situ 3D characterization of membrane fouling by yeast suspensions using two-photon femtosecond near infrared non-linear optical imaging. <i>Journal of Membrane Science</i> , 2006, 280, 124-133.	4.1	45
344	Critical and sustainable fluxes: Theory, experiments and applications. <i>Journal of Membrane Science</i> , 2006, 281, 42-69.	4.1	626
345	Predicting flux decline in crossflow membranes using artificial neural networks and genetic algorithms. <i>Journal of Membrane Science</i> , 2006, 283, 147-157.	4.1	90
346	Protein adsorption properties on a microfiltration membrane: A comparison between static and dynamic adsorption methods. <i>Journal of Membrane Science</i> , 2006, 285, 126-136.	4.1	58

#	ARTICLE	IF	CITATIONS
347	Vibrating polymeric microsieves: Antifouling strategies for microfiltration. <i>Journal of Membrane Science</i> , 2006, 285, 323-333.	4.1	32
348	Ultrafiltration with in-line coagulation for the removal of natural humic acid and membrane fouling mechanism. <i>Journal of Environmental Sciences</i> , 2006, 18, 880-884.	3.2	45
349	Comparison of different options for harvest of a therapeutic protein product from high cell density yeast fermentation broth. <i>Biotechnology and Bioengineering</i> , 2006, 94, 91-104.	1.7	41
350	Broth conditions determining specific cake resistance during microfiltration of <i>Bacillus subtilis</i> . <i>Biotechnology and Bioengineering</i> , 2006, 94, 346-352.	1.7	8
351	Optimizing the rotor design for controlled-shear affinity filtration using computational fluid dynamics. <i>Biotechnology and Bioengineering</i> , 2006, 95, 1207-1217.	1.7	10
352	Asymmetric membranes fabricated from poly(acrylonitrile-co-N-vinyl-2-pyrrolidone)s with excellent biocompatibility. <i>Journal of Applied Polymer Science</i> , 2006, 102, 4577-4583.	1.3	11
353	Dynamic optimization of dead-end membrane filtration. <i>Computer Aided Chemical Engineering</i> , 2006, 21, 1521-1525.	0.3	1
354	Cross-Flow Microfiltration of Fine Particles Suspended in Polymeric Aqueous Solution. <i>Separation Science and Technology</i> , 2006, 41, 1551-1563.	1.3	2
355	Microfiltration and Ultrafiltration As a Pretreatment For Nanofiltration of Surface Water. <i>Separation Science and Technology</i> , 2006, 41, 1-23.	1.3	34
356	Critical Review on the Effects of Mixed Liquor Suspended Solids on Membrane Bioreactor Operation. <i>Separation Science and Technology</i> , 2006, 41, 1489-1511.	1.3	23
358	Development of a Novel Metalworking Fluid Engineered for Use With Microfiltration Recycling. <i>Journal of Tribology</i> , 2007, 129, 135-142.	1.0	7
359	Influence of Permeation Relaxation on Particle Dispersion in Wastewater Membrane Bioreactor Processes. <i>Proceedings of the Water Environment Federation</i> , 2007, 2007, 6496-6519.	0.0	1
360	In-Situ Erosion of Damaged Formation During Injectivity Decline (PWRI and Seawater Flood). , 2007, , .		2
361	Thermophilic treatment of acidified and partially acidified wastewater using an anaerobic submerged MBR: Factors affecting long-term operational flux. <i>Water Research</i> , 2007, 41, 3868-3879.	5.3	70
362	Internal Erosion in Rocks During Produced and Seawater Injection. , 2007, , .		2
363	Modeling of Particle Fouling and Membrane Blocking in Submerged Membrane Filtration. <i>Separation Science and Technology</i> , 2007, 42, 2595-2614.	1.3	14
364	Reactive Amphiphilic Graft Copolymer Coatings Applied to Poly(vinylidene fluoride) Ultrafiltration Membranes. <i>Macromolecules</i> , 2007, 40, 3624-3630.	2.2	94
365	Animal Cell Biotechnology. <i>Methods in Biotechnology</i> , 2007, , .	0.2	12

#	ARTICLE	IF	CITATIONS
366	Membrane Filtration in Animal Cell Culture. <i>Methods in Biotechnology</i> , 2007, , 397-420.	0.2	10
367	COMBINING ULTRAFILTRATION PROCESS WITH COAGULATION PRETREATMENT FOR PULP MILL WASTEWATER TREATMENT. <i>Environmental Technology (United Kingdom)</i> , 2007, 28, 995-1006.	1.2	13
368	Adsorption of Amylase Enzyme on Ultrafiltration Membranes. <i>Langmuir</i> , 2007, 23, 9341-9351.	1.6	38
369	Dielectrophoretic Levitation in the Presence of Shear Flow: Implications for Colloidal Fouling of Filtration Membranes. <i>Langmuir</i> , 2007, 23, 10618-10627.	1.6	24
370	Olive Oil Waste Treatment: A Comparative and Critical Presentation of Methods, Advantages & Disadvantages. <i>Critical Reviews in Food Science and Nutrition</i> , 2007, 47, 187-229.	5.4	56
371	Interrelated Effects of Aeration and Mixed Liquor Fractions on Membrane Fouling for Submerged Membrane Bioreactor Processes in Wastewater Treatment. <i>Environmental Science & Technology</i> , 2007, 41, 2523-2528.	4.6	81
372	Membranes for Bioseparations. , 2007, , 163-183.		3
373	Microfiltration of Concentrated Suspensions of a Microparticulate Ion-Exchanger Through a Ceramic Membrane. <i>Separation Science and Technology</i> , 2007, 42, 3003-3010.	1.3	3
374	Improving Hydrophilicity and Protein Resistance of Poly(vinylidene fluoride) Membranes by Blending with Amphiphilic Hyperbranched-Star Polymer. <i>Langmuir</i> , 2007, 23, 5779-5786.	1.6	240
375	Perfusion in Microfluidic Cross-Flow: Separation of White Blood Cells from Whole Blood and Exchange of Medium in a Continuous Flow. <i>Analytical Chemistry</i> , 2007, 79, 2023-2030.	3.2	117
376	Characterization of Cake Layer in Submerged Membrane Bioreactor. <i>Environmental Science & Technology</i> , 2007, 41, 4065-4070.	4.6	230
377	Filtrationsverfahren mit Membranen und ihre Modellierung. <i>Chemie-Ingenieur-Technik</i> , 2007, 79, 1765-1776.	0.4	10
378	Membrane fouling by cell-protein mixtures: In situ characterisation using multi-photon microscopy. <i>Biotechnology and Bioengineering</i> , 2007, 96, 1083-1091.	1.7	14
379	Adhesion of nanosized nickel catalysts in the nanocatalysis/Uf system. <i>AIChE Journal</i> , 2007, 53, 1204-1210.	1.8	36
380	Validation of dynamic models to predict flux decline in the ultrafiltration of macromolecules. <i>Desalination</i> , 2007, 204, 344-350.	4.0	7
381	Utilization of a shear induced diffusion model to predict permeate flux in the crossflow ultrafiltration of macromolecules. <i>Desalination</i> , 2007, 206, 61-68.	4.0	14
382	Study of a cake model during stirred dead-end microfiltration. <i>Desalination</i> , 2007, 217, 127-138.	4.0	35
383	Porous membranes modified by hyperbranched polymers II.. <i>Journal of Membrane Science</i> , 2007, 304, 138-147.	4.1	53

#	ARTICLE	IF	CITATIONS
384	Dynamic optimization of a dead-end filtration trajectory: Non-ideal cake filtration. <i>Journal of Membrane Science</i> , 2007, 290, 114-124.	4.1	14
385	Fouling of reverse osmosis membranes by biopolymers in wastewater secondary effluent: Role of membrane surface properties and initial permeate flux. <i>Journal of Membrane Science</i> , 2007, 290, 173-181.	4.1	291
386	Bioprocess membrane technology. <i>Journal of Membrane Science</i> , 2007, 297, 16-50.	4.1	637
387	Fluid dynamic gauging: A new tool to study deposition on porous surfaces. <i>Journal of Membrane Science</i> , 2007, 296, 29-41.	4.1	30
388	Dextran fouling of polyethersulfone ultrafiltration membranes—Causes, extent and consequences. <i>Journal of Membrane Science</i> , 2007, 296, 147-155.	4.1	73
389	Reactor performance and membrane filtration in aerobic granular sludge membrane bioreactor. <i>Journal of Membrane Science</i> , 2007, 304, 24-32.	4.1	81
390	New insights into membrane fouling in submerged membrane bioreactor based on rheology and hydrodynamics concepts. <i>Journal of Membrane Science</i> , 2007, 302, 87-94.	4.1	73
391	Biofouling development and rejection enhancement in long SRT MF membrane bioreactor. <i>Process Biochemistry</i> , 2007, 42, 1641-1648.	1.8	29
392	Cake formation and consolidation: Main factors governing the applicable flux in anaerobic submerged membrane bioreactors (AnSMBR) treating acidified wastewaters. <i>Separation and Purification Technology</i> , 2007, 56, 71-78.	3.9	127
393	Influence of the strongly anisotropic cross-section morphology of a novel polyethersulfone microfiltration membrane on filtration performance. <i>Separation and Purification Technology</i> , 2007, 57, 63-73.	3.9	72
394	Use of models in the design of cross-flow microfilters for the purification of protein from bio-mixtures. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2007, 38, 125-133.	1.4	5
395	Modeling of the concentration polarization in cross-flow microfiltration of highly viscous media. <i>Theoretical Foundations of Chemical Engineering</i> , 2007, 41, 205-212.	0.2	2
396	Separation of enzymes and yeast cells with a vibrating hollow fiber membrane module. <i>Separation and Purification Technology</i> , 2007, 53, 111-118.	3.9	44
397	A combination of serial resistances and concentration polarization models along the membrane in ultrafiltration of pectin and albumin solutions. <i>Separation and Purification Technology</i> , 2007, 54, 18-27.	3.9	11
398	Controlling submicron particle deposition in a side-stream membrane bioreactor: A theoretical hydrodynamic modelling approach incorporating energy consumption. <i>Journal of Membrane Science</i> , 2007, 297, 141-151.	4.1	25
399	Electro-ultrafiltration of industrial enzyme solutions. <i>Journal of Membrane Science</i> , 2007, 299, 28-37.	4.1	60
400	Hollow fiber dead-end ultrafiltration: Influence of ionic environment on filtration of alginates. <i>Journal of Membrane Science</i> , 2008, 308, 218-229.	4.1	97
401	An integrated model for physical-biological wastewater organic removal in a submerged membrane bioreactor: Model development and parameter estimation. <i>Journal of Membrane Science</i> , 2008, 322, 1-12.	4.1	76

#	ARTICLE	IF	CITATIONS
402	Whey protein fouling of large pore-size ceramic microfiltration membranes at small cross-flow velocity. <i>Journal of Membrane Science</i> , 2008, 323, 17-27.	4.1	30
403	Improving permeate flux and product transmission in the microfiltration of a bacterial cell suspension by flocculation with cationic polyelectrolytes. <i>Journal of Membrane Science</i> , 2008, 324, 198-208.	4.1	20
404	Flux enhancement and cake formation in air-sparged cross-flow microfiltration. <i>Chemical Engineering Journal</i> , 2008, 139, 296-303.	6.6	19
405	A comprehensive study on membrane fouling in submerged membrane bioreactors operated under different aeration intensities. <i>Separation and Purification Technology</i> , 2008, 59, 91-100.	3.9	191
406	Membrane fouling and resistance analysis in dead-end ultrafiltration of <i>Bacillus subtilis</i> fermentation broths. <i>Separation and Purification Technology</i> , 2008, 63, 531-538.	3.9	56
407	Surface glycosylation of polymeric membranes. <i>Science in China Series B: Chemistry</i> , 2008, 51, 901-910.	0.8	9
408	Initial Deposition of Colloidal Particles on a Rough Nanofiltration Membrane. <i>Canadian Journal of Chemical Engineering</i> , 2007, 85, 570-579.	0.9	9
409	Selective precipitation-assisted recovery of immunoglobulins from bovine serum using controlled-fouling crossflow membrane microfiltration. <i>Biotechnology and Bioengineering</i> , 2008, 101, 957-966.	1.7	25
410	Use of Fluidized Bed for Intensification of Microfiltration on Ceramic Membranes. <i>Asia-Pacific Journal of Chemical Engineering</i> , 1995, 3, 139-149.	0.0	1
411	A comparison of hydrodynamic methods for mitigating particle fouling in submerged membrane filtration. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2008, 39, 257-264.	1.4	8
412	Crosslinked poly(ethylene oxide) fouling resistant coating materials for oil/water separation. <i>Journal of Membrane Science</i> , 2008, 307, 260-267.	4.1	203
413	Free-solvent model shows osmotic pressure is the dominant factor in limiting flux during protein ultrafiltration. <i>Journal of Membrane Science</i> , 2008, 320, 335-343.	4.1	14
414	Tangential flow filtration for virus purification. <i>Journal of Membrane Science</i> , 2008, 321, 373-380.	4.1	43
415	Modeling of the permeate flux decline during MF and UF cross-flow filtration of soy sauce lees. <i>Journal of Membrane Science</i> , 2008, 322, 491-502.	4.1	30
416	Sterilizing filtration—Principles and practice for successful scale-up to manufacturing. <i>Journal of Membrane Science</i> , 2008, 325, 223-237.	4.1	40
417	Preparation and characterization of hydrophilic modification of polypropylene non-woven fabric by dip-coating PVA (polyvinyl alcohol). <i>Separation and Purification Technology</i> , 2008, 61, 276-286.	3.9	151
418	Combination of crossflow and electric field for microfiltration of protein/microbial cell suspensions. <i>Desalination</i> , 2008, 233, 295-302.	4.0	20
419	Filtration characteristics in dead-end microfiltration of living <i>Saccharomyces cerevisiae</i> cells by alumina membranes. <i>Desalination</i> , 2008, 229, 348-361.	4.0	26

#	ARTICLE	IF	CITATIONS
420	Feasibility of thermophilic anaerobic submerged membrane bioreactors (AnSMBR) for wastewater treatment. <i>Desalination</i> , 2008, 231, 227-235.	4.0	41
421	Particles deposition during the cross-flow microfiltration of red wines—incidence of the hydrodynamic conditions and of the yeast to fines ratio. <i>Chemical Engineering and Processing: Process Intensification</i> , 2008, 47, 276-286.	1.8	23
422	Classification and evaluation of microfluidic devices for continuous suspension fractionation. <i>Advances in Colloid and Interface Science</i> , 2008, 142, 53-66.	7.0	66
423	Fouling in air sparged submerged hollow fiber membranes at sub- and super-critical flux conditions. <i>Journal of Membrane Science</i> , 2008, 307, 169-180.	4.1	13
424	Analytical micro model for size exclusion: Pore blocking and permeability reduction. <i>Journal of Membrane Science</i> , 2008, 308, 115-127.	4.1	46
425	Analyses of polysaccharide fouling mechanisms during crossflow membrane filtration. <i>Journal of Membrane Science</i> , 2008, 308, 152-161.	4.1	118
426	Effects of background cations on the fouling of polyethersulfone membranes by natural organic matter: Experimental and molecular modeling study. <i>Journal of Membrane Science</i> , 2008, 309, 128-140.	4.1	169
427	Modification of porous poly(vinylidene fluoride) membrane using amphiphilic polymers with different structures in phase inversion process. <i>Journal of Membrane Science</i> , 2008, 310, 567-576.	4.1	183
428	Surface glycosylation of polyacrylonitrile ultrafiltration membrane to improve its anti-fouling performance. <i>Journal of Membrane Science</i> , 2008, 325, 479-485.	4.1	57
429	Membrane Separation Technology: Past, Present, and Future. <i>ACS Symposium Series</i> , 2008, , 281-333.	0.5	1
430	Global Model for Optimizing Crossflow Microfiltration and Ultrafiltration Processes: A New Predictive and Design Tool. <i>Biotechnology Progress</i> , 2008, 21, 1013-1025.	1.3	23
431	Monitoring influenza virus content in vaccine production: Precise assays for the quantitation of hemagglutination and neuraminidase activity. <i>Biologicals</i> , 2008, 36, 145-161.	0.5	113
432	Olive Oil Waste Management: Treatment Methods and Potential Uses of Treated Waste. , 2008, , 453-568.		18
433	High-performance thin-layer hydrogel composite membranes for ultrafiltration of natural organic matter. <i>Water Research</i> , 2008, 42, 2827-2835.	5.3	68
434	Biological black water treatment combined with membrane separation. <i>Water Research</i> , 2008, 42, 4334-4340.	5.3	89
435	Effect of Flocculation on Critical Flux during Crossflow Microfiltration of Bentonite Suspensions. <i>Separation Science and Technology</i> , 2008, 43, 29-44.	1.3	4
436	Affinity Adsorption of Cells to Surfaces and Strategies for Cell Detachment. , 2007, 106, 75-99.		0
437	Partial Pore Blocking in Microfiltration Recycling of a Semisynthetic Metalworking Fluid. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2008, 130, .	1.3	6

#	ARTICLE	IF	CITATIONS
438	Dynamic Simulations of Alumina Membrane Fouling From Recycling of Semisynthetic Metalworking Fluids. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2008, 130, .	1.3	7
439	Techniques to Enhance Performance of Membrane Processes. , 2008, , 193-232.		2
440	Permeability Enhancement in Ceramic Crossflow Microfiltration for Treatment of Produced Water With High Frequency Backpulse. <i>Proceedings of the Water Environment Federation</i> , 2008, 2008, 57-76.	0.0	1
443	The influence of various operating conditions on specific cake resistance in the crossflow microfiltration of yeast suspensions. <i>Desalination and Water Treatment</i> , 2009, 1, 237-247.	1.0	13
444	Comparative Performance Between a Novel Aerobic Granular Sludge Membrane Bioreactor and a Conventional Activated Floc Sludge Membrane Bioreactor. , 2009, , .		1
445	Bioremoval of Metal Ion and Water Treatment in a Hybrid Unit. <i>Separation Science and Technology</i> , 2009, 44, 3597-3614.	1.3	9
446	Developments in Membrane Science for Downstream Processing. , 0, , 245-263.		1
448	Implications of critical flux and cake enhanced osmotic pressure (CEOP) on colloidal fouling in reverse osmosis: Modeling approach. <i>Desalination and Water Treatment</i> , 2009, 8, 68-90.	1.0	24
450	Surface modification of polypropylene microporous membrane by grafting acrylic acid using physisorbed initiators method. <i>Journal of Applied Polymer Science</i> , 2009, 112, 3728-3735.	1.3	18
451	Modeling shear-induced diffusion force in particulate flows. <i>Computers and Fluids</i> , 2009, 38, 727-737.	1.3	12
452	Ultrafiltration fouling of amylose solution: Behavior, characterization and mechanism. <i>Journal of Food Engineering</i> , 2009, 95, 423-431.	2.7	16
453	Preparation and characterization of crosslinked poly(ethylene glycol) diacrylate hydrogels as fouling-resistant membrane coating materials. <i>Journal of Membrane Science</i> , 2009, 330, 180-188.	4.1	145
454	Interplay among membrane properties, protein properties and operating conditions on protein fouling during normal-flow microfiltration. <i>Journal of Membrane Science</i> , 2009, 332, 93-103.	4.1	41
455	A unified model of the time dependence of flux decline for the long-term ultrafiltration of whey. <i>Journal of Membrane Science</i> , 2009, 332, 69-80.	4.1	36
456	Dielectrophoretically intensified cross-flow membrane filtration. <i>Journal of Membrane Science</i> , 2009, 336, 71-78.	4.1	43
457	Effect of backwash on the performance of submerged membrane filtration. <i>Journal of Membrane Science</i> , 2009, 330, 349-356.	4.1	59
458	Effects of in-phase oscillation of retentate and filtrate in crossflow filtration at low Reynolds number. <i>Journal of Membrane Science</i> , 2009, 345, 36-46.	4.1	20
459	Incorporating pore blocking, cake filtration, and EPS production in a model for constant pressure bacterial fouling during dead-end microfiltration. <i>Journal of Membrane Science</i> , 2009, 345, 81-89.	4.1	24

#	ARTICLE	IF	CITATIONS
460	Combined fouling of nanofiltration membranes: Mechanisms and effect of organic matter. <i>Journal of Membrane Science</i> , 2009, 327, 87-95.	4.1	137
461	Removal of disinfection by-product precursors by UF and NF membranes in low-SUVA waters. <i>Journal of Membrane Science</i> , 2009, 328, 104-112.	4.1	67
462	The potential for power production from salinity gradients by pressure retarded osmosis. <i>Journal of Membrane Science</i> , 2009, 335, 103-110.	4.1	335
463	Ultrafiltration concentration of monoclonal antibody solutions: Development of an optimized method minimizing aggregation. <i>Journal of Membrane Science</i> , 2009, 342, 50-59.	4.1	63
464	High performance polyethersulfone microfiltration membranes having high flux and stable hydrophilic property. <i>Journal of Membrane Science</i> , 2009, 342, 153-164.	4.1	102
465	Purification of protease from pre-treated tuna spleen extract by ultrafiltration: An altered operational mode involving critical flux condition and diafiltration. <i>Separation and Purification Technology</i> , 2009, 66, 368-374.	3.9	19
466	Use of hydrodynamic and electrical measurements to determine protein fouling mechanisms for microfiltration membranes with different structures and materials. <i>Separation and Purification Technology</i> , 2009, 66, 517-524.	3.9	35
467	Fouling models for low-pressure membrane systems. <i>Separation and Purification Technology</i> , 2009, 68, 293-304.	3.9	65
468	Cross-flow microfiltration of dilute macromolecular suspension. <i>Separation and Purification Technology</i> , 2009, 68, 328-334.	3.9	17
469	Fouling in microfiltration of wine: The influence of the membrane polymer on adsorption of polyphenols and polysaccharides. <i>Separation and Purification Technology</i> , 2009, 68, 335-342.	3.9	109
470	Membrane-based techniques for the separation and purification of proteins: An overview. <i>Advances in Colloid and Interface Science</i> , 2009, 145, 1-22.	7.0	410
471	Model-based evaluation of cell retention by crossflow ultrafiltration during fed-batch fermentations with <i>Escherichia coli</i> . <i>Biochemical Engineering Journal</i> , 2009, 44, 280-288.	1.8	9
472	Development of membrane testing protocols for characterisation of RO and NF membranes. <i>Desalination</i> , 2009, 236, 194-201.	4.0	8
473	The convective model of flux prediction in a hollow-fiber module for a steady-state cross-flow microfiltration system. <i>Desalination</i> , 2009, 238, 192-209.	4.0	8
474	Study of unsteady-state flux prediction in cross-flow microfiltration. <i>Desalination</i> , 2009, 238, 290-301.	4.0	16
475	Application of backflushing for fouling reduction during microfiltration of yeast suspensions. <i>Desalination</i> , 2009, 240, 46-53.	4.0	18
476	Evaluation of quantitative performance of the membrane filtration-differential mobility analyzer (MF-DMA) counting technique to determine suspended particles and dissolved solids in water. <i>Desalination</i> , 2009, 247, 316-325.	4.0	8
477	Transport and elastic parameters for dense regenerated cellulose membranes. <i>Desalination</i> , 2009, 245, 579-586.	4.0	2

#	ARTICLE	IF	CITATIONS
478	Purification of the baculovirus <i>Autographa californica</i> M nucleopolyhedrovirus by tangential flow ultrafiltration. <i>Desalination</i> , 2009, 245, 694-700.	4.0	12
479	Effects of the acidogenic biomass on the performance of an anaerobic membrane bioreactor for wastewater treatment. <i>Bioresource Technology</i> , 2009, 100, 1951-1956.	4.8	43
480	Membrane fouling in a submerged membrane bioreactor treating high strength municipal wastewater. <i>Desalination and Water Treatment</i> , 2009, 7, 267-274.	1.0	6
481	Combination of one-dimensional TiO ₂ nanowire photocatalytic oxidation with microfiltration for water treatment. <i>Water Research</i> , 2009, 43, 1179-1186.	5.3	109
482	Zero Nuisance Piggeries: Long-term performance of MBR (membrane bioreactor) for dilute swine wastewater treatment using submerged membrane bioreactor in semi-industrial scale. <i>Water Research</i> , 2009, 43, 1549-1558.	5.3	12
483	Influence of filtration conditions on membrane fouling and scouring aeration effectiveness in submerged membrane bioreactors to treat municipal wastewater. <i>Water Research</i> , 2009, 43, 3548-3558.	5.3	32
484	Pretreatment for Low Pressure Membranes in Water Treatment: A Review. <i>Environmental Science & Technology</i> , 2009, 43, 3011-3019.	4.6	471
485	A Review of Membrane Fouling in MBRs: Characteristics and Role of Sludge Cake Formed on Membrane Surfaces. <i>Separation Science and Technology</i> , 2009, 44, 3571-3596.	1.3	84
486	Cross-Flow Microfiltration of Oily Water using a Ceramic Membrane: Flux Decline and Oil Adsorption. <i>Separation Science and Technology</i> , 2009, 44, 3435-3454.	1.3	4
487	Effects of Air-Sparging on the Filtration Flux and Cake Properties in Cross-Flow Microfiltration of Size-Distributed Fine Particles. <i>Separation Science and Technology</i> , 2009, 44, 3485-3505.	1.3	4
488	Simulations of confined suspension flow at multiple length scales. <i>Soft Matter</i> , 2009, 5, 4376.	1.2	40
489	An approach to theoretical prediction of permeate flux decline in ultrafiltration. <i>Desalination and Water Treatment</i> , 2009, 10, 134-138.	1.0	2
490	Electrical Characterization of Membranes. , 0, , 175-207.		8
491	Temporal variation of foulant characteristics in membrane bioreactor. <i>Desalination and Water Treatment</i> , 2009, 6, 69-73.	1.0	2
493	Biorepellent Organic Coatings for Improved Microsieve Filtration. <i>ACS Symposium Series</i> , 2010, , 151-163.	0.5	1
494	Selective deposition of fine particles in constant-flux submerged membrane filtration. <i>Chemical Engineering Journal</i> , 2010, 157, 323-330.	6.6	17
495	Interfacial and fouling effects on diffusional permeability across a composite ceramic membrane. <i>Ceramics International</i> , 2010, 36, 797-801.	2.3	22
496	Water uptake, transport and structure characterization in poly(ethylene glycol) diacrylate hydrogels. <i>Journal of Membrane Science</i> , 2010, 347, 197-208.	4.1	88

#	ARTICLE	IF	CITATIONS
497	Performance and effects of polymeric membranes on the dead-end microfiltration of protein solution during filtration cycles. <i>Journal of Membrane Science</i> , 2010, 352, 143-152.	4.1	16
498	Corn syrup clarification by microfiltration with ceramic membranes. <i>Journal of Membrane Science</i> , 2010, 363, 87-95.	4.1	36
499	Determination of critical flux by mass balance technique combined with direct observation image analysis. <i>Journal of Membrane Science</i> , 2010, 365, 106-113.	4.1	18
500	Recent advances in membrane bioreactor technology for wastewater treatment in China. <i>Frontiers of Environmental Science and Engineering in China</i> , 2010, 4, 245-271.	0.8	96
501	Microfiltration performance of regenerated cellulose membrane prepared at low temperature for wastewater treatment. <i>Cellulose</i> , 2010, 17, 1159-1169.	2.4	48
502	Analysis of Particle Fouling in Constant Pressure Submerged Membrane Filtration. <i>Chemical Engineering and Technology</i> , 2010, 33, 1327-1333.	0.9	4
503	<i>In situ</i> crosslinking of hyperbranched polyglycerol in casting solutions and its effect on the structure and properties of porous PVDF membranes. <i>Journal of Applied Polymer Science</i> , 2010, 117, 548-556.	1.3	0
504	A comparative study of the growth of lactic acid bacteria in a pilot scale membrane bioreactor. <i>Journal of Chemical Technology and Biotechnology</i> , 2010, 85, 1250-1259.	1.6	14
505	Effect of high voltage electrical discharges on filtration properties of <i>Saccharomyces cerevisiae</i> yeast suspensions. <i>Journal of Membrane Science</i> , 2010, 346, 288-295.	4.1	14
506	Comparison of membrane fouling in dead-end microfiltration of denitrifying granular sludge suspension and its supernatant. <i>Journal of Membrane Science</i> , 2010, 352, 100-106.	4.1	10
507	Factors affecting sludge cake formation in a submerged anaerobic membrane bioreactor. <i>Journal of Membrane Science</i> , 2010, 361, 126-134.	4.1	106
508	Cross-flow microfiltration of rough non-alcoholic beer and diluted malt extract with tubular ceramic membranes: Investigation of fouling mechanisms. <i>Journal of Membrane Science</i> , 2010, 362, 306-316.	4.1	36
509	Clarification of aqueous corn extracts by tangential flow microfiltration. <i>Journal of Membrane Science</i> , 2010, 365, 123-129.	4.1	6
510	Influence of polydopamine deposition conditions on pure water flux and foulant adhesion resistance of reverse osmosis, ultrafiltration, and microfiltration membranes. <i>Polymer</i> , 2010, 51, 3472-3485.	1.8	338
511	Effect of colloids on salt transport in crossflow nanofiltration. <i>Journal of Membrane Science</i> , 2010, 346, 240-249.	4.1	15
512	A microfluidic membrane chip for <i>in situ</i> fouling characterization. <i>Journal of Membrane Science</i> , 2010, 346, 202-207.	4.1	36
513	Effect of sludge characteristics on membrane fouling in membrane bioreactors. <i>Journal of Membrane Science</i> , 2010, 349, 287-294.	4.1	96
514	Critical flux and particle deposition of fractal flocs during crossflow microfiltration. <i>Journal of Membrane Science</i> , 2010, 353, 28-35.	4.1	15

#	ARTICLE	IF	CITATIONS
515	Evaluation of backwash efficiency, definition of remaining fouling and characterisation of its contribution in irreversible fouling: Case of drinking water production by air-assisted ultra-filtration. <i>Journal of Membrane Science</i> , 2010, 355, 104-111.	4.1	44
516	Effects of shear on microfiltration and ultrafiltration fouling by marine bloom-forming algae. <i>Journal of Membrane Science</i> , 2010, 356, 33-43.	4.1	101
517	Effect of gel particle softness on the performance of cross-flow microfiltration. <i>Journal of Membrane Science</i> , 2010, 365, 130-137.	4.1	14
518	A comparative study of tertiary membrane filtration of industrial wastewater treated in a granular and a flocculent sludge SBR. <i>Desalination</i> , 2010, 250, 810-814.	4.0	27
519	Inorganic fouling of pressure-driven membrane processes – A critical review. <i>Desalination</i> , 2010, 250, 236-248.	4.0	367
520	Concentration of the baculovirus <i>Autographa californica</i> M nucleopolyhedrovirus (AcMNPV) by ultrafiltration. <i>Desalination</i> , 2010, 250, 1125-1127.	4.0	15
521	Investigation of membrane fouling in cross flow microfiltration of non-alcoholic beer and modeling of tubular membrane flow. <i>Desalination</i> , 2010, 251, 20-28.	4.0	14
522	Influence of operating conditions on cleaning efficiency in sequencing batch reactor (SBR) activated sludge process – water rinsing introduced membrane filtration process. <i>Desalination</i> , 2010, 259, 235-242.	4.0	42
523	Modeling the performance of a standard single stirred ultrafiltration cell using variable velocity back transport flux. <i>Desalination</i> , 2010, 261, 89-98.	4.0	6
524	Evaluation of biofouling potential of microorganism using flow field-flow fractionation (FI-FFF). <i>Desalination</i> , 2010, 264, 236-242.	4.0	9
525	Water purification by membranes: The role of polymer science. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 1685-1718.	2.4	798
526	Post-treatment of upflow anaerobic sludge blanket effluent by combining the membrane filtration process: fouling control by intermittent permeation and air sparging. <i>Water and Environment Journal</i> , 2010, 24, 32-38.	1.0	18
527	Crossflow Ultrafiltration Properties of Monodisperse Nanoparticle Suspensions in Laminar Flow. <i>Journal of Chemical Engineering of Japan</i> , 2010, 43, 938-945.	0.3	2
529	Fundamentals of Cross-Flow Microfiltration. , 2010, , 141-153.		1
530	Converging on the function of intrinsically disordered nucleoporins in the nuclear pore complex. <i>Biological Chemistry</i> , 2010, 391, 719-30.	1.2	43
531	Effect of Disruption Methods on the Dead-End Microfiltration Behavior of Yeast Suspension. <i>Separation Science and Technology</i> , 2010, 45, 1042-1050.	1.3	14
532	Treatment of kraft evaporator condensate using a thermophilic submerged anaerobic membrane bioreactor. <i>Water Science and Technology</i> , 2010, 61, 2177-2183.	1.2	33
533	Membrane Fouling and Cleaning in Food and Bioprocessing. , 2010, , 213-254.		28

#	ARTICLE	IF	CITATIONS
534	Three-Dimensional Simulation of Cross-Flow Microfilter Fouling in Tortuous Pore Profiles With Semi-Synthetic Metalworking Fluids. , 2010, , .		2
535	The hydrodynamic effect of microparticles on membrane resistance. <i>Desalination and Water Treatment</i> , 2010, 14, 227-232.	1.0	1
536	Chapter 9 Membrane Bioreactors: Theory and Applications to Wastewater Reuse. <i>Sustainability Science and Engineering</i> , 2010, 2, 255-292.	0.6	13
537	Impacts of salinity on the performance of high retention membrane bioreactors for water reclamation: A review. <i>Water Research</i> , 2010, 44, 21-40.	5.3	231
538	Chemical cleaning of potable water membranes: The cost benefit of optimisation. <i>Water Research</i> , 2010, 44, 1389-1398.	5.3	51
539	Membrane Fouling Mitigation: Membrane Cleaning. <i>Separation Science and Technology</i> , 2010, 45, 858-872.	1.3	140
540	Micellar casein concentrate production with a 3X, 3-stage, uniform transmembrane pressure ceramic membrane process at 50Å°C. <i>Journal of Dairy Science</i> , 2010, 93, 5588-5600.	1.4	68
541	Integrated Membrane Operations in Various Industrial Sectors. , 2010, , 109-164.		19
542	Composite Membranes Based on a Selective Chitosanâ~Poly(ethylene glycol) Hybrid Layer: Synthesis, Characterization, and Performance in Oilâ~Water Purification. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 366-373.	1.8	53
543	Suspension flow modelling in particle migration and microfiltration. <i>Soft Matter</i> , 2010, 6, 6052.	1.2	67
544	Performance evaluation of microfiltration with electrocoagulation and chemical coagulation pretreatment. <i>Desalination and Water Treatment</i> , 2011, 34, 141-149.	1.0	4
545	Review of fouling by mixed feeds in membrane filtration applied to water purification. <i>Desalination and Water Treatment</i> , 2011, 35, 68-81.	1.0	28
546	Fouling Behavior of Microstructured Hollow Fiber Membranes in Dead-End Filtrations: Critical Flux Determination and NMR Imaging of Particle Deposition. <i>Langmuir</i> , 2011, 27, 1643-1652.	1.6	60
547	High frequency back-pulsing for fouling development control in ceramic microfiltration for treatment of produced water. <i>Desalination and Water Treatment</i> , 2011, 28, 137-152.	1.0	21
548	Cross-Flow Microfiltration of Industrial Oily Wastewater: Experimental and Theoretical Consideration. <i>Separation Science and Technology</i> , 2011, 46, 1213-1223.	1.3	78
549	Composites of functional polymeric hydrogels and porous membranes. <i>Journal of Materials Chemistry</i> , 2011, 21, 2783-2811.	6.7	186
550	Comparison of MFI-UF constant pressure, MFI-UF constant flux and Crossflow Sampler-Modified Fouling Index Ultrafiltration (CFS-MFIUF). <i>Water Research</i> , 2011, 45, 1639-1650.	5.3	46
551	Effect of temperature shocks on membrane fouling in membrane bioreactors. <i>Water Research</i> , 2011, 45, 4491-4500.	5.3	91

#	ARTICLE	IF	CITATIONS
552	Relationship between types of surface shear stress profiles and membrane fouling. <i>Water Research</i> , 2011, 45, 6403-6416.	5.3	57
553	Membrane Biological Reactors. , 2011, , 571-613.		24
554	Bioseparations. , 2011, , 499-520.		4
555	Preparation and Characterization of Membranes Formed by Nonsolvent Induced Phase Separation: A Review. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 3798-3817.	1.8	1,116
556	Fibre-in-Fibre Bioartificial Liver device: initial in vitro testing. <i>International Journal of Biomedical Engineering and Technology</i> , 2011, 6, 323.	0.2	4
557	CHEMICAL CLEANING OF REVERSE OSMOSIS MEMBRANE FOULED BY APPLE JUICE. <i>Journal of Food Process Engineering</i> , 2011, 34, 1535-1557.	1.5	6
558	Flux enhancement using oscillatory motion and turbulence promoters. <i>Journal of Membrane Science</i> , 2011, 381, 64-73.	4.1	27
559	Colloidal and bacterial fouling during constant flux microfiltration: Comparison of classical blocking laws with a unified model combining pore blocking and EPS secretion. <i>Journal of Membrane Science</i> , 2011, 382, 148-157.	4.1	47
560	Cross-flow microfiltration applied to oenology: A review. <i>Journal of Membrane Science</i> , 2011, 382, 1-19.	4.1	127
561	Tertiary membrane filtration of an industrial wastewater using granular or flocculent biomass sequencing batch reactors. <i>Journal of Membrane Science</i> , 2011, 382, 316-322.	4.1	4
562	Ultrafiltration by gyroid nanoporous polymer membranes. <i>Journal of Membrane Science</i> , 2011, 384, 126-135.	4.1	31
563	Cross-flow microfiltration of wine: Effect of colloids on critical fouling conditions. <i>Journal of Membrane Science</i> , 2011, 385-386, 177-186.	4.1	31
564	Cell adhesion and related fouling mechanism on a tubular ceramic microfiltration membrane using <i>Bacillus cereus</i> spores. <i>Journal of Membrane Science</i> , 2011, 385-386, 200-216.	4.1	28
565	A new perspective on the effect of complexation between calcium and alginate on fouling during nanofiltration. <i>Separation and Purification Technology</i> , 2011, 82, 121-127.	3.9	67
566	Removal of bisphenol A via a hybrid process combining oxidation on TiO_2 -MnO ₂ nanowires with microfiltration. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 392, 198-204.	2.3	24
567	Evolution of fouling deposition and removal on hollow fibre membrane during filtration with periodical backwash. <i>Desalination</i> , 2011, 283, 198-205.	4.0	75
568	Preparation, characterization, acid stability and organic fouling of poly(acrylonitrile-co-methacrylic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	4.0	11
569	A novel approach to evaluate the permeability of cake layer during cross-flow filtration in the flocculants added membrane bioreactors. <i>Bioresource Technology</i> , 2011, 102, 11121-11131.	4.8	33

#	ARTICLE	IF	CITATIONS
570	Incompressible laminar flow through hollow fibers: a general study by means of a two-scale approach. <i>Zeitschrift Fur Angewandte Mathematik Und Physik</i> , 2011, 62, 681-706.	0.7	11
571	High-flux membrane separation using fluid skimming dominated convective fluid flow. <i>Journal of Membrane Science</i> , 2011, 371, 20-27.	4.1	24
572	Assessing membrane fouling potential of humic acid using flow field-flow fractionation. <i>Journal of Membrane Science</i> , 2011, 373, 64-73.	4.1	26
573	Attenuated total reflectance infrared microspectroscopy combined with multivariate analysis, a novel tool to characterize cleaning efficiency of organic microfiltration membranes. <i>Journal of Membrane Science</i> , 2011, 376, 35-39.	4.1	3
574	Intensification of membrane microfiltration using oscillatory motion. <i>Separation and Purification Technology</i> , 2011, 78, 336-344.	3.9	27
575	Application of two-phase slug-flow regime to control flux reduction on anaerobic membrane bioreactors treating wastewaters with high suspended solids concentration. <i>Separation and Purification Technology</i> , 2011, 79, 20-25.	3.9	36
576	Evaluation of humic acid removal by a flat submerged membrane photoreactor. <i>Science Bulletin</i> , 2011, 56, 3437-3444.	1.7	15
577	Laminar flow with injection through a long dead-end cylindrical porous tube: Application to a hollow fiber membrane. <i>AIChE Journal</i> , 2011, 57, 1997-2006.	1.8	17
578	Triblock copolymers of methyl methacrylate/ <i>N</i> -vinyl pyrrolidone and their hydrophilication effects on poly(vinylidene fluoride) porous membranes. <i>Journal of Applied Polymer Science</i> , 2011, 119, 2953-2960.	1.3	9
579	Effects of solution environment on mammalian cell fermentation broth properties: Enhanced impurity removal and clarification performance. <i>Biotechnology and Bioengineering</i> , 2011, 108, 50-58.	1.7	41
580	Application of a dense gas technique for sterilizing soft biomaterials. <i>Biotechnology and Bioengineering</i> , 2011, 108, 1716-1725.	1.7	46
581	Membrane fouling mechanism and concentration effect in cross-flow microfiltration of BSA/dextran mixtures. <i>Chemical Engineering Journal</i> , 2011, 166, 669-677.	6.6	41
582	Integrated pore blockage-cake filtration model for crossflow filtration. <i>Chemical Engineering Research and Design</i> , 2011, 89, 1094-1103.	2.7	24
583	Colloidal interactions and fouling of NF and RO membranes: A review. <i>Advances in Colloid and Interface Science</i> , 2011, 164, 126-143.	7.0	559
584	Coagulation with polymers for nanofiltration pre-treatment of highly concentrated dyes: A review. <i>Desalination</i> , 2011, 266, 1-16.	4.0	286
585	Membrane autopsy of a 10year old hollow fibre membrane from Sydney Olympic Park water reclamation plant. <i>Desalination</i> , 2011, 271, 241-247.	4.0	30
586	Investigations of the coupled effect of cake-enhanced osmotic pressure and colloidal fouling in RO using crossflow sampler-modified fouling index ultrafiltration. <i>Desalination</i> , 2011, 273, 184-196.	4.0	35
587	A combined pore blockage, osmotic pressure, and cake filtration model for crossflow nanofiltration of natural organic matter and inorganic salts. <i>Desalination</i> , 2011, 274, 182-191.	4.0	19

#	ARTICLE	IF	CITATIONS
588	Immersed hollow fibres microfiltration (MF) for removing undesirable micro-algae and protecting semi-closed aquaculture basins. <i>Desalination</i> , 2011, 276, 386-396.	4.0	63
589	Microbial behaviors involved in cake fouling in membrane bioreactors under different solids retention times. <i>Bioresource Technology</i> , 2011, 102, 2511-2516.	4.8	64
590	Pressure mode fluid dynamic gauging for studying cake build-up in cross-flow microfiltration. <i>Journal of Membrane Science</i> , 2011, 366, 304-313.	4.1	26
591	Grafting short-chain amino acids onto membrane surfaces to resist protein fouling. <i>Journal of Membrane Science</i> , 2011, 366, 398-404.	4.1	120
592	Application of high speed imaging as a novel tool to study particle dynamics in tubular membrane systems. <i>Journal of Membrane Science</i> , 2011, 368, 95-99.	4.1	7
593	Fouling behavior of microstructured hollow fibers in cross-flow filtrations: Critical flux determination and direct visual observation of particle deposition. <i>Journal of Membrane Science</i> , 2011, 372, 210-218.	4.1	47
594	Analysis of flux enhancement at oscillating flat surface membranes. <i>Journal of Membrane Science</i> , 2011, 374, 59-66.	4.1	35
595	Aluminum electrocoagulation pretreatment reduces fouling during surface water microfiltration. <i>Journal of Membrane Science</i> , 2011, 379, 97-105.	4.1	65
596	Application of air flow for mitigation of particle deposition in submerged membrane microfiltration. <i>Desalination and Water Treatment</i> , 2011, 32, 201-207.	1.0	7
598	Cake Fouling Mechanism and Analysis of Synthetic Coke Wastewater Treatment by Membrane Bioreactor. <i>Advanced Materials Research</i> , 0, 233-235, 953-958.	0.3	0
599	Membrane Technologies for Oil-Water Separation. , 2011, , 639-668.		24
600	Characteristics of different fractions of microbial flocs and their role in membrane fouling. <i>Water Science and Technology</i> , 2011, 63, 262-269.	1.2	50
601	Three-Dimensional Simulation of Cross-Flow Microfilter Fouling in Tortuous Pore Profiles With Semisynthetic Metalworking Fluids. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2012, 134, .	1.3	2
602	The Values of Membrane Science and Technology: Introduction and Overview. , 2012, , 1-40.		2
603	Refining of Crude Canola Oil using PSA Ultrafiltration Membrane. <i>International Journal of Food Engineering</i> , 2012, 8, .	0.7	5
604	Sugar Purification from Enzymatic Rice Straw Hydrolysis Products using Cross-Flow Diafiltration. <i>Separation Science and Technology</i> , 2012, 47, 52-61.	1.3	5
605	MEMBRANE SEPARATION FOR WATER AND WASTEWATER TREATMENT. , 2012, , 315-346.		1
606	A statistical approach to analyze factors affecting silt density index. <i>Desalination and Water Treatment</i> , 2012, 45, 276-283.	1.0	8

#	ARTICLE	IF	CITATIONS
607	Motion of a solid particle in a shear flow along a porous slab. <i>Journal of Fluid Mechanics</i> , 2012, 713, 271-306.	1.4	3
608	A New Mathematical Model for Colloidal Flow in Rocks: Accounting for Pore Geometry and Network Topology in Bimodal Media. , 2012, , .		0
609	Effects of membrane morphology and operating conditions on microfiltration particle fouling. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2012, 43, 46-52.	2.7	20
610	Investigations of Cake Fouling During the Cross-Flow Microfiltration of a Model Suspension: Influence of Buoyancy on Deposition and Shear-Induced Removal. <i>Procedia Engineering</i> , 2012, 44, 603-606.	1.2	2
611	Dead-end Filtration of Sponge-like Colloids: The Case of Casein Micelle. <i>Procedia Engineering</i> , 2012, 44, 1820-1822.	1.2	0
612	Model for particle migration in bidisperse suspensions by use of effective temperature. <i>Faraday Discussions</i> , 2012, 158, 89.	1.6	25
613	Limitations for transferring lab-scale microfiltration results to large-scale membrane bioreactor (MBR) processes. <i>Separation and Purification Technology</i> , 2012, 95, 202-215.	3.9	11
614	A bioinspired fouling-resistant surface modification for water purification membranes. <i>Journal of Membrane Science</i> , 2012, 413-414, 82-90.	4.1	295
615	Mechanistic analysis of microfiltration membrane fouling by buckminsterfullerene (C60) nanoparticles. <i>Journal of Membrane Science</i> , 2012, 415-416, 546-557.	4.1	10
616	Dead-end filtration of sponge-like colloids: The case of casein micelle. <i>Journal of Membrane Science</i> , 2012, 417-418, 10-19.	4.1	37
617	Production of pea protein concentrates by ultrafiltration: Influence of hollow-fibre module. <i>Innovative Food Science and Emerging Technologies</i> , 2012, 14, 135-138.	2.7	10
618	Antifouling microfiltration strategies to harvest microalgae for biofuel. <i>Bioresource Technology</i> , 2012, 119, 406-418.	4.8	98
619	Intensification of 2-phenylethanol production in fed-batch hybrid bioreactor: Biotransformations and simulations. <i>Chemical Engineering and Processing: Process Intensification</i> , 2012, 57-58, 75-85.	1.8	27
620	A unified model for quantification of concentration polarization (CP) of particles during cross-flow membrane filtration. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2012, 407, 99-107.	2.3	13
622	A mini-review on membrane fouling. <i>Bioresource Technology</i> , 2012, 122, 27-34.	4.8	1,048
623	The importance of fluid dynamics for MBR fouling mitigation. <i>Bioresource Technology</i> , 2012, 122, 50-61.	4.8	89
624	Optimization of hollow fibers membrane wastewater treatment: An experimental study. <i>Desalination</i> , 2012, 302, 80-86.	4.0	10
625	Buckminsterfullerene (C60) nanoparticle fouling of microfiltration membranes operated in a cross-flow configuration. <i>Separation and Purification Technology</i> , 2012, 100, 30-43.	3.9	4

#	ARTICLE	IF	CITATIONS
626	Experimental investigation of pore clogging by microparticles: Evidence for a critical flux density of particle yielding arches and deposits. Separation and Purification Technology, 2012, 101, 42-48.	3.9	80
627	Effect of enzymatic treatment on the cross-flow microfiltration of a β -glucan pulp: Analysis of the fouling and recovery of phytochemicals. Journal of Food Engineering, 2012, 113, 442-452.	2.7	26
628	Shear enhanced microfiltration and rejection of crude oil drops through a slotted pore membrane including migration velocities. Journal of Membrane Science, 2012, 421-422, 69-74.	4.1	22
629	Fouling phenomena during membrane filtration of microalgae. Journal of Membrane Science, 2012, 423-424, 33-42.	4.1	94
632	Hydrodynamic Techniques to Enhance Membrane Filtration. Annual Review of Fluid Mechanics, 2012, 44, 77-96.	10.8	76
633	Microfiltration. , 2012, , 101-141.		6
635	Molecular Mobility in Dense Protein Systems: An Investigation through ^1H NMR Relaxometry and Diffusometry. Journal of Physical Chemistry B, 2012, 116, 11744-11753.	1.2	16
636	SINTESIS MEMBRAN ULTRAFILTRASI NON FOULING UNTUK APLIKASI PEMROSESAN BAHAN PANGAN. Reaktor, 2012, 13, 10.	0.2	0
637	Microfiltration Process by Inorganic Membranes for Clarification of TongBi Liquor. Molecules, 2012, 17, 1319-1334.	1.7	6
638	Incorporating Darcy's law for pure solvent flow through porous tubes: Asymptotic solution and numerical simulations. AIChE Journal, 2012, 58, 2030-2044.	1.8	21
639	State-of-the-art in downstream processing of monoclonal antibodies: Process trends in design and validation. Biotechnology Progress, 2012, 28, 899-916.	1.3	122
640	Recovery of Polyvinyl Alcohol from Desizing Wastewater Using a Novel High-Shear Ultrafiltration Module. Clean - Soil, Air, Water, 2012, 40, 830-837.	0.7	14
641	A space-averaged model for hollow fibre membranes filters. Computers and Chemical Engineering, 2012, 39, 65-74.	2.0	6
642	Low-cost monofilament mesh filter used in membrane bioreactor process: Filtration characteristics and resistance analysis. Desalination, 2012, 286, 429-435.	4.0	28
643	Combined effect of air and mechanical scouring of membranes for fouling reduction in submerged membrane reactor. Desalination, 2012, 288, 58-65.	4.0	46
644	Membrane surface roughness characterization and its influence on ultrafine particle adhesion. Separation and Purification Technology, 2012, 90, 140-146.	3.9	64
645	Prefiltration to suppress protein fouling of microfiltration membranes. Separation and Purification Technology, 2012, 89, 329-336.	3.9	9
646	Performance characterization and design evaluation of spinning basket membrane (SBM) module using computational fluid dynamics (CFD). Separation and Purification Technology, 2012, 94, 23-33.	3.9	14

#	ARTICLE	IF	CITATIONS
647	Investigation of 2-phenylethanol production in fed-batch hybrid bioreactor: Membrane extraction and microfiltration. Separation and Purification Technology, 2012, 95, 126-135.	3.9	21
648	Microfiltration of algae (<i>Chlorella sorokiniana</i>): Critical flux, fouling and transmission. Journal of Membrane Science, 2012, 387-388, 83-92.	4.1	116
649	In situ product recovery: Submerged membranes vs. external loop membranes. Journal of Membrane Science, 2012, 394-395, 1-36.	4.1	89
650	Review of hypotheses for fouling during beer clarification using membranes. Journal of Membrane Science, 2012, 396, 22-31.	4.1	61
651	Improving cell yield and lactic acid production of <i>Lactococcus lactis</i> ssp. <i>cremoris</i> by a novel submerged membrane fermentation process. Journal of Membrane Science, 2012, 403-404, 179-187.	4.1	33
652	Modeling of transient permeate flux decline during crossflow microfiltration of non-alcoholic beer with consideration of particle size distribution. Journal of Membrane Science, 2012, 411-412, 13-21.	4.1	8
653	Hybrid Membrane Processes using activated carbon treatment for drinking water: A review. Journal of Membrane Science, 2012, 411-412, 1-12.	4.1	210
654	Design and performance characterization of a new shear enhanced module with inbuilt cleaning arrangement. Journal of Chemical Technology and Biotechnology, 2012, 87, 1121-1130.	1.6	9
655	A new approach for determination of fouling potential by colloidal nanoparticles during reverse osmosis (RO) membrane filtration of seawater. Journal of Nanoparticle Research, 2013, 15, 1.	0.8	9
656	Non-covalent protein-polysaccharide interactions and their influence on membrane fouling. Journal of Membrane Science, 2013, 446, 310-317.	4.1	80
657	Biofouling and cleaning effectiveness of surface nanostructured reverse osmosis membranes. Journal of Membrane Science, 2013, 446, 472-481.	4.1	58
658	Development of a new technique to predict reverse osmosis fouling. Journal of Membrane Science, 2013, 448, 12-22.	4.1	21
659	Prediction of Permeate Flux During Ultrafiltration of Polysaccharide in a Stirred Batch Cell. Food and Bioprocess Technology, 2013, 6, 3634-3643.	2.6	8
660	Thermodynamic analysis of membrane fouling in a submerged membrane bioreactor and its implications. Bioresource Technology, 2013, 146, 7-14.	4.8	83
661	Data-driven models of steady state and transient operations of spiral-wound RO plant. Desalination, 2013, 316, 154-161.	4.0	16
662	Particle migration leads to deposition-free fractionation. Journal of Membrane Science, 2013, 440, 58-66.	4.1	12
663	A combined complete pore blocking and cake filtration model during ultrafiltration of polysaccharide in a batch cell. Journal of Food Engineering, 2013, 116, 333-343.	2.7	26
664	The fouling potential of colloidal silica and humic acid and their mixtures. Journal of Membrane Science, 2013, 433, 112-120.	4.1	48

#	ARTICLE	IF	CITATIONS
666	A facile method to functionalize engineering solid membrane supports for rapid and efficient oil-water separation. <i>Polymer</i> , 2013, 54, 5771-5778.	1.8	35
667	Modeling and Simulation of Rotating Disk-Membrane Module in Ultrafiltration of Bovine Serum Albumin. <i>Separation Science and Technology</i> , 2013, 48, 2549-2566.	1.3	3
668	Performance of spiral wound ultrafiltration membrane module for with and without permeate recycle: Experimental and theoretical consideration. <i>Desalination</i> , 2013, 322, 94-103.	4.0	20
669	Use of nanoimprinted surface patterns to mitigate colloidal deposition on ultrafiltration membranes. <i>Journal of Membrane Science</i> , 2013, 428, 598-607.	4.1	120
670	Modeling scale formation in flat-sheet membrane modules during water desalination. <i>AIChE Journal</i> , 2013, 59, 2917-2927.	1.8	16
671	Flow-induced particle migration in microchannels for improved microfiltration processes. <i>Microfluidics and Nanofluidics</i> , 2013, 15, 451-465.	1.0	22
672	Permeation of Dispersed Particles through a Pore and Transmembrane Pressure Behavior in Dead-End Constant-Flux Microfiltration by Two-Dimensional Direct Numerical Simulation. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 4650-4659.	1.8	25
673	Removal of arsenic from water using multifunctional micro-/nano-structured MnO ₂ spheres and microfiltration. <i>Chemical Engineering Journal</i> , 2013, 225, 271-279.	6.6	74
674	Flow-driven formation of solid-like microsphere heaps. <i>Soft Matter</i> , 2013, 9, 543-549.	1.2	12
675	Effects and New Applications of Pulsed Flow. <i>Chemical Engineering and Technology</i> , 2013, 36, 15-21.	0.9	14
676	Influence of sub-micron surface patterns on the deposition of model proteins during active filtration. <i>Journal of Membrane Science</i> , 2013, 444, 420-428.	4.1	61
677	Separation process for very concentrated emulsions and suspensions in the food industry. <i>Innovative Food Science and Emerging Technologies</i> , 2013, 18, 177-182.	2.7	16
678	Surface shear stress and membrane fouling when considering natural water matrices. <i>Desalination</i> , 2013, 330, 22-27.	4.0	21
679	Designing magnetic field responsive nanofiltration membranes. <i>Journal of Membrane Science</i> , 2013, 430, 70-78.	4.1	79
680	Permeability reduction of membranes during particulate suspension flow; analytical micro model of size exclusion mechanism. <i>Journal of Membrane Science</i> , 2013, 435, 155-164.	4.1	14
681	Comparison of conventional technologies and a Submerged Membrane Photocatalytic Reactor (SMPR) for removing trihalomethanes (THM) precursors in drinking water treatment plants. <i>Desalination</i> , 2013, 330, 28-34.	4.0	19
682	Power induced by bubbles of different sizes and frequencies on to hollow fibers in submerged membrane systems. <i>Water Research</i> , 2013, 47, 6516-6526.	5.3	24
683	Fouling-induced enzyme immobilization for membrane reactors. <i>Bioresource Technology</i> , 2013, 147, 260-268.	4.8	57

#	ARTICLE	IF	CITATIONS
684	Serum protein removal from skim milk with a 3-stage, 3Å— ceramic Isoflux membrane process at 50Å°C. <i>Journal of Dairy Science</i> , 2013, 96, 2020-2034.	1.4	37
685	Flux behavior in clarification of chicory juice by high-shear membrane filtration: Evidence for threshold flux. <i>Journal of Membrane Science</i> , 2013, 435, 120-129.	4.1	75
686	A two-pressure model for slightly compressible single phase flow in bi-structured porous media. <i>Chemical Engineering Science</i> , 2013, 96, 55-70.	1.9	13
687	Flocculation of yeast suspensions by a cationic flocculant. <i>Powder Technology</i> , 2013, 235, 426-430.	2.1	9
688	Physical cleaning initiation controlled by transmembrane pressure set-point in a submerged membrane bioreactor. <i>Separation and Purification Technology</i> , 2013, 104, 55-63.	3.9	28
689	Transient critical flux due to coupling of fouling mechanisms during crossflow microfiltration of beer. <i>Journal of Membrane Science</i> , 2013, 435, 21-37.	4.1	17
690	Influence of casein on flux and passage of serum proteins during microfiltration using polymeric spiral-wound membranes at 50Å°C. <i>Journal of Dairy Science</i> , 2013, 96, 2048-2060.	1.4	31
691	A review on anaerobic membrane bioreactors: Applications, membrane fouling and future perspectives. <i>Desalination</i> , 2013, 314, 169-188.	4.0	545
692	Mathematical modeling of crossflow microfiltration of diluted malt extract suspension by tubular ceramic membranes. <i>Journal of Food Engineering</i> , 2013, 116, 926-933.	2.7	11
693	Modeling and fouling mechanisms for ultrafiltration of Huanggi (<i>Radix astragalus</i>) extracts. <i>Food Science and Biotechnology</i> , 2013, 22, 407-412.	1.2	9
694	Combinatorial synthesis with high throughput discovery of Åprotein-resistant membrane surfaces. <i>Biomaterials</i> , 2013, 34, 6133-6138.	5.7	29
695	Discontinuous Nanoporous Membranes Reduce Non-Åspecific Fouling for Immunoaffinity Cell Capture. <i>Small</i> , 2013, 9, 4207-4214.	5.2	11
696	Continuous production and recovery of itaconic acid in a membrane bioreactor. <i>Bioresource Technology</i> , 2013, 137, 179-187.	4.8	48
697	Development of a numerical model for cake layer formation on a membrane. <i>Desalination</i> , 2013, 309, 213-221.	4.0	16
698	An analytical model for membrane fouling evolution associated with gel layer growth during constant pressure stirred dead-end filtration. <i>Journal of Membrane Science</i> , 2013, 427, 139-149.	4.1	50
699	Development of a Techno-Economic Model to Compare Ceramic and Polymeric Membranes. <i>Separation Science and Technology</i> , 2013, 48, 51-65.	1.3	39
701	Influence of Natural Organic Matter Fouling and Osmotic Backwash on Pressure Retarded Osmosis Energy Production from Natural Salinity Gradients. <i>Environmental Science & Technology</i> , 2013, 47, 12607-12616.	4.6	106
702	Study of the Effect of Nanoparticles and Surface Morphology on Reverse Osmosis and Nanofiltration Membrane Productivity. <i>Membranes</i> , 2013, 3, 196-225.	1.4	40

#	ARTICLE	IF	CITATIONS
704	Preparation of ultrafiltration membrane by newly synthesized AMC polymer. <i>Desalination and Water Treatment</i> , 2013, 51, 5196-5203.	1.0	3
705	Fouling Characteristics and Electrochemical Recovery of Carbon Nanotube Membranes. <i>Advanced Functional Materials</i> , 2013, 23, 1500-1506.	7.8	71
706	Impact of operating conditions on the flux changing rate during dead-end microfiltration process. <i>Desalination and Water Treatment</i> , 2013, 51, 3878-3882.	1.0	1
707	Workshop on membrane fouling and monitoring: a summary. <i>Desalination and Water Treatment</i> , 2013, 51, 6401-6406.	1.0	6
708	Fouling in Membrane Filtration and Remediation Methods. , 0, , .		44
709	Fouling Issues in Membrane Bioreactors (MBRs) for Wastewater Treatment: Major Mechanisms, Prevention and Control Strategies. <i>Processes</i> , 2014, 2, 795-866.	1.3	90
710	Ultrafiltration organic fouling control: Comparison of air sparging and coagulation. <i>Journal - American Water Works Association</i> , 2014, 106, E76.	0.2	34
712	Using the developed cross-flow filtration chip for collecting blood plasma under high flow rate condition and applying the immunoglobulin E detection. <i>Journal of Micromechanics and Microengineering</i> , 2014, 24, 095013.	1.5	4
713	Understanding and modeling alternating tangential flow filtration for perfusion cell culture. <i>Biotechnology Progress</i> , 2014, 30, 1291-1300.	1.3	69
715	Investigation of Membrane Fouling along Membrane Surface during Cross-Flow Micro-Filtration of Semiconductor Wastewater. <i>Applied Mechanics and Materials</i> , 2014, 552, 345-348.	0.2	0
716	Use of flocculants for increasing permeate flux in anaerobic membrane bioreactors. <i>Water Science and Technology</i> , 2014, 69, 2237-2242.	1.2	13
717	Spacer geometry and particle deposition in spiral wound membrane feed channels. <i>Water Research</i> , 2014, 64, 160-176.	5.3	90
718	Advances in Membrane Technologies for Drinking Water Purification. , 2014, , 75-97.		3
719	Ultrafiltration Fouling: Impact of Backwash Frequency and Air Sparging. <i>Separation Science and Technology</i> , 2014, 49, 2814-2823.	1.3	20
720	Pore Geometry Optimization for an Implantable Artificial Kidney. <i>Bio-Medical Engineering</i> , 2014, 48, 156-159.	0.3	0
721	Assessing Membrane-Protein Interactions Using Fourier Transform Infrared Spectroscopy Technique. <i>Advanced Materials Research</i> , 0, 955-959, 1496-1499.	0.3	0
722	Effect of pore size and process temperature on flux, microbial reduction and fouling mechanisms during sweet whey cross-flow microfiltration by ceramic membranes. <i>International Dairy Journal</i> , 2014, 39, 8-15.	1.5	27
723	Pulse bubble sparging for the control of hydraulically reversible fouling in submerged hollow fiber membrane systems. <i>Separation and Purification Technology</i> , 2014, 123, 153-163.	3.9	18

#	ARTICLE	IF	CITATIONS
724	Fouling and cleaning of ultrafiltration membranes: A review. <i>Journal of Water Process Engineering</i> , 2014, 1, 121-138.	2.6	578
725	A novel microscale crossflow device for the rapid evaluation of microfiltration processes. <i>Journal of Membrane Science</i> , 2014, 452, 284-293.	4.1	6
726	Comparison of spiral wound UF membrane performance between turbulent and laminar flow regimes. <i>Desalination</i> , 2014, 337, 43-51.	4.0	8
727	Boundary flux optimization of a nanofiltration membrane module used for the treatment of olive mill wastewater from a two-phase extraction process. <i>Separation and Purification Technology</i> , 2014, 130, 124-131.	3.9	17
728	Recent progress in fluoropolymers for membranes. <i>Progress in Polymer Science</i> , 2014, 39, 164-198.	11.8	402
729	Deterministic fractionation of binary suspensions moving past a line of microposts. <i>Microfluidics and Nanofluidics</i> , 2014, 17, 519-526.	1.0	7
730	Prediction of size distribution of crude oil drops in the permeate using a slotted pore membrane. <i>Chemical Engineering Research and Design</i> , 2014, 92, 2775-2781.	2.7	11
731	Dependence of shear and concentration on fouling in a membrane bioreactor with rotating membrane discs. <i>AIChE Journal</i> , 2014, 60, 706-715.	1.8	14
732	Comparisons of membrane fouling and separation efficiency in protein/polysaccharide cross-flow microfiltration using membranes with different morphologies. <i>Separation and Purification Technology</i> , 2014, 125, 74-82.	3.9	29
733	Animal Cell Biotechnology. <i>Methods in Molecular Biology</i> , 2014, , .	0.4	4
734	Virus Separation Using Membranes. <i>Methods in Molecular Biology</i> , 2014, 1104, 459-491.	0.4	13
735	A modified method for evaluation of critical flux, fouling rate and in situ determination of resistance and compressibility in MBR under different fouling conditions. <i>Journal of Membrane Science</i> , 2014, 453, 1-11.	4.1	57
736	Steady State Permeate Flux Estimation in Cross-Flow Ultrafiltration of Protein Solution. <i>Separation Science and Technology</i> , 2014, 49, 1469-1478.	1.3	6
737	Development of an ELP-Z based mAb affinity precipitation process using scaled-down filtration techniques. <i>Journal of Biotechnology</i> , 2014, 192, 11-19.	1.9	13
738	Critical flux of surface-patterned ultrafiltration membranes during cross-flow filtration of colloidal particles. <i>Journal of Membrane Science</i> , 2014, 471, 65-71.	4.1	65
739	A General Approach for Predicting the Filtration of Soft and Permeable Colloids: The Milk Example. <i>Langmuir</i> , 2014, 30, 22-34.	1.6	46
740	Modelling of particle deposition in a submerged membrane microfiltration system. <i>Desalination</i> , 2014, 350, 14-20.	4.0	5
741	Insight into the combined colloidal-humic acid fouling on the hybrid coagulation microfiltration membrane process: The importance of aluminum. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 461, 98-104.	2.3	15

#	ARTICLE	IF	CITATIONS
742	Surface modification of PVDF ultrafiltration membranes by remote argon/methane gas mixture plasma for fouling reduction. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2014, 45, 2176-2186.	2.7	23
744	The effect of linear velocity and flux on performance of ceramic graded permeability membranes when processing skim milk at 50°C. <i>Journal of Dairy Science</i> , 2014, 97, 2619-2632.	1.4	32
745	Effect of membrane pore morphology on microfiltration organic fouling: PTFE/PVDF blend membranes compared with PVDF membranes. <i>Desalination</i> , 2014, 343, 217-225.	4.0	43
746	Application of polysulfone/cyclodextrin mixed-matrix membranes in the removal of natural organic matter from water. <i>Physics and Chemistry of the Earth</i> , 2014, 67-69, 71-78.	1.2	32
747	Generalized criterion for the onset of particle deposition in crossflow microfiltration via DOTM Modeling and experimental validation. <i>Journal of Membrane Science</i> , 2014, 457, 128-138.	4.1	14
748	Energetic consideration and flux characteristics of roughed-surface membrane in presence of reversing shear. <i>Chemical Engineering Research and Design</i> , 2014, 92, 1771-1780.	2.7	2
749	Comparison of membrane fouling at constant flux and constant transmembrane pressure conditions. <i>Journal of Membrane Science</i> , 2014, 454, 505-515.	4.1	169
750	Modeling of the initial deposition of individual particles during the cross-flow membrane filtration. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 440, 91-100.	2.3	16
751	Determining flux behavior via a modified flux-step method for surface water treatment: pilot-scale ultrafiltration membrane operation. <i>Desalination</i> , 2014, 341, 19-26.	4.0	10
752	Fouling control by threshold flux measurements in the treatment of different olive mill wastewater streams by membranes-in-series process. <i>Desalination</i> , 2014, 343, 162-168.	4.0	25
753	A systematic analysis of fouling evolution and irreversibility behaviors of MBR supernatant hydrophilic/hydrophobic fractions during microfiltration. <i>Journal of Membrane Science</i> , 2014, 467, 206-216.	4.1	51
754	Study of rotating disk assisted dead-end filtration of chicory juice and its performance optimization. <i>Industrial Crops and Products</i> , 2014, 53, 154-162.	2.5	20
755	<i>Bioprocess Development</i> , 2014, , 549-562.		0
756	Particles deposition on microfiltration permeable boundary. <i>Engineering Computations</i> , 2015, 32, 1135-1152.	0.7	2
757	Cooperativity and segregation in confined flows of soft binary glasses. <i>Physical Review E</i> , 2015, 92, 022308.	0.8	9
760	A Glucose Biofuel Cell Equipped in the Fluid Reservoir of a Polyimide Diaphragm Micropump. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2015, 28, 175-180.	0.1	3
762	Current state of knowledge and challenges in wine clarification. <i>Australian Journal of Grape and Wine Research</i> , 2015, 21, 615-626.	1.0	36
763	<i>Mass Transfer Mechanisms and Transport Resistances in Membrane Separation Process</i> , , 0, , .		9

#	ARTICLE	IF	CITATIONS
765	Microfiltration: Effect of channel diameter on limiting flux and serum protein removal. Journal of Dairy Science, 2015, 98, 3599-3612.	1.4	13
766	Comparison of first principles model of beer microfiltration to experiments via systematic parameter identification. Journal of Membrane Science, 2015, 484, 64-79.	4.1	3
767	Ultrafiltration modeling of non-ionic microgels. Soft Matter, 2015, 11, 4106-4122.	1.2	19
768	Microfiltration: Effect of retentate protein concentration on limiting flux and serum protein removal with 4-mm-channel ceramic microfiltration membranes. Journal of Dairy Science, 2015, 98, 2234-2244.	1.4	12
769	Particle deposition on the patterned membrane surface: Simulation and experiments. Desalination, 2015, 370, 17-24.	4.0	50
770	Ultrafiltration of non-axenic microalgae cultures: Energetic requirements and filtration performance. Algal Research, 2015, 10, 121-127.	2.4	16
771	Separation of lipid mixtures using a coupled supercritical CO ₂ membrane technology system. Separation and Purification Technology, 2015, 156, 691-698.	3.9	9
772	Modeling concentration polarization in crossflow microfiltration of oil-in-water emulsion using shear-induced diffusion; CFD and experimental studies. Desalination, 2015, 357, 225-232.	4.0	47
773	Enhanced Permeability, Selectivity, and Antifouling Ability of CNTs/Al ₂ O ₃ Membrane under Electrochemical Assistance. Environmental Science & Technology, 2015, 49, 2293-2300.	4.6	128
774	Membrane fouling in a submerged membrane bioreactor: Impacts of floc size. Chemical Engineering Journal, 2015, 269, 328-334.	6.6	190
775	A New Combinatorial Method for Synthesizing, Screening, and Discovering Antifouling Surface Chemistries. ACS Applied Materials & Interfaces, 2015, 7, 2385-2392.	4.0	26
776	Limiting Flux and Critical Transmembrane Pressure Determination Using an Exponential Model: The Effect of Concentration Factor, Temperature, and Cross-Flow Velocity during Casein Micelle Concentration by Microfiltration. Industrial & Engineering Chemistry Research, 2015, 54, 414-425.	1.8	35
777	Microfiltration of skim milk and modified skim milk using a 0.1- μ m ceramic uniform transmembrane pressure system at temperatures of 50, 55, 60, and 65 $^{\circ}$ C. Journal of Dairy Science, 2015, 98, 765-780.	1.4	23
778	Module performance. , 2015, , 45-75.		9
779	Membranes. , 2015, , 7-30.		1
780	Membrane oscillation and oil drop rejection during produced water purification. Separation and Purification Technology, 2015, 144, 16-22.	3.9	17
781	Numerical modelling of concentration polarisation and cake formation in membrane filtration processes. Desalination, 2015, 365, 151-159.	4.0	14
782	Towards controlled fouling and rejection in dead-end microfiltration of nanoparticles – Role of electrostatic interactions. Journal of Membrane Science, 2015, 496, 174-184.	4.1	25

#	ARTICLE	IF	CITATIONS
783	A review of shear-induced particle migration for enhanced filtration and fractionation. , 2015, , 211-233.		3
784	Leaf protein concentration of alfalfa juice by membrane technology. Journal of Membrane Science, 2015, 489, 183-193.	4.1	56
785	Effect of three different PEO-containing additives on the fouling behavior of PES-based ultrafiltration membranes. Separation and Purification Technology, 2015, 150, 21-28.	3.9	15
786	Effect of Elevated Temperature on Ceramic Ultrafiltration of Colloidal Suspensions. Journal of Environmental Engineering, ASCE, 2015, 141, .	0.7	9
787	Optimization of Crossflow Microfiltration of Disrupted <i>Arthrobacter luteus</i> Cells. Separation Science and Technology, 2015, 50, 1709-1720.	1.3	3
788	In situ investigation of soft cake fouling layers using fluid dynamic gauging. Food and Bioprocess Processing, 2015, 93, 205-210.	1.8	17
789	Effect of Interparticle Interaction on Particle Deposition in a Crossflow Microfilter. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2015, 137, .	1.3	1
790	Effect of ionic strength and permeate flux on membrane fouling: Analysis of forces acting on particle deposit and cake formation. KSCE Journal of Civil Engineering, 2015, 19, 1604-1611.	0.9	5
791	Purification of Purple Sweet Potato Extract by Dead-End Filtration and Investigation of Membrane Fouling Mechanism. Food and Bioprocess Technology, 2015, 8, 1680-1689.	2.6	14
792	Hydrodynamic segregation in a bidisperse colloidal suspension in microchannel flow: A theoretical study. Journal of Chemical Physics, 2015, 142, 214901.	1.2	18
793	Mucous contribution to gut nutrient content in American gizzard shad <i>Dorosoma cepedianum</i> . Journal of Fish Biology, 2015, 86, 1457-1470.	0.7	7
794	Development of an original lab-scale filtration strategy for the prediction of microfiltration performance: Application to orange juice clarification. Separation and Purification Technology, 2015, 156, 42-50.	3.9	20
795	Investigation on Self-assembled Blend Membranes of Polyethylene- <i>block</i> -poly(ethylene) Tj ETQqO O O rgBT /Overlock 10 Tf 50 272 Polymer/gold Nanocomposite Particles. Polymer-Plastics Technology and Engineering, 2015, 54, 1794-1802.	1.9	7
796	Modelling of fouling of outside-in hollow-fiber membranes by TiO ₂ particles. Separation and Purification Technology, 2015, 156, 28-35.	3.9	6
797	Effect of ceramic membrane channel geometry and uniform transmembrane pressure on limiting flux and serum protein removal during skim milk microfiltration. Journal of Dairy Science, 2015, 98, 7527-7543.	1.4	14
798	Dead-End Dynamic Ultrafiltration of Juice Expressed from Electroporated Sugar Beets. Food and Bioprocess Technology, 2015, 8, 615-622.	2.6	20
799	Membrane applications for biogas production and purification processes: an overview on a smart alternative for process intensification. RSC Advances, 2015, 5, 14156-14186.	1.7	15
800	A novel cementitious microfiltration membrane: mechanisms of pore formation and properties for water permeation. RSC Advances, 2015, 5, 99-108.	1.7	10

#	ARTICLE	IF	CITATIONS
801	Unsteady-state shear strategies to enhance mass-transfer for the implementation of ultrapermeable membranes in reverse osmosis: A review. <i>Desalination</i> , 2015, 356, 328-348.	4.0	90
802	Comparison of fouling rates for pressurized and submerged ultrafiltration membranes. <i>Desalination and Water Treatment</i> , 2015, 54, 3610-3615.	1.0	2
803	Distribution of surface shear stress for a densely packed submerged hollow fiber membrane system. <i>Desalination</i> , 2015, 357, 117-120.	4.0	16
804	Assessment of fouling behaviour in submerged microfiltration system coupled with flocculation. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 21, 254-260.	2.9	5
805	Humic acid fouling in a submerged photocatalytic membrane reactor with binary TiO ₂ & ZrO ₂ particles. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 21, 779-786.	2.9	44
806	Cross flow microfiltration of starch nanocrystal suspensions. <i>Canadian Journal of Chemical Engineering</i> , 2015, 93, 412-418.	0.9	7
807	Reduced-order model for the analysis of mass transfer enhancement in membrane channel using electro-osmosis. <i>Chemical Engineering Science</i> , 2015, 122, 86-96.	1.9	14
808	Surfactant and Polymer-Based Technologies for Water Treatment. , 2016, , 249-276.		4
809	MICROFILTRATION AND ULTRAFILTRATION OF <i>Bacillus thuringiensis</i> FERMENTATION BROTH: MEMBRANE PERFORMANCE AND SPORE-CRYSTAL RECOVERY APPROACHES. <i>Brazilian Journal of Chemical Engineering</i> , 2016, 33, 783-791.	0.7	9
810	Bioseparations & Membrane Processes. , 2016, , 95-116.		2
811	Retention of Silica Nanoparticles in a Lab-Scale Membrane Bioreactor: Implications for Process Performance and Membrane Fouling. <i>Water (Switzerland)</i> , 2016, 8, 277.	1.2	6
812	Stepwise membrane fouling model for shear-enhanced filtration of alfalfa juice: experimental and modeling studies. <i>RSC Advances</i> , 2016, 6, 110789-110798.	1.7	3
813	The continuous modeling of charge-stabilized colloidal suspensions in shear flows. <i>Journal of Rheology</i> , 2016, 60, 1317-1329.	1.3	3
814	Direct observation of fouling phenomena during cross-flow filtration: Influence of particle surface charge. <i>Journal of Membrane Science</i> , 2016, 510, 546-558.	4.1	24
815	At-line process analytical technology (PAT) for more efficient scale up of biopharmaceutical microfiltration unit operations. <i>Biotechnology Progress</i> , 2016, 32, 108-115.	1.3	6
816	Filtration of protein colloids by fibrous membranes: A mechanistic investigation using packed bed filtration approach. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 502, 44-53.	2.3	1
817	Poly (sodium-4-styrenesulfonate) assisted ultrafiltration for methylene blue dye removal from simulated wastewater: Optimization using response surface methodology. <i>Journal of Environmental Chemical Engineering</i> , 2016, 4, 2008-2022.	3.3	54
818	Fouling of microfiltration membranes by biopolymers. <i>Separation Science and Technology</i> , 2016, 51, 1370-1379.	1.3	8

#	ARTICLE	IF	CITATIONS
819	Ultrafiltration of charge-stabilized dispersions at low salinity. <i>Soft Matter</i> , 2016, 12, 4638-4653.	1.2	16
820	Optimal backwashing in dead-end bacterial microfiltration with irreversible attachment mediated by extracellular polymeric substances production. <i>Journal of Membrane Science</i> , 2016, 520, 337-344.	4.1	27
821	Spatial heterogeneity of biofouling under different cross-flow velocities in reverse osmosis membrane systems. <i>Journal of Membrane Science</i> , 2016, 520, 964-971.	4.1	17
822	Pilot study on hydrophilized PVDF membrane treating produced water from polymer flooding for reuse. <i>Chemical Engineering Research and Design</i> , 2016, 104, 564-570.	2.7	16
823	Antifouling membranes for sustainable water purification: strategies and mechanisms. <i>Chemical Society Reviews</i> , 2016, 45, 5888-5924.	18.7	977
824	Antifouling grafting of ceramic membranes validated in a variety of challenging wastewaters. <i>Water Research</i> , 2016, 104, 242-253.	5.3	46
825	Membrane Fouling and Strategies for Cleaning and Fouling Control. , 2016, , 25-53.		4
826	Carbon nanomaterials for advancing separation membranes: A strategic perspective. <i>Carbon</i> , 2016, 109, 694-710.	5.4	189
827	Geometrical instability in the imbibition of a sphere. <i>Soft Matter</i> , 2016, 12, 7759-7763.	1.2	0
828	A novel nanofiber microfiltration membrane: Fabrication and characterization of tubular electrospun nanofiber (TuEN) membrane. <i>Journal of Membrane Science</i> , 2016, 520, 616-629.	4.1	59
829	Modeling of gel layer transport during ultrafiltration of fruit juice with non-Newtonian fluid rheology. <i>Food and Bioproducts Processing</i> , 2016, 100, 72-84.	1.8	15
830	Materials for next-generation desalination and water purification membranes. <i>Nature Reviews Materials</i> , 2016, 1, .	23.3	1,977
831	Microfluidic colloid filtration. <i>Scientific Reports</i> , 2016, 6, 22376.	1.6	50
832	Effect of channel-induced shear on biologics during ultrafiltration/diafiltration (UF/DF). <i>Journal of Membrane Science</i> , 2016, 514, 671-683.	4.1	23
833	Effect of spacer and crossflow velocity on the critical flux of bidisperse suspensions in microfiltration. <i>Journal of Membrane Science</i> , 2016, 513, 101-107.	4.1	35
834	Twisted hollow fiber membranes for enhanced mass transfer. <i>Journal of Membrane Science</i> , 2016, 514, 586-594.	4.1	17
835	Stirring-assisted dead-end ultrafiltration for protein and polyphenol recovery from purple sweet potato juices: Filtration behavior investigation and HPLC-DAD-ESI-MS2 profiling. <i>Separation and Purification Technology</i> , 2016, 169, 25-32.	3.9	22
836	Synthesis of an electrically cleanable forward osmosis membrane. <i>Desalination and Water Treatment</i> , 2016, 57, 1634-1646.	1.0	6

#	ARTICLE	IF	CITATIONS
837	Numerical investigation of the membrane fouling during microfiltration of semiconductor wastewater. <i>Desalination and Water Treatment</i> , 2016, 57, 4756-4768.	1.0	5
838	A Study on Native Oil Components Depletion of Industrial Metalworking Fluid During Microfiltration. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2016, 138, .	1.3	0
839	Fouling control of submerged hollow fibre membrane bioreactor with transverse vibration. <i>Journal of Membrane Science</i> , 2016, 505, 216-224.	4.1	30
840	Leaching of PVP from PVDF/PVP blend membranes: impacts on membrane structure and fouling in membrane bioreactors. <i>Journal of Materials Science</i> , 2016, 51, 4328-4341.	1.7	54
841	Effect of ceramic membrane channel diameter on limiting retentate protein concentration during skim milk microfiltration. <i>Journal of Dairy Science</i> , 2016, 99, 167-182.	1.4	15
842	Rope coiling spinning of curled and meandering hollow-fiber membranes. <i>Journal of Membrane Science</i> , 2016, 506, 86-94.	4.1	23
843	Hydration effects and antifouling properties of poly(vinyl chloride-co-PEGMA) membranes studied using molecular dynamics simulations. <i>Applied Surface Science</i> , 2016, 369, 241-250.	3.1	19
844	Modeling of combined particles and natural organic matter fouling of ultrafiltration membrane. <i>Journal of Membrane Science</i> , 2016, 505, 185-193.	4.1	24
845	High concentration tangential flow ultrafiltration of stable monoclonal antibody solutions with low viscosities. <i>Journal of Membrane Science</i> , 2016, 508, 113-126.	4.1	40
846	Membrane fouling in osmotically driven membrane processes: A review. <i>Journal of Membrane Science</i> , 2016, 499, 201-233.	4.1	625
847	Aluminum electrocoagulation as pretreatment during microfiltration of surface water containing NOM: A review of fouling, NOM, DBP, and virus control. <i>Journal of Hazardous Materials</i> , 2016, 304, 490-501.	6.5	105
848	A review on the use of membrane technology and fouling control for olive mill wastewater treatment. <i>Science of the Total Environment</i> , 2016, 563-564, 664-675.	3.9	90
849	Spatio-temporal frequency response analysis of forced slip velocity effect on solute concentration oscillations in a reverse osmosis membrane channel. <i>Computers and Chemical Engineering</i> , 2016, 84, 151-161.	2.0	13
850	Development of a novel process to mitigate membrane fouling in a continuous sludge system by seeding aerobic granules at pilot plant. <i>Journal of Membrane Science</i> , 2016, 497, 90-98.	4.1	46
851	Threshold flux and limiting flux for micellar enhanced ultrafiltration as affected by feed water: experimental and modeling studies. <i>Journal of Cleaner Production</i> , 2016, 112, 1241-1251.	4.6	30
852	Membrane-Based Point-Of-Use Water Treatment (PoUWT) System in Emergency Situations. <i>Separation and Purification Reviews</i> , 2016, 45, 50-67.	2.8	16
853	Effect of mechanical scouring by granular activated carbon (GAC) on membrane fouling mitigation. <i>Desalination</i> , 2017, 403, 80-87.	4.0	49
854	Polyamine functionalized graphene oxide polysulfone mixed matrix membranes with improved hydrophilicity and anti-fouling properties. <i>Desalination</i> , 2017, 403, 24-35.	4.0	84

#	ARTICLE	IF	CITATIONS
855	Surface patterning of polymeric membranes and its effect on antifouling characteristics. Separation Science and Technology, 2017, 52, 240-257.	1.3	59
856	Flow-field mitigation of membrane fouling (FMMF) via manipulation of the convective flow in cross-flow membrane applications. Journal of Membrane Science, 2017, 526, 377-386.	4.1	14
857	Modeling and simulation of mitigating membrane fouling under a baffle-filled turbulent flow with permeate boundary. Separation and Purification Technology, 2017, 179, 13-24.	3.9	24
858	Fish Gill Inspired Crossflow for Efficient and Continuous Collection of Spilled Oil. ACS Nano, 2017, 11, 2477-2485.	7.3	186
859	Reverse osmosis desalination modules containing corrugated membranes – Computational study. Desalination, 2017, 416, 129-139.	4.0	30
860	Development of an ultrafiltration predictive model to estimate the cost of downstream in biorefineries: Effects of epistemic experimental uncertainties. Energy Conversion and Management, 2017, 149, 875-884.	4.4	7
861	Passive flux recovery in protein-fouled liquid-gated membranes. Journal of Membrane Science, 2017, 539, 257-262.	4.1	19
862	Global parametric sensitivity analysis of a model for dead-end microfiltration of bacterial suspensions. Journal of Membrane Science, 2017, 537, 119-127.	4.1	2
863	Ultrafiltration of saline oil-in-water emulsions stabilized by an anionic surfactant: Effect of surfactant concentration and divalent counterions. Journal of Membrane Science, 2017, 537, 384-395.	4.1	79
864	Fouling mitigation in Anaerobic Membrane Bioreactor using fluidized glass beads: Evaluation fitness for purpose of ceramic membranes. Journal of Membrane Science, 2017, 537, 69-82.	4.1	46
865	A microfluidic system for studying particle deposition during ultrafiltration. Journal of Membrane Science, 2017, 532, 68-75.	4.1	19
866	Boron removal in water using a hybrid membrane process of ion exchange resin and microfiltration without continuous resin addition. Journal of Water Process Engineering, 2017, 17, 32-39.	2.6	28
867	Whey recovery using forward osmosis – Evaluating the factors limiting the flux performance. Journal of Membrane Science, 2017, 533, 179-189.	4.1	61
869	Investigation of cake fouling and pore blocking phenomena using fluid dynamic gauging and critical flux models. Journal of Membrane Science, 2017, 533, 38-47.	4.1	24
870	Liquid filtration of nanoparticles through track-etched membrane filters under unfavorable and different ionic strength conditions: Experiments and modeling. Journal of Membrane Science, 2017, 524, 682-690.	4.1	37
871	Optimization of MBR hydrodynamics for cake layer fouling control through CFD simulation and RSM design. Bioresource Technology, 2017, 227, 102-111.	4.8	67
872	Application of UF-RDM (Ultrafiltration Rotating Disk Membrane) module for separation and concentration of leaf protein from alfalfa juice: Optimization of operation conditions. Separation and Purification Technology, 2017, 175, 365-375.	3.9	28
873	Humidity-insensitive water evaporation from molecular complex fluids. Physical Review E, 2017, 96, 032612.	0.8	10

#	ARTICLE	IF	CITATIONS
874	Effect of zinc chloride and PEG concentrations on the critical flux during tangential flow microfiltration of BSA precipitates. <i>Biotechnology Progress</i> , 2017, 33, 1561-1567.	1.3	15
876	A rotating disk ultrafiltration process for recycling alfalfa wastewater. <i>Separation and Purification Technology</i> , 2017, 188, 476-484.	3.9	7
877	Preparation of Low fouling Polyethersulfone Membranes by Simultaneously Phase Separation and Redox Polymerization. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 202, 012004.	0.3	1
878	Fouling mitigation in anaerobic membrane bioreactors using fluidized resin beads. <i>Water Science and Technology</i> , 2017, 76, 2445-2454.	1.2	4
879	Fouling-resistant ultrafiltration membranes prepared via co-deposition of dopamine/zwitterion composite coatings. <i>Journal of Membrane Science</i> , 2017, 541, 300-311.	4.1	58
880	Surface Modification of Polyethersulfone Membranes. <i>Springer Transactions in Civil and Environmental Engineering</i> , 2017, , 87-129.	0.3	3
881	Particle migration in laminar shear fields: A new basis for large scale separation technology?. <i>Separation and Purification Technology</i> , 2017, 174, 372-388.	3.9	25
882	Fouling of submerged hollow fiber membrane filtration in turbulence: Statistical dependence and cost-benefit analysis. <i>Journal of Membrane Science</i> , 2017, 521, 43-52.	4.1	13
883	Fundamentals of Membrane Bioreactors. <i>Springer Transactions in Civil and Environmental Engineering</i> , 2017, , .	0.3	28
884	Influence of polydopamine deposition conditions on hydraulic permeability, sieving coefficients, pore size and pore size distribution for a polysulfone ultrafiltration membrane. <i>Journal of Membrane Science</i> , 2017, 522, 100-115.	4.1	87
885	Oberflächenmodifizierung von Wasseraufbereitungsmembranen. <i>Angewandte Chemie</i> , 2017, 129, 4734-4788.	1.6	58
886	Surface Modification of Water Purification Membranes. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4662-4711.	7.2	564
887	A comparison of microfiltration and inertia-based microfluidics for large scale suspension separation. <i>Separation and Purification Technology</i> , 2017, 173, 86-92.	3.9	38
888	The influence of milk components on the performance of ultrafiltration/diafiltration of concentrated skim milk. <i>Separation Science and Technology</i> , 2017, 52, 381-391.	1.3	11
889	Critical aspects of RO desalination: A combination strategy. <i>Desalination</i> , 2017, 401, 68-87.	4.0	40
890	On the Purification of Agro-Industrial Wastewater by Membrane Technologies: The Case of Olive Mill Effluents. , 2017, , .		3
891	2.1 Fundamentals of Crossflow Microfiltration. , 2017, , 1-14.		0
892	Colloidal Fouling of Nanofiltration Membranes: Development of a Standard Operating Procedure. <i>Membranes</i> , 2017, 7, 4.	1.4	18

#	ARTICLE	IF	CITATIONS
893	Nanofiltration and Tight Ultrafiltration Membranes for Natural Organic Matter Removal—Contribution of Fouling and Concentration Polarization to Filtration Resistance. Membranes, 2017, 7, 34.	1.4	27
894	Application of nanofibrous membranes and their suitability for membrane bioreactor processes in wastewater treatment. , 2017, , 275-290.		0
895	Structure and Relaxation in Solutions of Monoclonal Antibodies. Journal of Physical Chemistry B, 2018, 122, 2867-2880.	1.2	35
896	Evaluation of ultrafiltration membranes for treating poultry processing wastewater. Journal of Water Process Engineering, 2018, 22, 218-226.	2.6	32
897	Treatment of heavy petroleum hydrocarbons polluted soil leachates by ultrafiltration and oxidation for surfactant recovery. Journal of Environmental Chemical Engineering, 2018, 6, 2568-2576.	3.3	11
898	Tunable Microscale Porous Systems with Dynamic Liquid Interfaces. Small, 2018, 14, e1703283.	5.2	36
899	Fouling indicators for field monitoring the effectiveness of operational strategies of ultrafiltration as pretreatment for seawater desalination. Desalination, 2018, 431, 86-99.	4.0	21
900	Mass transport modeling of natural organic matter (NOM) and salt during Nanofiltration of inorganic colloid-NOM mixtures. Desalination, 2018, 429, 60-69.	4.0	8
901	Relationship between the zeta potential and the chemical agglomeration efficiency of fine particles in flue gas during coal combustion. Fuel, 2018, 215, 756-765.	3.4	33
902	Organic solvent-resistant and thermally stable polymeric microfiltration membranes based on crosslinked polybenzoxazine for size-selective particle separation and gravity-driven separation on oil-water emulsions. Journal of Membrane Science, 2018, 550, 18-25.	4.1	35
903	Continuous enzymatic hydrolysis of lignocellulosic biomass in a membrane—reactor system. Journal of Chemical Technology and Biotechnology, 2018, 93, 2181-2190.	1.6	18
904	Modeling Dynamics of Colloidal Fouling of RO/NF Membranes with A Novel Collision-Attachment Approach. Environmental Science & Technology, 2018, 52, 1471-1478.	4.6	32
905	Electrotreated Carbon Nanotube Membranes for Facile Oil—Water Separations. ACS Applied Nano Materials, 2018, 1, 2057-2061.	2.4	11
906	Comparison of fouling propensity between reverse osmosis, forward osmosis, and membrane distillation. Journal of Membrane Science, 2018, 556, 352-364.	4.1	101
907	New approaches for itaconic acid production: bottlenecks and possible remedies. Critical Reviews in Biotechnology, 2018, 38, 68-82.	5.1	66
908	The use of fluid dynamic gauging in investigating the thickness and cohesive strength of cake fouling layers formed during cross-flow microfiltration. Separation and Purification Technology, 2018, 198, 25-30.	3.9	16
909	Optimal design of spacers in reverse osmosis. Separation and Purification Technology, 2018, 192, 441-456.	3.9	103
910	Boundary flux modelling for purification optimization of differently-pretreated agro-industrial wastewater with nanofiltration. Separation and Purification Technology, 2018, 193, 147-154.	3.9	9

#	ARTICLE	IF	CITATIONS
911	From highly specialised to generally available modelling of shear induced particle migration for flow segregation based separation technology. Separation and Purification Technology, 2018, 192, 99-109.	3.9	9
912	Incorporation of Quorum Sensing Inhibitors onto Reverse Osmosis Membranes for Biofouling Prevention in Seawater Desalination. Environmental Engineering Science, 2018, 35, 261-269.	0.8	25
913	Towards continuous wine fining: Materials characterisation and crossflow performance testing of polymer-bentonite mixed matrix membranes. Asia-Pacific Journal of Chemical Engineering, 2018, 13, e2148.	0.8	1
914	Antifouling polysulfone ultrafiltration membranes with pendent sulfonamide groups. Journal of Membrane Science, 2018, 548, 481-489.	4.1	94
915	Limiting flux in microfiltration of colloidal suspensions by focusing on hydrodynamic forces in viscous sublayer. AIChE Journal, 2018, 64, 1760-1765.	1.8	5
916	Interactions between protein molecules and the virus removal membrane surface: Effects of immunoglobulin G adsorption and conformational changes on filter performance. Biotechnology Progress, 2018, 34, 379-386.	1.3	11
917	Does pre-ozonation or in-situ ozonation really mitigate the protein-based ceramic membrane fouling in the integrated process of ozonation coupled with ceramic membrane filtration?. Journal of Membrane Science, 2018, 548, 254-262.	4.1	61
918	Effect of the surface charge of monodisperse particulate foulants on cake formation. Journal of Membrane Science, 2018, 548, 108-116.	4.1	29
919	Mass Transfer in Tubular Ceramic Membranes for Polluted Water Treatment - Numerical Simulation. , 2018, 20, 16-33.		3
920	Size Fractionation of Fluorescent Graphene Quantum Dots Using a Cross-Flow Membrane Filtration System. Nanomaterials, 2018, 8, 959.	1.9	7
921	Flux and transmission of β -casein during cold microfiltration of skim milk subjected to different heat treatments. Journal of Dairy Science, 2018, 101, 10831-10843.	1.4	15
922	Short communication: Calcium partitioning during microfiltration of milk and its influence on rennet coagulation time. Journal of Dairy Science, 2018, 101, 10860-10865.	1.4	9
923	A Wall Film Model for Membrane Fouling. , 2018, , .		0
924	Membrane Fouling Characteristics of a Side-Stream Tubular Anaerobic Membrane Bioreactor (AnMBR) Treating Domestic Wastewater. Processes, 2018, 6, 50.	1.3	23
925	Numerical optimization of membrane module design and operation for a full-scale submerged MBR by computational fluid dynamics. Bioresource Technology, 2018, 269, 300-308.	4.8	24
926	Evaluation of membrane filtration and UV irradiation to control bacterial loads in recirculation aquaculture systems. Aquaculture International, 2018, 26, 1531-1540.	1.1	13
927	Retention mechanisms of 1.7- μ m ZnS quantum dots and sub-20- μ m Au nanoparticles in ultrafiltration membranes. Journal of Membrane Science, 2018, 567, 58-67.	4.1	12
928	The Use and Performance of Nanofiltration Membranes for Agro-Industrial Effluents Purification. , 0, , .		5

#	ARTICLE	IF	CITATIONS
929	Surface hydrophilic modification of PVDF membranes by trace amounts of tannin and polyethyleneimine. <i>Applied Surface Science</i> , 2018, 457, 695-704.	3.1	74
930	Biopolymer interactions of anaerobic sludge and their influence on membrane performance. <i>Journal of Membrane Science</i> , 2018, 564, 634-642.	4.1	7
931	Computational fluid dynamic modeling of alternating tangential flow filtration for perfusion cell culture. <i>Biotechnology and Bioengineering</i> , 2018, 115, 2751-2759.	1.7	32
932	Modelling Shear Induced Diffusion Based Particle Segregation: A Basis for Novel Separation Technology. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1008.	1.3	4
933	Influence of high shear rate on particles size, rheological behavior and fouling propensity of fruit juices during crossflow microfiltration: Case of orange juice. <i>Innovative Food Science and Emerging Technologies</i> , 2018, 48, 304-312.	2.7	21
934	Striping phenomenon during cross-flow microfiltration of oil-in-water emulsions. <i>Separation and Purification Technology</i> , 2018, 207, 514-522.	3.9	16
935	Electrocoagulation followed by ultrafiltration for treating poultry processing wastewater. <i>Journal of Environmental Chemical Engineering</i> , 2018, 6, 4937-4944.	3.3	49
936	Performance of Intermeshed Spinning Basket Membrane Module in Ultrafiltration of Oil-Water Emulsion. <i>Water Conservation Science and Engineering</i> , 2018, 3, 279-287.	0.9	3
937	Larger Pore Size Hollow Fiber Membranes as a Solution to the Product Retention Issue in Filtration-Based Perfusion Bioreactors. <i>Biotechnology Journal</i> , 2019, 14, e1800137.	1.8	29
938	A Rotating Hollow Fiber Module for Fouling Control in Direct Membrane Filtration of Primary Settled Wastewater. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 16901-16910.	1.8	7
939	Raw Water Storage as a Simple Means for Controlling Membrane Fouling Caused by Inorganic Foulants in River Water in a Tropical Region. <i>Water (Switzerland)</i> , 2019, 11, 1592.	1.2	0
940	Experimental and numerical studies on the flow characteristics and separation properties of dispersed liquid-liquid flows. <i>Physics of Fluids</i> , 2019, 31, .	1.6	12
941	In situ solvent recovery by using hydrophobic/oleophilic filter during wet lipid extraction from microalgae. <i>Bioprocess and Biosystems Engineering</i> , 2019, 42, 1447-1455.	1.7	4
942	Investigation of the cohesive strength of membrane fouling layers formed during cross-flow microfiltration: The effects of pH adjustment on the properties and fouling characteristics of microcrystalline cellulose. <i>Chemical Engineering Research and Design</i> , 2019, 149, 52-64.	2.7	9
943	Tangential Flow Microfluidics for the Capture and Release of Nanoparticles and Extracellular Vesicles on Conventional and Ultrathin Membranes. <i>Advanced Materials Technologies</i> , 2019, 4, 1900539.	3.0	53
944	Characterization of the Initial Fouling Layer on the Membrane Surface in a Membrane Bioreactor: Effects of Permeation Drag. <i>Membranes</i> , 2019, 9, 121.	1.4	3
945	Mass Transport through Composite Asymmetric Membranes. , 2019, 23, 151-172.		0
947	The hydrodynamic lift of a slender, neutrally buoyant fibre in a wall-bounded shear flow at small Reynolds number. <i>Journal of Fluid Mechanics</i> , 2019, 879, 121-146.	1.4	5

#	ARTICLE	IF	CITATIONS
948	Development of an axisymmetric parallel solution algorithm for membrane separation process. Desalination, 2019, 471, 114127.	4.0	0
949	Novel Janus membrane with unprecedented osmosis transport performance. Journal of Materials Chemistry A, 2019, 7, 632-638.	5.2	34
950	A linearised model for calculating inertial forces on a particle in the presence of a permeate flow. Journal of Fluid Mechanics, 2019, 861, 253-274.	1.4	3
951	Immersed membranes configuration for the microfiltration of fruit-based suspensions. Separation and Purification Technology, 2019, 216, 25-33.	3.9	16
952	In Situ Visualization of Concentration Polarization during Membrane Ultrafiltration Using Microscopic Laser-Induced Fluorescence. Environmental Science & Technology, 2019, 53, 2660-2669.	4.6	21
953	Microfiltration in Pharmaceuticals and Biotechnology. , 2019, , 29-67.		10
954	Ultra- and Microfiltration in Dairy Technology. , 2019, , 1-28.		5
955	Different types of electrospun nanofibers and their effect on microfluidic-based immunoassay. Polymers for Advanced Technologies, 2019, 30, 973-982.	1.6	15
956	The effects of buffer condition on the fouling behavior of MVM virus filtration of an Fc fusion protein. Biotechnology and Bioengineering, 2019, 116, 2621-2631.	1.7	10
957	Numerical simulation of particulate cake formation in cross-flow microfiltration: Effects of attractive forces. Advanced Powder Technology, 2019, 30, 1592-1599.	2.0	13
958	Effect of crossflow regime on the deposit and cohesive strength of membrane surface fouling layers. Food and Bioproducts Processing, 2019, 115, 185-193.	1.8	15
959	Performance of an integrated fixed bed membrane bioreactor (FBMBR) applied to pollutant removal from paper-recycling wastewater. Water Resources and Industry, 2019, 21, 100111.	1.9	17
960	Cake formation of bidisperse suspensions in dead-end microfiltration. Journal of Membrane Science, 2019, 577, 31-40.	4.1	17
961	A Brief Review on the Resistance-in-Series Model in Membrane Bioreactors (MBRs). Membranes, 2019, 9, 24.	1.4	51
962	Fluorine in the structure of polymers: influence on the gas separation properties. Russian Chemical Reviews, 2019, 88, 387-405.	2.5	37
963	Scalable concentration process of graphene oxide dispersions via cross-flow membrane filtration. Chemical Engineering Science, 2019, 200, 127-137.	1.9	20
964	Modelling ultrafiltration performance by integrating local (critical) fluxes along the membrane length. Journal of Membrane Science, 2019, 578, 111-125.	4.1	6
965	In-situ characterization of cake layer fouling during crossflow microfiltration of oil-in-water emulsion. Separation and Purification Technology, 2019, 218, 51-58.	3.9	15

#	ARTICLE	IF	CITATIONS
966	Membrane separation technology for the recovery of nutraceuticals from food industrial streams. Trends in Food Science and Technology, 2019, 86, 426-438.	7.8	70
967	Quantitative Pore Characterization of Polyurethane Foam with Cost-Effective Imaging Tools and Image Analysis: A Proof-Of-Principle Study. Polymers, 2019, 11, 1879.	2.0	7
968	Design Optimization for a Microfluidic Crossflow Filtration System Incorporating a Micromixer. Micromachines, 2019, 10, 836.	1.4	11
969	Label-free microfluidic sorting of microparticles. APL Bioengineering, 2019, 3, 041504.	3.3	63
970	Modeling of fouling in cross-flow microfiltration of suspensions. AIChE Journal, 2019, 65, 207-213.	1.8	5
971	Performance Characteristics of a Suspended Catalyst Oscillatory Membrane Photocatalytic Reactor. Chemical Engineering and Technology, 2019, 42, 575-583.	0.9	2
972	Membrane oscillation and slot (pore) blocking in oil-water separation. Chemical Engineering Research and Design, 2019, 142, 111-120.	2.7	19
973	Enhancing fouling mitigation of submerged flat-sheet membranes by vibrating 3D-spacers. Separation and Purification Technology, 2019, 215, 70-80.	3.9	44
974	Membrane Filtration with Liquids: A Global Approach with Prior Successes, New Developments and Unresolved Challenges. Angewandte Chemie, 2019, 131, 1908-1918.	1.6	10
975	Transport and deposition of colloidal particles on a patterned membrane surface: Effect of cross-flow velocity and the size ratio of particle to surface pattern. Journal of Membrane Science, 2019, 572, 309-319.	4.1	34
976	Ultrafiltration with intermittent relaxation using colloidal silica and humic acid as model foulants. Separation and Purification Technology, 2019, 212, 262-272.	3.9	12
977	Membrane Filtration with Liquids: A Global Approach with Prior Successes, New Developments and Unresolved Challenges. Angewandte Chemie - International Edition, 2019, 58, 1892-1902.	7.2	46
978	Antifouling Membranes for Bioelectrochemistry Applications. , 2019, , 195-224.		5
979	Fouling minimization at membranes having a 3D surface topology with microgels as soft model colloids. Journal of Membrane Science, 2019, 569, 7-16.	4.1	28
980	Impact of micro and macroporous TFF membranes on product sieving and chromatography loading for perfusion cell culture. Biotechnology and Bioengineering, 2020, 117, 117-124.	1.7	23
981	The roles of particles in enhancing membrane filtration: A review. Journal of Membrane Science, 2020, 595, 117570.	4.1	55
982	Permeate flux hysteresis with transmembrane pressure in the gel controlling membrane filtration. Journal of Food Engineering, 2020, 264, 109689.	2.7	2
983	The effect of mechanical cleaning technology (MCT) on membrane fouling in a novel hybrid membrane photobioreactor (HMPBR) containing Arthrospira platensis (Spirulina). Journal of Applied Phycology, 2020, 32, 83-91.	1.5	8

#	ARTICLE	IF	CITATIONS
984	Athermal forward osmosis process for the concentration of liquid egg white: Process performance and improved physicochemical property of protein. <i>Food Chemistry</i> , 2020, 312, 126032.	4.2	19
985	Effectiveness of fouling mechanism for bacterial immobilization in polyvinylidene fluoride membranes for biohydrogen fermentation. <i>Food and Bioproducts Processing</i> , 2020, 120, 48-57.	1.8	8
986	Assessing internal fouling during microfiltration using optical coherence tomography and evapoporometry. <i>Journal of Membrane Science</i> , 2020, 595, 117588.	4.1	15
987	Strategies for high-concentration drug substance manufacturing to facilitate subcutaneous administration: A review. <i>Biotechnology and Bioengineering</i> , 2020, 117, 3591-3606.	1.7	16
988	Critical flux behavior of ultrathin membranes in protein-rich solutions. <i>Separation and Purification Technology</i> , 2020, 251, 117342.	3.9	9
989	Modulation of transmembrane pressure in manufacturing scale tangential flow filtration N ₂ perfusion seed culture. <i>Biotechnology Progress</i> , 2020, 36, e3040.	1.3	3
990	Wide-surface pore microfiltration membrane drastically improves sieving decay in TFF-based perfusion cell culture and streamline chromatography integration for continuous bioprocessing. <i>Biotechnology and Bioengineering</i> , 2020, 117, 3336-3344.	1.7	13
991	Quantitative relationships for the impact of gas sparging conditions on membrane fouling in anaerobic membrane bioreactor. <i>Journal of Cleaner Production</i> , 2020, 276, 123139.	4.6	12
992	Polyethersulfone microfiltration membrane modified by an amphiphilic dithiolane-containing copolymer for improving anti-protein fouling performance and rejection of nanoparticles. <i>Polymers for Advanced Technologies</i> , 2020, 31, 2816-2826.	1.6	5
993	Suspension Jams in a Leaky Microfluidic Channel. <i>Physical Review Letters</i> , 2020, 125, 044501.	2.9	3
994	High Loaded Biofloculation Membrane Reactor of Novel Structure for Organic Matter Recovery from Sewage: Effect of Temperature on Biofloculation and Membrane Fouling. <i>Water (Switzerland)</i> , 2020, 12, 2497.	1.2	2
995	Fouling Mitigation by Cationic Polymer Addition into a Pilot-Scale Anaerobic Membrane Bioreactor Fed with Blackwater. <i>Polymers</i> , 2020, 12, 2383.	2.0	4
996	Comparison of external and submerged membranes used in anaerobic membrane bioreactors: Fouling related issues and biological activity. <i>Biochemical Engineering Journal</i> , 2020, 159, 107558.	1.8	15
997	Introduction to dynamic modeling of membrane-based technologies. , 2020, , 159-334.		0
998	Development of antifouling membranes using agro-industrial waste lignin for the treatment of Canada's oil sands produced water. <i>Journal of Membrane Science</i> , 2020, 611, 118326.	4.1	25
999	Outlining the Roles of Membrane-Foulant and Foulant-Foulant Interactions in Organic Fouling During Microfiltration and Ultrafiltration: A Mini-Review. <i>Frontiers in Chemistry</i> , 2020, 8, 417.	1.8	58
1000	Microtechnological Tools to Achieve Sustainable Food Processes, Products, and Ingredients. <i>Food Engineering Reviews</i> , 2020, 12, 101-120.	3.1	9
1001	Unraveling effects of Dean vortices on membrane fouling in a sinusoidally curved channel. <i>Journal of Membrane Science</i> , 2020, 603, 118008.	4.1	7

#	ARTICLE	IF	CITATIONS
1002	Biofouling management in anaerobic membrane bioreactors. , 2020, , 79-107.		3
1003	Membrane concentration of hydrothermal SiO ₂ nanoparticles. Separation and Purification Technology, 2020, 251, 117290.	3.9	12
1004	A Local Model and Experimental Verification of the Crossflow Filtration of a Polydispersed Slurry. Water (Switzerland), 2020, 12, 489.	1.2	0
1005	Characteristics of coconut protein separation process by means of membrane ultrafiltration. Journal of Food Process Engineering, 2020, 43, e13363.	1.5	1
1006	The behavior of suspensions and macromolecular solutions in crossflow microfiltration: An update. Journal of Membrane Science, 2020, 601, 117865.	4.1	79
1007	Fouling behavior of colloidal particles in organic solvent ultrafiltration. Journal of Membrane Science, 2020, 599, 117836.	4.1	33
1008	Air sparging for fouling control. , 2020, , 225-243.		0
1009	Effect of initial particle deposition rate on cake formation during dead-end microfiltration. Journal of Membrane Science, 2021, 618, 118672.	4.1	17
1010	Insights into the roles of membrane pore size and feed foulant concentration in ultrafiltration membrane fouling based on collision-attachment theory. Water Environment Research, 2021, 93, 516-523.	1.3	8
1011	Build the expressway for the salt-tolerant anammox process: Acclimation strategy tells the story. Journal of Cleaner Production, 2021, 278, 123921.	4.6	32
1012	The influence of ion identity and ionic strength on membrane biofouling of a binary protein solution. Separation and Purification Technology, 2021, 255, 117769.	3.9	13
1013	New developments in membranes for bioprocessing – A review. Journal of Membrane Science, 2021, 620, 118804.	4.1	44
1014	Carbon dots – Separative techniques: Tools-objective towards green analytical nanometrology focused on bioanalysis. Microchemical Journal, 2021, 161, 105773.	2.3	10
1015	Modeling flux in tangential flow filtration using a reverse asymmetric membrane for Chinese hamster ovary cell clarification. Biotechnology Progress, 2021, 37, e3115.	1.3	4
1016	Modeling tangential flow filtration using reverse asymmetric membranes for bioreactor harvesting. Biotechnology Progress, 2021, 37, e3084.	1.3	3
1017	Enhanced filtration performance using feed-and-bleed configuration for purification of antibody precipitates. Biotechnology Progress, 2021, 37, e3082.	1.3	8
1018	Membrane Fouling in Desalination. Advances in Science, Technology and Innovation, 2021, , 39-52.	0.2	1
1019	Nano-Porous Graphene as Free-Standing Membranes. Springer Series on Polymer and Composite Materials, 2021, , 43-86.	0.5	2

#	ARTICLE	IF	CITATIONS
1020	Recent Advances in the Rejection of Endocrine-Disrupting Compounds from Water Using Membrane and Membrane Bioreactor Technologies: A Review. <i>Polymers</i> , 2021, 13, 392.	2.0	38
1021	The industrial development of polymeric membranes and membrane modules for reverse osmosis and ultrafiltration. , 2021, , 1-12.		3
1022	Polymer nanocomposite membranes for wastewater treatment. , 2021, , 605-672.		0
1023	Direct Purification of Digestate Using Ultrafiltration Membranes: Influence of Pore Size on Filtration Behavior and Fouling Characteristics. <i>Membranes</i> , 2021, 11, 179.	1.4	13
1024	Numerical simulations of lift force and drag force on a particle in cross-flow microfiltration of colloidal suspensions to understand limiting flux. <i>Journal of Membrane Science</i> , 2021, 621, 118998.	4.1	4
1025	Separation of Bacteria <i>Kocuria rhizophila</i> from Fermentation Broth by Cross-Flow Microfiltration Using Inexpensive Tubular Ceramic Membrane. <i>Arabian Journal for Science and Engineering</i> , 2022, 47, 5767-5776.	1.7	6
1026	Colorless and Transparent Polyimide Microporous Film with Excellent Physicochemical Property. <i>Polymers</i> , 2021, 13, 1298.	2.0	3
1027	Prediction of Permeate Flux in Ultrafiltration Processes: A Review of Modeling Approaches. <i>Membranes</i> , 2021, 11, 368.	1.4	20
1028	Membrane fouling by mixtures of oppositely charged particles. <i>Journal of Membrane Science</i> , 2021, 625, 119093.	4.1	19
1029	Surface Patterning Increases Fluid Sorption Efficiency in Porous Reactive Coatings: A Model for Optimised Surface-Flow Filtration. <i>Transport in Porous Media</i> , 2021, 138, 539.	1.2	4
1030	Progress in micellar casein concentrate: Production and applications. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 4426-4449.	5.9	25
1032	Polytetrafluoroethylene (PTFE) hollow fibers modified by hydrophilic crosslinking network (HCN) for robust resistance to fouling and harsh chemical cleaning. <i>Journal of Membrane Science</i> , 2021, 630, 119301.	4.1	16
1033	The influence of interfacial tension on rejection and permeation of the oil droplets through a slit pore membrane. <i>Separation and Purification Technology</i> , 2021, 266, 118581.	3.9	9
1034	Near-contact approach of two permeable spheres. <i>Journal of Fluid Mechanics</i> , 2021, 925, .	1.4	6
1035	Imaging and Identifying BSA Biofouling through the Combination of Fluorescence Microscopy and Flux Experiments. <i>Clean - Soil, Air, Water</i> , 2021, 49, 2000326.	0.7	3
1036	Application of Coagulationâ€“Membrane Rotation to Improve Ultrafiltration Performance in Drinking Water Treatment. <i>Membranes</i> , 2021, 11, 643.	1.4	4
1037	Effect of minimal pre-treatment on reverse osmosis using surface water as a source. <i>Desalination</i> , 2021, 509, 115056.	4.0	24
1038	Scalable production of concentrated graphene oxide dispersion from acidic graphite oxide within one system. <i>Chemical Engineering Science</i> , 2022, 248, 117143.	1.9	3

#	ARTICLE	IF	CITATIONS
1039	The open membrane database: Synthesisâ€‘structureâ€‘performance relationships of reverse osmosis membranes. <i>Journal of Membrane Science</i> , 2022, 641, 119927.	4.1	62
1040	Comparative analysis of aeration and oscillation in a suspended catalyst photocatalytic membrane reactor. <i>Chemical Engineering Research and Design</i> , 2021, 173, 55-62.	2.7	1
1041	Fouling Mitigation via Chaotic Advection in a Flat Membrane Module with a Patterned Surface. <i>Membranes</i> , 2021, 11, 724.	1.4	4
1042	A new flux prediction model for laminar and turbulent flow regimes in constant pressure cross-flow microfiltration. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106156.	3.3	2
1043	Enhanced removal efficiency of heavy metal ions by assembling phytic acid on polyamide nanofiltration membrane. <i>Journal of Membrane Science</i> , 2021, 636, 119591.	4.1	50
1044	Separation of bacteria <i>Kocuria rhizophila</i> BR-1 from its broth during synthesis of gold nanoparticles using ceramic membrane by shear-enhanced filtration process. <i>Chemosphere</i> , 2021, 281, 130761.	4.2	1
1045	Fabrication of conductive ceramic membranes for electrically assisted fouling control during membrane filtration for wastewater treatment. <i>Chemosphere</i> , 2021, 280, 130794.	4.2	22
1046	Interplay between particulate fouling and its flow disturbance: Numerical and experimental studies. <i>Journal of Membrane Science</i> , 2021, 635, 119497.	4.1	6
1047	A mini-module with built-in spacers for high-throughput ultrafiltration. <i>Journal of Membrane Science</i> , 2021, 637, 119602.	4.1	12
1048	Internal membrane fouling by proteins during microfiltration. <i>Journal of Membrane Science</i> , 2021, 637, 119589.	4.1	24
1049	Dissect the role of particle size through collision-attachment simulations for colloidal fouling of RO/NF membranes. <i>Journal of Membrane Science</i> , 2021, 638, 119679.	4.1	13
1050	Design principles and challenges of bench-scale high-pressure reverse osmosis up to 150Âbar. <i>Desalination</i> , 2021, 517, 115237.	4.0	22
1051	Comparison of Polypropylene and Ceramic Microfiltration Membranes Applied for Separation of 1,3-PD Fermentation Broths and <i>Saccharomyces cerevisiae</i> Yeast Suspensions. <i>Membranes</i> , 2021, 11, 44.	1.4	19
1052	Templating the morphology of soft microgel assemblies using a nanolithographic 3D-printed membrane. <i>Scientific Reports</i> , 2021, 11, 812.	1.6	8
1053	Development of a schwartzite-based moving bed 3D printed water treatment system for nanoplastic remediation. <i>RSC Advances</i> , 2021, 11, 19788-19796.	1.7	21
1057	Non-Specific Protein-Membrane Interactions: Adsorption and Fouling. , 1996, , 279-288.		2
1058	Oil Water Separation. , 2006, , 521-548.		13
1059	A new approach for determination of fouling potential by colloidal nanoparticles during reverse osmosis (RO) membrane filtration of seawater. , 2013, , 63-71.		1

#	ARTICLE	IF	CITATIONS
1060	Aroma Recovery by Organophilic Pervaporation. , 2007, , 427-437.		4
1061	Polarisation Phenomena and Membrane Fouling. , 1996, , 416-464.		13
1062	Critical flux of colloidal foulant in microfiltration: Effect of organic solvent. Journal of Membrane Science, 2020, 616, 118531.	4.1	14
1063	Inertial particle dynamics in the presence of a secondary flow. Physical Review Fluids, 2017, 2, .	1.0	6
1064	Interaction of Proteins with Polymeric Synthetic Membranes. Surfactant Science, 2003, , .	0.0	1
1065	Two-Dimensional Simulation of Lift Velocities of Spherical Particles in Crossflow Microfiltration. Journal of Chemical Engineering of Japan, 2009, 42, 884-892.	0.3	5
1066	Hydrodynamics in a Flat-Plate Crossflow Filter and Particle Trajectory with Electric Fields Imposed on the Filter.. Journal of Chemical Engineering of Japan, 1998, 31, 407-416.	0.3	3
1067	Performances of submerged membrane photocatalysis reactor during treatment of humic substances. Membrane Water Treatment, 2010, 1, 283-296.	0.5	8
1068	Comparison study on membrane fouling by various sludge fractions with long solid retention time in membrane bioreactor. Membrane Water Treatment, 2013, 4, 175-189.	0.5	4
1069	Evaluation of Novel Large Cut-Off Ultrafiltration Membranes for Adenovirus Serotype 5 (Ad5) Concentration. PLoS ONE, 2014, 9, e115802.	1.1	22
1070	Baleen Hydrodynamics and Morphology of Cross-Flow Filtration in Balaenid Whale Suspension Feeding. PLoS ONE, 2016, 11, e0150106.	1.1	60
1071	Permeability reduction phenomena in packed beds, fiber mats, and wet webs of paper exposed to flow of liquids and suspensions: A review. BioResources, 2009, 4, 405-451.	0.5	30
1072	Mecanismos de queda do fluxo em membranas de microfiltra�o de poli�terimida aplicadas � clarifica�o de �gua produzida sint�tica. Revista Materia, 2019, 24, .	0.1	1
1074	Computational Fluid Dynamics (CFD) Simulation of Cross-flow Mode Operation of Membrane for Downstream Processing. Recent Patents on Biotechnology, 2019, 13, 57-68.	0.4	8
1075	On the validation perspectives of the proposed novel dimensionless fouling index. International Journal of Advanced and Applied Sciences, 2018, 5, 116-122.	0.2	23
1076	Functional morphology of diatom frustule microstructures: hydrodynamic control of Brownian particle diffusion and advection. Aquatic Microbial Ecology, 2001, 24, 287-295.	0.9	52
1077	Anaerobic Membrane Bioreactor as Highly Efficient and Reliable Technology for Wastewater Treatment��A Review. Advances in Chemical Engineering and Science, 2018, 08, 82-100.	0.2	20
1078	Metathesis Polymerization-Based Synthesis of Functionalized Polymers Aiming at Medicinal Application. Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry, 2013, 71, 601-615.	0.0	5

#	ARTICLE	IF	CITATIONS
1080	Study on Dynamic of Ultrafiltration Membrane Materials Preparing and Used in Drinking Water Treatment. International Journal of Environmental Science and Development, 2013, , 383-385.	0.2	1
1083	Secondary Membranes for Flux Optimization in Membrane Filtration of Biologic Suspensions. , 2004, , 417-432.		0
1084	Ultrafiltration und Mikrofiltration. , 2004, , 301-357.		0
1085	Development of a Novel Metalworking Fluid Engineered for Use With Microfiltration Recycling. , 2006, , .		1
1086	Studies on Membrane Filtration of Food Microbial Cell Suspensions. Japan Journal of Food Engineering, 2007, 8, 221-229.	0.1	0
1087	The role of particles/colloids in SWRO systems - Fouling prediction and validation. , 2011, , 195-220.		0
1088	Particle deposition in SWRO systems. , 2011, , 169-194.		0
1089	Analysis of Fouling and Flux Behavior in Cross-Flow Microfiltration of Nonalcoholic Beer by Ceramic Membrane. , 0, , 157-167.		0
1090	KARAKTERISTIK INTERAKSI MEMBRAN-FOULANT DAN FOULANT-FOULANT SEBAGAI DASAR PENGENDALIAN FOULING. Reaktor, 2012, 14, .	0.2	1
1091	Advances in Fluid Dynamic Modeling of Microfiltration Processes. Computational and Physical Processes in Mechanics and Thermal Science, 2012, , 215-248.	0.7	0
1092	Efectos que producen el KCl y el isopropanol a la pectina en soluci3n en la resistencia al flux en membranas de ultrafiltraci3n. Qu3mica Hoy Chemistry Sciences \$b, 2013, 3, 11.	0.1	0
1094	OPTIMIZING THE NANOFILTRATION OPERATING CONDITIONS AS POST TREATMENT STEP IN THE GROUNDWATER DENITRIFICATION PROCESS. Environmental Engineering and Management Journal, 2014, 13, 2417-2424.	0.2	0
1095	Ultrafiltration und Mikrofiltration. , 1997, , 198-246.		0
1097	Chemical Water and Wastewater Treatment VIII. Water Intelligence Online, 2015, 4, 9781780402840-9781780402840.	0.3	50
1098	Membranes: Ultrafiltration and Nanofiltration. , 0, , 4114-4133.		0
1099	Fouling. , 2016, , 807-811.		0
1100	Shear Stress, Control Fouling with. , 2016, , 1768-1770.		0
1101	Applicability of Temperature Correction Trans-membrane Pressure as a Fouling Index of Membrane Water Treatment Process. Journal of the Korean Society of Water and Wastewater, 2016, 30, 1-8.	0.3	0

#	ARTICLE	IF	CITATIONS
1104	Preparation of Polysulfone Microfiltration Membranes by a Sulfonated Polyethersulfone Additive. Membrane Journal, 2017, 27, 273-283.	0.2	0
1106	Application of polymer membranes in downstream processes. ChemistrySelect, 2020, 5, .	0.7	0
1107	Optimizing the Axial Resistance Profile of Submerged Hollow Fiber Membranes. Processes, 2021, 9, 20.	1.3	2
1108	Ultrafiltration and microfiltration. , 2022, , 69-75.		0
1109	Ultrafiltration und Mikrofiltration. , 2007, , 309-368.		0
1110	Production of Baculovirus and Stem Cells for Baculovirus-Mediated Gene Transfer into Human Mesenchymal Stem Cells. Methods in Molecular Biology, 2021, 2183, 367-390.	0.4	2
1111	Gas separation and filtration membrane applications of polymer/graphene nanocomposites. , 2022, , 197-222.		0
1112	Mechanistic insights into the membrane fouling mechanism during ultrafiltration of high-concentration proteins via in-situ electrical impedance spectroscopy (EIS). Journal of Industrial and Engineering Chemistry, 2022, 106, 429-448.	2.9	7
1113	Effect of surface-patterned topographies of ceramic membranes on the filtration of activated sludge and their interaction with different particle sizes. Journal of Membrane Science, 2022, 645, 120125.	4.1	13
1114	Fouling control in a submerged membrane reactor: Aeration vs membrane oscillations. Chemical Engineering Journal, 2022, 432, 134399.	6.6	16
1115	Optimising the Flux Enhancer Dosing Strategy in a Pilot-Scale Anaerobic Membrane Bioreactor by Mathematical Modelling. Membranes, 2022, 12, 151.	1.4	0
1116	Membrane fouling mechanisms by BSA in aqueous-organic solvent mixtures. Journal of Industrial and Engineering Chemistry, 2022, 108, 389-399.	2.9	12
1117	Experimental verification on real-time fouling analysis in crossflow UF of protein solutions by electrical impedance spectroscopy. Journal of the Taiwan Institute of Chemical Engineers, 2022, 133, 104197.	2.7	4
1118	Fouling control strategies for direct membrane ultrafiltration: Physical cleanings assisted by membrane rotational movement. Chemical Engineering Journal, 2022, 436, 135161.	6.6	24
1119	Permeate Flux in Ultrafiltration Processes—Understandings and Misunderstandings. Membranes, 2022, 12, 187.	1.4	11
1120	Resistance and mobility functions for the near-contact motion of permeable particles. Journal of Fluid Mechanics, 2022, 938, .	1.4	2
1121	Synthesis and Hydrodynamic Modeling Study of Epoxy/Carbon Nanospheres (Epoxy-CNS) Composite Coatings for Water Filtration Applications. Sustainability, 2022, 14, 4114.	1.6	2
1122	Impact of Particle Shape and Surface Group on Membrane Fouling. Membranes, 2022, 12, 403.	1.4	2

#	ARTICLE	IF	CITATIONS
1123	Microfluidic osmotic compression of a charge-stabilized colloidal dispersion: Equation of state and collective diffusion coefficient. <i>Physical Review E</i> , 2021, 104, L062601.	0.8	4
1124	Geometrical Influence on Particle Transport in Cross-Flow Ultrafiltration: Cylindrical and Flat Sheet Membranes. <i>Membranes</i> , 2021, 11, 960.	1.4	1
1125	Microfluidic Evaporation, Pervaporation, and Osmosis: From Passive Pumping to Solute Concentration. <i>Chemical Reviews</i> , 2022, 122, 6938-6985.	23.0	23
1130	Economic Analysis of Membrane-Based Separation of Biocatalyst: Mode of Operation and Stage Configuration. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 6682-6692.	1.8	3
1131	Hydrophilic modification of polypropylene membrane via tannic and titanium complexation for high efficiency oil/water emulsion separation driven by self-gravity. <i>Polymer Engineering and Science</i> , 2022, 62, 2131-2142.	1.5	12
1133	Determination of Compressibility and Relaxation Behavior of Yeast Cell Sediments by Analytical Centrifugation and Comparison with Deposit Formation on Membrane Surfaces. <i>Membranes</i> , 2022, 12, 603.	1.4	1
1134	Smart harvesting and in-situ application of piezoelectricity in membrane filtration systems. <i>Journal of Membrane Science</i> , 2022, , 120819.	4.1	5
1135	Energy-Efficient AnMBRs Technology for Treatment of Wastewaters: A Review. <i>Energies</i> , 2022, 15, 4981.	1.6	9
1136	Visualizing protein fouling and its impact on parvovirus retention within distinct filter membrane morphologies. <i>Journal of Membrane Science</i> , 2022, 659, 120791.	4.1	3
1137	Effect of module geometry on the sustainable flux during microfiltration of precipitated IgG. <i>Journal of Membrane Science</i> , 2022, 660, 120834.	4.1	5
1138	Electrochemical Characterization of Nanoporous Alumina-Based Membranes with Different Structure and Geometrical Parameters by Membrane Potential Analysis. <i>Micro</i> , 2022, 2, 475-487.	0.9	0
1139	Electrochemical Methods for Water Purification, Ion Separations, and Energy Conversion. <i>Chemical Reviews</i> , 2022, 122, 13547-13635.	23.0	127
1140	Effects of Viscosity on Submerged Membrane Microfiltration Systems. <i>Membranes</i> , 2022, 12, 780.	1.4	2
1142	Dissecting the role of membrane defects with low-energy barrier on fouling development through A collision Attachment-Monte Carlo approach. <i>Journal of Membrane Science</i> , 2022, 663, 120981.	4.1	3
1143	In-depth insights into the temporal-based fouling mechanism and its exploration in anaerobic membrane bioreactors: A review. <i>Journal of Cleaner Production</i> , 2022, 375, 134110.	4.6	14
1144	Development of a dynamic model for effective mitigation of membrane fouling through biogas sparging in submerged anaerobic membrane bioreactors (SAnMBRs). <i>Journal of Environmental Management</i> , 2022, 323, 116151.	3.8	6
1146	Research on Autopsy Results of over 10 Year Old Low Pressure Hollow Fiber Membrane from Domestic Water Treatment Plant. <i>Daehan Hwan'gyeong Gonghag Hoeji</i> , 2022, 44, 287-297.	0.4	0
1147	A Concise Review of Theoretical Models and Numerical Simulations of Membrane Fouling. <i>Water (Switzerland)</i> , 2022, 14, 3537.	1.2	8

#	ARTICLE	IF	CITATIONS
1148	A review of membrane fouling by proteins in ultrafiltration and microfiltration. Journal of Water Process Engineering, 2022, 50, 103294.	2.6	32
1149	Synergistic effect of particle size, shear rate and driving-force during microfiltration of fruit juices: Toward a relevant choice of pretreatments and filtration conditions. Innovative Food Science and Emerging Technologies, 2022, , 103247.	2.7	1
1151	Numerical study of the effect friction coefficient particles on morphological properties of separation membrane surface. Modern Physics Letters B, 0, , .	1.0	0
1153	Membrane bioreactor for wastewater treatment: Fouling and abatement strategies. , 2023, , 173-202.		2
1154	Monitoring of MBR fouling properties by filtration resistance and zeta potential measured for both filtration and backwashing directions. Journal of Membrane Science, 2023, 675, 121550.	4.1	3
1155	New insights into membrane fouling during direct membrane filtration of municipal wastewater and fouling control with mechanical strategies. Science of the Total Environment, 2023, 869, 161775.	3.9	18
1156	Anti-fouling electrospun organic and inorganic nanofiber membranes for wastewater treatment. South African Journal of Chemical Engineering, 2023, 44, 302-317.	1.2	6
1157	Stokes flow solutions in infinite and semi-infinite porous channels. Studies in Applied Mathematics, 0, , .	1.1	0
1158	Centrifuge-Free Separation of Solution-Exfoliated 2D Nanosheets via Cross-Flow Filtration. Advanced Materials, 2023, 35, .	11.1	3
1159	Constant Pressure Mode. , 2023, , 9-80.		0
1160	Antifouling Nano Filtration Membrane. , 2023, , 238-270.		0
1168	Downstream process (harvested broth concentration) phase-I. , 2023, , 39-68.		0
1180	Microfiltration. , 2024, , 55-124.		0