

CITATION REPORT

List of articles citing

Waist circumference and abdominal sagittal diameter:
best simple anthropometric indexes of abdominal
visceral adipose tissue accumulation and related
cardiovascular risk in men and women

DOI: 10.1016/0002-9149(94)90676-9

American Journal of Cardiology, 1994, 73, 460-8.

Source: <https://exaly.com/paper-pdf/25167731/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1605	Dyslipidaemia and obesity. 1994 , 8, 629-60		143
1604	Relation of body fat distribution to ischemic heart disease. The National Health and Nutrition Examination Survey I (NHANES I) Epidemiologic Follow-up Study. 1995 , 142, 53-63		93
1603	Associations between serum lipids and indicators of adiposity in men with spinal cord injury. 1995 , 33, 102-9		63
1602	The insulin action-fiber type relationship in humans is muscle group specific. 1995 , 269, E150-4		28
1601	Physiological Predictors of Increasing Total and Central Adiposity in Aging Men and Women. 1995 , 155, 2443		77
1600	Plasma cholesterol and other cardiac risk factors in adolescent girls. 1995 , 73, 392-7		14
1599	Loss of skeletal muscle mass with aging: effect on glucose tolerance. 1995 , 50 Spec No, 68-72		19
1598	Is it possible to derive a reliable estimate of human visceral and subcutaneous abdominal adipose tissue from simple anthropometric measurements?. 1995 , 44, 1617-25		116
1597	Weight loss reduces abdominal fat and improves insulin action in middle-aged and older men with impaired glucose tolerance. 1995 , 44, 1502-8		79
1596	Evaluation of drugs for treating obesity. 1995 , 3 Suppl 4, 425S-434S		32
1595	Leptin levels in human and rodent: measurement of plasma leptin and ob RNA in obese and weight-reduced subjects. 1995 , 1, 1155-61		3054
1594	Simple anthropometric indices associated with ischemic heart disease. 1996 , 49, 1017-24		108
1593	Waist circumference as a screening tool for cardiovascular risk factors: evaluation of receiver operating characteristics (ROC). 1996 , 4, 533-47		57
1592	Reduction of visceral adipose tissue and improvement of metabolic indices: effect of dexfenfluramine in NIDDM. 1996 , 4, 1-7		26
1591	Health hazards of obesity. 1996 , 25, 907-19		108
1590	Magnetic resonance imaging provides new insights into the characterization of adipose and lean tissue distribution. 1996 , 74, 778-785		69
1589	The deadly quartet and the insulin resistance syndrome: an historical overview. 1996 , 19 Suppl 1, S9-11		21

1588	Sex differences in measures of body fat and body fat distribution in the elderly. 1996 , 143, 898-906	71
1587	A single threshold value of waist girth identifies normal-weight and overweight subjects with excess visceral adipose tissue. 1996 , 64, 685-93	349
1586	Predicting body composition by densitometry from simple anthropometric measurements. 1996 , 63, 4-14	243
1585	Low-serum, high-density lipoprotein cholesterol concentration is an important coronary risk factor in Chinese patients with low serum levels of total cholesterol and triglyceride. <i>American Journal of Cardiology</i> , 1996 , 77, 1112-5	3 16
1584	The abdominal diameter index and sudden coronary death in men. <i>American Journal of Cardiology</i> , 1996 , 78, 961-4	3 27
1583	Effects of gender, ethnicity, body composition, and fat distribution on serum leptin concentrations in children. 1997 , 82, 2148-52	108
1582	The Sixth Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. 1997 , 157, 2413	3063
1581	Leptin concentrations in women in the San Antonio Heart Study: effect of menopausal status and postmenopausal hormone replacement therapy. 1997 , 146, 581-5	76
1580	Abstracts of Communication. 1997 , 56, 214A-275A	2
1579	Waist circumference as the best predictor of noninsulin dependent diabetes mellitus (NIDDM) compared to body mass index, waist/hip ratio and other anthropometric measurements in Mexican Americans—a 7-year prospective study. 1997 , 5, 16-23	313
1578	Relationships between changes in body composition and changes in cardiovascular risk factors: the SOS Intervention Study. Swedish Obese Subjects. 1997 , 5, 519-30	116
1577	Serum leptin levels in Mexican Americans and non-Hispanic whites: association with body mass index and cigarette smoking. 1997 , 7, 81-6	79
1576	Effects of aging on dehydroepiandrosterone sulfate in relation to fasting insulin levels and body composition assessed by bioimpedance analysis. 1997 , 46, 826-32	27
1575	The effect of age on cardiovascular risk factors in Chinese women. 1997 , 61, 221-7	14
1574	Very low calorie diet (VLCD): a useful alternative in the treatment of the obese NIDDM patient. 1997 , 36, 105-11	43
1573	Age-related increase in muscle sympathetic nerve activity is associated with abdominal adiposity. 1997 , 272, E976-80	42
1572	Body habitus and coronary heart disease in men. A review with reference to methods of body habitus assessment. 1997 , 18, 376-93	59
1571	Does insulin resistance unite the separate components of the insulin resistance syndrome? Evidence from the Miami Community Health Study. 1997 , 17, 2413-7	62

1570	The influences of height and age on waist circumference as an index of adiposity in adults. 1997 , 21, 83-9	72
1569	Waist circumference reduction and cardiovascular benefits during weight loss in women. 1997 , 21, 127-34	76
1568	Relationship of metabolic variables to abdominal adiposity measured by different anthropometric measurements and dual-energy X-ray absorptiometry in obese middle-aged women. 1997 , 21, 367-71	38
1567	Predicting intra-abdominal fatness from anthropometric measures: the influence of stature. 1997 , 21, 587-93	134
1566	Contrasting factors associated with abdominal and peripheral weight gain among adult women. 1997 , 21, 903-11	26
1565	The non-genetic determinants of central adiposity. 1997 , 21, 839-45	31
1564	Simple anthropometric indexes and cardiovascular risk factors in Chinese. 1997 , 21, 995-1001	88
1563	Relations of total and abdominal adiposity to muscle sympathetic nerve activity in healthy older males. 1997 , 21, 1053-7	31
1562	Regional variation in adipose tissue insulin action and GLUT4 glucose transporter expression in severely obese premenopausal women. 1997 , 40, 590-8	44
1561	Sagittal diameter in comparison with single slice CT as a predictor of total visceral adipose tissue volume. 1998 , 22, 338-42	65
1560	Associations of indices of adiposity with atherogenic lipoprotein subfractions. 1998 , 22, 432-9	68
1559	Sagittal abdominal diameter as a practical predictor of visceral fat. 1998 , 22, 655-60	99
1558	Selection of anthropometric indicators for classification of abdominal fatness--a critical review. 1998 , 22, 719-27	264
1557	Obesity as a chronic disease: modern medical and lifestyle management. 1998 , 98, S9-15	113
1556	The dietitians' philosophy and practice in multidisciplinary weight management. 1998 , 98, S49-54	6
1555	Markers of abdominal adipose tissue in women: relationship to ovarian function. 1998 , 9, 68-71	10
1554	The relation of fasting insulin to blood pressure in a multiethnic population: the Miami Community Health Study. 1998 , 8, 236-44	6
1553	The Growth Hormone Research Society consensus guidelines for the diagnosis and treatment of adult GH deficiency. 1998 , 8 Suppl A, 25-9	13

1552	Diabetes in urban African Americans. XII. Anthropometry for assessing municipal hospital outpatients recently diagnosed with type 2 diabetes. 1998 , 6, 238-45	3
1551	Effects of the menopause transition on body fatness and body fat distribution. 1998 , 6, 246-54	117
1550	The body mass index-mortality relationship in white and African American women. 1998 , 6, 268-77	76
1549	Genetic and behavioral determinants of waist-hip ratio and waist circumference in women twins. 1998 , 6, 383-92	90
1548	The insulin resistance-dyslipidemic syndrome of visceral obesity: effect on patients' risk. 1998 , 6 Suppl 1, 8S-17S	184
1547	The case for medical management of obesity: a call for increased physician involvement. 1998 , 6 Suppl 1, 23S-33S	29
1546	REFERENCE LIST. 1998 , 6, 183S-209S	
1545	The relationship between fat distribution and coronary risk factors in sedentary postmenopausal women on and off hormone replacement therapy. 1998 , 6, 40-6	9
1544	The association between a family history of type 2 diabetes and coronary artery disease in a type 1 diabetes population. 1998 , 21, 610-4	66
1543	Evaluation of abdominal fat distribution in noninsulin-dependent diabetes mellitus: relationship to insulin resistance. 1998 , 83, 1306-11	56
1542	Physical activity status and adverse age-related differences in coagulation and fibrinolytic factors in women. 1998 , 18, 362-8	78
1541	Relationships of abdominal obesity and hyperinsulinemia to angiographically assessed coronary artery disease in men with known mutations in the LDL receptor gene. 1998 , 97, 871-7	81
1540	Childhood obesity, adipose tissue distribution, and the pediatric practitioner. 1998 , 102, e4	80
1539	Evaluation of indices of obesity in men: descriptive study. 1998 , 316, 1428-9	9
1538	C-peptide and insulin, but not C19-steroids, support the predictive value of body mass index on leptin in serum of premenopausal women. 1998 , 13, 547-53	14
1537	Blood pressure in relation to obesity, insulin and the hypothalamic-pituitary-adrenal axis in Swedish men. 1998 , 16, 1721-6	36
1536	Control of the forearm microcirculation: interactions with measures of obesity and noradrenaline kinetics. 1998 , 95, 203-12	18
1535	Control of the forearm microcirculation: interactions with measures of obesity and noradrenaline kinetics. 1998 , 95, 203	11

1534	Clinical predictability of the waist-to-hip ratio in assessment of cardiovascular disease risk factors in overweight, premenopausal women. 1998 , 68, 1022-7	18
1533	Drug treatment of obesity: don't throw the baby out with the bath water. 1998 , 67, 1-2	26
1532	The treatment of obesity with drugs. 1998 , 67, 2-4	5
1531	Behavioral variables and development of a central pattern of body fat from adolescence into adulthood in normal-weight whites: the Amsterdam Growth and Health Study. 1998 , 67, 846-52	25
1530	[Association of various measurements of obesity and the prevalence of hypertension]. 1998 , 70, 111-4	19
1529	An independent, inverse association of high-density-lipoprotein-cholesterol concentration with nonadipose body mass. 1999 , 69, 614-20	27
1528	Relation between visceral fat and disease risk in children and adolescents. 1999 , 70, 149S-156S	185
1527	Familial risk of obesity and central adipose tissue distribution in the general Canadian population. 1999 , 149, 933-42	42
1526	Comment on the provisional report from the WHO consultation. European Group for the Study of Insulin Resistance (EGIR). 1999 , 16, 442-3	1119
1525	Prevalence of the metabolic syndrome in drug-treated hypertensive patients and control subjects. 1999 , 245, 163-74	165
1524	Plasma leptin levels are associated with abnormal fibrinolysis in men and postmenopausal women. 1999 , 245, 533-43	83
1523	Nutritional status and body fluid distribution in chronic alcoholics compared with controls. 1999 , 23, 1232-7	28
1522	Waist circumference values in Spanish children--gender related differences. 1999 , 53, 429-33	104
1521	Waist and hip circumferences, and waist-hip ratio in 19 populations of the WHO MONICA Project. 1999 , 23, 116-25	144
1520	Relationship of low-density lipoprotein particle size and measures of adiposity. 1999 , 23, 180-9	46
1519	Genetic and environmental influences on waist-to-hip ratio and waist circumference in an older Swedish twin population. 1999 , 23, 449-55	30
1518	The prediction of abdominal visceral fat level from body composition and anthropometry: ROC analysis. 1999 , 23, 801-9	277
1517	Body mass index (weight/height ²) or percentage body fat by bioelectrical impedance analysis: which variable better reflects serum lipid profile?. 1999 , 23, 771-4	43

1516	Relationships between abdominal body fat distribution and cardiovascular risk factors: an explanation for women's healthier cardiovascular risk profile. The D.E.S.I.R. Study. 1999 , 23, 1085-94	31
1515	Prediction of hypertension, diabetes, dyslipidaemia or albuminuria using simple anthropometric indexes in Hong Kong Chinese. 1999 , 23, 1136-42	259
1514	The influence of abdominal obesity and chronic work stress on ambulatory blood pressure in men and women. 1999 , 23, 1184-91	27
1513	Abdominal obesity in the United States: prevalence and attributable risk of hypertension. 1999 , 13, 425-30	82
1512	Correlation of anthropometry with CT in Mexican-American women. 1999 , 22, 145-53	15
1511	Chronic energy deficiency and relative abdominal overfatness coexist in free-living elderly individuals in Ho Chi Minh City, Vietnam. 1999 , 8, 129-35	8
1510	Visceral fat in prepubertal children: Influence of obesity, anthropometry, ethnicity, gender, diet, and growth. 1999 , 11, 201-207	45
1509	Genetics of abdominal visceral fat levels. 1999 , 11, 225-235	34
1508	Lifestyle and hypertension--an overview. 1999 , 21, 749-62	20
1507	The hypogonadal-obesity cycle: role of aromatase in modulating the testosterone-estradiol shunt--a major factor in the genesis of morbid obesity. 1999 , 52, 49-51	177
1506	Varying sensitivity of waist action levels to identify subjects with overweight or obesity in 19 populations of the WHO MONICA Project. 1999 , 52, 1213-24	91
1505	Management of the hypertensive patient with coronary artery disease. 1999 , 12, 56S-62S	3
1504	Lifestyle and hypertension. 1999 , 12, 934-45	63
1503	Waist circumference and waist-to-hip ratio in Turkish adults: interrelation with other risk factors and association with cardiovascular disease. 1999 , 70, 43-50	40
1502	The role of nutrition in abdominal obesity. 1999 , 19, 85-101	4
1501	Effect of exercise on postprandial insulin responses in Mexican American and non-Hispanic women. 1999 , 48, 971-7	5
1500	Personality disorders in relation to anthropometric, endocrine and metabolic factors. 1999 , 22, 279-88	22
1499	The use of anthropometric and dual-energy X-ray absorptiometry (DXA) measures to estimate total abdominal and abdominal visceral fat in men and women. 1999 , 7, 256-64	165

1498	Psychological and behavioral predictors of body fat distribution: age and gender effects. 1999 , 7, 199-207	18
1497	Spousal resemblance and risk of 7-year increases in obesity and central adiposity in the Canadian population. 1999 , 7, 545-51	21
1496	Do people with similar waist circumference share similar health risks irrespective of height?. 1999 , 188, 55-60	77
1495	Relation of circumferences and skinfold thicknesses to lipid and insulin concentrations in children and adolescents: the Bogalusa Heart Study. 1999 , 69, 308-17	412
1494	Obesity at the age of 50 y in men and women exposed to famine prenatally. 1999 , 70, 811-6	900
1493	Cardiorespiratory fitness, body composition, and all-cause and cardiovascular disease mortality in men. 1999 , 69, 373-80	759
1492	Studies of body composition and fat distribution in HIV-infected and control subjects. 1999 , 20, 228-37	152
1491	Identifying patients for weight-loss treatment: an empirical evaluation of the NHLBI obesity education initiative expert panel treatment recommendations. 2000 , 160, 2169-76	49
1490	Effect of aging on the relationship between multiple risk factors and waist circumference. 2000 , 48, 788-94	28
1489	Misclassification of high-risk older subjects using waist action levels established for young and middle-aged adults--results from the Rotterdam Study. 2000 , 48, 1638-45	33
1488	Exercise and obesity. 2000 , 11, 111-6	34
1487	Blood pressure levels and obesity trends in hypertensive and normotensive Finnish population from 1982 to 1997. 2000 , 18, 255-62	41
1486	Dietary treatments of obesity. 2000 , 59, 601-8	10
1485	Somatotype and angiographically determined atherosclerotic coronary artery disease in men. 2000 , 12, 128-138	14
1484	Weight loss with sibutramine improves glycaemic control and other metabolic parameters in obese patients with type 2 diabetes mellitus. 2000 , 2, 175-87	198
1483	Visceral obesity and metabolic syndrome. 2000 , 1, 47-56	199
1482	The hypothalamic-pituitary-adrenal axis activity as a predictor of cardiovascular disease, type 2 diabetes and stroke. 2000 , 247, 188-97	369
1481	Visceral fat loss evaluated by total body magnetic resonance imaging in obese women operated with laparoscopic adjustable silicone gastric banding. 2000 , 24, 60-9	57

1480	Body fat distribution in Alaskan Eskimos of the Bering Straits region: the Alaskan Siberia Project. 2000 , 24, 171-9	33
1479	Predictive value of abdominal obesity cut-off points for hypertension in blacks from west African and Caribbean island nations. 2000 , 24, 180-6	44
1478	Measurement of visceral adipose tissue by DXA combined with anthropometry in obese humans. 2000 , 24, 263-70	78
1477	Clinical measures of obesity and weight loss in men. 2000 , 24, 354-7	9
1476	Health risks among Japanese men with moderate body mass index. 2000 , 24, 358-62	78
1475	Food-induced cortisol secretion in relation to anthropometric, metabolic and haemodynamic variables in men. 2000 , 24, 416-22	68
1474	Sagittal abdominal diameter compared with other anthropometric measurements in relation to cardiovascular risk. 2000 , 24, 497-501	89
1473	Preperitoneal fat thickness determined by ultrasonography is correlated with coronary stenosis and lipid disorders in non-obese male subjects. 2000 , 24, 502-7	31
1472	Change in intra-abdominal adipose tissue volume during weight loss in obese men and women: correlation between magnetic resonance imaging and anthropometric measurements. 2000 , 24, 607-13	48
1471	Relation of birth weight to lean and fat thigh tissue in young men. 2000 , 24, 667-72	66
1470	Reliability of anthropometric measurements in overweight and lean subjects: consequences for correlations between anthropometric and other variables. 2000 , 24, 652-7	82
1469	Body fat distribution and cardiovascular risk in normal weight women. Associations with insulin resistance, lipids and plasma leptin. 2000 , 24, 751-7	58
1468	Waist circumference and abdominal sagittal diameter as surrogates of body fat distribution in the elderly: their relation with cardiovascular risk factors. 2000 , 24, 1005-10	110
1467	The relationship between body mass index and waist circumference: implications for estimates of the population prevalence of overweight. 2000 , 24, 1058-61	59
1466	Lack of association between lipaemia and central adiposity in subjects with an atherogenic lipoprotein phenotype (ALP). 2000 , 24, 1097-106	10
1465	Waist circumference and waist-to-height ratio are better predictors of cardiovascular disease risk factors in children than body mass index. 2000 , 24, 1453-8	591
1464	A glucocorticoid receptor gene marker is associated with abdominal obesity, leptin, and dysregulation of the hypothalamic-pituitary-adrenal axis. 2000 , 8, 211-8	175
1463	Inheritance of the waist-to-hip ratio in the National Heart, Lung, and Blood Institute Family Heart Study. 2000 , 8, 294-301	9

1462	Usefulness of anthropometry and DXA in predicting intra-abdominal fat in obese men and women. 2000 , 8, 36-42	102
1461	Associations of fat distribution and obesity with hypertension in a bi-ethnic population: the ARIC study. <i>Atherosclerosis Risk in Communities Study</i> . 2000 , 8, 516-24	105
1460	Exercise mitigates the association of abdominal obesity with high-density lipoprotein cholesterol in premenopausal women: results from the third National Health and Nutrition Examination Survey. 2000 , 100, 1347-53	12
1459	Assessment and prevalence of obesity: application of new methods to a major problem. 2000 , 13, 135-42	15
1458	HDL cholesterol and TaqIB cholesteryl ester transfer protein gene polymorphism in renal transplant recipients. 2000 , 84, 333-41	9
1457	Fatores Associados à Obesidade e ao Padrão Antrópico de Distribuição da Gordura Corporal em Mulheres Climatéricas. 2000 , 22, 435	1
1456	A obesidade estaria relacionada ao aumento do volume das adrenais?. 2000 , 44, 21-30	2
1455	Trends in waist-to-hip ratio and its determinants in adults in Finland from 1987 to 1997. 2000 , 72, 1436-44	61
1454	Racial differences in visceral adipose tissue but not anthropometric markers of health-related variables. 2000 , 89, 636-43	88
1453	Pubertal alterations in growth and body composition. V. Energy expenditure, adiposity, and fat distribution. 2000 , 279, E1426-36	47
1452	Interrelações entre SHBG e esteróides sexuais com medidas antropométricas, pressão arterial e lipídeos em mulheres com e sem diabetes mellitus tipo 2. 2000 , 44, 239-247	
1451	Country of birth, acculturation status and abdominal obesity in a national sample of Mexican-American women and men. 2000 , 29, 470-477	176
1450	Special Populations in the Community. 2000 , 23, 85	
1449	Utility of different measures of body fat distribution in children and adolescents. 2000 , 152, 1179-84	127
1448	Obesity, Cinderella of CHD risk factors. 2000 , 21, 793-5	5
1447	Relation of abdominal height to cardiovascular risk factors in young adults: the Bogalusa heart study. 2000 , 151, 885-91	62
1446	Sociocultural change and health status among the Seri Indians of Sonora, Mexico. 2000 , 19, 147-72	7
1445	Respiratory fitness, free living physical activity, and cardiovascular disease risk in older individuals: a doubly labeled water study. 2000 , 85, 957-63	40

1444	Obesity and the metabolic syndrome: the San Antonio Heart Study. 2000 , 83 Suppl 1, S67-70	44
1443	Country of birth, acculturation status and abdominal obesity in a national sample of Mexican-American women and men. 2000 , 29, 470-477	111
1442	Body Composition and Health Status among Children and Adolescents. 2000 , 31, S34-S53	32
1441	Sociodemographic determinants of glycaemic control in young diabetic patients in peninsular Malaysia. 2000 , 47, 57-69	30
1440	Subcutaneous central fat is associated with cardiovascular risk factors in men independently of total fatness and fitness. 2000 , 49, 1379-85	30
1439	Waist circumference in the assessment of obesity and associated risk factors in coronary artery disease patients. 2000 , 4, 179-186	3
1438	Dyslipidemia and abdominal obesity: an assessment in three general populations. 2000 , 53, 393-400	79
1437	Predictive values of waist circumference for dyslipidemia, type 2 diabetes and hypertension in overweight White, Black, and Hispanic American adults. 2000 , 53, 401-8	53
1436	Abdominal adiposity and clustering of multiple metabolic syndrome in White, Black and Hispanic americans. 2000 , 10, 263-70	139
1435	Prevention of coronary heart disease. Part II. Secondary prevention, detection of subclinical disease, and emerging risk factors. 2000 , 46, 1-123	2
1434	[Factors associated with the accumulation of abdominal fat estimated with anthropometric indexes]. 2000 , 114, 401-6	7
1433	Hypertriglyceridemic waist: A marker of the atherogenic metabolic triad (hyperinsulinemia; hyperapolipoprotein B; small, dense LDL) in men?. 2000 , 102, 179-84	747
1432	Subcutaneous and visceral adipose tissue: their relation to the metabolic syndrome. 2000 , 21, 697-738	1924
1431	Consenso SEEDO'2000 para la evaluaci3n del sobrepeso y la obesidad y el establecimiento de criterios de intervenci3n terap3utica. 2000 , 115, 587-597	95
1430	[Abdominal obesity: is the waist/hip ratio useful?]. 2000 , 114, 417-8	0
1429	Characterization of pathogenic and prognostic factors of nonalcoholic steatohepatitis associated with obesity. 2000 , 33, 716-24	207
1428	Obesity. 2001 , 1015-1056	
1427	Results of Expert Meetings: Obesity and Cardiovascular Disease. Obesity assessment. 2001 , 142, 1095-101	20

1426	Impact of timing of pubertal maturation on growth in black and white female adolescents: The National Heart, Lung, and Blood Institute Growth and Health Study. 2001 , 138, 636-43	228
1425	Anthropometric markers for cardiovascular disease risk factors among overweight adolescents. 2001 , 21, 1335-1345	11
1424	Visceral obesity and the role of the somatotrophic axis in the development of metabolic complications. 2001 , 11 Suppl A, S97-102	15
1423	Antenatal waist circumference and hypertension risk. 2001 , 97, 268-71	44
1422	Exercise in weight management of obesity. 2001 , 19, 459-70	169
1421	Effects of sibutramine in obese female subjects with type 2 diabetes and poor blood glucose control. 2001 , 24, 1957-60	84
1420	[Control of arterial pressure: experience at a hospital monographic unit arterial hypertension]. 2001 , 201, 308-14	5
1419	Medical management of obesity. 2001 , 81, 1025-38, v	28
1418	Estudio de las medidas antropométricas de la población española. 2001 , 48, 252-256	
1417	Health consequences of visceral obesity. 2001 , 33, 534-41	229
1416	Distribuição da gordura corporal em pacientes com e sem doenças crônicas: uso da relação cintura-quadril e do índice de gordura do braço. 2001 , 14, 37-41	6
1415	Screening the Population. 67-83	
1414	[Factors associated with abdominal obesity among childbearing-age women]. 2001 , 35, 46-51	15
1413	Relations between n-3 fatty acid status and cardiovascular disease risk factors among Quebecers. 2001 , 74, 603-11	103
1412	Microscopic Acanthosis Nigrans in Type 2 Diabetes. 2001 , 5, 390-393	
1411	Simple skinfold-thickness measurements complement conventional anthropometric assessments in predicting glucose tolerance. 2001 , 73, 567-73	32
1410	The health risk of hypertension in south Texas: a demographic profile. 2001 , 15, 35-44	
1409	Obesity in African women in the North West Province, South Africa is associated with an increased risk of non-communicable diseases: the THUSA study. Transition and Health during Urbanisation of South Africans. 2001 , 86, 733-40	52

1408	Medication Management of Hypertension. 2001 , 17, 61-82	2
1407	Clinical profile and outcomes of obese patients in cardiac rehabilitation stratified according to National Heart, Lung, and Blood Institute criteria. 2001 , 21, 210-7	54
1406	Clinical perspectives on HIV-associated lipodystrophy syndrome: an update. 2001 , 15, 1917-30	68
1405	. 2001 , 8, 299-305	4
1404	American College of Sports Medicine position stand. Appropriate intervention strategies for weight loss and prevention of weight regain for adults. 2001 , 33, 2145-56	468
1403	n-3 Fatty acids and cardiovascular disease risk factors among the Inuit of Nunavik. 2001 , 74, 464-73	213
1402	Waist and hip circumferences have independent and opposite effects on cardiovascular disease risk factors: the Quebec Family Study. 2001 , 74, 315-21	377
1401	Microscopic acanthosis nigricans in type 2 diabetes. 2001 , 5, 390-3	
1400	Cardiovascular disease risk factors among older black, Mexican-American, and white women and men: an analysis of NHANES III, 1988-1994. Third National Health and Nutrition Examination Survey. 2001 , 49, 109-16	203
1399	Human obesity: an evolutionary approach to understanding our bulging waistline. 2001 , 17, 347-62	129
1398	Physical activity, anthropometric factors and risk of pancreatic cancer: results from the Canadian enhanced cancer surveillance system. 2001 , 94, 140-7	88
1397	Reference growth curves for cypriot children 6 to 17 years of age. 2001 , 9, 754-62	46
1396	Modest lifestyle intervention and glucose tolerance in obese African Americans. 2001 , 9, 348-55	32
1395	Neck circumference as a simple screening measure for identifying overweight and obese patients. 2001 , 9, 470-7	190
1394	Is the relationship between adipose tissue and waist girth altered by weight loss in obese men?. 2001 , 9, 526-34	49
1393	Intraobserver and interobserver reliability of waist circumference and the waist-to-hip ratio. 2001 , 9, 651	54
1392	Does waist circumference add to the predictive power of the body mass index for coronary risk?. 2001 , 9, 685-95	59
1391	A comparative evaluation of waist circumference, waist-to-hip ratio and body mass index as indicators of cardiovascular risk factors. The Canadian Heart Health Surveys. 2001 , 25, 652-61	310

1390	Abdominal and total adiposity and risk of coronary heart disease in men. 2001 , 25, 1047-56		209
1389	A disparity between conventional lipid and insulin resistance markers at body mass index levels greater than 34 kg/m ² . 2001 , 25, 793-7		35
1388	Waist circumference vs body mass index for prediction of disease risk in postmenopausal women. 2001 , 25, 1183-8		56
1387	Conjugated linoleic acid (CLA) reduced abdominal adipose tissue in obese middle-aged men with signs of the metabolic syndrome: a randomised controlled trial. 2001 , 25, 1129-35		212
1386	Association between simple anthropometric indices and cardiovascular risk factors. 2001 , 25, 1689-97		138
1385	The relation of body fat mass and distribution to markers of chronic inflammation. 2001 , 25, 1407-15		486
1384	Chronotherapeutic delivery of verapamil in obese versus non-obese patients with essential hypertension. 2001 , 15, 135-41		13
1383	Usefulness of visceral obesity (waist/hip ratio) in predicting vascular endothelial function in healthy overweight adults. <i>American Journal of Cardiology</i> , 2001 , 88, 1264-9	3	196
1382	Ultrasonography for the evaluation of visceral fat and cardiovascular risk. 2001 , 38, 713-7		90
1381	Elevated C-reactive protein: another component of the atherothrombotic profile of abdominal obesity. 2001 , 21, 961-7		442
1380	Antenatal Waist Circumference and Hypertension Risk. 2001 , 97, 268-271		28
1379	Visceral fat is a major contributor for multiple risk factor clustering in Japanese men with impaired glucose tolerance. 2001 , 24, 2127-33		82
1378	Short-term moderate weight loss and resistance training do not affect insulin-stimulated glucose disposal in postmenopausal women. 2001 , 24, 1863-9		33
1377	Cardiovascular disease risk factors in males with normal body weight and high waist-to-hip ratio. 2001 , 8, 299-305		4
1376	Insulin resistance precedes weight loss in adults without diabetes : the Rancho Bernardo Study. 2001 , 153, 1199-205		53
1375	Treatment of obesity: need to focus on high risk abdominally obese patients. 2001 , 322, 716-20		501
1374	The metabolic syndrome. 2002 , 7, 82-93		
1373	Platelet activation in obese women: role of inflammation and oxidant stress. 2002 , 288, 2008-14		406

1372	Cross-sectional and prospective associations between abdominal adiposity and proinsulin concentration. 2002 , 87, 77-83	22
1371	Segregation analysis of waist circumference, hip circumference and waist-to-hip ratio in the Korean Nationwide Family Study. 2002 , 26, 228-33	5
1370	Birth weight, childhood growth and abdominal obesity in adult life. 2002 , 26, 40-7	59
1369	Association of visceral fat with coronary risk factors in a population-based sample of postmenopausal women. 2002 , 26, 33-9	54
1368	Pubertal alterations in growth and body composition. VI. Pubertal insulin resistance: relation to adiposity, body fat distribution and hormone release. 2002 , 26, 701-9	106
1367	Body mass index, waist circumference, and health risk: evidence in support of current National Institutes of Health guidelines. 2002 , 162, 2074-9	616
1366	Polycystic ovary syndrome and fat distribution: the central issue?. 2002 , 5, 67-71	33
1365	Clinical evaluation and management of metabolic and morphologic abnormalities associated with human immunodeficiency virus. 2002 , 34, 248-59	57
1364	Management of metabolic complications associated with antiretroviral therapy for HIV-1 infection: recommendations of an International AIDS Society-USA panel. 2002 , 31, 257-75	293
1363	Prevention of Weight Gain and Obesity in Occupational Populations: A New Target of Health Promotion Services at Worksites. 2002 , 44, 373-384	23
1362	Anthropometric measurements in the elderly: age and gender differences. 2002 , 87, 177-86	234
1361	Biobehavioral approaches to the treatment of essential hypertension.. 2002 , 70, 569-589	33
1360	New criteria for 'obesity disease' in Japan. 2002 , 66, 987-92	1311
1359	Body mass index and waist circumference independently contribute to the prediction of nonabdominal, abdominal subcutaneous, and visceral fat. 2002 , 75, 683-8	452
1358	ETIOLOGY AND NATURAL HISTORY OF OBESITY. 2002 , 4, 249-275	0
1357	Waist circumference and obesity-associated risk factors among whites in the third National Health and Nutrition Examination Survey: clinical action thresholds. 2002 , 76, 743-9	458
1356	Adiposity, insulin and lipid metabolism in post-menopausal women. 2002 , 26, 475-86	21
1355	Insulin resistance syndrome and left ventricular mass in healthy young people. 2002 , 324, 72-5	46

1354	Effects of cocaine and alcohol alone and in combination on cardiovascular performance in dogs. 2002 , 324, 76-83	8
1353	Relationship between waist circumference and blood pressure among the population in Baghdad, Iraq. 2002 , 23, 402-6	2
1352	Participation in labor-intensive public works program (LIPWP): effect on staple crop production in southeastern Botswana. 2002 , 23, 413-20	1
1351	Establishing body composition in obesity. 2002 , 25, 884-92	32
1350	Visceral obesity and hyperinsulinemia modulate the impact of the microsomal triglyceride transfer protein -493G/T polymorphism on plasma lipoprotein levels in men. 2002 , 160, 317-24	31
1349	AGA technical review on obesity. 2002 , 123, 882-932	195
1348	High-intensity resistance training improves glycemic control in older patients with type 2 diabetes. 2002 , 25, 1729-36	480
1347	Abdominal obesity in type 2 diabetic patients visiting primary healthcare clinics in Trinidad, West Indies. 2002 , 20, 177-82	8
1346	The relationship between waist circumference and metabolic risk factors: cohorts of European and Chinese descent. 2002 , 51, 1427-32	79
1345	Body mass index (BMI) and waist circumference (WC) as screening tools for cardiovascular risk factors in Guadeloupean women. 2002 , 55, 990-6	66
1344	Android fat distribution as predictor of severity in acute pancreatitis. 2002 , 2, 543-9	53
1343	Cardiovascular disease risk factors and n-3 fatty acid status in the adult population of James Bay Cree. 2002 , 76, 85-92	85
1342	Waist-to-height ratio is the best predictor of cardiovascular disease risk factors in Japanese schoolchildren. 2002 , 9, 127-32	163
1341	Cross-sectional study on blood pressure control in the department of nephrology of the Escola Paulista de Medicina - UNIFESP. 2002 , 79, 123-8	4
1340	[Childbirth and live newborns of adolescent and young adult mothers in the municipality of Feira de Santana, Bahia State, Brazil, 1998]. 2002 , 18, 715-22	20
1339	Obesidade centrípeta e disfunções metabólicas: patogenia, mensuração e papel profilático do exercício físico. 2002 , 23, 49	2
1338	Use of a Durnin-Womersley formula to estimate change in subcutaneous fat content in HIV-infected subjects. 2002 , 75, 587-92	13
1337	Orlistat: its current status as an anti-obesity drug. 2002 , 440, 109-17	166

1336	Contribution of abdominal obesity and hypertriglyceridemia to impaired fasting glucose and coronary artery disease. <i>American Journal of Cardiology</i> , 2002 , 90, 15-8	3	97
1335	Criteria and classification of obesity in Japan and Asia-Oceania. 2002 , 11, S732-S737		163
1334	Usefulness of lumbar AP spine DXA for measuring the percentage of perilumbar regional fat and predicting visceral fat in obese postmenopausal women. 2002 , 18, 84-5		11
1333	Fat distribution in Venezuelan children and adolescents estimated by the conicity index and waist/hip ratio. 2002 , 14, 15-20		5
1332	Interrelationship between serum lipid profile, serum hormones and other components of the metabolic syndrome. 2002 , 58, 151-60		21
1331	The association between leptin and proinsulin is lost with central obesity. 2002 , 252, 140-8		11
1330	Predictors of antihypertensive response to a standard dose of hydrochlorothiazide for essential hypertension. 2002 , 61, 1047-55		86
1329	Obesity, coronary heart disease risk factors and diabetes in Chinese: an approach to the criteria of obesity in the Chinese population. 2002 , 3, 167-72		106
1328	Old and new risk factors for atherosclerosis and development of treatment recommendations. 2002 , 29, 838-42		8
1327	Preliminary outcome evaluation of the First Step Program: a daily physical activity intervention for individuals with type 2 diabetes. 2002 , 47, 23-8		86
1326	The prediction of visceral fat by dual-energy X-ray absorptiometry in the elderly: a comparison with computed tomography and anthropometry. 2002 , 26, 984-93		191
1325	Association of neck circumference with insulin resistance-related factors. 2002 , 26, 873-5		90
1324	Optimal cut-off values for obesity: using simple anthropometric indices to predict cardiovascular risk factors in Taiwan. 2002 , 26, 1232-8		251
1323	Four anthropometric indices and cardiovascular risk factors in Taiwan. 2002 , 26, 1060-8		78
1322	Lifestyle and nutritional determinants of bioavailable androgens and related hormones in British men. 2002 , 13, 353-63		113
1321	The association of body mass index and waist circumference with blood pressure depends on age and gender: a study of 10,928 non-smoking adults in the Greek EPIC cohort. 2004 , 19, 803-9		26
1320	Nonalcoholic steatohepatitis: summary of an AASLD Single Topic Conference. 2003 , 37, 1202-19		1468
1319	CLA and body weight regulation in humans. 2003 , 38, 133-7		23

1318	The interleukin 6-174G/C polymorphism is associated with indices of obesity in men. 2003 , 48, 14-9	72
1317	Can an increase of body mass index by 1 kg/m(2) be a risk for obesity-related diseases?. 2003 , 38, 1022-3	3
1316	Clinical and pathophysiological consequences of abdominal adiposity and abdominal adipose tissue depots. 2003 , 19, 457-66	198
1315	Can anthropometric measurements and diet analysis serve as useful tools to determine risk factors for insulin-resistant diabetes type 2 among white and black Americans?. 2003 , 19, 584-8	2
1314	The effect of fiber-rich carbohydrates on features of Syndrome X. 2003 , 103, 86-96	41
1313	Overweight and obesity in relation to cardiovascular disease risk factors among medical students in Crete, Greece. 2003 , 3, 3	78
1312	Latin-American trial of orlistat for weight loss and improvement in glycaemic profile in obese diabetic patients. 2003 , 5, 180-8	48
1311	Physical inactivity, excess adiposity and premature mortality. 2003 , 4, 257-90	210
1310	Gender differences in resting metabolic rate and noradrenaline kinetics in older individuals. 1997 , 27, 23-8	31
1309	Waist circumference, waist-hip ratio and body mass index and their correlation with cardiovascular disease risk factors in Australian adults. 2003 , 254, 555-63	423
1308	Variations in body composition and plasma lipids in response to a high-carbohydrate diet. 2003 , 11, 978-86	24
1307	Larger thigh and hip circumferences are associated with better glucose tolerance: the Hoorn study. 2003 , 11, 104-11	137
1306	Cross-sectional relationship of pedometer-determined ambulatory activity to indicators of health. 2003 , 11, 1563-70	92
1305	Which method should be used to determine the obesity, in patients with coronary artery disease? (body mass index, waist circumference or waist-hip ratio). 2003 , 27, 341-6	20
1304	Obesity and central fat pattern among Greenland Inuit and a general population of Denmark (Inter99): relationship to metabolic risk factors. 2003 , 27, 1507-15	56
1303	Abdominal obesity and carotid artery wall thickness. The Los Angeles Atherosclerosis Study. 2003 , 27, 1546-51	16
1302	Evaluation of body composition: practical guidelines. 2003 , 30, 249-65	12
1301	Documento de consenso: obesidad y riesgo cardiovascular. 2003 , 15, 196-232	4

1300	The androgenic sex hormone profile is an essential feature of metabolic syndrome in premenopausal women: a controlled community-based study. 2003 , 79, 1327-34	81
1299	Effect of a nutritional intervention promoting the Mediterranean food pattern on plasma lipids, lipoproteins and body weight in healthy French-Canadian women. 2003 , 170, 115-24	108
1298	The relationship between simple anthropometric indices and C-reactive protein: ethnic and gender differences. 2003 , 52, 1542-6	65
1297	Modification of the relationship between simple anthropometric indices and risk factors by ethnic background. 2003 , 52, 1295-301	84
1296	The athero-thrombotic and inflammatory profile of visceral obesity. 2003 , 1253, 27-34	1
1295	Waist to stature ratio is more strongly associated with cardiovascular risk factors than other simple anthropometric indices. 2003 , 13, 683-91	179
1294	Obesity and cardiovascular risk. 2003 , 13 Suppl A, S10-7	50
1293	Potential contribution of metformin to the management of cardiovascular disease risk in patients with abdominal obesity, the metabolic syndrome and type 2 diabetes. 2003 , 29, 6S53-61	26
1292	Using waist circumference as a screening tool to identify Colombian subjects at cardiovascular risk. 2003 , 10, 328-35	37
1291	Association of biochemical values with morbidity in the elderly: a population-based Swedish study of persons aged 82 or more years. 2003 , 63, 457-66	14
1290	The metabolic syndrome: prevalence and associated risk factor findings in the US population from the Third National Health and Nutrition Examination Survey, 1988-1994. 2003 , 163, 427-36	1495
1289	Incidence of sleep-disordered breathing in an urban adult population: the relative importance of risk factors in the development of sleep-disordered breathing. 2003 , 289, 2230-7	322
1288	Adiponectin in a native Canadian population experiencing rapid epidemiological transition. 2003 , 26, 3219-25	33
1287	Epidemic obesity and the metabolic syndrome. 2003 , 108, 1541-5	303
1286	Polycystic Ovary Syndrome and the Metabolic Syndrome. 2003 , 21, 154-161	17
1285	Waist circumference, waist-to-hip ratio and body mass index as predictors of adipose tissue compartments in men. 2003 , 96, 441-7	157
1284	Low insulin sensitivity ($S(i) = 0$) in diabetic and nondiabetic subjects in the insulin resistance atherosclerosis study: is it associated with components of the metabolic syndrome and nontraditional risk factors?. 2003 , 26, 2796-803	49
1283	Hypertension and triglyceride catabolism: implications for the hemodynamic model of the metabolic syndrome. 2003 , 22, 290-5	5

1282	Relationships between visceral, trunk and whole-body adipose tissue weights by cadaver dissection. 2003 , 30, 668-77	16
1281	Overweight and obesity in women: health risks and consequences. 2003 , 12, 163-72	123
1280	Visceral adipose tissue cutoffs associated with metabolic risk factors for coronary heart disease in women. 2003 , 26, 1413-20	140
1279	[Visceral adipose tissue and metabolic syndrome]. 2003 , 128, 2319-23	2
1278	Determination of height, weight, body mass index, and body surface area with a single abdominal CT image. 2003 , 228, 857-63	32
1277	Exercise-induced weight loss preferentially reduces abdominal fat. 2003 , 35, 207-13	27
1276	Waist circumference predicts metabolic cardiovascular risk in postmenopausal Chinese women. 2003 , 10, 73-80	6
1275	Waist circumference, visceral obesity, and cardiovascular risk. 2003 , 23, 161-9	101
1274	A Comprehensive Cardiac Rehabilitation Program in Post-CABG Patients. 2003 , 2, 20-33	
1273	Relationship between body composition and blood pressure in Bahraini adolescents. 2003 , 90, 837-44	32
1272	A comprehensive cardiac rehabilitation program in post-CABG patients: a rationale and critical pathway. 2003 , 2, 20-33	3
1271	Pulmonary Function Tests, Respiratory Muscle Strength, and Endurance of Persons With Obesity. 2003 , 13, 136-141	13
1270	Blood pressure and waist circumference: an empirical study of the effects of waist circumference on blood pressure among Bengalee male jute mill workers of Belur, West Bengal, India. 2003 , 22, 169-73	16
1269	Obesity: Overview of Prevalence, Etiology, and Treatment. 2003 , 83, 276-288	111
1268	Comparisons of waist circumferences measured at 4 sites. 2003 , 77, 379-84	396
1267	Leptin might be a regulator of serum uric acid concentrations in humans. 2003 , 44, 527-36	72
1266	Alcohol drinking patterns differentially affect central adiposity as measured by abdominal height in women and men. 2003 , 133, 2655-62	53
1265	[Treatment of obesity: the need to target attention on high-risk patients characterized by abdominal obesity]. 2003 , 19 Suppl 1, S7-19	10

1264	Waist-hip ratio is the dominant risk factor predicting cardiovascular death in Australia. 2003 , 179, 580-5	167
1263	Metabolic Syndrome: Maladaptation to a Modern World. 2004 , 97, 511-520	15
1262	Avaliaço nutricional e envelhecimento. 2004 , 17, 507-514	21
1261	Don't throw the baby out with the bath water. 2004 , 79, 347-9	28
1260	Central adiposity, aerobic fitness, and blood pressure in premenopausal Hispanic women. 2004 , 25, 599-606	8
1259	Visceral and central abdominal fat and anthropometry in relation to diabetes in Asian Indians. 2004 , 27, 2948-53	99
1258	Prevalence of the metabolic syndrome and its relation to all-cause and cardiovascular mortality in nondiabetic European men and women. 2004 , 164, 1066-76	707
1257	Multiple abnormalities in glucose and energy metabolism and coordinated changes in levels of adiponectin, cytokines, and adhesion molecules in subjects with metabolic syndrome. 2004 , 110, 3842-8	207
1256	Changes in body weight and body fat distribution as risk factors for clinical diabetes in US men. 2004 , 159, 1150-9	246
1255	The metabolic syndrome: an emerging risk state for cardiovascular disease. 2004 , 9, 55-68	33
1254	Adiponectin gene expression and plasma values in obese women during very-low-calorie diet. Relationship with cardiovascular risk factors and insulin resistance. 2004 , 89, 756-60	60
1253	Physical activity and reduced risk of incident sporadic colorectal adenomas: observational support for mechanisms involving energy balance and inflammation modulation. 2004 , 159, 983-92	41
1252	Metabolic syndrome: maladaptation to a modern world. 2004 , 97, 511-20	17
1251	Sagittal abdominal diameter is a strong anthropometric marker of insulin resistance and hyperproinsulinemia in obese men. 2004 , 27, 2041-6	97
1250	Clinical implications of obesity with specific focus on cardiovascular disease: a statement for professionals from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism: endorsed by the American College of Cardiology Foundation. 2004 , 110, 2952-67	681
1249	Prevalence of the metabolic syndrome among the Inuit in Greenland. A comparison between two proposed definitions. 2004 , 21, 1237-42	40
1248	Association of simple anthropometric measures of obesity with visceral fat and the metabolic syndrome in male Caucasian and Indo-Asian subjects. 2004 , 21, 1339-45	91
1247	Waist circumference, body mass index, hip circumference and waist-to-hip ratio as predictors of cardiovascular disease in Aboriginal people. 2004 , 58, 888-93	106

1246	Waist circumference percentiles for Canadian youth 11-18y of age. 2004 , 58, 1011-5	132
1245	Detection of cardiovascular risk factors by anthropometric measures in Tehranian adults: receiver operating characteristic (ROC) curve analysis. 2004 , 58, 1110-8	98
1244	Twin study of genetic and environmental influences on adult body size, shape, and composition. 2004 , 28, 39-48	132
1243	Generalized abdominal visceral fat prediction models for black and white adults aged 17-65 y: the HERITAGE Family Study. 2004 , 28, 925-32	56
1242	Association between indices of obesity and fasting hyperglycemia in Taiwan. 2004 , 28, 690-6	19
1241	Anthropometric predictors of coronary heart disease in Chinese women. 2004 , 28, 734-40	57
1240	Measures of abdominal obesity assessed for visceral adiposity and relation to coronary risk. 2004 , 28, 1018-25	210
1239	Waist-to-hip ratio is a better screening measure for cardiovascular risk factors than other anthropometric indicators in Tehranian adult men. 2004 , 28, 1325-32	102
1238	Body size measurements as predictors of type 2 diabetes in Aboriginal people. 2004 , 28, 1580-4	43
1237	Impact of obesity and body fat distribution on cardiovascular risk factors in Hong Kong Chinese. 2004 , 12, 1805-13	74
1236	Combination of BMI and Waist Circumference for Identifying Cardiovascular Risk Factors in Whites. 2004 , 12, 633-45	114
1235	Bivariate linkage between acylation-stimulating protein and BMI and high-density lipoproteins. 2004 , 12, 669-78	17
1234	Target value of intraabdominal fat area for improving coronary heart disease risk factors. 2004 , 12, 695-703	28
1233	Acculturation and cardiovascular disease risk in midlife immigrant women from the former Soviet Union. 2004 , 19, 47-55	21
1232	Binary classification of dyslipidemia from the waist-to-hip ratio and body mass index: a comparison of linear, logistic, and CART models. 2004 , 4, 7	18
1231	Molecular screening of the microsomal triglyceride transfer protein: association between polymorphisms and both abdominal obesity and plasma apolipoprotein B concentration. 2004 , 49, 684-690	15
1230	Evaluation of visceral adipose accumulation in Japanese women and establishment of a predictive formula. 2004 , 41, 113-7	7
1229	Country of birth and body mass index: a national study of 2,000 immigrants in Sweden. 2004 , 19, 1005-10	32

1228	Women and men have similar amounts of liver and intra-abdominal fat, despite more subcutaneous fat in women: implications for sex differences in markers of cardiovascular risk. 2004 , 47, 1360-9	232
1227	Insulin resistance, haemostatic and inflammatory markers and coronary heart disease risk factors in Type 2 diabetic men with and without coronary heart disease. 2004 , 47, 1557-65	46
1226	Somatic characteristics and cardiovascular risk factors in growth hormone deficiency: a randomized, double-blind, placebo-controlled study of the effect of treatment with recombinant human growth hormone. 2004 , 16, 533-43	8
1225	Body fat distribution, relative weight, and liver enzyme levels: a population-based study. 2004 , 39, 754-63	168
1224	Comparison of efficacy of sibutramine or orlistat versus their combination in obese women. 2004 , 30, 159-67	38
1223	Body composition, fat distribution and metabolic characteristics in lean and obese women with polycystic ovary syndrome. 2004 , 27, 424-9	62
1222	Indexes of abdominal adiposity in patients with type 2 diabetes. 2004 , 27, 535-40	13
1221	Anthropometric, hormonal and biochemical differences in lean and obese women before and after menopause. 2004 , 27, 648-53	29
1220	Comparison of anthropometric parameters as predictors of serum lipids in premenopausal women. 2004 , 27, 340-7	9
1219	Rle du poids et effets de l'amaigrissement dans le syndrome d'apn'ees du sommeil. 2004 , 1, 29-34	
1218	El sobrepeso y la obesidad en la consulta de Atenci'õn Primaria. 2004 , 30, 60-67	2
1217	Cardiovascular risk factors in patients with type 2 diabetes. Do we follow the guidelines?. 2004 , 65, 125-33	28
1216	Comments on "the effects of a 12-week group exercise programme on physiological and psychological variables and function in overweight women" by Grant et al. (Public Health 2004; 118:31-42). 2004 , 118, 310	1
1215	Editorial comment on the correspondence from Rosen and Steinberg and Abu Mourad. 2004 , 118, 309-10	0
1214	Various measures of increased adiposity are associated with periodontal disease. 2004 , 4, 169-171	
1213	Indicators of abdominal adiposity in middle-aged participants of the SU.VI.MAX study: relationships with educational level, smoking status and physical inactivity. 2004 , 30, 153-9	26
1212	Relationship of adiposity to the population distribution of plasma triglyceride concentrations in vigorously active men and women. 2004 , 174, 363-71	7
1211	Visceral fat thickness measured by ultrasonography can estimate not only visceral obesity but also risks of cardiovascular and metabolic diseases. 2004 , 79, 593-9	153

1210	Cardiorespiratory fitness is associated with lower abdominal fat independent of body mass index. 2004 , 36, 286-91	98
1209	Obšit'androfi'e. 2004 , 1, 1-9	
1208	Risk of gastrointestinal malignancies and mechanisms of cancer development with obesity and its treatment. 2004 , 18, 1167-1175	22
1207	Current and adolescent body fatness and fat distribution: relationships with carotid intima-media thickness and large artery stiffness at the age of 36 years. 2004 , 22, 145-55	87
1206	Anthropometry of women of childbearing age in Morocco: body composition and prevalence of overweight and obesity. 2004 , 7, 523-30	25
1205	Clinical Applications. 2004 , 8, 22-25	1
1204	Obesity and cardiovascular disease: the role of diet and physical activity. 2004 , 24, 197-203	4
1203	Contribution of visceral fat accumulation to the risk factors for atherosclerosis in non-obese Japanese. 2004 , 43, 1138-44	47
1202	The case of visceral fat: argument for the defense. 2004 , 113, 1530-1532	117
1201	Body mass index, waist circumference, and clustering of cardiovascular disease risk factors in a biracial sample of children and adolescents. 2004 , 114, e198-205	281
1200	Visceral fat and risk factors for atherosclerosis. 2004 , 43, 1095-6	2
1199	Sex specificity of asthma associated with objectively measured body mass index and waist circumference: the Humboldt study. 2005 , 128, 3048-54	79
1198	Race-ethnicity-specific waist circumference cutoffs for identifying cardiovascular disease risk factors. 2005 , 81, 409-15	202
1197	Waist circumference and abdominal adipose tissue distribution: influence of age and sex. 2005 , 81, 1330-4	233
1196	Adipose tissue in muscle: a novel depot similar in size to visceral adipose tissue. 2005 , 81, 903-10	245
1195	Increased risk of obesity resulting from the interaction between high energy intake and the Trp64Arg polymorphism of the beta3-adrenergic receptor gene in healthy Japanese men. 2005 , 15, 203-10	47
1194	Intra-abdominal pressure in the morbidly obese. 2005 , 15, 1225-32	252
1193	Weight changes and obesity predict impaired resting and endothelium-dependent myocardial blood flow in postmenopausal women. 2005 , 28, 13-8	15

1192	Analysis of criteria for metabolic syndrome in a population-based study of Japanese-Brazilians. 2005 , 7, 352-9	27
1191	Abdominal diameter index: a more powerful anthropometric measure for prevalent coronary heart disease risk in adult males. 2005 , 7, 370-80	32
1190	Obesity in the elderly and its relationship with cardiovascular risk factors in Taiwan. 2005 , 13, 170-8	54
1189	Improved prediction of body fat by measuring skinfold thickness, circumferences, and bone breadths. 2005 , 13, 626-34	42
1188	Obesity-related comorbidities in obese African Americans in an outpatient weight loss program. 2005 , 13, 772-9	5
1187	Differences in the relationship between lipid CHD risk factors and body composition in Caucasians and Japanese. 2005 , 29, 228-35	17
1186	Predictors of drop-out in overweight and obese outpatients. 2005 , 29, 122-8	124
1185	Impact of total and central obesity on vascular mortality in patients undergoing coronary angiography. 2005 , 29, 785-91	33
1184	Body composition and fat repartition in relation to structure and function of large arteries in middle-aged adults (the SU.VI.MAX study). 2005 , 29, 826-32	89
1183	Health consequences of obesity in the elderly: a review of four unresolved questions. 2005 , 29, 1011-29	428
1182	Cardiometabolic risk assessment: an approach to the prevention of cardiovascular disease and diabetes mellitus. 2005 , 7, 7-16	23
1181	Use of a reference four-component model to define the effects of insulin treatment on body composition in type 2 diabetes: the 'Darwin study'. 2005 , 48, 222-9	26
1180	Homeostatic model assessment (HOMA) index cut-off values to identify the metabolic syndrome in children. 2005 , 61, 381-8	120
1179	Socioeconomic deprivation and waist circumference in men and women: The Scottish MONICA surveys 1989-1995. 2005 , 20, 141-7	37
1178	Measures of adiposity in the identification of metabolic abnormalities in elderly men. 2005 , 81, 1313-21	89
1177	Body mass index may overestimate the prevalence of overweight and obesity among the Inuit. 2005 , 64, 163-9	44
1176	Evaluation of waist circumference to predict cardiovascular risk factors in an overweight Tehranian population: findings from Tehran Lipid and Glucose Study. 2005 , 75, 347-56	11
1175	Diabetes among Inuit migrants in Denmark. 2005 , 64, 354-64	13

1174	Correlaçã entre o ìndice de massa corporal e os indicadores antropomãtricos de distribuiã de gordura corporal em adultos e idosos. 2005 , 18, 53-61	18
1173	Criteria and classification of obesity in Japan and Asia-Oceania. 2005 , 94, 1-12	144
1172	Relationship of body fat distribution by waist circumference, dual-energy X-ray absorptiometry and ultrasonography to insulin resistance by homeostasis model assessment and lipid profile in obese and non-obese postmenopausal women. 2005 , 21, 295-301	30
1171	Abdominal adiposity assessed by dual energy X-ray absorptiometry provides a sex-independent predictor of insulin sensitivity in older adults. 2005 , 60, 872-7	34
1170	Body fat distribution, liver enzymes, and risk of hypertension: evidence from the Western New York Study. 2005 , 46, 1186-93	90
1169	Overview of Pharmacologic Treatment of Obesity: Past Experiences, Present Options, and Future Directions. 2005 , 21, 319-324	1
1168	Nonalcoholic Fatty Liver (NAFL): Overview. 2005 , 1-43	
1167	Lower-body adiposity and metabolic protection in postmenopausal women. 2005 , 90, 4573-8	107
1166	Which anthropometric measurements is most closely related to elevated blood pressure?. 2005 , 22, 541-7	36
1165	Visceral fat as a determinant of fibrinolysis and hemostasis. 2005 , 5, 48-55	39
1164	Prevention of coronary heart disease: a nonhormonal approach. 2005 , 23, 157-66	4
1163	Truncal adiposity, relative growth hormone deficiency, and cardiovascular risk. 2005 , 90, 768-74	71
1162	Plasma visfatin concentrations and fat depot-specific mRNA expression in humans. 2005 , 54, 2911-6	540
1161	One-year intense nutritional counseling results in histological improvement in patients with non-alcoholic steatohepatitis: a pilot study. 2005 , 100, 1072-81	336
1160	Counterpoint: visceral adiposity is not causally related to insulin resistance. 2005 , 28, 2326-8	74
1159	Waist circumference is simpler than body mass index. 2005 , 51, 1082-4; author reply 1083-4	1
1158	Effect of adiposity and fat distribution on endometrial cancer risk in Shanghai women. 2005 , 161, 939-47	54
1157	Prediction of type 2 diabetes mellitus with alternative definitions of the metabolic syndrome: the Insulin Resistance Atherosclerosis Study. 2005 , 112, 3713-21	213

1156	Risk factors for cardiovascular disease in homeless adults. 2005 , 111, 2629-35	119
1155	Disorders of glucose metabolism among HIV-infected women. 2005 , 40, 1492-9	56
1154	Association of sleep time with diabetes mellitus and impaired glucose tolerance. 2005 , 165, 863-7	631
1153	Cost-effective screening for the metabolic syndrome in patients treated with second-generation antipsychotic medications. 2005 , 162, 1217-21	78
1152	La cintura hipertriglicéridémica. 2005 , 17, 286-296	
1151	Le syndrome métabolique : quelle(s) définition(s) pour quel(s) objectif(s) ?. 2005 , 66, 32-44	4
1150	The association of subclinical coronary atherosclerosis with abdominal and total obesity in asymptomatic men. 2005 , 8, 143-8	13
1149	Is there an independent association between waist-to-hip ratio and cardiovascular risk factors in overweight and obese women?. 2005 , 101, 39-46	23
1148	Features of the metabolic syndrome of "hypertriglyceridemic waist" and transplant coronary artery disease. 2005 , 24, 819-26	15
1147	Anthropometrical measures are easily obtainable sensitive and specific predictors of insulin resistance in healthy individuals. 2005 , 1, 175-181	6
1146	[Waist circumference and metabolic and cardiovascular risk]. 2005 , 125, 59-60	
1145	Eating and dieting differences in men and women. 2005 , 2, 194-201	150
1144	Pubertal alterations in growth and body composition: IX. Altered spontaneous secretion and metabolic clearance of growth hormone in overweight youth. 2005 , 54, 1374-83	9
1143	The use of a <i>Cissus quadrangularis</i> formulation in the management of weight loss and metabolic syndrome. 2006 , 5, 24	52
1142	The effect of moxonidine on endothelial dysfunction in metabolic syndrome. 2006 , 6, 343-8	30
1141	Independent effects of waist circumference and physical activity on all-cause mortality in Canadian women. 2006 , 31, 271-6	25
1140	Identifying which patients with diabetes should be tested for the presence of coronary artery disease--the importance of baseline electrocardiogram and exercise testing. 2006 , 22 Suppl A, 9A-15A	9
1139	Recent trends in waist circumference and waist-height ratio among US children and adolescents. 2006 , 118, e1390-8	336

1138	Long-term health considerations in schizophrenia: metabolic effects and the role of abdominal adiposity. 2006 , 16 Suppl 3, S142-8	26
1137	Lower body subcutaneous fat accumulation and diabetes mellitus risk. 2006 , 2, 362-8	18
1136	High Prevalence of Classic Cardiovascular Risk Factors in a Population of University Students From South Central Chile. 2006 , 59, 1099-1105	1
1135	Alta prevalencia de factores de riesgo cardiovascular clásicos en una población de estudiantes universitarios de la región centro-sur de Chile. 2006 , 59, 1099-1105	22
1134	Comparison of IL-8, IL-6 and PGE(2) formation by visceral (omental) adipose tissue of obese Caucasian compared to African-American women. 2006 , 16, 1342-50	18
1133	The metabolic syndrome and cardiovascular disease. 2006 , 38, 64-80	139
1132	Women and ischemic heart disease: pathophysiologic implications from the Women's Ischemia Syndrome Evaluation (WISE) Study and future research steps. 2006 , 47, S66-71	61
1131	Distribution and metabolic syndrome correlates of plasma C-reactive protein in biracial (black-white) younger adults: the Bogalusa Heart Study. 2006 , 55, 699-705	49
1130	Adiponectin and its correlates of cardiovascular risk in young adults: the Bogalusa Heart Study. 2006 , 55, 1551-7	48
1129	Simple anthropometric measures identify fasting hyperinsulinemia and clustering of cardiovascular risk factors in Asian Indian adolescents. 2006 , 55, 1569-73	36
1128	Improvement of metabolic syndrome markers through altitude specific hiking vacations. 2006 , 29, 497-504	36
1127	Presence and progression of abdominal obesity are predictors of future high blood pressure and hypertension. 2006 , 19, 788-95	61
1126	Waist-to-thigh ratio can also be a better indicator associated with type 2 diabetes than traditional anthropometrical measurements in Taiwan population. 2006 , 16, 321-31	35
1125	Metabolic syndrome and prediabetes. 2006 , 52, 55-144	15
1124	The metabolic syndrome: prevalence and associated lifestyles in Japanese workingmen. 2006 , 1, 313-7	11
1123	Larger hip circumference independently contributed to reduced metabolic risks in Tehranian adult women. 2006 , 108, 338-45	23
1122	Waist circumference predicts the occurrence of sleep-disordered breathing in obese children and adolescents: a questionnaire-based study. 2006 , 7, 357-61	52
1121	Insulin sensitivity: gender-related differences in subjects with normal glucose tolerance. 2006 , 16, 339-44	14

1120 TRATAMENTO CLÍNICO DA OBESIDADE. **2006**, 39, 246

1119 Cut-off values of visceral fat area and waist circumference: diagnostic criteria for abdominal obesity in a Korean population. **2006**, 21, 1048-53 59

1118 Sagittal abdominal diameter: no advantage compared with other anthropometric measures as a correlate of components of the metabolic syndrome in elderly from the Hoorn Study. **2006**, 84, 995-1002 37

1117 [Intervention levels for abdominal obesity: prevalence and associated factors]. **2006**, 22, 1207-15 21

1116 Criteria for central obesity in a Brazilian population: impact on metabolic syndrome. **2006**, 87, 407-14 36

1115 Assessment of cardiometabolic risk. **2006**, 17, 430-438

1114 Cardiovascular Disorders. **2006**, 317-543

1113 Validation of a 3-dimensional photonic scanner for the measurement of body volumes, dimensions, and percentage body fat. **2006**, 83, 809-16 94

1112 Obesity and cardiovascular risk factors among men and women aged 40 years and older in a rural area of Japan. **2006**, 25, 371-5 19

1111 Pulmonary function and abdominal adiposity in the general population. **2006**, 129, 853-62 166

1110 Taiwanese vegetarians have higher insulin sensitivity than omnivores. **2006**, 95, 129-35 42

1109 Comparative evaluation of anthropometric measures to predict cardiovascular risk factors in Tehranian adult women. **2006**, 9, 61-9 50

1108 The metabolic syndrome: risk factors and management. **2006**, 21, 306-13 18

1107 Abdominal Visceral Fat. **2006**, 10, 26-30 2

1106 Obesity: new perspectives and pharmacotherapies. **2006**, 14, 238-58 30

1105 Body composition, dietary intake, and energy expenditure after laparoscopic Roux-en-Y gastric bypass and laparoscopic vertical banded gastroplasty: a randomized clinical trial. **2006**, 244, 715-22 263

1104 [The epidemiology of obesity]. **2006**, 35, 484-8

1103 Metabolic syndrome: time to weight or waist?. **2006**, 23, 302-308 1

1102	Metabolic syndrome--a new world-wide definition. A Consensus Statement from the International Diabetes Federation. 2006 , 23, 469-80	3944
1101	Obesity and type 2 diabetes. 2006 , 31, 111-114	4
1100	The influence of physical activity on abdominal fat: a systematic review of the literature. 2006 , 7, 183-200	213
1099	Effects of selected anthropometric parameters on plasma lipoproteins, fatty acid composition, and lipoperoxidation. 2002 , 967, 522-7	1
1098	Abnormal glucose metabolism among older men with or at risk of HIV infection. 2006 , 7, 389-96	33
1097	The emerging pandemic of obesity and diabetes: are we doing enough to prevent a disaster?. 2006 , 60, 1093-7	62
1096	Menopause-related changes in body fat distribution. 2000 , 904, 502-6	184
1095	The effect of abdominal obesity on insulin sensitivity and serum lipid and cytokine concentrations in African women. 2006 , 64, 535-41	28
1094	Body mass index, waist circumference and waist to hip ratio and change in sex steroid hormones: the Massachusetts Male Ageing Study. 2006 , 65, 125-31	235
1093	Two-dimensional predictive equation to classify visceral obesity in clinical practice. 2006 , 14, 1181-91	23
1092	Serum phospholipid fatty acids, adipose tissue, and metabolic markers in obese adolescents. 2006 , 14, 1931-9	89
1091	Prescreening tools for diabetes and obesity-associated dyslipidaemia: comparing BMI, waist and waist hip ratio. The D.E.S.I.R. Study. 2006 , 60, 295-304	47
1090	Estimation of deep-abdominal-adipose-tissue (DAAT) accumulation from simple anthropometric measurements in Indian men and women. 2006 , 60, 658-66	33
1089	Combined influence of early sexual maturation and central adiposity on subsequent stature. A four-year follow-up of 1,605 Norwegian boys and girls: the Young-HUNT study. 2006 , 165, 787-93	11
1088	Diversity of metabolic syndrome risk factors in obese children and adolescents. 2006 , 62, 125-33	22
1087	Association of body mass index, metabolic syndrome, and leukocyte count. <i>American Journal of Cardiology</i> , 2006 , 97, 835-8	3 52
1086	Anthropometry measures and prevalence of obesity in the urban adult population of Cameroon: an update from the Cameroon Burden of Diabetes Baseline Survey. 2006 , 6, 228	92
1085	Cardiovascular disease prevalence and risk factors of persons with mental retardation. 2006 , 12, 3-12	89

1084	Indices of body composition and chronic morbidity: a cross-sectional study of a rural population in central Russia. 2006 , 18, 350-8	19
1083	Mixed patterns of changes in central and peripheral fat following initiation of antiretroviral therapy in a randomized trial. 2006 , 41, 590-7	56
1082	CT and clinical features of acute diverticulitis in an urban U.S. population: rising frequency in young, obese adults. 2006 , 187, 689-94	64
1081	Lipoprotein lipase gene S447X polymorphism modulates the relation between central obesity and serum lipids, a twin study. 2006 , 30, 1693-701	16
1080	Definitions of metabolic syndrome: Where are we now?. 2006 , 4, 185-97	31
1079	The new adipose tissue and adipocytokines. 2006 , 2, 19-28	73
1078	The role of waist circumference in predicting disability in periretirement age adults. 2006 , 30, 364-73	84
1077	Value of body fat mass vs anthropometric obesity indices in the assessment of metabolic risk factors. 2006 , 30, 475-83	190
1076	Obesity indices and cardiovascular risk factors in Thai adults. 2006 , 30, 1782-90	62
1075	High-sensitivity C-reactive protein in patients with metabolic syndrome. 2006 , 57, 295-302	7
1074	Review: Thinking around abdominal obesity and cardiovascular risk. 2006 , 6, 58-61	5
1073	Value of the sagittal abdominal diameter in coronary heart disease risk assessment: cohort study in a large, multiethnic population. 2006 , 164, 1150-9	53
1072	Metabolic syndrome may not associate with carotid plaque in subjects with optimal, normal, or high-normal blood pressure. 2006 , 48, 411-7	15
1071	The effects of rosiglitazone treatment on the fibrinolytic system in patients with type 2 diabetes mellitus. 2006 , 12, 55-60	3
1070	Effects of oral continuous 17beta-estradiol plus norethisterone acetate replacement therapy on abdominal subcutaneous fat, serum leptin levels and body composition. 2006 , 22, 381-7	14
1069	Abdominal adiposity is a stronger predictor of insulin resistance than fitness among 50-95 year olds. 2006 , 29, 673-8	111
1068	What aspects of body fat are particularly hazardous and how do we measure them?. 2006 , 35, 83-92	405
1067	Waist girth does not predict metabolic complications in severely obese men. 2006 , 29, 1417-9	35

1066	Waist circumference and cardiometabolic risk: a consensus statement from shaping America's health: Association for Weight Management and Obesity Prevention; NAASO, the Obesity Society; the American Society for Nutrition; and the American Diabetes Association. 2007 , 30, 1647-52	260
1065	Metabolic risks in individuals with normal body mass index and normal waist circumference. 2007 , 14, 200-7	5
1064	Comparisons of body volumes and dimensions using three-dimensional photonic scanning in adult Hispanic-Americans and Caucasian-Americans. 2007 , 1, 921-8	8
1063	Cardiovascular and Pulmonary Considerations of the Obese Patient for the Rehabilitation Clinician. 2007 , 2, 267-280	1
1062	Metabolic syndrome and adipose tissue: new clinical aspects and therapeutic targets. 2007 , 13, 2148-68	43
1061	A comparative study of the prevalence of the metabolic syndrome and its components in type 2 diabetic patients in two Caribbean islands using the new International Diabetes Federation definition. 2007 , 113, 202-10	13
1060	Visceral adipose tissue, a potential risk factor for carotid atherosclerosis: results of the Multicultural Community Health Assessment Trial (M-CHAT). 2007 , 38, 2422-9	86
1059	Association of upper trunk and visceral adipose tissue volume with insulin resistance in control and HIV-infected subjects in the FRAM study. 2007 , 46, 283-90	95
1058	Relationship between visceral fat and cardiovascular disease risk factors: the Tanno and Sobetsu study. 2007 , 30, 229-36	49
1057	Abdominal fat quantity and distribution in women with polycystic ovary syndrome and extent of its relation to insulin resistance. 2007 , 92, 2500-5	236
1056	Chapter 1: Introduction. 2007 , 14, S2-S113	
1055	Appropriateness of current thresholds for obesity-related measures among Aboriginal people. 2007 , 177, 1499-505	32
1054	[Development of obesity in Germany--prevalence, determinants and perspectives]. 2007 , 132, 892-7	25
1053	Age, body composition, and reproductive indices as predictors of radiographic hand osteoarthritis in Chuvashian women. 2007 , 36, 53-7	22
1052	Atlas of Cardiometabolic Risk. 2007 ,	1
1051	Obesity. 2007 ,	11
1050	Dietary cod protein improves insulin sensitivity in insulin-resistant men and women: a randomized controlled trial. 2007 , 30, 2816-21	126
1049	Adverse prognosis associated with the metabolic syndrome in established coronary artery disease: data from the EUROPA trial. 2007 , 93, 1406-11	35

1048	Anthropometric indices and their relationship with diabetes, hypertension and dyslipidemia in Australian Aboriginal people and Torres Strait Islanders. 2007 , 14, 172-8	31
1047	Aging, adiposity, and calorie restriction. 2007 , 297, 986-94	369
1046	Lifestyle Medicine Strategies for Risk Factor Reduction, Prevention, and Treatment of Coronary Heart Disease: Part II. 2007 , 1, 79-90	5
1045	Incidence of obesity does not appear to be increased after treatment of acute lymphoblastic leukemia in Brazilian children: role of leptin, insulin, and IGF-1. 2007 , 68, 164-70	11
1044	Waist circumference in type 2 diabetes: is routine measurement helpful?. 2007 , 4, 375-6	
1043	Effective cut-off values of waist circumference to detect the clustering of cardiovascular risk factors of metabolic syndrome in Japanese men and women. 2007 , 4, 340-5	28
1042	Nutritional approach to metabolic changes arising out of schizophrenia therapy: case report. 2007 , 46, 1213-8	6
1041	PPAR α 's role in the human metabolic syndrome. 2007 , 2, 31-53	10
1040	Associations of obesity measures with metabolic risk factors in a community-based population in Japan. 2007 , 71, 776-81	36
1039	A comparison of two proposed definitions for metabolic syndrome in the Chinese adult population. 2007 , 334, 184-9	37
1038	Waist circumference is associated with pulmonary function in normal-weight, overweight, and obese subjects. 2007 , 85, 35-9	168
1037	Waist circumference and cardiometabolic risk: a consensus statement from Shaping America's Health: Association for Weight Management and Obesity Prevention; NAASO, The Obesity Society; the American Society for Nutrition; and the American Diabetes Association. 2007 , 85, 1197-202	266
1036	Visceral adipose tissue accumulation differs according to ethnic background: results of the Multicultural Community Health Assessment Trial (M-CHAT). 2007 , 86, 353-9	393
1035	Clinical aspects of cardiometabolic risk-factor reduction: a case-based approach. 2007 , Suppl Endocannabinoid, 11-4	
1034	The association of waist circumference with ambulatory blood pressure is independent of alternative adiposity indices. 2007 , 25, 1798-806	23
1033	Obesity and cardiovascular disease. 2007 , 10, 1156-63	44
1032	GIP receptor mRNA expression in different fat tissue depots in postmenopausal non-diabetic women. 2007 , 142, 138-45	31
1031	Les facteurs non hémodynamiques de variation de la pression artérielle chez d'anciens sportifs demeurés actifs. 2007 , 22, 28-34	

1030	Abdominal obesity: role in the pathophysiology of metabolic disease and cardiovascular risk. 2007 , 120, S3-8; discussion S29-32	187
1029	Effect of <i>Caralluma fimbriata</i> extract on appetite, food intake and anthropometry in adult Indian men and women. 2007 , 48, 338-44	75
1028	The Dehydroepiandrosterone And WellNess (DAWN) study: research design and methods. 2007 , 28, 153-68	20
1027	The prospective association of general and central obesity variables with incident type 2 diabetes in adults, Tehran lipid and glucose study. 2007 , 76, 449-54	24
1026	Physical activity in the treatment of obesity: beyond body weight reduction. 2007 , 32, 512-22	54
1025	European guidelines on cardiovascular disease prevention in clinical practice: executive summary. 2007 , 194, 1-45	190
1024	Screening de síndrome metabólico y nuevos factores de riesgo cardiovascular en una muestra de pacientes obesos sanos. 2007 , 33, 349-352	
1023	Hypertriglyceridemic waist: a useful screening phenotype in preventive cardiology?. 2007 , 23 Suppl B, 23B-31B	163
1022	Clinical significance of fatty liver associated with metabolic syndrome. 2007 , 37, 711-21	10
1021	Do current body mass index criteria for obesity surgery reflect cardiovascular risk?. 2007 , 3, 577-85	15
1020	Comparison of body mass index, waist circumference, and waist/hip ratio in predicting incident diabetes: a meta-analysis. 2007 , 29, 115-28	595
1019	The Art and Science of Cardiac Physical Examination. 2007 ,	10
1018	Treatment of the Obese Patient. 2007 ,	3
1017	European guidelines on cardiovascular disease prevention in clinical practice: executive summary. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine	309
1016	International Day for the Evaluation of Abdominal Obesity (IDEA): a study of waist circumference, cardiovascular disease, and diabetes mellitus in 168,000 primary care patients in 63 countries. 2007 , 116, 1942-51	487
1015	The importance of treating multiple cardiometabolic risk factors in patients with Type 2 diabetes. 2007 , 8, 3009-20	6
1014	Metabolic syndrome and cardiovascular disease. 2007 , 44, 232-63	69
1013	European guidelines on cardiovascular disease prevention in clinical practice: executive summary: Fourth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (Constituted by representatives of nine societies and by invited experts). 2007 , 28, 2375-414	1029

1012	Waist circumference and waist-to-hip ratio as predictors of cardiovascular events: meta-regression analysis of prospective studies. 2007 , 28, 850-6	644
1011	Abdominal obesity, waist circumference and cardio-metabolic risk: awareness among primary care physicians, the general population and patients at risk--the Shape of the Nations survey. 2007 , 23, 29-47	60
1010	Epicardial adipose tissue, hepatic steatosis and obesity. 2007 , 30, 459-64	32
1009	Ultrasonographic evaluation of liver volume and the metabolic syndrome in obese women. 2007 , 30, 104-10	12
1008	Obesity, inflammation, and periodontal disease. 2007 , 86, 400-9	262
1007	Visceral fat adipokine secretion is associated with systemic inflammation in obese humans. 2007 , 56, 1010-3	912
1006	Metabolic syndrome, insulin resistance, and atherosclerosis in Japanese type 2 diabetic patients. 2007 , 56, 1099-103	10
1005	Estimation of truncal adiposity using waist circumference or the sum of trunk skinfolds: a pilot study for insulin resistance screening in hirsute patients with or without polycystic ovary syndrome. 2007 , 56, 992-7	49
1004	The relationship between visfatin levels and anthropometric and metabolic parameters: association with cholesterol levels in women. 2007 , 56, 1216-20	61
1003	The alarm and action levels of waist circumference in overweight and obese Turkish women. 2007 , 1, 223-90	1
1002	[Identification, diagnosis and control of patients with abdominal obesity and cardiovascular and metabolic risk factors]. 2007 , 128, 429-37	6
1001	Body composition and functional limitation in COPD. 2007 , 8, 7	99
1000	Significado clíico de la obesidad abdominal. 2007 , 54, 265-271	6
999	A 10-year follow-up of ischemic heart disease risk factors in military pilots. 2007 , 172, 214-9	7
998	Associaõ entre indicadores antropomõtricos de obesidade e risco coronariano em adultos na cidade de Salvador, Bahia, Brasil. 2007 , 10, 239-248	12
997	Cardiometabolic risk factors and their treatment in patients with Type 2 diabetes. 2007 , 2, 331-339	
996	Validity and reliability of the sagittal abdominal diameter as a predictor of visceral abdominal fat. 2007 , 51, 980-6	69
995	Clinical Aspects of Cardiometabolic Risk-Factor Reduction: A Case-based Approach. 2007 , 20, 11-14	

994	Comparison of ultrasonographic and anthropometric methods to assess body fat in childhood obesity. 2007 , 31, 53-8	35
993	Dual energy X-ray absorptiometry body composition and aging in a population-based older cohort. 2007 , 31, 279-84	39
992	Hypertriglyceridemic waist and 7.5-year prospective risk of cardiovascular disease in asymptomatic middle-aged men. 2007 , 31, 791-6	59
991	Birth size, adult body composition and muscle strength in later life. 2007 , 31, 1392-9	160
990	Body fat distribution reference standards in Spanish adolescents: the AVENA Study. 2007 , 31, 1798-805	64
989	Which obesity index best explains prevalence differences in type 2 diabetes mellitus?. 2007 , 15, 1294-301	37
988	Moderate exercise and bright light treatment in overweight and obese individuals. 2007 , 15, 1749-57	34
987	Central rather than overall obesity is related to diabetes in the Chinese population: the InterASIA study. 2007 , 15, 2809-16	44
986	Increasing trends in waist circumference and abdominal obesity among US adults. 2007 , 15, 216-24	203
985	Minimal versus umbilical waist circumference measures as indicators of cardiovascular disease risk. 2007 , 15, 753-9	49
984	Waist Circumference and Cardiometabolic Risk: a Consensus Statement from Shaping America's Health: Association for Weight Management and Obesity Prevention; NAASO, the Obesity Society; the American Society for Nutrition; and the American Diabetes Association. 2007 , 15, 1061-7	253
983	Treatment options for type 2 diabetes in adolescents and youth: a study of the comparative efficacy of metformin alone or in combination with rosiglitazone or lifestyle intervention in adolescents with type 2 diabetes. 2007 , 8, 74-87	202
982	The metabolic syndrome in children and adolescents - an IDF consensus report. 2007 , 8, 299-306	1143
981	The metabolic syndrome and incidence of cardiovascular disease in non-diabetic subjects--a population-based study comparing three different definitions. 2007 , 24, 464-72	140
980	Early sexual maturation, central adiposity and subsequent overweight in late adolescence. a four-year follow-up of 1605 adolescent Norwegian boys and girls: the Young HUNT study. 2007 , 7, 54	46
979	A study of dietary patterns in the Mexican-American population and their association with obesity. 2007 , 107, 1735-42	79
978	Management of obesity in patients with peripheral arterial disease. 2007 , 34, 576-82	6
977	Serum leptin concentration, adiposity, and body fat distribution in Mexican-Americans. 2007 , 38, 563-70	10

976	Waist circumference for the screening of the metabolic syndrome in children. 2007 , 91, 1307-1312	179
975	Predictors of the metabolic syndrome and correlation with computed axial tomography. 2007 , 23, 36-45	40
974	Cardiovascular risk in the metabolic syndrome: fact or fiction?. 2007 , 9, 479-85	11
973	Metabolic risk-factor clustering estimation in obese children. 2007 , 63, 347-55	8
972	Östrogenvermittelte Regulation der Energiehomöostase. 2007 , 40, 599-603	
971	Prediction of visceral fat area from anthropometric and segmental body composition variables using computed tomography. 2007 , 2, 16-22	2
970	A cognitive behavioral therapy intervention to promote weight loss improves body composition and blood lipid profiles among overweight breast cancer survivors. 2007 , 104, 145-52	91
969	The metabolic syndrome in hypertension: diagnostic and therapeutic implications. 2007 , 9, 305-13	6
968	How current Guidelines for obesity underestimate risk in certain ethnicities and overestimate risk in others. 2007 , 1, 97-101	9
967	[Growth hormone therapy in adults. Attempt to assess a decade of use]. 2008 , 49, 527-8, 530-2, 534 passim	1
966	Waist circumference percentiles for 7- to 17-year-old Turkish children and adolescents. 2008 , 167, 383-9	118
965	Sonographic evaluation of visceral fat by measuring para- and perirenal fat. 2008 , 36, 129-33	44
964	Socioeconomic and lifestyle determinants of body fat distribution in young working males from Cracow, Poland. 2008 , 20, 100-9	4
963	Physical activity in leisure-time is not associated with 10-year changes in waist circumference. 2008 , 18, 719-27	8
962	Childbearing may increase visceral adipose tissue independent of overall increase in body fat. 2008 , 16, 1078-84	84
961	BMI compared with central obesity indicators in relation to diabetes and hypertension in Asians. 2008 , 16, 1622-35	143
960	Recent developments in calcium-related obesity research. 2008 , 9, 428-45	121
959	Associations of birthweight and infant growth with body composition at age 15--the COMPASS study. 2008 , 22, 379-88	43

958	Waist circumference and visceral fat in CKD: a cross-sectional study. 2008 , 52, 66-73	83
957	Obesity, abdominal obesity, and insulin resistance. 2008 , 9, 23-29; discussion 30-1	72
956	P226 INTESTINAL ANTI-INFLAMMATORY ACTIVITY OF A MIXTURE OF VEGETABLES IN TNBS MODEL OF RAT COLITIS. 2008 , 3, 125-126	
955	P228 COMBINED USE OF THE THICKNESS OF THE ADDUCTOR POLLICIS MUSCLE AND HANDGRIP STRENGTH FOR NUTRITIONAL ASSESSMENT IN HOSPITALIZED PATIENTS. 2008 , 3, 126-127	1
954	Abdominal obesity is associated with potassium depletion and changes in glucose homeostasis during diuretic therapy. 2008 , 10, 443-9	22
953	Waist circumference, dual-energy X-ray absorptiometrically measured abdominal adiposity, and computed tomographically derived intra-abdominal fat area on detecting metabolic risk factors in obese women. 2008 , 24, 625-31	86
952	Independent and opposite associations of hip and waist circumference with metabolic syndrome components and with inflammatory and atherothrombotic risk factors in overweight and obese women. 2008 , 57, 1315-22	23
951	Cutoff point of waist circumference for the diagnosis of metabolic syndrome in an Iranian population. 2008 , 2, I-II	8
950	A simple valid tool for measuring obesity-related-CHD risk in Sri Lankan adults. 2008 , 3, 11-19	6
949	Impact of obesity on cardiovascular disease. 2008 , 37, 663-84, ix	83
948	Guías de práctica clínica sobre prevención de la enfermedad cardiovascular: versión resumida. 2008 , 61, 82.e1-82.e49	14
947	[Abdominal obesity and cardiometabolic risk]. 2008 , 40, 199-204	2
946	Cardiac autonomic activity and blood pressure among Nunavik Inuit adults exposed to environmental mercury: a cross-sectional study. 2008 , 7, 29	51
945	Body circumferences: clinical implications emerging from a new geometric model. 2008 , 5, 24	44
944	Leptin hormone and other biochemical influences on systemic inflammation. 2008 , 12, 121-32	9
943	[Involvement of hypothalamopituitary adrenal axis in abdominal obesity]. 2008 , 15, 170-8	1
942	Alterations in cell adhesion molecules and other biomarkers of cardiovascular disease in patients with metabolic syndrome. 2008 , 199, 415-23	37
941	Comparative associations of adiposity measures with cardiometabolic risk burden in asymptomatic subjects. 2008 , 201, 413-7	46

940	Central obesity and increased risk of dementia more than three decades later. 2008 , 71, 1057-64	552
939	MRI total sagittal abdominal diameter as a predictor of metabolic syndrome compared to visceral fat at L4-L5 level. 2008 , 24, 1853-60	8
938	Waist circumference measurement in clinical practice. 2008 , 23, 397-404	106
937	T-lymphocyte infiltration in visceral adipose tissue: a primary event in adipose tissue inflammation and the development of obesity-mediated insulin resistance. 2008 , 28, 1304-10	532
936	Screening of follicle-stimulating hormone receptor gene in women with premature ovarian failure in southern Brazil and associations with phenotype. 2008 , 31, 552-7	22
935	Body mass index, waist circumference and waist-to-hip ratio cut-off points for categorisation of obesity among Omani Arabs. 2008 , 11, 102-8	46
934	Themed Review: Lifestyle Treatment of the Metabolic Syndrome. 2008 , 2, 99-108	7
933	Relation between body mass index, waist circumference, and death after acute myocardial infarction. 2008 , 118, 482-90	111
932	Independent effect of visceral adipose tissue on metabolic syndrome in obese adolescents. 2008 , 70, 22-8	32
931	Influences of gender on the interaction between sympathetic nerve traffic and central adiposity. 2008 , 93, 4974-8	47
930	Economic costs of abdominal obesity. 2008 , 1, 146-54	16
929	What is the influence of menopausal status on metabolic profile, eating behaviors, and perceived health of obese women after weight reduction?. 2008 , 33, 957-65	8
928	Determinants of plasma adiponectin levels in obese children. 2008 , 21, 737-43	1
927	CC chemokine and CC chemokine receptor profiles in visceral and subcutaneous adipose tissue are altered in human obesity. 2008 , 93, 3215-21	236
926	Body composition methods: comparisons and interpretation. 2008 , 2, 1139-46	163
925	The importance of treating cardiometabolic risk factors in patients with type 2 diabetes. 2008 , 5, 9-14	16
924	Calf circumference is inversely associated with carotid plaques. 2008 , 39, 2958-65	20
923	The metabolic syndrome as a concept of adipose tissue disease. 2008 , 31, 1283-91	71

922	Metabolic syndrome in peritoneal dialysis patients. 2008 , 1, 206-14	6
921	Association between walking distance and percentiles of body mass index in older and younger men. 2008 , 42, 352-6	13
920	Measurement of stiffness index by digital volume pulse analysis technique: clinical utility in cardiovascular disease risk stratification. 2008 , 21, 866-72	38
919	Abdominal obesity and the metabolic syndrome: contribution to global cardiometabolic risk. 2008 , 28, 1039-49	1009
918	Optimal cut-points for body mass index, waist circumference and waist-to-hip ratio using the Framingham coronary heart disease risk score in an Arab population of the Middle East. 2008 , 5, 304-9	26
917	Components of the metabolic syndrome and lifestyle factors in Japanese male workers. 2008 , 6, 263-6	15
916	Associations of serum carotenoid concentrations with the metabolic syndrome: interaction with smoking. 2008 , 100, 1297-306	50
915	Obesity and cancer. 2008 , 67, 128-45	221
914	Bone mineral density and general health of long-term residential psychiatric inpatients. 2008 , 25, 95-99	2
913	Dietary and non-dietary determinants of central adiposity among Tehrani women. 2008 , 11, 528-34	54
912	Weight loss in a community initiative that promotes decreased energy intake and increased physical activity and dairy consumption: Calcium Weighs-In. 2008 , 5, 28-44	14
911	Gentle exercise of 40 minutes with dietary counseling is effective in treating metabolic syndrome. 2008 , 215, 355-61	10
910	Einfluss körperlichen Trainings auf Herz-Kreislauf-Risikofaktoren bei älteren Frauen mit Metabolischem Syndrom. 2008 , 38, 65-81	0
909	Cardiovascular Complications of Obesity. 2008 , 4, 150-155	
908	Visceral adipose tissue and the ratio of visceral to subcutaneous adipose tissue are greater in adults with than in those without spinal cord injury, despite matching waist circumferences. 2008 , 87, 600-7	116
907	Comparison of body mass index with waist circumference, waist-to-hip ratio, and waist-to-stature ratio as a predictor of hypertension incidence in Mauritius. 2008 , 26, 866-70	48
906	Prevalence of obesity amongst Chinese populations revisited. 2008 , 3, 139-152	3
905	Relation of central adiposity and body mass index to the development of diabetes in the Diabetes Prevention Program. 2008 , 87, 1212-8	177

904	Adipocyte gene expression is altered in formerly obese mice and as a function of diet composition. 2008 , 138, 1033-8	24
903	[Prevalence of overweight and obesity among members of the Brazilian army: association with arterial hypertension]. 2008 , 13, 1661-8	9
902	Developments in estimating visceral fat area from medical examination data. 2008 , 15, 193-8	9
901	Sagittal abdominal diameter: comparison with waist circumference and its prediction of metabolic syndrome. 2009 , 2, 187-195	
900	[Predictive ability of anthropometric and body composition indicators in the identification of insulin resistance]. 2009 , 53, 72-9	20
899	The effect of physical exercise and caloric restriction on the components of metabolic syndrome. 2009 , 45, 379-399	9
898	[Hypertension and its association to anthropometric indexes in adults from a small city in Brazil]. 2009 , 55, 716-22	12
897	HOMA1-IR and HOMA2-IR indexes in identifying insulin resistance and metabolic syndrome: Brazilian Metabolic Syndrome Study (BRAMS). 2009 , 53, 281-7	190
896	Reference values of body composition for adult females who are classified as normal weight, overweight or obese according to body mass index. 2009 , 43, 29-37	4
895	Patterns of abdominal fat distribution: the Framingham Heart Study. 2009 , 32, 481-5	123
894	Waist circumference threshold values for type 2 diabetes risk. 2009 , 3, 761-9	17
893	Impact of weight reduction on eating behaviors and quality of life: Influence of the obesity degree. 2009 , 2, 87-95	11
892	Socioeconomic status and obesity among semi-urban Nigerians. 2009 , 2, 356-61	9
891	Pleiotropic effects of rimonabant: clinical implications. 2009 , 15, 553-70	24
890	Waist circumference measurement: knowledge, attitudes and barriers in patients and practitioners in a multi-ethnic population. 2009 , 26, 365-71	27
889	Lifestyle and metabolic determinants of incident hypertension, with special reference to cigarette smoking: a longitudinal population-based study. 2009 , 22, 156-62	26
888	A controlled intervention study of changing health-providers' attitudes toward personal lifestyle habits and health-promotion skills. 2009 , 25, 532-9	22
887	Obesity and its associations with hypertension and type 2 diabetes among Chinese adults age 40 years and over. 2009 , 25, 1143-9	32

886	Central obesity and insulin resistance in the cardiometabolic syndrome: pathways to preclinical cardiovascular structure and function. 2009 , 4, 63-71	17
885	Association of abdominal adiposity with diabetes and cardiovascular disease in Latin America. 2009 , 11, 769-74	18
884	Waist circumference in relation to body perception reported by Finnish adolescent girls and their mothers. 2009 , 98, 501-6	13
883	Influence of the metabolic syndrome versus the sum of its individual components on left ventricular geometry in young adults (from the Bogalusa Heart Study). <i>American Journal of Cardiology</i> , 2009 , 104, 69-73	3 11
882	High prevalence of metabolic disturbances in patients with bipolar disorder in Taiwan. 2009 , 117, 124-9	58
881	Obesity management in adults with CKD. 2009 , 53, 151-65	35
880	Influences of a dietary supplement in combination with an exercise and diet regimen on adipocytokines and adiposity in women who are overweight. 2009 , 105, 665-72	6
879	Optimal dietary intake for cardiovascular risk reduction. 2009 , 3, 95-101	
878	Sagittal abdominal diameter: comparison with waist circumference and its prediction of metabolic syndrome. 2009 , 2, 187-195	1
877	Androgen receptor CAG repeats and body composition among Ariaal men. 2009 , 32, 140-8	25
876	Identification of waist circumference cutoffs for abdominal obesity in the Chinese population: a 7.8-year follow-up study in the Shanghai urban area. 2009 , 33, 1058-62	22
875	Fat distribution in men of different waist girth, fitness level and exercise habit. 2009 , 33, 1356-62	37
874	BMI compared with central obesity indicators as a predictor of diabetes incidence in Mauritius. 2009 , 17, 342-8	46
873	Waist circumference measurement by site, posture, respiratory phase, and meal time: implications for methodology. 2009 , 17, 1056-61	42
872	Migration and health in Italy: a multiethnic adult sample. 2009 , 16, 88-95	27
871	Efficacy of low-calorie, partial meal replacement diet plans on weight and abdominal fat in obese subjects with metabolic syndrome: a double-blind, randomised controlled trial of two diet plans - one high in protein and one nutritionally balanced. 2009 , 63, 195-201	33
870	Prevalence of abdominal obesity in primary care: the IDEA UK study. 2009 , 63, 1301-7	10
869	Waist circumference: a useful index in clinical care and health promotion. 1998 , 56, 300-2	21

868	Impaired left ventricular systolic and diastolic function in patients with metabolic syndrome as assessed by strain and strain rate imaging. 2009 , 83, 300-7	53
867	Elevated serum gamma-glutamyltransferase levels are independently associated with insulin resistance in non-diabetic subjects. 2009 , 84, 152-7	25
866	Influence of age on the relation between waist circumference and cardiometabolic risk markers. 2009 , 19, 163-9	18
865	Waist circumference, body mass index and waist to hip ratio for prediction of the metabolic syndrome in Chinese. 2009 , 19, 542-7	81
864	Title page. 2009 , 122, I-CO4	
863	Faculty List. 2009 , 122, I-CO4	
862	Faculty Disclosures. 2009 , 122, I-CO4	
861	CME Information. 2009 , 122, I-CO4	
860	CME Divider page. 2009 , 122, I-CO4	
859	CME Assessment Test. 2009 , 122, I-CO4	
858	CME Answer sheet. 2009 , 122, I-CO4	
857	CME Evaluation form. 2009 , 122, I-CO4	
856	[Hypertension in obese patients: Pathophysiology and management]. 2009 , 38, 609-13	2
855	The problem of obesity in the United States has become increasingly prominent and is now recognized as a critical target for public health intervention. Introduction. 2009 , 122, S1-3	
854	Obesity: why be concerned?. 2009 , 122, S4-11	105
853	Regulation of energy homeostasis and health consequences in obesity. 2009 , 122, S12-8	37
852	Obesity prevention: recommended strategies and challenges. 2009 , 122, S19-23	11
851	When prevention fails: obesity treatment strategies. 2009 , 122, S24-32	21

850	An obesity/cardiometabolic risk reduction disease management program: a population-based approach. 2009 , 122, S33-6	4
849	Overall obesity and abdominal adiposity as predictors of mortality in u.s. White and black adults. 2009 , 19, 134-42	58
848	Assessing Body Fat Changes during Moderate Weight Loss with Anthropometry and Bioelectrical Impedance. 2009 , 3, 209	11
847	Waist circumference in primary care. 2009 , 3, 259-61	12
846	Height, ethnicity, and the incidence of diabetes: the San Antonio Heart Study. 2009 , 58, 1530-5	20
845	Assessment and Investigation of Obesity. 367-390	
844	Obesity and metabolic disease. 2009 , 36, 257-70	7
843	Basal insulin resistance and secretion in Nigerians with type 2 diabetes mellitus. 2009 , 7, 595-9	10
842	Elevated C-reactive protein levels and metabolic syndrome in the elderly: The role of central obesity data from the InChianti study. 2009 , 203, 626-32	42
841	Hierarchical analysis of anthropometric indices in the prediction of 5-year incidence of hypertension in apparently healthy adults: the ATTICA study. 2009 , 206, 314-20	31
840	Adipose tissue, metabolic syndrome and polycystic ovary syndrome: from pathophysiology to treatment. 2009 , 19, 552-63	53
839	Metabolic syndrome in the pediatric population: a short overview. 2009 , 1, e1	10
838	Comparison of overall obesity and body fat distribution in predicting risk of mortality. 2009 , 17, 1232-9	96
837	[Which complementary studies and metabolic monitoring must be performed in OSAS? For which patients?]. 2009 , 65, 254-60	1
836	Metabolic syndrome in pediatrics: old concepts revised, new concepts discussed. 2009 , 38, 549-63	18
835	ORIGINAL RESEARCH. 2009 , 33, 86-92	
834	Influence of a walking program on the metabolic risk profile of obese postmenopausal women. 2009 , 16, 566-75	28
833	Mechanisms of hypertension in the cardiometabolic syndrome. 2009 , 27, 441-51	55

832	Waist circumference and waist-to-height ratio as predictors of cardiovascular disease risk in Korean adults. 2009 , 73, 1643-50	120
831	Criteria of waist circumference according to computed tomography-measured visceral fat area and the clustering of cardiovascular risk factors. 2009 , 73, 1881-6	50
830	Relationships of systemic oxidative stress to body fat distribution, adipokines and inflammatory markers in healthy middle-aged women. 2009 , 56, 773-82	39
829	Effects of whole-body electromyostimulation on resting metabolic rate, body composition, and maximum strength in postmenopausal women: the Training and ElectroStimulation Trial. 2010 , 24, 1880-7	67
828	Cardiorespiratory fitness and metabolic risk factors in obesity. 2010 , 21, 1-7	24
827	Quantitative analysis of adipose tissue in single transverse slices for estimation of volumes of relevant fat tissue compartments: a study in a large cohort of subjects at risk for type 2 diabetes by MRI with comparison to anthropometric data. 2010 , 45, 788-94	47
826	Reconditioning the Postcompetitive Football Lineman: Recognizing the Problem. 2010 , 32, 28-32	5
825	Biobehavioral and psychological differences between overweight adults with and without waist circumference risk. 2010 , 33, 539-51	7
824	Association of heart rate recovery after exercise with indices of obesity in healthy, non-obese adults. 2010 , 108, 695-9	20
823	A cross-sectional study of sarcopenia in Japanese men and women: reference values and association with cardiovascular risk factors. 2010 , 110, 57-65	234
822	Neck circumference: an additional tool of screening overweight and obesity in childhood. 2010 , 169, 733-9	74
821	A common polymorphism in the promoter of UCP2 is associated with obesity and hyperinsulinemia in northern Indians. 2010 , 337, 293-8	37
820	Primary and secondary prevention. 2010 , 38, 409-413	1
819	Visceral adiposity index is associated with histological findings and high viral load in patients with chronic hepatitis C due to genotype 1. 2010 , 52, 1543-52	76
818	The synthesis of the rough set model for the better applicability of sagittal abdominal diameter in identifying high risk patients. 2010 , 40, 786-90	12
817	Visceral fat accumulation and metabolic risk factor clustering in older adults. 2010 , 58, 1658-63	20
816	Heritability of obesity-related phenotypes and association with adiponectin gene polymorphisms in the Chinese national twin registry. 2010 , 74, 146-54	16
815	The association between the ratio of visceral fat to thigh muscle area and metabolic syndrome: the Korean Sarcopenic Obesity Study (KSOS). 2010 , 73, 588-94	60

814	Cut-points for waist circumference in Europeans and South Asians. 2010 , 18, 2039-46	33
813	The relationship between visceral adiposity and the risk of erosive esophagitis in severely obese Chinese patients. 2010 , 18, 2165-9	30
812	Effects of weight reduction on serum vaspin concentrations in obese subjects: modification by insulin resistance. 2010 , 18, 2105-10	47
811	Appropriateness of waist circumference and waist-to-hip ratio cutoffs for different ethnic groups. 2010 , 64, 42-61	145
810	The optimal cutoff values and their performance of waist circumference and waist-to-hip ratio for diagnosing type II diabetes. 2010 , 64, 23-9	50
809	Predictive power of the components of metabolic syndrome in its development: a 6.5-year follow-up in the Tehran Lipid and Glucose Study (TLGS). 2010 , 64, 1207-14	12
808	Waist circumference and obesity-related abnormalities in French and Cameroonian adults: the role of urbanization and ethnicity. 2010 , 34, 446-53	26
807	Indices of central and peripheral body fat: association with non-fatal acute myocardial infarction. 2010 , 34, 733-41	13
806	Sagittal abdominal diameter as a screening tool in clinical research: cutoffs for cardiometabolic risk. 2010 , 2010,	38
805	Does abdominal obesity accelerate the effect of hypertriglyceridemia on impaired fasting glucose?. 2010 , 51, 360-6	1
804	Impact of changes in obesity parameters on glucose metabolism and insulin resistance over a one-year period. 2010 , 17, 1246-55	7
803	Anthropometric indicators of insulin resistance. 2010 , 95, e14-23	32
802	Utilizaç�o de medidas antropom�tricas para a avaliaç�o do ac�mulo de gordura visceral. 2010 , 23, 107-118	16
801	Comparisons of obesity assessments in over-weight elementary students using anthropometry, BIA, CT and DEXA. 2010 , 4, 128-35	25
800	Anthropometric cutoff values for detecting metabolic abnormalities in Jordanian adults. 2010 , Volume 3, 395-402	12
799	Anthropometric cutoff values for detecting metabolic abnormalities in Jordanian adults. 2010 , 3, 395-402	18
798	Post-exercise systolic blood pressure recovery and adiposity in adults. 2010 , 7, 89-96	1
797	Age- and gender-specific smoothed waist circumference percentiles for Kuwaiti adolescents. 2010 , 19, 269-74	4

796	Anthropometric assessment of abdominal obesity and coronary heart disease risk in men: the PRIME study. 2010 , 96, 136-40	54
795	Large waist circumference is a risk factor for reflux esophagitis in Japanese males. 2010 , 81, 181-7	22
794	Relationship of mid-thigh adiposity to the metabolic syndrome in postmenopausal women. 2010 , 8, 365-72	2
793	Age and sex differences in fat distribution in non-obese Japanese children. 2010 , 23, 873-8	17
792	The hypertriglyceridemic-waist phenotype and the risk of coronary artery disease: results from the EPIC-Norfolk prospective population study. 2010 , 182, 1427-32	120
791	Comparison of dual-energy x-ray absorptiometric and anthropometric measures of adiposity in relation to adiposity-related biologic factors. 2010 , 172, 1442-54	131
790	Increased blood pressure and hyperdynamic cardiovascular responses in carriers of a common hyperfunctional variant of adenylyl cyclase 6. 2010 , 335, 451-7	17
789	Anthropometric measures of obesity and risk of venous thromboembolism: the Tromso study. 2010 , 30, 121-7	50
788	Waist circumference and mid-upper arm circumference in evaluation of obesity in children aged between 6 and 17 years. 2010 , 2, 144-50	50
787	Prospective evaluation of waist circumference and visceral adipose tissue in patients with chronic kidney disease. 2010 , 31, 104-9	20
786	The in vivo relationship between cross-sectional area and CT dose index in abdominal multidetector CT with automatic exposure control. 2010 , 30, 139-47	15
785	Interrelations of serum leptin levels with adrenocorticotrophic hormone, basal cortisol and dehydroepiandrosterone sulphate levels in patients with metabolic syndrome. 2010 , 4, 13-17	9
784	[Distribution of waist circumference and waist-to-height ratio by categories of body mass index in patients attended in endocrinology and nutrition units]. 2010 , 57, 479-85	6
783	Impacto de la prediabetes y el sexo en el riesgo cardiovascular asociado al síndrome metabólico. 2010 , 27, 4-12	1
782	Validit� delle misure antropometriche nell'quadramento del paziente obeso. 2010 , 11, 268-274	
781	Visceral Adiposity Index: a reliable indicator of visceral fat function associated with cardiometabolic risk. 2010 , 33, 920-2	668
780	Waist circumference as an indicator of adiposity and the relevance of body height. 2010 , 75, 115-9	21
779	Depot-specific differences in the insulin response of adipose-derived stromal cells. 2010 , 328, 22-7	15

778	Adipose tissue and reproduction in women. 2010 , 94, 795-825	52
777	Bone Densitometry in Clinical Practice. 2010 ,	28
776	Telemedicine intervention effects on waist circumference and body mass index in the IDEATel project. 2010 , 12, 213-20	29
775	Association between anthropometric indicators of body fat and metabolic risk markers in post-menopausal women. 2010 , 26, 16-22	15
774	Adiposity assessment: explaining the association between obesity, hypertension and stroke. 2011 , 9, 1557-64	21
773	Association of insulin resistance with different anthropometric measures and cardiovascular risk factors in a non-diabetic population. 2011 , 58, 464-471	4
772	[Association of insulin resistance to different anthropometric measures and cardiovascular risk factors in a non-diabetic population]. 2011 , 58, 464-71	4
771	Metabolic syndrome in pediatrics: old concepts revised, new concepts discussed. 2011 , 58, 1241-55, xi	32
770	A community-based study of metabolic syndrome and its components among women of rural community in Ballabgarh, Haryana. 2011 , 9, 461-7	7
769	Tesamorelin: a review of its use in the management of HIV-associated lipodystrophy. 2011 , 71, 1071-91	13
768	Impact of obesity on cardiovascular disease. 2011 , 95, 919-37	140
767	Riesgo cardiovascular en pacientes diabéticos tipo 2 con o sin síndrome metabólico asociado. 2011 , 23, 112-118	
766	The relation between serum visfatin levels and cardiovascular involvement in rheumatoid arthritis Available online 15 August 2011 View all notes Peer review under responsibility of Alexandria University Faculty of Medicine. View all notes. 2011 , 47, 117-124	1
765	Evaluation of the Finnish Diabetes Risk Score as a screening tool for impaired fasting glucose, impaired glucose tolerance and undetected diabetes. 2011 , 92, 46-52	63
764	Effects of 12-week overground walking training at ventilatory threshold velocity in type 2 diabetic women. 2011 , 93, 337-43	27
763	Impact of mercury exposure on blood pressure and cardiac autonomic activity among Cree adults (James Bay, Quebec, Canada). 2011 , 111, 1265-70	37
762	Body fat distribution and C-reactive protein--a principal component analysis. 2011 , 21, 347-54	9
761	Abdominal diameter index and 12-year cardiovascular disease incidence in male bridge and tunnel workers. 2011 , 35, 409-15	7

760	β-Aminolevulinatase activity in type 2 diabetic patients and its association with lipid profile and oxidative stress. 2011 , 44, 1105-1109	14
759	Psychopathology, coronary heart disease and metabolic syndrome in schizophrenia spectrum patients with deficit versus non-deficit schizophrenia: findings from the CLAMORS study. 2011 , 21, 867-75	24
758	Accelerometer-determined Physical Activity Level in Adults with Abdominal Obesity. 2011 , 9, 73-81	1
757	Relaõ entre consumo de bebidas alcoõlicas por universitãrias e adiposidade corporal. 2011 , 60, 210-215	2
756	[Distribution of body fat and breast cancer: a case-control study in the South of Brazil]. 2011 , 16, 2425-33	5
755	Gender differences in diagnostic values of visceral fat area and waist circumference for predicting metabolic syndrome in Koreans. 2011 , 26, 906-13	34
754	Association Between the Hypertriglyceridemic-Waist Phenotype in Mothers and in Their Offspring. 2011 ,	
753	Influence of n-3 fatty acids on cardiac autonomic activity among Nunavik Inuit adults. 2011 , 70, 6-18	15
752	Correlation of anthropometric indicators for identifying insulin sensitivity and resistance. 2011 , 129, 30-5	17
751	Prevalence of prediabetes in patients with metabolic risk. 2011 , 129, 300-8	1
750	MALNUTRICIÃO POR EXCESSO Y RIESGO CARDIOMETABÓLICO EN ESCOLARES DE SEGUNDO Y TERCERO MEDIO DE LA COMUNA DE LOTA DE CHILE. 2011 , 38, 423-428	
749	Antropometria na avaliaõ da obesidade abdominal e risco coronariano. DOI: 10.5007/1980-0037.2011v13n3p238. 2011 , 13,	3
748	Association of visceral fat and risk factors for metabolic syndrome in children and adolescents. 2011 , 52, 39-44	3
747	Relationship between Anthropometric Indices and Dyslipidemia among Sudanese Women in Khartoum State. 2011 , 6,	1
746	The effect of abdominal exercise on abdominal fat. 2011 , 25, 2559-64	8
745	Waist circumference and waist-to-height ratio percentiles in a nationally representative sample of 6-13 year old children in Switzerland. 2011 , 141, w13227	31
744	Prevalence and secular changes in abdominal obesity in Canadian adolescents and adults, 1981 to 2007-2009. 2011 , 12, 397-405	54
743	The associations of different measurements of obesity with cardiovascular risk factors in Chinese. 2011 , 41, 393-404	14

742	Mediators of the relationship between socioeconomic status and allostatic load in the Chicago Health, Aging, and Social Relations Study (CHASRS). 2011 , 48, 1134-45	60
741	The relationship of waist circumference and BMI to visceral, subcutaneous, and total body fat: sex and race differences. 2011 , 19, 402-8	314
740	The contribution of visceral adiposity and mid-thigh fat-rich muscle to the metabolic profile in postmenopausal women. 2011 , 19, 953-9	24
739	Hypertriglyceridemic waist: an alternative to the metabolic syndrome? Results of the IMAP Study (multidisciplinary intervention in primary care). 2011 , 35, 292-9	60
738	The relationship between body size and mortality in the linked Scottish Health Surveys: cross-sectional surveys with follow-up. 2011 , 35, 838-51	30
737	Body composition and fat distribution among older Jat females: a rural-urban comparison. 2011 , 62, 374-85	3
736	Diet, physical activity, and cardiovascular disease risk factors among older Chinese Americans living in New York City. 2011 , 36, 446-55	11
735	Cut off values of waist circumference and associated cardiovascular risk in Egyptians. 2011 , 11, 53	18
734	Ethnic differences in body fat distribution among Asian pre-pubertal children: a cross-sectional multicenter study. 2011 , 11, 500	18
733	Cut-off points of the visceral adiposity index (VAI) identifying a visceral adipose dysfunction associated with cardiometabolic risk in a Caucasian Sicilian population. 2011 , 10, 183	122
732	Predictive performance of the visceral adiposity index for a visceral adiposity-related risk: type 2 diabetes. 2011 , 10, 88	55
731	A predictive model for cerebrovascular disease using data mining. 2011 , 38, 8970-8977	53
730	Moderate waist circumference and hypertension prevalence: the REGARDS Study. 2011 , 24, 482-8	23
729	Impact of obesity on total and cardiovascular mortality--fat or fiction?. 2011 , 8, 233-7	62
728	Contributions of cardiorespiratory fitness and visceral adiposity to six-year changes in cardiometabolic risk markers in apparently healthy men and women. 2011 , 96, 1462-8	33
727	Ethnic group differences in waist circumference percentiles among U.S. children and adolescents: estimates from the 1999-2008 National Health and Nutrition Examination Surveys. 2011 , 9, 297-303	16
726	Assessing adiposity: a scientific statement from the American Heart Association. 2011 , 124, 1996-2019	553
725	Skeletal muscle 11βHSD1 activity of nondiabetic subjects is unaltered in central obesity-associated insulin resistance. 2011 , 43, 257-60	7

724	Relationship of Physical Performance with Body Composition and Bone Mineral Density in Individuals over 60 Years of Age: A Systematic Review. 2011 , 2011, 191896	47
723	Central obesity predicts non-Hodgkin's lymphoma mortality and overall obesity predicts leukemia mortality in adult Taiwanese. 2011 , 30, 310-9	10
722	The Metabolic Syndrome. 2011 , 13-39	
721	Accuracy of anthropometric indexes of obesity to predict diabetes mellitus type 2 among men and women with hypertension. 2011 , 24, 175-80	11
720	Hyperlipidemia in Primary Care. 2011 ,	1
719	Abdominal obesity is the most significant metabolic syndrome component predictive of cardiovascular events in chronic hemodialysis patients. 2011 , 26, 3689-95	23
718	A cross-sectional study on trans-fatty acids and risk markers of CHD among middle-aged men representing a broad range of BMI. 2011 , 106, 1245-52	7
717	Impaired quality of life and sexual function in overweight and obese men: the European Male Ageing Study. 2011 , 164, 1003-11	72
716	Central obesity and cardiovascular outcomes in patients with acute coronary syndrome: observations from the MERLIN-TIMI 36 trial. 2011 , 97, 1782-7	43
715	Effects of auricular acupressure on weight reduction and abdominal obesity in Asian young adults: a randomized controlled trial. 2011 , 39, 433-40	24
714	Insulin resistance in the control of body fat distribution: a new hypothesis. 2011 , 43, 77-80	27
713	Impact of abdominal obesity on the frequency of hypertension and cardiovascular disease in Poland - results from the IDEA study (international day for the evaluation of abdominal obesity). 2011 , 20, 145-52	9
712	Physical inactivity and mortality risk. 2011 , 2011, 924945	46
711	Comparison of the performance of two measures of central adiposity among apparently healthy Nigerians using the receiver operating characteristic analysis. 2011 , 15, 320-6	10
710	[Analysis of obesity prevalence in students from Novi Sad]. 2012 , 65, 133-7	5
709	Resistance Training Leads to Clinically Meaningful Improvements in Control of Glycemia and Muscular Strength in Untrained Middle-aged Patients with type 2 Diabetes Mellitus. 2012 , 4, 336-43	29
708	Excess body fat in obese and normal-weight subjects. 2012 , 25, 150-61	88
707	Body fat distribution and risk of cardiovascular disease: an update. 2012 , 126, 1301-13	736

706	Heroin dependence duration influences the metabolic parameters: mechanisms and consequences of impaired insulin sensitivity in hepatitis C virus seronegative heroin dependents. 2012 , 6, 304-10	7
705	Higher levels of endogenous estradiol are associated with frailty in postmenopausal women from the toledo study for healthy aging. 2012 , 97, 2898-906	39
704	Efficacy of two different materials used in auricular acupressure on weight reduction and abdominal obesity. 2012 , 40, 713-20	14
703	Visceral adipose tissue, but not waist circumference is a better measure of metabolic risk in Singaporean Chinese and Indian men. 2012 , 2, e38	21
702	Abdominal obesity and mortality: The Pennington Center Longitudinal Study. 2012 , 2, e42	44
701	Definición y clasificación de la obesidad. 2012 , 23, 124-128	14
700	Body mass index and waist circumference associate to a comparable degree with insulin resistance and related metabolic abnormalities in South Asian women and men. 2012 , 9, 296-300	13
699	Waist Circumference and Cardiovascular Risk. 2012 , 2137-2153	1
698	Predictors of metabolic syndrome in participants of a cardiac rehabilitation program. 2012 , 2012, 736314	3
697	Body mass index, waist circumference, body fat, fasting blood glucose in a sample of moroccan adolescents aged 11-17 years. 2012 , 2012, 510458	15
696	Obesity, periodontal and general health: Relationship and management. 2012 , 16, 88-93	29
695	Reference curves for BMI, waist circumference and waist-to-height ratio for Azorean adolescents (Portugal). 2012 , 15, 13-9	9
694	Role of hepatic stellate cells in fibrogenesis in a model of pomegranate-treated fatty liver induced by junk food in male albino rats immunohistochemical and electron microscopic study. 2012 , 35, 54-66	5
693	Changes in body composition of university students in a country in socio-economic transition. 2012 , 69, 261-71	4
692	Low circulating adiponectin levels are associated with insulin resistance in non-obese peritoneal dialysis patients. 2012 , 59, 685-95	12
691	Obesity and health risk of children in the Mississippi Delta. 2012 , 82, 478-83	4
690	Elevation in cardiovascular disease risk in South Asians is mediated by differences in visceral adipose tissue. 2012 , 20, 1293-300	41
689	Gender and visibility of sexual cues influence eye movements while viewing faces and bodies. 2012 , 41, 1439-51	76

688	Visceral adiposity in young patients with coronary artery disease-a case control study. 2012 , 64, 284-9	4
687	Diámetro abdominal sagital: un indicador de grasa visceral que se debe tener en cuenta en la práctica clínica. 2012 , 16, 121-122	
686	Diámetro abdominal sagital: aplicaciones en la práctica clínica. 2012 , 16, 137-142	
685	Waist circumference and metabolic syndrome: the risk for silent coronary artery disease in males. 2012 , 10, 225-31	6
684	Visceral adiposity index is not a predictor of liver histology in patients with non-alcoholic fatty liver disease. 2012 , 57, 392-8	38
683	The steatohepatic variant of hepatocellular carcinoma and its association with underlying steatohepatitis. 2012 , 43, 737-46	116
682	A critical evaluation of body composition modalities used to assess adipose and skeletal muscle tissue in cancer. 2012 , 37, 811-21	51
681	Waist circumference a good indicator of future risk for type 2 diabetes and cardiovascular disease. 2012 , 12, 631	65
680	Associations of built food environment with body mass index and waist circumference among youth with diabetes. 2012 , 9, 81	25
679	Oxidative stress is associated with visceral adipose tissue and subclinical atherosclerosis in a healthy multi-ethnic population. 2012 , 37, 1164-70	7
678	Postmenopausal sex hormones in relation to body fat distribution. 2012 , 20, 1088-95	64
677	Waist circumference is a better predictor than body mass index of insulin resistance in type 2 diabetes. 2012 , 6, e263-346	13
676	Effects of a home-based rehabilitation program in obese type 2 diabetics. 2012 , 55, 415-29	25
675	Influence of exclusive resistance training on body composition and cardiovascular risk factors in overweight or obese children: a systematic review. 2012 , 5, 546-60	22
674	Influence of obesity indices, metabolic parameters and age on cardiac autonomic function in abdominally obese men. 2012 , 61, 1270-9	35
673	Different anthropometric adiposity measures and their association with cardiovascular disease risk factors: a meta-analysis. 2012 , 20, 208-18	72
672	Associations of hip circumference and height with incidence of type 2 diabetes: the Isfahan diabetes prevention study. 2012 , 49 Suppl 1, S107-14	23
671	Age-related volumetric changes in pancreas: a stereological study on computed tomography. 2012 , 34, 935-41	20

670	Stress in migrant farmworkers during premigration. 2012 , 14, 27-37	12
669	Attenuating effect of vigorous physical activity on the risk for inherited obesity: a study of 47,691 runners. 2012 , 7, e31436	16
668	The current waist circumference cut point used for the diagnosis of metabolic syndrome in sub-Saharan African women is not appropriate. 2012 , 7, e48883	70
667	Anthropometric measures as predictors of cardiovascular disease risk factors in the urban population of Iran. 2012 , 98, 126-35	21
666	Impact of physical activity and bodyweight on health-related quality of life in people with type 2 diabetes. 2012 , 5, 303-11	28
665	The impact of abdominal obesity status on cardiovascular response to the mediterranean diet. 2012 , 2012, 969124	9
664	Overweight and Obesity among Palestinian Adults: Analyses of the Anthropometric Data from the First National Health and Nutrition Survey (1999-2000). 2012 , 2012, 213547	28
663	The impact of obesity on cardiovascular structure and function: the fetal programming era. 2012 , 1	1
662	Ectopic fat is linked to prior cardiovascular events in men with HIV. 2012 , 59, 494-7	32
661	A model for estimating body shape biological age based on clinical parameters associated with body composition. 2013 , 8, 11-8	11
660	Perinatal and early adulthood factors associated with adiposity. 2012 , 28, 1381-93	2
659	Cut-off values of visceral fat area and waist-to-height ratio: diagnostic criteria for obesity-related disorders in Korean children and adolescents. 2012 , 53, 99-105	17
658	Anthropometric indices in relation to overweight and obesity among Turkish medical students. 2012 , 8, 209-13	12
657	Socioeconomic status, stature, and obesity in women: 20-year trends in urban Colombia. 2012 , 24, 602-10	16
656	Visceral adiposity index is associated with significant fibrosis in patients with non-alcoholic fatty liver disease. 2012 , 35, 238-47	74
655	Invited commentary. 2012 , 93, 724-5	
654	Neck circumference as a novel parameter to determine metabolic risk factors in obese children. 2012 , 42, 623-30	63
653	Validity of self-assessed waist circumference in a multi-ethnic UK population. 2012 , 29, 404-9	15

652	Are cardiorespiratory fitness and moderate-to-vigorous physical activity independently associated to overweight, obesity, and abdominal obesity in elderly?. 2012 , 24, 28-34	17
651	Excess body fat is associated with higher risk of vertebral deformities in older women but not in men: a cross-sectional study. 2012 , 23, 67-74	56
650	Effects of high vs. moderate exercise intensity during interval training on lipids and adiponectin levels in obese young females. 2013 , 113, 2531-40	168
649	Adiposity and insulin resistance in humans: the role of the different tissue and cellular lipid depots. 2013 , 34, 463-500	156
648	Increasing trends in central obesity among Chinese adults with normal body mass index, 1993-2009. 2013 , 13, 327	88
647	Neck circumference as an independent predictive contributor to cardio-metabolic syndrome. 2013 , 12, 76	102
646	Waist-to-height ratio, waist circumference, and body mass index as indices of cardiometabolic risk among 36,642 Taiwanese adults. 2013 , 52, 57-65	103
645	Physiology and Pathophysiology of Adipose Tissue. 2013 ,	4
644	Establishing computed tomography-defined visceral fat area thresholds for use in obesity-related cancer research. 2013 , 33, 171-9	95
643	Anthropometric indicators of obesity for identifying cardiometabolic risk factors in a rural Bangladeshi population. 2013 , 4, 361-8	24
642	The Epidemiology of Obesity. 2013 , 1-9	2
641	Visceral adiposity in gastrointestinal and hepatic carcinogenesis. 2013 , 330, 1-10	50
640	Association of a reduction in central obesity and phosphorus intake with changes in urinary albumin excretion: the PREMIER study. 2013 , 62, 900-7	21
639	The interplay between inflammation, physical activity and metabolic syndrome in a remote male geriatric community in Southern Taiwan: the Tianliao Old People (TOP) study 03. 2013 , 5, 60	7
638	Liver enzymes but not free fatty acid levels predict markers of insulin sensitivity in overweight and obese, nondiabetic adults. 2013 , 33, 781-8	11
637	Waist-to-height ratio is the best indicator for undiagnosed type 2 diabetes. 2013 , 30, e201-7	56
636	Can neck circumference be used as a tool to identify the metabolic syndrome and insulin resistance?. 2013 , 30, 184-185	1
635	Abdominal obesity and the risk of venous thromboembolism among women: a potential role of interleukin-6. 2013 , 11, 29-34	7

634	Pathophysiology of human visceral obesity: an update. 2013 , 93, 359-404	1267
633	Obesity and abdominal aortic aneurysm. 2013 , 100, 360-6	55
632	VAT=TAAT-SAAT: innovative anthropometric model to predict visceral adipose tissue without resort to CT-Scan or DXA. 2013 , 21, E41-50	35
631	The effects of sex, metabolic syndrome and exercise on postprandial lipemia. 2013 , 62, 244-54	17
630	Sagittal abdominal diameter may effectively predict future complications and increased mortality in intensive care unit patients with severe sepsis. 2013 , 28, 964-9	11
629	Sagittal abdominal diameter as a marker for epicardial adipose tissue in premenopausal women. 2013 , 62, 1032-6	8
628	Metabolically obese status with normal weight is associated with both the prevalence and severity of angiographic coronary artery disease. 2013 , 62, 952-60	38
627	A prospective study on association between 2 years change of waist circumference and incident hypertension in Han Chinese. 2013 , 167, 2781-5	16
626	Abdominal obesity and chronic stress interact to predict blunted cardiovascular reactivity. 2013 , 90, 73-9	27
625	Body mass index, waist circumference and employment: evidence from older Irish adults. 2013 , 11, 522-33	16
624	Evaluation of ultrasound combined with chitosan for the control of weight and local fat in mice. 2013 , 39, 1794-803	5
623	Impact of Antarctica winters on vital parameters and anthropometric variables. 2013 , 11, 170-7	3
622	Metabolic syndrome in pediatrics: old concepts revised, new concepts discussed. 2013 , 43, 114-23	21
621	Body mass index and buttock circumference are independent predictors of disintegration failure in extracorporeal shock wave lithotripsy for ureteral calculi. 2013 , 112, 421-5	6
620	A composite score combining waist circumference and body mass index more accurately predicts body fat percentage in 6- to 13-year-old children. 2013 , 52, 247-53	12
619	Laser beam measurement of abdominal sagittal diameter in obese children: a validation study. 2013 , 8, 112-7	2
618	Obesity Phenotypes: Measures to Assess Adipose Tissue Mass in Humans. 2013 , 243-253	1
617	Neck circumference as a simple tool for identifying the metabolic syndrome and insulin resistance: results from the Brazilian Metabolic Syndrome Study. 2013 , 78, 874-81	123

616	Changes in body fat distribution through menopause increase blood pressure independently of total body fat in middle-aged women: the Korean National Health and Nutrition Examination Survey 2007-2010. 2013 , 36, 444-9	17
615	DNA damage and cytotoxicity in adult subjects with prediabetes. 2013 , 753, 76-81	20
614	Race and the insulin resistance syndrome. 2013 , 33, 457-67	6
613	Comparison of various surrogate obesity indicators as predictors of cardiovascular mortality in four European populations. 2013 , 67, 1298-302	79
612	2 years change of waist circumference and body mass index and associations with type 2 diabetes mellitus in cohort populations. 2013 , 7, e290-6	8
611	Waist circumference cutoff points to predict obesity, metabolic syndrome, and cardiovascular risk in Turkish adults. 2013 , 2013, 767202	13
610	Greenselect phytosome for borderline metabolic syndrome. 2013 , 2013, 869061	21
609	Nutrition and Blood Pressure. 2013 , 415-443	
608	Effect of Obesity and the Metabolic Syndrome on Incident Kidney Disease and the Progression to Chronic Kidney Failure. 2013 , 445-456	0
607	Different impacts of metabolic syndrome components on insulin resistance in type 2 diabetes. 2013 , 2013, 740419	4
606	Central adiposity and decreased heart rate variability in postmenopause: a cross-sectional study. 2013 , 16, 576-83	10
605	Association of apolipoprotein B XbaI gene polymorphism and lipid profile in northern Indian obese. 2013 , 19, 26-31	9
604	Treatment effects on measures of body composition in the TODAY clinical trial. 2013 , 36, 1742-8	20
603	Metabolic dysregulation of the insulin-glucose axis and risk of obesity-related cancers in the Framingham heart study-offspring cohort (1971-2008). 2013 , 22, 1825-36	25
602	Predicting metabolic syndrome in obese children and adolescents: look, measure and ask. 2013 , 6, 48-56	40
601	Impact of different training modalities on anthropometric and metabolic characteristics in overweight/obese subjects: a systematic review and network meta-analysis. 2013 , 8, e82853	85
600	Body fat distribution and risk factors for fibrosis in patients with alcoholic liver disease. 2013 , 37, 332-8	22
599	Performance of abdominal bioelectrical impedance analysis and comparison with other known parameters in predicting the metabolic syndrome. 2013 , 121, 391-6	4

598	Visceral adiposity and cardiometabolic risks: epidemic of abdominal obesity in North America. 2013 , 17	2
597	Type 2 Diabetes Risk among Asian Indians in the US: A Pilot Study. 2013 , 2013, 492893	2
596	Adipose tissue MRI for quantitative measurement of central obesity. 2013 , 37, 707-16	37
595	Association of metabolic risk factors with cartilage degradation assessed by T2 relaxation time at the knee: data from the osteoarthritis initiative. 2013 , 65, 1942-50	54
594	Longitudinal associations between BMI, waist circumference, and cardiometabolic risk in US youth: monitoring implications. 2013 , 21, E271-9	25
593	Reproducibility and levels of blood lactate transition thresholds in persons with metabolic syndrome. 2013 , 11, 121-7	1
592	Anthropometric predictors of visceral adiposity in normal-weight and obese adolescents. 2013 , 14, 575-84	20
591	Body fat distribution after menopause and cardiovascular disease risk factors: Korean National Health and Nutrition Examination Survey 2010. 2013 , 22, 587-94	21
590	Clinical utility and reproducibility of visceral adipose tissue measurements derived from dual-energy X-ray absorptiometry in White and African American adults. 2013 , 21, 2221-4	36
589	Thermogenesis-based interventions for obesity and Type 2 diabetes mellitus. 2013 , 8, 275-288	2
588	Measurement of Waist Circumference: midabdominal or iliac crest?. 2013 , 36, 1660-6	93
587	Different measures of body weight as predictors of sickness absence. 2013 , 41, 25-31	25
586	Use of glycated hemoglobin and waist circumference for diabetic screening in women with a history of gestational diabetes. 2013 , 35, 810-5	4
585	Reliability of anthropometric parameters in the prediction of the visceral fat area among adult women. 2013 , 70, 147-64	1
584	The influence of waist circumference on insulin resistance and nonalcoholic fatty liver disease in apparently healthy Korean adults. 2013 , 19, 140-7	16
583	The impact of different anthropometric measures on sustained normotension, white coat hypertension, masked hypertension, and sustained hypertension in patients with type 2 diabetes. 2013 , 28, 199-206	3
582	Body mass index, waist-circumference and cardiovascular disease risk factors in Iranian adults: Isfahan healthy heart program. 2013 , 31, 388-97	19
581	Visceral adiposity index may be a surrogate marker for the assessment of the effects of obesity on arterial stiffness. 2014 , 9, e104365	40

580	Entering a new era of body indices: the feasibility of a body shape index and body roundness index to identify cardiovascular health status. 2014 , 9, e107212	93
579	Abdominal adiposity distribution in diabetic/prediabetic and nondiabetic populations: a meta-analysis. 2014 , 2014, 697264	15
578	Oxidative damage and inflammation in obese diabetic Emirati subjects. 2014 , 6, 4872-80	18
577	Excess weight, anthropometric variables and blood pressure in schoolchildren aged 10 to 18 years. 2014 , 102, 312-8	14
576	Defining the obesity problem. 2014 , 1-21	
575	Anthropometric measurement - An easy approach for evaluation of obesity. 2014 , 42, 25-27	
574	Visceral adiposity index score indicated the severity of coronary heart disease in Chinese adults. 2014 , 6, 143	18
573	Central adiposity and the functional magnetic resonance imaging response to cognitive challenge. 2014 , 38, 1193-9	19
572	Methylmercury exposure, PON1 gene variants and serum paraoxonase activity in Eastern James Bay Cree adults. 2014 , 24, 608-14	19
571	Where is the beef? Waist circumference is more highly correlated with BMI and total body fat than with abdominal visceral fat in children. 2014 , 38, 753-4	29
570	P152: Corrélation de l'IMC-IR aux paramètres anthropométriques d'une population obèse et d'une population témoin. 2014 , 28, S147-S148	
569	Distribution of abdominal obesity and fitness level in overweight and obese Korean adults. 2014 , 2014, 854392	6
568	High plasma estradiol interacts with diabetes on risk of dementia in older postmenopausal women. 2014 , 82, 504-11	26
567	Waist height ratio: A universal screening tool for prediction of metabolic syndrome in urban and rural population of Haryana. 2014 , 18, 394-9	26
566	Role of Atypical Antipsychotics in the Development of Metabolic Syndrome. 2014 , 1	1
565	Anthropometric measurements of general and central obesity and the prediction of cardiovascular disease risk in women: a cross-sectional study. 2014 , 4, e004138	63
564	Metabolic syndrome and lifestyle modification. 2014 , 15, 317-27	35
563	Socioeconomic Status and Risk of Type 2 Diabetes Mellitus among an Elderly Group Population in Romania. 2014 , 10, 61-67	1

562	Timed-daily ingestion of whey protein and exercise training reduces visceral adipose tissue mass and improves insulin resistance: the PRISE study. 2014 , 117, 1-10	37
561	Size at birth and abdominal adiposity in adults: a systematic review and meta-analysis. 2014 , 15, 77-91	27
560	Abdominal obesity and its association with health-related quality of life in adults: a population-based study in five Chinese cities. 2014 , 12, 100	20
559	Impact of abdominal obesity and systemic hypertension on risk of coronary heart disease in men and women: the EPIC-Norfolk Population Study. 2014 , 32, 2224-30; discussion 2230	8
558	Low abdominal subcutaneous preadipocyte adipogenesis is associated with visceral obesity, visceral adipocyte hypertrophy, and a dysmetabolic state. 2014 , 3, 197-205	50
557	Early increase of abdominal adiposity in patients with spondyloarthritis receiving anti-tumor necrosis factor- α treatment. 2014 , 41, 1112-7	22
556	Metabolic Effects of Abdominal Fats in Animal Models and Humans. 2014 , 295-306	
555	A body shape index and heart rate variability in healthy indians with low body mass index. 2014 , 2014, 865313	7
554	Relationship of Social and Lifestyle Factors with Central Fat Distribution Expressed by the Aggregate Fat Distribution Index. 2014 , 77, 205-218	1
553	Waist circumference as a vital sign in cardiology 20 years after its initial publication in the American Journal of Cardiology. <i>American Journal of Cardiology</i> , 2014 , 114, 320-3	3 8
552	Depression-related differences in lean body mass distribution from National Health and Nutrition Examination Survey 2005-2006. 2014 , 157, 1-7	5
551	Waist circumference and insulin resistance in elderly men: an analysis of Kahrizak elderly study. 2014 , 13, 28	
550	Body composition phenotypes and carotid intima-media thickness in 11-13-year-old children. 2014 , 173, 345-52	14
549	Findings from the Quebec Family Study on the Etiology of Obesity: Genetics and Environmental Highlights. 2014 , 3, 54-66	59
548	Relationship of anthropometric indices to abdominal and total body fat in youth: sex and race differences. 2014 , 22, 1345-50	29
547	The Aging Adipose Organ: Lipid Redistribution, Inflammation, and Cellular Senescence. 2014 , 69-80	6
546	Longitudinal association of anthropometric measures of adiposity with cardiometabolic risk factors in postmenopausal women. 2014 , 24, 896-902	9
545	Metabolic Syndrome: A Construct with Limited Relevance to Children. 2014 , 8, 1	1

544	Metabolic syndrome in pediatrics. 2014 , 65, 91-142		11
543	Waist circumference is the best index for obesity-related cardiovascular disease risk in individuals with spinal cord injury. 2014 , 31, 292-300		55
542	Leptin-mediated inflammatory signaling crucially links visceral fat inflammation to obesity-associated β cell dysfunction. 2014 , 116, 51-8		19
541	Adipokines: a link between obesity and dementia?. 2014 , 13, 913-23		150
540	Abdominal obesity is associated with heart disease in dogs. 2014 , 10, 131		13
539	Pediatric adiposity stabilized in Switzerland between 1999 and 2012. 2014 , 53, 865-75		15
538	Waist circumference is associated with locomotive syndrome in elderly females. 2014 , 19, 612-9		31
537	Waist circumference and health-related quality of life by sex in the Korean elderly. 2014 , 26, 887-99		7
536	Health-related quality of life and related factors of military police officers. 2014 , 12, 60		14
535	Left ventricular mass in children and adolescents with elevated body mass index and normal waist circumference. <i>American Journal of Cardiology</i> , 2014 , 113, 1054-7	3	12
534	Poor sleep quality potentiates stress-induced cytokine reactivity in postmenopausal women with high visceral abdominal adiposity. 2014 , 35, 155-62		34
533	Midlife risk score for the prediction of dementia four decades later. 2014 , 10, 562-70		143
532	Accuracy and adequacy of waist circumference cut-off points currently recommended in Brazilian adults. 2014 , 17, 861-9		9
531	The population distribution of the sagittal abdominal diameter (SAD) and SAD/height ratio among Finnish adults. 2014 , 4, 333-41		5
530	Visceral Obesity Predicts Significant Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. 2015 , 94, e2159		56
529	Comparison of Adipose Distribution Indices with Gold Standard Body Composition Assessments in the EMPA-REG H2H SU Trial: A Body Composition Sub-Study. 2015 , 6, 635-642		15
528	Accurate body composition measures from whole-body silhouettes. 2015 , 42, 4668-77		12
527	Independent association between serum C-peptide levels and fat mass-to-lean mass ratio in the aging process. 2015 , 15, 918-26		2

526	Reconditioning the Postcompetitive Football Lineman. 2015 , 37, 117-121	1
525	Prevalência de adiposidade abdominal em adultos de São Francisco do Conde, Bahia, Brasil, 2010. 2015 , 24, 50-53	3
524	Abdominal Obesity and Mortality in Continuous Ambulatory Peritoneal Dialysis Patients. 2015 , 13, 22-9	7
523	Significantly increased visceral adiposity index in prehypertension. 2015 , 10, e0123414	27
522	Gender and Obesity Specific MicroRNA Expression in Adipose Tissue from Lean and Obese Pigs. 2015 , 10, e0131650	38
521	Body composition indices and predicted cardiovascular disease risk profile among urban dwellers in Malaysia. 2015 , 2015, 174821	11
520	Evaluating the Association between Anthropometric Indices and Cardiovascular Risk Factors with Symptomatic Peripheral Arterial Disease in Type 2 Diabetes Mellitus. 2015 , 01,	
519	Height, weight, body composition, and waist circumference references for 7- to 17-year-old children from rural Portugal. 2015 , 66, 264-77	8
518	Absolute reliability of adipose tissue volume measurement by computed tomography: application of low-dose scan and minimal detectable change--a phantom study. 2015 , 8, 312-9	5
517	Body Mass Index: Obesity, BMI, and Health: A Critical Review. 2015 , 50, 117-128	608
516	Utility of current obesity thresholds in signaling diabetes risk in the James Bay Cree of Eeyou Istchee. 2015 , 3, e000114	4
515	The nutrigenetic influence of the interaction between dietary vitamin E and TXN and COMT gene polymorphisms on waist circumference: a case control study. 2015 , 13, 286	10
514	Gender-, Age-, and BMI-Specific Threshold Values of Sagittal Abdominal Diameter Obtained by Artificial Neural Networks. 2015 , 35, 783-788	2
513	BMI cut points to identify at-risk Asian Americans for type 2 diabetes screening. 2015 , 38, 150-8	285
512	Excessive daytime sleepiness and metabolic syndrome: a cross-sectional study. 2015 , 64, 244-52	17
511	Effects of weight loss via high fat vs. low fat alternate day fasting diets on free fatty acid profiles. 2015 , 5, 7561	29
510	Adiposity patterns and the risk for ESRD in postmenopausal women. 2015 , 10, 241-50	21
509	Body adiposity index as marker of obesity and cardiovascular risk in adults from Bogotá-Colombia. 2015 , 62, 130-7	11

508	Waist circumference cutoff points for central obesity in the Korean elderly population. 2015 , 34, 102-17	6
507	Insulin Resistance but Not Visceral Adiposity Index Is Associated with Liver Fibrosis in Nondiabetic Subjects with Nonalcoholic Fatty Liver Disease. 2015 , 13, 319-25	20
506	Shared genetic variance between obesity and white matter integrity in Mexican Americans. 2015 , 6, 26	15
505	Influence of the leptin and cortisol levels on craving and smoking cessation. 2015 , 229, 126-32	11
504	Response to letter regarding article, "Vitamin D promotes vascular regeneration". 2015 , 131, e515-6	
503	Body adiposity index as marker of obesity and cardiovascular risk in adults from Bogotá, Colombia. 2015 , 62, 130-137	5
502	Association of abdominal obesity, hypertriglyceridemia, and hypertriglyceridemic waist phenotype with hypertension and type 2 diabetes mellitus. 2015 , 35, 439-447	
501	Prediction of cardiovascular disease risk using waist circumference among Aboriginals in a remote Australian community. 2015 , 15, 57	14
500	No association of apolipoprotein B gene polymorphism and blood lipids in obese Egyptian subjects. 2015 , 14, 7	5
499	Body shape index versus body mass index as correlates of health risk in young healthy sedentary men. 2015 , 13, 75	19
498	Change in prevalence of restrictive lung impairment in the U.S. population and associated risk factors: the National Health and Nutrition Examination Survey (NHANES) 1988-1994 and 2007-2010. 2015 , 10, 7	22
497	Association of general and central obesity with diabetes and prediabetes in rural Bangladeshi population. 2015 , 9, 247-51	14
496	Comparison of anthropometric measures as predictors of cancer incidence: A pooled collaborative analysis of 11 Australian cohorts. 2015 , 137, 1699-708	35
495	Relationship between indices of obesity obtained by anthropometry and dual-energy X-ray absorptiometry: The Fourth and Fifth Korea National Health and Nutrition Examination Survey (KNHANES IV and V, 2008-2011). 2015 , 9, 487-98	5
494	Psoriasis and Cardiovascular Disease. 2015 , 99, 1227-42	21
493	Targeting abdominal obesity in diabetes. 2015 , 5, 301-309	2
492	Consumption of ready-made meals and increased risk of obesity: findings from the Observation of Cardiovascular Risk Factors in Luxembourg (ORISCAV-LUX) study. 2015 , 113, 270-7	32
491	La paradoja de la obesidad y su relación con la aptitud cardiorrespiratoria en pacientes con insuficiencia cardíaca. 2015 , 22, 218-223	1

490	If not dieting, how to lose weight? Tips and tricks for a better global and cardiovascular health. 2015 , 127, 173-85	2
489	Obesity and increased risk of esophageal adenocarcinoma. 2015 , 10, 511-523	3
488	Associations between anthropometric parameters and serum lipids in preadolescent and adolescent girls and boys. 2015 , 10, 119-128	2
487	The prevalence and secular trends of abdominal obesity among Chinese adults, 1993-2011. 2015 , 25, 797-9	12
486	Food and addiction among the ageing population. 2015 , 20, 79-85	49
485	Association Between the Hypertriglyceridemic Waist Phenotype, Prediabetes, and Diabetes Mellitus Among Adults in Puerto Rico. 2016 , 18, 102-9	17
484	GAMMA-GLUTAMYL TRANSFERASE AS AN INDICATOR OF OBESITY: A CROSS-SECTIONAL STUDY. 2016 , 9, 240	2
483	Somatotipo, composiço corporal e desempenho em ultramaratona. 2016 , 18, 127	2
482	Self-perceived health among workers at a University Hospital and associations with indicators of adiposity, arterial blood pressure and physical activity habits. 2016 , 21, 1113-22	4
481	Prevalence and determinants of metabolic syndrome: a cross-sectional survey of general medical outpatient clinics using National Cholesterol Education Program-Adult Treatment Panel III criteria in Botswana. 2016 , 9, 273-9	13
480	Leptin and Metabolic Syndrome in Obese Pediatric Population: A Crosssectional Study. 2016 , 06,	
479	The association of physical activity and cholesterol concentrations across different combinations of central adiposity and body mass index. 2016 , 6, 128-36	5
478	Relationship between Neck Circumference and Non-Alcoholic Fatty Liver Disease in Childhood Obesity. 2016 , 8, 32-9	8
477	Nutrition, insulin resistance and dysfunctional adipose tissue determine the different components of metabolic syndrome. 2016 , 7, 483-514	78
476	HDL2/HDL3 Ratio Changes, Metabolic Syndrome Markers, and Other Factors in a Japanese Population. 2016 , 23, 704-12	4
475	Muscle Strength, Physical Activity, and Functional Limitations in Older Adults with Central Obesity. 2016 , 2016, 8387324	14
474	Association of Changes in Neck Circumference with Cardiometabolic Risk in Postmenopausal Healthy Women. 2016 , 23, 728-36	9
473	Prevalence of high on-treatment platelet reactivity in patients after percutaneous coronary intervention. 2016 ,	2

472	Correlation of visceral adiposity index with chronic kidney disease in the People's Republic of China: to rediscover the new clinical potential of an old indicator for visceral obesity. 2016 , 12, 489-94	8
471	Chronic Low-Calorie Sweetener Use and Risk of Abdominal Obesity among Older Adults: A Cohort Study. 2016 , 11, e0167241	37
470	Slimming and Appetite-Suppressing Effects of Caraway Aqueous Extract as a Natural Therapy in Physically Active Women. 2016 , 30, 981-7	8
469	The relationship between insomnia with short sleep duration is associated with hypercholesterolemia: a cross-sectional study. 2016 , 72, 339-47	7
468	A indicator of visceral adipose dysfunction to evaluate metabolic health in adult Chinese. 2016 , 6, 38214	47
467	Visceral fat dysfunction is positively associated with hypogonadism in Chinese men. 2016 , 6, 19844	16
466	Serum metabolic biomarkers distinguish metabolically healthy peripherally obese from unhealthy centrally obese individuals. 2016 , 13, 33	38
465	Neck circumference as a predictor of metabolic syndrome, insulin resistance and low-grade systemic inflammation in children: the ACFIES study. 2016 , 16, 31	24
464	Metabolic Syndrome in Children and Adolescents. 2016 , 37, 193-202	48
463	Association between exercise-induced change in body composition and change in cardiometabolic risk factors in postmenopausal South Asian women. 2016 , 41, 931-7	10
462	Volumen de grasa visceral como indicador de obesidad en hombres adultos. 2016 , 23, 313-320	3
461	Screening for type 2 diabetes mellitus in overweight and obese subjects made easy by the FINDRISC score. 2016 , 30, 1043-9	15
460	Waist circumference is correlated with poorer cognition in elderly type 2 diabetes women. 2016 , 12, 925-9	16
459	Prevalence of Overweight and Obesity among Chinese Adults: Role of Adiposity Indicators and Age. 2016 , 9, 17-28	34
458	Lipid accumulation product (LAP) as a criterion for the identification of the healthy obesity phenotype in postmenopausal women. 2016 , 82, 81-7	8
457	Diabetes knowledge among Greek Type 2 Diabetes Mellitus patients. 2016 , 63, 320-6	7
456	Design of a lifestyle intervention to slow menopause-related progression of intra-abdominal adipose tissue in women: The Women in the Southside Health and Fitness (WISHFIT) study. 2016 , 4, 74-83	3
455	Metabolic Syndrome in Military Aircrew Using a Candidate Definition. 2016 , 87, 790-4	5

454	Identification of Risk Factors for Mortality and Poor-Quality-of-Life Survival in Frail Older Women Participating in the Women's Health Initiative Observational Study. 2016 , 64, 831-7	9
453	Occupational exposure to phthalates in relation to gender, consumer practices and body composition. 2016 , 23, 24125-24134	14
452	[Above and beyond BMI : Alternative methods of measuring body fat and muscle mass in critically ill patients and their clinical significance]. 2016 , 65, 655-62	5
451	Obesity indices are predictive of elevated C-reactive protein in long-haul truck drivers. 2016 , 59, 665-75	14
450	Diabetes knowledge among Greek Type 2 Diabetes Mellitus patients. 2016 , 63, 320-326	2
449	Waist-to-Height Ratio Compared to Standard Obesity Measures as Predictor of Cardiometabolic Risk Factors in Asian Indians in North India. 2016 , 14, 492-499	16
448	Neck circumference as a risk factor of screen-detected diabetes mellitus: community-based study. 2016 , 8, 12	19
447	Estimating the proportion of metabolic health outcomes attributable to obesity: a cross-sectional exploration of body mass index and waist circumference combinations. 2015 , 3, 4	13
446	Socioeconomic status and anthropometric changes-A meta-analytic approach from seven German cohorts. 2016 , 24, 710-8	13
445	The association between lipid parameters and obesity in university students. 2016 , 39, 769-78	15
444	Relationships between sleep apnea, cardiovascular disease risk factors, and aortic pulse wave velocity over 18 years: the Wisconsin Sleep Cohort. 2016 , 20, 813-7	8
443	Hepatic Enzyme's Reference Intervals and Their Modulating Factors in Western Indian Population. 2016 , 31, 108-16	3
442	Physical Activity, Central Adiposity, and Functional Limitations in Community-Dwelling Older Adults. 2016 , 39, 71-6	9
441	Obesity Is Common in Axial Spondyloarthritis and Is Associated with Poor Clinical Outcome. 2016 , 43, 383-7	43
440	Determinants of Diabetes Remission and Glycemic Control After Bariatric Surgery. 2016 , 39, 166-74	116
439	Waist circumference compared with other obesity parameters as determinants of coronary artery disease in essential hypertension: a 6-year follow-up study. 2016 , 39, 475-9	26
438	Limitations of body mass index as an obesity measure of perioperative risk. 2016 , 116, 319-21	58
437	Nonalcoholic Fatty Liver Disease. 2016 , 641-657	0

436	Serum metabolomics study of Traditional Chinese medicine formula intervention to polycystic ovary syndrome. 2016 , 120, 127-33	17
435	Extending Current Definitions of the Metabolic Syndrome. 2016 , 19-30	
434	Visceral adiposity is a predictor of parathyroid hormone levels in healthy adults. 2016 , 39, 447-53	7
433	Association of serum glypican-4 levels with cardiovascular risk predictors in women with polycystic ovary syndrome - a pilot study. 2016 , 32, 223-6	6
432	Association of Variants in Candidate Genes with Lipid Profiles in Women with Early Breast Cancer on Adjuvant Aromatase Inhibitor Therapy. 2016 , 22, 1395-402	11
431	Visceral adiposity predicts subclinical white matter hyperintensities in middle-aged adults. 2017 , 11, 177-187	16
430	Mortality prediction of a body shape index versus traditional anthropometric measures in an Iranian population: Tehran Lipid and Glucose Study. 2017 , 33, 105-112	13
429	A comparison of the clinical usefulness of neck circumference and waist circumference in individuals with severe obesity. 2017 , 42, 6-14	34
428	Anthropometric Assessment for Bariatric Procedures in the Private Practice of a Registered Dietitian in Colombia. 2017 , 27, 1612-1621	2
427	Visceral obesity is associated with white matter hyperintensity and lacunar infarct. 2017 , 41, 683-688	32
426	[Sensitivity and specificity of abdominal adiposity with metabolic syndrome in the elderly]. 2017 , 52, 128-134	5
425	Cognitive Decline, Body Mass Index, and Waist Circumference in Community-Dwelling Elderly Participants. 2017 , 30, 67-76	22
424	The impact of using sagittal abdominal diameter to predict major cardiovascular events in European patients with type 2 diabetes. 2017 , 27, 418-422	13
423	Nutritional surveillance and diabetes knowledge among patients with type 2 diabetes. 2017 , 5, 44-49	6
422	Relationship Between Central Obesity and Spread of Spinal Anesthesia in Female Patients. 2017 , 124, 1670-1673	4
421	Association between the hypertriglyceridemic waist phenotype and hyperuricemia: a cross-sectional study. 2017 , 36, 1111-1119	18
420	Estimation of Human Body Volume (BV) from Anthropometric Measurements Based on Three-Dimensional (3D) Scan Technique. 2017 , 41, 971-978	7
419	Prevalence of abdominal obesity among Chinese adults in 2011. 2017 , 27, 282-286	29

418	Adiposity, breast density, and breast cancer risk: epidemiological and biological considerations. 2017 , 26, 511-520	29
417	Ovarian hormones and obesity. 2017 , 23, 300-321	128
416	Anthropometric and metabolic indices in assessment of type and severity of dyslipidemia. 2017 , 36, 19	14
415	Comparison of estimates of body fat content in childhood-onset systemic lupus erythematosus. 2017 , 26, 417-425	1
414	Metabolic syndrome in retired soccer players: A pilot study. 2017 , 8, 15-22	2
413	Associations between Liver Enzyme Levels and Parameters of the Metabolic Syndrome in Obese Children. 2017 , 88, 265-273	8
412	The Impact of Body Mass Index and Waist Circumference on Health-related Quality of Life Among Colorectal Cancer Survivors: Results from the PROFILES Registry. 2017 , 69, 1177-1184	13
411	Abdominal diameter index is a stronger predictor of prevalent Barrett's esophagus than BMI or waist-to-hip ratio. 2017 , 30, 1-6	7
410	Visceral adiposity index is strongly associated with hyperuricemia independently of metabolic health and obesity phenotypes. 2017 , 7, 8822	25
409	Associations of Body Mass Index and Body Fat With Markers of Inflammation and Nutrition Among Patients Receiving Hemodialysis. 2017 , 70, 817-825	26
408	Definition of new cut-offs of BMI and waist circumference based on body composition and insulin resistance: differences between children, adolescents and adults. 2017 , 3, 272-281	15
407	The Immune System in Obesity: Developing Paradigms Amidst Inconvenient Truths. 2017 , 17, 87	23
406	Genetic variants of increased waist circumference in psychosis. 2017 , 27, 210-218	3
405	The Role of the Growth Hormone/Insulin-Like Growth Factor System in Visceral Adiposity. 2017 , 10, 1178626417703995	17
404	Síndrome metabólico. 2017 , 12, 2485-2493	2
403	Accuracy of anthropometric measurements by general practitioners in overweight and obese patients. 2017 , 4, 23	16
402	Body fat mass distribution and interrupter resistance, fractional exhaled nitric oxide, and asthma at school-age. 2017 , 139, 810-818.e6	19
401	Association of obesity with hypertension and dyslipidemia in type 2 diabetes mellitus subjects. 2017 , 11, 37-41	26

400	Severe spasticity in lower extremities is associated with reduced adiposity and lower fasting plasma glucose level in persons with spinal cord injury. 2017 , 55, 378-382	10
399	Reply. 2017 , 118, 274-275	0
398	Prevalence of Metabolic Syndrome in Obese Pediatric Population: Relation to Serum Leptin Concentrations. 2017 ,	0
397	Novel and Simple Ultrasonographic Methods for Estimating the Abdominal Visceral Fat Area. 2017 , 2017, 8796069	4
396	Relationship between Regional Body Fat Distribution and Diabetes Mellitus: 2008 to 2010 Korean National Health and Nutrition Examination Surveys. 2017 , 41, 51-59	24
395	Latent class analysis suggests four classes of persons with type 2 diabetes mellitus based on complications and comorbidities in Tianjin, China: a cross-sectional analysis. 2017 , 64, 1007-1016	6
394	Prevalence and change of central obesity among US Asian adults: NHANES 2011-2014. 2017 , 17, 678	13
393	An epigenome-wide association study in whole blood of measures of adiposity among Ghanaians: the RODAM study. 2017 , 9, 103	31
392	Changes in abdominal fat following antiretroviral therapy initiation in HIV-infected individuals correlate with waist circumference and self-reported changes. 2017 , 22, 577-586	9
391	Visceral-to-subcutaneous fat ratio as a predictor of the multiple metabolic risk factors for subjects with normal waist circumference in Korea. 2017 , 10, 505-511	24
390	Models for estimating the metabolic syndrome biological age as the new index for evaluation and management of metabolic syndrome. 2017 , 12, 253-261	7
389	Cross-Talk Between Bile Acids and Gastro-Intestinal and Thermogenic Hormones: Clues from Bariatric Surgery. 2017 , 16, s68-s82	10
388	Guía de práctica clínica (GPC) para la prevención, diagnóstico y tratamiento del sobrepeso y la obesidad en adultos. 2017 , 58,	4
387	Cardiometabolic Effects of Anti-obesity Pharmacotherapy. 2018 , 20, 18	5
386	The role of adipose tissue in fatty liver diseases. 2018 , 2, 35-42	28
385	4-Week consumption of anthocyanin-rich blood orange juice does not affect LDL-cholesterol or other biomarkers of CVD risk and glycaemia compared with standard orange juice: a randomised controlled trial. 2018 , 119, 415-421	18
384	Ultrasound-assessed visceral fat and associations with glucose homeostasis and cardiovascular risk in clinical practice. 2018 , 28, 610-617	2
383	Waist-to-hip ratio is the most relevant obesity index at each phase of insulin secretion among obese patients. 2018 , 32, 670-676	12

382	Hypertriglyceridemic Waist: A Simple Marker of High-Risk Atherosclerosis Features Associated With Excess Visceral Adiposity/Ectopic Fat. 2018 , 7,	17
381	Identification of chronic kidney disease risk in relatively lean Southern Chinese: the hypertriglyceridemic waist phenotype vs. anthropometric indexes. 2018 , 23, 885-892	4
380	ABSI (A Body Shape Index) and ARI (Anthropometric Risk Indicator) in Bariatric Surgery. First Application on a Bariatric Cohort and Possible Clinical Use. 2018 , 28, 1966-1973	6
379	Association between central obesity and executive function as assessed by stroop task performance: A functional near-infrared spectroscopy study. 2018 , 11, 1750010	5
378	Estrogen signaling in the medial amygdala decreases emotional stress responses and obesity in ovariectomized rats. 2018 , 98, 33-44	16
377	Excess Clinical Comorbidity Among HIV-Infected Patients Accessing Primary Care in US Community Health Centers. 2018 , 133, 109-118	24
376	Accumulating Data to Optimally Predict Obesity Treatment (ADOPT): Recommendations from the Biological Domain. 2018 , 26 Suppl 2, S25-S34	19
375	A prospective study of the hypertriglyceridemic waist phenotype and risk of incident ischemic stroke in a Chinese rural population. 2018 , 138, 156-162	3
374	The Science of Obesity Management: An Endocrine Society Scientific Statement. 2018 , 39, 79-132	304
373	Fully automated segmentation and quantification of visceral and subcutaneous fat at abdominal CT: application to a longitudinal adult screening cohort. 2018 , 91, 20170968	31
372	Anthropometrically predicted visceral adipose tissue and blood-based biomarkers: a cross-sectional analysis. 2018 , 57, 191-198	7
371	The association between sleep duration and overweight or obesity in Taiwanese adults: A cross-sectional study. 2018 , 12, 384-388	14
370	Prevalence and predictors of metabolic syndrome in patients with schizophrenia and healthy controls: A study in rural South Indian population. 2018 , 192, 102-107	7
369	Interactions between general and central obesity in predicting gestational diabetes mellitus in Chinese pregnant women: A prospective population-based study in Tianjin, China. 2018 , 10, 59-67	14
368	Association of general and central adiposity with blood pressure among Chinese adults: results from the China National Stroke Prevention Project. 2018 , 36, 2406-2413	4
367	Waist circumference measurement sites and their association with visceral and subcutaneous fat and cardiometabolic abnormalities. 2018 , 62, 416-423	12
366	46 Körpergewicht und Adipositas im Erwachsenenalter. 2018 ,	
365	A novel adiposity index as an integrated predictor of cardiometabolic disease morbidity and mortality. 2018 , 8, 16753	18

364	IMPACT OF OBESITY ON PULMONARY FUNCTIONS AMONG YOUNG NON-SMOKER HEALTHY FEMALE OF SHAH ALAM, MALAYSIA. 2018 , 11, 465	2
363	Impact of adipose tissue on prostate cancer aggressiveness - analysis of a high-risk population. 2018 , 36,	2
362	POTENTIAL OF DUNALIELLA SALINA MICROALGAE TO AMELIORATE HIGH-FAT DIET-INDUCED OBESITY IN ANIMALS/RODENT. 2018 , 11, 312	1
361	Comparison of a Mediterranean to a low-fat diet intervention in adults with type 1 diabetes and metabolic syndrome: A 6-month randomized trial. 2018 , 28, 1275-1284	18
360	Morphological Examination of Young Adults Related to Obesity. 2018 , 36, 121-129	
359	Randomized controlled trial testing weight loss and abdominal obesity outcomes of moxibustion. 2018 , 17, 149	3
358	Response by Neeland et al to Letter Regarding Article, "Cardiovascular and Metabolic Heterogeneity of Obesity: Clinical Challenges and Implications for Management". 2018 , 138, 1496-1497	
357	Using Adipose Measures from Health Care Provider-Based Imaging Data for Discovery. 2018 , 2018, 3253096	2
356	Sex- and Age-Specific Optimal Anthropometric Indices as Screening Tools for Metabolic Syndrome in Chinese Adults. 2018 , 2018, 1067603	18
355	Derivation and validation of a new visceral adiposity index for predicting visceral obesity and cardiometabolic risk in a Korean population. 2018 , 13, e0203787	10
354	Physical Activity Modulates the Overexpression of the Inflammatory miR-146a-5p in Obese Patients. 2018 , 70, 1012-1022	17
353	Androgens and the Regulation of Adiposity and Body Fat Distribution in Humans. 2018 , 8, 1253-1290	29
352	Evaluation of anthropometric parameters of central obesity in Pakistani children aged 5-12 years, using receiver operating characteristic (ROC) analysis. 2018 , 31, 971-977	10
351	Waist-to-height ratio index for predicting incidences of hypertension: the ARIRANG study. 2018 , 18, 767	23
350	Body composition measurements and risk of hematological malignancies: A population-based cohort study during 20 years of follow-up. 2018 , 13, e0202651	6
349	Increasing preoperative body size in breast cancer patients between 2002 and 2016: implications for prognosis. 2018 , 29, 643-656	11
348	Comparison of the prevalence of metabolic syndrome and risk factors in urban and rural Mexican Tarahumara-foot runners. 2018 , 143, 79-87	9
347	Assessment of the rs2645424 C/T single nucleotide polymorphisms in the FDFT1 gene, hepatic expression, and serum concentration of the FDFT in patients with nonalcoholic fatty liver disease. 2018 , 18, 46-52	

346	Neck Circumference Positively Relates to Cardiovascular Risk Factors in College Students. 2018 , 15,	7
345	Should Waist Circumference Cutoffs in the Context of Cardiometabolic Risk Factor Assessment be Specific to Sex, Age, and BMI?. 2018 , 16, 366-374	4
344	A comparison of the sensitivity and specificity of anthropometric measurements to predict unhealthy metabolic phenotype in overweight and obese women. 2018 , 12, 1147-1153	5
343	Psammomys obesus: a Natural Diet-Controlled Model for Diabetes and Cardiovascular Diseases. 2018 , 20, 46	6
342	Structural equation modeling to identify the risk factors of diabetes in the adult population of North India. 2018 , 46, 23	4
341	Weight loss and weight loss maintenance efficacy of a novel weight loss program: The retrospective RNPC cohort. 2018 , 10, 16-23	5
340	Positively increased visceral adiposity index in hyperuricemia free of metabolic syndrome. 2018 , 17, 101	12
339	Predicting Type 2 Diabetes Mellitus Occurrence Using Three-Dimensional Anthropometric Body Surface Scanning Measurements: A Prospective Cohort Study. 2018 , 2018, 6742384	8
338	Trends in the prevalence of metabolic syndrome and its components in South Korea: Findings from the Korean National Health Insurance Service Database (2009-2013). 2018 , 13, e0194490	61
337	Obesity, Central Adiposity, and Fitness: Understanding the Obesity Paradox in the Context of Other Cardiometabolic Parameters. 2018 , 93, 676-678	18
336	Cardiometabolic Risk Factors at 5 Years After Omega-3 Fatty Acid Supplementation in Infancy. 2018 , 142,	10
335	Anthropometric and ultrasound measures of maternal adiposity in the first trimester of pregnancy. 2018 , 21, 147-155	
334	Visceral adiposity index is associated with increased urinary albumin excretion: A population-based study. 2019 , 38, 1332-1338	12
333	Resting Energy Expenditure, Insulin Resistance and Expression in Human Subcutaneous and Visceral Adipose Tissue of Patients With Obesity. 2019 , 10, 548	17
332	Visceral and ectopic fat, atherosclerosis, and cardiometabolic disease: a position statement. 2019 , 7, 715-725	296
331	Comparisons of Visceral Adiposity Index, Body Shape Index, Body Mass Index and Waist Circumference and Their Associations with Diabetes Mellitus in Adults. 2019 , 11,	40
330	The prevalence and increasing trends of overweight, general obesity, and abdominal obesity among Chinese adults: a repeated cross-sectional study. 2019 , 19, 1293	54
329	Waist circumference and hip circumference as potential predictors of visceral fat estimate among type 2 diabetic patients at the Komfo Anokye Teaching Hospital (KATH), Kumasi-Ghana. 2019 , 55, 49-56	2

328	Metabolomics: a search for biomarkers of visceral fat and liver fat content. 2019 , 15, 139	5
327	British Society of Gastroenterology consensus guidelines on the management of inflammatory bowel disease in adults. 2019 , 68, s1-s106	557
326	Prevalence of metabolic syndrome and cardiovascular disease risk factors in adults with cerebral palsy. 2019 , 61, 477-483	18
325	BMI but not central obesity predisposes to airway closure during bronchoconstriction. 2019 , 24, 543-550	15
324	Association between high blood pressure with risk of type 2 diabetes, metabolic syndrome and its predictors: A cross-sectional study. 2019 , 13, 1549-1554	4
323	Ethnicity and Cut-Off Values in Obesity. 2019 , 211-223	
322	Relationship of a Body Shape Index and Body Roundness Index with carotid atherosclerosis in arterial hypertension. 2019 , 29, 822-829	12
321	Body Composition and Cardiovascular Events in Patients With Colorectal Cancer: A Population-Based Retrospective Cohort Study. 2019 , 5, 967-972	19
320	The Risk of Myocardial Infarction and Ischemic Stroke According to Waist Circumference in 21,749,261 Korean Adults: A Nationwide Population-Based Study. 2019 , 43, 206-221	11
319	Obesity. 2019 , 77-88	
318	"Can do" versus "do do": A Novel Concept to Better Understand Physical Functioning in Patients with Chronic Obstructive Pulmonary Disease. 2019 , 8,	31
317	The Role of Visceral Adiposity Index Levels in Predicting the Presence of Metabolic Syndrome and Insulin Resistance in Overweight and Obese Patients. 2019 , 17, 296-302	17
316	The Effect of Hops (L.) Extract Supplementation on Weight Gain, Adiposity and Intestinal Function in Ovariectomized Mice. 2019 , 11,	10
315	Usefulness Of Surrogate Markers Of Body Fat Distribution For Predicting Metabolic Syndrome In Middle-Aged And Older Korean Populations. 2019 , 12, 2251-2259	17
314	One-Year Lifestyle Intervention, Muscle Lipids, and Cardiometabolic Risk. 2019 , 51, 2156-2165	4
313	Concurrent Aerobic and Strength Training for Body Composition and Health. 2019 , 293-307	4
312	The New Anthropometrics and Abdominal Obesity: A Body Shape Index, Hip Index, and Anthropometric Risk Index. 2019 , 19-27	1
311	Epidemiologic Characterization of Risk for Cardiovascular Diseases. 2019 , 3-20	1

310	Adjustment for Waist Circumference Reveals a U-Shaped Association Between Glycated Hemoglobin Levels and Body Mass Index in Young Adults. 2019 , 43, 201-206	0
309	Waist Circumference and Waist-to-Hip Ratio in Law Enforcement Agency Recruits: Relationship to Performance in Physical Fitness Tests. 2020 , 34, 1666-1675	27
308	A new waist-to-height ratio predicts abdominal adiposity in adults. 2020 , 28, 15-26	9
307	Neck circumference as a predictor of metabolic syndrome: A cross-sectional study. 2020 , 14, 265-273	5
306	Visceral adiposity index and longitudinal risk of incident metabolic syndrome: Korean genome and epidemiology study (KoGES). 2020 , 67, 45-52	5
305	Relationship between metabolic syndrome and trunk muscle quality as well as quantity evaluated by computed tomography. 2020 , 39, 1818-1825	12
304	Association between visceral abdominal obesity and long-segment Barrett's esophagus in a Japanese population. 2020 , 55, 189-197	4
303	Higher eating frequency, but not skipping breakfast, is associated with higher odds of abdominal obesity in adults living in Puerto Rico. 2020 , 73, 75-82	4
302	Obesity and metabolic health status are determinants for the clinical expression of hypertrophic cardiomyopathy. 2020 , 27, 1849-1857	6
301	Waist Circumference Change is Associated with Blood Pressure Change Independent of BMI Change. 2020 , 28, 146-153	9
300	Associations between abdominal obesity indices and diabetic complications: Chinese visceral adiposity index and neck circumference. 2020 , 19, 118	33
299	Diet Quality Is Associated with Cardiometabolic Outcomes in Survivors of Childhood Leukemia. 2020 , 12,	8
298	Randomized Controlled Trial of Behavioral Weight Loss and Stepped Care for Binge-Eating Disorder: 12-Month Follow-up. 2020 , 28, 2116-2124	6
297	Re-Scheduling of Occupational Health 2020 Conference and Exhibition. 2020 , 70, 230-230	
296	Soluble Suppression of Tumorigenicity 2 is Directly Correlated with Glycated Hemoglobin in Individuals with an Average glycemia in the Normal/Prediabetes Range. 2020 , 13, 2711-2718	1
295	Association of obesity with inflammation, disease severity and cardiovascular risk factors among patients with ankylosing spondylitis. 2020 , 23, 1165-1174	5
294	Association between Visceral Adiposity Index and hypertension among Chinese Adults: a nationwide cross-sectional study in the China Health and Nutrition Survey. 2020 , 25, 271-277	3
293	Cardiometabolic Risk Factor in Obese and Normal Weight Individuals in Community Dwelling Men. 2020 , 17,	0

292	Waist Circumference as a Preventive Tool of Atherogenic Dyslipidemia and Obesity-Associated Cardiovascular Risk in Young Adults Males: A Cross-Sectional Pilot Study. 2020 , 10,	3
291	Copeptin and Nesfatin-1 Are Interrelated Biomarkers with Roles in the Pathogenesis of Insulin Resistance in Chinese Children with Obesity. 2020 , 76, 223-232	5
290	Nutritional Status and Obstacles to Healthy Eating Among Refugees in Geneva. 2020 , 22, 1126-1134	1
289	Hippocampal electrophysiological changes during the elicited metabolic syndrome in Wistar rats. 2020 , 5, 100027	2
288	Physical training in the fire station and firefighters' cardiovascular health. 2020 , 70, 224-230	5
287	Physical activity is associated with accelerated gastric emptying and increased ghrelin in obesity. 2020 , 32, e13879	4
286	Obesity Phenotypes, Diabetes, and Cardiovascular Diseases. 2020 , 126, 1477-1500	151
285	Leukocyte Heterogeneity in Adipose Tissue, Including in Obesity. 2020 , 126, 1590-1612	23
284	Visceral Fat Is a Negative Determinant of Bone Health in Obese Postmenopausal Women. 2020 , 17,	7
283	Estimated Cardiorespiratory Fitness Attenuates the Impacts of Sarcopenia and Obesity on Non-Alcoholic Fatty Liver in Korean Adults. 2020 , 17,	6
282	A new anthropometric index to predict percent body fat in young adults. 2020 , 23, 1507-1514	2
281	Evaluation of Different Adiposity Indices and Association with Metabolic Syndrome Risk in Obese Children: Is there a Winner?. 2020 , 21,	12
280	The effect of low-volume high-intensity interval training on cardiovascular health outcomes in type 2 diabetes: A randomised controlled trial. 2020 , 320, 148-154	17
279	The Relationship of VO Peak and the Blood Lactate Transition Threshold with Metabolic Syndrome and Its Component Disorders. 2020 , 18, 134-140	
278	Adipose Tissue-Liver Cross Talk in the Control of Whole-Body Metabolism: Implications in Nonalcoholic Fatty Liver Disease. 2020 , 158, 1899-1912	53
277	Abdominal Obesity in Comparison with General Obesity and Risk of Developing Rheumatoid Arthritis in Women. 2021 , 48, 165-173	4
276	Obesity and breast cancer risk for pre- and postmenopausal women among over 6 million Korean women. 2021 , 185, 495-506	10
275	Sagittal abdominal diameter and waist circumference appear to be equally good as identifiers of cardiometabolic risk. 2021 , 31, 518-527	7

274	Heart failure development in obesity: underlying risk factors and mechanistic pathways. 2021 , 8, 356-367	3
273	Associations of general obesity and central obesity with the risk of hepatocellular carcinoma in a Korean population: A national population-based cohort study. 2021 , 148, 1144-1154	1
272	Associations between markers of mammary adipose tissue dysfunction and breast cancer prognostic factors. 2021 , 45, 195-205	3
271	Correlation of Maternal Neck/Waist Circumferences and Fetal Macrosomia in Low-Risk Turkish Pregnant Women, a Preliminary Study. 2021 , 40, 181-188	2
270	Subcutaneous and Visceral Fat Indices and Their Relationship with the Complex of Endogenous and Exogenous Factors in the Adult Population of the Altai Republic. 2021 , 76, 28-33	
269	Biological age and lifestyle in the diagnosis of metabolic syndrome: the NHIS health screening data, 2014-2015. 2021 , 11, 444	6
268	Visceral Obesity with Excess Ectopic Fat: A Prevalent and High-Risk Condition Requiring Concerted Clinical and Public Health Actions. 2021 , 1, 1	1
267	Central airway collapse is related to obesity independent of asthma phenotype. 2021 , 26, 334-341	3
266	Establishing growth charts for proposed body shape and size index of the Pakistani population, using quantile regression approach. 2021 , 9, 20503121211036135	
265	Quantification of abdominal fat from computed tomography using deep learning and its association with electronic health records in an academic biobank. 2021 , 28, 1178-1187	1
264	Impact of a mobile telerehabilitation solution on metabolic health outcomes and rehabilitation adherence in obese patients: a randomised controlled trial (Preprint).	
263	INTERDISCIPLINARY CLINICAL PRACTICE GUIDELINES "MANAGEMENT OF OBESITY AND ITS COMORBIDITIES". 2021 , 18, 5-99	20
262	Impact of a Mobile Telerehabilitation Solution on Metabolic Health Outcomes and Rehabilitation Adherence in Patients With Obesity: Randomized Controlled Trial. 2021 , 9, e28242	1
261	STRESS-THE SILENT KILLER OF SAVIORS?. 2021 , 71-75	
260	Evaluation of effectiveness of integration of Mindfulness-Based-Eating Awareness Training and implementation intention model on Body Mass Index, Waist circumference, Mindfulness Eating, and Physical Activity in Obese Women.. 2021 , 9, 94-109	2
259	Effect of genetic liability to visceral adiposity on stroke and its subtypes: A Mendelian randomization study. 2021 , 17474930211006285	1
258	The East Asian Erotic Picture Dataset and Gender Differences in Response to Opposite-Sex Erotic Stimuli in Chinese College Students. 2021 , 12, 648271	1
257	Portal Vein Thrombosis in Non-Cirrhotic Non-Alcoholic Fatty Liver Disease: A 9-Year Prospective Cohort Study. 2021 , 8, 650818	1

256	Impact of waist circumference on the risk of vertebral fracture: A nationwide cohort study in South Korea. 2021 , 145, 115870	2
255	Sexual dimorphism in adipose tissue mitochondrial function and metabolic flexibility in obesity. 2021 , 45, 1773-1781	3
254	Relevance of Anthropometric Measurements in a Multiethnic Obesity Cohort: Observational Study. 2021 , 10, e27784	1
253	Correlation Between Anthropometric Measurements and Non-alcoholic Fatty Liver Disease in Individuals With Obesity Undergoing Bariatric Surgery: Cross-Sectional Study. 2021 , 31, 3675-3685	2
252	The Relationship Between the Metabolic Syndrome and the Place of Residence in the Local Community on the Example of the Janów Lubelski District in Eastern Poland: A Population-Based Study. 2021 , 14, 2041-2056	1
251	Community-Based Exercise and Lifestyle Program Improves Health Outcomes in Older Adults with Type 2 Diabetes. 2021 , 18,	1
250	The Association of Metabolic Syndrome Components with Anthropometric Measurements. 2021 , 10, 65-73	
249	Estimation of the Prevalence of Nonalcoholic Fatty Liver Disease in an Adult Population in Northern China Using the Data Mining Approach. 2021 , 14, 3437-3445	
248	Prevalence of Obesity/Abdominal Obesity and Related Factors in Pediatric ALL Survivors. 2021 , 1-7	0
247	Anthropometric Indicators as a Tool for Diagnosis of Obesity and Other Health Risk Factors: A Literature Review. 2021 , 12, 631179	7
246	Higher Leptin-to-Adiponectin Ratio Strengthens the Association Between Body Measurements and Occurrence of Type 2 Diabetes Mellitus. 2021 , 9, 678681	0
245	Evaluation of Anthropometric Indices for Screening Hypertension Among Employees of Mizan Tepi University, Southwestern Ethiopia. 2021 , 14, 99-111	1
244	Deciphering CT texture features of human visceral fat to evaluate metabolic disorders and surgery-induced weight loss effects. 2021 , 69, 103471	4
243	Is lipid accumulation product a better cardiovascular risk predictor in elderly individuals than anthropometric measures?. 2021 , 40, 539-544	2
242	The site of waist measurement impacts the estimation of visceral fat: results from three-dimensional photonic body scanning. 2021 , 1-11	0
241	Is lipid accumulation product a better cardiovascular risk predictor in elderly individuals than anthropometric measures?. 2021 , 40, 539-544	
240	Lower High-Density Lipoprotein Cholesterol Concentration Is Independently Associated with Greater Future Accumulation of Intra-Abdominal Fat. 2021 , 36, 835-844	0
239	Comparison of anthro-metabolic indicators for predicting the risk of metabolic syndrome in the elderly population: Bushehr Elderly Health (BEH) program.. 2021 , 20, 1439-1447	0

238	Waist circumference and waist-to-height ratio in 7-year-old children-WHO Childhood Obesity Surveillance Initiative. 2021 , 22 Suppl 6, e13208	1
237	Independent effects of adiposity measures on risk of atrial fibrillation in men and women: a study of 0.5 million individuals. 2021 ,	0
236	Advanced Molecular Imaging (MRI/MRS/H NMR) for Metabolic Information in Young Adults with Health Risk Obesity. 2021 , 11,	1
235	Obesity. 121	2
234	The epidemiology of obesity. 1996 , 201, 1-11; discussion 11-6, 32-6	8
233	Body Composition Assessment of Obesity. 2006 , 23-35	2
232	Abdominal Obesity and the Metabolic Syndrome. 2006 , 137-152	8
231	Case-Based Reasoning for Nutrition Consulting. 2000 , 180-190	1
230	Assessing the Cardiometabolic Risk of Obesity: Importance of Visceral/Ectopic Fat and of the Use of Hypertriglyceridemic Waist. 2014 , 127-135	1
229	Energy Metabolism and Obesity. 1997 , 3-12	1
228	Obesity and Insulin Resistance. 1999 , 51-81	8
227	Systemic Hypertension. 2002 , 1015-1064	2
226	How Should Obesity be Measured and How Should Anesthetic Drug Dosage be Calculated?. 2013 , 15-30	3
225	Randomized controlled trial testing the effectiveness of adaptive "SMART" stepped-care treatment for adults with binge-eating disorder comorbid with obesity. 2020 , 75, 204-218	17
224	Waist-to-height ratio is a better discriminator of cardiovascular disease than other anthropometric indicators in Kurdish adults. 2020 , 10, 16228	11
223	Association of visceral fat with coronary risk factors in a population-based sample of postmenopausal women.	3
222	Pubertal alterations in growth and body composition. VI. Pubertal insulin resistance: relation to adiposity, body fat distribution and hormone release.	2
221	Relation between anthropometric measures of fat distribution and cardiovascular risk factors in overweight pre- and postmenopausal women. 1997 , 66, 829-36	23

220	Metabolic assessment of female chronic dieters with either normal or low resting energy expenditures. 2000 , 71, 1413-20	8
219	Body fat distribution in white and black women: different patterns of intraabdominal and subcutaneous abdominal adipose tissue utilization with weight loss. 2001 , 74, 631-6	87
218	Central Adiposity and Subsequent Risk of Breast Cancer by Menopause Status. 2021 , 113, 900-908	6
217	Nurses, Cholesterol, and Small Work Sites: Innovative Community Intervention Comparisons. 2000 , 23, 59-75	7
216	Physical fitness and clustering of risk factors associated with the metabolic syndrome. 1999 , 31, 287-93	91
215	Is abdominal fat preferentially reduced in response to exercise-induced weight loss?. 1999 , 31, S568-72	43
214	Obesity, body fat distribution, and coronary artery disease. 2000 , 20, 96-108	62
213	Techniques used in measuring human body composition. 1998 , 1, 439-48	34
212	Association of general and abdominal obesities and metabolic syndrome with subclinical atherosclerosis in asymptomatic Chinese postmenopausal women. 2008 , 15, 185-92	21
211	Prevalence of atherosclerotic plaque in young and middle-aged asymptomatic individuals: the Bogalusa heart study. 2011 , 104, 803-8	7
210	Waist circumference as a measure for indicating need for weight management. 1995 , 311, 158-61	1023
209	Waist circumference action levels in the identification of cardiovascular risk factors: prevalence study in a random sample. 1995 , 311, 1401-5	554
208	Income-related inequities of adult obesity and central obesity in China: evidence from the China Health and Nutrition Survey 1997-2011. 2020 , 10, e034288	4
207	Hemostatic, metabolic, and androgenic risk factors for coronary heart disease in physically active and less active postmenopausal women. 1995 , 15, 669-77	48
206	Body fat distribution is a determinant of the high-density lipoprotein response to dietary fat and cholesterol in women. 1995 , 15, 1070-8	24
205	The case of visceral fat: argument for the defense. 2004 , 113, 1530-2	52
204	Obesity and Heart Disease. 2012 , 227-248	2
203	General and abdominal obesity prevalences and their relations with metabolic syndrome components. 2019 , 35, 945-950	6

202	Abdominal obesity is associated with peripheral artery disease in hemodialysis patients. 2013 , 8, e67555	8
201	Sagittal abdominal diameter is an independent predictor of all-cause and cardiovascular mortality in incident peritoneal dialysis patients. 2013 , 8, e77082	7
200	Mathematically derived body volume and risk of musculoskeletal pain among housewives in North India. 2013 , 8, e80133	6
199	Association of simple anthropometric indices and body fat with early atherosclerosis and lipid profiles in Chinese adults. 2014 , 9, e104361	8
198	Population distribution of the sagittal abdominal diameter (SAD) from a representative sample of US adults: comparison of SAD, waist circumference and body mass index for identifying dysglycemia. 2014 , 9, e108707	20
197	Sagittal Abdominal Diameter as a Surrogate Marker of Insulin Resistance in an Admixed Population--Brazilian Metabolic Syndrome Study (BRAMS). 2015 , 10, e0125365	13
196	Surface-Based Body Shape Index and Its Relationship with All-Cause Mortality. 2015 , 10, e0144639	25
195	Triglyceride Glucose-Body Mass Index Is a Simple and Clinically Useful Surrogate Marker for Insulin Resistance in Nondiabetic Individuals. 2016 , 11, e0149731	84
194	Skeletal Muscle Insulin Resistance and Absence of Inflammation Characterize Insulin-Resistant Grade I Obese Women. 2016 , 11, e0154119	19
193	Association of a New Measure of Obesity with Hypertension and Health-Related Quality of Life. 2016 , 11, e0155399	19
192	SFRP2 Is Associated with Increased Adiposity and VEGF Expression. 2016 , 11, e0163777	16
191	Predictive models for estimating visceral fat: The contribution from anthropometric parameters. 2017 , 12, e0178958	11
190	Body fat distribution, in particular visceral fat, is associated with cardiometabolic risk factors in obese women. 2017 , 12, e0185403	66
189	The relationship between visceral obesity and hepatic steatosis measured by controlled attenuation parameter. 2017 , 12, e0187066	11
188	The relationship between famine exposure during early life and body mass index in adulthood: A systematic review and meta-analysis. 2018 , 13, e0192212	14
187	Is ultrasound-measured abdominal fat thickness a reliable method for predicting metabolic diseases in obese and overweight women?. 2018 , 32, 78	0
186	IMPORTANCE OF CAROTID INTIMA MEDIA THICKNESS IN CHILDHOOD OBESITY. 2017 , 6, 586-591	2
185	Vistseral'noe ozhirenje - klyuchevoe zvenometabolicheskogo sindroma. 2004 , 1, 10-16	8

184	Prevalence of obesity and metabolic syndrome in adult population of selected regions of the Czech Republic. Relation to eating habits and smoking. 2012 , 113, 206-16	3
183	Relationship of Anthropometric Indices to Abdominal Body Composition: A Multi-Ethnic New Zealand Magnetic Resonance Imaging Study. 2019 , 11, 435-446	20
182	Discriminatory ability of visceral adiposity index as an indicator for modeling cardio-metabolic risk factors in pediatric population: the CASPIAN-V study. 2019 , 11, 280-286	6
181	Comparison of Predictive Value of Obesity and Lipid Related Variables for Metabolic Syndrome and Insulin Resistance in Obese Adults. 2019 , 25, 256-266	0
180	Correlates of body fat and waist circumference in children from Sã Caetano do Sul, Brazil. 2019 , 24, 4019-4030	0
179	The potential role of the intestinal gut microbiota in obesity and the metabolic syndrome. 2009 , 5, 71-92	1
178	Anthropometric Indices and Their Relationship With Coronary Artery Diseases. 2015 , 4,	3
177	Cut-Off Point of Waist Circumference Used for the Diagnosis of Metabolic Syndrome Among Adult Population in Ahvaz, Southwestern Iran. 2015 , 6,	1
176	Neck Circumference Positively Related with Central Obesity and Overweight in Turkish University Students: A Preliminary Study. 2016 , 24, 91-4	11
175	Waist circumference can predict the occurrence of multiple metabolic risk factors in middle-aged Japanese subjects. 2010 , 48, 447-51	2
174	Obesity and Atherosclerotic Vascular Disease. 2006 , 381-402	1
173	Metabolic Syndrome. 2006 , 1-15	7
172	Beyond waist circumference in an adult male population of Southern Italy: Is there any role for subscapular skinfold thickness in the relationship between insulin-like growth factor-I system and metabolic parameters?. 2012 , 35, 925-9	6
171	Body composition assessment for the definition of cardiometabolic risk. 2013 , 36, 537-43	52
170	C-peptide as a key risk factor for non-alcoholic fatty liver disease in the United States population. 2018 , 24, 3663-3670	15
169	Outcomes of a multidisciplinary approach to the management of the metabolic syndrome. 2008 , 141, 42-47	2
168	Association of Neck Circumference with Obesity in Female College Students. 2015 , 3, 578-81	12
167	The association between serum albumin levels and metabolic syndrome in a rural population of Korea. 2012 , 45, 98-104	17

166	Usefulness of Sagittal Abdominal Diameter for Evaluation of Metabolic Syndrome and Insulin Resistance. 2011 , 32, 46	5
165	The Correlation between Central Obesity and Glucose, Lipid Metabolism and Macrovascular Complication in Elderly Type 2 Diabetes. 2007 , 31, 343	2
164	Obesity and periodontal disease. 2010 , 14, 96-100	21
163	A study of autonomic functions and obesity in postmenopausal women. 2012 , 21, 39-43	3
162	Prevalence and correlates of overweight/obesity among adolescents in an urban city of north India. 2014 , 3, 404-8	11
161	Prevalence of obesity and behaviors associated with the development of metabolic disease among medical practitioners in Jordan. 2015 , 4, 17	5
160	The prevalence of Helicobacter Pylori infection in patients with obstructive sleep apnea having metabolic syndrome and its relation to both disorders. 2017 , 11, 268-275	1
159	Waist-thigh Ratio: A Surrogate Marker for Type 2 Diabetes Mellitus in Asian North Indian Patients. 2018 , 22, 47-49	2
158	Assessment of Anthropometric and Physical Health Indicators before and after Pituitary Surgery in Patients with Nonfunctioning Pituitary Adenomas, Acromegaly, and Cushing Disease. 2019 , 23, 473-479	1
157	Visceral Adiposity Index: Simple Tool for Assessing Cardiometabolic Risk in Women with Polycystic Ovary Syndrome. 2019 , 23, 232-237	8
156	Assessment of The Accuracy of The MR Abdominal Adipose Tissue Volumetry using 3D Gradient Dual Echo 2-Point DIXON Technique using CT as Reference. 2016 , 21, 603-615	1
155	Effects of Losartan vs. Enalapril on the Markers of Metabolic Syndrome. 2012 , 27, 27-30	6
154	Association between obesity and chronic periodontitis: a cross-sectional study. 2013 , 14, 168-73	27
153	Obesity and Metabolic Syndrome among Children and Adolescents in Korea. 2010 , 53, 142	23
152	Body composition in patients with rheumatoid arthritis is not different than healthy subjects. 2014 , 1, 106-110	6
151	Effects of Hatha Yoga Exercise on Body Composition, Serum Lipids, and Health-Related Fitness of Obese Middle-Aged Women. 2011 , 21, 521-528	7
150	Relationship of Plasma Adiponectin and Waist-hip Ratio with Coronary Artery Disease. 2016 , 70, 413-418	6
149	Cut-Off Point of Waist Circumference Used for the Diagnosis of Metabolic Syndrome Among Adult Population in Ahvaz, Southwestern Iran. 2015 , 6,	1

148	The Correlation between the Ratio of Visceral Fat Area to Subcutaneous Fat Area on Computed Tomography and Lipid Accumulation Product as Indexes of Cardiovascular Risk. 2019 , 28, 186-193	5
147	Cut-off Values of Waist Circumference and Body Mass Index for Metabolic Syndrome according to Sasang Constitution. 2014 , 26, 365-378	2
146	Comparative Study of Ultrasonographic and Anthropometric Measurements of Regional Adiposity in Metabolic Syndrome. 2017 , 11, TC01-TC05	4
145	Associations between traditional and non-traditional anthropometric indices and cardiometabolic risk factors among inpatients with type 2 diabetes mellitus: a cross-sectional study. 2021 , 49, 3000605211049960	6
144	Multidirectional facets of obesity management in the metabolic syndrome population after liver transplantation. 2021 ,	1
143	Self-reported body silhouettes: a diagnostic instrument for anthropometric parameters. 2021 , 200, 39-46	1
142	Health Implications of Obesity. 2000 , 29-56	
141	Evaluation and Management of Obesity in the Elderly. 2000 , 205-220	
140	Aging, Gender, and Susceptibility to Muscle Damage and Overtraining. 2001 , 189-208	
139	The How and Why of Body Composition Assessment. 2001 ,	
138	Waist circumference predicts metabolic cardiovascular risk in postmenopausal Chinese women. 2003 , 10, 73-80	19
137	The Hypertriglyceridemic Waist Concept: Implication for Evaluation and Management of Cardiovascular Disease Risk in Type 2 Diabetes. 2003 , 118-139	
136	Methods for Assessing Body Composition in HIV-Associated Lipodystrophy. 2003 , 39-64	
135	Ernährungsberatung, Gewichtsreduktion und Essstörungen. 2004 , 173-187	1
134	Alcohol and Body Composition. 2005 , 377-386	
133	Epidemiology of the Metabolic Syndrome. 2005 , 109-129	
132	Metabolic risk factors for vascular disease in women. 2006 , 37-51	
131	Obesity. 2007 , 103-108	

- 130 Cardiovascular Complications of Obesity and the Metabolic Syndrome. **2007**, 2693-2720
- 129 Variabel'nost' bazal'nykh urovney grelinau lits s razlichnymi narusheniyami uglevodnogo obmenapri metabolicheskom sindrome. **2007**, 4, 30-34
- 128 Anthropometric Assessment. **2007**, 581-587
- 127 Human Phenotypes. **2007**, 1-18
- 126 Classification and Evaluation of the Overweight Patient. **2008**, 1-28
- 125 The Endocannabinoid System, Energy Expenditure, and Thermogenesis. **2008**, 199-204
- 124 Anthropometric Measurements and Biochemical Nutritional Status of the Older Residents (50 years and over) in Andong Area (2). **2008**, 37, 1599-1608 6
- 123 The Relationship between Waist Circumference, Waist-to-Height Ratio and Metabolic Risks in Community-Dwelling Women with Normal Body Mass Index. **2009**, 13, 12-23 1
- 122 Literatur. **2009**, 425-429
- 121 Abdominal and Total Body Adiposity Markers in Asthmatic Patients. **2009**, 9, 59-69 2
- 120 New Applications for DXA. **2010**, 297-355
- 119 Epidemiology of Obesity. **2009**, 47-63
- 118 Obesity and Cancer in Asia. **2010**, 65-86
- 117 Comprehensive Lipid Profiling Beyond LDL. **2011**, 107-118 1
- 116 Cardiovascular Epidemiology and Characterization of Atherosclerotic Disease Risk Factors. **2011**, 3-24
- 115 Possibility radiological methods in diagnostics of visceral adiposity. **2010**, 9, 121-128 1
- 114 Clinical characteristics of obese boys and girls in a high school: focused on abdominal fat indices, fatty liver and carotid intima-media thickness. **2011**, 54, 292-7
- 113 Traitement non mēdicamenteux. **2011**, 33-40

- 112 Visceral Fat Measured by the Electrical Impedance Analysis Method is a Reliable Predictor of Insulin Resistance. **2011**, 20, 75 1
- 111 Analysis on Stress and Dietary Attitudes of Male Employees. **2011**, 16, 337 4
- 110 Prevalência de esteatose hepática e consumo de álcool em participantes do Projeto Atividade Física na Vila. **2011**, 6, 46-51
- 109 High Blood Pressure and Its Correlates among Assistant Physical Education Teachers in Republic of Benin (West Africa). **2012**, 02, 61-67
- 108 Statistical Reassessment of the Association between Waist Circumference and Clustering Metabolic Abnormalities in Japanese Population. **2012**, 19, 5
- 107 Metabolic syndrome as a clinical manifestation of endothelial dysfunction. **2012**, 11, 85-89
- 106 Beyond Subcutaneous Fat. **2012**, 381-408 1
- 105 Body Composition Analysis. **2013**, 341-361
- 104 Body Composition and Metabolic Risk Factors in Postmenopausal Women: Effects of a Dietary Weight Loss Program. **2013**, 04, 420-429
- 103 Les phénotypes diabétiques: mesure de la masse adipeuse chez l'homme. **2013**, 249-260
- 102 References. **2014**, e1-e37
- 101 Impact of different obesity assessment methods after acute coronary syndromes. **2014**, 103, 19-24 5
- 100 Study of Serum Cholesterol Level in Adult Obese Population of Karachi, Pakistan. **2014**, 04, 238-243
- 99 Optimal Adiposity Measurement and Risk Stratification in Established Ischaemic Stroke. **2014**, 04, 655-665
- 98 Treating Obesity in the Physician's Office. **1999**, 285-312
- 97 Comparison of Physical Activity and Health Fitness in Adults with and without Intellectual Disability. **2014**, 22, 99-117
- 96 The Prevalence of Obesity by Percentage of Body Fat, Waist Circumference, and Body Mass Index and Their Association with Prevalence of Chronic Diseases of Elderly in Seoul Area. **2014**, 27, 358-368 2
- 95 Comparisons of obesity indicators for obesity and chronic diseases management among older adults. **2014**, 31, 109-120

- 94 Non-alcoholic Fatty Liver Disease. **2015**, 1-21
- 93 Can Waist Circumference Be Used as an Anthropometric Parameter to Assess the Obesity Related Pregnancy Outcome: A Case Control Study. **2015**, 05, 528-534
- 92 Comparing Utility of Anthropometric Indices Based on Gender Differences in Predicting Dyslipidaemia in Healthy Adults. **2015**, 9, CC01-4 1
- 91 Are the Thigh Circumference, Waist-to-Thigh Circumference Ratio and Serum Creatinine Better Markers of Type II Diabetes than the Body Mass Index?. **2015**, 10, 26-36
- 90 A Prospective Cohort Study on Predictive Risk Factors Causing Metabolic Syndrome within the First Two Years. **2015**, 24, 148-155 1
- 89 Insulin Resistance, Visceral Adiposity Index and TyG Index in Genotype-4 Chronic HCV Patients and Their Relation to Hepatic Histopathology. **2016**, 06, 249-264
- 88 Introduction to Obesity. **2016**, 3-11
- 87 Waist Circumference-to-Height Ratio and Coronary Artery Calcification. **2016**, 25, 131-137 1
- 86 Prevalence of obesity, central obesity, and associated socio-demographic variables in Syrian women using different anthropometric indicators. **2017**, 80, 191-205 3
- 85 Comparison of physical fitness, indices of lifestyle disease, and biochemical property of muscle according to sarcopenia and obesity in elderly women. **2017**, 28, 808-823 1
- 84 Componentes da síndrome metabólica. 39-86
- 83 The Relationship between Neck Circumference and Obesity in Children and Adolescents. **2018**, 144-147
- 82 Obesity and Metabolic Syndrome Hypertension. **2018**, 705-722 3
- 81 WAIST-HIP RATIO AND WAIST CIRCUMFERENCE AS SIMPLE MEASURES OF CARDIOVASCULAR RISK ASSESSMENT AND WEIGHT MANAGEMENT AMONG MEDICAL STUDENTS. **2018**, 5, 237-242 0
- 80 WAIST CIRCUMFERENCE AND WAIST-HEIGHT RATIO OF SCHOOL-GOING CHILDREN AGED 5 - 15 YRS. OF MANIPUR, A NORTH-EASTERN STATE OF INDIA AND ITS ASSOCIATION WITH HYPERTENSION. **2018**, 7, 1121-1125
- 79 Conjugated linoleic acid accelerates weight loss and improves anthropometric measures in overweight young adult males during weight loss program. **2018**, 15, 19-24
- 78 INVESTIGATING LIFE QUALITY OF YOUNG PEOPLE WITH DIFFERENT BODY MASS. **2019**, 4, 366
- 77 Anthropometric indices predicting incident hypertension in an Iranian population: The Isfahan cohort study. **2019**, 22, 33-43 6

- 76 Diagnostic Criteria for Metabolic Syndrome Using BMI in Place of Waist Circumference (WC). **2019**, 46, 11-18
- 75 Predictive values of waist-to-height ratio for metabolic syndrome. **2019**, 60, 5-10
- 74 Encyclopedia of Gerontology and Population Aging. **2019**, 1-7
- 73 Sagittal abdominal diameter and waist circumference are equally good as identifiers of cardiometabolic risk.
- 72 Effectiveness of Waist Circumference in Assessing the Health Risk by Evaluating the Cardio Metabolic Risk Factors. **2019**, 8, 2703-2707
- 71 The association of glycemic index and glycemic load with elevated blood pressure in Iranian women. **2019**, 11, 272-279
- 70 Correlation of obesity indices with heart rate recovery as a marker of autonomic function in healthy young adults. **2020**, 9, 3370-3373 1
- 69 Relationship between fatty pancreas and hypertriglyceridemic waist phenotype: a cross-sectional study. **2020**, 10, 21937 0
- 68 Nutrition and blood pressure. **2022**, 699-739
- 67 Waist circumference as a prognostic index of childhood abdominal obesity: findings in the Spanish population. **2021**, 38, 85-93
- 66 Male waist circumference in relation to semen quality and partner infertility treatment outcomes among couples undergoing infertility treatment with assisted reproductive technologies. **2021**, 2
- 65 Daily Grape Juice Consumption Promotes Weight Loss, Improved Stability and Reduced the DNA Damage in the Elderly. **2020**, 6, 1-19
- 64 Age categorization of overweight and obesity using waist circumference, waist height ratio and body mass index among children and youth in Nigeria. **2020**, 10, 100-104
- 63 Obesity and the Heart. **2007**, 327-339
- 62 Measurement of Body Composition in Obesity. **2007**, 121-149 1
- 61 Ernährungsberatung, Gewichtsreduktion und Essstörungen. **2008**, 127-141
- 60 DHEA, Obesity and Cardiovascular Disease.
- 59 Quantification of abdominal fat from computed tomography using deep learning and its association with electronic health records in an academic biobank.

58	Relationship between changes in neck circumference and cardiovascular risk factors. 2006 , 11, 14-20	79
57	Sex differences in visceral adipose tissue post-bariatric surgery compared to matched non-surgical controls. 2008 , 6, 93-99	14
56	Survey of abdominal obesities in an adult urban population of Kinshasa, Democratic Republic of Congo. 2007 , 18, 300-7	15
55	Use of anthropometry for the prediction of regional body tissue distribution in adults: benefits and limitations in clinical practice. 2014 , 5, 373-93	10
54	Hyperuricemia as a Potential Determinant of Metabolic Syndrome. 2013 , 3, 98-106	9
53	Comparison of the Suitability of 2 Years Change in Waist Circumference and Body Mass Index in Predicting Hypertension Risk: A Prospective Study in Chinese-Han. 2014 , 43, 1212-20	10
52	The wits appraisal using three reference planes and its interaction with the ANB angle among a sub-set of Nigerians". 2014 , 43, 225-30	
51	Independent Multiple Correlates of Post-Exercise Systolic Blood Pressure Recovery in Healthy Adults. 2010 , 3, 25-35	3
50	Metabolic Correction in Patients Sample with Diabetes: Clinical Outcomes and Costs Reductions. 2016 , 5, 92-101	2
49	Coronary Disease and Metabolic Syndrome. 2007 , 18, 23-30	
48	The association of anthropometric indices and cardiac function in healthy adults. 2019 , 15, 9-13	2
47	Genetic effects on hypertriglyceridemic waist phenotype: polymorphisms and the interactions between them and behavior risk factors. 2017 , 10, 9951-9959	
46	Sagittal abdominal diameter as a marker of visceral obesity in older primary care patients. 2020 , 17, 279-283	
45	Normal-Weight Abdominal Obesity. 2021 , Publish Ahead of Print,	1
44	Correlation between Neck Circumference and Other Anthropometric Measurements in Eight Latin American Countries. Results from ELANS Study. 2021 , 18,	0
43	Encyclopedia of Gerontology and Population Aging. 2021 , 479-485	
42	Introduction to Obesity. 2021 , 1-12	
41	Late-Life Obesity Associated with Tau Pathology in Cognitively Normal Individuals: The CABLE Study.. 2021 ,	0

40	Relationship of a new anthropometric index with left ventricular hypertrophy in hypertensive patients among the Han Chinese.. 2022 , 22, 16	0
39	Effects of Walking Speed on Total and Regional Body Fat in Healthy Postmenopausal Women.. 2022 , 14,	
38	Evaluation of the Value of Waist Circumference and Metabolomics in the Estimation of Visceral Adipose Tissue.. 2022 ,	0
37	Comparative analysis of anthropometric indices with serum uric acid in Iranian healthy population.. 2022 , e24246	1
36	Advances in Phenotyping Obesity and in Its Dietary and Pharmacological Treatment: A Narrative Review.. 2022 , 9, 804719	1
35	Triglyceride Glucose Index Is More Closely Related to Hyperuricemia Than Obesity Indices in the Medical Checkup Population in Xinjiang, China.. 2022 , 13, 861760	0
34	Utility of a Body Shape Index Parameter in Predicting Cardiovascular Disease Risks.. 2022 , 14, e23886	
33	Proposal of an obesity classification based on weight history: an official document by the Brazilian Society of Endocrinology and Metabolism (SBEM) and the Brazilian Society for the Study of Obesity and Metabolic Syndrome (ABESO).. 2022 ,	0
32	Optimal cut-off points of fat mass index and visceral adiposity index associated with type 2 diabetes mellitus.	
31	Prevalence of central obesity in Nigeria: a systematic review and meta-analysis.. 2022 , 206, 87-93	0
30	Multiparametric body composition analysis and anthropometric empirical indicator: obesity based south Indian perspective. 2013 , 36, 672-80	1
29	Clinical Evaluation, Lifestyle, and Pharmacological Management of Obesity. 2022 , 221-240	
28	A Model for Estimating Biological Age From Physiological Biomarkers of Healthy Aging: Cross-sectional Study.. 2022 , 5, e35696	0
27	A Model for Estimating Biological Age From Physiological Biomarkers of Healthy Aging: Cross-sectional Study (Preprint).	
26	Sex and Central Obesity in Heart Failure with Preserved Ejection Fraction.	0
25	Adiposity: Determinant of Peak Expiratory Flow Rate in Young Indian Adults Male. 2022 , 53, 29-34	4
24	Differences in Pulmonary and Extra-Pulmonary Traits between Women and Men with Chronic Obstructive Pulmonary Disease. 2022 , 11, 3680	0
23	Exercise training enhances muscle mitochondrial metabolism in diet-resistant obesity. 2022 , 104192	1

22	Inflammation as a link between periodontal disease and obesity.	1
21	Association of serum bisphenol A levels with incident overweight and obesity risk and the mediating effect of adiponectin. 2022 , 308, 136287	○
20	Higher visceral adiposity index is associated with increased likelihood of abdominal aortic calcification. 2022 , 77, 100114	○
19	A Computational Model Approach for a Lifestyle Disorder. 2022 , 80-105	○
18	Influence of Waist Circumference Measurement Site on Visceral Fat and Metabolic Risk in Youth. 2022 ,	○
17	Obesity as a risk factor for cardiac arrhythmias. 2022 , 1, e000308	○
16	Cumulative burden of abnormal visceral adiposity index and its components on the risk of hyperuricemia. 2022 ,	○
15	The Impact of Exercise Training Intensity on Physiological Adaptations and Insulin Resistance in Women with Abdominal Obesity. 2022 , 10, 2533	○
14	Positive Association Between the Chinese Visceral Adiposity Index and Nonalcoholic Fatty Liver Disease in Lean Adults.	○
13	siMS score- method for quantification of metabolic syndrome, confirms co-founding factors of metabolic syndrome. 13,	○
12	Investigating family history of diabetes as a predictor of fasting insulin and fasting glucose activity in a sample of healthy weight adults.	○
11	Sugar-Sweetened Beverages Intake, Abdominal Obesity, and Inflammation among US Adults without and with Prediabetes—An NHANES Study. 2023 , 20, 681	○
10	Overall, abdominal, and visceral obesity in men and women: an introduction. 2023 , 3-18	○
9	Dose-Response effects of exercise and caloric restriction on visceral adiposity in overweight and obese adults: a systematic review and meta-analysis of randomised controlled trials. bjsports-2022-106304	○
8	Obesity and risk for its comorbidities diabetes, hypertension, and dyslipidemia in Japanese individuals aged 65 years. 2023 , 13,	○
7	Progress in Understanding Metabolic Syndrome and Knowledge of Its Complex Pathophysiology. 2023 , 4, 134-159	○
6	Introduction to Obesity. 2023 , 3-14	○
5	Anthropometric estimators of abdominal fat volume in adults with overweight and obesity. 2023 , 47, 306-312	○

- 4 Large maternal waist circumference in relation to height is associated with high glucose concentrations in an early-pregnancy oral glucose tolerance test: A population-based study. **2023**, 102, 496-505 ○
- 3 A novel clinical diagnostic marker predicting the relationship between visceral adiposity and renal function evaluated by estimated glomerular filtration rate (eGFR) in the Chinese physical examination population. **2023**, 22, ○
- 2 Changes in Cardiorespiratory Fitness and Probability of Developing Abdominal Obesity at One and Two Years. **2023**, 20, 4754 ○
- 1 Correlation analysis of anthropometric indices and type 2 diabetes mellitus in residents aged 60 years and older. 11, ○