

# Collision tectonics in the late Precambrian Eastern Ghats satellite-scale structural observations

Terra Nova

6, 72-81

DOI: [10.1111/j.1365-3121.1994.tb00635.x](https://doi.org/10.1111/j.1365-3121.1994.tb00635.x)

Citation Report

#	ARTICLE	IF	CITATIONS
2	Structural features of granulites from Rayagada, Eastern Ghats, India: some preliminary observations.. Journal of Mineralogy, Petrology and Economic Geology, 1996, 91, 443-454.	0.1	10
3	Eastern Ghats granulites terrain of India: an overview. Journal of Southeast Asian Earth Sciences, 1996, 14, 165-174.	0.2	41
4	Mineral chemistry, reaction textures, thermobarometry and P-T path from orthopyroxene granulites of Rayagada, Eastern Ghats, India. Journal of Southeast Asian Earth Sciences, 1996, 14, 175-184.	0.2	11
5	Retrograde pressure-temperature path for spinel-bearing metapelites in Rayagada, Eastern Ghats, India. Mineralogy and Petrology, 1997, 60, 41-59.	1.1	15
6	Some Observations on the Tectonic Framework of Southeastern Indian Shield. Gondwana Research, 1999, 2, 651-653.	6.0	5
7	Fold-thrust belt geometry of the Eastern Ghats Mobile Belt, a structural study from its western margin, Orissa, India. Journal of African Earth Sciences, 2000, 31, 25-33.	2.0	14
8	Neoproterozoic Deformation at a Boundary Zone Between the Nellore-Khammam Schist Belt and Pakhal Basin, SE India: Strain Analysis of Deformed Pebbles. Gondwana Research, 2000, 3, 349-359.	6.0	6
9	Phanerozoic history of the Mahanadi region, India. Journal of Geophysical Research, 2001, 106, 22027-22050.	3.3	69
10	The Eastern Ghats Mobile Belt, India: A Collage of Juxtaposed Terranes (?). Gondwana Research, 2001, 4, 319-328.	6.0	50
11	Sm-Nd and Rb-Sr dating of amphibolite from the Nellore-Khammam schist belt, SE India: constraints on the collision of the Eastern Ghats terrane and Dharwar-Bastar craton. Geological Magazine, 2001, 138, 495-498.	1.5	28
12	Tectonosedimentary evolution of Cuddapah basin and Eastern Ghats mobile belt (India) as Proterozoic collision: gravity, seismic and geodynamic constraints. Journal of Geodynamics, 2002, 33, 249-267.	1.6	72
13	Deformation Pattern of the NW Terrane Boundary of the Eastern Ghats Mobile Belt, India: A Tectonic Model and Correlation with Antarctica. Gondwana Research, 2002, 5, 45-52.	6.0	35
14	Structure of the Nagavali Shear Zone, Eastern Ghats Mobile Belt, India: Correlation in the East Gondwana Reconstruction. Gondwana Research, 2003, 6, 215-229.	6.0	33
15	Deformation Pattern in the Kurnool and Nallarnalai Groups in the Northeastern Part (Palnad Area) of the Cuddapah Basin, South India and its Implication on Rodinia/Gondwana Tectonics. Gondwana Research, 2003, 6, 573-583.	6.0	41
16	Study of Aeromagnetic Data Over Part of Eastern Ghat Mobile Belt and Bastar Craton. Gondwana Research, 2003, 6, 859-865.	6.0	13
17	Crustal architecture and evolution of the Eastern Ghats Belt and adjacent regions of India. Geological Society Special Publication, 2003, 206, 145-168.	1.3	184
18	Deformation history of the NW salient of the Eastern Ghats Mobile Belt, India. Journal of Asian Earth Sciences, 2003, 22, 157-169.	2.3	31
19	Fold-Thrust-Belt Structure of the Proterozoic Eastern Ghats Mobile Belt: A Proposed Correlation Between India and Antarctica in Gondwana. Gondwana Research, 2004, 7, 43-56.	6.0	13

#	ARTICLE	IF	CITATIONS
20	Deformation History of the Kunavaram Complex, Eastern Ghats Belt, India: Implications for Alkaline Magmatism Along the Indo-Antarctica Suture. <i>Gondwana Research</i> , 2004, 7, 1235-1241.	6.0	13
21	High-temperature crustal scale shear zone at the western margin of the Eastern Ghats granulite belt, India: implications for rapid exhumation. <i>Journal of Asian Earth Sciences</i> , 2004, 24, 281-290.	2.3	17
22	Crustal structure and domain tectonics of the Dharwar Craton (India): insight from new gravity data. <i>Journal of Asian Earth Sciences</i> , 2004, 23, 141-152.	2.3	49
23	Emplacement History of Pasupugallu Gabbro Pluton, Eastern Ghats Belt, India: a Structural Study. <i>Gondwana Research</i> , 2005, 8, 87-100.	6.0	6
24	Alkaline Magmatism Versus Collision Tectonics in the Eastern Ghats Belt, India: Constraints from Structural Studies in the Koraput Complex. <i>Gondwana Research</i> , 2005, 8, 403-419.	6.0	24
25	Petrogenesis of the Kunavaram alkaline complex and the tectonothermal evolution of the neighboring Eastern Ghats Belt granulites, SE India. <i>Precambrian Research</i> , 2006, 150, 73-94.	2.7	24
26	Intrusion age, geochemistry and metamorphic conditions of a quartz-monzosyenite intrusion at the cratonâ€Eastern Ghats Belt contact near Jojuru, India. <i>Gondwana Research</i> , 2006, 10, 267-276.	6.0	38
27	Mesoproterozoic rift-related alkaline magmatism at Elchuru, Prakasam Alkaline Province, SE India. <i>Lithos</i> , 2006, 89, 447-477.	1.4	95
28	Proterozoic mountain building in Peninsular India: an analysis based primarily on alkaline rock distribution. <i>Geological Magazine</i> , 2006, 143, 195-212.	1.5	115
29	Alkaline magmatism along the southeastern margin of the Indian shield: Implications for regional geodynamics and constraints on cratonâ€Eastern Ghats Belt suturing. <i>Precambrian Research</i> , 2007, 162, 59-59.	2.7	7
30	Transpressional tectonics during the emplacement of Pasupugallu Gabbro Pluton, Western margin of Eastern Ghats Mobile Belt, India: Evidence from AMS fabrics. <i>Precambrian Research</i> , 2007, 162, 86-86.	2.7	2
31	The role of radiogenic heat production in the thermal evolution of a Proterozoic granulite-facies orogenic belt: Eastern Ghats, Indian Shield. <i>Earth and Planetary Science Letters</i> , 2007, 254, 39-54.	4.4	46
32	Timing and dynamics of the juxtaposition of the Eastern Ghats Mobile Belt against the Bhandara Craton, India: A structural and zircon Uâ€Pb SHRIMP study of the foldâ€thrust belt and associated nepheline syenite plutons. <i>Tectonics</i> , 2007, 26, .	2.8	98
33	Metamorphism of the Koraput Alkaline Complex, Eastern Ghats Province, Indiaâ€Evidence for reworking of a granulite terrane. <i>Precambrian Research</i> , 2008, 165, 153-168.	2.7	17
34	Analysis of deformation fabric in an Alkaline Complex (Koraput): Implications for time relationship between emplacement, fabric development and regional tectonics. <i>Journal of the Geological Society of India</i> , 2009, 74, 78-94.	1.1	11
35	Structural fabric of the Southern Indian shield as defined by gravity trends. <i>Journal of Asian Earth Sciences</i> , 2009, 34, 577-585.	2.3	16
36	Petrological and geochemical characterization of Proterozoic ophiolitic mÃ©lange, Nelloreâ€Khammam schist belt, SE India. <i>Journal of Asian Earth Sciences</i> , 2009, 36, 261-276.	2.3	43
37	Origin of graphite, and temperature of metamorphism in Precambrian Eastern Ghats Mobile Belt, Orissa, India: A carbon isotope approach. <i>Journal of Asian Earth Sciences</i> , 2009, 36, 252-260.	2.3	24

#	ARTICLE	IF	CITATIONS
38	Unraveling Sedimentary Provenance and Tectonothermal History of High-Temperature Metapelites, Using Zircon and Monazite Chemistry: A Case Study from the Eastern Ghats Belt, India. <i>Journal of Geology</i> , 2009, 117, 665-683.	1.4	82
39	Structural architecture of the northern composite terrane, the Eastern Ghats Mobile Belt, India: Implications for Gondwana tectonics. <i>Gondwana Research</i> , 2010, 18, 565-582.	6.0	37
40	Structural architecture and a new tectonic perspective of Ovda Regio, Venus. <i>Planetary and Space Science</i> , 2010, 58, 1286-1297.	1.7	14
41	Dismembered ophiolites in Paleoproterozoic nappe complexes of Kandra and Gurramkonda, South India. <i>Journal of Asian Earth Sciences</i> , 2011, 42, 158-175.	2.3	41
42	Tectonics of proterozoic Cuddapah Basin, southern India: A conceptual model. <i>Journal of the Geological Society of India</i> , 2011, 78, 446-456.	1.1	22
43	Geology and hydrocarbon potential of Neoproterozoic-Cambrian Basins in Asia: an introduction. <i>Geological Society Special Publication</i> , 2012, 366, 1-17.	1.3	28
44	Intracontinental orogenesis in an ancient continent-continent collision zone: Evidence from structure, metamorphism and P-T paths across a suspected suture zone within the Eastern Ghats Belt, India. <i>Journal of Asian Earth Sciences</i> , 2012, 49, 376-395.	2.3	14
45	A geochemical perspective on charnockite magmatism in Peninsular India. <i>Geoscience Frontiers</i> , 2012, 3, 773-788.	8.4	72
46	Mesoproterozoic emplacement and enriched mantle derivation of the Racherla alkali syenite, Palaeo-Mesoproterozoic Cuddapah Basin, southern India: insights from in situ Sr-Nd isotopic analysis on apatite. <i>Geological Society Special Publication</i> , 2012, 365, 185-195.	1.3	21
47	Tectonic framework of southern Bastar Craton, Central India: a study based on different spatial information data sets. <i>Geological Journal</i> , 2012, 47, 161-185.	1.3	6
48	Proterozoic granite magmatism along the terrane boundary tectonic zone to the east of Cuddapah basin, Andhra Pradesh – petrotectonic implications for precambrian crustal growth in Nellore schist belt of eastern Dharwar craton. <i>Journal of the Geological Society of India</i> , 2013, 81, 167-182.	1.1	25
49	Seismic imaging of the Proterozoic Cuddapah basin, south India and regional geodynamics. <i>Precambrian Research</i> , 2013, 231, 277-289.	2.7	25
50	Mesoproterozoic arc magmatism in SE India: Petrology, zircon U-Pb geochronology and Hf isotopes of the Bopudi felsic suite from Eastern Ghats Belt. <i>Journal of Asian Earth Sciences</i> , 2013, 75, 183-201.	2.3	11
51	Proterozoic orogens in southern Peninsular India: Contiguities and complexities. <i>Journal of Asian Earth Sciences</i> , 2013, 78, 39-53.	2.3	35
52	Tectonic evolution of the Eastern Ghats Belt, India. <i>Precambrian Research</i> , 2013, 227, 247-258.	2.7	176
53	Revisit to graphite-tungsten deposits of East Godavari district, Andhra Pradesh. <i>Journal of the Geological Society of India</i> , 2014, 84, 417-430.	1.1	0
54	Two-stage granulite formation in a Proterozoic magmatic arc (Ongole domain of the Eastern Ghats) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 485-509.	2.7	31
55	Aeromagnetic signatures of Precambrian shield and suture zones of Peninsular India. <i>Geoscience Frontiers</i> , 2014, 5, 3-15.	8.4	42

#	ARTICLE	IF	CITATIONS
56	Superposed deformation and inherited structures in an ancient dilational step-over zone: Post-mortem of the Rengali Province, India. <i>Journal of Structural Geology</i> , 2014, 59, 1-17.	2.3	34
57	Ancient terrane boundaries as probable seismic hazards: A case study from the northern boundary of the Eastern Ghats Belt, India. <i>Geoscience Frontiers</i> , 2014, 5, 17-24.	8.4	19
58	Proterozoic evolution of Eastern Dharwar and Bastar cratons, India – An overview of the intracratonic basins, craton margins and mobile belts. <i>Journal of Asian Earth Sciences</i> , 2014, 91, 230-251.	2.3	52
59	Tectonic Inheritance in Continental Rifts and Passive Margins. <i>SpringerBriefs in Earth Sciences</i> , 2015, , .	0.5	68
60	Seismic evidence of crustal low velocity beneath Eastern Ghat Mobile Belt, India. <i>Physics of the Earth and Planetary Interiors</i> , 2016, 261, 207-216.	1.9	5
61	Mesoproterozoic island arc magmatism along the south-eastern margin of the Indian Plate: Evidence from geochemistry and zircon U-Pb ages of mafic plutonic complexes. <i>Journal of Asian Earth Sciences</i> , 2016, 130, 116-138.	2.3	13
64	The Eastern Ghats Mobile Belt. , 2017, , 119-210.		2
65	U–Pb dating of metamorphic monazite establishes a Pan-African age for tectonism in the Nallamalai Fold Belt, India. <i>Journal of the Geological Society</i> , 2017, 174, 1062-1069.	2.1	13
66	Eastern Ghat Ranges and East Coast. <i>Developments in Earth Surface Processes</i> , 2017, , 341-357.	2.8	1
68	In situ U–Th–Pb total dating of polychronous monazite in the Koraput anorthosite pluton, Eastern Ghats Granulite Belt (India), and implications. <i>Geological Magazine</i> , 2018, 155, 209-228.	1.5	2
69	Magnetotelluric evidence on the southward extension of the Eastern Ghats mobile belt from Ongole, India. <i>Journal of Asian Earth Sciences</i> , 2018, 164, 23-32.	2.3	4
70	Magnetotelluric investigation of lithospheric electrical structure beneath the Dharwar Craton in south India: Evidence for mantle suture and plume-continental interaction. <i>Geoscience Frontiers</i> , 2019, 10, 1915-1930.	8.4	32
71	Seismic imaging of the deep crustal structure beneath Eastern Ghats Mobile Belt (India): Crustal growth in the context of assembly of Rodinia and Gondwana supercontinents. <i>Precambrian Research</i> , 2019, 331, 105343.	2.7	11
72	Cambrian Garnet Sm-Nd Isotopic Ages from the Polydeformed Bolangir Anorthosite Complex, Eastern Ghats Belt, India: Implications for Intraplate Orogeny Coeval with Kuunga Orogeny during Gondwana Assembly. <i>Journal of Geology</i> , 2019, 127, 437-456.	1.4	11
73	Proterozoic Magnesian Feldspathic Magmatism in the Nallamalai Fold Belt, Southern India – Petrogenesis of Vellaturu-Ipuru-Nakerikallu (VIN) Arc Magmatic Granites, Eastern Dharwar Craton. <i>Journal of the Geological Society of India</i> , 2019, 93, 409-418.	1.1	9
74	Structures and Their Tectonic Implications of the Southern Part of Cuddapah Basin, Andhra Pradesh, India. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2019, 43, 489-505.	1.5	14
75	The Kuunga Orogeny in the Eastern Ghats Belt: Evidence from geochronology of biotite, amphibole and rutile, and implications for the assembly of Gondwana. <i>Precambrian Research</i> , 2020, 347, 105805.	2.7	14
76	Gravity–magnetic appraisal at the interface of Cuddapah Basin and Nellore Schist Belt (NSB) for shallow crustal architecture and tectonic settings. <i>Journal of Earth System Science</i> , 2020, 129, 1.	1.3	22

#	ARTICLE	IF	CITATIONS
77	Proterozoic orogens of Indian shield. , 2022, , 5-184.		0
78	Elevated Equilibrium Geotherm in Stable Continental Shield: Evidence From Integrated Structural, Hydrological, and Electromagnetic Studies on Nonvolcanic Hot Springs in the Eastern Ghats Belt, India. Journal of Geophysical Research: Solid Earth, 2020, 125, e2019JB017747.	3.4	8
80	Proterozoic Mobile Belts. Society of Earth Scientists Series, 2020, , 137-233.	0.3	0
81	Probabilistic Seismic Hazard Assessment at Bedrock Level Using a Logic Tree Approach: A Case Study for Odisha, an Eastern State of India. Pure and Applied Geophysics, 2022, 179, 527-549.	1.9	1
82	India-Antarctica collisional ridge structure below Nellore Schist and Eastern Ghats Belts as revealed by seismic studies. Geosystems and Geoenvironment, 2022, 1, 100039.	3.2	2
83	Evolution of Eastern Ghats granulite belt of India in a compressional tectonic regime and juxtaposition against Iron Ore Craton of Singhbhum by oblique collision " transpression. Journal of Earth System Science, 1997, 106, 65-75.	1.3	24
84	Crustal architecture of the Eastern Ghats Mobile Belt and tectonic implications: Constraints from aeromagnetic, gravity and geological data. Tectonophysics, 2022, 835, 229386.	2.2	7
85	Unraveling the pre-metamorphic cooling history of the Koraput Alkaline Complex, India: constraints from feldspar exsolution texture. Mineralogy and Petrology, 0, , .	1.1	0
86	Mineral chemistry of biotite and hornblende from mesoproterozoic quartz syenite intrusions of the Cuddapah Intrusive Province, Eastern Dharwar Craton, India: implications for their source characterization. Mineralogy and Petrology, 0, , .	1.1	0
87	Manganese Mineralization in Manganiferous Quartzite in the Boringpadar-Amath Area, Eastern Ghats Mobile Belt, Odisha, India: Implication for Climatic Changes. Springer Climate, 2022, , 195-220.	0.6	0
88	Metamorphic evolution of the UHT granulites from Mandikota, Eastern Ghats Mobile Belt, India: Constraints from phase equilibria modelling, fluid inclusions and monazite U-Th-total Pb geochronology. Precambrian Research, 2023, 390, 107042.	2.7	0
89	Contrasting Styles of Lower Crustal Metamorphism from a Granulite Suite of Rocks from Angul, Eastern Ghats Belt, India: Implications for the India"Antarctica Correlation. Journal of Petrology, 2023, 64, .	2.8	0