

CITATION REPORT

List of articles citing

Geminivirus transmission and biological characterisation of Bemisia tabaci (Gennadius) biotypes from different geographic regions

DOI: 10.1111/j.1744-7348.1994.tb04972.x
Annals of Applied Biology, 1994, 125, 311-325.

Source: <https://exaly.com/paper-pdf/25223655/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
390	Differentiation of three whitefly-transmitted geminiviruses from the Republic of Yemen. 1994 , 100, 243-257		27
389	Esterase variation and squash induction in B-type Bemisia tabaci (Homoptera: Aleyrodidae). 1995 , 85, 175-179		26
388	Characterization and distribution of esterase electromorphs in the whitefly, Bemisia tabaci (Genn.) (Homoptera: Aleyrodidae). <i>Biochemical Genetics</i> , 1995 , 33, 205-14	2.4	103
387	Ultrastructure of the mouthparts of adult sweetpotato whitefly, Bemisia tabaci Gennadius (Homoptera: Aleyrodidae). 1995 , 24, 297-306		42
386	Viral diseases causing the greatest economic losses to the tomato crop. II. The Tomato yellow leaf curl virus τ review. 1996 , 67, 151-196		158
385	Analysis of the nucleotide sequence of the treehopper-transmitted geminivirus, tomato pseudo-curly top virus, suggests a recombinant origin. <i>Virology</i> , 1996 , 219, 387-94	3.6	100
384	Host-associated strains within Ugandan populations of the whitefly Bemisia tabaci (Genn.), (Hom., Aleyrodidae). <i>Journal of Applied Entomology</i> , 1996 , 120, 523-527	1.7	35
383	Mycetocyte Inclusion in the Oocytes of Bemisia argentifolii (Homoptera: Aleyrodidae). <i>Annals of the Entomological Society of America</i> , 1996 , 89, 694-699	2	32
382	Biotype determination of Spanish populations of Bemisia tabaci (Homoptera: Aleyrodidae). 1997 , 87, 587-593		163
381	Analysis of Morphological Variation in Distinct Populations of Bemisia tabaci (Homoptera: Aleyrodidae). <i>Annals of the Entomological Society of America</i> , 1997 , 90, 575-589	2	98
380	Geminivirus Resistance in Transgenic Tobacco Expressing Mutated BC1 Protein. 1997 , 10, 617-623		30
379	The Emergence Of Whitefly-Transmitted Geminiviruses in Tomato in the Western Hemisphere. 1997 , 81, 1358-1369		315
378	Electrophoretic Analysis of Non-B and B-Biotype Bemisia tabaci (Gennadius) (Homoptera: Aleyrodidae) in Australia. 1997 , 36, 245-250		18
377	Coat protein gene replacement results in whitefly transmission of an insect nontransmissible geminivirus isolate. <i>Virology</i> , 1997 , 236, 288-95	3.6	96
376	A worldwide survey of tomato yellow leaf curl viruses. 1997 , 142, 1391-406		244
375	Solanum nigrum: an indigenous weed reservoir for a tomato yellow leaf curl geminivirus in southern Spain. 1998 , 104, 221-222		41
374	Uptake and metabolism of leaf proteins by the silverleaf whitefly. 1998 , 39, 155-165		26

373	Challenges with managing insecticide resistance in agricultural pests, exemplified by the whitefly <i>Bemisia tabaci</i> . 1998 , 353, 1757-1767		133
372	Location of Geminiviruses in the Whitefly <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae). 1998 , 82, 1147-1151		80
371	Sinaloa Tomato Leaf Curl Geminivirus: Biological and Molecular Evidence for a New Subgroup III Virus. 1998 , 88, 648-57		65
370	Amino acids in the capsid protein of tomato yellow leaf curl virus that are crucial for systemic infection, particle formation, and insect transmission. 1998 , 72, 10050-7		138
369	The First Occurrence of Tomato Yellow Leaf Curl Virus in Tomato (<i>Lycopersicon esculentum</i> Mill.) in Japan.. 1998 , 64, 552-559		52
368	Variation in tospovirus transmission between populations of <i>Frankliniella occidentalis</i> (Thysanoptera: Thripidae). 1999 , 89, 579-588		33
367	Host plant evaluation behaviour of <i>Bemisia tabaci</i> and its modification by external or internal uptake of imidacloprid. 1999 , 24, 101-108		17
366	Probing and Feeding Behavior of Two Distinct Biotypes of <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) on Tomato Plants. 1999 , 92, 357-366		76
365	A phylogeographical analysis of the <i>Bemisia tabaci</i> species complex based on mitochondrial DNA markers. 1999 , 8, 1683-91		428
364	Possible emergence of new geminiviruses by frequent recombination. <i>Virology</i> , 1999 , 265, 218-25	3.6	1127
363	Identification of genes directly and indirectly involved in the insect transmission of African cassava mosaic geminivirus by <i>Bemisia tabaci</i> . 1999 , 18, 5-11		14
362	NATURAL GENOMIC AND ANTIGENIC VARIATION IN WHITEFLY-TRANSMITTED GEMINIVIRUSES (BEGOMOVIRUSES). 1999 , 37, 369-398		209
361	Displacement of Tomato Yellow Leaf Curl Virus (TYLCV)-Sr by TYLCV-Is in Tomato Epidemics in Spain. 1999 , 89, 1038-43		138
360	Tracing the geminivirus-whitefly transmission pathway by polymerase chain reaction in whitefly extracts, saliva, hemolymph, and honeydew. 1999 , 89, 239-46		80
359	Phylogenetic relationships of world populations of <i>Bemisia tabaci</i> (Gennadius) using ribosomal ITS1. 2000 , 16, 29-36		173
358	The role of B-type esterases in conferring insecticide resistance in the tobacco whitefly, <i>Bemisia tabaci</i> (Genn). 2000 , 56, 867-874		60
357	The GroEL protein of the whitefly <i>Bemisia tabaci</i> interacts with the coat protein of transmissible and nontransmissible begomoviruses in the yeast two-hybrid system. <i>Virology</i> , 2000 , 276, 404-16	3.6	117
356	Oviposition preference of <i>Bemisia tabaci</i> (Genn.) biotype B (Homoptera: Aleyrodidae) for bean genotypes containing arcelin in the seeds. 2000 , 29, 565-572		7

355	Antibiosis effects of wild bean lines containing arcelin on Bemisia tabaci (Genn.) biotype B (Homoptera: Aleyrodidae). 2000 , 29, 573-582		11
354	Identification, geographical distribution and host plants of Bemisia tabaci (Genn.) biotypes (Homoptera: Aleyrodidae) in the State of Paraná, Brazil. 2000 , 29, 597-603		4
353	A unique virus complex causes Ageratum yellow vein disease. 2000 , 97, 6890-5		323
352	The whiteflies (Hemiptera: Aleyrodidae) of Europe and the Mediterranean Basin. 2000 , 90, 407-48		137
351	Mating interactions between two biotypes of the whitefly, Bemisia tabaci (Hemiptera: Aleyrodidae) in Australia. 2000 , 90, 103-12		105
350	Genetic relationships among biotypes of Bemisia tabaci (Hemiptera: Aleyrodidae) based on AFLP analysis. 2000 , 90, 391-6		70
349	DISTRIBUTION OF BEMISIA TABACI (HEMIPTERA: ALEYRODIDAE) BIOTYPES IN ITALY. 2000 , 132, 519-527		15
348	Variation in the Bemisia tabaci s. l. species complex (Hemiptera: Aleyrodidae) and its natural enemies leading to successful biological control of Bemisia biotype B in the USA. 2000 , 90, 317-27		61
347	Variation in tomato host response to Bemisia tabaci (Hemiptera: Aleyrodidae) in relation to acyl sugar content and presence of the nematode and potato aphid resistance gene Mi. 2000 , 90, 161-7		43
346	Tomato yellow leaf curl virus, an emerging virus complex causing epidemics worldwide. 2000 , 71, 123-34		321
345	Molecular markers for the identification and global tracking of whitefly vector-Begomovirus complexes. 2000 , 71, 233-60		151
344	History, current status, and collaborative research projects for Bemisia tabaci. <i>Crop Protection</i> , 2001 , 20, 709-723	2.7	493
343	The Bemisia tabaci species complex. <i>Crop Protection</i> , 2001 , 20, 725-737	2.7	442
342	Aspectos Biológicos dos Estádios Imaturos de Chrysoperla externa (Hagen) e Ceraeochrysa cincta (Schneider) (Neuroptera: Chrysopidae) Alimentados com Ovos e Ninfas de Bemisia tabaci (Gennadius) Biótipo B (Hemiptera: Aleyrodidae). 2001 , 30, 429-432		8
341	Ultrastructure, distribution, and transmission of endosymbionts in the whitefly Aleurochiton aceris Modeer (Insecta, Hemiptera, Aleyrodinea). 2001 , 218, 45-53		45
340	A differential interaction study of Bemisia tabaci Q-biotype on commercial tomato varieties with or without the Mi resistance gene, and comparative host responses with the B-biotype. <i>Entomologia Experimentalis Et Applicata</i> , 2001 , 98, 339-344	2.1	47
339	Mating compatibility, life-history traits, and RAPD-PCR variation in Bemisia tabaci associated with the cassava mosaic disease pandemic in East Africa. <i>Entomologia Experimentalis Et Applicata</i> , 2001 , 99, 13-23	2.1	48
338	Electrical penetration graphs from Cicadulina mbila on maize, the fine structure of its stylet pathways and consequences for virus transmission efficiency. <i>Entomologia Experimentalis Et Applicata</i> , 2001 , 101, 93-109	2.1	36

337	Characterization of Bemisia (Hom., Aleyrodidae) from the Lesser Antilles by electrophoresis. <i>Journal of Applied Entomology</i> , 2001 , 125, 263-266	1.7	3
336	Effect of foliar tomentosity on phenotypic plasticity in Bemisia tabaci (Hom., Aleyrodidae). <i>Journal of Applied Entomology</i> , 2001 , 125, 449-453	1.7	16
335	Genetic diversity of Iberian populations of Bemisia tabaci (Hemiptera: Aleyrodidae) based on random amplified polymorphic DNA-polymerase chain reaction. 2001 , 10, 891-7		104
334	Exchange of three amino acids in the coat protein results in efficient whitefly transmission of a nontransmissible Abutilon mosaic virus isolate. <i>Virology</i> , 2001 , 290, 164-71	3.6	90
333	Ingestion, transmission, and persistence of Chino del tomate virus (CdTV), a New World begomovirus, by Old and New World biotypes of the whitefly vector Bemisia tabaci. <i>Annals of Applied Biology</i> , 2001 , 139, 145-154	2.6	33
332	THE PEST STATUS OF BEMISIA TABACI IN CHINA AND NON-CHEMICAL CONTROL STRATEGIES*. 2001 , 8, 279-288		19
331	Bemisia. 2001 , 247-278		5
330	Begomovirus coat protein: serology, variation and functions. 2002 , 60, 257-271		59
329	Mutations in the Bemisia tabaci para sodium channel gene associated with resistance to a pyrethroid plus organophosphate mixture. 2002 , 32, 1781-91		97
328	Co-adaptation between cassava mosaic geminiviruses and their local vector populations. 2002 , 86, 71-85		105
327	Whitefly transmission of plant viruses. 2002 , 65-100		106
326	Genetic diversity of begomovirus infecting tomato and associated weeds in Southeastern Brazil. 2002 , 27, 372-377		44
325	Isolation and characterization of microsatellite loci in Bemisia tabaci. 2002 , 3, 40-43		106
324	Within-plant distribution and infestation pattern of the B- and Q-biotypes of the whitefly, Bemisia tabaci, on tomato and pepper. <i>Entomologia Experimentalis Et Applicata</i> , 2002 , 104, 369-373	2.1	19
323	Dynamics of insecticide resistance in Bemisia tabaci: a case study with the insect growth regulator pyriproxyfen. 2002 , 58, 1096-100		69
322	Breeding for resistance to whitefly-transmitted geminiviruses. <i>Annals of Applied Biology</i> , 2002 , 140, 109-127		153
321	The circulative pathway of begomoviruses in the whitefly vector Bemisia tabaci—Insights from studies with Tomato yellow leaf curl virus. <i>Annals of Applied Biology</i> , 2002 , 140, 215-231	2.6	158
320	USING RAPD PCR TO DISTINGUISH BIOTYPES OF BEMISIA TABACI (HOMOPTERA:ALEYRODIDAE) IN CHINA. 2002 , 9, 1-8		5

319	Plant Viruses Transmitted by Whiteflies. 2003 , 109, 195-219		528
318	Pymetrozine interferes with transmission of Tomato yellow leaf curl virus by the whitefly <i>Bemisia tabaci</i> . <i>Phytoparasitica</i> , 2003 , 31, 490-498	1.5	33
317	Biotype Q of <i>Bemisia tabaci</i> identified in Israel. <i>Phytoparasitica</i> , 2003 , 31, 94-98	1.5	114
316	Revision of taxonomic criteria for species demarcation in the family Geminiviridae, and an updated list of begomovirus species. 2003 , 148, 405-21		266
315	Susceptibility of field populations of adult <i>Bemisia tabaci</i> Gennadius (Homoptera: Aleyrodidae) and <i>Eretmocerus</i> sp (Hymenoptera: Aphelinidae) to cotton insecticides in Burkina Faso (West Africa). 2003 , 59, 97-106		15
314	HOST PLANT PREFERENCES OF BEMISIA TABACI GENNADIUS. 2003 , 10, 109-114		6
313	Mitochondrial DNA Evidence for a Distinct New World Group of <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae) Indigenous to Argentina and Bolivia, and Presence of the Old World B Biotype in Argentina. <i>Annals of the Entomological Society of America</i> , 2003 , 96, 65-72	2	47
312	Field efficacy and baseline toxicities of pyriproxifen, acetamiprid, and diafenthiuron against <i>Bemisia tabaci</i> Gennadius (Homoptera: Aleyrodidae) in Burkina Faso (West Africa). 2003 , 38, 757-69		10
311	The root-knot nematode resistance gene Mi-1.2 of tomato is responsible for resistance against the whitefly <i>Bemisia tabaci</i> . 2003 , 16, 645-9		287
310	Survey of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) biotypes in Italy with the description of a new biotype (T) from <i>Euphorbia characias</i> . 2003 , 93, 259-64		68
309	Identification and evaluation of suitable reference genes for gene expression studies in the whitefly <i>Bemisia tabaci</i> (Asia I) by reverse transcription quantitative realtime PCR. 2014 , 14, 63		9
308	Comparative biology of the whitefly <i>Trialeurodes vaporariorum</i> (West.) (Hemiptera - Homoptera: Aleyrodidae) on soybean and bean cultivars. 2003 , 32, 133-138		12
307	Variants of East African cassava mosaic virus and Its Distribution in Double Infections with African cassava mosaic virus in Nigeria. 2003 , 87, 229-232		24
306	Genetic Structure of Field Populations of Begomoviruses and of Their Vector <i>Bemisia tabaci</i> in Pakistan. 2003 , 93, 1422-9		43
305	AN EXTENSIVE SURVEY OF BEMISIA TABACI (HOMOPTERA: ALEYRODIDAE) IN AGRICULTURAL ECOSYSTEMS IN FLORIDA. <i>Florida Entomologist</i> , 2004 , 87, 403-407	1	40
304	Relative abundance of <i>Bemisia tabaci</i> Gennadius (Homoptera: Aleyrodidae) and its parasitoids, and the impact of augmentative release of <i>Eretmocerus</i> spp. (Hymenoptera: Aphelinidae) on the population dynamics of the pest in Burkina Faso (West Africa). 2004 , 50, 11-16		5
303	Status of Cassava Mosaic Virus Diseases and Cassava Begomoviruses in Sub-Saharan Africa. 2004 , 24, 5-35		10
302	Reproductive incompatibility and cytochrome oxidase I gene sequence variability amongst host-adapted and geographically separate <i>Bemisia tabaci</i> populations (Hemiptera: Aleyrodidae). 2004 , 29, 560-568		63

301	TYLCSV DNA, but not infectivity, can be transovarially inherited by the progeny of the whitefly vector <i>Bemisia tabaci</i> (Gennadius). <i>Virology</i> , 2004 , 323, 276-83	3.6	58
300	Discrimination of cassava-associated <i>Bemisia tabaci</i> in Africa from polyphagous populations, by PCR-RFLP of the internal transcribed spacer regions of ribosomal DNA. <i>Journal of Applied Entomology</i> , 2004 , 128, 81-87	1.7	18
299	Molecular Evidence for Five Distinct <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) Geographic Haplotypes Associated with Cassava Plants in Sub-Saharan Africa. <i>Annals of the Entomological Society of America</i> , 2004 , 97, 852-859	2	83
298	Whitefly transmission of sweet potato viruses. 2004 , 100, 123-8		47
297	Analysis of genetic diversity among different geographical populations and determination of biotypes of <i>Bemisia tabaci</i> in China. <i>Journal of Applied Entomology</i> , 2005 , 129, 121-128	1.7	116
296	Genetic structure of the whitefly <i>Bemisia tabaci</i> in the Asia-Pacific region revealed using microsatellite markers. 2005 , 14, 3695-718		82
295	Occurrence of three genotypic clusters of <i>Bemisia tabaci</i> and the rapid spread of the B biotype in south India. <i>Entomologia Experimentalis Et Applicata</i> , 2005 , 117, 221-233	2.1	58
294	Genetic diversity of <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae) populations and presence of the B biotype and a non-B biotype that can induce silverleaf symptoms in squash, in Uganda. <i>Annals of Applied Biology</i> , 2005 , 147, 253-265	2.6	63
293	Rapid identification of B biotype of <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) based on analysis of internally transcribed spacer 1 sequence. 2005 , 12, 421-427		10
292	Traditional and novel strategies for geminivirus management in Brazil. 2005 , 34, 475		13
291	Biotypes B and Q of <i>Bemisia tabaci</i> and their relevance to neonicotinoid and pyriproxyfen resistance. 2005 , 58, 216-25		321
290	Possible recombination of tomato-infecting begomoviruses in Thailand. 2005 , 71, 314-318		5
289	Characterization of biotype T of <i>Bemisia tabaci</i> associated with <i>Euphorbia characias</i> in Sicily. <i>Phytoparasitica</i> , 2005 , 33, 196-208	1.5	14
288	Insecticide resistance in <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) populations from Crete. 2005 , 61, 577-82		100
287	Tiered tests to assess the environmental risk of fitness changes in hybrids between transgenic crops and wild relatives: the example of virus resistant <i>Brassica napus</i> . 2005 , 4, 127-40		36
286	Mating interactions between okra and cassava biotypes of <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) on eggplant. <i>International Journal of Tropical Insect Science</i> , 2005 , 25, 159-167	1	8
285	A new silverleaf-inducing biotype Ms of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) indigenous to the islands of the south-west Indian Ocean. 2005 , 95, 29-35		94
284	Genetic Differentiation of Whitefly <i>Bemisia tabaci</i> Mitochondrial Cytochrome Oxidase I, and Phylogeographic Concordance with the Coat Protein of the Plant Virus Genus Begomovirus. <i>Annals of the Entomological Society of America</i> , 2005 , 98, 827-837	2	36

283	Bemisia argentifolii is a race of B. tabaci (Hemiptera: Aleyrodidae): the molecular genetic differentiation of B. tabaci populations around the world. 2005 , 95, 193-203		140
282	Courtship Behavior of Bemisia argentifolii (Hemiptera: Aleyrodidae) and Whitefly Mate Recognition. <i>Annals of the Entomological Society of America</i> , 2006 , 99, 598-606	2	39
281	Cassava mosaic virus disease in East and Central Africa: epidemiology and management of a regional pandemic. 2006 , 67, 355-418		154
280	Factors Influencing Begomovirus Evolution and Their Increasing Global Significance: Implications for Sustainable Control. 2006 , 25, 23-46		264
279	Modeling Evolution of Resistance to Pyriproxyfen by the Sweetpotato Whitefly (Homoptera: Aleyrodidae). 2006 , 99, 1396-1406		42
278	Acquisition and Transmission of two Begomoviruses by the B and a non-B Biotype of Bemisia tabaci from Zhejiang, China. 2006 , 154, 587-591		50
277	New insights into the mitochondrial phylogeny of the whitefly Bemisia tabaci (Hemiptera: Aleyrodidae) in the Mediterranean Basin. 2006 , 44, 25-33		41
276	Effects of plant and prey characteristics on the predatory behavior of Delphastus catalinae. <i>Entomologia Experimentalis Et Applicata</i> , 2006 , 121, 15-21	2.1	21
275	Comparison of performance on different host plants between the B biotype and a non-B biotype of Bemisia tabaci from Zhejiang, China. <i>Entomologia Experimentalis Et Applicata</i> , 2006 , 121, 221-227	2.1	87
274	Complete nucleotide sequence of the RNA2 of the crinivirus tomato chlorosis virus. 2006 , 151, 581-7		41
273	Host range, distribution, and natural enemies of Bemisia tabaci B biotype (Hemiptera: Aleyrodidae) in Turkey. <i>Journal of Pest Science</i> , 2006 , 79, 233-240	5.5	35
272	Effects of different cucurbit species and temperature on selected life history traits of the B biotype of Bemisia tabaci. <i>Phytoparasitica</i> , 2006 , 34, 235-242	1.5	6
271	PCR-RFLP identification of Bemisia tabaci biotypes in the Mediterranean Basin. <i>Phytoparasitica</i> , 2006 , 34, 243-251	1.5	51
270	Molecular phylogenetic analysis reveals at least five genetic races of Bemisia tabaci in China. <i>Phytoparasitica</i> , 2006 , 34, 431-440	1.5	7
269	Whitefly (Bemisia tabaci) genome project: analysis of sequenced clones from egg, instar, and adult (viruliferous and non-viruliferous) cDNA libraries. 2006 , 7, 79		74
268	SCAR molecular markers of the B biotype and two non-B populations of the whitefly, Bemisia tabaci (Hemiptera: Aleyrodidae). 2006 , 3, 189-194		15
267	Tomato yellow spot virus, a tomato-infecting begomovirus from Brazil with a closer relationship to viruses from Sida sp., forms pseudorecombinants with begomoviruses from tomato but not from Sida. 2006 , 87, 3687-3696		51
266	Biotype status and genetic polymorphism of the whitefly Bemisia tabaci (Hemiptera: Aleyrodidae) in Greece: mitochondrial DNA and microsatellites. 2007 , 97, 29-40		78

265	Adult Bemisia tabaci biotype B can induce silverleafing in squash. 2007 , 97, 433-6		8
264	Molecular Biodiversity, Taxonomy, and Nomenclature of Tomato Yellow Leaf Curl-like Viruses. 2007 , 85-118		36
263	Molecular and Biological Characterization of Tomato chlorotic mottle virus Suggests that Recombination Underlies the Evolution and Diversity of Brazilian Tomato Begomoviruses. 2007 , 97, 702-11		37
262	Reversal of resistance to pyriproxyfen in the Q biotype of Bemisia tabaci (Hemiptera: Aleyrodidae). 2007 , 63, 761-8		22
261	Gene expression in pyriproxyfen-resistant Bemisia tabaci Q biotype. 2007 , 63, 776-83		42
260	Sources of resistance to Watermelon Chlorotic Stunt Virus in melon. 2007 , 126, 422-427		15
259	Pumpkin yellow vein mosaic disease is caused by two distinct begomoviruses: complete viral sequences and comparative transmission by an indigenous Bemisia tabaci and the introduced B-biotype. 2007 , 37, 412-419		21
258	Life-table analysis of mortality factors affecting populations of Bemisia tabaci on cassava in Uganda. <i>Entomologia Experimentalis Et Applicata</i> , 2007 , 122, 37-44	2.1	36
257	Observing and recording copulation events of whiteflies on plants using a video camera. <i>Entomologia Experimentalis Et Applicata</i> , 2007 , 124, 229-233	2.1	32
256	Development of real-time RT-PCR assays for the detection of Cucumber vein yellowing virus (CVYV) and Cucurbit yellow stunting disorder virus (CYSDV) in the whitefly vector Bemisia tabaci. 2007 , 146, 45-51		37
255	Note: First report of the Q biotype of Bemisia tabaci in Southern Sonora, Mexico. <i>Phytoparasitica</i> , 2007 , 35, 282-284	1.5	50
254	A Comparative Study on Mating Behaviour between the B Biotype and a non-B Biotype of Bemisia tabaci (Hemiptera: Aleyrodidae) from Zhejiang, China. 2007 , 20, 157-171		39
253	Horizontal transmission of begomoviruses between Bemisia tabaci biotypes. <i>Arthropod-Plant Interactions</i> , 2007 , 1, 195-204	2.2	45
252	A virus and its vector, pepper yellow leaf curl virus and Bemisia tabaci, two new invaders of Indonesia. 2008 , 10, 411-433		41
251	Note: Bemisia tabaci biotype B associated with tomato yellow leaf curl disease epidemics on rhodes Island, Greece. <i>Phytoparasitica</i> , 2008 , 36, 20-22	1.5	8
250	Comparative spatial dispersal of Tomato yellow leaf curl virus vectored by B and Q biotypes of Bemisia tabaci in Tomato glasshouses. <i>Phytoparasitica</i> , 2008 , 36, 42-51	1.5	2
249	Effect of foliar applications of some insecticides on Bemisia tabaci, predators and parasitoids: Implications in its management in Pakistan. <i>Phytoparasitica</i> , 2008 , 36, 377-387	1.5	7
248	Note: Biotype status of Bemisia tabaci from various crops in Cyprus. <i>Phytoparasitica</i> , 2008 , 36, 400-404	1.5	9

247	Genetic variation and mtCOI phylogeny for Bemisia tabaci (Hemiptera, Aleyrodidae) indicate that the B biotype predominates in Iran. <i>Journal of Pest Science</i> , 2008 , 81, 199-206	5.5	16
246	High-throughput allelic discrimination of B and Q biotypes of the whitefly, Bemisia tabaci, using TaqMan allele-selective PCR. 2008 , 64, 12-5		27
245	Pre-copulation intervals, copulation frequencies, and initial progeny sex ratios in two biotypes of whitefly, Bemisia tabaci. <i>Entomologia Experimentalis Et Applicata</i> , 2008 , 129, 316-324	2.1	39
244	Parasitization by the wasp Eretmocerus mundus induces transcription of genes related to immune response and symbiotic bacteria proliferation in the whitefly Bemisia tabaci. 2008 , 9, 342		75
243	Host range of Bemisia tabaci Q-biotype. 2009 , 51, 75-77		7
242	A real-time PCR assay to differentiate the B and Q biotypes of the Bemisia tabaci complex in Cyprus. 2009 , 99, 573-82		26
241	Phylogenetic Biology of the Bemisia tabaci Sibling Species Group. 2009 , 31-67		11
240	Systematics of Bemisia and Bemisia Relatives: Can Molecular Techniques Solve the Bemisia tabaci Complex Conundrum [A Taxonomist's] Viewpoint. 2009 , 5-29		8
239	Ecological Determinants of Bemisia tabaci Resistance to Insecticides. 2009 , 423-465		4
238	Tools and Recent Progress in Studying Gene Flow and Population Genetics of the Bemisia tabaci Sibling Species Group. 2009 , 69-103		
237	Life History, Functional Anatomy, Feeding and Mating Behavior. 2009 , 109-160		9
236	Population Dynamics, Demography, Dispersal and Spread of Bemisia tabaci. 2009 , 185-226		14
235	The role of specific tomato volatiles in tomato-whitefly interaction. 2009 , 151, 925-35		188
234	Invasive mechanism and management strategy of Bemisia tabaci (Gennadius) biotype B: progress report of 973 Program on invasive alien species in China. 2009 , 52, 88-95		42
233	Current status of insecticide resistance in Q biotype Bemisia tabaci populations from Crete. 2009 , 65, 313-22		99
232	Genetic mutations associated with chemical resistance in the cytochrome P450 genes of invasive and native Bemisia tabaci (Hemiptera: Aleyrodidae) populations in China. 2009 , 16, 237-245		9
231	Improved DNA barcoding method for Bemisia tabaci and related Aleyrodidae: development of universal and Bemisia tabaci biotype-specific mitochondrial cytochrome c oxidase I polymerase chain reaction primers. 2009 , 102, 750-8		81
230	Genetic diversity and population structure of rice stripe virus in China. 2009 , 90, 1025-1034		97

229	Evidences for transmission of Indian cassava mosaic virus through Bemisia tabaci [Cassava biotype. <i>Archives of Phytopathology and Plant Protection</i> , 2009 , 42, 922-929	1	4
228	Comparison of egg-hatching rate, survival rate and development time of the immature stage between B- and Q-biotypes of Bemisia tabaci (Gennadius) (Homoptera: Aleyrodidae) on various agricultural crops. 2009 , 44, 267-273		67
227	Identification and Biology of two Whitefly Species on Cassava in Sri Lanka. 2009 , 49,		3
226	Prevalence of endosymbionts in Bemisia tabaci populations and their in vivo sensitivity to antibiotics. 2010 , 61, 322-8		39
225	Ocorrência e variabilidade genética do Tomato severe rugose virus em tomateiro e pimentão no Estado de São Paulo. 2010 , 36, 222-227		6
224	Biological parameters of Bemisia tabaci (Gennadius) biotype B (Hemiptera: Aleyrodidae) on Jatropha gossypifolia, commercial (Manihot esculenta) and wild cassava (Manihot flabellifolia and M. carthaginensis) (Euphorbiaceae). 2010 , 39, 562-7		10
223	[Transmission of tomato Venezuela virus by Bemisia tabaci (Gennadius) (Hemiptera: Aleyrodidae), in Maracaibo, Venezuela]. 2010 , 39, 266-74		6
222	Transmission of Tomato Yellow Leaf Curl Virus by two invasive biotypes and a Chinese indigenous biotype of the whitefly Bemisia tabaci. 2010 , 56, 275-280		64
221	Reproductive incompatibility among genetic groups of Bemisia tabaci supports the proposition that the whitefly is a cryptic species complex. 2010 , 100, 359-66		177
220	Other Hemiptera Sternorrhyncha (Aleyrodidae, Phylloxeroidea, and Psylloidea) and Hemiptera Auchenorrhyncha. Chapter 9.4. 2010 , 4, 511-552		17
219	Host correlated morphometric variations in the populations of Bemisia Tabaci (Gennadius) (Hemiptera: Aleyrodidae). 2010 , 44, 193-204		5
218	Pyriproxyfen resistance of Bemisia tabaci (Homoptera: Aleyrodidae) biotype B: metabolic mechanism. 2010 , 103, 158-65		36
217	Interspecific interactions between Bemisia tabaci biotype B and Trialeurodes vaporariorum (Hemiptera: Aleyrodidae). 2011 , 40, 140-50		8
216	Functional Anatomy of Whitefly Organs Associated With Squash Leaf Curl Virus (Geminiviridae: Begomovirus) Transmission by the B Biotype of Bemisia tabaci (Hemiptera: Aleyrodidae). <i>Annals of the Entomological Society of America</i> , 2011 , 104, 261-279	2	24
215	Bemisia tabaci: a statement of species status. 2011 , 56, 1-19		1051
214	The Whitefly, Bemisia tabaci (Homoptera: Aleyrodidae) Interaction with Geminivirus-Infected Host Plants. 2011 ,		27
213	MtDNA variability in whitefly (Bemisia tabaci) populations in Brazil. 2011 , 10, 2155-64		3
212	Performance on different host plants of an alien and an indigenous Bemisia tabaci from China. <i>Journal of Applied Entomology</i> , 2011 , 135, 771-779	1.7	51

211	Insecticide resistance in <i>Bemisia tabaci</i> from Cyprus. 2011 , 18, 30-39		39
210	Potential adaptation of a Q biotype whitefly population from poinsettia to field crops. 2011 , 18, 719-728		8
209	Reproductive differences between Q and B whiteflies, <i>Bemisia tabaci</i> , on three host plants and negative interactions in mixed cohorts. <i>Entomologia Experimentalis Et Applicata</i> , 2011 , 141, 197-207	2.1	37
208	Age-specific expression of a P450 monooxygenase (CYP6CM1) correlates with neonicotinoid resistance in <i>Bemisia tabaci</i> . 2011 , 101, 53-58		53
207	Comparison of biological parameters between the invasive B biotype and a new defined Cv biotype of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) in China. <i>Journal of Pest Science</i> , 2011 , 84, 419-427	5.5	22
206	Microsatellites reveal widespread predominance of an invasive over an indigenous <i>Bemisia tabaci</i> in Venezuela. <i>Phytoparasitica</i> , 2011 , 39, 419-428	1.5	12
205	Genetic identity of the <i>Bemisia tabaci</i> species complex and association with high cotton leaf curl disease (CLCuD) incidence in Pakistan. 2011 , 67, 307-17		44
204	Extensive settlement of the invasive MEAM1 population of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) in the Caribbean and rare detection of indigenous populations. 2011 , 40, 989-98		13
203	Introduction: Whiteflies, Geminiviruses and Recent Events. 2011 , 1-13		7
202	Management of <i>Bemisia tabaci</i> Whiteflies. 2011 , 293-322		22
201	Begomoviruses Associated with Bean Golden Mosaic Disease in Nicaragua. 2011 , 95, 901-906		8
200	Diversity of dicotyledenous-infecting geminiviruses and their associated DNA molecules in southern Africa, including the South-west Indian ocean islands. <i>Viruses</i> , 2012 , 4, 1753-91	6.2	43
199	Viruses that Enhance the Aesthetics of Some Ornamental Plants: Beauty or Beast?. 2012 , 96, 600-611		26
198	Genetic diversity and geographic distribution of <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae) genotypes associated with cassava in East Africa. <i>Ecology and Evolution</i> , 2012 , 2, 2749-62	2.8	36
197	High throughput phenotyping for aphid resistance in large plant collections. 2012 , 8, 33		19
196	Species Concepts as Applied to the Whitefly <i>Bemisia tabaci</i> Systematics: How Many Species Are There?. 2012 , 11, 176-186		245
195	The Effects of Space Dimension and Temperature on the Cross Mating of Three Cryptic Species of the <i>Bemisia tabaci</i> Complex in China. 2012 , 11, 197-205		8
194	Diversity and Genetic Differentiation of the Whitefly <i>Bemisia tabaci</i> Species Complex in China Based on mtCOI and cDNA-AFLP Analysis. 2012 , 11, 206-214		23

193	Bemisia tabaci Phylogenetic Groups in India and the Relative Transmission Efficacy of Tomato leaf curl Bangalore virus by an Indigenous and an Exotic Population. 2012 , 11, 235-248		55
192	Bemisia tabaci Biotype Dynamics and Resistance to Insecticides in Israel During the Years 2008-2010. 2012 , 11, 312-320		53
191	The Efficiency of Southern rice black-streaked dwarf virus Transmission by the Vector Sogatella furcifera to Different Host Plant Species. 2012 , 11, 621-627		18
190	Species within the Bemisia tabaci (Hemiptera: Aleyrodidae) complex in soybean and bean crops in Argentina. 2012 , 105, 48-53		53
189	Status of insecticide resistance and associated mutations in Q-biotype of whitefly, Bemisia tabaci, from eastern China. <i>Crop Protection</i> , 2012 , 31, 67-71	2.7	54
188	Use of consensus sequences and genetic networks to identify members of the Bemisia tabaci cryptic species complex in Egypt and Syria. <i>Journal of Applied Entomology</i> , 2012 , 136, 510-519	1.7	5
187	Climate-Resilient Horticulture: Adaptation and Mitigation Strategies. 2013 ,		9
186	Influences of tetracycline on the reproduction of the B biotype of Bemisia tabaci (Homoptera: Aleyrodidae). 2013 , 48, 241-246		15
185	Detection of resistance, cross-resistance, and stability of resistance to new chemistry insecticides in Bemisia tabaci (Homoptera: Aleyrodidae). 2013 , 106, 1414-22		60
184	Effects of high-gossypol cotton on the development and reproduction of Bemisia tabaci (Hemiptera: Aleyrodidae) MEAM1 cryptic species. 2013 , 106, 1379-85		16
183	Whitefly-mediated transmission of cotton leaf curl Multan betasatellite: evidence for betasatellite encapsidation in coat protein of helper begomoviruses. 2013 , 158, 19-26		8
182	Cotton leaf curl disease - an emerging threat to cotton production worldwide. 2013 , 94, 695-710		140
181	Taxonomic status of the Bemisia tabaci complex (Hemiptera: Aleyrodidae) and reassessment of the number of its constituent species. <i>PLoS ONE</i> , 2013 , 8, e63817	3.7	92
180	The role of bacterial chaperones in the circulative transmission of plant viruses by insect vectors. <i>Viruses</i> , 2013 , 5, 1516-35	6.2	24
179	Brazilian begomovirus populations are highly recombinant, rapidly evolving, and segregated based on geographical location. 2013 , 87, 5784-99		83
178	Study of Host Preference and the Comparison of some Biological Characteristics of Bemisia Tabasi (Genn) on Tomato Varieties. 2013 , 53, 137-142		2
177	Elucidation of the genetic differences in Trialeurodes vaporariorum populations under vegetable greenhouse conditions by using the allozyme approach. 2013 , 43, n/a-n/a		1
176	Molecular characterization of genetic diversity within the Africa/Middle East/Asia Minor and Sub-Saharan African groups of the Bemisia tabaci species complex. 2013 , 59, 329-338		11

175	Scientific Opinion on the risks to plant health posed by Bemisia tabaci species complex and viruses it transmits for the EU territory. 2013 , 11, 3162		27
174	Optimization of A Bioassay Method for Specific Activity of Acetylcholinesterase of B Biotype Bemisia tabaci (Hemiptera: Aleyrodidae). <i>Florida Entomologist</i> , 2013 , 96, 160-165	1	3
173	Recent advances on interactions between the whitefly Bemisia tabaci and begomoviruses, with emphasis on Tomato yellow leaf curl virus. 2014 , 79-103		8
172	Factors that affect the selection of tomato leaflets by two whiteflies, Trialeurodes vaporariorum and Bemisia tabaci (Homoptera: Aleyrodidae). 2014 , 49, 561-570		9
171	Bemisia tabaci (Hemiptera: Aleyrodidae) Species Complex From Cotton Cultivars: A Comparative Study of Population Density, Morphology, and Molecular Variations. <i>Annals of the Entomological Society of America</i> , 2014 , 107, 389-398	2	6
170	Identification and Evaluation of Suitable Reference Genes for Gene Expression Studies in the Whitefly Bemisia tabaci (Asia I) by Reverse Transcription Quantitative Real-Time PCR. 2014 , 14, 1-25		12
169	Transmission specificities of plant viruses with the newly identified species of the Bemisia tabaci species complex. 2014 , 70, 1547-52		96
168	Management of whitefly-transmitted viruses in open-field production systems. 2014 , 90, 147-206		47
167	Bemisia tabaci Biotype Q Determined for the First Time on Poinsettia Crops in Finland and Sweden. 2014 , 51, 501-506		3
166	Age Stage Two-Sex Life Table Reveals Sublethal Effects of Some Herbal and Chemical Insecticides on Adults of Bemisia tabaci (Hem.: Aleyrodidae). 2014 , 2014, 1-9		1
165	Dynamics of biotypes B and Q of the whitefly Bemisia tabaci and its impact on insecticide resistance. 2014 , 70, 1568-72		87
164	Plant virus ecology and epidemiology: historical perspectives, recent progress and future prospects. <i>Annals of Applied Biology</i> , 2014 , 164, 320-347	2.6	49
163	The challenge of controlling plant viruses. <i>Annals of Applied Biology</i> , 2014 , 164, 313-317	2.6	4
162	Indigenous American species of the Bemisia tabaci complex are still widespread in the Americas. 2014 , 70, 1440-5		50
161	Secondary endosymbionts of Turkish Bemisia tabaci (Gennadius) populations. <i>Phytoparasitica</i> , 2014 , 42, 413-419	1.5	5
160	Reducing whiteflies on cucumber using intercropping with less preferred vegetables. <i>Entomologia Experimentalis Et Applicata</i> , 2014 , 150, 19-27	2.1	11
159	Comparative antifeedant activities of polygodial and pyrethrins against whiteflies (Bemisia tabaci) and aphids (Myzus persicae). 2014 , 70, 682-8		12
158	Members of Bemisia tabaci (Hemiptera: Aleyrodidae) cryptic species and the status of two invasive alien species in the Yunnan Province (China). 2014 , 14,		19

157	The Impact of Insecticide Soil Treatment to the Ratio of Biotype B and Q Populations of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae). <i>Japanese Journal of Applied Entomology and Zoology</i> , 2015 , 59, 133-137 ^{0.5}		1
156	Abundance, diversity and geographic distribution of cassava mosaic disease pandemic-associated <i>Bemisia tabaci</i> in Tanzania. <i>Journal of Applied Entomology</i> , 2015 , 139, 627-637	1.7	18
155	A multiple PCR-LDR assay for identification of two invasive cryptic species of whiteflies <i>Bemisia tabaci</i> . <i>Journal of Applied Entomology</i> , 2015 , 139, 734-740	1.7	2
154	Vector-Enabled Metagenomic (VEM) Surveys Using Whiteflies (Aleyrodidae) Reveal Novel Begomovirus Species in the New and Old Worlds. <i>Viruses</i> , 2015 , 7, 5553-70	6.2	25
153	Estimation of the Whitefly <i>Bemisia tabaci</i> Genome Size Based on k-mer and Flow Cytometric Analyses. <i>Insects</i> , 2015 , 6, 704-15	2.8	19
152	Effects of Host Sex, Plant Species, and Putative Host Species on the Prevalence of <i>Wolbachia</i> in Natural Populations of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae): A Modified Nested PCR Study. 2015 , 108, 210-8		12
151	Diversity of symbiotic bacteria associated with <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) in cassava mosaic disease pandemic areas of Tanzania. <i>Annals of Applied Biology</i> , 2015 , 166, 297-310	2.6	17
150	A begomovirus associated with yellow vein symptoms of <i>Oxalis debilis</i> . 2015 , 142, 203-208		6
149	Different transmission efficiencies may drive displacement of tomato begomoviruses in the fields in Taiwan. <i>Annals of Applied Biology</i> , 2015 , 166, 321-330	2.6	15
148	Persistent, circulative transmission of begomoviruses by whitefly vectors. 2015 , 15, 1-8		84
147	Distribution of <i>Bemisia tabaci</i> Genetic Groups in India. 2015 , 44, 1258-64		43
146	Advances in the Genomics of the Whitefly <i>Bemisia tabaci</i> : An Insect Pest and a Virus Vector. 2015 , 19-40		4
145	Cryptic species composition and genetic diversity within <i>Bemisia tabaci</i> complex in soybean in India revealed by mtCOI DNA sequence. 2015 , 14, 1786-1795		19
144	A new record for <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae) species complex of Turkey. <i>Journal of Applied Entomology</i> , 2015 , 139, 158-160	1.7	11
143	A dynamical model for epidemic outbursts by begomovirus population clusters. 2015 , 297, 60-68		8
142	Light-dependent segregation of begomoviruses in <i>Asystasia gangetica</i> leaves. 2015 , 195, 225-35		4
141	Global haplotype analysis of the whitefly <i>Bemisia tabaci</i> cryptic species Asia I in Asia. 2015 , 26, 232-41		14
140	Host instar suitability in two invasive whiteflies for the naturally occurring parasitoid <i>Eretmocerus hayati</i> in China. <i>Journal of Pest Science</i> , 2015 , 88, 225-234	5.5	11

139	Plant Virus-Insect Vector Interactions: Current and Potential Future Research Directions. <i>Viruses</i> , 2016 , 8,	6.2	98
138	RNAi-mediated mortality of the whitefly through transgenic expression of double-stranded RNA homologous to acetylcholinesterase and ecdysone receptor in tobacco plants. 2016 , 6, 38469		47
137	Occurrence and molecular characterization of Tomato common mosaic virus (ToCmMV) in tomato fields in Espírito Santo state, Brazil. 2016 , 41, 62-66		6
136	Diversity of Bemisia tabaci in Thailand and Vietnam and indications of species replacement. 2016 , 19, 537-543		25
135	Advances in Whiteflies and Thrips Management. 2016 , 205-218		4
134	Advances in Insect Control and Resistance Management. 2016 ,		3
133	Development of an antibody-based diagnostic method for the identification of Bemisia tabaci biotype B. 2016 , 131, 18-23		1
132	Transcriptome analysis of the whitefly, Bemisia tabaci MEAM1 during feeding on tomato infected with the crinivirus, Tomato chlorosis virus, identifies a temporal shift in gene expression and differential regulation of novel orphan genes. 2017 , 18, 370		28
131	Genetic structure of populations of the begomoviruses Tomato mottle leaf curl virus and Sida mottle Alagoas virus infecting tomato (Solanum lycopersicum) and Sida spp., respectively. 2017 , 42, 39-45		3
130	The pepper virome: natural co-infection of diverse viruses and their quasispecies. 2017 , 18, 453		36
129	Transmission of Begomoviruses. 2017 , 51-69		
128	Begomoviruses: Occurrence and Management in Asia and Africa. 2017 ,		5
127	Comparative transmission of Bendi yellow vein mosaic virus by two cryptic species of the whitefly, (Hemiptera: Aleyrodidae). <i>3 Biotech</i> , 2017 , 7, 331	2.8	11
126	Diversity and Distribution of Cryptic Species of the Bemisia tabaci (Hemiptera: Aleyrodidae) complex in Pakistan. 2017 , 110, 2295-2300		18
125	Molecular identification of a new begomovirus infecting yellow passion fruit (Passiflora edulis) in Colombia. 2017 , 162, 573-576		13
124	Status of Resistance of Bemisia tabaci (Hemiptera: Aleyrodidae) to Neonicotinoids in Iran and Detoxification by Cytochrome P450-Dependent Monooxygenases. 2017 , 46, 115-124		8
123	Cryptic Species Identification and Composition of Bemisia tabaci (Hemiptera: Aleyrodidae) Complex in Henan Province, China. 2017 , 17,		18
122	An Insight into Cotton Leaf Curl Multan Betasatellite, the Most Important Component of Cotton Leaf Curl Disease Complex. <i>Viruses</i> , 2017 , 9,	6.2	22

121	Survey of the distribution of Bemisia tabaci (Hemiptera: Aleyrodidae) in Lazio region (Central Italy): a threat for the northward expansion of Tomato leaf curl New Delhi virus (Begomovirus: Geminiviridae) infection. <i>Phytoparasitica</i> , 2018 , 46, 171-182	1.5	9
120	Leaf Chemical Compositions of Different Eggplant Varieties Affect Performance of Bemisia tabaci (Hemiptera: Aleyrodidae) Nymphs and Adults. 2018 , 111, 445-453		11
119	Comparative transcriptome analysis reveals networks of genes activated in the whitefly, Bemisia tabaci when fed on tomato plants infected with Tomato yellow leaf curl virus. <i>Virology</i> , 2018 , 513, 52-64 ^{3.6}		29
118	A review of sulfoxaflor, a derivative of biological acting substances as a class of insecticides with a broad range of action against many insect pests. 2018 , 50,		19
117	Distribution and phylogenetics of whiteflies and their endosymbiont relationships after the Mediterranean species invasion in Brazil. 2018 , 8, 14589		31
116	Whitefly-transmitted viruses threatening cassava production in Africa. 2018 , 33, 167-176		21
115	Genetic diversity and geographic distribution of the Bemisia tabaci species complex in Bangladesh. 2018 , 187, 28-36		9
114	An integrative approach to discovering cryptic species within the Bemisia tabaci whitefly species complex. 2018 , 8, 10886		37
113	Modelling the effects of awareness-based interventions to control the mosaic disease of Jatropha curcas. 2018 , 36, 92-100		24
112	Beneficial Changes in Capsicum frutescens Due to Priming by Plant Probiotic Burkholderia spp. 2019 , 11, 519-525		3
111	AC4 protein of tomato leaf curl Palampur virus is an RNA silencing suppressor and a pathogenicity determinant. 2019 , 135, 103636		5
110	Integrated Pest Management Approaches. 2019 , 219-235		0
109	Geminivirus Occurrence in Australia, China, Europe, and the Middle Eastern Countries. 2019 , 65-83		0
108	Geminiviruses. 2019 ,		0
107	Performance and competitive displacement of Bemisia tabaci MEAM1 and MED cryptic species on different host plants. <i>Crop Protection</i> , 2019 , 124, 104860	2.7	14
106	Nuclear Orthologs Derived from Whole Genome Sequencing Indicate Cryptic Diversity in the Bemisia tabaci (Insecta: Aleyrodidae) Complex of Whiteflies. 2019 , 11, 151		16
105	Demographic Expansion of the Predominant Bemisia tabaci (Gennadius) (Hemiptera: Aleyrodidae) Mitotypes Associated With the Cotton Leaf Curl Virus Epidemic in Pakistan. <i>Annals of the Entomological Society of America</i> , 2019 , 112, 265-280	2	10
104	Seasonal Distribution of Bemisia tabaci (Hemiptera: Aleyrodidae) MEAM1 Species and Impact on Incidence of Begomoviral Diseases in Baja California Sur. 2019 , 112, 1055-1061		

103	Genetic Diversity of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) Species Complex Across Malaysia. 2019 , 112, 75-84		4
102	Transmission of Begomoviruses and Other Whitefly-Borne Viruses: Dependence on the Vector Species. 2020 , 110, 10-17		45
101	Differential transmission of Sri Lankan cassava mosaic virus by three cryptic species of the whitefly <i>Bemisia tabaci</i> complex. <i>Virology</i> , 2020 , 540, 141-149	3.6	14
100	Generalising about generalists? A perspective on the role of pattern and process in investigating herbivorous insects that use multiple host species. <i>Arthropod-Plant Interactions</i> , 2020 , 14, 1-20	2.2	11
99	What Is the Spatial Extent of a Population?. <i>Insects</i> , 2020 , 11,	2.8	0
98	Deep Sequencing of Small RNAs in the Whitefly Reveals Novel MicroRNAs Potentially Associated with Begomovirus Acquisition and Transmission. <i>Insects</i> , 2020 , 11,	2.8	0
97	Foliar Spraying of Tomato Plants with Systemic Insecticides: Effects on Feeding Behavior, Mortality and Oviposition of (Hemiptera: Aleyrodidae) and Inoculation Efficiency of Tomato Chlorosis Virus. <i>Insects</i> , 2020 , 11,	2.8	4
96	Genetic Diversity of Mitochondrial DNA of <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae) Associated with Cassava and the Occurrence of Cassava Mosaic Disease in Zambia. <i>Insects</i> , 2020 , 11,	2.8	1
95	Development of novel detection system for sweet potato leaf curl virus using recombinant scFv. 2020 , 10, 8039		0
94	Insects as transport devices of plant viruses. 2020 , 381-402		1
93	Monitoring insecticide resistance and endosymbiont composition in greenhouse populations of <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae) from Mersin, Turkey. <i>Phytoparasitica</i> , 2020 , 48, 659-672	1.5	1
92	Phylo-biogeographical distribution of whitefly <i>Bemisia tabaci</i> (Insecta: Aleyrodidae) mitotypes in Ecuador. 2020 , 11, e03154		5
91	Insecticide resistance and its management in <i>Bemisia tabaci</i> species. <i>Journal of Pest Science</i> , 2020 , 93, 893-910	5.5	62
90	Genetic variability, community structure, and horizontal transfer of endosymbionts among three Asia II- mitotypes in Pakistan. <i>Ecology and Evolution</i> , 2020 , 10, 2928-2943	2.8	5
89	<i>Bemisia tabaci</i> in Iraq: Population structure, endosymbiont diversity and putative species. <i>Journal of Applied Entomology</i> , 2020 , 144, 297-307	1.7	1
88	Molecular Evolution of the Glutathione S-Transferase Family in the <i>Bemisia tabaci</i> Species Complex. <i>Genome Biology and Evolution</i> , 2020 , 12, 3857-3872	3.9	5
87	Two Distinct Genotypes of (Say, 1830) (Hemiptera, Membracidae) in the United States Revealed by Phylogenetic and Morphological Analyses. <i>Insects</i> , 2020 , 11,	2.8	2
86	Dominance of <i>Bemisia tabaci</i> MEAM1 species over MED (Hemiptera: Aleyrodidae) in greenhouse vegetables in Mersin, Turkey. <i>Phytoparasitica</i> , 2020 , 48, 159-166	1.5	4

85	Alfalfa leaf curl virus is transmitted by <i>Aphis craccivora</i> in a highly specific circulative manner. <i>Virology</i> , 2020 , 546, 98-108	3.6	11
84	Mitochondrial COI based genetic diversity and phylogeographic structure of whitefly <i>Bemisia tabaci</i> (Gennadius) on cotton in India. <i>International Journal of Tropical Insect Science</i> , 2021 , 41, 1543-1554 ¹		0
83	Foliar application of systemic insecticides disrupts feeding behavior of the whitefly <i>Bemisia tabaci</i> MEAM1 and the transmission of tomato chlorosis virus in potato plants. <i>Journal of Pest Science</i> , 2021 , 94, 1265-1276	5.5	2
82	on Vegetables in the Southern United States: Incidence, Impact, and Management. <i>Insects</i> , 2021 , 12,	2.8	5
81	ECOLOGY OF PLANT INFECTING VIRUSES, WITH SPECIAL REFERENCE TO GEMINIVIRUSES. 2021 , 183-229		2
80	Distribution and Genetic Variability of Cryptic Species (Hemiptera: Aleyrodidae) in Italy. <i>Insects</i> , 2021 , 12,	2.8	1
79	Association of Tomato leaf curl Karnataka virus and satellites with enation leaf curl disease of <i>Pseuderanthemum reticulatum</i> (Radlk.) a new ornamental host for begomovirus infecting tomato in India. <i>Indian Phytopathology</i> , 1	1	
78	Species-specific COI primers for rapid identification of <i>Bemisia tabaci</i> Mediterranean (MED) species. <i>Journal of Applied Entomology</i> ,	1.7	0
77	A new record of Asia II 5 genetic group of (<i>Gennadius</i>) in the major potato growing areas of India and its relationship with tomato leaf curl New Delhi virus infecting potato. <i>3 Biotech</i> , 2021 , 11, 421	2.8	
76	Knockdown of UGT352A5 decreases the thiamethoxam resistance in <i>Bemisia tabaci</i> (Hemiptera: <i>Gennadius</i>). <i>International Journal of Biological Macromolecules</i> , 2021 , 186, 100-108	7.9	7
75	Efficacy of buprofezin, pyriproxyfen and spirotetramat against <i>Bemisia tabaci</i> MEAM1 nymphal field populations in Florida. <i>Crop Protection</i> , 2021 , 149, 105756	2.7	1
74	Small RNA-mediated begomoviral resistance in plants: Micro in size but mega in function. 2021 , 383-417		
73	Begomovirus: a curse for the agricultural crops. <i>Archives of Phytopathology and Plant Protection</i> , 1-47	1	1
72	The <i>Bemisia Tabaci</i> Complex: Genetic and Phenotypic Variation and Relevance to TYLCV-Vector Interactions. 2007 , 25-56		25
71	The Biology and Molecular Epidemiology of the Geminiviridae Subgroup III. 1997 , 125-195		11
70	<i>Bemisia tabaci</i> Interaction with Cotton Leaf Curl Virus. 2011 , 69-88		4
69	<i>Bemisia tabaci</i> , the Capacity to Invade. 2011 , 181-204		5
68	Whitefly-Borne Viruses in Continental Europe. 2001 , 279-292		6

67	Classical Biological Control of Bemisia and Successful Integration of Management Strategies in the United States. 2001 , 309-329		6
66	Alfalfa leaf curl virus is transmitted by <i>Aphis craccivora</i> in a highly specific circulative manner.		1
65	Ecophysiology and Potential Modes of Action for Selected Lichen Secondary Metabolites. 2003 , 13-33		5
64	Will the real <i>Bemisia tabaci</i> please stand up?. <i>PLoS ONE</i> , 2012 , 7, e50550	3.7	75
63	Comparison of the antennal sensilla ultrastructure of two cryptic species in <i>Bemisia tabaci</i> . <i>PLoS ONE</i> , 2015 , 10, e0121820	3.7	7
62	Avalia da resistcia de acessos de tomateiro a tospovrus e a geminivrus. <i>Horticultura Brasileira</i> , 2004 , 22, 193-196	0.9	6
61	Structure of genetic diversity of <i>Bemisia tabaci</i> (Genn.) (Hemiptera: Aleyrodidae) populations in Brazilian crops and locations. <i>Scientia Agricola</i> , 2012 , 69, 47-53	2.5	12
60	Distribution of <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae) Mitotypes in Commercial Cotton Fields in the Punjab Province of Pakistan. <i>Florida Entomologist</i> , 2020 , 103, 41	1	1
59	Spectrum of Insecticide Resistance in Whitefly from Upland Cotton in Indian Subcontinent. <i>Journal of Entomology</i> , 2008 , 5, 138-147	0.3	11
58	Some biological features of cotton whitefly, <i>Bemisia tabaci</i> (Homoptera: Aleyrodidae) on various host plants. <i>Pakistan Journal of Biological Sciences</i> , 2007 , 10, 3180-4	0.8	9
57	Antihyperglycaemic Activity of Cycloart-23-ene-3 β -25-diol Isolated from Stem Bark of <i>Pongamia pinnata</i> in Alloxan Induced Diabetic Mice. <i>Research Journal of Phytochemistry</i> , 2009 , 3, 18-24	1	11
56	Insights into the Incidence of Causing Yellowing Disease of Watermelon in Western and Southwestern Regions of Saudi Arabia. <i>Plant Pathology Journal</i> , 2018 , 34, 426-434	2.5	1
55	Effects of Egg-plant as a Trap Plant Attracting <i>Bemisia tabaci</i> Genn.(Hemiptera: Aleyrodidae) Adults Available on Tomato Greenhouses. <i>Korean Journal of Applied Entomology</i> , 2015 , 311-316		4
54	Control of <i>Bemisia tabaci</i> Genn. (Hemiptera: Aleyrodidae) Adults on Tomato Plants using Trap Plants with Systemic Insecticide. <i>Korean Journal of Applied Entomology</i> , 2016 , 109-117		2
53	Insecticidal Activity and Behavioral Disorders by Pyrifluquinazon to <i>Trialeurodes vaporariorum</i> and <i>Bemisia tabaci</i> . <i>Nongkyag Gwahag Hoeji</i> , 2013 , 17, 33-40	0.6	5
52	Transmission efficiency of by three cryptic species of complex in cotton cultivars. <i>PeerJ</i> , 2019 , 7, e7788	3.1	6
51	Phylogeographic and SNPs Analyses of B Mitotype Populations Reveal Only Two of Eight Haplotypes Are Invasive. <i>Biology</i> , 2021 , 10,	4.9	3
50	How many begomovirus copies are acquired and inoculated by its vector, whitefly (<i>Bemisia tabaci</i>) during feeding?. <i>PLoS ONE</i> , 2021 , 16, e0258933	3.7	5

49	Identification of Begomoviruses from Three Cryptic Species of Bemisia tabaci (Gennadius) (Hemiptera: Aleyrodidae) in Nepal. <i>Agronomy</i> , 2021 , 11, 2032	3.6	0
48	Ecology of Plant Viruses, with Special Reference to Whitefly-Transmitted Geminiviruses (WTGs). 2000 , 321-351		0
47	Hosts of Bemisia tabaci Genn. in Northern Nigeria. <i>Acta Phytopathologica Et Entomologica Hungarica</i> , 2005 , 40, 417-422	0.6	
46	Survey of Bemisia tabaci (Gennadius) (Homoptera: Aleyrodidae) Biotypes in Jordan using RAPD marker. <i>Journal of Entomology</i> , 2006 , 3, 290-297	0.3	
45	Life-table analysis of mortality factors affecting populations of Bemisia tabaci on cassava in Uganda. <i>Entomologia Experimentalis Et Applicata</i> , 2006 , 061206035039005-???	2.1	0
44	The Whitefly Genome [White Paper: A Proposal to Sequence Multiple Genomes of Bemisia tabaci. 2009 , 503-532		1
43	?????????????Q?B?????????????????????????????. <i>Proceeding of the Association for Plant Protection of Kyushu</i> , 2010 , 56, 72-76	0.1	
42	Construction of dsRNA vector for a viral binding protein gene(groEL) from endosymbionts in Bemisia tabaci and its expression analysis in transgenic Nicotiana benthamiana. <i>Hunan Nong Ye Da Xue Xue Bao = Journal of Hunan Agricultural University</i> , 2011 , 36, 620-625		
41	Ecology of Plant Viruses, with Special Reference to Geminiviruses. 272-306		
40	Pest Dynamics and Potential Emergence of New Biotypes Under Climate Change Scenario in Horticultural Crops. 2013 , 279-286		
39	Effect of Cyantraniliprole against of Bemisia tabaci and Prevention of Tomato Yellow Leaf Curl Virus (TYLCV). <i>Nonglyag Gwahag Hoeji</i> , 2014 , 18, 33-40	0.6	1
38	Feeding Behaviors of Bemisia tabaci (Gennadius) (Hemiptera: Aleyrodidae) and Changing of Feeding Behaviors to Cyantraniliprole. <i>Korean Journal of Agricultural Science</i> , 2014 , 41, 119-124		1
37	Efficiency of LED Trap on Controlling Tobacco Whitefly, Bemisia tabaci Adults in Greenhouse. <i>Journal of Applied Biological Chemistry</i> , 2014 , 57, 243-245	0.7	2
36	Change of population density of tobacco whitefly (Bemisia tabaci, Aleyrodidae, Hemiptera) by RNAi. <i>Korean Journal of Agricultural Science</i> , 2015 , 42, 7-13		1
35	Gene expression in plant according to RNAi treatment of the tobacco whitefly. <i>CNU Journal of Agricultural Science</i> , 2015 , 42, 81-86		
34	Construction of cDNA Library for Using Virus-induced Gene Silencing (VIGS) Vector with the Sweetpotato Whitefly, Bemisia tabaci (Hemiptera: Aleyrodidae). <i>Korean Journal of Applied Entomology</i> , 2015 , 54, 91-97		1
33	Colors and Sizes of Insect Screen Net Influence Physical Control of Bemisia tabaci and Frankliniella occidentalis under Controlled Environments. <i>Korean Journal of Environmental Agriculture</i> , 2016 , 35, 46-54 ^{0.6}		
32	Pest Distribution Comparison Smart Farming with Conventional Greenhouse of Tomato and the Effect of Eco-friendly Agent for Tobacco Whitefly (Bemisia tabaci). <i>Nonglyag Gwahag Hoeji</i> , 2018 , 22, 327-336	0.6	1

31	Encyclopedia of Plant Viruses and Viroids. 2019 , 1401-1405		
30	Encyclopedia of Plant Viruses and Viroids. 2019 , 2026-2026		
29	Inhibitory Effects of Spiracle-Blocking Insecticides on Courtship and Orientation in Sweetpotato Whitefly, <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae). <i>Japanese Journal of Applied Entomology and Zoology</i> , 2019 , 63, 155-162	0.5	
28	Neonicotinoid resistance in adults and nymphs of <i>Bemisia tabaci</i> (Genn., 1889) (Hemiptera: Aleyrodidae) populations in tomato fields from Tokat, Turkey. <i>Turkiye Entomoloji Dergisi</i> , 319-331	0.5	
27	Genetic diversity of <i>Bemisia tabaci</i> Genn. characterized by analysis of ISSR and cytochrome c oxidase subunit I at Qassim, Saudia Arabia.		
26	Begomovirus Diseases of Ornamental and Fruit Plants: Discoveries and Management Approaches. 2021 , 381-396		
25	Molecular investigations reveal bitter gourd crop is more susceptible to tomato leaf curl New Delhi virus infection in diverse crop cultivation practices. <i>3 Biotech</i> , 2021 , 11, 500	2.8	
24	Begomovirus on Ornamental Plants: Diversity and Management. 2021 , 359-379		
23	Host Species-Dependent Transmission of Tomato Leaf Curl New Delhi Virus-ES by .. <i>Plants</i> , 2022 , 11,	4.5	2
22	Population variation of <i>Bemisia tabaci</i> MED and MEAM1 species in an agricultural landscape: the case of ūkurova plain. <i>Arthropod-Plant Interactions</i> , 2022 , 16, 53-62	2.2	
21	Biology and Management of Whiteflies in Potato Crops. 2022 , 247-279		
20	OUP accepted manuscript. <i>Annals of the Entomological Society of America</i> ,	2	0
19	<i>Bemisia tabaci</i> MEAM1 still remains the dominant species in open field crops in Brazil.. <i>Brazilian Journal of Biology</i> , 2022 , 84, e256949	1.5	
18	Characterization and distribution of esterase electromorphs in the whitefly, <i>Bemisia tabaci</i> (Genn.) (Homoptera: Aleyrodidae). <i>Biochemical Genetics</i> , 1995 , 33, 205-214	2.4	3
17	Differential Transmission of Old and New World Begomoviruses by Middle East-Asia Minor 1 (MEAM1) and Mediterranean (MED) Cryptic Species of <i>Bemisia tabaci</i> . <i>Viruses</i> , 2022 , 14, 1104	6.2	3
16	Phylo-geographic analysis of whitefly on the basis of mitochondrial cytochrome oxidase 1 gene. 84,		0
15	Diversity of begomoviruses infecting crops and weeds in the Caribbean and Latin America. 2022 , 139-158		
14	Geminiviruses occurrence in the middle east and their impact on agriculture in Iraq. 2022 , 171-185		

13	The other face of pollinating insects and their relationship to geminivirus transmission. 2022 , 253-259		
12	Differential Transcriptional Responses in Two Old World <i>Bemisia tabaci</i> Cryptic Species Post Acquisition of Old and New World Begomoviruses. <i>Cells</i> , 2022 , 11, 2060	7.9	1
11	Emergence of Asian endemic begomoviruses as a pandemic threat. 13,		0
10	Extracellular self-RNA: A danger elicitor in pepper induces immunity against bacterial and viral pathogens in the field. 13,		0
9	Cotton leaf curl disease complex (leaf curl disease of cotton). 2022 , CABI Compendium,		0
8	<i>Bemisia tabaci</i> (tobacco whitefly). 2022 , CABI Compendium,		0
7	<i>Bemisia tabaci</i> (MED) (silverleaf whitefly). 2022 , CABI Compendium,		0
6	Cotton leaf curl Gezira virus. 2022 , CABI Compendium,		0
5	Squash leaf curl virus (leaf curl of squash). 2022 , CABI Compendium,		0
4	<i>Bemisia tabaci</i> (MEAM1) (silverleaf whitefly). 2022 , CABI Compendium,		0
3	Differential insecticide resistance in <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) field populations in the Punjab Province of Pakistan. 2022 , 8, e12010		0
2	Transcription dynamics of heat-shock proteins (Hsps) and endosymbiont titres in response to thermal stress in whitefly, <i>Bemisia tabaci</i> (Asia-I). 13,		0
1	Exploration of the DNA Photocleavage Activity of O-Halo-phenyl Carbamoyl Amidoximes: Studies of the UVA-Induced Effects on a Major Crop Pest, the Whitefly <i>Bemisia tabaci</i> . 2023 , 3, 85-100		0