

CITATION REPORT

List of articles citing

What Is the Goal of Sensory Coding?

DOI: 10.1162/neco.1994.6.4.559
Neural Computation, 1994, 6, 559-601.

Source: <https://exaly.com/paper-pdf/25341431/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
963	Method for optimizing channelized quadratic observers for binary classification of large-dimensional image datasets. 2015 , 32, 549		
962	Method for optimizing channelized quadratic observers for binary classification of large-dimensional image datasets. 2015 , 32, 549		
961	Using sparse trace neural network to extract temporal-spatial invariance.		
960	Integrated learning of linear representations.		
959	The statistics of natural images. 1994 , 5, 517-548		421
958	Representation of similarity as a goal of early visual processing. 1995 , 6, 19-41		6
957	Finding compact and sparse-distributed representations of visual images. 1995 , 6, 333-344		22
956	Size invariance in visual object priming of gray-scale images. 1995 , 24, 741-8		38
955	An active vision architecture based on iconic representations. 1995 , 78, 461-505		165
954	A multiscale dynamic routing circuit for forming size- and position-invariant object representations. <i>Journal of Computational Neuroscience</i> , 1995 , 2, 45-62	1.4	69
953	An information-maximization approach to blind separation and blind deconvolution. <i>Neural Computation</i> , 1995 , 7, 1129-59	2.9	5872
952	What's constant in contrast constancy? The effects of scaling on the perceived contrast of bandpass patterns. 1995 , 35, 739-56		91
951	Unsupervised filtering of color spectra. 1996 , 13, 1315		28
950	Modelling the power spectra of natural images: statistics and information. 1996 , 36, 2759-70		376
949	.		239
948	Sparse representations for image decomposition with occlusions. 1996 ,		10
947	Searching for filters with interesting output distributions: an uninteresting direction to explore?. 1996 , 7, 409-421		16

946	Image recognition with occlusions. <i>Lecture Notes in Computer Science</i> , 1996 , 556-565	0.9	2
945	Wavelets, blur, and the sources of variability in the amplitude spectra of natural scenes. 1996 , 2657, 108		2
944	Development of low entropy coding in a recurrent network. 1996 , 7, 277-284		30
943	Learning generalisation and localisation: Competition for stimulus type and receptive field. 1996 , 11, 297-321		11
942	Self-organization and functional role of lateral connections and multisize receptive fields in the primary visual cortex. 1996 , 3, 39-48		6
941	Emergence of simple-cell receptive field properties by learning a sparse code for natural images. 1996 , 381, 607-9		3599
940	Fractal-based wavelet transform coding for low-bit-rate video. 1996 ,		
939	To what extent can matching algorithms based on direct outputs of spatial filters account for human object recognition?. 1996 , 10, 237-71		42
938	Visual learning in the perception of texture: simple and contingent aftereffects of texture density. 1996 , 9, 423-74		56
937	Learning the higher-order structure of a natural sound. 1996 , 7, 261-266		46
936	Learning efficient linear codes for natural images: the roles of sparseness, overcompleteness, and statistical independence. 1996 ,		3
935	Local feature analysis: a general statistical theory for object representation. 1996 , 7, 477-500		113
934	A nonlinear Hebbian network that learns to detect disparity in random-dot stereograms. <i>Neural Computation</i> , 1996 , 8, 545-66	2.9	26
933	Semilinear Predictability Minimization Produces Well-Known Feature Detectors. <i>Neural Computation</i> , 1996 , 8, 773-786	2.9	27
932	Natural image statistics and efficient coding. 1996 , 7, 333-339		242
931	Faithful Representation of Separable Distributions. <i>Neural Computation</i> , 1997 , 9, 1305-1320	2.9	54
930	Minimax Entropy Principle and Its Application to Texture Modeling. <i>Neural Computation</i> , 1997 , 9, 1627-1660		249
929	Dynamic appearance-based recognition.		20

928	Generalisation and discrimination emerge from a self-organising componential network: a speech example. 1997 , 8, 425-440		4
927	Spatial scale interactions and image statistics. 1997 , 26, 1089-100		11
926	Unsupervised coding with lococode. <i>Lecture Notes in Computer Science</i> , 1997 , 655-660	0.9	1
925	Self-Organization, Plasticity, and Low-Level Visual Phenomena in a Laterally Connected Map Model of the Primary Visual Cortex. 1997 , 36, 257-308		12
924	Learning as Extraction of Low-Dimensional Representations. 1997 , 36, 353-380		17
923	Learning generic prior models for visual computation.		6
922	Visual perception process and its relation to formal recognition.		
921	Responses of neurons in primary and inferior temporal visual cortices to natural scenes. 1997 , 264, 1775-83		289
920	Constructing iterative matching algorithms with the use of Lie theory: three-dimensional orientation example. 1997 , 14, 1734		
919	Contrast adaptation and the spatial structure of natural images. 1997 , 14, 2355-66		75
918	Temporal detection in human vision: dependence on stimulus energy. 1997 , 14, 2557-69		19
917	Competitive learning in biological and artificial neural computation. 1997 , 1, 268-72		2
916	Becoming a "Greeble" expert: exploring mechanisms for face recognition. 1997 , 37, 1673-82		704
915	Origins of scaling in natural images. 1997 , 37, 3385-98		217
914	A glimpse into crabworld. 1997 , 37, 3417-26		51
913	The "independent components" of natural scenes are edge filters. 1997 , 37, 3327-38		1395
912	Sparse coding with an overcomplete basis set: a strategy employed by V1?. 1997 , 37, 3311-25		2196
911	Visual sensitivity, blur and the sources of variability in the amplitude spectra of natural scenes. 1997 , 37, 3367-83		183

910	On the significance of temporally structured activity in the dorsal lateral geniculate nucleus (LGN). 1997 , 53, 67-119	31
909	Neural network models and the visual cortex: the missing link between orientation selectivity and the natural environment. 1997 , 228, 155-8	5
908	Determination of face position and pose with a learned representation based on labelled graphs. 1997 , 15, 665-673	84
907	Embedded wavelet image compression based on a joint probability model.	14
906	Topology-preserving Map Formation Achieved with a Purely Local Unsupervised Competitive Learning Rule. 1997 , 10, 431-446	20
905	Retinal neurocomputing principles for real time track identification. 1997 , 389, 258-263	
904	. 1998 , 44, 2435-2476	218
903	Self-organization and segmentation in a laterally connected orientation map of spiking neurons. 1998 , 21, 139-158	35
902	Constrained PCA techniques for the identification of common factors in data. 1998 , 22, 145-156	3
901	Unsupervised neural network learning for blind sources separation.	1
900	Six principles for biologically based computational models of cortical cognition. 1998 , 2, 455-62	222
899	Cortical regions involved in visual texture perception: a fMRI study. 1998 , 7, 111-8	33
898	Estimating multiple temporal mechanisms in human vision. 1998 , 38, 1023-40	54
897	Exploitation of natural image statistics by biological vision systems: $1/f$ power spectra and self-similar bandpass decompositions.	1
896	Independent component filters of natural images compared with simple cells in primary visual cortex. 1998 , 265, 359-66	640
895	Independent component analysis of natural image sequences yields spatio-temporal filters similar to simple cells in primary visual cortex. 1998 , 265, 2315-20	225
894	High resolution spectral analysis of images using the pseudo-Wigner distribution. 1998 , 46, 1757-1763	23
893	Receptive Field Formation in Natural Scene Environments. Comparison of Single-Cell Learning Rules. <i>Neural Computation</i> , 1998 , 10, 1797-1813	2.9 38

892	Kernel-Based Equiprobabilistic Topographic Map Formation. <i>Neural Computation</i> , 1998 , 10, 1847-1871	2.9	56
891	Vector code differences and similarities. 1998 , 21, 479-480		
890	Metric assumptions are neither necessary nor sufficient to describe similarities. 1998 , 21, 473-473		
889	Constructive incremental learning from only local information. <i>Neural Computation</i> , 1998 , 10, 2047-84	2.9	341
888	Sparse code shrinkage for image denoising.		10
887	Application of concave/Schur-concave functions to the learning of overcomplete dictionaries and sparse representations.		1
886	Invariance and scaling laws in natural images.		
885	Emergent componential coding of a handwritten image database by neural self-organisation. 1998 , 9, 433-447		3
884	Development of localized oriented receptive fields by learning a translation-invariant code for natural images. 1998 , 9, 219-234		3
883	Subband texture synthesis for image coding. 1998 , 3299, 489		3
882	Single units and visual cortical organization. 1998 , 27, 889-935		299
881	Modelling multiple-cause structure using rectification constraints. 1998 , 9, 167-182		16
880	Modelling biological depth perception in binocular vision: the local disparity estimation. 1998 , 23, 131-43		1
879	Least statistically dependent basis and its application to image modeling. 1998 ,		3
878	Representation is representation of similarities. 1998 , 21, 449-67; discussion 467-98		311
877	Attentional dynamics and a chorus of geons. 1998 , 21, 479-479		
876	Representation of similarities is psychometric but not an explanatory concept for categorization. 1998 , 21, 475-476		
875	How is representation learned?. 1998 , 21, 484-484		

874 Distal similarity, shape referents, subjective world, and redundancy. **1998**, 21, 470-470

873 A model for encoding multiple object motions and self-motion in area MST of primate visual cortex. **1998**, 18, 531-47 77

872 Seeing wood because of the trees? A case of failure in reverse-engineering. **1998**, 21, 468-468

871 Representation is space-variant. **1998**, 21, 469-470

870 Appearance is more than shape, illumination, and pose. **1998**, 21, 470-471

869 The notion of distal similarity is ill defined. **1998**, 21, 474-475

868 Visual tasks require manipulable representations. **1998**, 21, 480-480

867 Objects, please remain composed. **1998**, 21, 472-473 1

866 Boundary conditions and the need for multiple forms of representation. **1998**, 21, 477-478

865 Representations need self-organizing top-down expectations to fit a changing world. **1998**, 21, 473-474 2

864 How to combine interpolation with feedback?. **1998**, 21, 478-478

863 A multicultural of veridicalities. **1998**, 21, 481-482

862 Regular spaces versus computing with chaos. **1998**, 21, 482-484

861 What is wrong with prototypes. **1998**, 21, 471-472 2

860 Shape representation by Second-order Isomorphism and the Chorus model: SIC. **1998**, 21, 484-493

859 Representation of similarities and correspondence structure. **1998**, 21, 475-475

858 A neural basis for the Chorus model?. **1998**, 21, 481-481

857 Chorus of k prototypes or discord of contradictory representations?. **1998**, 21, 467-468 15

856	The Chorus scheme: Representation or isomorphism, holistic or analytic?. 1998 , 21, 476-477		
855	Estimating signal-adapted wavelets using sparseness criteria.		
854	Feature extraction through LOCOCODE. <i>Neural Computation</i> , 1999 , 11, 679-714	2.9	43
853	Adaptive calibration of imaging array detectors. <i>Neural Computation</i> , 1999 , 11, 1281-96	2.9	
852	Wavelets, vision and the statistics of natural scenes. 1999 , 357, 2527-2542		61
851	Faithful representations with topographic maps. 1999 , 12, 803-823		29
850	Learning the parts of objects by non-negative matrix factorization. 1999 , 401, 788-91		7561
849	Self-Organized Feature Extraction Achieved with a Parameterized Filterbank. 1999 , 10, 131-137		1
848	Image compression via joint statistical characterization in the wavelet domain. 1999 , 8, 1688-701		271
847	Discrimination of complex textures by bees. 1999 , 184, 107-117		5
846	Image Feature Extraction and Denoising by Sparse Coding. 1999 , 2, 104-110		14
845	Forward sequential algorithms for best basis selection. 1999 , 146, 235		73
844	Texture-Based Methods for Analyzing Elementary Visual Substances. 1999 , 43, 539-567		10
843	Fast Wavelet Histogram Techniques for Image Indexing. 1999 , 75, 99-110		44
842	Self-organizing formation of receptive fields. 1999 , 30, 1-10		
841	Sparse code shrinkage: denoising of nongaussian data by maximum likelihood estimation. <i>Neural Computation</i> , 1999 , 11, 1739-68	2.9	256
840	A systems perspective on early olfactory coding. 1999 , 286, 723-8		266
839	Novel algorithms for learning overcomplete dictionaries.		0

838	Classifying Facial Actions. 1999 , 21, 974	560
837	The neural code of the retina. 1999 , 22, 435-50	322
836	Noisy templates explain area summation. 1999 , 39, 367-72	13
835	An optimal estimation approach to visual perception and learning. 1999 , 39, 1963-89	96
834	Higher-order structure in natural scenes. 1999 , 16, 1549	23
833	Probabilistic framework for the adaptation and comparison of image codes. 1999 , 16, 1587	173
832	Processing images by semi-linear predictability minimization. 1999 , 10, 133-169	2
831	Natural scene statistics at the centre of gaze. 1999 , 10, 341-350	191
830	A computational model of visual cortex receptive fields using spatio-temporal filters.	1
829	A comparison of natural-image-based models of simple-cell coding. 2000 , 29, 1017-40	25
828	Scene dependence of the non-Gaussian scaling properties of natural images. 2000 , 11, 131-152	10
827	Spatiotemporal adaptation through corticothalamic loops: a hypothesis. 2000 , 17, 107-18	10
826	The role of early retinal lateral inhibition: more than maximizing luminance information. 2000 , 17, 77-89	34
825	Modeling of visual flotation froth data. 2000 , 8, 313-318	16
824	Feedforward neural networks for principal components extraction. 2000 , 33, 425-437	12
823	A unifying information-theoretic framework for independent component analysis. 2000 , 39, 1-21	148
822	Learning Low-Level Vision. 2000 , 40, 25-47	877
821	The Neural Representation of Shape. 2000 , 311-333	1

820	A neural network model for the self-organization of cortical grating cells. 2000 , 55, 282-91		1
819	Modeling LGN responses during free-viewing: a possible role of microscopic eye movements in the refinement of cortical orientation selectivity. 2000 , 20, 4708-20		21
818	The minimal local-asperity hypothesis of early retinal lateral inhibition. <i>Neural Computation</i> , 2000 , 12, 1485-517	2.9	20
817	Tilt aftereffects in a self-organizing model of the primary visual cortex. <i>Neural Computation</i> , 2000 , 12, 1721-40	2.9	48
816	Kernel factor analysis with Varimax rotation. 2000 ,		1
815	Modelling profiles with a mixture of Gaussians.		
814	Human sensitivity to phase perturbations in natural images: a statistical framework. 2000 , 29, 1057-69		37
813	Local contrast in natural images: normalisation and coding efficiency. 2000 , 29, 1041-55		82
812	The roles of polarity and symmetry in the perceptual grouping of contour fragments. 2000 , 13, 51-66		56
811	A geometric view on early and middle level visual coding. 2000 , 13, 193-9		4
810	Feature extraction from colour and stereo images using ICA. 2000 ,		1
809	Independent component analysis applied to feature extraction from colour and stereo images. 2000 , 11, 191-210		84
808	FOCUSS-based dictionary learning algorithms. 2000 , 4119, 459		7
807	Emergence of phase- and shift-invariant features by decomposition of natural images into independent feature subspaces. <i>Neural Computation</i> , 2000 , 12, 1705-20	2.9	325
806	Occlusions and their relationship with the distribution of contrasts in natural images. 2000 , 40, 2661-9		31
805	Color-opponent receptive fields derived from independent component analysis of natural images. 2000 , 40, 2671-6		47
804	Sparse coding and decorrelation in primary visual cortex during natural vision. 2000 , 287, 1273-6		891
803	Properties of independent components of self-motion optical flow.		3

802	Learning overcomplete representations. <i>Neural Computation</i> , 2000 , 12, 337-65	2.9	723
801	Rate coding versus temporal order coding: what the retinal ganglion cells tell the visual cortex. <i>Neural Computation</i> , 2001 , 13, 1255-83	2.9	312
800	Unsupervised statistical learning of higher-order spatial structures from visual scenes. 2001 , 12, 499-504		524
799	Chromatic structure of natural scenes. 2001 , 18, 65-77		64
798	Unsupervised learning of granule cell sparse codes enhances cerebellar adaptive control. 2001 , 103, 35-50		96
797	Beats, kurtosis and visual coding. 2001 , 12, 271-287		21
796	Sensitivity to contrast histogram differences in synthetic wavelet-textures. 2001 , 41, 585-98		40
795	Occlusions contribute to scaling in natural images. 2001 , 41, 955-64		30
794	A two-layer sparse coding model learns simple and complex cell receptive fields and topography from natural images. 2001 , 41, 2413-23		169
793	Odor encoding as an active, dynamical process: experiments, computation, and theory. 2001 , 24, 263-97		364
792	Denosing image via minimum variance bound Bayesian estimator. 2001 ,		4
791	Characterizing the sparseness of neural codes. 2001 , 12, 255-270		194
790	Limulus vision in the marine environment. 2001 , 200, 169-76		27
789	. 2001 ,		3767
788	References. 449-475		
787	Processing of second-order stimuli in the visual cortex. 2001 , 134, 171-91		63
786	Synchronization and assembly formation in the visual cortex. 2001 , 130, 111-40		21
785	Study of sparse features in image recognition. 2001 ,		2

784	Construction of stationary self-similar generalized fields by random wavelet expansion. 2001 , 121, 269-300	6
783	Backward sequential elimination for sparse vector subset selection. 2001 , 81, 1849-1864	42
782	Stationary self-similar random fields on the integer lattice. 2001 , 91, 99-113	1
781	Signal estimation and denoising using VC-theory. 2001 , 14, 37-52	19
780	Image approximation and modeling via least statistically dependent bases. 2001 , 34, 1765-1784	7
779	Natural image statistics and neural representation. 2001 , 24, 1193-216	1659
778	Modeling the Shape of the Scene: A Holistic Representation of the Spatial Envelope. 2001 , 42, 145-175	3984
777	Sparse image coding with clustering property and its application to face recognition. 2001 , 34, 1883-1884	3
776	Visual neuroscience: Resonating to natural images. 2001 , 11, R733-6	8
775	Independent component analysis of temporal sequences forms place cells. 2001 , 38-40, 769-774	1
774	Face Image Analysis by Unsupervised Learning. 2001 ,	54
773	Nonlinear and extra-classical receptive field properties and the statistics of natural scenes. 2001 , 12, 331-350	27
772	Linear models of simple cells: correspondence to real cell responses and space spanning properties. 2001 , 14, 237-60	10
771	Redundancy reduction revisited. 2001 , 12, 241-253	294
770	Linear image coding for regression and classification using the tensor-rank principle.	78
769	High order statistics for image classification. 2001 , 11, 371-7	2
768	Generalization in interactive networks: the benefits of inhibitory competition and Hebbian learning. <i>Neural Computation</i> , 2001 , 13, 1199-241	2.9 73
767	Does corticothalamic feedback control cortical velocity tuning?. <i>Neural Computation</i> , 2001 , 13, 327-55	2.9 15

766	Predictions of the spontaneous symmetry-breaking theory for visual code completeness and spatial scaling in single-cell learning rules. <i>Neural Computation</i> , 2001 , 13, 1023-43	2.9	
765	Nonlinear mechanisms and higher-order statistics in biological vision and electronic image processing: review and perspectives. 2001 , 10, 56		21
764	Visual response properties of cells in the ventral and dorsal parts of the macaque inferotemporal cortex. 2001 , 11, 384-99		106
763	Encoding of categories by noncategory-specific neurons in the inferior temporal cortex. 2001 , 13, 190-200		41
762	The limits of counting accuracy in distributed neural representations. <i>Neural Computation</i> , 2001 , 13, 477-504	2.9	73
761	Sensory coding and the second spectra of natural signals. 2001 , 86, 2901-4		9
760	Biologically motivated model for encoding multiple object motions in primate visual cortex using sequences of natural images.		
759	Do Hebbian synapses estimate entropy?.		1
758	Extraction of visual information using maximum likelihood Hebbian learning.		
757	Range image statistics can explain the anomalous perception of length. 2002 , 99, 13184-8		61
756	Automatic Music Transcription and Audio Source Separation. 2002 , 33, 603-627		50
755	Reconstructing images from their most singular fractal manifold. 2002 , 11, 345-50		42
754	Rough Sets and Current Trends in Computing. <i>Lecture Notes in Computer Science</i> , 2002 ,	0.9	15
753	Artificial Intelligence and Cognitive Science. <i>Lecture Notes in Computer Science</i> , 2002 ,	0.9	1
752	Application of total least squares (TLS) to the design of sparse signal representation dictionaries.		2
751	.		
750	Sparse coding and rough set theory-based hybrid approach to the classificatory decomposition of cortical evoked potentials. 2002 ,		1
749	A Bayesian framework for sensory adaptation. <i>Neural Computation</i> , 2002 , 14, 543-59	2.9	23

748	Wavelet Image and Video Compression. 2002,	3
747	Adaptation in the corticothalamic loop: computational prospects of tuning the senses. 2002, 357, 1859-67	7
746	Applications of independent component analysis to image feature extraction. 2002,	2
745	Tree-Adapted Wavelet Shrinkage. 2002, 124, 343-394	3
744	Conditions for nonnegative independent component analysis. 2002, 9, 177-180	68
743	A 100/spl times/100 pixel silicon retina for gradient extraction with steering filter capabilities and temporal output coding. 2002, 37, 160-172	40
742	Face recognition by independent component analysis. 2002, 13, 1450-64	1140
741	Gabor feature based classification using the enhanced fisher linear discriminant model for face recognition. 2002, 11, 467-76	1138
740	Unsupervised image classification, segmentation, and enhancement using ICA mixture models. 2002, 11, 270-9	61
739	Single-frame super-resolution by a cortex based mechanism using high level visual features in natural images.	1
738	A multi-layer sparse coding network learns contour coding from natural images. 2002, 42, 1593-605	101
737	Color opponency is an efficient representation of spectral properties in natural scenes. 2002, 42, 2095-103	93
736	Visual statistical learning in infancy: evidence for a domain general learning mechanism. 2002, 83, B35-42	707
735	What causes non-monotonic tuning of fMRI response to noisy images?. 2002, 12, R476-7; author reply R478	87
734	Unsupervised neural networks for the identification of minimum overcomplete basis in visual data. 2002, 47, 119-143	5
733	Sparse coding of natural contours. 2002, 44-46, 459-466	2
732	An alternative approach to infomax and independent component analysis. 2002, 44-46, 1089-1097	6
731	Learning statistically efficient features for speaker recognition. 2002, 49, 329-348	22

730	Independent components of natural images under variable compression rate. 2002 , 49, 175-185	
729	A CNN framework for modeling parallel processing in a mammalian retina. 2002 , 30, 363-393	60
728	Awakening a Sleeping Cat: A Review of Information Theory and the Brain 2002 , 15, 927-929	
727	Efficient coding of natural sounds. 2002 , 5, 356-63	449
726	Visual features of intermediate complexity and their use in classification. 2002 , 5, 682-7	408
725	Learning to perceive object unity: a connectionist account. 2002 , 5, 151-172	32
724	Example-based super-resolution. 2002 , 22, 56-65	1527
723	Topography as a property of the natural sensory world. 2002 , 1, 185-198	3
722	Orientation and spatiotemporal tuning of cells in the primary visual cortex of an Australian marsupial, the wallaby <i>Macropus eugenii</i> . 2003 , 189, 115-23	17
721	Vision and the statistics of the visual environment. 2003 , 13, 144-9	216
720	Role of statistical symmetries in sensory coding: an optimal scale invariant code for vision. 2003 , 97, 491-502	4
719	Principal component analysis of 1/f noise. 2003 , 314, 392-400	50
718	Color brings relief to human vision. 2003 , 6, 641-4	94
717	Independent component analysis of Gabor features for face recognition. 2003 , 14, 919-28	243
716	A 128 × 28 pixel 120-dB dynamic-range vision-sensor chip for image contrast and orientation extraction. 2003 , 38, 2325-2333	77
715	Communication in neuronal networks. 2003 , 301, 1870-4	655
714	Statistics of natural image categories. 2003 , 14, 391-412	350
713	Local correlations, information redundancy, and sufficient pixel depth in natural images. 2003 , 20, 56-66	22

712	Bubbles: a unifying framework for low-level statistical properties of natural image sequences. 2003 , 20, 1237-52	43
711	Independent spectral representations of images for recognition. 2003 , 20, 1271-82	15
710	Statistical correlations between two-dimensional images and three-dimensional structures in natural scenes. 2003 , 20, 1292-303	54
709	Coding of the contrasts in natural images by populations of neurons in primary visual cortex (V1). 2003 , 43, 1983-2001	34
708	Dictionary learning algorithms for sparse representation. <i>Neural Computation</i> , 2003 , 15, 349-96	2.9 541
707	Orientalional minimal redundancy wavelets: from edge detection to perception. 2003 , 43, 1061-79	10
706	Synaptic energy efficiency in retinal processing. 2003 , 43, 1283-90	26
705	Contrast conservation in human vision. 2003 , 43, 2637-48	14
704	Power spectra and distribution of contrasts of natural images from different habitats. 2003 , 43, 2527-37	73
703	Using an ICA representation of local color histograms for object recognition. 2003 , 36, 691-701	18
702	Statistical modeling and conceptualization of visual patterns. 2003 , 25, 691-712	55
701	Coding of natural scenes in primary visual cortex. 2003 , 37, 703-18	102
700	Wavelet-based Bayesian estimator for Poisson noise removal from images. 2003 ,	8
699	A survey of recent developments in theoretical neuroscience and machine vision.	2
698	Classification of images: ICA filters vs human perception. 2003 ,	2
697	Estimating distributed coding efficiency in orthogonal models of facial processing. 2003 , 2, 249-62	3
696	. 2003 ,	
695	Modeling textured motion : particle, wave and sketch. 2003 ,	10

694	Development of object concepts in infancy: Evidence for early learning in an eye-tracking paradigm. 2003 , 100, 10568-73		201
693	DISCRIMINATORY SPARSE CODING AND ITS APPLICATION TO FACE RECOGNITION. 2003 , 03, 503-521		2
692	DISTRIBUTED VARIANCE IN LOCALIZED PRINCIPAL COMPONENTS OF WHITENED NATURAL SCENES. 2003 , 17, 1431-1446		4
691	CONNECTIONIST TECHNIQUES FOR THE IDENTIFICATION AND SUPPRESSION OF INTERFERING UNDERLYING FACTORS. 2003 , 17, 1447-1466		78
690	Simple-cell-like receptive fields maximize temporal coherence in natural video. <i>Neural Computation</i> , 2003 , 15, 663-91	2.9	51
689	Optimal coding through divisive normalization models of V1 neurons. 2003 , 14, 579-593		7
688	Learning higher-order structures in natural images. 2003 , 14, 483-499		33
687	A taxonomy for spatiotemporal connectionist networks revisited: the unsupervised case. <i>Neural Computation</i> , 2003 , 15, 1255-320	2.9	55
686	Spatiochromatic receptive field properties derived from information-theoretic analyses of cone mosaic responses to natural scenes. <i>Neural Computation</i> , 2003 , 15, 397-417	2.9	45
685	Sensory adaptation as Kalman filtering: theory and illustration with contrast adaptation. 2003 , 14, 465-482		18
684	Image/source statistics of surfaces in natural scenes. 2003 , 14, 371-390		21
683	Input-output statistical independence in divisive normalization models of V1 neurons. 2003 , 14, 733-745		2
682	Digital Implementation of Ridgelet Packets. 2003 , 10, 31-60		7
681	Face recognition with non-negative matrix factorization. 2003 ,		2
680	Adaptation and temporal decorrelation by single neurons in the primary visual cortex. 2003 , 89, 3279-93		90
679	Independent components of color natural scenes resemble V1 neurons in their spatial and color tuning. 2004 , 91, 2859-73		75
678	Multi-noise removal from images by wavelet-based Bayesian estimator.		4
677	Learning structured dictionaries for image representation.		4

676	ON THE USE OF A VISUAL CORTICAL SUB-BAND MODEL FOR INTERACTIVE HEURISTIC EDGE DETECTION. 2004 , 18, 583-606	2
675	MULTICLASS OBJECT RECOGNITION USING CLASS-CONDITIONAL INDEPENDENT COMPONENT ANALYSIS. 2004 , 35, 35-61	
674	Coding distributed representations of natural scenes: a comparison of orthogonal and non-orthogonal models. 2004 , 61, 277-289	3
673	Neural coding strategies and mechanisms of competition. 2004 , 5, 93-117	8
672	Sparse coding of sensory inputs. 2004 , 14, 481-7	895
671	Finding independent components using spikes: A natural result of hebbian learning in a sparse spike coding scheme. 2004 , 3, 159-175	8
670	Is sparse and distributed the coding goal of simple cells?. 2004 , 91, 408-16	2
669	Self-organization of globally continuous and locally distributed information representation. 2004 , 17, 1039-49	3
668	Data compression on the illumination adjustable images by PCA and ICA. 2004 , 19, 939-954	9
667	Coding static natural images using spiking event times: do neurons cooperate?. 2004 , 15, 1164-75	36
666	A new sparse image representation algorithm applied to facial expression recognition.	33
665	Stochastic correlative learning algorithms. 2004 , 52, 2200-2209	12
664	Minimum probability of error image retrieval. 2004 , 52, 2322-2336	45
663	Glass pattern studies of local and global processing of contrast variations. 2004 , 44, 2629-41	41
662	Denoising and contrast constancy. 2004 , 44, 2659-66	9
661	First- and second-order information in natural images: a filter-based approach to image statistics. 2004 , 21, 913-25	37
660	Analysis and synthesis of textured motion: particles and waves. 2004 , 26, 1348-63	23
659	Enhanced independent component analysis and its application to content based face image retrieval. 2004 , 34, 1117-27	52

658	.	1
657	Multiplicative neural noise can favor an independent components representation of sensory input. 2004 , 15, 291-311	
656	Attentional Mechanisms for Interactive Image Exploration. 2005 , 2005, 1	2
655	Encoding multielement scenes: statistical learning of visual feature hierarchies. 2005 , 134, 521-37	129
654	Perceptual assessment of simulated print noise with random and periodic structure. 2005 , 16, 271-287	1
653	The contribution of active body movement to visual development in evolutionary robots. 2005 , 18, 656-65	15
652	Centre-surround interactions in response to natural scene stimulation in the primary visual cortex. 2005 , 21, 536-48	32
651	A natural approach to studying vision. 2005 , 8, 1643-6	191
650	Tools for application-driven linear dimension reduction. 2005 , 67, 136-160	18
649	Statistical model of natural stimuli predicts edge-like pooling of spatial frequency channels in V2. 2005 , 6, 12	19
648	Evidence of rapid correlation-based perceptual category learning by 4-month-olds. 2005 , 14, 445-457	7
647	Unsupervised learning of nonlinear dependencies in natural images. 2005 , 15, 34-47	3
646	Stochastic correlative firing for figure-ground segregation. 2005 , 92, 192-8	3
645	Slow feature analysis yields a rich repertoire of complex cell properties. <i>Journal of Vision</i> , 2005 , 5, 579-602	150
644	Cortical sensitivity to visual features in natural scenes. 2005 , 3, e342	109
643	Connections Between ICA and Sparse Coding Revisited. <i>Lecture Notes in Computer Science</i> , 2005 , 1035-1042	2
642	Gabor Feature Based Classification Using 2D Linear Discriminant Analysis for Face Recognition. <i>Lecture Notes in Computer Science</i> , 2005 , 929-936	0.9 2
641	Active vision and receptive field development in evolutionary robots. 2005 , 13, 527-44	16

640	Image multi-noise removal by wavelet-based Bayesian estimator.	1
639	Sparse Representation and Synaptic Adaptation of the Visual Sensory System.	
638	. 2005,	1
637	Biometric Systems. 2005,	155
636	Perceiving Geometry. 2005,	
635	The use of visual information in natural scenes. 2005, 12, 938-953	50
634	Contextual modulation of orientation tuning contributes to efficient processing of natural stimuli. 2005, 16, 139-49	29
633	Contrast constancy in natural scenes in shadow or direct light: A proposed role for contrast-normalisation (non-specific suppression) in visual cortex. 2005, 16, 151-73	4
632	Critical band masking in optic flow. 2005, 16, 261-84	15
631	Fixational instability and natural image statistics: implications for early visual representations. 2005, 16, 121-38	25
630	Face Recognition. 2005, 97-114	2
629	The effects of amplitude-spectrum statistics on foveal and peripheral discrimination of changes in natural images, and a multi-resolution model. 2005, 45, 3145-68	45
628	Iterative kernel principal component analysis for image modeling. 2005, 27, 1351-66	177
627	Reduced-reference image quality assessment using a wavelet-domain natural image statistic model. 2005,	173
626	Constraints on body movement during visual development affect behavior of evolutionary robots.	2
625	. 2005, 53, 2477-2488	821
624	Spatiochromatic statistics of natural scenes: first- and second-order information and their correlational structure. 2005, 22, 2050-9	28
623	Visual adjustments to temporal blur. 2005, 22, 2281-8	7

622	Selectivity and sparseness in the responses of striate complex cells. 2005 , 45, 57-73		57
621	The detection of motion in chromatic stimuli: first-order and second-order spatial structure. 2005 , 45, 865-80		15
620	Artificial Intelligence and Knowledge Engineering Applications: A Bioinspired Approach. <i>Lecture Notes in Computer Science</i> , 2005 ,	0.9	3
619	A Novel Approach Based on Wavelet-ICA for SAR Image Speckle Suppression. 2006 ,		3
618	A New Method of Image Feature Extraction and Denoising Based on Independent Component Analysis. 2006 ,		0
617	Independent Component Analysis in Knowledge Discovery in Databases Process: A Fuzzy and Genetic Approach.		
616	Convolutive Non-Negative Matrix Factorisation with a Sparseness Constraint. 2006 ,		35
615	Incomplete figure perception and invisible masking. 2006 , 35, 1441-57		7
614	Modern Image Quality Assessment. 2006 , 2, 1-156		377
613	Distributed BOLD-response in association cortex vector state space predicts reaction time during selective attention. 2006 , 29, 1311-8		16
612	Quality-aware images. 2006 , 15, 1680-9		187
611	Removing camera shake from a single photograph. 2006 ,		216
610	Feature Generation I: Linear Transforms. 2006 , 263-326		
609	Image statistics of American Sign Language: comparison with faces and natural scenes. 2006 , 23, 2085-96		21
608	FACE MODELING BY INFORMATION MAXIMIZATION. 2006 , 219-253		
607	In-Place Learning for Positional and Scale Invariance.		
606	Relative Gradient Learning for Independent Subspace Analysis.		
605	Adaptive filtering enhances information transmission in visual cortex. 2006 , 439, 936-42		243

604	Minicolumnar abnormalities in autism. 2006 , 112, 287-303			365
603	Can the theory of "whitening" explain the center-surround properties of retinal ganglion cell receptive fields?. 2006 , 46, 2901-13			60
602	How computational models help explain the origins of reasoning. 2006 , 1, 32-40			7
601	Capturing nonlinear dependencies in natural images using ICA and mixture of Laplacian distribution. 2006 , 69, 1513-1528			6
600	Independent component analysis forms place cells in realistic robot simulations. 2006 , 69, 1249-1252			3
599	Region-based representations for face recognition. 2006 , 3, 354-375			11
598	Soft mixer assignment in a hierarchical generative model of natural scene statistics. <i>Neural Computation</i> , 2006 , 18, 2680-718	2.9		28
597	Receptive Field Structures for Recognition. <i>Neural Computation</i> , 2006 , 18, 497-520	2.9		7
596	The Costs of Ignoring High-Order Correlations in Populations of Model Neurons. <i>Neural Computation</i> , 2006 , 18, 660-682	2.9		2
595	Evaluation of a multiscale color model for visual difference prediction. 2006 , 3, 155-178			14
594	Compstat 2006 - Proceedings in Computational Statistics. 2006 ,			1
593	Relative Gradient Learning for Independent Subspace Analysis. 2006 ,			
592	In-Place Learning for Positional and Scale Invariance. 2006 ,			
591	Localized activity profiles and storage capacity of rate-based autoassociative networks. 2006 , 73, 061904			13
590	A Biologically Inspired Shape Representation Model Based on Part Decomposition. 2006 ,			
589	Are sparse-coding simple cell receptive field models physiologically plausible?. 2006 , 5, 333-53			0
588	Complete functional characterization of sensory neurons by system identification. 2006 , 29, 477-505			212
587	Removing camera shake from a single photograph. 2006 , 25, 787-794			996

586	Information Compression and Speckle Reduction for Multifrequency Polarimetric SAR Imagery using KPCA. 2007,		1
585	A MULTILAYER IN-PLACE LEARNING NETWORK FOR DEVELOPMENT OF GENERAL INVARIANCES. 2007, 04, 281-320		14
584	Dappled photography. 2007, 26, 69		311
583	Sparse Overcomplete Decomposition for Single Channel Speaker Separation. 2007,		19
582	Visual recognition and inference using dynamic overcomplete sparse learning. <i>Neural Computation,</i> 2007, 19, 2301-52	2.9	26
581	. 2007,		
580	A statistical model of binocular disparity. 2007, 15, 149-165		25
579	The Multilayer In-Place Learning Network for the Development of General Invariances and Multi-Task Learning. 2007,		2
578	. 2007,		1
577	Non-negative Matrix-Set Factorization. 2007,		3
576	Bio-inspired model of visual information encoding for localization: from the retina to the lateral geniculate nucleus. 2007, 6, 477-509		1
575	Comparison of shape encoding in primate dorsal and ventral visual pathways. 2007, 97, 307-19		126
574	The importance of information localization in scene gist recognition. 2007, 33, 1431-50		48
573	Spatiotemporal power spectra of motion parallax: the case of cluttered 3D scenes. 2007,		1
572	The independent components of natural images are perceptually dependent. 2007,		1
571	Learning optimal features for visual pattern recognition. 2007,		
570	Estimates of the information content and dimensionality of natural scenes from proximity distributions. 2007, 24, 922-41		40
569	Infinitely divisible cascades to model the statistics of natural images. 2007, 29, 2105-19		26

568	Computational Modeling in Developmental Psychology. 2007 , 11, 137-150	23
567	Whitenedfaces Recognition With PCA and ICA. 2007 , 14, 1008-1011	10
566	. 2007 , 37, 32-38	6
565	Cortical Evolution as the Expression of a Program for Disproportionate Growth and the Proliferation of Areas. 2007 , 73-96	7
564	Sparse Coding in the Neocortex. 2007 , 181-187	5
563	Heterogeneity in the responses of adjacent neurons to natural stimuli in cat striate cortex. 2007 , 97, 1326-41	70
562	. 2007 ,	22
561	Space and time in visual context. 2007 , 8, 522-35	266
560	Endless minds most beautiful. 2007 , 10, 30-4	46
559	Information maximization in face processing. 2007 , 70, 2204-2217	19
558	Dynamical neural networks: Modeling low-level vision at short latencies. 2007 , 142, 163-225	3
557	Neuronal selectivity, population sparseness, and ergodicity in the inferior temporal visual cortex. 2007 , 96, 547-60	64
556	Robustness of neural codes and its implication on natural image processing. 2007 , 1, 261-72	5
555	Using perceptual relation of regularity and anisotropy in the texture with independent component model for defect detection. 2007 , 40, 121-133	36
554	Multilayer in-place learning networks for modeling functional layers in the laminar cortex. 2008 , 21, 150-9	23
553	Distinctive and compact features. 2008 , 26, 1269-1276	8
552	Motion representation using composite energy features. 2008 , 41, 1110-1123	7
551	Overhead image statistics. 2008 ,	9

550	Speed adaptation as Kalman filtering. 2008 , 48, 2485-91		2
549	Improving reservoirs using intrinsic plasticity. 2008 , 71, 1159-1171		162
548	Discovering speech phones using convolutive non-negative matrix factorisation with a sparseness constraint. 2008 , 72, 88-101		39
547	Spike-based cross-entropy method for reconstruction. 2008 , 71, 3635-3639		11
546	Matrix Factorisation Techniques for Endpoint Detection in Plasma Etching. 2008 ,		1
545	Organic Computing. 2008 ,		35
544	Fixational eye movements, natural image statistics, and fine spatial vision. 2008 , 19, 253-85		32
543	Single-image vignetting correction using radial gradient symmetry. 2008 ,		1
542	Comparison of sensitivity to color changes in natural and phase-scrambled scenes. 2008 , 25, 676-84		17
541	Is color patchy?. 2008 , 25, 1330-8		5
540	Improving iris recognition performance using segmentation, quality enhancement, match score fusion, and indexing. 2008 , 38, 1021-35		163
539	Visual perception and the statistical properties of natural scenes. 2008 , 59, 167-92		454
538	Information compression and speckle reduction for multifrequency polarimetric SAR images based on kernel PCA. 2008 , 19, 493-498		5
537	A discriminative approach for wavelet denoising. 2008 , 17, 443-57		44
536	Visuospatial planning in the travelling salesperson problem: a connectionist account of normal and impaired performance. 2008 , 25, 194-217		5
535	Simple method for high-performance digit recognition based on sparse coding. 2008 , 19, 1985-9		61
534	The berkeley wavelet transform: a biologically inspired orthogonal wavelet transform. <i>Neural Computation</i> , 2008 , 20, 1537-64	2.9	20
533	Color in complex scenes. 2008 , 59, 143-66		161

532	Handbook of Large-Scale Random Networks. 2008 ,		7
531	Based on KHA for Extraction of Shift Invariant Multiwavelet Features of Texture Images. 2008 ,		
530	Looking around the backyard helps to recognize faces and digits. 2008 ,		2
529	Dynamic population coding of category information in inferior temporal and prefrontal cortex. 2008 , 100, 1407-19		251
528	Neural Mechanisms of Natural Scene Perception. 2008 , 383-391		
527	Sparse coding via thresholding and local competition in neural circuits. <i>Neural Computation</i> , 2008 , 20, 2526-63	2.9	227
526	Analyzing the role of visual structure in the recognition of natural image content with multi-scale SSIM. 2008 ,		22
525	Global nonlinear compression of natural luminances in painted art. 2008 ,		9
524	Variations in intensity statistics for representational and abstract art, and for art from the Eastern and Western hemispheres. 2008 , 37, 1341-52		61
523	Natural Images: Coding Efficiency. 2009 , 19-27		9
522	Receptive Field of Visual Cortex Works Follow Multi-Resolution Statistics?. 2009 ,		
521	Temporal and Spatial Properties of the Retinal Ganglion Cells' Response to Natural Stimuli Described by Treves-Rolls Sparsity. 2009 ,		1
520	Evaluating rank-order code performance using a biologically-derived retinal model. 2009 ,		2
519	A Markov Random Field Model for Medical Image Denoising. 2009 ,		4
518	Self-organization in a parametrically coupled logistic map network: a model for information processing in the visual cortex. 2009 , 20, 597-608		10
517	Maximizing neural responses leads to sensori-motor coordination of binocular vergence. 2009 ,		
516	Image Reconstruction by Sparse Coding and Selective Attention. 2009 ,		
515	Class specific redundancies in natural images: A theory of extrastriate visual processing. 2009 ,		1

514	Hebbian learning with winner take all for spiking neural networks. 2009,	24
513	Spatial ensemble statistics are efficient codes that can be represented with reduced attention. 2009, 106, 7345-50	151
512	The sparseness of neuronal responses in ferret primary visual cortex. 2009, 29, 2355-70	62
511	Sparse coding of birdsong and receptive field structure in songbirds. 2009, 20, 162-77	6
510	Dictionary-free categorization of very similar objects via stacked evidence trees. 2009,	27
509	Efficient coding correlates with spatial frequency tuning in a model of V1 receptive field organization. 2009, 26, 21-34	13
508	FastNMF: highly efficient monotonic fixed-point nonnegative matrix factorization algorithm with good applicability. 2009, 18, 033004	18
507	A structured model of video reproduces primary visual cortical organisation. 2009, 5, e1000495	24
506	Image Denoising Based on Independent Component Analysis. 2009,	0
505	Sparse Coding Neural Gas: Learning of overcomplete data representations. 2009, 72, 1547-1555	37
504	Time--frequency analysis of biosignals. 2009, 28, 14-29	50
503	Auditory cortex: representation through sparsification?. 2009, 19, R1123-5	6
502	Eigentargets Versus Kernel Eigentargets: Detection of Infrared Point Targets Using Linear and Nonlinear Subspace Algorithms. 2009, 30, 278-293	
501	Analysis of the studies of the perception of fragmented images: global description and perception using local features. 2009, 39, 569-80	5
500	Fractal structure in the color distribution of natural images. 2009, 42, 472-482	16
499	. 2009, 47, 161-173	250
498	Initialization and self-organized optimization of recurrent neural network connectivity. 2009, 3, 340-9	28
497	A model of angle selectivity in area V2 with local divisive normalization. 2009,	1

496	Bayesian reconstruction of natural images from human brain activity. 2009 , 63, 902-15		323
495	Influences of prolonged viewing of tilted lines on perceived line orientation: the normalization and tilt after-effect. 2009 , 26, 1553-63		2
494	Dynamics of trimming the content of face representations for categorization in the brain. 2009 , 5, e1000561		34
493	Large scale natural image classification by sparsity exploration. 2009 ,		13
492	Feature Generation I: Data Transformation and Dimensionality Reduction. 2009 , 323-409		9
491	Multiplicative nonnegative graph embedding. 2009 ,		2
490	Tactile or visual?: Stimulus characteristics determine receptive field type in a self-organizing map model of cortical development. 2009 ,		2
489	. 2009 ,		21
488	Spatio-temporal adaptation in the unsupervised development of networked visual neurons. 2009 , 20, 992-1008		9
487	Natural image statistics and low-complexity feature selection. 2009 , 31, 228-44		31
486	Contrast sensitivity in natural scenes depends on edge as well as spatial frequency structure. <i>Journal of Vision</i> , 2009 , 9, 1.1-19	0.4	83
485	Segmentation of Natural and Man-Made Structures by Independent Component Analysis. <i>Lecture Notes in Computer Science</i> , 2009 , 483-490	0.9	1
484	Image Classification Using Structural Sparse Coding Model. 2009 ,		
483	Single units and sensation: a neuron doctrine for perceptual psychology?. 2009 , 38, 795-8		9
482	Iterative blind image restoration with ringing reduction. 2010 ,		
481	The role of higher order image statistics in masking scene gist recognition. 2010 , 72, 427-44		28
480	Color Constancy Algorithms for Object and Face Recognition. <i>Lecture Notes in Computer Science</i> , 2010 , 199-210	0.9	8
479	Fractal capacity dimension of three-dimensional histogram from color images. 2010 , 21, 197-211		11

478	Optimal linear projections for enhancing desired data statistics. 2010 , 20, 267-282	3
477	Dictionaries for Sparse Representation Modeling. 2010 , 98, 1045-1057	762
476	An associative sparse coding neural network and applications. 2010 , 73, 684-689	4
475	A computational model of early vision based on synchronized response and inner product operation. 2010 , 73, 3229-3241	1
474	Emulating biological strategies for uncontrolled face recognition. 2010 , 43, 2210-2223	22
473	New Trends in Biologically-Inspired Audio Coding. 2010 ,	3
472	Singing-related neural activity distinguishes four classes of putative striatal neurons in the songbird basal ganglia. 2010 , 103, 2002-14	43
471	A novel sparse coding model based on structural similarity. 2010 ,	0
470	Brain Inspired Cognitive Systems 2008. 2010 ,	1
469	Fast structural similarity index algorithm. 2010 ,	9
468	Robust classification of objects, faces, and flowers using natural image statistics. 2010 ,	103
467	Neural representation of natural images in visual area V2. 2010 , 30, 2102-14	83
466	Comparative Vision Science: Seeing Eye to Eye?. 2010 , 5, 148-154	8
465	Dynamics of Visual Motion Processing. 2010 ,	4
464	Statistical regularities in low and high dynamic range images. 2010 ,	6
463	Role of homeostasis in learning sparse representations. <i>Neural Computation</i> , 2010 , 22, 1812-36	2.9 27
462	Blind deconvolution of natural images using segmentation based CMA. 2010 ,	1
461	Image Feature Extraction Based on Compressive Sensing with Application of Image Denoising. 2010 ,	

460	Biologically inspired means for rank-order encoding images: a quantitative analysis. 2010 , 21, 1087-99	8
459	A model of primate visual cortex based on category-specific redundancies in natural images. 2010 , 22, 313-329	1
458	Computational consciousness: building a self-preserving organism. 2010 , 657, 303-13	
457	A novel bio-inspired static image compression scheme for noisy data transmission over low-bandwidth channels. 2010 ,	4
456	Statistical models of natural images and cortical visual representation. 2010 , 2, 251-64	24
455	Natural Image Understanding via sparse coding. 2010 ,	2
454	. 2011 ,	
453	A new non-negative matrix factorization algorithm with sparseness constraints. 2011 ,	8
452	Supervised Matrix Factorization with sparseness constraints and fast inference. 2011 ,	2
451	Multilevel dictionary learning for sparse representation of images. 2011 ,	15
450	Human-Computer Interaction. Design and Development Approaches. <i>Lecture Notes in Computer Science</i> , 2011 ,	0.9 7
449	Natural scene evoked population dynamics across cat primary visual cortex captured with voltage-sensitive dye imaging. 2011 , 21, 2542-54	19
448	The neuronal encoding of information in the brain. 2011 , 95, 448-90	164
447	Statistics of visual responses in primate inferotemporal cortex to object stimuli. 2011 , 106, 1097-117	29
446	. 2011 , 28, 29-40	167
445	Graph-preserving sparse nonnegative matrix factorization with application to facial expression recognition. 2011 , 41, 38-52	133
444	The Biological and Computational Bases of Vision. 2011 , 1-38	
443	A Survey of Image Statistics Relevant to Computer Graphics. 2011 , 30, 1761-1788	13

442	Augmented Lagrangian based reconstruction of non-uniformly sub-Nyquist sampled MRI data. 2011 , 91, 2731-2742	29
441	Image deblurring and super-resolution by adaptive sparse domain selection and adaptive regularization. 2011 , 20, 1838-57	845
440	Statistical modeling of 3-D natural scenes with application to Bayesian stereopsis. 2011 , 20, 2515-30	40
439	Lightness, brightness and transparency: a quarter century of new ideas, captivating demonstrations and unrelenting controversy. 2011 , 51, 652-73	125
438	Spatial frequency and visual discomfort. 2011 , 51, 1767-77	68
437	No-reference image blur assessment using multiscale gradient. 2011 , 2011,	21
436	Sparse correlation coefficient for objective image quality assessment. 2011 , 26, 577-588	8
435	Variational Multi-Valued Velocity Field Estimation for Transparent Sequences. 2011 , 40, 285-304	2
434	Fast structural similarity index algorithm. 2011 , 6, 281-287	44
433	Bottom-up attention: pulsed PCA transform and pulsed cosine transform. 2011 , 5, 321-32	12
432	Image quality assessment using natural image statistics in gradient domain. 2011 , 65, 392-397	15
431	Hebbian-based neural networks for bottom-up visual attention and its applications to ship detection in SAR images. 2011 , 74, 2008-2017	29
430	A computational model of dysfunctional facial encoding in congenital prosopagnosia. 2011 , 24, 652-64	10
429	The packet switching brain. 2011 , 23, 267-76	55
428	Blind deconvolution using a normalized sparsity measure. 2011 ,	477
427	Dependence of the retinal Ganglion cell's responses on local textures of natural scenes. <i>Journal of Vision</i> , 2011 , 11,	0.4 5
426	A two-stage method to extract the blurred area. 2011 ,	
425	The magnitude of center-surround facilitation in the discrimination of amplitude spectrum is dependent on the amplitude of the surround. <i>Journal of Vision</i> , 2011 , 11, 14	0.4 5

424	The improved non-negative Matrix Factorization algorithm for document clustering. 2011,	0
423	Emotional effects of dynamic textures. 2011, 2, 969-91	8
422	Understanding vision in wholly empirical terms. 2011, 108 Suppl 3, 15588-95	66
421	Artistic representations: clues to efficient coding in human vision. 2011, 28, 371-9	12
420	Blind Signal Processing. 2011,	6
419	Transformation invariant sparse coding. 2011,	12
418	Research on On-Line Surface Defect Detection for Steel Strip Based on Sparse Coding. 2012, 548, 749-752	2
417	Motion clouds: model-based stimulus synthesis of natural-like random textures for the study of motion perception. 2012, 107, 3217-26	18
416	Natural versus synthetic stimuli for estimating receptive field models: a comparison of predictive robustness. 2012, 32, 1560-76	39
415	Efficient classification using salient regions. 2012, 51, 077201	1
414	Method for estimating the relative contribution of phase and power spectra to the total information in natural-scene patches. 2012, 29, 55-67	7
413	Biological cells classification using bio-inspired descriptor in a boosting k-NN framework. 2012,	2
412	Robust Non-negative Graph Embedding: Towards noisy data, unreliable graphs, and noisy labels. 2012,	10
411	Simple modification of Oja rule limits L1-norm of weight vector and leads to sparse connectivity. <i>Neural Computation</i> , 2012, 24, 724-43	2.9 1
410	Implementation of a fast image coding and retrieval system using a GPU. 2012,	5
409	Population response to natural images in the primary visual cortex encodes local stimulus attributes and perceptual processing. 2012, 32, 13971-86	20
408	Complexity of images: experimental and computational estimates compared. 2012, 41, 631-47	30
407	Restoration of high-resolution AFM images captured with broken probes. 2012,	1

406	Social biases determine spatiotemporal sparseness of ciliate mating heuristics. 2012 , 5, 3-11		7
405	Meaning and Content in Cognitive Science.		2
404	Learning real-world stimuli by single-spike coding and tempotron rule. 2012 ,		1
403	Relationship between speech recognition in noise and sparseness. 2012 , 51, 75-82		10
402	Learning intermediate-level representations of form and motion from natural movies. <i>Neural Computation</i> , 2012 , 24, 827-66	2.9	40
401	Robust super resolution of compressed video. 2012 , 28, 1167-1180		13
400	Sparse Coding and Selected Applications. 2012 , 26, 349-355		
399	Information processing and decision-making: Evidence from the brain sciences and implications for economics. 2012 , 83, 292-310		18
398	Unsupervised learning of generative and discriminative weights encoding elementary image components in a predictive coding model of cortical function. <i>Neural Computation</i> , 2012 , 24, 60-103	2.9	69
397	Restoration of motion-blurred line drawings by Differential Evolution and Richardson-Lucy algorithm. 2012 ,		2
396	Discriminative sparse-based feature extraction and dictionary learning for sound classification applications. 2012 ,		0
395	Generalized Gaussian mixture models as a nonparametric Bayesian approach for clustering using class-specific visual features. 2012 , 23, 1199-1212		10
394	Automatic Image Annotation Based on Sparse Representation and Multiple Label Learning. 2012 ,		
393	Learning Temporal Coherent Features through Life-Time Sparsity. <i>Lecture Notes in Computer Science</i> , 2012 , 347-356	0.9	
392	Invariant Visual Object and Face Recognition: Neural and Computational Bases, and a Model, VisNet. <i>Frontiers in Computational Neuroscience</i> , 2012 , 6, 35	3.5	70
391	Learning visual saliency by combining feature maps in a nonlinear manner using AdaBoost. <i>Journal of Vision</i> , 2012 , 12, 22	0.4	62
390	Sparse and silent coding in neural circuits. 2012 , 79, 115-124		4
389	Regarding the temporal requirements of a hierarchical Willshaw network. 2012 , 25, 84-93		4

388	Predictive coding as a model of the V1 saliency map hypothesis. 2012 , 26, 7-28		35
387	Contrast normalization contributes to a biologically-plausible model of receptive-field development in primary visual cortex (V1). 2012 , 54, 49-60		6
386	. 2012 , 4, 29-53		30
385	A globally convergent MC algorithm with an adaptive learning rate. 2012 , 23, 359-65		10
384	Frames for exact inversion of the rank order coder. 2012 , 23, 353-9		7
383	The Biological Function of Sensory Systems. 2013 , 239-252		1
382	Parallel Deep Learning with Suggestive Activation for Object Category Recognition. <i>Lecture Notes in Computer Science</i> , 2013 , 354-363	0.9	4
381	Non-negative matrix factorization with sparseness constraints for credit risk assessment. 2013 ,		1
380	Advances in Artificial Intelligence and Its Applications. <i>Lecture Notes in Computer Science</i> , 2013 ,	0.9	0
379	Image and Video-Based Artistic Stylisation. 2013 ,		27
378	Image segmentation using a sparse coding model of cortical area V1. 2013 , 22, 1631-43		68
377	Population-wide distributions of neural activity during perceptual decision-making. 2013 , 103, 156-93		48
376	Streaming an image through the eye: The retina seen as a dithered scalable image coder. 2013 , 28, 856-869		7
375	Encoding of mixtures in a simple olfactory system. 2013 , 80, 1246-62		43
374	Nonnegative Matrix Factorization: A Comprehensive Review. 2013 , 25, 1336-1353		388
373	Sparse coding based visual tracking: Review and experimental comparison. 2013 , 46, 1772-1788		254
372	A review of cell assemblies. 2013 , 107, 263-88		32
371	Free-gram phrase identification for modeling Chinese text. 2013 , 113, 137-144		2

370	Learning saliency-based visual attention: A review. 2013 , 93, 1401-1407		63
369	Visual search and visual discomfort. 2013 , 42, 1-15		4
368	Mapping and cracking sensorimotor circuits in genetic model organisms. 2013 , 78, 583-95		21
367	The artful mind meets art history: toward a psycho-historical framework for the science of art appreciation. 2013 , 36, 123-37		179
366	The Nature-Inspired BASIS Feature Descriptor for UAV Imagery and Its Hardware Implementation. 2013 , 23, 756-768		23
365	Single-image vignetting correction from gradient distribution symmetries. 2013 , 35, 1480-94		27
364	Patterns with different phases but same statistics. 2013 , 30, 1796-805		
363	An early underwater artificial vision model in ocean investigations via independent component analysis. 2013 , 13, 9104-31		6
362	Visual discomfort and blur. <i>Journal of Vision</i> , 2013 , 13,	0.4	20
361	Integrating holism and reductionism in the science of art perception. 2013 , 36, 145-6		6
360	A psycho-historical research program for the integrative science of art. 2013 , 36, 163-80		45
359	Local redundancy governs infants' spontaneous orienting to visual-temporal sequences. 2013 , 84, 1137-44		14
358	Boosted dictionaries for image restoration based on sparse representations. 2013 ,		2
357	Newborn chickens generate invariant object representations at the onset of visual object experience. 2013 , 110, 14000-5		34
356	Novel Feature Descriptor for Low-Resource Embedded Vision Sensors for Micro Unmanned-Aerial-Vehicle Applications. 2013 , 10, 385-395		4
355	Causal history, actual and apparent. 2013 , 36, 150-1		
354	The artistic design stance and the interpretation of Paleolithic art. 2013 , 36, 139-40		1
353	BOLD responses in human V1 to local structure in natural scenes: Implications for theories of visual coding. <i>Journal of Vision</i> , 2013 , 13, 19	0.4	9

352	Multi-scale spatial concatenations of local features in natural scenes and scene classification. 2013 , 8, e76393	1
351	Image free-viewing as intrinsically-motivated exploration: estimating the learnability of center-of-gaze image samples in infants and adults. 2013 , 4, 802	36
350	Robust active binocular vision through intrinsically motivated learning. 2013 , 7, 20	24
349	Seven Challenges in Image Quality Assessment: Past, Present, and Future Research. 2013 , 2013, 1-53	223
348	Automatic high-bandwidth calibration and reconstruction of arbitrarily sampled parallel MRI. 2014 , 9, e98937	2
347	Efficient Tree-Based Feature Descriptor and Matching Algorithm. 2014 , 11, 596-606	7
346	Sparse representation based super resolution using saliency and edge information. 2014 ,	
345	Highly informative natural scene regions increase microsaccade production during visual scanning. 2014 , 34, 2956-66	71
344	Vehicle Type Classification Using Unsupervised Convolutional Neural Network. 2014 ,	39
343	Slow feature analysis on retinal waves leads to V1 complex cells. 2014 , 10, e1003564	7
342	Sparsity and compressed coding in sensory systems. 2014 , 10, e1003793	16
341	Non-blind image restoration with symmetric generalized Pareto priors. 2014 ,	0
340	Online Regression of Grandmother-Cell Responses with Visual Experience Learning for Face Recognition. 2014 ,	1
339	Advances in Learning Visual Saliency: From Image Primitives to Semantic Contents. 2014 , 335-360	2
338	Network dynamics for optimal compressive-sensing input-signal recovery. 2014 , 90, 042908	5
337	Scaling the primate lateral geniculate nucleus: niche and neurodevelopment in the regulation of magnocellular and parvocellular cell number and nucleus volume. 2014 , 522, 1839-57	7
336	. 2014 , 62, 4173-4186	5
335	Hearing in noisy environments: noise invariance and contrast gain control. 2014 , 592, 3371-81	26

334	A classification-and-reconstruction approach for a single image super-resolution by a sparse representation. 2014,	
333	Deinterlacing algorithm using gradient-regularized modular neural networks. 2014, 23, 013014	3
332	GPU based acceleration for Fergus' image deblurring algorithm. 2014,	
331	Blind Image Deconvolution. 2014,	5
330	Blind Deconvolution Methods: A Review. 2014, 37-60	7
329	Application of non-negative spectrogram decomposition with sparsity constraints to single-channel speech enhancement. 2014, 58, 69-80	1
328	A boundary condition based deconvolution framework for image deblurring. 2014, 261, 14-29	12
327	Improved sparse coding under the influence of perceptual attention. <i>Neural Computation</i> , 2014, 26, 377-410	10
326	Evaluation of the sparse coding shrinkage noise reduction algorithm in normal hearing and hearing impaired listeners. 2014, 310, 36-47	2
325	Population code in mouse V1 facilitates readout of natural scenes through increased sparseness. 2014, 17, 851-7	118
324	How biological vision succeeds in the physical world. 2014, 111, 4750-5	29
323	Fast Image Recognition Based on Independent Component Analysis and Extreme Learning Machine. 2014, 6, 405-422	15
322	Neural Computation, Neural Devices, and Neural Prosthesis. 2014,	3
321	Blind Source Separation. <i>Signals and Communication Technology</i> , 2014,	0.5 35
320	Infotropism as the underlying principle of perceptual organization. 2014, 61, 38-44	4
319	A 6.67mW sparse coding ASIC enabling on-chip learning and inference. 2014,	
318	Sparse representation-based image quality assessment. 2014, 29, 1138-1148	24
317	Benefits of pathway splitting in sensory coding. 2014, 34, 12127-44	76

316	Sparseness and expansion in sensory representations. 2014 , 83, 1213-26	115
315	Hebbian learning from higher-order correlations requires crosstalk minimization. 2014 , 108, 405-22	3
314	Robust (semi) nonnegative graph embedding. 2014 , 23, 2996-3012	45
313	Visual learning and classification of human epithelial type 2 cell images through spontaneous activity patterns. 2014 , 47, 2325-2337	17
312	Image Understanding Using Sparse Representations. 2014 , 7, 1-118	11
311	The impact of the lateral geniculate nucleus and corticogeniculate interactions on efficient coding and higher-order visual object processing. 2014 , 101, 82-93	13
310	C-DIVINE: No-reference image quality assessment based on local magnitude and phase statistics of natural scenes. 2014 , 29, 725-747	64
309	Deep layer neurons in the rat medial entorhinal cortex fire sparsely irrespective of spatial novelty. 2014 , 8, 74	10
308	Video analysis and synthesis based on a retinal-inspired frame. 2015 ,	1
307	Face Recognition Via Sparse Representation. 2015 , 1-12	1
306	Visual choice behavior by bumblebees (<i>Bombus impatiens</i>) confirms unsupervised neural network's predictions. 2015 , 129, 229-36	2
305	Analysis and performance of CMA blind deconvolution for image restoration. 2015 , 29, 1135-1151	0
304	Uncomfortable images produce non-sparse responses in a model of primary visual cortex. 2015 , 2, 140535	30
303	Multi-Orientation Log-Gabor Local Binary Pattern for Face Representation and Recognition. 2015 , E98.D, 448-452	1
302	Distribution of independent components of binocular natural images. <i>Journal of Vision</i> , 2015 , 15, 6	0.4 13
301	Diversity priors for learning early visual features. <i>Frontiers in Computational Neuroscience</i> , 2015 , 9, 104	3.5 5
300	A Sparse Coding Neural Network ASIC With On-Chip Learning for Feature Extraction and Encoding. 2015 , 50, 1070-1079	43
299	Self-calibrating smooth pursuit through active efficient coding. 2015 , 71, 3-12	18

298	A novel multi-frame super resolution algorithm for surveillance camera image reconstruction. 2015,	2
297	Information theoretic methods for image processing algorithm optimization. 2015,	2
296	An empirical analysis of different sparse penalties for autoencoder in unsupervised feature learning. 2015,	14
295	UniHIST: A unified framework for image restoration with marginal histogram constraints. 2015,	
294	Retinal-inspired filtering for dynamic image coding. 2015,	2
293	Event-based coding of still images using a bio-inspired frame. 2015,	3
292	Damping proximal coordinate descent algorithm for non-convex regularization. 2015, 152, 151-163	
291	Visual discomfort and the spatial distribution of Fourier energy. 2015, 108, 1-7	62
290	Questioning the role of sparse coding in the brain. 2015, 38, 417-27	59
289	Image interpolation using shearlet based iterative refinement. 2015, 36, 83-94	7
288	Full-Reference Stereo Image Quality Assessment Using Natural Stereo Scene Statistics. 2015, 22, 1985-1989	38
287	Vehicle Type Classification Using a Semisupervised Convolutional Neural Network. 2015, 16, 2247-2256	175
286	Learning Stable Multilevel Dictionaries for Sparse Representations. 2015, 26, 1913-26	18
285	Towards an Embodied Developing Vision System. 2015, 29, 41-50	
284	Dimensionality Reduction and Latent Variables Modeling. 2015, 937-1011	
283	Meta-Parameter Free Unsupervised Sparse Feature Learning. 2015, 37, 1716-22	50
282	Supervised dictionary learning for blind image quality assessment using quality-constraint sparse coding. 2015, 33, 123-133	24
281	Method for optimizing channelized quadratic observers for binary classification of large-dimensional image datasets. 2015, 32, 549-65	5

280	Perceptual image quality assessment by independent feature detector. 2015 , 151, 1142-1152	53
279	Deep learning in neural networks: an overview. 2015 , 61, 85-117	8538
278	Does spatial invariance result from insensitivity to change?. <i>Journal of Vision</i> , 2007 , 7, 11.1-13	0.4 16
277	Dictionary learning by Normalized Bilateral Projection. 2016 , 24, 565-572	
276	Self-calibrating active depth perception via motion parallax. 2016 ,	1
275	A novel bio-inspired coding scheme for wireless sensor networks. 2016 ,	
274	Improved Compressive Sensing of Natural Scenes Using Localized Random Sampling. 2016 , 6, 31976	4
273	Global and structured waves of rs-fMRI signal identified as putative propagation of spontaneous neural activity. 2016 , 133, 331-340	19
272	Super-multiview content with high angular resolution: 3D quality assessment on horizontal-parallax lightfield display. 2016 , 47, 42-55	22
271	Conjectures regarding the nonlinear geometry of visual neurons. 2016 , 120, 74-92	10
270	Learning Efficient Data Representations With Orthogonal Sparse Coding. 2016 , 2, 177-189	14
269	A Hierarchical Semantic Memory model for classification of Motion Capture data. 2016 ,	
268	Multiscale-SSIM index based stereoscopic image quality assessment. 2016 ,	1
267	DropConnect Regularization Method with Sparsity Constraint for Neural Networks. 2016 , 25, 152-158	15
266	Blind image motion deblurring with L0-regularized priors. 2016 , 40, 14-23	19
265	Over-Responsiveness and Greater Variability in Roughness Perception in Autism. 2016 , 9, 393-402	19
264	An investigation of implicit features in compression-based learning for comparing webpages. 2016 , 19, 397-410	2
263	Double-Tip Artefact Removal from Atomic Force Microscopy Images. 2016 , 25, 2774-2788	3

262	No-reference Stereoscopic Image Quality Assessment Using Natural Scene Statistics. 2016 , 43, 1-14	45
261	. 2016 , 63, 3137-3147	661
260	A physiological basis for visual discomfort: Application in lighting design. 2016 , 48, 44-54	38
259	Representation of higher-order statistical structures in natural scenes via spatial phase distributions. 2016 , 120, 61-73	2
258	Unsupervised Deep Feature Extraction for Remote Sensing Image Classification. 2016 , 54, 1349-1362	446
257	Efficient image processing via compressive sensing of integrate-and-fire neuronal network dynamics. 2016 , 171, 1313-1322	4
256	A sparse neighborhood preserving non-negative tensor factorization algorithm for facial expression recognition. 2017 , 20, 453-471	2
255	Grandmother cells: much ado about nothing. 2017 , 32, 342-349	4
254	Non-blind image deconvolution using deep dual-pathway rectifier neural network. 2017 ,	1
253	dipIQ: Blind Image Quality Assessment by Learning-to-Rank Discriminable Image Pairs. 2017 , 26, 3951-3964	152
252	A push-broom compressive imaging system with situ calibration function for encoding mask. 2017 ,	
251	Dual multi-scale filter with SSS and GW for infrared small target detection. 2017 , 81, 97-108	11
250	A Delphi study to develop practical diagnostic guidelines for visual stress (pattern-related visual stress). 2017 , 10, 161-168	14
249	Exploring visual dictionaries: A model driven perspective. 2017 , 49, 315-331	4
248	Discrete Sparse Coding. <i>Neural Computation</i> , 2017 , 29, 2979-3013	2.9 3
247	The Two-Dimensional Gabor Function Adapted to Natural Image Statistics: A Model of Simple-Cell Receptive Fields and Sparse Structure in Images. <i>Neural Computation</i> , 2017 , 29, 2769-2799	2.9 3
246	26th Annual Computational Neuroscience Meeting (CNS*2017): Part 3. 2017 , 18,	2
245	Visual Discomfort From Flash Afterimages of Riloid Patterns. 2017 , 46, 709-727	2

244	The sparse structure of natural chemical environments. 2017,		
243	Approaches to Understanding Visual Illusions. 2017, 221-233		
242	Steady-state VEP responses to uncomfortable stimuli. 2017, 45, 410-422		12
241	The tuning of human visual cortex to variations in the $1/f$ amplitude spectra and fractal properties of synthetic noise images. 2017, 146, 642-657		22
240	Computational and Cognitive Neuroscience of Vision. 2017,		3
239	Dual-scale structural local sparse appearance model for robust object tracking. 2017, 237, 101-113		6
238	Stable sparse encoding for predictive processing. 2017,		
237	Eidogenesis of the Artificial: The Case of the Relationships between Models of the "Natural Image" and Cellular Automata. 2017, 1, 929		
236	Selectivity, hyperselectivity, and the tuning of V1 neurons. <i>Journal of Vision</i> , 2017, 17, 9	0.4	6
235	Structure preserving dimensionality reduction for visual object recognition. 2018, 77, 23529-23545		4
234	Visual discomfort indoors. 2018, 50, 98-114		23
233	Toward a unified theory of efficient, predictive, and sparse coding. 2018, 115, 186-191		60
232	Deep Sparse Tensor Filtering Network for Synthetic Aperture Radar Images Classification. 2018, 29, 3919-3924	23	
231	Retina-Inspired Filter. 2018, 27, 3484-3499		2
230	Variable sensory perception in autism. 2018, 47, 602-609		17
229	A Generative Model for Sparse Hyperparameter Determination. 2018, 4, 2-10		13
228	Transferring CNN Intermediate Layers via Weakly-Supervised Learning and Latent Semantic Analysis. 2018,		0
227	Sparsity constraints using a Laplacian kernel to get geological structures from potential field data. 2018, 16, 39-52		3

226	A self-trainable depth perception method from eye pursuit and motion parallax. 2018 , 109, 27-37		2
225	Spiking neural networks for computer vision. 2018 , 8, 20180007		15
224	Synaptic E-I Balance Underlies Efficient Neural Coding. <i>Frontiers in Neuroscience</i> , 2018 , 12, 46	5.1	42
223	Simulation of retinal ganglion cell response using fast independent component analysis. 2018 , 12, 615-624		42
222	Blind nonnegative matrix factorization algorithms to estimate the neutron flux of fission chamber detector: Application to neutron-gamma discrimination. 2018 , 20, 35-42		2
221	ERP responses to images of abstract artworks, photographs of natural scenes, and artificially created uncomfortable images. 2018 , 30, 627-641		2
220	Fast Inference Predictive Coding: A Novel Model for Constructing Deep Neural Networks. 2019 , 30, 1150-1165		24
219	Cancer Characteristic Gene Selection via Sample Learning Based on Deep Sparse Filtering. 2018 , 8, 8270		8
218	A computational study of the role of spatial receptive field structure in processing natural and non-natural scenes. 2018 , 454, 268-277		3
217	Sparse Coding Using the Locally Competitive Algorithm on the TrueNorth Neurosynaptic System. <i>Frontiers in Neuroscience</i> , 2019 , 13, 754	5.1	4
216	Neural correlates of sparse coding and dimensionality reduction. 2019 , 15, e1006908		29
215	Towards a state-space geometry of neural responses to natural scenes: A steady-state approach. 2019 , 201, 116027		3
214	NMF-RI: blind spectral unmixing of highly mixed multispectral flow and image cytometry data. 2020 , 36, 1590-1598		6
213	Functional diversity among sensory neurons from efficient coding principles. 2019 , 15, e1007476		12
212	Deep convolutional models improve predictions of macaque V1 responses to natural images. 2019 , 15, e1006897		82
211	Plug-and-play approach to class-adapted blind image deblurring. 2019 , 22, 79-97		5
210	Natural speech statistics shift phoneme categorization. 2019 , 81, 2037-2052		6
209	Three brain states in the hippocampus and cortex. 2019 , 29, 184-238		23

208	Single image fast deblurring algorithm based on hyper-Laplacian model. 2019 , 13, 483-490		7
207	Sparse over-complete patch matching. 2019 , 122, 1-6		0
206	2-D Seismic Random Noise Attenuation via Self-Paced Nonnegative Dictionary Learning. 2019 , 12, 5391-5401		6
205	Normalization governs attentional modulation within human visual cortex. 2019 , 10, 5660		4
204	Stimulus- and goal-oriented frameworks for understanding natural vision. 2019 , 22, 15-24		19
203	A variational model with hybrid Hyper-Laplacian priors for Retinex. 2019 , 66, 305-321		12
202	Sparse coding network model based on fast independent component analysis. 2019 , 31, 887-893		1
201	A Sparse Probabilistic Code Underlies the Limits of Behavioral Discrimination. 2020 , 30, 1040-1055		3
200	Above and beyond the concrete: The diverse representational substrates of the predictive brain. 2019 , 43, e121		26
199	Artificial Sensory Memory. 2020 , 32, e1902434		98
198	Improved nodule detection in chest X-rays using principal component analysis filters. 2020 , 323-351		
197	Face Representations via Tensorfaces of Various Complexities. <i>Neural Computation</i> , 2020 , 32, 281-329	2.9	1
196	Storing Object-Dependent Sparse Codes in a Willshaw Associative Network. <i>Neural Computation</i> , 2020 , 32, 136-152	2.9	3
195	Stereoscopic depth adaptation from binocularly correlated versus anti-correlated noise: Test of an efficient coding theory of stereopsis. 2020 , 166, 60-71		6
194	SPOQ ℓ_p -Over- ℓ_q Regularization for Sparse Signal Recovery Applied to Mass Spectrometry. 2020 , 68, 6070-6084		2
193	A Theoretical Framework for How We Learn Aesthetic Values. 2020 , 14, 345		6
192	Image deblurring and super resolution using bilateral filter and sparse representation. 2020 , 33, 3922-3929		1
191	Manipulating the structure of natural scenes using wavelets to study the functional architecture of perceptual hierarchies in the brain. 2020 , 221, 117173		2

190	Particle swarm optimisation-based source code plagiarism detection approach using non-negative matrix factorisation algorithm. 2020 , 12, 169		
189	. 2020 , 7, 1220-1233		4
188	Creative destruction: Sparse activity emerges on the mammal connectome under a simulated communication strategy with collisions and redundancy. 2020 , 4, 1055-1071		0
187	Hierarchical Sparse Coding of Objects in Deep Convolutional Neural Networks. <i>Frontiers in Computational Neuroscience</i> , 2020 , 14, 578158	3.5	1
186	The Use of Visual Statistical Features in Empirical Aesthetics. 2020 ,		1
185	Blind Image Deconvolution Algorithm Based on Sparse Optimization with an Adaptive Blur Kernel Estimation. 2020 , 10, 2437		1
184	A Discrete-Time Neurodynamic Approach to Sparsity-Constrained Nonnegative Matrix Factorization. <i>Neural Computation</i> , 2020 , 32, 1531-1562	2.9	0
183	The Influence of Typography on Algorithms that Predict the Speed and Comfort of Reading. 2020 , 4,		4
182	Natural images are reliably represented by sparse and variable populations of neurons in visual cortex. 2020 , 11, 872		26
181	Dimensionality Reduction and Latent Variable Modeling. 2020 , 1039-1115		
180	Compression of dynamic tactile information in the human hand. 2020 , 6, eaaz1158		12
179	Spatially Distributed Representation of Taste Quality in the Gustatory Insular Cortex of Behaving Mice. 2021 , 31, 247-256.e4		9
178	A sparse code increases the speed and efficiency of neuro-dynamic programming for optimal control tasks with correlated inputs. 2021 , 426, 1-13		1
177	Incremental one-class collaborative filtering with co-evolving side networks. 2021 , 63, 105-124		1
176	Exploitation of image statistics with sparse coding in the case of stereo vision. 2021 , 135, 158-176		3
175	Adaptation of spontaneous activity in the developing visual cortex. <i>ELife</i> , 2021 , 10,	8.9	8
174	Inferring the function performed by a recurrent neural network. 2021 , 16, e0248940		2
173	Efficient population coding depends on stimulus convergence and source of noise. 2021 , 17, e1008897		2

172	Motor Bearing Fault Diagnosis Based on Wavelet Packet Analysis and Sparse Filtering. 2021 ,	0
171	Contributions of natural signal statistics to spectral context effects in consonant categorization. 2021 , 83, 2694-2708	0
170	Migraine Visual Aura and Cortical Spreading Depression-Linking Mathematical Models to Empirical Evidence. 2021 , 5,	1
169	Visual stress responses to static images are associated with symptoms of Persistent Postural Perceptual Dizziness (PPPD). 2021 ,	1
168	Neuromorphic Devices for Bionic Sensing and Perception. <i>Frontiers in Neuroscience</i> , 2021 , 15, 690950	5.1 6
167	Shallow neural networks trained to detect collisions recover features of visual loom-selective neurons.	
166	Natural environment statistics in the upper and lower visual field are reflected in mouse retinal specializations. 2021 , 31, 3233-3247.e6	5
165	Bibliography. 2021 , 331-400	
164	Continuous, multidimensional coding of 3D complex tactile stimuli by primary sensory neurons of the vibrissal system. 2021 , 118,	
163	Neural network learning of improved compressive sensing sampling and receptive field structure. 2021 , 455, 368-378	3
162	Dynamic Electrode-to-Image (DETI) mapping reveals the human brain's spatiotemporal code of visual information. 2021 , 17, e1009456	0
161	Awake perception is associated with dedicated neuronal assemblies in cerebral cortex.	0
160	Colour schemes to reduce stress response in the hygiene area of a space station: A Delphi study. 2022 , 98, 103573	8
159	The Frequency Discrepancy Between Real and Generated Images. 2021 , 9, 115205-115216	0
158	Sparse Models for Computer Vision. 319-346	2
157	Sparse Feature Maps in a Scale Hierarchy. <i>Lecture Notes in Computer Science</i> , 2000 , 186-196	0.9 3
156	Improving Naive Bayes Using Class-Conditional ICA. <i>Lecture Notes in Computer Science</i> , 2002 , 1-10	0.9 7
155	Application of Independent Component Analysis to Edge Detection and Watermarking. <i>Lecture Notes in Computer Science</i> , 2003 , 273-280	0.9 8

154	Sparse Correlation Kernel Analysis and Evolutionary Algorithm-Based Modeling of the Sensory Activity within the Rat Barrel Cortex. <i>Lecture Notes in Computer Science</i> , 2002 , 198-212	0.9	5
153	What Is the Role of Independence for Visual Recognition?. <i>Lecture Notes in Computer Science</i> , 2002 , 297-311	0.9	4
152	Don't Measure, Appreciate! NPR Seen Through the Prism of Art History. 2013 , 333-351		5
151	Bayesian Denoising of Visual Images in the Wavelet Domain. 1999 , 291-308		87
150	Sparse Representations for Pattern Classification using Learned Dictionaries. 2009 , 33-45		2
149	Saliency in Crowd. <i>Lecture Notes in Computer Science</i> , 2014 , 17-32	0.9	29
148	Stochastic Search for Optimal Linear Representations of Images on Spaces with Orthogonality Constraints. <i>Lecture Notes in Computer Science</i> , 2003 , 3-20	0.9	3
147	Subspace Image Representation for Facial Expression Analysis and Face Recognition and its Relation to the Human Visual System. 2009 , 303-320		3
146	Training of Sparsely Connected MLPs. <i>Lecture Notes in Computer Science</i> , 2011 , 356-365	0.9	1
145	A Bio-Inspired Image Coder with Temporal Scalability. <i>Lecture Notes in Computer Science</i> , 2011 , 447-458	0.9	2
144	Recording and Playback of Camera Shake: Benchmarking Blind Deconvolution with a Real-World Database. <i>Lecture Notes in Computer Science</i> , 2012 , 27-40	0.9	135
143	Non-Referenced Quality Assessment of Image Processing Methods in Infrared Non-destructive Testing. <i>Lecture Notes in Computer Science</i> , 2013 , 121-130	0.9	1
142	Towards an Ecology of Motion Vision. 2001 , 333-369		28
141	Fast Augmented Lagrangian Method for Image Smoothing with Hyper-Laplacian Gradient Prior. 2014 , 12-21		1
140	Musical audio analysis using sparse representations. 2006 , 105-117		2
139	Representation and Indication. 2004 , 21-40		7
138	Intrinsic Dimensionality. 2001 , 403-448		3
137	Learning the higher-order structure of a natural sound. 1996 , 7, 261-7		68

136	Development of low entropy coding in a recurrent network. 1996 , 7, 277-84	37
135	Natural image statistics and efficient coding. 1996 , 7, 333-9	243
134	Searching for filters with 'interesting' output distributions: an uninteresting direction to explore?. 1996 , 7, 409-21	28
133	Development of localized oriented receptive fields by learning a translation-invariant code for natural images*. 1998 , 9, 219-234	11
132	Computational Neuroscience of Vision. 2001 ,	52
131	Neural network models. 2001 , 145-242	1
130	Functional diversity among sensory neurons from efficient coding principles.	2
129	Sparse coding and dimensionality reduction in cortex.	2
128	Deep convolutional models improve predictions of macaque V1 responses to natural images.	22
127	Efficient population coding depends on stimulus convergence and source of noise.	0
126	Mouse retinal specializations reflect knowledge of natural environment statistics.	2
125	Robust representation of natural images by sparse and variable population of active neurons in visual cortex.	2
124	A Sparse Unreliable Distributed Code Underlies the Limits of Behavioral Discrimination.	3
123	Training and inferring neural network function with multi-agent reinforcement learning.	2
122	Structured Dictionary Learning for Image Denoising under Mixed Gaussian and Impulse Noise. 2020	8
121	Visual saliency detection based on in-depth analysis of sparse representation. 2018 , 57, 1	2
120	Dappled photography. 2007 ,	86
119	10.1162/jmlr.2003.4.7-8.1365. 2000 , 1,	33

118	Neural Oscillations: Understanding a Neural Code of Pain. 2021 , 27, 544-570		9
117	Noise suppression in seismic data with sparse coding. 2005 ,		3
116	Nonlinear Hebbian Learning as a Unifying Principle in Receptive Field Formation. 2016 , 12, e1005070		32
115	Emergence of visual saliency from natural scenes via context-mediated probability distributions coding. 2010 , 5, e15796		9
114	Response variance in functional maps: neural darwinism revisited. 2013 , 8, e68705		12
113	Naturalistic stimulus structure determines the integration of audiovisual looming signals in binocular rivalry. 2013 , 8, e70710		23
112	Measuring streetscape complexity based on the statistics of local contrast and spatial frequency. 2014 , 9, e87097		20
111	VEP Responses to Op-Art Stimuli. 2015 , 10, e0139400		4
110	Temporal and Spatial Patterns of Retinal Ganglion Cells in Response to Natural Stimuli*. 2010 , 37, 389-396		3
109	Mouse V1 population correlates of visual detection rely on heterogeneity within neuronal response patterns. <i>ELife</i> , 2015 , 4, e10163	8.9	26
108	Inhibition in the auditory brainstem enhances signal representation and regulates gain in complex acoustic environments. <i>ELife</i> , 2016 , 5,	8.9	25
107	'Artiphysiology' reveals V4-like shape tuning in a deep network trained for image classification. <i>ELife</i> , 2018 , 7,	8.9	34
106	Sucrose intensity coding and decision-making in rat gustatory cortices. <i>ELife</i> , 2018 , 7,	8.9	19
105	Steady-state visual evoked potential responses predict visual discomfort judgements. 2021 , 54, 7575-7598		
104	Recent understanding of binocular vision in the natural environment with clinical implications. 2021 , 101014		1
103	Unsupervised learning in images and audio to produce neural receptive fields: a primer and accessible notebook. 1		1
102	Nonparametric Regression for Learning Nonlinear Transformations. 2000 , 1054-1080		1
101	Multiscale Feature Extraction from the Visual Environment in an Active Vision System. <i>Lecture Notes in Computer Science</i> , 2001 , 388-397	0.9	

100 Allgemeine Sinnesphysiologie. **2001**, 279-293

99 Inferior temporal cortical visual areas. **2001**, 81-125

98 Principles and Conclusions. **2001**, 456-476

97 Visual attentional mechanisms. **2001**, 126-144

96 Extrastriate visual areas. **2001**, 57-69

95 Introduction. **2001**, 1-35

94 Visual search: Attentional neurodynamics at work. **2001**, 353-382

93 The cortical neurodynamics of visual attention - a model. **2001**, 323-352

92 A Computational Approach to the Neuropsychology of Visual Attention. **2001**, 383-403

91 The parietal cortex. **2001**, 70-80

90 The primary visual cortex. **2001**, 36-56

89 Models of invariant object recognition. **2001**, 243-322

88 Outputs of visual processing. **2001**, 404-455

87 Human Visual System Spatial Visual Processing.

86 Identification of Visual Features Using a Neural Version of Exploratory Projection Pursuit. *Lecture Notes in Computer Science*, **2002**, 150-157 0.9

85 Primary Visual Cortex Within the Cortico-corticothalamic Network. **2002**, 609-xii

84 Evolutionary Algorithms and Rough Sets-Based Hybrid Approach to Classificatory Decomposition of Cortical Evoked Potentials. *Lecture Notes in Computer Science*, **2002**, 621-628 0.9 4

83 Feature Coding with a Statistically Independent Cortical Representation. *Lecture Notes in Computer Science*, **2003**, 44-56 0.9

82 References. **2004**, 483-514

81 Image Multi-noise Removal via L₀ Process Analysis. *Lecture Notes in Computer Science*, **2005**, 22-28 0.9 1

80 On the Connection Between the Human Visual System and Independent Component Analysis. *Lecture Notes in Computer Science*, **2005**, 594-603 0.9

79 Spatio-temporal Composite-Features for Motion Analysis and Segmentation. *Lecture Notes in Computer Science*, **2006**, 332-343 0.9

78 Facial Expression Recognition by ICA with Selective Prior. *Lecture Notes in Computer Science*, **2006**, 941-949

77 Intelligent Surveillance System Design Based on Independent Component Analysis and Wireless Sensor Network. **2006**, 126, 1543-1550

76 Fast and Adaptive Low-Pass Whitening Filters for Natural Images. *Lecture Notes in Computer Science*, **2006**, 343-352 0.9 1

75 Learning and Representation: From Compressive Sampling to the Symbol Learning Problem **2008**, 445-488

74 An Efficient Coding Model for Image Representation. *Lecture Notes in Computer Science*, **2009**, 751-758 0.9

73 Extensions to Knowledge Acquisition and Effect of Multimodal Representation in Unsupervised Learning. **2009**, 281-305

72 Maximizing Causal Information of Natural Scenes in Motion. **2009**, 261-282

71 Color Spectrum Normalization: Saliency Detection Based on Energy Re-allocation. *Lecture Notes in Computer Science*, **2010**, 248-259 0.9 1

70 Experimental Studies of Visual Models in Automatic Image Annotation. *Lecture Notes in Computer Science*, **2011**, 562-570 0.9 1

69 ? 3D and Spatiotemporal Interpolation in Object and Surface Formation. **2011**, 209-234

68 Data Analysis and Application Study. **2011**, 301-366

67 An Approach for SAR Image Despeckling Based on 2D-Wavelet Transform and ICA. **2011**, 30, 1052-1055 1

66 Automatic Image Tagging by Multiple Feature Tag Relevance Learning. **2012**, 505-513

65 The Twin Hypotheses. *Lecture Notes in Computer Science*, **2013**, 430-463 0.9 2

64	Fast Bottom-Up Computational Models in the Spectral Domain. 119-165		
63	Background of Visual Attention Theory and Experiments. 25-71		1
62	Time and Motion. 2013 , 287-302		
61	Exploratory Analysis of Brain with ICA. <i>Signals and Communication Technology</i> , 2014 , 435-463		0.5
60	Edge Enhancement and Exploratory Projection Pursuit. <i>Workshops in Computing</i> , 1995 , 97-106		
59	Statistics of natural and urban images. <i>Lecture Notes in Computer Science</i> , 1997 , 219-224	0.9	1
58	Denosing of Sensory Data by Maximum Likelihood Estimation of Sparse Components. <i>Perspectives in Neural Computing</i> , 1998 , 141-146		1
57	Vision Fin de Siècle: A Reductionistic Explanation of Perception for the 21st Century?. 1998 , 307-331		1
56	Pattern-Generator-Driven Development in Self-Organizing Models. 1998 , 317-323		4
55	Modeling Self-Organization in the Visual Cortex. 1999 , 243-252		
54	An Overview for Non-Negative Matrix Factorization. 2015 , 1631-1641		
53	Non-negative Approximation with Thresholding for Cortical Visual Representation. <i>Lecture Notes in Computer Science</i> , 2015 , 167-176	0.9	
52	A Joint Learning Framework of Visual Sensory Representation, Eye Movements and Depth Representation for Developmental Robotic Agents. <i>Lecture Notes in Computer Science</i> , 2017 , 867-876	0.9	
51	Sucrose intensity coding and decision-making in rat gustatory cortices.		
50	Modular structure of human olfactory receptor codes reflects the bases of odor perception.		0
49	Attention hinges on tuned normalization strength within human visual cortex.		
48	Invariant Object Representation Based on Principle of Maximal Dependence Capturing.		
47	Towards a state-space geometry of neural responses to natural scenes: A steady-state approach.		

46	Continuous, multidimensional coding of 3D complex tactile stimuli by primary sensory neurons of the vibrissal system.		
45	Creative destruction: Sparse activity emerges on the mammal connectome under a simulated communication strategy with collisions and redundancy.		
44	Efficient Clustering Using Nonnegative Matrix Factorization for Gene Expression Dataset. <i>Advances in Intelligent Systems and Computing</i> , 2020 , 179-190	0.4	
43	Adaptation of spontaneous activity in the developing visual cortex.		
42	FastNMF. 137-163		1
41	Fractal Image Coding as Cross-Scale Wavelet Coefficient Prediction. 2002 , 239-252		
40	Using Adaptive Filter and Wavelets to Increase Automatic Speech Recognition Rate in Noisy Environment. 2007 , 1015-1024		1
39	Sparse-distributed codes for image categorization.		
38	FSED-feature selective edge detection.		0
37	Data-Driven Reconstruction and Encoding of Sparse Stimuli across Convergent Sensory Layers from Downstream Neuronal Network Dynamics. <i>SIAM Journal on Applied Dynamical Systems</i> , 2021 , 20, 2602-2629	2.8	0
36	Non-negative Matrix Factorization of a set of Economic Time Series with Graph Based Smoothing of Basis Vectors and Sparseness of the Coefficients. 2020 ,		
35	Efficient coding of natural scenes improves neural system identification.		
34	Shallow neural networks trained to detect collisions recover features of visual loom-selective neurons.. <i>ELife</i> , 2022 , 11,	8.9	1
33	Rapid Selectivity to Natural Images Across Layers of Primate V1.		
32	IA-Net: An Inception Attention-Module-Based Network for Classifying Underwater Images From Others. <i>IEEE Journal of Oceanic Engineering</i> , 2022 , 1-14	3.3	5
31	Visually sensitive seizures: An updated review by the Epilepsy Foundation.. <i>Epilepsia</i> , 2022 ,	6.4	3
30	Compression of Dynamic Tactile Information in the Human Hand. <i>Springer Series on Touch and Haptic Systems</i> , 2022 , 53-78	0.1	
29	Cortical Representation of Speech Sounds: Insights from Intracranial Electrophysiology. <i>Springer Handbook of Auditory Research</i> , 2022 , 45-79	1.2	0

28	Inference via sparse coding in a hierarchical vision model.. <i>Journal of Vision</i> , 2022 , 22, 19	0.4	0
27	When You Do Not Get the Whole Picture: Scene Perception After Occipital Cortex Lesions.. <i>Frontiers in Neuroscience</i> , 2021 , 15, 716273	5.1	
26	Drug-target interaction prediction based on nonnegative and self-representative matrix factorization. 2021 ,		
25	Visual Discomfort and Variations in Chromaticity in Art and Nature.. <i>Frontiers in Neuroscience</i> , 2021 , 15, 711064	5.1	2
24	Maximal Dependence Capturing as a Principle of Sensory Processing.. <i>Frontiers in Computational Neuroscience</i> , 2022 , 16, 857653	3.5	0
23	Data_Sheet_1.pdf. 2020 ,		
22	Table_1.docx. 2020 ,		
21	Lateral Axonal Modulation is Required for Stimulus-Specific Olfactory Conditioning in Drosophila.		0
20	Multiframe Correction Blind Deconvolution for Solar Image Restoration. <i>Publications of the Astronomical Society of the Pacific</i> , 2022 , 134, 064502	5	
19	Reconstruction of sparse recurrent connectivity and inputs from the nonlinear dynamics of neuronal networks. <i>Journal of Computational Neuroscience</i> ,	1.4	0
18	Efficient tactile encoding of object slippage. 2022 , 12,		
17	Feature Extraction for Evaluating the Complexity of Electromagnetic Environment Based on Adaptive Multiscale Morphological Gradient and Nonnegative Matrix Factorization. 2022 , 2022, 1-12		
16	Do sparse brain activity patterns underlie human cognition?. 2022 , 263, 119633		0
15	Lateral axonal modulation is required for stimulus-specific olfactory conditioning in Drosophila. 2022 ,		1
14	Awake perception is associated with dedicated neuronal assemblies in the cerebral cortex. 2022 , 25, 1327-1338		0
13	Assessing Trial-to-Trial Variability in Auditory ERPs in Autism and Schizophrenia.		0
12	The Mechanical Basis Encoding Stick-Slip Transition. 2022 , 83-100		0
11	Sparse Kernel Transfer Learning. 2022 , 39-52		0

10	Information theory. 2001 , 490-519	○
9	Copyright Page. 2001 , iv-iv	○
8	Introduction to linear algebra for neural networks. 2001 , 477-489	○
7	Preface. 2001 , v-viii	○
6	Low-Dimensional-Materials-Based Flexible Artificial Synapse: Materials, Devices, and Systems. 2023 , 13, 373	○
5	Discriminative dictionary learning based on statistical methods. 2023 , 55-77	○
4	Statistics of Natural Images. 2023 , 19-35	○
3	Sensitivity to naturalistic texture relies primarily on high spatial frequencies. 2023 , 23, 4	○
2	New insights into binocular rivalry from the reconstruction of evolving percepts using model network dynamics. 17,	○
1	Factorized visual representations in the primate visual system and deep neural networks.	○