

CITATION REPORT

List of articles citing

Relation of serum homocysteine and lipoprotein(a) concentrations to atherosclerotic disease in a prospective Finnish population based study

DOI: 10.1016/0021-9150(94)90078-7
Atherosclerosis, 1994, 106, 9-19.

Source: <https://exaly.com/paper-pdf/25350722/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
461	Relation of serum homocysteine and lipoprotein(a) concentrations to atherosclerotic disease in a prospective Finnish population based study. <i>Atherosclerosis</i> , 1994 , 106, 9-19	3.1	437
460	Haemostatic factors and prevalent coronary heart disease; the FINRISK Haemostasis Study. 1994 , 15, 1293-9		39
459	Homocysteine and coronary artery disease in French Canadian subjects: relation with vitamins B12, B6, pyridoxal phosphate, and folate. 1995 , 75, 1107-11		156
458	An epidemiologic reassessment of lipoprotein(a) and atherothrombotic risk. 1995 , 5, 225-9		7
457	Whether, to what degree, and why lipoprotein(a) levels change over time. 1995 , 238, 11-9		12
456	Prospective study of serum total homocysteine concentration and risk of stroke in middle-aged British men. 1995 , 346, 1395-8		728
455	Homocysteine and coronary atherosclerosis. 1996 , 27, 517-27		407
454	[Homocysteine: relations to ischemic cardiovascular diseases]. 1996 , 17, 34-45		1
453	Lipoprotein(a) in health and disease. 1996 , 33, 495-543		72
452	Risk of primary and recurrent acute myocardial infarction from lipoprotein(a) in men and women. 1996 , 28, 870-5		15
451	Genetic and nongenetic factors for moderate hyperhomocyst(e)inemia. <i>Atherosclerosis</i> , 1996 , 119, 135-8 _{3,1}		70
450	Lipoprotein(a) and its correlates in Japanese and U.S. population samples. 1996 , 6, 324-30		7
449	Plasma homocysteine and severity of atherosclerosis in young patients with lower-limb atherosclerotic disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 16, 165-71	9.4	108
448	Lipoprotein(a) in stored plasma samples and the ravages of time. Why epidemiological studies might fail. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 16, 1568-72	9.4	78
447	Hyperhomocysteinemia. An emerging and important risk factor for thromboembolic and cardiovascular disease. 1996 , 106, 709-22		65
446	Homocysteine and cardiovascular disease. 1996 , 89, 561-3		40
445	Lipoprotein composition and serum cholesterol ester fatty acids in nonwesternized Melanesians. 1996 , 31, 153-8		66

444	Correlation of toddlers serum lipoprotein(a) concentration with parental values and grandparents coronary heart disease: the STRIP baby study. 1996 , 85, 407-12		15
443	Homocysteine: the new player in the field of coronary risk. 1996 , 76, 101-2		11
442	Elevated plasma lipoprotein(a) and coronary heart disease in men aged 55 years and younger. A prospective study. 1996 , 276, 544-8		228
441	Features, symptoms, and neurophysiological findings in stroke associated with hyperhomocysteinemia. 1997 , 54, 1276-82		69
440	Homocyst(e)ine and Coronary Artery Disease. 1997 , 157, 2299		39
439	Plasma homocysteine as a risk factor for vascular disease. The European Concerted Action Project. 1997 , 277, 1775-81		957
438	Relationship between lipoprotein (a) and both stroke and carotid atheroma. 1997 , 34 (Pt 4), 360-5		15
437	The effects of oral vitamin supplementation on cardiovascular risk factors. 1997 , 56, 479-88		1
436	Urinary apo(a) discriminates coronary artery disease patients from controls. <i>Atherosclerosis</i> , 1997 , 129, 103-10	3.1	14
435	Apolipoprotein(a) isoforms and coronary heart disease in men: a nested case-control study. <i>Atherosclerosis</i> , 1997 , 132, 77-84	3.1	60
434	Plasma homocysteine levels and mortality in patients with coronary artery disease. 1997 , 337, 230-6		1432
433	Association between hyperhomocysteinemia and ischemic heart disease in Sri Lankans. 1997 , 62, 221-5		11
432	Lipoprotein(a) interactions with lipid and nonlipid risk factors in early familial coronary artery disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 2783-92	9.4	63
431	Homocyst(e)ine and risk of cardiovascular disease in the Multiple Risk Factor Intervention Trial. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 1947-53	9.4	265
430	Hormonal regulation of lipoprotein(a) levels: effects of estrogen replacement therapy on lipoprotein(a) and acute phase reactants in postmenopausal women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 1822-9	9.4	66
429	Diterpenes from coffee beans decrease serum levels of lipoprotein(a) in humans: results from four randomised controlled trials. 1997 , 51, 431-6		19
428	Plasma total homocysteine and risk of angina pectoris with subsequent coronary artery bypass surgery. 1997 , 79, 799-801		82
427	Transluminal extraction atherectomy for restenosis following Palmaz-Schatz stent implantation. 1997 , 79, 801-2		14

426	Clinical chemistry and molecular biology of homocysteine metabolism: an update. 1997 , 30, 189-201		99
425	Reduction-oxidation (Redox) and vascular tissue level of homocyst(e)ine in human coronary atherosclerotic lesions and role in extracellular matrix remodeling and vascular tone. 1998 , 181, 107-16		59
424	Lipoprotein(a) as a risk factor for coronary artery disease. 1998 , 82, 57U-66U; discussion 86U		127
423	LP(a) phenotypes and levels in angiographically proven coronary heart disease patients and controls. 1998 , 13, 12-9		3
422	Linkage disequilibrium at the cystathionine beta synthase (CBS) locus and the association between genetic variation at the CBS locus and plasma levels of homocysteine. The Ears II Group. European Atherosclerosis Research Study. 1998 , 62, 481-90		33
421	Lipoprotein(a) apheresis in severe coronary heart disease: an immunoabsorption method. 1998 , 22, 135-9		13
420	The importance of serum lipoprotein (a) as an independent risk factor for premature coronary artery disease in middle-aged black and white women from the United States. 1998 , 244, 417-24		23
419	A methylenetetrahydrofolate reductase gene polymorphism in ischaemic stroke and in carotid artery stenosis. 1998 , 28, 285-9		39
418	Hyperhomocysteinaemia and vascular disease. 1998 , 12, 23-34		29
417	Serum folate and risk for coronary heart disease: results from a cohort of US adults. 1998 , 8, 490-6		43
416	Plasma total homocysteine levels in patients with early-onset coronary heart disease and a low cardiovascular risk profile. 1998 , 47, 273-9		34
415	Enzymatic and chemical modifications of lipoprotein(a) selectively alter its lysine-binding functions. 1998 , 1392, 73-84		3
414	Is lipoprotein(a) an independent risk factor for ischemic heart disease in men? The Quebec Cardiovascular Study. 1998 , 31, 519-25		102
413	Prospective study of coronary heart disease incidence in relation to fasting total homocysteine, related genetic polymorphisms, and B vitamins: the Atherosclerosis Risk in Communities (ARIC) study. <i>Circulation</i> , 1998 , 98, 204-10	16.7	499
412	Association between elevated plasma total homocysteine and increased common carotid artery wall thickness. 1998 , 30, 300-6		51
411	Homocysteine and atherothrombosis. 1998 , 338, 1042-50		1651
410	C677T (thermolabile alanine/valine) polymorphism in methylenetetrahydrofolate reductase (MTHFR): its frequency and impact on plasma homocysteine concentration in different European populations. EARS group. <i>Atherosclerosis</i> , 1998 , 136, 347-54	3.1	179
409	Homocysteine and ischaemic heart disease in the Caerphilly cohort. <i>Atherosclerosis</i> , 1998 , 140, 349-56	3.1	90

408	Lipoprotein(a) interactions with lipid and non-lipid risk factors in patients with early onset coronary artery disease: results from the NHLBI Family Heart Study. <i>Atherosclerosis</i> , 1998 , 141, 333-45	3.1	30
407	Prevention of coronary heart disease in clinical practice: recommendations of the Second Joint Task Force of European and other Societies on Coronary Prevention. <i>Atherosclerosis</i> , 1998 , 140, 199-270 ^{3.1}		422
406	Genetics of stroke--a review. 1998 , 153, 132-45		27
405	677C to T mutation in the 5,10-methylenetetrahydrofolate reductase (MTHFR) gene and plasma homocyst(e)ine levels in patients with TIA or minor stroke. 1998 , 155, 156-62		8
404	Homocysteine and cardiovascular disease. 1998 , 49, 31-62		1691
403	Serum homocysteine and risk of coronary heart disease and cerebrovascular disease in elderly men: a 10-year follow-up. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 18, 1895-901	9.4	136
402	Overview. 1998 , 5, 213-215		
401	Homocysteine as a risk factor for cardiovascular and related disease: nutritional implications. 1998 , 11, 311-38		28
400	Homocysteine and ischemic heart disease: results of a prospective study with implications regarding prevention. 1998 , 158, 862-7		236
399	Homocysteine as a risk factor for ischemic stroke: an epidemiological story in evolution. 1998 , 17, 167-73		44
398	Relating anatomy to function in Alzheimer's disease: neuropsychological profiles predict regional neuropathology 5 years later. 1998 , 50, 979-85		112
397	Stroke risk factors and stroke prevention. 1998 , 18, 429-40		83
396	Plasma Homocysteine and Coronary Heart Disease: Systematic Review of Published Epidemiological Studies. 1998 , 5, 229-232		6
395	Lipoprotein (a), Lipids, Aspirin, and Risk of Myocardial Infarction in the Physician's Health Study. 1998 , 5, 273-278		
394	Mutation C677T of methylenetetrahydrofolate reductase gene is not associated with coronary artery disease, but possibly with albuminuria, in type 2 diabetic patients. 1998 , 36, 625-8		7
393	Molecular genetics of congestive heart failure. 1998 , 47, 37-43		0
392	Can Dietary Supplements with Folic Acid or Vitamin B6 Reduce Cardiovascular Risk? Design of Clinical Trials to Test the Homocysteine Hypothesis of Vascular Disease. 1998 , 5, 249-255		1
391	Prevention of coronary heart disease in clinical practice. Recommendations of the Second Joint Task Force of European and other Societies on coronary prevention. 1998 , 19, 1434-503		757

390 Authors Reply. **1998**, 35, 328-329

- 389 Effect of B-group vitamins and antioxidant vitamins on hyperhomocysteinemia: a double-blind, randomized, factorial-design, controlled trial. **1998**, 67, 858-66 96
- 388 Homocysteine, lipoprotein(a) and fibrinogen: metabolic risk factors for cardiovascular complications of chronic renal disease. **1998**, 7, 271-8 15
- 387 Acquired Hyperhomocysteinemia in Heart Transplant Recipients. *Clinical Chemistry*, **1998**, 44, 2238-2239 5.5 83
- 386 Homocysteine and vitamins in cardiovascular disease. *Clinical Chemistry*, **1998**, 44, 1833-1843 5.5 300
- 385 Acidic Citrate Stabilizes Blood Samples for Assay of Total Homocysteine. *Clinical Chemistry*, **1998**, 44, 342-345 5.5 60
- 384 Lipoprotein(a) as a risk factor for ischemic heart disease: metaanalysis of prospective studies. *Clinical Chemistry*, **1998**, 44, 2301-2306 5.5 154
- 383 Linkage disequilibrium at the cystathionine β -synthase (CBS) locus and the association between genetic variation at the CBS locus and plasma levels of homocysteine. **1998**, 62, 481-490 28
- 382 Lipoprotein(a) and dietary proteins: casein lowers lipoprotein(a) concentrations as compared with soy protein. **1999**, 69, 419-25 31
- 381 Potential new cardiovascular risk factors: left ventricular hypertrophy, homocysteine, lipoprotein(a), triglycerides, oxidative stress, and fibrinogen. **1999**, 131, 376-86 104
- 380 Hyperhomocysteinemia, Atherosclerosis and Thrombosis. **1999**, 81, 165-176 283
- 379 Plasma homocysteine levels in acute coronary syndromes. *International Heart Journal*, **1999**, 40, 729-36 9
- 378 Lipoprotein(a)-Cholesterol and Coronary Heart Disease in the Framingham Heart Study. *Clinical Chemistry*, **1999**, 45, 1039-1046 5.5 99
- 377 Homocysteine, a new crucial element in the pathogenesis of uremic cardiovascular complications. **1999**, 25, 95-9 18
- 376 Hyperhomocysteinemia and the endocrine system: implications for atherosclerosis and thrombosis. **1999**, 20, 738-59 83
- 375 Homocysteine and short-term risk of myocardial infarction and stroke in the elderly: the Rotterdam Study. **1999**, 159, 38-44 167
- 374 Homocysteine and risk of cardiovascular disease among postmenopausal women. **1999**, 281, 1817-21 177
- 373 Effect of Lp(a) on the early functional and structural changes of atherosclerosis. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **1999**, 19, 990-5 9.4 33

372	Homocyst(e)ine, diet, and cardiovascular diseases: a statement for healthcare professionals from the Nutrition Committee, American Heart Association. <i>Circulation</i> , 1999 , 99, 178-82	16.7	449
371	Plasma homocysteine distribution and its association with parental history of coronary artery disease in black and white children: the Bogalusa Heart Study. <i>Circulation</i> , 1999 , 99, 2144-9	16.7	66
370	International Federation of Clinical Chemistry and Laboratory Medicine (IFCC) Standardization Project for the Measurement of Lipoprotein(a). Phase 2: selection and properties of a proposed secondary reference material for lipoprotein(a). 1999 , 37, 949-58		47
369	Genetic analysis of the thermolabile variant of 5, 10-methylenetetrahydrofolate reductase as a risk factor for ischemic stroke. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 208-11	9.4	50
368	Serum total homocysteine and coronary heart disease: prospective study in middle aged men. 1999 , 82, 448-54		78
367	Homocyst(e)ine and heart disease: pathophysiology of extracellular matrix. 1999 , 21, 181-98		62
366	Total homocysteine and cardiovascular disease. 1999 , 246, 425-54		198
365	Plasma homocysteine concentration predicts mortality in non-insulin-dependent diabetic patients with and without albuminuria. 1999 , 55, 308-14		86
364	Homocysteine, hypertension and stroke. 1999 , 13, 289-93		44
363	Homocysteine, a Risk Factor for Cardiovascular Disease. 1999 , 8, 76-86		51
362	Lipoprotein (a): a controversial risk factor for atherosclerotic heart disease. 1999 , 133, 216-7		1
361	Family history of early cardiovascular disease in children with moderate to severe hypercholesterolemia: relationship to lipoprotein (a) and low-density lipoprotein cholesterol levels. 1999 , 133, 237-44		10
360	"New" risk factors for atherosclerotic diseases. 1999 , 34, 483-90		15
359	Methionine synthase D919G polymorphism is a significant but modest determinant of circulating homocysteine concentrations. 1999 , 17, 298-309		187
358	Prospective blinded study of the relationship between plasma homocysteine and progression of symptomatic peripheral arterial disease. 1999 , 29, 8-19; discussion 19-21		151
357	Homocysteine. 1999 , 36, 365-406		38
356	Biochemical risk factors and patient outcome: the case of lipoprotein(a). 1999 , 280, 59-71		23
355	Homocysteine levels in hypertensive patients with a history of cardiac or cerebral atherothrombotic events. 1999 , 12, 766-71		18

354	Homocysteine and vascular disease. 1999 , 354, 407-13		758
353	Homocysteine: cholesterol of the 90s?. 1999 , 286, 63-80		27
352	Total homocysteine is associated with nephropathy in non-insulin-dependent diabetes mellitus. 1999 , 48, 1096-101		64
351	Plasma homocysteine, aortic stiffness, and renal function in hypertensive patients. 1999 , 34, 837-42		124
350	Association between apolipoprotein(a) phenotypes and coronary heart disease at a young age. 1999 , 33, 157-163		46
349	Circulating cell adhesion molecules and endothelial markers before and after transluminal angioplasty in peripheral arterial occlusive disease. <i>Atherosclerosis</i> , 1999 , 142, 193-200	3.1	77
348	Sequence polymorphisms in the apolipoprotein(a) gene and their association with lipoprotein(a) levels and myocardial infarction. The ECTIM Study. <i>Atherosclerosis</i> , 1999 , 144, 323-33	3.1	48
347	Cysteine is a cardiovascular risk factor in hyperlipidemic patients. <i>Atherosclerosis</i> , 1999 , 146, 53-9	3.1	89
346	Hyperhomocysteinaemia. 1999 , 12, 451-77		26
345	Distribution of and factors associated with serum homocysteine levels in children: Child and Adolescent Trial for Cardiovascular Health. 1999 , 281, 1189-96		110
344	Genetic polymorphisms of the gene for apolipoprotein(a) and their association with lipoprotein(a) levels and myocardial infarction. 1999 , 27, 463-6		
343	Pharmacological modification of lipoprotein(a). 1999 , 27, 466-9		
342	Association between hyperhomocysteinaemia and hypertension in Sri Lankans. 1999 , 27, 38-44		18
341	Homocysteine and risk of stroke. 1999 , 6, 235-40		27
340	Hyperhomocysteinemia and hypofibrinolysis in young adults with ischemic stroke. <i>Stroke</i> , 1999 , 30, 974-80		50
339	Homocyst(e)ine and risk of cerebral infarction in a biracial population : the stroke prevention in young women study. <i>Stroke</i> , 1999 , 30, 1554-60	6.7	52
338	Homocyst(e)ine, atherosclerosis, and thrombosis. 1999 , 92, 858-65		15
337	Nonfasting plasma total homocysteine level and mortality in middle-aged and elderly men and women in Jerusalem. 1999 , 131, 321-30		86

336	Nonfasting plasma total homocysteine levels and stroke incidence in elderly persons: the Framingham Study. 1999 , 131, 352-5	289
335	Homocyst(e)ine and cardiovascular disease: a critical review of the epidemiologic evidence. 1999 , 131, 363-75	627
334	Evaluating novel cardiovascular risk factors: can we better predict heart attacks?. 1999 , 130, 933-7	210
333	Broadsheet number 58: homocysteine and disease. 2000 , 32, 262-273	8
332	Serum homocysteine concentration as an indicator of survival in patients with acute coronary syndromes. 2000 , 160, 1834-40	44
331	Non-traditional cardiovascular disease risk factors in end-stage renal disease: oxidate stress and hyperhomocysteinemia. 2000 , 9, 477-87	20
330	Nutritional aspects and possible pathological mechanisms of hyperhomocysteinaemia: an independent risk factor for vascular disease. 2000 , 59, 221-37	24
329	Plasma total homocysteine levels in subjects with hyperinsulinemia. 2000 , 247, 287-94	52
328	Plasma total homocysteine concentration and the risk of acute coronary events: the Kuopio Ischaemic Heart Disease Risk Factor Study. 2000 , 248, 217-22	35
327	Low serum folate concentrations are associated with an excess incidence of acute coronary events: the Kuopio Ischaemic Heart Disease Risk Factor Study. 2000 , 54, 424-8	61
326	Homocysteine as atherothrombotic agent: is the bark worse than the bite?. 2000 , 16, 672-4	6
325	Physiologic concentrations of homocysteine inhibit the human plasma GSH peroxidase that reduces organic hydroperoxides. 2000 , 136, 58-65	56
324	Moderate hyperhomocysteinemia and cardiovascular disease. 2000 , 135, 16-25	12
323	Increased plasma homocysteine is an independent predictor of new atherothrombotic brain infarction in older persons. 2000 , 86, 585-6, A10	23
322	Homocysteine, a risk factor for coronary artery disease or not? A meta-analysis. 2000 , 86, 1005-9, A8	61
321	Blood levels of homocysteine and atherosclerotic vascular disease. 2000 , 2, 194-9	8
320	Homocysteine, vitamins B6, B12, folate, and risk of coronary artery disease in patients undergoing diagnostic coronary angiography. 2000 , 18, 139-46	7
319	Agreement among Four Homocysteine Assays and Results in Patients with Coronary Atherosclerosis and Controls. <i>Clinical Chemistry</i> , 2000 , 46, 258-264	5.5 26

318	The controversy over homocysteine and cardiovascular risk. 2000 , 72, 324-32		394
317	Tissue Factor and Homocysteine Levels in Ischemic Heart Disease Are Associated with Angiographically Documented Clinical Recurrences after Coronary Angioplasty. 2000 , 83, 826-832		38
316	Homocysteine and endothelial dysfunction: a link with cardiovascular disease. 2000 , 130, 369S-372S		84
315	Correlation between Plasma Total Homocysteine and Copper in Patients with Peripheral Vascular Disease. <i>Clinical Chemistry</i> , 2000 , 46, 385-391	5.5	53
314	Lipoprotein(a) and coronary heart disease. Meta-analysis of prospective studies. <i>Circulation</i> , 2000 , 102, 1082-5	16.7	711
313	Hyperhomocysteinemia increases risk of death, especially in type 2 diabetes : 5-year follow-up of the Hoorn Study. <i>Circulation</i> , 2000 , 101, 1506-11	16.7	222
312	Homocysteine and lipoprotein(a) interact to increase CAD risk in young men and women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 493-9	9.4	70
311	677 C->T Polymorphism of the Methylene tetrahydrofolate Reductase Gene and Preeclampsia. 2000 , 96, 277-280		
310	Importance of homocysteine, lipoprotein (a) and non-classical cardiovascular risk factors (fibrinogen and advanced glycation end-products) for atherogenesis in uraemic patients. 2000 , 15 Suppl 5, 81-91		37
309	Hyperhomocysteinemia and risk of vascular disease in women. 2000 , 26, 325-34		15
308	Assay methods for the measurement of total homocyst(e)ine in plasma. 2000 , 26, 233-41		45
307	Fortifying food with folic acid. 2000 , 26, 349-52		6
306	Hyperhomocysteinemia, vascular pathology, and endothelial dysfunction. 2000 , 26, 281-9		107
305	Lipoprotein (a) and stroke. 2000 , 53, 487-96		73
304	Association between high homocyst(e)ine and ischemic stroke due to large- and small-artery disease but not other etiologic subtypes of ischemic stroke. <i>Stroke</i> , 2000 , 31, 1069-75	6.7	194
303	Blood levels of homocysteine and increased risks of cardiovascular disease: causal or casual?. 2000 , 160, 422-34		206
302	Folic acid: nutritional biochemistry, molecular biology, and role in disease processes. 2000 , 71, 121-38		595
301	Association between plasma homocysteine and vascular atherosclerotic disease in older persons. 2000 , 3, 89-91		2

300	Effect of homocysteine-lowering treatment with folic acid plus vitamin B6 on progression of subclinical atherosclerosis: a randomised, placebo-controlled trial. 2000 , 355, 517-22		252
299	Serum homocysteine and risk of coronary heart disease in UK Indian Asians. 2000 , 355, 512-3		5
298	Associations between classical cardiovascular risk factors and coronary artery disease in two countries at contrasting risk for myocardial infarction: the PRIME study. 2000 , 74, 191-8		13
297	677 C->T polymorphism of the methylenetetrahydrofolate reductase gene and preeclampsia. 2000 , 96, 277-80		49
296	Clinical relevance of hyperhomocysteinaemia in atherothrombotic disease. 2000 , 16, 251-60		1
295	The relation of plasma total homocysteine levels to prevalent cardiovascular disease in older patients with ischemic stroke. 2000 , 12, 48-52		4
294	A meta-analysis of cerebrovascular disease and hyperhomocysteinaemia. 2000 , 60, 491-9		58
293	The effect of high-protein diets on coronary blood flow. 2000 , 51, 817-26		49
292	Homocysteine, B vitamins, and coronary artery disease. 2000 , 84, 215-37, x		49
291	Plasma homocysteine and its association with carotid intimal-medial wall thickness and prevalent coronary heart disease: NHLBI Family Heart Study. <i>Atherosclerosis</i> , 2000 , 151, 519-24	3.1	37
290	Plasma total homocysteine levels in postmenopausal women with unstable coronary artery disease. <i>Atherosclerosis</i> , 2000 , 151, 423-31	3.1	5
289	Effect of folic acid and antioxidant vitamins on endothelial dysfunction in patients with coronary artery disease. 2000 , 36, 758-65		174
288	Relationship between serum lipoprotein(a) level and thrombin generation to the circadian variation in onset of acute myocardial infarction. <i>Atherosclerosis</i> , 2001 , 155, 171-8	3.1	9
287	Lipoprotein (a) and development of intermittent claudication and major cardiovascular events in men and women: the Edinburgh Artery Study. <i>Atherosclerosis</i> , 2001 , 157, 241-9	3.1	42
286	Homocysteine and cardiovascular disease in diabetes mellitus. <i>Atherosclerosis</i> , 2001 , 159, 497-511	3.1	98
285	Established and emerging cardiovascular risk factors. 2001 , 141, S49-57		105
284	Folate, homocysteine, endothelial function and cardiovascular disease. What is the link?. 2001 , 55, 425-33		31
283	Prospective association of lipoprotein(a) concentrations and apo(a) size with coronary heart disease among men in the Multiple Risk Factor Intervention Trial. 2001 , 54, 51-7		17

282	The association of serum lipoprotein(a) levels, apolipoprotein(a) size and (TTTA)(n) polymorphism with coronary heart disease. 2001 , 309, 45-51	18
281	Hyperhomocysteinemia in patients with cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL). 2001 , 76, 1213-8	17
280	Hyperhomocysteinemia: a risk factor or a consequence of coronary heart disease?. 2001 , 161, 1589-94	66
279	Plasma total homocysteine and cardiovascular and noncardiovascular mortality: the Hordaland Homocysteine Study. 2001 , 74, 130-6	150
278	[A four-year prospective study on the influence of serum elevated lipoprotein (a) concentration on ischemic heart disease and cerebral infarction in elderly patients with type 2 diabetes]. 2001 , 38, 507-13	1
277	. 2001 , 8, 311-317	20
276	Oral nutritional supplements and heart disease: a review. 2001 , 8, 255-74	11
275	. 2001 , 8, 363-369	57
274	Homozygosity for the C677-->T mutation of 5,10-methylenetetrahydrofolate reductase and total plasma homocyst(e) ine are not associated with greater than normal risk of a first myocardial infarction in northern Sweden. 2001 , 12, 85-90	17
273	Cost-effectiveness of vitamin therapy to lower plasma homocysteine levels for the prevention of coronary heart disease: effect of grain fortification and beyond. 2001 , 286, 936-43	63
272	Hyperhomocysteinemia and thrombosis. 2001 , 36 Suppl, S13-26	29
271	Diagnosis and treatment of hyperhomocysteinemia. 2001 , 3, 54-63	4
270	Serum homocysteine does not associate with uncomplicated coronary heart disease. 2001 , 31, 581-5	4
269	An MTHFR variant, homocysteine, and cardiovascular comorbidity in renal disease. 2001 , 60, 1106-13	66
268	Homocysteine and major coronary events: a prospective population study amongst women. 2001 , 249, 461-5	37
267	Lipoprotein(a) as a risk factor for maternal cardiovascular disease mortality in kindreds with familial combined hyperlipidemia or familial hypertriglyceridemia. 2001 , 60, 188-97	2
266	Impaired homocysteine metabolism and atherothrombotic disease. 2001 , 81, 645-72	180
265	Association of plasma homocysteine with the number of major coronary arteries severely narrowed. 2001 , 88, 1027-30	31

264	Homocysteine and coronary heart disease in the Caerphilly cohort: a 10 year follow up. 2001 , 85, 153-8		38
263	Assessment of homocysteine as a cardiovascular risk factor in clinical practice. 2001 , 38, 624-32		31
262	The Treatment of Coronary Heart Disease: An Update. 2001 , 17, 18-26		27
261	Coronary heart disease prediction from lipoprotein cholesterol levels, triglycerides, lipoprotein(a), apolipoproteins A-I and B, and HDL density subfractions: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2001 , 104, 1108-13	16.7	721
260	Underestimation of the importance of homocysteine as a risk factor for cardiovascular disease in epidemiological studies. 2001 , 8, 363-9		25
259	Relation of a common methylenetetrahydrofolate reductase mutation and plasma homocysteine with intimal hyperplasia after coronary stenting. <i>Circulation</i> , 2001 , 103, 2048-54	16.7	30
258	Homocysteine and ischaemic stroke in men: the Caerphilly study. 2001 , 55, 91-6		50
257	[Treatment of risk factors in primary prevention of cerebral ischemia]. 2001 , 126, 24-9		
256	Plasma homocysteine concentrations in the acute and convalescent periods of atherothrombotic stroke. <i>Stroke</i> , 2001 , 32, 57-62	6.7	71
255	Hyperhomocyst(e)inemia: a risk factor for cerebrovascular disease. 2002 , 24, 501-9		6
254	Homocysteine and blood pressure in the Third National Health and Nutrition Examination Survey, 1988-1994. 2002 , 156, 1105-13		131
253	Commentary: an updated review of the published studies of homocysteine and cardiovascular disease. 2002 , 31, 70-1		13
252	Homocyst(e)ine and cardiovascular disease: a systematic review of the evidence with special emphasis on case-control studies and nested case-control studies. 2002 , 31, 59-70		177
251	Homocysteine and coronary heart disease: the importance of a distinction between low and high risk subjects. 2002 , 31, 1268-72; author reply 1271-2		16
250	VII.5 Microinflammatory state. 2002 , 17, 100-109		
249	[Homocysteine, methylenetetrahydrofolate reductase/C677T genotype and risk for coronary heart disease. The AtheroGene study]. 2002 , 127, 729-35		
248	The chemokine receptor CCR5 deletion mutation is associated with MS in HLA-DR4-positive Russians. 2002 , 59, 1652-5		29
247	Endothelial dysfunction and atherothrombosis in mild hyperhomocysteinemia. 2002 , 7, 227-39		118

246	Homocysteine and risk of ischemic heart disease and stroke: a meta-analysis. 2002 , 288, 2015-22		1535
245	Coronary atherogenic risk factors in women. 2002 , 23, 1738-52		57
244	Correlates of plasma homocysteine, cysteine and cysteinyl-glycine in respondents in the British National Diet and Nutrition Survey of young people aged 4-18 years, and a comparison with the survey of people aged 65 years and over. 2002 , 87, 71-9		66
243	Plasma total homocysteine and hospitalizations for cardiovascular disease: the Hordaland Homocysteine Study. 2002 , 162, 1374-81		43
242	Hormone replacement therapy does not affect plasma homocysteine in postmenopausal women with coronary artery disease. Free tissue factor pathway inhibitor antigen, a circulating anticoagulant, is related to plasma homocysteine. 2002 , 98, 6-12		12
241	Elevated serum lipoprotein(a) level is an independent marker of severity of thoracic aortic atherosclerosis. 2002 , 121, 1589-94		21
240	Hyperhomocysteinemia and cardiovascular aging. 2002 , 11, 309-335		
239	Plasma homocyst(e)ine concentrations and the risk of subtypes of cerebral infarction. The Hisayama study. 2002 , 13, 9-15		27
238	Homocyst(e)ine and coronary heart disease: pharmaco-economic support for interventions to lower hyperhomocyst(e)inaemia. 2002 , 20, 429-42		10
237	Homocysteine, MTHFR 677C-->T polymorphism, and risk of ischemic stroke: results of a meta-analysis. 2002 , 59, 529-36		199
236	Homocysteine and cardiovascular disease: current evidence and future prospects. 2002 , 112, 556-65		185
235	Homocysteine and methylenetetrahydrofolate reductase genotype: association with risk of coronary heart disease and relation to inflammatory, hemostatic, and lipid parameters. <i>Atherosclerosis</i> , 2002 , 162, 193-200	3.1	43
234	Lipoprotein (a) as a predictor of coronary heart disease: the PRIME Study. <i>Atherosclerosis</i> , 2002 , 163, 377-84	3.1	170
233	Lowering plasma homocysteine with folic acid in cardiovascular disease: what will the trials tell us?. <i>Atherosclerosis</i> , 2002 , 165, 1-3	3.1	20
232	Hyperhomocysteinemia and the risk of thromboembolic phenomenon in patients with chronic renal failure. 2002 , 105, 299-302		1
231	Screening for cardiovascular disease with cholesterol. 2002 , 315, 49-60		15
230	Relation of lipid and lipoprotein(a) to ischaemic stroke. 2002 , 9, 127-32		16
229	Hyperhomocyst(e)inemia and hemostatic factors: the atherosclerosis risk in communities study. 2002 , 12, 228-36		27

228	Total plasma homocysteine level and risk of cardiovascular disease: a meta-analysis of prospective cohort studies. 2002 , 55, 882-7		115
227	Homocysteine determinants and the evidence to what extent homocysteine determines the risk of coronary heart disease. 2002 , 54, 599-618		197
226	The T Allele of The C 677 T 5,10-Methylenetetrahydrofolate Reductase (MTHFR) Gene Polymorphism May Protect Endothelial Function in Young, Normal Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 193-194	9.4	6
225	Relation of plasma total homocysteine to cardiovascular mortality in a French population. 2002 , 90, 591-5		23
224	Homocysteine in neuropsychiatric disorders of the elderly. 2002 , 17, 859-64		52
223	Homocysteine and occlusive arterial disease. 2002 , 89, 838-44		9
222	Homocysteine and the stage of atherosclerotic disease: a study in patients suffering from clinically silent and clinically manifest atherosclerotic disease. 2002 , 32, 309-15		12
221	Serum homocysteine, creatinine, and glucose as predictors of the severity and extent of coronary artery disease in asymptomatic members of high-risk families. 2002 , 32, 472-8		11
220	Serum homocysteine concentration is related to diabetes mellitus, but not to coronary heart disease, in Saudi Arabians. 2002 , 4, 118-23		7
219	Lipoprotein(a) was an independent predictor for major coronary events in treated hypertensive men. 2002 , 25, 287-90		10
218	The association of homocysteine and coronary artery disease. 2003 , 26, 563-8		21
217	Elevated plasma homocysteine as risk factor for peripheral arterial disease--what is the evidence?. 2003 , 16, 215-22		11
216	Serum homocysteine, thermolabile variant of methylene tetrahydrofolate reductase (MTHFR), and venous thromboembolism: Longitudinal Investigation of Thromboembolism Etiology (LITE). 2003 , 72, 192-200		64
215	Lipoprotein(a) and ultrasonographically determined early atherosclerotic changes in the carotid and femoral artery. 2003 , 1, 374-9		15
214	Four-year prospective study of the influence of elevated serum lipoprotein (a) concentration on ischemic heart disease and cerebral infarction in elderly patients with type-2 diabetes. 2003 , 3, 106-112		4
213	Functional approach to investigate Lp(a) in ischaemic heart and cerebral diseases. 2003 , 33, 99-105		4
212	Folate intake, plasma folate and homocysteine status in a random Finnish population. 2003 , 57, 81-8		63
211	Plasma homocysteine in subjects with familial combined hyperlipidemia. <i>Atherosclerosis</i> , 2003 , 166, 111-3.1		14

210	Coronary heart disease mortality, plasma homocysteine, and B-vitamins: a prospective study. <i>Atherosclerosis</i> , 2003 , 166, 369-77	3.1	57
209	Homozygous C677T mutation in the MTHFR gene as an independent risk factor for multiple small-artery occlusions. 2003 , 111, 39-44		40
208	The nested case-control study in cardiology. 2003 , 146, 581-90		127
207	Serum homocysteine levels and mortality in outpatients with or without coronary artery disease: an observational study. 2003 , 114, 685-8		6
206	[Hyperhomocysteinemia: an independent risk factor or a simple marker of vascular disease? 2. Epidemiological data]. 2003 , 51, 111-21		14
205	Elevated plasma homocysteine was associated with hemorrhagic and ischemic stroke, but methylenetetrahydrofolate reductase gene C677T polymorphism was a risk factor for thrombotic stroke: a Multicenter Case-Control Study in China. <i>Stroke</i> , 2003 , 34, 2085-90	6.7	164
204	Developments in Tryptophan and Serotonin Metabolism. <i>Advances in Experimental Medicine and Biology</i> , 2003 ,	3.6	5
203	Reduced inhibition within primary motor cortex in patients with poststroke focal motor seizures. 2003 , 60, 527-8; author reply 527-8		
202	To: Neuropsychological profiles predict regional neuropathology 5 years later. 2003 , 60, 528-528		
201	Lack of association between early atherosclerotic carotid artery wall lesions and serum level of homocysteine. 2003 , 3, 230-232		1
200	To: The chemokine receptor CCR5 deletion mutation is associated with MS in HLA-DR4-positive Russians. 2003 , 60, 528-528		
199	Plasma lipoprotein Lp(a), markers of haemostasis and inflammation, and risk and severity of coronary heart disease. 2003 , 10, 362-70		17
198	Homocysteine, MTHFR 677C-->T polymorphism, and risk of ischemic stroke: results of a meta-analysis. 2003 , 60, 526-7; author reply 526-7		5
197	Ocular flutter in a patient with intracranial hypertension following cerebral venous thrombosis. 2003 , 60, 525; author reply 525		
196	Blood pressure control in stroke patients. What should the consulting neurologist advise?. 2003 , 60, 525; author reply 525		1
195	Prospective study of serum homocysteine and risk of ischemic stroke among patients with preexisting coronary heart disease. <i>Stroke</i> , 2003 , 34, 632-6	6.7	80
194	Homocysteine and cerebral infarction in finnish male smokers. <i>Stroke</i> , 2003 , 34, 1359-63	6.7	28
193	Pentanucleotide TTTTA repeat polymorphism of apolipoprotein(a) gene and plasma lipoprotein(a) are associated with ischemic and hemorrhagic stroke in Chinese: a multicenter case-control study in China. <i>Stroke</i> , 2003 , 34, 1617-22	6.7	46

192	Association of elevated homocysteine levels with a higher risk of recurrent coronary events and mortality in patients with acute myocardial infarction. 2003 , 163, 1933-7		43
191	Homocysteine and risk of recurrent stroke. <i>Stroke</i> , 2003 , 34, 1258-61	6.7	100
190	Plasma homocysteine concentration is decreased by dietary intervention. 2003 , 89, 295-301		36
189	Thermolabile methylenetetrahydrofolate reductase, homocysteine, and cardiovascular disease risk: the European Concerted Action Project. 2003 , 77, 63-70		44
188	[Homocysteine and neuropsychiatric disorders]. 2004 , 26, 50-6		29
187	Association between depressive symptoms and serum concentrations of homocysteine in men: a population study. 2004 , 80, 1574-8		66
186	Effect of interaction between adherence to a Mediterranean diet and the methylenetetrahydrofolate reductase 677C-->T mutation on homocysteine concentrations in healthy adults: the ATTICA Study. 2004 , 80, 849-54		35
185	Homocysteine and the risk of ischemic stroke in a triethnic cohort: the NORthern MANhattan Study. <i>Stroke</i> , 2004 , 35, 2263-9	6.7	178
184	Die Bedeutung von Folsäure für die Gesundheit in verschiedenen Lebensphasen - Teil 2: Folsäure und kardiovaskuläre Erkrankungen. 2004 , 19, 194-199		
183	Serum homocysteine in relation to mortality and morbidity from coronary heart disease: a 24-year follow-up of the population study of women in Gothenburg. <i>Circulation</i> , 2004 , 109, 601-6	16.7	78
182	The associations between smoking, physical activity, dietary habits and plasma homocysteine levels in cardiovascular disease-free people: the MATTICAN study. 2004 , 9, 117-23		47
181	Randomized trial of folic acid for prevention of cardiovascular events in end-stage renal disease. 2004 , 15, 420-6		190
180	Serum total homocysteine concentrations and risk of stroke and its subtypes in Japanese. <i>Circulation</i> , 2004 , 109, 2766-72	16.7	111
179	Lipoprotein(a) is an independent risk factor for peripheral arterial disease in Chinese type 2 diabetic patients in Taiwan. 2004 , 27, 517-21		42
178	Design and statistical issues in the homocysteinemia in kidney and end stage renal disease (HOST) study. 2004 , 1, 451-60		19
177	Mild hyperhomocysteinemia is a risk-factor in all etiological subtypes of stroke. 2004 , 25, 13-7		54
176	[Risk management of coronary artery disease--pharmacological therapy]. 2004 , 154, 266-81		1
175	Folate, homocysteine, endothelial function and cardiovascular disease. 2004 , 15, 64-79		182

174	Various forms of homocysteine and oxidative status in the plasma of ischemic-stroke patients as compared to healthy controls. 2004 , 37, 494-9		17
173	Folate intake and risk of stroke among women. <i>Stroke</i> , 2004 , 35, 1259-63	6.7	35
172	High lipoprotein(a) levels and small apolipoprotein(a) sizes are associated with endothelial dysfunction in a multiethnic cohort. 2004 , 43, 1828-33		48
171	Moderately elevated plasma homocysteine impairs functional endothelial recovery following denudation of mouse carotid arteries. 2004 , 53, 760-5		5
170	Associations of plasma homocysteine and the methylenetetrahydrofolate reductase C677T polymorphism with carotid intima media thickness among South Asian, Chinese and European Canadians. <i>Atherosclerosis</i> , 2004 , 176, 361-70	3.1	49
169	Serum folate and homocysteine and the incidence of acute coronary events: the Kuopio Ischaemic Heart Disease Risk Factor Study. 2004 , 80, 317-23		63
168	Preventing a second stroke in the young. 2004 , 11, 40-50		1
167	Elevated plasma homocysteine level is an independent predictor of coronary heart disease events in patients with type 2 diabetes mellitus. 2004 , 140, 94-100		98
166	Serially increasing change in lipoprotein(a) concentration has predictive value in acute vascular events. 2005 , 42, 285-291		3
165	MTHFR C677T gene mutation as a risk factor for arterial stroke: a hospital based study. 2005 , 12, 40-4		62
164	Homocysteine, renal disease and cardiovascular disease in a remote Australian Aboriginal community. 2005 , 35, 289-94		9
163	Homocysteine as a risk factor for CVD mortality in men with other CVD risk factors: the Kuopio Ischaemic Heart Disease Risk Factor (KIHD) Study. 2005 , 257, 255-62		20
162	Prevalences of hyperhomocysteinemia, unfavorable cholesterol profile and hypertension in European populations. 2005 , 59, 480-8		33
161	Elevated plasma homocysteine in acute stroke was not associated with severity and outcome: stronger association with small artery disease. 2005 , 26, 310-8		38
160	Lipoprotein(a): implications for clinical practice. 2005 , 7, 327-9		1
159	Homocysteine-lowering trials for prevention of heart disease and stroke. 2005 , 5, 215-22		26
158	Homocysteine and cognitive function. 2005 , 5, 209-14		41
157	Fractions of total plasma homocysteine in patients with ischemic stroke before the age of 55 years. 2005 , 56, 201-9		3

156	Serum homocysteine, folate and risk of stroke: Kuopio Ischaemic Heart Disease Risk Factor (KIHD) Study. 2005 , 12, 369-75		31
155	Is lipoprotein (a)-apheresis useful?. 2005 , 9, 142-7		12
154	[Association and control of cardiovascular risk factors in the primary health-care setting]. 2005 , 125, 797-8		
153	[Is homocysteine an independent risk factor for cardiovascular disease?]. 2005 , 125, 798-9		1
152	Homocysteine and B vitamins. 2005 , 325-38		15
151	The association between lifestyle-related factors and plasma homocysteine levels in healthy individuals from the "ATTICA" Study. 2005 , 98, 471-7		31
150	Neurologists' evaluation and treatment of hyperhomocysteinemia in stroke patients. 2005 , 14, 101-6		
149	Job stress and cardiovascular risk factors in male workers. 2005 , 40, 583-8		75
148	Is homocysteine important as risk factor for coronary heart disease?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005 , 15, 140-7	4.5	20
147	Glutathione peroxidase-1 and homocysteine for cardiovascular risk prediction: results from the AtheroGene study. 2005 , 45, 1631-7		92
146	Atherosclerosis: Diet and Drugs. 2005 ,		2
145	Serum lipoprotein(a) levels and apolipoprotein(a) isoform size and risk for first-ever acute ischaemic nonembolic stroke in elderly individuals. <i>Atherosclerosis</i> , 2006 , 187, 170-6	3.1	34
144	Elevated lipoprotein(a)--a genetic risk factor for premature vascular disease in people with and without standard risk factors: a review. 2006 , 52, 5-50		49
143	Free radical reactions in atherosclerosis; An EPR spectrometry study. 2006 , 20, 67-80		2
142	Lipoprotein(a), measured with an assay independent of apolipoprotein(a) isoform size, and risk of future cardiovascular events among initially healthy women. 2006 , 296, 1363-70		149
141	Plasma total homocysteine levels in a healthy Turkish population sample. 2006 , 61, 35-42		10
140	Hyperhomocysteinemia predicts total and cardiovascular mortality in high-risk women. 2006 , 24, 851-9		20
139	Homocysteine metabolism, hyperhomocysteinaemia and vascular disease: an overview. 2006 , 29, 3-20		203

138	Lipoprotein(a) and incident ischemic stroke: the Atherosclerosis Risk in Communities (ARIC) study. <i>Stroke</i> , 2006 , 37, 1407-12	6.7	84
137	Homocysteine and large arteries. 2007 , 44, 278-301		5
136	Homocysteine level and coronary artery disease. 2006 , 57, 9-14		29
135	Oxidative stress in renal transplant patients who develop cardiovascular disease. 2006 , 11, 203-10		3
134	Homocysteine and cardiovascular disease: a review of the evidence. 2007 , 4, 143-50		202
133	Homocysteine and stroke. 2007 , 17, 33-38		1
132	Hyperhomocysteinemia and high-density lipoprotein metabolism in cardiovascular disease. 2007 , 45, 1652-9		33
131	Lipoprotein (a) and venous thromboembolism in adults: a meta-analysis. 2007 , 120, 728-33		65
130	Progressive glycosylation of albumin and its effect on the binding of homocysteine may be a key step in the pathogenesis of vascular damage in diabetes mellitus. 2007 , 69, 166-72		2
129	Homocysteine and outcome in young patients with acute coronary syndromes. 2007 , 118, 183-8		12
128	Elevated Lipoprotein(a) does not promote early atherosclerotic changes of the carotid arteries in young, healthy adults. <i>Atherosclerosis</i> , 2007 , 190, 194-8	3.1	18
127	Lipoprotein (a) and stroke: a meta-analysis of observational studies. <i>Stroke</i> , 2007 , 38, 1959-66	6.7	122
126	Hyperhomocysteinémie et macroangiopathie : « intox ou info » ?. 2007 , 1, 53-56		
125	Impact of markedly elevated serum lipoprotein(a) levels (> or = 100 mg/dL) on the risk of coronary heart disease. 2007 , 56, 1187-91		15
124	Hyperhomocysteinemia and diabetic macroangiopathy: guilty or innocent bystander?. 2007 , 1, 53-59		3
123	Functional COMT Val158Met polymorphism, risk of acute coronary events and serum homocysteine: the Kuopio ischaemic heart disease risk factor study. 2007 , 2, e181		32
122	References. 123-132		
121	. 2007 ,		4

120	Serial measurements of plasma homocysteine levels in early and late phases of ischemic stroke. 2007 , 14, 12-7	41
119	The puzzle of dietary fat intake and risk of ischemic stroke: a brief review of epidemiologic data. 2007 , 107, 287-95	18
118	Association of polymorphism in the thermolabile 5, 10-methylene tetrahydrofolate reductase gene and hyperhomocysteinemia with coronary artery disease. 2008 , 310, 111-7	32
117	Homocysteine, MTHFR gene polymorphisms, and cardio-cerebrovascular risk. 2008 , 49, 267-82	86
116	Novel markers of inflammation in atherosclerosis. 2008 , 10, 164-70	35
115	Risk factors for ischaemic stroke. 2008 , 3, 105-16	127
114	How to identify patients with vulnerable plaques. 2008 , 10, 824-33	5
113	Epidemiology of Lp(a) lipoprotein: its role in atherosclerotic/thrombotic disease. 1997 , 52, 281-92	54
112	Atherosclerosis and Oxidant Stress. 2008 ,	3
111	The Role of Glutathione Pathways in the Prevention of Atherosclerosis. 2008 , 211-239	
110	Homocysteine level and coronary heart disease incidence: a systematic review and meta-analysis. 2008 , 83, 1203-12	249
109	Stroke related to systemic illness and complicated surgery. 2009 , 93, 935-54	
108	Lipoprotein(a) levels and risk of future coronary heart disease: large-scale prospective data. 2008 , 168, 598-608	190
107	Relationship between lipoprotein(a), metabolic syndrome, and carotid atherosclerosis in older Japanese people. 2008 , 54, 361-4	12
106	Plasma lipoprotein (a), homocysteine, and other cardiovascular disease (CVD) risk factors in Nigerians with CVD. 2008 , 33, 282-9	9
105	Plasma Homocysteine and Methylenetetrahydrofolate Reductase Gene Polymorphism in Human Health and Disease: An Update. 2008 , 8, 171-179	3
104	. 2009 ,	20
103	Plasma homocysteine levels and different forms of vascular disease in patients with dementia and other psychogeriatric diseases. 2009 , 27, 88-95	5

102	Nutrient supplements and cardiovascular disease: a heartbreaking story. <i>Journal of Lipid Research</i> , 2009 , 50 Suppl, S429-33	6.3	23
101	Lipoprotein(a) should be taken much more seriously. 2009 , 3, 439-41		6
100	Lipoprotein(a) concentration and the risk of coronary heart disease, stroke, and nonvascular mortality. 2009 , 302, 412-23		976
99	Prospective studies of homocysteine and cardiovascular disease. 1995 , 53, 283-8		36
98	Impact of homocysteine-lowering vitamin therapy on long-term outcome of patients with coronary artery disease. 2009 , 104, 745-9		19
97	Plasma homocysteine as a cardiovascular risk factor: causal, consequential, or of no consequence?. 1999 , 57, 299-305		16
96	Homocysteine level and metabolism in ischemic stroke in the population of Northern Poland. 2009 , 42, 442-7		21
95	Premature coronary artery disease in young (age . 2009 , 136, 222-5		45
94	The controversial role of B-vitamins in cardiovascular risk: An update. 2009 , 102, 847-54		43
93	Homocysteine and Cardiovascular Disease. 413-439		
92	Homocysteine and Neurological Disorders. 441-469		1
91	Hyperhomocysteinemia as an independent risk factor for cardioembolic stroke in the Turkish population. 2009 , 218, 293-300		11
90	Use of serum homocysteine to predict stroke, coronary heart disease and death in ethnic Chinese. 12-year prospective cohort study. 2009 , 73, 1423-30		35
89	Homocysteine and arterial thrombosis: Challenge and opportunity. 2010 , 103, 942-61		64
88	Increased stroke risk and lipoprotein(a) in a multiethnic community: the Northern Manhattan Stroke Study. 2010 , 30, 237-43		23
87	Homocysteine is a risk factor in predialysis patients when associated with malnutrition and inflammation. 2010 , 2010, 957645		5
86	Lipoprotein(a) and ischemic heart disease--a causal association? A review. <i>Atherosclerosis</i> , 2010 , 211, 15-23	3.1	82
85	Lack of association between total serum homocysteine and extracranial cerebral flow. 2010 , 109, 278-86		1

84	Folate in smokers. 2011 , 412, 521-6	33
83	II. Cerebral infarction/transient ischemic attack (TIA). 2011 , 20, S31-73	42
82	Prevalence of methylenetetrahydrofolate reductase C677T and A1298C polymorphisms in Taiwanese patients with Type 2 diabetic mellitus. 2011 , 44, 1370-4	17
81	Lipoprotein(a) and risk of myocardial infarction--genetic epidemiologic evidence of causality. 2011 , 71, 87-93	28
80	Prospective study of first stroke in relation to plasma homocysteine and MTHFR 677C>T and 1298A>C genotypes and haplotypes - evidence for an association with hemorrhagic stroke. 2011 , 49, 1555-62	21
79	Serum homocysteine and folate but not vitamin B12 are predictors of CHD mortality in older adults. 2012 , 19, 1420-9	20
78	LDL-apheresis: technical and clinical aspects. 2012 , 2012, 314283	47
77	Serial changes in plasma homocysteine in acute clinical stroke. 2012 , 3,	1
76	Vitamin B12 deficiency and hyperhomocysteinemia as correlates of cardiovascular risk factors in Indian subjects with coronary artery disease. 2013 , 61, 289-94	67
75	Lipoprotein(a) in cardiovascular diseases. 2013 , 2013, 650989	50
74	Increased carotid intima-media thickness and plasma homocysteine levels predict cardiovascular and all-cause death: a population-based cohort study. 2013 , 70, 1-5	13
73	Hyperhomocysteinémie: un vrai facteur de risque cardiovasculaire?. 2013 , 8, 1-7	
72	Relationship between Lipoprotein(a) and Thyroid Hormones in Hypothyroid Patients. 2014 , 8, 37-9	5
71	The relationship between serum lipoprotein (a) levels and ischemic stroke risk: a cohort study in the Chinese population. 2014 , 37, 686-93	13
70	Plasma homocysteine, dietary B vitamins, betaine, and choline and risk of peripheral artery disease. <i>Atherosclerosis</i> , 2014 , 235, 94-101	3.1 39
69	The Association Between Medical Treatment of Physical Diseases and Psychological Distress After the Great East Japan Earthquake: The Shichigahama Health Promotion Project. 2015 , 9, 374-81	17
68	Long-term stability of cancer biomarkers in human serum: biomarkers of oxidative stress and redox status, homocysteine, CRP and the enzymes ALT and GGT. 2015 , 9, 425-32	20
67	Effects of folic acid supplementation on homocysteine level as primary prevention of heart disease: a systematic review. 2015 , 23, 387-394	

66	Lipoprotein (a) as a risk factor for ischemic stroke: a meta-analysis. <i>Atherosclerosis</i> , 2015 , 242, 496-503	3.1	100
65	Correlation Between Hyperhomocysteinemia and Outcomes of Patients With Acute Myocardial Infarction. 2016 , 23, e1464-e1468		12
64	Lipoprotein (a) as a cause of cardiovascular disease: insights from epidemiology, genetics, and biology. <i>Journal of Lipid Research</i> , 2016 , 57, 1953-1975	6.3	242
63	Atherogenesis: hyperhomocysteinemia interactions with LDL, macrophage function, paraoxonase 1, and exercise. 2016 , 1363, 138-54		27
62	An Increased Serum Level of Lipoprotein(a) Is a Predictor for Deep Vein Thrombosis in Patients with Spinal Cord Injuries. 2016 , 87, 607-12		10
61	Lipoprotein(a) and Cardiovascular Disease. <i>Clinical Chemistry</i> , 2021 , 67, 154-166	5.5	23
60	Hyperhomocysteinemia and Ischemic Stroke: A Potential Dose-Response Association-A Systematic Review and Meta-analysis. <i>TH Open</i> , 2021 , 5, e420-e437	2.7	3
59	Lipoprotein (a) level as a risk factor for stroke and its subtype: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2021 , 11, 15660	4.9	4
58	The Pathogenesis of Vascular Disease. 2000 , 787-798		16
57	Prognostic value of tryptophan load test followed by serum kynurenine determination. Its comparison with pyridoxal-5-phosphate, kynurenine, homocysteine and neopterin amounts. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 527, 307-15	3.6	5
56	Homocysteine, Folic Acid, and Cardiovascular Disease Risk. 1997 , 193-224		18
55	Antioxidant and B-vitamins and Atherosclerosis. 2010 , 285-323		1
54	Epidemiology of Atherosclerotic Vascular Disease. 2002 , 3-16		1
53	Homocysteine as a Risk Factor for Cerebrovascular Disease and Stroke. <i>Developments in Cardiovascular Medicine</i> , 2000 , 151-172		3
52	Homocysteine as a Risk Factor for Coronary Artery Disease. <i>Developments in Cardiovascular Medicine</i> , 2000 , 173-202		2
51	Homocysteine as a Risk Factor for Cardiovascular Disease in Women. <i>Developments in Cardiovascular Medicine</i> , 2000 , 217-238		1
50	An Overview of the Homocysteine Lowering Clinical Trials. <i>Developments in Cardiovascular Medicine</i> , 2000 , 413-429		9
49	Reference Ranges for Homocysteine Concentrations. <i>Developments in Cardiovascular Medicine</i> , 2000 , 41-57		3

48	Differences in Lp[a] concentrations and apo[a] polymorphs between black and white Americans. <i>Journal of Lipid Research</i> , 1996 , 37, 2569-2585	6.3	165
47	Metabolic risk factors for coronary heart disease: current and future prospects. <i>Current Opinion in Cardiology</i> , 1999 , 14, 176-85	2.1	17
46	Homocysteine as a novel risk factor for atherosclerosis. <i>Current Opinion in Cardiology</i> , 1999 , 14, 283-91	2.1	19
45	No association between plasma lipoprotein(a) concentrations and the presence or absence of coronary atherosclerosis in African-Americans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995 , 15, 850-5	9.4	83
44	Higher plasma homocyst(e)ine and increased susceptibility to adverse effects of low folate in early familial coronary artery disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995 , 15, 1314-20	9.4	52
43	A prospective case-control study of lipoprotein(a) levels and apo(a) size and risk of coronary heart disease in Stanford Five-City Project participants. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 239-45	9.4	135
42	Plasma total homocysteine, B vitamins, and risk of coronary atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 989-95	9.4	159
41	Angiotensin-converting enzyme and lipoprotein(a) as risk factors for myocardial infarction. <i>Circulation</i> , 1995 , 91, 1888-90	16.7	4
40	Predictive value of electrophoretically detected lipoprotein(a) for coronary heart disease and cerebrovascular disease in a community-based cohort of 9936 men and women. <i>Circulation</i> , 1997 , 96, 1390-7	16.7	85
39	High homocysteine levels are independently related to isolated systolic hypertension in older adults. <i>Circulation</i> , 1997 , 96, 1745-9	16.7	185
38	Serum folate and risk for ischemic stroke. First National Health and Nutrition Examination Survey epidemiologic follow-up study. <i>Stroke</i> , 1995 , 26, 1166-70	6.7	68
37	Relationship between plasma homocysteine levels and saphenous vein graft disease after coronary artery bypass grafts. <i>International Heart Journal</i> , 2001 , 42, 553-62		13
36	Lipids and Lipid Mediators Associated with the Risk and Pathology of Ischemic Stroke. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
35	Relationship between Occupational Stress and Gastric Disease in Male Workers. <i>Korean Journal of Family Medicine</i> , 2012 , 33, 311-9	1.7	7
34	An association between plasma homocysteine concentrations and ischemic stroke in elderly Japanese. <i>Journal of Atherosclerosis and Thrombosis</i> , 2002 , 9, 121-5	4	14
33	Laboratory evaluation of hypercoagulability with venous or arterial thrombosis. <i>Archives of Pathology and Laboratory Medicine</i> , 2002 , 126, 1281-95	5	55
32	Hyperhomocysteinemia and thrombosis: an overview. <i>Archives of Pathology and Laboratory Medicine</i> , 2007 , 131, 872-84	5	109
31	Hypercoagulation testing in ischemic stroke. <i>Archives of Pathology and Laboratory Medicine</i> , 2007 , 131, 890-901	5	38

30	Cerebrovascular Disease in Women. 2000 , 797-810		1
29	Hyperhomocysteinemia, Diabetes, and Cardiovascular Disease. 2001 , 127-145		3
28	Lowering plasma homocyst(e)ine may affect atherosclerotic disease. <i>Nurse Practitioner</i> , 2002 , 27, 52-4	0.4	
27	References. <i>Circulation</i> , 2002 , 106, 3373-3421	16.7	1
26	Folate, Homocysteine, and Heart Disease. 2003 ,		
25	Serum Biomarkers in Prediction of Stroke Risk and Outcome. 2004 , 257-278		
24	Molecular Genetic Analysis in Mild Hyperhomocysteinemia: A Common Mutation in the Methylenetetrahydrofolate Reductase Gene Associated with Recurrent Cerebrovascular Strokes. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2004 , 4, 95-101	0.5	1
23	Risk Factors for Cardiovascular Disease and Arterial Thrombosis. 2007 , 371-378		
22	Homocysteine Level and Cardiovascular Afflictions in the Black African Patients in Lome. <i>Research Journal of Cardiology</i> , 2009 , 3, 1-8		2
21	Hypercoagulable States. 2010 , 588-598		
20	The Effect of Nutritional Supplementation on Stroke Mortality and Blood Pressure. 1996 , 395-402		
19	Prospective Studies of Homocysteine and Cardiovascular Disease. <i>Developments in Cardiovascular Medicine</i> , 1997 , 239-244		
18	Plasma Homocysteine and Coronary Artery Disease. <i>Developments in Cardiovascular Medicine</i> , 1997 , 193-197		
17	Homocysteine and Vascular Disease: The European Concerted Action Project. <i>Developments in Cardiovascular Medicine</i> , 1997 , 225-238		3
16	Homocysteine and Cerebral and Peripheral Vascular Disease. <i>Developments in Cardiovascular Medicine</i> , 1997 , 199-204		
15	Stroke Due to Hypercoagulable State Can Mimic Multiple Sclerosis: A Case Report. <i>World Journal of Neuroscience</i> , 2017 , 07, 267-274	0.4	
14	SERUM HOMOCYSTEINE AS A RISK FACTOR IN ISCHAEMIC STROKE- A CROSS-SECTIONAL OBSERVATIONAL STUDY IN A TERTIARY CARE TEACHING HOSPITAL IN NORTHERN KERALA. <i>Journal of Evidence Based Medicine and Healthcare</i> , 2017 , 4, 163-167	0	
13	Laboratory tests and biopsychosocial approach in the examination of patients with brachiocephalic arteries atherosclerosis. <i>Regional Blood Circulation and Microcirculation</i> , 2017 , 16, 4-16	0.3	0

12	Lipoprotein (a): Principles from Bench to Bedside. <i>Contemporary Cardiology</i> , 2021 , 363-381	0.1	
11	Preventive health care, 2000 update: screening and management of hyperhomocysteinemia for the prevention of coronary artery disease events. The Canadian Task Force on Preventive Health Care. <i>Cmaj</i> , 2000 , 163, 21-9	3.5	17
10	Homocysteine, vitamins, and coronary artery disease. Comprehensive review of the literature. <i>Canadian Family Physician</i> , 2000 , 46, 2236-45	0.9	12
9	New paradigms in preventive cardiology: unconventional coronary risk factors. <i>Ochsner Journal</i> , 2000 , 2, 209-17	1.5	0
8	Association between serum homocysteine concentration with coronary artery disease in Iranian patients. <i>ARYA Atherosclerosis</i> , 2011 , 7, 63-7	0.7	6
7	Role of homocysteine & MTHFR C677T gene polymorphism as risk factors for coronary artery disease in young Indians. <i>Indian Journal of Medical Research</i> , 2012 , 135, 506-12	2.9	13
6	Fasting total homocysteine (tHcy) concentration and mortality in older Mexican Americans. <i>Journal of Nutrition, Health and Aging</i> , 2008 , 12, 685-9	5.2	3
5	Impact of Lipoprotein(a) concentrations on long-term cardiovascular outcomes in patients undergoing percutaneous coronary intervention: A large cohort study.. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022 ,	4.5	
4	Lipoprotein(a) and cardiovascular and valvular diseases: A genetic epidemiological perspective. <i>Atherosclerosis</i> , 2022 , 349, 7-16	3.1	16
3	Machine Learning-Based Model for Prediction of Hemorrhage Transformation in Acute Ischemic Stroke After Alteplase. <i>Frontiers in Neurology</i> , 13,	4.1	
2	Homocysteine and Atherosclerosis: Potential Mechanisms and Clinical Implications. <i>Journal of the Royal College of Physicians of Edinburgh, The</i> , 2000 , 30, 114-122	0.9	1
1	Homocysteine, Vitamins B6, B12, and Folate and the Risk of Ischemic and Hemorrhagic Stroke: A Case-control Study from Northeast India. 097275312211244		0