

CITATION REPORT

List of articles citing

A short physical performance battery assessing lower extremity function: association with self-reported disability and prediction of mortality and nursing home admission

DOI: 10.1093/geronj/49.2.m85

Journal of Gerontology, 1994, 49, M85-94.

Source: <https://exaly.com/paper-pdf/25455633/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2274	Physical performance measures in the assessment of older persons. 1994 , 6, 303-5		31
2273	Association of visual impairment with mobility and physical function. 1994 , 42, 287-92		205
2272	Development of a physical performance and mobility examination. 1994 , 42, 743-9		94
2271	The prevalence and impact of arthritis in older persons. 1995 , 8, 257-64		31
2270	Associations of physical activity with performance-based and self-reported physical functioning in older men: the Honolulu Heart Program. 1995 , 43, 845-54		59
2269	Predictors of hand function in older persons: a two-year longitudinal analysis. 1995 , 43, 122-9		16
2268	Measuring physical function in community-dwelling older persons: a comparison of self-administered, interviewer-administered, and performance-based measures. 1995 , 43, 17-23		176
2267	Psychophysiological factors contributing to functional performance in people with COPD: are there gender differences?. 1995 , 18, 535-46		42
2266	Changes in functional ability from ages 70 to 75. A Danish longitudinal study. 1995 , 7, 254-82		56
2265	Assessing risk for the onset of functional dependence among older adults: the role of physical performance. 1995 , 43, 603-9		331
2264	Assessing mobility in elderly people. A review of performance-based measures of balance, gait and mobility for bedside use. 1995 , 5, 464-486		14
2263	Measurement, nature, and implications of skeletal muscle strength in patients with neurological disorders. 1995 , 10, 283-292		25
2262	Sit-to-stand test for measuring performance of lower extremity muscles. 1995 , 80, 163-6		272
2261	Lower-extremity function in persons over the age of 70 years as a predictor of subsequent disability. 1995 , 332, 556-61		2823
2260	The structure underlying physical performance measures for older adults in the community. 1995 , 7, 451-8		17
2259	Serum albumin and physical function as predictors of coronary heart disease mortality and incidence in older persons. 1996 , 49, 519-26		84
2258	Measuring functional status: cross-sectional and longitudinal associations between performance and self-report (Zutphen Elderly Study 1990-1993). 1996 , 49, 1103-10		181

2257	Effect of age and severity of disability on short-term variation in walking speed: the Women's Health and Aging Study. 1996 , 49, 1089-96	37
2256	Fall-related factors and risk of hip fracture: the EPIDOS prospective study. 1996 , 348, 145-9	713
2255	Continuous-scale physical functional performance in healthy older adults: a validation study. 1996 , 77, 1243-50	134
2254	Prospective value of self-report and performance-based tests of functional status for 18-month outcomes in elderly patients. 1996 , 8, 271-6	22
2253	Exercise to Improve Physiologic and Functional Performance in Old Age. 1996 , 12, 761-784	99
2252	A Multifactorial Approach to Reducing Injurious Falls. 1996 , 12, 745-759	82
2251	Functional Assessment of Balance and Gait. 1996 , 12, 705-723	119
2250	The relationship between physical performance measures and independence in instrumental activities of daily living. The FICSIT Group. Frailty and Injury: Cooperative Studies of Intervention Trials. 1996 , 44, 1332-41	160
2249	Balance and strength training in older adults: intervention gains and Tai Chi maintenance. 1996 , 44, 498-506	323
2248	Characterization of older adults who attribute functional decrements to "old age". 1996 , 44, 1429-34	79
2247	Factors affecting contrasting results between self-reported and performance-based levels of physical limitation. 1996 , 25, 458-64	87
2246	Inner-city older blacks have high levels of functional disability. 1996 , 44, 1166-73	35
2245	Predictors of change in walking velocity in older adults. 1996 , 44, 126-32	50
2244	Physical Performance Measures for Characterizing High Functioning Older Persons. 1996 , 4, 338-348	13
2243	Imbalance in an older population: an epidemiological analysis. 1996 , 8, 334-58	8
2242	Survival in the oldest old: death risk factors in old and very old subjects. 1996 , 8, 220-37	17
2241	A race- and gender-specific replication of five dimensions of functional limitation and disability. 1997 , 9, 28-42	35
2240	Unstable disability and the fluctuations of frailty. 1997 , 26, 315-8	403

2239	Nutrition risk screening characteristics of rural older persons: relation to functional limitations and health care charges. 1997 , 66, 819-28	114
2238	The impact of kyphosis on daily functioning. 1997 , 45, 1479-86	115
2237	Characteristics of older pedestrians who have difficulty crossing the street. 1997 , 87, 393-7	176
2236	Identifying hospitalized older patients at varying risk for physical performance decline: a new approach. 1997 , 45, 604-9	24
2235	Proxy reporting in five areas of functional status. Comparison with self-reports and observations of performance. 1997 , 146, 418-28	185
2234	Predicting the probability for falls in community-dwelling older adults. 1997 , 77, 812-9	745
2233	Preventing falls by dealing with the causes. 1997 , 167, 407-8	6
2232	Ageing and the relationship between functional status and self-rated health in elderly men. 1997 , 45, 1527-36	103
2231	IGFBP-3. Functional and structural implications in aging and wasting syndromes. 1997 , 7, 81-5	16
2230	Prognostic significance of difficulties in mobility in a five-year follow-up study of four birth cohorts. 1997 , 25, 311-9	3
2229	How do the elderly negotiate stairs?. 1997 , 20, 52-55	22
2228	Exercise, Physical Function and Health Perceptions of Older People. 1998 , 84, 598-602	7
2227	Social relations and mortality. An eleven year follow-up study of 70-year-old men and women in Denmark. 1998 , 47, 635-43	82
2226	Measures of functional status in community-dwelling elders. 1998 , 13, 817-23	64
2225	Does the metabolic syndrome predict mobility impairment in the elderly?. 1998 , 26, 131-9	4
2224	Performance-based and self-assessed measures of visual function as related to history of falls, hip fractures, and measured gait time. The Beaver Dam Eye Study. 1998 , 105, 160-4	226
2223	Tiredness in daily activities at age 70 as a predictor of mortality during the next 10 years. 1998 , 51, 323-33	85
2222	Self-reported and performance-based functional status and associated factors among elderly men: the Finnish cohorts of the Seven Countries Study. 1998 , 51, 1243-52	77

2221	Impact of joint impairment on disability-specific domains at four years. 1998 , 51, 1253-61	22
2220	Reliability and validity of the Motor Fitness Scale for older adults in the community. 1998 , 10, 295-302	20
2219	Outcome After Hemiarthroplasty for Femoral Neck Fractures in the Elderly. 1998 , 348, 51???58	47
2218	Predictors of mobility and basic ADL difficulty among adults aged 70 years and older. 1998 , 10, 422-40	64
2217	Validity of direct assessment of functional status as a tool for measuring Alzheimer's disease severity. 1998 , 27, 615-22	46
2216	Lower-extremity functioning in older Mexican Americans and its association with medical problems. 1998 , 46, 411-8	42
2215	Mobility after hip fracture predicts health outcomes. 1998 , 46, 169-73	70
2214	High body fatness, but not low fat-free mass, predicts disability in older men and women: the Cardiovascular Health Study. 1998 , 68, 584-90	255
2213	Malnutrition or healthy senescence. 1998 , 57, 593-8	13
2212	Longitudinal change in the physical performance of older adults in the community. 1998 , 1, 1-5	38
2211	AKEntAnnos. The Sardinia Study of Extreme Longevity. 1999 , 11, 142-149	27
2210	Factors related to the length of in-hospital stay of geriatric patients. 1999 , 11, 150-154	4
2209	Cognitive functioning and health as determinants of mortality in an older population. 1999 , 150, 978-86	112
2208	Do elderly women have more physical disability than men do?. 1999 , 150, 834-42	97
2207	Hand-grip strength predicts incident disability in non-disabled older men. 1999 , 28, 283-8	276
2206	A randomized clinical trial of outpatient comprehensive geriatric assessment coupled with an intervention to increase adherence to recommendations. 1999 , 47, 269-76	163
2205	Medical cost for disability: a longitudinal observation of national health insurance beneficiaries in Japan. 1999 , 47, 470-6	39
2204	A telescopic inverted-pendulum model of the musculo-skeletal system and its use for the analysis of the sit-to-stand motor task. 1999 , 32, 1205-12	33

2203	Ankle brachial index as a predictor of outcomes in peripheral arterial disease. 1999 , 133, 33-40	52
2202	Risk factors for functional status decline in community-living elderly people: a systematic literature review. 1999 , 48, 445-69	1340
2201	Internal consistency and validity of an observational method for assessing disability in mobility in patients with osteoarthritis. 1999 , 12, 19-25	22
2200	Postmenopausal women take steps to reduce their osteoporosis risk. 1999 , 9, 211-8	9
2199	Mobility-related function in older adults: assessment with a 6-minute walk test. 1999 , 80, 837-41	360
2198	A 30-s chair-stand test as a measure of lower body strength in community-residing older adults. 1999 , 70, 113-9	1354
2197	Disability in older adults. 1: Prevalence, causes, and consequences. 1999 , 24, 147-56	47
2196	Associations among the Mini Nutritional Assessment instrument, dehydration, and functional status among older African Americans in St. Louis, Mo., USA. 1999 , 1, 79-86	5
2195	Physical functioning: definitions, measurement, and expectations. 1999 , 6, 110-23	88
2194	Walking speed and stride length predicts 36 months dependency, mortality, and institutionalization in Chinese aged 70 and older. 1999 , 47, 1257-60	125
2193	Medication management capacity in highly functioning community-living older adults: detection of early deficits. 1999 , 47, 592-6	85
2192	Comparison of performance-based and self-rated functional capacity in Spanish elderly. 1999 , 149, 228-35	51
2191	Detection of older people at increased risk of adverse health outcomes after an emergency visit: the ISAR screening tool. 1999 , 47, 1229-37	356
2190	The power of ageism on physical function of older persons: reversibility of age-related gait changes. 1999 , 47, 1346-9	148
2189	Prognostic value of treadmill exercise testing in elderly persons. 2000 , 132, 862-70	151
2188	The prognostic value of serum albumin in healthy older persons with low and high serum interleukin-6 (IL-6) levels. 2000 , 48, 1404-7	44
2187	Chair and bed rise performance in ADL-impaired congregate housing residents. 2000 , 48, 526-33	48
2186	Reasons given by older people for limitation or avoidance of leisure time physical activity. 2000 , 48, 505-12	61

2185	A randomized trial of weighted vest use in ambulatory older adults: strength, performance, and quality of life outcomes. 2000 , 48, 305-11	44
2184	The protective effect of emotional vitality on adverse health outcomes in disabled older women. 2000 , 48, 1359-66	103
2183	Self-reported walking ability predicts functional mobility performance in frail older adults. 2000 , 48, 1408-13	85
2182	Fatigue in an older population. 2000 , 48, 426-30	114
2181	Subsystems contributing to the decline in ability to walk: bridging the gap between epidemiology and geriatric practice in the InCHIANTI study. 2000 , 48, 1618-25	602
2180	Reliability and prevalence of physical performance examination assessing mobility and balance in older persons in the US: data from the Third National Health and Nutrition Examination Survey. 2000 , 48, 1136-41	66
2179	Effects of T'ai Chi training on function and quality of life indicators in older adults with osteoarthritis. 2000 , 48, 1553-9	150
2178	Skeletal muscle mass and muscle strength in relation to lower-extremity performance in older men and women. 2000 , 48, 381-6	222
2177	Characteristics of nondisabled older persons who perform poorly in objective tests of lower extremity function. 2000 , 48, 1102-10	114
2176	Predicting the risk of mobility difficulty in older women with screening nomograms: the Women's Health and Aging Study II. 2000 , 160, 2525-33	43
2175	Sit-to-stand motor strategies investigated in able-bodied young and elderly subjects. 2000 , 33, 1113-22	141
2174	Changes in depression and physical decline in older adults: a longitudinal perspective. 2000 , 61, 1-12	173
2173	Consequences of vertebral deformities in older men and women. 2000 , 15, 1564-72	154
2172	The male climacterium: clinical signs and symptoms of a changing endocrine environment. 2000 , 10, 2-8	16
2171	Predicting elderly people's risk for nursing home placement, hospitalization, functional impairment, and mortality: a synthesis. 2000 , 57, 259-97	300
2170	Walking speed as a good predictor for the onset of functional dependence in a Japanese rural community population. 2000 , 29, 441-6	322
2169	Men, ageing and health: Ageing and Health Programme, Social Change and Mental Health Cluster, World Health Organization. 2000 , 3, 3-36	16
2168	Comparison of a Self-Reported and a Performance-Based Assessment of Mobility in the Hispanic Established Population for Epidemiological Studies of the Elderly. 2000 , 22, 715-737	20

2167	Attrition in an exercise intervention: a comparison of early and later dropouts. 2000 , 48, 952-60	48
2166	Asymptomatic peripheral arterial disease is independently associated with impaired lower extremity functioning: the women's health and aging study. 2000 , 101, 1007-12	190
2165	Physical functioning and health-related quality-of-life changes with exercise training in hemodialysis patients. 2000 , 35, 482-92	263
2164	Health and functional capacity as predictors of community dwelling among elderly people. 2000 , 53, 257-65	37
2163	Low-intensity exercise as a modifier of physical frailty in older adults. 2000 , 81, 960-5	146
2162	Geriatric oncology: challenges for the new century. 2000 , 36, 1741-54	182
2161	Long-term home exercise program: effect in women at high risk of fracture. 2000 , 81, 319-23	18
2160	Self-reported and performance-based mobility related to instrumental activities of daily living in women aged 62 years and older. A population study. 2000 , 12, 295-300	5
2159	Environmental changes in soleus H-reflex excitability in young and elderly subjects. 2000 , 105, 1-13	45
2158	The self-reported functional measure: Predictive validity for health care utilization in multiple sclerosis and spinal cord injury. 2001 , 82, 613-8	18
2157	Velocity training induces power-specific adaptations in highly functioning older adults. 2001 , 82, 872-8	150
2156	Gait variability and fall risk in community-living older adults: a 1-year prospective study. 2001 , 82, 1050-6	1571
2155	Fall-risk screening test: a prospective study on predictors for falls in community-dwelling elderly. 2001 , 54, 837-44	476
2154	Clinical significance of falling blood pressure among older adults. 2001 , 54, 961-7	53
2153	Subject Recruitment, Retention and Protocol Feasibility in a Prospective Study of Nutritional Risk Among Urban, Frail Homebound Elders. 2001 , 21, 1-21	4
2152	Etiology and modification of gait instability in older adults: a randomized controlled trial of exercise. 2001 , 90, 2117-29	139
2151	An evaluation of three self-report physical activity instruments for older adults. 2001 , 33, 962-70	318
2150	Exercise dose-response effects on quality of life and independent living in older adults. 2001 , 33, S598-608; discussion S609-10	250

2149	Frail older women's participation in a trial of hormone replacement therapy: perceived benefits and concerns. 2001 , 8, 127-34	7
2148	Making Geriatric Assessment Work: Selecting Useful Measures. 2001 , 81, 1233-1252	94
2147	Determinants of physical performance in ambulatory patients on hemodialysis. 2001 , 60, 1586-91	87
2146	Validation of questionnaires to estimate physical activity and functioning in end-stage renal disease. 2001 , 59, 1121-7	188
2145	Prevalence and significance of unrecognized lower extremity peripheral arterial disease in general medicine practice*. 2001 , 16, 384-90	110
2144	Coimpairments as predictors of severe walking disability in older women. 2001 , 49, 21-7	171
2143	Associations of demographic, functional, and behavioral characteristics with activity-related fear of falling among older adults transitioning to frailty. 2001 , 49, 1456-62	199
2142	Two recruitment strategies for a clinical trial of physically frail community-living older persons. 2001 , 49, 1039-45	69
2141	Aging and cancer: the geriatrician's point of view. 2001 , 39, 307-11	8
2140	Responsiveness of observational and self-report methods for assessing disability in mobility in patients with osteoarthritis. 2001 , 45, 56-61	27
2139	Gait Variability in Community-Dwelling Older Adults. 2001 , 49, 1646-1650	127
2138	Standardisation of a Three-metre Walking Test for Elderly People. 2001 , 87, 125-132	14
2137	Incidence of four adverse outcomes in the elderly population: implications for home care policy and research. 2001 , 20, 17-47	14
2136	Resistance exercise decreases skeletal muscle tumor necrosis factor alpha in frail elderly humans. 2001 , 15, 475-82	346
2135	Altered gait profile in subjects with peripheral arterial disease. 2001 , 6, 31-34	66
2134	Development of a test of physical performance for the nursing home setting. 2001 , 41, 671-9	34
2133	Peripheral arterial disease: epidemiology and drug therapy. 2002 , 11, 258-66	14
2132	Satisfaction with support given and its association with subsequent health status. 2002 , 14, 355-69	14

2131	Improved functional status in 16 years of follow up of middle aged and elderly men and women in north eastern Finland. 2002 , 56, 905-12	11
2130	Co-morbidity adjustment for functional outcomes in community-dwelling older adults. 2002 , 16, 420-8	106
2129	Peripheral artery disease, diabetes, and reduced lower extremity functioning. 2002 , 25, 113-20	162
2128	Physical functional performance in persons using a manual wheelchair. 2002 , 32, 104-13	25
2127	A double-blind, placebo-controlled, randomized clinical trial of recombinant human chorionic gonadotropin on muscle strength and physical function and activity in older men with partial age-related androgen deficiency. 2002 , 87, 3125-35	83
2126	Yoga for women with hyperkyphosis: results of a pilot study. 2002 , 92, 1611-4	44
2125	Environmental Demands Associated With Community Mobility in Older Adults With and Without Mobility Disabilities. 2002 , 82, 670-681	239
2124	Clinical assessment of function among women with a recent cerebrovascular event: a self-reported versus performance-based measure. 2002 , 136, 802-11	12
2123	Determinants of the Sit-to-Stand Movement: A Review. 2002 , 82, 866-879	415
2122	Older people with impaired mobility have specific loci of periventricular abnormality on MRI. 2002 , 58, 48-55	113
2121	Creatine supplementation improves muscular performance in older men. 2002 , 34, 537-43	100
2120	Development of a method to identify seniors at high risk for high hospital utilization. 2002 , 40, 782-93	44
2119	Assessing Functional Status Measures In Older Adults: A Guide For Healthcare Professionals. 2002 , 7, 89-101	3
2118	The ankle brachial index is associated with leg function and physical activity: the Walking and Leg Circulation Study. 2002 , 136, 873-83	368
2117	Physical Impairment and Disability: Relationship to Performance of Activities of Daily Living in Community-Dwelling Older Men. 2002 , 82, 752-761	90
2116	The mediating effect of pain and fatigue on level of functioning in older adults. 2002 , 51, 254-65	26
2115	Quantitative Testing of Muscle Strength: Issues and Practical Options for the Geriatric Population. 2002 , 18, 1-17	39
2114	Application of a falls prevention program for older people to primary health care practice. 2002 , 34, 546-53	41

2113	Role of hormones in the pathogenesis and management of sarcopenia. 2002 , 19, 865-77	80
2112	A health-related fitness and functional performance test battery for middle-aged and older adults: feasibility and health-related content validity. 2002 , 83, 666-77	37
2111	Eye-head coordination during postural perturbation as a predictor of falls in community-dwelling elderly women. 2002 , 83, 942-51	16
2110	Neuromuscular stimulation of the quadriceps muscle after hip fracture: a randomized controlled trial. 2002 , 83, 1087-92	43
2109	The Performance Enhancement Project: improving physical performance in older persons. 2002 , 83, 1060-9	62
2108	The reliability of upper- and lower-extremity strength testing in a community survey of older adults. 2002 , 83, 1423-7	70
2107	Reliability and sensitivity to change assessed for a summary measure of lower body function: results from the Women's Health and Aging Study. 2002 , 55, 916-21	250
2106	Outcome of lower extremity malignancy survivors treated with transfemoral amputation. 2002 , 83, 177-82	17
2105	Did Mobility and Balance of Residents Living in Private Old Age Homes Improve after a Mobility Exercise Programme? A Pilot Study. 2002 , 20, 16-21	8
2104	Exercise to prevent and treat functional disability. 2002 , 18, 431-62, vi-vii	68
2103	Known related effects of nutrition on aging muscle function. 2002 , 6, 135-47; discussion 147-50	1
2102	A home-based nutrition intervention to increase consumption of fruits, vegetables, and calcium-rich foods in community dwelling elders. 2002 , 102, 1421-7	51
2101	Aging-related changes in the thiol/disulfide redox state: implications for the use of thiol antioxidants. 2002 , 37, 1333-45	147
2100	The ankle brachial index and change in lower extremity functioning over time: the Women's Health and Aging Study. 2002 , 50, 238-46	46
2099	Lower extremity performance is associated with daily life physical activity in individuals with and without peripheral arterial disease. 2002 , 50, 247-55	68
2098	The relationship between leg power and physical performance in mobility-limited older people. 2002 , 50, 461-7	432
2097	Weighted stair climbing in mobility-limited older people: a pilot study. 2002 , 50, 663-70	102
2096	The role of smoking and other modifiable lifestyle risk factors in maintaining and restoring lower body mobility in middle-aged and older Americans: results from the HRS and AHEAD. Health and Retirement Study. Asset and Health Dynamics Among the Oldest Old. 2002 , 50, 691-9	36

2095	Leg muscle mass and composition in relation to lower extremity performance in men and women aged 70 to 79: the health, aging and body composition study. 2002 , 50, 897-904	609
2094	Preventing injuries in older people by preventing falls: a meta-analysis of individual-level data. 2002 , 50, 905-11	354
2093	Handgrip strength and mortality in older Mexican Americans. 2002 , 50, 1250-6	185
2092	Looking at the relationship between hemoglobin concentration and prevalent mobility difficulty in older women. Should the criteria currently used to define anemia in older people be reevaluated?. 2002 , 50, 1257-64	204
2091	Common chronic diseases and general impairments as determinants of walking disability in the oldest-old population. 2002 , 50, 1405-10	94
2090	The effect of cardiovascular and osteoarticular diseases on disability in older Italian men and women: rationale, design, and sample characteristics of the Progetto Veneto Anziani (PRO.V.A.) study. 2002 , 50, 1535-40	64
2089	Physical activity as a determinant of change in mobility performance: the Longitudinal Aging Study Amsterdam. 2002 , 50, 1774-81	121
2088	Percentage of body fat and body mass index are associated with mobility limitations in people aged 70 and older from NHANES III. 2002 , 50, 1802-9	325
2087	Effects of exercise training on frailty in community-dwelling older adults: results of a randomized, controlled trial. 2002 , 50, 1921-8	412
2086	Minimum measured-input models for the assessment of motor ability. 2002 , 35, 437-46	30
2085	Outcomes of surgical management of total HIP replacement in patients aged 65 years and older: cemented versus cementless femoral components and lateral or anterolateral versus posterior anatomical approach. 2002 , 20, 182-91	31
2084	Precision, comfort and mechanical performance of the Quadriso-tester, a quadriceps force measuring device. 2003 , 41, 283-9	17
2083	Improvement in muscular performance and decrease in tumor necrosis factor level in old age after antioxidant treatment. 2003 , 81, 118-25	33
2082	Measuring power during the sit-to-stand transfer. 2003 , 89, 466-70	116
2081	Examining the disablement process among older Mexican American adults. 2003 , 57, 413-25	38
2080	Walking speed as a good predictor for maintenance of I-ADL among the rural community elderly in Japan: A 5-year follow-up study from TMIG-LISA. 2003 , 3, S6-S14	45
2079	Factorial invariance of the physical performance measures in longitudinal study of aging: A simultaneous analysis approach. 2003 , 3, S40-S49	1
2078	Relation of heart rate at rest and mortality in the Women's Health and Aging Study. 2003 , 92, 1294-9	36

2077	A longitudinal study on changes of movement performance and their relation to medical conditions in a female population followed from age 70 to 78. 2003 , 36, 127-40	7
2076	The frailty syndrome: a critical issue in geriatric oncology. 2003 , 46, 127-37	139
2075	Higher Hb level is associated with better early functional recovery after hip fracture repair. 2003 , 43, 1717-22	130
2074	Depressive symptoms and lower extremity functioning in men and women with peripheral arterial disease. 2003 , 18, 461-7	85
2073	Sex differences in peripheral arterial disease: leg symptoms and physical functioning. 2003 , 51, 222-8	107
2072	Physical performance measures in the clinical setting. 2003 , 51, 314-22	921
2071	Baseline balance and functional decline in older adults with knee pain: the Observational Arthritis Study in Seniors. 2003 , 51, 331-9	27
2070	A home-based pedometer-driven walking program to increase physical activity in older adults with osteoarthritis of the knee: a preliminary study. 2003 , 51, 387-92	237
2069	Environmental components of mobility disability in community-living older persons. 2003 , 51, 393-8	156
2068	A classification tree for predicting recurrent falling in community-dwelling older persons. 2003 , 51, 1356-64	129
2067	Predictors of mortality in 2,249 nonagenarians--the Danish 1905-Cohort Survey. 2003 , 51, 1365-73	219
2066	Clinical characteristics of flexed posture in elderly women. 2003 , 51, 1419-26	118
2065	Walking and talking as predictors of falls in the general population: the Leiden 85-Plus Study. 2003 , 51, 1466-71	114
2064	Benzodiazepine use and physical performance in community-dwelling older women. 2003 , 51, 1563-70	44
2063	Measuring life-space mobility in community-dwelling older adults. 2003 , 51, 1610-4	530
2062	Effects of vitamin D supplementation on strength, physical function, and health perception in older, community-dwelling men. 2003 , 51, 1762-7	136
2061	Self-reported disability and its association with performance-based limitation in elderly men: a comparison of three European countries. 2003 , 51, 782-8	39
2060	Is a fall just a fall: correlates of falling in healthy older persons. The Health, Aging and Body Composition Study. 2003 , 51, 841-6	248

2059	[Validation of the Spanish version of the Modified Stanford Health Assessment Questionnaire (MSHAQ), an instrument to measure people's satisfaction at their ability to perform normal day-to-day activities]. 2003 , 32, 564-70	5
2058	Methods to assess and improve the physical parameters associated with fall risk in older adults. 2003 , 36, 255-64	147
2057	Two years later: a prospective long-term follow-up of a training intervention in geriatric patients with a history of severe falls. 2003 , 84, 1426-32	66
2056	Angiotensin I-converting enzyme (ACE) gene polymorphism in relation to physical performance, cognition and survival--a follow-up study of elderly Danish twins. 2003 , 13, 57-65	45
2055	Balance and mobility performance as treatable risk factors for recurrent falling in older persons. 2003 , 56, 659-68	217
2054	Independent predictors of all osteoporosis-related fractures in healthy postmenopausal women: the OFELY study. 2003 , 32, 78-85	237
2053	Sarcopenia: effects on body composition and function. 2003 , 58, 1012-7	179
2052	Saccade-stepping interactions revise the motor plan for obstacle avoidance. 2003 , 35, 383-97	42
2051	Prevalence of sarcopenia and predictors of skeletal muscle mass in nonobese women who are long-term users of estrogen-replacement therapy. 2003 , 58, M436-40	66
2050	Statin use and leg functioning in patients with and without lower-extremity peripheral arterial disease. 2003 , 107, 757-61	179
2049	Functional outcomes and quality of life in peripheral arterial disease: current status. 2003 , 8, 115-26	89
2048	Trajectories of leg strength and gait speed among sedentary older adults: longitudinal pattern of dose response. 2003 , 58, M1125-34	20
2047	Diabetes is associated with subclinical functional limitation in nondisabled older individuals: the Health, Aging, and Body Composition study. 2003 , 26, 3257-63	118
2046	Excess physical limitations among adults with diabetes in the U.S. population, 1997-1999. 2003 , 26, 206-10	67
2045	Switching from NSAIDs to paracetamol: a series of n of 1 trials for individual patients with osteoarthritis. 2003 , 62, 1156-61	20
2044	Concepts of self-rated health: specifying the gender difference in mortality risk. 2003 , 43, 376-86; discussion 372-5	115
2043	D-dimer, inflammatory markers, and lower extremity functioning in patients with and without peripheral arterial disease. 2003 , 107, 3191-8	94
2042	Exercise for patients with chronic disease: physician responsibility. 2003 , 2, 173-80	17

2041	Subkortikale vaskuläre Enzephalopathie. 2003 , 30, 266-280	7
2040	Models, measures, and methods: variability in aging research. 2003 , 22, 43-67	15
2039	Increased risk of falls and increased bone resorption in elderly men with partial androgen deficiency: the MINOS study. 2003 , 88, 5240-7	106
2038	Low vitamin D status, high bone turnover, and bone fractures in centenarians. 2003 , 88, 5109-15	103
2037	Single Set Strength Training Increases Strength, Endurance and Functional Fitness in Community Living Older Adults. 2003 , 27, 1-18	2
2036	Activities of daily living and global functioning. 2003 , 15 Suppl 1, 225-9	12
2035	Functional Performance in Community Living Older Adults. 2003 , 26, 14-22	180
2034	Relationship of Knee Extension Force to Independence in Sit-to-Stand Performance in Patients Receiving Acute Rehabilitation. 2003 , 83, 544-551	111
2033	Glucocorticoid-induced osteoporosis in patients with sarcoidosis. 2003 , 325, 1-6	28
2032	Screening for Falls in Community-Dwelling Elderly. 2003 , 11, 66-80	56
2031	The Association of Physical-Performance Level with Attitude Toward Exercise in Older Adults. 2003 , 11, 254-264	7
2030	Recruiting Community-Dwelling Elderly at Risk for Physical Disability into Exercise Research. 2003 , 11, 229-241	17
2029	Targeting High-Risk Older Adults into Exercise Programs for Disability Prevention. 2003 , 11, 219-228	17
2028	Preface. 2003 , vii-x	
2027	Introduction and background. 2003 , 1-33	
2026	Evolutionary and biological theories of senescence. 2003 , 34-70	
2025	Human variation: growth, development, life history, and senescence. 2003 , 71-130	
2024	Human variation: chronic diseases, risk factors, and senescence. 2003 , 131-196	

2023 Human life span and life extension. **2003**, 197-225

2022 Discussion and perspectives. **2003**, 226-250

2021 References. **2003**, 251-282

2020 Instruments to Assess Functional Status. **2003**, 185-194

3

2019 Summary measure of dietary musculoskeletal nutrient (calcium, vitamin D, magnesium, and phosphorus) intakes is associated with lower-extremity physical performance in homebound elderly men and women. **2003**, 77, 847-56

62

2018 Clinical Approach to the Older Patient: An Overview. **2003**, 149-162

3

2017 Divided visual attention as a predictor of bumping while walking: the Salisbury Eye Evaluation. **2004**, 45, 2955-60

46

2016 Research Corner Outcome Measures in Cardiopulmonary Physical Therapy: Short Physical Performance Battery. **2004**, 19, 17-22

2015 Community rehabilitation for older adults with osteoarthritis of the lower limb: a controlled clinical trial. **2004**, 18, 92-101

69

2014 Agility and Balance Differ Between Older Community and Retirement Facility Residents. **2004**, 23, 457-468

9

2013 The effects of multidimensional home-based exercise on functional performance in elderly people. **2004**, 59, 154-60

195

2012 'The multiple-sit-to-stand' field test for older adults: what does it measure?. **2004**, 50, 121-6

42

2011 Gender difference in physical performance, body composition and dietary intake in homebound elders. **2004**, 16, 71-90

23

2010 Physical function in sedentary and exercising older veterans as compared to national norms. **2004**, 41, 653-8

13

2009 The effect of self-reported and performance-based functional impairment on future hospital costs of community-dwelling older persons. **2004**, 44, 401-7

31

2008 Collagen type I alpha1 Sp1 polymorphism, osteoporosis, and intervertebral disc degeneration in older men and women. **2004**, 63, 71-7

81

2007 Is muscle power output a key factor in the age-related decline in physical performance? A comparison of muscle cross section, chair-rising test and jumping power. **2004**, 24, 335-40

157

2006 Reproducibility of the jumping mechanography as a test of mechanical power output in physically competent adult and elderly subjects. **2004**, 52, 128-31

92

2005	Impairments of muscles and nerves associated with peripheral arterial disease and their relationship with lower extremity functioning: the InCHIANTI Study. 2004 , 52, 405-10	94
2004	The association between physical function and lifestyle activity and exercise in the health, aging and body composition study. 2004 , 52, 502-9	284
2003	Designing randomized, controlled trials aimed at preventing or delaying functional decline and disability in frail, older persons: a consensus report. 2004 , 52, 625-34	709
2002	Footlift asymmetry during obstacle avoidance in high-risk elderly. 2004 , 52, 2088-93	44
2001	Physical frailty and body composition in obese elderly men and women. 2004 , 12, 913-20	312
2000	The effects of MK-0677, an oral growth hormone secretagogue, in patients with hip fracture. 2004 , 52, 516-23	69
1999	Diabetes is associated independently of body composition with BMD and bone volume in older white and black men and women: The Health, Aging, and Body Composition Study. 2004 , 19, 1084-91	156
1998	Different aspects of visual impairment as risk factors for falls and fractures in older men and women. 2004 , 19, 1539-47	129
1997	Low skeletal muscle mass is associated with poor structural parameters of bone and impaired balance in elderly men--the MINOS study. 2005 , 20, 721-9	195
1996	Functional limitations and poor physical performance as independent risk factors for self-reported fractures in older persons. 2004 , 15, 742-50	43
1995	Comprehensive Geriatric Assessment (CGA) in general practice: results from a pilot study in Vorarlberg, Austria. 2004 , 4, 4	27
1994	Getting up from the floor. Determinants and techniques among healthy older adults. 2004 , 20, 233-241	15
1993	Effects of a Pedometer-Based Physical Activity Program on Older Adults' Mobility-Related Self-Efficacy and Physical Performance. 2004 , 28, 19-33	9
1992	Can functional status, after rehabilitation, independently predict long-term mortality of hip-fractured elderly patients?. 2004 , 16, 44-8	17
1991	Screening for poor performance of lower extremity in primary care: the Camucia Project. 2004 , 16, 331-6	13
1990	Exercise Testing Protocols for Different Abilities in the Older Population. 2004 , 28, 49-66	5
1989	Natural history of physical function in older men with intermittent claudication. 2004 , 40, 73-8	47
1988	Response to exercise rehabilitation in smoking and nonsmoking patients with intermittent claudication. 2004 , 39, 531-8	34

1987	Leg strength in peripheral arterial disease: associations with disease severity and lower-extremity performance. 2004 , 39, 523-30	91
1986	Comparison of the LASA Physical Activity Questionnaire with a 7-day diary and pedometer. 2004 , 57, 252-8	362
1985	Disability predicted mortality in men but not women with coronary heart disease. 2004 , 57, 513-21	17
1984	A clinically meaningful difference was generated for a performance measure of recovery from hip fracture. 2004 , 57, 1019-24	20
1983	Determinants of sit-to-stand capability in the motor impaired elderly. 2004 , 14, 401-10	41
1982	Neurological examination findings to predict limitations in mobility and falls in older persons without a history of neurological disease. 2004 , 116, 807-15	53
1981	The reply. 2004 , 117, 971-972	
1980	A prehabilitation program for the prevention of functional decline: effect on higher-level physical function. 2004 , 85, 1043-9	100
1979	Design and baseline characteristics of a trial on health effects of soy protein with isoflavones in postmenopausal women. 2004 , 47, 21-9	9
1978	Antioxidants and physical performance in elderly persons: the Invecchiare in Chianti (InCHIANTI) study. 2004 , 79, 289-94	218
1977	Comparing alternative measures of functional limitation. 2004 , 42, 19-27	42
1976	Impaired physical performance and the assessment of dementia of the Alzheimer type. 2004 , 18, 112-9	22
1975	Efficacy of Balance and Flexibility Intervention in a Frail Female Centenarian. 2004 , 27, 22-28	3
1974	Relationship between balance and gait stability in healthy older adults. 2004 , 12, 90-100	68
1973	Muscular Fitness and All-Cause Mortality: Prospective Observations. 2004 , 1, 7-18	80
1972	Temporal patterns of negative and positive behavior among nursing home residents with Alzheimer's disease. 2004 , 19, 336-45	14
1971	Strength training reduces force fluctuations during anisometric contractions of the quadriceps femoris muscles in old adults. 2004 , 96, 1530-40	71
1970	Continuous-Scale Physical Functional Performance Test: Validity, Reliability, and Sensitivity of Data for the Short Version. 2005 , 85, 323-335	70

1969	Assessing Mobility in Older Adults: The UAB Study of Aging Life-Space Assessment. 2005 , 85, 1008-1019	370
1968	The pros and cons of lipid lowering in octogenarians: clinical decision making. 2005 , 1, 77-83	2
1967	Changes in disability before and after myocardial infarction in older adults. 2005 , 165, 763-8	16
1966	Estrogen replacement, muscle composition, and physical function: The Health ABC Study. 2005 , 37, 1741-7	56
1965	Clinical Measurement of Sit-to-Stand Performance in People With Balance Disorders: Validity of Data for the Five-Times-Sit-to-Stand Test. 2005 , 85, 1034-1045	452
1964	Impact of a Multifactorial Fall Prevention Program Upon Falls of Older Frail Adults Attending an Adult Health Day Care Center. 2005 , 21, 247-257	14
1963	Relationships Between Perceived Limitations in Stair Climbing and Lower Limb Strength, Body Mass Index, and Self-reported Stair Climbing Activity. 2005 , 21, 350-355	5
1962	Are measures employed in the assessment of balance useful for detecting differences among groups that vary by age and disease state?. 2005 , 28, 14-9	23
1961	Functional capacity testing in patients with chronic pain. 2005 , 21, 197-9	23
1960	Physical-performance tests to evaluate mobility disability in community-dwelling elders. 2005 , 13, 184-97	33
1959	Associations of Body Composition and Physical Activity with Balance and Walking Ability in the Elderly. 2005 , 2, 298-306	9
1958	Development of a lateral mobility task to identify individuals at risk for mobility disability and functional decline. 2005 , 13, 363-81	6
1957	Frailty, morbidity and survival. 2005 , 41, 141-9	178
1956	Homocysteine and vitamin B12 status relate to bone turnover markers, broadband ultrasound attenuation, and fractures in healthy elderly people. 2005 , 20, 921-9	162
1955	The influence of anxiety on the progression of disability. 2005 , 53, 34-9	111
1954	Prevalence and correlates of fecal incontinence in community-dwelling older adults. 2005 , 53, 629-35	145
1953	Improving physical function and blood pressure in older adults through cobblestone mat walking: a randomized trial. 2005 , 53, 1305-12	26
1952	Prognostic value of usual gait speed in well-functioning older people--results from the Health, Aging and Body Composition Study. 2005 , 53, 1675-80	784

1951	Effects of ultra-low-dose estrogen therapy on muscle and physical function in older women. 2005 , 53, 1973-7	28
1950	The association of sex hormone levels with poor mobility, low muscle strength and incidence of falls among older men and women. 2005 , 63, 152-60	129
1949	Muscle performance in patients with Crohn's disease in clinical remission. 2005 , 11, 296-303	59
1948	Determinants of old-age mortality in Taiwan. 2005 , 60, 457-70	43
1947	Socio-economic position and its relationship to physical capacity among elderly people living in Jyväskylä, Finland: five- and ten-year follow-up studies. 2005 , 60, 2405-16	35
1946	Risk factors for hip fracture in women with high BMD: EPIDOS study. 2005 , 16, 149-54	77
1945	Discrepancies between personal income and neighbourhood status: effects on physical and mental health. 2005 , 2, 98-108	32
1944	Reliability of the sit-to-stand test over dispersed test sessions. 2005 , 13, 119-122	19
1943	Nontraumatic fracture risk with diabetes mellitus and impaired fasting glucose in older white and black adults: the health, aging, and body composition study. 2005 , 165, 1612-7	285
1942	Reliability of gait performance tests in men and women with hemiparesis after stroke. 2005 , 37, 75-82	719
1941	Angiotensin-converting enzyme inhibition intervention in elderly persons: effects on body composition and physical performance. 2005 , 60, 1437-46	66
1940	Oxidative stress and ageing: is ageing a cysteine deficiency syndrome?. 2005 , 360, 2355-72	158
1939	Decline in cognitive and functional skills increases mortality risk in nondemented elderly. 2005 , 65, 1218-26	84
1938	Implications of statin adverse effects in the elderly. 2005 , 4, 389-97	30
1937	Peripheral arterial disease symptom subtype and walking impairment. 2005 , 10, 177-83	17
1936	Vitamin D supplementation in older women. 2005 , 60, 754-9	17
1935	Identification of risk factors for 15-year mortality among community-dwelling older people using Cox regression and a genetic algorithm. 2005 , 60, 1052-8	30
1934	The apolipoprotein E e4 polymorphism is strongly associated with poor mobility performance test results but not self-reported limitation in older people. 2005 , 60, 1319-23	36

1933	Diabetes mellitus and incidence of lower body disability among older Mexican Americans. 2005 , 60, 1152-6	50
1932	Influence of elderly executive cognitive function on attention in the lower visual field during step initiation. 2005 , 51, 94-107	30
1931	Clinical and biochemical evaluation changes over aging. 2005 , 124, 135-62	
1930	Small vessel disease and general cognitive function in nondisabled elderly: the LADIS study. 2005 , 36, 2116-20	266
1929	Correlates of Anxiety Symptoms in Physically Disabled Older Women. 2005 , 13, 15-22	15
1928	The effect of 6 months of androgen deprivation therapy on muscle and fat mass in older men with localized prostate cancer. 2005 , 8, 207-12	67
1927	Are foot disorders associated with functional limitation and disability among community-dwelling older adults?. 2005 , 17, 734-52	49
1926	Evaluation of continuous summary physical performance scores (CSPPS) in an elderly cohort. 2005 , 17, 193-200	9
1925	Change in serum albumin and subsequent decline in functional status in older persons. 2005 , 17, 297-305	10
1924	Relative testosterone deficiency in older men: clinical definition and presentation. 2005 , 34, 957-72, x	5
1923	Oxidative aging and insulin receptor signaling. 2005 , 60, 1378-85	27
1922	Static and dynamic measures of frailty predicted decline in performance-based and self-reported physical functioning. 2005 , 58, 1188-98	125
1921	Soy isoflavones, body composition, and physical performance. 2005 , 52, 102-10	20
1920	Sequencing sit-to-stand and upright posture for mobility limitation assessment: determination of the timing of the task phases from force platform data. 2005 , 21, 425-31	29
1919	The lifestyle interventions and independence for elders (LIFE) pilot study: design and methods. 2005 , 26, 141-54	116
1918	Association of physical performance measures with bone mineral density in postmenopausal women. 2005 , 86, 1102-7	78
1917	The effect of walking speed on lower-extremity joint powers among elderly adults who exhibit low physical performance. 2005 , 86, 2177-83	84
1916	The effect of hormone replacement on physical performance in community-dwelling elderly women. 2005 , 118, 1232-9	32

1915	From trepidant abasia to motor network failure--gait disorders as a consequence of subcortical vascular encephalopathy (SVE): review of historical and contemporary concepts. 2005 , 229-230, 81-8	22
1914	Accrual of MRI white matter abnormalities in elderly with normal and impaired mobility. 2005 , 232, 23-7	65
1913	Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race. 2005 , 42, 1131-7	41
1912	The effect of exercise intensity on the response to exercise rehabilitation in patients with intermittent claudication. 2005 , 42, 702-9	90
1911	Exercise and chronic kidney disease: current recommendations. 2005 , 35, 485-99	95
1910	Development and validation of a performance-based measure of upper extremity functional limitation. 2005 , 17, 394-401	6
1909	Impact of age-related cerebral white matter changes on the transition to disability -- the LADIS study: rationale, design and methodology. 2005 , 24, 51-62	345
1908	Prevention of disability by exercise among the elderly: a population-based, randomized, controlled trial. 2006 , 24, 199-205	42
1907	Cytokines and Disability in Older Adults. 2006 , 397-404	
1906	Force platform measurements as predictors of falls among older people - a review. 2006 , 52, 1-16	446
1905	The Physical Performance Test as a predictor of frequent fallers: a prospective community-based cohort study. 2006 , 20, 83-90	71
1904	Physical and psychological functioning of daily living in relation to physical activity. A longitudinal study among former elite male athletes and controls. 2006 , 18, 40-9	13
1903	Predictive value of health-related fitness tests for self-reported mobility difficulties among high-functioning elderly men and women. 2006 , 18, 218-26	4
1902	Exercise intervention of 65+-year-old men and women: functional ability and health care costs. 2006 , 18, 227-34	7
1901	A randomized, controlled trial of disability prevention in frail older patients screened in primary care: the FRASI study. Design and baseline evaluation. 2006 , 18, 359-66	48
1900	Longitudinal changes in physical functional performance among the oldest old: insight from a study of Swedish twins. 2006 , 18, 517-30	28
1899	Concordance and discordance between two measures of lower extremity function: 400 meter self-paced walk and SPPB. 2006 , 18, 100-6	53
1898	Pain and fractures are independently related to lower walking speed and grip strength: results from the population study "Good Ageing in Skåne". 2006 , 77, 902-11	49

1897	Innovaci3n en valoraci3n funcional. 2006 , 41, 27-35	8
1896	High-intensity functional exercise program and protein-enriched energy supplement for older persons dependent in activities of daily living: a randomised controlled trial. 2006 , 52, 105-13	160
1895	Obesity, weight change, and functional decline in peripheral arterial disease. 2006 , 43, 1198-204	30
1894	Vitamin D deficiency is associated with low mood and worse cognitive performance in older adults. 2006 , 14, 1032-40	301
1893	Metabolic syndrome impairs physical function, health-related quality of life, and peripheral circulation in patients with intermittent claudication. 2006 , 43, 1191-6; discussion 1197	42
1892	Hand function in Charcot Marie Tooth: test retest reliability of some measurements. 2006 , 20, 896-908	35
1891	Postural balance in a random sample of 7,979 subjects aged 30 years and over. 2006 , 52, 204-13	263
1890	Reference values for the five-repetition sit-to-stand test: a descriptive meta-analysis of data from elders. 2006 , 103, 215-22	248
1889	Statin use and functional decline in patients with and without peripheral arterial disease. 2006 , 47, 998-1004	76
1888	Relative weight and mobility: a longitudinal study in a biracial population of older adults. 2006 , 16, 770-6	23
1887	Biomechanic modeling of sit-to-stand to upright posture for mobility assessment of persons with chronic stroke. 2006 , 87, 635-41	22
1886	Effects of exercise programs on falls and mobility in frail and pre-frail older adults: A multicenter randomized controlled trial. 2006 , 87, 885-96	344
1885	Relations between body composition, functional and hormonal parameters and quality of life in healthy postmenopausal women. 2006 , 55, 82-92	25
1884	Association between daily pain and physical function among old-old adults living in the community: results from the iLSIRENTE study. 2006 , 121, 53-9	44
1883	Frailty and age-related cataract. 2006 , 113, 2209-12	16
1882	Measures of visual function and percentage of preferred walking speed in older adults: the Salisbury Eye Evaluation Project. 2006 , 47, 65-71	43
1881	PHYSICAL ACTIVITY AND HEALTHY AGING IN ELDERLY PEOPLE. 2006 , 55, 191-206	5
1880	Associations of leisure-time physical activity with mobility difficulties among middle-aged and older adults. 2006 , 14, 133-53	5

1879	Low serum concentrations of 25-hydroxyvitamin D in older persons and the risk of nursing home admission. 2006 , 84, 616-22; quiz 671-2	165
1878	Effects of a physical activity intervention on measures of physical performance: Results of the lifestyle interventions and independence for Elders Pilot (LIFE-P) study. 2006 , 61, 1157-65	443
1877	Fat mass rather than muscle strength is the major determinant of physical function and disability in postmenopausal women younger than 75 years of age. 2006 , 13, 474-81	80
1876	DOES CREATINE SUPPLEMENTATION IMPROVE FUNCTIONAL CAPACITY IN ELDERLY WOMEN?. 2006 , 20, 22-28	2
1875	Relationship between self-report and performance measures of function: a systematic review. 2006 , 25, 253-70	42
1874	A home-based multidimensional exercise program reduced physical impairment and fear of falling. 2006 , 61, 340-50	23
1873	Gender differences in functioning after hip fracture. 2006 , 61, 495-9	53
1872	Blood pressure and lower limb function in older persons. 2006 , 61, 839-43	13
1871	Are Scores on Balance Screening Tests Associated with Mobility in Older Adults?. 2006 , 29, 33-39	45
1870	Sex differences in single muscle fiber power in older adults. 2006 , 38, 57-63	22
1869	Effect of treadmill and overground walking on function and attitudes in older adults. 2006 , 38, 1157-64	41
1868	A network-based geriatric rehabilitation programme: study design and baseline characteristics of the patients. 2006 , 29, 97-103	13
1867	Adding challenge to performance-based tests of walking: The Walking InCHIANTI Toolkit (WIT). 2006 , 85, 986-91	26
1866	Toward a Common Language for Function, Disability, and Health. 2006 , 86, 726-734	374
1865	Middle-aged and mobility-limited: prevalence of disability and symptom attributions in a national survey. 2006 , 21, 1091-6	47
1864	The relationship between pain, neuropsychological performance, and physical function in community-dwelling older adults with chronic low back pain. 2006 , 7, 60-70	207
1863	Hydroxymethylglutaryl-CoA reductase inhibitors in older persons with acute myocardial infarction: evidence for an age-statin interaction. 2006 , 54, 421-30	54
1862	Cognitive status, body mass index, and hip fracture in older Hispanic adults. 2006 , 54, 1251-5	21

1861	Identifying frailty in hospitalized older adults with significant coronary artery disease. 2006 , 54, 1674-81	273
1860	Customer-oriented counseling for physical activity in older people: study protocol and selected baseline results of a randomized-controlled trial (ISRCTN 07330512). 2007 , 17, 156-64	26
1859	Cognitive and mobility profile of older social dancers. 2006 , 54, 1241-4	82
1858	Cross-national comparison of disability in Latin American and Caribbean persons aged 75 and older. 2006 , 42, 21-33	29
1857	Reduced peripheral nerve function is related to lower hip BMD and calcaneal QUS in older white and black adults: the Health, Aging, and Body Composition Study. 2006 , 21, 1803-10	40
1856	Physical performance measures as predictors of mortality in a cohort of community-dwelling older French women. 2006 , 21, 113-22	153
1855	Opposing Trends of Religious Attendance and Religiosity in Predicting Elders' Functional Recovery after an Acute Myocardial Infarction. 2006 , 45, 440-451	12
1854	Changes in physical performance among high-functioning older adults: a 6-year follow-up study. 2006 , 3, 3-14	4
1853	Do actions speak louder than words? Self-assessed and performance-based measures of physical and visual function among old people. 2006 , 3, 15-21	21
1852	Simple versus complex assessment of white matter hyperintensities in relation to physical performance and cognition: the LADIS study. 2006 , 253, 1189-96	101
1851	Clinical gait and stepping performance measures in older adults. 2006 , 3, 20-28	4
1850	Ongezonde leefstijl in de loop van het leven: samenhang met lichamelijke achteruitgang op oudere leeftijd. 2006 , 37, 283-295	
1849	Improving functional status and quality of life in elderly patients with peripheral arterial disease. 2006 , 202, 345-55	10
1848	Gender differences in health-related quality of life among the elderly: the role of objective functional capacity and chronic conditions. 2006 , 63, 2367-80	166
1847	Measurement properties of the CHAMPS physical activity questionnaire in a sample of older Australians. 2006 , 9, 319-26	50
1846	Randomized clinical trial comparing laparoscopic and open surgery for colorectal cancer within an enhanced recovery programme. 2006 , 93, 300-8	300
1845	Validity and normative data for thirty-second chair stand test in elderly community-dwelling Hong Kong Chinese. 2006 , 18, 418-21	54
1844	Low socioeconomic status and disability in old age: evidence from the InChianti study for the mediating role of physiological impairments. 2006 , 61, 86-91	71

1843	Reliability of clinical measures used to assess patients with peripheral vestibular disorders. 2006 , 30, 74-81	57
1842	Promoting physical activity in independent living communities. 2006 , 38, 112-5	20
1841	Testosterone, dehydroepiandrosterone, and physical performance in older men: results from the Massachusetts Male Aging Study. 2006 , 91, 425-31	73
1840	A randomised controlled trial of a home based exercise programme to reduce the risk of falling among people with Parkinson's disease. 2007 , 78, 678-84	231
1839	The role of waist circumference in predicting disability in periretirement age adults. 2006 , 30, 364-73	84
1838	Self-reported and test-based mobility limitations in a representative sample of Finns aged 30+. 2006 , 34, 378-86	42
1837	Home food safety program for the Georgia Older Americans Act Nutrition Program. 2006 , 26, 103-22	5
1836	Multiple joint pain and lower extremity disability in middle and old age. 2006 , 28, 1543-9	62
1835	Does complete deficiency of muscle alpha actinin 3 alter functional capacity in elderly women? A preliminary report. 2006 , 40, e1	21
1834	Physical recovery after acute myocardial infarction: positive age self-stereotypes as a resource. 2006 , 62, 285-301	68
1833	Genetic and environmental influences on variation in balance performance among female twin pairs aged 21-82 years. 2006 , 164, 246-56	19
1832	Mobility limitations and cognitive deficits as predictors of institutionalization among community-dwelling older people. 2006 , 52, 359-65	102
1831	Conceptualizing and measuring physical functioning in cancer survivorship studies. 2006 , 33, 41-9	20
1830	Comorbidity and physical function: results from the aging and longevity study in the Sirente geographic area (iSIRENTE study). 2006 , 52, 24-32	109
1829	Assessing Physical Performance of Elders Using Fuzzy Logic. 2006 ,	1
1828	Lifetime occupation and physical function: a prospective cohort study on persons aged 80 years and older living in a community. 2006 , 63, 438-42	56
1827	[Aging and physical activity data on which to base recommendations for exercise in older adults]. 2007 , 32 Suppl 2F, S75-S171	26
1826	Multi-modal exercise programs for older adults. 2007 , 36, 375-81	129

1825	Joint-specific hand symptoms and self-reported and performance-based functional status in African Americans and Caucasians: The Johnston County Osteoarthritis Project. 2007 , 66, 1622-6	22
1824	Neuromuscular electrical stimulation and volitional exercise for individuals with rheumatoid arthritis: a multiple-patient case report. 2007 , 87, 1064-77	16
1823	A Cluster Analysis Typology of Religiousness/Spirituality Among Older Adults. 2007 , 29, 163-183	28
1822	The association between visual acuity and functional limitations: findings from a nationally representative population survey. 2007 , 14, 333-42	42
1821	Risk of rapid global functional decline in elderly patients with severe cerebral age-related white matter changes: the LADIS study. 2007 , 167, 81-8	154
1820	Effect of telephone exercise counseling on frailty in older veterans: project LIFE. 2007 , 1, 326-34	27
1819	Association between vitamin D status and physical performance: the InCHIANTI study. 2007 , 62, 440-6	260
1818	Predictors of cessation of regular leisure-time physical activity in community-dwelling elderly people. 2007 , 53, 293-7	41
1817	Association of suboptimal prescribing and change in lower extremity physical function over time. 2007 , 53, 445-53	29
1816	Physical fitness and 4-year mortality in an 80-year-old population. 2007 , 62, 851-8	34
1815	Associations of gait speed and other measures of physical function with cognition in a healthy cohort of elderly persons. 2007 , 62, 1244-51	159
1814	Gait variability and the risk of incident mobility disability in community-dwelling older adults. 2007 , 62, 983-8	159
1813	Effects of a 12-month pedometer walking program on gait, body mass index, and lower extremity function in obese women. 2007 , 104, 212-20	3
1812	Relationship Between CHAMPS Physical Activity Questionnaire and Functional Fitness Outcomes in Older Adults. 2007 , 31, 19-40	1
1811	Nutrition as a determinant of successful aging: description of the Quebec longitudinal study Nuage and results from cross-sectional pilot studies. 2007 , 10, 377-86	100
1810	Molecular mechanisms of life- and health-span extension: role of calorie restriction and exercise intervention. 2007 , 32, 954-66	54
1809	The intersection of cancer and aging: establishing the need for breast cancer rehabilitation. 2007 , 16, 866-72	29
1808	Whole-brain histogram and voxel-based analyses of diffusion tensor imaging in patients with leukoaraiosis: correlation with motor and cognitive impairment. 2007 , 28, 1313-9	77

1807	Physical function in men with prostate cancer on androgen deprivation therapy. 2007 , 87, 1325-33	60
1806	Depression and physical function: results from the aging and longevity study in the Sirente geographic area (ilSIRENTE Study). 2007 , 20, 131-7	41
1805	Training-induced strength and functional adaptations after hip fracture. 2007 , 87, 292-303	38
1804	Measuring physical activity in asthma patients: two-minute walk test, repeated chair rise test, and self-reported energy expenditure. 2007 , 44, 333-40	21
1803	Berg balance scale: intrarater test-retest reliability among older people dependent in activities of daily living and living in residential care facilities. 2007 , 87, 1155-63	137
1802	Combination training and resistance training as effective interventions to improve functioning in elders. 2007 , 15, 195-205	20
1801	White matter lesions and the risk of incident hip fracture in older persons: results from the progetto veneto anziani study. 2007 , 167, 1745-51	25
1800	Falling in Parkinson disease: identifying and prioritizing risk factors in recurrent fallers. 2007 , 86, 621-32	51
1799	Persistent depressive symptoms and functional decline among patients with peripheral arterial disease. 2007 , 69, 415-24	32
1798	Objective assessment of activity in older adults at risk for mobility disability. 2007 , 39, 1020-6	45
1797	An interdisciplinary expert consensus statement on assessment of pain in older persons. 2007 , 23, S1-43	419
1796	Activity adherence and physical function in older adults with functional limitations. 2007 , 39, 1997-2004	62
1795	Designing clinical trials of interventions for mobility disability: results from the lifestyle interventions and independence for elders pilot (LIFE-P) trial. 2007 , 62, 1237-43	42
1794	Disparity between physical capacity and participation in seniors with chronic disease. 2007 , 39, 1139-46	27
1793	Physical and psychological factors associated with stair negotiation performance in older people. 2007 , 62, 1259-65	79
1792	Pragmatic exercise-oriented prevention of falls among the elderly: a population-based, randomized, controlled trial. 2007 , 44, 265-71	44
1791	The pathway from musculoskeletal pain to mobility difficulty in older disabled women. 2007 , 128, 69-77	92
1790	Clinical significance of corpus callosum atrophy in a mixed elderly population. 2007 , 28, 955-63	58

1789	Glaucoma and mobility performance: the Salisbury Eye Evaluation Project. 2007 , 114, 2232-7	124
1788	Health-related quality of life in older adults at risk for disability. 2007 , 33, 214-8	104
1787	Wheelchair use by veterans newly prescribed a manual wheelchair. 2007 , 88, 434-9	11
1786	Is stair climb power a clinically relevant measure of leg power impairments in at-risk older adults?. 2007 , 88, 604-9	175
1785	Association of mobility limitations with health care satisfaction and use of preventive care: a survey of Medicare beneficiaries. 2007 , 88, 583-8	23
1784	Greater trochanteric pain syndrome: epidemiology and associated factors. 2007 , 88, 988-92	297
1783	Six weeks of intensive treadmill training improves gait and quality of life in patients with Parkinson's disease: a pilot study. 2007 , 88, 1154-8	217
1782	Construct and predictive validity of a self-reported measure of preclinical mobility limitation. 2007 , 88, 1108-13	82
1781	Centre of mass motion during stair negotiation in young and older men. 2007 , 26, 463-9	46
1780	Stance and sensory feedback influence on postural dynamics. 2007 , 423, 104-8	34
1779	Evaluaci3n de la autonom3a funcional de ancianos con EPOC mediante el protocolo GDLAM. 2007 , 42, 251-253	3
1778	A practical approach to geriatric assessment in oncology. 2007 , 25, 1936-44	181
1777	Validation of the human activity profile in stroke: a comparison of observed, proxy and self-reported scores. 2007 , 29, 1518-24	48
1776	Exercise performance in patients with peripheral arterial disease who have different types of exertional leg pain. 2007 , 46, 79-86	26
1775	Health-related fitness tests as predictors of difficulties in long-distance walking among high-functioning older adults. 2007 , 19, 444-50	9
1774	The clinically meaningful change in physical performance scores in an elderly cohort. 2007 , 19, 484-91	9
1773	Ageing and physical activity: evidence to develop exercise recommendations for older adults This article is part of a supplement entitled Advancing physical activity measurement and guidelines in Canada: a scientific review and evidence-based foundation for the future of Canadian physical activity guidelines co-published by Applied Physiology, Nutrition, and Metabolism and the Canadian Journal of Public Health. It may be cited as Appl. Physiol. Nutr. Metab. 32(Suppl. 2E) or as Can. J. Public Health 98(Suppl.: 2007, 32, S69-S108	96
1772	Assessment of lower extremity muscle power in functionally-limited elders. 2007 , 19, 194-9	69

1771	Unhealthy lifestyles during the life course: association with physical decline in late life. 2007 , 19, 75-83	23
1770	Treatment of minor depression in older adults: a pilot study comparing sertraline and exercise. 2007 , 11, 61-8	86
1769	Risk factors for functional decline in nonagenarians: a one-year follow-up. The NonaSantfeliu study. 2007 , 53, 211-7	15
1768	Do attitudes toward exercise vary with differences in mobility and disability status? - a study among low-income seniors. 2007 , 29, 1215-20	11
1767	Effect of additional functional exercises on balance in elderly people. 2007 , 21, 112-21	36
1766	Do objective measurements of physical function in ambulatory nursing home women improve assessment of functional status?. 2007 , 8, 469-76	19
1765	Functional outcome of critical limb ischemia. 2007 , 45 Suppl A, A141-8	62
1764	Relationships among impairments in lower-extremity strength and power, functional limitations, and disability in older adults. 2007 , 87, 1334-47	157
1763	Cognitive and functional impairment in hypertensive brain microangiopathy. 2007 , 257, 166-73	14
1762	Body composition and functional limitation in COPD. 2007 , 8, 7	99
1761	Exercise in the end-stage renal disease population. 2007 , 18, 1845-54	212
1760	Baseline functional performance predicts the rate of mobility loss in persons with peripheral arterial disease. 2007 , 50, 974-82	99
1759	Major depression in late life is associated with both hypo- and hypercortisolemia. 2007 , 62, 479-86	145
1758	Lower extremity motor function and disability in mild cognitive impairment. 2007 , 33, 355-71	48
1757	Clinical Assessment of Aging. 2007 , 50, 221	
1756	The effect of balance training in a group of community-dwelling elderly women: a pilot study of a specific, non-systematic and short-term approach. 2007 , 14,	
1755	Estimating the Health Effects of Retirement. 2007 ,	44
1754	A pilot study of the vulnerable elders survey-13 compared with the comprehensive geriatric assessment for identifying disability in older patients with prostate cancer who receive androgen ablation. 2007 , 109, 802-10	205

1753	Does androgen-deprivation therapy accelerate the development of frailty in older men with prostate cancer?: a conceptual review. 2007 , 110, 2604-13	86
1752	Physical activity and motor decline in older persons. 2007 , 35, 354-62	74
1751	Subcortical vascular lesions and functional recovery in older patients with gait disorders. 2007 , 45, 87-96	5
1750	Prevention of fall incidents in patients with a high risk of falling: design of a randomised controlled trial with an economic evaluation of the effect of multidisciplinary transmural care. 2007 , 7, 15	25
1749	Fall risk in an active elderly population--can it be assessed?. 2007 , 6, 2	54
1748	Age-associated declines in complex walking task performance: the Walking InCHIANTI toolkit. 2007 , 55, 58-65	131
1747	Testosterone, sex hormone-binding globulin, and frailty in older men. 2007 , 55, 548-55	91
1746	Lifestyle Interventions and Independence for Elders pilot study: recruitment and baseline characteristics. 2007 , 55, 674-83	58
1745	Magnitude of underascertainment of impaired kidney function in older adults with normal serum creatinine. 2007 , 55, 816-23	61
1744	The association between weight history and physical performance in the Health, Aging and Body Composition study. 2007 , 31, 1680-7	41
1743	Lifestyle factors and incident mobility limitation in obese and non-obese older adults. 2007 , 15, 3122-32	72
1742	Waist circumference as a predictor of disability among older adults. 2007 , 15, 233-44	92
1741	Diabetes mellitus, hypertension and medial temporal lobe atrophy: the LADIS study. 2007 , 24, 166-71	80
1740	Relationship between cortisol and physical performance in older persons. 2007 , 67, 398-406	33
1739	Physical Performance Tests for Dialysis Patients. 2007 , 10, 286-290	1
1738	Anxiety symptoms and decline in physical function over 5 years in the health, aging and body composition study. 2007 , 55, 265-70	34
1737	Lower extremity ischemia, calf skeletal muscle characteristics, and functional impairment in peripheral arterial disease. 2007 , 55, 400-6	110
1736	Community-dwelling nondisabled nonagenarians: two-year follow-up: the NonaSantfeliu Study. 2007 , 55, 801-3	4

1735	Lower extremity motor performance and body mass index in elderly people: the Italian Longitudinal Study on Aging. 2007 , 55, 2023-9	22
1734	Clinical pharmacology in the geriatric patient. 2007 , 21, 217-30	199
1733	The utility of the Kohlman Evaluation of Living Skills test is associated with substantiated cases of elder self-neglect. 2007 , 19, 137-42	35
1732	Diminished mental- and physical function and lack of social support are associated with shorter survival in community dwelling older persons of Botswana. 2007 , 7, 144	30
1731	Falls Assessment Clinical Trial (FACT): design, interventions, recruitment strategies and participant characteristics. 2007 , 7, 185	20
1730	Risk of falling in patients with a recent fracture. 2007 , 8, 55	32
1729	The Clinical Assessment Study of the Hand (CAS-HA): a prospective study of musculoskeletal hand problems in the general population. 2007 , 8, 85	17
1728	Extraction of information on elder motor ability from clinical and biomechanical data through data mining. 2007 , 88, 85-94	6
1727	Assessing the balance capabilities of people with profound intellectual disabilities who have experienced a fall. 2007 , 51, 260-8	67
1726	Race/ethnic differences in bone mineral density in men. 2007 , 18, 943-53	85
1725	The Effect of Depressive Symptoms on the Association Between Functional Status and Social Participation. 2007 , 80, 379-392	14
1724	Inaccuracy in self-report of fractures may underestimate association with health outcomes when compared with medical record based fracture registry. 2007 , 22, 631-9	53
1723	Predictors of institutionalization in elderly people living at home: the impact of incontinence and commode use in rural Japan. 2007 , 22, 421-32	22
1722	Association between antihypertensive medication use and non-cardiovascular outcomes in older men. 2007 , 22, 1661-7	8
1721	Effects of a multimodal activation program (SimA-P) in residents of nursing homes. 2007 , 4, 91-102	9
1720	The Geriatric Minimum Data Set for clinical trials (GMDS). 2008 , 12, 197-200	28
1719	Lower extremity muscle mass predicts functional performance in mobility-limited elders. 2008 , 12, 493-8	160
1718	The relationship between body composition and bone mineral content: threshold effects in a racially and ethnically diverse group of men. 2008 , 19, 29-38	29

1717	Evaluation of a fall-prevention program in older people after femoral neck fracture: a one-year follow-up. 2008 , 19, 801-9	51
1716	Association between functional capacity tests and fractures: an eight-year prospective population-based cohort study. 2008 , 19, 1203-10	51
1715	Batteries assessing health related fitness in the elderly: a brief review. 2008 , 5, 97-105	12
1714	Small increase of actual physical activity 6 months after total hip or knee arthroplasty. 2008 , 466, 2201-8	114
1713	Detailed evaluation of functional recovery following laparoscopic or open surgery for colorectal cancer within an enhanced recovery programme. 2008 , 23, 795-800	52
1712	Changes in power and force generation during coupled eccentric-concentric versus concentric muscle contraction with training and aging. 2008 , 103, 151-61	24
1711	DeLLITE depression in late life: an intervention trial of exercise. Design and recruitment of a randomised controlled trial. 2008 , 8, 12	15
1710	The MOBILIZE Boston Study: design and methods of a prospective cohort study of novel risk factors for falls in an older population. 2008 , 8, 16	106
1709	Physical function and self-rated health status as predictors of mortality: results from longitudinal analysis in the iSIRENTE study. 2008 , 8, 34	167
1708	Effects of an adapted physical activity program in a group of elderly subjects with flexed posture: clinical and instrumental assessment. 2008 , 5, 32	45
1707	Reliability of performance-based measures in people awaiting joint replacement surgery of the hip or knee. 2008 , 13, 141-52	103
1706	A comparative study of physical performance measures in Parkinson's disease. 2008 , 23, 1897-905	39
1705	Depressive symptoms in late life: associations with apathy, resilience and disability vary between young-old and old-old. 2008 , 23, 238-43	108
1704	Preventie van valincidenten. 2008 , 33, 162-166	
1703	Associations between lower extremity ischemia, upper and lower extremity strength, and functional impairment with peripheral arterial disease. 2008 , 56, 724-9	52
1702	Association between lower digit symbol substitution test score and slower gait and greater risk of mortality and of developing incident disability in well-functioning older adults. 2008 , 56, 1618-25	182
1701	Cognitive status and physical function in older african americans. 2008 , 56, 2014-9	23
1700	Tests of muscle strength and physical function: reliability and discrimination of performance in younger and older men and older men with mobility limitations. 2008 , 56, 2118-23	59

1699	Association between testosterone and estradiol and age-related decline in physical function in a diverse sample of men. 2008 , 56, 2000-8	56
1698	Serum parathyroid hormone levels predict falls in older adults with diabetes mellitus. 2008 , 56, 2027-32	6
1697	Prognostic significance of potential frailty criteria. 2008 , 56, 2211-16	326
1696	Low testosterone levels and decline in physical performance and muscle strength in older men: findings from two prospective cohort studies. 2008 , 68, 42-50	45
1695	The utility of the 6-minute walk test as a measure of frailty in older adults with heart failure. 2008 , 17, 7-12	48
1694	Tai Chi for treating knee osteoarthritis: designing a long-term follow up randomized controlled trial. 2008 , 9, 108	35
1693	Calcium metabolism and vitamin D in the extreme longevity. 2008 , 43, 79-87	21
1692	Inflammatory markers in late-life depression: results from a population-based study. 2008 , 106, 249-55	243
1691	Management of prostate cancer in the older man. 2008 , 35, 597-617	11
1690	Higher circulating levels of uric acid are prospectively associated with better muscle function in older persons. 2008 , 129, 522-7	40
1689	Relationship of race and poverty to lower extremity function and decline: findings from the Women's Health and Aging Study. 2008 , 66, 811-21	37
1688	Claudication distances and the Walking Impairment Questionnaire best describe the ambulatory limitations in patients with symptomatic peripheral arterial disease. 2008 , 47, 550-555	74
1687	The effect of metabolic syndrome components on exercise performance in patients with intermittent claudication. 2008 , 47, 1251-8	43
1686	The de Morton Mobility Index (DEMMI): an essential health index for an ageing world. 2008 , 6, 63	141
1685	Prognostic value of functional performance for mortality in patients with peripheral artery disease. 2008 , 51, 1482-9	118
1684	Population based study of incidence and predictors of urinary incontinence in black and white older adults. 2008 , 179, 1449-53; discussion 1453-4	68
1683	Peripheral arterial disease and its clinical significance in nonagenarians. 2008 , 20, 211-5	6
1682	Balance disorders in the elderly. 2008 , 38, 467-78	340

1681	Performance-based or self-report measures of physical function: which should be used in clinical trials of hip fracture patients?. 2008 , 89, 2146-55	112
1680	Which impairments are most associated with high mobility performance in older adults? Implications for a rehabilitation prescription. 2008 , 89, 2278-84	42
1679	COPD as a systemic disease: impact on physical functional limitations. 2008 , 121, 789-96	140
1678	Physical function changes in prostate cancer patients on androgen deprivation therapy: a 2-year prospective study. 2008 , 71, 735-9	43
1677	Falls and physical performance deficits in older patients with prostate cancer undergoing androgen deprivation therapy. 2008 , 72, 422-7	131
1676	Mindfulness meditation for the treatment of chronic low back pain in older adults: a randomized controlled pilot study. 2008 , 134, 310-319	328
1675	Efficacy of percutaneous electrical nerve stimulation and therapeutic exercise for older adults with chronic low back pain: a randomized controlled trial. 2008 , 140, 344-357	39
1674	A randomized controlled trial of fall prevention by a high-intensity functional exercise program for older people living in residential care facilities. 2008 , 20, 67-75	58
1673	Ethnic differences in physical performance in older Americans: data from the Third National Health and Nutrition Examination Survey (1988-1994). 2008 , 20, 139-44	10
1672	Lower extremity power training in elderly subjects with mobility limitations: a randomized controlled trial. 2008 , 20, 337-43	98
1671	Peripheral arterial disease, diabetes and postural balance among elderly Finns: a population-based study. 2008 , 20, 540-6	11
1670	Saccade to stepping delays in elders at high risk for falling. 2008 , 20, 428-33	14
1669	Muscle strength in the Mataraging study participants and its relationship to successful aging. 2008 , 20, 439-46	16
1668	Home-based video exercise intervention for community-dwelling frail older women: a randomized controlled trial. 2008 , 20, 479-86	43
1667	An estimation of joint kinematics for a standing reach task using ground reaction data. 2008 , 11, 81-93	1
1666	Walkway length determination for steady state walking in young and older adults. 2008 , 79, 261-7	30
1665	Association of nutritional risk and depressive symptoms with physical performance in the elderly: the Quebec longitudinal study of nutrition as a determinant of successful aging (NuAge). 2008 , 27, 492-8	23
1664	Effects of physical activity on strength and skeletal muscle fat infiltration in older adults: a randomized controlled trial. 2008 , 105, 1498-503	262

1663	Physical activity and physical function improved following a community-based intervention in older adults in Georgia senior centers. 2008 , 27, 135-54	39
1662	Pulmonary function and the risk of functional limitation in chronic obstructive pulmonary disease. 2008 , 167, 1090-101	58
1661	Simply ask them about their balance--future fracture risk in a nationwide cohort study of twins. 2009 , 169, 143-9	40
1660	Group exercise can improve participants' mobility in an outpatient rehabilitation setting: a randomized controlled trial. 2008 , 22, 493-502	32
1659	Association between lower-extremity function and arterial compliance in older adults. 2008 , 59, 203-8	8
1658	Does monitoring change in function in community-dwelling older adults alter outcome? A randomized controlled trial. 2008 , 22, 1061-70	7
1657	The relationship of reduced peripheral nerve function and diabetes with physical performance in older white and black adults: the Health, Aging, and Body Composition (Health ABC) study. 2008 , 31, 1767-72	95
1656	Asymptomatic peripheral arterial disease is associated with more adverse lower extremity characteristics than intermittent claudication. 2008 , 117, 2484-91	113
1655	The effects of muscle strength and power training on mobility among older hip fracture patients. 2008 , 10, 195-202	9
1654	Association of the ACTN3 genotype and physical functioning with age in older adults. 2008 , 63, 1227-34	52
1653	Performance-based functional assessment in older hospitalized patients: feasibility and clinical correlates. 2008 , 63, 1393-8	97
1652	The comparative ability of eight functional mobility tests for predicting falls in community-dwelling older people. 2008 , 37, 430-5	333
1651	Physical performance characteristics of assisted living residents and risk for adverse health outcomes. 2008 , 48, 203-12	55
1650	Relationship between customary physical activity, muscle strength and physical performance in older men and women: findings from the Hertfordshire Cohort Study. 2008 , 37, 589-93	31
1649	Is there a relationship between insulin resistance and frailty syndrome?. 2008 , 14, 405-10	63
1648	The association between change in motor function and cognition in older adults: a descriptive review. 2008 , 13, 91-101	2
1647	Neighbourhood deprivation and incident mobility disability in older adults. 2008 , 37, 403-10	47
1646	Project LIFE--Learning to Improve Fitness and Function in Elders: methods, design, and baseline characteristics of randomized trial. 2008 , 45, 31-42	14

1645	Issues in conducting epidemiologic research among elders: lessons from the MOBILIZE Boston Study. 2008 , 168, 1444-51	63
1644	Self-rated health: changes, trajectories, and their antecedents among African Americans. 2008 , 20, 143-58	28
1643	Older adults' early disability following a cardiac event. 2008 , 30, 163-80	13
1642	Balance and eye movement training to improve gait in people with progressive supranuclear palsy: quasi-randomized clinical trial. 2008 , 88, 1460-73	31
1641	Survey of domain-specific performance measures in assistive robotic technology. 2008 ,	10
1640	Functional dependencies among the elderly on hemodialysis. 2008 , 73, 1289-95	137
1639	[Current appraisal of external quality assurance procedures in geriatric rehabilitation]. 2008 , 47, 39-48	3
1638	Change in direct measures of physical performance among persons with Alzheimer's disease. 2008 , 12, 729-34	20
1637	The effects of aerobic training and nutrition education on functional performance in low socioeconomic older adults. 2008 , 31, 18-23	20
1636	Life-space and cognitive decline in a community-based sample of African American and Caucasian older adults. 2008 , 63, 1241-5	86
1635	Creating a computer adaptive test version of the late-life function and disability instrument. 2008 , 63, 1246-56	50
1634	Mobility limitation in self-described well-functioning older adults: importance of endurance walk testing. 2008 , 63, 841-7	98
1633	Functional outcomes for clinical trials in frail older persons: time to be moving. 2008 , 63, 160-4	111
1632	Physical activity in prefrail older adults: confidence and satisfaction related to physical function. 2008 , 63, P19-26	51
1631	Use of accelerometry to measure physical activity in older adults at risk for mobility disability. 2008 , 16, 416-34	101
1630	Use of growth hormone secretagogues to prevent or treat the effects of aging: not yet ready for prime time. 2008 , 149, 677-9	7
1629	Does physical activity affect the predictive value of health-related fitness tests on walking difficulty?. 2008 , 5, 732-45	1
1628	Subtle neurological abnormalities as risk factors for cognitive and functional decline, cerebrovascular events, and mortality in older community-dwelling adults. 2008 , 168, 1270-6	36

1627	The relation of pain and depression with various health-promoting behaviors in African American elders.. 2008 , 53, 85-92	5
1626	The CS-30 Test is a Useful Assessment Tool for Predicting Falls in Community-Dwelling Elderly People. 2008 , 23, 441-445	9
1625	Research Corner Outcome Measures in Cardiopulmonary Physical Therapy: Short Physical Performance Battery. 2008 , 19, 17-22	60
1624	Endocrine Aspects of Healthy Ageing in Men. 2008 , 3-25	6
1623	Adverse outcomes and correlates of change in the Short Physical Performance Battery over 36 months in the African American health project. 2008 , 63, 487-94	43
1622	Gerontology's greatest hits. 2008 , 63, S3-6	6
1621	Is positive well-being protective of mobility limitations among older adults?. 2008 , 63, P321-7	48
1620	Patients with worse mental health report more physical limitations after adjustment for physical performance. 2008 , 70, 417-21	12
1619	Exercise and risk of injurious fall in home-dwelling elderly. 2008 , 67, 235-44	14
1618	Leg strength or velocity of movement: which is more influential on the balance of mobility limited elders?. 2008 , 87, 969-76	50
1617	High velocity power training in older adults. 2008 , 1, 62-7	18
1616	Research Corner: Outcome Measures in Cardiopulmonary Physical Therapy: Focus on the Glittre ADL-Test for People with Chronic Obstructive Pulmonary Disease. 2008 , 19, 115-118	17
1615	Geriatrics. 2009 , 477-495	0
1614	Slipping Anchor? Testing the Vignettes Approach to Identification and Correction of Reporting Heterogeneity. 2009 ,	3
1613	Geriatric assessment in older patients with breast cancer. 2009 , 7, 226-36	25
1612	. 2009 ,	33
1611	Year-long changes in protein metabolism in elderly men and women supplemented with a nutrition cocktail of beta-hydroxy-beta-methylbutyrate (HMB), L-arginine, and L-lysine. 2009 , 33, 71-82	83
1610	Changes in cognitive function in a randomized trial of physical activity: results of the lifestyle interventions and independence for elders pilot study. 2009 , 64, 688-94	110

1609	Physical activity during daily life and functional decline in peripheral arterial disease. 2009 , 119, 251-60	102
1608	Factors associated with preclinical disability and frailty among HIV-infected and HIV-uninfected women in the era of cART. 2009 , 18, 1965-74	92
1607	Frailty and the degradation of complex balance dynamics during a dual-task protocol. 2009 , 64, 1304-11	104
1606	Measures of physical performance capture the excess disability associated with hip pain or knee pain in older persons. 2009 , 64, 1316-24	30
1605	A Review of Lifetime Risk Factors for Mortality. 2009 , 15, 17-64	12
1604	A randomized trial of two forms of therapeutic activity to improve walking: effect on the energy cost of walking. 2009 , 64, 1190-8	62
1603	Physical performance and physical activity in older people: are developmental influences important?. 2009 , 55, 186-93	19
1602	Self-assessed health status, walking speed and mortality in older Mexican-Americans. 2009 , 55, 194-201	24
1601	PUFA supplements and type 2 diabetes in the elderly. 2009 , 15, 4126-34	10
1600	Relationships of serum 25-hydroxyvitamin D to bone mineral density and serum parathyroid hormone and markers of bone turnover in older persons. 2009 , 94, 1244-50	221
1599	The Lifestyle Interventions and Independence for Elders Pilot (LIFE-P): 2-year follow-up. 2009 , 64, 462-7	72
1598	Relationship between conditions addressed by hemodialysis guidelines and non-ESRD-specific conditions affecting quality of life. 2009 , 4, 572-8	44
1597	Development and validation of a short portable sarcopenia measure in the African American health project. 2009 , 64, 388-94	17
1596	Elder self-neglect and abuse and mortality risk in a community-dwelling population. 2009 , 302, 517-26	272
1595	Physical function in older candidates for renal transplantation: an impaired population. 2009 , 4, 588-94	58
1594	Community-based adaptive physical activity program for chronic stroke: feasibility, safety, and efficacy of the Empoli model. 2009 , 23, 726-34	85
1593	Rationale, design, methodology, and baseline data of a population-based study in rural China: the Handan Eye Study. 2009 , 16, 115-27	79
1592	Fear of falling, fall-related self-efficacy, anxiety and depression in individuals with chronic obstructive pulmonary disease. 2009 , 23, 1136-44	48

1591	A new method of assessing ability to perform activities of daily living: design, methods and baseline data. 2009 , 16, 107-14	36
1590	Falls risk among a very old home-dwelling population. 2009 , 27, 25-30	56
1589	Long-term effect of physical activity counseling on mobility limitation among older people: a randomized controlled study. 2009 , 64, 83-9	27
1588	Comparing pain severity versus pain location in the MOBILIZE Boston study: chronic pain and lower extremity function. 2009 , 64, 763-70	75
1587	Physical activity as a preventative factor for frailty: the health, aging, and body composition study. 2009 , 64, 61-8	205
1586	Use of the Short Physical Performance Battery Score to predict loss of ability to walk 400 meters: analysis from the InCHIANTI study. 2009 , 64, 223-9	213
1585	Medicare part D enrollment in a biracial community-based population of older adults. 2009 , 49, 828-38	15
1584	Acute myelogenous leukemia in older adults. 2009 , 14, 222-32	76
1583	A novel aging phenotype of slow gait, impaired executive function, and depressive symptoms: relationship to blood pressure and other cardiovascular risks. 2009 , 64, 994-1001	88
1582	Is greater self-neglect severity associated with lower levels of physical function?. 2009 , 21, 596-610	38
1581	Effects of an oral growth hormone secretagogue in older adults. 2009 , 94, 1198-206	109
1580	Lifestyle-adjusted function: variation beyond BADL and IADL competencies. 2009 , 49, 767-77	21
1579	The CONFbal scale: a measure of balance confidence--a key outcome of rehabilitation. 2009 , 95, 103-9	24
1578	Exercise therapy for prevention of falls in people with Parkinson's disease: a protocol for a randomised controlled trial and economic evaluation. 2009 , 9, 4	49
1577	The healthy steps study: a randomized controlled trial of a pedometer-based green prescription for older adults. Trial protocol. 2009 , 9, 404	22
1576	Effects and feasibility of a standardised orientation and mobility training in using an identification cane for older adults with low vision: design of a randomised controlled trial. 2009 , 9, 153	19
1575	A randomized phase 1 study of testosterone replacement for patients with low-risk castration-resistant prostate cancer. 2009 , 56, 97-103	47
1574	Ventricular dilation: association with gait and cognition. 2009 , 66, 485-93	32

1573	Evaluation of a home-based exercise program in the treatment of Alzheimer's disease: the Maximizing Independence in Dementia (MIND) study. 2009 , 24, 680-5	141
1572	Physical assessment as a predictor of mortality in people with Parkinson's disease: a study over 7 years. 2009 , 24, 1934-40	19
1571	Designing studies on the effectiveness of physical training in patients with cognitive impairment. 2009 , 42, 11-9	17
1570	[Reliability of the abbreviated version of the Late Life Function and Disability Instrument--a meaningful and feasible tool to assess physical function and disability in the elderly]. 2009 , 42, 28-38	8
1569	[The Longitudinal Ageing Study Amsterdam: a survey of 17 years of research into changes in daily functioning]. 2009 , 40, 217-27	2
1568	Does mortality of the aged increase with the number of falls? Results from a nine-year follow-up study. 2009 , 24, 351-5	41
1567	Bladder cancer. 2009 , 10, 205-15	27
1566	Update in geriatric medicine. 2009 , 24, 421-6	1
1565	What is a meaningful change in physical performance? Findings from a clinical trial in older adults (the LIFE-P study). 2009 , 13, 538-44	300
1564	What are the outcomes of treatment among patients with sarcopenia?. 2009 , 13, 733-6	16
1563	High BMI and waist circumference are associated with a high prevalence of comorbidities in older Americans Act programs in Georgia senior centers. 2009 , 13, 827-32	13
1562	Mobility limitations in persons with psychotic disorder: findings from a population-based survey. 2009 , 44, 325-32	22
1561	Heritability of impaired balance: a nationwide cohort study in twins. 2009 , 20, 577-83	10
1560	Relative contributions of multiple determinants to bone mineral density in men. 2009 , 20, 2035-47	15
1559	Central nervous system medication use and incident mobility limitation in community elders: the Health, Aging, and Body Composition study. 2009 , 18, 916-22	34
1558	Resistive Exercise for Arthritic Cartilage Health (REACH): a randomized double-blind, sham-exercise controlled trial. 2009 , 9, 1	38
1557	A randomised controlled trial investigating motor skill training as a function of attentional focus in old age. 2009 , 9, 15	26
1556	Minimising disability and falls in older people through a post-hospital exercise program: a protocol for a randomised controlled trial and economic evaluation. 2009 , 9, 8	18

1555	Randomized controlled trial of the efficacy of aerobic exercise in reducing metabolic risk in healthy older people: The Hertfordshire Physical Activity Trial. 2009 , 9, 15	8
1554	Pilot study of Lokomat versus manual-assisted treadmill training for locomotor recovery post-stroke. 2009 , 6, 18	211
1553	Age and gender differences in seven tests of functional mobility. 2009 , 6, 31	88
1552	Serum concentrations of 17beta-E2 and 25-hydroxycholecalciferol (25OHD) in relation to all-cause mortality in older men--the MINOS study. 2009 , 71, 594-602	61
1551	The impact of chronic multimorbidity and disability on functional decline and survival in elderly persons. A community-based, longitudinal study. 2009 , 265, 288-95	211
1550	Drug Burden Index and physical function in older Australian men. 2009 , 68, 97-105	122
1549	The effects of polypharmacy in older adults. 2009 , 85, 86-8	211
1548	The effect of obesity combined with low muscle strength on decline in mobility in older persons: results from the InCHIANTI study. 2009 , 33, 635-44	148
1547	BMI, waist circumference, and mortality according to health status in the older adult population of Spain. 2009 , 17, 2232-8	34
1546	Isokinetic and isometric muscle strength in a healthy population with special reference to age and gender. 2009 , 197 Suppl 673, 1-68	153
1545	Review article: Patient-level outcomes: the missing link. 2009 , 14, 443-51	10
1544	Impact of chronic musculoskeletal pathology on older adults: a study of differences between knee OA and low back pain. 2009 , 10, 693-701	37
1543	A novel interdisciplinary analgesic program reduces pain and improves function in older adults after orthopedic surgery. 2009 , 57, 1-10	62
1542	Stopping to rest during a 400-meter walk and incident mobility disability in older persons with functional limitations. 2009 , 57, 260-5	19
1541	Long-term function in an older cohort--the cardiovascular health study all stars study. 2009 , 57, 432-40	68
1540	Missing data: a special challenge in aging research. 2009 , 57, 722-9	94
1539	Pain and disability in older Mexican-American adults. 2009 , 57, 992-9	42
1538	Yoga decreases kyphosis in senior women and men with adult-onset hyperkyphosis: results of a randomized controlled trial. 2009 , 57, 1569-79	83

1537	Validation and comparison of two frailty indexes: The MOBILIZE Boston Study. 2009 , 57, 1532-9	159
1536	Sensory and motor peripheral nerve function and lower-extremity quadriceps strength: the health, aging and body composition study. 2009 , 57, 2004-10	60
1535	Baseline lower extremity strength and subsequent decline in functional performance at 6-year follow-up in persons with lower extremity peripheral arterial disease. 2009 , 57, 2246-52	27
1534	White matter hyperintensities and dynamics of postural control. 2009 , 27, 752-9	37
1533	Physical activity, mood and the functioning of daily living A longitudinal study among former elite athletes and referents in middle and old age. 2009 , 48, 1-9	21
1532	Management of complications of androgen deprivation therapy in the older man. 2009 , 70, 235-55	46
1531	Effects of dance on physical and psychological well-being in older persons. 2009 , 49, e45-50	125
1530	Parents' attained age and biomarkers of aging in their children. 2009 , 49, 284-288	3
1529	Added value of physical performance measures in predicting adverse health-related events: results from the Health, Aging And Body Composition Study. 2009 , 57, 251-9	382
1528	Functional status assessment for community long-term care: preliminary observations. 2009 , 28, 151-71	2
1527	Effects of testosterone therapy on muscle performance and physical function in older men with mobility limitations (The TOM Trial): design and methods. 2009 , 30, 133-40	25
1526	[Differences in momentum development when standing up from a chair between elderly with and without frequent falls history]. 2009 , 44, 200-4	1
1525	[Strength training, level of muscular strength and functional autonomy in a population of elderly women]. 2009 , 44, 256-61	4
1524	A computer-adaptive disability instrument for lower extremity osteoarthritis research demonstrated promising breadth, precision, and reliability. 2009 , 62, 807-15	20
1523	Associations of borderline and low normal ankle-brachial index values with functional decline at 5-year follow-up: the WALCS (Walking and Leg Circulation Study). 2009 , 53, 1056-62	142
1522	Interleukin-1 receptor antagonist and incident depressive symptoms over 6 years in older persons: the InCHIANTI study. 2009 , 65, 973-8	113
1521	Trunk muscle attributes are associated with balance and mobility in older adults: a pilot study. 2009 , 1, 916-24	77
1520	Utilization of acute and long-term care in the last year of life: comparison with survivors in a population-based study. 2009 , 9, 139	39

1519	Biomechanical analysis of the relation between movement time and joint moment development during a sit-to-stand task. 2009 , 8, 27	44
1518	Validation of lower extremity performance tests for determining the mobility limitation levels in community-dwelling older women. 2009 , 21, 437-44	27
1517	Vitamin E and aerobic exercise: effects on physical performance in older adults. 2009 , 21, 111-21	16
1516	Physical activity and performance in older persons with musculoskeletal impairment: results of a pilot study with 9-month follow-up. 2009 , 21, 122-8	2
1515	An association between incident disability and depressive symptoms over 3 years of follow-up among older women: the Women's Health and Aging Study. 2009 , 21, 191-7	24
1514	A Nordic multi-center study on physical and daily activities for residents in nursing home settings: design of a randomized, controlled trial. 2009 , 21, 314-22	13
1513	Social inequality in walking speed in early old age in the Whitehall II study. 2009 , 64, 1082-9	44
1512	Medication problems in older, newly diagnosed cancer patients in Canada: How common are they? A prospective pilot study. 2009 , 26, 519-36	56
1511	Fatigue in a representative population of older persons and its association with functional impairment, functional limitation, and disability. 2009 , 64, 76-82	133
1510	Chronic inflammation is associated with low physical function in older adults across multiple comorbidities. 2009 , 64, 455-61	203
1509	Indicators of preclinical disability: women's experiences of an aging body. 2009 , 21, 138-51	5
1508	Prevalence and characteristics associated with self-reported gall bladder disease in Mexican American elders: results from the Hispanic Established Populations for Epidemiologic Studies in the Elderly (H-EPESE). 2009 , 21, 33-7	
1507	Short Physical Performance Battery in hospitalized older adults. 2009 , 21, 445-52	59
1506	Increased velocity exercise specific to task training versus the National Institute on Aging's strength training program: changes in limb power and mobility. 2009 , 64, 983-91	83
1505	Assessment of physical function in adults with Prader-Willi syndrome. 2009 , 31, 1780-4	4
1504	Characteristics of 400-meter walk test performance and subsequent mortality in older adults. 2009 , 12, 177-84	83
1503	Large variations in walking, standing up from a chair, and balance in women and men over 85 years: an observational study. 2009 , 55, 39-45	5
1502	Sarcopenic/obesity and physical capacity in older men and women: data from the Nutrition as a Determinant of Successful Aging (NuAge)-the Quebec longitudinal Study. 2009 , 17, 2082-8	195

1501	Effects of a robotic walking exercise on walking performance in community-dwelling elderly adults. 2009 , 9, 372-81	29
1500	Physical function improvements after laparoscopic Roux-en-Y gastric bypass surgery. 2009 , 5, 530-7	28
1499	The intersection of geriatrics and chronic kidney disease: frailty and disability among older adults with kidney disease. 2009 , 16, 420-9	24
1498	Assessment and monitoring of physical function for people with CKD. 2009 , 16, 410-9	27
1497	Sex impacts the relation between body composition and physical function in older adults. 2009 , 16, 518-23	50
1496	Evaluation of physical activity measures used in middle-aged women. 2009 , 41, 1403-12	79
1495	Mexican Americans and frailty: findings from the Hispanic established populations epidemiologic studies of the elderly. 2009 , 99, 673-9	121
1494	Relationship Between Performance-Based and Self-reported Measures of Lower Extremity Function in Chinese Older Women. 2009 , 25, 181-190	2
1493	Moving Between Sitting and Standing. 83-116	
1492	Lower extremity muscle function after strength or power training in older adults. 2009 , 17, 416-43	90
1491	Strength and speed training for elders with mobility disability. 2009 , 17, 257-71	13
1490	Should physical activity programs be tailored when older adults have compromised function?. 2009 , 17, 294-306	19
1489	A cost analysis of a physical activity intervention for older adults. 2009 , 6, 767-74	23
1488	Vitamin D deficiency is associated with worse cognitive performance and lower bone density in older African Americans. 2009 , 101, 349-54	55
1487	Balance ability, not muscle strength and exercise endurance, determines the performance of hemiparetic subjects on the timed-sit-to-stand test. 2010 , 89, 497-504	45
1486	Physical performance and a test of gaze stabilization in older adults. 2010 , 31, 168-72	12
1485	Effects of ankle power training on movement time in mobility-impaired older women. 2010 , 42, 1233-40	30
1484	Parathyroidectomy improves functional capacity in "asymptomatic" older patients with primary hyperparathyroidism: a randomized control trial. 2010 , 251, 832-7	24

1483	Nutritional determinants of mobility. 2010 , 13, 625-9	40
1482	Does Gender Difference Exist in Gait Stability? Gait Analysis Using a Tri-axial Accelerometer. 2010 , 25, 923-928	2
1481	Bone densitometry and true BMD accuracy for predicting fractures: what are the alternatives?. 2010 , 5, 371-385	3
1480	Usual Walking Speed Predicts Decline of Functional Capacity among Community-Dwelling Older Japanese Women: a 4-year Longitudinal Study. 2010 , 22, 405-412	5
1479	Sit-to-stand test: Performance and determinants across the age-span. 2010 , 18, 235-240	142
1478	Test-retest reliability and validity of the 400-meter walk test in healthy, middle-aged women. 2010 , 7, 649-57	37
1477	Interruption of physical activity because of illness in the Lifestyle Interventions and Independence for Elders Pilot trial. 2010 , 18, 61-74	12
1476	Day-to-day variability of physical activity of older adults living in the community. 2010 , 18, 75-86	36
1475	Computed tomographic measurements of thigh muscle cross-sectional area and attenuation coefficient predict hip fracture: the health, aging, and body composition study. 2010 , 25, 513-9	260
1474	Biodemography: new approaches to understanding trends and differences in population health and mortality. 2010 , 47 Suppl, S41-64	75
1473	Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. 2010 , 39, 412-23	6856
1472	Osteoarthritis. 2010 , 235-254	1
1471	Is there a U-shaped association between physical activity and falling in older persons?. 2010 , 21, 1189-95	27
1470	Improvement of balance after audio-biofeedback. A 6-week intervention study in patients with progressive supranuclear palsy. 2010 , 43, 224-8	31
1469	Evaluation of an ergonomically modified bed to enhance mobilization in geriatric rehabilitation. A pilot study. 2010 , 43, 235-8	2
1468	Effect of moderate intensity resistance training during weight loss on body composition and physical performance in overweight older adults. 2010 , 109, 517-25	67
1467	Relative strength as a determinant of mobility in elders 67-84 years of age. a nuage study: nutrition as a determinant of successful aging. 2010 , 14, 190-5	85
1466	An overview of sarcopenia: facts and numbers on prevalence and clinical impact. 2010 , 1, 129-133	466

1465	Comorbidity among older American Indians: the native elder care study. 2010 , 25, 343-54	36
1464	Qualities of fatigue and associated chronic conditions among older adults. 2010 , 39, 1033-42	53
1463	Identifying patterns in cortisol secretion in an older population. Findings from the Whitehall II study. 2010 , 35, 1091-9	71
1462	Does volunteering moderate the relation between functional limitations and mortality?. 2010 , 71, 1662-8	41
1461	Assessment and treatment of elderly patients with cancer. 2010 , 19, 117-23	113
1460	Program of rehabilitative exercise and education to avert vascular events after non-disabling stroke or transient ischemic attack (PREVENT Trial): a multi-centred, randomised controlled trial. 2010 , 10, 122	34
1459	Lean mass, muscle strength, and physical function in a diverse population of men: a population-based cross-sectional study. 2010 , 10, 508	39
1458	Study protocol: cost-effectiveness of transmural nutritional support in malnourished elderly patients in comparison with usual care. 2010 , 9, 6	16
1457	Men with metabolic syndrome have lower bone mineral density but lower fracture risk--the MINOS study. 2010 , 25, 1446-54	76
1456	Do worsening knee radiographs mean greater chances of severe functional limitation?. 2010 , 62, 1433-9	41
1455	Visceral fat is associated with lower brain volume in healthy middle-aged adults. 2010 , 68, 136-44	135
1454	The effects of an exercise program on fall risk factors in people with Parkinson's disease: a randomized controlled trial. 2010 , 25, 1217-25	141
1453	Frequency of the sit to stand task: An observational study of free-living adults. 2010 , 41, 58-61	156
1452	Mobility performance tests for discriminating high risk of frailty in community-dwelling older women. 2010 , 51, 192-8	39
1451	A brief clinical tool to assess physical function: the mini-physical performance test. 2010 , 50, 96-100	32
1450	Effects of serum 25-hydroxyvitamin D(3) levels on physical fitness in community-dwelling frail women. 2010 , 50, 121-6	16
1449	Measuring balance, lower extremity strength and gait in the elderly: construct validation of an instrument. 2010 , 51, 199-204	14
1448	Does frailty predict hospitalization, emergency department visits, and visits to the general practitioner in older newly-diagnosed cancer patients? Results of a prospective pilot study. 2010 , 76, 142-51	31

1447	The BELFRAIL (BFC80+) study: a population-based prospective cohort study of the very elderly in Belgium. 2010 , 10, 39	72
1446	Hertfordshire sarcopenia study: design and methods. 2010 , 10, 43	34
1445	A trial assessing N-3 as treatment for injury-induced cachexia (ATLANTIC trial): does a moderate dose fish oil intervention improve outcomes in older adults recovering from hip fracture?. 2010 , 10, 76	2
1444	Association of measured physical performance and demographic and health characteristics with self-reported physical function: implications for the interpretation of self-reported limitations. 2010 , 8, 84	20
1443	Measuring the health of the Indian elderly: evidence from National Sample Survey data. 2010 , 8, 30	9
1442	Exercise rehabilitation on home-dwelling patients with Alzheimer's disease--a randomized, controlled trial. Study protocol. 2010 , 11, 92	31
1441	Determinants of cognitive impairment over time among the elderly in Taiwan: results of the national longitudinal study. 2010 , 50 Suppl 1, S53-7	58
1440	Differences in brain structure and function in older adults with self-reported disabling and nondisabling chronic low back pain. 2010 , 11, 1183-97	42
1439	Personal mastery and lower body mobility in community-dwelling older persons: the Invecchiare in Chianti study. 2010 , 58, 98-103	11
1438	Physical performance and subsequent disability and survival in older adults with malignancy: results from the health, aging and body composition study. 2010 , 58, 76-82	82
1437	White matter hyperintensities predict functional decline in voiding, mobility, and cognition in older adults. 2010 , 58, 275-81	84
1436	Trail Making Test predicts physical impairment and mortality in older persons. 2010 , 58, 719-23	84
1435	Correlates of urinary incontinence in community-dwelling older Latinos. 2010 , 58, 1170-6	22
1434	Performance measures predict onset of activity of daily living difficulty in community-dwelling older adults. 2010 , 58, 844-52	188
1433	Incidence and risk factors for fecal incontinence in black and white older adults: a population-based study. 2010 , 58, 1341-6	91
1432	The energetic pathway to mobility loss: an emerging new framework for longitudinal studies on aging. 2010 , 58 Suppl 2, S329-36	112
1431	Assessment of function and disability in longitudinal studies. 2010 , 58 Suppl 2, S308-12	83
1430	Relationship between physical functioning and physical activity in the lifestyle interventions and independence for elders pilot. 2010 , 58, 1918-24	49

1429	Habitual physical activity levels are associated with performance in measures of physical function and mobility in older men. 2010 , 58, 1727-33	96
1428	Effect of new disability subtype on 3-year mortality in Chinese older adults. 2010 , 58, 1952-8	23
1427	Association between life space and risk of mortality in advanced age. 2010 , 58, 1925-30	69
1426	The modified total body rotation test: a rapid, reliable assessment of physical function in older adults. 2010 , 58, 1965-9	2
1425	Home-based leg-strengthening exercise improves function 1 year after hip fracture: a randomized controlled study. 2010 , 58, 1911-7	66
1424	Assistive technology use of older American Indians in a southeastern tribe: the native elder care study. 2010 , 58, 2185-90	5
1423	Lower frailty incidence in older Mexican Americans than in older European Americans: the San Antonio Longitudinal Study of Aging. 2010 , 58, 2142-8	35
1422	Are changes in leg power responsible for clinically meaningful improvements in mobility in older adults?. 2010 , 58, 2363-8	75
1421	Decline in cognitive function and risk of elder self-neglect: finding from the Chicago Health Aging Project. 2010 , 58, 2292-9	55
1420	Coping with preclinical disability: older women's experiences of everyday activities. 2010 , 42, 439-47	6
1419	Effects of exercise on mobility in obese and nonobese older adults. 2010 , 18, 1168-75	46
1418	Autologous peripheral blood CD133+ cell implantation for limb salvage in patients with critical limb ischemia. 2010 , 45, 111-6	66
1417	Impaired Mobility. 2010 , 886-893	0
1416	Pain Assessment and Management in Older Adults. 2010 , 647-677	1
1415	Management of renal and bladder cancer in older adults. 171-185	
1414	[Respiratory muscle training programs: impact on the functional autonomy of the elderly]. 2010 , 56, 642-8	16
1413	Nível de atividade física, autonomia funcional e qualidade de vida em idosas ativas e sedentárias. 2010 , 23, 473-481	13
1412	Functional mobility and balance in community-dwelling elderly submitted to multisensory versus strength exercises. 2010 , 5, 181-5	30

1411	Simple equations to predict concentric lower-body muscle power in older adults using the 30-second chair-rise test: a pilot study. 2010 , 5, 173-80	26
1410	Autonomia funcional de idosas praticantes de Pilates. 2010 , 17, 300-305	13
1409	Subclinical hypothyroidism has little influences on muscle mass or strength in elderly people. 2010 , 25, 1176-81	27
1408	Detectable changes in physical performance measures in elderly African Americans. 2010 , 90, 921-7	65
1407	Physical function decline and the risk of elder self-neglect in a community-dwelling population. 2010 , 50, 316-26	31
1406	Energetics of walking in elderly people: factors related to gait speed. 2010 , 65, 1332-7	68
1405	Contribution of musculoskeletal pain to postural balance in community-dwelling people aged 75 years and older. 2010 , 65, 990-6	58
1404	Once-weekly dose of 8400 IU vitamin D(3) compared with placebo: effects on neuromuscular function and tolerability in older adults with vitamin D insufficiency. 2010 , 91, 985-91	83
1403	Physical limitations contribute to food insecurity and the food insecurity-obesity paradox in older adults at senior centers in Georgia. 2010 , 29, 150-69	60
1402	Assessing accelerometer based gait features to support gait analysis for people with complex regional pain syndrome. 2010 ,	14
1401	Persistent mobility disability after neurotoxic chemotherapy. 2010 , 90, 1649-57	67
1400	Impairment variables predicting activity limitation in individuals with lower limb amputation. 2010 , 34, 73-84	57
1399	Home-based activity program for older people with depressive symptoms: DeLLITE--a randomized controlled trial. 2010 , 8, 214-23	77
1398	The Role of Resistance Training in the Prevention and Treatment of Chronic Disease. 2010 , 4, 293-308	16
1397	Community-Based Exercise Programs for Older Adults. 2010 , 26, 275-298	3
1396	Effect of intra-dialytic, low-intensity strength training on functional capacity in adult haemodialysis patients: a randomized pilot trial. 2010 , 25, 1936-43	142
1395	Rehabilitation in a primary care setting for persons with chronic illness â a randomized controlled trial. 2010 , 11, 382-395	30
1394	Walking skill can be assessed in older adults: validity of the Figure-of-8 Walk Test. 2010 , 90, 89-99	131

1393	Outcome measures to evaluate the effectiveness of pain management in older adults with cancer. 2010 , 37 Suppl, 27-32	11
1392	Medication safety in residential aged-care facilities: a perspective. 2010 , 1, 11-20	12
1391	Assessing physical performance in centenarians: norms and an extended scale from the georgia centenarian study. 2010 ,	11
1390	Physical aspects of healthy aging: assessments of three measures of balance for studies in middle-aged and older adults. 2010 , 2010, 849761	8
1389	Models to Predict Fall History and Fall Risk for Community-Dwelling Elderly. 2010 , 28, 280-296	5
1388	Effects of a Physical Activity Program on Static Balance and Functional Autonomy in Elderly Women. 2010 , 3, 21-26	7
1387	Low physical function predicts either 2-year weight loss or weight gain in healthy community-dwelling older adults. the NuAge Longitudinal Study. 2010 , 65, 1362-8	12
1386	Sarcopenia: prevalence, mechanisms, and functional consequences. 2010 , 37, 94-114	115
1385	Risks and benefits of physical activity among breast cancer survivors who have completed treatment. 2010 , 6, 221-38	34
1384	Which types of activities are associated with risk of recurrent falling in older persons?. 2010 , 65, 743-50	26
1383	Cerebrovascular hemodynamics, gait, and falls in an elderly population: MOBILIZE Boston Study. 2010 , 74, 1627-33	66
1382	Associations between drug burden index and physical function in older people in residential aged care facilities. 2010 , 39, 503-7	42
1381	Feasibility study of home telerehabilitation for physically inactive veterans. 2010 , 47, 465-75	19
1380	Higher C-reactive protein and soluble tumor necrosis factor receptor levels are associated with poor physical function and disability: a cross-sectional analysis of a cohort of late middle-aged African Americans. 2010 , 65, 274-81	40
1379	Physical function and health status in aging Puerto Rican adults: the Boston Puerto Rican Health Study. 2010 , 22, 653-72	18
1378	The relationship between cognitive function and physical performance in older women: results from the women's health initiative memory study. 2010 , 65, 300-6	100
1377	Primary biliary cirrhosis is associated with falls and significant fall related injury. 2010 , 103, 153-61	18
1376	Risk factors for disability in older persons over 3-year follow-up. 2010 , 39, 92-8	94

1375	Gender-specific association between self-reported sleep duration and falls in high-functioning older adults. 2010 , 65, 190-6	33
1374	Walking speed and subclinical atherosclerosis in healthy older adults: the Whitehall II study. 2010 , 96, 380-4	54
1373	Development and validation of a video-animated tool for assessing mobility. 2010 , 65, 664-71	32
1372	Sex-specific correlates of walking speed in a wide age-ranged population. 2010 , 65B, 174-84	51
1371	Prevalence of sarcopenia among older community-dwelling people with normal health and nutritional state. 2010 , 49, 110-28	14
1370	Change in circulating adiponectin in advanced old age: determinants and impact on physical function and mortality. The Cardiovascular Health Study All Stars Study. 2010 , 65, 1208-14	52
1369	Free testosterone levels are associated with mobility limitation and physical performance in community-dwelling men: the Framingham Offspring Study. 2010 , 95, 2790-9	103
1368	Jumping mechanography: a potential tool for sarcopenia evaluation in older individuals. 2010 , 13, 283-91	41
1367	Mobility-related disability three months after aged care rehabilitation can be predicted with a simple tool: an observational study. 2010 , 56, 121-7	14
1366	Objectively measured physical capability levels and mortality: systematic review and meta-analysis. 2010 , 341, c4467	700
1365	Decline in the performance of activities of daily living over three years of follow-up in nonagenarians: The NonaSantfeliu study. 2010 , 1, 77-81	6
1364	Fatigue and fatigability in older adults. 2010 , 2, 406-13	150
1363	Dimensionality of measures for severe unilateral ankle arthritis. 2010 , 2, 987-94	8
1362	Serum 25-hydroxyvitamin D and depressive symptoms in older women and men. 2010 , 95, 3225-33	163
1361	Handgrip strength as a predictor of functional, psychological and social health. A prospective population-based study among the oldest old. 2010 , 39, 331-7	355
1360	Upper and lower extremity motor performance and functional impairment in Alzheimer's disease. 2010 , 25, 425-31	30
1359	Vascular status and physical functioning: the association between vascular status and physical functioning in middle-aged and elderly men: a cross-sectional study. 2010 , 17, 211-6	10
1358	Misreporting of energy intake in the elderly using doubly labeled water to measure total energy expenditure and weight change. 2010 , 29, 14-24	25

1357	[Frailty detection and prevention: a new challenge in elderly for dependence prevention]. 2010 , 135, 713-9	20
1356	Pilates method in personal autonomy, static balance and quality of life of elderly females. 2010 , 14, 195-202	104
1355	Changes in step-width during dual-task walking predicts falls. 2010 , 32, 92-7	93
1354	Lower extremity performance measures predict long-term prognosis in older patients hospitalized for heart failure. 2010 , 16, 390-5	95
1353	Function, failure, and frailty. 2010 , 16, 396-7	4
1352	Magnetization transfer imaging, white matter hyperintensities, brain atrophy and slower gait in older men and women. 2010 , 31, 1197-204	58
1351	[Differences in biomechanical parameters during sit to stand transfer between elderly with and without history of frequent falls]. 2010 , 45, 267-73	2
1350	[Frailty: from the epidemiology to the clinic]. 2010 , 45, 250-1	4
1349	A lifestyle activity intervention in patients with chronic obstructive pulmonary disease. 2010 , 104, 829-39	32
1348	Prevalence and predictors of recommendations to lose weight in overweight and obese older adults in Georgia senior centers. 2010 , 51, 27-30	13
1347	Lower-body function, neighborhoods, and walking in an older population. 2010 , 38, 419-28	79
1346	5-repetition sit-to-stand test in subjects with chronic stroke: reliability and validity. 2010 , 91, 407-13	200
1345	Weight lifting in patients with lower-extremity lymphedema secondary to cancer: a pilot and feasibility study. 2010 , 91, 1070-6	42
1344	Tender point count, pain, and mobility in the older population: the mobilize Boston study. 2010 , 11, 62-70	24
1343	La medicina geriátrica. 2010 , 10, 4249-4255	
1342	Lower extremity strength and power asymmetry assessment in healthy and mobility-limited populations: reliability and association with physical functioning. 2010 , 22, 324-329	31
1341	Do voluntary step reactions in dual task conditions have an added value over single task for fall prediction? A prospective study. 2010 , 22, 360-6	30
1340	Is chair rise performance a useful measure of leg power?. 2010 , 22, 412-8	43

1339	Evaluating the Feasibility and Intercorrelation of Measurements on the Functioning of Residents Living in Scandinavian Nursing Homes. 2010 , 28, 154-169	9
1338	Capability measurement for Inclusive Design. 2010 , 21, 275-288	29
1337	A hierarchical categorisation of tasks in mobility disability. 2010 , 32, 1586-93	19
1336	Cognitive function, physical performance, health, and disease: norms from the georgia centenarian study. 2010 , 36, 394-425	37
1335	Does concealed chronic kidney disease predict survival of older patients discharged from acute care hospitals?. 2010 , 13, 539-45	5
1334	Relationships in glaucoma patients between standard vision tests, quality of life, and ability to perform daily activities. 2010 , 17, 144-51	61
1333	Maintaining physical fitness and function in Alzheimer's disease: a pilot study. 2011 , 26, 406-12	15
1332	Uncontrolled manifold analysis of standing-up motion for development of an assistance system. 2011 , 2011, 5975447	2
1331	Effects of a DVD-based seated dual-task stepping exercise on the fall risk factors among community-dwelling elderly adults. 2011 , 17, 768-72	13
1330	Toward a definition of sarcopenia. 2011 , 27, 341-53	48
1329	Decline in functional performance predicts later increased mobility loss and mortality in peripheral arterial disease. 2011 , 57, 962-70	75
1328	Asthma in the elderly: Current understanding and future research needs--a report of a National Institute on Aging (NIA) workshop. 2011 , 128, S4-24	168
1327	Differential determinants of physical daily activities in frail and nonfrail community-dwelling older adults. 2011 , 2, 42-46	6
1326	Exercise rehabilitation on home-dwelling patients with Alzheimer disease: A randomized, controlled trial. Baseline findings and feasibility. 2011 , 2, 338-343	7
1325	The epidemiology of sarcopenia. 2011 , 27, 355-63	119
1324	Development of a new patient-reported outcome measure in sarcopenia. 2011 , 12, 226-33	18
1323	Weight loss, exercise, or both and physical function in obese older adults. 2011 , 364, 1218-29	678
1322	Poor physical function in elderly women in low-level aged care is related to muscle strength rather than to measures of sarcopenia. 2011 , 6, 67-76	38

1321	A comparison of trunk muscle activation amplitudes during gait in older adults with and without chronic low back pain. 2011 , 3, 920-8	31
1320	Corpus callosum atrophy as a predictor of age-related cognitive and motor impairment: a 3-year follow-up of the LADIS study cohort. 2011 , 307, 100-5	51
1319	Repeatability and validity of a standardised maximal step-up test for leg function--a diagnostic accuracy study. 2011 , 12, 191	10
1318	Non-invasive muscle contraction assay to study rodent models of sarcopenia. 2011 , 12, 246	12
1317	Functional level, physical activity and wellbeing in nursing home residents in three Nordic countries. 2011 , 23, 413-20	18
1316	Post-discharge nutritional support in malnourished elderly individuals improves functional limitations. 2011 , 12, 295-301	70
1315	Foot and ankle strength, range of motion, posture, and deformity are associated with balance and functional ability in older adults. 2011 , 92, 68-75	126
1314	Lower extremity physical performance, self-reported mobility difficulty, and use of compensatory strategies for mobility by elderly women. 2011 , 92, 228-35	12
1313	Identifying factors associated with falls in postmenopausal breast cancer survivors: a multi-disciplinary approach. 2011 , 92, 646-52	73
1312	Mobility assessment: sensitivity and specificity of measurement sets in older adults. 2011 , 92, 905-12	58
1311	Five times sit-to-stand test performance in Parkinson's disease. 2011 , 92, 1431-6	142
1310	Force-velocity characteristics of the knee extensors: an indication of the risk for physical frailty in elderly women. 2011 , 92, 1827-32	46
1309	Assessing Physical Activity in Inpatient Rehabilitation: validity, practicality, and sensitivity to change in the physical activity in inpatient rehabilitation assessment. 2011 , 92, 2012-7	8
1308	Stair negotiation time in community-dwelling older adults: normative values and association with functional decline. 2011 , 92, 2006-11	45
1307	Physical activity across adulthood and physical performance in midlife: findings from a British birth cohort. 2011 , 41, 376-84	89
1306	Cognitive screening in community-dwelling elders: performance on the clock-in-the-box. 2011 , 124, 662-9	17
1305	Medication use and functional status decline in older adults: a narrative review. 2011 , 9, 378-91	82
1304	A study design to investigate the effect of short-form Sun-style Tai Chi in improving functional exercise capacity, physical performance, balance and health related quality of life in people with Chronic Obstructive Pulmonary Disease (COPD). 2011 , 32, 267-72	15

1303	Analysis of vertical ground reaction force variables during a Sit to Stand task in participants recovering from a hip fracture. 2011 , 26, 470-6	22
1302	Aging modifies joint power and work when gait speeds are matched. 2011 , 33, 484-9	88
1301	Low strength is related to diminished ground reaction forces and walking performance in older women. 2011 , 33, 668-72	41
1300	Frailty assessment based on wavelet analysis during quiet standing balance test. 2011 , 44, 2213-20	43
1299	A simple tool predicted probability of falling after aged care inpatient rehabilitation. 2011 , 64, 779-86	19
1298	Assessment of functional status and quality of life in claudication. 2011 , 53, 1410-21	65
1297	Core self-evaluation as a predictor of strength training adoption in older adults. 2011 , 68, 88-93	4
1296	Improved physical function and physical activity in older adults following a community-based intervention: Relationships with a history of depression. 2011 , 70, 290-4	14
1295	Fat mass limits lower-extremity relative strength and maximal walking performance in older women. 2011 , 21, 754-61	25
1294	Exercise for older adult inpatients with acute myelogenous leukemia: A pilot study. 2011 , 2, 11-17	51
1293	Changes in functional status in older newly-diagnosed cancer patients during cancer treatment: A six-month follow-up period. Results of a prospective pilot study. 2011 , 2, 112-120	7
1292	A pilot study on frailty, health and functioning in older newly-diagnosed cancer patients, what have we learned?. 2011 , 2, 246-252	4
1291	Conjugal bereavement effects on health and mortality at advanced ages. 2011 , 30, 774-94	37
1290	Brain regional lesion burden and impaired mobility in the elderly. 2011 , 32, 646-54	48
1289	[Frailty and dependence in Albacete (FRADEA study): reasoning, design and methodology]. 2011 , 46, 81-8	28
1288	[Effects of a short proprioceptive training program in postural control in older people]. 2011 , 46, 281-2	3
1287	[Cognitive impairment and the risk of falling in the elderly]. 2011 , 46, 311-8	3
1286	Reference values for the Timed Up and Go test in healthy Japanese elderly people: determination using the methodology of meta-analysis. 2011 , 11, 445-51	45

1285	[Indicators of physical activity and frailty in the elderly: data from the FIBRA study in Campinas, Sã Paulo State, Brazil]. 2011 , 27, 1537-50	17
1284	Slipping Anchor? Testing the Vignettes Approach to Identification and Correction of Reporting Heterogeneity. 2011 , 46, 875-906	55
1283	Avaliaçã do nvel de fragilidade em idosos participantes de um grupo de convivêcia. 2011 , 18, 17-22	5
1282	Similarities in acquired factors related to postmenopausal osteoporosis and sarcopenia. 2011 , 2011, 536735	42
1281	Impact of weight loss on physical function with changes in strength, muscle mass, and muscle fat infiltration in overweight to moderately obese older adults: a randomized clinical trial. 2011 , 2011,	68
1280	Tontura em idosos da comunidade: estudo de base populacional. 2011 , 77, 691-699	13
1279	Self-reported sleep duration and time in bed as predictors of physical function decline: results from the InCHIANTI study. 2011 , 34, 1583-93	57
1278	Applicability and effects of physical exercise on physical and cognitive functions and activities of daily living among people with dementia: a systematic review. 2011 , 90, 495-518	99
1277	Common geriatric conditions and disabilities in older persons with chronic obstructive pulmonary disease. 2011 , 17 Suppl 1, S29-34	8
1276	Slipping Anchor?. 2011 , 46, 875-906	46
1275	Socioeconomic and ethnic differences in disease burden and disparities in physical function in older adults. 2011 , 101, 1322-9	44
1274	Associations of calf skeletal muscle characteristics and peripheral nerve function with self-perceived physical functioning and walking ability in persons with peripheral artery disease. 2011 , 16, 3-11	13
1273	Respiratory and skeletal muscle strength in chronic obstructive pulmonary disease: impact on exercise capacity and lower extremity function. 2011 , 31, 111-9	60
1272	Food shopping habits, physical activity and health-related indicators among adults aged ≥70 years. 2011 , 14, 1640-9	30
1271	Cardiorespiratory fitness, obesity, and functional limitation in older adults. 2011 , 19, 336-46	4
1270	Assessment of physical activity in older people with and without cognitive impairment. 2011 , 19, 347-72	26
1269	Serum 25-hydroxyvitamin D concentration and physical function in adult men. 2011 , 74, 370-6	63
1268	Role of exercise and physical activity on haemophilic arthropathy, fall prevention and osteoporosis. 2011 , 17, e870-6	29

1267	High blood pressure accelerates gait slowing in well-functioning older adults over 18-years of follow-up. 2011 , 59, 390-7	74
1266	Depressive symptoms and physical performance in the lifestyle interventions and independence for elders pilot study. 2011 , 59, 495-500	31
1265	Metabolic syndrome and physical performance in elderly men: the osteoporotic fractures in men study. 2011 , 59, 1376-84	17
1264	Lower extremity nerve function, calf skeletal muscle characteristics, and functional performance in peripheral arterial disease. 2011 , 59, 1855-63	19
1263	Serum 25-hydroxyvitamin D and physical function in older adults: the Cardiovascular Health Study All Stars. 2011 , 59, 1793-801	82
1262	The feasibility of inpatient geriatric assessment for older adults receiving induction chemotherapy for acute myelogenous leukemia. 2011 , 59, 1837-46	92
1261	Associations between cytomegalovirus infection and functional impairment and frailty in the BELFRAIL Cohort. 2011 , 59, 2201-8	58
1260	Angiotensin-converting enzyme inhibitor and statin use and incident mobility limitation in community-dwelling older adults: the Health, Aging and Body Composition study. 2011 , 59, 2226-32	22
1259	The health benefits following regular ongoing exercise lifestyle in independent community-dwelling older Taiwanese adults. 2011 , 30, 22-6	18
1258	Association of knee and ankle osteoarthritis with physical performance. 2011 , 19, 634-8	30
1257	Baseline physical performance, health, and functioning of participants in the Frequent Hemodialysis Network (FHN) trial. 2011 , 57, 101-12	52
1256	Geriatric oncology and palliative medicine. 2011 , 38, 362-6	4
1255	Whole body vibration for older persons: an open randomized, multicentre, parallel, clinical trial. 2011 , 11, 89	13
1254	Promoting mobility after hip fracture (ProMo): study protocol and selected baseline results of a year-long randomized controlled trial among community-dwelling older people. 2011 , 12, 277	23
1253	Effects of an exercise programme for chronically ill and mobility-restricted elderly with structured support by the general practitioner's practice (HOMEfit) - study protocol of a randomised controlled trial. 2011 , 12, 263	14
1252	Proximal femoral fractures in the elderly: how are we measuring outcome?. 2011 , 42, 1205-13	50
1251	Mediterranean diet and mobility decline in older persons. 2011 , 46, 303-8	108
1250	Changes in healthy elderly women's physical performance: a 3-year follow-up. 2011 , 46, 929-33	18

1249	Neighbourhood deprivation and physical activity in UK older adults. 2011 , 17, 633-40	51
1248	Improving physical activity and function in overweight and obese older adults with osteoarthritis of the knee: a feasibility study. 2011 , 36, 32-42	37
1247	Using a Smartphone while walking: a measure of dual-tasking ability as a falls risk assessment tool. 2011 , 40, 516-9	24
1246	Screening and preventive services for older adults. 2011 , 78, 498-508	27
1245	The health status of the elderly in a St. Petersburg district: Results of the crystal project. 2011 , 1, 356-361	2
1244	Comprehensive evaluation of a single-stage submaximal treadmill walking protocol in healthy, middle-aged women. 2011 , 111, 47-56	10
1243	Development of the Lie-to-Sit-to-Stand-to-Walk Transfer (LSSWT) test for early mobilization in older patients in geriatric rehabilitation. 2011 , 44, 262-7	5
1242	[Recommendation of an assessment protocol to describe geriatric inpatient rehabilitation of lower limb mobility based on ICF: an interdisciplinary consensus process]. 2011 , 44, 429-36	8
1241	Loss of callosal fibre integrity in healthy elderly with age-related white matter changes. 2011 , 258, 1451-9	17
1240	Physical activity, exercise, and sarcopenia - future challenges. 2011 , 161, 416-25	50
1239	The ACT-ONE trial, a multicentre, randomised, double-blind, placebo-controlled, dose-finding study of the anabolic/catabolic transforming agent, MT-102 in subjects with cachexia related to stage III and IV non-small cell lung cancer and colorectal cancer: study design. 2011 , 2, 201-207	41
1238	Oncologia geriatrica. 2011 , 7, 122-126	0
1237	Changes in physical functioning in the Active Living Every Day program of the Active for Life Initiative. 2011 , 18, 199-208	17
1236	Similar effects of leucine rich and regular dairy products on muscle mass and functions of older polymyalgia rheumatica patients: a randomized crossover trial. 2011 , 15, 462-7	19
1235	The Five-Times-Sit-to-Stand test, a marker of global cognitive functioning among community-dwelling older women. 2011 , 15, 271-6	33
1234	Nutrition in the age-related disablement process. 2011 , 15, 599-604	103
1233	The prevalence of frailty syndrome in an older population from Spain. The Toledo Study for Healthy Aging. 2011 , 15, 852-6	170
1232	Reducing "iatrogenic disability" in the hospitalized frail elderly. 2011 , 15, 645-60	100

1231	Comment r ^o duire la d ^e pendance iatrog ^e ne chez les sujets g ^e s hospitalis ^e s ? 2011 , 3, 6-26	1
1230	Lessons learned when innovations go awry: a baseline description of a behavioral trial-the Enhancing Fitness in Older Overweight Veterans with Impaired Fasting Glucose study. 2011 , 1, 573-587	8
1229	Association of lung function with physical, mental and cognitive function in early old age. 2011 , 33, 385-92	38
1228	Differential effects of enalapril and losartan on body composition and indices of muscle quality in aged male Fischer 344/Brown Norway rats. 2011 , 33, 167-83	34
1227	Assessing balance and mobility to track illness and recovery in older inpatients. 2011 , 26, 1471-8	46
1226	To screen or not to screen for peripheral arterial disease in subjects aged 80 and over in primary health care: a cross-sectional analysis from the BELFRAIL study. 2011 , 12, 39	15
1225	Effect of in-hospital comprehensive geriatric assessment (CGA) in older people with hip fracture. The protocol of the Trondheim Hip Fracture trial. 2011 , 11, 18	39
1224	Study of Mental Activity and Regular Training (SMART) in at risk individuals: a randomised double blind, sham controlled, longitudinal trial. 2011 , 11, 19	38
1223	Post-discharge management following hip fracture--get you back to B4: a parallel group, randomized controlled trial study protocol. 2011 , 11, 30	15
1222	The effect of regular walks on various health aspects in older people with dementia: protocol of a randomized-controlled trial. 2011 , 11, 38	12
1221	An interdisciplinary intervention to prevent falls in community-dwelling elderly persons: protocol of a cluster-randomized trial [PreFalls]. 2011 , 11, 7	20
1220	Exercise augmentation compared to usual care for post traumatic stress disorder: a randomised controlled trial (the REAP study: Randomised Exercise Augmentation for PTSD). 2011 , 11, 115	19
1219	Functional outcome in older adults with joint pain and comorbidity: design of a prospective cohort study. 2011 , 12, 241	13
1218	Operationalizing multimorbidity and autonomy for health services research in aging populations--the OMAHA study. 2011 , 11, 47	11
1217	Feature extraction and selection for objective gait analysis and fall risk assessment by accelerometry. 2011 , 10, 1	132
1216	Getting out and about in older adults: the nature of daily trips and their association with objectively assessed physical activity. 2011 , 8, 116	95
1215	Audio-biofeedback training for posture and balance in patients with Parkinson's disease. 2011 , 8, 35	59
1214	Evaluation of the Frails' Fall Efficacy by Comparing Treatments (EFFECT) on reducing fall and fear of fall in moderately frail older adults: study protocol for a randomised control trial. 2011 , 12, 155	22

1213	The OPERA trial: protocol for a randomised trial of an exercise intervention for older people in residential and nursing accommodation. 2011 , 12, 27	22
1212	The clinical assessment study of the foot (CASF): study protocol for a prospective observational study of foot pain and foot osteoarthritis in the general population. 2011 , 4, 22	28
1211	Neurovascular coupling is impaired in slow walkers: the MOBILIZE Boston Study. 2011 , 70, 213-20	64
1210	Association of foot symptoms with self-reported and performance-based measures of physical function: The Johnston County osteoarthritis project. 2011 , 63, 654-9	23
1209	Measures of physical performance assessments: Self-Paced Walk Test (SPWT), Stair Climb Test (SCT), Six-Minute Walk Test (6MWT), Chair Stand Test (CST), Timed Up & Go (TUG), Sock Test, Lift and Carry Test (LCT), and Car Task. 2011 , 63 Suppl 11, S350-70	252
1208	Prevalence of falls and the association with knee osteoarthritis and lumbar spondylosis as well as knee and lower back pain in Japanese men and women. 2011 , 63, 1425-31	63
1207	Correlation between static balance and functional autonomy in elderly women. 2011 , 52, 111-4	12
1206	Factors related to disability: evidence from the "Treviso Longeva (TRELONG) study". 2011 , 52, 309-16	15
1205	Association between executive function and physical performance in older Korean adults: findings from the Korean Longitudinal Study on Health and Aging (KLoSHA). 2011 , 52, e156-61	25
1204	Are frailty markers useful for predicting treatment toxicity and mortality in older newly diagnosed cancer patients? Results from a prospective pilot study. 2011 , 78, 138-49	88
1203	Reliability of 4-m and 6-m walking speed tests in elderly people with cognitive impairment. 2011 , 52, e67-70	34
1202	MK-0677 (ibutamoren mesylate) for the treatment of patients recovering from hip fracture: a multicenter, randomized, placebo-controlled phase IIb study. 2011 , 53, 183-9	38
1201	Flexibility, functional autonomy and quality of life (QoL) in elderly yoga practitioners. 2011 , 53, 158-62	35
1200	Early determinants for the development of undernutrition in an older general population: Longitudinal Aging Study Amsterdam. 2011 , 106, 708-17	83
1199	Onset of mobility limitations in old age: the combined effect of socioeconomic position and social relations. 2011 , 40, 607-14	23
1198	Rehabilitation bei Osteoporose. 2011 , 21, 140-150	
1197	Challenging gait conditions predict 1-year decline in gait speed in older adults with apparently normal gait. 2011 , 91, 1857-64	20
1196	Exercise performance, physical activity, and health-related quality of life in participants with stable angina. 2011 , 62, 461-6	15

1195	Natural history of older adults with impaired kidney function: the InCHIANTI study. 2011 , 14, 513-23	9
1194	Physical function and health-related quality-of-life in a population-based sample. 2011 , 14, 119-26	13
1193	Gonadal status and physical performance in older men. 2011 , 14, 42-7	29
1192	Development of disability in chronic obstructive pulmonary disease: beyond lung function. 2011 , 66, 108-14	65
1191	The Danish Health Examination Survey 2007-2008 (DANHES 2007-2008). 2011 , 39, 203-11	72
1190	Intelligent Systems For Assessing Aging Changes: home-based, unobtrusive, and continuous assessment of aging. 2011 , 66 Suppl 1, i180-90	188
1189	Gait speed and survival in older adults. 2011 , 305, 50-8	2508
1188	Physical functioning measures and risk of falling in older people living in residential aged care facilities. 2011 , 3, 9-15	7
1187	Poorer clock draw test scores are associated with greater functional impairment in peripheral artery disease: the Walking and Leg Circulation Study II. 2011 , 16, 173-81	5
1186	Do positive psychological characteristics modify the associations of physical performance with functional decline and institutionalization? Findings from the longitudinal aging study Amsterdam. 2011 , 66, 468-77	24
1185	Better glycemic control is associated with maintenance of lower-extremity function over time in Mexican American and European American older adults with diabetes. 2011 , 34, 268-73	33
1184	Does diet influence physical performance in community-dwelling older people? Findings from the Hertfordshire Cohort Study. 2011 , 40, 181-6	47
1183	Effect of resistance training on physical performance and fear of falling in elderly with different levels of physical well-being. 2011 , 40, 637-41	16
1182	Validation of new measures of disability and functioning in the National Health and Aging Trends Study. 2011 , 66, 1013-21	91
1181	Built environment and lower extremity physical performance: prospective findings from the study of osteoporotic fractures in women. 2011 , 23, 1246-62	17
1180	Is age-related decline in lean mass and physical function accelerated by obstructive lung disease or smoking?. 2011 , 66, 961-9	68
1179	Relationship of Physical Performance with Body Composition and Bone Mineral Density in Individuals over 60 Years of Age: A Systematic Review. 2011 , 2011, 191896	47
1178	The urban built environment and mobility in older adults: a comprehensive review. 2011 , 2011, 816106	182

1177	Average daily blood pressure, not office blood pressure, is associated with progression of cerebrovascular disease and cognitive decline in older people. 2011 , 124, 2312-9	90
1176	Performance-based versus patient-reported physical function: what are the underlying predictors?. 2011 , 91, 1804-11	76
1175	Smoking history and physical performance in midlife: results from the British 1946 birth cohort. 2011 , 66, 142-9	33
1174	Burden on caregivers as perceived by hemodialysis patients in the Frequent Hemodialysis Network (FHN) trials. 2011 , 26, 2316-22	65
1173	Handgrip strength among older American Indians: the Native Elder Care Study. 2011 , 40, 523-7	7
1172	Trajectories of physical function decline and psychological functioning: the Quebec longitudinal study on nutrition and successful aging (NuAge). 2011 , 66 Suppl 1, i82-90	58
1171	Oral acetyl-L-carnitine therapy reduces fatigue in overt hepatic encephalopathy: a randomized, double-blind, placebo-controlled study. 2011 , 93, 799-808	55
1170	Effectiveness of simple balancing training program in elderly patients with history of frequent falls. 2011 , 6, 111-7	18
1169	Mild thyroid hormone excess is associated with a decreased physical function in elderly men. 2011 , 14, 213-9	30
1168	Using video animation to assess mobility in older adults. 2011 , 66, 217-27	21
1167	Muscle strength and sedative load in community-dwelling people aged 75 years and older: a population-based study. 2011 , 66, 1384-92	16
1166	Predictors of overnight hospital admission in older African American and Caucasian Medicare beneficiaries. 2011 , 66, 910-6	12
1165	Self-rated health among persons with spinal cord injury: what is the role of physical ability?. 2011 , 34, 265-72	6
1164	Elder abuse and mortality: the role of psychological and social wellbeing. 2011 , 57, 549-58	100
1163	Change in 25-hydroxyvitamin D and physical performance in older adults. 2011 , 66, 430-6	37
1162	Limitations in physical functioning among older people as a predictor of subsequent disability in instrumental activities of daily living. 2011 , 40, 463-9	54
1161	Impact of exercise to improve gait efficiency on activity and participation in older adults with mobility limitations: a randomized controlled trial. 2011 , 91, 1740-51	53
1160	Socioeconomic status, race and COPD health outcomes. 2011 , 65, 26-34	141

1159	An exploratory analysis of the effects of a weight loss plus exercise program on cellular quality control mechanisms in older overweight women. 2011 , 14, 315-24	42
1158	Predictive value of the Short Physical Performance Battery following hospitalization in older patients. 2011 , 66, 89-96	279
1157	The Lifestyle Interventions and Independence for Elders Study: design and methods. 2011 , 66, 1226-37	169
1156	Motor dysfunction correlates with frontal white matter ischemic changes in patients with leukoaraiosis. 2011 , 2011, 950341	14
1155	Objective measures of physical capability and subsequent health: a systematic review. 2011 , 40, 14-23	299
1154	A prospective population-based study of differences in elder self-neglect and mortality between black and white older adults. 2011 , 66, 695-704	26
1153	The impact of knee and hip chondrocalcinosis on disability in older people: the ProVA Study from northeastern Italy. 2011 , 70, 1937-43	30
1152	Race, socioeconomic resources, and late-life mobility and decline: findings from the Health, Aging, and Body Composition study. 2011 , 66, 1114-23	69
1151	Racial differences in the association of education with physical and cognitive function in older blacks and whites. 2011 , 66, 354-63	44
1150	Physical performance is associated with executive functioning in older african american women. 2011 , 2011, 578609	2
1149	Comment on Bohannon (2011): "Five-repetition sit-to-stand test: usefulness for older patients in a home-care setting". 2011 , 113, 489-90	6
1148	Correlates of mobility limitation in African Americans. 2011 , 66, 1258-63	34
1147	Five-repetition sit-to-stand test: usefulness for older patients in a home-care setting. 2011 , 112, 803-6	18
1146	A structural equation modelling approach to the complex path from postural stability to morale in elderly people with fear of falling. 2011 , 33, 352-9	9
1145	Vitamin D and Skeletal Muscle Function. 2011 , 2023-2041	3
1144	Socio-economic disadvantage from childhood to adulthood and locomotor function in old age: a lifecourse analysis of the Boyd Orr and Caerphilly prospective studies. 2011 , 65, 1014-23	28
1143	Influence of individual and combined healthy behaviours on successful aging. 2012 , 184, 1985-92	104
1142	Bathing Area Safety and Lower Extremity Function in Community-Dwelling Older Adults. 2012 , 32, 22-29	2

1141	The short physical performance battery as a predictor for long term disability or institutionalization in the community dwelling population aged 65 years old or older. 2012 , 17, 37-44	36
1140	The severity of urinary incontinence decreases health-related quality of life among community-dwelling elderly. 2012 , 67, 1266-71	47
1139	The relationship between change in self-perceptions of aging and physical functioning in older adults. 2012 , 27, 750-60	128
1138	Total joint replacement in the past does not relate to a deteriorated functional level and health status in the oldest old. 2012 , 2012, 968389	1
1137	Predicting disability and institutionalization in elderly people: how strong is the evidence for the predictive value of the short physical performance battery?. 2012 , 17, 138-139	
1136	Short-duration resistive exercise sustains neuromuscular function after bed rest. 2012 , 44, 1764-72	10
1135	Early Prospective Results of the Salto-Talarisâ€”Total Ankle Prosthesis. 2012 , 2, 23-34	1
1134	Relationship Between Self-Reported Functional Limitations and Physical Performance Status Among Aged Home Care Clients. 2012 , 30, 73-84	1
1133	Mobility-related fatigue, walking speed, and muscle strength in older people. 2012 , 67, 523-9	53
1132	Healthy Steps trial: pedometer-based advice and physical activity for low-active older adults. 2012 , 10, 206-12	50
1131	Total and abdominal adiposity are associated with inflammation in older adults using a factor analysis approach. 2012 , 67, 1099-106	32
1130	The modified Gait Efficacy Scale: establishing the psychometric properties in older adults. 2012 , 92, 318-28	64
1129	Disability in older people with diabetes: issues for the clinician. 2012 , 12, 135-140	4
1128	A new classification of function and disability in China: subtypes based on performance-based and self-reported measures. 2012 , 24, 779-98	15
1127	Obesity in Older Adults: Epidemiology and Implications for Disability and Disease. 2012 , 22, 10-34	88
1126	Measurement of Sit-to-Stand Among Older Adults. 2012 , 28, 11-16	48
1125	Total daily activity measured with actigraphy and motor function in community-dwelling older persons with and without dementia. 2012 , 26, 238-45	27
1124	Skeletal muscle power: a critical determinant of physical functioning in older adults. 2012 , 40, 4-12	442

1123	Validation of seat-off and seat-on in repeated sit-to-stand movements using a single-body-fixed sensor. 2012 , 33, 1855-67	18
1122	Interpreting the need for initial support to perform tandem stance tests of balance. 2012 , 92, 1316-28	25
1121	Performance-based physical function in older community-dwelling persons: a systematic review of instruments. 2012 , 41, 712-21	186
1120	Effects of six versus three times per week hemodialysis on physical performance, health, and functioning: Frequent Hemodialysis Network (FHN) randomized trials. 2012 , 7, 782-94	68
1119	The effects of exercise on strength and physical performance in frail older people: a systematic review. 2012 , 22, 274-285	10
1118	The role of physical activity and diabetes status as a moderator: functional disability among older Mexican Americans. 2012 , 41, 752-8	18
1117	Cognitive and physical functions as determinants of delayed age at onset and progression of disability. 2012 , 67, 1419-26	18
1116	Higher levels of endogenous estradiol are associated with frailty in postmenopausal women from the toledo study for healthy aging. 2012 , 97, 2898-906	39
1115	Prognostic significance of the short physical performance battery in older patients discharged from acute care hospitals. 2012 , 15, 41-8	53
1114	Drug burden index and beers criteria: impact on functional outcomes in older people living in self-care retirement villages. 2012 , 52, 258-65	50
1113	Cross-sectional and longitudinal association between homocysteine, vitamin B12 and physical performance in older persons. 2012 , 66, 174-81	32
1112	Mini-Mental State Examination performance in frail, pre-frail, and non-frail community dwelling older adults in Ermelino Matarazzo, Sã Paulo, Brazil. 2012 , 24, 1725-31	60
1111	25-hydroxyvitamin D status and change in physical performance and strength in older adults: the Health, Aging, and Body Composition Study. 2012 , 176, 1025-34	64
1110	Predictive Validity and Cut-Off Scores in Four Diagnostic Tests for Falls âA Study in Frail Older People at Home. 2012 , 30, 189-201	18
1109	Enhancing clinical measures of postural stability with wearable sensors. 2012 , 2012, 4521-4	10
1108	Evaluation of wearable gyroscope and accelerometer sensor (PocketIMU2) during walking and sit-to-stand motions. 2012 ,	6
1107	Resistance Training in Older Adults: Are Community-Based Interventions Effective for Improving Health Outcomes?. 2012 , 6, 407-414	4
1106	Resilience, physical performance measures, and self-perceived physical and mental health in older Catholic nuns. 2012 , 35, 126-31	23

1105	Relation of pulse pressure to long-distance gait speed in community-dwelling older adults: findings from the LIFE-P study. 2012 , 7, e49544	8
1104	Systemic vascular function is associated with muscular power in older adults. 2012 , 2012, 386387	24
1103	Sensitivity to change and responsiveness of four balance measures for community-dwelling older adults. 2012 , 92, 388-97	121
1102	First Steps towards Evidence-Based Preventive Home Visits: Experiences Gathered in a Swedish Municipality. 2012 , 2012, 352942	8
1101	Predicting late-life disability and death by the rate of decline in physical performance measures. 2012 , 41, 155-61	56
1100	Usefulness of preclinical models for assessing the efficacy of late-life interventions for sarcopenia. 2012 , 67, 17-27	33
1099	Lipopolysaccharide-binding protein, a surrogate marker of microbial translocation, is associated with physical function in healthy older adults. 2012 , 67, 1212-8	57
1098	Test-retest reliability and minimal detectable change of repeated sit-to-stand analysis using one body fixed sensor in geriatric patients. 2012 , 33, 1931-46	51
1097	Physical activity and functional limitations in older adults: the influence of self-efficacy and functional performance. 2012 , 67, 354-61	51
1096	Quantification of Static and Dynamic Balance While Maintaining and Changing Body Position. 2012 , 28, 17-26	5
1095	Physical activity of moderately impaired elderly stroke patients during rehabilitation. 2012 , 33, 1923-30	5
1094	Perceived effort of walking: relationship with gait, physical function and activity, fear of falling, and confidence in walking in older adults with mobility limitations. 2012 , 92, 1268-77	36
1093	Comparison of functional status instruments in HIV-infected adults on effective antiretroviral therapy. 2012 , 13, 324-34	78
1092	Differences in self-reported physical limitation among older women and men in Ismailia, Egypt. 2012 , 67, 605-17	12
1091	Risk factors for falls in HIV-infected persons. 2012 , 61, 484-9	112
1090	Relationship between cognitive domains, physical performance, and gait in elderly and demented subjects. 2012 , 30, 899-908	33
1089	Prevalence of cervical cord compression and its association with physical performance in a population-based cohort in Japan: the Wakayama Spine Study. 2012 , 37, 1892-8	39
1088	Adherence to a community-based exercise program is a strong predictor of improved back pain status in older adults: an observational study. 2012 , 28, 195-203	38

1087	Relationship between lower-limb muscle strength and frailty among elderly people. 2012 , 130, 102-8	30
1086	Effectiveness of an exercise program on postural control in frail older adults. 2012 , 7, 593-8	22
1085	The Effect of Biofeedback-based Balance Training while Performing Cognitive Tasks on Temporal and Spatial Parameters and Gait Stability of the Elderly. 2012 , 24, 645-649	1
1084	Mild depressive symptoms, self-reported disability, and slowing across multiple functional domains. 2012 , 24, 253-60	6
1083	Determinants of neighborhood activity of adults age 70 and over: a mixed-methods study. 2012 , 20, 148-70	60
1082	Predictive validity of health-related fitness tests on back pain and related disability: a 6-year follow-up study among high-functioning older adults. 2012 , 9, 249-58	2
1081	Self-reported mobility and instrumental activities of daily living: test-retest reliability and criterion validity. 2012 , 20, 186-97	9
1080	Promoting walking among older adults living in retirement communities. 2012 , 20, 379-94	31
1079	Age-related changes in oxidative capacity differ between locomotory muscles and are associated with physical activity behavior. 2012 , 37, 88-99	59
1078	Consensus statement: Academy of Nutrition and Dietetics and American Society for Parenteral and Enteral Nutrition: characteristics recommended for the identification and documentation of adult malnutrition (undernutrition). 2012 , 36, 275-83	630
1077	The value of geriatric assessments in predicting treatment tolerance and all-cause mortality in older patients with cancer. 2012 , 17, 1439-49	122
1076	Hyperglycemia and incidence of frailty and lower extremity mobility limitations in older women. 2012 , 60, 1701-7	84
1075	Decline in physical function and risk of elder abuse reported to social services in a community-dwelling population of older adults. 2012 , 60, 1922-8	21
1074	Activity in GERiatric acute CARE (AGECAR): rationale, design and methods. 2012 , 12, 28	6
1073	Cognition and Hemodynamics. 2012 , 6, 380-396	22
1072	Correlations of clinical and laboratory measures of balance in older men and women. 2012 , 64, 1895-902	30
1071	Poor bone microarchitecture in older men with impaired physical performance--the STRAMBO study. 2012 , 23, 2785-96	10
1070	Aging and physical mobility in group-housed Old World monkeys. 2012 , 34, 1123-31	26

1069	A structural equation model relating physical function, pain, impaired mobility (IM), and falls in older adults. 2012 , 55, 645-52	10
1068	From muscle wasting to sarcopenia and myopenia: update 2012. 2012 , 3, 213-7	95
1067	Prognosis of an abnormal one-leg balance in community-dwelling patients with Alzheimer's disease: a 2-year prospective study in 686 patients of the REAL.FR study. 2012 , 13, 407.e1-6	6
1066	Reliability and validity of the five-repetition sit-to-stand test for children with cerebral palsy. 2012 , 26, 664-71	43
1065	Understanding risk of falls in people with cognitive impairment living in residential care. 2012 , 13, 535-40	59
1064	Social support and mobility limitation as modifiable predictors of improvement in depressive symptoms in the elderly: results of a national longitudinal study. 2012 , 55, 530-8	20
1063	Protein supplementation improves physical performance in frail elderly people: a randomized, double-blind, placebo-controlled trial. 2012 , 13, 720-6	291
1062	Community-based exercise program is cost-effective by preventing care and disability in Japanese frail older adults. 2012 , 13, 507-11	76
1061	Randomized study of the efficacy and safety of SUN11031 (synthetic human ghrelin) in cachexia associated with chronic obstructive pulmonary disease. 2012 , 7, e171-e175	11
1060	Community-based Yang-style Tai Chi is safe and feasible in chronic stroke: a pilot study. 2012 , 26, 121-31	58
1059	Hierarchy of higher-level physical functions: a longitudinal investigation on a nationally representative population of community-dwelling middle-aged and elderly persons. 2012 , 34, 1271-6	7
1058	Impaired choice stepping in response to a visual-spatial attention demanding task among older adults at high risk of falling: a pilot study. 2012 , 24, 361-4	1
1057	Assessment of balance in unsupported standing with elderly inpatients by force plate and accelerometers. 2012 , 24, 37-41	16
1056	Rheumatoid arthritis and falls: the influence of disease activity. 2012 , 51, 2051-7	43
1055	Concept Software Based on Kinect for Assessing Dual-Task Ability of Elderly People. 2012 , 1, 348-52	12
1054	The minimum sit-to-stand height test: reliability, responsiveness and relationship to leg muscle strength. 2012 , 26, 656-63	14
1053	The impact of aging on mitochondrial function and biogenesis pathways in skeletal muscle of sedentary high- and low-functioning elderly individuals. 2012 , 11, 801-9	208
1052	Lifestyle change and mobility in obese adults with type 2 diabetes. 2012 , 366, 1209-17	203

1051	Prospective study of the elder self-neglect and ED use in a community population. 2012 , 30, 553-61	45
1050	Physical activity and physical fitness: standardizing assessment with the PhenX Toolkit. 2012 , 42, 486-92	13
1049	Validity of an exercise test based on habitual gait speed in mobility-limited older adults. 2012 , 93, 344-50	2
1048	The effect of ballroom dance on balance and functional autonomy among the isolated elderly. 2012 , 55, 492-6	28
1047	Comparison of a combination of upper extremity performance measures and usual gait speed alone for discriminating upper extremity functional limitation and disability in older women. 2012 , 55, 486-91	9
1046	Is a composite score of physical performance measures more useful than usual gait speed alone in assessing functional status?. 2012 , 55, 392-8	14
1045	Physical activity and physical functioning in Swedish and Iranian 75-year-olds - a comparison. 2012 , 55, 422-30	9
1044	Gender differences in incidence and determinants of disability in activities of daily living among elderly individuals: SABE study. 2012 , 55, 431-7	76
1043	The Walking Impairment Questionnaire stair-climbing score predicts mortality in men and women with peripheral arterial disease. 2012 , 55, 1662-73.e2	37
1042	Efficacy and safety of high dose intramuscular or oral cholecalciferol in vitamin D deficient/insufficient elderly. 2012 , 72, 332-8	33
1041	A machine learning approach to assessing gait patterns for Complex Regional Pain Syndrome. 2012 , 34, 740-6	31
1040	The prevalence of cardiac dysfunction and the correlation with poor functioning among the very elderly. 2012 , 155, 134-43	27
1039	Effects of electrical muscle stimulation in a left ventricular assist device patient. 2012 , 160, e44-5	8
1038	Consensus statement of the Academy of Nutrition and Dietetics/American Society for Parenteral and Enteral Nutrition: characteristics recommended for the identification and documentation of adult malnutrition (undernutrition). 2012 , 112, 730-8	396
1037	Functional foot symmetry and its relation to lower extremity physical performance in older adults: the Framingham Foot Study. 2012 , 45, 1796-802	30
1036	Independent predictors of all osteoporosis-related fractures among healthy Saudi postmenopausal women: the CEOR Study. 2012 , 50, 713-22	38
1035	Physical activity, function, and quality of life: design and methods of the FlexToBa trial. 2012 , 33, 228-36	28
1034	The Exercising Together project: design and recruitment for a randomized, controlled trial to determine the benefits of partnered strength training for couples coping with prostate cancer. 2012 , 33, 342-50	19

1033	The design and methods of the aging successfully with pain study. 2012 , 33, 417-25	10
1032	Effects of testosterone supplementation on clinical and rehabilitative outcomes in older men undergoing on-pump CABG. 2012 , 33, 730-8	9
1031	Predictors of gait velocity among community-dwelling stroke survivors. 2012 , 35, 395-9	38
1030	Relationship between muscle mass and physical performance: is it the same in older adults with weak muscle strength?. 2012 , 41, 799-803	42
1029	Monitoring physical functioning as the sixth vital sign: evaluating patient and practice engagement in chronic illness care in a primary care setting--a quasi-experimental design. 2012 , 13, 29	21
1028	Study protocol for prevention of falls: a randomized controlled trial of effects of vitamin D and exercise on falls prevention. 2012 , 12, 12	26
1027	Residual effects of muscle strength and muscle power training and detraining on physical function in community-dwelling prefrail older adults: a randomized controlled trial. 2012 , 12, 68	66
1026	A pilot study of exercise in men with prostate cancer receiving androgen deprivation therapy. 2012 , 12, 103	10
1025	EnROL: a multicentre randomised trial of conventional versus laparoscopic surgery for colorectal cancer within an enhanced recovery programme. 2012 , 12, 181	31
1024	Comparison of tai chi vs. strength training for fall prevention among female cancer survivors: study protocol for the GET FIT trial. 2012 , 12, 577	19
1023	Individual and environmental factors underlying life space of older people - study protocol and design of a cohort study on life-space mobility in old age (LISPE). 2012 , 12, 1018	91
1022	German health interview and examination survey for adults (DEGS) - design, objectives and implementation of the first data collection wave. 2012 , 12, 730	214
1021	Childhood school segregation and later life sense of control and physical performance in the African American Health cohort. 2012 , 12, 827	8
1020	A phase III randomized three-arm trial of physical therapist delivered pain coping skills training for patients with total knee arthroplasty: the KASTPain protocol. 2012 , 13, 149	30
1019	Patient and provider interventions for managing osteoarthritis in primary care: protocols for two randomized controlled trials. 2012 , 13, 60	22
1018	Effects of a 6-month multimodal training intervention on retention of functional fitness in older adults: a randomized-controlled cross-over design. 2012 , 9, 107	31
1017	Alzheimer's disease multiple intervention trial (ADMIT): study protocol for a randomized controlled clinical trial. 2012 , 13, 92	12
1016	The integration of frailty into clinical practice: preliminary results from the G* rontopfe. 2012 , 16, 714-20	102

1015	Effects of strength training versus power training on physical performance in prefrail community-dwelling older adults. 2012 , 58, 197-204	43
1014	Development and evaluation of a modification of the Fried frailty criteria using population-independent cutpoints. 2012 , 60, 2110-5	60
1013	Statins, angiotensin-converting enzyme inhibitors, and physical performance in older women. 2012 , 60, 2206-14	31
1012	Integration of balance and strength training into daily life activity to reduce rate of falls in older people (the LiFE study): randomised parallel trial. 2012 , 345, e4547	253
1011	Vitamin D deficiency and muscle strength: are they related?. 2012 , 97, 4366-9	7
1010	The impact of insulin resistance and inflammation on the association between sarcopenic obesity and physical functioning. 2012 , 20, 2101-6	111
1009	Development of a New Fall Risk Assessment Index for Older Adults. 2012 , 6, 160-162	3
1008	[Short physical performance battery reference values for patients 70 years-old and over in primary health care]. 2012 , 44, 540-8	29
1007	Gender differences in anthropometric predictors of physical performance in older adults. 2012 , 9, 445-56	36
1006	Mesure de la condition physique chez les personnes âgées. Évaluation de la condition physique des seniors: adaptation française de la batterie américaine «Senior Fitness Test». 2012 , 27, 254-259	4
1005	Prevalence of symptomatic lumbar spinal stenosis and its association with physical performance in a population-based cohort in Japan: the Wakayama Spine Study. 2012 , 20, 1103-8	124
1004	Protein supplementation increases muscle mass gain during prolonged resistance-type exercise training in frail elderly people: a randomized, double-blind, placebo-controlled trial. 2012 , 13, 713-9	363
1003	Gait, Balance and Falls. 2012 , 1091-1110	
1002	Nursing Home Care. 2012 , 1697-1708	2
1001	High IGFBP2 levels are not only associated with a better metabolic risk profile but also with increased mortality in elderly men. 2012 , 167, 111-7	19
1000	Impaired joint mobility. 2012 , 248-262	
999	Vieillesse physiologique et pathologique de la fonction d'équilibre et de la marche. 2012 , 28, 153-157	
998	Geriatric conditions in heart failure. 2012 , 6, 404-410	35

997	Intégrer le concept de fragilité dans la pratique clinique : l'expérience du Gerontopôle à travers la plateforme d'évaluation des fragilités et de prévention de la dépendance. 2012 , 4, 269-278	3
996	Chronic stroke survivors benefit from high-intensity aerobic treadmill exercise: a randomized control trial. 2012 , 26, 85-95	141
995	Validity and reliability of the short physical performance battery in two diverse older adult populations in Quebec and Brazil. 2012 , 24, 863-78	185
994	Using cadence to study free-living ambulatory behaviour. 2012 , 42, 381-98	112
993	Effects of progressive resistance training on physical disability among older community-dwelling people with history of hip fracture. 2012 , 24, 171-5	16
992	Physical function and perceived quality of life in older persons. 2012 , 24, 68-73	61
991	Relationship between renal function and physical performance in elderly hospitalized patients. 2012 , 15, 545-52	32
990	Balance and falls. 2012 , 331-353	6
989	Is grip strength a good marker of physical performance among community-dwelling older people?. 2012 , 16, 769-74	80
988	A simple frailty questionnaire (FRAIL) predicts outcomes in middle aged African Americans. 2012 , 16, 601-8	719
987	Sex differences in the association between serum levels of testosterone and frailty in an elderly population: the Toledo Study for Healthy Aging. 2012 , 7, e32401	52
986	Older adults show preserved equilibrium but impaired step length control in motor-equivalent stabilization of gait. 2012 , 7, e52024	12
985	Risk and Determinants of Dementia in Patients with Mild Cognitive Impairment and Brain Subcortical Vascular Changes: A Study of Clinical, Neuroimaging, and Biological Markers-The VMCI-Tuscany Study: Rationale, Design, and Methodology. 2012 , 2012, 608013	22
984	Therapeutic Exercise Strategies in Patients with Dementia. 2012 , 11, 118	5
983	[Physical exercise as an efficient intervention in frail elderly persons]. 2012 , 35, 69-85	21
982	Fall prevention modulates decisional saccadic behavior in aging. 2012 , 4, 18	7
981	Correlation between balance and the level of functional independence among elderly people. 2012 , 130, 97-101	23
980	Tailor-Made Programs for Preventive Falls that Match the Level of Physical Well-Being in Community-Dwelling Older Adults. 2012 ,	

979	Automated technology to speed recognition of signs of illness in older adults. 2012 , 38, 18-23	57
978	Effect of occupation- and activity-based interventions on instrumental activities of daily living performance among community-dwelling older adults: a systematic review. 2012 , 66, 292-300	55
977	Wellness for the aging adult. 2012 , 446-456	
976	FES Training in Aging: interim results show statistically significant improvements in mobility and muscle fiber size. 2012 , 22, 61	0
975	[Japanese translation of "Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People" with supplementary explanation by the JGS working group]. 2012 , 49, 788-805	4
974	Walking speed in patients with first acute myocardial infarction who participated in a supervised cardiac rehabilitation program after coronary intervention. 2012 , 53, 347-52	12
973	[Physical exercise, muscle strength and the day-to-day activities of elderly women]. 2012 , 17, 2169-80	9
972	The hierarchical status of mobility disability predicts future IADL disability: A longitudinal study on aging. 2012 ,	
971	Depressive symptoms and motor performance in the elderly: a population based study. 2012 , 16, 295-300	12
970	[The complexity of risk stratification in older patient candidate to non-cardiac surgery]. 2012 , 78, 129-37	2
969	Imaging of glucose uptake during walking in elderly adults. 2012 , 5, 51-7	4
968	Exercise intervention for management of obesity. 2012 , 58, 135-9	8
967	Subjective social status and functional decline in older adults. 2012 , 27, 693-9	41
966	Muscle density in rheumatoid arthritis: associations with disease features and functional outcomes. 2012 , 64, 2438-50	57
965	A prospective model of care for breast cancer rehabilitation: function. 2012 , 118, 2300-11	63
964	The search for longevity and healthy aging genes: insights from epidemiological studies and samples of long-lived individuals. 2012 , 67, 470-9	129
963	[DEGS: German Health Interview and Examination Survey for Adults. A nationwide cross-sectional and longitudinal study within the framework of health monitoring conducted by the Robert Koch Institute]. 2012 , 55, 775-80	46
962	Health-specific optimism mediates between objective and perceived physical functioning in older adults. 2012 , 35, 400-6	24

961	Mobility decline in the elderly relates to lesion accrual in the splenium of the corpus callosum. 2012 , 34, 405-14	28
960	How safe is your neighborhood? Perceived neighborhood safety and functional decline in older adults. 2012 , 27, 541-7	28
959	The effect of resistance training on muscle strength and physical function in older, postmenopausal breast cancer survivors: a randomized controlled trial. 2012 , 6, 189-99	124
958	Growth hormone treatment in adults with Prader-Willi syndrome: the Scandinavian study. 2012 , 41, 191-9	36
957	Automatic video monitoring system for assessment of Alzheimer's disease symptoms. 2012 , 16, 213-8	19
956	Das sensomotorische System und die Auswirkungen der Physiologie des Alterungsprozesses. 2012 , 50, 223-234	4
955	Physical activity and other health-related factors predict health care utilisation in older adults: the ActiFE Ulm study. 2012 , 45, 290-7	14
954	Muscle power failure in mobility-limited older adults: preserved single fiber function despite lower whole muscle size, quality and rate of neuromuscular activation. 2012 , 112, 2289-301	69
953	Physical training improves motor performance in people with dementia: a randomized controlled trial. 2012 , 60, 8-15	140
952	Elder self-neglect and hospitalization: findings from the Chicago Health and Aging Project. 2012 , 60, 202-9	54
951	Age-related differences in lower extremity tissue compartments and associations with physical function in older adults. 2012 , 47, 38-44	85
950	High serum Cu and Cu/Zn ratios correlate with impairments in bone density, physical performance and overall health in a population of elderly men with frailty characteristics. 2012 , 47, 491-6	27
949	The specific contributions of force and velocity to muscle power in older adults. 2012 , 47, 608-13	59
948	[Normal data of functional assessment tools of the elderly in Spain: the FRADEA study]. 2012 , 44, 162-71	13
947	[Reliability of the VIDA questionnaire for assessing instrumental activities of daily living (iADL) in the elderly]. 2012 , 44, 309-17	4
946	An implication of the short physical performance battery (SPPB) as a predictor of abnormal pulmonary function in aging people. 2012 , 54, 448-52	12
945	Leisure activity, mobility limitation and stress as modifiable risk factors for depressive symptoms in the elderly: results of a national longitudinal study. 2012 , 54, e221-9	57
944	Maladaptive turning and gaze behavior induces impaired stepping on multiple footfall targets during gait in older individuals who are at high risk of falling. 2012 , 54, e102-8	34

943	Incident preclinical mobility disability (PCMD) increases future risk of new difficulty walking and reduction in walking activity. 2012 , 54, e329-33	11
942	Oral nutritional support in malnourished elderly decreases functional limitations with no extra costs. 2012 , 31, 183-90	59
941	A new frailty syndrome: central obesity and frailty in older adults with the human immunodeficiency virus. 2012 , 60, 545-9	59
940	Long-term effects of three multicomponent exercise interventions on physical performance and fall-related psychological outcomes in community-dwelling older adults: a randomized controlled trial. 2012 , 60, 437-46	129
939	Lower body functioning prevalence and correlates in older American Indians in a southeastern tribe: the Native Elder Care Study. 2012 , 60, 577-82	11
938	Short-term oral nutritional intervention with protein and vitamin D decreases falls in malnourished older adults. 2012 , 60, 691-9	75
937	Angiotensin-converting enzyme inhibitor use by older adults is associated with greater functional responses to exercise. 2012 , 60, 1244-52	38
936	Quality of life for older people in residential care is related to connectedness, willingness to enter care, and co-residents. 2012 , 31, 52-5	12
935	Faster decline of physical performance in older adults with higher levels of baseline locomotive function. 2012 , 12, 238-46	10
934	Testing postural control among various osteoporotic patient groups: a literature review. 2012 , 12, 573-85	13
933	Effect of high-speed power training on muscle performance, function, and pain in older adults with knee osteoarthritis: a pilot investigation. 2012 , 64, 46-53	49
932	Pilot, randomized trial of resistance exercise during radiation therapy for head and neck cancer. 2013 , 35, 1178-88	53
931	Association between physical performance characteristics and independence in activities of daily living in middle-aged and elderly men. 2013 , 13, 274-80	37
930	The harmonic ratio of trunk acceleration predicts falling among older people: results of a 1-year prospective study. 2013 , 10, 7	93
929	Recent Developments in Obesity Research: Linkages between Obesity, Disability, and Physical Functioning. 2013 , 2, 267-274	2
928	Tools in the assessment of sarcopenia. 2013 , 93, 201-10	155
927	Psychometric properties of a computerized adaptive test for assessing mobility in older adults using novel video-animation technology. 2013 , 22, 1907-15	2
926	Deterioration of gait and balance over time: the effects of age-related white matter change--the LADIS study. 2013 , 35, 544-53	56

925	Both pulmonary and extra-pulmonary factors predict the development of disability in chronic obstructive pulmonary disease. 2013 , 85, 375-83	11
924	A phase IIA randomized, placebo-controlled clinical trial to study the efficacy and safety of the selective androgen receptor modulator (SARM), MK-0773 in female participants with sarcopenia. 2013 , 17, 533-43	97
923	Baseline determinants of global diet quality in older men and women from the NuAge cohort. 2013 , 17, 419-25	41
922	Malnutrition is related to functional impairment in older adults receiving home care. 2013 , 17, 345-50	60
921	Body mass index, lifestyles, physical performance and cognitive decline: the "Treviso Longeva (TRELONG)" study. 2013 , 17, 378-84	47
920	Atherosclerosis and physical functioning in older men, a longitudinal study. 2013 , 17, 97-104	12
919	Auswirkungen von körperlicher Aktivität auf demenzielle Erkrankungen. 2013 , 43, 166-180	9
918	Effectiveness of a multifactorial falls prevention program in community-dwelling older people when compared to usual care: study protocol for a randomised controlled trial (Prevquedas Brazil). 2013 , 13, 27	11
917	The minimal clinically important difference of six-minute walk in Asian older adults. 2013 , 13, 23	25
916	Can social dancing prevent falls in older adults? a protocol of the Dance, Aging, Cognition, Economics (DANCE) fall prevention randomised controlled trial. 2013 , 13, 477	37
915	Double burden: a cross-sectional survey assessing factors associated with underweight and overweight status in Danang, Vietnam. 2013 , 13, 35	12
914	Association of frailty with body composition among patients on hemodialysis. 2013 , 23, 356-62	34
913	Evidence-based recommendations for optimal dietary protein intake in older people: a position paper from the PROT-AGE Study Group. 2013 , 14, 542-59	1257
912	High response rate and improved exercise capacity and quality of life with a new regimen of darbepoetin alfa with or without filgrastim in lower-risk myelodysplastic syndromes: a phase II study by the GFM. 2013 , 92, 621-31	34
911	Effect of increased fruit and vegetable consumption on physical function and muscle strength in older adults. 2013 , 35, 2409-22	43
910	[The influence of Nintendo-Wii bowling upon residents of retirement homes]. 2013 , 46, 425-30	5
909	Effects of a dietetic treatment in older, undernourished, community-dwelling individuals in primary care: a randomized controlled trial. 2013 , 52, 1939-48	26
908	Home-based walking exercise intervention in peripheral artery disease: a randomized clinical trial. 2013 , 310, 57-65	190

907	Effects of a structured physical activity intervention on measures of physical performance in frail elderly patients after cardiac rehabilitation: a pilot study with 1-year follow-up. 2013 , 8, 581-9	34
906	Sensor technology to support Aging in Place. 2013 , 14, 386-91	74
905	Dietary intake and physical performance in healthy elderly women: a 3-year follow-up. 2013 , 48, 250-4	16
904	Patients with type 2 diabetes show a greater decline in muscle mass, muscle strength, and functional capacity with aging. 2013 , 14, 585-92	257
903	Advanced age affects the individual leg mechanics of level, uphill, and downhill walking. 2013 , 46, 535-40	54
902	Practical geriatric assessment. 2013 , 9, 579-591	2
901	Frailty and risk for heart failure in older adults: the health, aging, and body composition study. 2013 , 166, 887-94	104
900	The Motor Unit Number Index (MUNIX) in sarcopenic patients. 2013 , 48, 381-4	36
899	Low skeletal muscle mass and risk of functional decline in elderly community-dwelling women: the prospective EPIDOS study. 2013 , 14, 352-7	31
898	Mild physical impairment predicts future diagnosis of dementia of the Alzheimer's type. 2013 , 61, 1055-9	41
897	Differential effects of cardiovascular and resistance exercise on functional mobility in individuals with advanced cancer: a randomized trial. 2013 , 94, 2329-2335	48
896	Group physical therapy for veterans with knee osteoarthritis: study design and methodology. 2013 , 34, 296-304	3
895	A 12-week Iyengar yoga program improved balance and mobility in older community-dwelling people: a pilot randomized controlled trial. 2013 , 68, 1068-75	64
894	Percutaneous transluminal angioplasty results in improved physical function but not balance in patients with intermittent claudication. 2013 , 58, 1533-9	8
893	The prevalence of sarcopenia in very old individuals according to the European consensus definition: insights from the BELFRAIL study. 2013 , 42, 727-34	81
892	Home and health in people ageing with Parkinson's disease: study protocol for a prospective longitudinal cohort survey study. 2013 , 13, 142	29
891	Influence of blood pressure profile on frailty phenotype in community-dwelling elders in Brazil - FIBRA study. 2013 , 56, 343-9	24
890	Land-based versus aquatic resistance therapeutic exercises for older women with sarcopenic obesity: study protocol for a randomised controlled trial. 2013 , 14, 296	11

889	Incidence and economical effects of pneumonia in the older population living in French nursing homes: design and methods of the INCUR study. 2013 , 13, 861	20
888	The physical capability of community-based men and women from a British cohort: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. 2013 , 13, 93	22
887	A multifactorial interdisciplinary intervention reduces frailty in older people: randomized trial. 2013 , 11, 65	231
886	Review of fall risk assessment in geriatric populations using inertial sensors. 2013 , 10, 91	215
885	Education-related differences in physical performance after age 60: a cross-sectional study assessing variation by age, gender and occupation. 2013 , 13, 641	22
884	Can the Ordered Multi-Stepping Over Hoop test be useful for predicting fallers among older people? A preliminary 1 year cohort study. 2013 , 25, 427-32	3
883	A novel infrared laser device that measures multilateral parameters of stepping performance for assessment of fall risk in elderly individuals [corrected]. 2013 , 25, 311-6	15
882	[Physical and cognitive capabilities among persons aged 65-79 years in Germany: results of the German Health Interview and Examination Survey for Adults (DEGS1)]. 2013 , 56, 723-32	11
881	Sleep/wake patterns and physical performance in older adults. 2013 , 25, 175-81	14
880	Mobility limitation as a predictor of inpatient care in the last year of life among community-living older people. 2013 , 25, 81-7	6
879	Nutritional intervention and physical training in malnourished frail community-dwelling elderly persons carried out by trained lay "buddies": study protocol of a randomized controlled trial. 2013 , 13, 1232	38
878	Porvoo sarcopenia and nutrition trial: effects of protein supplementation on functional performance in home-dwelling sarcopenic older people - study protocol for a randomized controlled trial. 2013 , 14, 387	15
877	Self-management of Function in Older Adults: The Contribution of Physical Therapy. 2013 , 2, 215-229	
876	Interventions to Improve Walking in Older Adults. 2013 , 2, 230	48
875	Assessment of Gait, Balance, and Mobility in Older Adults: Considerations for Clinicians. 2013 , 2, 205-214	12
874	Predicting 3-year incident mobility disability in middle-aged and older adults using physical performance tests. 2013 , 94, 994-7	18
873	Muscle strength and physical activity are associated with self-rated health in an adult Danish population. 2013 , 57, 792-8	24
872	Low vitamin D status is associated with reduced muscle mass and impaired physical performance in frail elderly people. 2013 , 67, 1050-5	68

871	Effect of β-hydroxy-β-methylbutyrate (HMB) on lean body mass during 10 days of bed rest in older adults. 2013 , 32, 704-12	181
870	Unobtrusive, continuous, in-home gait measurement using the Microsoft Kinect. 2013 , 60, 2925-32	125
869	Motor dual-task effect on gait and task of upper limbs in older adults under specific task prioritization: pilot study. 2013 , 25, 99-106	22
868	Predictive effects of muscle strength after hospitalization in old patients. 2013 , 25, 633-6	5
867	Quantitative description of the lie-to-sit-to-stand-to-walk transfer by a single body-fixed sensor. 2013 , 21, 624-33	21
866	Thigh muscle attenuation measured by computed tomography was associated with the risk of low bone density in community-dwelling elderly population. 2013 , 78, 512-7	14
865	Automatic evaluation of the 30-s chair stand test using inertial/magnetic-based technology in an older prefrail population. 2013 , 17, 820-7	22
864	Effectiveness of foot and ankle exercise programs on reducing the risk of falling in older adults: a systematic review and meta-analysis of randomized controlled trials. 2013 , 103, 534-47	23
863	Effect d'activiteit bij ondervoede thuiswonende ouderen. 2013 , 56, 498-501	2
862	Apolipoprotein E and measured physical and pulmonary function in older Taiwanese adults. 2013 , 59, 57-67	10
861	Impaired aerobic capacity and physical functional performance in older heart failure patients with preserved ejection fraction: role of lean body mass. 2013 , 68, 968-75	105
860	Inertial-Sensor-Based Balance Analysis System for Patients with Alzheimer's Disease. 2013 ,	5
859	Dysregulation of the hypothalamic pituitary adrenal (HPA) axis and physical performance at older ages: an individual participant meta-analysis. 2013 , 38, 40-9	52
858	Vitamin D status is associated with physical performance: the results of three independent cohorts. 2013 , 24, 187-96	50
857	Using the Short Physical Performance Battery to screen for frailty in young-old adults with distinct socioeconomic conditions. 2013 , 13, 421-8	82
856	Global brain atrophy is associated with physical performance and the risk of falls in older adults with cognitive impairment. 2013 , 13, 437-42	16
855	The fall rate of older community-dwelling cancer patients. 2013 , 21, 775-83	37
854	Performance on five times sit-to-stand task as a predictor of subsequent falls and disability in older persons. 2013 , 25, 478-92	71

853	Feasibility study of analgesia via epidural versus continuous wound infusion after laparoscopic colorectal resection. 2013 , 100, 395-402	31
852	The Mugello study, a survey of nonagenarians living in Tuscany: design, methods and participants' general characteristics. 2013 , 24, 745-9	29
851	Efficacy of periosteal stimulation for chronic pain associated with advanced knee osteoarthritis: a randomized, controlled clinical trial. 2013 , 35, 1703-20.e5	25
850	Stroke induced Sarcopenia: muscle wasting and disability after stroke. 2013 , 170, 89-94	142
849	Relative and absolute reliability of the clinical version of the Narrow Path Walking Test (NPWT) under single and dual task conditions. 2013 , 57, 92-9	8
848	Prevalence and impact of pain among older adults in the United States: findings from the 2011 National Health and Aging Trends Study. 2013 , 154, 2649-2657	409
847	Muscle strength rather than muscle mass is associated with standing balance in elderly outpatients. 2013 , 14, 493-8	43
846	New technology-based functional assessment tools should avoid the weaknesses and proliferation of manual functional assessments. 2013 , 66, 619-32	3
845	Factors related to performance-based mobility and self-reported physical activity in individuals 1-3 years after stroke: a cross-sectional cohort study. 2013 , 22, e426-34	30
844	Estimate of lower trunk angles in pathological gaits using gyroscope data. 2013 , 38, 523-7	21
843	Coronary artery calcium and physical performance as determinants of mortality in older age: the AGES-Reykjavik Study. 2013 , 168, 2094-9	17
842	Incorporating prosocial behavior to promote physical activity in older adults: rationale and design of the Program for Active Aging and Community Engagement (PACE). 2013 , 36, 284-97	11
841	Mejora del equilibrio en los enfermos de Parkinson mediante el ejercicio calist ^{nico} -recreativo: un estudio piloto. 2013 , 47, 22-26	1
840	Is cancer incidence decreased in the frail elderly? Evidence from a prospective cohort study. 2013 , 4, 19-25	7
839	Relationship between BMI and physical performance among older adults. 2013 , 34, 465-8	24
838	Interrater Reliability of the Five-Times-Sit-to-Stand Test. 2013 , 25, 13-17	14
837	Association between reported elder abuse and rates of admission to skilled nursing facilities: findings from a longitudinal population-based cohort study. 2013 , 59, 464-72	44
836	The Cooperative Lifestyle Intervention Program-II (CLIP-II): design and methods. 2013 , 36, 382-93	22

835	The Boston Rehabilitative Impairment Study of the Elderly: a description of methods. 2013 , 94, 347-55	35
834	A randomized controlled trial to determine the effect of a model of restorative home care on physical function and social support among older people. 2013 , 94, 1015-22	41
833	Protein supplementation and physical function: muscular and cognitive perspectives. 2013 , 14, 144-5	1
832	Identification of high-risk individuals for the development of disability in activities of daily living. A ten-year follow-up study. 2013 , 48, 437-43	32
831	Preliminary evidence that low ankle-brachial index is associated with reduced bilateral hip extensor strength and functional mobility in peripheral arterial disease. 2013 , 57, 963-973.e1	23
830	Dietary protein intake is associated with lean body mass in community-dwelling older adults. 2013 , 33, 608-12	39
829	The Ambulatory Geriatric Assessment and Frailty Intervention Trial (AGE-FIT) – A randomised controlled trial aimed to prevent hospital readmissions and functional deterioration in high risk older adults: A study protocol. 2013 , 4, 242-247	17
828	Association between chair stand strategy and mobility limitations in older adults with symptomatic knee osteoarthritis. 2013 , 94, 375-83	15
827	Falls classification using tri-axial accelerometers during the five-times-sit-to-stand test. 2013 , 38, 1021-5	60
826	Assistive walking device use and knee osteoarthritis: results from the Health, Aging and Body Composition Study (Health ABC Study). 2013 , 94, 332-9	12
825	Perceptions of participating in high-intensity functional exercise among older people dependent in activities of daily living (ADL). 2013 , 57, 369-76	4
824	Towards a gene expression biomarker set for human biological age. 2013 , 12, 324-6	33
823	The relationship between cognitive function and physical function in rheumatoid arthritis. 2013 , 40, 236-43	24
822	Does overall diet in midlife predict future aging phenotypes? A cohort study. 2013 , 126, 411-419.e3	48
821	The effect of exercise on fitness and performance-based tests of function in intermittent claudication: a systematic review. 2013 , 43, 513-24	30
820	Physical rehabilitation for older people in long-term care. 2013 , CD004294	84
819	Dose-dependent responses of myofibrillar protein synthesis with beef ingestion are enhanced with resistance exercise in middle-aged men. 2013 , 38, 120-5	79
818	Homocysteine and the methylenetetrahydrofolate reductase 677C-->T polymorphism in relation to muscle mass and strength, physical performance and postural sway. 2013 , 67, 743-8	25

817	Effects of individually tailored physical and daily activities in nursing home residents on activities of daily living, physical performance and physical activity level: a randomized controlled trial. 2013 , 59, 220-9	55
816	Sarcopenia and osteopenia among 70-80-year-old home-dwelling Finnish women: prevalence and association with functional performance. 2013 , 24, 787-96	55
815	Exercise for depression in elderly residents of care homes: a cluster-randomised controlled trial. 2013 , 382, 41-9	84
814	Three simple clinical tests to accurately predict falls in people with Parkinson's disease. 2013 , 28, 655-62	127
813	Body mass index, muscle strength and physical performance in older adults from eight cohort studies: the HALCYon programme. 2013 , 8, e56483	102
812	Domains contributing to disability in activities of daily living. 2013 , 14, 18-24	44
811	Risk factors for falls in a longitudinal population-based cohort study of Japanese men and women: the ROAD Study. 2013 , 52, 516-23	36
810	Physical functioning is related to both an impaired physical ability and ADL disability: a ten year follow-up study in middle-aged and older persons. 2013 , 74, 89-94	33
809	Effects of tai chi program on neuromuscular function for patients with knee osteoarthritis: study protocol for a randomized controlled trial. 2013 , 14, 375	21
808	The five-repetition sit-to-stand test as a functional outcome measure in COPD. 2013 , 68, 1015-20	185
807	Rapid buildup of brain white matter hyperintensities over 4 years linked to ambulatory blood pressure, mobility, cognition, and depression in old persons. 2013 , 68, 1387-94	42
806	Mobility impairment is associated with reduced microstructural integrity of the inferior and superior cerebellar peduncles in elderly with no clinical signs of cerebellar dysfunction. 2013 , 2, 332-40	19
805	Different motor tasks impact differently on cognitive performance of older persons during dual task tests. 2013 , 28, 692-6	39
804	Association between elder abuse and use of ED: findings from the Chicago Health and Aging Project. 2013 , 31, 693-8	50
803	Skeletal muscle mitochondrial energetics are associated with maximal aerobic capacity and walking speed in older adults. 2013 , 68, 447-55	178
802	Motor learning versus standard walking exercise in older adults with subclinical gait dysfunction: a randomized clinical trial. 2013 , 61, 1879-86	45
801	Which neuromuscular attributes are most associated with mobility among older primary care patients?. 2013 , 94, 2381-2388	25
800	Effects of self-reported osteoarthritis on physical performance: a longitudinal study with a 10-year follow-up. 2013 , 25, 561-9	6

799	Relationship between functional vision and balance and mobility performance in community-dwelling older adults. 2013 , 25, 545-52	33
798	Life-Space Assessment scale to assess mobility: validation in Latin American older women and men. 2013 , 25, 553-60	42
797	The Push-Turn-Taptap task outperforms measures of executive functioning in predicting declines in functionality: evidence-based approach to test validation. 2013 , 27, 238-55	24
796	A randomized study on the effect of vitamin D supplementation on skeletal muscle morphology and vitamin D receptor concentration in older women. 2013 , 98, E1927-35	180
795	Functional impairment is associated with low bone and muscle mass among persons aging with HIV infection. 2013 , 63, 209-15	82
794	Mobility in Human Aging A Multidisciplinary Life Span Conceptual Framework. 2013 , 33, 171-192	4
793	You are only as old as you think. 2013 , 170, 143-5	1
792	Physical and cognitive performance of patients with acute lung injury 1 year after initial trophic versus full enteral feeding. EDEN trial follow-up. 2013 , 188, 567-76	175
791	Differences in outcomes following total ankle replacement in patients with neutral alignment compared with tibiotalar joint malalignment. 2013 , 95, 1927-34	92
790	Physical performance and frailty in chronic kidney disease. 2013 , 38, 307-15	106
789	Early prospective clinical results of a modern fixed-bearing total ankle arthroplasty. 2013 , 95, 1002-11	86
788	Poor physical performance and dementia in the oldest old: the 90+ study. 2013 , 70, 107-13	23
787	Association of seat height and arm position on the five times sit-to-stand test times of stroke survivors. 2013 , 2013, 642362	14
786	Association between childhood school segregation and changes in adult sense of control in the African American health cohort. 2013 , 68, 956-62	1
785	Long-term trajectories of lower extremity function in older adults: estimating gender differences while accounting for potential mortality bias. 2013 , 68, 861-8	14
784	Vibration or balance training on neuromuscular performance in osteopenic women. 2013 , 34, 956-62	10
783	Lifestyle interventions and independence for elders study: recruitment and baseline characteristics. 2013 , 68, 1549-58	78
782	Identifying older people at high risk of future falls: development and validation of a screening tool for use in emergency departments. 2013 , 30, 918-22	41

781	Development of STEADI: a fall prevention resource for health care providers. 2013 , 14, 706-14	192
780	Management of the extrahepatic symptoms of chronic hepatitis C: feasibility of a randomized controlled trial of exercise. 2013 , 92, 504-12	10
779	Protein supplementation during resistance-type exercise training in the elderly. 2013 , 45, 542-52	92
778	Lower levels of circulating progenitor cells are associated with low physical function and performance in elderly men with impaired glucose tolerance: a pilot substudy from the VA Enhanced Fitness trial. 2013 , 68, 1559-66	11
777	Assessing physical function and physical activity in patients with CKD. 2013 , 8, 861-72	116
776	Elder self-neglect is associated with increased risk for elder abuse in a community-dwelling population: findings from the Chicago Health and Aging Project. 2013 , 25, 80-96	36
775	The five times sit to stand test in senior athletes. 2013 , 36, 47-50	9
774	Impact of Different Operational Definitions of Sarcopenia on Prevalence in a Population-Based Sample: The Salus in Apulia Study.. 2021 , 18,	2
773	Factors associated with transitions between frailty states among older persons in Brazil, 2006-2010. 2021 , 29, 73-85	
772	Association between mitochondrial function measured by 31P magnetic resonance spectroscopy and physical performance in older people with functional impairment. 2021 , 6, 71-79	
771	Klinische Evaluation eines Rollatormoduls zur sensorgestützten Haltungs- und Gangmustererkennung. 2022 , 881-905	
770	Programa Hospital Seguro para a Pessoa Idosa: estudo observacional do impacto na reduç de declínio funcional. 2022 , 38,	
769	Metabolic syndrome and its association with components of sarcopenia in older community-dwelling Chinese.. 2022 , 1-7	0
768	Diagnosis of osteosarcopeniaâclinical. 2022 , 181-204	
767	Association of Intrinsic Capacity with Frailty, Physical Fitness and Adverse Health Outcomes in Community-Dwelling Older Adults. 1	0
766	Factors associated with participation in life situations in people with COPD.. 2022 , 19, 14799731221079305	0
765	Protein Intake and the Risk of Pre-Frailty and Frailty in Norwegian Older Adults. The Troms Study 1994â2016. 1	
764	Remote administration of physical performance tests among persons with and without a cancer history: Establishing reliability and agreement with in-person assessment.. 2022 ,	2

763	Healthy aging and muscle function are positively associated with NAD+ abundance in humans. 2022 , 2, 254-263	4
762	Development and validation of a cut-off for the chair stand test as a screening for mobility impairment in the context of the integrated care for older people (ICOPE) program.. 2022 ,	0
761	Sarcopenic Obesity Tendency and Nutritional Status Is Related to the Risk of Sarcopenia, Frailty, Depression and Quality of Life in Patients with Dementia.. 2022 , 19,	1
760	"Aging Means to Meâ€That I Feel Lonely More Often"? An Experimental Study on the Effects of Age Simulation Regarding Views on Aging.. 2022 , 13, 806233	0
759	Physical impairments, sensory disturbance, and functional ability in a cancer patient with and without chemotherapy-induced peripheral neuropathy symptoms.. 2022 , 1	
758	Sunbeam Program Reduces Rate of Falls in Long-Term Care Residents With Mild to Moderate Cognitive Impairment or Dementia: Subgroup Analysis of a Cluster Randomized Controlled Trial.. 2022 ,	1
757	Is Complexity of Daily Activity Associated with Physical Function and Life Space Mobility among Older Adults?. 2022 ,	0
756	Comparison of the association between six different frailty scales and clinical events in patients on hemodialysis.. 2022 ,	0
755	A multifactorial interdisciplinary intervention to prevent functional and mobility decline for more participation in (pre-)frail community-dwelling older adults (PromeTheus): study protocol for a multicenter randomized controlled trial.. 2022 , 22, 124	0
754	Clinical Significance of Volume Status in Body Composition and Physical Performance Measurements in Hemodialysis Patients.. 2022 , 9, 754329	1
753	Exploration of the Mechanism Underlying the Association of Incident Microinfarct and Motor Deficit: A Preliminary Functional MRI Study.. 2021 ,	
752	Long-term Trajectories of Frailty and its Components after Kidney Transplantation.. 2022 ,	1
751	Prevalence and prognostic impact of cognitive frailty in elderly patients with heart failure: sub-analysis of FRAGILE-HF.. 2022 ,	0
750	Effectiveness of a 12-Week Multi-Component Training Program with and without Transcranial Direct-Current Stimulation (tDCS) on Balance to Prevent Falls in Community-Dwelling Older Adults: A Study Protocol.. 2022 , 11,	
749	Physical performance and cognition as predictors of instrumental activities of daily living after stroke: a prospective multicenter cohort study.. 2022 ,	0
748	Assessment of Thigh Angular Velocity by an Activity Monitor to Describe Sit-to-Stand Performance.. 2022 , 22,	0
747	Step length and fall risk in adults with chronic kidney disease: a pilot study.. 2022 , 23, 74	1
746	Definition and Diagnostic Criteria for Sarcopenic Obesity: ESPEN and EASO Consensus Statement.. 2022 , 1-15	16

745	Gait, balance, and falls. 2022 , 979-991	1
744	Effect of perindopril or leucine on physical performance in older people with sarcopenia: the LACE randomized controlled trial.. 2022 ,	2
743	Caregiving Needs Are Unmet for Many Older Homeless Adults: Findings from the HOPE HOME Study.. 2022 ,	
742	Feasibility of performance-based and self-reported outcomes in self-managed falls prevention exercise interventions for independent older adults living in the community.. 2022 , 22, 147	
741	Differences in muscle energy metabolism and metabolic flexibility between sarcopenic and nonsarcopenic older adults.. 2022 ,	1
740	Exploring the Relationship between Frailty, Functional Status, Polypharmacy, and Quality of Life in Elderly and Middle-Aged Patients with Cardiovascular Diseases: A One-Year Follow-Up Study.. 2022 , 19,	0
739	Sarkopenie in der Rheumatologie. 2022 , 42, 24-31	0
738	Development and Validation of a New Simple Functional Score in the Older Chinese Population.. 2022 , 10, 813323	
737	[Assessment of mobility-Geriatric assessment instruments for mobility impairments and perspectives of instrumentation].. 2022 , 55, 116-122	0
736	Evaluation of the impact of an intradialytic exercise programme on sarcopaenia in very elderly haemodialysis patients.	3
735	Survival of Frail Elderly with Delirium.. 2022 , 19,	1
734	The effects of early exercise on cardiac rehabilitation-related outcome in acute heart failure patients: A systematic review and meta-analysis.. 2022 , 130, 104237	0
733	Efficacy of a multiple-component and multifactorial personalized fall prevention program in community-dwelling older adults at moderate-to-high fall risk: The PRE.C.I.S.A. Randomized Controlled Trial.	
732	Impact of a personalised care plan for the elderly calling emergency medical services after a fall at home: The RISING-DOM multi-centre randomised controlled trial protocol.. 2022 , 22, 182	
731	Impact of Activity Tracker Usage in Combination with a Physical Activity Intervention on Physical and Cognitive Parameters in Healthy Adults Aged 60+: A Randomized Controlled Trial.. 2022 , 19,	0
730	Depressive Symptoms at Kidney Transplant Evaluation and Access to the Kidney Transplant Waitlist. 2022 ,	0
729	Albumin and C-reactive protein relate to functional and body composition parameters in patients admitted to geriatric rehabilitation after acute hospitalization: findings from the RESORT cohort.. 2022 , 1	0
728	Prospective telehealth analysis of functional performance, frailty, quality of life, and mental health after COVID-19 hospitalization.. 2022 , 22, 251	0

- 727 Spanish translation, cultural adaptation and validation of the SarQoL : a specific health-related quality of life questionnaire for sarcopenia.. **2022**, 23, 191 ○
- 726 A randomized controlled trial comparing changes in fitness with or without supervised exercise in patients initiated on enzalutamide and androgen deprivation therapy for non-metastatic castration-sensitive prostate cancer (EXTEND).. **2022**, ○ 1
- 725 Novel physical performance-based models for activities of daily living disability prediction among Chinese older community population: a nationally representative survey in China.. **2022**, 22, 267
- 724 Trajectories of muscle quantity, quality and function measurements in hospitalized older adults.. **2022**, ○
- 723 Combating sarcopenia in geriatric rehabilitation patients: study protocol of the EMPOWER-GR observational cohort, sarcopenia awareness survey and randomised controlled feasibility trial.. **2022**, 12, e054950 ○
- 722 The Effect of Branched Chain Amino Acid Supplementation on Stroke-Related Sarcopenia.. **2022**, 13, 744945 ○
- 721 A randomized controlled trial of the effect of supervised exercise on functional outcomes in older African American and non-Hispanic White breast cancer survivors: Are there racial differences in the effects of exercise on functional outcomes?. **2022**, ○ 1
- 720 An intradialytic aerobic exercise program ameliorates frailty and improves dialysis adequacy and quality of life among hemodialysis patients: a randomized controlled trial.. **2022**, ○
- 719 Association between low level of physical activity and mobility limitation in older adults: evidence from the SABE study.. **2022**, 27, 1171-1180
- 718 Rationale and Design of the TARGET-EFT Trial: Multicomponent Intervention for Frail and Pre-frail Patients Hospitalized with Acute Cardiac Conditions.. **2022**, 26, 282-289 ○
- 717 Assessment of Muscle Quantity, Quality and Function.. **2022**, ○
- 716 Quality of life of patients with hematological malignancies and factors affecting health state utility values.. **2022**, 1
- 715 [Functional recovery at discharge and at three months after a multicomponent physical exercise intervention in elderly subjects hospitalized in an Acute Geriatric Unit].. **2022**,
- 714 Effect of Online Home-Based Training on Functional Capacity and Strength in Two CKD Patients: A Case Study.. **2022**, 10,
- 713 A pilot randomized controlled trial using Baduanjin qigong to reverse frailty status among post-treatment older cancer survivors.. **2022**, ○
- 712 Effects of a 3-Week Inpatient Multidisciplinary Body Weight Reduction Program on Body Composition and Physical Capabilities in Adolescents and Adults With Obesity.. **2022**, 9, 840018 1
- 711 Association of clinical outcome assessments of mobility capacity and incident disability in community-dwelling older adults - a systematic review and meta-analysis.
- 710 Effects of an App-Based Physical Exercise Program on Selected Parameters of Physical Fitness of Females in Retirement: A Randomized Controlled Trial.. **2022**, 13, 821773 ○

709 [Impact of the COVID-19 on health of critical patient].. **2022,**

708 Effect of vitamin D monotherapy on indices of sarcopenia in community-dwelling older adults: a systematic review and meta-analysis.. **2022,**

3

707 Ten-Second Tandem Stance Test: A Potential Tool to Assist Walking Aid Prescription and Falls Risk in Balance Impaired Individuals.. **2022,** 4, 100173

706 Association Between Fatigue and Falls Risk Among the Elderly Aged Over 75 Years in China: The Chain Mediating Role of Falls Efficacy and Lower Limb Function.. **2022,** 10, 850533

0

705 Effects and contextual factors of a diet and resistance exercise intervention vary across settings: an overview of three successive ProMuscle interventions.. **2022,** 22, 189

704 Feasibility of home-based exercise training in men with metastatic castration-resistant prostate cancer.. **2022,**

0

703 Association between free-living sit-to-stand transition characteristics, and lower-extremity performance, fear of falling, and stair negotiation difficulties among community-dwelling 75 to 85-year-old adults.. **2022,**

702 Uneven terrain treadmill walking in younger and older adults.

0

701 Effect of targeted nutrient supplementation on physical activity and health-related quality of life in COPD: study protocol for the randomised controlled NUTRECOVER trial.. **2022,** 12, e059252

0

700 A Therapeutic Vibrating Insole Device for Postural Instability in Older People with Type 2 Diabetes: A Randomized Control Study.. **2022,** 1

699 Diabetes, sarcopenia and chronic kidney disease; the Screening for CKD among Older People across Europe (SCOPE) study.. **2022,** 22, 254

3

698 Integrating a physical activity coaching intervention into diabetes care: a mixed-methods evaluation of a pilot pragmatic trial.. **2022,**

2

697 Factors affecting health-related quality of life in older patients with chronic kidney disease: a single-center cross-sectional study.. **2022,** 1

696 Physical function trends and their association with mortality in postmenopausal women.. **2022,**

695 Relationship between physical frailty, nutritional risk factors and protein intake in community-dwelling older adults. **2022,**

0

694 The Association of Physical Activity Fragmentation with Physical Function in Older Adults: Analysis from the SITLESS Study. **2022,** 2, 63-73

693 Trajectories of objectively measured physical function among older breast cancer survivors in comparison with cancer-free controls.. **2022,** 1

0

692 Feasibility of a Home-Based Exercise Program for Managing Posttransplant Metabolic Syndrome in Lung and Liver Transplant Recipients: Protocol for a Pilot Randomized Controlled Trial.. **2022,** 11, e35700

691	Fear of falling does not predict self-reported physical activity: an observational study with community-dwelling older adults.. 2022 , 116, 50-57	0
690	Minimal clinically important difference of the short physical performance battery and comfortable walking speed in old-old adults with acute cardiovascular disease: a multicenter, prospective, observational study.. 2022 , 1-8	1
689	Muscle involvement in systemic lupus erythematosus: multimodal ultrasound assessment and relationship with physical performance.. 2022 ,	1
688	Association Between Inflammation and Appetite in Healthy Community-Dwelling Older AdultsâAn enable Study. 2022 , 3,	1
687	Self-performed Five Times Sit-To-Stand test at home as (pre-)screening tool for frailty in cancer survivors: Reliability and agreement assessment.. 2022 ,	0
686	Events Detection of Anticipatory Postural Adjustments through a Wearable Accelerometer Sensor Is Comparable to That Measured by the Force Platform in Subjects with Parkinson's Disease.. 2022 , 22,	1
685	Reduced cerebellar cortical thickness in World Trade Center responders with cognitive impairment.. 2022 , 12, 107	1
684	Association Between Physical Exercise Interventions Participation and Functional Capacity in Individuals with Type 2 Diabetes: A Systematic Review and Meta-Analysis of Controlled Trials.. 2022 , 8, 34	1
683	Clinical and functional characteristics and comorbidity in postmenopausal patients taking low doses of cholecalciferol. 2022 , 21, 48-56	
682	One Year of Recombinant Human Growth Hormone Treatment in Adults with Prader-Willi Syndrome Improves Body Composition, Motor Skills and Brain Functional Activity in the Cerebellum.. 2022 , 11,	0
681	Recovery and prediction of physical function 1 year following hip fracture.. 2022 , e1947	1
680	12-month survival in nonagenarians inside the Mugello study: on the way to live a century.. 2022 , 22, 194	0
679	The clinical effectiveness of a physiotherapy delivered physical and psychological group intervention for older adults with neurogenic claudication: the BOOST randomised controlled trial.. 2022 ,	0
678	Different profiles among older adults with HIV according to their chronological age and the year of HIV diagnosis: The FUNCFRAIL cohort study (GeSIDA 9817).. 2022 , 17, e0266191	0
677	Physical Competence, Physical Well-Being, and Perceived Physical Literacy among Older Adults in Day Care Centers of Hong Kong.. 2022 , 19,	
676	Higher hemoglobin levels are associated with better physical performance among older adults without anemia: a longitudinal analysis.. 2022 , 22, 233	1
675	Identification of Coenzyme Q10 and Skeletal Muscle Protein Biomarkers as Potential Factors to Assist in the Diagnosis of Sarcopenia.. 2022 , 11,	0
674	Effect of a physical activity and behaviour maintenance programme on functional mobility decline in older adults: the REACT (Retirement in Action) randomised controlled trial.. 2022 , 7, e316-e326	5

673	Physical function of outpatients and inpatients on dialysis who received physical therapy: an exploratory, cross-sectional study by JSPTDM. 2022 , 13, 10-15	
672	Function, sarcopenia and osteoporosis 10 years after a femoral neck fracture in patients younger than 70 years.. 2021 ,	
671	Effects of Cardiac Rehabilitation on Physical Fitness, Physical Function, and Self-reported Outcomes in Patients ≥80 yr: A RANDOMIZED CONTROLLED TRIAL.. 2022 ,	
670	Sex-Specific Differences in Lower Body Fat Distribution and Association with Physical Performance among Healthy Community-Dwelling Older Adults: A Pilot Study.. 2022 , 19,	
669	Gender differences in risk factors for the 2 year development of sarcopenia in community-dwelling older adults.. 2022 ,	0
668	Poor Physical Performance Is Associated with Postoperative Complications and Mortality in Preoperative Patients with Colorectal Cancer.. 2022 , 14,	0
667	Retirement as a predictor of physical functioning trajectories among older businessmen.. 2022 , 22, 279	
666	Association Between Meeting Physical Activity Time-Intensity Guidelines With Ambulation, Quality of Life, and Inflammation in Claudication.. 2022 ,	0
665	Cardiovascular disease patients and predictors of length of stay of residential of cardiac rehabilitation. A specific rehabilitation is mandatory in very old patients?. 2022 ,	
664	Definition and diagnostic criteria for sarcopenic obesity: ESPEN and EASO consensus statement.. 2022 ,	4
663	Association of a modified laboratory frailty index with adverse outcomes in geriatric rehabilitation inpatients: RESORT.. 2022 , 203, 111648	1
662	Comparison of the modified Frailty-Index based on laboratory tests and the Clinical Frailty Scale in predicting mortality among geriatric rehabilitation inpatients: RESORT.. 2022 , 100, 104667	1
661	Progressive machine-based resistance training for prevention and treatment of sarcopenia in the oldest old: A systematic review and meta-analysis.. 2022 , 111767	3
660	Brain health correlates of mobility-related confidence.. 2022 , 163, 111776	0
659	Using Machine Learning to Predict Frailty from Cognitive Assessments. 2021 , 2021, 1648-1652	0
658	Gonadotropins at Advanced Age - Perhaps They Are Not So Bad? Correlations Between Gonadotropins and Sarcopenia Indicators in Older Adults.. 2021 , 12, 797243	0
657	One-Year Change in Walking Performance and Subsequent Mobility Loss and Mortality Rates in Peripheral Artery Disease: Longitudinal Data From the WALCS.. 2021 , 10, e021917	2
656	Cohort profile: Norwegian survey of health and ageing (NORSE). 2021 , 21, 2229	0

- 655 Remote Home-Based Exercise Program to Improve the Mental State, Balance, and Physical Function and Prevent Falls in Adults Aged 65 Years and Older During the COVID-19 Pandemic in Seoul, Korea.. **2021**, 27, e935496 ○
- 654 The Associations between Objectively Measured Physical Activity and Physical Function in Community-Dwelling Older Japanese Men and Women.. **2021**, 19, 1
- 653 Risk of all-cause mortality and its association with health status in a cohort of community-dwelling older people: FIBRA study.. **2021**, 26, 6153-6164
- 652 Traditional and Nontraditional Cardiovascular Risk Factors in Active Octogenarians Who Develop Cardiovascular Events.. **2021**,
- 651 Cut Points of Chair Stand Test for Poor Physical Function and Its Association With Adverse Health Outcomes in Community-Dwelling Older Adults: A Cross-Sectional and Longitudinal Study. **2021**, ○
- 650 Body Fat Distribution and Associated Risk of Cardiovascular Disease in Adults With Cerebral Palsy.. **2021**, 12, 733294 ○
- 649 New Evidence on Regucalcin, Body Composition, and Walking Ability Adaptations to Multicomponent Exercise Training in Functionally Limited and Frail Older Adults.. **2021**, 19,
- 648 Malnutrition-Sarcopenia Syndrome and Self-Management Behaviors in Continuing-Care Retirement Community Residents.. **2021**, 7, 1
- 647 Comparison of appendicular lean mass indices for predicting physical performance in Korean hemodialysis patients: A cross-sectional study. **2021**, 100, e28168 ○
- 646 A View of the Development of Patient Reported Outcomes Measures, their Clinical Integration, Electronification, and Potential Impact on Rehabilitation Service Delivery.. **2021**, ○
- 645 Association of Physical Activity with the Incidence of Atrial Fibrillation in Persons >65 Years Old: The Atherosclerosis Risk In Communities (ARIC) Study.
- 644 A pilot feasibility study of Exercising Together[®] during radiation therapy for prostate cancer: a dyadic approach for patients and spouses. **2021**, 7, 216 ○
- 643 Intervening on exercise and daylong movement for weight loss maintenance in older adults: A randomized, clinical trial.. **2022**, 30, 85-95 3
- 642 Prediction of Chemotoxicity, Unplanned Hospitalizations and Early Death in Older Patients with Colorectal Cancer Treated with Chemotherapy.. **2021**, 14, ○
- 641 A Standardized Assessment of Movement-Evoked Pain Ratings is Associated with Functional Outcomes in Older Adults with Chronic Low Back Pain.. **2021**, 38, ○
- 640 Effects of Resistance Training Intervention along with Leucine-Enriched Whey Protein Supplementation on Sarcopenia and Frailty in Post-Hospitalized Older Adults: Preliminary Findings of a Randomized Controlled Trial.. **2021**, 11, ○
- 639 Effects of Vitamin D on Physical Function: Results from the STURDY Trial.. **2021**, ○
- 638 Physical and functional measures predicting long-term mortality in community-dwelling older adults: a comparative evaluation in the Singapore Longitudinal Ageing Study. **2021**, 13, ○

637	Effects of Physical and Cognitive Training on Falls and Concern about Falling in Older Adults: Results from a Randomized Controlled Trial.. 2021 ,	1
636	INtrinsic Capacity and its RELationship With Life-SpAcE Mobility (INCREASE): a cross-sectional study of community-dwelling older adults in Singapore. 2021 , 11, e054705	0
635	The Impact of Lifetime Work and Non-work Physical Activity on Physical Fitness Among White - and Blue - Collar Retirees: A Cross-Sectional Study.. 2021 , 8, 745929	
634	Sex- and Age-Specific Centile Curves and Downloadable Calculator for Clinical Muscle Strength Tests to Identify Probable Sarcopenia.. 2021 ,	1
633	Trajectory and Correlation of Intrinsic Capacity and Frailty in a Beijing Elderly Community.. 2021 , 8, 751586	1
632	Association between Ambient Fine Particulate Matter and Physical Functioning in Middle-aged and Older Chinese Adults: A Nationwide Longitudinal Study.. 2021 ,	0
631	People aging with HIV - protecting a population vulnerable to effects of COVID-19 and its control measures.. 2021 , 1-9	0
630	Dancing With Parkinson's Disease: The SI-ROBOTICS Study Protocol.. 2021 , 9, 780098	2
629	Immunometabolic signatures predict recovery from thyrotoxic myopathy in patients with Graves' disease.. 2021 ,	1
628	Protocol for a multicentre, prospective observational cohort study in Japan: association among hospital-acquired disability, regular exercise and long-term care dependency in older patients after cardiac surgery.. 2021 , 11, e054303	
627	Respiratory rehabilitation for patients with COVID-19 infection and chronic respiratory failure: a real-life retrospective study by a Lombard network.. 2021 ,	
626	Cohort Profile Update: The Brazilian Longitudinal Study of Adult Health Musculoskeletal (ELSA-Brasil MSK) cohort.. 2022 ,	
625	Association between the Preoperative Two-step Score and Postoperative Length of Stay in Patients with Breast Cancer. 2022 , 37, 229-235	
624	Health status and risk profiles for brain aging of rural-dwelling older adults: Data from the interdisciplinary baseline assessments in MIND-China.. 2022 , 8, e12254	2
623	Introduction to Healthcare-Oriented Monitoring of Persons. 2022 , 1-39	
622	Correlation between concern about falling and functional muscle fitness in community-dwelling elderly. 35,	
621	Mobility focussed physical outcome measures over telehealth using Zoom platform: intra and inter-rater reliability trial (Preprint).	
620	Validation of a multi-sensor-based kiosk for short physical performance battery in older adults attending a falls and balance clinic.. 2022 ,	

619	Are the Physical and Cognitive Functions of Older Adults Affected by Having a Driver's License?-A Pilot Study of Suburban Dwellers.. 2022 , 19,	2
618	[Assessment of mobility/motor skills in old age : Based on the S1 guideline "Geriatric assessment level 2, living guideline".. 2022 ,	0
617	Nutritional and physical improvements in older adults through the doremi remote coaching approach: a real-world study. 2022 ,	0
616	Sarcopenia and associated factors according to the EWGSOP2 criteria in older people living in nursing homes: a cross-sectional study.. 2022 , 22, 350	0
615	The effect of krill oil supplementation on skeletal muscle function and size in older adults: A randomised controlled trial.. 2022 , 41, 1228-1235	2
614	Effectiveness of a Telerehabilitative Home Exercise Program on Elder Adults' Physical Performance, Depression and Fear of Falling.. 2022 , 315125221087026	2
613	Effect of semi-recumbent vibration exercise on muscle outcomes in older adults: a pilot randomized controlled clinical trial.. 2022 , 22, 335	1
612	Objective Physical Activity Levels, Sedentary Time, and Muscle Mass, Strength, and Function: Impact on Physical and Mental Health-Related Quality of Life in Older Adults.. 2022 , 1-9	1
611	Treating sarcopenia: the LACE trial.. 2022 ,	1
610	Dyadic links between health changes and well-being: The role of non-spousal confidants. 026540752210865	1
609	Association of Neurofilament Light With the Development and Severity of Parkinson Disease.. 2022 ,	0
608	Canine Geriatric Syndrome: A Framework for Advancing Research in Veterinary Geroscience.. 2022 , 9, 853743	0
607	The Relationship of Falls With Achieved 25-Hydroxyvitamin D Levels From Vitamin D Supplementation: The STURDY Trial.. 2022 , 6, bvac065	1
606	The Psychometric Properties of the Short Physical Performance Battery to Assess Physical Performance in Older Adults: A Systematic Review.. 2022 ,	1
605	Prevalence of Physical Activity and Sedentary Behavior Patterns in Generally Healthy European Adults Aged 70 Years and Older-Baseline Results From the DO-HEALTH Clinical Trial.. 2022 , 10, 810725	1
604	Dietary Inflammatory Index (DII) is Associated with Movement-Evoked Pain Severity in Adults with Chronic Low Back Pain: Sociodemographic Differences.. 2022 ,	0
603	Balance on the Brain: a randomised controlled trial evaluating the effect of a multimodal exercise programme on physical performance, falls, quality of life and cognition for people with mild cognitive impairment-study protocol.. 2022 , 12, e054725	1
602	Association of Physical Performance, Muscle Strength and Body Composition with Self-Assessed Quality of Life in Hemodialyzed Patients: A Cross-Sectional Study.. 2022 , 11,	

601 Medical risk factors for falls. 101-132

600 Data_Sheet_1.XLSX. 2020,

599 Table_1.DOCX. 2020,

598 Data_Sheet_1.PDF. 2020,

597 Table_1.DOCX. 2020,

596 audio_1.mp3. 2018,

595 audio_2.mp3. 2018,

594 data_sheet_1.docx. 2018,

593 Data_Sheet_1.PDF. 2021,

592 Data_Sheet_1.docx. 2019,

591 Image_1.pdf. 2019,

590 Image_2.pdf. 2019,

589 Table_1.pdf. 2019,

588 Table_2.pdf. 2019,

587 Table_3.pdf. 2019,

586 Image_1.pdf. 2019,

585 Image_2.pdf. 2019,

584 Table_1.pdf. 2019,

583 Data_Sheet_1.pdf. **2020**,

582 Data_Sheet_1.pdf. **2020**,

581 Prior psychosocial profile and perceived impact of the COVID-19 pandemic: insights from the Baltimore Longitudinal Study of Aging.. **2022**, 1

580 Clinical frailty scale score during geriatric rehabilitation predicts short-term mortality: RESORT cohort study.. **2022**, 101645

579 Functional recovery following hospitalisation of patients diagnosed with COVID-19: a protocol for a longitudinal cohort study.. **2021**, 11, e053021 0

578 Frailty assessment for COVID-19 follow-up: a prospective cohort study.. **2022**, 9, 1

577 Skeletal Muscle Mass Recovery Early After Left Ventricular Assist Device Implantation in Patients With Advanced Systolic Heart Failure.. **2022**, 101161CIRCHEARTFAILURE121009012 2

576 Association between statin use and physical performance in home-dwelling older patients receiving polypharmacy: cross-sectional study.. **2022**, 22, 242

575 Impact of Resistance Exercise and Nutritional Endorsement on physical performance in patients with GvHD (IRENE-G study) - design and rationale of a randomized controlled trial.. **2022**, 22, 440

574 HIPGEN: a randomized, multicentre phase III study using intramuscular PLacenta-eXpanded stromal cells therapy for recovery following hip fracture arthroplasty : a study design.. **2022**, 3, 340-347 0

573 Diagnostic Accuracy of the Short Physical Performance Battery in Detecting Frailty and Prefrailty in Community-Dwelling Older Adults: Results From the PRO-EVA Study.. **2022**,

572 Dynamics of balance indicators, activities of daily living, and quality of life of elderly suffering from Parkinson's disease and frailty after proximal humerus fracture following physiotherapeutic functional training.. **2022**, 15, 98-103

571 Bekkenbodendisfuncties. **2022**, 137-159

570 Balanscontrole bij veroudering. **2022**, 161-195

569 OUP accepted manuscript.

568 The Impact of Resistance Exercise on Muscle Mass in Glioblastoma in Survivors (RESIST): Protocol for a Randomized Controlled Trial (Preprint).

567 Physical and Motor Fitness Tests for Older Adults Living in Nursing Homes: A Systematic Review.. **2022**, 19,

566 Physical functioning associated with life-space mobility in later life among men and women.. **2022**, 22, 364 1

565	Kinesiophobia Predicts Physical Function and Physical Activity Levels in Chronic Pain-Free Older Adults.. 2022 , 3, 874205	1
564	Association of physical activity with the incidence of atrial fibrillation in persons > 65 years old: the Atherosclerosis Risk in Communities (ARIC) study.. 2022 , 22, 196	0
563	Difference between "Physical Fitness Age" Based on Physical Function and Chronological Age Is Associated with Obesity, Hyperglycemia, Depressive Symptoms, and Low Serum Albumin.. 2022 , 26, 501-509	0
562	Beam width and arm position but not cognitive task affect walking balance in older adults.. 2022 , 12, 6854	0
561	Group-Based and Individually Delivered LiFE: Content Evaluation and Predictors of Training Response - A Dose-Response Analysis.. 2022 , 17, 637-652	1
560	Effects of the Mobility-Fit Physical Activity Program on Strength and Mobility in Older Adults in Assisted Living: A Feasibility Study.. 2022 , 19,	0
559	Performance of the SarQoL quality of life tool in a UK population of older people with probable sarcopenia and implications for use in clinical trials: findings from the SarcNet registry.. 2022 , 22, 368	0
558	Psychosocial factors related to physical activity in frail and prefrail elderly people.. 2022 , 22, 407	
557	Gap in the prognostic impact of short physical performance battery among phenotypes of heart failure.. 2022 ,	
556	Avoidance-Endurance Model in Older Black Men with Low Back Pain: Exploring Relationships.. 2022 ,	0
555	Prevalence of Undernutrition and Risk of Undernutrition in Overweight and Obese Older People. 2022 , 9,	0
554	Validation of an electronic frailty index with electronic health records: eFRAGICAP index.. 2022 , 22, 404	1
553	Effect of intradialytic exercise on geriatric issues in older patients undergoing hemodialysis: a single-center non-randomized controlled study.. 2022 , 1	
552	Effects of intensive physiotherapy on Quality of Life (QoL) after pancreatic cancer resection: a randomized controlled trial.. 2022 , 22, 520	
551	Unsupervised statistical concept drift detection for behaviour abnormality detection.	1
550	Can CHA2DS2-VASc and HAS-BLED Foresee the Presence of Cerebral Microbleeds, Lacunar and Non-Lacunar Infarcts in Elderly Patients With Atrial Fibrillation? Data From StratAF Study. 2022 , 13,	1
549	The Impact of Resistance Exercise on Muscle Mass in Glioblastoma in Survivors (RESIST): Protocol for a Randomized Controlled Trial.. 2022 , 11, e37709	0
548	The seventh survey of the Tromsø Study (Tromsø) 2015-2016: study design, data collection, attendance, and prevalence of risk factors and disease in a multipurpose population-based health survey.. 2022 , 14034948221092294	1

- 547 Effects of 3 months of multi-nutrient supplementation on the immune system and muscle and respiratory function of older adults in aged care (The Pomerium Study): protocol for a randomised controlled trial.. **2022**, 12, e059075
- 546 MIRA rehabilitation exergames for older male residents in a home care centre in Saudi Arabia: A feasibility randomised controlled trial protocol (Preprint).
- 545 Utility of High Flow Nasal Cannula during Pulmonary Rehabilitation in COVID-19 Patients in Acute Respiratory Failure. **2022**, 12, 4637 1
- 544 A Nutritionally Focused Program for Community-living Older Adults Resulted in Improved Health and Well-being. **2022**, 0
- 543 Geriatric Assessments. **2022**, 2, 81-97
- 542 Effects of arm-crank exercise on cardiovascular function, functional capacity, cognition and quality of life in patients with peripheral artery disease: Study protocol for a randomized controlled trial.. **2022**, 17, e0267849
- 541 Diagnostic accuracy of the frail scale plus functional measures for frailty screening.. **2022**, 0
- 540 Predictors of Mortality in 433 Nonagenarians Inside the Mugello Study: A 10 Years Follow-Up Study.. **2022**, 8982643221091653
- 539 A precision medicine tool to understand who responds best to hearing aids in late-life depression.. **2022**, 37, 0
- 538 Home-based cardiac rehabilitation using information and communication technology for heart failure patients with frailty.. **2022**, 1
- 537 Reducing Metabolic Dysregulation in Obese Latina and/or Hispanic Breast Cancer Survivors Using Physical Activity (ROSA) Trial: A Study Protocol. **2022**, 12, 0
- 536 Prevalence and determinants of physical frailty among people living in residential aged care facilities: a large-scale retrospective audit.. **2022**, 22, 424 0
- 535 Secondhand tobacco smoke and functional impairments in older adults living in the community.. **2022**, 0
- 534 Validation of Two Activity Monitors in Slow and Fast Walking Hospitalized Patients. **2022**, 2022, 1-14 0
- 533 Quel chaussage faire porter au sujet âgé chuteur hospitalisé pour mieux marcher?. **2022**,
- 532 Geriatric Assessment Reveals Actionable Impairments in Hematopoietic Stem Cell Transplant Candidates Ages 18-80 Years. **2022**, 0
- 531 Thigh muscle composition and its relationship to functional recovery post-hip fracture over time and between sexes.. **2022**,
- 530 Plasma levels of myokines and inflammatory markers are related with functional and respiratory performance in older adults with COPD and sarcopenia.. **2022**, 111834 0

- 529 Functional Trajectories & Resilience among Adults with Advanced Lung Cancer. **2022**, 100334
- 528 Thirty second chair stand test: Test-retest reliability, agreement and minimum detectable change in people with early-stage knee osteoarthritis.. **2022**, e1957 1
- 527 Impact of grip strength and gait speed on exercise tolerance in patients with pulmonary hypertension without left heart disease.. **2022**, 0
- 526 Prevalence of pain in community-dwelling older adults with hypertension in the United States.. **2022**, 12, 8387 0
- 525 Effects of a 12-month home-based exercise program on functioning after hip fracture - Secondary analyses of an RCT.. **2022**, 0
- 524 Multicomponent intervention to prevent mobility disability in frail older adults: randomised controlled trial (SPRINTT project).. **2022**, 377, e068788 9
- 523 Difficulties in accessing health services among the elderly in the city of SŁ Paulo-Brazil.. **2022**, 17, e0268519
- 522 Preoperative Rehabilitation Is Feasible in the Weeks Prior to Surgery and Significantly Improves Functional Performance. 1
- 521 Effects of Two Short-Term Aerobic Exercises on Cognitive Function in Healthy Older Adults during COVID-19 Confinement in Japan: A Pilot Randomized Controlled Trial. **2022**, 19, 6202 0
- 520 Prognosefaktoren bei lteren Dialysepatienten beachten. **2022**, 26, 167-173
- 519 Effectiveness of Yoga versus Exercise for Reducing Falling Risk in Older Adults: Physical and Psychological Indices. 003151252211008 0
- 518 Physical resilience in the brain: The effect of white matter disease on brain networks in cognitively normal older adults.
- 517 Habit Formation Intervention to Reduce Frailty Risk Factors: A Feasibility Study. **2022**, 76,
- 516 Decreased Serum Level of Sclerostin in Older Adults with Sarcopenia. 0
- 515 Association between Hospital-Acquired Functional Decline and 2-Year Readmission or Mortality after Cardiac Surgery in Older Patients: A Multicenter, Prospective Cohort Study.
- 514 What Predicts Falls, and what are the Circumstances and Consequences of Falls in Community-Dwelling Older Adults Who Need Walking Aids or Home Help Service. **2022**, 8, 233372142210989
- 513 Connecting real-world digital mobility assessment to clinical outcomes for regulatory and clinical endorsement â€”the Mobilise-D study protocol.
- 512 Home-Based Frailty Prevention Program for Older Women Participants of Kayoi-No-Ba during the COVID-19 Pandemic: A Feasibility Study. **2022**, 19, 6609 0

- 511 Physical activity in older adults with metastatic gastrointestinal cancer: a pilot and feasibility study. **2022**, 8, e001353
- 510 A theory-driven exercise intervention among community-dwelling (pre)frail older adults: Protocol for a stepped-wedge cluster-randomized trial.
- 509 Effectiveness and Acceptability of e- and m-Health Interventions to Promote Physical Activity and Prevent Falls in Nursing Homes – A Systematic Review. **2022**, 13, 0
- 508 Effects of Intermittent Hypoxia-Hyperoxia Exposure Prior to Aerobic Cycling Exercise on Physical and Cognitive Performance in Geriatric Patients – A Randomized Controlled Trial. **2022**, 13, 0
- 507 Telehealth Delivery of a Multi-Disciplinary Rehabilitation Programme for Upper Gastro-Intestinal Cancer: ReStOre@Home Feasibility Study. **2022**, 14, 2707 1
- 506 The Physical Activity and Nutritional Influences in Ageing (PANINI) Toolkit: A Standardized Approach towards Physical Activity and Nutritional Assessment of Older Adults. **2022**, 10, 1017 0
- 505 A clinician's guide to the management of geriatric musculoskeletal disease: Part 2 – Sarcopenia. **2022**,
- 504 Effect of Timing and Coordination Training on Mobility and Physical Activity Among Community-Dwelling Older Adults. **2022**, 5, e2212921
- 503 Development and internal validation of a prediction model to identify older adults at risk of low physical activity levels during hospitalisation: a prospective cohort study. **2022**, 22, 0
- 502 Lower Leg Power and Grip Strength are Associated with Increased Fall Injury Risk in Older Men: the Osteoporotic Fractures in Men (MrOS) Study. 0
- 501 The association between the kyphosis angle and physical performance in community-dwelling older adults. 1
- 500 Sarcopenia and Mortality in Older Hemodialysis Patients. **2022**, 14, 2354 1
- 499 Feasibility of an Online Delivered, Home-Based Resistance Training Program for Older Adults – A Mixed Methods Approach. **2022**, 13, 1
- 498 Serum bicarbonate levels and gait abnormalities in older adults: a cross-sectional study. **2022**, 12,
- 497 Readiness of Advance Care Planning Among Patients With Cardiovascular Disease. **2022**, 9,
- 496 Effect of Diet, Exercise, or Both on Biological Age and Healthy Aging in Older Adults with Obesity: Secondary Analysis of a Randomized Controlled Trial. 1
- 495 Effectiveness of An Ambient Assisted Living (HomeAssist) platform for supporting aging in place of pre-frail and frail older adults: Protocol for a quasi-experimental study. (Preprint).
- 494 Personen mit Demenz – eine besondere Zielgruppe in der Sportwissenschaft. **2022**, 29, 1-12

493	Association between Depression and Heart Rate Variability in Rehabilitation Ward Patients with Musculoskeletal Dysfunction: A Pilot Study. 2022 , 7, n/a	
492	Implementation of an Evidence-Based, Tai Ji Quan Fall Prevention Program in Rural West Virginia Churches: A RE-AIM Evaluation. 2022 , 1-15	
491	Mobility focussed physical outcome measures over telecommunication technology (Zoom): intra and inter-rater reliability trial (Preprint).	
490	The World Hypertension League Science of Salt: a regularly updated systematic review of salt and health outcomes studies (Sept 2019 to Dec 2020).	1
489	Remotely Delivered Exercise to Rural Older Adults With Knee Osteoarthritis: A Pilot Study.	1
488	Feasibility randomized controlled trial of a virtual reality exergame to improve physical and cognitive functioning in older people. 52,	1
487	Frequently Used Patient-Reported Outcome (PRO) Measures of General Physical Function Were Highly Correlated With a Multi-Task Performance Outcome (PerfO) Test Battery. 2022 ,	0
486	Association Between Psychosocial Parameters and Response to Chiropractic Care Among Older Adults With Chronic Low Back Pain: Secondary Analysis of a Randomized Clinical Trial. 2022 ,	
485	Correlates to psychological distress in frail older community-dwellers undergoing lockdown during the COVID-19 pandemic. 2022 , 22,	
484	Predictors for the Transitions of Poor Clinical Outcomes Among Geriatric Rehabilitation Inpatients. 2022 ,	
483	Trajectories of physical functioning among US adults with cognitive impairment. 2022 , 51,	1
482	Changes in fall rates from before to during the COVID-19 pandemic: Findings from the prospective AMBROSIA study.	0
481	The role of socio-demographic factors and physical functioning in the intra- and interpersonal variability of older adults's sedentary time: an observational two-country study. 2022 , 22,	0
480	Videoconference-Based Physical Performance Tests: Reliability and Feasibility Study. 2022 , 19, 7109	
479	High Challenge Exercise and Learning Safe Landing Strategies among Community-Dwelling Older Adults: A Randomized Controlled Trial. 2022 , 19, 7370	1
478	Dual-task Zumba Gold for improving the cognition of people with mild cognitive impairment: A pilot randomized controlled trial.	
477	Malnutrition and Poor Physical Function Are Associated With Higher Comorbidity Index in Hospitalized Older Adults. 9,	
476	Benefits of the First Pritikin Outpatient Intensive Cardiac Rehabilitation Program. 2022 , Publish Ahead of Print,	1

- 475 The incidence of falls after first and second eye cataract surgery: a longitudinal cohort study. 1
- 474 Effects of Strength Exercises Combined with Other Training on Physical Performance in Frail Older Adults: A Systematic Review and Meta-analysis. **2022**, 104757 0
- 473 Static Balance and Chair-Rise Performance in Neurogeriatric Patients: Promising Short Physical Performance Battery-Derived Predictors of Fear of Falling. 9,
- 472 Targeting Adiposity and Inflammation With Movement to Improve Prognosis in Breast Cancer Survivors (The AIM Trial): Rationale, Design, and Methods. 12, 0
- 471 Benefits of a Balance Exercise Assist Robot in the Cardiac Rehabilitation of Older Adults with Cardiovascular Disease: A Preliminary Study. **2022**, 9, 191
- 470 Walking is Associated With Physical Capacity and Fatigue but not Cognition in Long-Term Care Residents. **2022**,
- 469 Assessment of Physical Fitness and Risk Factors for the Occurrence of the Frailty Syndrome among Social Welfare Homes Residents over 60 Years of Age in Poland. **2022**, 19, 7449
- 468 Assessment of existing anthropometric indices for screening sarcopenic obesity in older adults. 1-31
- 467 Alzheimer's Disease CSF Biomarker Profiles in Idiopathic Normal Pressure Hydrocephalus. **2022**, 12, 935 0
- 466 Feasibility and Safety of Whole-Body Electromyostimulation in Frail Older People: A Pilot Trial. 13, 0
- 465 Balance and prospective falls in patients with rheumatoid arthritis. **2022**, 23, 0
- 464 Daily and Hourly Patterns of Physical Activity and Sedentary Behavior of Older Adults: Atherosclerosis Risk in Communities (ARIC) Study. **2022**, 101859
- 463 Changes in Subjective Measures of Cognitive Function in Older Adults From the Initiation Through 12 Months After the Receipt of Chemotherapy. Publish Ahead of Print,
- 462 Health effects and cost-effectiveness of a multilevel physical activity intervention in low-income older adults; results from the PEP4PA cluster randomized controlled trial. **2022**, 19,
- 461 Feasibility and acceptability of a remotely delivered, home-based, pragmatic resistance "exercise snacking" intervention in community-dwelling older adults: a pilot randomised controlled trial. **2022**, 22, 0
- 460 Sex Differences in Functional Capacity in Older Adults with Stroke: an Analysis of Data from the National Health and Aging Trends Study.
- 459 Web-based physical activity interventions are feasible and beneficial solutions to prevent physical and mental health declines in community-dwelling older adults during isolation periods. 0
- 458 Is handgrip strength a marker of muscle and physical function of the lower limbs? Sex differences in older adults with obesity. **2022**, 0

457	Feasibility of a reablement-program in a Swedish municipality. 1-12	
456	The effect of a buddy-style intervention on physical activity in community-dwelling older adults with disabilities: A 24-week follow-up of a randomized controlled trial. 026921552211119	
455	Exercise and Nutritional Intervention for Physical Function of the Prefrail: A Systematic Review and Meta-Analysis. 2022,	1
454	Assessment of Regional Body Composition, Physical Function and Sarcopenia among Peruvian women aging with HIV.	
453	Development of a Novel Accelerometry-based Performance Fatigability Measure for Older Adults. Publish Ahead of Print,	0
452	Rivastigmine for ECT-induced cognitive adverse effects in late life depression (RECALL study): A multicenter, randomized, double blind, placebo-controlled, cross-over trial in patients with depression aged 55 years or older: Rationale, objectives and methods. 13,	
451	Effect of Home-based Telerehabilitation on the Postoperative Rehabilitation Outcome of Hip Fracture in the Aging Population.	2
450	Dysphagia is an independent predictor of hospital-acquired disability in older patients with heart failure: a propensity score-matched analysis.	
449	Multicomponent or Resistance Training for Nursing Home Residents: A Systematic Review With Meta-Analysis. 2022,	0
448	Interaction between malnutrition and physical disability in older adults: is there a malnutrition-disability cycle?.	1
447	Ageing and skeletal muscle force control: current perspectives and future directions.	0
446	Feasibility and efficacy of a remotely delivered fall prevention exercise program for community-dwelling older adults with cancer: Protocol for the STABLE trial. 2022,	1
445	Muscle strength after resistance training correlates to mediators of muscle mass and mitochondrial respiration in middle-aged adults.	0
444	Tailoring the Evidence for Exercise Oncology within Breast Cancer Care. 2022, 29, 4827-4841	0
443	Quality of Life and Pneumonia in Nursing Home Residents: A 1-Year Observational Study. 2022,	
442	Community-based exercise enhanced by a self-management programme to promote independent living in older adults: a pragmatic randomised controlled trial. 2022, 51,	
441	Continuous long-term physical activity monitoring in hemodialysis patients. 10.34067/KID.0002082022	
440	The Impact of Physical Activity Levels and Functional Fitness Status on the Quality of Life Perceived by Older Adults Living in Rural and Urban Areas: The Portuguese Inland Case. 2022, 10, 1266	0

- 439 Indoor Built Environment and Older AdultsâActivity: A Systematic Review. 1-18 1
- 438 Does nutritional status influence the effects of a multicomponent exercise programme on body composition and physical fitness in older adults with limited physical function?. 1-10 0
- 437 Sit to stand muscle power reference values and their association with adverse events in Colombian older adults. **2022**, 12, 0
- 436 Physical Activity and Fall Prevention in Geriatric Inpatients in an Acute Care Unit (AGIR Study): Protocol for a Usability Study. **2022**, 11, e32288 0
- 435 Sedentary Behavior and Physical Functioning in Middle-Aged and Older Adults Living in the U.S.: The REGARDS Study. Publish Ahead of Print, 0
- 434 Assessment Tools to Evaluate Motor Function in People with Dementia: A Systematic Review. **2022**, 1-12 0
- 433 Plant-based diets and risk of frailty in community-dwelling older adults: the Seniors-ENRICA-1 cohort. 0
- 432 Nutritional risk and its relationship with physical function in community-dwelling older adults. 0
- 431 Bioimpedance phase angle and sarcopenia in older patients with prostate cancer. 0
- 430 Young Individuals Are More Stable and Stand More Upright When Using Rollator Assistance During Standing up and Sitting Down. 10, 0
- 429 Reference values of chair stand test and associations of chair stand performance with cognitive function in older adults. **2022**, 2, 100090 0
- 428 Physical performance measures in frailty screening: diagnostic and prognostic accuracy in the Toledo Study of Healthy Ageing. **2022**, 165, 18-25 0
- 427 Digital biomarkers for wellbeing through exergame interactions: An Exploratory Study (Preprint). 0
- 426 The relevance of geriatric assessments on the association between chronic kidney disease stages and mortality among older people: a secondary analysis of a multicentre cohort study. **2022**, 51, 0
- 425 Resistance Circuit Training or Walking Training: Which Program Improves Muscle Strength and Functional Autonomy More in Older Women?. **2022**, 19, 8828 0
- 424 Assessing Relationships between Physically Demanding Work and Late-Life Disability in Italian Nonagenarian Women Living in a Rural Area. **2022**, 19, 8880 0
- 423 Association of frailty and functional recovery in an Acute Care for Elders unit: a prospective observational study. **2022**, 22, 0
- 422 Effect of a multicomponent exercise program and cognitive stimulation (VIVIFRAIL-COGN) on falls in frail community older persons with high risk of falls: study protocol for a randomized multicenter control trial. **2022**, 22, 0

421	Gluteal muscle fatty infiltration, fall risk, and mobility limitation in older women with urinary incontinence: a pilot study.	1
420	Exercise and physical performance in older adults with sarcopenic obesity: A systematic review. 13,	
419	Kommentar zu "Aktivität und gute Ernährung schützen Senioren vor Mobilitäts Einschränkungen" 2022, 147, 895-896	
418	Effect of Intradialytic Oral Nutritional Supplementation with or without Exercise Improves Muscle Mass Quality and Physical Function in Hemodialysis Patients: A Pilot Study. 2022, 14, 2946	1
417	Characteristics of geriatric rehabilitation inpatients based on their frailty severity and change in frailty severity during admission: RESORT. 2022, 111712	1
416	Functional mobility and 10-year all-cause and cause-specific mortality in older people from São Paulo, Brazil. 2022, 100431	0
415	Prospective Association Between Plasma Amino Acids And Multimorbidity In Older Adults.	0
414	Pressão expiratória máxima ^ boa preditora de incidência da síndrome de fragilidade em homens idosos. 2022, 27, 3249-3260	
413	Exploring the association between handgrip, lower limb muscle strength, and physical function in older adults: A narrative review. 2022, 167, 111902	1
412	Effectiveness and Approach of Rehabilitation in Patients With Acute Heart Failure: A Review. 2022, 52, 576	1
411	Effect of the GERAS DANCing for Cognition and Exercise Program on Physical Function in Older Adults. 2022, 1-9	
410	Epigenetic age predictors in community-dwelling adults with high impact knee pain. 2022, 18, 174480692211180	
409	The role of frailty in selecting patients for heart transplantation. 2022, 24, 51-57	
408	Review of human-robot coordination control for rehabilitation based on motor function evaluation. 2022, 17,	1
407	Design of a multinational randomized controlled trial to assess the effects of structured and individualized exercise in patients with metastatic breast cancer on fatigue and quality of life: the EFFECT study. 2022, 23,	0
406	Jintiang combined with alfacalcidol improves muscle strength and balance in primary osteoporosis: A randomized, double-blind, double-dummy, positive-controlled, multicenter clinical trial. 2022, 35, 53-61	0
405	European Working Group on Sarcopenia in Older People 2010 (EWGSOP1) and 2019 (EWGSOP2) criteria or slowness: which is the best predictor of mortality risk in older adults?. 2022, 51,	2
404	Profile and 3-month evolution of geriatric patients after a hip fracture followed-up at a Fracture Liaison Service (FLS). 2022,	

- 403 Muscle Weakness and Walking Slowness for the Identification of Sarcopenia in the Older Adults from Northern Brazil: A Cross-Sectional Study. **2022**, 19, 9297
- 402 Predicting falls in older adults: an umbrella review of instruments assessing gait, balance, and functional mobility. **2022**, 22, 1
- 401 Effectiveness of a behavioral lifestyle intervention on weight management and mobility improvement in older informal caregivers: a secondary data analysis. **2022**, 22,
- 400 Effectiveness of early cardiac rehabilitation in patients with heart valve surgery: a randomized, controlled trial. **2022**, 50, 030006052110443
- 399 Physical Function in Middle-aged and Older Adults With Type 1 Diabetes: Long-term Follow-up of the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Study. 1
- 398 Modulation of Neuroendocrine and Immunological Biomarkers Following Rehabilitation in Sarcopenic Patients. **2022**, 11, 2477
- 397 Associations of clinical and circulating metabolic biomarkers with low physical fitness and function in adults with chronic lymphocytic leukemia. 12, 0
- 396 Severity of functional impairments by race and sex in older patients hospitalized with acute decompensated heart failure. 0
- 395 Delirium, Changes in Cognitive Function, and Risk of Diagnosed Dementia After Kidney Transplantation. 0
- 394 Associations between Muscle Strength, Physical Performance and Cognitive Impairment with Fear of Falling among Older Adults Aged ≥60 Years: A Cross-Sectional Study. **2022**, 19, 10504 0
- 393 Chronische Schmerzen im Seniorenalter vor dem Hintergrund der COVID-19-Pandemie.
- 392 Cross-cultural adaptation, reliability and validity of the Turkish version of the modified Gait Efficacy Scale in community-dwelling older adults. 1-8
- 391 Trajectories in physical performance and fall prediction in older adults: a longitudinal population-based study. 1
- 390 Red cell distribution width, anemia, and lower-extremity physical function among rural-dwelling older adults. 0
- 389 Influence of sex differences in maintenance-hemodialysis participants on motivation of exercise therapy implementation: a multicenter cross-sectional study.
- 388 Promoting independence in Lewy body dementia through exercise: the PRIDE study. **2022**, 22,
- 387 An integrated intervention of computerized cognitive training and physical exercise in virtual reality for people with Alzheimer's disease: The jDome study protocol. 13, 0
- 386 Effects of Walking Exercise at a Pace With Versus Without Ischemic Leg Symptoms on Functional Performance Measures in People With Lower Extremity Peripheral Artery Disease: The LITE Randomized Clinical Trial. **2022**, 11,

- 385 An improved method to assess skeletal muscle mass in patients with liver cirrhosis based on computed tomography images.
- 384 Cognitive impairment, frailty and rehabilitation outcome in older cardiorespiratory patients. DEC_FRAInRIAB: Study protocol. **2022**, 17, e0272132 0
- 383 Feasibility of a 4-Week Manual Therapy and Exercise Intervention on Posture and Function in Community-Dwelling Older Adults: A Pilot Study. Publish Ahead of Print,
- 382 Circulating sestrins and force velocity profiling in older adults with type 2 diabetes. 1-10 0
- 381 Impact of nursing home-acquired pneumonia on the domains of the novel construct of intrinsic capacity: the INCUR study. 0
- 380 The Association of Changes in Physical Performance During Geriatric Inpatient Rehabilitation With Short-Term Hospital Readmission, Institutionalization, and Mortality: RESORT. **2022**, 0
- 379 Prevention and early treatment of the long-term physical effects of COVID-19 in adults: design of a randomised controlled trial of resistance exerciseâDISCO-21. **2022**, 23, 1
- 378 Functional clinical impairments and frailty in interstitial lung diseases patients. 00144-2022
- 377 Predictive inpatient falls risk model using Machine Learning. 1
- 376 Reinvest to Assess: Advancing Approaches to Motor Competence Measurement Across the Lifespan. 1
- 375 Transient versus stable nature of fear of falling over 24 months in community-older persons with fallsâData of the EU SCOPE project on Kidney function. **2022**, 22,
- 374 Erhalt der Selbststandigkeit bei Herzinsuffizienz: Ansatzpunkte und Konsequenzen fur den Alltag. **2022**, 11, 353-357
- 373 De-frailing intervention for hospitalized cardiovascular patients in the TARGET-EFT randomized clinical trial. 1
- 372 Geriatric Cardiology: Coming of Age. **2022**, 1, 100070 1
- 371 Clinically meaningful change for the chair stand test: monitoring mobility in integrated care for older people.
- 370 HOMEFOOD randomized trialâBeneficial effects of 6-month nutrition therapy on body weight and physical function in older adults at risk for malnutrition after hospital discharge.
- 369 Estimated GFR, Albuminuria, and Physical Function: The Brain in Kidney Disease (BRINK) Cohort Study. **2022**, 100531 0
- 368 Effect of Long-term Exercise Training on Physical Performance and Cardiorespiratory Function in Adults With CKD: A Randomized Controlled Trial. **2022**, 1

- 367 Early Change in Lower Limb Strength and Function in Lung Transplant Patients After Center-Based and Telerehabilitation. Publish Ahead of Print,
- 366 Corticospinal drive is associated with temporal walking adaptation in both healthy young and older adults. **14,**
- 365 What contributes most to the SPPB and its subscores in hospitalized geriatric patients: an ICF model-based approach. **2022, 22,**
- 364 Body Mass Index and patient-reported function, quality of life and treatment toxicity in women receiving adjuvant chemotherapy for breast cancer.
- 363 Physical performance as a predictor of mortality in nursing home residents: A five-year survival analysis. **2022, 47, 151-158**
- 362 A Guide to the Assessment of Function and Fitness in Older Adults. **2022, 26, 45-57** ○
- 361 Physical frailty in patients with systemic sclerosis. **2022, 56, 152077**
- 360 Gait evaluation in stroke hemiplegic patients using short physical performance battery. **2022, 31, 106704** ○
- 359 Association of clinical outcome assessments of mobility capacity and incident disability in community-dwelling older adults - a systematic review and meta-analysis. **2022, 81, 101704** ○
- 358 Multidomain Geriatric Screen and Physical Fitness Assessment Identify Prefrailty/Frailty and Potentially Modifiable Risk Factors in Community-Dwelling Older Adults. **2019, 48, 171-180** 7
- 357 Adherence to a Healthy Beverage Score Is Associated with Lower Frailty Risk in Older Adults. **2022, 14, 3861** ○
- 356 Functional mobility decline and incident mild cognitive impairment and early dementia in community-dwelling older adults: the Singapore Longitudinal Ageing Study. **2022, 51,** ○
- 355 Sarcopenia. **2022, 13, 3643-3648** ○
- 354 The correlation between modified total cerebral small vessel disease score and gait and balance disorder in middle-aged to older Adults.. **2022, 19,** ○
- 353 Change in four measures of physical function among older adults during lung cancer treatment: A mixed methods cohort study. **2022,** ○
- 352 The effect of rehabilitation interventions on freezing of gait in people with Parkinson's disease is unclear: a systematic review and meta-analyses. 1-20 ○
- 351 Protein intake and physical function in older adults: A systematic review and meta-analysis. **2022, 81, 101731** 2
- 350 Impact of Sarcopenic obesity on body composition, physical performance and fall risk in community dwelling older adults. **2022, 4, 100074** ○

349	Resistance training of peripheral muscles benefits respiratory parameters in older women with sarcopenia: Randomized controlled trial. 2023 , 104, 104799	1
348	Frailty in elderly patients with acute heart failure increases readmission. 2023 , 57, 102-109	0
347	Physical activity supported by mobile technology program (PAT-Back) for older adults with back pain at primary care: a feasibility study protocol. 28,	0
346	The impact of a less restrictive post-sternotomy activity protocol compared with standard sternal precautions in patients following cardiac surgery: A systematic review. 2022 , 0	0
345	Subjective Views of Aging and Objective Aging Biomarkers: Achievements and Questions in an Emerging Research Area. 2022 , 153-168	1
344	Liver Disease Among Mexican Americans Aged 67 Years and Older. 2022 , 13, 215013192211162	0
343	Functional Status and Older Age. 2022 , 199-218	0
342	A Vision-Based Framework for Predicting Multiple Sclerosis and Parkinson's Disease Gait Dysfunctions - A Deep Learning Approach. 2022 , 1-12	0
341	Social Network Moderates the Association between Frequency of Social Participation and Physical Function among Community-dwelling Older Adults. 2022 ,	0
340	Frailty Related Survival Risks at 'Short and 'Middle Term of 'Older Adults Admitted to 'Hospital. 2022 , 39-47	0
339	Article Title: MIRA Rehab Exergames for older male residents in a home care centre in Saudi Arabia: A feasibility randomised controlled trial protocol (Preprint).	0
338	Game-based Evaluation of Whole-body Movement Functions with CoM Stability and Motion Smoothness. 2022 ,	0
337	Leucine and perindopril to improve physical performance in people over 70 years with sarcopenia: the LACE factorial RCT. 2022 , 9, 1-82	0
336	Validity of an iPhone App to Detect Prefrailty and Sarcopenia Syndromes in Community-Dwelling Older Adults: The Protocol for a Diagnostic Accuracy Study. 2022 , 22, 6010	0
335	The short-term effect of a myofascial protocol versus light touch applied to the cervical spine towards the prevention of balance disorders in the elderly: protocol of a randomised controlled trial. 2022 , 30,	0
334	Reference values of gait characteristics in community-dwelling older persons with different physical functional levels. 2022 , 22,	0
333	Evaluation of a Novel Step Training Mobile App Intervention in Cardiopulmonary Rehabilitation: A Single-Arm Prospective Cohort Study.	0
332	Physical Activity in Centenarians beyond Cut-Point-Based Accelerometer Metrics. 2022 , 19, 11384	0

- 331 What are Factors Influencing on Life Space Mobility in Cancer Survivors after Hematopoietic Stem Cell Transplantation? -Physical and Psychological Function, Physical Symptoms, Environment, or Employment Status?. 0
- 330 Prediction of physical functioning and general health status trajectories on mortality among persons with cognitive impairment. **2022**, 22, 0
- 329 Life-Space Activities Are Associated with the Prognosis of Older Adults with Cardiovascular Disease. **2022**, 9, 323 0
- 328 Efficacy of a multiple-component and multifactorial personalized fall prevention program in a mixed population of community-dwelling older adults with stroke, Parkinson's Disease, or frailty compared to usual care: The PRE.C.I.S.A. randomized controlled trial. 13, 0
- 327 Metataxonomic Analysis of Feces from Older Adults with and without HIV Title 2: Aging, HIV, and Gut Dysbiosis. 0
- 326 Accelerometer-assessed sedentary behaviour among Chinese rural older adults: Patterns and associations with physical function. 1-10 0
- 325 Association between the risk of malnutrition and functional capacity in patients with peripheral arterial disease: A cross-sectional study. **2022**, 17, e0273051 0
- 324 Sarcopenia in people living with HIV in Hong Kong: which definition correlates with health outcomes?. **2022**, 25, 1
- 323 Sensorimotor and Frontoparietal Network Connectivity are Associated with Subsequent Maintenance of Gait Speed and Episodic Memory in Older Adults. 0
- 322 Trajectories of Physical Function and Disability Over 12 Months in Older Adults With Chronic Low Back Pain. Publish Ahead of Print, 0
- 321 Postoperative dysphagia as a predictor of functional decline and prognosis after undergoing cardiovascular surgery. 1
- 320 Bodyweight and Combined Training Reduce Chronic Low-Grade Inflammation and Improve Functional Fitness of Postmenopausal Women. **2022**, 10, 143 1
- 319 Feasibility and Effects of an Immersive Virtual Reality Exergame Program on Physical Functions in Institutionalized Older Adults: A Randomized Clinical Trial. **2022**, 22, 6742 1
- 318 Older Women Who Practiced Physical Exercises before the COVID-19 Pandemic Present Metabolic Alterations and Worsened Functional Physical Capacity after One Year of Social Isolation. **2022**, 10, 1736 1
- 317 Development and validation of a diagnostic nomogram for sarcopenia in Chinese hemodialysis patients. 0
- 316 Utility of the Fatigue, Resistance, Ambulation, Illness, and Loss of weight Scale in Older Patients with Cardiovascular Disease. **2022**, 0
- 315 Plasma Level of ATPase Inhibitory Factor 1 (IF1) and intrinsic capacity in community-dwelling older adults: Prospective data from the MAPT Study. 0
- 314 Physical performance reference values for Japanese oldest old: a SONIC study. **2022**, 22, 0

313	Implementing digital devices to increase mobility training for people receiving inpatient rehabilitation: protocol for a feasibility hybrid type II randomised controlled trial.	0
312	Frailty is Associated with Adverse Postoperative Outcomes Following Lung Cancer Resection. 2022 , 100414	0
311	Patterns of Daily Physical Movement, Chronic Inflammation, and Frailty Incidence. Publish Ahead of Print,	1
310	Healthcare cost expenditures associated to frailty and sarcopenia. 2022 , 22,	1
309	Reduction of care-relevant risks to older patients during and after acute hospital care (ReduRisk) – study protocol of a cluster randomized efficacy trial in a stepped wedge design. 2022 , 22,	0
308	Comparison of post-COVID symptoms in patients with different severity profiles of the acute disease visited at a rehabilitation unit. 2022 , 17, e0274520	0
307	Longitudinal Changes in Dual Decline in Memory and Gait Speed Association with Instrumental Activities of Daily Living: Findings from the National Social Life, Health, and Aging Project. 089826432211252	0
306	Exploring relationships between anthropometric indices of adiposity and physical performance in middle-aged and elderly women: a canonical correlation analysis.	0
305	MoveStrong at Home: A feasibility study of a model for remote delivery of functional strength and balance training combined with nutrition education for older pre-frail and frail adults.	0
304	Sensory and motor correlates of frailty: dissociation between frailty phenotype and frailty index. 2022 , 22,	0
303	Effects of Multicomponent Training Followed by a Detraining Period on Frailty Level and Functional Capacity of Older Adults with or at Risk of Frailty: Results of 10-Month Quasi-Experimental Study. 2022 , 19, 12417	1
302	Physical Function and Subsequent Risk of Cardiovascular Events in Older Adults: The Atherosclerosis Risk in Communities Study. 2022 , 11,	0
301	Calf Circumference Measurement Protocols for Sarcopenia Screening: Differences in Agreement, Convergent Validity and Diagnostic Performance. 2022 , 26, 215-224	0
300	Multimorbidity resilience and health behaviors among older adults: A longitudinal study using the Canadian Longitudinal Study on Aging. 10,	0
299	Derivation of a screening tool for predicting the risk of falls in community-dwelling older adults with knee osteoarthritis. Publish Ahead of Print,	0
298	Prevalence of sarcopenia in patients with rheumatoid arthritis using the revised EWGSOP2 and the FNIH definition. 2022 , 8, e002600	0
297	Factors Associated With Mortality Among Homeless Older Adults in California. 2022 , 182, 1052	0
296	The eight-week concurrent training effect on functional capacity in person living with unilateral transtibial amputation: A randomized controlled trial. 2022 ,	0

- 295 Blood RNA-Seq profiling reveals a set of circular RNAs differentially expressed in frail individuals. ○
- 294 Post-Viral Fatigue in COVID-19: A Review of Symptom Assessment Methods, Mental, Cognitive, and Physical Impairment. **2022**, 104902 ○
- 293 Translation and validation of the Taiwanese SarQoL, a quality of life questionnaire specific to sarcopenia. **2022**, ○
- 292 Relationship of Exercise Capacity, Physical Function, and Frailty Measures With Clinical Outcomes and Healthcare Utilization in Lung Transplantation: A Scoping Review. **2022**, 8, e1385 ○
- 291 Cognitive dual-task cost depends on the complexity of the cognitive task, but not on age and disease. 13, ○
- 290 Connecting real-world digital mobility assessment to clinical outcomes for regulatory and clinical endorsement—the Mobilise-D study protocol. **2022**, 17, e0269615 1
- 289 Translating a Functional Exercise Program for Fall Prevention among Diverse Older Adults in Urban, Medically Underserved Areas: A Feasibility Study. 1-16 ○
- 288 Relationship between the characteristics of lower extremity function and activities of daily living in hospitalized middle-aged and older adults with subacute cardiovascular disease. **2022**, 34, 752-758 ○
- 287 Gait monitoring for older adults during guided walking: An integrated assistive robot and wearable sensor approach. **2022**, 3, ○
- 286 A review of chronic obstructive pulmonary disease and frailty in older adults. **2022**, 18, 142 ○
- 285 Effectiveness of Gamification in Knee Replacement Rehabilitation: Protocol for a Randomized Controlled Trial (BEE-RCT) with a Qualitative Approach (Preprint). ○
- 284 Gait Analysis with an Integrated Mobile Robot and Wearable Sensor System Reveals Associations Between Cognitive Ability and Dynamic Balance in Older Adults. **2022**, ○
- 283 Sedentary Behavior and Lower-Extremity Physical Function across the Lifespan of Adults with Multiple Sclerosis. **2022**, 19, 12466 ○
- 282 Patient characteristics and preferences for a surgical prehabilitation program design: results from a pilot survey. ○
- 281 Estimation of Functional Reserve in Patients with Hospital-Associated Deconditioning. **2022**, 19, 14140 ○
- 280 Tailored exercise management (TEMPO) versus usual care for people aged 80 years or older with hip/knee osteoarthritis: study protocol for a feasibility randomised controlled trial.. ○
- 279 Measurement of Mobility and Physical Function in Patients Who Are Hospitalized With Hip Fracture: A Systematic Review of Instruments and Their Measurement Properties. ○
- 278 Prevalence and risk factors of frailty among adults living with HIV aged 70 years or older. Publish Ahead of Print, ○

277	International depiction of the cost of functional independence limitations among older adults living in the community: a systematic review and cost-of-impairment study. 2022 , 22,	○
276	Physical Functional Impairment and the Risk of Incident Mild Cognitive Impairment in an Observational Study of World Trade Center Responders. 10.1212/CPJ.0000000000200089	1
275	Physical performance in older age by sex and educational level: the HUNT Study. 2022 , 22,	1
274	Improvements in sleep quality and fatigue are associated with improvements in functional recovery following hospitalization in older adults. 1,	○
273	Design and implementation of a Stroke Rehabilitation Registry for the systematic assessment of processes and outcomes and the development of data-driven prediction models: The STRATEGY study protocol. 13,	○
272	Effectiveness of a Novel Food Composed of Leucine, Omega-3 Fatty Acids and Probiotic Lactobacillus paracasei PS23 for the Treatment of Sarcopenia in Elderly Subjects: A 2-Month Randomized Double-Blind Placebo-Controlled Trial. 2022 , 14, 4566	○
271	Adherence to the Mediterranean Diet and Incidence of Pre-Frailty and Frailty in Community-Dwelling Adults 70+: The 3-Year DO-HEALTH Study. 2022 , 14, 4145	○
270	Identification of decreased intrinsic capacity: Diagnostic performance indicators of the ICOPE Screening tool in community-dwelling older people in the VIMCI study.	○
269	Effects of a multidisciplinary intervention to promote physical activity in patients with stroke undergoing rehabilitation: study protocol for the ActivePAS pilot randomised controlled trial. 2022 , 8, e001401	○
268	Mobile application for home exercise adherence in patients with knee osteoarthritis: A pilot study. 2022 , 101, e31181	○
267	Intrinsic capacity rather than intervention exposure influences reversal to robustness among prefrail community-dwelling older adults: A non-randomized controlled study of a multidomain exercise and nutrition intervention. 9,	○
266	Effects of discontinuation of antihypertensive drugs on frailty syndrome in outpatients: a 1-year prospectively designed retrospective chart-review pilot study. 2022 , 50, 030006052211307	○
265	Effect of online physical therapy on workplace accident-related outcomes in nursing care worker: study protocol of a multicentre randomised controlled trial. 2022 , 12, e061804	○
264	Prevalence of Sarcopenia and its Risk Factors in Community-dwelling Older People during the COVID-19 Pandemic.	○
263	Prediction of the development of delirium after transcatheter aortic valve implantation using preoperative brain perfusion SPECT. 2022 , 17, e0276447	○
262	Mediating effect of lower extremity muscle strength on the relationship between mobility and cognitive function in Chinese older adults: A cross-sectional study. 14,	○
261	A remote group-mediated daylong physical activity intervention for older adults with chronic pain: Results of the MORPH-II randomized pilot trial. 4,	○
260	Unlocking the black box of geriatric physiotherapy.	○

- 259 Physical performance and maximum tongue pressure associated with oral intake independence: a retrospective study on hospitalized patients with heart failure. **2022**, 12, 0
- 258 The loss of body weight and skeletal muscle negatively affect postoperative outcomes after major abdominal surgery in geriatric cancer patients. **2022**, 111907 0
- 257 Impact of frailty models on the prescription of oral anticoagulants and on the incidence of stroke, bleeding, and mortality in older patients with atrial fibrillation: a systematic review. **2022**, 82, 101761 0
- 256 Lower-limb Aerobic Exercises Improve Physical Function in Frail Older Adults:. **2023**, 23, 90-99 0
- 255 Early Pulmonary Rehabilitation with Neuromuscular Electrical Stimulation in a Patient with Acute Exacerbation of Rheumatoid Arthritis-associated Interstitial Lung Disease: A Case Report. **2022**, 0
- 254 Periostin plasma levels and changes on physical and cognitive capacities in community-dwelling older adults. 0
- 253 Association of Karnofsky Performance Status with liver transplant outcomes in hepatocellular carcinoma. 0
- 252 Mitochondrial dysfunction and intrinsic capacity: insights from a narrative review. 0
- 251 SARC-F predicts poor motor function, quality of life, and prognosis in older patients with cardiovascular disease and cognitive impairment. **2022**, 112021 0
- 250 Circulating Inflammatory, Mitochondrial Dysfunction, and Senescence-Related Markers in Older Adults with Physical Frailty and Sarcopenia: A BIOSPHERE Exploratory Study. **2022**, 23, 14006 2
- 249 The standardized muscle contractive stiffness is correlated to physical performance in hospitalized older adults. 0
- 248 Physical and Quality of Life Changes in Elderly Patients after Laparoscopic Surgery for Colorectal Cancer—A Prospective Cohort Study. **2022**, 19, 14711 1
- 247 Predictors of Maintained Transitions Between Robustness and Prefrailty in Community-dwelling Older Spaniards. **2022**, 0
- 246 Changes of sarcopenia case finding by different Asian Working Group for Sarcopenia in community indwelling middle-aged and old people. 9, 0
- 245 Clinical Outcomes and Prevalence of Sarcopenia in Patients with Moderate to Severe COVID-19. **2022**, 11, 6578 0
- 244 Effectiveness and usability of the system for assessment and intervention of frailty for community-dwelling pre-frail older adults: A pilot study. 9, 0
- 243 Five Times Sit-to-Stand Test in people with non-specific chronic low back pain—cross-sectional test-retest reliability study. 0
- 242 Short Multicomponent Group Exercise Intervention Promotes Long-Term Physical Activity Habits among Community-Dwelling Older Adults during COVID-19 Restrictions: A Cohort Study. **2022**, 19, 15140 0

241	Impact of the Nutrition&Inflammation Status on the Functionality of Patients with Chronic Kidney Disease. 2022 , 14, 4745	0
240	Associations between biomarkers of cellular senescence and physical function in humans: observations from the lifestyle interventions for elders (LIFE) study.	1
239	Relationship of self-reported and performance-based visual function with performance-based measures of physical function: the Health ABC study.	0
238	Post-discharge light physical activity indicates recovery in acutely hospitalized older adults &the Hospital-ADL study.	0
237	Cost-Effectiveness of the Comprehensive Interdisciplinary Program-Care in Informal Caregivers of People with Alzheimer& Disease. 2022 , 19, 15243	0
236	A review of frailty analysis in older adults: from clinical tools towards fully automated preventive systems. 2022 ,	0
235	Prevalence of transthyretin cardiac amyloidosis in elderly patients diagnosed with heart failure. 2022 ,	0
234	Physiotherapy post Vertebral Fragility Fracture: A Scoping Review. 2022 ,	0
233	Hearing threshold and physical performance in older people: a cross-sectional study from the HUNT4 cohort.	0
232	Public Health Need, Molecular Targets, and Opportunities for the Accelerated Development of Function-Promoting Therapies: Proceedings of a National Institute on Aging Workshop.	0
231	The effectiveness of a group-based Otago exercise program on physical function, frailty and health status in older nursing home residents: A systematic review and meta-analysis. 2023 , 49, 30-43	0
230	Health and sociodemographic factors associated with low muscle strength, muscle mass, and physical performance among people living with HIV. 1-11	0
229	Exergaming delivery of a balance and fall prevention program for older adults: A feasibility study. 2022 , 8, 205520762211441	0
228	Insufficient physical activity and multimorbidity was associated with low physical functional performance in older adults: a cross-sectional study. 16,	0
227	Efficacy of a multicomponent exercise training program intervention in community-dwelling older adults during the COVID-19 pandemic: A cluster randomized controlled trial. 2023 , 49, 148-156	0
226	ActiveHip+: A feasible mHealth system for the recovery of older adults after hip surgery during the COVID-19 pandemic. 2022 , 8, 205520762211396	0
225	Estimated Error Values of the Functional Reach Test Are Associated with a History of Falls among Elderly Adults with Disabilities. 2022 , 37, 605-610	0
224	Specific multimorbidity patterns modify the impact of an exercise intervention in older hospitalized adults. 2022 , 12, 263355652211454	0

- 223 Study Protocol for a Pilot Randomized Trial of a Virtual Occupational Therapy Fall Prevention Intervention for People With HIV and Alcohol Use. **2022**, 16, 117822182211455 1
- 222 The healthcare trajectories of older people in foster families: protocol for an Observational Study (Preprint). 0
- 221 MET-PREVENT: metformin to improve physical performance in older people with sarcopenia and physical prefrailty/frailty â protocol for a double-blind, randomised controlled proof-of-concept trial. **2022**, 12, e061823 0
- 220 A Group Videogame-Based Physical Activity Program Improves Walking Speed in Older Adults Living With a Serious Mental Illness. **2022**, 6, 1
- 219 Risk of Malnutrition and Insufficient Protein Intake among Older People Living at Home: Baseline Findings of the Power Meals Study. **2022**, 41, 257-269 0
- 218 Skeletal muscle mitochondrial inertia associates with carnitine acetyltransferase activity and physical function in humans. 0
- 217 Developing an Evidence and Theory Based Multimodal Integrative Intervention for the Management of Renal Cachexia: A Theory of Change. **2022**, 10, 2344 0
- 216 Effect of Electrical Muscle Stimulation on the Reduction of Muscle Volume Loss in Acute Heart Failure Patients. **2022**, 63, 1141-1149 0
- 215 Systematic review: the role of frailty in advanced chronic liver disease. 0
- 214 Economic evaluation of digitally enabled aged and neurological rehabilitation care in the Activity and MObility UsiNg Technology (AMOUNT) trial. 026921552211389 0
- 213 Nonlinear Association between Physical Function and Risk of Mild Cognitive Impairment in Older Women with Low Muscle Mass. **2022**, 31, 527-536 0
- 212 Handgrip strength rather than chair stand test should be used to diagnose sarcopenia in geriatric rehabilitation inpatients: REStORing health of acutely unwell adults (RESORT). **2022**, 51, 0
- 211 A Multidomain Intervention Program for Older People With Dementia: a Pilot Study. 0
- 210 Effects of a Structured Multicomponent Physical Exercise Intervention on Quality of Life and Biopsychosocial Health among Chilean Older Adults from the Community with Controlled Multimorbidity: A PreâPost Design. **2022**, 19, 15842 0
- 209 Adherence, safety and potential effectiveness of a home-based Radio-Taiso exercise program in older adults with frailty: A pilot randomized controlled trial. 0
- 208 Fear of falling as a potential complication of Ramsay Hunt syndrome in older adults: a case report. **2022**, 22, 0
- 207 Association of Frailty With Health-Related Quality of Life in Liver Transplant Recipients. 0
- 206 Reference equations for harmonizing gait speed results of different test protocols in community-dwelling older adults. 0

205	Regional differences regarding the occurrence of falls and associated factors in two populations of Brazilian longevous people. 2022 , 22,	0
204	Overlapping states of AWGS muscle dysfunction and inverse feasibility of ADL recovery by rehabilitation in older inpatients. 2022 , 12,	0
203	Neuroimaging markers of dual impairment in cognition and physical performance following stroke: The Nor-COAST study. 14,	0
202	The Trajectory of Nutritional Status and Physical Activity before and after Transcatheter Aortic Valve Implantation. 2022 , 14, 5137	0
201	Associations of the Short Physical Performance Battery (SPPB) with Adverse Health Outcomes in Older Adults: A 14-Year Follow-Up from the English Longitudinal Study of Ageing (ELSA). 2022 , 19, 16319	0
200	JCS/JACR 2021 Guideline on Rehabilitation in Patients With Cardiovascular Disease. 2022 , 87, 155-235	4
199	Patterns and predictors of fall injury transitions among Korean older adult fallers: a 2-year longitudinal study. 2022 , 12,	0
198	Brain natriuretic peptide levels and short physical performance battery scores independently influence short-term readmission rates in older patients with heart failure.	0
197	Dual-task related frontal cerebral blood flow changes in older adults with mild cognitive impairment: A functional diffuse correlation spectroscopy study. 14,	0
196	Effect of Diet and Exercise on Knee Pain in Patients With Osteoarthritis and Overweight or Obesity. 2022 , 328, 2242	5
195	Role of Branched-Chain Amino Acids and Their Derivative β-Hydroxy-β-Methylbutyrate in Liver Cirrhosis. 2022 , 11, 7337	0
194	Coupling of sensorimotor and cognitive functions in middle- and late adulthood. 16,	0
193	Impact of Geriatric Assessment and Management on Quality of Life, Unplanned Hospitalizations, Toxicity, and Survival for Older Adults With Cancer: The Randomized 5C Trial.	0
192	Special orthopaedic geriatrics (SOG) - a new multiprofessional care model for elderly patients in elective orthopaedic surgery: a study protocol for a prospective randomized controlled trial of a multimodal intervention in frail patients with hip and knee replacement. 2022 , 23,	0
191	Relationship between quadriceps femoris muscle architecture and muscle strength and physical function in older adults with heart failure with preserved ejection fraction. 2022 , 12,	0
190	Preoperative frailty screening, assessment and management. 2023 , 36, 83-88	0
189	Physical Performance in Black and Hispanic Outpatients with Heart Failure: The SCAN-MP Study. 2022 ,	0
188	Uneven terrain treadmill walking in younger and older adults. 2022 , 17, e0278646	0

- 187 Frailty and rehabilitation outcome in older patients with cardiorespiratory disease: Preliminary multidimensional data. ○
- 186 Determination of five times-sit-to-stand test performance in patients with multiple sclerosis: validity and reliability. 1-6 ○
- 185 The Effect of Progressive Resistance Exercise Training on Cardiovascular Risk Factors in People with Intellectual Disabilities: A Study Protocol. **2022**, 19, 16438 ○
- 184 A blended e-health intervention for improving functional capacity in elderly patients on haemodialysis: A feasibility study. 4, ○
- 183 A randomized controlled trial on impact of group exercise programme on fall risk, balance, strength, fear of fall and quality of life of older adults. 1-14 ○
- 182 Diagnostic Value of Sarcopenia Computed Tomography Metrics for Older Patients with or without Cancers with Gastrointestinal Disorders. **2022**, ○
- 181 Validity and reliability of an android device for the assessment of fall risk in older adult inmates. ○
- 180 Pre-operative Physical Performance Is Associated With Early Return to Work in Peri-operative Lung Cancer Patients. **2022**, 44, 341-351 ○
- 179 Effects of the "Spinomed active" brithosis on chronic back pain in kyphotic women with osteoporotic vertebral fractures three months and older: A randomized controlled study. 3, ○
- 178 Aging-related multisystem dysregulation over the adult lifespan and physical function in later life: the Atherosclerosis Risk in Communities (ARIC) Study. ○
- 177 Biomarkers of mitochondrial dysfunction and inflammaging in older adults and blood pressure variability. 1
- 176 Cluster analysis of functional independence in community-dwelling older people. **2022**, 22, ○
- 175 Rationale and Design of the PARTNER Trial: Partnered Rhythmic Rehabilitation for Enhanced Motor-Cognition in Prodromal Alzheimer's Disease. **2022**, 1-15 ○
- 174 Prevalence and associated factors of sarcopenia in community-dwelling older adults at risk of malnutrition. **2022**, 22, ○
- 173 Operationalisation of intrinsic capacity in older people and its association with subsequent disability, hospital admission and mortality: results from ELSA. ○
- 172 Normative cutoffs of muscle mass, muscle strength, and frailty for healthy Indian population. ○
- 171 From Sarcopenia to Depressive Symptoms in Elderly: A Path Analysis. **2023**, 20, 972 ○
- 170 Feasibility of bioelectrical impedance analysis in routine clinical care to assess body composition in geriatric rehabilitation inpatients: RESORT. ○

169	Relationship between Mitochondrial Quality Control Markers, Lower Extremity Tissue Composition, and Physical Performance in Physically Inactive Older Adults. 2023 , 12, 183	1
168	An innovative rehabilitation program for the veterans affairs post-acute skilled nursing setting: Preliminary results.	0
167	Screening efficacy of PhA and MNA-SF in different stages of sarcopenia in the older adults in community. 2023 , 23,	0
166	Associations of Physical Activity and Sedentary Behavior with Optimism and Positive Affect in Older Women.	0
165	iCanClean Improves Independent Component Analysis of Mobile Brain Imaging with EEG. 2023 , 23, 928	0
164	Effect of High-Intensity Interval Training on Functional Movement in Older Adults: A Systematic Review and Meta-analysis. 2023 , 9,	0
163	Impact of frailty on disease-specific health status in cardiovascular disease. heartjnl-2022-321631	0
162	The Frail-LESS (LEss Sitting and Sarcopenia in Frail older adults) intervention to improve sarcopenia and maintain independent living via reductions in prolonged sitting: a randomised controlled feasibility trial protocol. 2023 , 9,	0
161	Association between Malnutrition Risk Factors and Physical Function in Community-Dwelling Adults â80 Years. 2023 , 3, 33-45	1
160	Rasch analysis of the Short Physical Performance Battery in older inpatients with heart failure. 1-6	0
159	Effect of a Passive Exosuit on Sit-to-Stand Performance in Geriatric Patients Measured by Body-Worn SensorsâA Pilot Study. 2023 , 23, 1032	0
158	Frailty as a Marker for the Plasma Concentrations of Direct Oral Anticoagulants in Older Patients: Results of an Exploratory Study.	0
157	Relationship between lower limb muscle activity and cortical activation among elderly people during walking: Effects of fast speed and cognitive dual task. 14,	0
156	Resting metabolic rate in relation to incident disability and mobility decline among older adults: the modifying role of frailty.	0
155	Association between hospital-acquired functional decline and 2-year readmission or mortality after cardiac surgery in older patients: a multicenter, prospective cohort study.	0
154	What do functional neuroimaging studies tell us about the association between falls and cognition in older adults? A systematic review. 2023 , 101859	0
153	Frailty and genetic risk predict fracture after lung transplantation. 2023 ,	0
152	Association Between Multimorbidity and Rate of Falls: A 3-Year 5-Country Prospective Study in Generally Healthy and Active Community-Dwelling Adults Aged â70 Years. 2023 ,	0

- 151 Protocols and Features of Goal-Setting-Based Intervention for Frail Older Adults in Community Exercise Facilities. **2023**, 20, 1615 ○
- 150 Responsiveness of the late life disability instrument to pulmonary rehabilitation in people with COPD. **2023**, 207, 107113 ○
- 149 Muscle fiber type grouping does not change in response to prolonged resistance exercise training in healthy older men. **2023**, 173, 112083 1
- 148 Hypotensive effects of drug combinations in elderly and old patients with controlled arterial hypertension. **2023**, 28, 650-658 ○
- 147 Investigation of the Effects of Obesity on Physical Function and Quality of Life in Elderly Women. ○
- 146 Oropharyngeal dysphagia and cachexia: Intertwined in head and neck cancer. ○
- 145 Impact of early postoperative factors on changes in skeletal muscle mass after esophagectomy in older patients with esophageal cancer. ○
- 144 The effect of a telehealth exercise intervention on balance in adults with Down syndrome. ○
- 143 Turning when using a smartphone in persons with and without neurologic conditions: an observational study (Preprint). ○
- 142 Frailty and Mortality Risk in COPD: A Cohort Study Comparing the Fried Frailty Phenotype and Short Physical Performance Battery. Volume 18, 57-67 ○
- 141 Wearable sensor-based performance status assessment in cancer: A pilot multicenter study from the Alliance for Clinical Trials in Oncology (A19_Pilot2). **2023**, 2, e0000178 ○
- 140 Protocol for Shenzhen Ageing Cohort Study (SZ-ageing): a prospective observational cohort study of elderly disability and cognitive impairment. **2023**, 13, e065761 ○
- 139 Awareness of age-related change in very different cultural-political contexts: A cross-cultural examination of aging in Burkina Faso and Germany. 13, ○
- 138 Validation of the German version of the Protein Screener 55+. ○
- 137 Relationship between dietary patterns and physical performance in the very old population: A cross-sectional study from the Kawasaki Aging and Wellbeing Project. 1-18 ○
- 136 Remote collection of physical performance measures for older people: a systematic review. **2023**, 52, ○
- 135 IMPROVE-BMT: a protocol for a pilot randomised controlled trial of prehabilitation exercise for adult haematopoietic stem cell transplant recipients. **2023**, 13, e066841 ○
- 134 Conscious connected breathing with breath retention intervention in adults with chronic low back pain: protocol for a randomized controlled pilot study. **2023**, 9, ○

- 133 Comparison of Physical Activity, Exercise Barriers, Physical Performance, and Fall Risks in Frail and Nonfrail Older Adults. **2023**, 39, 58-65 ○
- 132 Androgen receptor pathway inhibitors, prostate cancer, and older adults: a global Young International Society of Geriatric Oncology drug review. **2023**, 15, 175883592211498 ○
- 131 Data-driven systems to detect physical weakening from daily routine: A pilot study on elderly over 80 years old. **2023**, 18, e0274306 ○
- 130 Charting everyday activities in later life: Study protocol of the mobility, activity, and social interactions study (MOASIS). 13, ○
- 129 Life-space mobility in older adults with Alzheimer’s-type dementia. **2023**, 27, 100480 ○
- 128 Sex-based differences in supervised exercise therapy outcomes for symptomatic peripheral artery disease. 1358863X2211494 ○
- 127 Aerobic exercise does not affect serum neurofilament light in patients with mild Alzheimer’s disease. 17, ○
- 126 Hand Grip Strength Relative to Waist Circumference as a Means to Identify Men and Women Possessing Intact Mobility in a Cohort of Older Adults with Type 2 Diabetes. **2023**, 11, 352 ○
- 125 The L-enantiomer of ̢-aminobutyric acid (L-BAIBA) as a potential marker of bone mineral density, body mass index, while D-BAIBA of physical performance and age. ○
- 124 Dual Roles of Cardiorespiratory Fitness and Fatigability in the Life-Space Mobility of Older Adults: The Study of Muscle Mobility and Aging (SOMMA). ○
- 123 Movement-Evoked Pain Versus Widespread Pain: A Longitudinal Comparison in Older Adults with Chronic Low Back Pain from the Delaware Spine Studies. **2023**, ○
- 122 Factors associated with falls in older adults: A secondary analysis of a 12-month randomized controlled trial. **2023**, 108, 104940 ○
- 121 Integrated Care for Older People with Different Frailty Levels: A Qualitative Study of Local Implementation of a National Policy in Luton, England. **2023**, 23, ○
- 120 Identification of decreased intrinsic capacity: Performance of diagnostic measures of the ICOPE Screening tool in community dwelling older people in the VIMCI study. **2023**, 23, 1
- 119 Efficacy of personalized exercise program on physical function in elderly patients with rheumatoid arthritis at high risk for sarcopenia: study protocol for a randomized controlled trial. **2023**, 24, ○
- 118 Does physical activity attenuate the association between ambient PM2.5 and physical function?. **2023**, 874, 162501 ○
- 117 Pulmonary function is associated with frailty, hospitalization and mortality in older people: 5-year follow-up. **2023**, 59, 88-94 ○
- 116 Factors associated with frailty syndrome in older adults with three- and four-criteria clustering. **2023**, 51, 121-128 ○

- 115 Physical function across the lifespan in adults with multiple sclerosis: An application of the Short Physical Performance Battery. **2023**, 73, 104624 ○
- 114 Allostatic load and physical performance in older adults: Findings from the International Mobility in Aging Study (IMIAS). **2023**, 109, 104961 ○
- 113 Sarcopenia, malnutrition and cognition affect physiotherapy frequency during geriatric rehabilitation: RESORT cohort. **2023**, 66, 101735 ○
- 112 Fast systematic geriatric assessment in acute heart failure patients admitted in Cardiology. **2023**, 60, 133-138 ○
- 111 Frailty in end stage renal disease: Current perspectives. **2022**, 42, 531-539 ○
- 110 Diagnosis of sarcopenia and nutritional intervention in the elderly: literature review. **2022**, 7, 65-70 ○
- 109 Associations of physical function and body mass index with functional brain networks in community-dwelling older adults. **2023**, 127, 43-53 ○
- 108 The Effect of Physical Exercise on Physical Function and Survival Rate in Cancer Patients. **2022**, 137-162 ○
- 107 Evaluation of Frailty Measures and Short-term Outcomes After Lung Transplantation. **2023**, ○
- 106 What Tools Can We Use to Screen for Fall Risk in Older Patients with Mild Cognitive Impairment? Findings from the MEMENTO Cohort. **2023**, ○
- 105 IMOVE: Protocol for a randomized, controlled 2x2 factorial trial of improvisational movement and social engagement interventions in older adults with early Alzheimer's disease. **2023**, 32, 101073 ○
- 104 Does GERAS DANCE improve gait in older adults?. **2023**, 3, 100120 ○
- 103 Association of sarcopenia with important health conditions among community-dwelling Asian women. **2023**, 18, e0281144 ○
- 102 Prevalence and Predictors of Ambulatory Care Physicians's Documentation of Mobility Limitations in Older Adults. **2023**, ○
- 101 Handgrip strength in older adults from Antioquia-Colombia and comparison of cutoff points for dynapenia. **2023**, 13, ○
- 100 Examining the intersection of cognitive and physical function measures: Results from the brain networks and mobility (B-NET) study. 15, ○
- 99 Evaluation of serum miRNAs expression in frail and robust subjects undergoing multicomponent exercise protocol (VIVIFRAIL). **2023**, 21, ○
- 98 Association between functional aspects and health-related quality of life in patients with colorectal cancer: can handgrip strength be the measure of choice in clinical practice?. **2023**, 31, ○

- 97 Effect on nutritional status and biomarkers of inflammation and oxidation of an oral nutritional supplement (with or without probiotics) in malnourished hemodialysis patients. A multicenter randomized clinical trial âRenacare Trialâ10, ○
- 96 Subphenotypes of frailty in lung transplant candidates. **2023**, 23, 531-539 ○
- 95 Identifying frailty and its associated factors in patients with axial spondyloarthritis. **2023**, 26, 519-530 ○
- 94 Mobility and associations with levels of cerebrospinal fluid amyloid ß and tau in a memory clinic cohort. 15, ○
- 93 Impact of Food Insecurity and Undernutrition on Frailty and Physical Functioning in Aging People With HIV in the United States. **2023**, Publish Ahead of Print, ○
- 92 Modifying the five-time sit-to-stand test to allow use of the upper limbs: Assessing initial evidence of construct validity among lower limb prosthesis users. **2023**, 18, e0279543 1
- 91 Companion: A Pilot Randomized Clinical Trial to Test an Integrated Two-Way Communication and Near-Real-Time Sensing System for Detecting and Modifying Daily Inactivity among Adults >60 YearsâDesign and Protocol. **2023**, 23, 2221 1
- 90 Sarcopenia. **2023**, 1-21 ○
- 89 Systemic lupus erythematosus: a systematic review with meta-analysis on muscle strength, muscle mass, and physical function. **2023**, 42, 1237-1248 ○
- 88 Tango-Therapy Intervention for Older Adults with Cognitive Impairment Living in Nursing Homes: Effects on Quality of Life, Physical Abilities and Gait. **2023**, 20, 3521 ○
- 87 Association of Dual Sensory Impairment with Declining Physical Function in Community-Dwelling Older Adults. **2023**, 20, 3546 ○
- 86 From MIA to FIFA : The vicious matrix of frailty, inflammation, fluid overload and atherosclerosis in peritoneal dialysis. **2023**, 28, 215-226 ○
- 85 Clinical Impacts of Interventions for Physical Activity and Sedentary Behavior on Patients with Chronic Obstructive Pulmonary Disease. **2023**, 12, 1631 ○
- 84 A review of quality-of-life in elderly osteoarthritis. **2023**, 23, 365-381 ○
- 83 Development of the Lung Transplant Frailty Scale (LT-FS). **2023**, ○
- 82 Predictors of cognitive and physical decline: Results from the Health Aging and Body Composition Study. 15, ○
- 81 Associations between transitions of intrinsic capacity and frailty status, and 3-year disability. **2023**, 23, ○
- 80 Changes of Oral and Physical Functions in Older Japanese Who Participated in Keyboard Harmonica and Exercise Classes during COVID-19-Related Movement Restrictions. **2023**, 20, 3700 ○

- 79 Assessment of Exercise Capacity in Post-COVID-19 Patients: How Is the Appropriate Test Chosen?. **2023**, 13, 621 ○
- 78 Patterns of Objectively Measured Sedentary Behavior and Physical Activity and Their Association with Changes in Physical and Functional Performance in Geriatric Rehabilitation Inpatients. **2023**, ○
- 77 Sarcopenia, obesity, and their association with selected behavioral factors in active older adults. 14, ○
- 76 The feasibility of a stepping exergame prototype for older adults with major neurocognitive disorder residing in a long-term care facility: a mixed methods pilot study. 1-15 ○
- 75 Short Physical Performance Battery reliability and validity in adults with mild to moderate intellectual disability. 1-9 ○
- 74 Índice fr̃gil-VIG: Validez convergente y discriminativa respecto a la Short Physical Performance Battery en poblacĩn general. **2023**, 58, 75-83 ○
- 73 Progressive exercise versus best practice advice for adults aged 50 years or over after ankle fracture: the AFTER pilot randomised controlled trial. **2022**, 12, e059235 1
- 72 Clinics in Liver Disease: Update on Nonalcoholic Steatohepatitis. **2023**, 27, 275-286 ○
- 71 Living Alone and Loneliness in Predicting Health-Related Quality of Life: Results from the Healthy Aging Longitudinal Study in Taiwan (HALST). ○
- 70 Maximal calf conductance is associated with 6-minute walk distance in participants with and without peripheral artery disease. **2023**, 28, 113-121 ○
- 69 A Sensitive and Practical Evaluation to Detect Lower-Limb Strength Changes in Geriatrics: The Isometric Knee Extension Test. **2023**, 13, 2946 ○
- 68 Use of digital health technology among older cancer survivors in the United States, 2015-2021 (Preprint). ○
- 67 Novel risk-factor analysis and risk-evaluation model of falls in patients receiving maintenance hemodialysis. **2023**, 45, ○
- 66 Relationship between health literacy and physical function of patients participating in phase I cardiac rehabilitation: a multicenter clinical study. ○
- 65 Senior Health Clinic for 75-year-old home-dwelling Finns âstudy design, clinic protocol and non-response analysis. **2023**, 23, ○
- 64 Body mass index and patient-reported function, quality of life and treatment toxicity in women receiving adjuvant chemotherapy for breast cancer. **2023**, 31, ○
- 63 Assessing cognitive impairment in an ethnically diverse cohort of oldest-old: the life after 90 study. ○
- 62 Characterisation of community-dwelling older adults with poor appetite. ○

- 61 Hüfigkeit und Schweregrad von Sarkopenie bei Patient*innen mit entzündlichen und nichtentzündlichen muskuloskeletalen Erkrankungen. ○
- 60 EffectiveNess of a multimodal preHAbilitation program in patieNts with bladder canCEr undergoing radical cystectomy: protocol of the ENHANCE multicentre randomised controlled trial. **2023**, 13, e071304 ○
- 59 Physical Function Tests Are Potential Tools to Identify Low Physical Resilience in Women after Breast Cancer Treatment. **2023**, 2, 97-108 ○
- 58 Prevalence of sarcopenia in older women and level of agreement between the diagnostic instruments proposed by the European Working Group on Sarcopenia in Older People 2 (EWGSOP2). **2023**, 24, ○
- 57 Predictors of mobility status one year post hip fracture among community-dwelling older adults prior to fracture: A prospective cohort study. ○
- 56 Feasibility and usability of a digital health technology system to monitor mobility and assess medication adherence in mild-to-moderate Parkinson's disease. 14, ○
- 55 Feasibility of a Modified Otago Exercise Program for Older Adults With Cognitive Vulnerability. 073346482311630 ○
- 54 Uneven terrain versus dual-task walking: differential challenges imposed on walking behavior in older adults are predicted by cognitive and sensorimotor function. ○
- 53 The Relationship between Restrictions on Going Out and Motor Imagery among Medical University Students in JapanâResearch with Small Samples. **2023**, 13, 797 ○
- 52 Effects of a home-based, exergaming intervention on physical function and pain after total knee replacement in older adults: a randomised controlled trial. **2023**, 9, e001416 ○
- 51 Effect of Baduanjin on physical functioning and balance in adults with mild-to-moderate intellectual disabilities: A comparative study. ○
- 50 Discordance Between Self-Reported and Performance-Based Physical Function in Patients Who Have Knee Osteoarthritis: Associations With Pain Intensity and Negative Affect. **2023**, ○
- 49 Statin protects men but not women with HIV against loss of muscle mass, strength, and physical function: a pilot study. **2023**, 13, ○
- 48 A single-set functional training program increases muscle power, improves functional fitness, and reduces pro-inflammatory cytokines in postmenopausal women: A randomized clinical trial. 14, ○
- 47 High prevalence of sarcopenia and myosteatosi in patients undergoing hemodialysis. 14, ○
- 46 Social isolation and intrinsic capacity among left-behind older adults in rural China: The chain mediating effect of perceived stress and health-promoting behavior. 11, ○
- 45 Korean Working Group on Sarcopenia Guideline: Expert Consensus on Sarcopenia Screening and Diagnosis by the Korean Society of Sarcopenia, the Korean Society for Bone and Mineral Research, and the Korean Geriatrics Society. **2023**, 27, 9-21 ○
- 44 Cellular Senescence and Frailty in Transplantation. ○

- 43 Study design and methods for the pilot study of muscadine grape extract supplement to improve fatigue among older adult cancer survivors (FOCUS) trial. **2023**, 101478 ○
- 42 Program Factors Affecting Weight Loss and Mobility in Older Adults: Evidence From the Mobility and Vitality Lifestyle Program (MOVE UP). 152483992311623 ○
- 41 Characteristics of older cyclists with self-perceived needs for improvement in cycling competence: SiFAr trial. ○
- 40 Prevalence of Sarcopenia and its Risk Factors in Community-dwelling Older People during the COVID-19 Pandemic. ○
- 39 Using shoe-mounted inertial sensors and stepping exergames to assess the motor-cognitive status of older adults: A correlational study. **2023**, 9, 205520762311670 ○
- 38 Bone fragility, sarcopenia and cardiac calcifications in an elderly population: a preliminary study. ○
- 37 Dietary Protein Intake and Physical Function in Māori and Non-Māori Adults of Advanced Age in New Zealand: LiLACS NZ. **2023**, 15, 1664 ○
- 36 Visual-somatosensory integration (VSI) as a novel marker of Alzheimer's disease: A comprehensive overview of the VSI study. 15, ○
- 35 Tailored exercise management (TEMPO) versus usual care for people aged 80 years or older with hip/knee osteoarthritis: study protocol for a feasibility randomised controlled trial. **2023**, 9, ○
- 34 Clinical Effectiveness of a Supervised Exercise Therapy Program for Treatment of Peripheral Artery Disease, a Translational Study. Publish Ahead of Print, ○
- 33 Nutrition intervention informed by indirect calorimetry compared to predictive equations to achieve weight goals in geriatric rehabilitation inpatients: The NEED study. ○
- 32 Towards a core-set of mobility measures in ageing research: The need to define mobility and its constructs. **2023**, 23, ○
- 31 Exercise snacking to improve physical function in pre-frail older adult memory clinic patients: a 28-day pilot study. ○
- 30 Clinical Frailty Scale is useful in predicting return-to-home in patients admitted due to coronavirus disease. ○
- 29 Amino Acid Profiles in Older Adults with Frailty: Secondary Analysis from MetaboFrail and BIOSPHERE Studies. **2023**, 13, 542 ○
- 28 Sarcopenia and Cognitive Decline in Older Adults: Targeting the Muscle-Brain Axis. **2023**, 15, 1853 ○
- 27 Frailty in kidney transplant candidates and recipients: pathogenesis and intervention strategies. Publish Ahead of Print, ○
- 26 Sarcopenic Obesity and Risk of Disability in Community-Dwelling Japanese Older Adults: A 5-year Longitudinal Study. **2023**, ○

- 25 Walking Stability and Risk of Falls. **2023**, 10, 471 ○
- 24 Socio-economic status and trajectories of a novel multidimensional metric of Active and Healthy Ageing: the English Longitudinal Study of Ageing. **2023**, 13, ○
- 23 The Effect of Postoperative Physical Therapy Following Hip Fracture: A Literature Review. **2023**, ○
- 22 Neuromuscular assessment of force development, postural, and gait performance under cognitive-motor dual-tasking in healthy older adults and early Parkinson's disease patients: Study protocol for a cross-sectional Mobile Brain/Body Imaging (MoBI) study. 3, 58 ○
- 21 A Machine-Learning Approach to Target Clinical and Biological Features Associated with Sarcopenia: Findings from Northern and Southern Italian Aging Populations. **2023**, 13, 565 ○
- 20 A Multidomain Intervention Program for Older People with Dementia: A Pilot Study. Volume 15, 1-10 ○
- 19 Vitamin D supplementation and muscle power, strength and physical performance in older adults: a randomized controlled trial. **2023**, ○
- 18 Defying Age: can active older adults with sarcopenic obesity overcome muscle strength and physical performance losses?. ○
- 17 INFLAMMATION, MENOPAUSE, AND WOMEN'S HEALTH: A RHEUMATOLOGICAL PERSPECTIVE. **2023**, 2, 16-22 ○
- 16 Katz index of activities of daily living in assessing functional status of older people: Reliability and validity of Sinhala version. **2023**, 100134 ○
- 15 Normative values for grip strength, gait speed, timed up and go, single leg balance, and chair rise derived from the Canadian longitudinal study on ageing. **2023**, 52, ○
- 14 Mobility range, level of pain and sleep quality of patients with venous leg ulcers. ○
- 13 Deletion of quinolinate phosphoribosyltransferase gene accelerates frailty phenotypes and neuromuscular decline with aging in a sex-specific pattern. ○
- 12 Accuracy of Self-Reported Physical Capacities as a Clinical Screening Test for Older Adults With Mobility Disability. **2023**, 9, 233372142311679 ○
- 11 Pragmatic evaluation of events and benefits of lipid lowering in older adults (PREVENTABLE): Trial design and rationale. ○
- 10 Treating Incontinence for Underlying Mental and Physical Health (TRIUMPH): a study protocol for a multicenter, double-blinded, randomized, 3-arm trial to evaluate the multisystem effects of pharmacologic treatment strategies for urgency-predominant urinary incontinence in ambulatory older women. **2023**, 24, ○
- 9 Implementation, Feasibility, and Acceptability of MATCH to Prevent Iatrogenic Disability in Hospitalized Older Adults: A Question of Geriatric Care Program?. **2023**, 11, 1186 ○
- 8 Measurement of Frailty. **2023**, 39, 88-99 ○

- 7 Mobility and Frailty Rehabilitation in Older Adults. **2023**, 39, 124-130
- 6 Framework to leverage physical therapists for the assessment and treatment of chemotherapy-induced peripheral neurotoxicity (CIPN). **2023**, 31,
- 5 Use of digital health technology among older adults with cancer in the United States, 2015-2021 (Preprint).
- 4 Risk factors for postoperative delirium in elderly patients undergoing gastroenterological surgery: A single-center retrospective study.
- 3 Mitochondrial Complex Abundance, Mitophagy Proteins, and Physical Performance in People With and Without Peripheral Artery Disease. **2023**, 12,
- 2 The Clinical Phenotype of Binge Eating Disorder among Postmenopausal Women: A Pilot Study. **2023**, 15, 2087
- 1 The influence of vitamin D on handgrip strength in elderly trauma patients. **2023**, 28,