

Sequence evolution and phylogenetic signal in control-region sequences of rainbow fishes (Melanotaeniidae).

Molecular Biology and Evolution

11, 672-83

DOI: [10.1093/oxfordjournals.molbev.a040146](https://doi.org/10.1093/oxfordjournals.molbev.a040146)

Citation Report

#	ARTICLE	IF	CITATIONS
1	LIFE-HISTORY VARIATION AND COMPARATIVE PHYLOGEOGRAPHY OF DARTERS (PISCES: PERCIDAE) FROM THE NORTH AMERICAN CENTRAL HIGHLANDS. <i>Evolution; International Journal of Organic Evolution</i> , 1996, 50, 2023-2036.	2.3	34
2	Some genetic consequences of ice ages, and their role in divergence and speciation. <i>Biological Journal of the Linnean Society</i> , 1996, 58, 247-276.	1.6	2,749
3	Phylogenetic relationships within the aplocheiloid fish genus <i>Rivulus</i> (Cyprinodontiformes.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 667 Td Evolution</i> , 1996, 13, 642-649.	8.9	71
4	Mitochondrial DNA Sequence Variation among the Sand Darters (Percidae: Teleostei). , 1997, , 75-96.		13
5	Mitochondrial Control Region Sequences and Phylogenetic Systematics of Darters (Teleostei:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 582</i>	1.3	21
6	Structural conservation and variation in the mitochondrial control region of fringilline finches (<i>Fringilla</i> spp.) and the greenfinch (<i>Carduelis chloris</i>). <i>Molecular Biology and Evolution</i> , 1997, 14, 173-184.	8.9	101
7	Marmoset phylogenetics, conservation perspectives, and evolution of the mtDNA control region. <i>Molecular Biology and Evolution</i> , 1997, 14, 674-684.	8.9	78
8	PHYLOGEOGRAPHY OF THE SARDINES (<i>SARDINOPS</i> SPP.): ASSESSING BIOGEOGRAPHIC MODELS AND POPULATION HISTORIES IN TEMPERATE UPWELLING ZONES. <i>Evolution; International Journal of Organic Evolution</i> , 1997, 51, 1601-1610.	2.3	107
9	Molecules and Morphology in Studies of Fish Evolution. , 1997, , 1-11.		57
10	The Utility of Mitochondrial DNA Control Region Sequences for Analyzing Phylogenetic Relationships among Populations, Species, and Genera of the Percidae. , 1997, , 129-143.		34
11	The Phylogenetic Utility of the Mitochondrial Cytochrome b Gene for Inferring Relationships among Actinopterygian Fishes. , 1997, , 285-303.		55
12	Rapid Rate of Control-Region Evolution in Pacific Butterflyfishes (Chaetodontidae). <i>Journal of Molecular Evolution</i> , 1997, 45, 473-484.	1.8	106
13	Phylogenetic Relationships within Genus <i>Leuciscus</i> (Pisces, Cyprinidae) in Portuguese Fresh Waters, Based on Mitochondrial DNA Cytochrome b Sequences. <i>Molecular Phylogenetics and Evolution</i> , 1997, 8, 435-442.	2.7	97
14	Allozyme and DNA sequence data support speciation of Northern and Southern populations of silver catfish, <i>Schilbe intermedius</i> (Räppel, 1832). <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 1998, 120, 531-543.	1.8	2
15	Genetic differentiation and phylogenetic relationships among Greek Chub <i>Leuciscus cephalus</i> L. (Pisces, Cyprinidae) populations as revealed by RFLP analysis of mitochondrial DNA. <i>Biochemical Systematics and Ecology</i> , 1998, 26, 415-429.	1.3	21
16	Organization and Evolution of the Mitochondrial DNA Control Region in the Avian Genus <i>Alectoris</i> . <i>Journal of Molecular Evolution</i> , 1998, 47, 449-462.	1.8	173
17	Rates and patterns of mitochondrial DNA sequence evolution in fringilline finches (<i>fringilla</i> spp.) and the greenfinch (<i>Carduelis chloris</i>). <i>Molecular Biology and Evolution</i> , 1998, 15, 638-646.	8.9	24
18	Genetic divergence and phylogeographic relationships among European perch (<i>Perca fluviatilis</i>) populations reflect glacial refugia and postglacial colonization. <i>Molecular Ecology</i> , 1999, 8, 1387-1404.	3.9	207

#	ARTICLE	IF	CITATIONS
19	Population Structure and Cryptic Evolutionary Units in the Alligator Snapping Turtle. <i>Conservation Biology</i> , 1999, 13, 135-142.	4.7	68
20	Molecular Evolution, Systematics, and Zoogeography of the Rockfish Subgenus <i>Sebastomus</i> (<i>Sebastes</i> , <i>Scorpaenidae</i>) Based on Mitochondrial Cytochrome b Control Region Sequences. <i>Molecular Phylogenetics and Evolution</i> , 1999, 11, 441-458.	2.7	87
21	Comparison of Control Region Sequencing and Fragment RFLP Analysis for Resolving Mitochondrial DNA Variation and Phylogenetic Relationships among Great Lakes Walleyes. <i>Transactions of the American Fisheries Society</i> , 2000, 129, 1288-1299.	1.4	13
22	Genetic variability among endangered Chinese giant salamanders, <i>Andrias davidianus</i> . <i>Molecular Ecology</i> , 2000, 9, 1539-1547.	3.9	59
23	Mitochondrial DNA variation in European populations of <i>Silurus glanis</i> . <i>Journal of Fish Biology</i> , 2000, 56, 713-724.	1.6	24
24	High levels of mitochondrial cytochrome b divergence in annual killifishes of the genus <i>Cynolebias</i> (<i>Cyprinodontiformes</i> , <i>Rivulidae</i>). <i>Zoological Journal of the Linnean Society</i> , 2000, 129, 93-110.	2.3	23
25	Phylogeny and biogeographic history of hake (genus <i>Merluccius</i>), inferred from mitochondrial DNA control-region sequences. <i>Marine Biology</i> , 2000, 136, 163-174.	1.5	46
26	Mitochondrial DNA Phylogeny and Speciation in the <i>Tragopans</i> . <i>Auk</i> , 2000, 117, 1003-1015.	1.4	26
27	Phylogenetic relationships and historical biogeography of melanotaeniid fishes in Australia and New Guinea. <i>Marine and Freshwater Research</i> , 2000, 51, 713.	1.3	73
28	Phylogeography and population history of Atlantic mackerel (<i>Scomber scombrus</i> L.): a genealogical approach reveals genetic structuring among the eastern Atlantic stocks. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2000, 267, 281-292.	2.6	113
29	Recent radiation of Iberian barbel fish (<i>Teleostei</i> , <i>Cyprinidae</i>) inferred from cytochrome b genes. , 2000, 91, 283-288.		21
30	Divergence of the Cytochrome b Gene in the <i>Lacerta raddei</i> Complex and Its Parthenogenetic Daughter Species: Evidence for Recent Multiple Origins. <i>Copeia</i> , 2000, 2000, 432-440.	1.3	59
31	Molecular phylogeny of Philippine freshwater sardines based on mitochondrial DNA analysis. , 2000, 91, 247-253.		12
32	Evolution of the Mitochondrial DNA Control Region and Cytochrome b Genes and the Inference of Phylogenetic Relationships in the Avian Genus <i>Lophura</i> (<i>Galliformes</i>). <i>Molecular Phylogenetics and Evolution</i> , 2001, 19, 187-201.	2.7	47
33	Historical interdrainage dispersal of eastern rainbowfish from the Atherton Tableland, north-eastern Australia. <i>Journal of Fish Biology</i> , 2001, 58, 1125-1136.	1.6	13
34	The crocodylian mitochondrial control region: general structure, conserved sequences, and evolutionary implications. <i>The Journal of Experimental Zoology</i> , 2002, 294, 334-345.	1.4	49
35	Molecular phylogeny of the lionfish genera <i>Dendrochirus</i> and <i>Pterois</i> (<i>Scorpaenidae</i> , <i>Pteroinae</i>) based on mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 396-403.	2.7	79
36	Are the native giant tortoises from the Seychelles really extinct? A genetic perspective based on mtDNA and microsatellite data. <i>Molecular Ecology</i> , 2003, 12, 1403-1413.	3.9	28

#	ARTICLE	IF	CITATIONS
37	Insight into the phylogeny of African Clariidae (Teleostei, Siluriformes): Implications for their body shape evolution, biogeography, and taxonomy. <i>Molecular Phylogenetics and Evolution</i> , 2005, 36, 546-553.	2.7	51
38	Phylogenetic Analysis of Hampala Fishes (Subfamily Cyprininae) in Malaysia Inferred from Partial Mitochondrial Cytochrome b DNA Sequences. <i>Zoological Science</i> , 2006, 23, 893-901.	0.7	30
39	Comparison of evolutionary rates in the mitochondrial DNA cytochrome b gene and control region and their implications for phylogeny of the Cobitoidea (Teleostei: Cypriniformes). <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 347-357.	2.7	127
40	Differential population structuring and demographic history of two closely related fish species, Japanese sea bass (<i>Lateolabrax japonicus</i>) and spotted sea bass (<i>Lateolabrax maculatus</i>) in Northwestern Pacific. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 799-811.	2.7	155
41	Late Pleistocene divergence and subsequent population expansion of two closely related fish species, Japanese anchovy (<i>Engraulis japonicus</i>) and Australian anchovy (<i>Engraulis australis</i>). <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 712-723.	2.7	107
42	Shallow mtDNA Coalescence in Atlantic Pygmy Angelfishes (Genus <i>Centropyge</i>) Indicates a Recent Invasion from the Indian Ocean. <i>Journal of Heredity</i> , 2006, 97, 1-12.	2.4	160
43	Phylogeography and demographic history of the deep-sea fish <i>Aphanopus carbo</i> (Lowe, 1839) in the NE Atlantic: Vicariance followed by secondary contact or speciation?. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 38-46.	2.7	43
44	The cyprinodont fish <i>Rivulus</i> (Aplocheiloidei: Rivulidae) in Trinidad and Tobago: molecular evidence for marine dispersal, genetic isolation and local differentiation. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2007, 46, 070907105857005-???	1.4	7
45	Evolutionary Distinctiveness and Status of the Endangered Lake Eacham Rainbowfish (<i>Melanotaenia tj EQq0 0.0 rgBT / Overlock 10 T</i>)	4.7	5
46	Morphological and molecular classifications of genus <i>pholis</i> . <i>Animal Cells and Systems</i> , 2009, 13, 453-460.	2.2	0
47	Comparison of the genetic relationships and osteological aspects in six branchiostegid fish species (perciformes). <i>Animal Cells and Systems</i> , 2009, 13, 323-329.	2.2	3
48	Comparing the performance of multiple mitochondrial genes in the analysis of Australian freshwater fishes. <i>Journal of Fish Biology</i> , 2010, 77, 2093-2122.	1.6	27
49	Allele-specific PCR genotyping of the HSP70 gene polymorphism discriminating the green and red color variants sea cucumber (<i>Apostichopus japonicus</i>). <i>Journal of Genetics and Genomics</i> , 2011, 38, 351-5.	3.9	9
50	Population genetic structure and demographic history of the fat greenling <i>Hexagrammos otakii</i> . <i>Genes and Genomics</i> , 2011, 33, 413-423.	1.4	22
51	Genetic divergence and molecular phylogenetics of <i>Puntius</i> spp. based on the mitochondrial cytochrome <i>b</i> gene. <i>Mitochondrial DNA</i> , 2012, 23, 477-483.	0.6	11
52	Morphological taxonomy and molecular divergence of four balitorid species (subfamily: Nemachelinae) from Central Himalaya, India. <i>Mitochondrial DNA</i> , 2012, 23, 239-249.	0.6	2
53	Phylogeny and biogeography of rainbowfishes (Melanotaeniidae) from Australia and New Guinea. <i>Molecular Phylogenetics and Evolution</i> , 2013, 67, 15-27.	2.7	81
54	Phylogenetic and biogeographical relationships of the <i>Sander</i> pikeperches (Percidae: <i>Tj EQq1 1 0.784314 rgBT / Overlock 10 T</i>)	1.6	32
	2013, 110, 156-179.		

#	ARTICLE	IF	CITATIONS
55	Pronounced population genetic differentiation in the rock bream <i>Oplegnathus fasciatus</i> inferred from mitochondrial DNA sequences. <i>Mitochondrial DNA</i> , 2014, 27, 1-8.	0.6	9
56	Genetic diversity and population structure of the gizzard shad, <i>Konosirus punctatus</i> (Clupeidae). <i>TJ ETQq1 1 0.784314 rgBT /Overlock</i> 2014, 36, 591-598.	1.4	24
57	Population panmixia and the Pleistocene demographic expansion of spotty belly greenling <i>Hexagrammos agrammus</i> in the East Sea and Northwest Pacific. <i>Ocean Science Journal</i> , 2015, 50, 143-154.	1.3	5
58	Multi-locus fossil-calibrated phylogeny of Atheriniformes (Teleostei, Ovalentaria). <i>Molecular Phylogenetics and Evolution</i> , 2015, 86, 8-23.	2.7	63
59	Significant population genetic structure detected in the small yellow croaker <i>Larimichthys polyactis</i> inferred from mitochondrial control region. <i>Mitochondrial DNA</i> , 2015, 26, 409-419.	0.6	9
60	Genetic diversity and population structure of <i>Hyporhamphus sajori</i> (Teleostei: Atheriniformes) markers. <i>Journal of Fish Biology</i> , 2016, 89, 2607-2624.	1.6	9
61	Molecular systematics of the freshwater stingrays (myliobatiformes: potamotrygonidae) of the Amazon, Orinoco, Magdalena, Esequibo, Caribbean, and Maracaibo basins (Colombia & Venezuela): evidence from three mitochondrial genes. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016, 27, 4479-4491.	0.7	13
62	Extremely low genetic diversity of mtDNA control region and remarkable population differentiation of <i>Ichthyophis bannanicus</i> (Amphibia: Gymnophiona). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2017, 28, 98-103.	0.7	1
63	Evidence of shallow mitochondrial divergence in the slender armorhead, <i>Pentaceros wheeleri</i> (Pisces, Pentaceroptidae) from the Emperor Seamount Chain. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2018, 29, 1156-1164.	0.7	1
64	Levels and patterns of genetic variation in Japanese whiting (<i>Sillago japonica</i>) based on mitochondrial DNA control region. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2019, 30, 172-183.	0.7	12
65	Structure, evolution and phylogenetic informativeness of eelpouts (Cottoidei: Zoarcales) mitochondrial control region sequences. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2019, 30, 264-272.	0.7	5
66	Evidence of Interspecific Chromosomal Diversification in Rainbowfishes (Melanotaeniidae, Teleostei). <i>Genes</i> , 2020, 11, 818.	2.4	3
67	Feasibility of melting fingerprint obtained from ISSR-HRM curves for marine mammal species identification. <i>PeerJ</i> , 2021, 9, e11689.	2.0	3
68	Contrasting Genetic Structures Among Populations of Two Hexagrammid Fish Species in the Northwestern Pacific. <i>Ocean Science Journal</i> , 2021, 56, 275-286.	1.3	1
69	Matrilineal evidence for genetic structure and Late Pleistocene demographic expansion of the Ornate goby <i>Istigobius ornatus</i> (Teleostei: Gobiidae) in the Persian Gulf and Oman Sea. <i>Marine Ecology</i> , 2021, 42, .	1.1	3
70	Evolutionary Distinctiveness and Status of the Endangered Lake Eacham Rainbowfish (<i>Melanotaenia</i>) <i>TJ ETQq1 1 0.784314 rgBT /Overlock</i> 2023	4.7	23
71	Identification of the rainbowfish in Lake Eacham using DNA sequencing. <i>Australian Journal of Zoology</i> , 2012, 60, 334.	1.0	3
72	Cryptic Diversity in Indo-Australian Rainbowfishes Revealed by DNA Barcoding: Implications for Conservation in a Biodiversity Hotspot Candidate. <i>PLoS ONE</i> , 2012, 7, e40627.	2.5	31

#	ARTICLE	IF	CITATIONS
73	MITOCHONDRIAL DNA PHYLOGENY AND SPECIATION IN THE TRAGOPANS. <i>Auk</i> , 2000, 117, 1003.	1.4	34
74	Shallow genetic structure of 3 species of the genus <i>Trachurus</i> in European waters. <i>Marine Ecology - Progress Series</i> , 2004, 281, 193-205.	1.9	33
75	Demographic history and population genetic analysis of <i>Decapterus maruadsi</i> from the northern South China Sea based on mitochondrial control region sequence. <i>PeerJ</i> , 2019, 7, e7953.	2.0	10
76	Genetic structure of two sympatric gudgeon fishes (<i>Xenophysogobio boulengeri</i> and <i>X.</i>) <i>Tj ETQq1 1 0.784314 rgBT 3 Overloc</i>	2.0	3
78	Multiple genetic lineages of anadromous migratory Mekong catfish <i>Pangasius krempfi</i> revealed by mtDNA control region and cytochrome <i>b</i> . <i>Ecology and Evolution</i> , 2023, 13, .	1.9	1