

# CITATION REPORT

List of articles citing

Hypoxia-inducible factor 1 is a basic-helix-loop-helix-PAS heterodimer regulated by cellular O<sub>2</sub> tension

DOI: 10.1073/pnas.92.12.5510

Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 5510-4.

**Source:** <https://exaly.com/paper-pdf/25657930/citation-report.pdf>

**Version:** 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2326	Microanatomy and possible clinical significance of anastomoses among hypothalamic arteries. <b>1989</b> , 20, 1341-52		34
2325	Analysis of hypoxia-associated gene expression in prostate cancer: lysyl oxidase and glucose transporter-1 expression correlate with Gleason score. <b>1994</b> , 20, 1561		3
2324	The C1772T genetic polymorphism in human HIF-1 $\beta$ gene associates with expression of HIF-1 $\beta$ protein in breast cancer. <b>1994</b> , 20, 1181		0
2323	Guggulsterone inhibits angiogenesis by blocking STAT3 and VEGF expression in colon cancer cells. <b>1994</b> , 20, 1321		5
2322	Effect of hypoxia and re-oxygenation on cell invasion and adhesion in human ovarian carcinoma cells. <b>1994</b> , 20, 803		2
2321	Evolutionary conservation of the vertebrate Ah (dioxin) receptor: amplification and sequencing of the PAS domain of a teleost Ah receptor cDNA. <b>1995</b> , 310 ( Pt 2), 383-7		55
2320	Hypoxia and mitochondrial inhibitors regulate expression of glucose transporter-1 via distinct Cis-acting sequences. <b>1995</b> , 270, 29083-9		395
2319	The transcription factors ATF-1 and CREB-1 bind constitutively to the hypoxia-inducible factor-1 (HIF-1) DNA recognition site. <b>1995</b> , 23, 4542-50		207
2318	The basic helix-loop-helix/PAS factor Sim is associated with hsp90. Implications for regulation by interaction with partner factors. <b>1995</b> , 270, 31353-7		62
2317	Molecular control of circadian rhythms. <b>1995</b> , 5, 662-8		49
2316	Mitochondrial genome deletions in the brain and their role in neurodegenerative diseases. <b>1995</b> , 7, 385-398		3
2315	The <i>Drosophila melanogaster</i> similar bHLH-PAS gene encodes a protein related to human hypoxia-inducible factor 1 alpha and <i>Drosophila</i> single-minded. <b>1996</b> , 172, 249-54		77
2314	<i>Drosophila melanogaster</i> SL2 cells contain a hypoxically inducible DNA binding complex which recognises mammalian HIF-binding sites. <b>1996</b> , 387, 161-6		45
2313	Evidence of hypoxia-inducible factor-1 in vascular endothelial and smooth muscle cells. <b>1996</b> , 220, 687-91		12
2312	Nucleotide sequence, chromosomal assignment and mRNA expression of mouse hypoxia-inducible factor-1 alpha. <b>1996</b> , 223, 54-9		108
2311	Cloning and selective expression in brain and kidney of ARNT2 homologous to the Ah receptor nuclear translocator (ARNT). <b>1996</b> , 225, 333-9		81
2310	In vivo expression of mRNAs encoding hypoxia-inducible factor 1. <b>1996</b> , 225, 485-8		545

2309	The role of the aryl hydrocarbon receptor nuclear translocator (ARNT) in hypoxic induction of gene expression. Studies in ARNT-deficient cells. <b>1996</b> , 271, 15117-23		211
2308	Hypoxia-inducible factor 1 levels vary exponentially over a physiologically relevant range of O <sub>2</sub> tension. <b>1996</b> , 271, C1172-80		914
2307	Muscle tissue adaptations of high-altitude natives to training in chronic hypoxia or acute normoxia. <b>1996</b> , 81, 1946-51		70
2306	cDNA cloning and tissue-specific expression of a novel basic helix-loop-helix/PAS factor (Arnt2) with close sequence similarity to the aryl hydrocarbon receptor nuclear translocator (Arnt). <b>1996</b> , 16, 1706-13		221
2305	Functional interference between hypoxia and dioxin signal transduction pathways: competition for recruitment of the Arnt transcription factor. <b>1996</b> , 16, 5221-31		376
2304	Two new members of the murine Sim gene family are transcriptional repressors and show different expression patterns during mouse embryogenesis. <b>1996</b> , 16, 5865-75		143
2303	Oxygen sensing and response to hypoxia by mammalian cells. <b>1996</b> , 2, 89-96		30
2302	Isoenzyme-specific regulation of genes involved in energy metabolism by hypoxia: similarities with the regulation of erythropoietin. <b>1996</b> , 313 ( Pt 3), 809-14		135
2301	An essential role for p300/CBP in the cellular response to hypoxia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1996</b> , 93, 12969-73	11.5	619
2300	The nuclear hormone receptor coactivator SRC-1 is a specific target of p300. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1996</b> , 93, 10626-31	11.5	398
2299	Ah receptor signaling pathways. <b>1996</b> , 12, 55-89		767
2298	Transcriptional regulation by hypoxia-inducible factor 1 molecular mechanisms of oxygen homeostasis. <b>1996</b> , 6, 151-7		99
2297	Identification of hypoxically inducible mRNAs in HeLa cells using differential-display PCR. Role of hypoxia-inducible factor-1. <b>1996</b> , 241, 403-10		82
2296	Erythropoietin in the control of red cell production. <b>1996</b> , 178, 391-403		51
2295	Erythropoietin gene expression in human, monkey and murine brain. <b>1996</b> , 8, 666-76		477
2294	Tubulogenesis in <i>Drosophila</i> : a requirement for the tracheless gene product. <b>1996</b> , 10, 103-17		213
2293	Induction of phosphoglycerate kinase 1 gene expression by hypoxia. Roles of Arnt and HIF1alpha. <b>1996</b> , 271, 21262-7		125
2292	Mapping the protein/DNA contact sites of the Ah receptor and Ah receptor nuclear translocator. <b>1996</b> , 271, 31657-65		42

2291	Differential expression of lacZ in the liver and kidney of transgenic mice carrying chimeric lacZ-erythropoietin gene constructs with or without its 1.2 kb 3'-flanking sequence. <b>1996</b> , 24, 3621-8	2
2290	Functional characterization of DNA-binding domains of the subunits of the heterodimeric aryl hydrocarbon receptor complex imputing novel and canonical basic helix-loop-helix protein-DNA interactions. <b>1996</b> , 271, 8843-50	56
2289	Characterization of an upstream activation sequence and two Rox1p-responsive sites controlling the induction of the yeast HEM13 gene by oxygen and heme deficiency. <b>1996</b> , 271, 24425-32	21
2288	Interactions of Procarcinogenic Heterocyclic Amines and Indolocarbazoles with the Dioxin Receptor. <b>1996</b> , 377, 741-762	
2287	Hypoxia response elements in the aldolase A, enolase 1, and lactate dehydrogenase A gene promoters contain essential binding sites for hypoxia-inducible factor 1. <b>1996</b> , 271, 32529-37	1241
2286	Dimerization, DNA binding, and transactivation properties of hypoxia-inducible factor 1. <b>1996</b> , 271, 17771-8	804
2285	Activation of hypoxia-inducible transcription factor depends primarily upon redox-sensitive stabilization of its alpha subunit. <b>1996</b> , 271, 32253-9	911
2284	The role of the near upstream sequence in hypoxia-induced expression of the erythropoietin gene. <b>1996</b> , 24, 4768-74	17
2283	Isolation and expression of cDNAs from rainbow trout ( <i>Oncorhynchus mykiss</i> ) that encode two novel basic helix-loop-Helix/PER-ARNT-SIM (bHLH/PAS) proteins with distinct functions in the presence of the aryl hydrocarbon receptor. Evidence for alternative mRNA splicing and dominant negative activity in the bHLH/PAS family. <b>1996</b> , 271, 30886-96	69
2282	trachealess encodes a bHLH-PAS protein that is an inducer of tracheal cell fates in <i>Drosophila</i> . <b>1996</b> , 10, 93-102	220
2281	Activation of vascular endothelial growth factor gene transcription by hypoxia-inducible factor 1. <b>1996</b> , 16, 4604-13	3219
2280	Cloning of two human homologs of the <i>Drosophila</i> single-minded gene SIM1 on chromosome 6q and SIM2 on 21q within the Down syndrome chromosomal region. <b>1997</b> , 7, 615-24	57
2279	Regulation of Angiogenesis. <b>1997</b> ,	3
2278	Inhibition of the transcription of CYP1A1 gene by the upstream stimulatory factor 1 in rabbits. Competitive binding of USF1 with AhR.ArnT complex. <b>1997</b> , 272, 30025-31	39
2277	Regulation of dioxin receptor function by omeprazole. <b>1997</b> , 272, 12705-13	64
2276	Transactivation and inhibitory domains of hypoxia-inducible factor 1alpha. Modulation of transcriptional activity by oxygen tension. <b>1997</b> , 272, 19253-60	473
2275	Hypoxia-inducible Factor-1 Mediates Transcriptional Activation of the Heme Oxygenase-1 Gene in Response to Hypoxia. <b>1997</b> , 272, 5375-5381	572
2274	Functional requirement of the hypoxia-responsive element in the activation of the inducible nitric oxide synthase promoter by the iron chelator desferrioxamine. <b>1997</b> , 272, 12236-43	164

2273	A nuclear localization signal of human aryl hydrocarbon receptor nuclear translocator/hypoxia-inducible factor 1beta is a novel bipartite type recognized by the two components of nuclear pore-targeting complex. <b>1997</b> , 272, 17640-7	96
2272	Dual control of glut1 glucose transporter gene expression by hypoxia and by inhibition of oxidative phosphorylation. <b>1997</b> , 272, 5555-62	132
2271	The PAS domain confers target gene specificity of Drosophila bHLH/PAS proteins. <b>1997</b> , 11, 2079-89	117
2270	Characterization of a subset of the basic-helix-loop-helix-PAS superfamily that interacts with components of the dioxin signaling pathway. <b>1997</b> , 272, 8581-93	377
2269	Carbon monoxide controls the proliferation of hypoxic vascular smooth muscle cells. <b>1997</b> , 272, 32804-9	263
2268	Endothelial PAS domain protein 1 (EPAS1), a transcription factor selectively expressed in endothelial cells. <b>1997</b> , 11, 72-82	984
2267	Two murine homologs of the Drosophila single-minded protein that interact with the mouse aryl hydrocarbon receptor nuclear translocator protein. <b>1997</b> , 272, 4451-7	71
2266	A gene therapy approach to regulated delivery of erythropoietin as a function of oxygen tension. <b>1997</b> , 8, 1881-9	84
2265	Oxygen-regulated transferrin expression is mediated by hypoxia-inducible factor-1. <b>1997</b> , 272, 20055-62	289
2264	Studies on Hypoxic Gene Regulation and its Application for Animal Cell Technology to Produce Recombinant Proteins. <b>1997</b> , 71, 1253-1264	
2263	In vivo analysis of DNA-protein interactions on the human erythropoietin enhancer. <b>1997</b> , 17, 851-6	22
2262	The murine Sim-2 gene product inhibits transcription by active repression and functional interference. <b>1997</b> , 17, 4933-47	78
2261	Ah receptor, a novel ligand-activated transcription factor. <b>1997</b> , 122, 1075-9	157
2260	CBP/p300 functions as a possible transcriptional coactivator of Ah receptor nuclear translocator (Arnt). <b>1997</b> , 122, 703-10	143
2259	Activator-protein-1 binding potentiates the hypoxia-induciblefactor-1-mediated hypoxia-induced transcriptional activation of vascular-endothelial growth factor expression in C6 glioma cells. <b>1997</b> , 327 ( Pt 2), 419-23	177
2258	Apoptosis in the heart. <b>1997</b> , 41, 383-407	26
2257	Molecular characterization of two mammalian bHLH-PAS domain proteins selectively expressed in the central nervous system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 713-8	11.5 164
2256	Hypoxia-inducible factor-1 modulates gene expression in solid tumors and influences both angiogenesis and tumor growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 8104-9	11.5 1076

2255	Determination of aryl hydrocarbon receptor nuclear translocator protein concentration and subcellular localization in hepatic and nonhepatic cell culture lines: development of quantitative Western blotting protocols for calculation of aryl hydrocarbon receptor and aryl hydrocarbon receptor nuclear translocator protein in total cell lysates. <b>1997</b> , 52, 202-11		82
2254	Activation of hypoxia-inducible factor 1alpha: posttranscriptional regulation and conformational change by recruitment of the Arnt transcription factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 5667-72	11.5	330
2253	c-Myc transactivation of LDH-A: implications for tumor metabolism and growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 6658-63	11.5	817
2252	A novel bHLH-PAS factor with close sequence similarity to hypoxia-inducible factor 1alpha regulates the VEGF expression and is potentially involved in lung and vascular development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 4273-8	11.5	835
2251	The biology of vascular endothelial growth factor. <b>1997</b> , 18, 4-25		3402
2250	Ah receptor nuclear translocator protein heterogeneity is altered after heterodimerization with the Ah receptor. <b>1997</b> , 36, 9066-72		15
2249	Induction of drug-metabolizing enzymes by dioxin. <b>1997</b> , 29, 1107-27		71
2248	A hot spot for hydrogen peroxide-induced damage in the human hypoxia-inducible factor 1 binding site of the PGK 1 gene. <b>1997</b> , 338, 207-12		24
2247	cDNA cloning and tissue-specific expression of a novel basic helix-loop-helix/PAS protein (BMAL1) and identification of alternatively spliced variants with alternative translation initiation site usage. <b>1997</b> , 233, 258-64		168
2246	Cardiac expressions of HIF-1 alpha and HLF/EPAS, two basic loop helix/PAS domain transcription factors involved in adaptative responses to hypoxic stresses. <b>1997</b> , 240, 552-6		41
2245	Co-transactivation of the 3' erythropoietin hypoxia inducible enhancer by the HIF-1 protein. <b>1997</b> , 23, 169-76		13
2244	Electron microscopic localization of lacZ expression in the proximal convoluted tubular cells of the kidney in transgenic mice carrying chimeric erythropoietin/lacZ gene constructs. <b>1997</b> , 118, 220-5		10
2243	The hypoxic response: huffing and HIFing. <b>1997</b> , 89, 9-12		408
2242	Regulation of gene expression by hypoxia: a molecular approach. <b>1997</b> , 110, 87-97		15
2241	Aryl hydrocarbon receptor-mediated signal transduction. <b>1997</b> , 27, 109-34		395
2240	HRF, a putative basic helix-loop-helix-PAS-domain transcription factor is closely related to hypoxia-inducible factor-1 alpha and developmentally expressed in blood vessels. <b>1997</b> , 63, 51-60		316
2239	Glycemia-lowering effect of cobalt chloride in the diabetic rat: increased GLUT1 mRNA expression. <b>1997</b> , 133, 151-60		37
2238	Single-minded--two genes, three chromosomes. <b>1997</b> , 7, 569-71		11

2237	Regulated expression of a foreign gene targeted to the ischaemic myocardium. <b>1997</b> , 35, 567-74	44
2236	Molecular evolution of two vertebrate aryl hydrocarbon (dioxin) receptors (AHR1 and AHR2) and the PAS family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 13743-8	11.5 239
2235	Developmental regulation of erythropoietin and erythropoiesis. <b>1997</b> , 273, R1829-44	57
2234	Role of Oncogenic Transcription Factor c-Myc in Cell Cycle Regulation, Apoptosis and Metabolism. <b>1997</b> , 4, 269-278	1
2233	Induction of Vascular Endothelial Growth Factor by Hypoxia Is Modulated by a Phosphatidylinositol 3-Kinase/Akt Signaling Pathway in Ha-ras-Transformed Cells Through a Hypoxia Inducible Factor-1 Transcriptional Element. <b>1997</b> , 90, 3322-3331	407
2232	Induction of Hypoxia-Inducible Factor-1, Erythropoietin, Vascular Endothelial Growth Factor, and Glucose Transporter-1 by Hypoxia: Evidence Against a Regulatory Role for Src Kinase. <b>1997</b> , 89, 503-509	129
2231	Activation of hypoxia-inducible factor-1; definition of regulatory domains within the alpha subunit. <b>1997</b> , 272, 11205-14	372
2230	Induction of vascular endothelial growth factor by nitric oxide in human glioblastoma and hepatocellular carcinoma cells. <b>1997</b> , 15, 437-42	152
2229	Targeting gene expression to hypoxic tumor cells. <b>1997</b> , 3, 515-20	332
2228	Abnormal angiogenesis and responses to glucose and oxygen deprivation in mice lacking the protein ARNT. <b>1997</b> , 386, 403-7	638
2227	Role of oxygen in the zonation of carbohydrate metabolism and gene expression in liver. <b>1997</b> , 51, 402-12	68
2226	Cobalt chloride and desferrioxamine antagonize the inhibition of erythropoietin production by reactive oxygen species. <b>1997</b> , 51, 492-6	64
2225	Effects of antioxidant vitamins on renal and hepatic erythropoietin production. <b>1997</b> , 51, 497-501	38
2224	Oxygen regulated gene expression: erythropoietin as a model system. <b>1997</b> , 51, 514-26	37
2223	Diminution of the O <sub>2</sub> responsiveness of the glucagon-dependent activation of the phosphoenolpyruvate carboxykinase gene in rat hepatocytes by long-term culture at venous PO <sub>2</sub> . <b>1997</b> , 51, 542-7	4
2222	Erythropoietin gene regulation depends on heme-dependent oxygen sensing and assembly of interacting transcription factors. <b>1997</b> , 51, 548-52	57
2221	Complex role of protein phosphorylation in gene activation by hypoxia. <b>1997</b> , 51, 556-9	57
2220	Hypoxia-inducible factor-1 alpha is regulated at the post-mRNA level. <b>1997</b> , 51, 560-3	106

2219	The hypoxia-inducible factor-1 DNA recognition site is cAMP-responsive. <b>1997</b> , 51, 564-6	43
2218	Oxygen- and dioxin-regulated gene expression in mouse hepatoma cells. <b>1997</b> , 51, 567-74	67
2217	Regulation of vascular endothelial growth factor by hypoxia and its modulation by the von Hippel-Lindau tumor suppressor gene. <b>1997</b> , 51, 575-8	64
2216	Interaction of erythropoietin RNA binding protein with erythropoietin RNA requires an association with heat shock protein 70. <b>1997</b> , 51, 579-84	16
2215	PAS domain S-boxes in Archaea, Bacteria and sensors for oxygen and redox. <b>1997</b> , 22, 331-3	362
2214	A point mutation responsible for defective function of the aryl-hydrocarbon-receptor nuclear translocator in mutant Hepa-1c1c7 cells. <b>1997</b> , 246, 486-95	56
2213	Role of protein-phosphorylation events in the anoxia signal-transduction pathway leading to the inhibition of total protein synthesis in isolated hepatocytes. <b>1997</b> , 249, 121-6	14
2212	The mouse gene for hypoxia-inducible factor-1alpha--genomic organization, expression and characterization of an alternative first exon and 5' flanking sequence. <b>1997</b> , 246, 155-65	41
2211	White collar 2, a partner in blue-light signal transduction, controlling expression of light-regulated genes in <i>Neurospora crassa</i> . <b>1997</b> , 16, 98-109	277
2210	Hypoxia-inducible factor 1 alpha (HIF-1alpha) protein is rapidly degraded by the ubiquitin-proteasome system under normoxic conditions. Its stabilization by hypoxia depends on redox-induced changes. <b>1997</b> , 272, 22642-7	1234
2209	Quantitation of vascular endothelial growth factor mRNA levels in human breast tumors and metastatic lymph nodes. <b>1997</b> , 64, 41-51	5
2208	Expression of the aryl hydrocarbon receptor (AhR) and AhR nuclear translocator during chick cardiogenesis is consistent with 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced heart defects. <b>1997</b> , 143, 407-19	71
2207	Hypoxia downregulates continuous and interleukin-1-induced expression of human chorionic gonadotropin in choriocarcinoma cells. <b>1997</b> , 18, 597-604	22
2206	Modulation by oxygen of zonal gene expression in liver studied in primary rat hepatocyte cultures. <b>1997</b> , 13, 243-55	42
2205	Effect of hypoxia duration on the oxygen-dependent production of a recombinant protein, $\beta$ -galactosidase, by an animal cell line, F6D2, with a hypoxia-inducible enhancer. <b>1997</b> , 25, 71-7	2
2204	Oncogenes in tumor metabolism, tumorigenesis, and apoptosis. <b>1997</b> , 29, 345-54	89
2203	Role of Oncogenic Transcription Factor c-Myc in Cell Cycle Regulation, Apoptosis and Metabolism. <b>1997</b> , 4, 269-278	29
2202	Molecular mechanisms of vasculogenesis and embryonic angiogenesis. <b>1997</b> , 173, 206-10	309



2201	The molecular basis of the hypoxia response pathway: tumour hypoxia as a therapy target. <b>1998</b> , 17, 187-94		102
2200	HIF-1 alpha is required for solid tumor formation and embryonic vascularization. <b>1998</b> , 17, 3005-15		1199
2199	Insulin induces transcription of target genes through the hypoxia-inducible factor HIF-1alpha/ARNT. <b>1998</b> , 17, 5085-94		444
2198	Signal transduction in hypoxic cells: inducible nuclear translocation and recruitment of the CBP/p300 coactivator by the hypoxia-inducible factor-1alpha. <b>1998</b> , 17, 6573-86		484
2197	Mitochondrial reactive oxygen species trigger hypoxia-induced transcription. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 11715-20	11.5	1513
2196	Hypoxic stabilization of vascular endothelial growth factor mRNA by the RNA-binding protein HuR. <b>1998</b> , 273, 6417-23		515
2195	Correlation of 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced apoptotic cell death in the embryonic vasculature with embryotoxicity. <b>1998</b> , 148, 24-34		133
2194	Responsiveness of the adult male rat reproductive tract to 2,3,7,8-tetrachlorodibenzo-p-dioxin exposure: Ah receptor and ARNT expression, CYP1A1 induction, and Ah receptor down-regulation. <b>1998</b> , 150, 228-39		76
2193	Stabilization of wild-type p53 by hypoxia-inducible factor 1alpha. <b>1998</b> , 392, 405-8		742
2192	Enhanced responses to a DNA vaccine encoding a fusion antigen that is directed to sites of immune induction. <b>1998</b> , 392, 408-11		226
2191	Transcriptional activation of cytochrome P450 genes by different classes of chemical inducers. <b>1998</b> , 25, 1-9		62
2190	Regulation and formation of the Drosophila salivary glands. <b>1998</b> , 842, 55-69		11
2189	Cardiac hypertrophy in chronically anemic fetal sheep: Increased vascularization is associated with increased myocardial expression of vascular endothelial growth factor and hypoxia-inducible factor 1. <b>1998</b> , 178, 527-34		129
2188	Hypoxia-inducible factor 1 and the molecular physiology of oxygen homeostasis. <b>1998</b> , 131, 207-14		169
2187	Hypoxia and the regulation of gene expression. <b>1998</b> , 4, 122-9		105
2186	The Elongin BC complex and the von Hippel-Lindau tumor suppressor protein. <b>1998</b> , 1377, M49-54		16
2185	Hypoxia and molecular cardiovascular medicine. <b>1998</b> , 8, 24-33		13
2184	Hypoxic regulation of VEGF mRNA stability by RNA-binding proteins. <b>1998</b> , 8, 246-50		50

2183	Microenvironmental control of gene expression: implications for tumor angiogenesis, progression, and metastasis. <b>1998</b> , 8, 208-16	82
2182	Differential induction of Cyp1a1, Cyp1b1, Ahd4, and Nmo1 in murine skin tumors and adjacent normal epidermis by ligands of the aryl hydrocarbon receptor. <b>1998</b> , 21, 135-46	15
2181	Transcriptional regulation of metabolic processes: implications for cardiac metabolism. <b>1998</b> , 437, 2-14	63
2180	Expression of hypoxia-inducible genes in tumor cells. <b>1998</b> , 124, 315-20	71
2179	Oxygen, genes, and development: an analysis of the role of hypoxic gene regulation during murine vascular development. <b>1998</b> , 76, 391-401	102
2178	Studies of type IV collagenase regulation by hypoxia. <b>1998</b> , 124, 127-33	32
2177	Evidence for mRNA expression of vascular endothelial growth factor by X-ray irradiation in a lung squamous carcinoma cell line. <b>1998</b> , 132, 75-80	25
2176	Induction of hypoxia inducible factor 1 by oxygen glucose deprivation is attenuated by hypoxic preconditioning in rat cultured neurons. <b>1998</b> , 254, 117-20	87
2175	Integrating metabolic pathway fluxes with gene-to-enzyme expression rates. <b>1998</b> , 120, 17-26	26
2174	The multiple sclerosis lesion: initiated by a localized hypoperfusion in a central nervous system where mechanisms allowing leukocyte infiltration are readily upregulated?. <b>1998</b> , 51, 299-303	13
2173	Cellular and developmental control of O <sub>2</sub> homeostasis by hypoxia-inducible factor 1 alpha. <b>1998</b> , 12, 149-62	1842
2172	Oxygen radicals and signaling. <b>1998</b> , 10, 248-53	960
2171	Hypoxia-inducible factor 1: master regulator of O <sub>2</sub> homeostasis. <b>1998</b> , 8, 588-94	884
2170	The aryl hydrocarbon receptor: a comparative perspective. <b>1998</b> , 121, 23-53	182
2169	Expression of ARNT, ARNT2, HIF1 alpha, HIF2 alpha and Ah receptor mRNAs in the developing mouse. <b>1998</b> , 73, 117-23	284
2168	Selection and analysis of a mutant cell line defective in the hypoxia-inducible factor-1 alpha-subunit (HIF-1alpha). Characterization of hif-1alpha-dependent and -independent hypoxia-inducible gene expression. <b>1998</b> , 273, 8360-8	161
2167	Mechanisms of ligand-induced aryl hydrocarbon receptor-mediated biochemical and toxic responses. <b>1998</b> , 26, 657-71	111
2166	Expression of functional aromatic hydrocarbon receptor and aromatic hydrocarbon nuclear translocator proteins in murine bone marrow stromal cells. <b>1998</b> , 352, 9-18	21

2165	Transcriptionally active heterodimer formation of an Arnt-like PAS protein, Arnt3, with HIF-1a, HLF, and clock. <b>1998</b> , 248, 789-94		116
2164	Depletion of arylhydrocarbon receptor during adipose differentiation in 3T3-L1 cells. <b>1998</b> , 249, 131-7		34
2163	Hypoxia exerts cell-type-specific effects on expression of the class 3 aldehyde dehydrogenase gene. <b>1998</b> , 249, 709-12		13
2162	Regulation of the Drosophila bHLH-PAS protein Sima by hypoxia: functional evidence for homology with mammalian HIF-1 alpha. <b>1998</b> , 249, 811-6		67
2161	Daily cycle of bHLH-PAS proteins, Ah receptor and Arnt, in multiple tissues of female Sprague-Dawley rats. <b>1998</b> , 252, 225-31		51
2160	Prevention of hypoxia-induced apoptosis by the angiogenic factor thymidine phosphorylase. <b>1998</b> , 253, 797-803		94
2159	The human hypoxia-inducible factor 1alpha gene: HIF1A structure and evolutionary conservation. <b>1998</b> , 52, 159-65		144
2158	Up-regulation of vascular endothelial growth factor in stromal cells of hemangioblastomas is correlated with up-regulation of the transcription factor HRF/HIF-2alpha. <b>1998</b> , 153, 25-9		93
2157	Closing the circadian loop: CLOCK-induced transcription of its own inhibitors per and tim. <b>1998</b> , 280, 1599-603		702
2156	Hypoxia-inducible factor 1 alpha (HIF-1alpha) is a non-heme iron protein. Implications for oxygen sensing. <b>1998</b> , 273, 18019-22		52
2155	Modulation of VEGF production by pH and glucose in retinal Müller cells. <b>1998</b> , 17, 875-82		59
2154	Hypoxia stimulates insulin-like growth factor binding protein 1 (IGFBP-1) gene expression in HepG2 cells: a possible model for IGFBP-1 expression in fetal hypoxia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 10188-93	11.5	197
2153	The hypoxia-responsive transcription factor EPAS1 is essential for catecholamine homeostasis and protection against heart failure during embryonic development. <b>1998</b> , 12, 3320-4		481
2152	Carbon monoxide and nitric oxide suppress the hypoxic induction of vascular endothelial growth factor gene via the 5' enhancer. <b>1998</b> , 273, 15257-62		174
2151	Structure and expression of the mouse AhR nuclear translocator (mArnt) gene. <b>1998</b> , 273, 24867-73		21
2150	Development of neuroendocrine lineages requires the bHLH-PAS transcription factor SIM1. <b>1998</b> , 12, 3264-75		282
2149	p53 inhibits hypoxia-inducible factor-stimulated transcription. <b>1998</b> , 273, 11995-8		218
2148	Our ancestral physiological phenotype: an adaptation for hypoxia tolerance and for endurance performance?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 1915-20	11.5	90

2147	Inhibition of hypoxia-inducible factor 1 activity by nitric oxide donors in hypoxia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 7368-73	11.5	207
2146	Role of the PAS domain in regulation of dimerization and DNA binding specificity of the dioxin receptor. <b>1998</b> , 18, 4079-88		89
2145	Hypoxia-inducible factor 1: from molecular biology to cardiopulmonary physiology. <b>1998</b> , 114, 40S-45S		47
2144	Photoactive yellow protein: a structural prototype for the three-dimensional fold of the PAS domain superfamily. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 5884-90	11.5	222
2143	Hypoxic responses of vascular cells. <b>1998</b> , 114, 25S-28S		25
2142	Response of tumour cells to hypoxia: role of p53 and NFkB. <b>1998</b> , 51, 55-61		130
2141	Constitutive activation of the aromatic hydrocarbon receptor. <b>1998</b> , 18, 525-35		203
2140	Highly conserved RNA sequences that are sensors of environmental stress. <b>1998</b> , 18, 7371-82		58
2139	Regulation of hypoxia-inducible factor 1alpha is mediated by an O2-dependent degradation domain via the ubiquitin-proteasome pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 7987-92	11.5	1969
2138	Nonallelism for the audiogenic seizure prone (Asp1) and the aryl hydrocarbon receptor (Ahr) loci in mice. <b>1998</b> , 12, 191-203		6
2137	The basic-helix-loop-helix-PAS orphan MOP3 forms transcriptionally active complexes with circadian and hypoxia factors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 5474-9	11.5	629
2136	Embryonal Carcinoma P19 Cells Produce Erythropoietin Constitutively But Express Lactate Dehydrogenase in an Oxygen-Dependent Manner. <b>1998</b> , 91, 1185-1195		18
2135	Mouse Hypoxia-Inducible Factor-1 $\beta$ s Encoded by Two Different mRNA Isoforms: Expression From a Tissue-Specific and a Housekeeping-Type Promoter. <b>1998</b> , 91, 3471-3480		65
2134	Induction of Endothelial PAS Domain Protein-1 by Hypoxia: Characterization and Comparison With Hypoxia-Inducible Factor-1 $\beta$ . <b>1998</b> , 92, 2260-2268		516
2133	Mersalyl is a novel inducer of vascular endothelial growth factor gene expression and hypoxia-inducible factor 1 activity. <b>1998</b> , 54, 749-54		80
2132	Glycemia-lowering effect of cobalt chloride in the diabetic rat: role of decreased gluconeogenesis. <b>1998</b> , 274, E984-91		19
2131	Hypoxia and CYP1A1 induction-dependent regulation of proteins involved in glucose utilization in Caco-2 cells. <b>1998</b> , 274, G1101-8		9
2130	Temporal, spatial, and oxygen-regulated expression of hypoxia-inducible factor-1 in the lung. <b>1998</b> , 275, L818-26		172

2129	Hypoxia induces type II NOS gene expression in pulmonary artery endothelial cells via HIF-1. <b>1998</b> , 274, L212-9	132
2128	General applicability of chicken egg yolk antibodies: the performance of IgY immunoglobulins raised against the hypoxia-inducible factor 1alpha. <b>1999</b> , 13, 81-8	102
2127	Protection from oxidative stress-induced apoptosis in cortical neuronal cultures by iron chelators is associated with enhanced DNA binding of hypoxia-inducible factor-1 and ATF-1/CREB and increased expression of glycolytic enzymes, p21(waf1/cip1), and erythropoietin. <b>1999</b> , 19, 9821-30	291
2126	Therapeutic Angiogenesis in Ischemic Heart Disease. <b>1999</b> , 82, 772-780	13
2125	Interleukin-1 $\beta$ and Tumor Necrosis Factor- $\alpha$ Stimulate DNA Binding of Hypoxia-Inducible Factor-1. <b>1999</b> , 94, 1561-1567	401
2124	Regulation of the Erythropoietin Gene. <b>1999</b> , 94, 1864-1877	324
2123	Multifactorial basis for coronary collateralization: a complex adaptive response to ischemia. <b>1999</b> , 43, 44-57	42
2122	Effects of pro- and antioxidative compounds on renal production of erythropoietin. <b>1999</b> , 140, 641-5	46
2121	Hypoxia upregulates activity and expression of the glucose transporter GLUT1 in alveolar epithelial cells. <b>1999</b> , 21, 710-8	80
2120	c-Myc target genes involved in cell growth, apoptosis, and metabolism. <b>1999</b> , 19, 1-11	1319
2119	Biological regulation of receptor-hormone complex concentrations in relation to dose-response assessments for endocrine-active compounds. <b>1999</b> , 48, 38-50	24
2118	Hypoxia post-translationally activates iron-regulatory protein 2. <b>1999</b> , 274, 5047-52	120
2117	Chronic salt loading and the expression of adenosine receptor subtypes. <b>1999</b> , 34, e18-9	3
2116	Oxygen-regulated and transactivating domains in endothelial PAS protein 1: comparison with hypoxia-inducible factor-1alpha. <b>1999</b> , 274, 2060-71	185
2115	Generation of a dominant-negative mutant of endothelial PAS domain protein 1 by deletion of a potent C-terminal transactivation domain. <b>1999</b> , 274, 31565-70	49
2114	Cross-talk between the aryl hydrocarbon receptor and hypoxia inducible factor signaling pathways. Demonstration of competition and compensation. <b>1999</b> , 274, 12115-23	157
2113	EPAS1 trans-activation during hypoxia requires p42/p44 MAPK. <b>1999</b> , 274, 33709-13	128
2112	Protein kinase C modulates aryl hydrocarbon receptor nuclear translocator protein-mediated transactivation potential in a dimer context. <b>1999</b> , 274, 12391-400	38

2111	Specificity of DNA binding of the c-Myc/Max and ARNT/ARNT dimers at the CACGTG recognition site. <b>1999</b> , 27, 3205-12		41
2110	Vascular gene transfer : from bench to bedside. <b>1999</b> , 19, 196-207		41
2109	aHIF: a natural antisense transcript overexpressed in human renal cancer and during hypoxia. <b>1999</b> , 91, 143-51		191
2108	Tonicity-responsive enhancer binding protein, a rel-like protein that stimulates transcription in response to hypertonicity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 2538-42	11.5	463
2107	Degradation of the basic helix-loop-helix/Per-ARNT-Sim homology domain dioxin receptor via the ubiquitin/proteasome pathway. <b>1999</b> , 274, 36351-6		98
2106	Enzymology and Molecular Biology of Carbonyl Metabolism 7. <b>1999</b> ,		
2105	Oxygen sensing in yeast: evidence for the involvement of the respiratory chain in regulating the transcription of a subset of hypoxic genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 5446-51	11.5	150
2104	Interindividual heterogeneity in the hypoxic regulation of VEGF: significance for the development of the coronary artery collateral circulation. <b>1999</b> , 100, 547-52		190
2103	Regulation of the hypoxia-inducible transcription factor 1alpha by the ubiquitin-proteasome pathway. <b>1999</b> , 274, 6519-25		600
2102	Functional role of p35srj, a novel p300/CBP binding protein, during transactivation by HIF-1. <b>1999</b> , 13, 64-75		304
2101	Evidence that the co-chaperone p23 regulates ligand responsiveness of the dioxin (Aryl hydrocarbon) receptor. <b>1999</b> , 274, 13519-24		212
2100	Repression of dioxin signal transduction in fibroblasts. Identification Of a putative repressor associated with Arnt. <b>1999</b> , 274, 13511-8		45
2099	ARNT2, a transcription factor for brain neuron survival?. <b>1999</b> , 11, 1545-53		21
2098	Induction of hypoxia-inducible factor-1 (HIF-1) and its target genes following focal ischaemia in rat brain. <b>1999</b> , 11, 4159-70		330
2097	Endothelial cell responses to hypoxic stress. <b>1999</b> , 26, 74-84		262
2096	The tumour suppressor protein VHL targets hypoxia-inducible factors for oxygen-dependent proteolysis. <b>1999</b> , 399, 271-5		3980
2095	Regulation of cardiovascular development and physiology by hypoxia-inducible factor 1. <b>1999</b> , 874, 262-8		100
2094	An adenoviral vector regulated by hypoxia for the treatment of ischaemic disease and cancer. <b>1999</b> , 6, 1721-7		85

2093	Physicochemical differences in the AH receptors of the most TCDD-susceptible and the most TCDD-resistant rat strains. <b>1999</b> , 155, 82-95	88
2092	Ah receptor and ARNT protein and mRNA concentrations in rat prostate: effects of stage of development and 2,3,7, 8-tetrachlorodibenzo-p-dioxin treatment. <b>1999</b> , 155, 177-89	47
2091	Metabolic Causes of Low Output Syndrome in Patients with Cyanotic Heart Disease after Cardiac Surgery. <b>1999</b> , 4, 1-8	
2090	Therapeutic targets for hypoxia-elicited pathways. <b>1999</b> , 16, 1498-505	38
2089	Picroliv -- a natural product protects cells and regulates the gene expression during hypoxia/reoxygenation. <b>1999</b> , 194, 271-81	24
2088	Regulation of JNK signaling by GSTp. <b>1999</b> , 18, 1321-34	862
2087	Molecular mechanisms of transcription activation by HLF and HIF1alpha in response to hypoxia: their stabilization and redox signal-induced interaction with CBP/p300. <b>1999</b> , 18, 1905-14	449
2086	Induction of cytochrome P4501A1. <b>1999</b> , 39, 103-25	948
2085	Transitional change in interaction between HIF-1 and HNF-4 in response to hypoxia. <b>1999</b> , 44, 293-9	38
2084	Molecular cloning of cDNAs encoding hypoxia-inducible factor (HIF)-1alpha and -2alpha of bovine arterial endothelial cells. <b>1999</b> , 1445, 237-43	14
2083	Identification of an oxygen responsive enhancer element in the glyceraldehyde-3-phosphate dehydrogenase gene. <b>1999</b> , 1447, 208-18	84
2082	Functional analysis of activation and repression domains of the rainbow trout aryl hydrocarbon receptor nuclear translocator (rtARNT) protein isoforms. <b>1999</b> , 57, 1177-90	17
2081	Adaptation and conservation of physiological systems in the evolution of human hypoxia tolerance. <b>1999</b> , 124, 1-17	51
2080	Oncogenic alterations of metabolism. <b>1999</b> , 24, 68-72	891
2079	THE BELGIAN SOCIETY FOR CELL BIOLOGY DEVELOPMENTAL NEUROBIOLOGY 42nd ORDINARY MEETING. <b>1999</b> , 23, 129-153	
2078	Hypoxic microenvironment within an embryo induces apoptosis and is essential for proper morphological development. <b>1999</b> , 60, 215-25	99
2077	Killing of brain tumor cells by hypoxia-responsive element mediated expression of BAX. <b>1999</b> , 1, 431-7	39
2076	Abstracts of the Belgian Association of Biochemistry and Molecular Biology, 169th Reunion, Brussels, May 16, 1998. <b>1999</b> , 107, 55-74	

2075	Remembrance of things PAS: regulation of development by bHLH-PAS proteins. <b>1999</b> , 9, 580-7	169
2074	Regulation of glucose transport by hypoxia. <b>1999</b> , 34, 189-202	124
2073	CBP-dependent and independent enhancing activity of steroid receptor coactivator-1 in thyroid hormone receptor-mediated transactivation. <b>1999</b> , 147, 103-12	17
2072	Glut1 and glut3 expression, but not capillary density, is increased by cobalt chloride in rat cerebrum and retina. <b>1999</b> , 64, 24-33	53
2071	Isolation and characterization of the hypoxia-inducible factor 1beta in Drosophila melanogaster. <b>1999</b> , 73, 11-6	23
2070	Hypothermia abolishes hypoxia-induced hyperpermeability in brain microvessel endothelial cells. <b>1999</b> , 74, 135-44	44
2069	Discovery of a putative heme-binding protein family (SOUL/HBP) by two-tissue suppression subtractive hybridization and database searches. <b>1999</b> , 74, 175-81	51
2068	Oxygen sensing and signaling: impact on the regulation of physiologically important genes. <b>1999</b> , 115, 239-47	134
2067	Cells depleted of mitochondrial DNA (rho0) yield insight into physiological mechanisms. <b>1999</b> , 454, 173-6	153
2066	Hypoxia-induced activation of HIF-1: role of HIF-1alpha-Hsp90 interaction. <b>1999</b> , 460, 251-6	250
2065	Nitric oxide contributes to behavioral, cellular, and developmental responses to low oxygen in Drosophila. <b>1999</b> , 98, 105-14	206
2064	Characterization of the AhR-hsp90-XAP2 core complex and the role of the immunophilin-related protein XAP2 in AhR stabilization. <b>1999</b> , 38, 8907-17	192
2063	Inhibition of hypoxia-inducible factor 1 activation by carbon monoxide and nitric oxide. Implications for oxygen sensing and signaling. <b>1999</b> , 274, 9038-44	234
2062	p42/p44 mitogen-activated protein kinases phosphorylate hypoxia-inducible factor 1alpha (HIF-1alpha) and enhance the transcriptional activity of HIF-1. <b>1999</b> , 274, 32631-7	617
2061	Transforming growth factor-beta1 fails to stimulate wound healing and impairs its signal transduction in an aged ischemic ulcer model: importance of oxygen and age. <b>1999</b> , 154, 301-9	95
2060	Regulation of mammalian O2 homeostasis by hypoxia-inducible factor 1. <b>1999</b> , 15, 551-78	1571
2059	Hypoxic repression of lactate dehydrogenase-B in retina. <b>1999</b> , 69, 685-93	19
2058	Nuclear localization of hypoxia-inducible factor-2alpha in bovine arterial endothelial cells. <b>1999</b> , 2, 119-23	10



2057	Functional diversity of vertebrate ARNT proteins: identification of ARNT2 as the predominant form of ARNT in the marine teleost, <i>Fundulus heteroclitus</i> . <b>1999</b> , 361, 156-63	49
2056	Possible relationship between conditions associated with chronic hypoxia and brain mitochondrial DNA deletions; reduction of genomic 8-hydroxyguanine levels in human brain tissues containing elevated levels of the human mitochondrial DNA4977 deletion. <b>1999</b> , 367, 140-2	2
2055	Identification of inducible genes at the early stage of adipocyte differentiation of 3T3-L1 cells. <b>1999</b> , 254, 299-305	79
2054	Direct comparison of GAPDH, beta-actin, cyclophilin, and 28S rRNA as internal standards for quantifying RNA levels under hypoxia. <b>1999</b> , 259, 523-6	390
2053	Characterization of an oxygen/redox-dependent degradation domain of hypoxia-inducible factor alpha (HIF-alpha) proteins. <b>1999</b> , 260, 557-61	118
2052	HIF1A gene transcription is dependent on a core promoter sequence encompassing activating and inhibiting sequences located upstream from the transcription initiation site and cis elements located within the 5'UTR. <b>1999</b> , 261, 534-40	96
2051	Angiogenesis: how a tumor adapts to hypoxia. <b>1999</b> , 266, 718-22	324
2050	Defective vascularization of HIF-1alpha-null embryos is not associated with VEGF deficiency but with mesenchymal cell death. <b>1999</b> , 209, 254-67	346
2049	Multiple roles of ligand in transforming the dioxin receptor to an active basic helix-loop-helix/PAS transcription factor complex with the nuclear protein Arnt. <b>1999</b> , 19, 5811-22	82
2048	Cell and Molecular Responses to Hypoxic Stress. <b>2000</b> , 89-97	2
2047	Normoxic stabilization of hypoxia-inducible factor-1 expression and activity: redox-dependent effect of nitrogen oxides. <b>2000</b> , 58, 1197-203	168
2046	Hypoxia-induced tumour cell migration in an in vivo chicken model. <b>2000</b> , 68, 99-105	24
2045	Interleukin 1 induces hypoxia-inducible factor 1 in human gingival and synovial fibroblasts. <b>2000</b> , 350, 307	62
2044	Interleukin 1 induces hypoxia-inducible factor 1 in human gingival and synovial fibroblasts. <b>2000</b> , 350, 307-312	168
2043	A new biological strategy for high productivity of recombinant proteins in animal cells by the use of hypoxia-response enhancer. <b>2000</b> , 67, 157-64	12
2042	Expression of hypoxia-inducible factor 1 in brain tumors. <b>2000</b> , 88, 2606-2618	509
2041	Retinal and choroidal neovascularization. <b>2000</b> , 184, 301-10	315
2040	Role of hypoxia-inducible factor-1 in hypoxia-induced ischemic tolerance in neonatal rat brain. <b>2000</b> , 48, 285-296	332

2039	Two splice variants of the hypoxia-inducible factor HIF-1alpha as potential dimerization partners of ARNT2 in neurons. <b>2000</b> , 12, 3701-8	25
2038	A Rox1-independent hypoxic pathway in yeast. Antagonistic action of the repressor Ord1 and activator Yap1 for hypoxic expression of the SRP1/TIR1 gene. <b>2000</b> , 38, 879-90	17
2037	Cadmium blocks hypoxia-inducible factor (HIF)-1-mediated response to hypoxia by stimulating the proteasome-dependent degradation of HIF-1alpha. <b>2000</b> , 267, 4198-204	60
2036	Multiple molecular penumbras after focal cerebral ischemia. <b>2000</b> , 20, 1011-32	350
2035	Suppression of tumor growth through disruption of hypoxia-inducible transcription. <b>2000</b> , 6, 1335-40	646
2034	Increasing endothelial cell specific expression by the use of heterologous hypoxic and cytokine-inducible enhancers. <b>2000</b> , 7, 896-902	53
2033	Tracheal development and the von Hippel-Lindau tumor suppressor homolog in Drosophila. <b>2000</b> , 19, 2803-11	52
2032	Up-regulation of hypoxia-inducible factors HIF-1alpha and HIF-2alpha under normoxic conditions in renal carcinoma cells by von Hippel-Lindau tumor suppressor gene loss of function. <b>2000</b> , 19, 5435-43	306
2031	Redox-dependent trafficking of 2,3,4,5, 6-pentafluorodihydro-tetramethylrosamine, a novel fluorogenic indicator of cellular oxidative activity. <b>2000</b> , 28, 1266-78	42
2030	Nitric oxide affects the production of reactive oxygen species in hepatoma cells: implications for the process of oxygen sensing. <b>2000</b> , 29, 515-21	36
2029	Efficient translation of mouse hypoxia-inducible factor-1alpha under normoxic and hypoxic conditions. <b>2000</b> , 1493, 125-34	61
2028	Inhibition of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)-stimulated Cyp1a1 promoter activity by hypoxic agents. <b>2000</b> , 59, 1549-56	31
2027	Expression of hypoxia-inducible factor 1: mechanisms and consequences. <b>2000</b> , 59, 47-53	415
2026	2,3,7,8-Tetrachlorodibenzo-p-dioxin alters melatonin metabolism in fish hepatocytes. <b>2000</b> , 126, 227-40	3
2025	Regulation of endothelin-1 gene expression in human microvascular endothelial cells by hypoxia and cobalt: role of hypoxia responsive element. <b>2000</b> , 208, 53-62	76
2024	Calpain-mediated proteolytic cleavage of troponin I induced by hypoxia or metabolic inhibition in cultured neonatal cardiomyocytes. <b>2000</b> , 214, 47-55	36
2023	Vascular endothelial growth factor expression is independent of hypoxia in human malignant glioma spheroids and tumours. <b>2000</b> , 82, 635-41	33
2022	Mechanism of regulation of the hypoxia-inducible factor-1 alpha by the von Hippel-Lindau tumor suppressor protein. <b>2000</b> , 19, 4298-309	657

2021	Angiogenesis is induced in a rabbit model of hindlimb ischemia by naked DNA encoding an HIF-1alpha/VP16 hybrid transcription factor. <b>2000</b> , 102, 2255-61	283
2020	Hypoxia-inducible factor 1alpha protein expression is controlled by oxygen-regulated ubiquitination that is disrupted by deletions and missense mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 4748-53	11.5 246
2019	Rice in deep water: "how to take heed against a sea of troubles". <b>2000</b> , 87, 289-303	80
2018	Regulation of transcription factors by protein degradation. <b>2000</b> , 57, 1207-19	74
2017	A new transacting factor that modulates hypoxia-induced expression of the erythropoietin gene. <b>2000</b> , 96, 491-497	36
2016	Epolones induce erythropoietin expression via hypoxia-inducible factor-1 activation. <b>2000</b> , 96, 1558-1565	75
2015	Urokinase receptor expression on human microvascular endothelial cells is increased by hypoxia: implications for capillary-like tube formation in a fibrin matrix. <b>2000</b> , 96, 2775-2783	74
2014	Hypoxic signal transduction in critical illness. <b>2000</b> , 28, N78-86	16
2013	Hypoxia-inducible expression of BAX: application in tumor-targeted gene therapy. <b>2000</b> , 8, 1-7	4
2012	HIF-1: mediator of physiological and pathophysiological responses to hypoxia. <b>2000</b> , 88, 1474-80	1594
2011	Role of nitric oxide in the pathogenesis of chronic pulmonary hypertension. <b>2000</b> , 80, 1337-72	201
2010	Cellular oxygen sensing by mitochondria: old questions, new insight. <b>2000</b> , 88, 1880-9	309
2009	Use of recombinant human erythropoietin as an antianemic and performance enhancing drug. <b>2000</b> , 1, 11-31	51
2008	Effects of desferrioxamine on serum erythropoietin and ventilatory sensitivity to hypoxia in humans. <b>2000</b> , 89, 680-6	59
2007	Improved cardiac contractile functions in hypoxia-reoxygenation in rats treated with low concentration Co(2+). <b>2000</b> , 279, H2713-9	39
2006	The basic helix-loop-helix-PAS protein MOP9 is a brain-specific heterodimeric partner of circadian and hypoxia factors. <b>2000</b> , 20, RC83	92
2005	Reactive oxygen species generated at mitochondrial complex III stabilize hypoxia-inducible factor-1alpha during hypoxia: a mechanism of O2 sensing. <b>2000</b> , 275, 25130-8	1430
2004	Hypoxic regulation of inducible nitric oxide synthase via hypoxia inducible factor-1 in cardiac myocytes. <b>2000</b> , 86, 319-25	244

2003	Phosphorylation-dependent targeting of cAMP response element binding protein to the ubiquitin/proteasome pathway in hypoxia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 12091-6	11.5	112
2002	Developmental and tissue-specific expression of AHR1, AHR2, and ARNT2 in dioxin-sensitive and -resistant populations of the marine fish <i>Fundulus heteroclitus</i> . <b>2000</b> , 57, 229-39		81
2001	The role of mitochondria in the regulation of hypoxia-inducible factor 1 expression during hypoxia. <b>2000</b> , 275, 35863-7		151
2000	Coordinated Up-regulation by hypoxia of adrenomedullin and one of its putative receptors (RDC-1) in cells of the rat blood-brain barrier. <b>2000</b> , 275, 39914-9		59
1999	Age-dependent defect in vascular endothelial growth factor expression is associated with reduced hypoxia-inducible factor 1 activity. <b>2000</b> , 275, 29643-7		211
1998	Hypoxic induction of prolyl 4-hydroxylase alpha (I) in cultured cells. <b>2000</b> , 275, 14139-46		139
1997	Identification of alternative spliced variants of human hypoxia-inducible factor-1alpha. <b>2000</b> , 275, 6922-7		77
1996	Early expression of angiogenesis factors in acute myocardial ischemia and infarction. <b>2000</b> , 342, 626-33		577
1995	Redox-regulated recruitment of the transcriptional coactivators CREB-binding protein and SRC-1 to hypoxia-inducible factor 1alpha. <b>2000</b> , 20, 402-15		329
1994	Expression of the gene encoding the proapoptotic Nip3 protein is induced by hypoxia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 9082-7	11.5	639
1993	Molecular events implicated in brain tumor angiogenesis and invasion. <b>2000</b> , 33, 49-55		90
1992	Regulations and Advisories. <b>2000</b> , 16, 173-201		
1991	Adeno-associated viral vector-mediated vascular endothelial growth factor gene transfer induces neovascular formation in ischemic heart. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 13801-6	11.5	142
1990	Cardiovascular basic helix loop helix factor 1, a novel transcriptional repressor expressed preferentially in the developing and adult cardiovascular system. <b>2000</b> , 275, 6381-7		124
1989	Hypoxia inducible factor-alpha binding and ubiquitylation by the von Hippel-Lindau tumor suppressor protein. <b>2000</b> , 275, 25733-41		819
1988	Expression, ontogeny, and regulation of hypoxia-inducible transcription factors in the human placenta. <b>2000</b> , 63, 559-69		138
1987	Regulation of DNA binding activity of the ligand-activated aryl hydrocarbon receptor by tyrosine phosphorylation. <b>2000</b> , 381, 302-12		42
1986	Hypoxia-induced transcriptional activation of vascular endothelial growth factor is inhibited by serum. <b>2000</b> , 267, 334-8		16

1985	Zinc induces the accumulation of hypoxia-inducible factor (HIF)-1alpha, but inhibits the nuclear translocation of HIF-1beta, causing HIF-1 inactivation. <b>2000</b> , 268, 652-6	52
1984	iNOS expression inhibits hypoxia-inducible factor-1 activity. <b>2000</b> , 279, 30-4	46
1983	Adaptive responses of the endothelium to stress. <b>2000</b> , 89, 85-119	72
1982	The expression and distribution of the hypoxia-inducible factors HIF-1alpha and HIF-2alpha in normal human tissues, cancers, and tumor-associated macrophages. <b>2000</b> , 157, 411-21	1007
1981	Hypoxia-induced vascular endothelial growth factor expression precedes neovascularization after cerebral ischemia. <b>2000</b> , 156, 965-76	561
1980	The evolution of aryl hydrocarbon signaling proteins: diversity of ARNT isoforms among fish species. <b>2000</b> , 50, 39-44	19
1979	Expression of the 37-kDa laminin binding protein in murine lung tumor cell correlates with tumor angiogenesis. <b>2000</b> , 153, 161-8	36
1978	The neuroprotective effect of deferoxamine in the hypoxic-ischemic immature mouse brain. <b>2000</b> , 282, 113-6	67
1977	Aryl hydrocarbon receptor nuclear translocator is induced by kainic acid in rat hippocampal glial cells. <b>2000</b> , 291, 117-20	6
1976	Coexpression of hypoxia-inducible factor 1-alpha and vascular endothelial growth factor in Wilms' tumor. <b>2000</b> , 35, 1749-53	29
1975	Hypoxia modulated gene expression: angiogenesis, metastasis and therapeutic exploitation. <b>2000</b> , 36, 1649-60	219
1974	Genetic and developmental models for the neural control of breathing in vertebrates. <b>2000</b> , 122, 247-57	20
1973	Differential effects of hypoxia on untreated and NGF treated PC12 cells. <b>2000</b> , 67, 2595-603	8
1972	ERK activation upon hypoxia: involvement in HIF-1 activation. <b>2000</b> , 468, 53-8	285
1971	Isolation and characterization of AINT: a novel ARNT interacting protein expressed during murine embryonic development. <b>2000</b> , 97, 13-26	63
1970	Interaction between the bHLH-PAS protein Tracheless and the POU-domain protein Drifter, specifies tracheal cell fates. <b>2000</b> , 91, 163-73	48
1969	Salivary gland development in <i>Drosophila melanogaster</i> . <b>2000</b> , 92, 5-17	83
1968	ARNT2 acts as the dimerization partner of SIM1 for the development of the hypothalamus. <b>2000</b> , 90, 253-61	142

1967	Angiogenesis Is Induced in a Rabbit Model of Hindlimb Ischemia by Naked DNA Encoding a HIF-1 $\alpha$ /VP16 Hybrid Transcription Factor. <b>2000</b> , 11, 441-444	
1966	The PAS superfamily: sensors of environmental and developmental signals. <b>2000</b> , 40, 519-61	862
1965	Hypoxia, clonal selection, and the role of HIF-1 in tumor progression. <b>2000</b> , 35, 71-103	482
1964	Microenvironment-induced cancer metastasis. <b>2000</b> , 76, 589-605	303
1963	Hypoxia signalling in tumour angiogenesis. <b>2000</b> , 4, 361-375	2
1962	A model for the complex between the hypoxia-inducible factor-1 (HIF-1) and its consensus DNA sequence. <b>2000</b> , 18, 169-79	26
1961	Conditional disruption of the aryl hydrocarbon receptor nuclear translocator (Arnt) gene leads to loss of target gene induction by the aryl hydrocarbon receptor and hypoxia-inducible factor 1 $\alpha$ . <b>2000</b> , 14, 1674-81	105
1960	Mechanistic aspects—the dioxin (aryl hydrocarbon) receptor. <b>2000</b> , 17, 261-6	49
1959	Hypoxia and oxidative stress in breast cancer. Hypoxia signalling pathways. <b>2001</b> , 3, 313-7	26
1958	Cellular mechanism of oxygen sensing. <b>2001</b> , 63, 259-87	461
1957	Coregulation of glucose uptake and vascular endothelial growth factor (VEGF) in two small-cell lung cancer (SCLC) sublines in vivo and in vitro. <b>2001</b> , 3, 80-7	66
1956	Cloning of hypoxia-inducible factor 1 $\alpha$ cDNA from chick embryonic ventricular myocytes. <b>2001</b> , 281, 1057-62	16
1955	Hypoxia regulates avian cardiac Arnt and HIF-1 $\alpha$ mRNA expression. <b>2001</b> , 282, 602-7	31
1954	Hypoxia-inducible factor 1 $\alpha$ and 1 $\beta$ proteins share common signaling pathways in human prostate cancer cells. <b>2001</b> , 284, 352-6	36
1953	Expression and characterization of hypoxia-inducible factor (HIF)-3 $\alpha$ in human kidney: suppression of HIF-mediated gene expression by HIF-3 $\alpha$ . <b>2001</b> , 287, 808-13	204
1952	Hypoxia-inducible factor 2 $\alpha$ binds to cobalt in vitro. <b>2001</b> , 288, 849-54	30
1951	Stem cell bioengineering. <b>2001</b> , 3, 275-305	110
1950	Intestinal responses to xenobiotics. <b>2001</b> , 15, 373-8	33

1949	Hypoxia-inducible factor 1: oxygen homeostasis and disease pathophysiology. <b>2001</b> , 7, 345-50	733
1948	Identification of hypoxia-responsive genes in a dopaminergic cell line by subtractive cDNA libraries and microarray analysis. <b>2001</b> , 7, 273-281	11
1947	Angiogenesis: the role of the microenvironment in flipping the switch. <b>2001</b> , 11, 35-40	112
1946	Activation of the HIF pathway in cancer. <b>2001</b> , 11, 293-9	316
1945	Mechanism, origin, and evolution of anoxia tolerance in animals. <b>2001</b> , 130, 435-59	358
1944	HIF-1-dependent transcriptional activity is required for oxygen-mediated HIF-1alpha degradation. <b>2001</b> , 491, 85-90	110
1943	Binding and regulation of HIF-1alpha by a subunit of the proteasome complex, PSMA7. <b>2001</b> , 498, 62-6	51
1942	Transcriptional effect of hypoxia on placental leptin. <b>2001</b> , 502, 122-6	67
1941	Transcriptional repression of the human p53 gene by cobalt chloride mimicking hypoxia. <b>2001</b> , 507, 259-63	28
1940	The regulation of the induction of vascular endothelial growth factor at the onset of diabetes in spontaneously diabetic rats. <b>2001</b> , 69, 2533-42	22
1939	C. elegans EGL-9 and mammalian homologs define a family of dioxygenases that regulate HIF by prolyl hydroxylation. <b>2001</b> , 107, 43-54	2860
1938	HIF-1, O(2), and the 3 PHDs: how animal cells signal hypoxia to the nucleus. <b>2001</b> , 107, 1-3	793
1937	Hypoxia regulation of gene transcription. <b>2001</b> , 2, 145-54	50
1936	A conserved family of prolyl-4-hydroxylases that modify HIF. <b>2001</b> , 294, 1337-40	2043
1935	Tumor hypoxia: definitions and current clinical, biologic, and molecular aspects. <b>2001</b> , 93, 266-76	2209
1934	Targeting of HIF-alpha to the von Hippel-Lindau ubiquitylation complex by O2-regulated prolyl hydroxylation. <b>2001</b> , 292, 468-72	4330
1933	Competitive inhibition of the transcription of rabbit CYP1A1 gene by upstream stimulatory factor 1 (USF1). <b>2001</b> , 33, 37-47	4
1932	Selective overexpression of the hypoxia-inducible transcription factor, HIF-2alpha, in placentas from women with preeclampsia. <b>2001</b> , 64, 499-506	120

1931	Induction of vascular endothelial growth factor expression and hypoxia-inducible factor 1alpha protein by the oxidative stressor arsenite. <b>2001</b> , 276, 48066-76	88
1930	Hypoxia induces apoptosis via two independent pathways in Jurkat cells: differential regulation by glucose. <b>2001</b> , 281, C1596-603	55
1929	The Regulation of Interleukin-8 by Hypoxia in Human Macrophages: A Potential Role in the Pathogenesis of the Acute Respiratory Distress Syndrome (ARDS). <b>2001</b> , 7, 685-697	84
1928	Oxygen-dependent expression of hypoxia-inducible factor-1alpha in renal medullary cells of rats. <b>2001</b> , 6, 159-68	47
1927	Transcriptional regulation of heme oxygenases by HIF-1alpha in renal medullary interstitial cells. <b>2001</b> , 281, F900-8	59
1926	Von Hippel-Lindau disease: gene to bedside. <b>2001</b> , 14, 695-703	31
1925	The role of the liver in the production of thrombopoietin compared with erythropoietin. <b>2001</b> , 13, 791-801	84
1924	Hypoxia. <b>2001</b> ,	1
1923	Perivenous expression of the mRNA of the three hypoxia-inducible factor alpha-subunits, HIF1alpha, HIF2alpha and HIF3alpha, in rat liver. <b>2001</b> , 354, 531-7	75
1922	Perivenous expression of the mRNA of the three hypoxia-inducible factor subunits, HIF1, HIF2 and HIF3 in rat liver. <b>2001</b> , 354, 531-537	107
1921	Regulation of hypoxia-inducible factor is preserved in the absence of a functioning mitochondrial respiratory chain. <b>2001</b> , 98, 296-302	181
1920	Insights into the role of the von Hippel-Lindau gene product. A key player in hypoxic regulation. <b>2001</b> , 9, 235-40	19
1919	Possible ramifications of the identification of ovarian follicular granulosa cells as specialized endothelial-like cells: a speculative treatise. <b>2001</b> , 2, 188-197	9
1918	???. <b>2001</b> , 75, 1067-1075	
1917	Reactive oxygen intermediates involved in cellular regulation. <b>2001</b> , 217, 101-16	9
1916	Hypoxia-inducible factor-1 activation and cyclo-oxygenase-2 induction are early reperfusion-independent inflammatory events in hemorrhagic shock. <b>2001</b> , 121, 219-22	35
1915	Hypoxia and hypoxia-inducible factor modulated gene expression in brain: involvement in neuroprotection and cell death. <b>2001</b> , 251, 170-8	54
1914	Molecular mechanisms in the early phase of hemorrhagic shock. <b>2001</b> , 386, 302-8	113



1913	Attenuation of HIF-1 DNA-binding activity limits hypoxia-inducible endothelin-1 expression. <b>2001</b> , 443, 240-9	58
1912	Selective cardiorespiratory and catecholaminergic areas express the hypoxia-inducible factor-1alpha (HIF-1alpha) under in vivo hypoxia in rat brainstem. <b>2001</b> , 14, 1981-91	41
1911	Expression of angiogenesis-related molecules in plexiform lesions in severe pulmonary hypertension: evidence for a process of disordered angiogenesis. <b>2001</b> , 195, 367-74	380
1910	Expression of hypoxia-inducible factor-1 alpha in oligodendrogliomas: its impact on prognosis and on neoangiogenesis. <b>2001</b> , 92, 165-71	156
1909	Determination of hypoxic region by hypoxia marker in developing mouse embryos in vivo: a possible signal for vessel development. <b>2001</b> , 220, 175-86	238
1908	Coexpression of endothelial PAS protein 1 with essential angiogenic factors suggests its involvement in human vascular development. <b>2001</b> , 222, 377-88	35
1907	Hypoxia-inducible factor and the development of stem cells of the cardiovascular system. <b>2001</b> , 19, 279-86	79
1906	Role of AP-1 and HIF-1 transcription factors in TGF-beta activation of VEGF expression. <b>2001</b> , 19, 19-34	94
1905	HIF-1 is expressed in normoxic tissue and displays an organ-specific regulation under systemic hypoxia. <b>2001</b> , 15, 2445-53	580
1904	A study of metabolites as intermediate effectors in angiogenesis. <b>2001</b> , 4, 71-7	43
1903	Involvement of PLAGL2 in activation of iron deficient- and hypoxia-induced gene expression in mouse cell lines. <b>2001</b> , 20, 4718-27	46
1902	Mammalian gene expression in hypoxic conditions. <b>2001</b> , 104, 192-7	8
1901	Redox regulation in mammalian signal transduction. <b>2001</b> , 52, 25-8	26
1900	Regulation of HIF by the von Hippel-Lindau tumour suppressor: implications for cellular oxygen sensing. <b>2001</b> , 52, 43-7	79
1899	HIF-1 and AP-1 cooperate to increase gene expression in hypoxia: role of MAP kinases. <b>2001</b> , 52, 49-53	88
1898	Focal adhesion kinase is a key mediator of human trophoblast development. <b>2001</b> , 81, 1469-83	60
1897	Hypoxic preconditioning induces changes in HIF-1 target genes in neonatal rat brain. <b>2001</b> , 21, 1105-14	187
1896	Gene transfer of antisense hypoxia inducible factor-1 alpha enhances the therapeutic efficacy of cancer immunotherapy. <b>2001</b> , 8, 638-45	130

1895	A variant of nuclear localization signal of bipartite-type is required for the nuclear translocation of hypoxia inducible factors (1alpha, 2alpha and 3alpha). <b>2001</b> , 20, 1435-44	65
1894	Inhibitory PAS domain protein is a negative regulator of hypoxia-inducible gene expression. <b>2001</b> , 414, 550-4	525
1893	Amplification of hypoxia-inducible factor 1alpha gene in prostate cancer. <b>2001</b> , 128, 31-4	47
1892	Bioreductive and gene therapy approaches to hypoxic diseases. <b>2001</b> , 53, 217-28	39
1891	Inhibitory effect of YC-1 on the hypoxic induction of erythropoietin and vascular endothelial growth factor in Hep3B cells. <b>2001</b> , 61, 947-54	138
1890	Aldehyde dehydrogenase 3 gene regulation: studies on constitutive and hypoxia-modulated expression. <b>2001</b> , 130-132, 227-33	11
1889	Transduction pathways involved in Hypoxia-Inducible Factor-1 phosphorylation and activation. <b>2001</b> , 31, 847-55	143
1888	Transcription factors p53 and HIF-1alpha as targets of nitric oxide. <b>2001</b> , 13, 525-33	60
1887	HIF-1 and mechanisms of hypoxia sensing. <b>2001</b> , 13, 167-71	847
1886	Rac1 activity is required for the activation of hypoxia-inducible factor 1. <b>2001</b> , 276, 21166-72	130
1885	Synergistic cooperation between hypoxia and transforming growth factor-beta pathways on human vascular endothelial growth factor gene expression. <b>2001</b> , 276, 38527-35	294
1884	Selection of mutant CHO cells with constitutive activation of the HIF system and inactivation of the von Hippel-Lindau tumor suppressor. <b>2001</b> , 276, 44323-30	25
1883	HER2 (neu) signaling increases the rate of hypoxia-inducible factor 1alpha (HIF-1alpha) synthesis: novel mechanism for HIF-1-mediated vascular endothelial growth factor expression. <b>2001</b> , 21, 3995-4004	1084
1882	Engineering of macrophages to produce IFN-gamma in response to hypoxia. <b>2001</b> , 166, 5374-80	46
1881	Characterization of a hypoxia-inducible factor (HIF-1alpha) from rainbow trout. Accumulation of protein occurs at normal venous oxygen tension. <b>2001</b> , 276, 19699-705	127
1880	Hypoxia-inducible factor in brain. <b>2001</b> , 502, 273-91	83
1879	Hypoxia-inducible factor 1-dependent induction of intestinal trefoil factor protects barrier function during hypoxia. <b>2001</b> , 193, 1027-34	321
1878	Ischemic preconditioning upregulates vascular endothelial growth factor mRNA expression and neovascularization via nuclear translocation of protein kinase C epsilon in the rat ischemic myocardium. <b>2001</b> , 88, 696-704	105

1877	Hypoxia-inducible factor 1: control of oxygen homeostasis in health and disease. <b>2001</b> , 49, 614-7		201
1876	Neuronal tolerance to O <sub>2</sub> deprivation in drosophila: novel approaches using genetic models. <b>2001</b> , 7, 538-50		13
1875	Identification of hypoxia-inducible factor 1 ancillary sequence and its function in vascular endothelial growth factor gene induction by hypoxia and nitric oxide. <b>2001</b> , 276, 2292-8		201
1874	The <i>Caenorhabditis elegans</i> hif-1 gene encodes a bHLH-PAS protein that is required for adaptation to hypoxia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 7916-21	11.5	230
1873	Regulation of glut1 mRNA by hypoxia-inducible factor-1. Interaction between H-ras and hypoxia. <b>2001</b> , 276, 9519-25		521
1872	Hypoxia-inducible factor 1-mediated inhibition of peroxisome proliferator-activated receptor alpha expression during hypoxia. <b>2001</b> , 166, 7543-8		173
1871	Herpes simplex virus 1 ' regulatory protein ICPO functionally interacts with cellular transcription factor BMAL1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 1877-1882	11.5	54
1870	Differential usage of nuclear export sequences regulates intracellular localization of the dioxin (aryl hydrocarbon) receptor. <b>2001</b> , 276, 43231-8		26
1869	Transcriptional regulation of vascular development. <b>2001</b> , 89, 380-8		81
1868	Induction of HIF-1 response to hypoxia is instantaneous. <b>2001</b> , 15, 1312-1314		434
1867	Correlation of cardiotoxicity mediated by halogenated aromatic hydrocarbons to aryl hydrocarbon receptor activation. <b>2001</b> , 61, 187-96		44
1866	Dissecting hypoxia-dependent and hypoxia-independent steps in the HIF-1alpha activation cascade: implications for HIF-1alpha gene therapy. <b>2001</b> , 15, 2715-7		63
1865	FIH-1: a novel protein that interacts with HIF-1alpha and VHL to mediate repression of HIF-1 transcriptional activity. <b>2001</b> , 15, 2675-86		1008
1864	Oxygen sensing and HIF-1 activation does not require an active mitochondrial respiratory chain electron-transfer pathway. <b>2001</b> , 276, 21995-8		118
1863	Biology of erythropoietin. <b>2001</b> , 502, 169-87		43
1862	<i>Drosophila</i> heparan sulfate 6-O-sulfotransferase (dHS6ST) gene. Structure, expression, and function in the formation of the tracheal system. <b>2001</b> , 276, 17014-21		96
1861	Differential regulation of two alternatively spliced isoforms of hypoxia-inducible factor-1 alpha in activated T lymphocytes. <b>2001</b> , 276, 48754-63		76
1860	Induction of hypoxia-inducible factor-1alpha and activation of caspase-3 in hypoxia-reoxygenated bone marrow stroma is negatively regulated by the delayed production of substance P. <b>2001</b> , 167, 4600-8		20

1859	The p14ARF tumor suppressor protein facilitates nucleolar sequestration of hypoxia-inducible factor-1alpha (HIF-1alpha ) and inhibits HIF-1-mediated transcription. <b>2001</b> , 276, 28421-9	80
1858	Building better vasculature. <b>2001</b> , 15, 2497-502	65
1857	Cross-talk between the signals hypoxia and glucose at the glucose response element of the L-type pyruvate kinase gene. <b>2001</b> , 142, 2707-18	28
1856	Hypoxia-dependent protein expression: erythropoietin. <b>2001</b> , 2, 155-63	9
1855	Hypoxia-inducible factor-1alpha mRNA contains an internal ribosome entry site that allows efficient translation during normoxia and hypoxia. <b>2002</b> , 13, 1792-801	263
1854	Identification of a novel hypoxia-inducible factor 1-responsive gene, RTP801, involved in apoptosis. <b>2002</b> , 22, 2283-93	444
1853	Differential activities of murine single minded 1 (SIM1) and SIM2 on a hypoxic response element. Cross-talk between basic helix-loop-helix/per-Arnt-Sim homology transcription factors. <b>2002</b> , 277, 10236-43	59
1852	Induction of hypoxia-inducible factor-1alpha by transcriptional and translational mechanisms. <b>2002</b> , 277, 48403-9	304
1851	Structural basis for Hif-1 alpha /CBP recognition in the cellular hypoxic response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 5271-6	11.5 333
1850	p38 Signaling-mediated hypoxia-inducible factor 1alpha and vascular endothelial growth factor induction by Cr(VI) in DU145 human prostate carcinoma cells. <b>2002</b> , 277, 45041-8	98
1849	Phosphatidylinositol 3'-kinase and MAPK/ERK kinase 1/2 differentially regulate expression of vascular endothelial growth factor in human malignant astrocytoma cells. <b>2002</b> , 4, 242-52	22
1848	Endoglin expression is regulated by transcriptional cooperation between the hypoxia and transforming growth factor-beta pathways. <b>2002</b> , 277, 43799-808	254
1847	Physiologically low oxygen concentrations in fetal skin regulate hypoxia-inducible factor 1 and transforming growth factor-beta3. <b>2002</b> , 16, 411-3	64
1846	Hsp90 regulates a von Hippel Lindau-independent hypoxia-inducible factor-1 alpha-degradative pathway. <b>2002</b> , 277, 29936-44	526
1845	Brain genomic response following hypoxia and re-oxygenation in the neonatal rat. Identification of genes that might contribute to hypoxia-induced ischemic tolerance. <b>2002</b> , 277, 39728-38	250
1844	Inhibitory PAS domain protein (IPAS) is a hypoxia-inducible splicing variant of the hypoxia-inducible factor-3alpha locus. <b>2002</b> , 277, 32405-8	259
1843	Adeno-associated viral vector-mediated hypoxia response element-regulated gene expression in mouse ischemic heart model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 9480-5	11.5 119
1842	Prostaglandin E2 induces hypoxia-inducible factor-1alpha stabilization and nuclear localization in a human prostate cancer cell line. <b>2002</b> , 277, 50081-6	167

1841	Hypoxia inducible double plasmid system for myocardial ischemia gene therapy. <b>2002</b> , 39, 695-8	44
1840	von Hippel Lindau tumor suppressor and HIF-1alpha: new targets of NSAIDs inhibition of hypoxia-induced angiogenesis. <b>2002</b> , 16, 264-6	66
1839	Inhibition of erythropoietin gene expression signaling involves the transcription factors GATA-2 and NF-kappaB. <b>2002</b> , 16, 1811-3	112
1838	Hypoxia alters gene expression in human neuroblastoma cells toward an immature and neural crest-like phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 7021-6	11.5 317
1837	Two sequence motifs from HIF-1alpha bind to the DNA-binding site of p53. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 10305-9	11.5 114
1836	Structure of factor-inhibiting hypoxia-inducible factor 1: An asparaginyl hydroxylase involved in the hypoxic response pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 15351-6	11.5 162
1835	Hypoxia-inducible factor (HIF) asparagine hydroxylase is identical to factor inhibiting HIF (FIH) and is related to the cupin structural family. <b>2002</b> , 277, 26351-5	544
1834	Transcriptional activation of the human leptin gene in response to hypoxia. Involvement of hypoxia-inducible factor 1. <b>2002</b> , 277, 34601-9	143
1833	Sequence determinants in hypoxia-inducible factor-1alpha for hydroxylation by the prolyl hydroxylases PHD1, PHD2, and PHD3. <b>2002</b> , 277, 39792-800	233
1832	Leu-574 of HIF-1alpha is essential for the von Hippel-Lindau (VHL)-mediated degradation pathway. <b>2002</b> , 277, 41750-5	32
1831	Heat induction of the unphosphorylated form of hypoxia-inducible factor-1alpha is dependent on heat shock protein-90 activity. <b>2002</b> , 277, 9262-7	116
1830	In vivo estrogen manipulations on coronary capillary network and angiogenic molecule expression in middle-aged female rats. <b>2002</b> , 22, 1591-7	27
1829	Role of prolyl hydroxylation in oncogenically stabilized hypoxia-inducible factor-1alpha. <b>2002</b> , 277, 40112-7	198
1828	A zinc-finger protein, PLAGL2, induces the expression of a proapoptotic protein Nip3, leading to cellular apoptosis. <b>2002</b> , 277, 15851-8	50
1827	Responding to hypoxia: lessons from a model cell line. <b>2002</b> , 2002, re11	46
1826	Control of the hypoxic response in <i>Drosophila melanogaster</i> by the basic helix-loop-helix PAS protein similar. <b>2002</b> , 22, 6842-53	184
1825	Myocardial remodelling: pharmacological targets. <b>2002</b> , 11, 661-74	8
1824	Ubiquitination of a novel deubiquitinating enzyme requires direct binding to von Hippel-Lindau tumor suppressor protein. <b>2002</b> , 277, 4656-62	127

1823	NADPH-cytochrome P-450 reductase in the plasma membrane modulates the activation of hypoxia-inducible factor 1. <b>2002</b> , 277, 23367-73	35
1822	Vanadate-induced expression of hypoxia-inducible factor 1 alpha and vascular endothelial growth factor through phosphatidylinositol 3-kinase/Akt pathway and reactive oxygen species. <b>2002</b> , 277, 31963-71	156
1821	The transcriptional activation function of the HIF-like factor requires phosphorylation at a conserved threonine. <b>2002</b> , 277, 23508-14	66
1820	Detecting and responding to hypoxia. <b>2002</b> , 17 Suppl 1, 3-7	35
1819	Expression of hypoxia-inducible factors in human endometrium and suppression of matrix metalloproteinases under hypoxic conditions do not support a major role for hypoxia in regulating tissue breakdown at menstruation. <b>2002</b> , 17, 265-74	39
1818	Erythropoietin, tumours and the von Hippel-Lindau gene: towards identification of mechanisms and dysfunction of oxygen sensing. <b>2002</b> , 17, 356-9	13
1817	From erythropoietin to oxygen: hypoxia-inducible factor hydroxylases and the hypoxia signal pathway. <b>2002</b> , 20, 445-50	46
1816	Regulation of the hypoxia-inducible factor-1 alpha. ARNT is not necessary for hypoxic induction of HIF-1 alpha in the nucleus. <b>2000</b> , 475, 87-99	16
1815	DNA-binding activity of hypoxia-inducible factors (HIFs). <b>2002</b> , 196, 117-29	8
1814	Inducible expression of endothelial PAS domain protein-1 by hypoxia in human lung adenocarcinoma A549 cells. Role of Src family kinases-dependent pathway. <b>2002</b> , 26, 127-34	43
1813	Expression of hypoxia inducible factor-1 alpha and correlation with preoperative embolization of meningiomas. <b>2002</b> , 97, 658-67	27
1812	Abnormal B lymphocyte development and autoimmunity in hypoxia-inducible factor 1alpha -deficient chimeric mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 2170-4	11.5 175
1811	Oxygen homeostasis and cancer: insights from a rare disease. <b>2002</b> , 2, 356-62	19
1810	Stimulation of hypoxia-inducible factor-1 alpha (HIF-1alpha) protein in the adult rat testis following ischemic injury occurs without an increase in HIF-1alpha messenger RNA expression. <b>2002</b> , 67, 995-1002	43
1809	Apoptosis in hypoxic human pancreatic islets correlates with HIF-1alpha expression. <b>2002</b> , 16, 745-7	153
1808	Reactive oxygen species as regulators of oxygen dependent gene expression. <b>2000</b> , 475, 153-9	28
1807	HIF-1 is essential for multilineage hematopoiesis in the embryo. <b>2000</b> , 475, 275-84	18
1806	Connective tissue growth factor increased by hypoxia may initiate angiogenesis in collaboration with matrix metalloproteinases. <b>2002</b> , 23, 769-76	143

1805	FIH-1 is an asparaginyl hydroxylase enzyme that regulates the transcriptional activity of hypoxia-inducible factor. <b>2002</b> , 16, 1466-71	1091
1804	Evolution of human hypoxia tolerance physiology. <b>2000</b> , 475, 25-43	27
1803	Hypoxia, HIF-1, and the pathophysiology of common human diseases. <b>2000</b> , 475, 123-30	184
1802	Hypoxic induction of the hypoxia-inducible factor is mediated via the adaptor protein Shc in endothelial cells. <b>2002</b> , 91, 38-45	43
1801	Oxygen Sensing. <b>2002</b> ,	
1800	The response of c-jun/AP-1 to chronic hypoxia is hypoxia-inducible factor 1 alpha dependent. <b>2002</b> , 22, 2515-23	78
1799	Bcl-2 overexpression in human melanoma cells increases angiogenesis through VEGF mRNA stabilization and HIF-1-mediated transcriptional activity. <b>2002</b> , 16, 1453-5	105
1798	Metabolic adaptation of the fetal and postnatal ovine heart: regulatory role of hypoxia-inducible factors and nuclear respiratory factor-1. <b>2002</b> , 52, 269-78	42
1797	Determinants of erythropoietin release in response to short-term hypobaric hypoxia. <b>2002</b> , 92, 2361-7	127
1796	Regulation of Gene Expression by Hypoxia in Lung Alveolar Epithelial Cells. <b>2002</b> , 3, 13-26	1
1795	Human hypoxic signal transduction through a signature motif in hepatocyte nuclear factor 4. <b>2002</b> , 132, 37-44	14
1794	A dominant-negative isoform lacking exons 11 and 12 of the human hypoxia-inducible factor-1alpha gene. <b>2002</b> , 362, 71-9	37
1793	Hypoxia-inducible factor asparaginyl hydroxylase (FIH-1) catalyses hydroxylation at the beta-carbon of asparagine-803. <b>2002</b> , 367, 571-5	162
1792	A dominant-negative isoform lacking exons 11 and 12 of the human hypoxia-inducible factor-1 gene. <b>2002</b> , 362, 71-79	66
1791	BCR/ABL induces expression of vascular endothelial growth factor and its transcriptional activator, hypoxia inducible factor-1alpha, through a pathway involving phosphoinositide 3-kinase and the mammalian target of rapamycin. <b>2002</b> , 100, 3767-75	249
1790	Involvement of a ferroprotein sensor in hypoxia-mediated inhibition of neutrophil apoptosis. <b>2002</b> , 100, 3008-16	90
1789	Long-term reversal of chronic anemia using a hypoxia-regulated erythropoietin gene therapy. <b>2002</b> , 100, 2406-13	76
1788	Hypoxia-inducible erythropoietin gene expression in human neuroblastoma cells. <b>2002</b> , 100, 2623-8	64



1787	Expression of transcription factors in the brain of rats with perinatal asphyxia. <b>2002</b> , 81, 266-78	23
1786	Activation of hypoxia-inducible factor-1 in the rat cerebral cortex after transient global ischemia: potential role of insulin-like growth factor-1. <b>2002</b> , 22, 8922-31	208
1785	Immunohistochemical Expression of Erythropoietin and Erythropoietin Receptor in Breast Carcinoma. <b>2002</b> , 1, 351-359	
1784	Role of ANG II in coronary capillary angiogenesis at the insulin-resistant stage of a NIDDM rat model. <b>2002</b> , 283, H1387-97	22
1783	Hypoxic but not anoxic stabilization of HIF-1alpha requires mitochondrial reactive oxygen species. <b>2002</b> , 283, L922-31	203
1782	Role of nitric oxide in the regulation of HIF-1alpha expression during hypoxia. <b>2002</b> , 283, C178-86	101
1781	Esophageal ulceration triggers expression of hypoxia-inducible factor-1 alpha and activates vascular endothelial growth factor gene: implications for angiogenesis and ulcer healing. <b>2002</b> , 161, 1449-57	52
1780	Glucose uptake and adenoviral mediated GLUT1 infection decrease hypoxia-induced HIF-1alpha levels in cardiac myocytes. <b>2002</b> , 34, 1063-73	30
1779	Molecular mechanisms of myocardial remodeling. The role of aldosterone. <b>2002</b> , 34, 1577-84	141
1778	Regulation of hypoxia-inducible factor 1 in enterocytic cells. <b>2002</b> , 106, 157-65	7
1777	Lactase gene transcription is activated in response to hypoxia in intestinal epithelial cells. <b>2002</b> , 75, 65-9	13
1776	Developmental stage-specific expression of the alpha and beta subunits of the HIF-1 protein in the mouse and human fetus. <b>2002</b> , 75, 244-9	40
1775	Cobalt- and nickel-binding property of cullin-2. <b>2002</b> , 290, 294-9	6
1774	The bHLH/PAS factor MOP3 does not participate in hypoxia responses. <b>2002</b> , 290, 1228-36	28
1773	Stabilization of vascular endothelial growth factor mRNA by hypoxia-inducible factor 1. <b>2002</b> , 291, 908-14	114
1772	Oxygen sensors and angiogenesis. <b>2002</b> , 13, 29-37	257
1771	Serum ceruloplasmin and ferroxidase activity are decreased in HFE C282Y homozygote male iron-overloaded patients. <b>2002</b> , 36, 60-5	16
1770	Intermittent hypoxic training: fact and fancy. <b>2002</b> , 3, 177-93	134



1769	Oxidants and Antioxidants. <b>2002,</b>		1
1768	Physiology meets biophysics: visualizing the interaction of hypoxia-inducible factor 1 alpha with p300 and CBP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 11570-2	11.5	34
1767	Insulin-like growth factor 1 induces hypoxia-inducible factor 1-mediated vascular endothelial growth factor expression, which is dependent on MAP kinase and phosphatidylinositol 3-kinase signaling in colon cancer cells. <b>2002</b> , 277, 38205-11		616
1766	Insulin stimulates hypoxia-inducible factor 1 through a phosphatidylinositol 3-kinase/target of rapamycin-dependent signaling pathway. <b>2002</b> , 277, 27975-81		408
1765	Hypoxia-directed cancer therapy. <b>2002</b> , 12, 777-788		3
1764	Regulation and destabilization of HIF-1alpha by ARD1-mediated acetylation. <b>2002</b> , 111, 709-20		588
1763	Hypoxic induction of hypoxia-inducible factor-1alpha and oxygen-regulated gene expression in mitochondrial DNA-depleted HeLa cells. <b>2002</b> , 297, 346-52		48
1762	Lessons from chronic intermittent and sustained hypoxia at high altitudes. <b>2002</b> , 130, 223-33		35
1761	l-carnosine and verapamil inhibit hypoxia-induced expression of hypoxia inducible factor (HIF-1 alpha) in H9c2 cardiomyoblasts. <b>2002</b> , 45, 175-81		29
1760	Vigilant vectors: adeno-associated virus with a biosensor to switch on amplified therapeutic genes in specific tissues in life-threatening diseases. <b>2002</b> , 28, 259-66		32
1759	Characterization of HIF-1 alpha overexpressing HeLa cells and implications for gene therapy. <b>2002</b> , 133, 475-81		10
1758	Inhibition of PPAR gamma 2 gene expression by the HIF-1-regulated gene DEC1/Stra13: a mechanism for regulation of adipogenesis by hypoxia. <b>2002</b> , 2, 331-41		375
1757	Hypoxia as a target for combined modality treatments. <b>2002</b> , 38, 240-57		159
1756	Heparan sulfate fine structure and specificity of proteoglycan functions. <b>2002</b> , 1573, 312-8		118
1755	Induction of erythropoietin (hypoxia marker) in Hep3B cells by hypoxia depends on NADPH-dependent enzyme. <b>2002</b> , 1233, 273-279		
1754	Hypoxia-inducible factor 1 alpha (HIF-1 alpha) gene expression in human ovarian carcinoma. <b>2002</b> , 176, 215-23		53
1753	Reactive species mechanisms of cellular hypoxia-reoxygenation injury. <b>2002</b> , 282, C227-41		793
1752	Signaling pathways in vascular development. <b>2002</b> , 18, 541-73		152

1751	Oxygen-dependent and -independent regulation of HIF-1alpha. <b>2002</b> , 17, 581-8	121
1750	Recruitment of dioxin receptor to active transcription sites. <b>2002</b> , 13, 2001-15	62
1749	HIF-1 : r�gulateur central de l'hypoxie. <b>2002</b> , 18, 70-78	5
1748	Placental development in normal and compromised pregnancies-- a review. <b>2002</b> , 23 Suppl A, S119-29	193
1747	Adriana and Luisa Castellucci Award lecture 2001. Hypoxia inducible factor-1: oxygen regulation of trophoblast differentiation in normal and pre-eclamptic pregnancies--a review. <b>2002</b> , 23 Suppl A, S47-57	157
1746	Modulation of redox-sensitive transcription factors by calorie restriction during aging. <b>2002</b> , 123, 1589-95	136
1745	Role of vascular endothelial growth factor in physiologic and pathologic angiogenesis: Therapeutic implications. <b>2002</b> , 29, 10-14	34
1744	Site-directed mutagenesis studies of the hypoxia-inducible factor-1alpha DNA-binding domain. <b>2002</b> , 1578, 73-83	29
1743	Signaling cross-talk between hypoxia and glucose via hypoxia-inducible factor 1 and glucose response elements. <b>2002</b> , 64, 903-11	38
1742	Signal transduction to hypoxia-inducible factor 1. <b>2002</b> , 64, 993-8	920
1741	Hypoxia increases tumor cell sensitivity to glycolytic inhibitors: a strategy for solid tumor therapy (Model C). <b>2002</b> , 64, 1745-51	70
1740	DNA binding and protein interactions of the AHR/ARNT heterodimer that facilitate gene activation. <b>2002</b> , 141, 63-76	122
1739	Regulation of gene expression by oxygen: NF-kappaB and HIF-1, two extremes. <b>2002</b> , 33, 1231-42	166
1738	NF-kappaB plays a key role in hypoxia-inducible factor-1-regulated erythropoietin gene expression. <b>2002</b> , 30, 1419-27	69
1737	Generation and application of chicken egg-yolk antibodies. <b>2002</b> , 131, 569-74	114
1736	Oxygen-dependent cellular functions--why fishes and their aquatic environment are a prime choice of study. <b>2002</b> , 133, 1-16	93
1735	Quinoxaline 1,4-dioxides: hypoxia-selective therapeutic agents. <b>2002</b> , 33, 198-205	23
1734	Hypoxia-induced pathways in breast cancer. <b>2002</b> , 59, 41-8	53

1733	Assessment of the gene expression profile of differentiated and dedifferentiated human fetal chondrocytes by microarray analysis. <b>2002</b> , 46, 404-19	127
1732	Immunohistochemical expression of erythropoietin and erythropoietin receptor in breast carcinoma. <b>2002</b> , 95, 969-81	130
1731	Tumor hypoxia and the progression of prostate cancer. <b>2002</b> , 3, 222-8	31
1730	Hypoxia-induced angiogenesis in human hepatocellular carcinoma. <b>2002</b> , 80, 703-14	80
1729	Oxygen sensing, HIF-1alpha stabilization and potential therapeutic strategies. <b>2002</b> , 443, 503-7	52
1728	Human hormone-refractory prostate cancers can harbor mutations in the O(2)-dependent degradation domain of hypoxia inducible factor-1alpha (HIF-1alpha). <b>2002</b> , 128, 358-62	30
1727	Hypoxia-inducible factor 1, a master transcription factor of cellular hypoxic gene expression. <b>2002</b> , 16, 150-9	48
1726	The use of dioxygen by HIF prolyl hydroxylase (PHD1). <b>2002</b> , 12, 1547-50	91
1725	Hypoxia-mediated regulation of gene expression in mammalian cells. <b>1998</b> , 79, 347-57	50
1724	Hypoxia-inducible factor-1alpha induces cell cycle arrest of endothelial cells. <b>2002</b> , 7, 143-9	52
1723	Oxygen mediated gene regulation. <b>2002</b> , 7, S21-S25	1
1722	Expression of hypoxia-inducible factor 1alpha in tumours of patients with glioblastoma. <b>2002</b> , 28, 210-7	67
1721	HIF-1A, pimonidazole, and iododeoxyuridine to estimate hypoxia and perfusion in human head-and-neck tumors. <b>2002</b> , 54, 1537-49	301
1720	Novel chimeric gene promoters responsive to hypoxia and ionizing radiation. <b>2002</b> , 9, 1403-11	70
1719	TAp63gamma (p51A) and dNp63alpha (p73L), two major isoforms of the p63 gene, exert opposite effects on the vascular endothelial growth factor (VEGF) gene expression. <b>2002</b> , 21, 2455-65	62
1718	Normobaric hypoxia induces tolerance to focal permanent cerebral ischemia in association with an increased expression of hypoxia-inducible factor-1 and its target genes, erythropoietin and VEGF, in the adult mouse brain. <b>2002</b> , 22, 393-403	305
1717	Hypoxia-inducible factor-1alpha accumulation in the brain after experimental intracerebral hemorrhage. <b>2002</b> , 22, 689-96	59
1716	Hypoxia and an angiogenic response in the partially obstructed rat bladder. <b>2002</b> , 82, 903-9	75

1715	Structural basis for the recognition of hydroxyproline in HIF-1 alpha by pVHL. <b>2002</b> , 417, 975-8	550
1714	Hypoxia--a key regulatory factor in tumour growth. <b>2002</b> , 2, 38-47	4026
1713	Hypoxia enhances the expression of autocrine motility factor and the motility of human pancreatic cancer cells. <b>2002</b> , 86, 1914-9	79
1712	Expression of hypoxia-inducible factor-1alpha in cervical carcinomas: correlation with tumor oxygenation. <b>2002</b> , 53, 854-61	290
1711	Oxygen mediated gene regulation. <b>2002</b> , 7, S21-S25	3
1710	NO-mediated chemoresistance in C6 glioma cells. <b>2002</b> , 962, 8-17	27
1709	ERK and calcium in activation of HIF-1. <b>2002</b> , 973, 448-53	44
1708	Cellular adaptation to hypoxia: O2-sensing protein hydroxylases, hypoxia-inducible transcription factors, and O2-regulated gene expression. <b>2002</b> , 16, 1151-62	954
1707	Free radicals in the physiological control of cell function. <b>2002</b> , 82, 47-95	6814
1706	A role for hypoxia and hypoxia-inducible transcription factors in tumor physiology. <b>2002</b> , 80, 562-75	73
1705	The characterization and purification of a human transcription factor modulating the glutathione peroxidase gene in response to oxygen tension. <b>2002</b> , 229, 73-83	21
1704	Oxygen deprivation induced cell death: an update. <b>2002</b> , 7, 475-82	136
1703	Anti-angiogenic therapy: rationale, challenges and clinical studies. <b>2002</b> , 5, 237-56	108
1702	HLF/HIF-2alpha is a key factor in retinopathy of prematurity in association with erythropoietin. <b>2003</b> , 22, 1134-46	202
1701	The VHL protein recruits a novel KRAB-A domain protein to repress HIF-1alpha transcriptional activity. <b>2003</b> , 22, 1857-67	63
1700	HIF prolyl-hydroxylase 2 is the key oxygen sensor setting low steady-state levels of HIF-1alpha in normoxia. <b>2003</b> , 22, 4082-90	997
1699	Regulation of cancer metastasis by stress pathways. <b>2003</b> , 20, 31-43	66
1698	Cell type-specific regulation of angiogenic growth factor gene expression and induction of angiogenesis in nonischemic tissue by a constitutively active form of hypoxia-inducible factor 1. <b>2003</b> , 93, 1074-81	499

1697	The hypoxia-inducible factors: key transcriptional regulators of hypoxic responses. <b>2003</b> , 60, 1376-93	192
1696	Inhibition of angiogenesis by NSAIDs: molecular mechanisms and clinical implications. <b>2003</b> , 81, 627-36	81
1695	Acid-base balance at exercise in normoxia and in chronic hypoxia. Revisiting the "lactate paradox". <b>2003</b> , 90, 431-48	53
1694	Role of hypoxia in tumor angiogenesis-molecular and cellular angiogenic crosstalk. <b>2003</b> , 314, 145-55	40
1693	The von Hippel-Lindau tumor suppressor, hypoxia-inducible factor-1 (HIF-1) degradation, and cancer pathogenesis. <b>2003</b> , 13, 83-9	170
1692	2ME2 inhibits tumor growth and angiogenesis by disrupting microtubules and dysregulating HIF. <b>2003</b> , 3, 363-75	597
1691	p38 MAP kinase activation mediates gamma-globin gene induction in erythroid progenitors. <b>2003</b> , 31, 1089-96	75
1690	Effect of hypoxia on placental activin A, inhibin A and follistatin synthesis. <b>2003</b> , 24, 77-83	50
1689	VEGF and HIF-1alpha expression are increased in advanced stages of epithelial ovarian cancer. <b>2003</b> , 91, 513-7	83
1688	Analysis of the effect of aging on the response to hypoxia by cDNA microarray. <b>2003</b> , 124, 941-9	25
1687	Oxygen-regulated expression of TGF-beta 3, a growth factor involved in trophoblast differentiation. <b>2003</b> , 24, 941-50	56
1686	HIF-2alpha regulates glyceraldehyde-3-phosphate dehydrogenase expression in endothelial cells. <b>2003</b> , 1626, 10-8	28
1685	Levels of hypoxia-inducible factor-1alpha independently predict prognosis in patients with lymph node negative breast carcinoma. <b>2003</b> , 97, 1573-81	423
1684	Cyclooxygenase-2 expression in human pituitary tumors. <b>2003</b> , 97, 2814-21	37
1683	Expression of hypoxia-inducible factor-1alpha is associated with tumor vascularization in human colorectal carcinoma. <b>2003</b> , 105, 176-81	124
1682	Cyclin dependent kinase inhibitor p27(Kip1) is upregulated by hypoxia via an ARNT dependent pathway. <b>2003</b> , 90, 548-60	22
1681	Role of ERK and calcium in the hypoxia-induced activation of HIF-1. <b>2003</b> , 194, 30-44	112
1680	How to overcome (and exploit) tumor hypoxia for targeted gene therapy. <b>2003</b> , 197, 312-25	55

1679	Angiogenesis in brain tumors. <b>2003</b> , 60, 225-30	42
1678	ARNT gene multiplicity in amphibians: characterization of ARNT2 from the frog <i>Xenopus laevis</i> . <b>2003</b> , 300, 48-57	12
1677	Significant correlation of hypoxia-inducible factor-1alpha with treatment outcome in cervical cancer treated with radical radiotherapy. <b>2003</b> , 56, 494-501	110
1676	Analogues of dealanylalohopcin are inhibitors of human HIF prolyl hydroxylases. <b>2003</b> , 13, 1451-4	63
1675	2-oxoglutarate analogue inhibitors of HIF prolyl hydroxylase. <b>2003</b> , 13, 2677-80	131
1674	Pulp cell responses during hypoxia and reoxygenation in vitro. <b>2003</b> , 111, 332-8	49
1673	The subtle side to hypoxia inducible factor (HIFalpha) regulation. <b>2003</b> , 270, 791-8	117
1672	Use of hypoxia-inducible factor signal transduction pathway to measure O2 levels and modulate growth factor pathways. <b>2003</b> , 11, 496-503	5
1671	The specific expression of hypoxia inducible factor-1alpha in human gastric mucosa induced by nonsteroidal anti-inflammatory drugs. <b>2003</b> , 18 Suppl 1, 90-8	15
1670	Acute hypoxia increases the aggressive characteristics and survival properties of prostate cancer cells. <b>2003</b> , 54, 58-67	84
1669	Analysis of the hypoxia-induced ADH2 promoter of the respiratory yeast <i>Pichia stipitis</i> reveals a new mechanism for sensing of oxygen limitation in yeast. <b>2003</b> , 20, 39-51	43
1668	Clinicopathological significance of hypoxia-inducible factor-1alpha expression in human pancreatic carcinoma. <b>2003</b> , 43, 550-5	53
1667	Structural basis for negative regulation of hypoxia-inducible factor-1alpha by CITED2. <b>2003</b> , 10, 504-12	157
1666	Regression of solid tumors by engineered overexpression of von Hippel-Lindau tumor suppressor protein and antisense hypoxia-inducible factor-1alpha. <b>2003</b> , 10, 2081-9	25
1665	Effects of hypoxia on the expression of proangiogenic factors in differentiated 3T3-F442A adipocytes. <b>2003</b> , 27, 1187-95	153
1664	The hypoxia-inducible factor-1 alpha is a negative factor for tumor therapy. <b>2003</b> , 22, 3213-20	293
1663	Expression of hypoxia inducible factor 1 alpha and Von Hippel Lindau protein in human middle ear cholesteatoma. <b>2003</b> , 113, 1210-5	9
1662	Multiple organ pathology, metabolic abnormalities and impaired homeostasis of reactive oxygen species in <i>Epas1</i> <sup>-/-</sup> mice. <b>2003</b> , 35, 331-40	384

1661	Regulation of angiogenesis by hypoxia: role of the HIF system. <b>2003</b> , 9, 677-84	1902
1660	Targeting HIF-1 for cancer therapy. <b>2003</b> , 3, 721-32	5267
1659	Genetic analysis of hypoxia signaling and response in C elegans. <b>2003</b> , 995, 191-9	49
1658	Overexpression of the soluble vascular endothelial growth factor receptor in preeclamptic patients: pathophysiological consequences. <b>2003</b> , 88, 5555-63	372
1657	Intracellular localisation of human HIF-1 alpha hydroxylases: implications for oxygen sensing. <b>2003</b> , 116, 1319-26	348
1656	Role of hypoxia inducible factors 1alpha and 2alpha in basal adhesion formation and in carbon dioxide pneumoperitoneum-enhanced adhesion formation after laparoscopic surgery in transgenic mice. <b>2003</b> , 80 Suppl 2, 795-802	50
1655	Influence of hypoxia and neoangiogenesis on the growth of pancreatic cancer. <b>2003</b> , 2, 12	116
1654	RNA-binding protein Csx1 mediates global control of gene expression in response to oxidative stress. <b>2003</b> , 22, 6256-66	60
1653	Erythropoietin. <b>2003</b> , 26, 832-7	39
1652	Angiogenesis in ischemic and neoplastic disorders. <b>2003</b> , 54, 17-28	317
1651	Regulation of hypoxia-inducible factor 1alpha and induction of vascular endothelial growth factor in a rat neonatal stroke model. <b>2003</b> , 14, 524-34	159
1650	Hypoxia attenuates the expression of E-cadherin via up-regulation of SNAIL in ovarian carcinoma cells. <b>2003</b> , 163, 1437-47	293
1649	An angiogenic switch in macrophages involving synergy between Toll-like receptors 2, 4, 7, and 9 and adenosine A(2A) receptors. <b>2003</b> , 163, 711-21	227
1648	Dominant-negative hypoxia-inducible factor-1 alpha reduces tumorigenicity of pancreatic cancer cells through the suppression of glucose metabolism. <b>2003</b> , 162, 1283-91	158
1647	Angiogenesis in human cancer: implications in cancer therapy. <b>2003</b> , 14, 459-469	36
1646	Impaired oxygen-dependent reduction of HIF-1alpha and -2alpha proteins in pre-eclamptic placentae. <b>2003</b> , 24, 199-208	88
1645	Epithelial cells in the oviduct and vagina and steroid-synthesizing cells in the rabbit ovary express AhR and ARNT. <b>2003</b> , 207, 9-18	17
1644	Correlation study showing no concordance between EPAS-1/HIF-2alpha mRNA and protein expression in transitional cellcancer of the bladder. <b>2003</b> , 61, 851-7	12

1643	Butyrate impairs intestinal tumor cell-induced angiogenesis by inhibiting HIF-1alpha nuclear translocation. <b>2003</b> , 300, 832-8	71
1642	pVHL-independent ubiquitination of HIF1alpha and its stabilization by cobalt ion. <b>2003</b> , 306, 750-5	28
1641	Hypoxia-induced dedifferentiation in neuroblastoma cells. <b>2003</b> , 197, 145-50	38
1640	Tumour hypoxia, chemotherapeutic resistance and hypoxia-related therapies. <b>2003</b> , 29, 297-307	417
1639	Identification of a putative calcium-binding protein as a dioxin-responsive gene in zebrafish and rainbow trout. <b>2003</b> , 63, 271-82	14
1638	Cross-talk between hypoxic and circadian pathways: cooperative roles for hypoxia-inducible factor 1alpha and CLOCK in transcriptional activation of the vasopressin gene. <b>2003</b> , 22, 396-404	45
1637	The regulation of glucose metabolism by HIF-1 mediates a neuroprotective response to amyloid beta peptide. <b>2003</b> , 39, 43-56	188
1636	Resistance in the anti-angiogenic era: nay-saying or a word of caution?. <b>2003</b> , 9, 24-9	40
1635	Understanding the molecular responses to hypoxia using Drosophila as a genetic model. <b>2003</b> , 135, 221-9	15
1634	Expression of HIF-1alpha, VEGF and VEGF receptors in the carotid body of chronically hypoxic rat. <b>2003</b> , 138, 143-54	39
1633	HIF-1 in cell cycle regulation, apoptosis, and tumor progression. <b>2003</b> , 5, 467-73	93
1632	Erythropoietin. <b>2003</b> , 149-166	2
1631	Hearts from rodents exposed to intermittent hypoxia or erythropoietin are protected against ischemia-reperfusion injury. <b>2003</b> , 108, 79-85	487
1630	Breast cancer-induced angiogenesis: multiple mechanisms and the role of the microenvironment. <b>2003</b> , 5, 140-6	103
1629	Differential roles of hypoxia-inducible factor 1alpha (HIF-1alpha) and HIF-2alpha in hypoxic gene regulation. <b>2003</b> , 23, 9361-74	1035
1628	Recent insights into angiogenesis, apoptosis, invasion, and metastasis in colorectal carcinoma. <b>2003</b> , 10, 839-51	34
1627	Is HIF-1 alpha a valid therapeutic target?. <b>2003</b> , 95, 498-9	22
1626	Tumor necrosis factor-alpha causes accumulation of a ubiquitinated form of hypoxia inducible factor-1alpha through a nuclear factor-kappaB-dependent pathway. <b>2003</b> , 14, 2216-25	132



1625	HIF-1: an oxygen response system with special relevance to the kidney. <b>2003</b> , 14, 2712-22	109
1624	Effects of hypoxia and thyroid hormone on mRNA levels and activity of phosphoglycerate mutase in rabbit tissues. <b>2003</b> , 59, 16-20	3
1623	Microtubule disruption utilizes an NFkappa B-dependent pathway to stabilize HIF-1alpha protein. <b>2003</b> , 278, 7445-52	80
1622	T cell-specific disruption of arylhydrocarbon receptor nuclear translocator (Arnt) gene causes resistance to 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced thymic involution. <b>2003</b> , 171, 4113-20	41
1621	The Snark is a Boojum: the continuing problem of drug resistance in the antiangiogenic era. <b>2003</b> , 14, 20-8	28
1620	Hypoxia-induced gene expression occurs solely through the action of hypoxia-inducible factor 1alpha (HIF-1alpha): role of cytoplasmic trapping of HIF-2alpha. <b>2003</b> , 23, 4959-71	149
1619	Hypoxia-inducible factor and its biomedical relevance. <b>2003</b> , 278, 19575-8	236
1618	Podocyte expression of hypoxia-inducible factor (HIF)-1 and HIF-2 during glomerular development. <b>2003</b> , 14, 927-38	67
1617	Identification of hypoxia-response element in the human endothelial nitric-oxide synthase gene promoter. <b>2003</b> , 278, 46230-40	145
1616	Overexpression of hypoxia-inducible-factor 1alpha(HIF-1alpha) in oesophageal squamous cell carcinoma correlates with lymph node metastasis and pathologic stage. <b>2003</b> , 89, 1042-7	111
1615	The antimycotic ciclopirox olamine induces HIF-1alpha stability, VEGF expression, and angiogenesis. <b>2003</b> , 17, 761-3	87
1614	IL-1beta-mediated up-regulation of HIF-1alpha via an NFkappaB/COX-2 pathway identifies HIF-1 as a critical link between inflammation and oncogenesis. <b>2003</b> , 17, 2115-7	528
1613	Suicide Gene Therapy. <b>2003</b> ,	
1612	Kaposi's sarcoma-associated herpesvirus (human herpesvirus 8) contains hypoxia response elements: relevance to lytic induction by hypoxia. <b>2003</b> , 77, 6761-8	100
1611	Regulation of the chemokine receptor CXCR4 by hypoxia. <b>2003</b> , 198, 1391-402	695
1610	Cyclosporin A prevents the hypoxic adaptation by activating hypoxia-inducible factor-1alpha Pro-564 hydroxylation. <b>2003</b> , 278, 15406-11	45
1609	Cobalt inhibits the interaction between hypoxia-inducible factor-alpha and von Hippel-Lindau protein by direct binding to hypoxia-inducible factor-alpha. <b>2003</b> , 278, 15911-6	439
1608	Hypoxia-inducible factor 1alpha is essential for cell cycle arrest during hypoxia. <b>2003</b> , 23, 359-69	424

1607	Structural basis for PAS domain heterodimerization in the basic helix--loop--helix-PAS transcription factor hypoxia-inducible factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 15504-9	11.5	185
1606	Bach1 functions as a hypoxia-inducible repressor for the heme oxygenase-1 gene in human cells. <b>2003</b> , 278, 9125-33		214
1605	Insulin regulation in AhR-null mice: embryonic cardiac enlargement, neonatal macrosomia, and altered insulin regulation and response in pregnant and aging AhR-null females. <b>2003</b> , 76, 407-17		37
1604	Role of Ca(2+)-sensitive K(+) channels in the remission phase of pulmonary hypertension in chronic obstructive pulmonary diseases. <b>2003</b> , 60, 326-36		22
1603	Hypoxia-inducible factors and kidney vascular development. <b>2003</b> , 14, 2723-30		36
1602	Oxygen sensing in the hypoxic response pathway: regulation of the hypoxia-inducible transcription factor. <b>2003</b> , 17, 2614-23		339
1601	Exploiting hypoxia for targeted gene therapy. <b>2003</b> , 2, 59-75		
1600	Regulated production of proteins from muscle using gene transfer: potential therapeutic applications. <b>2003</b> , 3, 277-91		3
1599	AMP-activated protein kinase activity is critical for hypoxia-inducible factor-1 transcriptional activity and its target gene expression under hypoxic conditions in DU145 cells. <b>2003</b> , 278, 39653-61		206
1598	HIF-1 alpha deficiency perturbs T and B cell functions. <b>2003</b> , 9, 1827-32		26
1597	Oxygen sensing in cancer. <b>2003</b> , 35, 380-90		11
1596	HIF prolyl and asparaginyl hydroxylases in the biological response to intracellular O(2) levels. <b>2003</b> , 116, 3041-9		173
1595	Targeting cancer with gene therapy using hypoxia as a stimulus. <b>2004</b> , 90, 371-87		5
1594	Pathophysiology of Meningiomas. <b>2003</b> , 14, 169-186		3
1593	Role of maspin in tumor metastasis and angiogenesis. <b>2003</b> , 3, 653-8		32
1592	Red blood cell physiology in critical illness. <b>2003</b> , 31, S651-7		125
1591	Hypoxia-inducible factor induction by tumour necrosis factor in normoxic cells requires receptor-interacting protein-dependent nuclear factor kappa B activation. <b>2003</b> , 370, 1011-7		157
1590	Cytokines induce HIF-1 DNA binding and the expression of HIF-1-dependent genes in cultured rat enterocytes. <b>2003</b> , 284, G373-84		66

1589	. <b>2003</b> , 238, 6-8	1
1588	Hypoxia-inducible factor 1 regulates vascular endothelial growth factor expression in human pancreatic cancer. <b>2003</b> , 26, 56-64	151
1587	Adrenocortical responses to ACTH in neonatal rats: effect of hypoxia from birth on corticosterone, StAR, and PBR. <b>2003</b> , 284, R78-85	35
1586	Abstinence from smoking reduces incisional wound infection: a randomized, controlled trial. <b>2003</b> , 238, 6-8	15
1585	Redox regulation of HIF-1alpha levels and HO-1 expression in renal medullary interstitial cells. <b>2003</b> , 284, F1207-15	66
1584	Differential vulnerability of oligodendrocytes and astrocytes to hypoxic and ischemic stresses. <b>2003</b> , 857-867	3
1583	Physiological Targeting. <b>2003</b> , 505-525	
1582	Cellular response to hypoxia involves signaling via Smad proteins. <b>2003</b> , 101, 2253-60	123
1581	Role of activator protein-1 in the down-regulation of the human CYP2J2 gene in hypoxia. <b>2003</b> , 373, 669-80	41
1580	The role of iron and 2-oxoglutarate oxygenases in signalling. <b>2003</b> , 31, 510-5	47
1579	Regulation of hypoxia-inducible factor-1alpha by nitric oxide through mitochondria-dependent and -independent pathways. <b>2003</b> , 376, 537-44	214
1578	Regulation of heme oxygenase-1 gene expression by anoxia and reoxygenation in primary rat hepatocyte cultures. <b>2003</b> , 228, 584-9	18
1577	The ischemic penumbra: the evolution of a concept. <b>2003</b> , 191-206	1
1576	Tumor cell hypoxia and the hypoxia-response signaling system as a target for prostate cancer therapy. <b>2003</b> , 4, 191-6	14
1575	Differential expression of hypoxia inducible factor-1 alpha and tumor cell proliferation between squamous cell carcinomas and adenocarcinomas among operable non-small cell lung carcinomas. <b>2003</b> , 18, 196-203	36
1574	Genetic modulation of hypoxia induced gene expression and angiogenesis: relevance to brain tumors. <b>2003</b> , 8, d100-16	54
1573	Inhibition of Viability and Genetic Change in Hypoxia-treated Lung Pericytes. <b>2004</b> , 57, 37	
1572	Receptor tyrosine kinases and inhibitors in lung cancer. <b>2004</b> , 4, 589-604	28

1571	La régulation de HIF-1 (Hypoxia-Inducible Factor-1): un air nouveau dans le domaine de l'hypoxie. <b>2004</b> , 198, 113-120	6
1570	Resistance to anti-VEGF agents. <b>2004</b> , 10, 51-64	20
1569	Transcriptional profile of postmortem skeletal muscle. <b>2004</b> , 16, 222-8	33
1568	Angiogenesis. <b>2004</b> , 79-84	2
1567	System Benefit of a Hypobaric Hypoxic Spacecraft Environment. <b>2004</b> ,	2
1566	Mitochondrial Oxygen Sensing in Hypoxic Pulmonary Vasoconstriction. <b>2004</b> , 263-275	
1565	The hypoxia-inducible factor and tumor progression along the angiogenic pathway. <b>2005</b> , 242, 157-213	61
1564	Analysis of von Hippel-Lindau tumor suppressor as a mediator of cellular oxygen sensing. <b>2004</b> , 381, 305-20	
1563	Oxygen-dependent regulation of adipogenesis. <b>2004</b> , 381, 387-95	5
1562	Methods to detect hypoxia-induced ischemic tolerance in the brain. <b>2004</b> , 381, 399-416	6
1561	Vascular endothelial growth factor transcriptional activation is mediated by hypoxia-inducible factor 1alpha, HDM2, and p70S6K1 in response to phosphatidylinositol 3-kinase/AKT signaling. <b>2004</b> , 279, 45643-51	159
1560	Cobalt induces hypoxia-inducible factor-1alpha expression in airway smooth muscle cells by a reactive oxygen species- and PI3K-dependent mechanism. <b>2004</b> , 31, 544-51	71
1559	Hypoxia-inducible factor-1 transactivates transforming growth factor-beta3 in trophoblast. <b>2004</b> , 145, 4113-8	71
1558	H2AX may function as an anchor to hold broken chromosomal DNA ends in close proximity. <b>2004</b> , 3, 149-53	214
1557	Oxygen-regulated expression of the RNA-binding proteins RBM3 and CIRP by a HIF-1-independent mechanism. <b>2004</b> , 117, 1785-94	189
1556	The fibrinolytic system and matrix metalloproteinases in angiogenesis and tumor progression. <b>2004</b> , 30, 71-82	17
1555	Hypoxia-induced mitogenic factor has antiapoptotic action and is upregulated in the developing lung: coexpression with hypoxia-inducible factor-2alpha. <b>2004</b> , 31, 276-82	49
1554	The PAI-1 gene as a direct target of endothelial PAS domain protein-1 in adenocarcinoma A549 cells. <b>2004</b> , 31, 209-15	18

1553	Oxygen-dependent and tissue-specific regulation of erythropoietin gene expression. <b>2004</b> , 286, R977-88	175
1552	The stem cell marker Bcrp/ABCG2 enhances hypoxic cell survival through interactions with heme. <b>2004</b> , 279, 24218-25	501
1551	Proceedings of the Oxygen Homeostasis/Hypoxia Meeting. <b>2004</b> , 64, 3350-6	28
1550	The role of hypoxia-induced factors in tumor progression. <b>2004</b> , 9 Suppl 5, 10-7	568
1549	Expression of vascular endothelial growth factor, hypoxia inducible factor 1alpha, and carbonic anhydrase IX in human tumours. <b>2004</b> , 57, 504-12	104
1548	Prolonged hypoxia differentially regulates hypoxia-inducible factor (HIF)-1alpha and HIF-2alpha expression in lung epithelial cells: implication of natural antisense HIF-1alpha. <b>2004</b> , 279, 14871-8	311
1547	Preferential transcription of rabbit Aldh1a1 in the cornea: implication of hypoxia-related pathways. <b>2004</b> , 24, 1324-40	17
1546	Oxygen-regulated gene expression in bovine blastocysts. <b>2004</b> , 71, 1108-19	141
1545	Hypoxia-induced activation of the retinoic acid receptor-related orphan receptor alpha4 gene by an interaction between hypoxia-inducible factor-1 and Sp1. <b>2004</b> , 279, 15025-31	50
1544	Follicle-stimulating hormone activation of hypoxia-inducible factor-1 by the phosphatidylinositol 3-kinase/AKT/Ras homolog enriched in brain (Rheb)/mammalian target of rapamycin (mTOR) pathway is necessary for induction of select protein markers of follicular differentiation. <b>2004</b> , 279, 19431-40	182
1543	Endolymphatic sac tumors in patients with and without von Hippel-Lindau disease: the role of genetic mutation, von Hippel-Lindau protein, and hypoxia inducible factor-1alpha expression. <b>2004</b> , 100, 488-97	25
1542	Hypoxia affects mesoderm and enhances hemangioblast specification during early development. <b>2004</b> , 131, 4623-34	117
1541	Hypoxia-mediated down-regulation of Bid and Bax in tumors occurs via hypoxia-inducible factor 1-dependent and -independent mechanisms and contributes to drug resistance. <b>2004</b> , 24, 2875-89	317
1540	Transcription of the vascular endothelial growth factor gene in macrophages is regulated by liver X receptors. <b>2004</b> , 279, 9905-11	50
1539	Schedule-dependent inhibition of hypoxia-inducible factor-1alpha protein accumulation, angiogenesis, and tumor growth by topotecan in U251-HRE glioblastoma xenografts. <b>2004</b> , 64, 6845-8	176
1538	Targeting Topoisomerase 1 to inhibit Hypoxia Inducible Factor 1. <b>2004</b> , 3, 167-170	34
1537	In vitro and in vivo models analyzing von Hippel-Lindau disease-specific mutations. <b>2004</b> , 64, 8595-603	53
1536	Histone deacetylase 7 associates with hypoxia-inducible factor 1alpha and increases transcriptional activity. <b>2004</b> , 279, 41966-74	156

1535	Hypoxic gene activation by lipopolysaccharide in macrophages: implication of hypoxia-inducible factor 1alpha. <b>2004</b> , 103, 1124-30	346
1534	Cell cycle kinase inhibitor expression and hypoxia-induced cell cycle arrest in human cancer cell lines. <b>2004</b> , 25, 2325-35	48
1533	2-deoxy-D-glucose increases the efficacy of adriamycin and paclitaxel in human osteosarcoma and non-small cell lung cancers in vivo. <b>2004</b> , 64, 31-4	371
1532	Protein kinase C zeta transactivates hypoxia-inducible factor alpha by promoting its association with p300 in renal cancer. <b>2004</b> , 64, 456-62	57
1531	Hypoxia and hypoxia-inducible factor-1 target genes in central nervous system radiation injury: a role for vascular endothelial growth factor. <b>2004</b> , 10, 3342-53	138
1530	Effect of radiation and ibuprofen on normoxic renal carcinoma cells overexpressing hypoxia-inducible factors by loss of von Hippel-Lindau tumor suppressor gene function. <b>2004</b> , 10, 4158-64	16
1529	DNA damage is a prerequisite for p53-mediated proteasomal degradation of HIF-1alpha in hypoxic cells and downregulation of the hypoxia marker carbonic anhydrase IX. <b>2004</b> , 24, 5757-66	79
1528	Vascular ischaemia and reperfusion injury. <b>2004</b> , 70, 71-86	293
1527	Patent ductus venosus and dioxin resistance in mice harboring a hypomorphic Arnt allele. <b>2004</b> , 279, 16326-31	101
1526	Induction of hypoxia-inducible factor 1 activity by muscarinic acetylcholine receptor signaling. <b>2004</b> , 279, 41521-8	45
1525	Visualization of the three-dimensional organization of hypoxia-inducible factor-1 alpha and interacting cofactors in subnuclear structures. <b>2004</b> , 385, 231-7	17
1524	Role of hypoxia-inducible factor 1alpha in gastric cancer cell growth, angiogenesis, and vessel maturation. <b>2004</b> , 96, 946-56	207
1523	Intermittent normobaric hypoxia does not alter performance or erythropoietic markers in highly trained distance runners. <b>2004</b> , 96, 1800-7	100
1522	HIF-1β Relationship to Oxygen: Simple yet Sophisticated. <b>2004</b> , 3, 151-154	38
1521	Siah: new players in the cellular response to hypoxia. <b>2004</b> , 3, 1345-7	36
1520	Dead Cells Don't Form Tumors: HIF-Dependent Cytotoxins. <b>2004</b> , 3, 155-158	9
1519	Erythropoietin in cardiovascular diseases. <b>2004</b> , 25, 285-91	109
1518	Dynamic Balancing of the Dual Nature of HIF-1alpha for Cell Survival. <b>2004</b> , 3, 851-852	32

1517	Nitric oxide induces hypoxia-inducible factor 1 activation that is dependent on MAPK and phosphatidylinositol 3-kinase signaling. <b>2004</b> , 279, 2550-8	160
1516	Iron chelators in cancer chemotherapy. <b>2004</b> , 4, 1623-35	165
1515	Genomic structure and promoter characterization of the human Sprouty4 gene, a novel regulator of lung morphogenesis. <b>2004</b> , 287, L52-9	14
1514	HIFs, hypoxia, and vascular development. <b>2004</b> , 62, 37-54	83
1513	Nitric oxide and reactive oxygen species exert opposing effects on the stability of hypoxia-inducible factor-1alpha (HIF-1alpha) in explants of human pial arteries. <b>2004</b> , 18, 379-81	60
1512	ERK1/2 regulates intracellular ATP levels through alpha-enolase expression in cardiomyocytes exposed to ischemic hypoxia and reoxygenation. <b>2004</b> , 279, 50120-31	69
1511	The aryl hydrocarbon receptor (AhR) tyrosine 9, a residue that is essential for AhR DNA binding activity, is not a phosphoresidue but augments AhR phosphorylation. <b>2004</b> , 279, 20582-93	24
1510	Cardiac myocyte-specific HIF-1alpha deletion alters vascularization, energy availability, calcium flux, and contractility in the normoxic heart. <b>2004</b> , 18, 1138-40	165
1509	Regulation of Drosophila hypoxia-inducible factor (HIF) activity in SL2 cells: identification of a hypoxia-induced variant isoform of the HIFalpha homolog gene similar. <b>2004</b> , 279, 36048-58	48
1508	Role of iron (II)-2-oxoglutarate-dependent dioxygenases in the generation of hypoxia-induced phosphatidic acid through HIF-1/2 and von Hippel-Lindau-independent mechanisms. <b>2004</b> , 279, 9504-11	9
1507	Topoisomerase I-mediated inhibition of hypoxia-inducible factor 1: mechanism and therapeutic implications. <b>2004</b> , 64, 1475-82	275
1506	Epstein-Barr virus latent membrane protein 1 induces synthesis of hypoxia-inducible factor 1 alpha. <b>2004</b> , 24, 5223-34	165
1505	PI3K/Akt is required for heat shock proteins to protect hypoxia-inducible factor 1alpha from pVHL-independent degradation. <b>2004</b> , 279, 13506-13	187
1504	Oncolytic effects of adenovirus mutant capable of replicating in hypoxic and normoxic regions of solid tumor. <b>2004</b> , 10, 938-49	51
1503	Targeting hypoxia-inducible factor-1 for therapy and prevention. <b>2004</b> , 14, 951-966	
1502	Hypoxia-induced synthesis of hemoglobin in the crustacean Daphnia magna is hypoxia-inducible factor-dependent. <b>2004</b> , 279, 36038-47	82
1501	Divergent expression patterns for hypoxia-inducible factor-1beta and aryl hydrocarbon receptor nuclear transporter-2 in developing kidney. <b>2004</b> , 15, 2569-78	22
1500	Hypoxic induction of Ctgf is directly mediated by Hif-1. <b>2004</b> , 287, F1223-32	233

1499	Erythropoietin improves left ventricular function and coronary flow in an experimental model of ischemia-reperfusion injury. <b>2004</b> , 6, 853-9	77
1498	Bone-marrow-derived cells for enhancing collateral development: mechanisms, animal data, and initial clinical experiences. <b>2004</b> , 95, 354-63	224
1497	Role of renin angiotensin system in angiogenesis: it is still elusive. <b>2004</b> , 24, 622-4	11
1496	Chronic Hypoxia- and Monocrotaline-Induced Elevation of Hypoxia-Inducible Factor-1 $\alpha$ ; Levels and Pulmonary Hypertension. <b>2004</b> , 11, 315-321	5
1495	Hypoxia-inducible factor-1-independent regulation of vascular endothelial growth factor by hypoxia in colon cancer. <b>2004</b> , 64, 1765-72	129
1494	Potential role of IGF-I in hypoxia tolerance using a rat hypoxic-ischemic model: activation of hypoxia-inducible factor 1 $\alpha$ . <b>2004</b> , 55, 385-94	34
1493	Gene expression analysis following hypoxia-reoxygenation in rat gastric epithelial cells using a high-density oligonucleotide array. <b>2004</b> , 9, 337-42	3
1492	Acclimatization to 4100 m does not change capillary density or mRNA expression of potential angiogenesis regulatory factors in human skeletal muscle. <b>2004</b> , 207, 3865-71	63
1491	A dominant-negative isoform of hypoxia-inducible factor-1 $\alpha$ specifically expressed in human testis. <b>2004</b> , 71, 331-9	28
1490	Thyroid hormone induces erythropoietin gene expression through augmented accumulation of hypoxia-inducible factor-1. <b>2004</b> , 287, R600-7	41
1489	Mutation of the von Hippel-Lindau (VHL) gene in human colorectal carcinoma: association with cytoplasmic accumulation of hypoxia-inducible factor (HIF)-1 $\alpha$ . <b>2004</b> , 95, 149-53	26
1488	HIF-1 $\alpha$ reveals a binding activity to the promoter of iNOS gene after permanent middle cerebral artery occlusion. <b>2004</b> , 90, 368-78	65
1487	Possible involvement of pyruvate kinase in acquisition of tolerance to hypoxic stress in glial cells. <b>2004</b> , 91, 167-75	19
1486	Insulin-like growth factor-II regulates the expression of vascular endothelial growth factor by the human keratinocyte cell line HaCaT. <b>2004</b> , 123, 152-8	45
1485	Metabolic profiles of cancer cells. <b>2004</b> , 4, 551-61	600
1484	Oxygen sensing by HIF hydroxylases. <b>2004</b> , 5, 343-54	1535
1483	HIF-1 $\alpha$ induces cell cycle arrest by functionally counteracting Myc. <b>2004</b> , 23, 1949-56	487
1482	HIF-1-mediated activation of telomerase in cervical cancer cells. <b>2004</b> , 23, 3708-15	101



1481	HIF1 and oxygen sensing in the brain. <b>2004</b> , 5, 437-48	434
1480	Carbamoylating chemoresistance induced by cobalt pretreatment in C6 glioma cells: putative roles of hypoxia-inducible factor-1. <b>2004</b> , 141, 988-96	28
1479	Antiapoptotic action of hypoxia-inducible factor-1 alpha in human endothelial cells. <b>2004</b> , 84, 553-61	48
1478	Dysregulation of hypoxia inducible factor-1alpha in head and neck squamous cell carcinoma cell lines correlates with invasive potential. <b>2004</b> , 114, 418-23	21
1477	Employing tumor hypoxia to enhance oncolytic viral therapy in breast cancer. <b>2004</b> , 136, 199-204	18
1476	4-Hydroxy estradiol but not 2-hydroxy estradiol induces expression of hypoxia-inducible factor 1alpha and vascular endothelial growth factor A through phosphatidylinositol 3-kinase/Akt/FRAP pathway in OVCAR-3 and A2780-CP70 human ovarian carcinoma cells. <b>2004</b> , 196, 124-35	49
1475	Hypoxia inducible factor-1 alpha expression in human normal and osteoarthritic chondrocytes. <b>2004</b> , 12, 336-45	107
1474	Hypoxia enables B19 erythrovirus to yield abundant infectious progeny in a pluripotent erythroid cell line. <b>2004</b> , 121, 145-53	13
1473	Correlation between VEGF and HIF-1alpha expression in human oral squamous cell carcinoma. <b>2004</b> , 76, 143-52	39
1472	Hypoxia up-regulates the effects of prostaglandin E2 on tumor angiogenesis in ovarian cancer cells. <b>2004</b> , 94, 422-6	16
1471	Hypoxia-inducible factor-2alpha is involved in enhanced apoptosis in the placenta from pregnancies with fetal growth restriction. <b>2004</b> , 54, 843-9	15
1470	Upregulation of NAD(P)H oxidase 1 in hypoxia activates hypoxia-inducible factor 1 via increase in reactive oxygen species. <b>2004</b> , 36, 1279-88	156
1469	Metal-induced oxidative stress and signal transduction. <b>2004</b> , 37, 1921-42	455
1468	Polymorphisms in the hypoxia inducible factor-1alpha gene (HIF1A) are associated with the renal cell carcinoma phenotype. <b>2004</b> , 153, 122-6	86
1467	The prolyl hydroxylase enzymes that act as oxygen sensors regulating destruction of hypoxia-inducible factor alpha. <b>2004</b> , 44, 75-92	26
1466	Involvement of ERK1/2 pathway in TGF-beta1-induced VEGF secretion in normal human cytotrophoblast cells. <b>2004</b> , 68, 198-204	37
1465	Chorionic gonadotropin regulates the transcript level of VHL, p53, and HIF-2alpha in human granulosa lutein cells. <b>2004</b> , 69, 397-401	27
1464	Arsenite induces p70S6K1 activation and HIF-1alpha expression in prostate cancer cells. <b>2004</b> , 255, 19-23	19

1463	Arsenite induces HIF-1alpha and VEGF through PI3K, Akt and reactive oxygen species in DU145 human prostate carcinoma cells. <b>2004</b> , 255, 33-45	103
1462	Regulatory molecules for coronary expressions of VEGF and its angiogenic receptor KDR in hypoestrogenic middle-aged female rats. <b>2004</b> , 259, 189-96	8
1461	Role and differential expression of calpastatin mRNA and protein in cultured cardiomyocytes exposed to hypoxic stress. <b>2004</b> , 265, 63-70	4
1460	A molecular description of brain trauma pathophysiology using microarray technology: an overview. <b>2004</b> , 29, 1275-86	35
1459	Sp1-dependent regulation of the RTP801 promoter and its application to hypoxia-inducible VEGF plasmid for ischemic disease. <b>2004</b> , 21, 736-41	52
1458	The HIF pathway as a therapeutic target. <b>2004</b> , 9, 704-11	133
1457	"Energenetics" of heart failure. <b>2004</b> , 1015, 238-49	23
1456	Experimental study on the expression of HIF-1alpha and its relationship to apoptosis in tissues around cerebral bleeding loci. <b>2004</b> , 24, 373-5	6
1455	The expression of hypoxia inducible factor 1-alpha in lung cancer and its correlation with P53 and VEGF. <b>2004</b> , 24, 124-7	7
1454	Chronic hypoxia- and monocrotaline-induced elevation of hypoxia-inducible factor-1 alpha levels and pulmonary hypertension. <b>2004</b> , 11, 315-21	14
1453	Protocol of radiotherapy for glioblastoma according to the expression of HIF-1. <b>2004</b> , 21, 1-6	26
1452	Oxygen in wound healing--more than a nutrient. <b>2004</b> , 28, 294-300	355
1451	Greater cell cycle inhibition and cytotoxicity induced by 2-deoxy-D-glucose in tumor cells treated under hypoxic vs aerobic conditions. <b>2004</b> , 53, 116-22	179
1450	Hypoxia upregulates the expression of the NDRG1 gene leading to its overexpression in various human cancers. <b>2004</b> , 5, 27	128
1449	Physiologic responses to hypoxia and implications for hypoxia-inducible factors in the pathogenesis of rheumatoid arthritis. <b>2004</b> , 50, 10-23	83
1448	Hypoxia-inducible factor-1 and oncogenic signalling. <b>2004</b> , 26, 262-9	163
1447	Classification and prediction of survival in hepatocellular carcinoma by gene expression profiling. <b>2004</b> , 40, 667-76	697
1446	Short upstream region drives dynamic expression of hypoxia-inducible factor 1alpha during Xenopus development. <b>2004</b> , 230, 229-38	10

1445	NS398 reduces hypoxia-inducible factor (HIF)-1alpha and HIF-1 activity: multiple-level effects involving cyclooxygenase-2 dependent and independent mechanisms. <b>2004</b> , 112, 585-95	48
1444	Expression of hypoxic-inducible factor 1alpha predicts metastasis-free survival after radiation therapy alone in stage IIIB cervical squamous cell carcinoma. <b>2004</b> , 60, 513-21	59
1443	Herpes simplex virus amplicon delivery of a hypoxia-inducible angiogenic inhibitor blocks capillary formation in hepatocellular carcinoma. <b>2004</b> , 8, 812-22; discussion 822-3	9
1442	Separation of cobalt binding proteins by immobilized metal affinity chromatography. <b>2004</b> , 808, 99-103	14
1441	A nonradioactive 96-well plate assay for the detection of hypoxia-inducible factor prolyl hydroxylase activity. <b>2004</b> , 330, 74-80	34
1440	Hydroxylation of HIF-1: oxygen sensing at the molecular level. <b>2004</b> , 19, 176-82	639
1439	Hypoxic Pulmonary Vasoconstriction. <b>2004</b> ,	5
1438	Improving tumor response to radiotherapy by targeting angiogenesis signaling pathways. <b>2004</b> , 18, 1039-57, viii	34
1437	Breast cancer: the role of angiogenesis and antiangiogenic therapy. <b>2004</b> , 18, 1071-86, ix	11
1436	Biochemical and molecular biological analysis of different responses to 2,3,7,8-tetrachlorodibenzo-p-dioxin in chick embryo heart and liver. <b>2004</b> , 427, 58-58	
1435	Effect of the oxidative phosphorylation uncoupler 2,4-dinitrophenol on hypoxia-inducible factor-regulated gene expression in bovine blastocysts. <b>2004</b> , 16, 665-73	13
1434	Oxygen sensing in the circulation: "cross talk" between red blood cells and the vasculature. <b>2004</b> , 6, 1000-10	20
1433	Hypoxia and hypoxia inducible factors (HIF) as important regulators of tumor physiology. <b>2004</b> , 117, 219-48	39
1432	HIF hydroxylation and cellular oxygen sensing. <b>2004</b> , 385, 223-30	127
1431	Experimental varicocele induces hypoxia inducible factor-1alpha, vascular endothelial growth factor expression and angiogenesis in the rat testis. <b>2004</b> , 172, 1188-91	62
1430	Hypoxia-inducible factors and hypoxic cell death in tumour physiology. <b>2004</b> , 36, 530-9	98
1429	Carotid chemodenervation approach to study oxygen sensing in brain stem catecholaminergic cells. <b>2004</b> , 381, 422-49	6
1428	Prior PCB exposure suppresses hypoxia-induced up-regulation of glycolytic enzymes in Fundulus heteroclitus. <b>2004</b> , 139, 23-9	29

1427	Siah2 regulates stability of prolyl-hydroxylases, controls HIF1alpha abundance, and modulates physiological responses to hypoxia. <b>2004</b> , 117, 941-52	333
1426	Natural antisense transcripts of HIF-1alpha are conserved in rodents. <b>2004</b> , 339, 121-30	36
1425	Induction of HIF1alpha but not HIF2alpha in motoneurons after ventral funiculus axotomy-implication in neuronal survival strategies. <b>2004</b> , 188, 20-32	11
1424	Increase of SUMO-1 expression in response to hypoxia: direct interaction with HIF-1alpha in adult mouse brain and heart in vivo. <b>2004</b> , 569, 293-300	120
1423	Apigenin suppresses the expression of VEGF, an important factor for angiogenesis, in endothelial cells via degradation of HIF-1alpha protein. <b>2004</b> , 575, 59-63	93
1422	The intravenous anesthetic propofol inhibits hypoxia-inducible factor 1 activity in an oxygen tension-dependent manner. <b>2004</b> , 577, 434-8	33
1421	Angiogenesis of gastrointestinal tumours and their metastases--a target for intervention?. <b>2004</b> , 40, 1302-13	19
1420	Expression of hypoxia-inducible factor (HIF)-1alpha is associated with vascular endothelial growth factor expression and tumour angiogenesis in human oesophageal squamous cell carcinoma. <b>2004</b> , 40, 1904-12	76
1419	Cloning of hypoxia-inducible factor 1alpha cDNA from a high hypoxia tolerant mammal-plateau pika ( <i>Ochotona curzoniae</i> ). <b>2004</b> , 316, 565-72	28
1418	Subcellular localization and regulation of hypoxia-inducible factor-2alpha in vascular endothelial cells. <b>2004</b> , 317, 84-91	16
1417	Cysteamine alters redox state, HIF-1alpha transcriptional interactions and reduces duodenal mucosal oxygenation: novel insight into the mechanisms of duodenal ulceration. <b>2004</b> , 317, 121-7	25
1416	Regulatory role of vHL/HIF-1alpha in hypoxia-induced VEGF production in hepatic stellate cells. <b>2004</b> , 317, 358-62	66
1415	Inhibition of endothelial cell proliferation by targeting Rac1 GTPase with small interference RNA in tumor cells. <b>2004</b> , 320, 1309-1315	22
1414	The inhibitory effect of sodium nitroprusside on HIF-1 activation is not dependent on nitric oxide-soluble guanylyl cyclase pathway. <b>2004</b> , 324, 417-23	26
1413	Sumoylation increases HIF-1alpha stability and its transcriptional activity. <b>2004</b> , 324, 394-400	158
1412	SU5416 inhibited VEGF and HIF-1alpha expression through the PI3K/AKT/p70S6K1 signaling pathway. <b>2004</b> , 324, 471-80	51
1411	Human neuroblastoma cells exposed to hypoxia: induction of genes associated with growth, survival, and aggressive behavior. <b>2004</b> , 295, 469-87	103
1410	Protective effect of vitamin E against focal brain ischemia and neuronal death through induction of target genes of hypoxia-inducible factor-1. <b>2004</b> , 126, 433-40	77

1409	The effects of reduced oxygen tension on swine granulosa cell. <b>2004</b> , 120, 69-75	59
1408	HIF and VEGF relationships in response to hypoxia and sciatic nerve stimulation in rat gastrocnemius. <b>2004</b> , 144, 71-80	53
1407	Insulin-like growth factor-I plays a pathogenetic role in diabetic retinopathy. <b>2004</b> , 165, 457-69	121
1406	LE-PAS, a novel Arnt-dependent HLH-PAS protein, is expressed in limbic tissues and transactivates the CNS midline enhancer element. <b>2004</b> , 128, 141-9	34
1405	Activation of HIF-1alpha mRNA by hypoxia and iron chelator in isolated rat carotid body. <b>2004</b> , 363, 229-32	18
1404	HIF and anapyrexia; a case for crabs. <b>2004</b> , 1275, 79-88	5
1403	Biochemical and molecular biological analysis of different responses to 2,3,7,8-tetrachlorodibenzo-p-dioxin in chick embryo heart and liver. <b>2004</b> , 427, 58-67	25
1402	Upregulated hypoxia-inducible factor-1 DNA binding activity to the vascular endothelial growth factor-A promoter mediates increased vascular permeability in donor lung grafts. <b>2004</b> , 77, 1751-5	11
1401	Genetic amplification of the transcriptional response to hypoxia as a novel means of identifying regulators of angiogenesis. <b>2004</b> , 83, 1-8	116
1400	The mammalian basic helix-loop-helix/PAS family of transcriptional regulators. <b>2004</b> , 36, 189-204	430
1399	Effects of iron-chelators on ion-channels and HIF-1alpha in the carotid body. <b>2004</b> , 141, 115-23	16
1398	Hexokinase II and VEGF expression in liver tumors: correlation with hypoxia-inducible factor 1 alpha and its significance. <b>2004</b> , 40, 117-23	115
1397	The Notch signaling cascade in neuroblastoma: role of the basic helix-loop-helix proteins HASH-1 and HES-1. <b>2004</b> , 204, 171-8	44
1396	Utilizing tumor hypoxia to enhance oncolytic viral therapy in colorectal metastases. <b>2004</b> , 239, 892-9; discussion 899-902	19
1395	Research: advances in cell biology relevant to critical illness. <b>2004</b> , 10, 279-91	10
1394	O <sub>2</sub> -regulated gene expression: transcriptional control of cardiorespiratory physiology by HIF-1. <b>2004</b> , 96, 1173-7; discussion 1170-2	207
1393	Increased expression of hypoxia-inducible factor-1alpha, p48, and the Notch signaling cascade during acute pancreatitis in mice. <b>2004</b> , 28, 58-64	27
1392	Accumulation of hypoxia-inducible factor-1alpha in mouse inner ear by noise stimulation. <b>2004</b> , 15, 2353-6	20

1391	Anoxic induction of ATF-4 through HIF-1-independent pathways of protein stabilization in human cancer cells. <b>2004</b> , 103, 1876-82	139
1390	HIF: a paradigm of biologic versatility. <b>2004</b> , 103, 756-757	
1389	Erythropoietin and hypoxia stimulate erythropoietin receptor and nitric oxide production by endothelial cells. <b>2004</b> , 104, 2073-80	237
1388	p300 relieves p53-evoked transcriptional repression of hypoxia-inducible factor-1 (HIF-1). <b>2004</b> , 380, 289-95	107
1387	The gene encoding human retinoic acid-receptor-related orphan receptor alpha is a target for hypoxia-inducible factor 1. <b>2004</b> , 384, 79-85	46
1386	Disruption of dimerization and substrate phosphorylation inhibit factor inhibiting hypoxia-inducible factor (FIH) activity. <b>2004</b> , 383, 429-37	62
1385	Regulators of vascular endothelial growth factor expression in cancer. <b>2004</b> , 119, 33-58	3
1384	Molecular biology of erythropoietin. <b>2004</b> , 43, 649-59	274
1383	Optical Imaging of Tumor Hypoxia and Evaluation of Efficacy of a Hypoxia-Targeting Drug in Living Animals. <b>2005</b> , 4, 153535002005051	74
1382	Identification of a functional hypoxia-responsive element that regulates the expression of the egl nine homologue 3 (egln3/phd3) gene. <b>2005</b> , 390, 189-97	169
1381	Hypoxia and angiogenesis in rheumatoid arthritis. <b>2005</b> , 17, 293-8	132
1380	Involvement of hypoxia-inducible factor 1 in pulmonary pathophysiology. <b>2005</b> , 128, 592S-594S	48
1379	Real-time imaging of hypoxia-inducible factor-1 activity in tumor xenografts. <b>2005</b> , 46, 93-102	38
1378	Molecular genetics of meningiomas. <b>2005</b> , 19, E9	70
1377	Polycythemia vera and other primary polycythemias. <b>2005</b> , 12, 112-6	45
1376	Radiogenetic Therapy Using Radiation-Responsive Gene Promoters. <b>2005</b> , 2, 317-330	
1375	Expression of HIF-1alpha and Glut-1 in human bladder cancer. <b>2005</b> , 14, 909-13	43
1374	HIF-2alpha regulates murine hematopoietic development in an erythropoietin-dependent manner. <b>2005</b> , 105, 3133-40	178

1373	Copper-dependent activation of hypoxia-inducible factor (HIF)-1: implications for ceruloplasmin regulation. <b>2005</b> , 105, 4613-9	224
1372	Inhibition of mitochondrial respiration elevates oxygen concentration but leaves regulation of hypoxia-inducible factor (HIF) intact. <b>2005</b> , 106, 2311-7	102
1371	Hypoxia-induced radioresistance is independent of hypoxia-inducible factor-1A in vitro. <b>2005</b> , 62, 207-12	22
1370	S-nitrosoglutathione and hypoxia-inducible factor-1 confer chemoresistance against carbamoylating cytotoxicity of BCNU in rat C6 glioma cells. <b>2005</b> , 1042, 229-34	3
1369	Hypoxic preconditioning: a novel intrinsic cytoprotective strategy. <b>2005</b> , 31, 255-71	40
1368	HIF-1 activation attenuates postischemic myocardial injury: role for heme oxygenase-1 in modulating microvascular chemokine generation. <b>2005</b> , 289, H542-8	167
1367	Review: hypoxia-inducible factor-1 (HIF-1): a novel transcription factor in immune reactions. <b>2005</b> , 25, 297-310	201
1366	Hypoxia and the hypoxia-inducible-factor pathway in glioma growth and angiogenesis. <b>2005</b> , 7, 134-53	443
1365	Constitutively active HIF-1alpha improves perfusion and arterial remodeling in an endovascular model of limb ischemia. <b>2005</b> , 68, 144-54	109
1364	Induction of hypoxia inducible factor-1 attenuates metabolic insults induced by 3-nitropropionic acid in rat C6 glioma cells. <b>2005</b> , 93, 513-25	50
1363	Expression of hypoxia inducible factor-1alpha during liver regeneration induced by partial hepatectomy in rats. <b>2005</b> , 25, 1002-9	44
1362	Evaluation of hypoxia-inducible factor 1alpha overexpression as a predictor of tumour recurrence and progression in superficial urothelial bladder carcinoma. <b>2005</b> , 95, 425-31	72
1361	Hypoxia-inducible factor-1alpha is associated with angiogenesis, and expression of bFGF, PDGF-BB, and EGFR in invasive breast cancer. <b>2005</b> , 46, 31-6	153
1360	Use of novel monoclonal antibodies to determine the expression and distribution of the hypoxia regulatory factors PHD-1, PHD-2, PHD-3 and FIH in normal and neoplastic human tissues. <b>2005</b> , 47, 602-10	72
1359	Mechanism of HIF-1alpha-dependent suppression of hypoxia-induced apoptosis in squamous cell carcinoma cells. <b>2005</b> , 96, 394-402	93
1358	Transcriptional response signature of human lymphoid cells to staphylococcal enterotoxin B. <b>2005</b> , 6, 84-94	9
1357	Ero1-L alpha plays a key role in a HIF-1-mediated pathway to improve disulfide bond formation and VEGF secretion under hypoxia: implication for cancer. <b>2005</b> , 24, 1011-20	113
1356	The anti-epidermal growth factor receptor monoclonal antibody cetuximab/C225 reduces hypoxia-inducible factor-1 alpha, leading to transcriptional inhibition of vascular endothelial growth factor expression. <b>2005</b> , 24, 4433-41	110

1355	Hypoxia-inducible factor as a physiological regulator. <b>2005</b> , 90, 791-7	125
1354	Mutation analysis of the HIF-1alpha oxygen-dependent degradation domain in invasive breast cancer. <b>2005</b> , 163, 168-72	19
1353	Regulation of aryl hydrocarbon receptor signal transduction by protein tyrosine kinases. <b>2005</b> , 17, 39-48	85
1352	Involvement of upstream stimulatory factor in regulation of the mouse Prnd gene coding for Doppel protein. <b>2005</b> , 1731, 209-14	3
1351	Negative and positive regulation of HIF-1: a complex network. <b>2005</b> , 1755, 107-20	137
1350	Hypoxia induces changes in expression of isoforms of the divalent metal transporter (DMT1) in rat pheochromocytoma (PC12) cells. <b>2005</b> , 69, 1647-55	40
1349	HIF-1alpha and p53: the ODD couple?. <b>2005</b> , 30, 426-9	53
1348	Cellular response to tissue hypoxia and its involvement in disease progression. <b>2005</b> , 55, 603-10	64
1347	HIF1-alpha overexpression indicates a good prognosis in early stage squamous cell carcinomas of the oral floor. <b>2005</b> , 5, 84	97
1346	Overexpression of hypoxia-inducible factor HIF-1alpha predicts early relapse in breast cancer: retrospective study in a series of 745 patients. <b>2005</b> , 116, 734-9	208
1345	Phenotypic persistence after reoxygenation of hypoxic neuroblastoma cells. <b>2005</b> , 116, 218-25	44
1344	Role for casein kinase 2 in the regulation of HIF-1 activity. <b>2005</b> , 117, 764-74	80
1343	ANT2 expression under hypoxic conditions produces opposite cell-cycle behavior in 143B and HepG2 cancer cells. <b>2005</b> , 42, 1-8	36
1342	Novel function of neuronal PAS domain protein 1 in erythropoietin expression in neuronal cells. <b>2005</b> , 79, 451-8	17
1341	Angiogenesis in the human heart: gene and cell therapy. <b>2005</b> , 8, 241-51	47
1340	The effect of age and calorie restriction on HIF-1-responsive genes in aged liver. <b>2005</b> , 6, 27-37	46
1339	The effects of local anesthetics on cellular hypoxia-induced gene responses mediated by hypoxia-inducible factor 1. <b>2005</b> , 19, 54-9	9
1338	Opioid receptor stimulation does not affect cellular hypoxia-induced gene responses mediated by hypoxia-inducible factor 1 in cultured cell lines. <b>2005</b> , 19, 263-5	4



1337	Hypoxia-responsive transcription factors. <b>2005</b> , 450, 363-71	348
1336	The EPAS1 gene influences the aerobic-anaerobic contribution in elite endurance athletes. <b>2005</b> , 118, 416-23	45
1335	Inability of oxymetholone to elicit an erythropoietin-hypersecretory state in orchidectomised male mice. <b>2005</b> , 13, 153-157	1
1334	Employing tumor hypoxia for oncolytic therapy in breast cancer. <b>2005</b> , 10, 311-8	14
1333	HIF-1alpha involvement in low temperature and anoxia survival by a freeze tolerant insect. <b>2005</b> , 280, 99-106	37
1332	The ABC transporter Abcg2/Bcrp: role in hypoxia mediated survival. <b>2005</b> , 18, 349-58	70
1331	Casodex treatment induces hypoxia-related gene expression in the LNCaP prostate cancer progression model. <b>2005</b> , 5, 5	17
1330	Down-regulation of the expression of the FIH-1 and ARD-1 genes at the transcriptional level by nickel and cobalt in the human lung adenocarcinoma A549 cell line. <b>2005</b> , 2, 10-3	28
1329	Triamcinolone acetonide destabilizes VEGF mRNA in Müller cells under continuous cobalt stimulation. <b>2005</b> , 46, 4336-41	45
1328	A meta-clustering analysis indicates distinct pattern alteration between two series of gene expression profiles for induced ischemic tolerance in rats. <b>2005</b> , 21, 274-83	5
1327	Developmental and Reproductive Toxicity of Dioxins and Related Chemicals. <b>2005</b> , 329-431	5
1326	Evolutionary and Physiological Perspectives on Ah Receptor Function and Dioxin Toxicity. <b>2005</b> , 559-602	4
1325	Targeting hypoxia-inducible factor (HIF) as a therapeutic strategy for CNS disorders. <b>2005</b> , 4, 85-92	40
1324	Effects of erythropoietin on brain function. <b>2005</b> , 6, 65-79	68
1323	Stabilization of hypoxia-inducible factor-1{alpha} by prostacyclin under prolonged hypoxia via reducing reactive oxygen species level in endothelial cells. <b>2005</b> , 280, 36567-74	44
1322	PGE1 analog alprostadil induces VEGF and eNOS expression in endothelial cells. <b>2005</b> , 289, H2066-72	23
1321	Hypoxia-inducible factor-1alpha is associated with risk of aggressive behavior and tumor angiogenesis in gastrointestinal stromal tumor. <b>2005</b> , 35, 207-13	62
1320	Integration of oxygen signaling at the consensus HRE. <b>2005</b> , 2005, re12	622

1319	Etk/Bmx mediates expression of stress-induced adaptive genes VEGF, PAI-1, and iNOS via multiple signaling cascades in different cell systems. <b>2005</b> , 289, C444-54	39
1318	Oligomycin inhibits HIF-1alpha expression in hypoxic tumor cells. <b>2005</b> , 288, C1023-9	39
1317	Anaemia, Polycythaemia and Chronic Heart Failure. <b>2005</b> , 1, 117-126	1
1316	Mechanism of hypertensive nephropathy in the Dahl/Rapp rat: a primary disorder of vascular smooth muscle. <b>2005</b> , 288, F236-42	16
1315	Effects of androgen suppression and radiation on prostate cancer suggest a role for angiogenesis blockade. <b>2005</b> , 8, 127-32	14
1314	Oxidative stress in myocardial ischaemia reperfusion injury: a renewed focus on a long-standing area of heart research. <b>2005</b> , 10, 187-97	28
1313	Endothelium-intrinsic requirement for Hif-2alpha during vascular development. <b>2005</b> , 111, 2227-32	49
1312	Transcriptional profiling identifies altered intracellular labile iron homeostasis as a contributing factor to the toxicity of adaphostin: decreased vascular endothelial growth factor secretion is independent of hypoxia-inducible factor-1 regulation. <b>2005</b> , 11, 6370-81	13
1311	Enzyme-linked immunosorbent assay for pharmacological studies targeting hypoxia-inducible factor 1alpha. <b>2005</b> , 12, 660-4	2
1310	Skeletal muscle HIF-1alpha expression is dependent on muscle fiber type. <b>2005</b> , 126, 173-8	62
1309	Resveratrol inhibits hypoxia-induced accumulation of hypoxia-inducible factor-1alpha and VEGF expression in human tongue squamous cell carcinoma and hepatoma cells. <b>2005</b> , 4, 1465-74	173
1308	Hypoxia up-regulates expression of Eph receptors and ephrins in mouse skin. <b>2005</b> , 19, 1689-91	109
1307	Apigenin inhibits expression of vascular endothelial growth factor and angiogenesis in human lung cancer cells: implication of chemoprevention of lung cancer. <b>2005</b> , 68, 635-43	152
1306	Coordinate regulation of the oxygen-dependent degradation domains of hypoxia-inducible factor 1 alpha. <b>2005</b> , 25, 6415-26	193
1305	Hypoxia up-regulates hypoxia-inducible factor-1alpha expression through RhoA activation in trophoblast cells. <b>2005</b> , 90, 1712-9	48
1304	Transcriptional regulation of vascular endothelial cell responses to hypoxia by HIF-1. <b>2005</b> , 105, 659-69	857
1303	Analysis of ARD1 function in hypoxia response using retroviral RNA interference. <b>2005</b> , 280, 17749-57	76
1302	Developmental changes in HIF transcription factor in carotid body: relevance for O2 sensing by chemoreceptors. <b>2005</b> , 58, 53-7	29

1301	Genetic variation in the hypoxia-inducible factor-1alpha gene is associated with type 2 diabetes in Japanese. <b>2005</b> , 90, 5841-7	76
1300	Expression Profiles of Apoptosis Related Genes and Investigation of HIF-2 $\beta$ Signal Transduction in the Ovarian Cancer Cell Line OvCa-3. <b>2005</b> , 65, 1163-1167	
1299	Hypoxia-inducible factor-dependent histone deacetylase activity determines stem cell fate in the placenta. <b>2005</b> , 132, 3393-403	126
1298	Can tumor angiogenesis be inhibited without resistance?. <b>2005</b> , 95-112	40
1297	Functions of the Per/ARNT/Sim domains of the hypoxia-inducible factor. <b>2005</b> , 280, 36047-54	65
1296	Differential gene up-regulation by hypoxia-inducible factor-1alpha and hypoxia-inducible factor-2alpha in HEK293T cells. <b>2005</b> , 65, 3299-306	257
1295	Hypoxia-inducible factor-1-mediated activation of stanniocalcin-1 in human cancer cells. <b>2005</b> , 146, 4951-60	86
1294	Up-regulation of c-met protooncogene product expression through hypoxia-inducible factor-1alpha is involved in trophoblast invasion under low-oxygen tension. <b>2005</b> , 146, 4682-9	56
1293	Pulmonary vascular responses to chronic hypoxia mediated by hypoxia-inducible factor 1. <b>2005</b> , 2, 68-70	33
1292	The androgen receptor is significantly associated with vascular endothelial growth factor and hypoxia sensing via hypoxia-inducible factors HIF-1a, HIF-2a, and the prolyl hydroxylases in human prostate cancer. <b>2005</b> , 11, 7658-63	128
1291	Hypoxia-enhanced expression of the proprotein convertase furin is mediated by hypoxia-inducible factor-1: impact on the bioactivation of proproteins. <b>2005</b> , 280, 6561-9	131
1290	Activity of hypoxia-inducible factor 2alpha is regulated by association with the NF-kappaB essential modulator. <b>2005</b> , 280, 14240-51	55
1289	Hypoxia-inducible factors 1alpha and 2alpha regulate trophoblast differentiation. <b>2005</b> , 25, 10479-91	174
1288	The effects of L-arginine on neurological function, histopathology, and expression of hypoxia-inducible factor-1 alpha following spinal cord ischemia in rats. <b>2005</b> , 37, 323-9	5
1287	Flavopiridol downregulates hypoxia-mediated hypoxia-inducible factor-1alpha expression in human glioma cells by a proteasome-independent pathway: implications for in vivo therapy. <b>2005</b> , 7, 225-35	59
1286	Targeted replacement of hypoxia-inducible factor-1alpha by a hypoxia-inducible factor-2alpha knock-in allele promotes tumor growth. <b>2005</b> , 65, 2277-86	106
1285	Hypoxia-inducible factor-1alpha is involved in the attenuation of experimentally induced rat glomerulonephritis. <b>2005</b> , 100, e95-103	20
1284	O <sub>2</sub> enhancement of human trophoblast differentiation and hCYP19 (aromatase) gene expression are mediated by proteasomal degradation of USF1 and USF2. <b>2005</b> , 25, 8824-33	23

1283	The insulin-PI3K/TOR pathway induces a HIF-dependent transcriptional response in <i>Drosophila</i> by promoting nuclear localization of HIF- $\alpha$ /Sima. <b>2005</b> , 118, 5431-41	77
1282	Hypoxia inducible factor (HIF) in rheumatology: low O <sub>2</sub> ! See what HIF can do!. <b>2005</b> , 64, 971-80	108
1281	Hypoxia inhibition of adipocytogenesis in human bone marrow stromal cells requires transforming growth factor- $\beta$ /Smad3 signaling. <b>2005</b> , 280, 22688-96	79
1280	Activation of HIF-prolyl hydroxylases by R59949, an inhibitor of the diacylglycerol kinase. <b>2005</b> , 280, 24238-44	44
1279	Suppression of hypoxia-inducible factor 1 $\alpha$ (HIF-1 $\alpha$ ) transcriptional activity by the HIF prolyl hydroxylase EGLN1. <b>2005</b> , 280, 38102-7	74
1278	Apigenin inhibits VEGF and HIF-1 expression via PI3K/AKT/p70S6K1 and HDM2/p53 pathways. <b>2005</b> , 19, 342-53	246
1277	Hypoxia-driven proliferation of human pulmonary artery fibroblasts: cross-talk between HIF-1 $\alpha$ and an autocrine angiotensin system. <b>2005</b> , 19, 857-9	65
1276	Regulation of the prolyl hydroxylase domain protein 2 (phd2/egl-1) gene: identification of a functional hypoxia-responsive element. <b>2005</b> , 387, 711-7	159
1275	The molecular basis for abnormal human lung development. <b>2005</b> , 87, 164-77	63
1274	Alterations of hypoxia-inducible factor-1 $\alpha$ in the hippocampus of mice acutely and repeatedly exposed to hypoxia. <b>2005</b> , 14, 255-61	25
1273	Expression of p53 protein in esophageal squamous cell carcinoma: relation to hypoxia-inducible factor-1 $\alpha$ , angiogenesis and apoptosis. <b>2005</b> , 72, 179-85	9
1272	Hypoxia-responsive element-mediated soluble Tie2 vector exhibits an anti-angiogenic activity in vitro under hypoxic condition. <b>2005</b> , 26, 211	1
1271	Oxygen sensing: getting pumped by sterols. <b>2005</b> , 2005, pe30	11
1270	Transcriptional repression of human cad gene by hypoxia inducible factor-1 $\alpha$ . <b>2005</b> , 33, 5190-8	71
1269	Beyond flux: total corneal oxygen consumption as an index of corneal oxygenation during contact lens wear. <b>2005</b> , 82, 467-72	63
1268	Inhibition of gastric cancer angiogenesis by vector-based RNA interference for Raf-1. <b>2005</b> , 4, 120-124	14
1267	Adaptive responses to mitochondrial dysfunction in the rho degrees Namalwa cell. <b>2005</b> , 5, 173-93	22
1266	Enhanced response to radiotherapy in tumours deficient in the function of hypoxia-inducible factor-1. <b>2005</b> , 75, 89-98	114

1265	The hypoxic proteome is influenced by gene-specific changes in mRNA translation. <b>2005</b> , 76, 177-86	89
1264	HIF-2alpha expression in human fetal paraganglia and neuroblastoma: relation to sympathetic differentiation, glucose deficiency, and hypoxia. <b>2005</b> , 303, 447-56	62
1263	Dynamic contrast-enhanced and diffusion MRI show rapid and dramatic changes in tumor microenvironment in response to inhibition of HIF-1alpha using PX-478. <b>2005</b> , 7, 475-85	104
1262	Hypoxia-Inducible Factor-1 Signaling System. <b>2005</b> , 311-323	
1261	Mechanisms of Angiogenesis. <b>2005</b> ,	5
1260	Hsp27 upregulation by HIF-1 signaling offers protection against retinal ischemia in rats. <b>2005</b> , 46, 1092-8	105
1259	Echinomycin, a small-molecule inhibitor of hypoxia-inducible factor-1 DNA-binding activity. <b>2005</b> , 65, 9047-55	399
1258	Human HIF-3alpha4 is a dominant-negative regulator of HIF-1 and is down-regulated in renal cell carcinoma. <b>2005</b> , 19, 1396-406	135
1257	Angiogenesis of breast cancer. <b>2005</b> , 23, 1782-90	244
1256	Hypoxia stimulates proliferation of human hepatoma cells through the induction of hexokinase II expression. <b>2005</b> , 42, 358-64	139
1255	Structural basis of ARNT PAS-B dimerization: use of a common beta-sheet interface for hetero- and homodimerization. <b>2005</b> , 353, 664-77	113
1254	Mitochondrial regulation of oxygen sensing. <b>2005</b> , 5, 322-32	100
1253	Binding of natively unfolded HIF-1alpha ODD domain to p53. <b>2005</b> , 17, 11-21	85
1252	OS-9 interacts with hypoxia-inducible factor 1alpha and prolyl hydroxylases to promote oxygen-dependent degradation of HIF-1alpha. <b>2005</b> , 17, 503-12	195
1251	L-gamma-Glutamyl-L-cysteinyl-glycine (glutathione; GSH) and GSH-related enzymes in the regulation of pro- and anti-inflammatory cytokines: a signaling transcriptional scenario for redox(y) immunologic sensor(s)?. <b>2005</b> , 42, 987-1014	117
1250	Cytokines and the regulation of hypoxia-inducible factor (HIF)-1alpha. <b>2005</b> , 5, 461-83	95
1249	The role of HIF-1alpha in myeloid cell inflammation. <b>2005</b> , 26, 434-9	68
1248	Hypoxia inducible factor-1alpha and expression of vascular endothelial growth factor and its receptors in cerebral arteriovenous malformations. <b>2005</b> , 12, 794-9	26

1247	Local pharmacological preconditioning increases the survival of experimental skin flaps in rats. <b>2005</b> , 77, 2663-8	5
1246	SMHS1 is involved in oxidative/glycolytic-energy metabolism balance of muscle fibers. <b>2005</b> , 326, 788-93	12
1245	Hypergravity induces expression of cyclooxygenase-2 in the heart vessels. <b>2005</b> , 330, 928-33	19
1244	Bacterially produced human HIF-1alpha is competent for heterodimerization and specific DNA-binding. <b>2005</b> , 331, 464-70	18
1243	30 some years of heme oxygenase: from a "molecular wrecking ball" to a "mesmerizing" trigger of cellular events. <b>2005</b> , 338, 568-77	176
1242	Dioxygenases as O <sub>2</sub> -dependent regulators of the hypoxic response pathway. <b>2005</b> , 338, 639-47	47
1241	Regulation of hypoxia-inducible factor 1 by prolyl and asparaginyl hydroxylases. <b>2005</b> , 338, 610-6	193
1240	Norepinephrine but not hypoxia stimulates HIF-1alpha gene expression in brown adipocytes. <b>2005</b> , 337, 121-6	18
1239	Binding and regulation of hypoxia-inducible factor-1 by the inhibitory PAS proteins. <b>2005</b> , 337, 209-15	20
1238	A fluorescence polarization-based interaction assay for hypoxia-inducible factor prolyl hydroxylases. <b>2005</b> , 337, 275-80	26
1237	Hypoxia-induced expression of HIF-1alpha and its target genes in umbilical venous endothelial cells of Tibetans and immigrant Han. <b>2005</b> , 141, 93-100	19
1236	Inhibition of GSK3beta by indirubins restores HIF-1alpha accumulation under prolonged periods of hypoxia/anoxia. <b>2005</b> , 579, 529-33	35
1235	Negative regulation of hypoxia inducible factor-1alpha by necdin. <b>2005</b> , 579, 3797-801	31
1234	Hypoxia induces neurite outgrowth in PC12 cells that is mediated through adenosine A <sub>2A</sub> receptors. <b>2005</b> , 131, 321-9	30
1233	The HIF pathway in cancer. <b>2005</b> , 16, 523-30	142
1232	The hypoxic testis and post-meiotic expression of PAS domain proteins. <b>2005</b> , 16, 547-53	37
1231	Reactive oxygen species in the control of hypoxia-inducible factor-mediated gene expression. <b>2005</b> , 16, 474-86	228
1230	Hypoxia-dependent activation of HIF into a transcriptional regulator. <b>2005</b> , 16, 514-22	74

1229	A novel Arnt-interacting protein Ainp2 enhances the aryl hydrocarbon receptor signalling. <b>2005</b> , 441, 84-95	5
1228	Trophoblast invasion and placentation: molecular mechanisms and regulation. <b>2005</b> , 88, 163-180	27
1227	Herpes simplex virus amplicon delivery of a hypoxia-inducible soluble vascular endothelial growth factor receptor (sFlk-1) inhibits angiogenesis and tumor growth in pancreatic adenocarcinoma. <b>2005</b> , 12, 1025-36	18
1226	Metabolic and Physiological Adjustments to Low Oxygen and High Temperature in Fishes of the Amazon. <b>2005</b> , 443-500	21
1225	Hypoxia-inducible factor 1-alpha reduces infarction and attenuates progression of cardiac dysfunction after myocardial infarction in the mouse. <b>2005</b> , 46, 2116-24	247
1224	Health Risk Characterization of Dioxins and Related Compounds. <b>2005</b> , 159-190	1
1223	Hypoxia inducible factor-1: regulation by nitric oxide in posthypoxic microvascular endothelium. <b>2005</b> , 83, 597-607	23
1222	Catabolic stress induces expression of hypoxia-inducible factor (HIF)-1 alpha in articular chondrocytes: involvement of HIF-1 alpha in the pathogenesis of osteoarthritis. <b>2005</b> , 7, R904-14	88
1221	HGF/SF increases tumor blood volume: a novel tool for the in vivo functional molecular imaging of Met. <b>2006</b> , 8, 344-52	9
1220	Cancer Drug Resistance. <b>2006</b> ,	17
1219	Cobalt induces hypoxia-inducible factor-1alpha (HIF-1alpha) in HeLa cells by an iron-independent, but ROS-, PI-3K- and MAPK-dependent mechanism. <b>2006</b> , 40, 847-56	86
1218	Inflammation, a key event in cancer development. <b>2006</b> , 4, 221-33	782
1217	Biochemistry, physiology, and complications of blood doping: facts and speculation. <b>2006</b> , 43, 349-91	39
1216	The transcriptional activator hypoxia inducible factor 2 (HIF-2/EPAS-1) regulates the oxygen-dependent expression of erythropoietin in cortical astrocytes. <b>2006</b> , 26, 9471-81	183
1215	Apigenin inhibits tumor angiogenesis through decreasing HIF-1alpha and VEGF expression. <b>2007</b> , 28, 858-64	160
1214	Peroxisomal localization of hypoxia-inducible factors and hypoxia-inducible factor regulatory hydroxylases in primary rat hepatocytes exposed to hypoxia-reoxygenation. <b>2006</b> , 169, 1251-69	32
1213	Hypoxia-inducible factors HIF-1alpha and HIF-2alpha expression in bladder cancer and their associations with other angiogenesis-related proteins. <b>2006</b> , 77, 255-63	30
1212	Inhibition of hypoxia-inducible factor activity in endothelial cells disrupts embryonic cardiovascular development. <b>2006</b> , 107, 584-90	60

1211	Identification and characterization of genes susceptible to transcriptional cross-talk between the hypoxia and dioxin signaling cascades. <b>2006</b> , 19, 1284-93	32
1210	Interrelationships among hypoxia-inducible factor biology and acid-base equilibrium. <b>2006</b> , 26, 454-65	3
1209	Clinical significance of immunohistochemical expression of hypoxia-inducible factor-1alpha as a prognostic marker in rectal adenocarcinoma. <b>2006</b> , 5, 350-3	21
1208	Hypoxia-inducible factor-1alpha polymorphisms and TSC1/2 mutations are complementary in head and neck cancers. <b>2006</b> , 5, 3	24
1207	Anti-angiogenic therapy: Prospects for treatment of ocular tumors. <b>2006</b> , 21, 151-60	22
1206	The potential of the tumor microenvironment to influence Apo2L/TRAIL induced apoptosis. <b>2006</b> , 35, 279-96	12
1205	Regulation of angiogenesis by hypoxia and hypoxia-inducible factors. <b>2006</b> , 76, 217-57	191
1204	Oxygen-dependent diseases in the retina: role of hypoxia-inducible factors. <b>2006</b> , 83, 473-83	213
1203	Proteasome-dependent regulation of signal transduction in retinal pigment epithelial cells. <b>2006</b> , 83, 1472-81	27
1202	Purified recombinant hARD1 does not catalyse acetylation of Lys532 of HIF-1alpha fragments in vitro. <b>2006</b> , 580, 1911-8	31
1201	Erythropoietin production: Molecular mechanisms of the antagonistic actions of cyclic adenosine monophosphate and interleukin-1. <b>2006</b> , 580, 3153-60	16
1200	Monocyte chemoattractant protein (MCP-1) is expressed in human cardiac cells and is differentially regulated by inflammatory mediators and hypoxia. <b>2006</b> , 580, 3532-8	32
1199	IL-4 enhances hypoxia induced HIF-1alpha protein levels in human transformed intestinal cells. <b>2006</b> , 580, 6399-404	10
1198	Knockdown of hypoxia-inducible factor-1alpha in breast carcinoma MCF-7 cells results in reduced tumor growth and increased sensitivity to methotrexate. <b>2006</b> , 342, 1341-51	57
1197	Dual regulation of macrophage migration inhibitory factor (MIF) expression in hypoxia by CREB and HIF-1. <b>2006</b> , 347, 895-903	107
1196	Hypoxia-inducible factor 1alpha cDNA cloning and its mRNA and protein tissue specific expression in domestic yak ( <i>Bos grunniens</i> ) from Qinghai-Tibetan plateau. <b>2006</b> , 348, 310-9	27
1195	Visfatin in adipocytes is upregulated by hypoxia through HIF1alpha-dependent mechanism. <b>2006</b> , 349, 875-82	89
1194	Tissue-specific expression of a bHLH-PAS protein homologous to ARNT during the development of crustacean <i>Daphnia magna</i> . <b>2006</b> , 376, 231-9	12



1193	Differential responses of two degradation domains of HIF-1alpha to hypoxia and iron deficiency. <b>2006</b> , 88, 163-9	16
1192	Nitric oxide inhibits HIF-1alpha protein accumulation under hypoxic conditions: implication of 2-oxoglutarate and iron. <b>2006</b> , 88, 411-8	31
1191	An alternatively spliced transcript of the PHD3 gene retains prolyl hydroxylase activity. <b>2006</b> , 233, 131-8	31
1190	Celecoxib could reverse the hypoxia-induced Angiopoietin-2 upregulation in gastric cancer. <b>2006</b> , 242, 20-7	13
1189	Oncological implications of hypoxia inducible factor-1alpha (HIF-1alpha) expression. <b>2006</b> , 32, 407-16	61
1188	The effect of hyperbaric oxygen therapy on tumour growth in a mouse model of colorectal cancer liver metastases. <b>2006</b> , 42, 3304-11	23
1187	Hypoxia can contribute to the induction of the Epstein-Barr virus (EBV) lytic cycle. <b>2006</b> , 37, 98-103	45
1186	LPS increases hepatic HIF-1alpha protein and expression of the HIF-1-dependent gene aldolase A in rats. <b>2006</b> , 135, 262-7	18
1185	Effect of graft preservation and acute rejection on hypoxia-inducible factor-1 in rat cardiac allografts. <b>2006</b> , 38, 3372-3	3
1184	The Role of Microvasculature in Metastasis Formation. <b>2006</b> , 31-62	5
1183	Ocular versus extraocular neovascularization: mirror images or vague resemblances. <b>2006</b> , 47, 462-74	39
1182	. <b>2006</b> ,	22
1181	. <b>2006</b> ,	10
1180	Nitric oxide stimulates vascular endothelial growth factor production in cardiomyocytes involved in angiogenesis. <b>2006</b> , 56, 95-101	51
1179	Anthracyclines, small-molecule inhibitors of hypoxia-inducible factor-1 alpha activation. <b>2006</b> , 29, 1999-2003	11
1178	Crinamine from <i>Crinum asiaticum</i> var. <i>japonicum</i> inhibits hypoxia inducible factor-1 activity but not activity of hypoxia inducible factor-2. <b>2006</b> , 29, 2140-2	20
1177	Design of hypoxia-targeting drugs as new cancer chemotherapeutics. <b>2006</b> , 29, 2335-42	51
1176	Nutrient Gene Interactions Involving Soy Peptide and Chemopreventive Genes in Prostate Epithelial Cells. <b>2006</b> , 255-276	

1175	Hypoxic induction of an HIF-1alpha-dependent bFGF autocrine loop drives angiogenesis in human endothelial cells. <b>2006</b> , 107, 2705-12	202
1174	CoCl <sub>2</sub> -induced HIF-1 $\beta$ expression correlates with proliferation and apoptosis in MKN-1 cells: A possible role for the PI3K/Akt pathway. <b>2006</b> , 29, 549	2
1173	Natural product-based inhibitors of hypoxia-inducible factor-1 (HIF-1). <b>2006</b> , 7, 355-69	75
1172	Altered metabolic responses to intermittent hypoxia in mice with partial deficiency of hypoxia-inducible factor-1alpha. <b>2006</b> , 25, 450-7	136
1171	Hypoxia-inducible factors, hypoxia, and tumor angiogenesis. <b>2006</b> , 13, 169-74	62
1170	Plausible linkage of hypoxia-inducible factor (HIF) in uterine endometrial cancers. <b>2006</b> , 71, 95-101	9
1169	Cloning and expression analysis of two distinct HIF-alpha isoforms--gcHIF-1alpha and gcHIF-4alpha--from the hypoxia-tolerant grass carp, <i>Ctenopharyngodon idellus</i> . <b>2006</b> , 7, 15	101
1168	Hypoxia-induced erythropoietin production: a paradigm for oxygen-regulated gene expression. <b>2006</b> , 33, 968-79	109
1167	The host cell transcription factor hypoxia-inducible factor 1 is required for <i>Toxoplasma gondii</i> growth and survival at physiological oxygen levels. <b>2006</b> , 8, 339-52	84
1166	Hypoxia and angiogenesis in pancreatic cancer. <b>2006</b> , 76, 830-42	32
1165	Expression pattern of angiogenic factors and prognosis after hepatic resection in hepatocellular carcinoma: importance of angiopoietin-2 and hypoxia-induced factor-1 alpha. <b>2006</b> , 26, 414-23	97
1164	Immunohistochemical expression of HIF-1alpha in response to early myocardial ischemia. <b>2006</b> , 51, 120-4	34
1163	Hypoxia-inducible factor-1 alpha and vascular endothelial growth factor expression in ischaemic colitis and ulcerative colitis. <b>2006</b> , 2, 182-188	3
1162	Plausible linkage of hypoxia inducible factor-1alpha in uterine cervical cancer. <b>2006</b> , 97, 861-7	13
1161	Effects of ginseng saponins isolated from Red Ginseng roots on burn wound healing in mice. <b>2006</b> , 148, 860-70	86
1160	Inhibitory activity of the hypoxia-inducible factor-1 pathway by tartrolone C. <b>2006</b> , 59, 693-7	8
1159	Small interfering RNA expression vector targeting hypoxia-inducible factor 1 alpha inhibits tumor growth in hepatobiliary and pancreatic cancers. <b>2006</b> , 13, 131-40	46
1158	Oncolytic replication-competent adenovirus suppresses tumor angiogenesis through preserved E1A region. <b>2006</b> , 13, 242-52	32

1157	Overexpression of von Hippel-Lindau tumor suppressor protein and antisense HIF-1alpha eradicates gliomas. <b>2006</b> , 13, 428-35	30
1156	Hypoxia upregulates hypoxia inducible factor (HIF)-3alpha expression in lung epithelial cells: characterization and comparison with HIF-1alpha. <b>2006</b> , 16, 548-58	109
1155	Low oxygen stimulates the intellect. Symposium on hypoxia and development, physiology and disease. <b>2006</b> , 7, 679-84	9
1154	AAV serotype-1 mediates early onset of gene expression in mouse hearts and results in better therapeutic effect. <b>2006</b> , 13, 1495-502	40
1153	Hypoxic regulation of stability of connective tissue growth factor/CCN2 mRNA by 3'-untranslated region interacting with a cellular protein in human chondrosarcoma cells. <b>2006</b> , 25, 1099-110	52
1152	Functional analyses of the TEL-ARNT fusion protein underscores a role for oxygen tension in hematopoietic cellular differentiation. <b>2006</b> , 25, 4840-7	17
1151	Hypoxia-inducible factor-1alpha expression requires PI 3-kinase activity and correlates with Akt1 phosphorylation in invasive breast carcinomas. <b>2006</b> , 25, 6123-7	48
1150	The experimental study of hypoxia-inducible factor-1alpha and its target genes in spinal cord injury. <b>2006</b> , 44, 35-43	34
1149	Regulation of physiological responses to continuous and intermittent hypoxia by hypoxia-inducible factor 1. <b>2006</b> , 91, 803-6	137
1148	Heterozygous HIF-1alpha deficiency impairs carotid body-mediated systemic responses and reactive oxygen species generation in mice exposed to intermittent hypoxia. <b>2006</b> , 577, 705-16	277
1147	Quantitative RT-PCR assays of hypoxia-inducible factor-1alpha, erythropoietin and vascular endothelial growth factor mRNA transcripts in the kidneys with regard to the cause of death in medicolegal autopsy. <b>2006</b> , 8, 258-63	26
1146	Role of ABCG2/BCRP in biology and medicine. <b>2006</b> , 46, 381-410	299
1145	Development of novel therapeutic strategies that target HIF-1. <b>2006</b> , 10, 267-80	94
1144	Antitumor protein therapy; application of the protein transduction domain to the development of a protein drug for cancer treatment. <b>2006</b> , 13, 16-26	45
1143	Hypoxia-inducible factor-1 (HIF-1). <b>2006</b> , 70, 1469-80	1089
1142	A computational model of intracellular oxygen sensing by hypoxia-inducible factor HIF1 alpha. <b>2006</b> , 119, 3467-80	68
1141	Regulation of 2-deoxy-D-glucose transport, lactate metabolism, and MMP-2 secretion by the hypoxia mimetic cobalt chloride in articular chondrocytes. <b>2006</b> , 1091, 83-93	28
1140	Association of the IVS9-675C > A polymorphism of the HIF-1 gene with acute ischemic stroke in the Moscow population. <b>2006</b> , 42, 703-705	

1139	Shared and disparate components of the pathophysiologies of fetal growth restriction and preeclampsia. <b>2006</b> , 195, 40-9	316
1138	Hypoxia inducible factor-1alpha correlates with VEGF-C expression and lymphangiogenesis in breast cancer. <b>2006</b> , 99, 135-41	87
1137	Angiogenic factors in peritoneal adhesion formation. <b>2006</b> , 3, 157-167	11
1136	Expression of hypoxia-inducible factor (HIF)-1alpha as a biomarker of outcome in soft-tissue sarcomas. <b>2006</b> , 449, 673-81	45
1135	Role of hypoxia-inducible factor-1 $\beta$ in formation of multidrug resistance induced by microenvironment in hepatocellular carcinoma. <b>2006</b> , 5, 178-183	2
1134	Hyperbaric oxygen therapy for malignancy: a review. <b>2006</b> , 30, 2112-31	82
1133	Hypoxia-induced resistance to cisplatin and doxorubicin in non-small cell lung cancer is inhibited by silencing of HIF-1alpha gene. <b>2006</b> , 58, 776-84	205
1132	Endogenous hypoxia markers in locally advanced cancers of the uterine cervix: reality or wishful thinking?. <b>2006</b> , 182, 501-10	23
1131	Regulation of angiogenesis by hypoxia-inducible factor 1. <b>2006</b> , 59, 15-26	374
1130	Hypoxia-inducible factor-1alpha suppressing apoptosis and increasing tolerance of lung cancer cells to chemotherapy. <b>2006</b> , 26, 520-3	4
1129	Dynamic production of hypoxia-inducible factor-1alpha in early transplanted islets. <b>2006</b> , 6, 2636-43	78
1128	Arteriogenesis versus angiogenesis: similarities and differences. <b>2006</b> , 10, 45-55	315
1127	Reactive oxygen species regulate epidermal growth factor-induced vascular endothelial growth factor and hypoxia-inducible factor-1alpha expression through activation of AKT and P70S6K1 in human ovarian cancer cells. <b>2006</b> , 41, 1521-33	167
1126	Involvement of Ca <sup>2+</sup> -independent phospholipase A2 in the translocation of hypoxia-inducible factor-1alpha to the nucleus under hypoxic conditions. <b>2006</b> , 549, 58-62	6
1125	Is there a molecular connection between hypoxia and aging?. <b>2006</b> , 41, 482-4	24
1124	Hypoxia-induced iNOS expression in microglia is regulated by the PI3-kinase/Akt/mTOR signaling pathway and activation of hypoxia inducible factor-1alpha. <b>2006</b> , 72, 992-1000	92
1123	Effects of 12 metal ions on iron regulatory protein 1 (IRP-1) and hypoxia-inducible factor-1 alpha (HIF-1alpha) and HIF-regulated genes. <b>2006</b> , 213, 245-55	66
1122	Sensing and responding to hypoxia via HIF in model invertebrates. <b>2006</b> , 52, 349-64	119

1121	The significance of anemia in squamous cell head and neck cancer treated with surgery and postoperative radiotherapy. <b>2006</b> , 42, 131-8	34
1120	Hypoxia enhances c-Met/HGF receptor expression and signaling by activating HIF-1alpha in human salivary gland cancer cells. <b>2006</b> , 42, 593-8	54
1119	Oxygen sensing in the body. <b>2006</b> , 91, 249-86	215
1118	Sex dimorphism in cardiac pathophysiology: experimental findings, hormonal mechanisms, and molecular mechanisms. <b>2006</b> , 111, 434-75	48
1117	Oxidative stress in glaucomatous neurodegeneration: mechanisms and consequences. <b>2006</b> , 25, 490-513	495
1116	Differential levels of tissue hypoxia in the developing chicken heart. <b>2006</b> , 235, 115-23	47
1115	Experimental hypoxia and embryonic angiogenesis. <b>2006</b> , 235, 723-33	63
1114	Oxygen concentration influences mRNA processing and expression of the cd34 gene. <b>2006</b> , 97, 135-44	10
1113	The role of extracellular signal-regulated protein kinase in transcriptional regulation of the hypoxia marker carbonic anhydrase IX. <b>2006</b> , 97, 207-16	24
1112	Nucleus pulposus cells express HIF-1 alpha under normoxic culture conditions: a metabolic adaptation to the intervertebral disc microenvironment. <b>2006</b> , 98, 152-9	200
1111	2-Oxoglutarate downregulates expression of vascular endothelial growth factor and erythropoietin through decreasing hypoxia-inducible factor-1alpha and inhibits angiogenesis. <b>2006</b> , 209, 333-40	35
1110	Role of Rac1 and Cdc42 in hypoxia induced p53 and von Hippel-Lindau suppression and HIF1alpha activation. <b>2006</b> , 118, 2965-72	52
1109	Soluble nickel inhibits HIF-prolyl-hydroxylases creating persistent hypoxic signaling in A549 cells. <b>2006</b> , 45, 479-89	68
1108	Association between ulcerative growth and hypoxia inducible factor-1alpha polymorphisms in colorectal cancer patients. <b>2006</b> , 45, 833-40	58
1107	Oxygen sensing: recent insights from idiopathic erythrocytosis. <b>2006</b> , 5, 941-5	13
1106	Targeting the PAS-A domain of HIF-1alpha for development of small molecule inhibitors of HIF-1. <b>2006</b> , 5, 1847-53	41
1105	The effect of hypoxia on the expression of 150 kDa oxygen-regulated protein (ORP 150) in HeLa cells. <b>2006</b> , 17, 89-96	19
1104	Effects of transferrin receptor blockade on cancer cell proliferation and hypoxia-inducible factor function and their differential regulation by ascorbate. <b>2006</b> , 66, 2749-56	60

1103	White matter lesions in an unselected cohort of the elderly: molecular pathology suggests origin from chronic hypoperfusion injury. <b>2006</b> , 37, 1391-8	416
1102	Cyclosporin A inhibits hypoxia-induced pulmonary hypertension and right ventricle hypertrophy. <b>2006</b> , 174, 699-705	35
1101	Oxygen: modulator of physiological and pathophysiological processes in the liver. <b>2006</b> , 44, 67-76	28
1100	Hypoxia in the tumorigenesis of gliomas and as a potential target for therapeutic measures. <b>2006</b> , 20, E24	63
1099	HIFing the brakes: therapeutic opportunities for treatment of human malignancies. <b>2006</b> , 2006, pe25	25
1098	Activation of hypoxia-inducible factor 1 during macrophage differentiation. <b>2006</b> , 291, C104-13	96
1097	Identification and function of hypoxia-response genes in <i>Drosophila melanogaster</i> . <b>2006</b> , 25, 134-41	60
1096	Innate immune response in CF airway epithelia: hyperinflammatory?. <b>2006</b> , 291, C218-30	145
1095	Angiogenic and antiangiogenic factors in proliferative diabetic retinopathy. <b>2006</b> , 2, 71-98	268
1094	Natural product-derived small molecule activators of hypoxia-inducible factor-1 (HIF-1). <b>2006</b> , 12, 2673-88	42
1093	Cellular Mechanisms in Perinatal Hypoxic-Ischemic Brain Injury. <b>2006</b> , 2, 131-141	11
1092	Preserved placental oxygenation and development during severe systemic hypoxia. <b>2006</b> , 290, R844-51	32
1091	Role of HIF-1 in iron regulation: potential therapeutic strategy for neurodegenerative disorders. <b>2006</b> , 6, 883-93	37
1090	Hypoxia-inducible factor-1alpha and hypoxia-inducible factor-2alpha are expressed in kaposi sarcoma and modulated by insulin-like growth factor-I. <b>2006</b> , 12, 4506-14	52
1089	The regulation of trophoblast differentiation by oxygen in the first trimester of pregnancy. <b>2006</b> , 12, 137-44	139
1088	Baffled by bafilomycin: an anticancer agent that induces hypoxia-inducible factor-1alpha expression. <b>2006</b> , 70, 1841-3	9
1087	Placental but not heart defects are associated with elevated hypoxia-inducible factor alpha levels in mice lacking prolyl hydroxylase domain protein 2. <b>2006</b> , 26, 8336-46	315
1086	Understanding hypoxia signalling in cells--a new therapeutic opportunity?. <b>2006</b> , 6, 573-8	28

1085	Mitochondria as signaling organelles in the vascular endothelium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 5379-84	11.5	278
1084	Green tea extract and (-)-epigallocatechin-3-gallate inhibit hypoxia- and serum-induced HIF-1alpha protein accumulation and VEGF expression in human cervical carcinoma and hepatoma cells. <b>2006</b> , 5, 1227-38		145
1083	Suppression of hypoxia-induced HIF-1alpha and of angiogenesis in endothelial cells by myo-inositol trispyrophosphate-treated erythrocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 15576-81	11.5	39
1082	The <i>Caenorhabditis elegans</i> rhy-1 gene inhibits HIF-1 hypoxia-inducible factor activity in a negative feedback loop that does not include vhl-1. <b>2006</b> , 174, 1205-14		40
1081	Proteasomal inhibition attenuates transcriptional activity of hypoxia-inducible factor 1 (HIF-1) via specific effect on the HIF-1alpha C-terminal activation domain. <b>2006</b> , 26, 5895-907		101
1080	Expression of hypoxia-inducible factor-1 alpha and its prognostic significance in small-sized adenocarcinomas of the lung. <b>2006</b> , 29, 891-5		30
1079	Analysis of the hypoxia-sensing pathway in <i>Drosophila melanogaster</i> . <b>2006</b> , 393, 471-80		52
1078	Novel thioredoxin inhibitors paradoxically increase hypoxia-inducible factor-alpha expression but decrease functional transcriptional activity, DNA binding, and degradation. <b>2006</b> , 12, 5384-94		43
1077	The novel WD-repeat protein Morg1 acts as a molecular scaffold for hypoxia-inducible factor prolyl hydroxylase 3 (PHD3). <b>2006</b> , 281, 8645-55		52
1076	Obesity and Diabetes. <b>2006</b> ,		4
1075	Dynamic HIF1A regulation during human placental development. <b>2006</b> , 75, 112-21		86
1074	Hypoxia-inducible factor-1alpha promotes nonhypoxia-mediated proliferation in colon cancer cells and xenografts. <b>2006</b> , 66, 1684-936		95
1073	Direct transcriptional up-regulation of cyclooxygenase-2 by hypoxia-inducible factor (HIF)-1 promotes colorectal tumor cell survival and enhances HIF-1 transcriptional activity during hypoxia. <b>2006</b> , 66, 6683-91		248
1072	Identification of novel small-molecule inhibitors of hypoxia-inducible factor-1 transactivation and DNA binding. <b>2006</b> , 5, 2193-202		51
1071	Chronic hypoxia promotes hypoxia-inducible factor-1alpha-dependent resistance to etoposide and vincristine in neuroblastoma cells. <b>2006</b> , 5, 2241-50		71
1070	Expression of vascular endothelial growth factor receptor 1 in bone marrow-derived mesenchymal cells is dependent on hypoxia-inducible factor 1. <b>2006</b> , 281, 15554-63		130
1069	Transforming growth factor beta1 induces hypoxia-inducible factor-1 stabilization through selective inhibition of PHD2 expression. <b>2006</b> , 281, 24171-81		226
1068	Induction of the heat shock pathway during hypoxia requires regulation of heat shock factor by hypoxia-inducible factor-1. <b>2006</b> , 281, 38675-81		107

1067	Latent Kaposi's sarcoma-associated herpesvirus infection of endothelial cells activates hypoxia-induced factors. <b>2006</b> , 80, 10802-12	91
1066	Glucose Sensing in Chondrocytes via GLUT1 and GLUT3: Implications for Articular Cartilage and Intervertebral Disc Metabolism. <b>2006</b> , 2, 109-121	2
1065	Metabolic Networks in Cancer Cells. <b>2006</b> , 57-68	
1064	Molecular regulation of tumor angiogenesis: mechanisms and therapeutic implications. <b>2006</b> , 223-68	49
1063	Oxygen, epigenetics and stem cell fate. <b>2006</b> , 1, 71-83	65
1062	Genetic organization and hypoxic activation of the Kaposi's sarcoma-associated herpesvirus ORF34-37 gene cluster. <b>2006</b> , 80, 7037-51	53
1061	Hypoxia-inducible factor-1 deficiency results in dysregulated erythropoiesis signaling and iron homeostasis in mouse development. <b>2006</b> , 281, 25703-11	162
1060	Increased prolyl 4-hydroxylase domain proteins compensate for decreased oxygen levels. Evidence for an autoregulatory oxygen-sensing system. <b>2006</b> , 281, 23482-91	213
1059	Understanding hypoxia-induced gene expression in early development: in vitro and in vivo analysis of hypoxia-inducible factor 1-regulated zebra fish insulin-like growth factor binding protein 1 gene expression. <b>2006</b> , 26, 1142-55	122
1058	Thioredoxin-1 modulates transcription of cyclooxygenase-2 via hypoxia-inducible factor-1alpha in non-small cell lung cancer. <b>2006</b> , 66, 143-50	75
1057	Hypoxic regulation of vascular endothelial growth factor through the induction of phosphatidylinositol 3-kinase/Rho/ROCK and c-Myc. <b>2006</b> , 281, 13957-63	72
1056	Redox sensor CtBP mediates hypoxia-induced tumor cell migration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 9029-33	11.5 149
1055	Hypoxia-inducible factor-1-dependent repression of E-cadherin in von Hippel-Lindau tumor suppressor-null renal cell carcinoma mediated by TCF3, ZFH1A, and ZFH1B. <b>2006</b> , 66, 2725-31	353
1054	Hypoxia-induced alveolar epithelial dysfunction. <b>2006</b> , 2, 244-249	4
1053	EBV latent membrane protein 1 up-regulates hypoxia-inducible factor 1alpha through Siah1-mediated down-regulation of prolyl hydroxylases 1 and 3 in nasopharyngeal epithelial cells. <b>2006</b> , 66, 9870-7	108
1052	Genetics of mitochondrial electron transport chain in regulating oxygen sensing. <b>2007</b> , 435, 447-61	10
1051	Contributory role of VEGF overexpression in endothelin-1-induced cardiomyocyte hypertrophy. <b>2007</b> , 293, H474-81	39
1050	Regulation of gene expression in bovine blastocysts in response to oxygen and the iron chelator desferrioxamine. <b>2007</b> , 77, 93-101	29



1049	Inhibition of hypoxia-induced increase of blood-brain barrier permeability by YC-1 through the antagonism of HIF-1alpha accumulation and VEGF expression. <b>2007</b> , 72, 440-9	120
1048	Acute postnatal ablation of Hif-2alpha results in anemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 2301-6	11.5 349
1047	Protein kinase C-mediated modulation of FIH-1 expression by the homeodomain protein CDP/Cut/Cux. <b>2007</b> , 27, 7345-53	11
1046	Spermidine/spermine N(1)-acetyltransferase-1 binds to hypoxia-inducible factor-1alpha (HIF-1alpha) and RACK1 and promotes ubiquitination and degradation of HIF-1alpha. <b>2007</b> , 282, 33358-33366	54
1045	Nitric oxide modulates oxygen sensing by hypoxia-inducible factor 1-dependent induction of prolyl hydroxylase 2. <b>2007</b> , 282, 1788-96	119
1044	Ultrasound induces hypoxia-inducible factor-1 activation and inducible nitric-oxide synthase expression through the integrin/integrin-linked kinase/Akt/mammalian target of rapamycin pathway in osteoblasts. <b>2007</b> , 282, 25406-15	62
1043	Calcineurin promotes hypoxia-inducible factor 1alpha expression by dephosphorylating RACK1 and blocking RACK1 dimerization. <b>2007</b> , 282, 37064-73	115
1042	Hypoxia-inducible factor-1 confers resistance to the glycolytic inhibitor 2-deoxy-D-glucose. <b>2007</b> , 6, 732-41	84
1041	AKAP12 regulates human blood-retinal barrier formation by downregulation of hypoxia-inducible factor-1alpha. <b>2007</b> , 27, 4472-81	75
1040	Molecular regulation of the PAI-1 gene by hypoxia: contributions of Egr-1, HIF-1alpha, and C/EBPalpha. <b>2007</b> , 21, 935-49	96
1039	Optical analysis of the HIF-1 complex in living cells by FRET and FRAP. <b>2007</b> , 21, 700-7	30
1038	Expression of hypoxia-inducible factor-1alpha and the protein products of its target genes in diabetic fibrovascular epiretinal membranes. <b>2007</b> , 91, 822-6	55
1037	Adenovirus-mediated hypoxia-targeting cytosine deaminase gene therapy enhances radiotherapy in tumour xenografts. <b>2007</b> , 96, 1871-8	21
1036	Role of hypoxia-inducible factor-2alpha in endothelial development and hematopoiesis. <b>2007</b> , 435, 199-218	12
1035	The prolyl hydroxylase oxygen-sensing pathway is cytoprotective and allows maintenance of mitochondrial membrane potential during metabolic inhibition. <b>2007</b> , 292, C719-28	30
1034	Interactive endogenous small molecule (gaseous) signaling: implications for teratogenesis. <b>2007</b> , 13, 2952-78	20
1033	Review: implications of in vitro research on the effect of radiotherapy and chemotherapy under hypoxic conditions. <b>2007</b> , 12, 690-712	102
1032	Complete loss of ischaemic preconditioning-induced cardioprotection in mice with partial deficiency of HIF-1 alpha. <b>2008</b> , 77, 463-70	185

1031	Tumor hypoxia and targeted gene therapy. <b>2007</b> , 257, 181-212	8
1030	Diversities in hepatic HIF-1, IGF-I/IGFBP-1, LDH/ICD, and their mRNA expressions induced by CoCl <sub>2</sub> in Qinghai-Tibetan plateau mammals and sea level mice. <b>2007</b> , 292, R516-26	17
1029	Normoxic stabilization of HIF-1alpha drives glycolytic metabolism and regulates aggrecan gene expression in nucleus pulposus cells of the rat intervertebral disk. <b>2007</b> , 293, C621-31	133
1028	Lack of effect of extracellular adenosine generation and signaling on renal erythropoietin secretion during hypoxia. <b>2007</b> , 293, F1501-11	23
1027	Control of erythropoietin gene expression and its use in medicine. <b>2007</b> , 435, 179-97	49
1026	Hypoxia-inducible factors HIF-1alpha and HIF-2alpha are decreased in an experimental model of severe respiratory distress syndrome in preterm lambs. <b>2007</b> , 292, L1345-51	45
1025	Synergistic up-regulation of vascular endothelial growth factor (VEGF) expression in macrophages by adenosine A <sub>2A</sub> receptor agonists and endotoxin involves transcriptional regulation via the hypoxia response element in the VEGF promoter. <b>2007</b> , 18, 14-23	98
1024	Overexpression of hypoxia-inducible factor-1alpha in human osteosarcoma: correlation with clinicopathological parameters and survival outcome. <b>2007</b> , 37, 127-34	61
1023	Oncolytic viruses driven by tumor-specific promoters. <b>2007</b> , 7, 181-9	48
1022	Nonhematological mechanisms of improved sea-level performance after hypoxic exposure. <b>2007</b> , 39, 1600-9	113
1021	Energy sensing and regulation of gene expression in skeletal muscle. <b>2007</b> , 102, 529-40	63
1020	Carnitine palmitoyltransferase I in human carcinomas: a novel role in histone deacetylation?. <b>2007</b> , 6, 1606-13	37
1019	Hyperlipidemia and lipid peroxidation are dependent on the severity of chronic intermittent hypoxia. <b>2007</b> , 102, 557-63	186
1018	COMMD1: a novel protein involved in the proteolysis of proteins. <b>2007</b> , 6, 2091-8	16
1017	Inhibition of VEGF expression by targeting HIF-1 alpha with small interference RNA in human RPE cells. <b>2007</b> , 221, 411-7	48
1016	Downregulation of organic anion transporters in rat kidney under ischemia/reperfusion-induced acute [corrected] renal failure. <b>2007</b> , 71, 539-47	77
1015	Differential regulation of hypoxia-inducible factor-1 through receptor tyrosine kinase transactivation in vascular smooth muscle cells. <b>2007</b> , 148, 4023-31	40
1014	Transgenic models to understand hypoxia-inducible factor function. <b>2007</b> , 435, 87-105	11

1013	Analysis of hypoxia-inducible factor 1alpha expression and its effects on invasion and metastasis. <b>2007</b> , 435, 347-54	26
1012	Macrophage migration inhibitory factor manipulation and evaluation in tumoral hypoxic adaptation. <b>2007</b> , 435, 355-69	11
1011	Hypoxia-inducible factor-1alpha, a key factor in the keratinocyte response to UVB exposure. <b>2007</b> , 282, 16413-22	71
1010	Multiple factors affecting cellular redox status and energy metabolism modulate hypoxia-inducible factor prolyl hydroxylase activity in vivo and in vitro. <b>2007</b> , 27, 912-25	256
1009	RACK1 vs. HSP90: competition for HIF-1 alpha degradation vs. stabilization. <b>2007</b> , 6, 656-9	109
1008	Hypoxia-inducible factors Per/ARNT/Sim domains: structure and function. <b>2007</b> , 435, 3-24	17
1007	Heights and haematology: the story of haemoglobin at altitude. <b>2007</b> , 83, 148-51	59
1006	Effect of hypoxia on 2-deoxyglucose uptake and cell cycle regulatory protein expression of mouse embryonic stem cells: involvement of Ca <sup>2+</sup> /PKC, MAPKs and HIF-1alpha. <b>2007</b> , 19, 269-82	27
1005	Androgen-dependent gene expression of prostate-specific antigen is enhanced synergistically by hypoxia in human prostate cancer cells. <b>2007</b> , 5, 383-91	67
1004	BNIP3 as a progression marker in primary human breast cancer; opposing functions in in situ versus invasive cancer. <b>2007</b> , 13, 467-74	72
1003	Hypoxia-inducible factor-1alpha is a key regulator of metastasis in a transgenic model of cancer initiation and progression. <b>2007</b> , 67, 563-72	289
1002	Studies on the activity of the hypoxia-inducible-factor hydroxylases using an oxygen consumption assay. <b>2007</b> , 401, 227-34	174
1001	Differential toxic mechanisms of 2-deoxy-D-glucose versus 2-fluorodeoxy-D-glucose in hypoxic and normoxic tumor cells. <b>2007</b> , 9, 1383-90	108
1000	Coping with cyclic oxygen availability: evolutionary aspects. <b>2007</b> , 47, 524-31	24
999	The Qo site of the mitochondrial complex III is required for the transduction of hypoxic signaling via reactive oxygen species production. <b>2007</b> , 177, 1029-36	441
998	Human hair follicles are an extrarenal source and a nonhematopoietic target of erythropoietin. <b>2007</b> , 21, 3346-54	63
997	'Ab interno' intravitreal suturing of a large traumatic scleral perforation at the posterior pole. <b>2007</b> , 91, 1721-2	1
996	Differential regulation of hypoxia-induced CXCR4 triggering during B-cell development and lymphomagenesis. <b>2007</b> , 67, 8605-14	35

995	Silencing of hypoxia inducible factor-1alpha by RNA interference attenuates human glioma cell growth in vivo. <b>2007</b> , 13, 2441-8	92
994	Expression of the obesity hormone leptin and its receptor correlates with hypoxia-inducible factor-1 alpha in human colorectal cancer. <b>2007</b> , 18 Suppl 6, vi116-9	40
993	Superoxide and derived reactive oxygen species in the regulation of hypoxia-inducible factors. <b>2007</b> , 435, 421-46	62
992	Hypoxia inducible factor-1 independent pathways in tumor angiogenesis. <b>2007</b> , 13, 5670-4	143
991	Hypoxia-inducible factor-2 (HIF-2) regulates hepatic erythropoietin in vivo. <b>2007</b> , 117, 1068-77	419
990	Spermidine/spermine-N1-acetyltransferase 2 is an essential component of the ubiquitin ligase complex that regulates hypoxia-inducible factor 1alpha. <b>2007</b> , 282, 23572-80	51
989	Expression of hypoxia-inducible factor 1alpha and 2alpha in choroidal neovascular membranes associated with age-related macular degeneration. <b>2007</b> , 91, 1720-1	29
988	Prolyl hydroxylase domain 2 protein suppresses hypoxia-induced endothelial cell proliferation. <b>2007</b> , 49, 178-84	32
987	Important role of erythropoietin receptor to promote VEGF expression and angiogenesis in peripheral ischemia in mice. <b>2007</b> , 100, 662-9	158
986	A role for the aryl hydrocarbon receptor in regulation of ischemia-induced angiogenesis. <b>2007</b> , 27, 1297-304	39
985	Hypoxia-inducible factor-1 (HIF-1) is a transcriptional activator of the TrkB neurotrophin receptor gene. <b>2007</b> , 282, 14379-88	60
984	Mammalian tumor suppressor Int6 specifically targets hypoxia inducible factor 2 alpha for degradation by hypoxia- and pVHL-independent regulation. <b>2007</b> , 282, 12707-16	47
983	Hypoxia-inducible factor mediates hypoxic and tumor necrosis factor alpha-induced increases in tumor necrosis factor-alpha converting enzyme/ADAM17 expression by synovial cells. <b>2007</b> , 282, 33714-33724	89
982	A potential alpha-helix motif in the amino terminus of LANA encoded by Kaposi's sarcoma-associated herpesvirus is critical for nuclear accumulation of HIF-1alpha in normoxia. <b>2007</b> , 81, 10413-23	65
981	Cumulative expression of HIF-1-alpha, Bax, Bcl-xL and P53 in human colorectal cancer. <b>2007</b> , 39, 334-8	16
980	IOP1, a novel hydrogenase-like protein that modulates hypoxia-inducible factor-1alpha activity. <b>2007</b> , 401, 341-52	38
979	Silencing hypoxia-inducible factor-1 inhibits cell migration and invasion under hypoxic environment in malignant gliomas. <b>2007</b> ,	5
978	Effects of YC-1 on hypoxia-inducible factor 1-driven transcription activity, cell proliferative vitality, and apoptosis in hypoxic human pancreatic cancer cells. <b>2007</b> , 34, 242-7	37

977 Subject Index To Volume 1. **2007**, 2, 3-6

976 Regulation of the HIF-1 $\beta$  stability by histone deacetylases. **2007**, 10

975 Albumin resuscitation improves ventricular contractility and myocardial tissue oxygenation in rat endotoxemia. **2007**, 35, 1341-7 42

974 ARC-111 inhibits hypoxia-mediated hypoxia-inducible factor-1 $\alpha$  accumulation. **2007**, 18, 435-45 7

973 Hypoxia and osteoarthritis: how chondrocytes survive hypoxic environments. **2007**, 19, 457-62 81

972 Activation of hypoxia-inducible factor 1 in human T-cell leukaemia virus type 1-infected cell lines and primary adult T-cell leukaemia cells. **2007**, 406, 317-23 36

971 Altered carotid body function by intermittent hypoxia in neonates and adults: relevance to recurrent apneas. **2007**, 157, 148-53 58

970 PC12 cells express IL-1 receptor type I and response to IL-1 $\beta$  stimulation. **2007**, 157, 187-95 6

969 HIF-1 $\alpha$  induced-VEGF overexpression in bone marrow stem cells protects cardiomyocytes against ischemia. **2007**, 42, 1036-44 129

968 The role of HIF-1 in hypoxic response in the skeletal muscle. **2007**, 618, 229-44 41

967 Hypoxia tolerance in mammals and birds: from the wilderness to the clinic. **2007**, 69, 113-43 191

966 Polymorphisms in hypoxia inducible factor 1 and the initial clinical presentation of coronary disease. **2007**, 154, 1035-42 72

965 Isolation of *Xenopus* HIF-prolyl 4-hydroxylase and rescue of a small-eye phenotype caused by Siah2 over-expression. **2007**, 355, 419-25 7

964 Benzo[a]pyrene-3,6-dione inhibited VEGF expression through inducing HIF-1 $\alpha$  degradation. **2007**, 357, 517-23 22

963 Mechanism of vascular endothelial growth factor expression mediated by cisplatin in human ovarian cancer cells. **2007**, 358, 92-8 14

962 Metallothionein rescues hypoxia-inducible factor-1 transcriptional activity in cardiomyocytes under diabetic conditions. **2007**, 360, 286-9 18

961 The combination of hypoxia-response enhancers and an oxygen-dependent proteolytic motif enables real-time imaging of absolute HIF-1 activity in tumor xenografts. **2007**, 360, 791-6 57

960 Understanding the biology of angiogenesis: review of the most important molecular mechanisms. **2007**, 39, 212-20 241

959	Hypoxic adaptations of hemoglobin in Tibetan chick embryo: high oxygen-affinity mutation and selective expression. <b>2007</b> , 147, 147-55	19
958	The yeast genome may harbor hypoxia response elements (HRE). <b>2007</b> , 146, 255-263	6
957	Molecular characterization and tissue distribution of aryl hydrocarbon receptor nuclear translocator isoforms, ARNT1 and ARNT2, and identification of novel splice variants in common cormorant ( <i>Phalacrocorax carbo</i> ). <b>2007</b> , 145, 379-93	12
956	HIF-1 regulates cytochrome oxidase subunits to optimize efficiency of respiration in hypoxic cells. <b>2007</b> , 129, 111-22	898
955	SUMO-specific protease 1 is essential for stabilization of HIF1alpha during hypoxia. <b>2007</b> , 131, 584-95	466
954	cDNA cloning, gene organization and variant specific expression of HIF-1 alpha in high altitude yak ( <i>Bos grunniens</i> ). <b>2007</b> , 386, 73-80	43
953	Free radicals and antioxidants in normal physiological functions and human disease. <b>2007</b> , 39, 44-84	8827
952	Mutant p53 facilitates pro-angiogenic, hyperproliferative phenotype in response to chronic relative hypoxia. <b>2007</b> , 249, 209-19	42
951	Hypoxia-inducible factors: crosstalk between their protein stability and protein degradation. <b>2007</b> , 257, 145-56	21
950	Hypoxia and estrogen co-operate to regulate gene expression in T-47D human breast cancer cells. <b>2007</b> , 104, 169-79	16
949	Aryl hydrocarbon receptor nuclear translocator and upstream stimulatory factor regulate Cytochrome P450 2a5 transcription through a common E-box site. <b>2007</b> , 369, 640-52	17
948	RACK1 competes with HSP90 for binding to HIF-1alpha and is required for O(2)-independent and HSP90 inhibitor-induced degradation of HIF-1alpha. <b>2007</b> , 25, 207-17	382
947	Angiogenesis and antiangiogenic therapy in endometriosis. <b>2007</b> , 74, 121-30	91
946	The cellular basis for diverse responses to oxygen. <b>2007</b> , 42, 165-74	215
945	Targeting the vascular endothelial growth factor pathway in the treatment of multiple myeloma. <b>2007</b> , 7, 551-66	11
944	Aberrant expression of leptin in human endometriotic stromal cells is induced by elevated levels of hypoxia inducible factor-1alpha. <b>2007</b> , 170, 590-8	91
943	Hypoxia inducible factor-1 mediates effects of insulin on pancreatic cancer cells and disturbs host energy homeostasis. <b>2007</b> , 170, 469-77	33
942	Human placental hypoxia-inducible factor-1alpha expression correlates with clinical outcomes in chronic hypoxia in vivo. <b>2007</b> , 170, 2171-9	86

941	Hypoxia-inducible factor 1 (HIF-1) pathway. <b>2007</b> , 2007, cm8	596
940	Tuning cell cycle regulation with an iron key. <b>2007</b> , 6, 1982-94	175
939	Neuron-specific inactivation of the hypoxia inducible factor 1 alpha increases brain injury in a mouse model of transient focal cerebral ischemia. <b>2007</b> , 27, 6320-32	289
938	Hypoxia up-regulates hypoxia-inducible factor-1alpha transcription by involving phosphatidylinositol 3-kinase and nuclear factor kappaB in pulmonary artery smooth muscle cells. <b>2007</b> , 18, 4691-7	319
937	Adeno-associated viral vector-delivered hypoxia-inducible gene expression in ischemic hearts. <b>2007</b> , 366, 331-42	11
936	Cardiac Gene Expression. <b>2007</b> ,	1
935	The potential role of intrinsic hypoxia markers as prognostic variables in cancer. <b>2007</b> , 9, 1237-94	72
934	Reactive oxygen species regulate angiogenesis and tumor growth through vascular endothelial growth factor. <b>2007</b> , 67, 10823-30	382
933	The flavonoid quercetin induces hypoxia-inducible factor-1alpha (HIF-1alpha) and inhibits cell proliferation by depleting intracellular iron. <b>2007</b> , 41, 342-56	37
932	Genetically heterogeneous origins of idiopathic erythrocytosis. <b>2007</b> , 12, 131-9	19
931	Selected Molecular Mechanisms of Metal Toxicity and Carcinogenicity. <b>2007</b> , 79-100	8
930	Quercetin activates an angiogenic pathway, hypoxia inducible factor (HIF)-1-vascular endothelial growth factor, by inhibiting HIF-prolyl hydroxylase: a structural analysis of quercetin for inhibiting HIF-prolyl hydroxylase. <b>2007</b> , 71, 1676-84	62
929	SLEEP DISORDERED BREATHING AND METABOLIC EFFECTS: EVIDENCE FROM ANIMAL MODELS. <b>2007</b> , 2, 263-277	28
928	Hypoxia-induced lactate dehydrogenase expression and tumor angiogenesis. <b>2007</b> , 6, 442-6	25
927	The roles of hypoxia in the in vitro engineering of tissues. <b>2007</b> , 13, 2153-62	213
926	The silencing approach of the hypoxia-signaling pathway. <b>2007</b> , 435, 107-21	2
925	HIF-1-dependent respiratory, cardiovascular, and redox responses to chronic intermittent hypoxia. <b>2007</b> , 9, 1391-6	104
924	Hypoxia-inducible factor 1 inhibitors. <b>2007</b> , 435, 385-402	34

923	8-Nitroguanine as a potential biomarker for progression of malignant fibrous histiocytoma, a model of inflammation-related cancer. <b>2007</b> ,	2
922	Myocardial hypoxia-inducible HIF-1alpha, VEGF, and GLUT1 gene expression is associated with microvascular and ICAM-1 heterogeneity during endotoxemia. <b>2007</b> , 293, H448-56	67
921	Cellular and molecular mechanisms of hypoxia-inducible factor driven vascular remodeling. <b>2007</b> , 97, 774-787	71
920	Hypoxia-Inducible Factor 1. 246-255	
919	Hyperbaric Oxygen and Endothelial Responses in Wound Healing and IschemiaReperfusion Injury. 480-488	
918	HIF-1alpha and CA IX staining in invasive breast carcinomas: prognosis and treatment outcome. <b>2007</b> , 120, 1451-8	171
917	Molecular cloning and characterization of the Xenopus hypoxia-inducible factor 1alpha (xHIF1alpha). <b>2007</b> , 102, 1542-52	7
916	Vasculogenesis, angiogenesis, and arteriogenesis: mechanisms of blood vessel formation and remodeling. <b>2007</b> , 102, 840-7	223
915	Tumor microenvironment in head and neck squamous cell carcinomas: predictive value and clinical relevance of hypoxic markers. A review. <b>2007</b> , 29, 591-604	83
914	On the TRAIL to therapeutic intervention in liver disease. <b>2007</b> , 46, 266-74	32
913	Hypoxia-targeted over-expression of carboxylesterase as a means of increasing tumour sensitivity to irinotecan (CPT-11). <b>2007</b> , 9, 244-52	13
912	Synthesis of (aryloxyacetyl-amino)-isonicotinic/nicotinic acid analogues as potent hypoxia-inducible factor (HIF)-1alpha inhibitors. <b>2007</b> , 17, 6305-10	27
911	Pathophysiology of anemia and erythrocytosis. <b>2007</b> , 64, 139-58	65
910	The hypoxic tumour microenvironment, patient selection and hypoxia-modifying treatments. <b>2007</b> , 19, 385-96	58
909	Hypoxia-inducible factor-1alpha (HIF-1alpha) gene polymorphisms, circulating insulin-like growth factor binding protein (IGFBP)-3 levels and prostate cancer. <b>2007</b> , 67, 1354-61	45
908	HIF-2alpha specifically activates the VE-cadherin promoter independently of hypoxia and in synergy with Ets-1 through two essential ETS-binding sites. <b>2007</b> , 26, 7480-9	64
907	Regulation of tissue perfusion in mammals by hypoxia-inducible factor 1. <b>2007</b> , 92, 988-91	43
906	Systemic, cellular and molecular analysis of chemoreflex-mediated sympathoexcitation by chronic intermittent hypoxia. <b>2007</b> , 92, 39-44	81



905	Interaction between beta-catenin and HIF-1 promotes cellular adaptation to hypoxia. <b>2007</b> , 9, 210-7	380
904	Iron-regulatory proteins limit hypoxia-inducible factor-2alpha expression in iron deficiency. <b>2007</b> , 14, 420-6	213
903	Target gene selectivity of hypoxia-inducible factor-alpha in renal cancer cells is conveyed by post-DNA-binding mechanisms. <b>2007</b> , 96, 1284-92	89
902	Induction of heme oxygenase-1 by cobalt protoporphyrin enhances the antitumour effect of bortezomib in adult T-cell leukaemia cells. <b>2007</b> , 97, 1099-105	23
901	Increased expression of hypoxia-inducible factor 1alpha in type I and type II endometrial carcinomas. <b>2007</b> , 20, 35-43	39
900	Mechanisms of hypoxic signal transduction regulated by reactive nitrogen species. <b>2007</b> , 65, 399-406	21
899	Protein kinase C-delta regulates the stability of hypoxia-inducible factor-1 alpha under hypoxia. <b>2007</b> , 98, 1476-81	30
898	Hypoxia-inducible factor-1 alpha and vascular endothelial growth factor expression in ischaemic colitis and ulcerative colitis. <b>2007</b> , 24, 182-188	1
897	Hypoxia-inducible factor-1alpha expression in experimental cirrhosis: correlation with vascular endothelial growth factor expression and angiogenesis. <b>2007</b> , 115, 795-801	24
896	Hypoxia induces transforming growth factor-beta1 gene expression in the pulmonary artery of rats via hypoxia-inducible factor-1alpha. <b>2007</b> , 39, 73-80	36
895	A long-term "memory" of HIF induction in response to chronic mild decreased oxygen after oxygen normalization. <b>2007</b> , 7, 4	11
894	Transcriptional regulation of the Drosophila caudal homeobox gene by bHLH-PAS proteins. <b>2007</b> , 1769, 41-8	3
893	Intermittent hypoxia changes HIF-1alpha phosphorylation pattern in endothelial cells: unravelling of a new PKA-dependent regulation of HIF-1alpha. <b>2007</b> , 1773, 1558-71	48
892	Up-regulation of HIF-1alpha expression induced by ginkgolides in hypoxic neurons. <b>2007</b> , 1166, 1-8	20
891	Metabolic and genetic regulation of cardiac energy substrate preference. <b>2007</b> , 146, 26-39	116
890	Targeted inactivation of fh1 causes proliferative renal cyst development and activation of the hypoxia pathway. <b>2007</b> , 11, 311-9	141
889	HIF-1 inhibits mitochondrial biogenesis and cellular respiration in VHL-deficient renal cell carcinoma by repression of C-MYC activity. <b>2007</b> , 11, 407-20	647
888	PI3K/PTEN/AKT signaling regulates prostate tumor angiogenesis. <b>2007</b> , 19, 2487-97	165

887	Organelle redox of CF and CFTR-corrected airway epithelia. <b>2007</b> , 43, 300-16	33
886	Reactive oxygen species and cellular oxygen sensing. <b>2007</b> , 43, 1219-25	138
885	Evaluation of HIF-1 inhibitors as anticancer agents. <b>2007</b> , 12, 853-9	312
884	Over-expression of hypoxia-inducible factor 1 alpha in ovarian clear cell carcinoma. <b>2007</b> , 106, 311-7	54
883	Erythropoietin after a century of research: younger than ever. <b>2007</b> , 78, 183-205	292
882	Hypoxia, drug therapy and toxicity. <b>2007</b> , 113, 229-46	89
881	Oxygen tension directs the differentiation pathway of human cytotrophoblast cells. <b>2007</b> , 28, 1141-6	28
880	Complex interactions between hypoxia inducible factors, insulin-like growth factor-II and oxygen in early murine trophoblasts. <b>2007</b> , 28, 1147-57	29
879	Subchronic inhalation of soluble manganese induces expression of hypoxia-associated angiogenic genes in adult mouse lungs. <b>2007</b> , 221, 148-57	17
878	New alternatives for erythropoietin therapy in chronic renal failure. <b>2007</b> , 2, 361-378	1
877	Genetic insights into the hypoxia-inducible factor (HIF) pathway. <b>2007</b> , 47, 288-306	5
876	Differential expression of oxygen-regulated genes in bovine blastocysts. <b>2007</b> , 74, 290-9	33
875	Sirolimus inhibits human pancreatic carcinoma cell proliferation by a mechanism linked to the targeting of mTOR/HIF-1 alpha/VEGF signaling. <b>2007</b> , 59, 717-21	18
874	Clinicopathological significance and linkage of the distribution of HIF-1alpha and GLUT-1 in human primary colorectal cancer. <b>2007</b> , 13, 15-20	34
873	Polymer based cardiovascular gene therapy. <b>2007</b> , 12, 39-42	5
872	Hypoxia-induced genetic instability--a calculated mechanism underlying tumor progression. <b>2007</b> , 85, 139-48	119
871	Keeping the engine primed: HIF factors as key regulators of cardiac metabolism and angiogenesis during ischemia. <b>2007</b> , 85, 1309-15	89
870	Harnessing hypoxic adaptation to prevent, treat, and repair stroke. <b>2007</b> , 85, 1331-8	70

869	Hypoxia and breast cancer: prognostic and therapeutic implications. <b>2007</b> , 64, 3233-47	91
868	Promise and progress for functional and molecular imaging of response to targeted therapies. <b>2007</b> , 24, 1172-85	61
867	HIF-1 mediates the Warburg effect in clear cell renal carcinoma. <b>2007</b> , 39, 231-4	224
866	Hypoxia-inducible factor-1alpha correlates with MET and metastasis in node-negative breast cancer. <b>2007</b> , 103, 167-75	54
865	Hypoxia-driven selection of the metastatic phenotype. <b>2007</b> , 26, 319-31	338
864	The role of autocrine motility factor in tumor and tumor microenvironment. <b>2007</b> , 26, 725-35	57
863	Dysregulation of the expression and secretion of inflammation-related adipokines by hypoxia in human adipocytes. <b>2007</b> , 455, 479-92	269
862	Hypoxia, angiogenesis, and colorectal cancer. <b>2007</b> , 3, 71-75	3
861	Microvascular maturity elicited in tissue treated with cytokine-loaded hyaluronan-based hydrogels. <b>2008</b> , 29, 2336-47	63
860	Hypoxia-inducible factor 1alpha is closely linked to an aggressive phenotype in breast cancer. <b>2008</b> , 110, 465-75	122
859	Erythropoietin in heart and vessels: focus on transcription and signalling pathways. <b>2008</b> , 26, 183-7	64
858	The magic of the hypoxia-signaling cascade. <b>2008</b> , 65, 1133-49	74
857	The expanding universe of hypoxia. <b>2008</b> , 86, 739-46	14
856	The emerging role of anti-angiogenic therapy for malignant glioma. <b>2008</b> , 9, 1-22	27
855	Angiogenesis, Kaposi's Sarcoma and Kaposi's Sarcoma-Associated Herpesvirus. <b>2008</b> , 23, 449-458	10
854	Effects of hypoxia on mRNA expression of housekeeping genes in rat brain tissue and primary cultured neural cells. <b>2008</b> , 2, 239-243	8
853	Mechanisms of adaptive angiogenesis to tissue hypoxia. <b>2008</b> , 11, 121-40	147
852	Effect of HIF1A gene polymorphism on human muscle performance. <b>2008</b> , 146, 351-3	34

851	Cellular oxygen sensing in health and disease. <b>2008</b> , 23, 681-94	53
850	The ubiquitin system, disease, and drug discovery. <b>2008</b> , 9 Suppl 1, S7	126
849	HIF-1 alpha: a key survival factor for serum-deprived prostate cancer cells. <b>2008</b> , 68, 1405-15	26
848	Hypoxia-inducible factor 1 alpha is essential for hypoxic p27 induction in endometrioid endometrial carcinoma. <b>2008</b> , 214, 38-45	22
847	Hypoxia-inducible factor 1 and cancer pathogenesis. <b>2008</b> , 60, 591-7	128
846	Ginkgolides protect PC12 cells against hypoxia-induced injury by p42/p44 MAPK pathway-dependent upregulation of HIF-1alpha expression and HIF-1DNA-binding activity. <b>2008</b> , 103, 564-75	28
845	Targeting vasculature in urologic tumors: mechanistic and therapeutic significance. <b>2008</b> , 103, 691-708	35
844	Flavonoids-induced accumulation of hypoxia-inducible factor (HIF)-1alpha/2alpha is mediated through chelation of iron. <b>2008</b> , 103, 1989-98	63
843	Does inhibition of degradation of hypoxia-inducible factor (HIF) alpha always lead to activation of HIF? Lessons learnt from the effect of proteasomal inhibition on HIF activity. <b>2008</b> , 104, 536-44	22
842	In vivo and in vitro effects of a HIF-1alpha inhibitor, RX-0047. <b>2008</b> , 104, 985-94	27
841	Regulation of HMG-CoA reductase expression by hypoxia. <b>2008</b> , 104, 701-9	38
840	Hypoxia stimulates the autocrine regulation of migration of vascular smooth muscle cells via HIF-1alpha-dependent expression of thrombospondin-1. <b>2008</b> , 104, 1918-26	49
839	AKT as locus of fragility in robust cancer system. <b>2008</b> , 104, 2071-7	15
838	PARP-1 modulates deferoxamine-induced HIF-1alpha accumulation through the regulation of nitric oxide and oxidative stress. <b>2008</b> , 104, 2248-60	30
837	Prostaglandin F2alpha induces the normoxic activation of the hypoxia-inducible factor-1 transcription factor in differentiating 3T3-L1 preadipocytes: Potential role in the regulation of adipogenesis. <b>2008</b> , 105, 89-98	12
836	A23187, ionomycin and thapsigargin upregulate mRNA of HIF-1alpha via endoplasmic reticulum stress rather than a rise in intracellular calcium. <b>2008</b> , 215, 708-14	43
835	Age-dependent impairment of HIF-1alpha expression in diabetic mice: Correction with electroporation-facilitated gene therapy increases wound healing, angiogenesis, and circulating angiogenic cells. <b>2008</b> , 217, 319-27	124
834	Induction of HIF-1alpha expression by intermittent hypoxia: involvement of NADPH oxidase, Ca <sup>2+</sup> signaling, prolyl hydroxylases, and mTOR. <b>2008</b> , 217, 674-85	233

833	Cited2 modulates hypoxia-inducible factor-dependent expression of vascular endothelial growth factor in nucleus pulposus cells of the rat intervertebral disc. <b>2008</b> , 58, 3798-808	62
832	PI3K/PTEN signaling in tumorigenesis and angiogenesis. <b>2008</b> , 1784, 150-8	256
831	Genetic causes of erythrocytosis and the oxygen-sensing pathway. <b>2008</b> , 22, 321-32	35
830	Hypoxia inducible factor-1 alpha and vascular endothelial growth factor expression are associated with a poor prognosis in patients with nasopharyngeal carcinoma receiving radiotherapy with carbogen and nicotinamide. <b>2008</b> , 20, 606-12	40
829	Inhibition of hypoxia inducible factor hydroxylases protects against renal ischemia-reperfusion injury. <b>2008</b> , 19, 39-46	213
828	Reactive oxygen species regulate hypoxia-inducible factor 1alpha differentially in cancer and ischemia. <b>2008</b> , 28, 5106-19	138
827	Mitochondria and hypoxia-induced gene expression mediated by hypoxia-inducible factors. <b>2008</b> , 1147, 312-20	33
826	Genetic mechanisms underlying regulation of hemoglobin mass. <b>2007</b> , 618, 195-210	6
825	VEGF Gene Regulation. <b>2008</b> , 30-39	4
824	Pathophysiology of Diabetic Retinopathy. <b>2010</b> , 1-30	5
823	Functions of Autocrine Motility Factor at the Tumor Microenvironment. <b>2008</b> , 11-25	1
822	Protein Transduction Domain-Mediated Delivery of Anticancer Proteins. <b>2009</b> , 297-319	3
821	Regulation of Gene Expression by the Ubiquitin-Proteasome System and Implications for Neurological Disease. <b>2011</b> , 281-315	1
820	Combination Strategies Targeting Hypoxia Inducible Factor 1 (HIF-1) for Cancer Therapy. <b>2010</b> , 3-21	5
819	Patient-Specific Modeling of Hypoxic Response and Microvasculature Dynamics. <b>2010</b> , 183-201	0
818	Erythropoiesis-stimulating agents. <b>2011</b> , 157, 55-74	6
817	Hypoxia and high altitude. The molecular response. <b>2003</b> , 543, 89-115	46
816	The Role of Vascular Endothelial Growth Factors and Their Receptors During Embryonic Vascular Development. <b>2002</b> , 21-54	3

815	The Biology of Vascular Endothelial Growth Factor, a Specific Regulator of Angiogenesis. <b>1997</b> , 317-332	1
814	Role of Hydrogen Peroxide in Hypoxia-Induced Expression of the Erythropoietin and the Vascular Endothelial Growth Factor Genes. <b>1996</b> , 523-530	1
813	Management of Renal Anemia in Children with Chronic Kidney Disease. <b>2012</b> , 531-568	1
812	Hypoxia-inducible factor-1alpha accumulation in the rat brain in response to hypoxia and ischemia is attenuated during aging. <b>2003</b> , 510, 337-41	34
811	Metabolic Profiling in Tumors by In Vivo and In Vitro NMR Spectroscopy. <b>2003</b> , 83-94	2
810	Drosophila bHLH-PAS Developmental Regulatory Proteins. <b>2003</b> , 69-108	2
809	The AH Receptor. <b>2003</b> , 149-182	3
808	The HIF-1 Family of bHLH-PAS Proteins: Master Regulators of Oxygen Homeostasis. <b>2003</b> , 183-204	1
807	Therapeutic angiogenesis for ischemic heart disease. <b>2000</b> , 476, 327-50	13
806	Molecular Biology of Hypoxia-Inducible Factor-1. <b>1999</b> , 269-276	1
805	Regulation of Glutathione Peroxidases. <b>1997</b> , 415-440	21
804	The pVHL-HIF-1 system. <b>2001</b> , 365-376	67
803	The effects of altitude training are mediated primarily by acclimatization, rather than by hypoxic exercise. <b>2001</b> , 502, 75-88	24
802	Cancer Hypoxia and the Tumour Microenvironment as Effectors of Cancer Metabolism. <b>2014</b> , 7-14	2
801	Diabetic Retinopathy. <b>2006</b> , 291-318	1
800	Silencing of HIF-1alpha by RNA interference in human glioma cells in vitro and in vivo. <b>2009</b> , 487, 283-301	11
799	Oxidative Stress in the Kidney: Proximal Tubule Disorders. <b>2011</b> , 179-203	2
798	Role of Microtubule-Associated Factors in HIF1 $\beta$ Nuclear Translocation. <b>2020</b> , 1232, 271-276	2

797	Hemoglobin in Arthropods-Daphnia as a Model. <b>2020</b> , 94, 163-194	2
796	Vascular endothelial growth factor: basic biology and clinical implications. <b>1997</b> , 79, 209-32	73
795	Biology of EPO and EPO-receptor. <b>2008</b> , 67-80	1
794	The Changes by Hypoxia Inducible Factor-1alpha (HIF-1 $\alpha$ ) on Taurine Uptake in Brain Capillary Endothelial Cells at High Glucose Conditions. <b>2015</b> , 803, 501-11	3
793	Retinal Vascular Development. <b>2016</b> , 1-19	3
792	Gene and Cell Therapy for Critical Limb Ischemia. <b>2017</b> , 491-501	1
791	MIF- and CD74-Dependent Mechanisms. <b>2017</b> , 1-20	1
790	Roles of SCF and VHL ubiquitin ligases in regulation of cell growth. <b>2002</b> , 29, 1-15	7
789	Hypoxia, Nitric Oxide and Vasoactive Gene Transcription. <b>1997</b> , 75-115	1
788	Oxygen Perception in Plants. <b>2014</b> , 3-17	4
787	Microenvironmental Control of Disc Cell Function: Influence of Hypoxia and Osmotic Pressure. <b>2014</b> , 93-108	3
786	Metabolic Fluxes in Cancer Metabolism. <b>2015</b> , 315-348	4
785	Molecular Mechanisms of Hypoxia-Induced Angiogenesis. <b>1998</b> , 388-399	1
784	Rapid Acclimatization Strategies for High-Altitude Induction. <b>2014</b> , 135-154	3
783	Oxygen sensing and the activation of the hypoxia inducible factor 1 (HIF-1)--invited article. <b>2009</b> , 648, 197-206	34
782	Upregulation of erythropoietin and its receptor expression in the rat carotid body during chronic and intermittent hypoxia. <b>2009</b> , 648, 207-14	23
781	Ah receptors and the mechanism of dioxin toxicity: insights from homology and phylogeny. <b>1996</b> , 9-27	4
780	Design of Advanced Polymeric Hydrogels for Tissue Regenerative Medicine: Oxygen-Controllable Hydrogel Materials. <b>2020</b> , 1250, 63-78	3

779	Stroke Induces Mesenchymal Stem Cell Migration to Infarcted Brain Areas Via CXCR4 and C-Met Signaling. <b>2017</b> , 8, 449	18
778	Molecular Determinants of Embryonic Vascular Development. <b>2004</b> , 621-634	1
777	Cardiovascular Function During Development and the Response to Hypoxia. <b>2004</b> , 635-669	2
776	Hematologic Aspects of Kidney Disease. <b>2012</b> , 2081-2121	1
775	Renal Physiology and Pathophysiology. <b>2012</b> , 1025-1046.e3	4
774	Activation of HIF-1 signaling ameliorates liver steatosis in zebrafish atp7b deficiency (Wilson's disease) models. <b>2020</b> , 1866, 165842	3
773	EPAS1 regulates proliferation of erythroblasts in chronic mountain sickness. <b>2020</b> , 84, 102446	4
772	Unlocking mammalian regeneration through hypoxia inducible factor one alpha signaling. <b>2021</b> , 269, 120646	4
771	Hypoxia and cancer related pathology. <b>2020</b> , 486, 1-7	19
770	Opportunities for Small Molecules in Cancer Immunotherapy. <b>2020</b> , 41, 493-511	38
769	First evidence of aryl hydrocarbon receptor as a druggable target in hypertension induced by chronic intermittent hypoxia. <b>2020</b> , 159, 104869	4
768	Coordinated Up-regulation by Hypoxia of Adrenomedullin and One of Its Putative Receptors (RDC-1) in Cells of the Rat Blood-Brain Barrier. <b>2000</b> , 275, 39914-39919	7
767	A HIF-1 $\beta$ -driven feed-forward loop augments HIF signalling in Hep3B cells by upregulation of ARNT. <b>2016</b> , 7, e2284	15
766	CHAPTER 6:The Role of 2-Oxoglutarate-Dependent Oxygenases in Hypoxia Sensing. <b>2015</b> , 169-209	6
765	Smart strategies to overcome tumor hypoxia toward the enhancement of cancer therapy. <b>2020</b> , 12, 21519-21533	3
764	Exploiting S-nitrosylation for cancer therapy: facts and perspectives. <b>2020</b> , 477, 3649-3672	4
763	Mitochondrial oxygen sensing: regulation of hypoxia-inducible factor by mitochondrial generated reactive oxygen species. <b>2007</b> , 43, 17-27	66
762	Inhibition of hypoxia-inducible factor 1 $\beta$ accumulation by glyceryl trinitrate and cyclic guanosine monophosphate. <b>2020</b> , 40,	3



761	Diabetic atherosclerosis: is there a role for the hypoxia-inducible factors?. <b>2020</b> , 40,	7
760	Herpes simplex virus 1 alpha regulatory protein ICP0 functionally interacts with cellular transcription factor BMAL1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 1877-82	11.5 54
759	Functional role of gangliotetraosylceramide in epithelial-to-mesenchymal transition process induced by hypoxia and by TGF- $\beta$ <b>2010</b> , 24, 4889-4903	9
758	Acute anemia elicits cognitive dysfunction and evidence of cerebral cellular hypoxia in older rats with systemic hypertension. <b>2010</b> , 113, 845-58	41
757	Angiogenesis: A Cellular Response to Traumatic Injury. <b>2021</b> , 55, 301-310	3
756	Metastatic signaling of hypoxia-related genes across TCGA Pan-Cancer types.	1
755	Molecular and functional diversity of distinct subpopulations of extracellular vesicles from stressed pancreatic beta cells: implications for autoimmunity.	4
754	Mitochondria promote neuropeptide secretion in <i>Caenorhabditis elegans</i> by preventing activation of hypoxia inducible factor.	1
753	Epigenetic bookmarking of H2S exposure in <i>Caenorhabditis elegans</i> .	1
752	Hypoxia on vhl-deficient cells to obtain hif related genes through bioinformatics analysis.	1
751	The ER cargo receptor SURF4 facilitates efficient erythropoietin secretion.	1
750	Regulation of tumor angiogenesis by p53-induced degradation of hypoxia-inducible factor 1 <b>2000</b> , 14, 34-44	535
749	HIF-1 and human disease: one highly involved factor. <b>2000</b> , 14, 1983-1991	409
748	Responding to Hypoxia: Lessons From a Model Cell Line. <b>2002</b> , 2002, re11-re11	4
747	Anoxic induction of a sarcoma virus-related VL30 retrotransposon is mediated by a cis-acting element which binds hypoxia-inducible factor 1 and an anoxia-inducible factor. <b>1995</b> , 69, 6335-41	23
746	Nutrient Sensing in Cancer. <b>2018</b> , 2, 251-269	18
745	LncIHAT Is Induced by Hypoxia-Inducible Factor 1 and Promotes Breast Cancer Progression. <b>2021</b> , 19, 678-687	4
744	Vascular Regeneration in Peripheral Artery Disease. <b>2020</b> , 40, 1627-1634	22

743	HIF1 $\beta$ -mediated TRAIL Expression Regulates Lacrimal Gland Inflammation in Dry Eye Disease. <b>2020</b> , 61, 3	4
742	Acute intensive insulin therapy exacerbates diabetic blood-retinal barrier breakdown via hypoxia-inducible factor-1 $\beta$ and VEGF. <b>2002</b> , 109, 805-815	163
741	Ecto-5'-nucleotidase (CD73) regulation by hypoxia-inducible factor-1 mediates permeability changes in intestinal epithelia. <b>2002</b> , 110, 993-1002	489
740	Hypoxia-induced pulmonary vascular remodeling: a model for what human disease?. <b>2000</b> , 106, 733-8	146
739	Hypoxia inhibits gene expression of voltage-gated K <sup>+</sup> channel alpha subunits in pulmonary artery smooth muscle cells. <b>1997</b> , 100, 2347-53	206
738	Hypoxia, angiogenesis, and metabolism in the hereditary kidney cancers. <b>2019</b> , 129, 442-451	44
737	Nonalcoholic fatty liver disease in CLOCK mutant mice. <b>2020</b> , 130, 4282-4300	6
736	HIFs, angiogenesis, and metabolism: elusive enemies in breast cancer. <b>2020</b> , 130, 5074-5087	50
735	Hypoxia-inducible factors and innate immunity in liver cancer. <b>2020</b> , 130, 5052-5062	32
734	Hypoxia-inducible factors and diabetes. <b>2020</b> , 130, 5063-5073	19
733	Acute intensive insulin therapy exacerbates diabetic blood-retinal barrier breakdown via hypoxia-inducible factor-1 $\alpha$ and VEGF. <b>2002</b> , 109, 805-15	84
732	Ecto-5'-nucleotidase (CD73) regulation by hypoxia-inducible factor-1 mediates permeability changes in intestinal epithelia. <b>2002</b> , 110, 993-1002	328
731	HIF hydroxylation and the mammalian oxygen-sensing pathway. <b>2003</b> , 111, 779-83	100
730	HIF hydroxylation and the mammalian oxygen-sensing pathway. <b>2003</b> , 111, 779-783	246
729	The aryl hydrocarbon receptor repressor is a putative tumor suppressor gene in multiple human cancers. <b>2008</b> , 118, 640-50	161
728	HIF-1 and HIF-2: working alone or together in hypoxia?. <b>2007</b> , 117, 862-5	192
727	Erythropoietin: when liability becomes asset in neurovascular repair. <b>2008</b> , 118, 467-70	15
726	Retinopathy of prematurity: understanding ischemic retinal vasculopathies at an extreme of life. <b>2010</b> , 120, 3022-32	171

725	Adenovirus-mediated HIF-1 $\beta$ gene transfer promotes repair of mouse airway allograft microvasculature and attenuates chronic rejection. <b>2011</b> , 121, 2336-49	80
724	Human CHCHD4 mitochondrial proteins regulate cellular oxygen consumption rate and metabolism and provide a critical role in hypoxia signaling and tumor progression. <b>2012</b> , 122, 600-11	65
723	Impaired physiological responses to chronic hypoxia in mice partially deficient for hypoxia-inducible factor 1alpha. <b>1999</b> , 103, 691-6	517
722	Autocrine production of IL-11 mediates tumorigenicity in hypoxic cancer cells. <b>2013</b> , 123, 1615-29	50
721	Hypoxia-inducible factor-1 mediates the biological effects of oxygen on human trophoblast differentiation through TGFbeta(3). <b>2000</b> , 105, 577-87	477
720	HIF1 $\beta$ and metabolic reprogramming in inflammation. <b>2016</b> , 126, 3699-3707	265
719	HIF-1 $\beta$ promotes autophagic proteolysis of Dicer and enhances tumor metastasis. <b>2018</b> , 128, 625-643	43
718	ZMYND8 acetylation mediates HIF-dependent breast cancer progression and metastasis. <b>2018</b> , 128, 1937-195564	
717	Hypoxia-Inducible Factor-1 $\alpha$ Polymorphism and the Risk of Cancer: A Meta-Analysis. <b>2014</b> , 100, e257-e265	1
716	Mouse Hypoxia-Inducible Factor-1 $\beta$ s Encoded by Two Different mRNA Isoforms: Expression From a Tissue-Specific and a Housekeeping-Type Promoter. <b>1998</b> , 91, 3471-3480	4
715	Induction of Endothelial PAS Domain Protein-1 by Hypoxia: Characterization and Comparison With Hypoxia-Inducible Factor-1 $\beta$ . <b>1998</b> , 92, 2260-2268	29
714	Interleukin-1 $\beta$ and Tumor Necrosis Factor- $\alpha$ Stimulate DNA Binding of Hypoxia-Inducible Factor-1. <b>1999</b> , 94, 1561-1567	17
713	A new transacting factor that modulates hypoxia-induced expression of the erythropoietin gene. <b>2000</b> , 96, 491-497	13
712	Epolones induce erythropoietin expression via hypoxia-inducible factor-1 $\beta$ activation. <b>2000</b> , 96, 1558-1565	1
711	Urokinase receptor expression on human microvascular endothelial cells is increased by hypoxia: implications for capillary-like tube formation in a fibrin matrix. <b>2000</b> , 96, 2775-2783	1
710	Microenvironmental influence on macrophage regulation of angiogenesis in wounds and malignant tumors. <b>2001</b> , 70, 478-490	70
709	Metabolic Adaptation of the Fetal and Postnatal Ovine Heart: Regulatory Role of Hypoxia-Inducible Factors and Nuclear Respiratory Factor-1.	3
708	Transcriptional regulation of breathless FGF receptor gene by binding of TRACHEALESS/dARNT heterodimers to three central midline elements in Drosophila developing trachea. <b>1997</b> , 124, 3975-3986	111

707	The <i>Drosophila tango</i> gene encodes a bHLH-PAS protein that is orthologous to mammalian Arnt and controls CNS midline and tracheal development. <b>1997</b> , 124, 4571-4582	149
706	Regulation of bHLH-PAS protein subcellular localization during <i>Drosophila</i> embryogenesis. <b>1998</b> , 125, 1599-1608	68
705	Induction and nuclear translocation of hypoxia-inducible factor-1 (HIF-1): heterodimerization with ARNT is not necessary for nuclear accumulation of HIF-1alpha. <b>1999</b> , 112, 1203-1212	118
704	A new HIF-1 alpha variant induced by zinc ion suppresses HIF-1-mediated hypoxic responses. <b>2001</b> , 114, 4051-4061	67
703	Hemoglobins from bacteria to man: evolution of different patterns of gene expression.. <b>1998</b> , 201, 1099-1117	239
702	Oxygen sensing, hypoxia-inducible factor-1 and the regulation of mammalian gene expression.. <b>1998</b> , 201, 1153-1162	254
701	Erythropoietin: a model system for studying oxygen-dependent gene regulation.. <b>1998</b> , 201, 1197-1201	135
700	Mechanism and evolution of hypoxia-tolerance in humans.. <b>1998</b> , 201, 1243-1254	88
699	Mammalian oxygen sensing, signalling and gene regulation. <b>2000</b> , 203, 1253-1263	317
698	Chemical-Kinetics Model for the Growth of a Multicellular Tumor Spheroid. <b>2009</b> , 42, 198-203	2
697	Associations between C1772T polymorphism in hypoxia-inducible factor-1 gene and breast cancer: a meta-analysis. <b>2014</b> , 20, 2578-83	7
696	Vitamin D Attenuates Hypoxia-Induced Injury in Rat Primary Neuron Cells through Downregulation of the Dual Oxidase 1 (DUOX1) Gene. <b>2020</b> , 26, e925350	0
695	Preconditioning strategies to prevent acute kidney injury. <b>2020</b> , 9,	5
694	Cancer cachexia has many symptoms but only one cause: anoxia. 9, 250	2
693	Erythropoietin regulation of red blood cell production: from bench to bedside and back. <b>2020</b> , 9,	8
692	Glycoregulatory Enzymes as Early Diagnostic Markers during Premalignant Stage in Hepatocellular Carcinoma. <b>2013</b> , 1, 14-19	9
691	Phosphorylation of seryl-tRNA synthetase by ATM/ATR is essential for hypoxia-induced angiogenesis. <b>2020</b> , 18, e3000991	4
690	Identifying signatures of natural selection in Tibetan and Andean populations using dense genome scan data. <b>2010</b> , 6, e1001116	395

689	miR-190 Enhances HIF-Dependent Responses to Hypoxia in Drosophila by Inhibiting the Prolyl-4-hydroxylase Fatiga. <b>2016</b> , 12, e1006073	20
688	Macrophage migration inhibitory factor activates hypoxia-inducible factor in a p53-dependent manner. <b>2008</b> , 3, e2215	84
687	Oxygen-independent stabilization of hypoxia inducible factor (HIF)-1 during RSV infection. <b>2008</b> , 3, e3352	63
686	Effects of TLR agonists on the hypoxia-regulated transcription factor HIF-1alpha and dendritic cell maturation under normoxic conditions. <b>2010</b> , 5, e0010983	66
685	Conditional HIF-1alpha expression produces a reversible cardiomyopathy. <b>2010</b> , 5, e11693	85
684	Oxygen sensing in Drosophila: multiple isoforms of the prolyl hydroxylase fatiga have different capacity to regulate HIFalpha/Sima. <b>2010</b> , 5, e12390	17
683	Zinc downregulates HIF-1 and inhibits its activity in tumor cells in vitro and in vivo. <b>2010</b> , 5, e15048	76
682	Intracellular pathogen Leishmania donovani activates hypoxia inducible factor-1 by dual mechanism for survival advantage within macrophage. <b>2012</b> , 7, e38489	42
681	Metabolic adaptation to chronic inhibition of mitochondrial protein synthesis in acute myeloid leukemia cells. <b>2013</b> , 8, e58367	28
680	Association between HIF1A P582S and A588T polymorphisms and the risk of urinary cancers: a meta-analysis. <b>2013</b> , 8, e63445	14
679	Insulin promotes glucose consumption via regulation of miR-99a/mTOR/PKM2 pathway. <b>2013</b> , 8, e64924	34
678	hypoxia-inducible factors activate CD133 promoter through ETS family transcription factors. <b>2013</b> , 8, e66255	25
677	The antioxidant N-acetylcysteine prevents HIF-1 stabilization under hypoxia in vitro but does not affect tumorigenesis in multiple breast cancer models in vivo. <b>2013</b> , 8, e66388	24
676	Detailed Analysis of Focal Chromosome Arm 1q and 6p Amplifications in Urothelial Carcinoma Reveals Complex Genomic Events on 1q, and SOX4 as a Possible Auxiliary Target on 6p. <b>2013</b> , 8, e67222	10
675	c-Src and neural Wiskott-Aldrich syndrome protein (N-WASP) promote low oxygen-induced accelerated brain invasion by gliomas. <b>2013</b> , 8, e75436	16
674	Paradoxical regulation of hypoxia inducible factor-1 (HIF-1) by histone deacetylase inhibitor in diffuse large B-cell lymphoma. <b>2013</b> , 8, e81333	16
673	Protein dynamics of the HIF-2 PAS-B domain upon heterodimerization and ligand binding. <b>2014</b> , 9, e94986	9
672	Molecular characterisation, evolution and expression of hypoxia-inducible factor in Aurelia sp.1. <b>2014</b> , 9, e100057	9

671	Silencing of hypoxia-inducible factor-1 induces anti-tumor effects in hepatoma cell lines under tumor hypoxia. <b>2014</b> , 9, e103304	9
670	Tanshinone IIA inhibits HIF-1 and VEGF expression in breast cancer cells via mTOR/p70S6K/RPS6/4E-BP1 signaling pathway. <b>2015</b> , 10, e0117440	60
669	Lactate dehydrogenase B is associated with the response to neoadjuvant chemotherapy in oral squamous cell carcinoma. <b>2015</b> , 10, e0125976	23
668	Placenta Growth Factor in Eyes with Neovascular Glaucoma Is Decreased after Intravitreal Ranibizumab Injection. <b>2016</b> , 11, e0146993	4
667	Hypoxia Induces Autophagy through Translational Up-Regulation of Lysosomal Proteins in Human Colon Cancer Cells. <b>2016</b> , 11, e0153627	30
666	Pyruvate dehydrogenase kinase 1 is essential for transplantable mouse bone marrow hematopoietic stem cell and progenitor function. <b>2017</b> , 12, e0171714	13
665	Acute hypoxia influences collagen and matrix metalloproteinase expression by human keratoconus cells in vitro. <b>2017</b> , 12, e0176017	34
664	Preferential activation of HIF-2 adaptive signalling in neuronal-like cells in response to acute hypoxia. <b>2017</b> , 12, e0185664	4
663	Structural and functional analysis of coral Hypoxia Inducible Factor. <b>2017</b> , 12, e0186262	11
662	Hepatic Aryl hydrocarbon Receptor Nuclear Translocator (ARNT) regulates metabolism in mice. <b>2017</b> , 12, e0186543	2
661	Hypoxia-inducible factor 1 alpha limits dendritic cell stimulation of CD8 T cell immunity. <b>2020</b> , 15, e0244366	8
660	HIF-1 is a key regulator in potentiating suppressor activity and limiting the microbicidal capacity of MDSC-like cells during visceral leishmaniasis. <b>2017</b> , 13, e1006616	30
659	Functional expression and impact of testis-specific gene antigen 10 in breast cancer: a combined in vitro and in silico analysis. <b>2019</b> , 9, 145-159	9
658	Role of HIF1 Regulatory Factors in Stem Cells. <b>2019</b> , 12, 8-20	14
657	HIF 1 inhibits StAR transcription and testosterone synthesis in murine Leydig cells. <b>2018</b> ,	9
656	Genetic association of hypoxia inducible factor 1-alpha ( ) Pro582Ser polymorphism with risk of diabetes and diabetic complications. <b>2020</b> , 12, 12783-12798	2
655	Tumor metabolism regulating chemosensitivity in ovarian cancer. <b>2018</b> , 9, 155-175	26
654	Hypoxia inducible factor-1 mediates the expression of the immune checkpoint HLA-G in glioma cells through hypoxia response element located in exon 2. <b>2016</b> , 7, 63690-63707	40

653	Mitochondrial deficiency impairs hypoxic induction of HIF-1 transcriptional activity and retards tumor growth. <b>2017</b> , 8, 11841-11854	7
652	Beluga whale pVHL enhances HIF-2 activity via inducing HIF-2 proteasomal degradation under hypoxia. <b>2017</b> , 8, 42272-42287	3
651	Association between HIF1A rs11549465 polymorphism and risk of prostate cancer: a meta-analysis. <b>2017</b> , 8, 44910-44916	6
650	Imaging of hypoxia-inducible factor 1 and septin 9 interaction by bimolecular fluorescence complementation in live cancer cells. <b>2017</b> , 8, 31830-31841	2
649	Cardiac glycosides suppress the maintenance of stemness and malignancy via inhibiting HIF-1 in human glioma stem cells. <b>2017</b> , 8, 40233-40245	21
648	HIF-1 downregulation and apoptosis in hypoxic prostate tumor cells infected with oncolytic mammalian orthoreovirus. <b>2014</b> , 5, 561-74	17
647	MicroRNA-210 suppresses glucocorticoid receptor expression in response to hypoxia in fetal rat cardiomyocytes. <b>2017</b> , 8, 80249-80264	19
646	Cell type-dependent HIF1 mediated effects of hypoxia on proliferation, migration and metastatic potential of human tumor cells. <b>2017</b> , 8, 44498-44510	16
645	Hypoxia-inducible factor-1 promotes cell survival during ammonia stress response in ovarian cancer stem-like cells. <b>2017</b> , 8, 114481-114494	23
644	Factor inhibiting HIF1-A novel target of SUMOylation in the human placenta. <b>2017</b> , 8, 114002-114018	3
643	Hypoxia-mediated translational activation of ITGB3 in breast cancer cells enhances TGF-β signaling and malignant features and. <b>2017</b> , 8, 114856-114876	24
642	Selenium targets resistance biomarkers enhancing efficacy while reducing toxicity of anti-cancer drugs: preclinical and clinical development. <b>2018</b> , 9, 10765-10783	23
641	Hypoxia-inducible factor-2 alpha up-regulates CD70 under hypoxia and enhances anchorage-independent growth and aggressiveness in cancer cells. <b>2018</b> , 9, 19123-19135	12
640	Hypoxia-inducible factors enhance glutamate signaling in cancer cells. <b>2014</b> , 5, 8853-68	45
639	Phospholipase D1 protein coordinates dynamic assembly of HIF-1 PHD-VHL to regulate HIF-1 stability. <b>2014</b> , 5, 11857-72	13
638	Pyruvate kinase M2 regulates glucose metabolism by functioning as a coactivator for hypoxia-inducible factor 1 in cancer cells. <b>2011</b> , 2, 551-6	139
637	Neutralizing S1P inhibits intratumoral hypoxia, induces vascular remodelling and sensitizes to chemotherapy in prostate cancer. <b>2015</b> , 6, 13803-21	28
636	Lactate promotes PGE2 synthesis and gluconeogenesis in monocytes to benefit the growth of inflammation-associated colorectal tumor. <b>2015</b> , 6, 16198-214	26

635	The novel dual PI3K/mTOR inhibitor NVP-BGT226 displays cytotoxic activity in both normoxic and hypoxic hepatocarcinoma cells. <b>2015</b> , 6, 17147-60	28
634	Genome-wide analysis discloses reversal of the hypoxia-induced changes of gene expression in colon cancer cells by zinc supplementation. <b>2011</b> , 2, 1191-202	24
633	Hypoxia promotes colon cancer dissemination through up-regulation of cell migration-inducing protein (CEMIP). <b>2015</b> , 6, 20723-39	41
632	HIF-1 $\beta$ and TAZ serve as reciprocal co-activators in human breast cancer cells. <b>2015</b> , 6, 11768-78	47
631	RPS7 inhibits colorectal cancer growth via decreasing HIF-1 $\beta$ -mediated glycolysis. <b>2016</b> , 7, 5800-14	25
630	PRDX2 and PRDX4 are negative regulators of hypoxia-inducible factors under conditions of prolonged hypoxia. <b>2016</b> , 7, 6379-97	22
629	Hypoxia-inducible factor 1 alpha is required for the tumorigenic and aggressive phenotype associated with Rab25 expression in ovarian cancer. <b>2016</b> , 7, 22650-64	26
628	The DEK oncogene activates VEGF expression and promotes tumor angiogenesis and growth in HIF-1 $\beta$ -dependent and -independent manners. <b>2016</b> , 7, 23740-56	19
627	Loss of HIF-1 $\beta$ in macrophages attenuates AhR/ARNT-mediated tumorigenesis in a PAH-driven tumor model. <b>2016</b> , 7, 25915-29	9
626	Relationship between hypoxia and response to antiangiogenic therapy in metastatic colorectal cancer. <b>2016</b> , 7, 46678-46691	30
625	Changing perspective on oncometabolites: from metabolic signature of cancer to tumorigenic and immunosuppressive agents. <b>2016</b> , 7, 46692-46706	21
624	Zinc finger protein 91 (ZFP91) activates HIF-1 $\beta$ via NF- $\kappa$ B/p65 to promote proliferation and tumorigenesis of colon cancer. <b>2016</b> , 7, 36551-36562	31
623	Murine double minute 2, a potential p53-independent regulator of liver cancer metastasis. <b>2016</b> , 2, 114-121	4
622	Diminished Pulmonary Expression of Hypoxia-Inducible Factor 2 $\beta$ -Vascular Endothelial Growth Factor and Hepatocyte Growth Factor in Chickens Exposed to Chronic Hypobaric Hypoxia. <b>2012</b> , 49, 205-211	3
621	Hypoxia-inducible factor-1 (HIF-1): a potential target for intervention in ocular neovascular diseases. <b>2013</b> , 14, 919-35	80
620	Vasotrophic regulation of age-dependent hypoxic cerebrovascular remodeling. <b>2013</b> , 11, 544-63	15
619	Reactive Oxygen Species as Intracellular Signaling Molecules in the Cardiovascular System. <b>2018</b> , 14, 290-300	45
618	The Engaged Role of Tumor Microenvironment in Cancer Metabolism: Focusing on Cancer-Associated Fibroblast and Exosome Mediators. <b>2021</b> , 21, 254-266	10



617	Regional Immunoreactivity of Pax6 in the Neurogenic Zone After Chronic Prenatal Hypoxia. <b>2017</b> , 31, 1125-1129	6
616	Dysregulation of Glucose Metabolism by Oncogenes and Tumor Suppressors in Cancer Cells. <b>2018</b> , 19, 2377-2390	36
615	Recent advances in molecularly targeted therapy in advanced renal cell carcinoma. <b>2009</b> , 6, 309-320	2
614	Erythrocytosis: genes and pathways involved in disease development. <b>2021</b> , 19, 518-532	4
613	Physical Exercise and Oxidative Stress. <b>2011</b> , 15, 30-40	8
612	Hypoxia inducible factor-1 $\alpha$ gene polymorphisms in Korean patients with pre-eclampsia. <b>2012</b> , 35, 670-5	1
611	Serial expression of hypoxia inducible factor-1 $\alpha$ and neuronal apoptosis in hippocampus of rats with chronic ischemic brain. <b>2011</b> , 50, 481-5	10
610	Hypoxia-inducible factor 1, hepatocellular carcinoma and angiogenesis. <b>2010</b> , 16, 278-9	3
609	New Treatments in Renal Cancer: The AhR Ligands. <b>2020</b> , 21,	6
608	The Role of Hypoxia-Inducible Factor Post-Translational Modifications in Regulating Its Localisation, Stability, and Activity. <b>2020</b> , 22,	15
607	Mitochondrial respiratory chain composition and organization in response to changing oxygen levels. <b>2020</b> , 2,	1
606	[Progress of studies on family members and functions of animal bHLH transcription factors]. <b>2010</b> , 32, 307-30	7
605	The impact of tumour pH on cancer progression: strategies for clinical intervention. <b>2020</b> , 1, 71-100	18
604	Hypoxia-inducible factor 1 alpha and vascular endothelial growth factor overexpression in ischemic colitis. <b>2005</b> , 11, 1535-9	18
603	Expression of hypoxia-inducible factor 1alpha and vascular endothelial growth factor in hepatocellular carcinoma: Impact on neovascularization and survival. <b>2005</b> , 11, 1705-8	132
602	New insights into the coagulopathy of liver disease and liver transplantation. <b>2006</b> , 12, 7725-36	123
601	Upregulation of hypoxia inducible factor 1alpha mRNA is associated with elevated vascular endothelial growth factor expression and excessive angiogenesis and predicts a poor prognosis in gastric carcinoma. <b>2007</b> , 13, 1680-6	26
600	Oxidative stress and hypoxia-induced factor 1 $\alpha$ expression in gastric ischemia. <b>2011</b> , 17, 1915-22	24

599	Semaphorin 4D and hypoxia-inducible factor-1 $\beta$ overexpression is related to prognosis in colorectal carcinoma. <b>2015</b> , 21, 2191-8	20
598	Glucose metabolism in gastric cancer: The cutting-edge. <b>2016</b> , 22, 2046-59	52
597	New role for ceramide in hypoxia and insulin resistance. <b>2020</b> , 26, 2177-2186	8
596	Expression and significance of PTEN, hypoxia-inducible factor-1 alpha in colorectal adenoma and adenocarcinoma. <b>2003</b> , 9, 491-4	41
595	The role of myoglobin in epithelial cancers: Insights from transcriptomics. <b>2020</b> , 45, 385-400	6
594	Expression profile of circular RNAs in the peripheral blood of neonates with hypoxic-ischemic encephalopathy. <b>2020</b> , 22, 87-96	2
593	LncRNA AWPPH promotes the invasion and migration of glioma cells through the upregulation of HIF1 $\beta$ . <b>2019</b> , 18, 6781-6786	6
592	Expression of HIF-1 $\beta$ is a predictive marker of the efficacy of neoadjuvant chemotherapy for locally advanced cervical cancer. <b>2020</b> , 20, 841-849	1
591	Molecular mechanisms involved in tumor repopulation after radiotherapy. <b>2013</b> , 2, 442-448	17
590	Hypoxia increases adipogenesis and affects adipocytokine production in orbital fibroblasts-a possible explanation of the link between smoking and Graves' ophthalmopathy. <b>2014</b> , 7, 403-7	13
589	Hypoxia Induces Paclitaxel-Resistance through ROS Production. <b>2010</b> , 18, 145-151	11
588	A New Perspective on the Heterogeneity of Cancer Glycolysis. <b>2018</b> , 26, 10-18	12
587	Carbonic Anhydrase IX as a Target for Renal Cell Carcinoma Therapy. <b>2011</b> , 3, 36-41	1
586	Molecular targeted therapy in advanced renal cell carcinoma: A review of its recent past and a glimpse into the near future. <b>2009</b> , 25, 427-36	8
585	Squamous cell carcinoma and dental implants: A systematic review of case reports. <b>2015</b> , 7, S378-80	4
584	Immunohistochemical expression of hypoxia-inducible factor-1 $\beta$ in stromal cells of vaginal tissue in post-menopausal women with pelvic organ prolapse. <b>2017</b> , 146, S63-S67	2
583	Interplay Between Metabolism and Oncogenic Process: Role of microRNAs. <b>2015</b> , 7, 11-27	34
582	The Influence of HIF-1 $\beta$ Expression on Apoptosis and Number of T Lymphocyte in Peyer's Patches after Burn with Delayed Fluid Resuscitation in Rats at Plateau. <b>2016</b> , 07, 390-399	1

581	Regulation of heme oxygenase expression by alcohol, hypoxia and oxidative stress. <b>2011</b> , 2, 252-60	13
580	The novel peptide F29 facilitates the DNA-binding ability of hypoxia-inducible factor-1alpha. <b>2009</b> , 42, 737-42	3
579	Hypoxia-induced miR-1260b regulates vascular smooth muscle cell proliferation by targeting GDF11. <b>2020</b> , 53, 206-211	9
578	A new twist in neuroendocrine tumor research: Pacak-Zhuang syndrome, HIF-2 $\alpha$ is the major player in its pathogenesis and future therapeutic options. <b>2014</b> , 158, 175-80	9
577	Hypoxia-induced chemoresistance in cancer cells: The role of not only HIF-1. <b>2015</b> , 159, 166-77	70
576	Recent developments in the pathology of renal tumors: morphology and molecular characteristics of select entities. <b>2009</b> , 133, 1026-32	34
575	Olmesartan restores the protective effect of remote ischemic preconditioning against myocardial ischemia/reperfusion injury in spontaneously hypertensive rats. <b>2015</b> , 70, 500-7	7
574	Hypoxia induced multidrug resistance of laryngeal cancer cells via hypoxia-inducible factor-1 $\beta$ . <b>2013</b> , 14, 4853-8	40
573	Upregulation of HIF-1 $\beta$ by hypoxia protect neuroblastoma cells from apoptosis by promoting survivin expression. <b>2014</b> , 15, 8251-7	12
572	Association of erythropoietin gene rs576236 polymorphism and risk of adrenal tumors in a Chinese population. <b>2014</b> , 28, 456-61	9
571	Differential roles of prostaglandin E-type receptors in activation of hypoxia-inducible factor 1 by prostaglandin E1 in vascular-derived cells under non-hypoxic conditions. <b>2013</b> , 1, e220	7
570	Genome methylation and regulatory functions for hypoxic adaptation in Tibetan chicken embryos. <b>2017</b> , 5, e3891	9
569	An oxygen-enriched thermosensitive hydrogel for the relief of a hypoxic tumor microenvironment and enhancement of radiotherapy. <b>2021</b> , 9, 7471-7482	2
568	Basic Research. <b>2021</b> , 199-241	
567	Predictors of anemia in Type 2 diabetes mellitus without renal disease. <b>2021</b> , 30, 494	
566	A Review of the Role of Hypoxia in Radioresistance in Cancer Therapy. <b>2021</b> , 27, e934116	0
565	Direct protein-protein interaction between Npas4 and IPAS mutually inhibits their critical roles in neuronal cell survival and death. <b>2021</b> , 7, 300	
564	The Impact of SARS-CoV-2 Infection on Blood Coagulation and Fibrinolytic Pathways: A Review of Prothrombotic Changes Caused by COVID-19. <b>2021</b> ,	4

- 563 Anemia in Chronic Kidney Disease. **2022**, 235-251
- 562 Mechanisms and triggers of adaptation to hypoxia. **2021**, 19, 269-280
- 561  $\beta$ -Hydroxybutyrate Exacerbates Hypoxic Injury by Inhibiting HIF-1 $\beta$ -Dependent Glycolysis in Cardiomyocytes-Adding Fuel to the Fire?. **2021**, 1 3
- 560 Intranuclear Delivery of HIF-1 $\beta$ MD Alleviates EAE Functional Conversion of TH17 Cells. **2021**, 12, 741938 1
- 559 Osteoclasts adapt to physioxia perturbation through DNA demethylation. **2021**, 22, e53035 2
- 558 Physiology and Inflammation Driven Pathophysiology of Iron Homeostasis-Mechanistic Insights into Anemia of Inflammation and Its Treatment. **2021**, 13, 4
- 557 Hypercapnia-inducible factor: a hypothesis. **2021**, 2, 27-31
- 556 Myoglobin Protects Breast Cancer Cells Due to Its ROS and NO Scavenging Properties. **2021**, 12, 732190 0
- 555 HIF-~~1 $\beta$~~ -  
**2021**, 86, 1403-1422 0
- 554 Common Postzygotic Mutational Signatures in Healthy Adult Tissues Related to Embryonic Hypoxia. **2021**,
- 553 iHypoxia: an integrative database of the expression dynamics of proteins in response to hypoxia in animals.
- 552 miR-155 down-regulation protects the heart from hypoxic damage by activating fructose metabolism in cardiac fibroblasts. **2021**, 0
- 551 Heritable disorders of oxygen sensing. **2021**, 185, 3334-3339 2
- 550 The Role of Angiogenesis in Breast Cancer Progression. **2001**, 41-62
- 549 Biologische Rezidivprophylaxe. **2002**, 427-452
- 548 Hypoxia-Induced Production of Recombinant Erythropoietin Using Hypoxia-Response Enhancer. **2002**, 139-143
- 547 Biology of erythropoietin. **2002**, 1-21
- 546 Aryl Hydrocarbon Receptor Nuclear Translocator (ARNT) (Hypoxia Inducible Factor  $\beta$  [HIF-1 $\beta$ ]).

- 545 Cellular Responses to Hypoxia: Role of Oxidant Signal Transduction. **2002**, 3-16 0
- 544 Molecular biomarkers targeting signal transduction systems. **2002**,
- 543 Expression of Vascular Endothelial Growth Factor and Hypoxia-Inducible Factor 1 $\alpha$  in the Myocardium. **2003**, 439-447
- 542 Regulation of HIF-1 by Oxygen. **2003**, 47-64 2
- 541 Oxygen- or Redox-Dependent Regulation. **2003**, 65-81
- 540 Genomics of Oxygen Sensing. **2003**, 1-5
- 539 Role of Free Radicals and Cellular Redox Status in Signal Transduction and Gene Expression. **2003**,
- 538 Basic Mechanisms of Oxygen-Sensing and Response to Hypoxia. **2004**, 900-905
- 537 Expression Profile of 1,000 mRNAs from Rat Retina. **2005**, 55, 5-12
- 536 Differential Regulation of Endothelial Cell Barrier Function. **2005**, 256-269
- 535 Medical Treatment of Peripheral Arterial Disease. **2006**, 271-292
- 534 Resistance to Antiangiogenic Agents. **2006**, 391-410
- 533 Angiogenesis. **2007**, 1717-1739
- 532 Hemostatic Alterations in Liver Disease and Liver Transplantation. **2007**, 647-659 2
- 531 Cerebral Endothelial Cell Reaction to Ischemic Insults. **2007**, 165-183 0
- 530 The Role of the Ubiquitin-Proteasome Pathway in the Regulation of the Cellular Hypoxia Response. 132-148
- 529 Anticorps anti-VEGF: un emploi universel. **2008**, 57-64
- 528 Ocular Angiogenesis. **2008**, 473-493

527 Hypoxic Regulation of Angiogenesis by HIF-1. **2008**, 169-179

526 Hypoxic Response and Associated Diseases. 1

525 Cellular Respiration and Tumor Suppressor Genes. **2009**, 131-144

524 Regulation of endogenous erythropoietin production. **2009**, 19-40

523 Carbonic Anhydrase IX: Biology and Clinical Approaches. **2009**, 211-229

522 HIF-1 Regulation of Chemokine Receptor Expression. **2009**, 47-61

521 von Hippel-Lindau Tumor Suppressor, Hypoxia-Inducible Factor-1, and Tumor Vascularization. **2010**, 119-132

520 Hypoxia-Inducible Factor-1 Signaling System. **2010**, 403-419

519 Effect of normoxic acidosis on HIF-1 $\beta$  protein expression and activity in human liver cancer cell line HepG2. **2010**, 29, 5-8

518 Hypoxia/Ischemia Signaling. **2010**, 529-542

517 Arteriogenesis. **2010**, 101-115

516 Role of Nitric Oxide for Modulation of Cancer Therapy Resistance. **2010**, 265-282

515 The Role of Hypoxia-Induced Factors. **2010**, 107-123

514 MICROARRAY EXPRESSION PROFILING IN THE USE OF NEW ORAL DRUGS FOR ANEMIA: AN APPLICATION TO DOPING DETECTION. **2010**, 59, 269-280

513 HIF-1 Inhibitors for Cancer Therapy. 377-400

512 Hypoxia-Inducible Factor 1 (HIF-1) Mediated Adaptive Responses in the Solid Tumor. 271-290

511 Regulation of Oxygen Homeostasis by Prolyl Hydroxylase Domains. **2011**, 419-436

510 Involvement of Hypoxia-Inducible Factor 1 in Physiological and Pathological Responses to Continuous and Intermittent Hypoxia: Role of Reactive Oxygen Species. **2011**, 409-418

509 Oxygen-Dependent Regulation of Erythropoiesis. **2011**, 437-463

508 MicroRNAs in Predicting Radiotherapy and Chemotherapy Response. **2011**, 415-447

507 Oxygen-Sensitive Transcription Factors and Hypoxia-Mediated Pulmonary Hypertension. **2011**, 713-723

506 Molecular Determinants of Embryonic Vascular Development. **2011**, 704-718

505 Engineered Proteins for Controlling Gene Expression. **2011**, 159-176

504 Basic Mechanisms of Oxygen Sensing and Response to Hypoxia. **2011**, 992-998

503 Angiogenesis. **2011**, 102-107

502 Anticancer Effects of Intermittent Hypoxia in Acute Myeloid Leukemia. **2012**, 229-238

501 Tocotrienols, Inflammation, and Cancer. **2012**, 209-224

500 DUSP22 Regulates Transcriptional Activity of HIF-1 $\beta$ . **2012**, 33, 3835-3837

499 Genetic Component of Oxidative Stress in Rheumatoid Arthritis. **2013**, 127-143

498 Angiogenesis, Arteriogenesis, and Mitochondrial Dysfunction. **2013**, 255-272

1

497 Molecular Biology and Genetics. **2013**, 19-37

496 The Role of Sirtuin-2 in Tubular Forming Activity of Human Umbilical Vein Endothelial Cells. **2013**, 23, 131-136

495 Molecular Mechanisms of Hypoxia-Regulated Angiogenesis. **2013**, 163-185

494 CHAPTER 3: Structure and Function of Hsp70 Molecular Chaperones. **2013**, 65-125

493 Changes in Stanniocalcin-2 and Hypoxia-Inducible Factor-1 $\beta$  mRNA Expression in Medaka *Oryzias latipes* Exposed to Acute Hypoxia. **2013**, 46, 70-76

492 Molecular Mechanisms of Radiation Induced Injury. **2014**, 41-51

- 491 Hypoxia and Breast Cancer Metastasis. **2014**, 3-19
- 490 Transcriptional Regulation Under Low Oxygen Stress in Plants. **2014**, 77-93
- 489 Sphingosine-1-Phosphate in Hypoxic Signaling. **2014**, 199-217
- 488 Bibliography. **2014**, 161-186
- 487 Macrophages in Pathophysiology of Endometriosis. **2014**, 61-85 1
- 486 Apelin Signaling in Retinal Angiogenesis. **2014**, 121-148
- 485 Endothelial Cell Reactions to Oxygen: Implications for Cancer. **2014**, 267-282
- 484 Applied Renal Physiology in the PICU. **2014**, 129-146
- 483 Phenotypic characteristics of factor expression induced by hypoxia and redox status of the rat neocortical cells at different stages of adaptation to hypoxia. **2014**, 59, 98-110
- 482 Transcriptional Responses Mediated by Hypoxia-Inducible Factor 1. **1998**, 421-427
- 481 Modulation of class 3 aldehyde dehydrogenase gene expression. An eye opening experience. **1999**, 463, 165-70
- 480 Regulation of the Erythropoietin Gene. **1999**, 94, 1864-1877 6
- 479 Blood Vessel Remodeling After Stroke. **2015**, 175-218
- 478 Targeted Gene Therapy for Ischemic Stroke. **2015**, 191-202
- 477 Oxygen Signaling in Physiological and Pathological Angiogenesis. **2015**, 329-349
- 476 Nachal'nye etapy distraktsionnogo osteogeneza. **2015**, 22, 6-11
- 475 Initial Steps of Distraction Osteosynthesis. **2015**, 6-11
- 474 Encyclopedia of Signaling Molecules. **2016**, 1-9



473 In Vitro Vascularization: Tissue Engineering Constructs. 4043-4062

472 HIF-1 $\alpha$  and GLUT-1 Expression in Atypical Endometrial Hyperplasia, Type I and II Endometrial Carcinoma: A Potential Role in Pathogenesis. **2016**, 10, EC20-7

4

471 Influence of different hypoxia types on p-glycoprotein functional activity and expression. **2016**, 14, 71-77

470 Innovative Therapien der Wundheilung. **2017**, 177-197

469 Glycemic Index and Eye Health. **2016**, 219-271

468 Angiogenesis and Pathogenesis of Port Wine Stain and Infantile Hemangiomas. **2017**, 145-171

1

467 Hypoxia-Inducible Factor (HIF)-1 $\alpha$  and Its Regulation in Pancreatic Cancer. **2017**, 371-378

1

466 HIF1 $\alpha$  A Key Emerging Player in Pancreatic Cancer. **2017**, 363-369

465 HIF1 $\alpha$  and HIF-1 $\beta$  in the regulation of HIF-1 $\alpha$  target genes. **2017**, 58-67

464 Interplay Between Microenvironmental Abnormalities and Infectious Agents in Tumorigenesis. **2017**, 1018, 253-271

463 The Tumor Microenvironment in Cutaneous Melanoma: Friend or Foe. **2017**, 481-506

462 The closed-loop pathways of signaling molecules.

461 In vitro Vascularization: Tissue Engineering Constructs. **2017**, 723-742

460 SIN3A/FAM60A links SIN3A function to the hypoxia response and its levels are predictive of cancer patient survival.

0

459 The Clinical Impact of Hypoxia in Head and Neck Squamous Cell Carcinoma. **2018**, 397-438

458 Encyclopedia of Signaling Molecules. **2018**, 2489-2498

457 Hypoxic marker CA IX and adhesion mediator E-cadherin are downregulated by lymphocytic choriomeningitis virus persistent infection. **2018**, 9, 12879-12893

456 Construction and Development of a Cardiac Tissue-Specific and Hypoxia-Inducible Expression Vector. **2018**, 8, 29-38

0

- 455 Cancerous phenotypes associated with hypoxia-inducible factors are not influenced by the volatile anesthetic isoflurane in renal cell carcinoma.
- 454 Metabolic Reprogramming and Hyaluronan Production in Cancer Stem Cells. **2018**, 30, E147-E154
- 453 Molecular Mechanism of Ischaemic Preconditioning of Skeletal Muscle In Vitro. **2018**, 10, e3763
- 452 Clinicopathological significance of Epo, EpoR, Ki-67 and Bax expression in colorectal cancer. **2018**, 8, 112-117 ○
- 451 Induction of the HIF pathway: Differential regulation by chemical hypoxia and oxygen glucose deprivation.
- 450 Glial response to hypoxia in tracheless mutants induces synapse remodeling.
- 449 Plant Growth Control by Using Pulsed Plasma Light. **2019**, 9, 122-125
- 448 Hypoxia in the Neoplastic Context. **2019**, 9,
- 447 Stromal Cell-Derived Factor 1 (SDF-1) Signaling and Tissue Homeostasis. **2019**, 47-59
- 446 Suppression of homeostatic gene expression and increased expression of metabolism-related genes are early features of glaucoma in optic nerve head microglia. ○
- 445 MECHANISMS OF CELL ADAPTATION TO HYPOXIA, OR HOW TO "BLOCK OXYGEN" TO A MALIGNANT TUMOR. **2019**, 3-19
- 444 Oxidants are dispensable for HIF1 $\beta$  stability in hypoxia.
- 443 Identification of regulatory microRNAs for hypoxia induced coagulation mechanism by In-silico analysis. 1
- 442 Transcriptional, epigenetic and microRNA regulation of growth plate. **2020**, 137, 115434 1
- 441 How do cells adapt to oxygen availability? The role of hypoxia-inducible factor HIF-1. **2020**, 56, 23-26
- 440 Progress in Pathophysiological Mechanism of Global Cerebral Ischemia-Reperfusion Injury. **2021**, 49-64
- 439 Vascular endothelial growth factor (VEGF) and hypoxia inducible factor-1 alpha (HIF-1 $\alpha$ ) in lacrimal gland Adenoid cystic carcinoma: Correlation with clinical outcome. **2021**, 56, 151846 ○
- 438 VEGF Concentration in a Preovulatory Leading Follicle Relates to Ovarian Reserve and Oocyte Maturation during Ovarian Stimulation with GnRH Antagonist Protocol in In Vitro Fertilization Cycle. **2021**, 10, ○

- 437 Design of a synthesis-friendly hypoxia-responsive promoter for cell-based therapeutics.. **2021**, 21, 848-856 1
- 436 Repetitively hypoxic preconditioning attenuates ischemia/reperfusion-induced liver dysfunction through upregulation of hypoxia-induced factor-1 alpha-dependent mitochondrial Bcl-xl in rat. **2020**, 63, 68-76 1
- 435 Craniofacial and Long Bone Development in the Context of Distraction Osteogenesis. **2021**, 147, 54e-65e 3
- 434 HIF-1 $\beta$  inhibition alleviates the exaggerated exercise pressor reflex in rats with peripheral artery disease induced by femoral artery occlusion. **2021**, 8, e14676 0
- 433 Liver-Brain Axis in Sporadic Alzheimer's Disease: Role of Ten Signature Genes in a Mouse Model. **2021**, 20, 871-885 0
- 432 Hypoxia as a modulator of cytochromes P450: Overexpression of the cytochromes CYP2S1 and CYP24A1 in human liver cancer cells in hypoxia. **2021**, 39, 478-487 3
- 431 HIF-1 $\beta$  as a Potential Therapeutic Target for Tuberculosis Treatment. **2021**, 41-59
- 430 Alterations in Metabolite-Driven Gene Regulation in Cancer Metabolism. **2020**, 147-165
- 429 Expression of endothelium dysfunction markers in pregnant women with chronic vein disease. **2020**, 26, 92
- 428 Hypoxia and Metastatic Disease. **2020**, 243-253
- 427 NF- $\kappa$ B and HIF Signaling in Osteoarthritis. **2020**, 605-608 1
- 426 How to catch a HIF1 $\beta$ : the work of Gregg Semenza's lab on hypoxia-inducible factor 1. **2020**, 295, 715-716 0
- 425 Common postzygotic mutational signature in multiple healthy adult tissues related to embryonic hypoxia.
- 424 The E3 ubiquitin-protein ligase MDM2 is a novel interactor of the von Hippel-Lindau tumor suppressor.
- 423 [The molecular marker of the preconditioning phenomenon HIF1 $\beta$  is a new pathway for early detection of visceral hypoxic conditions]. **2020**, 92, 121-126 1
- 422 Sensing an Oxygen Sensor: Development and Application of Activity-Based Assays Directly Monitoring HIF Heterodimerization. **2021**, 93, 14462-14470 0
- 421 HIF1 and ID1 Interplay Confers Adaptive Survival to HIF1 $\beta$  inhibition. **2021**, 9, 724059
- 420 Cancer biology and molecular genetics of A adenosine receptor. **2021**, 8

- 419 Aryl hydrocarbon receptor nuclear translocator promotes the proliferation and invasion of clear cell renal cell carcinoma cells potentially by affecting the glycolytic pathway. **2020**, 20, 56 1
- 418 Oxygen Sensing and Hypoxia Signaling. **2003**, 43-59
- 417 S-nitrosoglutathione (SNOG) accumulates hypoxia inducible factor-1 alpha in main pulmonary artery endothelial cells but not in micro pulmonary vessel endothelial cells. **2006**, 580, 63-71; discussion 351-9
- 416 Signalling Pathways Leading to Furin Expression in Cancer. **2006**, 27-45 1
- 415 History and Biology of Erythropoietin in Hematopoietic and Non-Neural Tissues. **2006**, 1-13
- 414 Regulation of Erythropoietin Expression in the Nervous System: The Hypoxia Inducible Factor. **2006**, 49-67
- 413 The Regulation of Retinal Angiogenesis by Cyclooxygenase and the Prostanoids. **2008**, 241-257
- 412 Signaling by Mitochondria. **2005**, 167-177
- 411 Transcriptional Regulation of Angiogenesis. **2005**, 19-36
- 410 Tumor Oxygenation and Treatment Response. **2006**, 43-66
- 409 Regulation of Angiogenesis in Cancer and Its Therapeutic Implications. **2008**, 331-349 1
- 408 Hypoxia in the Pathogenesis of Retinal Disease. **2007**, 121-138 1
- 407 Polycythemia Vera and Other Polycythemic Disorders [Biological Aspects]. **2007**, 297-319
- 406 Intracellular label-free detection of mesenchymal stem cell metabolism within a perivascular niche-on-a-chip.
- 405 HIF1-dependent induction of the mitochondrial chaperone TRAP1 regulates bioenergetic adaptations to hypoxia.
- 404 PET Imaging of ABC Transporters at the Blood-Brain Barrier. **2021**, 809-850 0
- 403 Regulation of tumor angiogenesis by p53-induced degradation of hypoxia-inducible factor 1alpha. **2000**, 14, 34-44 705
- 402 Interleukin 1 induces hypoxia-inducible factor 1 in human gingival and synovial fibroblasts. **2000**, 350 Pt 1, 307-12 59

401	Hypoxia-Inducible Factor (HIF)-1 regulatory pathway and its potential for therapeutic intervention in malignancy and ischemia. <b>2007</b> , 80, 51-60	272
400	The molecular response of mammalian cells to hypoxia and the potential for exploitation in cancer therapy. <b>1996</b> , 27, S126-32	17
399	Robust hypoxia-selective regulation of a retinal pigment epithelium-specific adeno-associated virus vector. <b>2008</b> , 14, 471-80	14
398	Expression of vascular endothelial growth factor and endothelial nitric oxide synthase is increased in the placenta of sheep at high altitude in the Andes. <b>2010</b> , 74, 193-9	4
397	Erythropoietin: a model system for studying oxygen-dependent gene regulation. <b>1998</b> , 201, 1197-201	124
396	Stromal cell-derived factors in Duchenne muscular dystrophy. <b>2010</b> , 29, 398-403	5
395	EPO improves the proliferation and inhibits apoptosis of trophoblast and decidual stromal cells through activating STAT-5 and inactivating p38 signal in human early pregnancy. <b>2011</b> , 4, 765-74	18
394	Inhibition of VEGF expression and corneal neovascularization by shRNA targeting HIF-1 $\beta$ in a mouse model of closed eye contact lens wear. <b>2012</b> , 18, 864-73	30
393	Deletion of HIF-1 $\beta$ partially rescues the abnormal hyaloid vascular system in Cited2 conditional knockout mouse eyes. <b>2012</b> , 18, 1260-70	7
392	Targeted genes and interacting proteins of hypoxia inducible factor-1. <b>2012</b> , 3, 165-78	130
391	Galectin-3: a novel protein in cerebellar hemangioblastoma. <b>2013</b> , 6, 853-61	8
390	Renal expression of hypoxia inducible factor-1 $\beta$ in patients with chronic kidney disease: a clinicopathologic study from nephrectomized kidneys. <b>2013</b> , 137, 102-10	5
389	The effect of hypoxia-inducible factor 1-alpha on hypoxia-induced apoptosis in primary neonatal rat ventricular myocytes. <b>2010</b> , 21, 37-41	12
388	Stimulating retinal blood vessel protection with hypoxia-inducible factor stabilization: identification of novel small-molecule hydrazones to inhibit hypoxia-inducible factor prolyl hydroxylase (an American Ophthalmological Society thesis). <b>2013</b> , 111, 169-79	4
387	Influences of HIF-1 $\beta$ on Bax/Bcl-2 and VEGF expressions in rats with spinal cord injury. <b>2013</b> , 6, 2312-22	28
386	The effect of 3-(5'-hydroxymethyl-2'-furyl)-1-benzylindazole (YC-1) on cell viability under hypoxia. <b>2013</b> , 19, 2260-73	8
385	A novel experimental hypoxia chamber for cell culture. <b>2014</b> , 4, 53-60	9
384	Changes of hypoxia-inducible factor-1 signaling and the effect of cilostazol in chronic cerebral ischemia. <b>2013</b> , 8, 1803-13	1

383	Kinetic modeling in PET imaging of hypoxia. <b>2014</b> , 4, 490-506	17
382	Nerve Growth Factor, Muscle Afferent Receptors and Autonomic Responsiveness with Femoral Artery Occlusion. <b>2014</b> , 1, 1-18	4
381	Femoral Artery Occlusion Increases Muscle Pressor Reflex and Expression of Hypoxia-Inducible Factor-1 $\alpha$ in Sensory Neurons. <b>2013</b> , 1, 34-40	4
380	In vivo and in vitro characteristic of HIF-1 $\alpha$ and relative genes in ischemic femoral head necrosis. <b>2015</b> , 8, 7210-6	8
379	14-3-3 $\beta$ up-regulates hypoxia-inducible factor-1 $\alpha$ in hepatocellular carcinoma via activation of PI3K/Akt/NF- $\kappa$ B signal transduction pathway. <b>2015</b> , 8, 15845-53	20
378	GLUT1 activity contributes to the impairment of PEDF secretion by the RPE. <b>2016</b> , 22, 761-70	15
377	Inhibition of HIF-1 $\alpha$ by PX-478 suppresses tumor growth of esophageal squamous cell cancer in vitro and in vivo. <b>2017</b> , 7, 1198-1212	20
376	Design, Synthesis and Biological Evaluation of Novel HIF1 $\alpha$ inhibitors. <b>2015</b> , 35, 3849-59	17
375	Molecular characterization of the murine Hif-1 alpha locus. <b>1997</b> , 6, 287-99	30
374	Cloning and identification of mouse steroid receptor coactivator-1 (mSRC-1), as a coactivator of peroxisome proliferator-activated receptor gamma. <b>1996</b> , 6, 185-95	133
373	Molecular characterization and chromosomal localization of a third alpha-class hypoxia inducible factor subunit, HIF3 $\alpha$ . <b>1998</b> , 7, 205-13	345
372	Regulation of the iron regulatory proteins by reactive nitrogen and oxygen species. <b>1999</b> , 7, 367-76	53
371	Key indexes and the emerging tool for tumor microenvironment editing. <b>2019</b> , 9, 1027-1042	2
370	Expression of hypoxia-inducible factor-1 $\alpha$ predicts benefit from rituximab plus cyclophosphamide, doxorubicin, vincristine, and prednisone in diffuse large B-cell lymphoma. <b>2018</b> , 11, 4472-4482	
369	Understanding Transcriptional Networks Regulating Initiation of Cutaneous Wound Healing. <b>2020</b> , 93, 161-173	4
368	[Metabolic regulation of bone marrow microenvironment on hematopoietic stem cells and its role in hematologic diseases]. <b>2015</b> , 36, 168-71	
367	Hypoxia-Mediated Complement 1q Binding Protein Regulates Metastasis and Chemoresistance in Triple-Negative Breast Cancer and Modulates the PKC-NF- $\kappa$ B-VCAM-1 Signaling Pathway. <b>2021</b> , 9, 607142	1
366	Human meibomian gland epithelial cell culture models: Current progress, challenges, and future directions. <b>2021</b> , 23, 96-113	1

365	A reciprocal feedback loop between HIF-1 $\alpha$ and HPIIP controls phenotypic plasticity in breast cancer cells. <b>2021</b> , 526, 12-28	1
364	An updated review on the potential antineoplastic actions of oleuropein. <b>2021</b> ,	3
363	Latency-associated DNA methylation patterns among HIV-1 infected individuals with distinct disease progression courses or antiretroviral virologic response. <b>2021</b> , 11, 22993	0
362	Manufacturing Process Development for Belzutifan, Part 3: Completing a Streamlined Through-Process with a Safe and Scalable Oxidation.	5
361	Special Issue: Hypoxia-Inducible Factors: Regulation and Therapeutic Potential.. <b>2021</b> , 9,	
360	Manufacturing Process Development for Belzutifan, Part 4: Nitrogen Flow Criticality for Transfer Hydrogenation Control.	5
359	Nickel nanoparticle-induced cell transformation: involvement of DNA damage and DNA repair defect through HIF-1 $\alpha$ /miR-210/Rad52 pathway. <b>2021</b> , 19, 370	4
358	Tumour Microenvironment Stress Promotes the Development of Drug Resistance. <b>2021</b> , 10,	4
357	Deciphering Tumor Niches: Lessons From Solid and Hematological Malignancies. <b>2021</b> , 12, 766275	1
356	Neurological complications and infection mechanism of SARS-COV-2. <b>2021</b> , 6, 406	16
355	Experimental study of the effects of hypoxia simulator on osteointegration of titanium prosthesis in osteoporotic rats. <b>2021</b> , 22, 944	0
354	PRMT3 promotes tumorigenesis by methylating and stabilizing HIF1 $\alpha$ in colorectal cancer. <b>2021</b> , 12, 1066	0
353	Retinal Diseases Regulated by Hypoxia-Basic and Clinical Perspectives: A Comprehensive Review. <b>2021</b> , 10,	1
352	The aryl hydrocarbon receptor as a model PAS sensor.. <b>2022</b> , 9, 1-11	2
351	Characterizing Endocrine Status, Tumor Hypoxia and Immunogenicity for Therapy Success in Epithelial Ovarian Cancer. <b>2021</b> , 12, 772349	0
350	Hypoxia-induced ebv-circLMP2A promotes angiogenesis in EBV-associated gastric carcinoma through the KHSRP/VHL/HIF1 $\alpha$ /VEGFA pathway. <b>2021</b> , 526, 259-272	2
349	7, 8-Dihydroxyflavone, a TrkB receptor agonist, provides minimal protection against retinal vascular damage during oxygen-induced ischemic retinopathy. <b>2021</b> , 16, e0260793	1
348	Therapeutic Influence on Important Targets Associated with Chronic Inflammation and Oxidative Stress in Cancer Treatment. <b>2021</b> , 13,	2

- 347 miR-126 regulates angiogenesis in myocardial ischemia by targeting HIF-1 $\beta$  **2021**, 409, 112925 2
- 346 Host-derived lipids from tuberculous pleurisy impair macrophage microbicidal-associated metabolic activity. 0
- 345 In vitro production of viable eggs from isolated mouse primary follicles by successive culture. **2021**, 68, 2
- 344 Hypoxia-inducible factor-1 alpha expression is induced by IL-2 via the PI3K/mTOR pathway in hypoxic NK cells and supports effector functions in NK cells and ex vivo expanded NK cells.. **2022**, 1 2
- 343 Reactions of water-soluble binuclear tetranitrosyl iron complexes of the  $\text{E}_5$  structural type with adenosine triphosphoric acid: Kinetics and reaction mechanism. **2022**, 531, 120709 0
- 342 Functional and HRE motifs count analysis of induction of selected hypoxia-responsive genes by HIF-1 and HIF-2 in human umbilical endothelial cells. **2021**, 90, 110209 2
- 341 PINK1 deficiency in gastric cancer compromises mitophagy, promotes the Warburg effect, and facilitates M2 polarization of macrophages.. **2021**, 529, 19-36 3
- 340 Abnormal angiogenesis associated with HIF-1 $\beta$ /VEGF signaling pathway in recurrent miscarriage along with therapeutic goals. **2022**, 26, 101483 0
- 339 Hypoxia-inducible factor and cancer. **2004**, 6, 3-11
- 338 Autophagy/ Apoptosis Induced by Geraniol through HIF-1 $\beta$ /BNIP3/Beclin-1 Signaling Pathway in A549 CoCl<sub>2</sub> Treated Cells.. **2022**, 12, 155-162 0
- 337 Quantitative Proteome and Transcriptome Dynamics Analysis Reveals Iron Deficiency Response Networks and Signature in Neuronal Cells.. **2022**, 27, 6
- 336 Advancing Cancer Treatment by Targeting Glutamine Metabolism-A Roadmap.. **2022**, 14, 6
- 335 Liposomal PHD2 Inhibitors and the Enhanced Efficacy in Stabilizing HIF-1 $\beta$  **2022**, 12, 2
- 334 Butyrate and Intestinal Homeostasis: Effects on the Intestinal Microbiota and Epithelial Hypoxia. **2022**, 57-68 2
- 333 HIF-1 Interacts with TRIM28 and DNA-PK to release paused RNA polymerase II and activate target gene transcription in response to hypoxia.. **2022**, 13, 316 4
- 332 Selected molecular mechanisms of metal toxicity and carcinogenicity. **2022**, 253-278 2
- 331 Deep Proteome Profiling Enabled Functional Annotation and Data-Independent Quantification of Proline Hydroxylation Targets. 1
- 330 Multifaceted Interplay between Hormones, Growth Factors and Hypoxia in the Tumor Microenvironment.. **2022**, 14, 1



329	Biologically Relevant In Vitro 3D-Model to Study Bone Regeneration Potential of Human Adipose Stem Cells.. <b>2022</b> , 12,	0
328	Accumulated ROS Activates HIF-1 $\beta$ -Induced Glycolysis and Exerts a Protective Effect on Sensory Hair Cells Against Noise-Induced Damage.. <b>2021</b> , 8, 806650	1
327	Oncogene or Tumor Suppressor: The Coordinative Role of Lysine Methyltransferase SET7/9 in Cancer Development and the Related Mechanisms.. <b>2022</b> , 13, 623-640	1
326	Low-Dose-Rate Irradiation Suppresses the Expression of Cell Cycle-Related Genes, Resulting in Modification of Sensitivity to Anti-Cancer Drugs.. <b>2022</b> , 11,	0
325	CXCR4 promotes the growth and metastasis of esophageal squamous cell carcinoma as a critical downstream mediator of HIF-1 $\beta$ <b>2022</b> ,	1
324	Histone chaperone FACT complex coordinates with HIF to mediate an expeditious transcription program to adapt to poorly oxygenated cancers.. <b>2022</b> , 38, 110304	1
323	HIF-1 $\beta$ -Alleviates High-Glucose-Induced Renal Tubular Cell Injury by Promoting Parkin/PINK1-Mediated Mitophagy.. <b>2021</b> , 8, 803874	0
322	Breast cancer hypoxia in relation to prognosis and benefit from radiotherapy after breast-conserving surgery in a large, randomised trial with long-term follow-up.. <b>2022</b> ,	2
321	Reciprocal role of PLAP-1 in HIF-1 $\beta$ -mediated responses to hypoxia.. <b>2022</b> ,	0
320	Testicular Dysgenesis Syndrome-like morphology and gene expression, and activation of Hypoxia Inducible Factor 1 Alpha in juvenile lamb testes following developmental exposure to low-level environmental chemical mixture.	
319	In situ monitoring reveals cellular environmental instabilities in human pluripotent stem cell culture.. <b>2022</b> , 5, 119	2
318	Toward Best Practices for Controlling Mammalian Cell Culture Environments.. <b>2022</b> , 10, 788808	1
317	Harveian Oration 2020: Elucidation of molecular oxygen sensing mechanisms in human cells: implications for medicine.. <b>2021</b> ,	0
316	Escherichia coli succinic thiolinase. Stoichiometry of phosphorylation and coenzyme A binding. <b>1975</b> , 250, 5609-13	20
315	Hypoxic signaling in lymphatic colorectal cancer metastasis. <b>2022</b> , 3-19	
314	Targeting the Transcription Factors of ROS Tumorigenic Pathways as a Therapeutic Strategy in Cancer. <b>2022</b> , 1-19	
313	Targeting KCTD1 as a Potential Novel Therapy Ameliorates Hepatocellular Carcinoma Progression via the HIF-1 $\beta$ /VEGF Pathway.	
312	Targeting HIF-2 $\beta$ in the Tumor Microenvironment: Redefining the Role of HIF-2 $\beta$ for Solid Cancer Therapy.. <b>2022</b> , 14,	1

311	The Interplay of Hypoxia Signaling on Mitochondrial Dysfunction and Inflammation in Cardiovascular Diseases and Cancer: From Molecular Mechanisms to Therapeutic Approaches.. <b>2022</b> , 11,	2
310	YWHAH Genetic Variants are Associated with Increased Hypoxia Inducible Factor-1 $\beta$ Vascular Endothelial Growth Factor in Egyptian Rheumatoid Arthritis Patients.. <b>2022</b> , 1	0
309	Hypoxia modulates cellular endocytic pathways and organelles with enhanced cell migration and 3D cell invasion.	
308	Considerations about Hypoxic Changes in Neuraxis Tissue Injuries and Recovery.. <b>2022</b> , 10,	1
307	Role of Hypoxia in the Interferon Response.. <b>2022</b> , 13, 821816	0
306	Hypoxia-induced macropinocytosis represents a metabolic route for liver cancer.. <b>2022</b> , 13, 954	5
305	The evolutionarily conserved arginyltransferase 1 mediates a pVHL-independent oxygen-sensing pathway in mammalian cells.. <b>2022</b> ,	2
304	Hif1 $\beta$ -dependent hypoxia signaling contributes to the survival of deep-layer neurons and cortex formation in a mouse model.. <b>2022</b> , 15, 28	
303	The Role of Nitric Oxide in Stem Cell Biology.. <b>2022</b> , 11,	1
302	A review on the design, synthesis, and structure-activity relationships of benzothiazole derivatives against hypoxic tumors.. <b>2022</b> ,	
301	Adenosine-A2A Receptor Pathway in Cancer Immunotherapy.. <b>2022</b> , 13, 837230	5
300	Reduced HIF-1 $\beta$ Stability Induced by 6-Gingerol Inhibits Lung Cancer Growth through the Induction of Cell Death.. <b>2022</b> , 27,	1
299	Formation of Neutrophil Extracellular Traps by Reduction of Cellular Cholesterol Is Independent of Oxygen and HIF-1 $\beta$ <b>2022</b> , 23,	1
298	The holy basil administration diminishes the NF-k $\beta$ expression and protects alveolar epithelial cells from pneumonia infection through interferon gamma.. <b>2022</b> ,	0
297	The Pathologic and Molecular Genetic Landscape of the Hereditary Renal Cancer Predisposition Syndromes.. <b>2022</b> ,	0
296	Hypoxia Induces Saturated Fatty Acids Accumulation and Reduces Unsaturated Fatty Acids Independently of Reverse Tricarboxylic Acid Cycle in L6 Myotubes.. <b>2022</b> , 13, 663625	1
295	Glycogen synthase kinase GSK3 $\beta$ promotes tumorigenesis by activating HIF1/VEGFA signaling pathway in NSCLC tumor.. <b>2022</b> , 20, 32	0
294	.. <b>2022</b> ,	1

293	The Relationship Between HIF1 $\alpha$ and Clock Gene Expression in Patients with Obstructive Sleep Apnea.. <b>2022</b> , 14, 381-392	0
292	Therapeutic Targeting Hypoxia-Inducible Factor (HIF-1) in Cancer: Cutting Gordian Knot of Cancer Cell Metabolism.. <b>2022</b> , 13, 849040	3
291	Polymorphisms in the hypoxia inducible factor binding site of the macrophage migration inhibitory factor gene promoter in schizophrenia.. <b>2022</b> , 17, e0265738	
290	Oxidative distress in aging and age-related diseases: Spatiotemporal dysregulation of protein oxidation and degradation. <b>2021</b> ,	2
289	Zygotic hypoxia-inducible factor alpha regulates spicule elongation in the sea urchin embryo.. <b>2022</b> ,	0
288	HIF-1 $\alpha$ protects osteoblasts from ROS-induced apoptosis.. <b>2022</b> , 1-11	0
287	Exploration on the Mechanism of Ubiquitin Proteasome System in Cerebral Stroke.. <b>2022</b> , 14, 814463	0
286	Low expression of hypoxia-inducible factor-1 $\alpha$ and differential expression of immune mediators during experimental infection with <i>Leishmania (Viannia) spp.</i> .. <b>2022</b> , 153, 155833	
285	UCHL1 protects against ischemic heart injury via activating HIF-1 $\beta$ signal pathway.. <b>2022</b> , 52, 102295	1
284	Inhibition mechanism of hydroxyproline-like small inhibitors to disorder HIF-VHL interaction by molecular dynamic simulations and binding free energy calculations. <b>2021</b> , 34, 814-824	
283	Hypoxic Regulation of the Large-Conductance, Calcium and Voltage-Activated Potassium Channel, BK.. <b>2021</b> , 12, 780206	2
282	Oxygen-sensing mechanisms in development and tissue repair. <b>2021</b> , 148,	2
281	Sustained Energy Deficit Following Perinatal Asphyxia: A Shift towards the Fructose-2,6-bisphosphatase (TIGAR)-Dependent Pentose Phosphate Pathway and Postnatal Development.. <b>2021</b> , 11,	
280	Development and Validation of a Novel Hypoxia-Related Long Noncoding RNA Model With Regard to Prognosis and Immune Features in Breast Cancer.. <b>2021</b> , 9, 796729	1
279	The N-terminal cysteine is a dual sensor of oxygen and oxidative stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5 5
278	Hypoxic preconditioning in renal ischaemia-reperfusion injury: a review in pre-clinical models. <b>2021</b> , 135, 2607-2618	0
277	Discovery of Salidroside-Derived Glycoside Analogues as Novel Angiogenesis Agents to Treat Diabetic Hind Limb Ischemia.. <b>2021</b> ,	0
276	Migratory chondroprogenitors retain superior intrinsic chondrogenic potential for regenerative cartilage repair as compared to human fibronectin derived chondroprogenitors. <b>2021</b> , 11, 23685	1

275	PP2A phosphatase inhibition is anti-fibrotic through Ser77 phosphorylation-mediated ARNT/ARNT homodimer formation.. <b>2021</b> , 11, 24075	
274	Is Hypoxic/Altitude Training an Important Topic in the Field of Hypoxia?.	0
273	Metabolic response to radiation therapy in cancer.. <b>2021</b> ,	0
272	Kaposi's sarcoma herpesvirus activates the hypoxia response to usurp HIF2 $\alpha$ -dependent translation initiation for replication and oncogenesis.. <b>2021</b> , 37, 110144	2
271	Identification of the Resveratrol Potential Targets in the Treatment of Osteoarthritis.. <b>2021</b> , 2021, 9911286	1
270	Biological Functions and Regulatory Mechanisms of Hypoxia-Inducible Factor-1 $\beta$ in Ischemic Stroke.. <b>2021</b> , 12, 801985	5
269	Effect of Amlodipine in Proliferative Retinopathy: Biochemical Estimation and Zebrafish ( <i>Danio rerio</i> ) Modeling. <b>2022</b> , 1114-1118	
268	Role of the IL-6/Jak/Stat Pathway in Tumor Angiogenesis: Influence of Estrogen Status.	1
267	Amelioration of murine diabetic nephropathy with a SGLT2 inhibitor is associated with suppressing abnormal expression of hypoxia-inducible factors.. <b>2022</b> ,	0
266	Renal hypoxia-HIF-PHD-EPO signaling in transition metal nephrotoxicity: friend or foe?. <b>2022</b> , 96, 1573	1
265	EGLN1 prolyl hydroxylation of hypoxia-induced transcription factor HIF1 $\alpha$ is repressed by SET7-catalyzed lysine methylation.. <b>2022</b> , 101961	0
264	Prolyl Hydroxylase Domain Protein Inhibitor Not Harboring a 2-Oxoglutarate Scaffold Protects against Hypoxic Stress.. <b>2022</b> , 5, 362-372	0
263	HIF-1 $\alpha$ plays an essential role in BMP9-mediated osteoblast differentiation through the induction of a glycolytic enzyme, PDK1.. <b>2022</b> ,	1
262	CHAPTER 7. Mammalian O <sub>2</sub> Sensing and Signalling. 219-252	
261	Table_1.DOCX. <b>2020</b> ,	
260	Presentation_1.pdf. <b>2020</b> ,	
259	Table_1.XLSX. <b>2020</b> ,	
258	Table_2.docx. <b>2020</b> ,	

257 Data\_Sheet\_1.zip. **2020,**

256 Presentation\_1.pptx. **2020,**

255 Image\_1.JPEG. **2020,**

254 Image\_2.JPEG. **2020,**

253 Image\_3.JPEG. **2020,**

252 Image\_4.JPEG. **2020,**

251 Image\_5.JPEG. **2020,**

250 Image\_6.JPEG. **2020,**

249 Table\_1.DOCX. **2020,**

248 Table\_2.DOCX. **2020,**

247 Table\_3.DOCX. **2020,**

246 Table\_4.DOCX. **2020,**

245 Table\_5.DOCX. **2020,**

244 Table\_6.DOCX. **2020,**

243 Table\_7.DOCX. **2020,**

242 Table\_8.DOCX. **2020,**

241 Data\_Sheet\_1.pdf. **2018,**

240 Table\_1.XLSX. **2018,**

239 Presentation\_1.pptx. **2020**,

238 Data\_Sheet\_1.pdf. **2020**,

237 Image\_1.TIF. **2020**,

236 Image\_2.TIF. **2020**,

235 Image\_3.TIF. **2020**,

234 Image\_4.TIF. **2020**,

233 Image\_5.TIF. **2020**,

232 Image\_6.TIF. **2020**,

231 Image\_7.TIF. **2020**,

230 Image\_8.TIF. **2020**,

229 Image\_9.TIF. **2020**,

228 Table\_1.DOCX. **2019**,

227 Novel Pharmacological Targets for Pulmonary Arterial Hypertension. **2021**, 11, 2297-2349

1

226 Comparative analysis of long noncoding RNA and mRNA expression provides insights into adaptation to hypoxia in Tibetan sheep.. **2022**, 12, 6597

0

225 The role and mechanism of PKM2 in the development of LPS-induced acute kidney injury. **2021**, 36, 845-852

0

224 The Metabolic Basis of ILC Plasticity.. **2022**, 13, 858051

1

223 Oxygen-generating materials and their biomedical applications: a review. 1

0

222 Rabeprazole Promotes Vascular Repair and Resolution of Sepsis-Induced Inflammatory Lung Injury through HIF-1 $\beta$  **2022**, 11,

0

221	Prospective Application of Ferroptosis in Hypoxic Cells for Tumor Radiotherapy. <b>2022</b> , 11, 921	2
220	Regulation and Role of Neuron-Derived Hemoglobin in the Mouse Hippocampus. <b>2022</b> , 23, 5360	0
219	Exploratory Meta-Analysis of Hypoxic Transcriptomes Using a Precise Transcript Reference Sequence Set.	
218	Clinicopathological characteristics of high-altitude polycythemia-related kidney disease in Tibetan inhabitants.. <b>2022</b> ,	0
217	Hypoxia as a Modulator of Inflammation and Immune Response in Cancer.. <b>2022</b> , 14,	1
216	Identification of oleoylethanolamide as an endogenous ligand for HIF-3 $\beta$ <b>2022</b> , 13, 2529	1
215	Regulation of Transactivation at C-TAD Domain of HIF-1 by Factor-Inhibiting HIF-1 (FIH-1): A Potential Target for Therapeutic Intervention in Cancer.. <b>2022</b> , 2022, 2407223	1
214	Targeting HIF-1 $\beta$ Function in Cancer through the Chaperone Action of NQO1: Implications of Genetic Diversity of NQO1. <b>2022</b> , 12, 747	1
213	PAI-1: A Major Player in the Vascular Dysfunction in Obstructive Sleep Apnea?. <b>2022</b> , 23, 5516	3
212	Cancer Metabolism and Aggressive Tumor Behavior. <b>2022</b> , 21-43	
211	Chloroquine attenuates chronic hypoxia-induced testicular damage via suppressing endoplasmic reticulum stress and apoptosis in experimental rat model.. <b>2022</b> ,	0
210	From Tissue Physoxia to Cancer Hypoxia, Cost-Effective Methods to Study Tissue-Specific O <sub>2</sub> Levels in Cellular Biology. <b>2022</b> , 23, 5633	1
209	Increased HIF-1 $\beta$ Expression in T cells and associated with enhanced Th17 pathway in systemic lupus erythematosus. <b>2022</b> ,	0
208	Effect of Cyclic Heat Stress on Hypothalamic Oxygen Homeostasis and Inflammatory State in the Jungle Fowl and Three Broiler-Based Research Lines. <b>2022</b> , 9,	
207	Placental expression of Estrogen related receptor gamma (ESRRG) is reduced in FGR pregnancies and is mediated by hypoxia.	0
206	Hypoxia, a key factor in the immune microenvironment. <b>2022</b> , 151, 113068	1
205	Developmental heterogeneity of embryonic neuroendocrine chromaffin cells and their maturation dynamics.	
204	Ferroptosis-Driven Nanotherapeutics to Reverse Drug Resistance in Tumor Microenvironment.	0

203	The Roles of FHL3 in Cancer. 12,	1
202	Tumour Angiogenesis in Breast Cancer.	
201	Hypoxia-regulated carbonic anhydrase IX (CAIX) protein is an independent prognostic indicator in triple negative breast cancer. <b>2022</b> , 24,	3
200	ISCA2 inhibition decreases HIF and induces ferroptosis in clear cell renal carcinoma.	0
199	Review of the effects and Mechanisms of microglial autophagy in ischemic stroke. <b>2022</b> , 108, 108761	0
198	HIF1 and DROSHA are involved in MMACHC repression in hypoxia. <b>2022</b> , 1866, 130175	0
197	Management of Anemia in Peritoneal Dialysis Patients. <b>2022</b> , 1-21	
196	Current Systemic Treatments for the Hereditary Cancer Syndromes: Drug Development in Light of Genomic Defects. <b>2022</b> , 1-17	1
195	Hypoxia-inducible factors: roles in cardiovascular disease progression, prevention, and treatment.	1
194	Elevated plasma level of the glycolysis byproduct methylglyoxal on admission is an independent biomarker of mortality in ICU COVID-19 patients. <b>2022</b> , 12,	0
193	Oxygen Measurement in Microdevices. <b>2022</b> , 15, 221-246	1
192	The evolution and structure/function of bHLHbAS transcription factor family.	0
191	Differences in stress response between two altitudes assessed by salivary cortisol levels within circadian rhythms in long-distance runners. <b>2022</b> , 12,	0
190	Oncofusion-driven de novo enhancer assembly promotes malignancy in Ewing sarcoma via aberrant expression of the stereociliary protein LOXHD1. <b>2022</b> , 39, 110971	1
189	OTUB1 augments hypoxia signaling via its non-canonical ubiquitination inhibition of HIF-1 $\alpha$ during hypoxia adaptation. <b>2022</b> , 13,	0
188	Novel Drugs with High Efficacy against Tumor Angiogenesis. <b>2022</b> , 23, 6934	1
187	Adaptive stimulation of macropinocytosis overcomes aspartate limitation in cancer cells under hypoxia.	4
186	Self-Sustained Regulation or Self-Perpetuating Dysregulation: ROS-dependent HIF-YAP-Notch Signaling as a Double-Edged Sword on Stem Cell Physiology and Tumorigenesis. 10,	0



185	Coxiella burnetii Affects HIF1 $\beta$ Accumulation and HIF1 $\beta$ Target Gene Expression. 12,	
184	The effect of HIF on metabolism and immunity.	3
183	Stanniocalcin2, but Not Stanniocalcin1, Responds to Hypoxia in a HIF1-Dependent Manner in the Retina. 16,	0
182	Approaches to the Mechanism of Epidermal Thinning with Aging: Proposal of Natural Functional Ingredients to Improve Quality of Life. <b>2022</b> , 56, 166-174	
181	Oxygen as an important factor modulating in vitro MeHgCl toxicity associated with mitochondrial genes in hiPSCs. <b>2022</b> , 241, 113737	1
180	Inorganic nanomaterials for improved angiogenesis. <b>2022</b> , 335-359	
179	Hypoxia-inducible factor-1 $\beta$ A critical target for inhibiting the metastasis of hepatocellular carcinoma (Review). <b>2022</b> , 24,	1
178	Metformin Attenuates Cardiac Hypertrophy Via the HIF-1 $\beta$ /PPAR- $\gamma$ Signaling Pathway in High-Fat Diet Rats. 13,	0
177	The Molecular Role of HIF1 $\beta$ s Elucidated in Chronic Myeloid Leukemia. 12,	0
176	HIF1 $\beta$ Dependent Induction of TFRC by a Combination of Intestinal Inflammation and Systemic Iron Deficiency in Inflammatory Bowel Disease. 13,	0
175	Oxygen-Enriched Osteoinductive Nanoerythrocytes Augment Cell Survival and Osteogenic Differentiation for Bone Regeneration. <b>2022</b> , 34, 5808-5820	
174	Human Sarcopenic Myoblasts Can Be Rescued by Pharmacological Reactivation of HIF-1 $\beta$ <b>2022</b> , 23, 7114	2
173	The close interaction between hypoxia-related proteins and metastasis in pancarcinomas. <b>2022</b> , 12,	0
172	Hypoxia signaling in human health and diseases: implications and prospects for therapeutics. <b>2022</b> , 7,	4
171	ANGPTL4 regulates the osteogenic differentiation of periodontal ligament stem cells.	
170	Alternative adenosine Receptor activation: The netrin-Adora2b link. 13,	0
169	Molecular regulation of hypoxia through the lenses of noncoding RNAs and epitranscriptome.	1
168	Oxidative stress-mediated synergistic deleterious effects of nano- and microplastics in the hypoxia-conditioned marine rotifer Brachionus plicatilis. <b>2022</b> , 181, 113933	0

167	Antitumor activity and pharmacodynamic properties of PX-478, an inhibitor of hypoxia-inducible factor-1 $\beta$ . <b>2004</b> , 3, 233-244	73
166	Identification of a Novel Small-Molecule Inhibitor of the Hypoxia-Inducible Factor 1 Pathway. <b>2005</b> , 65, 605-612	27
165	Anemia in Chronic Kidney Disease Patients: An Update.	
164	Role of hypoxia preconditioning in therapeutic potential of mesenchymal stem-cell-derived extracellular vesicles. <b>2022</b> , 14, 453-472	2
163	Bioinformatics-Based Identification of Potential Hypoxia-Related Genes Associated With Peyronie's Disease. <b>2022</b> , 16, 155798832211117	0
162	Hypoxia-inducible factor (HIF) as a bridge between healthy barrier function, wound healing, and fibrosis.	3
161	Gene therapy to enhance angiogenesis in chronic wounds. <b>2022</b> ,	0
160	Combined analysis of whole-exome sequencing and RNA sequencing in type 2 diabetes mellitus patients with thirst and fatigue. <b>2022</b> , 14,	
159	A comprehensive single cell data analysis of in lymphoblastoid cells reveals the role of Super-enhancers in maintaining EBV latency.	1
158	The role of hypoxia-inducible factor-1 alpha in multidrug-resistant breast cancer. 12,	2
157	Effects of dietary iron levels on growth performance, iron metabolism and antioxidant status in spotted seabass ( <i>Lateolabrax maculatus</i> ) reared at two temperatures. <b>2022</b> , 738717	
156	Targeting HIF-1 $\beta$ by Natural and Synthetic Compounds: A Promising Approach for Anti-Cancer Therapeutics Development. <b>2022</b> , 27, 5192	1
155	The Hypoxia-Adenosine Link during Myocardial Ischemia/Reperfusion Injury. <b>2022</b> , 10, 1939	0
154	Hypoxia Sensing in Resident Cardiac Macrophages Regulates Monocyte-Derived Macrophage Fate Specification following Myocardial Infarction.	
153	Single-cell RNA sequencing depicts the local cell landscape in thyroid-associated ophthalmopathy. <b>2022</b> , 3, 100699	0
152	Unique expression of the atypical mitochondrial subunit NDUFA4L2 in cerebral pericytes fine tunes HIF activity in response to hypoxia. 0271678X2211182	0
151	GPT2 Is Induced by Hypoxia-Inducible Factor (HIF)-2 and Promotes Glioblastoma Growth. <b>2022</b> , 11, 2597	0
150	HypDB: A functionally annotated web-based database of the proline hydroxylation proteome. <b>2022</b> , 20, e3001757	

149	The impact of COVID-19 on populations living at high altitude: Role of hypoxia-inducible factors (HIFs) signaling pathway in SARS-CoV-2 infection and replication. 13,	0
148	A Study on the Pathogenesis of Vascular Cognitive Impairment and Dementia: The Chronic Cerebral Hypoperfusion Hypothesis. <b>2022</b> , 11, 4742	1
147	Preclinical characterization of vadadustat (AKB-6548), an oral small molecule hypoxia inducible factor prolyl-4-hydroxylase inhibitor, for the potential treatment of renal anemia. JPET-AR-2022-001126	
146	Stem cell genes in atheromatosis: The role of Klotho , HIF1 $\beta$ OCT4 , and BMP4.	0
145	High expression of HIF-1 $\beta$ alleviates benzene-induced hematopoietic toxicity and immunosuppression in mice. <b>2022</b> , 311, 119928	0
144	INT6 / eIF3e represses E-cadherin expression through HIF2 $\beta$ in lung carcinoma A549 cells.	0
143	Validation of photoacoustic/ultrasound dual imaging in evaluating blood oxygen saturation.	0
142	Microrna-486-5P Regulates Human Pulmonary Artery Smooth Muscle Cell Migration via Endothelin-1. <b>2022</b> , 23, 10400	1
141	Targeting the Transcription Factors of ROS Tumorigenic Pathways as a Therapeutic Strategy in Cancer. <b>2022</b> , 4003-4021	0
140	Molecular Characterisation of Coding Regions of HIF-1a Gene in Vechur Cattle by Cdna Sequencing.	0
139	Research and application of hypoxia-inducible factor. <b>2022</b> ,	0
138	The Immunohistochemical Landscape of the Hypoxia-Related Proteins in Oral Squamous Cell Carcinoma. <b>2022</b> ,	0
137	Discovery of small molecule ligands for the von Hippel-Lindau (VHL) E3 ligase and their use as inhibitors and PROTAC degraders. <b>2022</b> , 51, 8216-8257	5
136	Roxadustat: Not just for anemia. 13,	0
135	Hypoxia-Inducible Factor $\beta$ rolyl Hydroxyl Domain Inhibitors: From Theoretical Superiority to Clinical Noninferiority Compared with Current ESAs?. ASN.2022040413	0
134	Overcoming the Impact of Hypoxia in Driving Radiotherapy Resistance in Head and Neck Squamous Cell Carcinoma. <b>2022</b> , 14, 4130	0
133	Mitochondrial Regulation of the Hypoxia-Inducible Factor in the Development of Pulmonary Hypertension. <b>2022</b> , 11, 5219	0
132	ISCA2 inhibition decreases HIF and induces ferroptosis in clear cell renal carcinoma.	1

- 131 Metabolic reprogramming: A novel therapeutic target in diabetic kidney disease. 13, ○
- 130 The roles of HIF-1 $\beta$  signaling in cardiovascular diseases. **2022**, ○
- 129 Loss of Vhl alters trabecular bone loss during S. aureus osteomyelitis in a cell-specific manner. 12, ○
- 128 Developmental heterogeneity of embryonic neuroendocrine chromaffin cells and their maturation dynamics. 13, ○
- 127 Self-Effected Allosteric Coupling and Cooperativity in Hypoxic Response Regulation with Disordered Proteins. **2022**, 13, 9201-9209 ○
- 126 Cerebrovascular Gi Proteins Protect Against Brain Hypoperfusion and Collateral Failure in Cerebral Ischemia. ○
- 125 Sympathetic Nerve Activity and Blood Pressure Response to Exercise in Peripheral Artery Disease: From Molecular Mechanisms, Human Studies, to Intervention Strategy Development. **2022**, 23, 10622 ○
- 124 Cellular Mechanisms Mediating the Antinociceptive Effect of Botulinum Toxin A in a Rodent Model of Trigeminal Irritation by a Foreign Body. **2022**, ○
- 123 VEGF and Neuronal Survival. 107385842211208 ○
- 122 Effect of the addition of 4OHE. **2022**, 34, 980-990 ○
- 121 Structural basis for the allosteric inhibition of hypoxia-inducible factor (HIF)-2 by belzutifan. MOLPHARM-AR-2022-00052 ○
- 120 Crosstalk between Hypoxia and Extracellular Matrix in the Tumor Microenvironment in Breast Cancer. **2022**, 13, 1585 1
- 119 Hypoxia Triggers TAZ Phosphorylation in Basal A Triple Negative Breast Cancer Cells. **2022**, 23, 10119 ○
- 118 The Impact of Different Oxygen Delivery Methods on Corneal Epithelial Repair after Injury. **2022**, 2022, 1-7 ○
- 117 Examination of the role of hypoxia-inducible factor-1 $\alpha$  (HIF-1 $\alpha$ ) in preventing hemocyte apoptosis in whiteleg shrimp (*Litopenaeus vannamei*). **2022**, 738905 ○
- 116 Evaluation of Hemoglobin Response to Treatment With Enarodustat Using Pharmacometric Approach in Japanese Anemic Patients With Chronic Kidney Disease. ○
- 115 PI3K/AKT signaling pathway as a critical regulator of Cisplatin response in tumor cells. **2021**, 29, 235-250 ○
- 114 Prostate Cancer after Percutaneous Arterial Embolization of the Prostate: A Case Report. **2022**, 12, 2378 ○

113	Mechanosensitive Ion Channel PIEZO1 Signaling in the Hall-Marks of Cancer: Structure and Functions. <b>2022</b> , 14, 4955	1
112	The Role of the Hypoxia-Related Unfolded Protein Response (UPR) in the Tumor Microenvironment. <b>2022</b> , 14, 4870	1
111	Hypoxia-Inducible Factor-1 $\alpha$ in Rods Is Neuroprotective Following Retinal Detachment. <b>2022</b> , 63, 7	0
110	The origin and distribution of the main oxygen sensing mechanism across metazoans. 13,	0
109	Exploratory meta-analysis of hypoxic transcriptomes using a precise transcript reference sequence set. <b>2023</b> , 6, e202201518	0
108	Paclitaxel Induces the Apoptosis of Prostate Cancer Cells via ROS-Mediated HIF-1 $\beta$ Expression. <b>2022</b> , 27, 7183	0
107	Tetramethylpyrazine nitron activates hypoxia-inducible factor and regulates iron homeostasis to improve renal anemia. 13,	0
106	Autophagy is essential for neural stem cell proliferation promoted by hypoxia.	0
105	HIF1 inhibitor acriflavine rescues early-onset preeclampsia phenotype in mice lacking placental prolyl hydroxylase domain protein-2.	0
104	Supraphysiological Oxygen Levels in Mammalian Cell Culture: Current State and Future Perspectives. <b>2022</b> , 11, 3123	1
103	FOXK2 transcription factor and its roles in tumorigenesis (Review). <b>2022</b> , 24,	0
102	The Role of Ferroptosis and Its Cell Free Ferrous Protoporphyrin in Tumorigenesis. <b>2022</b> , 12, 10184-10190	0
101	Uncovering the molecular mechanisms of Salidroside against diabetic retinopathy using network pharmacology and experimental validation.	0
100	Evolving Strategies in the Treatment of Anaemia in Chronic Kidney Disease: The HIF-Prolyl Hydroxylase Inhibitors.	0
99	HIF1A inhibitor PX-478 reduces pathological stretch-induced calcification and collagen turnover in aortic valve. 9,	0
98	SIRT3 inhibition suppresses hypoxia-inducible factor 1 $\beta$ signaling and alleviates hypoxia-induced apoptosis of type B spermatogonia GC-2 cells.	0
97	Recent Advancement of Functional Hydrogels toward Diabetic Wound Management.	1
96	Overactivated NRF2 induces pseudohypoxia in hepatocellular carcinoma by stabilizing HIF-1 $\beta$ <b>2023</b> , 194, 347-356	0

- 95 HeLa Cervical Cancer Cells Are Maintained by Nephronophthisis 3-Associated Primary Cilium Formation via ROS-Induced ERK and HIF-1 $\beta$  Activation under Serum-Deprived Normoxic Condition. **2022**, 23, 14500 ○
- 94 Retinopathy of prematurity: A review of pathophysiology and signaling pathways. **2022**, ○ 1
- 93 miR-210 expression is strongly hypoxia-induced in anaplastic thyroid cancer cell lines and is associated with extracellular vesicles & Argonaute-2. ○
- 92 Continuous and intermittent hypoxia in cancer. **2022**, 31-47 ○
- 91 Revisiting the Warburg Effect with Focus on Lactate. **2022**, 14, 6028 1
- 90 Focusing on the hypoxia-inducible factor pathway: role, regulation, and therapy for osteoarthritis. **2022**, 27, ○
- 89 Molecular characterisation of coding regions OF HIF-1a gene in Vechur cattle by cDNA sequencing. **2022**, e12578 ○
- 88 Hypoxia-Inducible Factor-1: A Novel Therapeutic Target for the Management of Cancer, Drug Resistance, and Cancer-Related Pain. **2022**, 14, 6054 1
- 87 Hypoxia-induced factor and its role in liver fibrosis. 10, e14299 ○
- 86 Nanomaterials and nanomaterials-based drug delivery to promote cutaneous wound healing. **2022**, 114670 1
- 85 Role of hydrogen sulphide in physiological and pathological angiogenesis. ○
- 84 NARF is a hypoxia-induced coactivator for OCT4-mediated breast cancer stem cell specification. **2022**, 8, ○
- 83 iHypoxia: An Integrative Database of Protein Expression Dynamics in Response to Hypoxia in Animals. **2022**, ○
- 82 Polymorphism, Expression, and Structure Analysis of a Key Gene ARNT in Sheep (*Ovis aries*). **2022**, 11, 1795 ○
- 81 Hypoxia: A Potent Regulator of Angiogenesis Through Extracellular Matrix Remodelling. **2023**, 205-227 ○
- 80 HIF1 $\beta$  upregulation induces proinflammatory factors to boost host killing capacity after *Aspergillus fumigatus* exposure. ○
- 79 The Latest Evidence of Erythropoietin in the Treatment of Glaucoma. **2022**, 23, 16038 ○
- 78 The Normobaric Oxygen Paradox/Hyperoxic Hypoxic Paradox: A Novel Expedient Strategy in Hematopoiesis Clinical Issues. **2023**, 24, 82 ○

- 77 The transition from HIF-1 to HIF-2 during prolonged hypoxia results from reactivation of PHDs and HIF1A mRNA instability. **2022**, 27, 2
- 76 Visible light-initiated radical 1,3-difunctionalization of  $\alpha$ -unsaturated ketones. **2022**, 8, 0
- 75 Regulation of cells of the arterial wall by hypoxia and its role in the development of atherosclerosis. 0
- 74 Targeting hypoxia-inducible factors for breast cancer therapy: A narrative review. 13, 0
- 73 A comprehensive single cell data analysis of lymphoblastoid cells reveals the role of super-enhancers in maintaining EBV latency. **2023**, 95, 1
- 72 Biomimetic hydrogel blanket for conserving and recovering intrinsic cell properties. **2022**, 26, 0
- 71 Study on the Relationship between the Expression of HIF-1 $\alpha$  and the Prognosis of Traumatic Brain Injury. **2022**, 12, 11755-11762 0
- 70 Inflammatory Cytokine-Induced HIF-1 Activation Promotes Epithelial-Mesenchymal Transition in Endometrial Epithelial Cells. **2023**, 11, 210 0
- 69 Hypoxia signaling pathway: A central mediator in endocrine tumors. 13, 0
- 68 Role of the Neuroendocrine System of Marine Bivalves in Their Response to Hypoxia. **2023**, 24, 1202 0
- 67 Anti-Inflammatory Effects of Polyphenols from Plum (*Prunus salicina* Lindl) on RAW264.7 Macrophages Induced by Monosodium Urate and Potential Mechanisms. **2023**, 12, 254 1
- 66 The role of roxadustat in chronic kidney disease patients complicated with anemia. 0
- 65 Tailless and hypoxia inducible factor-2 $\alpha$  cooperate to sustain proangiogenic states of retinal astrocytes in neonatal mice. **2023**, 12, 0
- 64 Hypoxia-mediated activation of hypoxia-inducible factor-1 $\beta$  in head and neck squamous cell carcinoma: A review. **2023**, 102, e32533 0
- 63 HIF2 $\alpha$  activation and mitochondrial deficit due to iron chelation cause retinal atrophy. 1
- 62 Oxygen sensing. 66, 221-225 0
- 61 Bovine blood derived macrophages are unable to control *Coxiella burnetii* replication under hypoxic conditions. 14, 0
- 60 Design, synthesis, and antitumor evaluation of trimethoxyflavonoid with arylurea structure against hepatocellular carcinoma. 0

- 59 Hypoxia signaling in cancer: Implications for therapeutic interventions. **2023**, 4, 1
- 58 m6A Demethylase FTO Stabilizes LINK-A to Exert Oncogenic Roles via MCM3-Mediated Cell Cycle Progression and HIF-1 $\beta$  Activation. 0
- 57 The Role of Hypoxia in Brain Tumor Immune Responses. **2023**, 11, 39 0
- 56 Role of HIF -1 $\beta$  in pathogenic mechanisms of keloids. 0
- 55 Visualizing hypoxic modulation of beta cell secretions via a sensor augmented oxygen gradient. **2023**, 9, 0
- 54 Hypoxia Pathway in Osteoporosis: Laboratory Data for Clinical Prospects. **2023**, 20, 3129 0
- 53 Missing-Linker-Confined Single-Atomic Pt Nanozymes for Enzymatic Theranostics of Tumor. 0
- 52 Intermittent hypoxia-induced enhancement of sociability and working memory associates with CNTNAP2 upregulation. 16, 0
- 51 BODIPY-based probes for hypoxic environments. **2023**, 481, 215041 0
- 50 Hypoxia-induced UBE2K promotes the malignant progression of HCC. **2023**, 245, 154422 0
- 49 Cell signaling pathways based on vitamin C and their application in cancer therapy. **2023**, 162, 114695 0
- 48 The Regulation Pathway of VEGF Gene Expression Is Different between 2D Cells and 3D Spheroids in Human Lung Cancer Cells. **2023**, 46, 608-613 0
- 47 CERENERLAL REMODELING AFTER CRANIO-BRAIN INJURY IN HIGH MOUNTAINS. **2022**, 19, 141-149 0
- 46 Interactions between non-coding RNAs and HIF-1 $\beta$  in the context of cancer. **2023**, 943, 175535 0
- 45 Glucose deprivation promotes pseudo-hypoxia and de-differentiation in lung adenocarcinoma. 0
- 44 An overview of hyperbaric oxygen preconditioning against ischemic stroke. **2023**, 38, 855-872 0
- 43 Hypoxia-Inducible Factor Prolyl Hydroxylase Inhibitors and Iron Metabolism. **2023**, 24, 3037 0
- 42 Roles of hypoxia-inducible factor in hepatocellular carcinoma under local ablation therapies. 14, 0



- 41 Suppression of Macrophage Activation by Sodium Danshensu via HIF-1 $\alpha$ /STAT3/NLRP3 Pathway Ameliorated Collagen-Induced Arthritis in Mice. **2023**, 28, 1551 ○
- 40 Erythropoietin and skeletal cells crosstalks in physiology and disease. **2023**, 29, 100436 ○
- 39 Determination of HIF-1 $\alpha$  degradation pathways via modulation of the propionyl mark. **2023**, ○
- 38 The role of hypoxia on prostate cancer progression and metastasis. **2023**, 50, 3873-3884 ○
- 37 m6A demethylase FTO stabilizes LINK-A to exert oncogenic roles via MCM3-mediated cell cycle progression and HIF-1 $\alpha$  activation. ○
- 36 The role of redox homeostasis biomarkers in clear cell renal cell carcinoma development and progression. **2022**, 73, 34-39 ○
- 35 Hypoxic microenvironment in cancer: molecular mechanisms and therapeutic interventions. **2023**, 8, 1
- 34 TIGIT signaling and its influence on T cell metabolism and immune cell function in the tumor microenvironment. 13, ○
- 33 Mebendazole Treatment Disrupts the Transcriptional Activity of Hypoxia-Inducible Factors 1 and 2 in Breast Cancer Cells. **2023**, 15, 1330 ○
- 32 NF- $\kappa$ B mediated regulation of tumor cell proliferation in hypoxic microenvironment. 14, ○
- 31 Effect of DL-3-n-butylphthalide on mitochondrial Cox7c in models of cerebral ischemia/reperfusion injury. 14, ○
- 30 Hypoxia in Skin Cancer: Molecular Basis and Clinical Implications. **2023**, 24, 4430 ○
- 29 Naked Mole-Rats Demonstrate Profound Tolerance to Low Oxygen, High Carbon Dioxide, and Chemical Pain. **2023**, 13, 819 ○
- 28 Hypoxia signaling in the equine small intestine: Expression and distribution of hypoxia inducible factors during experimental ischemia. 10, ○
- 27 Updated perspective of EPAS1 and the role in pulmonary hypertension. 11, ○
- 26 miR-210 Expression Is Strongly Hypoxia-Induced in Anaplastic Thyroid Cancer Cell Lines and Is Associated with Extracellular Vesicles and Argonaute-2. **2023**, 24, 4507 ○
- 25 Supplementation of culture medium with quercetin improves mouse blastocyst quality and increases the expression of HIF-1 $\alpha$  protein. 1-12 ○
- 24 Hypoxia-inducible factor-1 $\alpha$ -mediated SERPINE-1 expression in ischemic urinary bladder. **2023**, 19, 403-414 ○

- 23 HIPK2 in Angiogenesis: A Promising Biomarker in Cancer Progression and in Angiogenic Diseases. **2023**, 15, 1566 ○
- 22 Oxygen toxicity causes cyclic damage by destabilizing specific Fe-S cluster-containing protein complexes. **2023**, 83, 942-960.e9 ○
- 21 Missing-Linker-Confined Single-Atomic Pt Nanozymes for Enzymatic Theranostics of Tumor. ○
- 20 A School Goes to Altitude. **2023**, 317-373 ○
- 19 Management of Anemia in Peritoneal Dialysis Patients. **2023**, 631-651 ○
- 18 PSL Chemical Biology Symposia Third Edition: A Branch of Science in its Explosive Phase. **2023**, 24, ○
- 17 Pancreatic cancer and fibrosis: Targeting metabolic reprogramming and crosstalk of cancer-associated fibroblasts in the tumor microenvironment. 14, ○
- 16 Unraveling the Underlying Molecular Mechanism of Bilent Hypoxia In COVID-19 Patients Suggests a Central Role for Angiotensin II Modulation of the AT1R-Hypoxia-Inducible Factor Signaling Pathway. **2023**, 12, 2445 ○
- 15 JAK2 unmutated erythrocytosis: 2023 Update on diagnosis and management. ○
- 14 TIAR and FMRP shape pro-survival nascent proteome of leukemia cells in the bone marrow microenvironment. **2023**, 26, 106543 ○
- 13 NF- $\kappa$ B Transcriptional Activity Indispensably Mediates Hypoxia Reoxygenation Stress-Induced microRNA-210 Expression. **2023**, 24, 6618 ○
- 12 Hypoxia-inducible factor stabilisation-related lncRNAs in retinopathy of prematurity. **2023**, 43, ○
- 11 Purple Sweet Potato Powder Containing Anthocyanin Mitigates High-Fat-Diet-Induced Dry Eye Disease. **2023**, 24, 6983 ○
- 10 Hypoxia Increases ATX Expression by Histone Crotonylation in a HIF-2 $\alpha$ -Dependent Manner. **2023**, 24, 7031 ○
- 9 Molecular profiling of high-level athlete skeletal muscle after acute exercise by systems biology approach. ○
- 8 Hypoxia and Senescence: Role of Oxygen in Modulation of Tumor Suppression. **2023**, 89-117 ○
- 7 Hypoxia-Targeting Drugs as New Cancer Chemotherapy Agents: Molecular Insights. **2023**, 351-368 ○
- 6 Pathological angiogenesis: mechanisms and therapeutic strategies. ○

- 5 Identification of Signature Genes of Dilated Cardiomyopathy Using Integrated Bioinformatics Analysis. **2023**, 24, 7339 ○
- 4 Hypoxia-Inducible Factor-2alpha Affects the MEK/ERK Signaling Pathway via Primary Cilia in Connection with the Intraflagellar Transport Protein 88 Homolog. 1-10 ○
- 3 FLT3 inhibitors upregulate CXCR4 and E-selectin ligands via ERK suppression in AML cells and CXCR4/E-selectin inhibition enhances anti-leukemia efficacy of FLT3-targeted therapy in AML. ○
- 2 Hypoxia-Inducible Pathway Polymorphisms and Their Role in the Complications of Prematurity. **2023**, 14, 975 ○
- 1 Oxygen availability influences the incidence of testicular teratoma in Dnd1Ter/+ mice. 14, ○