

# CITATION REPORT

List of articles citing

VIP21/caveolin is a cholesterol-binding protein

DOI: 10.1073/pnas.92.22.10339

Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 10339-43.

**Source:** <https://exaly.com/paper-pdf/25757558/citation-report.pdf>

**Version:** 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
807	Digging into caveolae. <b>1995</b> , 269, 1398-9		303
806	Cholesterol-induced interfacial area condensations of galactosylceramides and sphingomyelins with identical acyl chains. <b>1996</b> , 35, 5696-704		92
805	Intracellular traffic and plasma membrane secretion of small organic solutes involved in hepatocellular bile formation. <b>1996</b> , 115, 341-354		4
804	Caveolae and caveolins. <b>1996</b> , 8, 542-8		504
803	Cell surface organization by the membrane skeleton. <b>1996</b> , 8, 566-74		330
802	A role for caveolin in transport of cholesterol from endoplasmic reticulum to plasma membrane. <b>1996</b> , 271, 29427-35		391
801	Intracellular trafficking of cholesterol monitored with a cyclodextrin. <b>1996</b> , 271, 21604-13		308
800	Expression of caveolin-3 in skeletal, cardiac, and smooth muscle cells. Caveolin-3 is a component of the sarcolemma and co-fractionates with dystrophin and dystrophin-associated glycoproteins. <b>1996</b> , 271, 15160-5		538
799	Baculovirus-based expression of mammalian caveolin in Sf21 insect cells. A model system for the biochemical and morphological study of caveolae biogenesis. <b>1996</b> , 271, 28647-54		110
798	Crosslinked plasmalemmal cholesterol is sequestered to caveolae: analysis with a new cytochemical probe. <b>1997</b> , 45, 1197-205		58
797	The first 35 amino acids and fatty acylation sites determine the molecular targeting of endothelial nitric oxide synthase into the Golgi region of cells: a green fluorescent protein study. <b>1997</b> , 137, 1525-35		159
796	Murine SR-BI, a high density lipoprotein receptor that mediates selective lipid uptake, is N-glycosylated and fatty acylated and colocalizes with plasma membrane caveolae. <b>1997</b> , 272, 13242-9		298
795	Mutational analysis of the properties of caveolin-1. A novel role for the C-terminal domain in mediating homo-typic caveolin-caveolin interactions. <b>1997</b> , 272, 4398-403		137
794	Specific release of membrane-bound annexin II and cortical cytoskeletal elements by sequestration of membrane cholesterol. <b>1997</b> , 8, 533-45		189
793	Signaling molecules derived from the cholesterol biosynthetic pathway. <b>1997</b> , 28, 1-21		45
792	Bradykinin sequesters B2 bradykinin receptors and the receptor-coupled Galpha subunits Galphaq and Galphai in caveolae in DDT1 MF-2 smooth muscle cells. <b>1997</b> , 272, 17858-66		214
791	Association of phosphofructokinase-M with caveolin-3 in differentiated skeletal myotubes. Dynamic regulation by extracellular glucose and intracellular metabolites. <b>1997</b> , 272, 20698-705		49

790	Organized endothelial cell surface signal transduction in caveolae distinct from glycosylphosphatidylinositol-anchored protein microdomains. <b>1997</b> , 272, 7211-22	227
789	Major histocompatibility complex class I molecules mediate association of SV40 with caveolae. <b>1997</b> , 8, 47-57	215
788	Identification of caveolin and caveolin-related proteins in the brain. <b>1997</b> , 17, 9520-35	149
787	Sphingomyelin depletion in cultured cells blocks proteolysis of sterol regulatory element binding proteins at site 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 11179-83	11.5 98
786	On the origin of sphingolipid/cholesterol-rich detergent-insoluble cell membranes: physiological concentrations of cholesterol and sphingolipid induce formation of a detergent-insoluble, liquid-ordered lipid phase in model membranes. <b>1997</b> , 36, 10944-53	607
785	Caveolin-3 associates with developing T-tubules during muscle differentiation. <b>1997</b> , 136, 137-54	292
784	Recombinant expression of caveolin-1 in oncogenically transformed cells abrogates anchorage-independent growth. <b>1997</b> , 272, 16374-81	307
783	Increased expression of caveolin-1 in heterozygous Niemann-Pick type II human fibroblasts. <b>1997</b> , 236, 189-93	28
782	Structure of detergent-resistant membrane domains: does phase separation occur in biological membranes?. <b>1997</b> , 240, 1-7	456
781	Acyl-coenzyme A:cholesterol acyltransferase. <b>1997</b> , 66, 613-38	424
780	Caveolae, DIGs, and the dynamics of sphingolipid-cholesterol microdomains. <b>1997</b> , 9, 534-42	725
779	The SREBP pathway: regulation of cholesterol metabolism by proteolysis of a membrane-bound transcription factor. <b>1997</b> , 89, 331-40	2961
778	Lipid domains in the membrane: thermotropic properties of sphingomyelin vesicles containing GM1 ganglioside and cholesterol. <b>1997</b> , 36, 9232-6	94
777	Identification of peptide and protein ligands for the caveolin-scaffolding domain. Implications for the interaction of caveolin with caveolae-associated proteins. <b>1997</b> , 272, 6525-33	688
776	Cell-type and tissue-specific expression of caveolin-2. Caveolins 1 and 2 co-localize and form a stable hetero-oligomeric complex in vivo. <b>1997</b> , 272, 29337-46	422
775	HDL3 binds to glycosylphosphatidylinositol-anchored proteins to activate signalling pathways. <b>1997</b> , 1358, 103-12	8
774	Identification, sequence, and expression of an invertebrate caveolin gene family from the nematode <i>Caenorhabditis elegans</i> . Implications for the molecular evolution of mammalian caveolin genes. <b>1997</b> , 272, 2437-45	72
773	Functional rafts in cell membranes. <b>1997</b> , 387, 569-72	8100

772	Mammalian GPI proteins: sorting, membrane residence and functions. <b>1997</b> , 1331, 153-86	154
771	Molecular and cellular biology of caveolae paradoxes and plasticities. <b>1997</b> , 7, 103-10	101
770	Interaction of influenza virus haemagglutinin with sphingolipid-cholesterol membrane domains via its transmembrane domain. <b>1997</b> , 16, 5501-8	541
769	Robert Feulgen Lecture 1997. Lipid microdomains and membrane trafficking in mammalian cells. <b>1997</b> , 108, 211-20	66
768	High concentration of the EBV latent membrane protein 1 in glycosphingolipid-rich complexes from both epithelial and lymphoid cells. <b>1997</b> , 228, 285-93	46
767	Spatial determinants of specificity in insulin action. <b>1998</b> , 182, 65-71	16
766	Targeted downregulation of caveolin-1 is sufficient to drive cell transformation and hyperactivate the p42/44 MAP kinase cascade. <b>1998</b> , 17, 6633-48	382
765	Crowded little caves: structure and function of caveolae. <b>1998</b> , 10, 457-63	159
764	Polarized trafficking of plasma membrane proteins: emerging roles for coats, SNAREs, GTPases and their link to the cytoskeleton. <b>1998</b> , 1376, 57-90	43
763	The differential miscibility of lipids as the basis for the formation of functional membrane rafts. <b>1998</b> , 1376, 467-79	410
762	Early effects of PP60v-src kinase activation on caveolae. <b>1998</b> , 71, 524-535	39
761	Freeze-fracture studies of muscle plasma membranes in myopathic patients with hypo-and hyperthyroidism. <b>1998</b> , 31, 135-141	
760	Structure and origin of ordered lipid domains in biological membranes. <b>1998</b> , 164, 103-14	823
759	Lipid domain structure of the plasma membrane revealed by patching of membrane components. <b>1998</b> , 141, 929-42	1040
758	Caveolin-mediated regulation of signaling along the p42/44 MAP kinase cascade in vivo. A role for the caveolin-scaffolding domain. <b>1998</b> , 428, 205-11	321
757	Chromosomal localization, genomic organization, and developmental expression of the murine caveolin gene family (Cav-1, -2, and -3). Cav-1 and Cav-2 genes map to a known tumor suppressor locus (6-A2/7q31). <b>1998</b> , 429, 330-6	115
756	Mutational analysis of caveolin-induced vesicle formation. Expression of caveolin-1 recruits caveolin-2 to caveolae membranes. <b>1998</b> , 434, 127-34	100
755	Genes encoding human caveolin-1 and -2 are co-localized to the D7S522 locus (7q31.1), a known fragile site (FRA7G) that is frequently deleted in human cancers. <b>1998</b> , 436, 403-10	163

754	Peripheral-type benzodiazepine receptor function in cholesterol transport. Identification of a putative cholesterol recognition/interaction amino acid sequence and consensus pattern. <b>1998</b> , 139, 4991-7	468
753	Protein and lipid sorting from the trans-Golgi network to the plasma membrane in polarized cells. <b>1998</b> , 9, 503-9	156
752	Characterization of a cytosolic heat-shock protein-caveolin chaperone complex. Involvement in cholesterol trafficking. <b>1998</b> , 273, 6525-32	259
751	The caveolae membrane system. <b>1998</b> , 67, 199-225	1713
750	Caveolin transfection results in caveolae formation but not apical sorting of glycosylphosphatidylinositol (GPI)-anchored proteins in epithelial cells. <b>1998</b> , 140, 617-26	127
749	Modulation of secreted beta-amyloid precursor protein and amyloid beta-peptide in brain by cholesterol. <b>1998</b> , 273, 16576-82	195
748	Basolateral distribution of caveolin-1 in the kidney. Absence from H <sup>+</sup> -atpase-coated endocytic vesicles in intercalated cells. <b>1998</b> , 46, 205-14	84
747	Caveolins, a family of scaffolding proteins for organizing "preassembled signaling complexes" at the plasma membrane. <b>1998</b> , 273, 5419-22	1213
746	Plasma membrane cholesterol is a key molecule in shear stress-dependent activation of extracellular signal-regulated kinase. <b>1998</b> , 273, 32304-11	143
745	Vascular endothelial growth factor induces endothelial fenestrations in vitro. <b>1998</b> , 140, 947-59	521
744	Differential effects of sphingomyelin hydrolysis and cholesterol transport on oxysterol-binding protein phosphorylation and Golgi localization. <b>1998</b> , 273, 31621-8	78
743	Caveolin-1 and -2 in the exocytic pathway of MDCK cells. <b>1998</b> , 140, 795-806	272
742	Expression of caveolin-1 and -2 in differentiating PC12 cells and dorsal root ganglion neurons: caveolin-2 is up-regulated in response to cell injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 10257-62	11.5 149
741	Caveolae, plasma membrane microdomains for alpha-secretase-mediated processing of the amyloid precursor protein. <b>1998</b> , 273, 10485-95	125
740	Cholesterol depletion of caveolae causes hyperactivation of extracellular signal-related kinase (ERK). <b>1998</b> , 273, 21099-104	307
739	Scavenger receptor, class B, type I-dependent stimulation of cholesterol esterification by high density lipoproteins, low density lipoproteins, and nonlipoprotein cholesterol. <b>1998</b> , 273, 31002-8	91
738	A single point mutation controls the cholesterol dependence of Semliki Forest virus entry and exit. <b>1998</b> , 140, 91-9	125
737	Annexin XIIIb associates with lipid microdomains to function in apical delivery. <b>1998</b> , 142, 1413-27	162

736	Role of plasmalemmal caveolae in signal transduction. <b>1998</b> , 275, L843-51	223
735	Conserved functions of the cytoplasmic domains of integrin beta subunits. <b>1998</b> , 3, d877-86	9
734	New perspectives on mechanisms involved in generating epithelial cell polarity. <b>1999</b> , 79, 73-98	455
733	Holo-sterol carrier protein-2. (13)C NMR investigation of cholesterol and fatty acid binding sites. <b>1999</b> , 274, 35425-33	60
732	Tyrosine-phosphorylated caveolin-1: immunolocalization and molecular characterization. <b>1999</b> , 10, 975-86	106
731	Caveolin-1 potentiates estrogen receptor alpha (ERalpha) signaling. caveolin-1 drives ligand-independent nuclear translocation and activation of ERalpha. <b>1999</b> , 274, 33551-6	122
730	Molecular characterization of caveolin association with the Golgi complex: identification of a cis-Golgi targeting domain in the caveolin molecule. <b>1999</b> , 145, 1443-59	107
729	The class B, type I scavenger receptor promotes the selective uptake of high density lipoprotein cholesterol ethers into caveolae. <b>1999</b> , 274, 12043-8	135
728	A role for the caveolin scaffolding domain in mediating the membrane attachment of caveolin-1. The caveolin scaffolding domain is both necessary and sufficient for membrane binding in vitro. <b>1999</b> , 274, 22660-7	117
727	Extraction of cholesterol with methyl-beta-cyclodextrin perturbs formation of clathrin-coated endocytic vesicles. <b>1999</b> , 10, 961-74	826
726	Cholesterol-dependent localization of NAP-22 on a neuronal membrane microdomain (raft). <b>1999</b> , 274, 21369-74	84
725	VIP17/MAL, a lipid raft-associated protein, is involved in apical transport in MDCK cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 6241-8	11.5 187
724	Phenotypic behavior of caveolin-3 mutations that cause autosomal dominant limb girdle muscular dystrophy (LGMD-1C). Retention of LGMD-1C caveolin-3 mutants within the golgi complex. <b>1999</b> , 274, 25632-41	123
723	Caveolin-2 localizes to the golgi complex but redistributes to plasma membrane, caveolae, and rafts when co-expressed with caveolin-1. <b>1999</b> , 274, 25708-17	174
722	Role of lipid modifications in targeting proteins to detergent-resistant membrane rafts. Many raft proteins are acylated, while few are prenylated. <b>1999</b> , 274, 3910-7	528
721	Dominant-negative caveolin inhibits H-Ras function by disrupting cholesterol-rich plasma membrane domains. <b>1999</b> , 1, 98-105	386
720	Involvement of caveolin-1 in meiotic cell-cycle progression in <i>Caenorhabditis elegans</i> . <b>1999</b> , 1, 127-9	97
719	Identification of caveolin-1 in lipoprotein particles secreted by exocrine cells. <b>1999</b> , 1, 369-75	95

7 <sup>18</sup>	Exploitation of major histocompatibility complex class I molecules and caveolae by simian virus 40. <b>1999</b> , 168, 23-31	60
7 <sup>17</sup>	Analysis of the CAVEOLIN-1 gene at human chromosome 7q31.1 in primary tumours and tumour-derived cell lines. <b>1999</b> , 18, 1881-90	109
7 <sup>16</sup>	Sphingomyelin-cholesterol interactions in biological and model membranes. <b>1999</b> , 102, 13-27	172
7 <sup>15</sup>	Involvement of glycolipid-enriched domains in the transduction mechanism of neurotrophins in cultured neurons. <b>1999</b> , 19, 385-95	4
7 <sup>14</sup>	Signalling via caveolin: involvement in the cross-talk between phosphoinositolglycans and insulin. <b>1999</b> , 56, 945-70	49
7 <sup>13</sup>	Membrane structure of caveolae and isolated caveolin-rich vesicles. <b>1999</b> , 111, 71-81	42
7 <sup>12</sup>	Recent advances in brain cholesterol dynamics: transport, domains, and Alzheimer's disease. <b>1999</b> , 34, 225-34	108
7 <sup>11</sup>	Calcium signal transduction from caveolae. <b>1999</b> , 26, 201-8	133
7 <sup>10</sup>	Caveolin-1 expression in Schwann cells. <b>1999</b> , 27, 39-52	51
7 <sup>09</sup>	Caveolin-1: a complex and provocative therapeutic target in prostate cancer and potentially other malignancies. <b>1999</b> , 3, 337-346	5
7 <sup>08</sup>	Intracellular cholesterol transport. <b>1999</b> , 1438, 19-37	257
7 <sup>07</sup>	A porcine homolog of the major secretory protein of human epididymis, HE1, specifically binds cholesterol. <b>1999</b> , 1438, 377-87	149
7 <sup>06</sup>	Lateral organisation of membrane lipids. The superlattice view. <b>1999</b> , 1440, 32-48	139
7 <sup>05</sup>	Sequence and detailed organization of the human caveolin-1 and -2 genes located near the D7S522 locus (7q31.1). Methylation of a CpG island in the 5' promoter region of the caveolin-1 gene in human breast cancer cell lines. <b>1999</b> , 448, 221-30	113
7 <sup>04</sup>	Detergent-insoluble glycosphingolipid/cholesterol-rich membrane domains, lipid rafts and caveolae (review). <b>1999</b> , 16, 145-56	320
7 <sup>03</sup>	Src family kinase activation in glycosphingolipid-rich membrane domains of endothelial cells treated with oxidised low density lipoprotein. <b>1999</b> , 143, 389-97	21
7 <sup>02</sup>	Atheroprotective mechanisms of HDL. <b>1999</b> , 144, 285-301	243
7 <sup>01</sup>	Niemann-Pick C1 is a late endosome-resident protein that transiently associates with lysosomes and the trans-Golgi network. <b>1999</b> , 68, 1-13	210

700	Identification of caveolin-1 as a fatty acid binding protein. <b>1999</b> , 255, 34-9	179
699	Cross-linking of plasmalemmal cholesterol in lymphocytes induces capping, membrane shedding, and endocytosis through coated pits. <b>1999</b> , 260, 516-21	13
698	Incorporation of MAL, an integral protein element of the machinery for the glycolipid and cholesterol-mediated apical pathway of transport, into artificial membranes requires neither of these lipid species. <b>1999</b> , 266, 330-3	9
697	Regulation of cAMP-mediated signal transduction via interaction of caveolins with the catalytic subunit of protein kinase A. <b>1999</b> , 274, 26353-60	143
696	Caveolins, liquid-ordered domains, and signal transduction. <b>1999</b> , 19, 7289-304	913
695	Multiple domains in caveolin-1 control its intracellular traffic. <b>2000</b> , 148, 17-28	99
694	Interaction of shrimp ras protein with mammalian caveolin-1. <b>2000</b> , 287, 432-9	6
693	Compartmentalization of ceramide signaling: physical foundations and biological effects. <b>2000</b> , 184, 285-300	376
692	Human oxytocin receptors in cholesterol-rich vs. cholesterol-poor microdomains of the plasma membrane. <b>2000</b> , 267, 2483-97	75
691	Caveolins and cellular cholesterol balance. <b>2000</b> , 1, 212-7	109
690	Role of cholesterol in developing T-tubules: analogous mechanisms for T-tubule and caveolae biogenesis. <b>2000</b> , 1, 326-41	80
689	Membrane traffic in sphingolipid storage diseases. <b>2000</b> , 1, 807-15	92
688	Cholesterol binds to synaptophysin and is required for biogenesis of synaptic vesicles. <b>2000</b> , 2, 42-9	465
687	Downmodulation of caveolin-1 expression in human ovarian carcinoma is directly related to alpha-folate receptor overexpression. <b>2000</b> , 19, 4754-63	68
686	Differences in caveolae dynamics in vascular smooth muscle cells of different phenotypes. <b>2000</b> , 80, 915-29	41
685	Multidrug resistance: a role for cholesterol efflux pathways?. <b>2000</b> , 25, 530-4	61
684	Caveolin isoforms in resident and elicited rat peritoneal macrophages. <b>2000</b> , 79, 343-9	24
683	Caveolae: an alternative membrane transport compartment. <b>2000</b> , 17, 1035-48	57



682	Changes in lipid and protein constituents of rafts and caveolae in multidrug resistant cancer cells and their functional consequences. <b>2000</b> , 17, 253-9	75
681	Use of a photoactivable GM1 ganglioside analogue to assess lipid distribution in caveolae bilayer. <b>2000</b> , 17, 215-22	24
680	Caves and labyrinths: caveolae and transverse tubules in skeletal muscle. <b>2000</b> , 212, 15-23	3
679	Regulation of receptor function by cholesterol. <b>2000</b> , 57, 1577-92	236
678	Oxysterols: modulators of cholesterol metabolism and other processes. <b>2000</b> , 80, 361-554	749
677	Caveolin-1 regulates shear stress-dependent activation of extracellular signal-regulated kinase. <b>2000</b> , 278, H1285-93	108
676	Induction of caveolae in the apical plasma membrane of Madin-Darby canine kidney cells. <b>2000</b> , 148, 727-39	101
675	Elevated cholesterol metabolism and bile acid synthesis in mice lacking membrane tyrosine kinase receptor FGFR4. <b>2000</b> , 275, 15482-9	285
674	Epidermal growth factor-stimulated tyrosine phosphorylation of caveolin-1. Enhanced caveolin-1 tyrosine phosphorylation following aberrant epidermal growth factor receptor status. <b>2000</b> , 275, 7481-91	80
673	Caveolin-1 expression inhibits Wnt/beta-catenin/Lef-1 signaling by recruiting beta-catenin to caveolae membrane domains. <b>2000</b> , 275, 23368-77	141
672	Palmitoylation of caveolin-1 is required for cholesterol binding, chaperone complex formation, and rapid transport of cholesterol to caveolae. <b>2000</b> , 275, 25595-9	135
671	A molecular dissection of caveolin-1 membrane attachment and oligomerization. Two separate regions of the caveolin-1 C-terminal domain mediate membrane binding and oligomer/oligomer interactions in vivo. <b>2000</b> , 275, 21605-17	154
670	Embryonic striatal neurons from niemann-pick type C mice exhibit defects in cholesterol metabolism and neurotrophin responsiveness. <b>2000</b> , 275, 20179-87	63
669	Limb-girdle muscular dystrophy (LGMD-1C) mutants of caveolin-3 undergo ubiquitination and proteasomal degradation. Treatment with proteasomal inhibitors blocks the dominant negative effect of LGMD-1C mutants and rescues wild-type caveolin-3. <b>2000</b> , 275, 37702-11	77
668	Constitutive and growth factor-regulated phosphorylation of caveolin-1 occurs at the same site (Tyr-14) in vivo: identification of a c-Src/Cav-1/Grb7 signaling cassette. <b>2000</b> , 14, 1750-75	284
667	Transgenic overexpression of caveolin-3 in skeletal muscle fibers induces a Duchenne-like muscular dystrophy phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 9689-94	11,5 120
666	Lipoprotein promotes caveolin-1 and Ras translocation to caveolae: role of cholesterol in endothelial signaling. <b>2000</b> , 20, 2465-70	53
665	A possible role for caveolin as a signaling organizer in olfactory sensory membranes. <b>2000</b> , 275, 24115-23	34

664	Concentration of caveolin-1 in the cleavage furrow as revealed by time-lapse analysis. <b>2000</b> , 268, 82-7	18
663	Glycosylation affects translocation of integrin, Src, and caveolin into or out of GEM. <b>2000</b> , 273, 159-63	40
662	Caveolae: uniform structures with multiple functions in signaling, cell growth, and cancer. <b>2000</b> , 261, 111-8	38
661	Genomic organization and transcriptional analysis of the human genes coding for caveolin-1 and caveolin-2. <b>2000</b> , 243, 75-83	29
660	MAL, a proteolipid in glycosphingolipid enriched domains: functional implications in myelin and beyond. <b>2000</b> , 60, 531-44	90
659	Sterol carrier protein-2. <b>2000</b> , 1486, 45-54	92
658	Cholesterol and caveolae: structural and functional relationships. <b>2000</b> , 1529, 210-22	157
657	Caveolin-1 isoforms are encoded by distinct mRNAs. Identification Of mouse caveolin-1 mRNA variants caused by alternative transcription initiation and splicing. <b>2000</b> , 465, 119-23	62
656	Protein and lipid requirements for endocytosis. <b>2000</b> , 34, 255-295	107
655	p53 regulates caveolin gene transcription, cell cholesterol, and growth by a novel mechanism. <b>2000</b> , 39, 1966-72	93
654	Caveolin-1 expression is down-regulated in cells transformed by the human papilloma virus in a p53-dependent manner. Replacement of caveolin-1 expression suppresses HPV-mediated cell transformation. <b>2000</b> , 39, 13916-24	74
653	EFFECT OF A CHINESE HERBAL MEDICINE MIXTURE ON A RAT MODEL OF HYPERCHOLESTEROLEMIC ERECTILE DYSFUNCTION. <b>2000</b> , 164, 1798-1801	27
652	Analysis of the association of proteins with membranes. <b>2001</b> , Chapter 5, Unit 5.4	13
651	Chromosomal organization of candidate genes involved in cholesterol gallstone formation: a murine gallstone map. <b>2001</b> , 120, 221-38	123
650	Interaction of caveolin with 7-ketocholesterol. <b>2001</b> , 159, 49-55	19
649	Loss of caveolae, vascular dysfunction, and pulmonary defects in caveolin-1 gene-disrupted mice. <b>2001</b> , 293, 2449-52	1303
648	Association of caveolin with Chlamydia trachomatis inclusions at early and late stages of infection. <b>2001</b> , 266, 229-38	85
647	Caveolins and caveolae: molecular and functional relationships. <b>2001</b> , 271, 36-44	102

646	Caveolin-3 null mice show a loss of caveolae, changes in the microdomain distribution of the dystrophin-glycoprotein complex, and t-tubule abnormalities. <b>2001</b> , 276, 21425-33	336
645	Caveolae and caveolin-3 in muscular dystrophy. <b>2001</b> , 7, 435-41	126
644	Lipid rafts and HIV-1: from viral entry to assembly of progeny virions. <b>2001</b> , 22, 217-27	223
643	Molecular mechanisms underlying endocytosis and sorting of ErbB receptor tyrosine kinases. <b>2001</b> , 490, 142-52	256
642	The role of apolipoprotein A-IV in the regulation of food intake. <b>2001</b> , 21, 231-54	58
641	Studies on peptide fragments of prion proteins. <b>2001</b> , 57, 171-201	38
640	Adenovirus-mediated expression of caveolin-1 in mouse liver increases plasma high-density lipoprotein levels. <b>2001</b> , 40, 10892-900	35
639	N-terminal protein acylation confers localization to cholesterol, sphingolipid-enriched membranes but not to lipid rafts/caveolae. <b>2001</b> , 12, 3601-17	101
638	Segregation of heterotrimeric G proteins in cell surface microdomains. G(q) binds caveolin to concentrate in caveolae, whereas G(i) and G(s) target lipid rafts by default. <b>2001</b> , 12, 685-98	352
637	Intestinal lipid absorption and transport. <b>2001</b> , 6, d299-319	116
636	The organizing potential of sphingolipids in intracellular membrane transport. <b>2001</b> , 81, 1689-723	260
635	ABC transporters and cholesterol metabolism. <b>2001</b> , 6, d505-514	18
634	Intestinal lipid absorption and transport. <b>2001</b> , 6, D299-319	131
633	Influence of caveolin-1 on cellular cholesterol efflux mediated by high-density lipoproteins. <b>2001</b> , 280, C1204-14	63
632	Two distinct caveolin-1 domains mediate the functional interaction of caveolin-1 with protein kinase A. <b>2001</b> , 281, C1241-50	62
631	Cholesterol depletion reduces apical transport capacity in epithelial Madin-Darby canine kidney cells. <b>2001</b> , 357, 11-5	18
630	Ligand-independent activation of oestrogen receptor alpha by caveolin-1. <b>2001</b> , 359, 203-10	45
629	Cholesterol depletion reduces apical transport capacity in epithelial MadinDarby canine kidney cells. <b>2001</b> , 357, 11-15	22

628	Ligand-independent activation of oestrogen receptor by caveolin-1. <b>2001</b> , 359, 203-210	63
627	Recent advances in membrane microdomains: rafts, caveolae, and intracellular cholesterol trafficking. <b>2001</b> , 226, 873-90	119
626	The GPI-anchor and protein sorting. <b>2001</b> , 58, 1969-87	148
625	A 60-kDa protein abundant in adipocyte caveolae. <b>2001</b> , 305, 99-106	50
624	Caveolin-1 negatively regulates SR-BI mediated selective uptake of high-density lipoprotein-derived cholesteryl ester. <b>2001</b> , 268, 5609-16	60
623	Estrogen downregulates the number of caveolae and the level of caveolin in uterine smooth muscle. <b>2001</b> , 25, 785-94	40
622	Potocytosis. Robert Feulgen Lecture. <b>2001</b> , 116, 109-18	69
621	Multidrug permeases and subcellular cholesterol transport. <b>2001</b> , 2, 657-68	82
620	Cell biology of caveolae and caveolin. <b>2001</b> , 49, 223-35	100
619	Caveolae and intracellular trafficking of cholesterol. <b>2001</b> , 49, 251-64	96
618	Upregulation of caveolin in multidrug resistant cancer cells: functional implications. <b>2001</b> , 49, 317-23	79
617	From interaction of lipidic vehicles with intestinal epithelial cell membranes to the formation and secretion of chylomicrons. <b>2001</b> , 50 Suppl 1, S103-25	28
616	Protein trafficking in the exocytic pathway of polarized epithelial cells. <b>2001</b> , 11, 483-6	130
615	The sonic hedgehog receptor patched associates with caveolin-1 in cholesterol-rich microdomains of the plasma membrane. <b>2001</b> , 276, 19503-11	100
614	Caveolin, cholesterol, and lipid droplets?. <b>2001</b> , 152, F29-34	92
613	Physiology, phylogeny, and functions of the TRP superfamily of cation channels. <b>2001</b> , 2001, re1	214
612	BENE, a novel raft-associated protein of the MAL proteolipid family, interacts with caveolin-1 in human endothelial-like ECV304 cells. <b>2001</b> , 276, 23009-17	37
611	Caveolae-deficient endothelial cells show defects in the uptake and transport of albumin in vivo. <b>2001</b> , 276, 48619-22	251

610	Caveolin-1 null mice are viable but show evidence of hyperproliferative and vascular abnormalities. <b>2001</b> , 276, 38121-38	831
609	Caveolin-1 interacts with androgen receptor. A positive modulator of androgen receptor mediated transactivation. <b>2001</b> , 276, 13442-51	185
608	Caveolin-1 binding to endoplasmic reticulum membranes and entry into the regulated secretory pathway are regulated by serine phosphorylation. Protein sorting at the level of the endoplasmic reticulum. <b>2001</b> , 276, 4398-408	95
607	Caveolin-1 regulates transforming growth factor (TGF)-beta/SMAD signaling through an interaction with the TGF-beta type I receptor. <b>2001</b> , 276, 6727-38	522
606	Cellular stress induces the tyrosine phosphorylation of caveolin-1 (Tyr(14)) via activation of p38 mitogen-activated protein kinase and c-Src kinase. Evidence for caveolae, the actin cytoskeleton, and focal adhesions as mechanical sensors of osmotic stress. <b>2001</b> , 276, 8094-103	187
605	Caveolin-1 expression negatively regulates cell cycle progression by inducing G(0)/G(1) arrest via a p53/p21(WAF1/Cip1)-dependent mechanism. <b>2001</b> , 12, 2229-44	239
604	A caveolin dominant negative mutant associates with lipid bodies and induces intracellular cholesterol imbalance. <b>2001</b> , 152, 1057-70	275
603	Tyrosine-phosphorylated caveolin is a physiological substrate of the low M(r) protein-tyrosine phosphatase. <b>2001</b> , 276, 18849-54	26
602	Caveolin-1 and caveolin-2 expression in mouse macrophages. High density lipoprotein 3-stimulated secretion and a lack of significant subcellular co-localization. <b>2001</b> , 276, 26164-70	48
601	Endothelial transcytotic machinery involves supramolecular protein-lipid complexes. <b>2001</b> , 12, 1019-33	76
600	Inhibition of protein translocation across the endoplasmic reticulum membrane by sterols. <b>2001</b> , 276, 41748-54	52
599	Lipid rafts and pseudotyping. <b>2001</b> , 75, 7175-83	138
598	Asymmetric requirement for cholesterol in receptor-bearing but not envelope-bearing membranes for fusion mediated by ecotropic murine leukemia virus. <b>2002</b> , 76, 6701-9	34
597	The scaffolding domain of caveolin 2 is responsible for its Golgi localization in Caco-2 cells. <b>2002</b> , 115, 4457-67	33
596	Cholesteryl ester is transported from caveolae to internal membranes as part of a caveolin-annexin II lipid-protein complex. <b>2002</b> , 277, 4925-31	96
595	The multidrug transporter, P-glycoprotein, actively mediates cholesterol redistribution in the cell membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 10347-52	11.5 163
594	Microvascular hyperpermeability in caveolin-1 (-/-) knock-out mice. Treatment with a specific nitric-oxide synthase inhibitor, L-NAME, restores normal microvascular permeability in Cav-1 null mice. <b>2002</b> , 277, 40091-8	258
593	The fusion peptide of Semliki Forest virus associates with sterol-rich membrane domains. <b>2002</b> , 76, 3267-75	106

592	Multiple functions of caveolin-1. <b>2002</b> , 277, 41295-8	435
591	Intracellular retention of glycosylphosphatidyl inositol-linked proteins in caveolin-deficient cells. <b>2002</b> , 22, 3905-26	80
590	The Niemann-Pick C proteins and trafficking of cholesterol through the late endosomal/lysosomal system. <b>2002</b> , 2, 485-505	77
589	Associations of B- and C-Raf with cholesterol, phosphatidylserine, and lipid second messengers: preferential binding of Raf to artificial lipid rafts. <b>2002</b> , 277, 24090-102	76
588	Inhibition of lipid raft-dependent signaling by a dystrophy-associated mutant of caveolin-3. <b>2002</b> , 277, 17944-9	42
587	Caveolin-1 is a negative regulator of caveolae-mediated endocytosis to the endoplasmic reticulum. <b>2002</b> , 277, 3371-9	178
586	Localization of caveolin 1 in aortic valve endothelial cells using antigen retrieval. <b>2002</b> , 50, 617-28	20
585	Caveolin-1-deficient mice are lean, resistant to diet-induced obesity, and show hypertriglyceridemia with adipocyte abnormalities. <b>2002</b> , 277, 8635-47	439
584	Apolipoprotein A-I induces translocation of cholesterol, phospholipid, and caveolin-1 to cytosol in rat astrocytes. <b>2002</b> , 277, 7929-35	62
583	Caveolin-1 Localization in Mueller Cells of the Retina.. <b>2002</b> , 35, 423-428	2
582	Relationships between caveolae and eNOS: everything in proximity and the proximity of everything. <b>2002</b> , 283, F1-10	100
581	Mutation in the caveolin-3 gene causes a peculiar form of distal myopathy. <b>2002</b> , 58, 323-5	91
580	Sterol efflux to apolipoprotein A-I originates from caveolin-rich microdomains and potentiates PDGF-dependent protein kinase activity. <b>2002</b> , 41, 4929-37	51
579	Mutational analysis identifies a short atypical membrane attachment sequence (KYWFYR) within caveolin-1. <b>2002</b> , 41, 3790-5	25
578	Connexin family members target to lipid raft domains and interact with caveolin-1. <b>2002</b> , 41, 5754-64	217
577	Stabilization of caveolin-1 by cellular cholesterol and scavenger receptor class B type I. <b>2002</b> , 41, 11931-40	69
576	Caveolae: from cell biology to animal physiology. <b>2002</b> , 54, 431-67	758
575	Caveolin-1-deficient mice show accelerated mammary gland development during pregnancy, premature lactation, and hyperactivation of the Jak-2/STAT5a signaling cascade. <b>2002</b> , 13, 3416-30	95

574	Role of lipid rafts in virus assembly and budding. <b>2002</b> , 58, 1-28	33
573	Lipid rafts are enriched in arachidonic acid and plasmenylethanolamine and their composition is independent of caveolin-1 expression: a quantitative electrospray ionization/mass spectrometric analysis. <b>2002</b> , 41, 2075-88	433
572	Caveolae and cholesterol distribution in vascular smooth muscle cells of different phenotypes. <b>2002</b> , 50, 185-95	36
571	Identification of a splice variant of mouse caveolin-2 mRNA encoding an isoform lacking the C-terminal domain. <b>2002</b> , 401, 108-14	17
570	Cholesterol-dependent insertion of glycosylphosphatidylinositol-anchored enzyme. <b>2002</b> , 1564, 473-78	28
569	Behavior of a photoactivatable analog of cholesterol, 6-photocholesterol, in model membranes. <b>2002</b> , 510, 181-4	32
568	Cholesterol trafficking in the secretory and endocytic systems. <b>2002</b> , 13, 197-203	39
567	Non-genomic steroid receptors in the bovine ovary. <b>2002</b> , 23, 3-12	20
566	Human immunodeficiency virus and host cell lipids. Interesting pathways in research for a new HIV therapy. <b>2002</b> , 41, 27-65	61
565	Cholesterol interactions with phospholipids in membranes. <b>2002</b> , 41, 66-97	811
564	Cell Physiology and Cell Biology of Myocardial Cell Caveolae. <b>2002</b> , 145-168	
563	Cholesterol Depletion Blocks Redistribution of Lipid Raft Components and Insulin-Mimetic Signaling by Glimepiride and Phosphoinositolglycans in Rat Adipocytes. <b>2002</b> , 8, 120-136	53
562	The endothelium but not the syncytiotrophoblast of human placenta expresses caveolae. <b>2002</b> , 23, 640-52	57
561	Detergent-resistant erythrocyte membrane rafts are modified by a Plasmodium falciparum infection. <b>2002</b> , 102, 57-9	33
560	Involvement of caveolae and caveolae-like domains in signalling, cell survival and angiogenesis. <b>2002</b> , 14, 93-8	68
559	Lipid binding activity of a neuron-specific protein NAP-22 studied in vivo and in vitro. <b>2002</b> , 70, 172-9	32
558	Transcytosis of plasma macromolecules in endothelial cells: a cell biological survey. <b>2002</b> , 57, 269-88	160
557	Structure and function of endothelial caveolae. <b>2002</b> , 57, 350-64	130

556	Schwann cell caveolin-1 expression increases during myelination and decreases after axotomy. <b>2002</b> , 38, 191-9	41
555	Evidence for segregation of heterologous GPI-anchored proteins into separate lipid rafts within the plasma membrane. <b>2002</b> , 189, 35-43	48
554	Endocytosis via caveolae. <b>2002</b> , 3, 311-20	550
553	Caveolae and caveolin isoforms in rat peritoneal macrophages. <b>2002</b> , 33, 75-93	29
552	Glycolipid-enriched caveolae and caveolae-like domains in the nervous system. <b>1999</b> , 73, 1-11	94
551	Wine polyphenols and optimal nutrition. <b>2002</b> , 957, 200-9	31
550	A cholesterol-regulated PP2A/HePTP complex with dual specificity ERK1/2 phosphatase activity. <b>2003</b> , 22, 2658-67	73
549	Identification of caveolae-like structures on the surface of intact cells using scanning force microscopy. <b>2003</b> , 194, 97-108	12
548	Mechanisms of membrane deformation. <b>2003</b> , 15, 372-81	248
547	Caveolae and caveolin-1 in human term villous trophoblast. <b>2003</b> , 24, 745-57	34
546	Caveolin-3 expression during early chicken development. <b>2003</b> , 141, 83-9	8
545	Targeting caveolae for vesicular drug transport. <b>2003</b> , 87, 139-51	35
544	Lipid rafts and caveolae as portals for endocytosis: new insights and common mechanisms. <b>2003</b> , 4, 724-38	460
543	Caveolae: mining little caves for new cancer targets. <b>2003</b> , 3, 571-81	220
542	Caveolae--from ultrastructure to molecular mechanisms. <b>2003</b> , 4, 162-7	138
541	Aberrant Connexin 43 endocytosis by the carcinogen lindane involves activation of the ERK/mitogen-activated protein kinase pathway. <b>2003</b> , 24, 1415-23	68
540	Sterol carrier protein-2 selectively alters lipid composition and cholesterol dynamics of caveolae/lipid raft vs nonraft domains in L-cell fibroblast plasma membranes. <b>2003</b> , 42, 14583-98	40
539	Dynamics of raft molecules in the cell and artificial membranes: approaches by pulse EPR spin labeling and single molecule optical microscopy. <b>2003</b> , 1610, 231-43	138



538	Molecular characterization of the detergent-insoluble cholesterol-rich membrane microdomain (raft) of the central nervous system. <b>2003</b> , 1610, 261-70	56
537	Genetic background of cholesterol gallstone disease. <b>2003</b> , 1637, 1-19	37
536	SR-BI does not require raft/caveola localisation for cholesteryl ester selective uptake in the human adrenal cell line NCI-H295R. <b>2003</b> , 1631, 42-50	24
535	Lipid rafts: bringing order to chaos. <b>2003</b> , 44, 655-67	856
534	Caveolin-1 does not affect SR-BI-mediated cholesterol efflux or selective uptake of cholesteryl ester in two cell lines. <b>2003</b> , 44, 807-15	47
533	Caveolin interacts with the angiotensin II type 1 receptor during exocytic transport but not at the plasma membrane. <b>2003</b> , 278, 23738-46	100
532	Nerve growth factor blocks the glucose-induced down-regulation of caveolin-1 expression in Schwann cells via p75 neurotrophin receptor signaling. <b>2003</b> , 278, 23151-62	30
531	Modulation of myoblast fusion by caveolin-3 in dystrophic skeletal muscle cells: implications for Duchenne muscular dystrophy and limb-girdle muscular dystrophy-1C. <b>2003</b> , 14, 4075-88	54
530	Caveolins and macrophage lipid metabolism. <b>2003</b> , 44, 11-21	78
529	Membrane dynamics, cholesterol homeostasis, and Alzheimer's disease. <b>2003</b> , 44, 2019-29	62
528	Identification of a stomatin orthologue in vacuoles induced in human erythrocytes by malaria parasites. A role for microbial raft proteins in apicomplexan vacuole biogenesis. <b>2003</b> , 278, 48413-21	81
527	Lipid rafts/caveolae are essential for insulin-like growth factor-1 receptor signaling during 3T3-L1 preadipocyte differentiation induction. <b>2003</b> , 278, 11561-9	109
526	A phospholipase D-dependent process forms lipid droplets containing caveolin, adipocyte differentiation-related protein, and vimentin in a cell-free system. <b>2003</b> , 278, 27293-300	80
525	Caveolin regulation of endothelial function. <b>2003</b> , 285, L1179-83	236
524	The N-terminal region of the prion protein ectodomain contains a lipid raft targeting determinant. <b>2003</b> , 278, 37241-8	80
523	Essential role of caveolae in interleukin-6- and insulin-like growth factor I-triggered Akt-1-mediated survival of multiple myeloma cells. <b>2003</b> , 278, 5794-801	116
522	Caveosomes and endocytosis of lipid rafts. <b>2003</b> , 116, 4707-14	320
521	Phenotypic behavior of caveolin-3 R26Q, a mutant associated with hyperCKemia, distal myopathy, and rippling muscle disease. <b>2003</b> , 285, C1150-60	33

520	The role of the high-density lipoprotein receptor SR-BI in the lipid metabolism of endocrine and other tissues. <b>2003</b> , 24, 357-87	348
519	Compositional changes in lipid microdomains of air-blood barrier plasma membranes in pulmonary interstitial edema. <b>2003</b> , 95, 1446-52	33
518	Essential Fatty Acids. 257-265	3
517	Sphingolipid-cholesterol domains (lipid rafts) in normal human and dog thyroid follicular cells are not involved in thyrotropin receptor signaling. <b>2004</b> , 145, 1464-72	28
516	Ontogeny, immunolocalisation, distribution and function of SR-BI in the human intestine. <b>2004</b> , 117, 327-37	44
515	Caveolin-1 in breast cancer. <b>2004</b> , 3, 931-41	50
514	Rosiglitazone upregulates caveolin-1 expression in THP-1 cells through a PPAR-dependent mechanism. <b>2004</b> , 45, 2015-24	53
513	Lipid raft-mediated entry is not required for Chlamydia trachomatis infection of cultured epithelial cells. <b>2004</b> , 72, 7367-73	30
512	A role for caveolae in cell migration. <b>2004</b> , 18, 1801-11	133
511	Localization and regulation of SR-BI in membrane rafts of HepG2 cells. <b>2004</b> , 117, 3095-105	78
510	Caveolae and caveolins in the cardiovascular system. <b>2004</b> , 94, 1408-17	268
509	Conformational defects slow Golgi exit, block oligomerization, and reduce raft affinity of caveolin-1 mutant proteins. <b>2004</b> , 15, 4556-67	47
508	Cell type-specific occurrence of caveolin-1alpha and -1beta in the lung caused by expression of distinct mRNAs. <b>2004</b> , 279, 25574-81	41
507	Caveolin-1 is required for vascular endothelial growth factor-triggered multiple myeloma cell migration and is targeted by bortezomib. <b>2004</b> , 64, 7500-6	84
506	Echovirus 1 endocytosis into caveosomes requires lipid rafts, dynamin II, and signaling events. <b>2004</b> , 15, 4911-25	121
505	Atheroprotection in the absence of "caves": is it the fat, the vessels, or both?. <b>2004</b> , 24, 4-6	2
504	Molecular dynamics and interactions for creation of stimulation-induced stabilized rafts from small unstable steady-state rafts. <b>2004</b> , 5, 213-30	311
503	Caveolin-1 inhibits breast cancer growth and metastasis. <b>2004</b> , 23, 7893-7	134

502	Model systems, lipid rafts, and cell membranes. <b>2004</b> , 33, 269-95	1310
501	Overexpression of caveolin-1 induces alteration of multidrug resistance in Hs578T breast adenocarcinoma cells. <b>2004</b> , 111, 522-9	36
500	Tyrosine phosphorylation of caveolin-2 at residue 27: differences in the spatial and temporal behavior of phospho-Cav-2 (pY19 and pY27). <b>2004</b> , 43, 13694-706	21
499	Mechanism of platelet-derived growth factor-dependent caveolin-1 phosphorylation: relationship to sterol binding and the role of serine-80. <b>2004</b> , 43, 2578-86	47
498	Spatial-temporal studies of membrane dynamics: scanning fluorescence correlation spectroscopy (SFCS). <b>2004</b> , 87, 1260-7	156
497	Caveolins, caveolae, and lipid rafts in cellular transport, signaling, and disease. <b>2004</b> , 82, 129-44	180
496	The caveolin proteins. <b>2004</b> , 5, 214	335
495	The Caveolin genes: from cell biology to medicine. <b>2004</b> , 36, 584-95	292
494	Caveolin-stabilized membrane domains as multifunctional transport and sorting devices in endocytic membrane traffic. <b>2004</b> , 118, 767-80	421
493	Identification of caveolae and their signature proteins caveolin 1 and 2 in the lens. <b>2004</b> , 79, 487-98	22
492	The plasma membrane Ca <sup>2+</sup> pump from proximal kidney tubules is exclusively localized and active in caveolae. <b>2004</b> , 576, 31-5	21
491	Where sterols are required for endocytosis. <b>2004</b> , 1666, 51-61	76
490	Overexpression of caveolin-1 increases plasma membrane fluidity and reduces P-glycoprotein function in Hs578T/Dox. <b>2004</b> , 320, 868-74	42
489	Functional form of Caveolin-1 is necessary for the assembly of alpha-hemolysin. <b>2004</b> , 324, 1130-6	22
488	Ingested fat and satiety. <b>2004</b> , 81, 275-87	27
487	Plasma membrane microdomains: organization, function and trafficking. <b>2004</b> , 21, 193-205	170
486	Caveolins and membrane cholesterol. <b>2004</b> , 32, 121-3	38
485	Caveolin-3 at the T-tubule Colocalizes with .ALPHA.-actinin in the Adult Murine Cardiac Muscle. <b>2004</b> , 37, 373-378	

484	Chapter 1 Lipid Rafts and Caveolae Organization. <b>2005</b> , 1-36	9
483	Loss of caveolin-1 causes the hyper-proliferation of intestinal crypt stem cells, with increased sensitivity to whole body gamma-radiation. <b>2005</b> , 4, 1817-25	62
482	A polycystin multiprotein complex constitutes a cholesterol-containing signalling microdomain in human kidney epithelia. <b>2005</b> , 392, 29-38	49
481	Heptaspanning membrane receptors and cytoskeletal/scaffolding proteins: focus on adenosine, dopamine, and metabotropic glutamate receptor function. <b>2005</b> , 26, 277-92	22
480	A role for caveolin-1 in post-injury reactive neuronal plasticity. <b>2005</b> , 92, 831-9	49
479	The Sprouty-related protein, Spred-1, localizes in a lipid raft/caveola and inhibits ERK activation in collaboration with caveolin-1. <b>2005</b> , 10, 887-95	37
478	Phospho-caveolin-1 mediates integrin-regulated membrane domain internalization. <b>2005</b> , 7, 901-8	337
477	CHAPSTEROL. A novel cholesterol-based detergent. <b>2005</b> , 272, 800-12	4
476	Growth factor receptors, lipid rafts and caveolae: an evolving story. <b>2005</b> , 1746, 260-73	206
475	Getting rid of caveolins: phenotypes of caveolin-deficient animals. <b>2005</b> , 1746, 322-33	119
474	Clathrin-independent endocytosis: new insights into caveolae and non-caveolar lipid raft carriers. <b>2005</b> , 1745, 273-86	190
473	Secrets of caveolae- and lipid raft-mediated endocytosis revealed by mammalian viruses. <b>2005</b> , 1746, 295-304	136
472	Structure of caveolae. <b>2005</b> , 1746, 334-48	201
471	Clathrin-independent endocytosis: new insights into caveolae and non-caveolar lipid raft carriers. <b>2005</b> , 1746, 349-63	115
470	Caveolae, lipid rafts, and vascular disease. <b>2005</b> , 15, 92-6	76
469	Caveolin and GLT-1 gene expression is reciprocally regulated in primary astrocytes: association of GLT-1 with non-caveolar lipid rafts. <b>2005</b> , 49, 275-87	30
468	The influenza virus ion channel and maturation cofactor M2 is a cholesterol-binding protein. <b>2005</b> , 34, 52-66	94
467	Belt-like localisation of caveolin in deep caveolae and its re-distribution after cholesterol depletion. <b>2005</b> , 123, 613-20	55

466	[Caveolar endocytosis and virus entry]. <b>2005</b> , 55, 19-26	4
465	Rho-kinase and RGS-containing RhoGEFs as molecular targets for the treatment of erectile dysfunction. <b>2005</b> , 11, 4029-40	15
464	Caveolae targeting and regulation of large conductance Ca(2+)-activated K <sup>+</sup> channels in vascular endothelial cells. <b>2005</b> , 280, 11656-64	111
463	Isolation and proteomic analysis of mouse sperm detergent-resistant membrane fractions: evidence for dissociation of lipid rafts during capacitation. <b>2005</b> , 73, 721-9	132
462	Caveolin-1 is not required for murine intestinal cholesterol transport. <b>2005</b> , 280, 28103-9	57
461	Cholesterol and fatty acids regulate dynamic caveolin trafficking through the Golgi complex and between the cell surface and lipid bodies. <b>2005</b> , 16, 2091-105	166
460	Requirement for intercellular adhesion molecule 1 and caveolae in invasion of human oral epithelial cells by Porphyromonas gingivalis. <b>2005</b> , 73, 6290-8	46
459	Viral Membrane Proteins: Structure, Function, and Drug Design. <b>2005</b> ,	6
458	Effect of cholesterol depletion on mitogenesis and survival: the role of caveolar and noncaveolar domains in insulin-like growth factor-mediated cellular function. <b>2005</b> , 146, 5463-73	26
457	Capacitation-dependent concentration of lipid rafts in the apical ridge head area of porcine sperm cells. <b>2005</b> , 11, 583-90	117
456	Regulated localization of Rab18 to lipid droplets: effects of lipolytic stimulation and inhibition of lipid droplet catabolism. <b>2005</b> , 280, 42325-35	231
455	Assembly and trafficking of caveolar domains in the cell: caveolae as stable, cargo-triggered, vesicular transporters. <b>2005</b> , 170, 769-79	209
454	KLF11-mediated repression antagonizes Sp1/sterol-responsive element-binding protein-induced transcriptional activation of caveolin-1 in response to cholesterol signaling. <b>2005</b> , 280, 1901-10	52
453	Ceramide displaces cholesterol from lipid rafts and decreases the association of the cholesterol binding protein caveolin-1. <b>2005</b> , 46, 1678-91	102
452	Antidepressants and antipsychotic drugs colocalize with 5-HT <sub>3</sub> receptors in raft-like domains. <b>2005</b> , 25, 10198-206	72
451	A simple and rapid method to measure cholesterol binding to P450s and other proteins. <b>2005</b> , 46, 1561-8	13
450	Reverse cholesterol transport and cholesterol efflux in atherosclerosis. <b>2005</b> , 98, 845-56	211
449	Cholesterol and apoe: a target for Alzheimer's disease therapeutics. <b>2005</b> , 4, 553-67	6

448	Viral entry, lipid rafts and caveosomes. <b>2005</b> , 37, 394-403	45
447	Caveolin-1 is not essential for biosynthetic apical membrane transport. <b>2005</b> , 25, 10087-96	39
446	Impaired phagocytosis in caveolin-1 deficient macrophages. <b>2005</b> , 4, 1599-607	51
445	Regulaci3n de la expresi3n de caveolina-1 en macr3fagos por agonistas PPAR. <b>2005</b> , 17, 213-222	
444	Muscle-specific interaction of caveolin isoforms: differential complex formation between caveolins in fibroblastic vs. muscle cells. <b>2005</b> , 288, C677-91	52
443	Caveolin-1 interacts directly with dynamin-2. <b>2005</b> , 348, 491-501	86
442	Thermodynamics of membrane domains. <b>2005</b> , 1720, 1-13	128
441	SNARE proteins and caveolin-1 in stallion spermatozoa: possible implications for fertility. <b>2005</b> , 64, 275-91	30
440	Sterol homeostasis in the budding yeast, <i>Saccharomyces cerevisiae</i> . <b>2005</b> , 16, 155-61	34
439	Caveolin, cholesterol, and lipid bodies. <b>2005</b> , 16, 163-74	149
438	Introduction: new aspects of cellular sterol metabolism and transport. <b>2005</b> , 16, 151-3	
437	Single-molecule tracking of membrane molecules: plasma membrane compartmentalization and dynamic assembly of raft-philic signaling molecules. <b>2005</b> , 17, 3-21	188
436	Cholesterol distribution in plasma membranes of beta1 integrin-expressing and beta1 integrin-deficient fibroblasts. <b>2005</b> , 442, 160-8	27
435	The TRP superfamily of cation channels. <b>2005</b> , 2005, re3	600
434	Transport Across the Endothelium: Regulation of Endothelial Permeability. <b>2006</b> , e1-e1	
433	Cell biology of membrane trafficking in human disease. <b>2006</b> , 252, 1-69	38
432	Is caveolin-1 a viable therapeutic target to reduce cancer metastasis?. <b>2006</b> , 10, 709-21	17
431	Trace amounts of copper induce neurotoxicity in the cholesterol-fed mice through apoptosis. <b>2006</b> , 580, 6730-40	42

430	The Vascular Endothelium I. <b>2006</b> ,	11
429	Membrane microdomains, caveolae, and caveolar endocytosis of sphingolipids. <b>2006</b> , 23, 101-10	107
428	A new paradigm for membrane-organizing and -shaping scaffolds. <b>2006</b> , 580, 5559-64	87
427	Opposite effect of caveolin-1 in the metabolism of high-density and low-density lipoproteins. <b>2006</b> , 1761, 24-36	14
426	Neurological abnormalities in caveolin-1 knock out mice. <b>2006</b> , 172, 24-32	68
425	Caveolin-1 as a potential new therapeutic target in multiple myeloma. <b>2006</b> , 233, 10-5	24
424	Role of lipids in the MAPK signaling pathway. <b>2006</b> , 45, 102-19	34
423	Lipid Rafts, Caveolae, and Membrane Traffic. <b>2006</b> , 1-23	5
422	[A new look at adipocyte lipid droplets: towards a role in the sensing of triacylglycerol stores?]. <b>2006</b> , 200, 59-65	
421	Statin therapy induces ultrastructural damage in skeletal muscle in patients without myalgia. <b>2006</b> , 210, 94-102	129
420	Cholesterol-induced caveolin targeting to lipid droplets in adipocytes: a role for caveolar endocytosis. <b>2006</b> , 7, 549-61	140
419	Lipid droplets: a unified view of a dynamic organelle. <b>2006</b> , 7, 373-8	879
418	Phase behavior and the partitioning of caveolin-1 scaffolding domain peptides in model lipid bilayers. <b>2006</b> , 304, 67-76	12
417	Signaling mechanisms regulating endothelial permeability. <b>2006</b> , 86, 279-367	1299
416	Induction of alpha-caveolin-1 (alphaCAV1) expression in bovine granulosa cells in response to an ovulatory dose of human chorionic gonadotropin. <b>2006</b> , 73, 1353-60	8
415	Antibody-specific detection of caveolin-1 in subapical compartments of MDCK cells. <b>2006</b> , 126, 27-34	24
414	Caveolins and flotillin-2 are present in the blood stages of Plasmodium vivax. <b>2006</b> , 99, 153-9	12
413	DHCR24-knockout embryonic fibroblasts are susceptible to serum withdrawal-induced apoptosis because of dysfunction of caveolae and insulin-Akt-Bad signaling. <b>2006</b> , 147, 3123-32	43

412	The MAL proteolipid restricts detergent-mediated membrane pore expansion and percolation. <b>2006</b> , 23, 245-57	11
411	Caveolin-1 and regulation of cellular cholesterol homeostasis. <b>2006</b> , 291, H677-86	111
410	siRNA-induced caveolin-1 knockdown in mice increases lung vascular permeability via the junctional pathway. <b>2006</b> , 290, L405-13	116
409	Mechanisms for cellular cholesterol transport: defects and human disease. <b>2006</b> , 86, 1237-61	157
408	Biogenesis of caveolae: a structural model for caveolin-induced domain formation. <b>2006</b> , 119, 787-96	224
407	Dynamic regulation of caveolin-1 trafficking in the germ line and embryo of <i>Caenorhabditis elegans</i> . <b>2006</b> , 17, 3085-94	93
406	Caveolin-1 functions as a novel Cdc42 guanine nucleotide dissociation inhibitor in pancreatic beta-cells. <b>2006</b> , 281, 18961-72	79
405	Involvement of lipid rafts and caveolae in cardiac ion channel function. <b>2006</b> , 69, 798-807	151
404	Localization of the kappa opioid receptor in lipid rafts. <b>2006</b> , 317, 1295-306	77
403	Transport across the endothelium: regulation of endothelial permeability. <b>2006</b> , 107-44	93
402	Identification of a novel domain at the N terminus of caveolin-1 that controls rear polarization of the protein and caveolae formation. <b>2007</b> , 282, 7232-41	36
401	Caveolin-1 is required for lateral line neuromast and notochord development. <b>2007</b> , 120, 2151-61	49
400	Molecular determinants of endothelial transcytosis and their role in endothelial permeability. <b>2007</b> , 293, L823-42	134
399	Cellular spelunking: exploring adipocyte caveolae. <b>2007</b> , 48, 2103-11	57
398	Lipid Membrane Domains in Glycobiology. <b>2007</b> , 697-731	
397	The tetraspan protein EMP2 regulates expression of caveolin-1. <b>2007</b> , 282, 26542-51	33
396	Severe acute respiratory syndrome coronavirus Orf3a protein interacts with caveolin. <b>2007</b> , 88, 3067-3077	48
395	Lipid rafts and caveolae in signaling by growth factor receptors. <b>2007</b> , 1, 12-32	51



394	Vascular signaling through cholesterol-rich domains: implications in hypertension. <b>2007</b> , 16, 90-104	37
393	A new role for caveolae as metabolic platforms. <b>2007</b> , 18, 344-9	38
392	Hypertrophy and atrophy inversely regulate Caveolin-3 expression in myoblasts. <b>2007</b> , 357, 314-8	15
391	Aromatic residues of Caveolin-1 binding motif of alpha-hemolysin are essential for membrane penetration. <b>2007</b> , 363, 197-202	8
390	"Alternative" endocytic mechanisms exploited by pathogens: new avenues for therapeutic delivery?. <b>2007</b> , 59, 798-809	54
389	Oral Lipid-Based Formulations. <b>2007</b> ,	39
388	Selective cholesterol dynamics between lipoproteins and caveolae/lipid rafts. <b>2007</b> , 46, 13891-906	28
387	Multiple Functions and Clinical Uses of Caveolae in Endothelium. 664-678	1
386	Lipids and lipid-based formulations: optimizing the oral delivery of lipophilic drugs. <b>2007</b> , 6, 231-48	1252
385	The multiple faces of caveolae. <b>2007</b> , 8, 185-94	1116
384	Cholesterol, statins and cancer. <b>2007</b> , 34, 135-41	77
383	The significance of caveolin-1 expression in parietal epithelial cells of Bowman's capsule. <b>2007</b> , 51, 611-21	11
382	Overexpression of caveolin-1 in a human melanoma cell line results in dispersion of ganglioside GD3 from lipid rafts and alteration of leading edges, leading to attenuation of malignant properties. <b>2007</b> , 98, 512-20	34
381	Lipid raft heterogeneity: an enigma. <b>2007</b> , 103 Suppl 1, 135-42	92
380	Squalostatins alter the intracellular trafficking of a neurotoxic prion peptide. <b>2007</b> , 8, 99	12
379	GDNF signaling in embryonic midbrain neurons in vitro. <b>2007</b> , 1159, 28-39	35
378	Cholesterol depletion alters detergent-specific solubility profiles of selected tight junction proteins and the phosphorylation of occludin. <b>2007</b> , 313, 2597-610	35
377	Regulation of raft-dependent endocytosis. <b>2007</b> , 11, 644-53	214

376	Integrin regulation of caveolin function. <b>2007</b> , 11, 969-80	73
375	Clathrin-independent internalization and recycling. <b>2008</b> , 12, 126-44	49
374	Do caveolins regulate cells by actions outside of caveolae?. <b>2007</b> , 17, 51-7	107
373	A new look at adipocyte lipid droplets: towards a role in the sensing of triacylglycerol stores?. <b>2007</b> , 64, 2452-8	27
372	Caveolin-1 in tumor progression: the good, the bad and the ugly. <b>2008</b> , 27, 715-35	238
371	Lipid droplets: a classic organelle with new outfits. <b>2008</b> , 130, 263-79	271
370	Spatiotemporal analysis of endocytosis and membrane distribution of fluorescent sterols in living cells. <b>2008</b> , 130, 891-908	22
369	Lipid-based delivery systems and intestinal lymphatic drug transport: a mechanistic update. <b>2008</b> , 60, 702-16	302
368	High-resolution 3D quantitative analysis of caveolar ultrastructure and caveola-cytoskeleton interactions. <b>2008</b> , 9, 893-909	132
367	Cellular cholesterol trafficking and compartmentalization. <b>2008</b> , 9, 125-38	962
366	Cholesterol and sphingolipids in alcohol-induced liver injury. <b>2008</b> , 23 Suppl 1, S9-15	25
365	Identification, molecular characterisation and differential expression of caveolin-1 in <i>Trichinella spiralis</i> maturing oocytes and embryos. <b>2008</b> , 38, 191-202	24
364	Caveolin-1: an ambiguous partner in cell signalling and cancer. <b>2008</b> , 12, 1130-50	127
363	Caveolae, ion channels and cardiac arrhythmias. <b>2008</b> , 98, 149-60	119
362	Overexpression of A-kinase anchoring protein 12A activates sterol regulatory element binding protein-2 and enhances cholesterol efflux in hepatic cells. <b>2008</b> , 40, 2534-43	5
361	Regulation of tumor phenotypes by caveolin-1 and sphingolipid-controlled membrane signaling complexes. <b>2008</b> , 1780, 585-96	13
360	Inhibition of <i>Bufo arenarum</i> oocyte maturation induced by cholesterol depletion by methyl-beta-cyclodextrin. Role of low-density caveolae-like membranes. <b>2008</b> , 1778, 1398-406	12
359	Altered emotionality, spatial memory and cholinergic function in caveolin-1 knock-out mice. <b>2008</b> , 188, 255-62	31

358	Caveolin-1 deficiency alters plasma lipid and lipoprotein profiles in mice. <b>2008</b> , 367, 826-33	19
357	Regulated association of caveolins to lipid droplets during differentiation of 3T3-L1 adipocytes. <b>2008</b> , 376, 331-5	41
356	PTRF-Cavin, a conserved cytoplasmic protein required for caveola formation and function. <b>2008</b> , 132, 113-24	537
355	PTRF triggers a cave in. <b>2008</b> , 132, 23-4	23
354	Physiology of the prion protein. <b>2008</b> , 88, 673-728	453
353	Molecular mechanisms and therapeutic targets in steatosis and steatohepatitis. <b>2008</b> , 60, 311-57	288
352	Cholesterol effectively blocks entry of flavivirus. <b>2008</b> , 82, 6470-80	137
351	Cholesterol substitution increases the structural heterogeneity of caveolae. <b>2008</b> , 283, 14610-8	33
350	Regulation of caveolin-1 membrane trafficking by the Na/K-ATPase. <b>2008</b> , 182, 1153-69	95
349	Evolutionary analysis and molecular dissection of caveola biogenesis. <b>2008</b> , 121, 2075-86	91
348	Caveolin regulates kv1.5 trafficking to cholesterol-rich membrane microdomains. <b>2008</b> , 73, 678-85	40
347	Protein-sphingolipid interactions within cellular membranes. <b>2008</b> , 49, 251-62	45
346	Heparan sulfate-binding foot-and-mouth disease virus enters cells via caveola-mediated endocytosis. <b>2008</b> , 82, 9075-85	66
345	X-linked inhibitor of apoptosis protein is an important regulator of vascular endothelial growth factor-dependent bovine aortic endothelial cell survival. <b>2008</b> , 102, 896-904	30
344	Potential role of caveolin-1-positive domains in the regulation of the acetylcholine receptor $\beta$ activatable pool: implications in the pathogenesis of a novel congenital myasthenic syndrome. <b>2008</b> , 2, 180-90	12
343	Addition of a cholesterol group to an HIV-1 peptide fusion inhibitor dramatically increases its antiviral potency. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 5801-6	11.5 167
342	Lipid rafts and caveolae and their role in compartmentation of redox signaling. <b>2009</b> , 11, 1357-72	94
341	Regulation of intracellular cholesterol distribution by Na/K-ATPase. <b>2009</b> , 284, 14881-90	46

340	Capacitative Ca <sup>2+</sup> entry via Orai1 and stromal interacting molecule 1 (STIM1) regulates adenylyl cyclase type 8. <b>2009</b> , 75, 830-42	60
339	Peptide-stimulation enhances compartmentalization and the catalytic activity of lung endothelial NOS. <b>2009</b> , 24, 471-82	10
338	Caveolin-1-dependent and -independent membrane domains. <b>2009</b> , 50, 1609-20	21
337	Bleomycin and its role in inducing apoptosis and senescence in lung cells - modulating effects of caveolin-1. <b>2009</b> , 9, 341-53	39
336	Cholesterol-dependent anaplasma phagocytophilum exploits the low-density lipoprotein uptake pathway. <b>2009</b> , 5, e1000329	46
335	HM1.24 is internalized from lipid rafts by clathrin-mediated endocytosis through interaction with alpha-adaptin. <b>2009</b> , 284, 15927-41	115
334	Caveolin-1 and lipid microdomains regulate Gs trafficking and attenuate Gs/adenylyl cyclase signaling. <b>2009</b> , 76, 1082-93	64
333	Lattices, rafts, and scaffolds: domain regulation of receptor signaling at the plasma membrane. <b>2009</b> , 185, 381-5	269
332	A high-cholesterol diet increases the association between caveolae and insulin receptors in rat liver. <b>2009</b> , 50, 98-107	22
331	Invadopodia biogenesis is regulated by caveolin-mediated modulation of membrane cholesterol levels. <b>2009</b> , 13, 1728-1740	53
330	Caveolin-1 regulation of dynamin-dependent, raft-mediated endocytosis of cholera toxin-B sub-unit occurs independently of caveolae. <b>2009</b> , 13, 3218-25	50
329	Endocytosis via caveolae: alternative pathway with distinct cellular compartments to avoid lysosomal degradation?. <b>2009</b> , 13, 1228-37	137
328	Sphingolipids and membrane environments for caveolin. <b>2009</b> , 583, 597-606	48
327	Displacement of tight junction proteins from detergent-resistant membrane domains by treatment with sodium caprate. <b>2009</b> , 36, 246-53	42
326	Cholesterol-regulated stress fiber formation. <b>2009</b> , 106, 1031-40	32
325	Endothelial transcytosis in health and disease. <b>2009</b> , 335, 27-40	97
324	Novel N-terminal cleavage of APP precludes Abeta generation in ACAT-defective AC29 cells. <b>2009</b> , 37, 6-15	22
323	Ocadaic acid retains caveolae in multicaveolar clusters. <b>2009</b> , 15, 479-86	10

322	Interaction of galectin-1 with caveolae induces mouse embryonic stem cell proliferation through the Src, ERas, Akt and mTOR signaling pathways. <b>2009</b> , 66, 1467-78	25
321	Clinical and translational implications of the caveolin gene family: lessons from mouse models and human genetic disorders. <b>2009</b> , 89, 614-23	67
320	The role of caveolin-1 in cardiovascular regulation. <b>2009</b> , 195, 231-45	46
319	Differential cell-specific location of Cav-1 and Ca(2+)-ATPase in terminal Schwann cells and mechanoreceptive Ruffini endings in the periodontal ligament of the rat incisor. <b>2009</b> , 214, 267-74	7
318	Filling up adipocytes with lipids. Lessons from caveolin-1 deficiency. <b>2009</b> , 1791, 514-8	38
317	Interaction of the immunoglobulin-like cell adhesion molecule hepaCAM with caveolin-1. <b>2009</b> , 378, 755-60	11
316	Amyloid beta-protein stimulates trafficking of cholesterol and caveolin-1 from the plasma membrane to the Golgi complex in mouse primary astrocytes. <b>2009</b> , 162, 328-38	74
315	The cytoplasmic domain of influenza M2 protein interacts with caveolin-1. <b>2009</b> , 486, 150-4	12
314	Are all n-3 polyunsaturated fatty acids created equal?. <b>2009</b> , 8, 33	222
313	Lipid raft segregation modulates TRPM8 channel activity. <b>2009</b> , 284, 9215-24	87
312	The biology of caveolae: achievements and perspectives. <b>2009</b> , 273, 117-62	72
311	Membrane-bending proteins. <b>2009</b> , 44, 278-91	37
310	ABCA1 modulates the oligomerization and Golgi exit of caveolin-1 during HDL-mediated cholesterol efflux in aortic endothelial cells. <b>2009</b> , 382, 189-95	17
309	Stromal cell expression of caveolin-1 predicts outcome in breast cancer. <b>2009</b> , 174, 2035-43	163
308	Physicochemical basis of the digestion and absorption of triacylglycerol. <b>2009</b> , 94-125	4
307	Low concentration thresholds of plasma membranes for rapid energy-independent translocation of a cell-penetrating peptide. <b>2009</b> , 420, 179-89	56
306	Cholesterol-protein interaction: methods and cholesterol reporter molecules. <b>2010</b> , 51, 1-45	65
305	Lipid rafts as a membrane-organizing principle. <b>2010</b> , 327, 46-50	3114

304	Caveolin regulation of neuronal intracellular signaling. <b>2010</b> , 67, 3785-95	55
303	Intracellular lipid droplets contain dynamic pools of sphingomyelin: ADRP binds phospholipids with high affinity. <b>2010</b> , 45, 465-77	25
302	Host-cell lipid rafts: a safe door for micro-organisms?. <b>2010</b> , 102, 391-407	71
301	Aiming for invadopodia: organizing polarized delivery at sites of invasion. <b>2010</b> , 20, 64-70	38
300	Membrane rafting: from apical sorting to phase segregation. <b>2010</b> , 584, 1685-93	62
299	The role of caveolae in endothelial cell dysfunction with a focus on nutrition and environmental toxicants. <b>2010</b> , 14, 2359-70	28
298	Caveolin-1 is enriched in the peroxisomal membrane of rat hepatocytes. <b>2010</b> , 51, 1744-53	23
297	SR-BI, CD36, and caveolin-1 contribute positively to cholesterol efflux in hepatic cells. <b>2010</b> , 28, 480-9	21
296	Biogenesis of caveolae: stepwise assembly of large caveolin and cavin complexes. <b>2010</b> , 11, 361-82	176
295	Developmental iodine deficiency and hypothyroidism impair neural development, up-regulate caveolin-1 and down-regulate synaptophysin in rat hippocampus. <b>2010</b> , 22, 129-39	25
294	Lipidomics: coming to grips with lipid diversity. <b>2010</b> , 11, 593-8	570
293	Lipids and membrane lateral organization. <b>2010</b> , 1, 153	33
292	Cellular endocytosis and gene delivery. <b>2010</b> , 16, 222-9	77
291	Palmitoylation regulates raft affinity for the majority of integral raft proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 22050-4	11.5 382
290	Murine norovirus-1 cell entry is mediated through a non-clathrin-, non-caveolae-, dynamin- and cholesterol-dependent pathway. <b>2010</b> , 91, 1428-38	52
289	Inhibition of cytokine signaling in human retinal endothelial cells through downregulation of sphingomyelinases by docosahexaenoic acid. <b>2010</b> , 51, 3253-63	54
288	A major fraction of glycosphingolipids in model and cellular cholesterol-containing membranes is undetectable by their binding proteins. <b>2010</b> , 285, 36049-59	65
287	Caveolin-1 is ubiquitinated and targeted to intraluminal vesicles in endolysosomes for degradation. <b>2010</b> , 191, 615-29	224

286	The role of proline in the membrane re-entrant helix of caveolin-1. <b>2010</b> , 285, 33371-33380	31
285	Changes in gene expression of caveolin-1 after inflammatory pain using quantitative real-time PCR. <b>2010</b> , 630, 187-97	1
284	Caveolin-1 influences human influenza A virus (H1N1) multiplication in cell culture. <b>2010</b> , 7, 108	20
283	Polyunsaturated fatty acid-enriched diets used for the treatment of canine chronic enteropathies decrease the abundance of selected genes of cholesterol homeostasis. <b>2010</b> , 38, 32-7	9
282	Cholesterol increases adhesion of monocytes to endothelium by moving adhesion molecules out of caveolae. <b>2010</b> , 1801, 702-10	31
281	Adenosine receptors interacting proteins (ARIPs): Behind the biology of adenosine signaling. <b>2010</b> , 1798, 9-20	51
280	Lipid raft facilitated ligation of K-alpha1-tubulin by specific antibodies on epithelial cells: Role in pathogenesis of chronic rejection following human lung transplantation. <b>2010</b> , 399, 251-5	21
279	Sterols and sphingolipids: dynamic duo or partners in crime?. <b>2010</b> , 49, 353-65	27
278	Regulation of endothelial permeability via paracellular and transcellular transport pathways. <b>2010</b> , 72, 463-93	467
277	New insights into caveolae, caveolins and endothelial function. <b>2010</b> , 26 Suppl A, 5A-8A	6
276	Advanced Protocols in Oxidative Stress II. <b>2010</b> ,	21
275	Lipid rafts, caveolae, and their endocytosis. <b>2010</b> , 282, 135-63	255
274	In vitro evolution of ligands to the membrane protein caveolin. <b>2011</b> , 133, 9855-62	12
273	Aberrant glycosphingolipid expression and membrane organization in tumor cells: consequences on tumor-host interactions. <b>2011</b> , 705, 643-67	8
272	Caveolin-3 is a direct molecular partner of the Cav1.1 subunit of the skeletal muscle L-type calcium channel. <b>2011</b> , 43, 713-20	11
271	Caveolin 1 is a marker of poor differentiation in Rhabdomyosarcoma. <b>2011</b> , 47, 761-72	19
270	Microdomain-forming proteins and the role of the reggies/flotillins during axon regeneration in zebrafish. <b>2011</b> , 1812, 415-22	23
269	Viral proteins function as ion channels. <b>2011</b> , 1808, 510-5	100

268	Specificity of intramembrane protein-lipid interactions. <b>2011</b> , 3,	110
267	Fat caves: caveolae, lipid trafficking and lipid metabolism in adipocytes. <b>2011</b> , 22, 318-24	85
266	Cholesterol metabolism in Huntington disease. <b>2011</b> , 7, 561-72	94
265	Caveolin-1-mediated apolipoprotein A-I membrane binding sites are not required for cholesterol efflux. <b>2011</b> , 6, e23353	13
264	Caveolin-1 siRNA increases the pulmonary microvascular and alveolar epithelial permeability in rats. <b>2011</b> , 70, 210-9	16
263	Metabolic therapy: lessons from liver diseases. <b>2011</b> , 17, 3933-44	14
262	Altered distribution of caveolin-1 in early liver steatosis. <b>2011</b> , 41, 642-51	24
261	Cholesterol asymmetry in synaptic plasma membranes. <b>2011</b> , 116, 684-9	53
260	Mitochondrial cholesterol: a connection between caveolin, metabolism, and disease. <b>2011</b> , 12, 1483-9	40
259	Caveolins in rhabdomyosarcoma. <b>2011</b> , 15, 2553-68	12
258	Knockdown of caveolin-1 decreases activity of breast cancer resistance protein (BCRP/ABCG2) and increases chemotherapeutic sensitivity. <b>2011</b> , 383, 1-11	16
257	Transcription factor Sp1 is essential for the regulation of the porcine caveolin-1 gene. <b>2011</b> , 30, 491-7	6
256	Caveolae and lipid trafficking in adipocytes. <b>2011</b> , 6, 49-58	24
255	Soft X-ray Laser Microscopy of Lipid Rafts towards GPCR-Based Drug Discovery Using Time-Resolved FRET Spectroscopy. <b>2011</b> , 4, 524-550	78
254	Involvement of caveolin in probucol-induced reduction in hERG plasma-membrane expression. <b>2011</b> , 79, 806-13	38
253	Hydrogen peroxide inhibits non-small cell lung cancer cell anoikis through the inhibition of caveolin-1 degradation. <b>2011</b> , 300, C235-45	45
252	Role of caveolin-1 in endothelial BKCa channel regulation of vasoreactivity. <b>2011</b> , 301, C1404-14	29
251	Elucidation of the Rotavirus NSP4-Caveolin-1 and -Cholesterol Interactions Using Synthetic Peptides. <b>2012</b> , 2012, 575180	5



250	Caveolins: targeting pro-survival signaling in the heart and brain. <b>2012</b> , 3, 393	32
249	Expression of PTRF in PC-3 Cells modulates cholesterol dynamics and the actin cytoskeleton impacting secretion pathways. <b>2012</b> , 11, M111.012245	50
248	Caveolae optimize tissue factor-Factor VIIa inhibitory activity of cell-surface-associated tissue factor pathway inhibitor. <b>2012</b> , 443, 259-66	11
247	Characterization of the molecular architecture of human caveolin-3 and interaction with the skeletal muscle ryanodine receptor. <b>2012</b> , 287, 40302-16	31
246	Caveolae, caveolin, and cavins: potential targets for the treatment of cardiac disease. <b>2012</b> , 44, 530-41	24
245	Growth of influenza A virus is not impeded by simultaneous removal of the cholesterol-binding and acylation sites in the M2 protein. <b>2012</b> , 93, 282-292	21
244	Caveolin targeting to late endosome/lysosomal membranes is induced by perturbations of lysosomal pH and cholesterol content. <b>2012</b> , 23, 864-80	49
243	Muscarinic acetylcholine receptor-interacting proteins (mAChRIPs): targeting the receptorsome. <b>2012</b> , 13, 53-71	15
242	Interactions between caveolin-1 and sphingolipids, and their functional relevance. <b>2012</b> , 749, 97-115	4
241	Atherosclerosis, caveolae and caveolin-1. <b>2012</b> , 729, 127-44	32
240	Caveolin-1 regulates proliferation and osteogenic differentiation of human mesenchymal stem cells. <b>2012</b> , 113, 3773-87	35
239	Structural characterization of the caveolin scaffolding domain in association with cholesterol-rich membranes. <b>2012</b> , 51, 90-9	54
238	Compartmentalization of endocannabinoids into lipid rafts in a microglial cell line devoid of caveolin-1. <b>2012</b> , 165, 2436-49	25
237	Lipid rafts, caveolae and GPI-linked proteins. <b>2012</b> , 729, 3-13	27
236	Pravastatin reverses the membrane cholesterol reorganization induced by myocardial infarction within lipid rafts in CD14(+)/CD16(-) circulating monocytes. <b>2012</b> , 1821, 1287-94	5
235	The modulation of gap-junctional intercellular communication by lipid rafts. <b>2012</b> , 1818, 1866-9	15
234	Lipid Microdomains Structure, Function, and Controversies. <b>2012</b> , 16, 165-197	1
233	Caveolin-1: role in cell signaling. <b>2012</b> , 729, 29-50	120

232	Citrulline diet supplementation improves specific age-related raft changes in wild-type rodent hippocampus. <b>2013</b> , 35, 1589-606	10
231	Introduction of caveolae structural proteins into the protozoan <i>Toxoplasma</i> results in the formation of heterologous caveolae but not caveolar endocytosis. <b>2012</b> , 7, e51773	6
230	Membrane Domains and the Lipid Raft Concept. <b>2012</b> , 20, 4-21	14
229	Dietary fatty acids in metabolic syndrome, diabetes and cardiovascular diseases. <b>2012</b> , 8, 2-17	90
228	Cell Junctions as Membrane Raft Domains. <b>2012</b> , 171-193	1
227	Endocytosis and signaling: cell logistics shape the eukaryotic cell plan. <b>2012</b> , 92, 273-366	230
226	Caveolin-1 and mitochondrial alterations in regenerating rat liver. <b>2012</b> , 75, 1026-32	9
225	Caveolae and the regulation of endocytosis. <b>2012</b> , 729, 14-28	44
224	<sup>7</sup> H-Hydroxycholesterol-induced energy stress leads to sequential opposing signaling responses and to death of C6 glioblastoma cells. <b>2012</b> , 83, 37-46	14
223	Coordinated regulation of caveolin-1 and Rab11a in apical recycling compartments of polarized epithelial cells. <b>2012</b> , 318, 103-13	23
222	Oligodendroglial process formation is differentially affected by modulating the intra- and extracellular cholesterol content. <b>2013</b> , 49, 457-69	5
221	Antigen recovery and preservation using the microwave irradiation of biological samples for transmission electron microscopy analysis. <b>2013</b> , 52-53, 16-23	
220	HDL drug carriers for targeted therapy. <b>2013</b> , 415, 94-100	16
219	Mitochondrial glutathione: features, regulation and role in disease. <b>2013</b> , 1830, 3317-28	125
218	Caveolae as plasma membrane sensors, protectors and organizers. <b>2013</b> , 14, 98-112	595
217	Endocytosis of gene delivery vectors: from clathrin-dependent to lipid raft-mediated endocytosis. <b>2013</b> , 21, 1118-30	193
216	Boar Spermatozoa Within the Oviductal Environment (II): Sperm Capacitation. <b>2013</b> , 347-405	1
215	Steric pressure between membrane-bound proteins opposes lipid phase separation. <b>2013</b> , 135, 1185-8	62

214	Vasopressin induces apical expression of caveolin in rat kidney collecting duct principal cells. <b>2013</b> , 305, F1783-95	14
213	Caveolae, lipid droplets, and adipose tissue biology: pathophysiological aspects. <b>2013</b> , 15, 11-8	12
212	Regulation of renal organic anion transporter 3 (SLC22A8) expression and function by the integrity of lipid raft domains and their associated cytoskeleton. <b>2013</b> , 31, 565-78	9
211	Annexin A1 is a biomarker of T-tubular repair in skeletal muscle of nonmyopathic patients undergoing statin therapy. <b>2013</b> , 27, 2156-64	14
210	Transgenic mouse model reveals an unsuspected role of the acetylcholine receptor in statin-induced neuromuscular adverse drug reactions. <b>2013</b> , 13, 362-8	9
209	The less-often-traveled surface of stem cells: caveolin-1 and caveolae in stem cells, tissue repair and regeneration. <b>2013</b> , 4, 90	37
208	Glutathione and mitochondria. <b>2014</b> , 5, 151	269
207	Cytosolic Calcium Homeostasis in Neurons [Control Systems, Modulation by Reactive Oxygen and Nitrogen Species, and Space and Time Fluctuations. <b>2014</b> ,	2
206	Caveolae regulate the nanoscale organization of the plasma membrane to remotely control Ras signaling. <b>2014</b> , 204, 777-92	95
205	Membrane domain formation-a key factor for targeted intracellular drug delivery. <b>2014</b> , 5, 462	1
204	Sterol-dependent induction of plant defense responses by a microbe-associated molecular pattern from <i>Trichoderma viride</i> . <b>2014</b> , 164, 819-27	13
203	Squalene synthase induces tumor necrosis factor receptor 1 enrichment in lipid rafts to promote lung cancer metastasis. <b>2014</b> , 190, 675-87	36
202	Impaired Cav-1 expression in SSc mesenchymal cells upregulates VEGF signaling: a link between vascular involvement and fibrosis. <b>2014</b> , 7, 13	19
201	Interaction of membrane/lipid rafts with the cytoskeleton: impact on signaling and function: membrane/lipid rafts, mediators of cytoskeletal arrangement and cell signaling. <b>2014</b> , 1838, 532-45	336
200	15-lipoxygenase-mediated modification of HDL3 impairs eNOS activation in human endothelial cells. <b>2014</b> , 49, 317-26	7
199	Caveolin-1 is essential for protecting against binge drinking-induced liver damage through inhibiting reactive nitrogen species. <b>2014</b> , 60, 687-99	37
198	Caveolin-1 interacts with ATP binding cassette transporter G1 (ABCG1) and regulates ABCG1-mediated cholesterol efflux. <b>2014</b> , 1841, 847-58	24
197	Loss of caveolin-1 expression in knock-in mouse model of Huntington's disease suppresses pathophysiology in vivo. <b>2014</b> , 23, 129-44	19

196	Role of aquaglyceroporins and caveolins in energy and metabolic homeostasis. <b>2014</b> , 397, 78-92	43
195	Interactions of caveolin-1 scaffolding and intramembrane regions containing a CRAC motif with cholesterol in lipid bilayers. <b>2014</b> , 1838, 2588-99	25
194	Regulation of intracellular signaling and function by caveolin. <b>2014</b> , 28, 3823-31	126
193	The YXX $\Phi$ motif within the severe acute respiratory syndrome coronavirus (SARS-CoV) 3a protein is crucial for its intracellular transport. <b>2014</b> , 11, 75	24
192	Rafting through traffic: Membrane domains in cellular logistics. <b>2014</b> , 1838, 3003-3013	55
191	Stresses at the cell surface during animal cell morphogenesis. <b>2014</b> , 24, R484-94	88
190	Functional Role of Membrane Lipids in EGF Receptor Dynamics and Regulation. <b>2014</b> , 62-79	1
189	MicroRNA-195 inhibits proliferation, invasion and metastasis in breast cancer cells by targeting FASN, HMGCR, ACACA and CYP27B1. <b>2015</b> , 5, 17454	121
188	Myocardial tissue caveolae. <b>2015</b> , 5, 871-86	8
187	Promotion of human mesenchymal stem cell osteogenesis by PI3-kinase/Akt signaling, and the influence of caveolin-1/cholesterol homeostasis. <b>2015</b> , 6, 238	62
186	Cholesterol removal from adult skeletal muscle impairs excitation-contraction coupling and aging reduces caveolin-3 and alters the expression of other triadic proteins. <b>2015</b> , 6, 105	9
185	Targeting caveolin-3 for the treatment of diabetic cardiomyopathy. <b>2015</b> , 151, 50-71	14
184	Recruitment of activating NK-cell receptors 2B4 and NKG2D to membrane microdomains in mammalian cells is dependent on their transmembrane regions. <b>2015</b> , 45, 1258-69	3
183	Role of cholesterol in SNARE-mediated trafficking on intracellular membranes. <b>2015</b> , 128, 1071-81	39
182	Cavin3 interacts with cavin1 and caveolin1 to increase surface dynamics of caveolae. <b>2015</b> , 128, 979-91	34
181	Recent progress in the topology, structure, and oligomerization of caveolin: a building block of caveolae. <b>2015</b> , 75, 305-36	31
180	Potential Signal Transduction Regulation by HDL of the $\beta$ -Adrenergic Receptor Pathway. Implications in Selected Pathological Situations. <b>2015</b> , 46, 361-71	6
179	Caveolae and signalling in cancer. <b>2015</b> , 15, 225-37	135

178	Cavin family proteins and the assembly of caveolae. <b>2015</b> , 128, 1269-78	132
177	Molecular Characterization of Caveolin-induced Membrane Curvature. <b>2015</b> , 290, 24875-90	60
176	The Mammalian Blood-Testis Barrier: Its Biology and Regulation. <b>2015</b> , 36, 564-91	257
175	Lipid rafts, KCa/CLCa/Ca <sup>2+</sup> channel complexes and EGFR signaling: Novel targets to reduce tumor development by lipids?. <b>2015</b> , 1848, 2603-20	43
174	Role of caveolin-3 in lymphocyte activation. <b>2015</b> , 121, 35-9	2
173	Peptide fusion inhibitors targeting the HIV-1 gp41: a patent review (2009 - 2014). <b>2015</b> , 25, 159-73	22
172	Caveolae and Caveolin-1 Integrate Reverse Cholesterol Transport and Inflammation in Atherosclerosis. <b>2016</b> , 17, 429	30
171	Clostridium difficile Toxin A Undergoes Clathrin-Independent, PACSIN2-Dependent Endocytosis. <b>2016</b> , 12, e1006070	25
170	p53 as a Regulator of Lipid Metabolism in Cancer. <b>2016</b> , 17,	56
169	Mitochondrial Cholesterol and the Paradox in Cell Death. <b>2017</b> , 240, 189-210	12
168	Probing the structure and dynamics of caveolin-1 in a caveolae-mimicking asymmetric lipid bilayer model. <b>2016</b> , 45, 511-21	14
167	Affinity-Guided Design of Caveolin-1 Ligands for Deoligomerization. <b>2016</b> , 59, 4019-25	1
166	Differential internalization of brick shaped iron oxide nanoparticles by endothelial cells. <b>2016</b> , 4, 5913-5920	8
165	Biology and Regulation of Protein Sorting and Vesicular Transport. <b>2016</b> , 83-114	
164	Sarcolemmal dependence of cardiac protection and stress-resistance: roles in aged or diseased hearts. <b>2016</b> , 173, 2966-91	6
163	Transport of Therapeutics across Gastrointestinal Epithelium. <b>2016</b> , 199-226	1
162	microRNA regulatory circuits in a mouse model of inherited retinal degeneration. <b>2016</b> , 6, 31431	24
161	Caveolae as a target to quench autoinduction of the metastatic phenotype in lung cancer. <b>2016</b> , 142, 611-8	2

160	The unfavorable lipid environment reduced caveolin-1 expression in apical membranes from human preeclamptic placentas. <b>2016</b> , 1858, 2171-2180	9
159	Reconstitution and spectroscopic analysis of caveolin-1 residues 62-178 reveals that proline 110 governs its structure and solvent exposure. <b>2016</b> , 1858, 682-8	5
158	Endocytic pathways and endosomal trafficking: a primer. <b>2016</b> , 166, 196-204	126
157	Caveolin- and clathrin-independent entry of BKPyV into primary human proximal tubule epithelial cells. <b>2016</b> , 492, 66-72	20
156	Computational comparison of a calcium-dependent jellyfish protein (apoequorin) and calmodulin-cholesterol in short-term memory maintenance. <b>2017</b> , 642, 113-118	3
155	Intestinal epithelial cell caveolin 1 regulates fatty acid and lipoprotein cholesterol plasma levels. <b>2017</b> , 10, 283-295	12
154	Caveolae provide a specialized membrane environment for respiratory syncytial virus assembly. <b>2017</b> , 130, 1037-1050	16
153	Palmitoylation of cysteine 415 of CB receptor affects ligand-stimulated internalization and selective interaction with membrane cholesterol and caveolin 1. <b>2017</b> , 1862, 523-532	16
152	The caveolae dress code: structure and signaling. <b>2017</b> , 47, 117-125	88
151	Non-senescent keratinocytes organize in plasma membrane submicrometric lipid domains enriched in sphingomyelin and involved in re-epithelialization. <b>2017</b> , 1862, 958-971	5
150	Caveolae in Rabbit Ventricular Myocytes: Distribution and Dynamic Diminution after Cell Isolation. <b>2017</b> , 113, 1047-1059	23
149	Caveolins and caveolae in ocular physiology and pathophysiology. <b>2017</b> , 56, 84-106	39
148	The Role of Caveolin 1 in HIV Infection and Pathogenesis. <b>2017</b> , 9,	15
147	Caveolin-1: An Oxidative Stress-Related Target for Cancer Prevention. <b>2017</b> , 2017, 7454031	46
146	Membrane Cholesterol in Skeletal Muscle: A Novel Player in Excitation-Contraction Coupling and Insulin Resistance. <b>2017</b> , 2017, 3941898	19
145	Biofunctionalization of Cyclodextrin nanosponges using cholesterol. <b>2018</b> , 190, 23-30	40
144	Biological effects of trans fatty acids and their possible roles in the lipid rafts in apoptosis regulation. <b>2018</b> , 42, 904-912	5
143	The Relationship Between 6 Polymorphisms of Caveolin-1 Gene and the Risk of Breast Cancer. <b>2018</b> , 18, e893-e898	5

142	The mechanisms behind decreased internalization of angiotensin II type 1 receptor. <b>2018</b> , 103-105, 1-7	15
141	Caveolae: Structure, Function, and Relationship to Disease. <b>2018</b> , 34, 111-136	105
140	Metastasis and chemoresistance in CD133 expressing pancreatic cancer cells are dependent on their lipid raft integrity. <b>2018</b> , 439, 101-112	25
139	Endothelial Transcytosis of Lipoproteins in Atherosclerosis. <b>2018</b> , 5, 130	47
138	Intracellular and Plasma Membrane Events in Cholesterol Transport and Homeostasis. <b>2018</b> , 2018, 3965054	44
137	Targeting the Mitochondrial Potassium Channel Kv1.3 to Kill Cancer Cells: Drugs, Strategies, and New Perspectives. <b>2019</b> , 24, 882-892	5
136	Caveolin-1 Endows Order in Cholesterol-Rich Detergent Resistant Membranes. <b>2019</b> , 9,	10
135	Targeting Foam Cell Formation in Atherosclerosis: Therapeutic Potential of Natural Products. <b>2019</b> , 71, 596-670	63
134	Simvastatin delays castration-resistant prostate cancer metastasis and androgen receptor antagonist resistance by regulating the expression of caveolin-1. <b>2019</b> , 54, 2054-2068	9
133	Cryopreservation disrupts lipid rafts and heat shock proteins in yellow catfish sperm. <b>2019</b> , 87, 32-39	7
132	Annexin A2 expression and partners during epithelial cell differentiation. <b>2019</b> , 97, 612-620	4
131	Combustion Particle-Induced Changes in Calcium Homeostasis: A Contributing Factor to Vascular Disease?. <b>2019</b> , 19, 198-209	10
130	Group A NAD-Glycohydrolase Inhibits Caveolin 1-Mediated Internalization Into Human Epithelial Cells. <b>2019</b> , 9, 398	5
129	Interplay between Membrane Curvature and Cholesterol: Role of Palmitoylated Caveolin-1. <b>2019</b> , 116, 69-78	33
128	Abnormal Golgi pH Homeostasis in Cancer Cells Impairs Apical Targeting of Carcinoembryonic Antigen by Inhibiting Its Glycosyl-Phosphatidylinositol Anchor-Mediated Association with Lipid Rafts. <b>2019</b> , 30, 5-21	14
127	The importance of caveolins and caveolae to dermatology: Lessons from the caves and beyond. <b>2020</b> , 29, 136-148	9
126	Multimodal, in Situ Imaging of Ex Vivo Human Skin Reveals Decrease of Cholesterol Sulfate in the Neoeplithelium during Acute Wound Healing. <b>2020</b> , 92, 1386-1394	7
125	Acute Statin Treatment Improves Antibody Accumulation in EGFR- and PSMA-Expressing Tumors. <b>2020</b> , 26, 6215-6229	9

124	Caveolin1 Tyrosine-14 Phosphorylation: Role in Cellular Responsiveness to Mechanical Cues. <b>2020</b> , 253, 509-534	6
123	Caveolin-1 upregulates Fut8 expression by activating the Wnt/ $\beta$ -catenin pathway to enhance HCC cell proliferative and invasive ability. <b>2020</b> , 44, 2202-2212	10
122	Regulation of caveolae through cholesterol-depletion-dependent tubulation mediated by PACSIN2. <b>2020</b> , 133,	3
121	Tunicamycin induced endoplasmic reticulum stress in the small intestine. <b>2021</b> , 96, 507-519	
120	Caveolin induced membrane curvature and lipid clustering: two sides of the same coin?. <b>2021</b> ,	2
119	An inverted CAV1 (caveolin 1) topology defines novel autophagy-dependent exosome secretion from prostate cancer cells. <b>2021</b> , 17, 2200-2216	7
118	Caveola-forming proteins and prostate cancer. <b>2020</b> , 39, 415-433	0
117	Sphingomyelin Effects in Caveolin-1 Mediated Membrane Curvature. <b>2020</b> , 124, 5177-5185	8
116	Membrane tension buffering by caveolae: a role in cancer?. <b>2020</b> , 39, 505-517	9
115	Tumor-stroma biomechanical crosstalk: a perspective on the role of caveolin-1 in tumor progression. <b>2020</b> , 39, 485-503	6
114	Lung Endothelial Transcytosis. <b>2020</b> , 10, 491-508	8
113	Statin Treatment-Induced Development of Type 2 Diabetes: From Clinical Evidence to Mechanistic Insights. <b>2020</b> , 21,	16
112	Lipid Rafts in Exosome Biogenesis. <b>2020</b> , 85, 177-191	20
111	Altered Lipid Domains Facilitate Enhanced Pulmonary Vasoconstriction after Chronic Hypoxia. <b>2020</b> , 62, 709-718	3
110	Cholesterol interaction motifs in G protein-coupled receptors: Slippery hot spots?. <b>2020</b> , 12, e1481	19
109	Caveolae: Mechanosensing and mechanotransduction devices linking membrane trafficking to mechanoadaptation. <b>2021</b> , 68, 113-123	12
108	Caveolin-1 and cavin1 act synergistically to generate a unique lipid environment in caveolae. <b>2021</b> , 220,	8
107	Endothelial Cell Receptors in Tissue Lipid Uptake and Metabolism. <b>2021</b> , 128, 433-450	11



106	Lysophospholipid acylation modulates plasma membrane lipid organization and insulin sensitivity in skeletal muscle. <b>2021</b> , 131,	11
105	Celastrol Attenuates Lipid Accumulation and Stemness of Clear Cell Renal Cell Carcinoma via CAV-1/LOX-1 Pathway. <b>2021</b> , 12, 658092	3
104	Crosstalk Between LXR and Caveolin-1 Signaling Supports Cholesterol Efflux and Anti-Inflammatory Pathways in Macrophages. <b>2021</b> , 12, 635923	2
103	CHIMs are versatile cholesterol analogs mimicking and visualizing cholesterol behavior in lipid bilayers and cells. <b>2021</b> , 4, 720	5
102	Interactions between Caveolin-1 (rs3807992) polymorphism and major dietary patterns on cardio-metabolic risk factors among obese and overweight women. <b>2021</b> , 21, 138	6
101	The effect of dietary total antioxidant capacity (DTAC) and Caveolin-1 gene variant interaction on cardiovascular risk factors among overweight and obese women: A cross-sectional investigation. <b>2021</b> , 40, 4893-4903	3
100	Melatonin: Regulation of Biomolecular Condensates in Neurodegenerative Disorders. <b>2021</b> , 10,	6
99	Drugs Interfering with Insulin Resistance and Their Influence on the Associated Hypermetabolic State in Severe Burns: A Narrative Review. <b>2021</b> , 22,	2
98	Evaluation of the available cholesterol concentration in the inner leaflet of the plasma membrane of mammalian cells. <b>2021</b> , 62, 100084	10
97	The diversity in the expression profile of caveolin II transcripts, considering its new transcript in breast cancer. <b>2018</b> , 119, 2168-2178	7
96	Efflux and Plasma Transport of Biosynthetic Sterols. <b>1998</b> , 147-168	2
95	Intracellular Sterol Binding Proteins: Cholesterol Transport and Membrane Domains. <b>1998</b> , 213-234	29
94	Scavenger Receptors, Caveolae, Caveolin, and Cholesterol Trafficking. <b>1998</b> , 253-272	10
93	Selective Uptake of Lipoprotein Free Cholesterol and Its Intracellular Transport [Role of Caveolin. <b>1998</b> , 273-288	3
92	Cholesterol Trafficking in CaCo-2 Cells. <b>1998</b> , 123-145	2
91	Spatial determinants of specificity in insulin action. <b>1998</b> , 65-71	1
90	Cholesterol cytochemistry in cell biology and disease. <b>1997</b> , 28, 477-505	23
89	Has nature designed the cholesterol side chain for optimal interaction with phospholipids?. <b>1997</b> , 28, 145-71	36

88	Oxidative stress, caveolae and caveolin-1. <b>2004</b> , 37, 425-41	12
87	Rafts, little caves and large potholes: how lipid structure interacts with membrane proteins to create functionally diverse membrane environments. <b>2004</b> , 37, 35-118	23
86	Mapping of oxidative stress response elements of the caveolin-1 promoter. <b>2010</b> , 594, 409-23	8
85	Protein sorting and vesicular traffic in the Golgi apparatus. <b>1997</b> , 63-129	38
84	Niemann-Pick C1 protein regulates cholesterol transport to the trans-Golgi network and plasma membrane caveolae. <b>2002</b> , 43, 579-589	59
83	Localization of the murine Niemann-Pick C1 protein to two distinct intracellular compartments. <b>2000</b> , 41, 673-687	76
82	Caveolin is present in intestinal cells: role in cholesterol trafficking?. <b>1998</b> , 39, 1938-1950	58
81	Vimentin-dependent utilization of LDL-cholesterol in human adrenal tumor cells is not associated with the level of expression of apoE, sterol carrier protein-2, or caveolin. <b>1999</b> , 40, 1440-1452	9
80	Transport of cholesterol from the endoplasmic reticulum to the plasma membrane is constitutive in CaCo-2 cells and differs from the transport of plasma membrane cholesterol to the endoplasmic reticulum. <b>1998</b> , 39, 333-343	47
79	Regulation of caveolin and caveolae by cholesterol in MDCK cells. <b>1998</b> , 39, 369-379	240
78	Intracellular cholesterol transport. <b>1997</b> , 38, 1503-1521	238
77	Keeping in touch with the membrane; protein- and lipid-mediated confinement of caveolae to the cell surface. <b>2020</b> , 48, 155-163	18
76	Caveolin mRNA levels are up-regulated by free cholesterol and down-regulated by oxysterols in fibroblast monolayers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 3753-8	11.5 199
75	Caveolae and lipid sorting: Shaping the cellular response to stress. <b>2020</b> , 219,	21
74	ECM deposition is driven by caveolin-1-dependent regulation of exosomal biogenesis and cargo sorting. <b>2020</b> , 219,	18
73	Role of caveolin-3 and glucose transporter-4 in isoflurane-induced delayed cardiac protection. <b>2010</b> , 112, 1136-45	46
72	The Lands cycle modulates plasma membrane lipid organization and insulin sensitivity in skeletal muscle.	1
71	Signaling-dependent control of apical membrane size and self-renewal in rosette-stage human neuroepithelial stem cells.	0

70	ECM deposition is driven by caveolin1-dependent regulation of exosomal biogenesis and cargo sorting.	2
69	Physiology, Phylogeny, and Functions of the TRP Superfamily of Cation Channels. <b>2001</b> , 2001, re1-re1	30
68	Human cytomegalovirus glycoprotein B contains autonomous determinants for vectorial targeting to apical membranes of polarized epithelial cells. <b>1998</b> , 72, 7374-86	26
67	Expression of caveolin-1 and polarized formation of invaginated caveolae in Caco-2 and MDCK II cells. <b>1998</b> , 111, 825-832	133
66	Caveolin proteins in signaling, oncogenic transformation and muscular dystrophy. <b>2000</b> , 113, 2103-2109	82
65	Isoforms of caveolin-1 and caveolar structure. <b>2000</b> , 113, 3509-3517	174
64	Cell-specific targeting of caveolin-1 to caveolae, secretory vesicles, cytoplasm or mitochondria. <b>2001</b> , 114, 1397-1408	139
63	Cholesterol depletion in adipocytes causes caveolae collapse concomitant with proteosomal degradation of cavin-2 in a switch-like fashion. <b>2012</b> , 7, e34516	51
62	Regulation of SREBPs by Sphingomyelin in Adipocytes via a Caveolin and Ras-ERK-MAPK-CREB Signaling Pathway. <b>2015</b> , 10, e0133181	16
61	Cholesterol Depletion Alters Cardiomyocyte Subcellular Signaling and Increases Contractility. <b>2016</b> , 11, e0154151	10
60	Presence of Androgen Receptor Variant in Neuronal Lipid Rafts. <b>2017</b> , 4,	15
59	Molecular Mechanism Linking BRCA1 Dysfunction to High Grade Serous Epithelial Ovarian Cancers with Peritoneal Permeability and Ascites. <b>2015</b> , 1,	4
58	Regulation of endothelial derived nitric oxide in health and disease. <b>2005</b> , 100 Suppl 1, 15-8	83
57	Organization of Membrane Rafts in Chicken Sperm. <b>2016</b> , 53, 233-239	7
56	Signaling epicenters: the role of caveolae and caveolins in volatile anesthetic induced cardiac protection. <b>2014</b> , 20, 5681-9	5
55	Caveolae, caveolin-1 and cavin-1: Emerging roles in pulmonary hypertension. <b>2015</b> , 5, 126-134	11
54	Reconstitution of Caveolin-1 into Artificial Lipid Membrane: Characterization by Transmission Electron Microscopy and Solid-State Nuclear Magnetic Resonance. <b>2021</b> , 26,	1
53	p53 regulates lipid metabolism in cancer. <b>2021</b> , 192, 45-54	2

- 52 Caveolin is a Cholesterol-binding Protein. **2000**, 130-136
- 51 Epilogue. **2000**,
- 50 EFFECT OF A CHINESE HERBAL MEDICINE MIXTURE ON A RAT MODEL OF HYPERCHOLESTEROLEMIC ERECTILE DYSFUNCTION. **2000**, 1798-1801
- 49 Cellular Lipid Traffic and Lipid Transporters: Regulation of Efflux and HDL Formation. **2009**, 73-106
- 48 Caveolae. 39-60
- 47 Cholesterol Regulation of Cardiac Ion Channels. 91-107
- 46 Regulation of K<sup>+</sup> Channels by Cholesterol-Rich Membrane Domains in the Immune System. 135-160
- 45 Biogenesis of the Golgi Apparatus in Polarized Cells.. **1999**, 39, 29-33
- 44 Adipocyte differentiation impairment as well as lipid metabolism and transport problems in major causes of genetic lipodystrophies. **2019**, 73, 741-761
- 43 The role of caveolae in endothelial dysfunction. **2021**, 0
- 42 Evaluation of Cardiotonic Steroid Modulation of Cellular Cholesterol and Phospholipid. **2021**, 254, 499-512 1
- 41 Regulation of caveolae through cholesterol-depletion dependent tubulation by PACSIN2/Syndapin II. 1
- 40 An inverted Caveolin-1 topology defines a novel exosome secreted from prostate cancer cells.
- 39 Influenza A Virus M2 Protein: Proton Selectivity of the Ion Channel, Cytotoxicity, and a Hypothesis on Peripheral Raft Association and Virus Budding. **2005**, 113-130 2
- 38 The Niemann-Pick C1 and caveolin-1 proteins interact to modulate efflux of low density lipoprotein-derived cholesterol from late endocytic compartments. **2014**, 3, 14-26 3
- 37 Fatty acid metabolism and acyl-CoA synthetases in the .. **2021**, 13, 1512-1533 2
- 36 Tetraspanin-enriched microdomains: The building blocks of migrasomes. **2022**, 1, 100003 0
- 35 Spatial determinants of specificity in insulin action. **1998**, 182, 65-71 3

34	Molecular mechanisms for ABCA1-mediated cholesterol efflux.. <b>2022</b> , 1-19	4
33	Not Enough Fat: Mouse Models of Inherited Lipodystrophy.. <b>2022</b> , 13, 785819	1
32	Sterolight as imaging tool to study sterol uptake, trafficking and efflux in living cells.. <b>2022</b> , 12, 6264	0
31	Interleukin-6 signaling requires EHD1-mediated alteration of membrane rafts.. <b>2022</b> ,	1
30	Image_1.tiff. <b>2019</b> ,	
29	Image_2.tiff. <b>2019</b> ,	
28	Image_3.tiff. <b>2019</b> ,	
27	Image_4.pdf. <b>2019</b> ,	
26	Table_1.pdf. <b>2019</b> ,	
25	Table_2.pdf. <b>2019</b> ,	
24	Molecular Mechanisms Underlying Caveolin-1 Mediated Membrane Curvature.. <b>2022</b> , 1	0
23	Foodborne compounds that alter plasma membrane architecture can modify the response of intestinal cells to shear stress in vitro.. <b>2022</b> , 116034	0
22	Hedgehog signaling and its molecular perspective with cholesterol: a comprehensive review.. <b>2022</b> , 79, 266	3
21	Supplementation Effect of Dietary Flax Seed and Coconut Oil on Antioxidant Enzyme Activities, LPO, Seminal plasma protein profiling in adult ram. <b>2022</b> , 106711	0
20	Proteostatic regulation of caveolins avoids premature oligomerisation and preserves ER homeostasis.	0
19	Dynamin2 stabilizes plasma membrane-connected caveolae by restraining fission.	0
18	Caveolar and non-Caveolar Caveolin-1 in ocular homeostasis and disease. <b>2022</b> , 101094	
17	Kiaa1024L/Minar2 is essential for hearing by regulating cholesterol distribution in hair bundles.	

16	Nanoparticle entry into cells; the cell biology weak link. <b>2022</b> , 188, 114403	3
15	Caveolae biogenesis and lipid sorting at the plasma membrane. <b>2023</b> , 219-228	0
14	Regulation of membrane protein structure and function by their lipid nano-environment.	3
13	Cysteine post-translational modifications regulate protein interactions of caveolin-3.	0
12	Kiaa1024L/Minar2 is essential for hearing by regulating cholesterol distribution in hair bundles. 11,	0
11	Fatty Acid Transport and Signaling: Mechanisms and Physiological Implications. <b>2023</b> , 85,	1
10	Alteration of cholesterol distribution at the plasma membrane of cancer cells: From evidence to pathophysiological implication and promising therapy strategy. 13,	0
9	Caveolin-1 dolines form a distinct and rapid caveolae-independent mechanoadaptation system.	1
8	Rafting on the Plasma Membrane: Lipid Rafts in Signaling and Disease. <b>2023</b> ,	0
7	Intertwining of Retinoic Acid and Cholesterol Pathway and its Consequences in Leishmania donovani-Infected Macrophages. <b>2023</b> , 19-43	0
6	Caveolin-1-Mediated Cholesterol Accumulation Contributes to Exaggerated mGluR-Dependent Long-Term Depression and Impaired Cognition in Fmr1 Knockout Mice.	0
5	Decrease in cholesterol in the cell membrane is essential for Nrf2 activation by quercetin. <b>2023</b> , 116, 109329	0
4	Dynamin2 functions as an accessory protein to reduce the rate of caveola internalization. <b>2023</b> , 222,	0
3	Cholesterol in Class C GPCRs: Role, Relevance, and Localization. <b>2023</b> , 13, 301	0
2	Intracellular Membrane Transport in Vascular Endothelial Cells. <b>2023</b> , 24, 5791	1
1	Caveolae Mechanotransduction at the Interface between Cytoskeleton and Extracellular Matrix. <b>2023</b> , 12, 942	0