NOTHOFAGUS AND PACIFIC BIOGEOGRAPHY

Cladistics

11, 5-32

DOI: 10.1111/j.1096-0031.1995.tb00002.x

Citation Report

#	Article	IF	Citations
1	Cladistic Biogeography of Plants in Australia and New Guinea: Congruent Pattern Reveals Two Endemic Tropical Tracks. Systematic Biology, 1995, 44, 457-473.	5.6	84
2	Systematics of Nothofagus (Nothofagaceae) based on rDNA spacer sequences (ITS): taxonomic congruence with morphology and plastid sequences. American Journal of Botany, 1997, 84, 1137-1155.	1.7	152
3	Molecular phylogeny and biogeography of the Tasmanian and New Zealand mudfishes (Salmoniformes :) Tj ETQq0 0 0 rgBT /Overlock 10	1.0	3
4	Molecular Phylogeny and Biogeography of the Tasmanian and New Zealand Mudfishes (Salmoniformes) Tj ETQq1 1 0.784314 rgBT /Ov	1.0	35
5	Subtree Analysis, Nothofagus and Pacific Biogeography. Cladistics, 1997, 13, 125-129.	3.3	17
6	Molecular phylogeny ofNothofagus (Nothofagaceae) based on theatpB-rbcL intergenic spacer of the chloroplast DNA. Journal of Plant Research, 1997, 110, 469-484.	2.4	54
7	Title is missing!. , 1998, 367, 43-129.		42
8	Anaspidacea, Bathynellacea (Crustacea, Syncarida), generalised tracks, and the biogeographical relationships of South America. Zoologica Scripta, 1998, 27, 311-318.	1.7	19
9	Widespread Taxa and Component 2.0. Cladistics, 1998, 14, 383-386.	3.3	8
10	Phylogenetic Relationships among Onychophora from Australasia Inferred from the Mitochondrial Cytochrome Oxidase Subunit I Gene. Molecular Phylogenetics and Evolution, 1998, 10, 237-248.	2.7	51
11	Trees within trees: phylogeny and historical associations. Trends in Ecology and Evolution, 1998, 13, 356-359.	8.7	261
12	Revealing the factors that promote speciation. Philosophical Transactions of the Royal Society B: Biological Sciences, 1998, 353, 241-249.	4.0	182
13	Measuring the Phylogenetic Randomness of Biological Data Sets. Systematic Biology, 1998, 47, 604-616.	5.6	6
14	New Genus of Fossil Fagaceae from the Santonian (Late Cretaceous) of Central Georgia, U. S. A.. International Journal of Plant Sciences, 1998, 159, 391-404.	1.3	59
15	Biogeography after Burbidge. Australian Systematic Botany, 1998, 11, 231.	0.9	27
16	Distribution patterns and biogeographic analysis of Austral Polychaeta (Annelida). Journal of Biogeography, 1999, 26, 507-533.	3.0	69
17	The importance of dispersal and recent speciation in the flora of New Zealand. Journal of Biogeography, 1999, 26, 1323-1325.	3.0	51
18	Track Analysis Reveals the Composite Nature of the Andean Biota. Australian Journal of Botany, 1999, 47, 111.	0.6	43

#	Article	IF	Citations
19	Ancestral area analysis of Nothofagus (Nothofagaceae) and its congruence with the fossil record. Australian Systematic Botany, 2000, 13, 469.	0.9	32
20	Mitochondrial DNA sequences support allozyme evidence for cryptic radiation of New Zealand Peripatoides (Onychophora). Molecular Ecology, 2000, 9, 269-281.	3.9	62
21	Biogeography of (Batrachospermales,Rhodophyta) in Australia and New Zealand. Cryptogamie, Algologie, 2000, 21, 133-148.	0.9	14
22	Molecular Phylogenetics and Biogeography of Galaxiid Fishes (Osteichthyes: Galaxiidae): Dispersal, Vicariance, and the Position of Lepidogalaxias salamandroides. Systematic Biology, 2000, 49, 777-795.	5.6	120
23	Phylogeny and biogeography of the Chileanpseudopanax laetevirens. New Zealand Journal of Botany, 2000, 38, 409-414.	1.1	13
24	Gondwana, vicariance biogeography and the New York School revisited. Australian Journal of Botany, 2001, 49, 389.	0.6	96
25	Biogeography of Nothofagus supports the sequence of Gondwana breakâ€up. Taxon, 2001, 50, 1025-1041.	0.7	79
26	Biogeography, evolution and palaeoecology of Nothofagus (Nothofagaceae): the contribution of the fossil record. Australian Journal of Botany, 2001, 49, 321.	0.6	74
27	On Areas of Endemism, with an Example from the African Restionaceae. Systematic Biology, 2001, 50, 892-912.	5.6	190
28	The phylogeny of (Gentianaceae) and its colonization of the southern hemisphere as revealed by nuclear and chloroplast DNA sequence variation. Organisms Diversity and Evolution, 2001, 1, 61-79.	1.6	154
29	Phylogenetic Patterns in Northern Hemisphere Plant Geography. International Journal of Plant Sciences, 2001, 162, S41-S52.	1.3	238
30	Phylogeny of Gunnera. Plant Systematics and Evolution, 2001, 226, 85-107.	0.9	40
31	The voice of historical biogeography. Journal of Biogeography, 2001, 28, 157-168.	3.0	118
32	Evolutionary origins of Gondwanan interactions: How old are Araucaria beetle herbivores?. Biological Journal of the Linnean Society, 2001, 74, 459-474.	1.6	61
33	Nothofagus Biogeography Revisited with Special Emphasis on the Enigmatic Distribution of Subgenus Brassospora in New Caledonia. Cladistics, 2001, 17, 28-47.	3.3	89
34	An investigation of long-distance dispersal based on species native to both Tasmania and New Zealand. Australian Journal of Botany, 2001, 49, 333.	0.6	62
35	Most parsimonious areagrams versus fossils: the case of Nothofagus (Nothofagaceae). Australian Journal of Botany, 2001, 49, 367.	0.6	18
36	A New Genus of Chrysomelinae from Australia (Coleoptera: Chrysomelidae). The Coleopterists Bulletin, 2002, 56, 589-596.	0.2	8

#	Article	IF	Citations
37	The phylogenetic and taxonomic position of Lilaeopsis (Apiaceae), with notes on the applicability of ITS sequence data for phylogenetic reconstruction. Australian Systematic Botany, 2002, 15, 181.	0.9	12
38	and Methodologies for Testing Hypotheses of Causal Processes in Vicariance Biogeography. Cladistics, 2002, 18, 207-217.	3.3	8
39	Revision of the Southern South American Endemic Genus Aulacopalpus GuÃ©rin-MÃ©neville with Phylogenetic and Biogeographic Analyses of the Subtribe Brachysternina (Coleoptera: Scarabaeidae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.9	14
40	On the distribution of gymnosperm genera, their areas of endemism and cladistic biogeography. Australian Systematic Botany, 2002, 15, 193.	0.9	17
41	Phylogeny of Henicopidae (Chilopoda: Lithobiomorpha): a combined analysis of morphology and five molecular loci. Systematic Entomology, 2002, 27, 31-64.	3.9	90
42	Biogeography of Indo-Pacific Pontoniinae (Crustacea, Decapoda): a PAE analysis. Journal of Biogeography, 2002, 28, 1239-1253.	3.0	52
43	A Posteriori and a Priori Methodologies for Testing Hypotheses of Causal Processes in Vicariance Biogeography. Cladistics, 2002, 18, 207-217.	3.3	37
44	Critique of parsimony analysis of endemicity as a method of historical biogeography. Journal of Biogeography, 2003, 30, 819-825.	3.0	75
45	The biogeography of Gunnera L.: vicariance and dispersal. Journal of Biogeography, 2003, 30, 979-987.	3.0	65
46	The trans-Pacific zipper effect: disjunct sister taxa and matching geological outlines that link the Pacific margins. Journal of Biogeography, 2003, 30, 1545-1561.	3.0	49
47	Toward an Integrative Historical Biogeography. Integrative and Comparative Biology, 2003, 43, 261-270.	2.0	250
48	Plate 489. Nothofagus moorei Fagaceae. Curtis's Botanical Magazine, 2004, 21, 65-69.	0.3	0
49	Tracking the Mesozoic distribution of Gunnera: comparison with the fossil pollen species Tricolpites reticulatus Cookson. Review of Palaeobotany and Palynology, 2004, 132, 163-174.	1.5	24
50	Biogeography and phylogeny of the New Zealand cicada genera (Hemiptera: Cicadidae) based on nuclear and mitochondrial DNA data. Journal of Biogeography, 2004, 31, 557-569.	3.0	68
51	Radiation of the Australian flora: what can comparisons of molecular phylogenies across multiple taxa tell us about the evolution of diversity in presentâ€“day communities?. Philosophical Transactions of the Royal Society B: Biological Sciences, 2004, 359, 1551-1571.	4.0	348
52	Floral development and molecular phylogeny support the generic status of Tasmannia (Winteraceae). American Journal of Botany, 2004, 91, 321-331.	1.7	30
53	Southern Hemisphere Biogeography Inferred by Event-Based Models: Plant versus Animal Patterns. Systematic Biology, 2004, 53, 216-243.	5.6	796
54	Directional asymmetry of long-distance dispersal and colonization could mislead reconstructions of biogeography. Journal of Biogeography, 2005, 32, 741-754.	3.0	145

#	Article	IF	Citations
56	Not so ancient: the extant crown group of Nothofagus represents a post-Gondwanan radiation. Proceedings of the Royal Society B: Biological Sciences, 2005, 272, 2535-2544.	2.6	150
57	Evolution of the New Zealand mountain flora: Origins, diversification and dispersal. Organisms Diversity and Evolution, 2005, 5, 237-247.	1.6	127
58	Goodbye Gondwana? New Zealand Biogeography, Geology, and the Problem of Circularity. Systematic Biology, 2006, 55, 351-356.	5.6	188
59	Towards a Monophyletic Hoya (Marsdenieae, Apocynaceae): Inferences from the Chloroplast trnL Region and the rbcL-atpB Spacer. Systematic Botany, 2006, 31, 586-596.	0.5	38
60	Panbiogeography of Nothofagus (Nothofagaceae): analysis of the main species massings. Journal of Biogeography, 2006, 33, 1066-1075.	3.0	50
61	Wax plants disentangled: A phylogeny of Hoya (Marsdenieae, Apocynaceae) inferred from nuclear and chloroplast DNA sequences. Molecular Phylogenetics and Evolution, 2006, 39, 722-733.	2.7	34
62	A new model Gondwanan taxon: systematics and biogeography of the harvestman family Pettalidae (Arachnida, Opiliones, Cyphophthalmi), with a taxonomic revision of genera from Australia and New Zealand. Cladistics, 2007, 23, 337-361.	3.3	88
63	West Wind Drift revisited: testing for directional dispersal in the Southern Hemisphere using event-based tree fitting. Journal of Biogeography, 2007, 34, 398-416.	3.0	138
64	Origins of native vascular plants of antarctica: Comments from a historical phytogeography viewpoint. Cytology and Genetics, 2007, 41, 308-316.	0.5	18
65	Fossil nothofagaceous leaves from the Eocene of western Antarctica and their bearing on the origin, dispersal and systematics of Nothofagus. Science in China Series D: Earth Sciences, 2007, 50, 1525-1535.	0.9	21
66	Molecular phylogeny and biogeography of the bipolar Euphrasia (Orobanchaceae): Recent radiations in an old genus. Molecular Phylogenetics and Evolution, 2008, 48, 444-460.	2.7	60
67	PHYLOGEOGRAPHY OF THE GENUS SPONGITES (CORALLINALES, RHODOPHYTA) FROM CHILE¹. Journal of Phycology, 2008, 44, 173-182.	2.3	16
68	Relationships among felt scale insects (Hemiptera:Coccoidea:Eriococcidae) of southern beech, Nothofagus (Nothofagaceae), with the first descriptions of Australian species of the Nothofagus-feeding genus Madarococcus Hoy. Invertebrate Systematics, 2008, 22, 365.	1.3	15
69	The phylogeny, biogeography and morphological evolution of Gaultheria (Ericaceae) from Australia and New Zealand. Australian Systematic Botany, 2009, 22, 229.	0.9	16
70	Allochronic taxa as an alternative model to explain circumantarctic disjunctions. Systematic Entomology, 2009, 34, 2-9.	3.9	20
71	Changing perspectives on the biogeography of the tropical South Pacific: influences of dispersal, vicariance and extinction. Journal of Biogeography, 2009, 36, 1035-1054.	3.0	91
72	New Zealand phylogeography: evolution on a small continent. Molecular Ecology, 2009, 18, 3548-3580.	3.9	217
73	Phylogenetic biome conservatism on a global scale. Nature, 2009, 458, 754-756.	27.8	588

#	Article	IF	Citations
74	The ghosts of Gondwana and Laurasia in modern liverwort distributions. Biological Reviews, 2010, 85, 471-487.	10.4	56
75	Generic relationships and dating of lineages in Winteraceae based on nuclear (ITS) and plastid (rpS16) Tj ETQq1 1 0.784314 rgBT /Ov	2.7	48
76	Phylogenetic systematics of Hoya (Apocynaceae). Blumea: Journal of Plant Taxonomy and Plant Geography, 2009, 54, 228-232.	0.2	2
77	Cophylogeny and biogeography of the fungal parasite Cyttaria and its host Nothofagus, southern beech. Mycologia, 2010, 102, 1417-1425.	1.9	53
78	Nothofagus, Key Genus in Plant Geography. Plant and Vegetation, 2011, , 249-266.	0.6	3
79	Revision of the genus Megalopsalis (Arachnida: Opiliones: Phalangioidea) in Australia and New Zealand and implications for phalangioid classification. Zootaxa, 2011, 2773, 1.	0.5	24
80	A bioregional analysis of the distribution of rainforest cover, deforestation and degradation in Papua New Guinea. Austral Ecology, 2011, 36, 9-24.	1.5	46
81	Systematics and biogeography of the Gondwanan Orthocladiinae (Diptera: Chironomidae). Molecular Phylogenetics and Evolution, 2011, 59, 458-468.	2.7	59
82	New World Origins of Southwest Pacific Gesneriaceae: Multiple Movements Across and Within the South Pacific. International Journal of Plant Sciences, 2011, 172, 434-457.	1.3	31
83	Testing the Impact of Calibration on Molecular Divergence Times Using a Fossil-Rich Group: The Case of Nothofagus (Fagales). Systematic Biology, 2012, 61, 289-313.	5.6	351
84	Evolution of the intercontinental disjunctions in six continents in the Ampelopsis clade of the grape family (Vitaceae). BMC Evolutionary Biology, 2012, 12, 17.	3.2	88
85	A Southern Hemisphere origin for campanulid angiosperms, with traces of the break-up of Gondwana. BMC Evolutionary Biology, 2013, 13, 80.	3.2	122
86	Post-Glacial Spatial Dynamics in a Rainforest Biodiversity Hot Spot. Diversity, 2013, 5, 124-138.	1.7	8
87	Revised circumscription of Nothofagus and recognition of the segregate genera Fuscospora, Lophozonia, and Trisyngyne (Nothofagaceae). Phytotaxa, 2013, 146, 1.	0.3	99
88	The Monkey's Voyage: How Improbable Journeys Shaped the History of Life.â€"By Alan de Queiroz.. Systematic Biology, 2014, 63, 847-849.	5.6	2
89	Diversification Times and Biogeographic Patterns in Apiales. Botanical Review, The, 2014, 80, 30-58.	3.9	52
90	Global distribution, diversity hot spots and niche transitions of an astaxanthinâ€producing eukaryotic microbe. Molecular Ecology, 2014, 23, 921-932.	3.9	24
91	Why we should retain Nothofagus sensu lato. Australian Systematic Botany, 2015, 28, 190.	0.9	26

#	Article	IF	Citations
92	Nonâ€¢congruent fossil and phylogenetic evidence on the evolution of climatic niche in the Gondwana genus Nothofagus. Journal of Biogeography, 2016, 43, 555-567.	3.0	25
93	The changing course of the Amazon River in the Neogene: center stage for Neotropical diversification. Neotropical Ichthyology, 2018, 16, .	1.0	125
94	Evolution of Climatic Related Leaf Traits in the Family Nothofagaceae. Frontiers in Plant Science, 2018, 9, 1073.	3.6	6
95	Addressing the diversity of Xylodon raduloides complex through integrative taxonomy. IMA Fungus, 2019, 10, 9.	3.8	6
96	On species concepts, phylogenetics and the science of natural historyâ€”three current issues facing taxonomy . Megataxa, 2020, 1, 67-72.	3.8	6
97	Nothofagus Biogeography Revisited with Special Emphasis on the Enigmatic Distribution of Subgenus Brassospora in New Caledonia. Cladistics, 2001, 17, 28-47.	3.3	16
98	Relaxed Molecular Clock Provides Evidence for Long-Distance Dispersal of Nothofagus (Southern) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	5.6	177
99	Are characiform Fishes Gondwanan in Origin? Insights from a Time-Scaled Molecular Phylogeny of the Citharinoidei (Ostariophysi: Characiformes). PLoS ONE, 2013, 8, e77269.	2.5	42
100	Evolution of Dispersal, Habit, and Pollination in Africa Pushed Apocynaceae Diversification After the Eocene-Oligocene Climate Transition. Frontiers in Ecology and Evolution, 2021, 9, .	2.2	5
101	All the Possible Worlds of Biogeography. Plant and Vegetation, 2011, , 269-291.	0.6	0
102	The micro- and megafossil record of Nothofagaceae from South America. Botanical Journal of the Linnean Society, 2021, 196, 1-20.	1.6	4
104	A Parasitoid Puzzle: Phylogenomics, Total-evidence Dating, and the Role of Gondwanan Vicariance in the Diversification of Labeninae (Hymenoptera, Ichneumonidae). Insect Systematics and Diversity, 2022, 6, .	1.7	2
105	Two new species of Phaeohelotium (Leotiomycetes: Helotiaceae) from Chile and their putative ectomycorrhizal status. Fungal Systematics and Evolution, 2022, , .	2.2	0
106	Ancient Antarctica: the early evolutionary history of Nothofagus. Historical Biology, 2024, 36, 136-146.	1.4	2