

CITATION REPORT

List of articles citing

Patterns in Hydrogen Bonding: Functionality and Graph Set Analysis in Crystals

DOI: 10.1002/anie.199515551

Angewandte Chemie International Edition in English,
1995, 34, 1555-1573.

Source: <https://exaly.com/paper-pdf/25839754/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2336	Sulfur-Promoted DABCO-Catalyzed Oxidative Trimerization of Phenylacetonitriles.		
2335	A Photoswitchable Heteroditopic Ion-Pair Receptor.		
2334	Tethered Counterion-Directed Catalysis: Merging the Chiral Ion-Pairing and Bifunctional Ligand Strategies in Enantioselective Gold(I) Catalysis.		
2333	Natural Inhibitors of the RhoAp115 Complex from the Bark of <i>Meiogyne baillonii</i> .		
2332	Crystal structures and hydrogen bond analysis of three arenesulfonate salts of l-alanine, glycine, and d-serine. 1995 , 25, 555-567		8
2331	Crystal Structure Solution from Powder X-ray Diffraction Data: The Development of Monte Carlo Methods To Solve the Crystal Structure of the β -Phase of 3-Chloro-trans-cinnamic Acid 1996 , 8, 565-569		60
2330	Systematic Crystallographic Investigation of Hydrogen-Bonded Networks Involving Monohydrogen Tartrate-Amine Complexes: Potential Materials for Nonlinear Optics?. 1996 , 8, 2313-2323		17
2329	Hydrogen Bonding in Organometallic Crystals. 4. $\text{M}^{\text{II}}-\text{O}$ Hydrogen-Bonding Interactions. 1996 , 15, 2692-2699		46
2328	Complexes of Lysine, Histidine, and Arginine with Sulfonated Azo Dyes: Model Systems for Understanding the Biomolecular Recognition of Glycosaminoglycans by Proteins. 1996 , 118, 2131-2142		54
2327	Inclusion compounds. 1996 , 1, 514-521		7
2326	X-Ray crystal structure of $\text{C}_6\text{H}_3(\text{CO}_2\text{H})_3\text{-}1,3,5\text{-tri-}i>t\text{-butyl-}1,3,5\text{-tris(4,4'-bipy)}: \text{a super trimesic acid chicken-wire grid. } \mathbf{1996}$, 2655-2656		168
2325	Novel additive effect of inclusion crystals on polymorphs of cholic acid crystals having different hydrogen-bonded networks with the same organic guest. 1996 , 989-990		26
2324	Molecular Self-Assemblies. 5. Analysis of the Vector Properties of Hydrogen Bonding in Crystal Engineering. 1996 , 118, 8433-8443		37
2323	The isolation and structure of a highly stable, metallation-resistant and multiply hydrogen-bonded sulfonamide-phosphine oxide adduct, $\text{PhSO}_2\text{CH}_2\text{C}(\text{O})\text{NH}_2\text{-DP}(\text{NMe}_2)_3$, PSA-HMPA (PSA = phenylsulfonacetamide, HMPA = hexamethylphosphoramide). 1996 , 153-154		4
2322	Weak hydrogen bonding. Part 5. Experimental evidence for the long-range nature of $\text{C}\cdots\text{C}$ interactions: crystallographic and spectroscopic studies of three terminal alkynes. 1996 , 2441-2446		43
2321	Reaction of some 4,6-dimethoxyindoles with oxalyl chloride. 1996 , 52, 8925-8936		19
2320	Charge-Transfer-Wechselwirkungen in farbigen Kristallen aromatischer Carbonsäuren und deren Relevanz für die MALDI-Massenspektrometrie. 1996 , 108, 1076-1078		

2319	Selbstorganisation in natürlichen und in nichtnatürlichen Systemen. 1996 , 108, 1242-1286	382
2318	Organoplatin-Komplexe als Bausteine für eindimensionale, über H-Brücken verbundene Polymere. 1996 , 108, 2078-2081	9
2317	Programmierung eines Wasserstoffbrückenbindungs-Codes zur spezifischen Bildung eines Supramakrocyclus. 1996 , 108, 2348-2350	24
2316	Structural studies of phosphoramidates. Conformational preferences and hydrogen bonding. 1996 , 9, 739-745	4
2315	The redox behaviour of some bis-ferrocenyl compounds: crystal and molecular structures of diferrocenylmethane and diferrocenylmethanol. 1996 , 517, 183-190	50
2314	3,12-Dimesityl-6,8-dimethyl-5,10-dioxa-1,2,4,11-tetraazatricyclo[7.3.1.0 ^{2,6}]trideca-3,7,11-triene and 3,12-Dimesityl-6,8,13-trimethyl-5,10-dioxa-1,2,4,11-tetraazatricyclo[7.3.1.0 ^{2,6}]trideca-3,7,11-triene. 1996 , 52, 736-739	2
2313	Hydrogen Bonding in 2-Methyl-1,2,3-propanetricarboxylic Acid, Ammonium Dihydrogen 1,2,3-Propanetricarboxylate Hemihydrate and Tetraammonium 1,2,3,4-Butanetetracarboxylate Monohydrate. 1996 , 52, 731-736	4
2312	Host-Guest Complexes of Furan-2,5-diylbis(diphenylmethanol): Structures of the 2:1 Adducts with Dimethylformamide, Dimethyl Sulfoxide and Pyridine. 1996 , 52, 2009-2014	
2311	Multiple Hydrogen Bonds in Pyridine-2,6-dimethanol and Benzene-1,3,5-trimethanol. 1996 , 52, 2520-2524	4
2310	Hydrogen-Bonded Chains in 4,4'-Dihydroxybenzophenone- π ,4'-Bipyridyl (1/1) and Chains of Rings in 1,3,5-Trihydroxybenzene- π ,4'-Bipyridyl (2/3). 1996 , 52, 2524-2528	10
2309	Interpenetrating Square Nets in the Hydrogen-Bonded Structure of 4,4'-Sulfonyldiphenol. 1996 , 52, 2528-2530	12
2308	1,1'-Ferrocenediylbis(2-phenylethanedione): a Three-Dimensional Network Generated by Short C-H...O Hydrogen Bonds. 1996 , 52, 2465-2468	1
2307	A Paucity of Hydrogen Bonds in Ferrocene-1,1'-diylbis[bis(4-methoxyphenyl)methanol] π Methanol (3/2). 1996 , 52, 3009-3013	2
2306	Pentaammine-2 π N-(π ,4'-bipyridine-1 π :2 π ')(2,2'-bipyridine-1 π N,N')(2,2':6',2''-terpyridine-1 π N,N',N'')diruthenium Tetrakis(hexafluorophosphate) Acetonitrile Solvate. 1996 , 52, 3013-3016	5
2305	Piperazine- π ,4'-Sulfonyldiphenol (1/2): a Self-Assembled Channel Structure. 1996 , 52, 3052-3055	4
2304	Cooperative hydrogen bond cycles involving O \cdots H \cdots π and C \cdots H \cdots O hydrogen bonds as found in a hydrated dialkyne. 1996 , 384, 121-126	27
2303	Energies and Geometries of Isographic Hydrogen-Bonded Networks. 1. The (8) Graph Set. 1996 , 100, 2957-2967	30
2302	Cocrystals of Melamine and Succinimide: Supramolecular Lattice Structure Constructed with Both Self and Not-self Intermolecular Hydrogen Bonds. 1997 , 26, 441-442	13

- 2301 Organic/Organometallic Crystal Synthesis. 1. Hosting Paramagnetic $[(\text{C}_6\text{-Arene})_2\text{Cr}]^+$ (Arene = Benzene, Toluene) in Organic Anion Frameworks via $\text{OH}\cdots\text{O}$ and $\text{CH}\cdots\text{O}$ Hydrogen Bonds. **1997**, 16, 2070-2079 32
- 2300 Hydrogen-Bonding Interactions with the CO Ligand in the Solid State. **1997**, 30, 81-87 82
- 2299 Recognition of Bipyridinium-Based Derivatives by Hydroquinone- and/or Dioxynaphthalene-Based Macrocyclic Polyethers: From Inclusion Complexes to the Self-Assembly of [2]Catenanes. **1997**, 62, 26-37 84
- 2298 From Alkynols to Alkynol Complexes. A Molecular Assembly Study. **1997**, 16, 4910-4919 28
- 2297 Selective Growth of Polymorphs: An Investigation of the Organic Nonlinear Optical Crystal 5-Nitro-2-thiophenecarboxaldehyde-4-methylphenylhydrazone. **1997**, 9, 1328-1334 36
- 2296 Translational Isomerism in Some Two- and Three-Station [2]Rotaxanes. **1997**, 62, 3062-3075 27
- 2295 Generation of Organometallic Crystal Architectures. **1997**, 19, 185-207 10
- 2294 Possible ligand-receptor interactions for NK1 antagonists as observed in their crystal structures. **1997**, 5, 535-47 23
- 2293 N-(n-Butyl)-3,4-dibromomaleimide. **1997**, 53, 631-633
- 2292 5,7-Dichlorokynurenic Acid Hydrate, an Antagonist for the Glycine Binding Site on the NMDA Receptor. **1997**, 53, 739-742 0
- 2291 Dicyclohexylammonium (N,N-Dicyclohexylthiocarbamoylthio)acetate. **1997**, 53, 779-781
- 2290 Molecular Tiling in the 1:1 Adduct of 1,4-Diazabicyclo[2.2.2]octane and 1,3,5-Benzenetricarboxylic Acid. **1997**, 53, 628-631 4
- 2289 Methylxanthines. I. Anhydrous Theophylline. **1997**, 53, 777-779 73
- 2288 Interwoven hydrogen-bonding networks in benzene-1,3,5-triacetic acid. **1997**, 53 (Pt 7), 967-9 3
- 2287 Intermediates in the Synthesis of Forskolin. I. **1997**, 53, 969-971 0
- 2286 3,4-Dihydro-2,6,7-trimethyl-4-oxo-3-(2-pyridyl)quinazoline-8-carboxylic Acid. **1997**, 53, 1291-1293
- 2285 1:1 Molecular Complex of 2-Amino-5-nitropyridine and 3-Nitro-2-pyridone. **1997**, 53, 1270-1273
- 2284 Benzophenone-3,3',4,4'-tetracarboxylic acid dihydrate. **1997**, 53 (Pt 9), 1267-70 1

- 2283 4,4'-Dinitro-2,2'-bipyridine. **1997**, 53, 1719-1721 4
- 2282 Pseudosymmetry in 2,5-Dimethyl-1,4-benzenediol. **1997**, 53, 1673-1675
- 2281 3-(4-Nitroanilino)-2-cyclopenten-1-one. **1997**, 53, 1717-1719 0
- 2280 3-Diazo-1-benzyloxycarbonylpyrrolidin-2-one. **1997**, 53, 1675-1676 3
- 2279 Perylo[1,12-b,c,d]thiophene. **1997**, 53, 1640-1642 6
- 2278 Steric Inhibition of Molecular Weaving: Non-Woven Nets of R66(40) and R66(60) Rings in 1,1,3-Tris(2-methyl-4-hydroxy-5-tert-butylphenyl)butane Hexamethylenetetramine (1/1). **1997**, 53, 1637-1640 1
- 2277 2,4,5-Trimethylbenzoic Acid. **1997**, 53, 1842-1845 2
- 2276 (-)-2,3-Dihydro-3-oxo-1H-indenecarboxylic Acid: Hydrogen-Bonding Patterns in a β -Keto Acid and its Monohydrate. **1997**, 53, 1838-1842
- 2275 1-Cyano-2-p-bromophenylazulene and 2-Azulenylmethyl 2-Anthraquinone. **1997**, 53, 1907-1909 1
- 2274 2'-Hydroxy-4-N-methylstilbazonium Iodide Methanol Solvate, C₁₄H₁₄NO⁺·I⁻·CH₃OH. **1997**, 53, 1895-1897
- 2273 Pairwise-Interwoven R66(48) Hexagonal Nets in the Hydrogen-Bonded Structure of Hexamethylenetetramine, 1,1-Tris(4-hydroxyphenyl)ethane (1/1). **1997**, 53, 1978-1980 4
- 2272 Hydrogen bonding and ring asymmetry in (+/-)-cis-2-phenylcyclopropanecarboxylic acid. **1997**, 53 (Pt 12), 1989-91 2
- 2271 (1,4,7,11,13-Pentaazacyclohexadecane-5N)(perchlorato- κ O)nickel(II) Perchlorate. **1997**, 53, 1778-1780
- 2270 (5a*S*,7*S*)-7-Isopropenyl-3-methyl-5a,6,8,9-tetrahydro-1H,7H-pyrano[4,3-b][1]benzopyran-1-one. **1997**, 53, 1995-1997 2
- 2269 Solid Inclusion Compounds of Chiral Roof-Shaped Diamide Hosts. **1997**, 53, 1892-1895
- 2268 5,8-dimethoxynaphthalene-1,6-dicarboxylic acid. **1997**, 53 (Pt 12), 1987-9 1
- 2267 Bis(4-methoxyphenylsulfonyl)methane: a Three-Dimensional Network Generated by Short C-H...O Hydrogen Bonds. **1997**, 53, 1975-1978 1
- 2266 1,4,5,8-naphthalenetetracarboxylic acid cyclic 1,8-anhydride bis(dimethyl sulfoxide) solvate and 1,4,5,8-naphthalenetetracarboxylic 1,8:4,5-dianhydride. **1997**, 53 (Pt 12), 1991-5 6

- 2265 (1'-Benzoylferrocenyl)diphenylmethanol; a Centrosymmetric⁴⁴(16) Dimer Generated by C_H...O Hydrogen Bonding. **1997**, 53, 1775-1778 3
- 2264 Accurate Redeterminations of 1,1'-Dibenzoylferrocene and (4-Nitrophenyl)ferrocene. **1997**, 53, 1772-1775 4
- 2263 Hydrogen Bond Network in Ethylenediammonium Bis(hydrogenmaleate). **1997**, 53, IUC9700018
- 2262 Functionalised acyl ferrocenes: Crystal and molecular structures of 4-aminobenzoylferrocene, 4-hydroxybenzoylferrocene and 1,1'-bis(4-hydroxybenzoyl) ferrocene. **1997**, 539, 177-186 17
- 2261 Self-assembly of an indolyl-glyoxylamide by unusual hydrogen bonding. **1997**, 38, 4287-4290 10
- 2260 Hydrogen bonds in the crystal packings of mesalazine and mesalazine hydrochloride. **1997**, 416, 209-220 13
- 2259 Intramolecular C^δH^δ...N hydrogen bond interactions in 1-(2-hydroxy-iminopyranosyl)pyrazoles. Results of crystallographic and semiempirical studies. **1997**, 436-437, 173-179 5
- 2258 Ketten, Leitern und Schichten durch Halogen-Halogen- und Halogen-Wasserstoff-Wechselwirkungen. **1997**, 109, 640-642 20
- 2257 Novel Heterospirocyclic 3-Amino-2H-azirines as Synthons for Heterocyclic β -Amino Acids. **1997**, 80, 1528-1554 39
- 2256 Three-Component Reaction with aromatic thioketones, phenyl azide, and dimethyl fumarate. **1997**, 80, 1992-2001 10
- 2255 Molecular Meccano, 27. A Template-directed Synthesis of a Molecular Trefoil Knot. **1997**, 1997, 2485-2494 85
- 2254 Are non-linear C_H...O contacts hydrogen bonds or Van der Waals interactions?. **1998**, 290, 519-525 62
- 2253 A Supramolecular Analogue of Cyclohexane Sustained by Aromatic C_H... π Interactions: Complexes of 1,3,5-Trihydroxybenzene with Substituted Pyridines. **1998**, 120, 6431-6432 99
- 2252 Hydrogen-Bonded Ribbons, Tapes and Sheets as Motifs for Crystal Engineering. **1998**, 97-129 75
- 2251 Crystalline Polymorphism of Organic Compounds. **1998**, 163-208 77
- 2250 Three Polymorphs of 2-Amino-5-nitropyrimidine: Experimental Structures and Theoretical Predictions. **1998**, 120, 8986-8993 54
- 2249 Low-Dimensional Architectures of Silver Coordination Compounds Assembled via Amide-Amide Hydrogen Bonds. **1998**, 1, 39-49 34
- 2248 Generation of crystal structures of acetic acid and its halogenated analogs. **1998**, 19, 1-20 34

- 2247 Heterocyclic N-oxide ch π o hydrogen bonding (part 3). crystal packing of 2,2'-bipyridine-1,1'-dioxide and pyridine N-oxide. **1998**, 1, 243-253 10
- 2246 Synthesis of the endothiopeptide BOC-Trp-Ile-Ala-Aib-Ile-Val[C(SNH)]Aib-Leu-Aib-Pro-OMe by a variation of the β zidine/oxazolone method **1998**, 54, 8721-8736 35
- 2245 Hydrogen bonding in two isomorphous bis-guanidinium salts: tetrachlorozincate(II) and tetrabromozincate(II). **1998**, 446, 1-9 25
- 2244 N π H π C π H hydrogen bonds as part of cooperative networks: crystal structure of N-(p-methylphenyl)-N-prop-2-ynylurea. **1998**, 448, 51-55 5
- 2243 Noncovalent synthesis of donor/acceptor stacks. **1998**, 39, 5155-5158 5
- 2242 A Perforated Molecular Tape in the 1:1 Salt of 4,4'-Trimethylenedipyridine and 1,3,5-Benzenetricarboxylic acid. **1998**, 54, 418-421 2
- 2241 Complex network of hydrogen bonds in 3-aminopyrazole-4-carboxylic acid. **1998**, 54 (Pt 2), 253-6 4
- 2240 Phenolphthalein and 3',3"-dinitrophenolphthalein. **1998**, 54 (Pt 4), 535-9 4
- 2239 (+)-3-Oxo-23,24-dinor-5 β -cholan-22-oic Acid: Hydrogen-Bonding Patterns in a Steroidal Keto Acid and its Monohydrate. **1998**, 54, 421-424 1
- 2238 Biphenyl-2-carboxylic acid: a layered structure. **1998**, 54 (Pt 6), 795-8 3
- 2237 Hydrogen-bonding patterns in a centro-symmetric structure with Z' = 2: alpha, alpha', alpha''-trimethyl-1,3,5-benzenetrimethanol. **1998**, 54 (Pt 6), 792-5
- 2236 Racemic Ethyl 4-(2-Fluorophenyl)-2,6,6-trimethyl-5-oxo-1,4,5,6,7,8-hexahydroquinoline-3-carboxylate. **1998**, 54, 879-882 1
- 2235 N-(3,5-Dichlorophenyl)naphthaldimine. **1998**, 54, 974-976 9
- 2234 8-Aminocaprylic acid. **1998**, 54 (Pt 7), 969-72 2
- 2233 DL-3-aminoisobutyric acid monohydrate. **1998**, 54 (Pt 7), 972-4 1
- 2232 Racemic 2-Hydroxy-2-phenylpropanamidinium Chloride and (S)-2-Hydroxy-2-phenylbutanamidinium (R)-2-Hydroxy-2-phenylethanoate. **1998**, 54, 1170-1173 1
- 2231 3-[(2-Aminoethyl)iminomethyl]-4-hydroxybenzoic Acid 0.28-Hydrate. **1998**, 54, 1119-1121
- 2230 sp-9-[o-(π -Chloro- β , β -dimethylethyl)phenyl]fluorene: an Unanticipated Exclusive Product from the Reaction of sp-9-(o-tert-Butylphenyl)-9-fluorenol with Thionyl Chloride. **1998**, 54, 1173-1175 1

2229	cis-4,6-Dimethyl-2-phenyl-1,3-diselenane. 1998 , 54, 1505-1507	4
2228	6,6'-Dimethylbiphenyl-2,2'-dicarboxylic Acid (6,6'-Dimethyldiphenic Acid). 1998 , 54, 1369-1372	1
2227	5-aminoisophthalic acid hemihydrate. 1998 , 54 (Pt 10), 1503-5	7
2226	(4R)-(-)-2-thioxothiazolidine-4-carboxylic acid (raphanusamic acid). 1998 , 54 (Pt 11), 1634-7	0
2225	Amaryllidaceae Alkaloids: (+)-Tazettine, (+)-3-O-Demethylcriwelline and (+)-3-Epimacronine at 173 K. 1998 , 54, 1653-1659	4
2224	5-ammoniosalicylic acid chloride monohydrate. 1998 , 54 (Pt 11), 1632-4	2
2223	Pairwise-Interlocked Chains in 4,4'-Sulfonyldiphenol, 2'-Bipyridyl (1/1). 1998 , 54, 1639-1642	
2222	1,3,5-Trihydroxybenzene, 2'-Bipyridyl (1/2): a Hydrogen-Bonded Structure Based on a Stem-and-Leaves Motif. 1998 , 54, 1637-1639	3
2221	Polymeric Chloro(triphenyl trithiophosphite)copper(I). 1998 , 54, 1842-1844	3
2220	9H-fluorene-2-carboxaldehyde. 1998 , 54 (Pt 12), 1890-2	2
2219	1-(o-tolylmethyl)naphthalene-2-carboxylic acid. 1998 , 54 (Pt 12), 1885-7	
2218	Quinoline-4-carboxylic acid. 1998 , 54 (Pt 12), 1883-5	3
2217	Hydrogen-bonded trimers in 4,4'-dimethylbiphenyl-2,2'-dicarboxylic acid. 1998 , 54 (Pt 12), 1887-9	4
2216	3-Ferrocenyl-6-nitro-2-phenylquinoxaline: Cyclic Centrosymmetric Dimers Depending on both C _H ...O Hydrogen Bonds and π -Stacking Interactions. 1998 , 54, 1839-1842	1
2215	Investigation of Self-Assembly upon Formation of an Electrostatic Complex of Congo Red and a Helical Peptide. 1998 , 14, 6662-6668	40
2214	Crystal Forms of Hexafluorophosphate Organometallic Salts and the Importance of Charge-Assisted C _H ...F Hydrogen Bonds. 1998 , 17, 296-307	137
2213	Dual Influence of H-Bonding on the Solid-State Second- Harmonic Generation of a Chiral Quinonoid Compound. 1998 , 10, 2371-2377	34
2212	Supramolecular Synthons and Pattern Recognition. 1998 , 57-95	181

2211	Directional Aspects of Intermolecular Interactions. 1998 , 1-56	64
2210	C ^δ H ^δ ...F Interactions in the Crystal Structures of Some Fluorobenzenes. 1998 , 120, 8702-8710	601
2209	The Oxime Functionality: A Versatile Tool for Supramolecular Assembly of Metal-Containing Hydrogen-Bonded Architectures. 1998 , 120, 7383-7384	80
2208	Supramolecular Synthesis of Organic Laminates with Affinity for Aromatic Guests: A New Class of Clay Mimics. 1998 , 120, 11894-11903	139
2207	Crystal Engineering and Organometallic Architecture. 1998 , 98, 1375-1406	1030
2206	Toward the Construction of Functional Solid-State Supramolecular Metal Complexes Containing Copper(I) And Silver(I). 1998 , 46, 173-303	345
2205	Exploratory studies on azole carboxamides as nucleobase analogs: thermal denaturation studies on oligodeoxyribonucleotide duplexes containing pyrrole-3-carboxamide. 1998 , 26, 2208-15	29
2204	1-PHTHALAZINEPHOSPHONIC ACID -AN UNEXPECTED PRODUCT OF THE REACTION BETWEEN DIISOPROPYLPHOSPHITE AND O-PHTHALAZINE. 1998 , 143, 167-178	3
2203	Cambridge Structural Database as a tool for studies of general structural features of organic molecular crystals. 1999 , 68, 1-18	17
2202	Network of C-H...O interactions in 4-benzyloxy-3-methoxybenzaldehyde (vanillin benzyl ether). 1999 , 55 (Pt 12), 2140-2	6
2201	Keto-acid chloride and diketone intermediates in the acylation of ferrocene by arylene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4'-chlorocarbonylbiphenyl: intermolecular association by means of strong C ^δ H ^δ ...O hydrogen bonds and π -stacking interactions. 1999 , 585, 331-340	4
2200	Reaction of dicarboethoxycarbene with 1,3-cyclooctadiene. Entry to the trans-bicyclo[6.1.0]non-cis-2-ene system. 1999 , 40, 3089-3092	
2199	Site-selective incorporation of thioamide-linkages into a growing peptide. 1999 , 55, 5359-5376	40
2198	Pyranose sulfamates: conformation and hydrogen bonding. 1999 , 474, 255-265	5
2197	Self-assembly of helical supramolecular channels from chiral aminopyrimidine hydrogen bonding motifs in the solid state. 1999 , 2, 549-556	1
2196	Hydrogen bonding in [(1R*,7aS*)-hexahydro-5-oxo-1H-pyrroliziny-1-yl]acetic acid. 1999 , 55 (Pt 1), 84-7	
2195	Complexe de cuivre(II) diamino-1,2-(cyclohexane diacétatodiacétique) trihydrate. 1999 , 55, 499-501	2
2194	Hydrogen bonding in 4-aminohippuric acid. 1999 , 55 (Pt 2), 206-9	

- 2193 7,11b-Dihydro-9,10-dimethoxy-3,11b-diphenyl[1,2,4]oxadiazolo[5,4-a][2,3]benzodiazepin-6(5H)-one. **1999**, 55, 685-687 3
- 2192 3-(3-Indolyl)acrylamide. **1999**, 55, 211-213
- 2191 Hydrogen bonding in (2R,3R)-(+)-2,3-dimethoxybutanedioic acid [(+)-tartaric acid dimethyl ether]. **1999**, 55 (Pt 2), 209-11
- 2190 Hydrogen bonding in 4,4',6,6'-tetramethyl-biphenyl-2,2'-dicarboxylic acid. **1999**, 55 (Pt 2), 203-6
- 2189 Self-assembled triple helices in the hydrogen-bonded structure of 2,2'-biphenol π ,4'-bipyridyl (1/1). **1999**, 55, 430-432 8
- 2188 Acefluoranthylene. **1999**, 55, 659-661 1
- 2187 Paroxetine hydrochloride hemihydrate. **1999**, 55 (Pt 3), 432-4 9
- 2186 Two novel optically active penam derivatives. **1999**, 55, 656-659 1
- 2185 (1S,RS)-6,7-Dimethoxy-N-methyl-1-(p-tolylsulfinylmethyl)-1-trifluoromethyl-1,2,3,4-tetrahydroisoquinoline. **1999**, 55, 687-689
- 2184 3-[2-(1,3-Dioxolan-2-yl)ethyl]-2-methylbenzoic acid. **1999**, 55, 798-801
- 2183 A chain of fusedR22(10) andR46(12) rings in the hydrogen-bonded structure of 1,4,8,11-tetraazacyclotetradecane π ,2'-biphenol (1/2). **1999**, 55, 815-817 1
- 2182 Hydrogen bonding in quinolinium-4-carboxylate dihydrate. **1999**, 55 (Pt 6), 935-7
- 2181 Network of C-H...O interactions in 1,2-naphthalenedicarboxylic anhydride. **1999**, 55 (Pt 6), 937-40
- 2180 1,2:3,4:5,6-Tri-O-isopropylidene-D-mannitol. **1999**, 55, 1179-1181 1
- 2179 Dipotassium naphthalene-1,8-dicarboxylate-potassium bicarbonate. **1999**, 55 (Pt 6), 918-21
- 2178 Molecular aggregation in selected crystalline 1:1 complexes of hydrophobicD- andL-amino acids. II. TheD-norleucine series. **1999**, 55, 1105-1112 21
- 2177 Hydrogen bonding and C-H...O interactions in 2,2'-dihydroxy-5,5'-dimethoxybiphenyl-3,3'-dicarbaldehyde. **1999**, 55 (Pt 7), 1176-9
- 2176 Hydrogen bonding in quinolinium-4-carboxylate trihydrate. **1999**, 55 (Pt 7), 1192-5 1

- 2175 2-(Isopropylthio)benzoic acid. **1999**, 55 (Pt 7), 1190-2 1
- 2174 Nitro derivatives of glutethimide. **1999**, 55, 1300-1304 1
- 2173 4,6-Bis(benzyloxy)-1,3,5-triazin-2-ylamine. **1999**, 55, 1304-1306
- 2172 Hydrogen bonding and C-H...O interactions in bis(8-dimethylamino-1-dimethylammonionaphthalene) [(DMANH⁺)₂] 4,8-dicarboxynaphthalene-1,5-dicarboxylate dihydrate. **1999**, 55 (Pt 9), 1556-9 2
- 2171 Linking of C44(32)[R44(30)] chains of rings in the hydrogen-bonded adduct 3,5-dihydroxybenzoic acid and 4,4'-bipyridine (2/3) by means of π - π stacking interactions. **1999**, 55, 1489-1492 4
- 2170 1,4,7,10-Tetraoxacyclododecane- β -ketone thiosemicarbazone (1/2). **1999**, 55, 1542-1545 2
- 2169 2,2'-Bi-2-imidazoline. **1999**, 55, 1492-1494 2
- 2168 Hydrogen bonding and C-H...X interactions in two triclinic phases of 4-carboxyquinolinium chloride monohydrate. **1999**, 55 (Pt 9), 1499-503
- 2167 2,3,4,5,6,7-Hexahydro-9,10-dimethoxy-1,2-benzothiazonin-3-one 1,1-dioxide. **1999**, 55, 1375-1377
- 2166 10,10-Dimethyl-1,2,8-thiadiazecan-9-one 1,1-dioxide. **1999**, 55, 1378-1380 2
- 2165 [Fe(HL)Cl₂].EtOH, where HL is the monoanion of benzoylacetone-S-n-propylisothiosemicarbazone. **1999**, 55, 1440-1443 4
- 2164 C-H...O interactions in dimethyl 6,6'-dimethoxy-3,3',5,5'-tetramethylbiphenyl-2,2'-dicarboxylate. **1999**, 55 (Pt 9), 1496-9
- 2163 2',5'-Dimethylbiphenyl-2-carboxylic acid. **1999**, 55, 1859-1861
- 2162 3-(2-Methylphenyl)propanoic acid. **1999**, 55, 1857-1859 1
- 2161 C-H...O interactions in acenaphthene-5,6-dicarboxylic anhydride. **1999**, 55, 1852-1854 1
- 2160 Network of C-H...O interactions in dimethyl anthracene-1,8-dicarboxylate. **1999**, 55, 1855-1857
- 2159 Hydrogen bonding and C-H...O interactions in bis(4-carboxyquinolinium) sulfate monohydrate. **1999**, 55 (Pt 12), 2142-5
- 2158 Dicyclohexylammonium trifluoroacetate. **1999**, 55, 2145-2147 1

- 2157 N,N'-Dibenzenesulfonylputrescine. **1999**, 55, IUC9900046
- 2156 Synthesis of transition metal isocyanide complexes containing hydrogen bonding sites in peripheral locations. **1999**, 285, 223-232 66
- 2155 Hydrogen and fluorine in crystal engineering: systematics from crystallographic studies of hydrogen bonded tartrate π -imine complexes and fluoro-substituted coumarins, styrylcoumarins and butadienes. **1999**, 183, 81-100 144
- 2154 Ein vielseitiger Weg zu porösen Feststoffen: organisch-anorganische Hybridmaterialien, die sich über H-Brücken aufbauen. **1999**, 111, 1932-1936 15
- 2153 β -Alkyl- β -amino- β -lactampeptide: Design, Synthese und konformative Eigenschaften. **1999**, 111, 3241-3244 3
- 2152 Benzannulation of Axial Chiral Biscarbene Complexes of Chromium: An Approach to Novel C2-Symmetrical Redox-Active Bi(phenanthrenequinones). **1999**, 5, 700-707 34
- 2151 Graph Set Analysis of Hydrogen Bond Motifs. **1999**, 275-290 6
- 2150 Organic Template-Directed Syntheses of Catenanes, Rotaxanes, and Knots. **1999**, 143-176 11
- 2149 Organic Materials for Second-Order Non-Linear Optics. **1999**, 32, 121-217 91
- 2148 Noncovalent Polymer-like Structures of 1,1-Bicyclohexylidene-4,4-dione Dioxime and 1,1-Bicyclohexyl-4,4-dione Dioxime. Chiral Recognition in the Solid State. **1999**, 11, 1484-1491 47
- 2147 Hydrogen Bonds within an Ionic Environment: The Remarkable Behavior of the Zwitterion [CoIII(Γ -C5H4COOH)(Γ -C5H4COO)]. **1999**, 18, 2577-2579 25
- 2146 Engineering Crystalline Architecture with Diketopiperazines: An Investigation of the Strength of Hydrogen-Bonded Tapes Based on the Cyclic Dipeptide of (S)-Aspartic Acid. **1999**, 11, 3315-3328 41
- 2145 A New Strategy toward Construction of Organic-Inorganic Hybridized Molecules. An Infinite One-Dimensional Chain Structure Assembled with Hydrogen- and Coordinate-Bonds. **1999**, 28, 1225-1226 9
- 2144 Inhibitor of HIV-1 reverse transcriptase: N'-(5-bromo-2-pyridyl)-N-[2-(2,5-dimethoxyphenyl)ethyl]thiourea. **1999**, 55 (Pt 12), 2122-4 5
- 2143 Balance of forces between various contacts in crystal structures of two isomeric benzo-condensed dibromodihydroxy-containing compounds. **2000**, 13, 63-74 18
- 2142 C β H α O and C β H α N Hydrogen Bond Networks in the Crystal Structures of Some 1,2-Dihydro-N-aryl-4,6-dimethylpyrimidin-2-ones. **2000**, 152, 221-228 24
- 2141 Polymorphism in p-Hydroxybenzoic Acid: The Effect of Intermolecular Hydrogen Bonding in Controlling Proton Order versus Disorder in the Carboxylic Acid Dimer Motif. **2000**, 39, 4485-4488 32
- 2140 Hydrogen-bonded anionic layer structures constructed from 4,4'-biphenyldicarboxylate and water molecules, and also with urea as an additional component. **2000**, 13, 405-414 10

- 2139 Influence of structure on the kinetics of assembly of cyclic dipeptides into supramolecular tapes. **2000**, 13, 870-879 19
- 2138 Dianion-controlled supramolecular assembly of copper(II)-arginine complex ion. **2000**, 300-302, 749-761 26
- 2137 1:1 hetero-assembly of 2-aminopyrimidine and (+)-camphoric acid. **2000**, 56 (Pt 4), 477-8 6
- 2136 (E)-2-methyl-5-(1-naphthylmethyl)cinnamic acid. **2000**, 56 (Pt 6), 674-6
- 2135 Hydrogen bonds and C-H...O interactions in 2,2'-dimethoxybiphenyl-5,5'-dimethanol at 150 K. **2000**, 56 (Pt 6), 677-8
- 2134 Zwitterionic pyrrolidine-2,2-diylbis(phosphonic acid) at 100, 150 and 293 K. **2000**, 56, 720-2 3
- 2133 Self-assembly of 2-pivaloyl-6-chloropterine. **2000**, 56 (Pt 6), 716-7 2
- 2132 Hydrogen bonds and C-H...O interactions in the enol tautomer of 4-(phenylsulfonyl)spiro[cyclopentane-1,9'-[9H]fluorene]-2,3-dione. **2000**, 56 (Pt 7), 843-5
- 2131 4,8-Dimethoxy-1-naphthalenemethanol. **2000**, 56 (Pt 7), 846-7
- 2130 Hydrogen bonding and C-H...X interactions in 3-fluoro-2-[1-(1-naphthyl)ethyl]benzoic acid. **2000**, 56 (Pt 7), 850-2 2
- 2129 (3R*,4R*)-3-isopropyl-4-phenylazetid-2-one at 150 K. **2000**, 56 (Pt 7), 848-9
- 2128 Hydrogen bonds and C-H...O interactions in 2-(2-methylbenzyl)malonic acid at 150 K. **2000**, 56 (Pt 7), 853-4
- 2127 C-H...O interactions in diethyl 5,5',6,6'-tetramethylbiphenyl-2,2'-dicarboxylate at 193 K. **2000**, 56 (Pt 8), 1024-5 1
- 2126 Hydrogen bonding and C-H...O interactions in 3-(3-aminophthalimido)phthalic acid dihydrate. **2000**, 56 (Pt 8), 1021-3
- 2125 1H-Pyrrolo[2,3-b]pyridine-3-acetic acid as a molecular probe for use in auxin physiology. **2000**, 56 (Pt 8), 1026-7 2
- 2124 3,5-Pyrazoledicarboxylic acid monohydrate. **2000**, 56 (Pt 9), 1124-5 8
- 2123 An inhibitor of Janus kinase 3:4-(4-hydroxyphenylamino)-6,7-dimethoxyquinazolin-1-ium chloride methanol solvate. **2000**, 56 (Pt 10), 1282-3 4
- 2122 Hydrogen bonds and C-H...O interactions in N-(2-hydroxy-1,1-dimethylethyl)benzamide at 150 K. **2000**, 56 (Pt 10), 1218-9

2121	(1R,4bS,8aR)-(1,2,3,4b,5,6,7,8,8a,9a-Decahydro-4,9a-diazafluoren-1-yl)methanol. 2000 , 56, e295-e296	
2120	N-(6-Bromo-4-oxo-3,4-dihydropteridin-2-yl)-2,2-dimethylpropanamide. 2000 , 56, e302-e303	
2119	Hydrogen bonding and C-H...O interactions in 4-phenanthrenemethanol at 150 K. 2000 , 56 (Pt 10), 1287-8	1
2118	2,8-Dihydroxy-1,3,7,9-tetramethyl-6,12-dihydrodipyrido. 2000 , 56 (Pt 9), 1144-5	2
2117	Hydrogen bonding in ethylenediammonium bis(hydrogen malonate) monohydrate. 2000 , 56, e346-e347	1
2116	Hydrogen bonding and C-H...O interactions in 2-. 2000 , 56 (Pt 10), 1222-4	
2115	Hydrogen-bonded dimers in N-(2-nitrophenylthio)saccharin. 2000 , 56 (Pt 12), 1462-4	1
2114	Conformational preferences and supramolecular aggregation in 2-nitrophenylthiolates: 2-nitrophenyl-beta-D-thiogalactopyranoside. 2000 , 56 (Pt 12), 1465-7	1
2113	Diaquatrakis(pentane-2,4-dionato-O,O')holmium(III) monohydrate and diaquatrakis(pentane-2,4-dionato-O,O')holmium(III) 4-hydroxypentan-2-one solvate dihydrate. 2000 , 56 (Pt 2), 156-8	14
2112	Bis(4-hydroxybenzoato-O)(1,4,8,11-tetraazacyclotetradecane-kappa 4N)nickel(II): a three-dimensional framework built from O-H...O and N-H...O hydrogen bonds. 2000 , 56 (Pt 2), 174-6	5
2111	(+/-)-9-(2-bromophenyl)-7,7-dimethyl-1,3,4,5,6,7,8,9-octahydrofuro. 2000 , 56 (Pt 3), 351-3	1
2110	Taurine. 2000 , 56, e23-e24	8
2109	Automated assignment of graph-set descriptors for crystallographically symmetric molecules. 2000 , 56 (Pt 3), 466-73	33
2108	Packing modes of (R,R)-tartaric acid esters and amides. 2000 , 56 (Pt 5), 833-48	22
2107	N-(6-Amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl) derivatives of glycine, valine, serine, threonine and methionine: interplay of molecular, molecular-electronic and supramolecular structures. 2000 , 56 (Pt 5), 882-92	20
2106	Graph-set and packing analysis of hydrogen-bonded networks in polyamide structures in the Cambridge Structural Database. 2000 , 56 (Pt 5), 857-71	21
2105	Selective solvent inclusion as a tool for mapping molecular properties in crystal structures: a diethylstilbestrol example. 2000 , 56 (Pt 6), 1094-102	8
2104	meso-5,5,7,12,12,14-Hexamethyl-1,4,8,11-tetraazacyclotetradecane as a building block in supramolecular chemistry; salts formed with 2,2-biphenol, 4,4-thiodiphenol, 4,4-sulfonyldiphenol, 3-and 4-hydroxybenzoic acids, 3,5-dihydroxybenzoic acid and phenylphosphonic acid; supramolecular structures in zero, one, two and three dimensions. 2000 , 56 (Pt 1), 39-57	96

2103	Conformational preferences in 2-nitrophenylthiolates: interplay between intra- and intermolecular forces; structures of (E)-1-(4-methyl-2-nitrobenzenethiolato)-2-phenylethene, S-(2-nitrophenyl)-benzenecarbothiolate and 1-(2-nitrophenylthio)-2,5-pyrrolidinedione. 2000 , 56 (Pt 1), 58-67	11
2102	Supramolecular chemistry of amine-phenol adducts; novel three-dimensional framework structures in adducts of bis(2-aminoethyl)amine with 4,4'-sulfonyldiphenol, 1,1,1-tris(4-hydroxyphenyl)-ethane and 3,5-dihydroxybenzoic acid, and in the methanol-solvated adduct of bis(2-aminoethyl)amine with terephthalic acid. 2000 , 56 (Pt 1), 68-81	5
2101	Two different three-dimensional hydrogen-bonded framework structures in two hydrated adducts meso-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane-terephthalic acid-water (1/1/4) and (1/1/6). 2000 , 56 (Pt 1), 85-93	8
2100	Short N ⁺ ...H...Ph hydrogen bonds in ammonium tetraphenylborate characterized by neutron diffraction. 2000 , 56 (Pt 2), 254-60	27
2099	Hydrogen-bonding behaviour of benzene-1,2,4,5-tetracarboxylic acid: supramolecular structures of different dimensionality in the 2:1 adducts formed with 4,4'-bipyridyl and hexamethylenetetramine. 2000 , 56 (Pt 2), 261-72	40
2098	Oligosiloxanediols as building blocks for supramolecular chemistry: hydrogen-bonded adducts with amines form supramolecular structures in zero, one and two dimensions. 2000 , 56 (Pt 2), 273-86	17
2097	Hydrogen bonding in three anticonvulsant enamines. 2000 , 525, 141-152	16
2096	Extended structures controlled by intramolecular and intermolecular hydrogen bonding: a case study with pyridine-2,6-dicarboxamide, 1,3-benzenedicarboxamide and N,N'-bis(2,6-pyridinedicarboxamido)-2,6-pyridinedicarboxamide. 2000 , 554, 211-223	21
2095	Molecular geometry versus crystal packing in N-methyl-N-(2-nitrophenyl) cinnamanilide: an experimental charge density study. 2000 , 524, 169-178	6
2094	Novel Anionic Host Lattices Built of Squarate and Thiourea Molecules. 2000 , 56, 6657-6665	61
2093	Isostructurality in inclusion compounds based on interchangeability of equivalent synthons in a hydrogen-bonded host lattice. 2000 , 3, 33-40	9
2092	Hydrogen bonding isosteres: bimolecular carboxylic acid and amine-N-oxide interactions mediated via CH...O hydrogen bonds. 2000 , 8, 1599-605	22
2091	Hydrogen bonding in salicylsalicylic acid (salsalate) crystals. 2000 , 204, 133-6	12
2090	Crystal structure of the nonlinear optical compound L-arginine fluoride. 2000 , 30, 411-414	6
2089	Control of Crystal Packing in SHG Active 7,7-Bis(n-pentylamino)-8,8-dicyanoquinodimethane by Intermolecular H-bonds and Alkyl Chain Interactions. 2000 , 338, 257-269	9
2088	Syntheses, crystal structures, and hydrogen bonding patterns of 3'-C-methylenecarboxylic-3'-deoxythymidine and 3'-C-methyleneamidilylic-3'-deoxythymidine. 2000 , 19, 637-50	4
2087	The Utilization of Persistent H-Bonding Motifs in the Self-Assembly of Supramolecular Architectures. 2000 , 3-29	141
2086	A novel alpha-helix-liked metallohelicite series and their structural adjustments for the isomorphous substitution. 2000 , 39, 2330-6	38

2085	A New Class of Folding Oligomers: Crescent Oligoamides. 2000 , 122, 4219-4220	153
2084	Supramolecular Rosette Ribbon Constructed from Guanidinium and Hydrogen Carbonate Ions in the Crystal Engineering of Hydrogen-Bonded Networks. 2000 , 122, 9860-9861	50
2083	Oxa bowls: synthesis of new tetraoxa-cages and their C-H...O-mediated solid-state architecture. 2000 , 65, 3497-502	30
2082	Evidence for Intramolecular N-H...O Resonance-Assisted Hydrogen Bonding in β -Enaminones and Related Heterodienes. A Combined Crystal-Structural, IR and NMR Spectroscopic, and Quantum-Mechanical Investigation. 2000 , 122, 10405-10417	431
2081	Syntheses, structures, and properties of tetrakis(μ -acetato)dirhodium(II) complexes with axial pyridine nitrogen donor ligands with or without assistance of hydrogen bonds. 2000 , 39, 3294-300	23
2080	5-(1,3-Benzothiazol-2-yliminomethyl)-2,2-dimethyl-1,3-dioxane-4,6-dione. 2001 , 57, 0180-0181	1
2079	Self-assembly of polymer and sheet structures from palladium(II) complexes by hydrogen bonding between carboxamide substituents. 2001 , 40, 6220-8	103
2078	Stereochemistry of aldols: configuration and conformation of aldols derived from cycloalkanones and aldehydes. 2001 , 123, 8939-50	42
2077	Polymorphs of a 1:1 Cocrystal with Tunnel and Layer Structures: p,p'-Biphenol/Dimethyl Sulfoxide. 2001 , 1, 107-111	17
2076	The first supramolecular architectures assembled by infinite hydrogen-bonded, protonated nucleobase-water ribbons and unusual polyiodide frameworks. 2001 , 3, 237-242	21
2075	Oxa bowls: synthesis and C-H...O mediated solid state structure of pentaoxa-[5]-peristylane. 2001 , 66, 6905-12	29
2074	A First-Principles Computation of the Low-Energy Polymorphic Forms of the Acetic Acid Crystal. A Test of the Atom-Atom Force Field Predictions. 2001 , 105, 1710-1719	10
2073	Structure and conformational properties of diacetyl sulfide in the gaseous and condensed phases explored by gas electron diffraction, single-crystal X-ray diffraction, vibrational spectroscopy, and quantum chemical calculations. 2001 , 123, 12623-31	12
2072	Tubular hydrogen-bonded networks sustained by water molecules. 2001 , 123, 11970-81	36
2071	A Model for Resonance-Assisted Hydrogen Bonding in Crystals and Its Graph Set Analysis. 2001 , 105, 6938-6942	10
2070	Synthesis, structure determination and X-ray photoelectron spectroscopy characterisation of a novel polymeric silver(I) nicotinic acid complex, H[Ag(py-3-CO ₂) ₂]. 2001 , 20, 2747-2753	27
2069	Three 1,6-anhydro-beta-D-glycopyranose derivatives. 2001 , 57, 298-301	0
2068	Hydrogen bonding in C-methylated nitroanilines: the three-dimensional framework structure of 2-methyl-4-nitroaniline. 2001 , 57, 315-6	12

2067	Triclinic polymorph of sulfasalazine. 2001 , 57, 435-6	13
2066	Aminopyrimidine-carboxyl(ate) interactions in trimethoprim maleate, an antifolate drug. 2001 , 57, 459-61	14
2065	[N-(6-amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl)-glycylglycinato]aquapotassium, a three-dimensional coordination polymer. 2001 , 57, 534-7	2
2064	(+/-)-6-Benzyl-3,3-dimethylmorpholine-2,5-dione and its 5-monothio and 2,5-dithio derivatives. 2001 , 57, 634-7	4
2063	meso-N,N'-oxalyldivaline. 2001 , 57, 747-8	
2062	Strong hydrogen-bonded amino acid dimers in L-alanine alaninium nitrate. 2001 , 57, 838-40	9
2061	2:1 complexes of 2-chloro-4-nitrobenzoic acid and 2-chloro-5-nitrobenzoic acid with pyrazine. 2001 , 57, 876-9	9
2060	Intermolecular contacts in the crystal packing of 2,2'-(N,N'-oxalyldiimino)bis(3-phenylpropanamide) dimethyl sulfoxide solvate. 2001 , 57, 865-7	2
2059	Triclinic and orthorhombic polymorphs of 2-iodo-4-nitroaniline: interplay of hydrogen bonds, nitro...I interactions and aromatic pi-pi-stacking interactions. 2001 , 57, 942-5	4
2058	Conformational comparison of five follicular fluid meiosis-activating sterol-related active and inactive compounds. 2001 , 57, 1177-81	2
2057	Ethyl 6-amino-2-methoxypyridine-3-carboxylate, interplay of molecular and supramolecular structure. 2001 , 57, 1103-5	
2056	X-ray investigations of sulfur-containing fungicides. IV. 4'-[[Benzoyl(4-chlorophenylhydrazono)methyl]sulfonyl]acetanilide and 4'-[[benzoyl(4-methoxyphenylhydrazono)methyl]sulfonyl]acetanilide. 2001 , 57, 1112-5	0
2055	4,5-Dihydro-7,8-dimethoxy-1-phenyl-3H-2,3-benzodiazepin-4-one. 2001 , 57, 1225-7	5
2054	Hydrogen bonding in C-methylated nitroanilines: a room-temperature monoclinic polymorph of 4-methyl-3-nitroaniline with $Z' = 2$. 2001 , 57, 1207-8	
2053	4-(4-Chlorophenyl)-3,7,7-trimethyl-1-[2-(4-nitrobenzoyl)ethyl]-4,7,8,9-tetrahydro-1H-pyrazolo[3,4-b]quinolin-5(6H)-one-el (1/1). 2001 , 57, 1356-8	
2052	Morpholinium 2-chloro-4-nitrobenzoate, 2-chloro-5-nitrobenzoate and 4-chloro-3-nitrobenzoate. 2001 , 57, 1450-3	9
2051	Competition of hydrogen-bond acceptors for the strong carboxyl donor. 2001 , 57, 103-6	123
2050	Patterns of soft C-H...O hydrogen bonding in diaryl sulfones. 2001 , 57, 190-200	16

- 2049 Interplay between dipolar, stacking and hydrogen-bond interactions in the crystal structures of unsymmetrically substituted esters, amides and nitriles of (R,R)-O,O'-dibenzoyltartaric acid. **2001**, 57, 415-27 11
- 2048 Crystal engineering in the gem-alkynol family: the key role of water in the structure of 2,3,5,6-tetrabromo-trans-1,4-diethynyl-cyclohexa-2,5-diene-1,4-diol dihydrate determined by X-ray and neutron diffraction at 150 K. **2001**, 57, 560-6 5
- 2047 Synthesis, structure, thermal and non-linear optical properties of L-argininium hydrogen selenite. **2001**, 57, 828-32 8
- 2046 Associations of squaric acid and its anions as multiform building blocks of hydrogen-bonded molecular crystals. **2001**, 57, 859-65 50
- 2045 6-(2-Hydroxybenzoyl)-2-(4-nitrophenyl)pyrazolo[1,5-a]pyrimidine. **2001**, 57, o182-o184
- 2044 5,5-Dimethyl-3-[(5-phenyl-1H-pyrazol-3-yl)amino]cyclohex-2-en-1-one. **2001**, 57, o185-o186
- 2043 6-(2-Hydroxybenzoyl)-2-phenylpyrazolo[1,5-a]pyrimidine. **2001**, 57, o187-o188
- 2042 Morpholinium 5-chloro-2-nitrobenzoate. **2001**, 57, o630-o632 5
- 2041 Pillared layered hydrogen-bonded network in hexamethylenediammonium hydrogenphosphite. **2001**, 57, o866-o868 3
- 2040 Two-dimensional hydrogen-bonded arrays in p-phenylazoanilinium oxalate. **2001**, 57, o898-o900 2
- 2039 Intermolecular N≡N...O hydrogen-bonding interactions in 5-fluorocytosinium salicylate. **2001**, 57, o933-o936 11
- 2038 erythro-2-(2,6-Dimethoxyphenoxy)-1-(3,4,5-trimethoxyphenyl)-1,3-propanediol. **2001**, 57, o1219-o1221 2
- 2037 O,O-Diphenyl 1-(3-phenylthioureido)ethanephosphonate. **2001**, 57, o1216-o1218 1
- 2036 O,O-Diphenyl 2-methyl-1-(3-phenylthioureido)propanephosphonate. **2001**, 57, o1213-o1215 2
- 2035 Structural and spectroscopic characteristics of aroylhydrazones derived from nicotinic acid hydrazide. **2001**, 559, 187-194 64
- 2034 Recognition of the folded conformation of plant hormone (auxin, IAA) conjugates with glutamic and aspartic acids and their amides. **2001**, 560, 223-237 6
- 2033 The anticonvulsant sulfamates. 2. (1,4-benzodioxin-2(3H)-yl)- and (1,2,3,4-tetrahydro-2-naphthalenyl) methyl sulfamic acid esters. **2001**, 561, 65-70 4
- 2032 Hydrogen bonding patterns in 3,5-diamino-6-aryl triazines. **2001**, 570, 53-60 14

2031	'Chicken-coop' network assembled by hydrogen bonds with bridging nitrate ions. Crystal structure of bis(4,4'-bipyridinium) diaquatetraisothiocyanatonicellate(II) dinitrate. 2001 , 4, 76-78	9
2030	Hydrogen bonding in sulfonamides. 2001 , 90, 2058-77	144
2029	4-Arylmethylisoxazol-5-one Derivatives [Novel Synthesis, Structural Studies, and Supramolecular Self-Assembly through Resonance-Assisted Hydrogen Bonding. 2001 , 2001, 4671	5
2028	Generation and Stabilization of D _{6h} and C _{2v} Valence Tautomeric Structures of the Rhodizonate Dianion in Hydrogen-Bonded Host Lattices. 2001 , 113, 3561-3563	2
2027	[15]crown-5: an unsymmetrical bifacial hydrogen-bond acceptor in crystal engineering. 2001 , 7, 1240-7	30
2026	Bis(amino acid) oxalyl amides as ambidextrous gelators of water and organic solvents: supramolecular gels with temperature dependent assembly/dissolution equilibrium. 2001 , 7, 3328-41	180
2025	A reversible structural interconversion involving [M(H ₂ pdc) ₂ (H ₂ O) ₂] · 2H ₂ O (M = Mn, Fe, Co, Ni, Zn, H ₃ pdc = 3,5-pyrazoledicarboxylic acid) and the role of a reactive intermediate [Co(H ₂ pdc) ₂]. 2001 , 7, 4431-7	90
2024	Nanotube formation by hydrophobic dipeptides. 2001 , 7, 5153-9	387
2023	Generation and Stabilization of D _{6h} and C _{2v} Valence Tautomeric Structures of the Rhodizonate Dianion in Hydrogen-Bonded Host Lattices This work was supported by the Hong Kong Research Grants Council Earmarked Grant (CUHK 4206/99P).. 2001 , 40, 3453-3455	16
2022	Visualizing Supramolecular Macrocyclic Formations. 2001 , 369, 167-219	2
2021	Hydrogen bonded supramolecular network in organic salts: crystal structures of acid/base salts of dicarboxylic acids and amines. 2002 , 4, 135-142	92
2020	Creating nanocavities of tunable sizes: hollow helices. 2002 , 99, 11583-8	130
2019	Crystal structure of iminodiacetic acid monomethyl ester monohydrate, C ₅ H ₉ NO ₄ · H ₂ O. 2002 , 217, 535-536	
2018	Self-Assemblies of Extended Hydrogen-Bonded Arrays Using 1,4-Butanebisphosphonic Acid as a Versatile Building Block. 2002 , 177, 2941-2951	8
2017	Supramolecular Isomerism and Isomorphism in the Structures of 1,4-Butanebisphosphonic Acid and Its Organic Ammonium Salts. 2002 , 2, 21-25	30
2016	Magnitudes and chemical consequences of R ⁽³⁾ N ⁽⁺⁾ -C-H...O[double bond]C hydrogen bonding. 2002 , 124, 7163-9	175
2015	Alkynolpyridines and Their Complexes with Triphenylphosphine Oxide. 2002 , 2, 619-624	2
2014	Superstructural Variety from an Alkylated Triazine: Formation of One-Dimensional Hydrogen-Bonded Arrays or Cyclic Rosettes. 2002 , 2, 15-20	67

2013	Crystal Engineering Where Do We Go from Here?. 2002 , 2, 465-474	123
2012	Patterns of hydrogen bonding in crystals of molybdenum carbonyl complexes. 2002 , 540	23
2011	Self-assembly of polymer and sheet structures in palladium(II) complexes containing carboxylic acid substituents. 2002 , 41, 5174-86	81
2010	Crystal Engineering of Organic Salts: Hydrogen-Bonded Supramolecular Motifs in Pyrimethamine Hydrogen Glutarate and Pyrimethamine Formate. 2002 , 2, 631-635	61
2009	Hydrogen bonded 1,10-diammoniododecane An example of an organo-template for the crystal engineering of polymeric polyiodides. 2002 , 4, 155-161	29
2008	Hydrogen bonds in crystals of HO-(N ₂ N ₂)M(CO) ₃ L complexes: chains, dimers and an unexpected hexamer. 2002 , 2379	22
2007	Engineering Crystalline Architecture with Supramolecular Tapes: Studies on Secondary Donor-Acceptor Interactions in Cocrystals of the Cyclic Dipeptide of Glycine. 2002 , 2, 337-350	45
2006	Formation of molecular ladder elements with macrocyclic platforms via linear bifunctional ligands. 2002 , 41, 864-8	45
2005	Novel sheet-like supramolecular architectures constructed from infinite hydrogen-bonded, protonated adenine-water halide and polyiodide ribbons. 2002 , 26, 1360-1364	14
2004	Hydrogen-bonded two-dimensional sheet construction in the 1:1 adduct between 2-cyanoguanidine and 2-(N-cyano)imino-4,6-dimethylpyrimidine. 2002 , 4, 568-573	1
2003	Designing neutral coordination networks with the aid of hydrogen bond mimicry using silver(I) carboxylates. 2002 , 4, 239-248	50
2002	Hydrogen-bonding interactions between linear bipyridinium cations and nitrate anions. 2002 , 4, 483-495	57
2001	Novel supramolecular aggregation in [Ni(H ₂ O) ₄ (4-CNpy) ₂](BPh ₄) ₂ ·2(4-CNpy)·4H ₂ O. 2002 , 4, 80-83	7
2000	Synthesis improvement, crystal structure and a charge-transfer complex of a sulphur dioxide-containing TTF derivative. 2002 , 128, 155-159	2
1999	Synthesis, Crystal Structure, and Conformation of Methyl 5-Oacetyl-5-cyano-6-deoxy-2,3-O-isopropylidene-β-D-gulofuranoside. 2002 , 7, 437-446	2
1998	Die Wasserstoffbrücke im Festkörper. 2002 , 114, 50-80	595
1997	Novel bis-betaines and betaines within [1(4)]meta-heterophane frameworks. 2002 , 8, 474-84	21
1996	The hydrogen bond in the solid state. 2002 , 41, 49-76	4621

1995	Inclusion Compounds of Diol Hosts Featuring Two 9-Hydroxy-9-fluorenyl or Analogous Groups Attached to Linear Spacer Units. 2002 , 2002, 856-872	39
1994	Structural Studies of a N-[(N-Unsubstituted Pyrrole-3-carbonyl)oxy]benzamide and its Precursor Spiro[isoxazole-4,3?-pyrrole]. 2002 , 85, 196-205	8
1993	Reaction of Thiocarbonyl S-Methylides with Acetylenic Dipolarophiles and an Unexpected Rearrangement of the Cycloadducts. 2002 , 85, 451-463	7
1992	Conformational flexibility and hydrogen-bonding patterns of the neotame molecule in its various solid forms. 2002 , 91, 2047-56	2
1991	On the balance of interaction modes in supramolecular complexes of a carboxylic acid host and alcohol guests. X-ray crystal structures of inclusion compounds with MeOH and EtOH. 2002 , 5, 59-70	6
1990	Layer and chain structures in the co-Crystals of 18-Crown-6 with aromatic thiosemicarbazide derivatives. 2002 , 2, 415-420	6
1989	Novel layer- and channel-type anionic host lattices built of thiourea, 2-thiouracil anion and water. 2002 , 2, 473-478	9
1988	A comparison of the supramolecular structures of 1-(6-amino-1,3-benzodioxol-5-yl)-3-(3,4,5-trimethoxyphenyl)prop-2-en-1-one and 1-(6-amino-1,3-benzodioxol-5-yl)-3-[4-(N,N-dimethylamino)phenyl]prop-2-en-1-one. 2002 , 58, o42-5	6
1987	Supramolecular hydrogen-bonded hexamers in two 5-aryl-3-methyl-1-phenyl-1,6,7,8-tetrahydropyrazolo[3,4-b][1,4]diazepines. 2002 , 58, o103-5	1
1986	2-(4-Bromophenyl)-1,2-dihydropyrimido[1,2-a]benzimidazol-4(3H)-one and 4-(4-methylphenyl)-3,4-dihydropyrimido[1,2-a]benzimidazol-2(1H)-one form hydrogen-bonded base-paired dimers. 2002 , 58, o125-8	2
1985	Piperazine-1,4-dium--2,4-dinitrophenolate--water (1/2/2). 2002 , 58, o136-8	6
1984	2-(3-tert-Butyldimethylsiloxy-4-methoxyphenyl)-6-methoxy-3-(3,4,5-trimethoxybenzoyl)indole. 2002 , 58, o330-2	14
1983	2-[1-(Phenylsulfonyl)ethyl]benzoic acid and 2-[1-(phenylsulfonyl)propyl]benzoic acid. 2002 , 58, o257-9	4
1982	4-Methoxyphenylphosphonic acid: reactivity of Lawesson's reagent. 2002 , 58, o260-2	6
1981	The molecular and supramolecular structures of four 1,5,6,10b-tetrahydropyrazolo[1,5-c]quinazolines. 2002 , 58, o305-10	1
1980	(+)-Tartaric acid. 2002 , 58, o333-5	12
1979	5-[N-(1H-Benzotriazol-1-ylmethyl)amino]-3-tert-butyl-1-phenylpyrazole: sheets built from N[bond]H...N, C[bond]H...N and C[bond]H...pi(pyrazole) interactions. 2002 , 58, o314-7	
1978	Transition metal complexes with thiosemicarbazide-based ligands. XLIII. Chlorobis(3-methylisoemicarbazide-kappa(2)N(1),N(4))zinc(II) chloride. 2002 , 58, m358-60	3

- 1977 Ethyl N-(2-benzylamino-6-benzyloxy-5-nitrosopyrimidin-4-yl)glycinate: sheets built from a three-centre N[bond]H...(N,O), and two-centre C[bond]H...O and C[bond]H...pi(arene) hydrogen bonds. **2002**, 58, o425-7
- 1976 Diethyl [3-[beta-(2,4-dichlorophenyl)vinyl]-N-(phenylsulfonyl)indol-2-ylmethyl]phosphonate and diethyl [3-[beta-(4-bromophenyl)vinyl]-N-(phenylsulfonyl)indol-2-ylmethyl]phosphonate. **2002**, 58, o450-4 1
- 1975 N,N-Diethyl-2,6,6-trimethyl-4-(3-nitrophenyl)-5-oxo-1,4,5,6,7,8-hexahydroquinoline-3-carboxamide. **2002**, 58, o436-8 2
- 1974 4-(allylamino)-2-amino-6-benzyloxy-5-nitrosopyrimidine from synchrotron data at 150 K: double chains built from N[bond]H...N, N[bond]H...O, N[bond]H...pi(arene) and aromatic pi-pi-stacking interactions. **2002**, 58, o442-4
- 1973 2,6-Diiodo-4-nitrophenol, 2,6-diiodo-4-nitrophenyl acetate and 2,6-diiodo-4-nitroanisole: interplay of hydrogen bonds, iodo-nitro interactions and aromatic pi-pi-stacking interactions to give supramolecular structures in one, two and three dimensions. **2002**, 58, o463-6 6
- 1972 A pseudo-quadruple hydrogen-bonding motif consisting of six N-H...O hydrogen bonds in trimethoprim formate. **2002**, 58, o510-2 12
- 1971 2-Iodo-N-(3-nitrobenzyl)aniline and 3-iodo-N-(3-nitrobenzyl)aniline exhibit entirely different patterns of supramolecular aggregation. **2002**, 58, o487-90 2
- 1970 2',3'-Dehydrosalannol. **2002**, 58, o681-2 3
- 1969 (Acetonitrile)[2,6-bis(pyrazol-1-yl)pyridine](isonicotinamide)copper(II)-tetrafluoroborate-acetonitrile (1/2/2). **2002**, 58, m542-4 5
- 1968 Hydrogen-bonding and C-H...pi interactions in ethyl 4-acetyl-5-methyl-3-phenyl-1H-pyrrole-2-carboxylate monohydrate. **2002**, 58, o685-7 3
- 1967 Azadirachtol, a tetranortriterpenoid from neem kernels. **2002**, 58, o708-10 7
- 1966 5-[Acetamido(phenyl)methyl]-5-methylimidazolidine-2,4-dione. **2002**, 58, o715-7 3
- 1965 [2,2'-(1,3,5,8,10,12-Hexaazacyclotetradecane-3,10-diyl)diethanol-kappa4N1,N5,N8,N12]bis(thiocyanato-kappaS)4copper(II) **2002**, 58, m588-90 4
- 1964 16-[3-Methoxy-4-(2-piperidin-1-ylethoxy)benzylidene]-17-oxoandrost-5-en-3beta-yl acetate monohydrate. **2002**, 58, o727-9 2
- 1963 2-Hydroxy-3-(4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-5-ium-4-yl)benzoate monohydrate. **2002**, 58, o724-6
- 1962 Ethyl 3,5-dimethyl-4-phenyl-1H-pyrrole-2-carboxylate. **2002**, 58, o721-3 5
- 1961 Iodo-nitroarenesulfonamides: interplay of hard and soft hydrogen bonds, I...O interactions and aromatic pi...pi stacking interactions. **2002**, 58, 94-108 10
- 1960 Isostructuralism in a series of methylester/methylamide derivatives of (R,R)-O,O'-dibenzoyl tartaric acid; inclusion properties and guest-dependent homeotypism of the crystals of (R,R)-O,O'-dibenzoyltartaric acid diamide. **2002**, 58, 265-71 4

1959	beta Turns, water cage formation and hydrogen bonding in the structures of L-valyl-L-phenylalanine. 2002 , 58, 512-8	10
1958	Applications of the Cambridge Structural Database in organic chemistry and crystal chemistry. 2002 , 58, 407-22	442
1957	Crystal structures of ecdysteroids: the role of solvent molecules in hydrogen bonding and isostructurality. 2002 , 58, 710-20	32
1956	Interplay of hydrogen bonds, iodo...nitro interactions and aromatic pi...pi stacking interactions in iodo-nitroanilines. 2002 , 58, 701-9	16
1955	Nine isomeric nitrobenzylidene-iodoanilines: interplay of C-H...O hydrogen bonds, iodo...nitro interactions and aromatic pi...pi stacking interactions. 2002 , 58, 864-76	12
1954	Structures of three substituted arenesulfonamides from X-ray powder diffraction data using the differential evolution technique. 2002 , 58, 823-34	17
1953	Pressure-induced polymorphism in phenol. 2002 , 58, 1018-24	40
1952	Crystal packing in vicinal diols C _n H _m (OH) ₂ . 2002 , 58, 1025-31	42
1951	4'-{[Benzoyl(4-nitrophenylhydrazono)methyl]sulfonyl}acetanilide. 2002 , 58, o1-o4	
1950	5-Amino-4-(benzotriazol-1-ylmethyl)-1-phenyl-3-tert-butylpyrazole. 2002 , 58, o53-o54	1
1949	5-[(6-Chloro-[1,3]benzothiazol-2-ylamino)methylene]-2,2-dimethyl-[1,3]dioxane-4,6-dione. 2002 , 58, o57-o58	
1948	(5 β ,7 β)-7-Hydroxy-4,4,7-trimethylcholestan-3-one. 2002 , 58, o48-o49	
1947	erythro-2-(2,6-Dimethoxyphenoxy)-1-(4-hydroxy-3,5-dimethoxyphenyl)-1,3-propanediol. 2002 , 58, o42-o44	6
1946	The pseudosymmetric structure of bis(diisopropylammonium) hexachloroiridate(IV) and its relationship to potassium hexachloroiridate(III). 2002 , 58, m47-m50	6
1945	(Benzylsulfonyl)methanol. 2002 , 58, o137-o138	1
1944	A monoclinic polymorph of 3-amino-4'-(N,N-diethylamino)-5-methylbiphenyl-2,4-dicarbonitrile. 2002 , 58, o222-o223	
1943	1-(4-Pyridinio)-2'-[4-pyridinio-(E)-methylidene]hydrazide dinitrate. 2002 , 58, o519-o522	1
1942	3-Methyl 5-[(S)-2-methylbutyl] 4-[2-(difluoromethoxy)phenyl]-2,6-dimethyl-1,4-dihydropyridine-3,5-dicarboxylate. 2002 , 58, o532-o534	2

1941 (3S,4R)-4-(2,5-Dimethoxyphenyl)-8-methoxyisochroman-3-ol. **2002**, 58, o620-o622

1940 3-(Benzotriazol-1-yl)-p-nitropropiophenone: sheets built from weak three-centred C \cdots H \cdots O hydrogen bonds. **2002**, 58, o769-o771

1939 The complex salt benzodiimidazolium tetrachlorozincate. **2002**, 58, m399-m401

3

1938 The supramolecular structure of N-(6-amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl)glycylglycinate contains a unique O \cdots N(nitroso) hydrogen bond. **2002**, 58, o942-o945

3

1937 A redetermination of 4'-hydroxyacetophenone. **2002**, 58, o1057-o1059

5

1936 The 1:1 complex of 4-chloro-3-nitrobenzoic acid and pyridazine. **2002**, 58, o1081-o1082

2

1935 The 1:1 complex of 2-chloro-4-nitrobenzoic acid and 1,2,3-benzotriazole. **2002**, 58, o1083-o1084

3

1934 3,5-Dimethyl-2H-pyrazol-1-ium diphenylphosphate. **2002**, 58, o1113-o1115

2

1933 A paracetamol-morpholine adduct. **2002**, 58, o1290-o1292

9

1932 6-(4-Methoxyphenyl)-4-phenyl-2-(pyrrolidin-1-yl)nicotinonitrile. **2002**, 58, o1261-o1263

1

1931 A hydrate of carbamoylmethyl 3,4,5-trihydroxybenzoate with three different molecular conformations. **2002**, 58, o1348-o1350

1

1930 Methyl (1R,8RS,10SR)-3,5-dichloro-1-(4-methoxyphenyl)-8-(phenylthio)-11-oxa-4-azatricyclo[6.2.1.0^{2,7}]undeca-2,4,6-triene-10-one. **2002**, 58, o1402-o1404

1929 (1R*,2R*)-2-(Methylphenylamino)-1,2-dihydronaphthalen-1-ol-water (4/1). **2002**, 58, o1449-o1451

1928 6,6'-Dichloro-3,3'-(butane-1,4-diylidioxy)diflavone. **2002**, 58, o1441-o1443

1927 Assembly via H-bonds and Ag⁺/Ag⁰ attractions of one-dimensional silver(I) complexes of nicotinamide and nicotinic acid with sulfonate counter-anions. **2002**, 21, 689-695

30

1926 Nickel(II) complexes of amino acids in comparison with the cobalt(III) analogues: interesting structural aspects relative to intermolecular hydrogen bonds and chiral recognition. **2002**, 21, 817-823

10

1925 Structural correlations in methylphosphonate and phosphite salts: crystal structures of anilinium and ethylenediammonium methylphosphonates. **2002**, 609, 55-60

10

1924 The crystal structure of an anomalous and tautomeric salt: 2:1 complex of (E)-2-(1H)-6-methyl-pyridinium hydrogen maleate with maleic acid. **2002**, 609, 83-87

6

1923	Phenylphosphonic acid as a building block for two-dimensional hydrogen-bonded supramolecular arrays. 2002 , 609, 97-108	53
1922	Molecular structures of new ciprofloxacin derivatives. 2002 , 611, 73-81	8
1921	Supramolecular formation of large hydrogen-bonded rings in the structures of two amino acid derivatives. 2002 , 643, 1-8	2
1920	On tautomerism of two 5-methoxysalicylaldehyde structural isomers in the solid state: structural study of N-(o-hydroxyphenyl)-5-methoxysalicylaldehyde and N-(m-hydroxyphenyl)-5-methoxysalicylaldehyde. 2002 , 615, 23-31	33
1919	Supramolecular hydrogen-bonded structures in organic amine squarates. 2002 , 641, 263-279	66
1918	The use of Kitaigorodskii's Aufbau principle in the solid-state study of crystalline borane compounds. A preliminary account. 2002 , 657, 20-39	15
1917	Crystal structures of two- and three-dimensional polymeric complexes assembled by metal pseudohalides and 4-aminobenzoic acid via hydrogen bonds and covalent bonds. 2002 , 329, 13-21	83
1916	Structural diversity in thallium chemistry, IV. Further examples of solid state bromothallate(III) derivatives obtained by employing certain classes of alkyl diammonium cations. 2002 , 332, 61-71	12
1915	Some amino sugars structurally related to 6-deoxymannojirimycin precursors prepared from methyl 6-deoxy-2,3-O-isopropylidene-alpha-D-lyxo-hexofuranosid-5-ulose and methyl 2,3-O-isopropylidene-alpha-D-lyxo-pentodialdo-1,4-furanoside. 2002 , 337, 663-72	3
1914	A Whole Output Strategy for Polymorph Screening: Combining Crystal Structure Prediction, Graph Set Analysis, and Targeted Crystallization Experiments in the Case of Diflunisal. 2003 , 3, 151-158	70
1913	Selenium-containing Heterocycles from Isoselenocyanates: Synthesis of 2-Arylamino-selenazolo[5,4-b]pyridines. 2003 , 61, 569	30
1912	Intramolecular versus Intermolecular Hydrogen Bonding of Coordinated Acetate to Organic Acids: A Neutron, X-ray, and Database Study. 2003 , 3, 699-704	23
1911	The Influence of Functional Group Orientation on the Structure of Zinc 1,1,4-Trimethylthiosemicarbazide Dicarboxylates: Probing the Limits of Crystal Engineering Strategies. 2003 , 2003, 766-776	52
1910	Comparison of the four anhydrous polymorphs of carbamazepine and the crystal structure of form I. 2003 , 92, 2260-71	354
1909	Chiral bis(amino alcohol)oxalamide gelators-gelation properties and supramolecular organization: racemate versus pure enantiomer gelation. 2003 , 9, 5567-80	117
1908	Some non-anomerically C-C-linked carbohydrate amino acids related to leucine-synthesis and structure determination. 2003 , 338, 1349-57	9
1907	Characterisation and X-ray crystallography of products from the Bucherer-Bergs reaction of methyl 2,3-O-isopropylidene-alpha-D-lyxo-pentodialdo-1,4-furanoside. 2003 , 338, 1917-24	8
1906	Self-association and self-assembly of molecular clips in solution and in the solid state. 2003 , 59, 175-185	46

1905	Inclusion properties of (R,R)-O,O'-dibenzoyltartrdiamide: influence of the guest on the molecular conformation of the host. 2003 , 647, 141-150	5
1904	Supramolecular formation via hydrogen bonding in the Zn(II), Mn(II) and Cu(II) complexes with 3-hydroxypicolinic acid. 2003 , 646, 201-210	29
1903	Zinc thiosemicarbazide dicarboxylates: the influence of the anion shape on supramolecular structure. 2003 , 22, 673-686	35
1902	A comparative study of supramolecular assemblies containing N-(5,6-dimethyl-1H-benzimidazol-2-yl)guanidine, 2-guanidinobenzimidazole and their Ni(II) complexes. 2003 , 22, 735-743	18
1901	Hydrogen bonding patterns and crystal packing in azobenzene-carboxylic acids. 2003 , 6, 87-97	8
1900	Hydrogen bonding in nitroaniline analogues: hydrogen-bonded sheets in 2-amino-4,6-dimethoxy-5-nitropyrimidine and pi-stacked hydrogen-bonded sheets in 4-amino-2,6-dimethoxy-5-nitropyrimidine. 2003 , 59, o14-8	3
1899	Hydrogen bonding in nitroaniline analogues: a hydrogen-bonded chain of rings in 2-amino-4-butylamino-6-methoxy-5-nitropyrimidine. 2003 , 59, o19-o21	2
1898	N6-furfuryladenine (kinetin) hydrochloride. 2003 , 59, o27-9	15
1897	Two derivatives of (N-phenylthioureidoalkyl)phosphonates. 2003 , 59, o46-50	2
1896	2-amino-4-(4-chlorophenyl)-7,7-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-chromene-3-carbonitrile. 2003 , 59, o38-9	2
1895	2-nitroso-1,3-diphenyl-1,2,3,4-tetrahydrobenzo[b][1,6]naphthyridine. 2003 , 59, o153-5	4
1894	A cis-stilbene derivative. 2003 , 59, o156-8	1
1893	2-amino-5-nitro-4,6-dipiperidinopyrimidinium hydrogensulfate monohydrate: hydrogen-bonded sheets containing highly distorted cations. 2003 , 59, o102-4	6
1892	3-nitrophthalic acid: C(4) and R(2)(2)(8) motifs of O-H...O hydrogen bonds generate sheets which are linked by C-H...O hydrogen bonds. 2003 , 59, o144-6	8
1891	Methyl 2,6-dicarboxybenzoate. 2003 , 59, o165-6	1
1890	(C ₆ H ₁₄ N ₂) ₂ [VO(HPO ₄) ₅ B ₂ O] x H ₂ O x -H ₃ PO ₄ , a novel borophosphate cluster containing a single vanadium centre and linked by hydrogen bonds into a three-dimensional framework. 2003 , 59, m87-9	5
1889	meso-5,5,7,12,12,14-hexamethyl-1,4-diaza-8,11-diazoniacyclotetradecane bis(2-naphthoate) ethanol disolvate: centrosymmetric five-component aggregates linked into sheets by C-H...pi(arene) hydrogen bonding. 2003 , 59, o147-9	1
1888	Hydrogen bonding in N,N'-bis[(1S)-2-azido-1-(2-methylpropyl)ethyl]oxalamide: twofold symmetry of R(2)(2)(10) hydrogen-bonded dimers connected into an alpha-network. 2003 , 59, o286-8	4

1887 16-(4-Cyanobenzylidene)-17-oxoandrost-5-en-3beta-ol. **2003**, 59, O213-5

1886 Hydrogen bonding in 1-carbamoylguanidinium methylphosphonate monohydrate. **2003**, 59, o244-6

2

1885 (+/-)-5-(4-methoxyphenylaminocarbonyl)-1-azabicyclo[3.3.0]octan-2-one benzene solvate. **2003**, 59, o231-3

1884 6-amino-2-(3,4-dimethoxybenzylamino)-3-methyl-5-nitrosopyrimidin-4(3H)-one: hydrogen-bonded sheets form interdigitated bilayers. **2003**, 59, o237-9

1

1883 (R)-1-Phenylethylammonium 6-amino-5-nitropyrimidine-2,4(1H,3H)-dionate (R)-1-phenylethylamine hemisolvate: hydrogen-bonded sheets of ions with pendent solvent molecules. **2003**, 59, o240-3

1882 trans-Diaquabis(thiosemicarbazido-kappa2N,S)nickel(II) dimaleate dihydrate. **2003**, 59, m181-3

6

1881 1,3-thiazolidine derivatives from regioselective [2+3]-cycloadditions of azomethine ylides with thioketones. **2003**, 59, o250-3

2

1880 Two bis(ammonium) 1,5-naphthalenedisulfonate salts. **2003**, 59, o332-4

6

1879 (1R,3S,6S)-6-tert-Butyl-1-hydroxymethyl-5-methoxy-6-methyl-7-oxa-4-azaspiro[2.5]oct-4-en-8-one and dimethyl [(1S,1'R,3'S,6'S)-(6'-tert-butyl-5'-methoxy-6'-methyl-8'-oxo-7'-oxa-4'-azaspiro[2.5]oct-4'-en-1'-yl)hydroxymethyl]phosphonate. **2003**, 59, o317-20

2

1878 1-(2-Hydroxy-4-methoxyphenyl)-3-(2,3,4-trimethoxyphenyl)prop-2-en-1-one. **2003**, 59, o302-4

9

1877 Cobalt(II) and nickel(II) complexes of quinoline-2-carboxylate. **2003**, 59, m228-30

6

1876 Ammonium N-(6-amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl)glycinate monohydrate forms hydrogen-bonded bilayers. **2003**, 59, o326-8

1875 meso-5,5,7,12,12,14-Hexamethyl-4,11-diaza-1,8-diazoniacyclotetradecane (S)-malate(2-) methanol disolvate: a chain of rings generated by two pairs of N-H...O hydrogen bonds. **2003**, 59, o329-31

1874 Hydrogen-bonded dimers of 1,8,10-trihydroxy-10-(prop-2-enyl)anthracen-9(10H)-one: S(6), R(2)(1)(10) and R(2)(2)(14) motifs. **2003**, 59, o335-7

1873 6-Amino-3-methyl-5-nitrosopyrimidine-2,4(1H,3H)-dione forms a three-dimensional hydrogen-bonded framework structure. **2003**, 59, o340-2

1872 Barium bis[6-amino-3-methyl-5-nitrosopyrimidine-2,4(1H,3H)-dionate] trihydrate: coordination polymer chains linked by hydrogen bonds. **2003**, 59, m255-8

2

1871 Supramolecular structures of 2-cyano-3-dimethylamino-N-(4-methylphenyl)acrylamide and 2-cyano-3-dimethylamino-N-(2-methoxyphenyl)acrylamide. **2003**, 59, o394-6

1870 6,6'-dimethoxy-2,2'-[(1R,2R)-cyclohexane-1,2-diylbis(nitrilomethylidyne)]diphenol: three C-H...O hydrogen bonds generate a three-dimensional framework. **2003**, 59, o367-9

6

- 1869 The molecular and supramolecular structures of the isomeric compounds 5,7-dimethoxyimidazo[1,2-c]pyrimidine and 7-methoxy-1-methylimidazo[1,2-a]pyrimidin-5(1H)-one. **2003**, 59, o363-6 1
- 1868 Adducts of hexamethylenetetramine with ferrocenecarboxylic acid and ferrocene-1,1'-dicarboxylic acid: multiple disorder in space groups Fmm2 and Cmcm. **2003**, 59, m271-4 7
- 1867 2-benzylamino-6-benzoyloxy pyrimidin-4(3H)-one: hydrogen-bonded chains of rings linked into sheets by a pi-pi-stacking interaction. **2003**, 59, o400-2
- 1866 Bis[6-amino-3-methyl-5-nitrosopyrimidine-2,4(1H,3H)-dionato]diaquazinc(II) dihydrate, redetermined at 120 K: a three-dimensional hydrogen-bonded framework. **2003**, 59, m291-3 1
- 1865 Hydrogen bonding in calcium-trifluoromethanesulfonate-1,3-di-4-pyridylurea-methanol (1/2/2/4). **2003**, 59, m366-8 2
- 1864 Samaderin B and C from *Samadera indica*. **2003**, 59, o416-8 2
- 1863 2-(2-Naphthoxy)acetate derivatives. I. A new class of anti-amnesic agents. **2003**, 59, o422-5 0
- 1862 Potassium N-(6-amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl)-(S)-aspartate N-(6-amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl)-(S)-aspartic acid 4.88-hydrate: a two-dimensional coordination polymer. **2003**, 59, m315-8 4
- 1861 2-(2-Naphthoxy)acetate derivatives. II. A new class of anti-amnesic agents. **2003**, 59, o467-9 0
- 1860 Cis,cis,cis-1,2,4,5-cyclohexanetetracarboxylic acid and its dianhydride. **2003**, 59, o435-8 17
- 1859 1-(4-methylamino-1,2,5-thiadiazole-3-carbonyl)thiosemicarbazide. **2003**, 59, o491-3 2
- 1858 4-iodoanilinium 3-nitrophthalate(1-): tripartite sheets built from O-H...O and N-H...O hydrogen bonds. **2003**, 59, o509-11
- 1857 1-[2-(4-nitrophenoxy)acetyl]pyrrolidin-2-one: an anti-amnesic agent. **2003**, 59, o514-5 0
- 1856 A new clerodane diterpene with antifeedant activity from *Teucrium tomentosum*. **2003**, 59, o530-2 5
- 1855 2-Amino-1,3-benzothiazole-ethyl coumarin-3-carboxylate (1/1). **2003**, 59, O544-6 3
- 1854 R4/4 (30) rectangular rings in 2,5-dioxopiperazine-1,4-diacetic acid. **2003**, 59, O562-3 5
- 1853 Bilayers in 4-iodo-N-(2-iodo-4-nitrophenyl)benzamide generated by a combination of an N-H...O=C hydrogen bond and two independent iodo-nitro interactions. **2003**, 59, o636-7 1
- 1852 Poly[sodium(I)-micro(6)-hydrogen benzene-1,4-dicarboxylato]. **2003**, 59, m475-7 9

- 1851 2-Aminobenzimidazolium O-ethyl malonate: eight independent N-H...O hydrogen bonds generate sheets. **2003**, 59, o669-71 2
- 1850 Two azasteroidal [3,2-c]pyrazole derivatives:
2'-(p-fluorophenyl)-4-azapyrazolo[4',3':2,3]-5alpha-androstan-17beta-yl acetate and
2'-(p-fluorophenyl)-4-azapyrazolo[4',3':2,3]-5alpha-androstan-17beta-ol. **2003**, 59, o724-6 1
- 1849 Intermolecular interactions in N-(ferrocenylmethyl)anthracene-9-carboxamide. **2003**, 59, m552-4 2
- 1848 Salts of maleic and fumaric acids with organic polyamines: comparison of isomeric acids as building blocks in supramolecular chemistry. **2003**, 59, 100-17 40
- 1847 (1R,3S)-Camphoric acid as a building block in supramolecular chemistry: adducts with organic polyamines. **2003**, 59, 118-31 13
- 1846 Hydrogen-bonded supramolecular motifs in trimethoprim π terephthalate π terephthalic acid (2/1/1). **2003**, 59, o14-o17 6
- 1845 5-Methoxy-4-(4-methoxyphenyl)isochroman-3-ol. **2003**, 59, o11-o13
- 1844 The interplay of coordination, π -stacking and hydrogen bonding in the supramolecular self-assembly of bis(π -7-iodo-8-hydroxyquinoline-5-sulfonato- π -N,O π)bis[triaquanickel(II)] tetrahydrate. **2003**, 59, m46-m49 7
- 1843 2-(Benzotriazol-1-ylmethyl)-1-phenyl-3-pyrazolidinone: two weak hydrogen bonds combine to form molecular ladders. **2003**, 59, o66-o69
- 1842 (1E,3S,4aR,12aR)-3-Isopropenyl-8-methoxy-3,4,4a,5,6,11,12,12a-octahydro-1(2H)-chrysenone oxime. **2003**, 59, o121-o123 2
- 1841 Trimesic acid bis(N,N-dimethylformamide) solvate at 150 K. **2003**, 59, o127-o128 2
- 1840 N-(3-Chlorophenyl)- π -(2-hydroxyphenyl)nitrene: supramolecular aggregation through π and C π ... π interactions. **2003**, 59, o234-o236 1
- 1839 3-tert-Butyl-5-[(4-methoxybenzylidene)amino]-1-phenylpyrazole. **2003**, 59, o250-o252
- 1838 Ladders in the supramolecular structure of
1-(4-bromophenyl)-3-[2-(2-hydroxyethyl)amino-5-nitroanilino]-1-propanone dimethylformamide solvate. **2003**, 59, o296-o298
- 1837 2-Cyano-3-dimethylamino-N-(2,5-dimethylphenyl)acrylamide. **2003**, 59, o353-o355
- 1836 Benzotriazol-1-yl 4,6-di-O-acetyl-2,3-dideoxy- π -D-erythro-hex-2-enopyranoside. **2003**, 59, o334-o336
- 1835 2-Hydroxycyclohexene-1-carboxylic acid: the enol isomer of 2-oxocyclohexane-1-carboxylic acid. **2003**, 59, o344-o346
- 1834 (π -(P)-N,N π -Bis[(5-bromo-2-hydroxyphenyl)methylidene]-6,6'-dimethyl-1,1 π -biphenyl-2,2 π -dimethanamine. **2003**, 59, o390-o392

- 1833 catena-Poly[[bis(3-aminobenzoic acid- κ)]cadmium(II)]-di- κ -thiocyanato- κ [N:S;S:N]. **2003**, 59, m152-m154
- 1832 (Z)- κ -Chloromethyl-3,3',4,4'-tetramethoxystilbene. **2003**, 59, o583-o585
- 1831 1-Chloroacetyl-2,4-diphenyl-2,3-dihydro-1H-1,5-benzodiazepine. **2003**, 59, o603-o605
- 1830 10-[2-(4-Acetylpiperzin-1-yl)ethyl]-9-(4-chlorophenyl)-3,3,6,6-tetramethyl-3,4,6,7,9,10-hexahydro-2H,5H-acridine-1,8-dione. **2003**, 59, o696-o698
- 1829 Redetermination of 8-tosyloxyquinoline at 100 K: supramolecular aggregation through weak C κ ...O and C κ ...N interactions. **2003**, 59, o776-o779 1
- 1828 DiethylN,N'-m-phenylenedioxamate. **2003**, 59, o825-o827 9
- 1827 4-Methoxyphenyl 4-toluenesulfonate: supramolecular aggregation through C κ ...O and C κ ... π interactions. **2003**, 59, o830-o832
- 1826 3-(1-Phenylsulfonyl-2-methylindol-3-ylcarbonyl)propanoic acid. **2003**, 59, o875-o877
- 1825 4-(E)-But-1-enyl-2,6-dimethoxyphenyl nicotinate. **2003**, 59, o854-o856
- 1824 Bis{2-[(2-aminoethylimino)(phenyl)methyl]pyridine- κ N}nickel(II) diperchlorate. **2003**, 59, m387-m389
- 1823 3-(4-Methoxyphenyl)-4-(5-phenyl-2,4-pentadienoyl)sydnone. **2003**, 59, o894-o896 1
- 1822 4-Chlorophenyl 4-toluenesulfonate: supramolecular aggregation through C κ ...O, C κ ...Cl and C κ ... π interactions. **2003**, 59, o936-o938 1
- 1821 2,4-Dichlorophenyl 4-toluenesulfonate: supramolecular aggregation through C κ ...O, C κ ...Cl, C κ ... π and π ... π interactions. **2003**, 59, o939-o941 1
- 1820 4-Dimethylaminopyridinium picrate: supramolecular aggregation through extensive N κ ...O and C κ ...O interactions. **2003**, 59, o913-o916 13
- 1819 4-Amino-2-(p-chlorophenyl)-5-methyl-3,4-dihydro-2H-1,2,4-triazol-3-one. **2003**, 59, o964-o966 1
- 1818 Benzene 1,3,5-tris(p-toluenesulfonate): supramolecular aggregation through extensive C κ ...O, C κ ... π and π ... π interactions. **2003**, 59, o1019-o1021 2
- 1817 3-Nitrobenzenesulfonyl chloride: molecular aggregation through C κ ...O interactions. **2003**, 59, o1036-o1038
- 1816 Methyl 4-tosyloxybenzoate: supramolecular aggregation through C κ ...O, C κ ... π and π ... π interactions. **2003**, 59, o1009-o1011

- 1815 2-[(2-Oxopyrrolidin-1-yl)carbonylmethyl]-2,3-dihydro-1H-isoindole-1,3-dione: an anti-amnesic agent. **2003**, 59, o1012-o1013
- 1814 2-Naphthyl 4-toluenesulfonate: supramolecular aggregation through C_H...O and C_H... π interactions. **2003**, 59, o1033-o1035
- 1813 Durenedimethanol. **2003**, 59, o1089-o1091 1
- 1812 Benzene-1,2,4,5-tetracarboxylic acid dihydrate at 160 K. **2003**, 59, o1087-o1088 5
- 1811 4-Furoyl-2,3,4,5,6,7-hexahydro-r-2,c-7-diphenyl-1H-1,4-diazepin-5-one: supramolecular aggregation through C_H...O interactions. **2003**, 59, o1117-o1119
- 1810 N,N-Dimethyl-2-(2-naphthyloxy)acetamide monohydrate. **2003**, 59, o1120-o1122
- 1809 Redetermination of potassium benzilate. **2003**, 59, m647-m651 3
- 1808 Phenyl 3-nitrobenzenesulfonate. **2003**, 59, o1213-o1215 1
- 1807 Methyl 4-(3-nitrobenzenesulfonyloxy)benzoate. **2003**, 59, o1216-o1219
- 1806 4-Dimethylaminopyridinium π -nitrophenolate π -nitrophenol (1/1/1). **2003**, 59, o1192-o1195 9
- 1805 Benzene-1,2,4,5-tetracarboxylic acid dimethyl sulfoxide disolvate: a redetermination at 150 K. **2003**, 59, o1205-o1207 3
- 1804 Ethyl 4-[1-(4-bromophenyl)-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-4-yliminomethyl]phenoxyacetate. **2003**, 59, o1272-o1274 1
- 1803 8-Quinolyl 3-nitrobenzenesulfonate. **2003**, 59, o1379-o1382 1
- 1802 4-Dimethylaminopyridinium 2,4-dinitrophenolate: supramolecular aggregation through N_H...O, C_H...O, C_H... π and π interactions. **2003**, 59, o1383-o1386 1
- 1801 2,4-Dinitrophenyl 3-nitrobenzenesulfonate. **2003**, 59, o1387-o1389
- 1800 2-Nitrophenyl 3-nitrobenzenesulfonate. **2003**, 59, o1390-o1392
- 1799 3,5-Dimethyl-1,7-diphenyl-4-(2-pyridyl)-1H,7H-pyrazolo[3,4-b:4',3'-e]pyridine. **2003**, 59, o1327-o1329 1
- 1798 2,4-Di(butylureido)-6-methyl-s-triazine. **2003**, 59, o1546-o1548

1797	Swietenine. 2003 , 59, o1519-o1521	9
1796	The 2-aminobenzothiazole π -benzyl-2-oxo-2H-1-benzopyran-3-carboxamide (1/1) donor-acceptor complex. 2003 , 59, o1628-o1630	2
1795	3-[4-(1-Oxo-3-phenylprop-2-en-1-yl)phenyl]sydnone. 2003 , 59, o1762-o1763	1
1794	6-(4-Fluorophenyl)-5,6-dihydrobenzimidazo[1,2-c]quinazoline. 2003 , 59, o1801-o1803	2
1793	3,7,7-Trimethyl-1-phenyl-1,6,7,8-tetrahydro-5H-pyrazolo[3,4-b]quinolin-5-one. 2003 , 59, o1804-o1806	
1792	Conformational isomerism in 3-(Z)-isobutylidene-1-acetylpiperazine-2,5-dione. 2003 , 59, o1807-o1809	1
1791	N-(4-Butylphenyl)salicylalimine at 160 K. 2003 , 59, o1856-o1857	3
1790	N,N'-Bis(2-hydroxycyclohexyl)-trans-cyclohexane-1,2-diamine: a structure reanalysed at low temperature. 2003 , 59, o1872-o1874	1
1789	1-(3-Bromo-1-phenylsulfonyl-1H-indol-2-ylmethyl)pyrrolidine-2,5-dione. 2003 , 59, o1903-o1906	1
1788	2-(3-Ethyl-2,3,4,5-tetrahydro-4-oxo-2-thioxo-4-thiazolidin-5-ylidene)-1,2-dihydroacenaphthylen-1-one. 2003 , 59, o1967-o1969	1
1787	8-Methoxy-4-(4-methoxyphenyl)isochroman-3-ol. 2003 , 59, o2000-o2002	
1786	(+)-Pinoresinol π ioxane (1/1). 2003 , 59, o1972-o1974	1
1785	π Stacking Interactions and CH \cdots X (X = O, Aryl) Hydrogen Bonding as Directing Features of the Supramolecular Self-Association in 3-Carboxy and 3-Amido Coumarin Derivatives. 2003 , 3, 35-45	60
1784	Should solid-state molecular packing have to obey the rules of crystallographic symmetry?. 2003 , 5, 169-179	265
1783	Hydrogen bond patterns in aromatic and aliphatic dioximes. 2003 , 27, 1084-1094	52
1782	Novel Organometallic Building Blocks for Molecular Crystal Engineering. 2. Synthesis and Characterization of Pyridyl and Pyrimidyl Derivatives of Diboronic Acid, [Fe(π -C ₅ H ₄ -B(OH) ₂) ₂], and of Pyridyl Boronic Acid, [Fe(π -C ₅ H ₄ -4-C ₅ H ₄ N)(π -C ₅ H ₄ -B(OH) ₂)]. 2003 , 22, 2142-2150	91
1781	Cycloalkanone-Based Threo and Erythro Aldols as Supramolecular Synthons in Crystal Engineering. 2003 , 3, 25-34	5
1780	Isomorphism and Crystal Engineering: Organic Ionic Ladders Formed by Supramolecular Motifs in Pyrimethamine Salts. 2003 , 3, 823-828	55

1779	Coordination chemistry of a new cofacial binucleating macropolycycle derived from 1,4,7-triazacyclononane. 2003 , 42, 8690-701	14
1778	Synthesis and biological evaluation of iodinated and fluorinated 9-(2-hydroxypropyl) and 9-(2-hydroxyethoxy)methyl purine nucleoside analogues. 2003 , 46, 5763-72	19
1777	Crystal Engineering of Organic Salts: Hydrogen-Bonded Supramolecular Motifs in Trimethoprim Sorbate Dihydrate and Trimethoprim o-Nitrobenzoate. 2003 , 3, 567-571	30
1776	Dipole-induced polymorphs of trans-2-hydroxycycloheptanecarboxylic acid with virtually the same unit cell. 2003 , 125, 34-5	30
1775	Self-recognition and hydrogen bonding by polycyclic bridgehead monoalcohols. 2003 , 1, 700-4	9
1774	Radical Additions of Bis(trimethylsilyl)phosphite to Vinyltrimethylsilane and Vinyltriethoxysilane: Crystal Structure of 2-Trimethylsilylethane-phosphonic Acid. 2003 , 178, 2159-2168	3
1773	Fentanyl and its analogue N-(1-phenylpyrazol-3-yl)-N-[1-(2-phenylethyl)-4-piperidyl]propanamide: 1H- and 13C-NMR spectroscopy, X-ray crystallography, and theoretical calculations. 2003 , 51, 929-34	9
1772	Preparation and Crystal Structure of (1S, 5S, 7S, 8R)-8-Hydroxy-7-phenyl-2,6-dioxabicyclo[3.3.0]octan-3-one. 2003 , 8, 599-606	2
1771	First heterobimetallic MnII/MII(M = Cu, Ni) complexes with open-chain aliphatic schiff-base ligands obtained by direct template synthesis. 2004 , 57, 1287-1298	11
1770	Rationalisation of Co-Crystal Formation Through Knowledge-Mining. 2004 , 10, 57-66	15
1769	Synthesis and X-ray study of the 6-(N-pyrrolyl)purine and thymine derivatives of 1-aminocyclopropane-1-carboxylic acid. 2004 , 63, 391-8	7
1768	Crystal and molecular structures of [Co(DH)(o-phen)2][BF4]2 · 2H2O. 2004 , 49, 807-810	1
1767	First example of cocrystals of polymorphic maleic hydrazide. 2004 , 34, 609-612	17
1766	Structure determination and hydrogen bonding of 1-naphthoxyacetic acid, a potential plant growth hormone. 2004 , 34, 705-708	
1765	Polymorphism and Crystallization of p-Aminobenzoic Acid. 2004 , 4, 1013-1023	110
1764	Very short O···H···hydrogen bond in l-histidinium difluoride. 2004 , 125, 695-699	4
1763	Crystal and Species Engineering with Semi-Flexible Nitrogen Containing Organic Cations: Generation of [H13O6]+ Ions with the Unfavoured Unbranched Topology by Enclosing Hydrochloric Acid in a Porous Inorganic-Organic Hybrid Material. 2004 , 630, 1894-1902	10
1762	tert-Butyl (6S)-4-hydroxy-6-isobutyl-2-oxo-1,2,5,6-tetrahydropyridine-1-carboxylate and tert-butyl (4R,6S)-4-hydroxy-6-isobutyl-2-oxopiperidine-1-carboxylate. 2004 , 60, o200-3	1

- 1761 (6S)-6-Isobutylpiperidine-2,4-dione and (4R,6S)/(4S,6S)-4-hydroxy-6-isobutylpiperidin-2-one. **2004**, 60, o204-7
- 1760 2-Amino-5-nitrothiazole monoethanol solvate: triply-interwoven hydrogen-bonded sheets containing centrosymmetric R2 2(8) and RR10 10(38) rings. **2004**, 60, o15-8 2
- 1759 Three N2-benzoyloxybenzamidines: sheet structures built from hard and soft hydrogen bonds and aromatic pi-pi stacking interactions. **2004**, 60, o28-32
- 1758 Hydrogen-bonded chains of rings in 3-iodobenzaldehyde 2,4-dinitrophenylhydrazone and 4-iodobenzaldehyde 2,4-dinitrophenylhydrazone, and a three-dimensional framework in 4-iodobenzaldehyde 4-nitrophenylhydrazone generated by the combination of N-H...O and C-H...O interactions. **2004**, 60, o11-14 6
- 1757 A three-dimensional hydrogen-bonded framework in N-(3-nitrophenyl)phthalimide, and hydrogen-bonded chains of rings in N-(3,5-dinitrophenyl)phthalimide, linked into sheets by dipolar interactions. **2004**, 60, o24-7 2
- 1756 Hydrogen-bonding patterns in two structural isomers of 3,6-bis(2-chlorophenyl)-1,4-dihydro-1,2,4,5-tetrazine. **2004**, 60, o57-9 6
- 1755 2-Chlorophenyl 3-nitrobenzenesulfonate and 2,4-dichlorophenyl 3-nitrobenzenesulfonate: supramolecular aggregation through C-H...O, pi-pi and van der Waals interactions. **2004**, 60, o65-8 2
- 1754 Hydrogen bonding in C-substituted nitroanilines: a chain of R3 3(12) rings in 2-methanesulfonyl-4-nitroaniline. **2004**, 60, o84-6 1
- 1753 16-(4-Isopropylbenzylidene)androst-4-ene-3,17-dione. **2004**, 60, o110-2 7
- 1752 16-Cyano-13alpha-(5-methyl-1,3,4-oxadiazol-2-yl)-13,16-seco-17-norandrost-5-en-3beta-yl acetate. **2004**, 60, o161-2
- 1751 An aza-steroidal [17,16-c]pyrazole derivative: 2'-(p-fluorophenyl)-17a-aza-2'H-pyrazolo[4',3':16,17]-D-homoandrost-4-en-3-one. **2004**, 60, o158-60
- 1750 Twinning by merohedry in cyclohexanone oxime: a revised structure. **2004**, 60, o127-9 6
- 1749 Poly[lead(II)-mu2-aqua-mu4-terephthalato]. **2004**, 60, m76-8 15
- 1748 Hydrogen-bonded supramolecular motifs in 4,4'-bipyridinium 8-hydroxy-7-iodoquinoline-5-sulfonate dihydrate. **2004**, 60, o284-6 8
- 1747 Isochroman derivatives and their tendency to crystallize in chiral space groups. **2004**, 60, o239-41
- 1746 A two-dimensional network of R(2)(2)(16) and R(4)(2)(8) rings in trans-bis(4-aminopyridine-kappaN(1))bis(benzoato-kappa(2)O,O')copper(II) benzene 0.75-solvate. **2004**, 60, m156-8 2
- 1745 Tris(2-pyridyl)phosphine oxide: how C-H...O and C-H...N interactions can affect crystal packing efficiency. **2004**, 60, o258-60 7
- 1744 1-Bromo-2,6-dihydroxybenzene containing R(4)(4)(8) rings and C(2) helices. **2004**, 60, o353-5 2

- 1743 Monoclinic pseudosymmetry in 2-phenoxybenzenesulfonamide, a triclinic structure having $Z' = 4$, and spontaneous resolution in monoclinic N-methyl-2-phenoxybenzenesulfonamide. **2004**, 60, o364-7 3
- 1742 Exo Diels-Alder adducts between ortho- and para-N-acetoxyphenylmaleimides and furan. **2004**, 60, o427-30
- 1741 2'-(4-Fluorophenyl)-[1,2,3]triazolo[4',5':16,17]androst-5-en-3beta-ol methanol hemisolvate. **2004**, 60, o405-7
- 1740 Hydrogen-bonding adducts of benzenepolycarboxylic acids with N,N-dimethylformamide: benzene-1,4-dicarboxylic acid N,N-dimethylformamide disolvate, benzene-1,2,4,5-tetracarboxylic acid N,N-dimethylformamide tetrasolvate and benzene-1,2,3-tricarboxylic acid N,N-dimethylformamide disolvate monohydrate. **2004**, 60, o444-8 11
- 1739 5-Benzoylamino-3-bromo-4-(4-methoxyphenyl)-4,5-dihydroisoxazole-5-carboxylic acid. **2004**, 60, o496-7 2
- 1738 Triphenylphosphine oxide-1-naphthoic acid (1/1). **2004**, 60, o531-2 1
- 1737 Ethyl (E)-3-(2-hydroxyphenyl)-2-(morpholinocarbonyl)propenoate. **2004**, 60, o517-9
- 1736 N-(4-fluorophenyl)-4-nitrophthalimide: tripartite hydrogen-bonded sheets. **2004**, 60, o511-3 1
- 1735 Dimethyl 3,4,5,5-tetraphenyl-1,3-thiazolidine-2,2-dicarboxylate and 3,3-dichloro-2,2,4,4,3'-pentamethyl-r-2',t-4'-diphenylcyclobutane-1-spiro-5'-1,3-thiazolidine. **2004**, 60, o595-9
- 1734 Hydrogen-bonding and C-H...pi interactions in 1,7-bis(4-hydroxy-3-methoxyphenyl)heptane-3,5-dione (tetrahydrocurcumin). **2004**, 60, o611-3 11
- 1733 Supramolecular structures of three configurational isomers of 1-phenylethanaminium malate(1-). **2004**, 60, o617-22 1
- 1732 N1-(4-tert-Butylphenyl)-N2-hydroxy-alpha-oxo-alpha-phenylacetamidine and N2-hydroxy-N1-(4-nitrophenyl)-alpha-oxo-alpha-phenylacetamidine hemihydrate. **2004**, 60, o702-4 1
- 1731 Hydantoin and hydrogen-bonding patterns in hydantoin derivatives. **2004**, 60, o714-7 22
- 1730 The E and Z isomers of 3-(benzoxazol-2-yl)prop-2-enoic acid. **2004**, 60, o723-6 2
- 1729 Diethyl piperazine-1,4-diylldioxalate. **2004**, 60, o699-701
- 1728 1H-Imidazol-1-yl 1,2,3,4-tetrahydroisoquinolin-2-yl ketone. **2004**, 60, o730-2
- 1727 2-Pyridone-tartronic acid (1/1), 3-hydroxypyridinium hydrogen tartronate and 4-hydroxypyridinium hydrogen tartronate. **2004**, 60, o718-22 3
- 1726 Polarized molecular-electronic structures and supramolecular aggregation in 1-(6-amino-1,3-benzodioxol-5-yl)-3-arylprop-2-en-1-ones. **2004**, 60, o744-50 3

- 1725 (+/-)-(4-Oxo-4H-chromen-2-yl)(phenyl)methyl acetate. **2004**, 60, o762-4 2
- 1724 N-(3-Methyl-4-oxo-3,4-dihydropteridin-2-yl)glycine: hydrogen-bonded sheets of R44(22) and R44(30) rings. **2004**, 60, o795-7 1
- 1723 3-Phenyl-4H,6H-1,2,4-oxadiazol-5-one. **2004**, 60, o818-20
- 1722 6-(4-Bromophenyl)-6,7-dihydro-1,3-dioxolo[4,5-g]quinolin-8(5H)-one: bilayers built from N-H...O, C-H...O and C-H...pi(arene) hydrogen bonds. **2004**, 60, o827-9 2
- 1721 Secondary interactions in 3-bromopyridinium tribromoacetate. **2004**, 60, o876-8 4
- 1720 Hydrated metal(II) complexes of N-(6-amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl) derivatives of glycine, glycyglycine, threonine, serine, valine and methionine: a monomeric complex and coordination polymers in one, two and three dimensions linked by hydrogen bonding. **2004**, 60, o881-84 17
- 1719 Structures of piperazine, piperidine and morpholine. **2004**, 60, 219-27 74
- 1718 Packing conflicts in the $Z' = 5$ structure of $\text{CF}_3(\text{CF}_2)_3(\text{CH}_2)_{10}\text{COOH}$. **2004**, 60, 325-32 13
- 1717 Photodimerization of the α' -polymorph of ortho-ethoxy-trans-cinnamic acid in the solid state. I. Monitoring the reaction at 293 K. **2004**, 60, 315-24 29
- 1716 A new polymorph of ortho-ethoxy-trans-cinnamic acid: single-to-single-crystal phase transformation and mechanism. **2004**, 60, 300-14 33
- 1715 Novel tools for visualizing and exploring intermolecular interactions in molecular crystals. **2004**, 60, 627-68 1741
- 1714 Geometry of the 2-aminoheterocyclic-carboxylic acid $R_2(2)(8)$ graph set: implications for crystal engineering. **2004**, 60, 748-54 58
- 1713 4-Methylphenyl 3-nitrobenzenesulfonate. **2004**, 60, o1-o3
- 1712 1-Amino-3-ammonioguanidinium dichloride. **2004**, 60, o89-o91 3
- 1711 C-H...O and C-H...pi(arene) interactions in (2S,4S,5R)-1,2-(4-propoxyphenyl)-3,4-dimethyl-5-phenyl-1,3-oxazolidine. **2004**, 60, o234-o236 3
- 1710 A neo-clerodane diterpene from *Teucrium tomentosum*. **2004**, 60, o117-o119 4
- 1709 2-[Hydroxy(2-pyridyl)methyl]-2-cyclopenten-1-one: the Baylis-Hillman adduct of 2-pyridinecarboxaldehyde and 2-cyclopenten-1-one. **2004**, 60, o204-o206
- 1708 4-Amino-2,6-dichloro-5-nitropyrimidine. **2004**, 60, o241-o243

- 1707 The Baylis-Hillman adduct of 4-nitrobenzaldehyde and cyclohex-2-en-1-one: 2-[hydroxy(4-nitrophenyl)methyl]-cyclohex-2-en-1-one. **2004**, 60, o419-o421
- 1706 2,6-Bis(hydroxymethyl)-4-methylphenol benzylidene 1,2-acetal. **2004**, 60, o457-o459
- 1705 Dimethyl 3-benzoyl-7-(N,N-dimethylamino)indolizine-1,2-dicarboxylate. **2004**, 60, o479-o480 2
- 1704 Dimethyl 7-(N,N-dimethylamino)-3-(4-methylbenzoyl)indolizine-1,2-dicarboxylate. **2004**, 60, o537-o538
- 1703 Fluoren-9-one 4-toluenesulfonylhydrazone: hydrogen-bonded $R_2(8)$ dimers are linked into sheets by π -stacking interactions. **2004**, 60, o520-o522
- 1702 N-(4-Chlorophenyl)acrylamide. **2004**, 60, o629-o630 1
- 1701 3-[(7-Acetoxy-4-methylcoumarin-8-yl)methyl]sydnone. **2004**, 60, o701-o702 1
- 1700 (Z)-2,3-Bis(3,4-dimethoxyphenyl)-2-propen-1-ol. **2004**, 60, o804-o806
- 1699 N-(tert-Butyloxycarbonylamino)phthalimide. **2004**, 60, o934-o935 1
- 1698 Chloro[N,N'-ethylenebis(5-carboxysalicylideneiminato)]iron(III). **2004**, 60, m732-m734 2
- 1697 Dimethyl 1-(7-acetoxy-4-methyl-2-oxo-2H-chromen-8-ylmethyl)-1H-pyrazole-3,4-dicarboxylate. **2004**, 60, o961-o963
- 1696 3-(4-Chlorophenyl)-5-methyl-3H-1,3,4-oxadiazol-2-one. **2004**, 60, o964-o965
- 1695 N-(4-Acetylphenyl)-N'-[(4-sydnon-3-yl)phenyl]urea dimethylformamide solvate. **2004**, 60, o1015-o1016 2
- 1694 Bis(5-amino-3-methyl-1-phenyl-1H-pyrazol-4-yl)-3,4,5-trimethoxyphenylmethane: sheets built from N \cdots N and N \cdots O hydrogen bonds. **2004**, 60, o1034-o1037 4
- 1693 4-Amino-2-chloro-5-nitro-6-(propylamino)pyrimidine. **2004**, 60, o1260-o1262 1
- 1692 m-Cyanophenol. **2004**, 60, o1513-o1514 1
- 1691 5,6-[2-(Acetyl-1H-ethoxycarbonyl)ethylidene]-1,3,3a,4,5,6,7,7a-octahydro-4,7-epoxyisobenzofuran-1,3-dione. **2004**, 60, o1659-o1660
- 1690 7a,8,9,10-Tetrahydrobenzo[f]cyclopenta[b]chromen-10-one. **2004**, 60, o1671-o1673

- 1689 N-(3-Methoxy-5-methylpyrazin-2-yl)-2-[4-(1,3,4-oxadiazol-2-yl)phenyl]pyridine-3-sulfonamide (ZD4054 Form 1). **2004**, 60, o1817-o1819 3
- 1688 trans-Bis(1H-benzimidazol-2-ylmethyl)-N,N-diethyl phosphate)dichloropalladium(II) monohydrate. **2004**, 60, m1558-m1561 3
- 1687 17-Butyl-16,17a-dioxo-17-aza-D-homoestra-1,3,5(10)-trien-3-yl acetate. **2004**, 60, o2002-o2004
- 1686 1,2-Bis(2,4-dinitrophenoxy)ethane. **2004**, 60, o2056-o2058
- 1685 Bis(2,4-diamino-6-oxopyrimidinium) sulfate monohydrate. **2004**, 60, o2038-o2040 5
- 1684 Methyl 4-(4-methoxybenzylidenemethyl)-3,5-dinitrobenzoate. **2004**, 60, o2053-o2055
- 1683 7-Nitro-2,3-dihydro-1H-cyclopenta[b]chromen-1-one. **2004**, 60, o2087-o2089 3
- 1682 5-((2-benzylidene-1,1-dimethyl-4-phenylacenaphthene-2-spiro-2-pyrrolidine-3-spiro-3-piperidine-1,4-dione)-2-yl)-1,3,5-oxadiazin-4-imine. **2004**, 60, o2149-o2151 3
- 1681 7-Methoxy-2,3-dihydro-1H-cyclopenta[b]chromen-1-one. **2004**, 60, o2278-o2280
- 1680 N-Cyclohexyl-2-oxo-2H-1-benzopyran-3-carboxamide. **2004**, 60, o2306-o2308 1
- 1679 A 1:2 co-crystal of isonicotinamide and propionic acid. **2004**, 60, o2380-o2383 4
- 1678 TrimethoprimHydrogen malonate (1/1). **2004**, 60, o2350-o2352 2
- 1677 (E)-N1-[(6-Chloropyridin-3-yl)methyl]-N2-cyano-N1-methylacetamide. **2004**, 60, o2374-o2375 4
- 1676 2-(2,4-Dichlorophenyl)-1-(1H-1,2,4-triazol-1-yl)hexan-2-ol (hexaconazole). **2004**, 60, o2410-o2412 4
- 1675 (4E)-3-[(2-Chloro-4,5-dihydro-1,3-thiazol-5-yl)methyl]-5-methyl-N-nitro-1,3,5-oxadiazinan-4-imine (thiamethaxam). **2004**, 60, o2413-o2414 5
- 1674 (2E)-1-[(6-Chloropyridin-3-yl)methyl]-N-nitroimidazolidin-2-imine (imidachlopid). **2004**, 60, o2415-o2417 11
- 1673 Ethyl 5-[(4,6-dimethoxypyrimidin-2-yl)ureidosulfonyl]-1-methyl-1H-pyrazole-4-carboxylate. **2004**, 60, o2418-o2420 5
- 1672 Methyl 2(E)-methoxyimino-2-[2-(2-methylphenoxy)methyl]phenyl]acetate. **2004**, 60, o2421-o2423 4

1671	Pyridinium nitrate at 120 K. 2004 , 60, o2426-o2428	2
1670	Solution-phase synthesis of Aib-containing cyclic hexapeptides. 2004 , 1, 1730-61	26
1669	Backbone Flexibility and Counterion Effects on the Structure and Thermal Properties of Di(thiourea)zinc Dicarboxylate Coordination Polymers. 2004 , 2004, 4686-4695	36
1668	Synthesis of Cyclohexapeptides Containing Pro and Aib Residues. 2004 , 87, 3056-3079	21
1667	Hydrogen-bonded polyrotaxane-like structure containing cyclic (H ₂ O) ₄ in [Zn(OAc) ₂ (μ-bpe)] ₂ ·2H ₂ O: X-ray and neutron diffraction studies. 2004 , 10, 5853-9	94
1666	Synthesis, structural and theoretical studies of new ring-chain adducts of 5(4H)-oxazol-5-ones and aldehyde methylhydrazones. 2004 , 698, 81-86	4
1665	Syntheses and characterizations of six hydrogen-bonded silver(I) complexes from assembly of silver(I) nitrate and aminobenzoic acid. 2004 , 357, 103-114	44
1664	Synthesis and examination of amine-cyanocarboxyboranes, the boron analogues of β-cyanocarboxylic acids: X-ray structural study of the first lactam containing a boron atom in the lactam ring. 2004 , 689, 3567-3581	33
1663	Reactions of [bis(2-pyridylmethyl)amine]trichloroiron(III) with (HOCH ₂) ₃ CNHCO(CH ₂) _n CONHC(CH ₂ OH) ₃ (n=0,2): crystal structures of (Exo)bis{(oxalato){[bis(pyridylmethyl)amine]iron(III)}} and (HOCH ₂) ₃ CNHCO(CH ₂) ₂ CONHC(CH ₂ OH) ₃ . 2004 , 23, 1419-1426	5
1662	Crystal packing modes of 1-(4?-aryl)-4-nitro-5-methylimidazoles: π-stacking, weak hydrogen bonds and C≡O halogen bonds. 2004 , 698, 67-73	22
1661	Synthesis and structure determination of some nonanomeric C-C-linked serine glycoconjugates structurally related to mannojirimycin. 2004 , 339, 2187-95	8
1660	Hydrogen bond directed supramolecular arrays utilising hemimellitic acid: Solvent inclusion clathrates. 2004 , 6, 328	23
1659	Co-ordination chemistry of amino pendant arm derivatives of 1,4,7-triazacyclononane. 2004 , 1934-44	15
1658	Crystal synthesis of hybrid organometallic-inorganic hydrogen bonded salts of acid oxoanions. 2004 , 2432-7	6
1657	Versatility in stabilization of crystalline inclusion complexes of a bulky diol host by various closely related acidic and ester guests. 2004 , 6, 60-69	11
1656	A New Polymorph of 4-Pyridinethione Containing a Helical Assembly Based on N-H...S Hydrogen Bonds. 2004 , 4, 1181-1184	35
1655	Supramolecular Behavior of an Isomorphous Series of Five Bis(2-methylimidazolium 2,6-dicarboxypyridine) M(II) Complexes. 2004 , 4, 1203-1209	73
1654	An Experimental and Theoretical Search for Polymorphs of Barbituric Acid: The Challenges of Even Limited Conformational Flexibility. 2004 , 4, 979-987	67

- 1653 The Dihydropyrimidine-2,4-(1H,3H)-dione Functionality: a Suitable Module for Novel Crown-containing Hydrogen-bonded Supramolecular Assemblies. **2004**, 16, 23-30 8
- 1652 Synthesis and characterization of a novel cadmium-organic framework with trimesic acid and 1,2-bis(4-pyridyl)ethane. **2004**, 43, 3948-54 149
- 1651 High-pressure recrystallisation route to new polymorphs and solvates. **2004**, 6, 504-511 114
- 1650 Manipulation of Molecular and Supramolecular Structure in Nickel(II) Complexes through the Orientation of Dicarboxylate Hydrogen Bonding Faces. **2004**, 4, 813-822 38
- 1649 Supramolecular Synthons and Crystal Structure Prediction of Organic Compounds. **2004**, 4, 1395-1402 32
- 1648 Synthesis of enantiopure 4-hydroxypicolate and 4-hydroxylysine derivatives from a common 4,6-dioxopiperidinecarboxylate precursor. **2004**, 69, 130-41 52
- 1647 Helical aromatic oligoamides: reliable, readily predictable folding from the combination of rigidified structural motifs. **2004**, 126, 16528-37 106
- 1646 Crystallization-induced dynamic resolution and analysis of the non-covalent interactions in the crystal packing of peptide-biphenyl hybrids. **2004**, 6, 512-521 18
- 1645 Synthesis, spectroscopic and crystallographic studies of (1R,2S)-1-(2-carboxy-4-methyl-5-methoxyphenyl)-1,2-dimethyl-cyclopentane-2-carboxylic acid: supramolecular framework built from O-H...O and C-H...O hydrogen bonds. **2004**, 219, 456-460
- 1644 Synthesis of Perhydropyrrolo[1,2-a]pyrazine-1,4-diones and Their Sulfur-Analogues by Ring-Enlargement of N-(2H-Azirin-3-yl)-L-prolinates. **2004**, 64, 417 8
- 1643 Self-assembly of Guanidinium Hexagonal Carboxylate: How Many H-bonds and H-bonding Pattern between ArCOO⁻ and C(NH₂)₃⁺?. **2004**, 33, 856-857 5
- 1642 Vibrational assignment, structure and intramolecular hydrogen bond of 4-methylamino-3-penten-2-one. **2005**, 62, 1004-15 7
- 1641 Synthesis and characterization of triphenyltin(IV) 5-[(E)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates. Crystal and molecular structures of Ph₃Sn{O₂CC₆H₃-p-OH[NN(C₆H₄-4-CH₃)]} and the 2,2'-bipyridine adduct Ph₃Sn{O₂CC₆H₃-p-OH[NN(C₆H₄-2-CH₃)]}OH₂[C₁₀H₈N₂]. **2005**, 690, 613-621 14
- 1640 Synthesis, characterization and crystal structures of polymeric and dimeric triphenyltin(IV) complexes of 4-[(E)-1-{2-hydroxy-5-[(E)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylidene)amino]aryls. **2005**, 698, 4232-4242 59
- 1639 Synthesis, spectroscopy and antiproliferative activity of cis- and trans-platinum(II) complexes with diethyl (pyridin-4-ylmethyl)phosphate. X-ray crystal structure of trans-Pt(II) complex. **2005**, 99, 2024-31 31
- 1638 Analysis of intermolecular interactions involving halogens in substituted benzanilides. **2005**, 733, 133-141 11
- 1637 Furan derivatives of substituted phenylthiourea: spectral studies, semi-empirical quantum-chemical calculations and X-ray structure analyses. **2005**, 743, 29-48 15
- 1636 Synthesis, characterisation and magnetic properties of cobalt (II) complexes with 3-hydroxypicolinic acid (HpicoH): [Co(picoH)₂(H₂O)₂] and mer-[N(CH₃)₄][Co(picoH)₃] · H₂O. **2005**, 24, 563-569 24

1635	The 1D and 0D weakly hydrogen-bonded adducts 18-crown-6/4-phenylthiosemicarbazide (1/2) and cis-anti-dicyclohexyl-18-crown-6/N,N'-diphenylthiourea (1/2). 2005 , 738, 85-89	5
1634	Second-sphere coordination complexes via hydrogen bonding: Synthesis, spectroscopic characterization, crystal structures and packing of cis-diazidobis(ethylenediamine)cobalt(III) cations with complex fluoroanions. 2005 , 753, 182-189	20
1633	Hydrothermal synthesis, structural characterisation and magnetic behaviour of hybrid complexes of N-(phosphonomethyl)iminodiacetate. 2005 , 754, 51-60	19
1632	Hydrogen bond mediated magnetism in. 2005 , 309, 115-125	18
1631	First synthesis of a selenazepane. 2005 , 46, 6723-6725	25
1630	Synthesis and conformational analysis of 18-membered Aib-containing cyclohexapeptides. 2005 , 61, 1871-1883	28
1629	The novel hydrogen bonding motifs and supramolecular patterns in 2,4-diaminopyrimidine-trobenzoate complexes. 2005 , 61, 7201-7210	39
1628	Metal-nucleobase interactions: Interplay of coordination and hydrogen bonding in cadmium (II) complexes of N6-substituted adenines. 2005 , 8, 1056-1059	20
1627	3-(4,6-Dimethylpyrimidin-2-yl)-2-methylchromen-4-one. 2005 , 61, o2510-o2512	
1626	2,4-dithiouracil: the reproducible H-bonded structural motifs in the complexes with 18-membered crown ethers. 2005 , 3, 3054-8	8
1625	Building co-crystals with molecular sense and supramolecular sensibility. 2005 , 7, 439	612
1624	Effect of High Pressure on the Crystal Structures of Polymorphs of Glycine. 2005 , 5, 1415-1427	192
1623	Synthesis and X-ray crystal structure study of the hydroxyurea and hydantoin derivatives of L-valine. 2005 , 66, 85-93	7
1622	Systematic studies of general structural characteristics of organic molecular crystals and prediction of their structures. 2005 , 50, 167-176	2
1621	Template synthesis and crystal structure of an asymmetric square-planar complex: Pyridine-2,6-dicarbaldehyde-bis(S-methylisothiosemicarbazonato)nickel(II) iodide. 2005 , 50, 217-223	9
1620	Crystal structure of the supramolecular system of indole-2,3-dione 1-(2-oxopropyl)-3-ethylene ketal and its thiosemicarbazone. 2005 , 50, 923-927	
1619	Solid-State Structure, Quantum Calculations and Spectroscopic Characterization of the Hydrogen-Bonded Complex [Os(bpy) ₂ (CO)(EtO-TH-DMAP)][PF ₆] ₂ . 2005 , 2005, 606-614	7
1618	Selenium-Containing Heterocycles From Isoselenocyanates: Synthesis of 1,3-Selenazolidine and Perhydro-1,3-selenazine Derivatives. 2005 , 2005, 3128-3137	42

1617	Application of the Direct Amide Cyclization to Peptides Containing an Anthranilic Acid Residue. 2005 , 88, 1711-1733	14
1616	Self-assembly of diorganotin(IV) 2-[[<i>E</i>]-1-(2-oxyaryl)alkylidene]amino}acetates: An investigation of structures by X-ray diffraction, solution and solid-state tin NMR, and electrospray ionization MS. 2005 , 690, 3080-3094	52
1615	Non-Bonded Intermolecular Interactions and Crystal Stability of trans-1,4-Cyclohexanedicarboxylic Acid, 1,4-dibromo. 2005 , 16, 571-579	4
1614	C(4) helices, Br \cdots Br interaction and R ₂ 4 (10) ring in bromoipriflavone. 2005 , 35, 101-105	1
1613	Crystal Structure of 1:1 Complex of Honokiol and 1,4-Diazabicyclo[2.2.2]octane: Separation of Honokiol by Molecular Recognition. 2005 , 51, 225-229	2
1612	Charge-assisted N-H \cdots I and C-H \cdots I hydrogen bonding in (1 <i>R</i> ,2 <i>S</i>)-1-(ferrocenylmethyl)-2-(methoxymethyl)pyrrolidinium iodide. 2005 , 61, m55-7	2
1611	5-(1-Hydroxyethylidene)-1,3-dimethylpyrimidine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trione and four amino derivatives. 2005 , 61, o15-20	2
1610	Ethyl (2-pyridylmethyl)phosphonate. 2005 , 61, o4-6	2
1609	Hydrogen-bonding patterns in 2-amino-4,6-dimethylpyrimidinium hydrogen sulfate. 2005 , 61, o95-7	10
1608	3,3-Difluoro-5-nitro-1 <i>H</i> -indol-2(3 <i>H</i>)-one: sheets of R ₂ 2 (8) and R ₄ 6 (34) rings built from three-centre N-H \cdots (O)2 hydrogen bonds. 2005 , 61, o57-9	1
1607	The isomeric compounds nimbolide and isonimbolide. 2005 , 61, o70-2	8
1606	Tris[4-(4-nitrophenyl)-3-aza-3-butenyl]amine: pi-stacked chains of hydrogen-bonded R(2)(2)26 dimers. 2005 , 61, o75-7	1
1605	Two isomeric 2-[4-chloro-2-fluoro-5-(prop-2-ynyloxy)phenyl]hexahydroisindole-1,3-dione compounds. 2005 , 61, o114-7	
1604	Polymorphism in ammonium 2,4,6-trimethylbenzenesulfonate. 2005 , 61, o134-7	2
1603	Three trifluoromethyl-substituted protoporphyrinogen IX oxidase inhibitors. 2005 , 61, o122-6	1
1602	2-Iodo-6-methoxy-4-nitroaniline: tripartite ribbons built from N-H \cdots O hydrogen bonds and iodo-nitro interactions are pi-stacked into sheets. 2005 , 61, o145-7	3
1601	Hydrogen-bonding and C-H \cdots pi interactions in 7-hydroxy-3-methoxy-4-methyl-5,6,7,8-tetrahydropyrido[1,2- <i>c</i>]pyrimidin-1(9 <i>H</i>)-one. 2005 , 61, o158-60	4
1600	Tolterodinium (+)-(2 <i>R</i> ,3 <i>R</i>)-hydrogen tartrate. 2005 , 61, o171-3	5

1599	C-halogen...pi dimer and C-H...pi interactions in 1-(2-bromo-4,5-dimethoxybenzyl)-2-butyl-4-chloro-1H-imidazole-5-carbaldehyde and 2-butyl-4-chloro-1-(6-methyl-1,3-benzodioxol-5-ylmethyl)-1H-imidazole-5-carbaldehyde. 2005 , 61, o177-80	7
1598	The hydrogen-bonding network in (+)-N-tosyl-L-glutamic acid. 2005 , 61, o181-4	1
1597	Supramolecular structures of three isomeric 2-chloro-N-(nitrophenyl)nicotinamides. 2005 , 61, o204-8	2
1596	Chains of edge-fused hydrogen-bonded R ₃ 3(12) rings in N-phenyl-4-nitrophthalimide. 2005 , 61, o209-10	
1595	Trifluoromethyl derivatives of pentacyclo[5.4.0.0(2,6).0(3,10).0(5,9)]undecane. 2005 , 61, o221-6	9
1594	2-(Acridin-9-ylimino)-3-dimethylamino-1,3-thiazolidin-4-one. 2005 , 61, o231-3	1
1593	N-cinnamoylsaccharin. 2005 , 61, o243-5	2
1592	2,6-dimethyl-1,4-benzoquinone 4-monooxime. 2005 , 61, o240-2	
1591	3-iodoanilinium 2-carboxy-6-nitrobenzoate: a three-dimensional framework built from O-H...O and N-H...O hydrogen bonds and a two-centre iodo-nitro interaction. 2005 , 61, o246-8	1
1590	threo-2-(2,6-dimethoxyphenoxy)-1-(4-hydroxy-3,5-dimethoxyphenyl)propane-1,3-diol: a conformational study. 2005 , 61, o256-8	5
1589	(2-Hydroxyethyl)hydrazinium(2+) dichloride. 2005 , 61, o321-3	3
1588	Supramolecular structures of four isomorphous anilinium 2-carboxy-4-nitrobenzoate salts: 4-X-C ₆ H ₄ NH ₃ ⁺ .C ₈ H ₄ NO ₆ ⁻ (X = H, Cl, Br and I). 2005 , 61, o276-80	9
1587	catena-Poly[[[N-(4-amino-1,6-dihydro-1-methyl-5-nitroso-6-oxypyrimidin-2-yl)-(S)-glutamato]hexaaquabarium]-mu-N-(4-aminophenyl)-mu-N-(4-aminophenyl)] coordination polymer chains linked into a three-dimensional framework by N-H...O and O-H...O hydrogen bonds. 2005 , 61, m224-7	1
1586	Supramolecular structures of five 5-(arylmethylene)-1,3-dimethylpyrimidine-2,4,6(1H,3H,5H)-triones: isolated molecules, hydrogen-bonded chains and chains of fused hydrogen-bonded rings. 2005 , 61, o306-11	9
1585	3,3a-Dihydrocyclopenta[b]chromen-1(2H)-ones from the reaction of salicylaldehyde and 2-cyclopenten-1-one. 2005 , 61, o332-5	0
1584	Supramolecular structures of three isomeric (E,E)-1-(2-iodophenyl)-4-(nitrophenyl)-2,3-diaza-1,3-butadienes: changes in intermolecular interactions consequent upon changes of substituent location. 2005 , 61, o312-6	5
1583	N1-(4-Bromophenyl)-N2-hydroxy-2-oxo-2-phenylacetamide. 2005 , 61, o343-4	1
1582	Hydrogen bonding in C-substituted nitroanilines: simple C(8) chains in 2-bromo-6-chloro-4-nitroaniline. 2005 , 61, o336-8	3

- 1581 Supramolecular aggregation of two hydroxycarboxylic acid derivatives. **2005**, 61, o339-42
- 1580 1lambda(4),4lambda(4),8lambda(4),11lambda(4)-Tetrathiacyclotetradecane-1,4,7,10-tetraaylidenetetraaminium tetrakis(2,4,6-trimethylbenzenesulfonate). **2005**, 61, o411-3 3
- 1579 (E)-4-methoxybenzaldehyde O-(N-phenylcarbamoyl)oxime. **2005**, 61, o422-3
- 1578 The twofold interpenetrated three-connected three-dimensional (10,3)-net in 2-aminoethene-1,1,2-tricarbonitrile. **2005**, 61, o434-7 3
- 1577 Solvent-dependent polymorphism in isomeric N-(nitrobenzylidene)iidoanilines. **2005**, 61, o445-9 2
- 1576 Hydrogen-bonding patterns in pyrimethaminium dinitrate. **2005**, 61, o586-8 3
- 1575 2-Iodo-N-(4-nitrophenyl)benzamide forms hydrogen-bonded sheets of R4(4)(24) rings. **2005**, 61, o450-1 6
- 1574 Methyl 2-(4-ferrocenylbenzamido)thiophene-3-carboxylate and ethyl 2-(4-ferrocenylbenzamido)-1,3-thiazole-4-acetate, a unique ferrocene derivative containing a thiazole moiety. **2005**, 61, m365-9
- 1573 An oxonium hydrogen sulfate of 3a,6a-diphenylglycoluril. **2005**, 61, o500-2 5
- 1572 Supramolecular structures of four (Z)-5-arylmethylene-2-thioxothiazolidin-4-ones: hydrogen-bonded dimers, chains of rings and sheets. **2005**, 61, o477-82 16
- 1571 Two N-substituted 3,5-diphenyl-2-pyrazoline-1-thiocarboxamides. **2005**, 61, o542-4 1
- 1570 N-(6-Amino-3,4-dihydro-3-methyl-5-nitroso-4-oxopyrimidin-2-yl)leucine: a three-dimensional hydrogen-bonded framework structure. **2005**, 61, o548-50
- 1569 A second polymorph of 2-aminopyridinium dihydrogenphosphate. **2005**, 61, o565-7 4
- 1568 Three isomeric forms of hydroxyphenyl-2-oxazoline: 2-(2-hydroxyphenyl)-2-oxazoline, 2-(3-hydroxyphenyl)-2-oxazoline and 2-(4-hydroxyphenyl)-2-oxazoline. **2005**, 61, o602-6 3
- 1567 An unusual acid:
(+/-)-3-benzoyl-1,2-dimethyl-8a-phenyl-2-benzothieno[2,3-b]pyrrole-1,2-dicarboxylic anhydride. **2005**, 61, o610-2
- 1566 pi-Stacked hydrogen-bonded chains of rings in 2,4-difluorobenzaldehyde isonicotinoylhydrazone and hydrogen-bonded sheets in 2,3-dichlorobenzaldehyde isonicotinoylhydrazone. **2005**, 61, o617-20 3
- 1565 Polymorphism in an unexpected caesium complex of 5-hydroxyhydrilic acid. **2005**, 61, m459-62 6
- 1564 The hydrogen-bonding network in deacetylcephalothin. **2005**, 61, o625-7

- 1563 Contrasting three-dimensional framework structures in the isomeric pair 2-iodo-N-(2-nitrophenyl)benzamide and N-(2-iodophenyl)-2-nitrobenzamide. **2005**, 61, o634-8 12
- 1562 N-benzylethylammonium nitrate: a three-dimensional hydrogen-bonded framework comprising substructures in zero, one and two dimensions. **2005**, 61, o645-7 1
- 1561 Supramolecular structures of three isomeric 4-(methylphenylamino)pyridine-3-sulfonamides. **2005**, 61, o648-51 3
- 1560 Four nitrobenzaldehyde isonicotinoylhydrazones at 120 K: four different supramolecular structures in two and three dimensions. **2005**, 61, o683-9 6
- 1559 Hydrogen-bonding and carbonyl-carbonyl interactions in violuric acid methanol solvate. **2005**, 61, o718-21 1
- 1558 (+/-)-Methyl and (+/-)-ethyl 4-(2,3-difluorophenyl)-2,6,6-trimethyl-5-oxo-1,4,5,6,7,8-hexahydroquinoline-3-carboxylate. **2005**, 61, o731-4 2
- 1557 Supramolecular structures of 1-phenylethylammonium tartrates. **2005**, 61, 103-14 9
- 1556 Effect of pressure on the crystal structure of L-serine-I and the crystal structure of L-serine-II at 5.4 GPa. **2005**, 61, 58-68 91
- 1555 A helical structure with $Z' = 10$. **2005**, 61, 218-26 31
- 1554 Isomeric N-(iodophenyl)nitrophthalimides: interplay of C-H...O hydrogen bonds, iodo...nitro and iodo...carbonyl interactions, and aromatic pi...pi stacking interactions. **2005**, 61, 227-37 12
- 1553 Concomitant polymorphism and a temperature-dependent phase change in (E)-[1-(4-methoxyphenyl)-3-phenyl-2-propenylideneamino]oxyacetic acid. **2005**, 61, 321-8 6
- 1552 Pressure-induced polymorphism in cyclopropylamine. **2005**, 61, 717-23 20
- 1551 Isostructural phase transition in m-carboxyphenylammonium monohydrogenphosphite. **2005**, 61, 700-9 12
- 1550 The unusual phases of anhydrous and hydrated pinacol. **2005**, 61, 689-99 17
- 1549 The effect of pressure on the crystal structure of hexagonal L-cystine. **2005**, 12, 598-607 36
- 1548 Auophilic and hydrogen-bonding interactions in [1-(diphenylphosphino)-4-(diphenylphosphinoyl)butane- β 1]iodogold(I) monohydrate. **2005**, 61, m30-m32
- 1547 4-Nitrophenyl 4-toluenesulfonate: supramolecular aggregation through weak C \ddot{H} ...O, C \ddot{H} ... π and van der Waals interactions. **2005**, 61, o75-o78
- 1546 N-[6-(Hydroxymethyl)pyridin-2-yl]-2,2-dimethylpropanamide. **2005**, 61, o105-o107 2

- 1545 2-Nitrophenyl 4-toluenesulfonate: supramolecular aggregation through weak C_H...O, C_H... π and π interactions. **2005**, 61, o118-o120 1
- 1544 2-Methylphenyl 4-toluenesulfonate: supramolecular aggregation through weak C_H...O, C_H... π and π interactions. **2005**, 61, o239-o241 4
- 1543 17-Allyl-16,17a-dioxo-17-aza-D-homoestra-1,3,5(10)-trien-3-yl acetate. **2005**, 61, o160-o162
- 1542 4-Methylphenyl 4-toluenesulfonate: supramolecular aggregation through weak C_H...O and C_H... π interactions. **2005**, 61, o242-o244 3
- 1541 Methyl 2-[(ferrocenylcarbonyl)amino]thiophene-3-carboxylate. **2005**, 61, m201-m203
- 1540 Phenyl 4-toluenesulfonate: supramolecular aggregation through weak C_H...O and C_H... π interactions. **2005**, 61, o690-o692 3
- 1539 3-(3,7-Dimethylocta-2,6-dienyloxy)-1,8-dihydroxy-6-methyl-9,10-anthraquinone. **2005**, 61, o410-o412 3
- 1538 1-(4-Chlorophenyl)-3-(4-hydroxyphenyl)prop-2-en-1-one. **2005**, 61, o405-o407 4
- 1537 1-(4-Hydroxyphenyl)-3-(4-methoxyphenyl)prop-2-en-1-one. **2005**, 61, o480-o482 4
- 1536 Benzyl 2-amino-6-chloro-9H-purine-9-carboxylate. **2005**, 61, o486-o488
- 1535 N-(2-Benzoyl-4-chlorophenyl)-2-chloroacetamide. **2005**, 61, o632-o634 3
- 1534 Scandenin. **2005**, 61, o596-o598 1
- 1533 Diaquabis(biuretato- κ O, κ O?)nickel(II) dichloride. **2005**, 61, m525-m527
- 1532 2-[(2-Chloro-5-phenyl-3-pyridinyl)(hydroxy)methyl]acrylonitrile. **2005**, 61, o706-o707 3
- 1531 2-[(2-Chloro-5-ethyl-3-pyridinyl)(hydroxy)methyl]acrylonitrile. **2005**, 61, o708-o709 3
- 1530 [6-(Benzoyloxy)-1,4,5-trihydroxycyclohex-2-en-1-yl]methyl benzoate. **2005**, 61, o699-o701
- 1529 3-Bromo-2-(2-bromo-4,5-dimethoxybenzyl)-1-phenylsulfonyl-1H-indole. **2005**, 61, o998-o1000
- 1528 erythro-2-(2,6-Dimethoxy-4-methylphenoxy)-1-(4-hydroxy-3,5-dimethoxyphenyl)propane-1,3-diol. **2005**, 61, o1001-o1003 6

- 1527 5-Chloro-3-methyl-1-phenyl-1H-pyrazole-4-carbaldehyde: sheets built from C₆H₅...O and C₆H₅...(arene) hydrogen bonds. **2005**, 61, o1055-o1057 1
- 1526 6-tert-Butyl-4-isopropylideneamino-3-methylsulfanyl-1,2,4-triazin-5(4H)-one. **2005**, 61, o1112-o1114 1
- 1525 Hydrogen-bonded R₂₂(16) dimers in 1-ferrocenyl-3-(2-hydroxymethylphenyl)aminobut-2-en-1-one. **2005**, 61, m811-m812 3
- 1524 2-(3-Bromo-1-phenylsulfonyl-1H-indol-2-yl)methylsulfanyl-6-methyl-1H-benzimidazole. **2005**, 61, o1184-o1186
- 1523 2-Chloropyridine-3-carboxylic acid. **2005**, 61, o1347-o1349 6
- 1522 Methyl 4,6-dichlorochroman-2-carboxylate. **2005**, 61, o1273-o1275 1
- 1521 Redetermination of para-aminopyridine (fampridine, EL-970) at 150 K. **2005**, 61, o1350-o1353 23
- 1520 3-Acetoxy-4-(4-hydroxyphenethylamino)but-3-en-1-one. **2005**, 61, o1318-o1320
- 1519 2-Amino-5-(2-phenyl-1,2,3-triazol-4-yl)-1,3,4-oxadiazole. **2005**, 61, o1343-o1344
- 1518 1-(4-Methylpiperidinemethyl)-2-(4-bromophenyl)-6-methyl-8-trifluoromethylimidazo[1,2-a][1,8]naphthyridinium picrate. **2005**, 61, o1377-o1380
- 1517 4-(4-Nitrophenyl)-2,3,3a,4,5,9b-hexahydrofuro[3,2-c]quinoline. **2005**, 61, o1419-o1421
- 1516 A carbamoyl-substituted dihydropyrimidine with dimethyl sulfoxide solvent. **2005**, 61, o1414-o1416 1
- 1515 Pyrimethaminium sulfosalicylate monohydrate. **2005**, 61, o1480-o1482 9
- 1514 (Z,Z)-3,6-Bis[(3,4,5-trimethoxyphenyl)methylene]piperazine-2,5-dione. **2005**, 61, o1443-o1445
- 1513 1,2-Bis(ferrocenylcarbonylthioureido)ethane chloroform disolvate. **2005**, 61, m1004-m1005
- 1512 2-Hydroxy-6-[(2-methoxyphenyl)aminomethylene]cyclohexa-2,4-dienone. **2005**, 61, o1579-o1581 3
- 1511 Ethylaminium picrate. **2005**, 61, o1546-o1548 1
- 1510 Ethyl 3-[(1,5-dimethylpyrazol-4-yl)carbonylhydrazino]butyrate. **2005**, 61, o2018-o2019

1509	R22(14) dimers in 3-(hydroxyethyl)amino-1-phenylbut-2-en-1-one. 2005 , 61, o2005-o2007	2
1508	Propane-1,3-diaminium bis(dihydrogenarsenate). 2005 , 61, m1289-m1291	1
1507	Ethyl 4-chloro-2-[(2-nitrophenyl)hydrazono]-3-oxobutyrate. 2005 , 61, o2065-o2067	2
1506	Ethyl 4-chloro-2-[(4-nitrophenyl)hydrazono]-3-oxobutyrate. 2005 , 61, o2068-o2070	
1505	Dextromethorphan, an antitussive agent. 2005 , 61, o2071-o2073	3
1504	Benzylammonium 2,4-bis(dicyanomethylene)-2,3-dihydroisoindolide. 2005 , 61, o2258-o2260	
1503	Hydrogen-bonding patterns in bis(trimethoprim) dipicolinate pentahydrate. 2005 , 61, o2368-o2371	1
1502	1,4-Bis[(Z)-2-(3-mesityl-3-methylcyclobutyl)-2-(thiosemicarbazono)ethyl]piperazine dimethyl sulfoxide disolvate. 2005 , 61, o2384-o2386	
1501	Propane-1,3-diaminium hydrogenarsenate monohydrate. 2005 , 61, m1459-m1461	1
1500	2,5-Dimethyl-7-phenylsulfonyl-5,6-dihydroindolo[2,3-c]benzazepin-12-one. 2005 , 61, o2410-o2412	1
1499	2-Nitrobenzaldehyde 2-iodobenzoylhydrazone. 2005 , 61, o2438-o2440	2
1498	β-Lactose monohydrate: a redetermination at 150 K. 2005 , 61, o2499-o2501	16
1497	3-Bromo-2-(4-bromo-2,5-dimethoxybenzyl)-1-phenylsulfonyl-1H-indole. 2005 , 61, o2455-o2457	3
1496	Diethyl 6,9-dibromo-1,4-dioxo-1,2,3,4,5,10-hexahydro-2,3,4a,10a-tetraazabenzog[cyclopenta[cd]azulene-2a,10b-dicarboxylate. 2005 , 61, o2549-o2550	
1495	4-[4-Dimethylamino-1-(4-fluorophenyl)-1-hydroxybutyl]-3-(hydroxymethyl)benzotrile. 2005 , 61, o2691-o2693	
1494	Intermolecularly associated carboxylic acid dimers in the supramolecular assembly of 2-(2-phenylethyl)benzoic acid. 2005 , 61, o2704-o2705	2
1493	3-(Dimethylammonio)propanaminium dipicrate. 2005 , 61, o2887-o2890	1
1492	L-Cysteine-I at 30 K. 2005 , 61, o2739-o2742	43

- 1491 4-Bromophenyl 4-toluenesulfonate: supramolecular aggregation through weak C π ...O and C π ... π interactions. **2005**, 61, o2736-o2738
- 1490 1-(4-Methylphenylsulfonyl)-1H-1,2,3-benzotriazole: sheets built from C π ...N, C π ...O and C π ... π (arene) hydrogen bonds. **2005**, 61, o2795-o2797 1
- 1489 N-[4-(Pyrrolidin-1-ylcarbonylmethoxy)phenyl]acetamide. **2005**, 61, o2868-o2870 1
- 1488 Triaquabis(4-carboxy-1H-imidazole-5-carboxylato)cadmium(II) monohydrate: a three-dimensional hydrogen-bonded network. **2005**, 61, m1746-m1748 1
- 1487 1-Dimethylammoniomethyl-6,8-dimethyl-2-phenyl-1,2-dihydroimidazo[1,2-a][1,8]naphthyridine picrate monohydrate. **2005**, 61, o2910-o2912
- 1486 DiethylN,N'-cyclohexane-1,4-diyl dioxalamate. **2005**, 61, o2994-o2996 3
- 1485 Triethylammonium picrate. **2005**, 61, o2987-o2989 2
- 1484 trans-(4-Methylcyclohexylcarbamoyl)phosphonic acid: a representative matrix metalloproteinase (MMP) inhibitor. **2005**, 61, o3008-o3010
- 1483 16 β -7-Dihydroxy-ent-kauran-19-oic acid. **2005**, 61, o3053-o3055
- 1482 Isonicotinamideformamide (1/1). **2005**, 61, o3161-o3163 3
- 1481 1-(4-Chlorophenyl)-2,6,6-trimethyl-1,5,6,7-tetrahydro-4H-indol-4-one. **2005**, 61, o3089-o3091
- 1480 (8R,9S,13S,14S)-17-Butyl-16,17a-dioxo-17-aza-D-homoestra-1,3,5(10)-trien-3-ol. **2005**, 61, o3095-o3097
- 1479 (8R,9S,13S,14S)-17-Butyl-3-methoxy-17-aza-D-homoestra-1,3,5(10)-triene-16,17a-dione. **2005**, 61, o3098-o3100
- 1478 1 β -Phenyl-2 β ,3 β ,5 β ,6 β ,7 β ,7a β -hexahydroindan-2-spiro-2'-1H-pyrrolizine-3'-spiro-11'-indeno[1,2-b]quinoxaline-1,3-dione. **2005**, 61, o3124-o3126 3
- 1477 2,6-Bis(4,6-dimethoxypyrimidin-2-yloxy)benzoic acid. **2005**, 61, o3281-o3282
- 1476 2-(2-Acetamido-5-methylbenzoyl)-1H-indole. **2005**, 61, o3291-o3293
- 1475 4-Nitrophenyl 2-iodobenzoate: sheets built from C π ...O hydrogen bonds and two-centre iodophilic interactions. **2005**, 61, o3334-o3336 2
- 1474 2-(Methoxycarbonyl)succinanilic acid. **2005**, 61, o3520-o3522 1

- 1473 Tris(2-N-methylaminocarbonyl-3-hydroxy-1,6-dimethyl-1,4-dihydro-4-pyridinonato)iron(III) dimethylformamide disolvate. **2005**, 61, m2055-m2057 1
- 1472 (5R,6S,8S,9R,14R,15R,17R,18S,21S,24R,26S,27R)-5β-Chloro-16,24-cyclo-13,14-secoergost-2-ene-18,26-dioic acid-14:17,14:27-diepoxy-6β,13,20,22-tetrahydroxy-1,15-dioxo-β-lactone β-lactone methanol solvate monohydrate. **2005**, 61, o3523-o3525 2
- 1471 Ethyl 3-(1-ferrocenylethylidene)carbazate. **2005**, 61, m2136-m2138
- 1470 Dimethyl 1-[4-[4,5-bis(methoxycarbonyl)-1,2,3-triazol-1-ylmethylcarbonyl]phenyl]-1H-pyrazole-3,4-dicarboxylate. **2005**, 61, o3482-o3484 1
- 1469 Malonamide: a tetragonal polymorph. **2005**, 61, o3424-o3426 2
- 1468 Malonamide: an orthorhombic polymorph. **2005**, 61, o3427-o3429 2
- 1467 1-(4-Aminophenyl)-3-(3-bromophenyl)prop-2-en-1-one. **2005**, 61, o3514-o3516 2
- 1466 Cyclohexylammonium picrate. **2005**, 61, o3605-o3607 4
- 1465 (4-Hydroxyphenyl)(2,4,6-trihydroxyphenyl)methanone monohydrate. **2005**, 61, o3584-o3586
- 1464 (E)-3-(4-Chlorophenyl)-2-(2-thienyl)acrylonitrile: chains built from C_H...N hydrogen bonds. **2005**, 61, o3639-o3641 3
- 1463 3-Nitrocinnamic acid. **2005**, 61, o3636-o3638 3
- 1462 Redetermination of (2,2'-bipyridyl-2N,N')chloro(glycinato-2N:O)copper(II) dihydrate. **2005**, 61, m2299-m2301
- 1461 Dimethyl 3-(methylamino)-2-(4-methylphenyl)furan-4,5-dicarboxylate. **2005**, 61, o3688-o3690
- 1460 N'-(2-Hydroxybenzylidene)-2-(quinolin-8-yloxy)acetohydrazide monohydrate. **2005**, 61, o3682-o3683 1
- 1459 cis-Ethyl 5-amino-1-[4-(4-chlorophenyl)-5,5-dimethyl-2-oxo-1,3,2-dioxaphosphinan-1-yl]-3-(6-chloro-3-pyridylmethylamino)-1H-pyrazole. **2005**, 61, o3679-o3681
- 1458 5-Phenoxymethyl-1,3,4-oxadiazole-2(3H)-thione. **2005**, 61, o3746-o3747 2
- 1457 Elaidic acid (trans-9-octadecenoic acid). **2005**, 61, o3730-o3732 6
- 1456 A second monoclinic polymorph of 2,9-dimethyl-1,10-phenanthroline dihydrate. **2005**, 61, o3723-o3725 1

- 1455 Lamotriginium benzoate dimethylformamide solvate. **2005**, 61, o3805-o3807 5
- 1454 Violuric acid monohydrate: a definitive redetermination at 150 K. **2005**, 61, o3788-o3790 6
- 1453 A hydrogen-bonded chain of rings in (E)-3-(4-nitrophenylaminocarbonyl)prop-2-enoic acid. **2005**, 61, o3849-o3851 1
- 1452 Ethopabate. **2005**, 61, o3870-o3871 1
- 1451 5,7-Dimethoxy-2-phenyl-4H-1-benzopyran-4-one chloroform solvate. **2005**, 61, o3927-o3929
- 1450 2-(Dibromomethyl)-4H-chromen-4-one. **2005**, 61, o3948-o3949
- 1449 r-2,c-6-Bis(2-chlorophenyl)-t-3,t-5-dimethyl-1-nitrosopiperidin-4-one oxime. **2005**, 61, o3987-o3989 2
- 1448 3-Methyl-4-(4-nitrophenyl)-1-phenyl-1,7-dihydro-6H-pyrazolo[3,4-b]thiazolo[5,4-e]pyridine-6-thione dimethylformamide (1/1). **2005**, 61, o3998-o4000 2
- 1447 5,5-Dimethyl-2-oxo-4-phenyl-2-(2-pyridylamino)-1,3,2-dioxaphosphorinane. **2005**, 61, o4270-o4271
- 1446 Hydrogen-bonding patterns in trimethoprim tetrafluoroborate. **2005**, 61, o4107-o4109 5
- 1445 N,N'-Bis(di-2-pyridylmethylene)carbonic dihydrazide. **2005**, 61, o4110-o4112 1
- 1444 Hydrogen-bonding patterns in 2-amino-4,6-dimethylpyrimidine innamic acid (1/2). **2005**, 61, o4203-o4205 7
- 1443 1-(2-Methylbenzoyl)-3-{5-[4-(trifluoromethyl)phenyl]-1,3,4-thiadiazol-2-yl}urea. **2005**, 61, o4212-o4214
- 1442 (S,S)-N,N'-Dicyanoethyl-1,2-(2-hydroxyphenyl)ethylenediamine. **2005**, 61, o4328-o4330
- 1441 2-(4-Hydroxy-3-methoxyphenyl)-1-phenethyl-1,2-dihydroquinazolin-4(3H)-one. **2005**, 61, o4238-o4240
- 1440 2-(3,7-Dimethylocta-2,6-dienyl)-1,3,5,8-tetrahydroxyxanthone. **2005**, 61, o4313-o4315
- 1439 Bis(thiosemicarbazide)zinc(II) bis(maleate) dihydrate. **2005**, 61, m2701-m2703 5
- 1438 r-2,c-6-Bis(4-chlorophenyl)-t-3,t-5-dimethyl-1-nitrosopiperidin-4-one oxime. **2005**, 61, o4345-o4347 2

1437	t-3-Methyl-1-nitroso-r-2,c-6-diphenylpiperidin-4-one oxime monohydrate. 2005 , 61, o4348-o4350	2
1436	Piperidinium picrate. 2005 , 61, o4379-o4381	1
1435	Synthesis and molecular structure of methyl 4-O-methyl-alpha-D-glucopyranuronate. 2005 , 10, 251-8	12
1434	A new scheme for determining the intramolecular seven-membered ring N-H...O=C hydrogen-bonding energies of glycine and alanine peptides. 2005 , 123, 24307	25
1433	Hydrogen-bonded chains of β , β -diaminoalkane and β , β -dihydroxyalkane guest molecules lead to disrupted tunnel structures in urea inclusion compounds. 2005 , 29, 1266	13
1432	Influence of hydrogen bonding on coordination polymer assembly. 2005 , 2405-6	52
1431	The role of multiple parallel and antiparallel local dipoles for molecular structure and intermolecular interactions of oxalamides. 2005 , 7, 260-265	13
1430	Anion and cation binding by a pendant arm cyclam and its macrobicyclic derivatives. 2005 , 2455-61	20
1429	Hydrogen bonding-mediated oligobenzamide foldamer receptors that efficiently bind a triol and saccharides in chloroform. 2005 , 29, 1213	54
1428	Solvent-mediated variation of the terephthalate coordination mode in copper sulfimide complexes. 2005 , 7, 202	5
1427	Fine tuning the hydrophilic/hydrophobic balance in inositols through annulation: An analysis of the hydrogen-bonded architectures of β -annulated inositols. 2005 , 7, 656	14
1426	Interplay of hydrogen bonding and aromatic ring interactions in supramolecular complexes of phenazine with N,N'-bis(2-pyridyl)aryldiamines. 2005 , 7, 433	7
1425	Crystal Engineering with Alicyclic β -Amino Acids: Construction of Hydrogen-Bonded Bilayers. 2005 , 5, 773-782	20
1424	Two Concomitant Polymorphs of a Supramolecular Model of the Asp-His-Ser Catalytic Triad. 2005 , 5, 2248-2255	15
1423	Bis-(S-Benzylthiuronium) Chloranilate Supramolecular Crystal Structure: Preparation and Characterization. 2005 , 17, 1307-1312	4
1422	Synthesis and characterization of hydrogen-bonded assemblies of W6S8L6 clusters. 2005 , 44, 2287-96	17
1421	Noncovalent Derivatives of Hydroquinone: Complexes with Trigonal Planar Tris(N,N-dialkyl)trimesamides. 2005 , 5, 407-411	8
1420	Partial hydrogen bonds: structural studies on thioureidoalkylphosphonates. 2005 , 109, 2942-7	10

1419	Synthesis, crystal structures, and magnetism of cobalt coordination polymers based on dicyanamide and pyrazine-dioxide derivatives. 2005 , 44, 2169-76	108
1418	Investigating Unused Hydrogen Bond Acceptors Using Known and Hypothetical Crystal Polymorphism. 2005 , 5, 983-993	46
1417	3-Aminobenzenesulfonic Acid: A Disappearing Polymorph. 2005 , 5, 1343-1349	24
1416	Polyaza metacyclophanes as ditopic anion receptors. 2005 , 3, 2935-45	26
1415	Concomitant dimorphism and helical self-assembly in a C ₂ h-symmetric β -cyclitol. 2005 , 7, 398	16
1414	Proton sharing in bis(4-carbamoylpyridinium) squarate. 2005 , 61, 0678-80	7
1413	The structural influence of ligand coordination and hydrogen bonding capabilities in the crystal engineering of metal thiosemicarbazide compounds with malonate. 2005 , 7, 388	10
1412	Creatininium dihydrogenarsenate. 2005 , 61, m1228-m1230	4
1411	Is conformational flexibility in a supramolecular reagent advantageous for high-yielding co-crystallization reactions?. 2005 , 7, 193-201	50
1410	A study of the effects of subunit pre-orientation for diarylpyrrole esters; design of new aryl-heteroaryl fluorescent sensors. 2005 , 29, 1258	12
1409	Hydrogen-Bonding Networks in a Bipodal Acyl-thiourea and Its Ni(II) 2:2 Metallamacrocyclic Complex. 2005 , 5, 307-312	45
1408	Groth's Original Concomitant Polymorphs Revisited. 2005 , 5, 2197-2209	39
1407	Modular nanometer-scale structuring of gel fibres by sequential self-organization. 2005 , 5423-5	75
1406	¹ H MAS, ¹⁵ N CPMAS, and DFT Investigation of Hydrogen-Bonded Supramolecular Adducts between the Diamine 1,4-Diazabicyclo-[2.2.2]octane and Dicarboxylic Acids of Variable Chain Length. 2005 , 17, 1457-1466	55
1405	Solid state dehydration processes: mechanism of water loss from crystalline inosine dihydrate. 2005 , 109, 5341-7	20
1404	The Nature of the C-H...X Intermolecular Interactions in Molecular Crystals. A Theoretical Perspective. 2006 , 193-244	11
1403	Coordination framework hosts consisting of 4-pyridyl-substituted carboxylic acid (PCA) dimers and 1D chains of Ni ²⁺ and SCN ⁻ : a rational structural extension toward coordination framework hosts with large rectangular cavities. 2006 , 45, 9233-44	39
1402	The Influence of Molecular Recognition on the Hydration of AG-013958 in the Solid State. 2006 , 456, 117-131	1

1401	Gas/Solid reactions between the different polymorphic modifications of barbituric acid and amines. 2006 , 8, 756-763	32
1400	Anion-binding mode in a sulfanylphenyl urea complex: solid state symmetry breaking and solution chelation. 2006 , 8, 119	24
1399	Isomeric dinuclear gold(I) complexes with highly functionalised ditertiary phosphines: Self-assembly of dimers, rings and 1-D polymeric chains. 2006 , 8, 140	30
1398	A programmed hydrogen bonding array self-assembles into a polymeric zipper-like architecture. 2006 , 30, 140	9
1397	The solid-state behaviour of 4,6-dioxo-5,5-diethylenepyrimidine-2-isobutylurea. 2006 , 8, 468	3
1396	Conformational Aspects and Interaction Studies of Heterocyclic Drugs. 81-147	9
1395	An adamantane-based tetraphosphonic acid that forms an open diamondoid net via a hydrogen-bonded phosphonic acid/water cluster. 2006 , 8, 303-305	31
1394	Ampicillin acidity and formation constants with some metals and their thermodynamic parameters in different media. Crystal structures of two polymorphs isolated from the reaction of ampicillin with copper(II). 2006 , 59, 65-84	20
1393	Efficient formal synthesis of (+/-)-hyphodermin B. 2006 , 71, 2384-8	14
1392	Systematic investigation of the relationships between 25 crystal structures containing the carbamazepine molecule or a close analogue: a case study of the XPac method. 2006 , 8, 448	144
1391	The structure of pyrazoles in the solid state: a combined CPMAS, NMR, and crystallographic study. 2006 , 71, 6881-91	54
1390	Hydrogen-Bonded Supramolecular Architectures of Organic Salts Based on Aromatic Tetracarboxylic Acids and Amines. 2006 , 6, 2493-2500	28
1389	Crystal Structure of Lamotriginium Hydrogen Phthalate Dimethylformamide Solvate (1:1:1). 2006 , 461, 131-141	11
1388	Influence of Weaker Interactions on the Self-Assembly of Rigid Molecular Scaffolds Based on Tetraarylbimesityls. 2006 , 6, 919-924	11
1387	Neutral molecular Pd ₆ hexagons using kappa ³ -P2O-terdentate ligands. 2006 , 45, 6761-70	37
1386	Inorganic Complexes Retain Diethyl Ether Well Above Its Boiling Point through OH ₂ ...OEt ₂ Hydrogen Bonding. 2006 , 6, 822-824	7
1385	.	
1384	Bis(imidazolium 2,4,6-tricarboxypyridine) Metal(II) Complexes: Molecular Building Blocks that Generate Isomorphous Hydrogen-Bonded Frameworks. 2006 , 6, 63-69	34

1383	Quantifying Aromaticity at the Molecular and Supramolecular Limits: Comparing Homonuclear, Heteronuclear, and H-Bonded Systems. 2006 , 2, 30-6	49
1382	Growth of Six Different Crystals of the Versatile Host Compound 1,1'-Binaphthyl-2,2'-dicarboxylic Acid from Solutions in 1,4-Dioxane. 2006 , 6, 2523-2529	13
1381	Unusual transformation of the diarylmethanol derivative into an unknown 1,2,3,6,7,10-hexahydroxylated anthracene system. 2006 , 71, 2899-902	13
1380	Serendipity and four polymorphic structures of benzidine, C ₁₂ H ₁₂ N ₂ . 2006 , 128, 12185-91	88
1379	The Importance of Weak C-H...O Bonds and π - π Stacking Interactions in the Formation of Organic 1,8-Bis(dimethylamino)naphthalene Complexes with Zr ^{IV} . 2006 , 6, 451-460	57
1378	Synthesis and molecular structure of 6-amino-3-benzylmercapto-1,2,4-triazolo[3,4-f][1,2,4]triazin-8(7H)-one. 2006 , 11, 169-76	11
1377	Synthesis, molecular structure and characterization of allylic derivatives of 6-amino-3-methyl-1,2,4-triazolo[3,4-f][1,2,4]triazin-8(7H)-one. 2006 , 11, 444-52	2
1376	. 2006 ,	421
1375	Crystal Structure of 1-N-Methyl-spiro-[2-3']oxindole-spiro[3-2"]-indane-1",3"-dione-4-(p-methyl phenyl)pyrrolidine. 2006 , 22, X17-X18	
1374	Geometrical Analysis to Understand the Ability of Halogen Atoms to Act as Hydrogen-Bond Acceptors: A Structural Database Study. 2006 , 79, 1766-1772	14
1373	Patterned atomic reaction at surfaces. 2006 , 106, 4321-54	59
1372	Microwave assisted synthesis of molybdenum and tungsten tetracarbonyl complexes with a pyrazolopyridine ligand. Crystal structure of cis-[Mo(CO) ₄ {ethyl[3-(2-pyridyl)-1-pyrazolyl]acetate}]. 2006 , 11, 940-52	6
1371	Synthesis and Crystal Structure of a Chalcone Analog: (2E)-3-(3,4-Dimethoxyphenyl)-1-(3-methyl-4-methoxyphenyl)prop-2-en-1-one. 2006 , 22, X111-X112	2
1370	Synthesis and Structure of Dicyclohexylammonium Tri-tert-pentoxysilanethiolate and 5-Aminopentylammonium Tri-tert-pentoxysilanethiolate. 2006 , 632, 1086-1090	5
1369	2-(3-Nitrophenylaminocarbonyl)benzoic acid: hydrogen-bonded sheets of R(4)(4)(22) rings. 2006 , 62, o5-7	1
1368	Three-dimensional supramolecular structures in (E,E)-N,N'-bis(4-nitrobenzylidene)butane-1,4-diamine and (E,E)-N,N'-bis(4-nitrobenzylidene)hexane-1,6-diamine. 2006 , 62, o1-4	16
1367	Hydrogen-bonded supramolecular structures of three related 4-(5-nitro-2-furyl)-1,4-dihydropyridines. 2006 , 62, o8-12	1
1366	Hydrogen-bonding patterns in trimethoprim picolinate and 2-amino-4,6-dimethylpyrimidinium picolinate hemihydrate. 2006 , 62, o107-10	

- 1365 5-Chloro-3-methyl-4-[3-(4-nitrophenyl)-4,5-dihydro-1H-pyrazol-5-yl]-1-phenyl-1H-pyrazole: a chain of fused hydrogen-bonded rings. **2006**, 62, o30-2
- 1364 Proton-bifurcated C-H...(O,O) hydrogen bonds in 2,3-dichloro-6-nitrobenzylaminium chloride. **2006**, 62, o36-8 4
- 1363 Simple chains in methyl 3,5-dinitrobenzoate, isolated molecules in isopropyl 3,5-dinitrobenzoate, and a three-dimensional framework containing double and sextuple helices in benzyl 3,5-dinitrobenzoate, all at 120 K. **2006**, 62, o26-9
- 1362 1,5-Bis(4-chlorophenyl)-3-(2-chloroquinolin-3-yl)pentane-1,5-dione: sheets of R(4)(4)(26) rings built from C-H...N and C-H...O hydrogen bonds. **2006**, 62, o39-41 5
- 1361 2-Amino-5-trifluoromethyl-1,3,4-thiadiazole and a redetermination of 2-amino-1,3,4-thiadiazole, both at 120 K: chains of edge-fused R(2)(2)(8) and R(4)(4)(10) rings, and sheets of R(2)(2)(8) and R(6)(6)(20) rings. **2006**, 62, o42-4 10
- 1360 3-(3-Nitrophenylaminocarbonyl)propionic acid: hydrogen-bonded sheets of alternating R(2)(2)(8) and R(6)(6)(36) rings. **2006**, 62, o45-6 1
- 1359 Pyrrole-2-carbaldehyde isonicotinoylhydrazone monohydrate redetermined at 120 K. **2006**, 62, o47-9 4
- 1358 Hydrogen bonding and pi-pi stacking in 7-[2-[4-(4-methoxyphenyl)piperazin-1-yl]ethoxy]-4-methyl-2H-chromen-2-one monohydrate. **2006**, 62, o58-61 1
- 1357 Naphthalene-1,3-diol. **2006**, 62, o68-70
- 1356 Three 4-aminoquinolines of antimalarial interest. **2006**, 62, o53-7 3
- 1355 Hydrogen bonding in meso-4,5-diphenyl-3,6-diazaoctane-1,8-diol: the formation of one-dimensional linear chains of edge-fused rings. **2006**, 62, o89-91
- 1354 2,4-Difluorobenzaldehyde benzoylhydrazone and 2,4-dichlorobenzaldehyde benzoylhydrazone are isostructural at 120 K with $Z' = 2$: complex sheets built from N-H...O, C-H...O and C-H...pi(arene) hydrogen bonds. **2006**, 62, o118-21 3
- 1353 Comparison of the methyl ester of L-tyrosine hydrochloride and its methanol monosolvate. **2006**, 62, o111-4 4
- 1352 Two isomeric butadiene-N-(acetoxyphenyl)maleimide Diels-Alder adducts: supramolecular structure directed by C-H...X (X = O and pi) hydrogen bonds and perpendicular dipole carbonyl-carbonyl interactions. **2006**, 62, o125-8 1
- 1351 Isolated molecules in 2-ethylsulfanyl-7-methyl-4-(4-methylphenyl)pyrazolo[1,5-a][1,3,5]triazine and hydrogen-bonded sheets of R2/2(10), R2/2(16), R4/4(22) and R4/4(24) rings in 2-ethylsulfanyl-7-methyl-4-(4-nitrophenyl)pyrazolo[1,5-a][1,3,5]triazine. **2006**, 62, o122-4 6
- 1350 Racemic cis-methoxobis(2-methyl-3-oxo-4H-pyran-4-olato)oxovanadium(V) redetermined at 120 K: hydrogen-bonded ribbons containing R2/2(7), R2/2(14) and R4/4(18) rings. **2006**, 62, m116-8 0
- 1349 4,5,6-Triamino-2-(methylsulfanyl)pyrimidine: pi-stacked hydrogen-bonded sheets of R2/2(8), R2/2(10) and R6/6(32) rings. **2006**, 62, o142-4
- 1348 Ammonium O,O-dicyclohexyl phosphorodithioate. **2006**, 62, o145-7 1

- 1347 2,2'-isopropylidenediphenol. **2006**, 62, o162-4
- 1346 N,N'-Bis(2-chloronicotinoyl)-N-(3-nitrophenyl)hydrazine monohydrate: complex sheets built from O-H...N, N-H...O and C-H...O hydrogen bonds. **2006**, 62, o170-2
- 1345 Simple hydrogen-bonded chains in 2,2'-bipyridinium thiocyanate, hydrogen-bonded chains of rings in 2,2'-bipyridinium picrate and hydrogen-bonded sheets in 2,2'-bipyridinium hydrogensulfate. **2006**, 62, o165-9 15
- 1344 7-Amino-2,5-dimethylpyrazolo[1,5-a]pyrimidine hemihydrate redetermined at 120 K: a three-dimensional hydrogen-bonded framework. **2006**, 62, o186-9 6
- 1343 Hydrogen-bonded framework structures in 4-[(4-chloro-3-nitrobenzoyl)hydrazinocarbonyl]pyridinium chloride and N-3,5-dinitrobenzoyl-N'-isonicotinoylhydrazine. **2006**, 62, o222-6
- 1342 Di- and tripeptide segments of zervamicin II-2: Z-Thr(OBn)-Aib-N(Me)Ph and Z-Val-Aib-Hyp(OBn)-OMe. **2006**, 62, o249-52
- 1341 Hydrogen-bonded sheets in racemic cis-(2,2'-bipyridyl-kappa2N,N')oxo(pentane-2,4-dionato-kappa2O,O')(thiocyanato-kappaN)vanadium(IV). **2006**, 62, m177-9
- 1340 A three-dimensional framework of pi-stacked hydrogen-bonded chains in benzyl 4-chloro-3-nitrobenzoate, and chains of hydrogen-bonded rings in benzyl 4-nitrobenzoate, redetermined at 120 K. **2006**, 62, o295-8 1
- 1339 ent-7alpha,18-Hydroxykaur-16-ene ethanol solvate. **2006**, 62, o253-5 1
- 1338 N-(2-Methoxy-6-oxo-1,6-dihydropyrimidin-4-yl)formamide: hydrogen-bonded sheets of centrosymmetric R(2)2 (8) and R(6)4 (28) rings. **2006**, 62, o256-8 1
- 1337 Morpholine-2,5-dione. **2006**, 62, o262-4 3
- 1336 Two polymorphic forms of N-(4-chlorophenyl)-5-[(4-chlorophenyl)aminomethyl]-6-methyl-2-phenylpyrimidin-4-amine. **2006**, 62, o259-61 7
- 1335 Conformations of three heterocyclic perhydropyrrolobenzofurans and polymeric assembly via co-operative intermolecular C-H...O hydrogen bonds. **2006**, 62, o277-80 2
- 1334 Hydrogen bonding in isomorphous 2-methyl-4-nitroanilinium bromide and iodide. **2006**, 62, o271-3 4
- 1333 N-[1-(Pentafluorophenyl)ethyl]acetamide. **2006**, 62, o286-8
- 1332 2-(Methoxycarbonyl)phenylboronic acid. **2006**, 62, o301-3 4
- 1331 2,4-Dinitrophenylhydrazine, redetermined at 120 K: a three-dimensional framework built from N-H...O, N-H...(O)2, N-H...pi(arene) and C-H...O hydrogen bonds. **2006**, 62, o318-20 7
- 1330 2-Formylbenzonitrile. **2006**, 62, o307-9 1

- 1329 Formation of ladders from R(4)4(8) and R(6)6(12) rings in 8-hydroxyquinolinium chloride monohydrate: comparisons with the supramolecular arrangements in related salts. **2006**, 62, o312-4 5
- 1328 Sheets built from C-H...O and C-H...pi(arene) hydrogen bonds in (2RS,6SR)-N-diphenylacetyl-2,6-diphenylpiperidin-4-one and (2RS,3SR,5RS,6SR)-3,5-dimethyl-N-phenylacetyl-2,6-diphenylpiperidin-4-one. **2006**, 62, o324-7
- 1327 cis-(6RS,13RS)-3,3,10,10-Tetramethyl-6,13-diphenyl-1,8-dioxo-4,11-diazacyclotetradecane-2,5,9,12-tetraone and two of its precursors. **2006**, 62, o339-43 1
- 1326 Hydrogen-bonded chains of rings linked by iodo-carbonyl interactions in 5-iodoisatin and hydrogen-bonded sheets in 7-trifluoromethylisatin. **2006**, 62, o321-3 10
- 1325 Four 2-aryl-8,8-dimethyl-6,7,8,9-tetrahydropyrazolo[2,3-a]quinazolin-6-ones: isolated molecules, hydrogen-bonded dimers, and pi-stacked chains of hydrogen-bonded dimers. **2006**, 62, o364-8 2
- 1324 Three substituted (Z)-5-benzylidene-2-thioxothiazolidin-4-ones: hydrogen-bonded dimers that can be effectively isolated or linked into chains either by aromatic pi-pi stacking interactions or by dipolar carbonyl-carbonyl interactions. **2006**, 62, o382-5 12
- 1323 Cadaverinium dichloride: a case of centro-non-centrosymmetric ambiguity. **2006**, 62, o399-401 3
- 1322 4-Iodo-N,N-bis(2-nitrophenylsulfonyl)aniline: a three-dimensional framework structure built from six independent C-H...O hydrogen bonds. **2006**, 62, o423-5 3
- 1321 5-Fluorouracil and thymine form a crystalline solid solution. **2006**, 62, o412-5 9
- 1320 N-(2-Hydroxy-3-iodo-5-nitrobenzylidene)-3-nitroaniline: conformational isomers linked into complex sheets by five C-H...O hydrogen bonds and a two-centre iodo-nitro interaction. **2006**, 62, o441-3 1
- 1319 1-(Isopropylideneamino)guanidinium 2-nitrobenzoate: formation of corrugated sheets from R(2)2(8) and R(6)4(16) rings. **2006**, 62, o476-7 1
- 1318 2,4-Dimethylbenzaldehyde isonicotinoylhydrazonate trihydrate: a three-dimensional hydrogen-bonded framework structure. **2006**, 62, o444-6
- 1317 The anilinium chloride adduct of 4-bromo-N-phenylbenzenesulfonamide. **2006**, 62, o470-2
- 1316 Chains of edge-fused hydrogen-bonded R(3)3(22) rings in 5,3'-dihydroxy-3,6,7,4',5'-pentamethoxyflavone. **2006**, 62, o495-7 1
- 1315 4-(4-fluoro-3-phenoxyphenyl)-6-(4-fluorophenyl)-2-oxo-1,2-dihydropyridine-3-carbonitrile and the 6-(4-methylphenyl)- analogue. **2006**, 62, o540-3 3
- 1314 3-(4-Methoxyphenyl)-7,7-dimethyl-1,6,7,8-tetrahydropyrazolo[3,4-b]quinolin-5-one: a chain of centrosymmetric rings built from N-H...N and C-H...pi(arene) hydrogen bonds. **2006**, 62, o525-7 3
- 1313 3-(5-Chloro-3-methyl-1-phenylpyrazol-4-yl)-1,5-diphenylpentane-1,5-dione: sheets built from C-H...O and C-H...pi(arene) hydrogen bonds. **2006**, 62, o518-20 4
- 1312 A hydrogen-bonded chain of rings in 7-amino-5-tert-butyl-2-methylpyrazolo[1,5-a]pyrimidine, and a hydrogen-bonded framework structure in 3,7-diamino-2,5-dimethylpyrazolo[1,5-a]pyrimidine monohydrate. **2006**, 62, o521-4 3

1311	Three substituted (E)-3-aryl-2-(thienyl)acrylonitriles: isolated molecules, simple hydrogen-bonded chains and hydrogen-bonded sheets. 2006 , 62, o550-3	5
1310	N,N'-bis(2-methoxyphenyl)naphthalene-1,4-dicarboxamide. 2006 , 62, o561-2	2
1309	5-(2-hydroxy-4,4-dimethyl-6-oxocyclohex-1-enyl)-3-methyl-2-(methylsulfanyl)-6-phenyl-7H-pyrrolo[2,3-d]pyrimidin-4(3H)-monohydrate: complex sheets generated by multiple hydrogen bonds. 2006 , 62, o554-6	2
1308	Tris(1,9-diethyladeninium) triiodide diiodide. 2006 , 62, o571-3	2
1307	Diaquabis(ethylenediamine)cadmium(II) bis(4-aminonaphthalene-1-sulfonate) dihydrate. 2006 , 62, m434-6	1
1306	N-(2-aminobenzyl)-N,N-bis(quinolin-2-ylmethyl)amine. 2006 , 62, o581-2	
1305	2,5-Dicarboxyanilinium chloride monohydrate. 2006 , 62, o587-9	2
1304	Hydrogen-bonding and pi-pi interactions in 2-amino-4,6-dimethylpyrimidinium salicylate. 2006 , 62, o605-7	6
1303	Hydrogen-bonded chains in racemic 2-benzyl-3-(2-bromophenyl)propiononitrile and hydrogen-bonded sheets in methyl 2-benzyl-2-cyano-3-phenylpropionate. 2006 , 62, o583-6	1
1302	A hydrogen-bonded heterodimer of 1-(4-hexyloxyphenyl)pyridin-4(1H)-one with 4-cyanobenzoic acid. 2006 , 62, o596-8	1
1301	3-[5-(4-Bromophenyl)-1H-pyrazol-3-ylamino]-5,5-dimethylcyclohex-2-en-1-one-(Z)-3-(4-bromophenyl)-3-chloroacrylonitrile (2/1): a stoichiometric cocrystal of a reaction product with one of its early precursors. 2006 , 62, o608-11	
1300	A chloro-bridged dinuclear phosphinitopalladium complex, di- μ -chloro-bis[(diphenoxyphosphinite- κ P)(diphenoxyphosphinito- κ P)palladium(II)]. 2006 , 62, m491-4	4
1299	Four substituted benzohydrazides: hydrogen-bonded structures in one, two and three dimensions. 2006 , 62, o618-24	2
1298	Chalcone epoxide intermediates in the syntheses of lignin-related phenylcoumarans. 2006 , 62, o625-7	0
1297	N-H...N and C-H... π interactions in 4-amino-3-methyl-5-(p-tolyl)-4H-1,2,4-triazole and 4-amino-3-methyl-5-phenyl-4H-1,2,4-triazole. 2006 , 62, o643-6	1
1296	catena-Poly[[[triaquacobalt(II)]- μ -2,6-dioxo-1,2,3,6-tetrahydropyrimidine-4-carboxylato(2-)] 1.72-hydrate]. 2006 , 62, m513-5	5
1295	N-Cyclohexyl-2-[5-(4-pyridyl)-4-(p-tolyl)-4H-1,2,4-triazol-3-ylsulfanyl]acetamide dihydrate. 2006 , 62, o639-42	3
1294	3-Nitrophenylacetic acid: a three-dimensional hydrogen-bonded framework structure containing substructures in zero, one and two dimensions. 2006 , 62, o647-9	

- 1293 1-(4,6-Diethoxypyrimidin-2-yl)-2-thioxo-2,3-dihydropyrido[2,3-d]pyrimidin-4(1H)-one. **2006**, 62, o666-8 1
- 1292 N,N'-Bis(2-pyridylmethyl)ferrocene-1,1'-diyldicarboxamide and N,N'-bis(3-pyridylmethyl)ferrocene-1,1'-diyldicarboxamide. **2006**, 62, m559-62
- 1291 Secondary interactions in gold(I) complexes with thione ligands. 5. Two ionic compounds of the form bis(thione)gold(I) bis(4-halobenzenesulfonyl)amide. **2006**, 62, m623-7 7
- 1290 2,3-Diaryl-3-hydroxypropionic acid intermediates in the synthesis of threo forms of 1,2-diaryl-1,3-propanediols. **2006**, 62, o684-6
- 1289 Dimorphism in (2Z)-2-benzylidene-N,7-dimethyl-3-oxo-5-phenyl-2,3-dihydro-5H-1,3-thiazolo[3,2-a]pyrimidine-6-carboxamide. **2006**, 62, o687-90 6
- 1288 Effect of pressure on the crystal structure of alpha-glycylglycine to 4.7 GPa; application of Hirshfeld surfaces to analyse contacts on increasing pressure. **2006**, 62, 310-20 26
- 1287 S,S-1,2-Dicyclohexylethane-1,2-diol and its racemic compound: a striking exception to Wallach's rule. **2006**, 62, 488-97 12
- 1286 Isomers and polymorphs of (E,E)-1,4-bis(nitrophenyl)-2,3-diaza-1,3-butadienes. **2006**, 62, 666-75 11
- 1285 Nine N-aryl-2-chloronicotinamides: supramolecular structures in one, two and three dimensions. **2006**, 62, 651-65 12
- 1284 Supercell and subcell description of the crystal structure of triammonium bis(O-phospho-L-serinate) trihydrate. **2006**, 62, 919-25 1
- 1283 On hydrogen bonding in 1,6-anhydro-beta-D-glucopyranose (levoglucosan): X-ray and neutron diffraction and DFT study. **2006**, 62, 912-8 25
- 1282 Stoichiometry-dependent structures: an X-ray and neutron single-crystal diffraction study of the effect of reaction stoichiometry on the crystalline products formed in the potassium-cyanurate system. **2006**, 62, 798-807 18
- 1281 Exploration of the high-pressure behaviour of polycyclic aromatic hydrocarbons: naphthalene, phenanthrene and pyrene. **2006**, 62, 826-42 88
- 1280 Isomeric N-(iodophenyl)nitrobenzamides form different three-dimensional framework structures. **2006**, 62, 931-43 14
- 1279 Effect of pressure on the crystal structure of salicylaldoxime-I, and the structure of salicylaldoxime-II at 5.93 GPa. **2006**, 62, 1099-111 43
- 1278 1-Ethyl-5-methyl-3-methylsulfanyl-1H-pyrazole-4-carboxylic acid. **2006**, 62, o251-o252
- 1277 tert-Butyl (2-phenyl-1,2-dihydro-1-naphthyl)carbamate. **2006**, 62, o107-o108
- 1276 Intramolecular hydrogen bonding in dibenzyl 2,2'-(propane-1,3-diyl)diimino)bis(cyclopent-1-ene-1-carbodithioate). **2006**, 62, o205-o208

- 1275 1,13-Dimethyl-6H,7H,8H-chromeno[3?,4?:5,6]pyrano[3,2-c]chromene-6,8-dione. **2006**, 62, o116-o118 1
- 1274 N-Benzyl-N-[4-(methylsulfanyl)-3-nitro-4H-chromen-2-yl]amine. **2006**, 62, o188-o190 5
- 1273 Ethyl 3 β -hydroxypregna-5,17(20)-dien-21-oate. **2006**, 62, o162-o164 1
- 1272 2-Benzylidenehydrazino-5,5-dimethyl-4-phenyl-1,3,2-dioxaphosphorinane 2-oxide. **2006**, 62, o536-o537
- 1271 N-{3-(4-Chlorophenyl)-6-[(Z)-(4-chlorophenyl)methylidene]-2-phenyl-2-azabicyclo[2.2.2]oct-5-ylidene}aniline. **2006**, 62, o318-o320 3
- 1270 [4-(2-Aminoethyl)morpholine- η N,N η]aqua(oxalato- η O,O η)copper(II) monohydrate. **2006**, 62, m155-m157
- 1269 1,6-Dihydroxy-3,7-dimethoxy-2,8-bis(3-methyl-2-butenyl)-9H-xanthen-9-one. **2006**, 62, o360-o362
- 1268 5-Formyl-2,3-dihydroisocoumarin. **2006**, 62, o405-o407
- 1267 2-[4-(Acetamido)phenoxy]-N,N-dimethylacetamide: a potential anti-amnesic agent. **2006**, 62, o443-o445
- 1266 10-Methyl-8,9,10,11,11a,12-hexahydro-5H,7H-isoquinolino[3,2-g][1,3,5]triazepine-7,11-dione. **2006**, 62, o518-o520 3
- 1265 3-Phenyl-5-(2-thienyl)-2-pyrazoline-1-thioamide. **2006**, 62, o491-o493 3
- 1264 Bis(piperidine-1-dithiocarbamate- η S,S η)palladium(II). **2006**, 62, m329-m330 4
- 1263 Mixed 3,5-dinitrosalicylate(2 μ)and partial 3,5-dinitrosalicylate(1 μ)and picrate(1 μ)species in tris(piperidinium) bis(3,5-dinitrosalicylate) picrate monohydrate. **2006**, 62, o610-o613 3
- 1262 2-Methoxy-N-[2-(3-thienyl)-1,2,3,4-tetrahydro-1-naphthyl]acetamide. **2006**, 62, o639-o641 1
- 1261 17-Allyl-16,17a-dioxo-17-aza-D-homoestra-1,3,5(10)-trien-3-ol. **2006**, 62, o653-o655
- 1260 3,t-6-Dihydroxy-t-5-methoxycarbonyl-c-6-methyl-r-4-phenyl-4,5,6,7-tetrahydro-1H-indazole. **2006**, 62, o656-o658 1
- 1259 c-5-Hydroxy-r-2,c-4-bis(isopropoxycarbonyl)-t-5-methyl-t-3-phenylcyclohexanone. **2006**, 62, o703-o705 2
- 1258 Dimethyl 7-(N,N-dimethylamino)-3-(2-methoxybenzoyl)indolizine-1,2-dicarboxylate. **2006**, 62, o706-o707

1257	Ethyl (E)-2-benzoyl-3-phenylpropenoate. 2006 , 62, o708-o710	2
1256	5-Amino-1-[2-(diethylamino)ethyl]-1H-imidazole-4-carboxamide. 2006 , 62, o814-o816	
1255	Tris(tert-butyl 3-oxobutanoato- λ O1,O3)aluminium(III) at 153 K. 2006 , 62, m434-m436	3
1254	1-Phenyl-3-(3,4,5-trimethoxyphenyl)prop-2-en-1-one. 2006 , 62, o890-o892	1
1253	3-(3-Bromophenyl)-1-phenylprop-2-en-1-one. 2006 , 62, o893-o895	
1252	3-(4-Methoxyphenyl)-1-(4-nitrophenyl)prop-2-en-1-one. 2006 , 62, o896-o898	14
1251	2,2-Dimethyl-1,4-dihydro-2H-3,1-benzoxazine. 2006 , 62, o908-o910	1
1250	N,N-Dibenzyl-3-nitrobenzenesulfenamide. 2006 , 62, o914-o916	2
1249	4-N-Acetylamino-5-[N-acetyl-N-(tetra-O-acetyl- β -D-glucopyranosyl)amino]-1,3-dimethyluracil. 2006 , 62, o969-o971	
1248	Ethyl (3,4,5-tribromo-1H-pyrrole-2-carboxamido)acetate. 2006 , 62, o990-o991	
1247	(2,2'-Bipyridyl)bis(pentane-2,4-dionato)vanadium(III) perchlorate dichloromethane solvate. 2006 , 62, m529-m531	1
1246	16-Cyano-13 β -(5-methyl-1,3,4-oxadiazol-2-yl)-13,16-seco-17-norandrost-4-en-3-one. 2006 , 62, o1019-o1021	
1245	Redetermination of 5-fluorocytosine monohydrate. 2006 , 62, o1049-o1051	11
1244	4-Amino-1-(4-nitrobenzyl)pyridinium bromide. 2006 , 62, o1118-o1120	1
1243	5-Hydroxy-4',6,7-trimethoxyflavone. 2006 , 62, o1107-o1109	3
1242	3-(1-Methyl-1H-pyrrole-2-carboxamido)propanoic acid. 2006 , 62, o1181-o1183	2
1241	1-Isopropyl-6,6,8a-trimethyl-1,3a,5,6,7,8a-hexahydro-3H-1-benzofuro[2,3-b]pyrrole-2,4-dione. 2006 , 62, o1328-o1329	1
1240	3-Methyl-5-nitrouracil. 2006 , 62, o1257-o1259	1

- 1239 Ethyl 5-bromo-9-ethoxy-2-oxo-2H-pyrano[2,3-g]quinoline-8-carboxylate. **2006**, 62, o1492-o1493 1
- 1238 Ethyl 5-chloro-9-ethoxy-2-oxo-2H-pyrano[2,3-g]quinoline-8-carboxylate. **2006**, 62, o1494-o1495
- 1237 20(29)-Lupene-3 β ,28 β -diacetate. **2006**, 62, o1352-o1354 8
- 1236 Bis(1,2,3,5-tetramethyl-4-nitropyrazolium) dihydronium tris(4-methyl-3,5-dinitrobenzenesulfonate) forms C(8) chains through O \cdots O bonding via the dihydronium cation. **2006**, 62, o1402-o1404 2
- 1235 1-Benzyl-2-[(2RS,3SR,6SR)-3-methyl-4-oxo-2,6-diphenylpiperidin-1-ylcarbonyl]-2-phenylethenyl phenylacetate. **2006**, 62, o1443-o1445
- 1234 1,3-Bis(4-bromophenyl)prop-2-en-1-one. **2006**, 62, o1421-o1423 8
- 1233 14-Acetyl-20-ethyl-1,8-dihydroxy-16,18-dimethoxylycoctonine. **2006**, 62, o1428-o1430 2
- 1232 Redetermination of trans-diaquabis(picolinato- λ N,O)cobalt(II) dihydrate. **2006**, 62, m796-m798 3
- 1231 (-)-1-Hydroxy-6,6-dimethyl-1H,6H-naphtho[1,2-c]furan-3,9-trione. **2006**, 62, o1440-o1442 1
- 1230 Conformational isomers in (2RS,3SR,6SR)-3-ethyl-2,6-diphenyl-1-phenylacetyl-4-piperidone determined from synchrotron data at 120 K. **2006**, 62, o1452-o1454 1
- 1229 3-(4-Bromophenyl)-1-(4-nitrophenyl)prop-2-en-1-one. **2006**, 62, o1466-o1468 3
- 1228 1,4,10,13-Tetraoxa-7,16-diazoniacyclooctadecane bis(hexafluorophosphate): PF₆⁻ acting as a pseudohalide. **2006**, 62, o1550-o1552
- 1227 (N,N-Diethyldithiocarbamato- λ S,S')bis(1,10-phenanthroline)sodium(I). **2006**, 62, m833-m835 5
- 1226 1-(4-Bromophenyl)-3-(3,4-dimethoxyphenyl)prop-2-en-1-one. **2006**, 62, o1570-o1572 6
- 1225 4-[N-(2-Hydroxyethyl)-N-methylamino]-N-isopropyl-1,8-naphthalimide. **2006**, 62, o1615-o1617 2
- 1224 1-(2,4-Dichlorophenyl)-3-(4-methoxyphenyl)prop-2-en-1-one. **2006**, 62, o1707-o1709
- 1223 2-Nitrophenylacetic acid: hydrogen-bonded sheets of R 2 2(8) and R 4 4(18) rings. **2006**, 62, o1915-o1917
- 1222 N,6-Dimethyl-4-(methylsulfanyl)-3-nitro-4H-chromen-2-amine. **2006**, 62, o1961-o1963 5

- 1221 1-Ethyl-3-(4-hydroxy-3-methoxyphenyl)-6-methoxy-2-methylindan-5-ol. **2006**, 62, o2000-o2002 0
- 1220 16-[4-(3-Chloropropoxy)-3-methoxybenzylidene]-4-androstene-3,17-dione. **2006**, 62, o2190-o2192
- 1219 1-(4-Chlorophenyl)-4,4-dimethyl-3-(4H-1,2,4-triazol-4-ylmethyl)pentan-3-ol monohydrate. **2006**, 62, o2129-o2130
- 1218 2-(2-Pyridylamino)pyridinium chloride phosphorous acid: one-dimensional hydrogen-bonded and stacked supramolecular chains. **2006**, 62, o2151-o2152
- 1217 3-Benzylidene-3',7'-diphenylcyclohexanespiro-6'-(perhydro-2-thiapyrrolizidine)-5'-spiro-3'-1H-indole-2,2'-dione. **2006**, 62, o2259-o2260
- 1216 N-(6-Chloropyridazin-3-yl)-4-methylbenzenesulfonamide. **2006**, 62, o2178-o2180
- 1215 Glyoxal 2-nitrophenylhydrazone: a hydrogen-bonded chain of R₂₂(12) and R₄₄(24) rings. **2006**, 62, o2204-o2206z
- 1214 1-(4-Chlorophenyl)-3-(2-furyl)prop-2-en-1-one. **2006**, 62, o2261-o2262 1
- 1213 1-[1-(4-Fluorophenyl)-2-methyl-5-phenyl-1H-pyrrol-3-yl]ethanone. **2006**, 62, o2256-o2258
- 1212 3-[(3,4,5-Tribromo-1H-pyrrol-2-ylcarbonyl)amino]propanoic acid. **2006**, 62, o2272-o2273
- 1211 3-Acetyl-6-chloro-2H-chromen-2-one. **2006**, 62, o2310-o2312 6
- 1210 (+)-(3R)-Angeloxylxy-4'-oxo-3',4'-dihydroseselin (PdIb). **2006**, 62, o2505-o2507
- 1209 1-(2,4-Dichlorophenyl)-3-(2-furyl)prop-2-en-1-one. **2006**, 62, o2520-o2522
- 1208 Homopiperazinium bis(dihydrogenarsenate). **2006**, 62, m1397-m1399 3
- 1207 5-Chloro-4-[(2-chlorobenzoylhydrazono)methyl]-3-methyl-1-phenyl-1H-pyrazole. **2006**, 62, o2516-o2517
- 1206 1-(4-Nitrobenzoyl)thiosemicarbazide monohydrate: a three-dimensional hydrogen-bonded framework structure. **2006**, 62, o2563-o2565 2
- 1205 1-(2,4-Dichlorophenyl)-3-(3,4-dimethoxyphenyl)prop-2-en-1-one. **2006**, 62, o2596-o2598 1
- 1204 N-(3,5-Dinitrobenzoyl)-N'-phenylhydrazine: sheets built from N-H...O and C-H...O hydrogen bonds. **2006**, 62, o2589-o2591 1

- 1203 cis-(2,2'-Bipyridyl)dichloromanganese(II) thiourea (1/1). **2006**, 62, m1489-m1491 5
- 1202 Acetone 3-nitrophenylhydrazone, redetermined at 120 K: sheets built from N \cdots O, C \cdots O and C \cdots N hydrogen bonds. **2006**, 62, o2838-o2840 1
- 1201 Acetone (2,6-dichlorobenzoyl)hydrazone: chains of stacked hydrogen-bonded dimers. **2006**, 62, o2841-o2843
- 1200 2-(2-Methylphenyl)-4,5-diphenyl-1H-imidazole. **2006**, 62, o2803-o2804 4
- 1199 6,7,8,9-Tetrahydro-5H-pyrido[2,3-b]azepine-5,8-dione: a hydrogen-bonded dimer structure. **2006**, 62, o2918-o2919
- 1198 2-Amino-4,6-dimethylpyrimidine- β -hydroxybenzoic acid (1/1). **2006**, 62, o2907-o2909 11
- 1197 4'-Fluorochalcone. **2006**, 62, o2897-o2899 2
- 1196 Hydrogen-bonding patterns in 2-amino-4,6-dimethoxypyrimidine- β -aminobenzoic acid (1/1). **2006**, 62, o2976-o2978 7
- 1195 1-(4-Chlorophenyl)-3-(2,4,5-trimethoxyphenyl)prop-2-en-1-one. **2006**, 62, o2991-o2992 3
- 1194 4-Bromo- β -(2-oxoquinolin-4-yloxy)cinnamionitrile: a three-dimensional framework structure built from N \cdots O and C \cdots O hydrogen bonds, and bromo β -carbonyl and aromatic stacking interactions. **2006**, 62, o3056-o3058 2
- 1193 1,4-Dideoxy-2,3-O-isopropylidene-N-[3-(3-nitrobenzoylamino)benzoyl]-1,4-imino-D-talitol. **2006**, 62, o3113-o3114
- 1192 3-(2,4-Dichlorophenyl)-1-(4-methylphenyl)prop-2-en-1-one. **2006**, 62, o3096-o3098 5
- 1191 6-(2-Hydroxybenzoyl)-2-(4-methylphenyl)-5-methyl-7-phenylpyrazolo[1,5-a]pyrimidine: complex sheets built from C \cdots N and C \cdots O hydrogen bonds. **2006**, 62, o3195-o3197 1
- 1190 5-Chloro-2-nitrobenzaldehyde isonicotinoylhydrazone: a three-dimensional framework built from N \cdots N and C \cdots O hydrogen bonds. **2006**, 62, o3361-o3363 1
- 1189 (2S)-3-(4-Amino-3-nitrophenyl)-2-(9H-fluoren-9-ylmethoxycarbonylamino)propanoic acid dichloromethane disolvate. **2006**, 62, o3555-o3557 1
- 1188 2,2,2-Trifluoro-N-(2-hydroxy-5-nitrophenyl)acetamide. **2006**, 62, o3589-o3590
- 1187 2-(3-Chlorophenyl)-4-(2-hydroxyethyl)-3-methylmorpholin-2-ol monohydrate. **2006**, 62, o3579-o3580
- 1186 2-Iodo-4-nitro-N-(trifluoroacetyl)aniline: sheets built from iodo β itro and nitro β itro interactions. **2006**, 62, o3762-o3764 5

- 1185 Pyrazine-2-carbohydrazide: a three-dimensional hydrogen-bonded framework structure. **2006**, 62, o3765-o3767
- 1184 5-(4-Fluoro-3-phenoxyphenyl)-3-phenyl-4,5-dihydroisoxazole. **2006**, 62, o3819-o3820
- 1183 Hydrogen-bonded chains in 1-[3-(4-nitrobenzylideneamino)propyl]-2-(4-nitrophenyl)hexahydropyrimidine methanol solvate. **2006**, 62, o3844-o3846
- 1182 Hydrogen-bonding patterns in 2-amino-4,6-dimethylpyrimidinium picrate. **2006**, 62, o3847-o3849 4
- 1181 1-[5-(4-Fluorophenyl)-1,2-oxazol-3-ylmethyl]-2-nitroiminoimidazolidine. **2006**, 62, o3850-o3851
- 1180 (1R,2S)-Benzyl N-[3-(diisopropylaminocarbonyl)-2-phenylprop-3-enyl]carbamate. **2006**, 62, o3921-o3922
- 1179 (E,E)-4-(Dimethylamino)benzaldehydeO-(3-phenylpropenoyl)oxime. **2006**, 62, o3923-o3925
- 1178 Dimethyl 4-(4-isopropylcarbonyloxyphenyl)-2,6-dimethyl-1,4-dihydropyridine-3,5-dicarboxylate. **2006**, 62, o4001-o4003
- 1177 Salicylaldoxime-III at 150 K. **2006**, 62, o3944-o3946 3
- 1176 2-(2-Benzyloxy-3-methoxyphenyl)-1H-benzimidazole. **2006**, 62, o3954-o3956 7
- 1175 3-(4-Acetylanilino)isobenzofuran-1(3H)-one. **2006**, 62, o4145-o4147
- 1174 Dicyclohexylammonium 4-nitrophenylsulfinate. **2006**, 62, o4017-o4019 2
- 1173 syn-N-[2-Benzoyl-1-(4-methylphenyl)propyl]acetamide: supramolecular structure formed by NH...O, CH...O and CH... π (arene) hydrogen bonds. **2006**, 62, o4092-o4094
- 1172 1-(4-Bromophenyl)-3-(4-methoxyphenyl)prop-2-en-1-one. **2006**, 62, o4128-o4129 5
- 1171 4?-(4-Chlorophenyl)-2?-[1-(4-methoxyphenyl)-4-oxo-3-phenylazetidin-2-yl]-1?-methyl-2-phenyl-spiro[1,3-oxazole-4(5H),3?]-**2006**, 62, o4166-o4168
- 1170 EthylN,N?-bis(3,4,5-trimethoxyphenyl)phosphorodiamidate. **2006**, 62, o4233-o4235
- 1169 1-(4-Nitrophenyl)-3-(2,4,5-trimethoxyphenyl)prop-2-en-1-one. **2006**, 62, o4228-o4230 6
- 1168 3,3?-(Pyridine-2,6-diyl)bis(4-allyl-4,5-dihydro-1H-1,2,4-triazole-5-thione). **2006**, 62, o4385-o4387 1

- 1167 (E)-7-[(3-Chlorocinnamoyl)oxy]-4-methylcoumarin. **2006**, 62, o4350-o4352 1
- 1166 (E)-7-[[4-(Dimethylamino)cinnamoyl]oxy]-4-methylcoumarin. **2006**, 62, o4353-o4355
- 1165 2-(Tosylamino)butan-1-ol. **2006**, 62, o4454-o4455 1
- 1164 Zwitterionic (E)-2-hydroxy-6-[(o-tolyliminio)methyl]phenolate 0.07-hydrate. **2006**, 62, o4484-o4486 12
- 1163 Bis[N,N'-bis(3,4-methylenedioxybenzyl)propane-1,3-diamine]dichlorozinc(II). **2006**, 62, m2607-m2609 1
- 1162 3,4-Dimethoxychalcone. **2006**, 62, o4646-o4647 1
- 1161 Trianilinophosphine oxide. **2006**, 62, o4569-o4571 1
- 1160 The 0.893/0.104/0.003 cocrystal of 1-(4-methylphenyl)-3-(3,4,5-trimethoxyphenyl)prop-2-en-1-one, 3-(3-chloro-4,5-dimethoxyphenyl)-1-(4-methylphenyl)prop-2-en-1-one and 3-(3,5-dichloro-4-methoxyphenyl)-1-(4-methylphenyl)prop-2-en-1-one. **2006**, 62, o4650-o4652 2
- 1159 (E,E)-4-(Dimethylamino)benzaldehydeO-[3-(3-nitrophenyl)propenoyl]oxime. **2006**, 62, o4587-o4589
- 1158 Hexakis(N-methyl-1H-imidazole- λ 3)manganese(II) dibromide dihydrate. **2006**, 62, m2681-m2682
- 1157 A hydrogen-bonded chain of edge-fused rings in 5-nitroisatin. **2006**, 62, o4572-o4574
- 1156 Desmethylbergenin hemihydrate. **2006**, 62, o4626-o4628 1
- 1155 1-(2,4-Dichlorophenyl)-3-(2-thienyl)prop-2-en-1-one. **2006**, 62, o4653-o4655
- 1154 2-Amino-4,6-dimethoxypyrimidin-1-ium 1-methyl-5-sulfamoyl-1H-pyrazole-4-carboxylate. **2006**, 62, o4623-o4625
- 1153 Aqua(hippurato)bis(1,10-phenanthroline)manganese(II) perchlorate trihydrate. **2006**, 62, m2706-m2708
- 1152 1-(4-Bromophenyl)-3-(2,4,5-trimethoxyphenyl)prop-2-en-1-one. **2006**, 62, o4644-o4645 6
- 1151 Dimethyl 4-[4-[2-(dimethylamino)ethoxy]phenyl]-2,6-dimethyl-1,4-dihydropyridine-3,5-dicarboxylate. **2006**, 62, o4699-o4701
- 1150 3-(2,4-Dichlorophenyl)-1-(4-methoxyphenyl)prop-2-en-1-one. **2006**, 62, o4773-o4774

- 1149 Lamotrigine dimethylformamide sesquisolvate. **2006**, 62, o4752-o4754 6
- 1148 1,5-(4-Dichlorophenyl)-3-(2,5-dimethoxyphenyl)pentane-1,5-dione. **2006**, 62, o5024-o5026 1
- 1147 2-(2-Methoxyphenyl)-1H-benzimidazole. **2006**, 62, o4816-o4818
- 1146 Bis(2,2-bipyridine- κ N,N')(hippurato- κ O,O')cadmium(II) perchlorate dihydrate. **2006**, 62, m2796-m2798
- 1145 1,4-Dihydro-3,6-dipyrazin-2-yl-1,2,4,5-tetrazineBenzene-1,3-dicarboxylic acid (1/1). **2006**, 62, o4855-o4857
- 1144 (2E)-1-(4-Bromophenyl)-3-(4-nitrophenyl)prop-2-en-1-one. **2006**, 62, o4829-o4831 1
- 1143 Buflomedil hydrochloride, a vasodilator drug. **2006**, 62, o4832-o4834
- 1142 2,5-Bis(4-methylphenyl)-7-phenyl-6,7-dihydropyrazolo[1,5-a]pyrimidine-3,6-dicarbaldehyde: hydrogen-bonded sheets built from N \cdots O and C \cdots O hydrogen bonds. **2006**, 62, o4930-o4932 4
- 1141 Ethyl 3-amino-6-phenyl-4-tolylfuro[2,3-b]pyridine-2-carboxylate. **2006**, 62, o4906-o4908
- 1140 Ethyl 7-formyl-1H-indole-1-carboxylate. **2006**, 62, o4909-o4910
- 1139 The β polymorph of 4-chloro-2-[(4-phenyl-thiazol-2-yl)hydrazonomethyl]phenol. **2006**, 62, o4889-o4890 1
- 1138 Hydrogen-bonded sheets in 4-amino-8,8-dimethyl-2-(methylsulfonyl)-8,9-dihydropyrimidino[4,5-b]quinolin-6(7H)-one. **2006**, 62, o4933-o4935
- 1137 5-Chloro-3-hydroxy-2,2-dimethyl-2,3-dihydroquinazolin-4(1H)-one: supramolecular aggregation through a two-dimensional network of N \cdots O and O \cdots O interactions. **2006**, 62, o5003-o5005
- 1136 Dimethyl 4-[4-(2-methoxy-2-oxoethoxy)phenyl]-2,6-dimethyl-1,4-dihydropyridine-3,5-dicarboxylate. **2006**, 62, o4963-o4965
- 1135 5-Fluoro-1H-indole-2-carbohydrazide. **2006**, 62, o4986-o4988 3
- 1134 Ethyl 7-cyanomethyl-1H-indole-1-carboxylate. **2006**, 62, o5015-o5017
- 1133 1-[4-(2-Oxo-1,2-dihydropyridin-1-yl)phenyl]pyridin-2(1H)-one. **2006**, 62, o5045-o5047
- 1132 3-[(1-Benzylamino)ethylidene]-2H-chromene-2,4(3H)-dione. **2006**, 62, o5058-o5060 9

- 1131 Ethyl 2-benzoyloxymethyl-5-methoxy-1-phenylsulfonyl-1H-indole-3-carboxylate. **2006**, 62, o4936-o4938
- 1130 2-Methoxybenzohydroxamic acid: supramolecular aggregation through two-dimensional networks of N \cdots O and O \cdots O interactions. **2006**, 62, o4955-o4957
- 1129 Ethyl 7-hydroxy-1H-indole-1-carboxylate. **2006**, 62, o4969-o4971
- 1128 2-[[2-Chloro-5-(4-methoxyphenyl)pyridin-3-yl](hydroxy)methyl]acrylonitrile. **2006**, 62, o5063-o5064
- 1127 Ethyl 2-bromo-3-(1-phenylsulfonyl-1H-indol-3-yl)acrylate. **2006**, 62, o4972-o4974
- 1126 4-(4-Fluorophenyl)-3-methyl-1-phenylindeno[1,2-b]pyrazolo[4,3-e]pyridin-5(1H)-one: sheets built from C \cdots N, C \cdots O and C \cdots (π arene) hydrogen bonds. **2006**, 62, o5176-o5178 3
- 1125 trans-Aquabis(glyoximato- λ N,N?)nitrocobalt(III). **2006**, 62, m2972-m2973 2
- 1124 (3-Phenylsulfanyl-1-phenylsulfonyl-1H-indol-2-yl)methyl benzoate. **2006**, 62, o5092-o5094
- 1123 3-Bromo-2-ethoxy-2-phenylcyclohexan-1-one oxime. **2006**, 62, o5116-o5118
- 1122 2-Amino-5-iodobenzohydroxamic acid: supramolecular aggregation through two-dimensional networks of N \cdots O, O \cdots N and C \cdots O interactions. **2006**, 62, o5083-o5085
- 1121 2-Amino-3,5-dichlorobenzohydroxamic acid: supramolecular aggregation through two-dimensional networks of O \cdots N/O and N \cdots O/Cl interactions. **2006**, 62, o5086-o5088
- 1120 4-Benzylidene-2-(isopropylamino)-1-phenylimidazolin-5(4H)-one. **2006**, 62, o5130-o5131
- 1119 Bis(2,2'-bipyridine- λ N,N?)(hippurato- μ)copper(II) perchlorate dihydrate. **2006**, 62, m3044-m3046 1
- 1118 Hydrogen-bonded chains of rings in (E)-4-methoxycinnamic acid. **2006**, 62, o5141-o5143 1
- 1117 Bis(2-aminopyridinium) 5-sulfonatosalicylate. **2006**, 62, o5127-o5129 1
- 1116 Methyl 2-bromomethyl-1-phenylsulfonyl-1H-indole-3-carboxylate. **2006**, 62, o5155-o5157
- 1115 Ethyl 3-(2-methoxycarbonylmethyl-1-phenylsulfonyl-1H-indol-3-yl)acrylate. **2006**, 62, o5152-o5154
- 1114 Bis[(1,10-phenanthroline- λ N,N?)(2-sulfidopyridineN-oxide- λ S,O)copper(II)] tetrathionate trihydrate. **2006**, 62, m3089-m3091

1113 2-(1-Hydroxycyclohexyl)-2-(4-methoxyphenyl)acetonitrile. **2006**, 62, o5241-o5243

1112 (E,E)-4-(Dimethylamino)benzaldehydeO-[3-(3-chlorophenyl)propenoyl]oxime. **2006**, 62, o5199-o5201

1111 Dimethyl 2,2'-(naphthalene-2,7-diylldioxy)diacetate. **2006**, 62, o5307-o5309

1110 Ethyl 2-acetyl-3-anilinobutanoate. **2006**, 62, o5367-o5368

2

1109 Ethyl 9-hydroxyfluorene-9-carboxylate: chains of centrosymmetric rings built from O \cdots O and C \cdots (arene) hydrogen bonds. **2006**, 62, o5340-o5342

1108 5-Amino-1-(2-chloronicotinoyl)-3-trifluoromethyl-1H-1,2,4-triazole: hydrogen-bonded sheets of alternating R²²(8) and R⁶⁶(36) rings. **2006**, 62, o5383-o5385

1107 4-Chloro-2-[(4-phenylthiazol-2-yl)hydrazonomethyl]phenol: a polymorph with Z' = 2. **2006**, 62, o5365-o5366

1106 2-(2,4-Dichloro-5-fluorophenyl)-4-(2-hydroxyethyl)morpholin-4-ium chloride. **2006**, 62, o5377-o5378

1105 Tetrakis(μ -nitrobenzoato- μ O:O')bis[aquacopper(II)] ethanol disolvate. **2006**, 62, m3217-m3219

3

1104 1L-1-Amino-1-deoxy-2,3,4,5-tetra-O-methyl-scylo-inositol. **2006**, 62, o5411-o5413

1

1103 3-Bromo-1-methyl-6,7-dihydropyrrolo[2,3-c]azepine-4,8(1H,5H)-dione. **2006**, 62, o5505-o5507

3

1102 Methyl (E)-3-(5-cyano-2-furyl)-2-phenylacrylate. **2006**, 62, o5490-o5491

1101 1H-Pyrido[3,4-b]azepine-2,5(3H,4H)-dione: a hydrogen-bonded dimeric structure. **2006**, 62, o5623-o5624

1100 1?-Methyl-5-diphenyl-4?-p-tolyl-5,6,7,8,9,10-hexahydro-1,3-cycloheptapyrimidino[2,3-b]thiazole-2-spiro-3?-pyrrolidine-2?-**2006**, 62, o5658-o5660

1099 1?-Methyl-5-diphenyl-4?-p-tolyl-5,6,7,8,9,10-hexahydro-1,3-cyclooctapyrimidino[2,3-b]thiazole-2-spiro-3?-pyrrolidine-2?-**2006**, 62, o5661-o5663

1098 Benzophenone 2,4-dinitrophenylhydrazone. **2006**, 62, o5686-o5688

5

1097 Azadirone. **2006**, 62, o5694-o5696

1

1096 3,19-(2,6-Dimethoxybenzylidene)andrographolide. **2006**, 62, o5806-o5808

- 1095 Ethyl 2-[[N-(2-iodophenyl)phenylsulfonamido]methyl]-1-phenylsulfonyl-1H-indole-3-carboxylate. **2006**, 62, o5905-o5907
- 1094 (E,E)-6,6'-Dimethoxy-2,2'-[o-phenylenebis(nitrilomethylidene)]diphenol. **2006**, 62, o5908-o5909 3
- 1093 Diamminebis(tri-tert-butoxysilanethiolato)cadmium(II) acetonitrile solvate. **2006**, 62, m3567-m3569 2
- 1092 On C π ...O interactions in 3,5-dinitrobenzaldehyde. **2006**, 62, o5842-o5844
- 1091 Influence of hydrogen bonds on magnetic properties of Cu(dmen)₂M(CN)₄ (M = Ni, Pt) S = 1/2 low-dimensional Heisenberg antiferromagnets. **2006**, 243, 268-271 7
- 1090 The interplay of hydrogen-bonding and metal-coordination motifs in the formation of supramolecular patterns: Copper/zinc malonates π aminopyrimidine complexes. **2006**, 9, 1155-1160 15
- 1089 Synthesis, structural studies, and cytostatic evaluation of 5,6-di-O-modified L-ascorbic acid derivatives. **2006**, 341, 433-42 14
- 1088 Experimental and theoretical IR, R, and INS spectra of 2,2,4,4-tetramethyl-3-t-butyl-pentane-3-ol. **2006**, 788, 93-101 8
- 1087 One-dimensional coordination polymer of N-(phosphonomethyl)iminodiacetic acid with iron(II). **2006**, 789, 200-208 22
- 1086 Second sphere coordination in binding large size anions: Synthesis, characterisation and X-ray structure determination of [trans-Co(en)₂Cl₂]C₆NO₂SO₃H₃Cl and [trans-Co(en)₂Cl₂]2S₄O₆. **2006**, 794, 303-310 7
- 1085 Syntheses, structures and properties of copper(II) complexes containing N-(2-hydroxybenzyl)-amino amide ligands. **2006**, 359, 3481-3490 39
- 1084 New examples of N(+)H \cdots N hydrogen bonds: Synthesis and X-ray study of selected secondary ammonium tri-tert-butoxysilanethiolates. **2006**, 25, 1555-1560 13
- 1083 Classical hydrogen bonding and weaker C π ...O interactions in complexes of uracil-5-carboxylic acid with the alkali metals Na π s. **2006**, 25, 1043-1056 17
- 1082 Trinuclear tris-Co(II) and trans-cobaloxime type Co(III) complexes prepared from Co(II) triflate precursor: Synthesis, structure and properties. **2006**, 25, 3417-3426 18
- 1081 Synthesis, spectroscopic characterization of tribenzyltin(IV) complexes of polyaromatic carboxylic acid ligands: Crystal and molecular structures of Bz₃Sn[O₂CC₆H₄{NN(C₆H₃-4-OH(C(H)NC₆H₄X-4))}-o](OH₂) (X = Cl, OCH₃). **2006**, 25, 3441-3448 11
- 1080 Supramolecular chemistry of half-sandwich organometallic building blocks based on RuCl₂(p-cymene)Ph₂PCH₂Y. **2006**, 691, 4829-4842 27
- 1079 Vibrational assignment, structure and intramolecular hydrogen bond study of 3-amino-1-phenyl-2-buten-1-one. **2006**, 63, 729-39 16
- 1078 Odd-even effect in melting properties of 12 alkane π diamides. **2006**, 38, 1546-1552 44

- 1077 Second-sphere coordination in anion binding: Synthesis and characterization of hexaamminecobalt(III) salts $[\text{Co}(\text{NH}_3)_6](\text{L})_3\cdot\text{BH}_2\text{O}$ and $[\text{Co}(\text{NH}_3)_6]\text{Cl}(\text{L})_2$, $\text{L}=(\text{CH}_3)_3\text{C}_6\text{H}_2\text{SO}_3$ and X-ray structure determination of $[\text{Co}(\text{NH}_3)_6]\text{Cl}(\text{L})_2$. **2006**, 784, 117-123 15
- 1076 Experimental and calculated structural parameters of 4-(2-methoxycarbonyl-ethyl)-3,5-dimethyl-1H-pyrrole-2-carboxylic acid benzyl ester. **2006**, 785, 32-36 3
- 1075 Baylis-Hillman adducts between pyridine carboxaldehyde derivatives and cyclic enones. **2006**, 62, 954-959 31
- 1074 14-Membered cyclodepsipeptides with alternating α -hydroxy and β -amino acids by cyclodimerization. **2006**, 62, 1079-1094 16
- 1073 Abundant polymorphism in a system with multiple hydrogen-bonding opportunities: oxalyl dihydrazide. **2006**, 128, 8441-52 73
- 1072 Synthesis of co-ordination networks selecting from either (R,R), (S,S) and (R,S)-1,4- or -1,3-bis[2-(4-pyridyl)-2-methylethyl]benzene and a discrete complex from 1,4-bis[2-(3-pyridyl)-2-methyl-cis-ethenyl]benzene. **2006**, 8, 895 16
- 1071 3-{4-[4-(3-Oxo-1,3-dihydroisobenzofuran-1-ylamino)benzyl]phenylamino}isobenzofuran-1(3H)-one dimethylformamide solvate. **2006**, 62, o4142-o4144
- 1070 7-Acetamido-4-methyl-2H-1-benzopyran-2-one. **2006**, 62, o5196-o5198 4
- 1069 A modular approach to anion binding podands: adaptability in design and synthesis leads to adaptability in properties. **2006**, 2637-49 190
- 1068 X-ray structure analysis of 1-(4-bromophenyl)-3-(4-chlorophenyl)-prop-2-en-1-one. **2006**, 36, 195-198 11
- 1067 Synthesis and X-ray crystallographic analysis of 17 β -hydroxy-17-methylandrosta-4-ene-17-one. **2006**, 36, 283-287 4
- 1066 Reaction of 1,2-bis(2,6-dicarboxypyridin-4-yl)ethyne with Co(II) generates coordination monomers not polymers: Crystal structure of 4-(2,6-dicarboxypyridin-4-yl)ethynylpyridine-2,6-dicarboxylatotriaqua cobalt(II) monohydrate. **2006**, 36, 271-278 2
- 1065 Crystal structures of substituted imidazolidine derivatives. **2006**, 36, 381-387 3
- 1064 X-ray diffraction investigation of siloxanes. I. Effects of organic substituents at the silicon atoms on the structure of acyclic trisiloxane-1,5-diols and on formation of different hydrogen bond systems. **2006**, 47, 1127-1133 4
- 1063 Silicon Analogues of Triarylmethanol Hosts. Inclusion Properties and Host-Guest Structures: A Comparative Study. **2006**, 55, 131-149 11
- 1062 X-ray diffraction and solid-state NMR studies of a germanium binuclear complex. **2005**, 12, 363-75 16
- 1061 A competitive molecular recognition study: syntheses and analysis of supramolecular assemblies of 3,5-dihydroxybenzoic acid and its bromo derivative with some N-donor compounds. **2006**, 12, 1597-609 77
- 1060 Comparative analyses of a family of potential self-replicators: the subtle interplay between molecular structure and the efficacy of self-replication. **2006**, 12, 6829-40 37

1059	Conformational, concomitant polymorphs of 4,4-diphenyl-2,5-cyclohexadienone: conformation and lattice energy compensation in the kinetic and thermodynamic forms. 2006 , 12, 3777-88	79
1058	Probing structural effects on replication efficiency through comparative analyses of families of potential self-replicators. 2006 , 12, 8798-812	32
1057	Anisotropic movements of coordination polymers upon desolvation: solid-state transformation of a linear 1D coordination polymer to a ladderlike structure. 2006 , 45, 4337-41	165
1056	Designing a cocrystal of gamma-amino butyric acid. 2006 , 45, 7966-9	52
1055	Entrapment of a Hexamer of Nitrobenzene Molecules between the Layers of (4,4)-Coordination Networks Containing Intra-Sheet Hydrogen Bonds. 2006 , 2006, 531-534	16
1054	Ab initio calculations of intramolecular parameters for a class of arylamide polymers. 2006 , 27, 693-700	11
1053	Reaction of β -Hydroxy-N-[1-(dimethylcarbamoyl)ethyl]butanamides under the Direct Amide Cyclization Conditions. 2006 , 89, 153-175	3
1052	The Azirine/Oxazolone Method on Solid Phase: Introduction of Various β,β -Disubstituted β -Amino Acids. 2006 , 89, 1-15	22
1051	Transformation of 5-Hydroxy- to (5-Chloropentanoyl)amino Derivatives under Direct Amide Cyclization Conditions. 2006 , 89, 352-359	1
1050	Synthesis of Enniatin-like Cyclic Depsipeptides via Direct Amide Cyclization 2006 , 89, 731-746	12
1049	Reactions of 2-Unsubstituted 1H-Imidazole 3-Oxides with 2,2-Bis(trifluoromethyl)ethene-1,1-dicarbonitrile: A Stepwise 1,3-Dipolar Cycloaddition. 2006 , 89, 1304-1316	35
1048	Selenium-Containing Heterocycles from Isoselenocyanates: Use of Hydrazine for the Synthesis of 1,3,4-Selenadiazine Derivatives. 2006 , 89, 1322-1329	14
1047	Novel N-(2,2-Dimethyl-2H-azirin-3-yl)-L-prolinates as Aib-Pro Synthons. 2006 , 89, 1841-1855	10
1046	Crystal structure of carnidazole form II from synchrotron X-ray powder diffraction: structural comparison with form I, the hydrated form and the low energy conformations in vacuo. 2006 , 95, 2123-36	9
1045	Anisotropic Movements of Coordination Polymers upon Desolvation: Solid-State Transformation of a Linear 1D Coordination Polymer to a Ladderlike Structure. 2006 , 118, 4443-4447	23
1044	Designing a Cocrystal of β -Amino Butyric Acid. 2006 , 118, 8134-8137	7
1043	Synthesis, spectroscopic and X-ray structure analyses of two N-[(3?-aryl) prop-2?-ynyl]-N,N?-1,2-phenylene di-p-tosylamides. 2006 , 221, 740-745	3
1042	Hydrogen Bonding New Insights. 2006 ,	350

- 1041 Thia- and selenaheterocycles by a four-component reaction using elemental sulfur and selenium. **2006**, 27, 181-191 4
- 1040 Crystal Structure of an Adduct: 2,3,5-Substituted Derivative of Pyridine. **2006**, 461, 103-109
- 1039 Approaches to Polymorphism Screening. **2006**, 287-308 10
- 1038 Maskless nanopatterning and formation of nanocorrals and switches, for haloalkanes at Si(111)-7 × 7. **2007**, 18, 044012 13
- 1037 From Solid State Photodimers of Ethyl Coumarin-3-carboxylate to their Alcoholysis Derivatives. A Supramolecular Study. **2007**, 19, 629-640 4
- 1036 Synthesis and Supramolecular Behaviour of 2,7-Dibromo-9-alkynylfluorenols. **2007**, 19, 353-364 1
- 1035 Synthesis and Crystal Structure of [5-(3,4-Dimethoxyphenyl)-4-(hydroxymethyl)tetrahydro-3-furanyl](3,4,5-trimethoxyphenyl)methanone. **2007**, 23, X215-X216
- 1034 Crystal Structure of 2-[(2-Chloro-5-methyl-3-pyridinyl)(hydroxy)-methyl]acrylonitrile. **2007**, 23, X17-X18
- 1033 Crystal Structure of 1-(4-Benzylpiperazino)methyl-3-phenyl-1,2,4-triazole-5-thione. **2007**, 23, X211-X212 1
- 1032 Crystal Structure of 2-[(2-Chloro-5-methyl-3-pyridinyl)(hydroxy)-methyl]acrylonitrile. **2007**, 23, X39-X40
- 1031 Crystal structure of 1-(3-methylbenzoyl)-3-(5-(E)-styryl-1,3,4-thiadiazol-2-yl)urea, C₁₉H₁₆N₄O₂S. **2007**, 222, 418-420
- 1030 Quadruply hydrogen-bonded building block from hydrazide-quinolinone motif and gelation ability of its analogous oxalic monoester-monoamide derivative. **2007**, 9, 4991-4 22
- 1029 Kinetic and Thermodynamic Conformational Polymorphs of Bis(p-tolyl) Ketone p-Tosylhydrazone: The Curtin-Hammett Principle in Crystallization. **2007**, 7, 2047-2058 29
- 1028 NMR Assisted Structural Changes Induced on Ketoenamine Systems. **2007**, 19, 641-653 21
- 1027 Celecoxib:nicotinamide dissociation: using excipients to capture the cocrystal's potential. **2007**, 4, 386-400 134
- 1026 Polymorphism of even saturated carboxylic acids from n-decanoic to n-eicosanoic acid. **2007**, 31, 947 95
- 1025 A new organic zeolite created by molecular aggregation of 1,1-bis(3,4-dihydroxyphenyl)cyclohexane in the solid state. **2007**, 9, 786 10
- 1024 Two new "onium" fluorosilicates, the products of interaction of fluorosilicic acid with 12-membered macrocycles: structures and spectroscopic properties. **2007**, 2915-24 14

1023	Disruption of the hexagonal networks of trimesic acid (benzene-1,3,5-tricarboxylic acid, TMA) by acetic acid. 2007 , 132-4	21
1022	Self-assembly of organic acidBase compounds from 2-D layered network to 3-D supramolecular framework: synthesis, structure and photoluminescence. 2007 , 9, 907	16
1021	Structural consequences of benzidine dihydrochloride substitution in the solid state. 2007 , 9, 1029	6
1020	Hydrogen bonded supramolecular assemblies based on neutral square-planar palladium(II) complexes. 2007 , 9, 165	36
1019	Role of the Molecular Conformation in the Two- and Three-Dimensional Supramolecular Structure of 10 Hydroxyl-N-alkylamides. 2007 , 7, 905-911	
1018	Cocrystal design gone awry? A new dimorphic hydrate of oxalic acid. 2007 , 4, 355-9	36
1017	Benzidine: A Co-Crystallization Agent for Proton Acceptors. 2007 , 7, 1777-1782	16
1016	Pd(II) Hydrogen Bonds and Interactions between Fluorinated Aromatic Rings in trans-[PdCl ₂ (NH ₂ ArF) ₂]. 2007 , 7, 117-123	22
1015	Molecular recognition of adeninium cations on anionic metal-oxalato frameworks: an experimental and theoretical analysis. 2007 , 46, 3593-602	32
1014	Cocrystals of 3,5-Dimethyl-1H-pyrazole and Salicylic Acid: Controlled Formation of Trimers via O-H...N Hydrogen Bonds 2007 , 7, 1176-1184	27
1013	Photoluminescent Zn(II) MetalOrganic Frameworks Built from Tetrazole Ligand: 2D Four-Connected Regular Honeycomb (4363)-net. 2007 , 7, 1227-1229	160
1012	Three related benzoannelated diazapolyether macrocycles: effects of macrocycle ring size and position of benzo groups on hydrogen bonding of the amine H atoms. 2007 , 63, o378-81	2
1011	Photoluminescent LanthanideOrganic 2D Networks: A Combined Synchrotron Powder X-ray Diffraction and Solid-State NMR Study. 2007 , 19, 3527-3538	65
1010	How robust is the hydrogen-bonded amide ladder motif?. 2007 , 31, 2044	22
1009	Heterodimetallic germanium(IV) complex structures with transition metals. 2007 , 46, 6502-15	15
1008	Chloride Complexation with Thiosemicarbazone Metal Complexes. A Solid State Study. 2007 , 19, 613-619	8
1007	Relationship between the ligand structure and the luminescent properties of water-soluble lanthanide complexes containing bis(bipyridine) anionic arms. 2007 , 13, 346-58	35
1006	Phase transition accompanied by transformation of an elusive discrete cyclic water heptamer to a bicyclic (H ₂ O) ₇ cluster. 2007 , 46, 5925-8	91

- 1005 Phase Transition Accompanied by Transformation of an Elusive Discrete Cyclic Water Heptamer to a Bicyclic (H₂O)₇ Cluster. **2007**, 119, 6029-6032 11
- 1004 1,5-Dipolar Electrocyclizations of Thiocarbonyl Ylides Bearing C≡N Groups: Reactions of N-[(Dimethylamino)methylene]thiobenzamide and 2-(Dimethylhydrazono)-1-phenylethane-1-thione with Diazo Compounds. **2007**, 90, 86-100 8
- 1003 Synthesis of New Bis-imidazole Derivatives. **2007**, 90, 1765-1780 32
- 1002 Selenium-Containing Heterocycles from Isoselenocyanates: Base-Catalyzed Reaction of Malononitrile with Phenyl Isoselenocyanate and Bromoacetonitrile or α -Halogenated Ketones. **2007**, 90, 1849-1855 9
- 1001 Thermolysis of Imidates: A New Method for the Generation of Carbonyl Ylides. **2007**, 90, 2330-2341 2
- 1000 Unexpected regiospecific reactivity of a substituted phthalic anhydride. **2007**, 63, 1395-1401 22
- 999 A branched, hydrogen-bonded heterodimer: a novel system for achieving high stability and specificity. **2007**, 63, 5460-5469 12
- 998 Adamantane-retropeptides, new building blocks for molecular channels. **2007**, 63, 7985-7996 18
- 997 Paraquat guest induced hydrogen-bonding modes of a hydrazide-derived bis(meta-phenylene)-32-crown-10 host in the solid state. **2007**, 48, 3505-3509 19
- 996 Crystal structures and spectroscopic behavior of monomeric, dimeric and polymeric copper(II) chloroacetate adducts with isonicotinamide, N-methylnicotinamide and N,N-diethylnicotinamide. **2007**, 360, 3213-3225 85
- 995 Synthesis and catalytic properties in olefin epoxidation of dioxomolybdenum(vi) complexes bearing a bidentate or tetradentate salen-type ligand. **2007**, 270, 185-194 57
- 994 Second-sphere coordination in hexaamminecobalt(III) salt with organic sulphonate anion: Synthesis, characterisation and X-ray crystal structure of [Co(NH₃)₆](CH₃SO₃)₃. **2007**, 830, 198-203 17
- 993 Density functional and X-ray diffraction studies of bis(isocinchomeric acid) trihydrated. **2007**, 837, 58-62 11
- 992 Crystal structure of a new organic hydrogenmonophosphate adduct [2-NH₂-6-CH₃-C₄H₃N₂O]₂HPO₄. **2007**, 871, 49-58 9
- 991 Synthesis, structure and thermal behaviour of a barium-glutarate framework. **2007**, 832, 150-155 6
- 990 Inter- and intramolecular hydrogen bonds in Structures of 1-methylpyrrole-2-carboxamide and 1-hydroxypyrrole-2-carboxamide. **2007**, 844-845, 173-180 10
- 989 Structural properties of a family of hydrogen-bonded co-crystals formed between gemfibrozil and hydroxy derivatives of t-butylamine, determined directly from powder X-ray diffraction data. **2007**, 180, 1068-1075 11
- 988 Three-dimensional supramolecular H-bonding network in the compounds containing hexamethylenetetramine and aquated Ni(II) or Cd(II) salts. **2007**, 26, 24-32 21

- 987 Tuning the topologies of Co(II) and Ni(II) complexes with EDTA, 1,3-PDTA and 1,4-BDTA ligands: Synthesis and spectroscopic data of [Mg(H₂O)₆][Co(1,4-bdta)]·3H₂O and [Mg(H₂O)₆][Ni(1,4-bdta)]·3H₂O complexes, and the X-ray structure of their chiral crystals. **2007**, 26, 4799-4808 5
- 986 X-ray structures of the tris(2,4-xylyl)phosphane and its trisulfonated derivative: Molecular architecture of a water-soluble sulfonated phosphane with propeller chirality. **2007**, 692, 1845-1851 4
- 985 Reduction of [Mo₂O₅] by mercaptopropionic acid in an aqueous medium. Isolation and characterization of a dinuclear oxo- and 3-sulfido-propionato(2-)-bridged molybdenum(IV) compound. **2007**, 692, 2599-2605 4
- 984 Synthesis, spectra, and crystal structures of the triorganotin(IV) 5-[(E)-2-(4-methylphenyl)-1-diazenyl]-2-hydroxybenzoates (Me₃Sn{O₂CC₆H₃-p-OH[NN(C₆H₄-4-CH₃)]})_n, Et₃Sn{O₂CC₆H₃-p-OH[NN(C₆H₄-4-CH₃)]}OH₂, and 2-[(E)-2-(4-methylphenyl)-1-diazenyl]-2-hydroxybenzoate. **2007**, 692, 2607-2613 7
- 983 Self-assembly of extended Schiff base amino acetate skeletons, 2-[[[(2Z)-(3-hydroxy-1-methyl-2-butenylidene)]amino}phenylpropionate and 2-[[[(E)-1-(2-hydroxyaryl)alkylidene]amino}phenylpropionate skeletons incorporating organotin(IV) moieties. Synthesis, spectroscopic characterization, crystal structures, and *in vitro* cytotoxic activities. **2007**, 692, 2614-2622 76
- 982 Hydrogen-bonded chains of rings in methyl 4-[(5-methyl-1H-pyrazol-3-yl)amino]-3-nitrobenzoate and hydrogen-bonded sheets in methyl 1-(5-methyl-1H-pyrazol-3-yl)-1H-benzimidazole-5-carboxylate. **2007**, 63, o38-41 2
- 981 7-Amino-2-tert-butyl-5-methylpyrazolo[1,5-a]pyrimidine: a three-dimensional framework structure built from two N-H...N hydrogen bonds. **2007**, 63, o26-8 4
- 980 Hydrogen bonding and pi-pi stacking in 6-hydroxybiochanin A monohydrate. **2007**, 63, o51-3 1
- 979 Three ethyl 5-amino-1-aryl-1H-imidazole-4-carboxylates: hydrogen-bonded supramolecular structures in one, two and three dimensions. **2007**, 63, o33-7 2
- 978 Conformation and structure of bis(glycyl-L-aspartic acid) oxalate 0.4-hydrate. **2007**, 63, o11-3
- 977 The concomitant crystallization of two polymorphs of 1-deoxy-alpha-D-tagatose. **2007**, 63, o7-10 6
- 976 Hydrogen-bonded chains in 3-tert-butyl-5-[(4-methoxybenzyl)amino]-1-phenyl-1H-pyrazole and tetramolecular hydrogen-bonded aggregates in 5-[(benzotriazol-1-ylmethyl)(4-methoxybenzyl)amino]-3-tert-butyl-1-phenyl-1H-pyrazole. **2007**, 63, o29-32 2
- 975 Three substituted 4-pyrazolylbenzoates: hydrogen-bonded supramolecular structures in one, two and three dimensions. **2007**, 63, o21-5 1
- 974 3-Nitrobenzaldehyde isonicotinoylhydrazone monohydrate redetermined at 120 K: sheets built from O-H...O, O-H...N, N-H...O and C-H...O hydrogen bonds. **2007**, 63, o42-4 4
- 973 2,3-Dimethoxybenzaldehyde isonicotinoylhydrazone chloroform monosolvate, and the mono- and dihydrates of 3,4,5-trimethoxybenzaldehyde isonicotinoylhydrazone: hydrogen-bonded supramolecular structures in one, two and three dimensions. **2007**, 63, o68-72 6
- 972 3-(1-Pyridinio)propanesulfonate and 3-(benzyltrimethylammonio)propanesulfonate monohydrate. **2007**, 63, o114-6 3
- 971 Five symmetrically substituted 2-aryl-3-benzyl-1,3-thiazolidin-4-ones: supramolecular structures in zero, one and two dimensions. **2007**, 63, o102-7 3
- 970 1-(6-Amino-1,3-benzodioxol-5-yl)-3-(4-pyridyl)prop-2-en-1-one crystallizes with Z' = 2: hydrogen-bonded supramolecular substructures in one and two dimensions, each containing only one type of molecule. **2007**, 63, o99-101 3

- 969 (Acetonitrile){2,6-bis[1-(2-ethyl-6-methylphenylimino)ethyl]pyridine}dichlororuthenium(II) dichloromethane hemisolvate: a chain of edge-fused R(6)(6)(24) rings. **2007**, 63, m77-80 1
- 968 Stereoisomers of 1,2-diaryl-1,3-propanediols: erythro forms. **2007**, 63, o163-5
- 967 Tetraaqua(1,10-phenanthroline-kappa(2)N,N')cobalt(II) dinitrate: a hydrogen-bonded supramolecular network. **2007**, 63, m94-6 3
- 966 4-Cyanobenzaldehyde isonicotinoylhydrazone monohydrate: a three-dimensional hydrogen-bonded framework structure. **2007**, 63, o166-8 3
- 965 Three (E)-2-[(bromophenyl)iminomethyl]-4-methoxyphenols. **2007**, 63, o177-80 47
- 964 4,5-Dibromophthalimide forms two centrosymmetric dimers, one linked by C-H...O hydrogen bonds and one by N-H...O hydrogen bonds. **2007**, 63, o185-6
- 963 Hydrogen-bonded supramolecular motifs in 2-amino-4,6-dimethoxypyrimidinium 4-hydroxybenzoate monohydrate, 2-amino-4,6-dimethoxypyrimidinium 6-carboxypyridine-2-carboxylate monohydrate and 2-amino-4,6-dimethoxypyrimidinium hydrogen (2R,3R)-tartrate 2-amino-4,6-dimethoxypyrimidine. **2007**, 63, o295-300 12
- 962 1-((E)-{(1R,2R)-2-[(E)-(2-Hydroxy-1-naphthyl)methyleneamino]cyclohexyl}iminiomethyl)naphthalen-2-olate: a Schiff base compound having both OH and NH character. **2007**, 63, o215-8 16
- 961 Supramolecular hydrogen-bonding networks in bis(adeninium) phthalate phthalic acid 1.45-hydrate. **2007**, 63, o212-4 6
- 960 (3S)-Benzyl N-(1-hydroxy-2,5-dioxopyrrolidin-3-yl)carbamate: two-dimensional sheets built from O-H...O, N-H...O, C=O...C=O and C-H...O interactions linked into a three-dimensional complex framework via C-H...pi(arene) interactions. **2007**, 63, o204-6 1
- 959 A re-examination of supramolecular aggregation in two polymorphs of acetone 2,4-dinitrophenylhydrazone. **2007**, 63, o231-3 0
- 958 Ethyl N-[2-(hydroxyacetyl)phenyl]carbamate, ethyl N-[2-(hydroxyacetyl)-4-iodophenyl]carbamate and ethyl N-[2-(hydroxyacetyl)-4-methylphenyl]carbamate. **2007**, 63, o234-8 2
- 957 Carbonyl-carbonyl, carbonyl-pi and carbonyl-halogen dipolar interactions as the directing motifs of the supramolecular structure of ethyl 6-chloro-2-oxo-2H-chromene-3-carboxylate and ethyl 6-bromo-2-oxo-2H-chromene-3-carboxylate. **2007**, 63, o239-42 20
- 956 Naphthalene-1,7-diol. **2007**, 63, o252-4 2
- 955 Constructor graph description of hydrogen bonding in a supramolecular assembly of N,N'-bis(2-hydroxy-1-methylethyl)phthalamide. **2007**, 63, o255-8 1
- 954 4-Amino-3-methyl-6-phenyl-1,2,4-triazin-5(4H)-one (metamitron) and 4-amino-6-methyl-3-phenyl-1,2,4-triazin-5(4H)-one (isometamitron). **2007**, 63, o259-62 3
- 953 (R)-3,5-Bis[(E)-benzylidene]-1-(1-phenylethyl)piperidin-4-one, 3,5-bis[(E)-4-chlorobenzylidene]-1-[(R)-1-phenylethyl]piperidin-4-one and 3,5-bis[(E)-2-chlorobenzylidene]-1-[(R)-1-phenylethyl]piperidin-4-one. **2007**, 63, o315-8 7
- 952 Supramolecular aggregation in three 4-aryl-6-(1H-indol-3-yl)-3-methyl-1-phenyl-1H-pyrazolo[3,4-b]pyridine-5-carbonitriles. **2007**, 63, o287-91 6

- 951 Hydrogen-bonding features in the 1:2 adduct of 4-aminobenzoic acid and L-proline. **2007**, 63, o283-6 12
- 950 Short intermolecular N-Br...O=C contacts in 1,3-dibromo-5,5-dimethylimidazolidine-2,4-dione. **2007**, 63, o389-91 6
- 949 (2S)-1-Carbamoylpyrrolidine-2-carboxylic acid. **2007**, 63, o303-5 3
- 948 Cationic, neutral and anionic metal(II) complexes derived from 4-oxo-4H-pyran-2,6-dicarboxylic acid (chelidonic acid). **2007**, 63, m207-15 15
- 947 4,4'-(Azinodimethylene)dipyridinium bis(tetrafluoroborate) and 4-[(4-pyridylmethylene)hydrazonomethyl]pyridinium perchlorate: two different hydrogen-bonding motifs. **2007**, 63, o312-4 2
- 946 C-H...O hydrogen-bonding and C-H...pi interactions in 3-(4-fluorophenyl)-1,5,7-trimethyl-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-2,4-dione. **2007**, 63, o337-9 3
- 945 Violuric acid monohydrate: a second polymorph with more extensive hydrogen bonding. **2007**, 63, o327-9 4
- 944 Polymorph VI of sulfapyridine: interpenetrating two- and three-dimensional hydrogen-bonded nets formed from two tautomeric forms. **2007**, 63, o323-6 19
- 943 Diaquabis(4-fluorobenzoato-kappaO)bis(nicotinamide-kappaN)cobalt(II). **2007**, 63, m243-5 7
- 942 A novel two-dimensional layered framework built of strontium(II) with 4-nitrobenzene-1,3-dicarboxylic acid. **2007**, 63, m246-8 2
- 941 N-(4-nitrobenzoyl)-N'-phenylhydrazine: a three-dimensional hydrogen-bonded framework. **2007**, 63, o334-6 3
- 940 (2,6-Bis[1-[4-(dimethylamino)phenylimino]ethyl]pyridine)dichlorido(triphenylphosphine-kappaP)ruthenium(II): a zigzag chain of fused centrosymmetric R(2)(2)(12) rings. **2007**, 63, m264-6 3
- 939 2,6-Bis[(2-hydroxy-3-methoxybenzylidene)hydrazinocarbonyl]pyridine monohydrate. **2007**, 63, o369-70 3
- 938 4-Carboxyanilinium (2R,3R)-tartrate and a redetermination of the alpha-polymorph of 4-aminobenzoic acid. **2007**, 63, o514-7 34
- 937 Racemic 2-isopropyl-3-(2-nitrobenzyl)-1,3-thiazolidin-4-one crystallizes in the space group P2(1)2(1)2(1) with Z' = 2: two different interpenetrating three-dimensional frameworks formed by C-H...O hydrogen bonds. **2007**, 63, o411-4 4
- 936 Tetraethylammonium dihydrogenarsenate bis(arsenic acid) and 1,4-diazoniabicyclo[2.2.2]octane bis(dihydrogenarsenate) arsenic acid: hydrogen-bonded networks containing dihydrogenarsenate anions and neutral arsenic acid molecules. **2007**, 63, m308-11 4
- 935 Supramolecular hydrogen-bonded networks in adeninium phenylacetate phenylacetic acid monohydrate and adeninium 3-carboxypropionate monohydrate. **2007**, 63, o415-8 8
- 934 Hydrogen-bonded network in biphenyl-4,4'-diphosphonic acid. **2007**, 63, o434-6 7

- 933 Proton-transfer compounds of 8-hydroxy-7-iodoquinoline-5-sulfonic acid (ferron) with 4-chloroaniline and 4-bromoaniline. **2007**, 63, o405-7 4
- 932 4-Amino-3,5-diethyl-4H-1,2,4-triazole at 100 K: chains of edge-fused R(4)(4)(10) and R(4)(4)(20) rings. **2007**, 63, o431-3 1
- 931 Naphthalene-1,6-diol: a three-dimensional framework built from O-H...O, O-H...pi and C-H...O hydrogen bonds. **2007**, 63, o419-22
- 930 The 1:1 complex of cytosine and 5-fluorouracil monohydrate revisited. **2007**, 63, o423-5 12
- 929 The 1:1 inclusion compounds zolmitriptan-benzene and zolmitriptan-phenol. **2007**, 63, o437-40 2
- 928 Hydrogen-bonded networks in trans-3-(3-pyridyl)acrylic acid and rctt-3,3'-(3,4-dicarboxycyclobutane-1,2-diyl)dipyridinium dichloride. **2007**, 63, o441-4 7
- 927 (S)-5-Benzylimidazolidine-2,4-dione monohydrate. **2007**, 63, o448-50 11
- 926 Hexakis[3-(aminocarbonyl)pyridinium] decavanadate(V) dihydrate. **2007**, 63, m419-22 10
- 925 2,5-Dimethyl-6,7-dihydrobenzo[h]pyrazolo[1,5-a]quinazoline and 2-tert-butyl-5-methyl-6,7-dihydrobenzo[h]pyrazolo[1,5-a]quinazoline. **2007**, 63, o458-61 1
- 924 Cyclic and acyclic products from the reactions between methyl 3-oxobutanoate and arylhydrazines. **2007**, 63, o462-7 6
- 923 Two different modes of halogen bonding in two 4-nitroimidazole derivatives. **2007**, 63, o454-7 13
- 922 Acemetacin monohydrate. **2007**, 63, o451-3 6
- 921 catena-Poly[[[triazquazinc(II)]-micro-2-nitroterephthalato-kappaO1:kappa2O4,O4'] monohydrate]. **2007**, 63, m352-4 1
- 920 Two (E)-2-arylidene-1,4-di-p-tosyl-1,2,3,4-tetrahydroquinoxaline compounds: supramolecular frameworks built with C-H...O and C-H...pi(arene) hydrogen bonds and pi-pi stacking interactions. **2007**, 63, o496-500 3
- 919 Pseudopolymorphism in brucine: brucine-water (1/2), the third crystal hydrate of brucine. **2007**, 63, o489-92 11
- 918 O-phenyl (triphenylphosphoniomethyl)phosphonate phenol solvate: supramolecular structure generated by O-H...O, C-H...O and C-H...pi(arene) hydrogen bonds. **2007**, 63, o504-6 1
- 917 Two isomeric reaction products: hydrogen-bonded sheets in methyl 4-(5-amino-3-phenyl-1H-pyrazol-1-yl)-3-nitrobenzoate and hydrogen-bonded chains of edge-fused rings in methyl 3-nitro-4-[(5-phenyl-1H-pyrazol-3-yl)amino]benzoate. **2007**, 63, o510-3 2
- 916 Hydrogen-bonded sheets of R2(2)(10) and R4(4)(24) rings in 1-deoxy-1-morpholino-D-fructopyranose. **2007**, 63, o507-9 3

- 915 (E)-Methyl 2-anilinomethylene-3-oxobutanoate: X-ray and density functional theory studies. **2007**, 63, o552-4 1
- 914 Two N,N'-diaryl-2,2,2-trichloroethane-1,1-diamines: hydrogen-bonded supramolecular structures in one and two dimensions. **2007**, 63, o524-o527
- 913 Monoclinic and orthorhombic polymorphs of 4,4',6,6'-tetrachloro-2,2'-(piperazine-1,4-diyl dimethylene)diphenol. **2007**, 63, o535-7 3
- 912 (Acetonitrile){2,6-bis[1-(2,4,6-trimethylphenylimino)ethyl]pyridine}dichloridoruthenium(II) dichloromethane solvate. **2007**, 63, m407-9 3
- 911 Amitriptylinium picrate: conformational disorder. **2007**, 63, o546-8 16
- 910 Two substituted 2-pyrrolin-5-ones: chains built from a single N-H...O hydrogen bond. **2007**, 63, o565-7
- 909 Hydrogen bonding in diaquatetrakis(urea-kappa O)M(II) dinitrates, with M = Ni and Co. **2007**, 63, m448-50 5
- 908 Hydrated hexacyanometallate(III) salts of triaqua(18-crown-6)lanthanoid(III) and tetraqua(18-crown-6)lanthanoid(III) cations containing nine- and ten-coordinate lanthanoids. **2007**, 63, m440-4 8
- 907 Hydrogen-bonded sheets in benzylmethylammonium hydrogen maleate. **2007**, 63, o585-7 1
- 906 Hydrogen-bonded chains in 2,2,2-trichloro-N,N'-bis(4-methoxyphenyl)ethane-1,1-diamine and a three-dimensional hydrogen-bonded framework in 2,2,2-trichloro-N,N'-bis(4-chlorophenyl)ethane-1,1-diamine. **2007**, 63, o622-5
- 905 Ammonium violurate: a compact structure with extensive hydrogen bonding in three dimensions. **2007**, 63, o609-12 3
- 904 Redetermination of 6-amino-5-formyl-1,3-dimethyluracil monohydrate at 120 K: a polarized molecular structure and two interwoven hydrogen-bonded frameworks. **2007**, 63, o638-40
- 903 Hydrogen-bonded supramolecular motifs in the 1:1 monohydrated molecular adduct of acetoguanaminium chloride with acetoguanamine and in 2,4,6-triaminopyrimidinedium dichloride dihydrate. **2007**, 63, o655-8 14
- 902 trans-Diaquabis(3-hydroxybenzoato-kappa O1)bis(nicotinamide-kappa N1)copper(II). **2007**, 63, m510-2 9
- 901 Two salts of 5-sulfosalicylic acid and 3-aminopyridine. **2007**, 63, o667-70 6
- 900 9,9'-Biacridine N,N'-dioxide: a novel potential bridging ligand bearing the bulky acridine N-oxide skeleton. **2007**, 63, o673-5 1
- 899 Packing in three cyclooctitol acetates. **2007**, 63, o726-8 2
- 898 A three-dimensional hydrogen-bonded framework in 2-amino-4,6-bis[N-methyl-N-(4-methylphenyl)amino]pyrimidine-5-carbaldehyde and hydrogen-bonded sheets in 2-amino-4-(indolin-1-yl)-6-methoxypyrimidine-5-carbaldehyde. **2007**, 63, o681-4 7

- 897 A three-dimensional hydrogen-bonded framework in 2-amino-6-(N-methylanilino)pyrimidin-4(3H)-one and a ribbon of fused hydrogen-bonded rings in 2-amino-6-(N-methylanilino)-5-nitropyrimidin-4(3H)-one. **2007**, 63, o697-700 1
- 896 (Nitrato-kappaO)bis(pyridine-2-carboxamide-kappa2N1,O)mercury(II) nitrate. **2007**, 63, m557-9 3
- 895 (E)-N'-[5-chloro-3-methoxy-2-(4-methylphenylsulfonyloxy)benzylidene]isonicotinohydrazide acetic acid solvate: hydrogen-bonded network of alternating R4(4)(42), R5(5)(33) and R6(6)(40) rings. **2007**, 63, o717-9 1
- 894 Hydrogen-bonding patterns in enaminoxones: (2Z)-1-(4-bromophenyl)-2-(pyrrolidin-2-ylidene)ethanone and its piperidin-2-ylidene and azepan-2-ylidene analogues. **2007**, 63, o734-8 1
- 893 Poly[[triazaquazinc(II)]-mu(3)-4-nitrophthalato-kappa3O1:O2:O2']. **2007**, 63, m595-7 5
- 892 (E)-3-{2-amino-4-ethoxy-6-[N-(4-methoxyphenyl)-N-methylamino]pyrimidin-5-yl}-1-phenylprop-2-en-1-one: a boat-shaped pyrimidine ring and a chain of hydrogen-bonded R4(2)(8) and R2(2)(20) rings. **2007**, 63, o758-60 6
- 891 A polymorph of butobarbital with two distinct hydrogen-bonding motifs. **2007**, 63, o751-3 11
- 890 Three isomeric 1-(2-chloronicotinoyl)-2-(nitrophenyl)hydrazines, including three polymorphs of 1-(2-chloronicotinoyl)-2-(2-nitrophenyl)hydrazine: hydrogen-bonded supramolecular structures in two and three dimensions. **2007**, 63, 101-10 8
- 889 Analysis of structures with saturated hydrogen bonding. **2007**, 63, 132-41 11
- 888 Tautomerism and hydrogen bonding in guaninium phosphite and guaninium phosphate salts. **2007**, 63, 448-58 13
- 887 Solid-state compounds of stereoisomers: cis and trans isomers of 1,2-cyclohexanediol and 2,3-tetralindiol. **2007**, 63, 433-47 9
- 886 X-ray studies of crystalline complexes involving amino acids and peptides. XLIV. Invariant features of supramolecular association and chiral effects in the complexes of arginine and lysine with tartaric acid. **2007**, 63, 459-68 23
- 885 Structural systematics of 4,4'-disubstituted benzenesulfonamidobenzenes. 1. Overview and dimer-based isostructures. **2007**, 63, 621-32 120
- 884 Structures of artificial sweeteners--cyclamic acid and sodium cyclamate with other cyclamates. **2007**, 63, 418-25 8
- 883 Supramolecular structures in N-isonicotinoyl arylaldehydehydrazones: multiple hydrogen-bonding modes in series of geometric isomers. **2007**, 63, 879-95 36
- 882 N,N'-(2-Hydroxy-3-methoxybenzyl)benzene-1,4-diamine. **2007**, 63, o40-o41 5
- 881 1-(4-Fluorophenyl)-3-(2,4,5-trimethoxyphenyl)prop-2-en-1-one. **2007**, 63, o54-o56 1
- 880 3-(5-Bromo-2-thienyl)-1-(4-methoxyphenyl)prop-2-en-1-one. **2007**, 63, o59-o60 6

879	1-{2-[(2-Hydroxy-1-naphthyl)methyleneamino]phenyliminomethyl}-2-naphtholate methanol hemisolvate. 2007 , 63, o117-o119	5
878	Tris(nitrato- λ O,O λ)bis(1,10-phenanthroline- λ N,N λ)ytterbium(III). 2007 , 63, m12-m14	4
877	4-Methyl-7-phenylsulfonamido-2H-1-benzopyran-2-one. 2007 , 63, o135-o137	3
876	catena-Poly[[chloro(pyridinium-3-carboxylato- λ D)zinc(II)]-[nicotinato- λ O:N]]. 2007 , 63, m114-m116	1
875	Bis(2-amino-4,6-dimethylpyrimidine- λ N)bis(isophthalato- λ O,O λ)copper(II) 2-amino-4,6-dimethylpyrimidine disolvate. 2007 , 63, m51-m53	1
874	(2E)-2-(1-Methylpiperidin-2-ylidene)-1-phenylethanone. 2007 , 63, o98-o99	2
873	3-(3-Hydroxyanilino)-1,3-diphenylprop-2-en-1-one. 2007 , 63, o138-o140	2
872	N,N λ -Bis(4-chlorobenzylidene)propane-1,2-diamine. 2007 , 63, o141-o143	1
871	2,3-Diphenyl-6,7-dihydro-5H-1,4-diazepine. 2007 , 63, o188-o190	1
870	Indolepicric acid (1/1). 2007 , 63, o236-o238	4
869	N-(5-Chloro-2-nitrobenzoyl)-N λ -isonicotinoylhydrazine: a three-dimensional framework containing four types of hydrogen bond. 2007 , 63, o230-o232	3
868	N,N λ -Bis[(3,4-methylenedioxyphenyl)methylene]phenylene-1,4-diamine. 2007 , 63, o244-o246	1
867	6,6 λ -Dimethoxy-2,2 λ -(propane-1,3-diyl-diiminodimethylene)diphenol. 2007 , 63, o239-o240	1
866	Second monoclinic polymorph of 2-(benzimidazol-2-yl)-6-methoxyphenol. 2007 , 63, o300-o302	4
865	2-(4-Chloroanilino)carbonylmethyl piperidine-1-carbodithioate. 2007 , 63, o291-o292	
864	(E)-Quinoline-4-carbaldehyde oxime. 2007 , 63, o329-o330	2
863	A 2:1 complex of 2-nitroaniline and picric acid. 2007 , 63, o354-o356	4
862	2-[4-(Dimethylamino)phenyl]-1-[[4-(dimethylamino)phenyl]methyl]-1H-benzimidazole. 2007 , 63, o365-o367	

- 861 (E)-3-[2-(Trifluoromethyl)phenyliminomethyl]benzene-1,2-diol. **2007**, 63, o374-o376
- 860 Methyl 2-(2-methoxycarbonylacetamido)-3-methylbutyrate. **2007**, 63, o457-o458
- 859 3,5-Dimethyl-1-(4-nitrophenyl)-4-[(E)-(2,3,4,5,6-pentafluorophenyl)diazenyl]-1H-pyrazole. **2007**, 63, o1138-o1139
- 858 2-(2-Iodoethyl)isoindole-1,3-dione. **2007**, 63, o472-o473 6
- 857 6-p-Tolyl-2,2'-bipyridinyl-4-carboxylic acid. **2007**, 63, o491-o492
- 856 4-tert-Butyl-5-(2,4,5-trimethoxybenzyl)thiazol-2-amine. **2007**, 63, o533-o534 5
- 855 (2-Amino-5-nitrobenzoato)triphenyltin(IV). **2007**, 63, m348-m350 4
- 854 [4-(Diethylamino)benzoato- η^5]triphenyltin(IV). **2007**, 63, m323-m325 7
- 853 3-(4-Chlorophenyl)-1-(2-hydroxyphenyl)prop-2-en-1-one. **2007**, 63, o561-o562 4
- 852 [(2,4-Dinitrophenyl)hydrazono](phenyl)acetaldehyde oxime monohydrate. **2007**, 63, o582-o584
- 851 1-Ethyl-4-hydroxy-2,6-dimethylpyridinium bromide dihydrate. **2007**, 63, o599-o601 3
- 850 2-(5-Bromothiophene-2-sulfonamido)benzoic acid. **2007**, 63, o678-o679 1
- 849 2,2'-(Oxydimethylene)bis[3-bromo-1-(phenylsulfonyl)-1H-indole]. **2007**, 63, o689-o691
- 848 2,2'-[1,2-Phenylenebis(nitrilomethyldiylidene)]bis(5-methylphenol). **2007**, 63, o695-o696 2
- 847 6,6'-Dimethoxy-2,2'-(2,2,4-trimethylimidazolidine-1,3-diyl)dimethylene)diphenol. **2007**, 63, o680-o682 1
- 846 6,6'-Dimethyl-2,2'-[1,2-phenylenebis(nitrilomethyldiylidene)]diphenol. **2007**, 63, o766-o767 1
- 845 Phenazine- β ,6-dihydroxybenzoic acid (1/1). **2007**, 63, o707-o709 2
- 844 7-Phenylcyclooctane-1-spiro-6'-2-thiapyrrolizidine-5'-spiro-3''-indole-2,2''(3H)-dione. **2007**, 63, o852-o854

- 843 2-(Cyanomethoxy)benzotrile. **2007**, 63, o796-o798
- 842 4,5-Dimethyl-N-(2-methylphenyl)-2-[[[(1E)-(3,4,5-trimethoxyphenyl)methylene]amino]thiophene-3-carboxamide. **2007**, 63, o958-o960
- 841 3-[(E)-(5-Bromo-2-hydroxyphenyl)methylideneaminomethyl]cyclohexanecarboxylic acid. **2007**, 63, o879-o880 3
- 840 trans-Bis[2-(aminomethyl)-1H-benzimidazole- μ N₂,N₃]aquacopper(II) dichloride dihydrate. **2007**, 63, m1263-m1265 2
- 839 1-(2-Chlorophenyl)cyclohexanecarbonitrile. **2007**, 63, o916-o917
- 838 1-(2-Bromophenyl)cyclohexanecarbonitrile. **2007**, 63, o918-o919
- 837 Diaqua(5-methylpyrazine-2-carboxylato- μ N,O)cobalt(II). **2007**, 63, m772-m773 3
- 836 2-benzenesulfonamidobenzoic Acid. **2009**, 65, o1246-7 10
- 835 Bis-(benzimidazole- μ N)bis(2-benzoyl-benzoato- μ D)copper(II). **2009**, 65, m638-9 5
- 834 (E)-Methyl 2-[(2S,3S,12bR)-3-ethyl-8-methoxy-1,2,3,4,6,7,12,12b-octa-hydro-indolo[2,3-a]quinolizin-2-yl]-3-methoxy-acrylate ethanol solvate. **2009**, 65, o1441-2
- 833 (E)-3-[4-(Hex-yloxy)phen-yl]-1-(2-hydroxy-phen-yl)prop-2-en-1-one. **2009**, 65, o1301-2 3
- 832 7,7',8,8'-Tetra-methoxy-4,4'-dimethyl-3,5'-bichromene-2,2'-dione. **2009**, 65, o1322-3 3
- 831 3-[(2,4-Dichloro-phen-yl)imino-meth-yl]-2-hydr-oxy-5-methyl-benzaldehyde. **2009**, 65, o1347 2
- 830 4-Benzyl-6-p-tolyl-pyridazin-3(2H)-one. **2009**, 65, o1350-1 5
- 829 3-[(1H-Benzimidazol-2-yl)sulfanyl-methyl]benzotrile. **2009**, 65, o1358 1
- 828 2-Butyl-5-pentyl-benzene-1,3-diol. **2009**, 65, o1366 2
- 827 Propyl-amine-borane. **2009**, 65, o1395 3
- 826 catena-Poly[[[tetra-aqua-zinc(II)]- μ_4 ,4'-bipyridine- μ N:N'] benzene-1,4-di-carboxyl-ate]. **2009**, 65, m743 1

825	N'-(5-Chloro-2-hydroxy-benzyl-idene)nicotinohydrazide. 2009 , 65, o1505-6	4
824	4-(But-3-enylamino)-3-nitro-benzoic acid. 2009 , 65, o1560-1	2
823	N'-(Di-2-pyridylmethyl-ene)benzo-hydrazide. 2009 , 65, o1597	7
822	2-Meth-oxy-6-(6-methyl-1H-benzimid-azol-2-yl)phenol. 2009 , 65, o1613-4	12
821	(E)-1-(4-Fluoro-phen-yl)ethan-1-one semicarbazone. 2009 , 65, o1619-20	6
820	4-Methyl-3-nitro-pyridin-2-amine. 2009 , 65, o1615	1
819	N-(2-Methyl-phen-yl)-6-(1H-pyrazol-1-yl)pyridazin-3-amine. 2009 , 65, o1628	6
818	Ethyl 1-oxo-1,2,3,4-tetra-hydro-9H-carbazole-3-carboxyl-ate. 2009 , 65, o1702-3	4
817	2,7-Dimethyl-1,8-naphthyridine. 2009 , 65, o1747	3
816	N-(4-Hydroxy-pheneth-yl)acetamide. 2009 , 65, o1789	1
815	2-[(E)-(2-Morpholinoeth-yl)iminiometh-yl]-4-nitro-1-oxocyclo-hexa-dienide. 2009 , 65, o1842	1
814	Ethyl 2-(3,4-dimethoxy-benz-yl)-1-phenyl-sulfonyl-1H-indole-3-carboxyl-ate. 2009 , 65, o1856	2
813	2-Methyl-4-oxopentan-2-aminium 2-sulfamoylbenzoate. 2009 , 65, o1883	1
812	2-(1H-Pyrazol-3-yl)pyridinium chloride monohydrate. 2009 , 65, o1962-3	4
811	N'-(4-Bromo-phenyl-sulfon-yl)isonicotino-hydrazide. 2009 , 65, o1991	2
810	Methyl 2-(4,6-dichloro-1,3,5-triazin-2-yl-amino)acetate. 2009 , 65, o1985-6	2
809	(2R)-2-(1,3-Dioxisoindolin-2-yl)-4-(methyl-sulfan-yl)butanoic acid. 2009 , 65, o2002	2
808	4-(4-Cyano-2-fluoro-phen-oxy)phenyl 4-methyl-benzene-sulfonate. 2009 , 65, o2011	2

807	2-Phenyl-5-(trifluoro-meth-yl)pyrazol-3(2H)-one. 2009 , 65, o2040-1	6
806	3-[(E)-(4-Ethyl-phen-yl)imino-meth-yl]benzene-1,2-diol. 2009 , 65, o2055	2
805	(E)-N'-(2-Hydroxy-benzyl-idene)-2-(4-isobutyl-phen-yl)propanohydrazide. 2009 , 66, o24	4
804	Quinoxaline-2-carbonitrile. 2009 , 66, o28	1
803	N-(3,4-Dichloro-phen-yl)-3-oxo-butanamide. 2009 , 66, o58-9	1
802	4-Amino-3-(1-naphthyl-oxymeth-yl)-1H-1,2,4-triazole-5(4H)-thione. 2009 , 66, o29-30	10
801	6-(4-Bromo-phen-yl)-2-eth-oxy-4-(4-ethoxy-phen-yl)nicotinonitrile. 2009 , 66, o79-80	3
800	Atalaphylline. 2009 , 66, o81-2	3
799	(E)-1-[(Diphenyl-amino)meth-yl]-4-(4-fluoro-benzyl-ideneamino)-3-[1-(4-iso-butyl-phen-yl)eth-yl]-1H-1,2,4-triazole-5(4H)-thione. 2009 , 66, o83-4	1
798	Di- μ -methoxido- μ -xido-bis-[triphenyl-antimony(V)] methanol disolvate. 2009 , 66, m28	2
797	2-[2-(4-Methoxyphenyl)-2,3-dihydro-1H-1,5-benzodiazepin-4-yl]phenol. 2009 , 66, o87-8	2
796	1,1'-(p-Phenyl-enedimethyl-ene)dipiperidin-4-one. 2009 , 66, o170	4
795	Redetermination and absolute configuration of 6-hydroxy-salvinolone. 2009 , 66, o146-7	2
794	(E)-3-Hydroxy-N'-(2-hydroxy-benzyl-idene)-2-naphthohydrazide. 2009 , 66, o236-7	8
793	4-Chloro-N-(2-methoxy-phen-yl)benzamide. 2009 , 66, o214	2
792	Redetermination and absolute configuration of atalaphylline. 2010 , 66, o252-3	1
791	(E)-1-(4-Chloro-phen-yl)-3-[4-(diethyl-amino)phen-yl]prop-2-en-1-one. 2010 , 66, o254-5	1
790	(4Z)-4-[(4-Chloro-anilino)(phen-yl)methyl-ene]-3-methyl-1-phenyl-1H-pyrazol-5(4H)-one. 2009 , 66, o249	4

789	Ethyl 2-acetyl-3-(4-bromo-anilino)butanoate. 2010 , 66, o296	1
788	(1E,4E)-1,5-Bis(2,4,5-trimethoxy-phen-yl)penta-1,4-dien-3-one. 2010 , 66, o307-8	4
787	1-Benzoyl-methyl-3-(2-thienylmeth-yl)-4-(2-thienylmethyl-eneamino)-1H-1,2,4-triazol-5(4H)-one. 2010 , 66, o301	2
786	An orthorhombic polymorph of mulinic acid. 2010 , 66, o331-2	1
785	Monoclinic polymorph of poly[aqua(4)-hydrogen tartrato)sodium]. 2010 , 66, m138-9	3
784	4-Amino-N-(6-chloro-5-methoxy-pyrimidin-4-yl)benzene-sulfonamide. 2010 , 66, o372-3	1
783	[3-(Iodo-acetamido)prop-yl]triphenyl-phospho-nium tetra-phenyl-borate. 2010 , 66, o384-5	2
782	Guanidinium chloro-chromate. 2010 , 66, m203	1
781	6,6'-Dimeth-oxy-2,2'-[4,5-dimethyl-o-phenyl-enebis(nitrilo-methyl-idyne)]diphenol monohydrate. 2010 , 66, o539	10
780	(5-Ammonio-pent-yl)triphenyl-phospho-nium dibromide ethanol solvate. 2010 , 66, o502-3	1
779	Chloranilic acid: a redetermination at 100 K. 2010 , 66, o497-8	5
778	6,6'-Dieth-oxy-2,2'-[propane-1,3-diyl-dioxy-bis(nitrilo-methyl-idyne)]diphenol. 2010 , 66, o512	2
777	(E)-N-Benzyl-idene-4H-1,2,4-triazol-4-amine. 2010 , 66, o558	2
776	2-Amino-5-chloro-pyridinium 4-hydroxy-benzoate. 2010 , 66, o557	3
775	Ethyl (2Z)-2-(3-methoxy-benzyl-idene)-7-methyl-3-oxo-5-phenyl-2,3-dihydro-5H-1,3-thia-zolo[3,2-a]pyrimidine-6-carboxyl-ate. 2010 , 66, o599-600	6
774	1-Mesitylmethyl-1Hbenzotriazole 3-oxide. 2010 , 66, o637	2
773	(2E,6E)-2,6-Bis(2,4,5-trimethoxy-benzyl-idene)cyclo-hexa-none. 2010 , 66, o630-1	1
772	6-(4-Bromo-phen-yl)-2-eth-oxy-4-(2,4,5-trimethoxy-phen-yl)nicotinonitrile. 2010 , 66, o641-2	1

771	2,7-Bis-(trichloro-meth-yl)-1,8-naphthyridine. 2010 , 66, o622	2
770	2-(2-Oxo-2-phenyl-ethyl)-1,2-benziso-thia-zol-3(2H)-one 1,1-dioxide. 2010 , 66, o616	4
769	2-[2-(3-Chloro-phen-yl)-2-oxoeth-yl]-1,2-benzisothia-zol-3(2H)-one 1,1-dioxide. 2010 , 66, o617	2
768	2-Butyl-11-phenyl-5,10-dihydro-1H-benzo[e]imidazo[1,5-a][1,4]diazepine-1,3(2H)-dione. 2010 , 66, o625	1
767	2-Amino-5-bromo-pyridinium 3-amino-benzoate. 2010 , 66, o664	1
766	4-(3-Carb-oxy-1-ethyl-6-fluoro-4-oxo-1,4-dihydro-7-quinol-yl)-1-methyl-piper-azin-ium picrate. 2010 , 66, o714-5	3
765	{6,6'-Dieth-oxy-2,2'-[2,2-dimethyl-propane-1,3-diy]bis(nitrilo-methyl-idyne)}diphenolato}(2-eth-oxy-6-formyl-phenolato)ca (1/1/1). 2010 , 66, m366-7	5
764	2-[(E)-(3,4-Dimethyl-isoxazol-5-yl)imino-meth-yl]phenol. 2010 , 66, o773-4	5
763	(E)-4-Allyl-2-[(2-hydroxy-phen-yl)iminiometh-yl]-6-methoxy-phenolate. 2010 , 66, o934-5	5
762	(E)-2-[1-(3-Amino-4-chloro-phenyl-imino)eth-yl]-4-bromo-phenol. 2010 , 66, o883	3
761	Diazido-bis(propane-1,3-diamine)copper(II). 2010 , 66, m434-5	1
760	2,2'-{1,1'-[2,2'-Oxalylbis(hydrazin-2-yl-1-yl-idene)]diethyl-idyne}dipyridinium bis-(perchlorate) dihydrate. 2010 , 66, o904-5	1
759	2-Methyl-N-p-tolyl-benzamide: a second monoclinic polymorph. 2010 , 66, o911-2	7
758	4-Hydr-oxy-3-(1'-methyl-2-oxo-4'-phenyl-spiro-[indoline-3,2'-pyrrolidine]-3'-yl-carbon-yl)quinolin-2(1H)-one. 2010 , 66, o952	1
757	1,3-Dithian-2-one azine. 2010 , 66, o955-6	1
756	(E)-1-Ferrocenyl-3-(2-fur-yl)prop-2-en-1-one. 2010 , 66, m479	1
755	2,2'-[(Propane-1,3-diy]dinitrilo)bis-(phenyl-methyl-idyne)]diphenol. 2010 , 66, o1002-3	2
754	Diaqua-(1,4,8,11-tetra-aza-cyclo-tetra-deca-ene)nickel(II) fumarate tetra-hydrate. 2010 , 66, m737-8	1

753	N-[2-(3-Methyl-1-oxo-1,2-dihydro-pyrrolo-[1,2-a]pyrazin-2-yl)eth-yl]methane-sulfonamide. 2010 , 66, o1957	2
752	2-[(4-Chlorobenzyl)iminomethyl]phenol. 2010 , 66, o2310	1
751	2-Hydroxy-N-(3-nitro-phen-yl)benzamide. 2010 , 66, o2435	4
750	(2E)-3-[4-(Dimethyl-amino)-phen-yl]-1-(2,5-dimethyl-3-thien-yl)prop-2-en-1-one. 2010 , 66, o2404	2
749	2-Amino-4,6-dimethyl-pyridinium benzoate. 2010 , 66, o2496	1
748	1-Phenyl-1H-naphtho-[1,2-e][1,3]oxazin-3(2H)-one. 2010 , 66, o2555	1
747	Rubidium 2,4,6-trioxo-1,3-diazinan-5-ide-1,3-diazinane-2,4,6-trione-water (1/1/1). 2011 , 67, m571-2	7
746	2H-Chromen-4(3H)-one. 2011 , 67, o1151	3
745	Methyl 2-benzyl-4-hydroxy-1,1-dioxo-1,2,3,4-tetra-hydro-1[2]-benzothiazine-3-carboxyl-ate. 2011 , 67, o1588-9	2
744	N'-[(E)-2-Hydroxy-3,5-diiodo-benzyl-idene]pyridine-3-carbohydrazide. 2011 , 67, o2303	5
743	4'-(4-Chlorophenyl)-1'-methylspiro[indan-2,2'-pyrrolidine-3',2''-indan]-1,3,1''-trione. 2011 , 67, o2404	4
742	(E)-4-[[3-Propyl-5-sulfanyl-idene-4,5-dihydro-1H-1,2,4-triazol-4-yl]imino]-meth-yl}-3-(p-tol-yl)-1,2,3-oxadiazol-3-ium-5-olate. 2011 , 67, o2668-9	1
741	(E)-2-[1-(1-Benzothio-phen-2-yl)ethyl-idene]-N-phenyl-hydrazinecarboxamide. 2011 , 67, o2687-8	2
740	(E)-1-(4,4''-Difluoro-5'-methoxy-1,1':3',1''-terphenyl-4'-yl)-3-phenyl-prop-2-en-1-one. 2011 , 67, o3159-60	5
739	(E)-1-(4,4''-Difluoro-5'-methoxy-1,1':3',1''-terphenyl-4'-yl)-3-(4-nitro-phen-yl)prop-2-en-1-one. 2011 , 67, o3179-80	3
738	(20S*,24S*)-25-Hydroxy-20,24-epoxy-A-homo-4-oxadammaran-3-one (Chrysura) isolated from the leaves of <i>Walsura chrysogyne</i> . 2011 , 67, o3296	6
737	(E)-5-[(2-Hydroxy-5-methoxy-benzyl-idene)amino]-1,3,4-thia-diazole-2(3H)-thione. 2011 , 67, o3311	3
736	4',5-Dihydroxy-7-methoxy-flavanone dihydrate. 2012 , 68, o32-3	5

735	Ethyl 2,7,7-trimethyl-4-(1-methyl-1H-indol-3-yl)-5-oxo-1,4,5,6,7,8-hexa-hydro-quinoline-3-carboxyl-ate. 2013 , 69, o40-1	3
734	2,2,7,7-Tetra-methyl-1,2,3,4,5,6,7,8-octa-hydro-acridine-1,8-dione. 2013 , 69, o88-9	1
733	2-Hy-droxy-4-(prop-2-yn-yloxy)benz-alde-hyde. 2013 , 69, o64	2
732	2-(2,6-Dichloro-phen-yl)-N-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-4-yl)acetamide. 2013 , 69, o46-7	7
731	4-(4-Iodo-anilino)-2-methyl-ene-4-oxo-butanoic acid. 2013 , 69, o83	4
730	9-(3-Bromo-5-chloro-2-hy-droxy-phen-yl)-10-(2-hy-droxy-eth-yl)-1,2,3,4,5,6,7,8,9,10-deca-hydro-acridine-1,8-dione. 2013 , 69, o85-6	2
729	(Furfuryl-amino)-triphenyl-phospho-nium bromide. 2013 , 69, o118	1
728	Triclinic polymorph of 4-[4-(4-formyl-phen-oxy)but-oxy]benzaldehyde. 2013 , 69, o126	2
727	2-(4-Amino-benzene-sulfonamido)-4,6-dimethyl-pyrimidin-1-ium 2-carb-oxy-4,6-dinitro-phenolate. 2013 , 69, o472	4
726	cis-Dichloridobis(ethyl methyl sulfide- B)oxidovanadium(IV). 2013 , 69, m209	1
725	2-(4-Chloro-phen-yl)-2-oxoethyl naphthalene-1-carboxyl-ate. 2013 , 69, o551	1
724	N-But-oxy-carbonyl-5-oxo-l-proline ethyl ester. 2013 , 69, o567-8	1
723	(Z)-3-(3,4-Dimeth-oxy-benzyl-idene)-2,3-dihydro-1,5-benzothia-zepin-4(5H)-one. 2013 , 69, o562-3	3
722	4-(Dec-yloxy)phenyl 2-oxo-7-trifluoro-methyl-2H-chromene-3-carboxyl-ate. 2013 , 69, o621-2	3
721	2-(4-Bromo-phen-yl)-2-oxoethyl naphthalene-1-carboxyl-ate. 2013 , 69, o649	1
720	Pseudosymmetric fac-di-aqua-trichlorido[(di-methyl-phosphor-yl)methanaminium- D]manganese(II). 2013 , 69, m250-1	7
719	4-Hy-droxy-1,2,6-tri-methyl-pyridinium bromide monohydrate. 2013 , 69, o941-2	1
718	rac-4-(4-Chloro-phen-yl)-2-methyl-amino-3-nitro-5,6,7,8-tetra-hydro-4H-chromen-5-one. 2013 , 69, o1053-4	1

717	Methyl 4-anilino-2',5-dioxo-1',2'-di-hydro-5H-spiro-[furan-2,3'-indole]-3-carboxyl-ate. 2013 , 69, o1055	2
716	2-Oxo-2H-chromen-4-yl 4-methyl-benzoate. 2013 , 69, o1081-2	3
715	2-Oxo-2H-chromen-4-yl propionate. 2013 , 69, o1125-6	3
714	Benzamidinium 2-meth-oxy-benzoate. 2013 , 69, o1114-5	7
713	1-(3-Meth-oxy-phen-yl)-4,5-dimethyl-2-phenyl-1H-imidazole. 2013 , 69, o1154	2
712	4,4'-Di-tert-butyl-2,2'-[imidazolidine-1,3-diylbis(methyl-ene)]diphenol. 2013 , 69, o1166	3
711	Bis(1,3-dimethyl-1H-imidazolium) hexa-fluoro-silicate: the second monoclinic polymorph. 2013 , 69, o1218-9	2
710	Di-aqua-bis-[2-(2-hy-droxy-eth-yl)pyridine-(2) N,O]cobalt(II) dichloride. 2013 , 69, m439-40	3
709	5-Fluoro-N'-(4-methyl-cyclo-hexyl-idene)-3-phenyl-1H-indole-2-carbohydrazide. 2013 , 69, o1211-2	2
708	Di-aqua-bis-(pyridine-2-carboxyl-ato-(2) N,O)zinc di-methyl-formamide hemisolvate. 2013 , 69, m454	6
707	Methyl 5-(4-acet-oxy-phen-yl)-2-(2-bromo-benzyl-idene)-7-methyl-3-oxo-2,3-di-hydro-5H-1,3-thia-zolo[3,2-a]pyrimidine-6-carboxyl-ate. 2013 , 69, o1262	
706	N (2)-(4-Meth-oxy-salicyl-idene)arginine hemihydrate. 2013 , 69, o1301-2	6
705	2-Chloro-3-[(2-oxo-2H-chromen-6-yl)amino]-naphthalene-1,4-dione. 2013 , 69, o1317	1
704	4-[4-(Hept-yloxy)benzo-yloxy]phenyl 2-oxo-7-tri-fluoro-methyl-2H-chromene-3-carboxyl-ate. 2013 , 69, o1355-6	2
703	Levulinic Acid. 2013 , 69, o1406	1
702	Bis(2-hy-droxy-eth-yl)ammonium picrate. 2013 , 69, o1455	1
701	N'-[(E)-1-(2-Hy-droxy-phen-yl)ethyl-idene]pyrazine-2-carbohydrazide. 2013 , 69, o1419	2
700	3-Amino-1H-pyrazol-2-ium tri-fluoro-acetate. 2013 , 69, o1425-6	4

699	2-(4-Chloro-2-nitro-phen-yl)-9-phenyl-sulfonyl-9H-carbazole-3-carbaldehyde. 2013 , 69, o1420-1	5
698	2-(4-Bromo-benzo-yl)-1-ferrocenyl-spiro-[11H-pyrrolidizine-3,11'-indeno-[1,2-b]quinoxaline]. 2013 , 69, m512-3	1
697	2,3-Xylidinium nitrate. 2013 , 69, o1475	4
696	(2R*,4R*,7S*,10R*,12R*)-3,11,13,15-Tetra-oxa-penta-cyclo-[5.5.3.0(1,7).0(2,4).0(10,12)]penta-deca-5,8-dien-14-one. 2013 , 69, o1504-5	1
695	(3aR,6S,7aR)-7a-Chloro-2-[(4-nitro-phen-yl)sulfon-yl]-1,2,3,6,7,7a-hexa-hydro-3a,6-ep-oxy-iso-indole. 2013 , 69, o1551-2	7
694	3'-[(1H-Indol-3-yl)carbon-yl]-1'-methyl-2-oxo-4'-(thio-phen-2-yl)-spiro-[indoline-3,2'-pyrrolidine]-3'-carbo-nitrile. 2013 , 69, o1585	2
693	Venlafaxine besylate monohydrate. 2013 , 69, o1737-8	1
692	Ethyl 4-(4-chloro-anilino)-1-(4-chloro-phen-yl)-2-methyl-5-oxo-2,5-di-hydro-1H-pyrrole-2-carboxyl-ate. 2013 , 69, o1761-2	1
691	Crystal structure of 4-amino-5-fluoro-2-oxo-2,3-di-hydro-pyrimidin-1-ium 3-hy-droxy-pyridine-2-carboxyl-ate. 2014 , 70, 328-30	5
690	Crystal structure of 2-(2,4-di-chloro-phen-yl)-4-hydroxy-9-phenyl-sulfonyl-9H-carbazole-3-carbaldehyde. 2014 , 70, 466-8	1
689	Chiral and achiral crystals, charge-assisted hydrogen-bond patterns and self-organization of selected solid diaminium thiosulfates. 2017 , 73, 507-518	2
688	Interplay between packing, dimer interaction energy and morphology in a series of tricyclic imide crystals. 2020 , 76, 157-165	1
687	Planarity of benzoylthiocarbazate tuberculostatics. IV. Polymorphs of N'-(1,3-dithiolan-2-ylidene)-4-nitrobenzohydrazide. 2017 , 73, 797-802	1
686	Joel Bernstein: a crystal engineer's crystal engineer. 2019 , 75, 480-482	2
685	Five solvates of a multicomponent pharmaceutical salt formed by berberine and diclofenac. 2019 , 75, 1644-1651	2
684	Influence of the position of the methyl substituent and N-oxide formation on the geometry and intermolecular interactions of 1-(phenoxyethyl)piperidin-4-ol derivatives. 2020 , 76, 30-36	3
683	Conformational flexibility in amidophosphoesters: a CSD analysis completed with two new crystal structures of (CHO)P(O)X [X = NHCH and N(CHCH)]. 2020 , 76, 104-116	3
682	Solvent influence on the crystal packing of 6-aminothiocytosine. 2020 , 76, 250-257	2

- 681 Bases, solvates and salts: new benzimidazole- and pyridine-scaffolded ligands. **2020**, 76, 367-374 2
- 680 Synthesis of N-substituted 3-(2-aryl-2-oxoethyl)-3-hydroxyindolin-2-ones and their conversion to N-substituted (E)-3-(2-aryl-2-oxoethylidene)indolin-2-ones: synthetic sequence, spectroscopic characterization and structures of four 3-hydroxy compounds and five oxoethylidene products. **2020**, 76, 779-785 1
- 679 Regio- and stereospecific assembly of dispiro[indoline-3,3'-pyrrolizine-1',5''-thiazolidines] from simple precursors using a one-pot procedure: synthesis, spectroscopic and structural characterization, and a proposed mechanism of formation. **2020**, 76, 779-785 4
- 678 Crystal structure of poly[bis-(nicotinamide- μ (2) N (1):O)bis-(4-nitro-benzoato- μ (2) O (1):O (1'))zinc]. **2015**, 71, 479-82 2
- 677 Crystal packing in three related disaccharides: precursors to heparan sulfate oligosaccharides. **2015**, 71, 582-7 1
- 676 Crystal structure of di-chlorido-bis-(N,N'-di-methyl-thio-urea- μ)mercury(II). **2015**, 71, 1061-3 1
- 675 The crystal structures of six (2E)-3-aryl-1-(5-halogeno-thio-phen-2-yl)prop-2-en-1-ones. **2015**, 71, 1093-9 4
- 674 Crystal structure of N-{4-[(6-chloro-pyridin-3-yl)methoxy]phen-yl}-2,6-di-fluoro-benzamide. **2016**, 72, 60-2 1
- 673 Crystal structure and conformational analysis of 2-hydroxy-3-(2-methyl-prop-1-en-1-yl)naphthalene-1,4-dione. **2016**, 72, 188-90 0
- 672 Two new polytypes of 2,4,6-tri-bromo-benzo-nitrile. **2016**, 72, 178-83 4
- 671 Crystal structures of 3,3'-bis-(hydroxy-dimethylsilan-yl)azo-benzene and 4,4'-bis-(hydroxy-dimethyl-silane)azo-benzene. **2016**, 72, 1590-1594 2
- 670 Synthesis and crystal structures of three new benzotriazolylpropanamides. **2017**, 73, 880-885 1
- 669 An investigation to elucidate the factors dictating the crystal structure of seven ammonium carboxyl-ate molecular salts. **2018**, 74, 580-586 2
- 668 Six tris-(bipyrid-yl)iron(II) complexes with 2-substituted 1,1,3,3-tetra-cyano-propenide, perchlorate and tetra-fluorido-borate anions; order disorder, hydrogen bonding and C-N \cdots N inter-actions. **2018**, 74, 1717-1726 2
- 667 Binary charge-transfer complexes using pyromellitic acid dianhydride featuring C-H \cdots O hydrogen bonds. **2018**, 74, 1772-1777 3
- 666 Four 1-aryl-1-pyrazole-3,4-di-carboxyl-ate derivatives: synthesis, molecular conformation and hydrogen bonding. **2018**, 74, 1783-1789 3
- 665 The crystal structure of 1-(2-iodo-benzo-yl)-4-(pyrimidin-2-yl)piperazine: a three-dimensional hydrogen-bonded framework, augmented by π -stacking inter-actions and I \cdots N halogen bonds. **2019**, 75, 129-133 3
- 664 Three closely related 1-[(1,3-benzodioxol-5-yl)methyl]-4-(halobenzo-yl)piperazines: similar molecular structures but different inter-molecular inter-actions. **2019**, 75, 202-207 2

- 663 Co-crystallization of 3,5-di-nitro-benzoic acid with two anti-psychotic agents: a simple 1:1 salt with trihexyphenidyl and a 1:2 acid salt containing a very short O-H \cdots O hydrogen bond with chlorprothixene. **2019**, 75, 292-298 3
- 662 Six 1-aryl-4-(4-meth-oxy-phen-yl)piperazines: similar mol-ecular structures but different patterns of supra-molecular assembly. **2019**, 75, 1253-1260 4
- 661 Twelve 4-(4-meth-oxy-phen-yl)piperazin-1-ium salts containing organic anions: supra-molecular assembly in one, two and three dimensions. **2019**, 75, 1494-1506 9
- 660 Two isostructural 3-(5-aryloxy-3-methyl-1-phenyl-1-pyrazol-4-yl)-1-(thio-phen-2-yl)prop-2-en-1-ones: disorder and supra-molecular assembly. **2020**, 76, 48-52 4
- 659 Conversion of di-aryl-chalcones into 4,5-di-hydro-pyrazole-1-carbo-thio-amides: mol-ecular and supra-molecular structures of two precursors and three products. **2020**, 76, 360-365 3
- 658 Crystal structures of the recreational drug 4-(4-meth-oxy-phen-yl)piperazine (MeOPP) and three of its salts. **2020**, 76, 488-495 6
- 657 Synthesis and crystal structures of two 1,3-di(alk-yloxy)-2-(methyl-sulfan-yl)imidazolium tetra-fluorido-borates. **2020**, 76, 552-556 1
- 656 Functionalized 3-(5-aryloxy-3-methyl-1-phenyl-1-pyrazol-4-yl)-1-(4-substituted-phen-yl)prop-2-en-1-ones: synthetic pathway, and the structures of six examples. **2020**, 76, 683-691 2
- 655 Obtaining the best results: aspects of data collection, model finalization and inter-pretation of results in small-mol-ecule crystal-structure determination. **2020**, 76, 765-775 3
- 654 Crystal structure of (1',2',3)-1'-benzoyl-2'-(4-meth-oxy-phen-yl)-1-methyl-2',5',6',10b'-tetra-hydro-1'-spiro-[indoline-3,3'-pyrrolo-[2,1]isoquinoline-2,1'-diol]-1-one. **2020**, 76, 1548-1550 1
- 653 Order disorder in two isomorphous pyrazolone-substituted diethyl propane-dioates prepared using a three-component one-pot reaction under solvent-free conditions. **2020**, 76, 1605-1610 2
- 652 Fifteen 4-(2-meth-oxy-phen-yl)piperazin-1-ium salts containing organic anions: supra-molecular assembly in zero, one, two and three dimensions. **2020**, 76, 1779-1793 4
- 651 The amino alcohol MeN(CH₂CH₂OH)₂. **2017**, 2, 1-2 1
- 650 5-(2-Chlorophenyl)-3-(2H-chromen-3-yl)-1,2,4-oxadiazole. **2018**, 3, 1-2 3
- 649 Synthesis, Molecular Structure and Quantum Chemical Studies of N-(2-Fluorophenyl)-1-(5-Nitrothiophen-2-yl)methanimine. **2020**, 65, 1212-1216 2
- 648 Crystal structure of benzenesulphonic acid. **2021**, 236, 97-99 1
- 647 The crystal structure of 2,6-dimethyl-4-nitro-phenol, C₈H₉NO₃. **2021**, 236, 269-271 1
- 646 A study of antituberculosis activities and crystal structures of (E)-2-[2-(arylidene)hydrazinyl]pyrimidine and (E)-N1-(arylidene)pyrimidine-2-carbohydrazide derivatives. **2020**, 75, 1011-1028 2

- 645 Synthesis, crystal structure, infrared spectrum, and thermal properties of [Ni(1,10-phenanthroline)₃](fumarate)·9H₂O complex with hydrogen bonded supramolecular layers involving fumarate anions. **2019**, 12, 56-62 2
- 644 Double Palindrome Water Chain in Cu(II) Theophylline Complex. Synthesis, Characterization, Biological Activity of Cu(II), Zn(II) Complexes with Theophylline. **2020**, 10, 97 4
- 643 Intramolecular Hydrogen Bond Energy and Its Decomposition of H₂O Interactions. **2021**, 11, 5 9
- 642 Crystal Structures, Hirshfeld Surfaces, and Thermal Study of Isostructural Polymeric Ladders of La(III) and Sm(III) Coordination Compounds with 4,4'-Bipyridine and Dibromoacetates. **2020**, 13, 4
- 641 Microwave Assisted Synthesis of Molybdenum and Tungsten Tetracarbonyl Complexes with a Pyrazolylpyridine Ligand. Crystal structure of cis-[Mo(CO)₄{ethyl[3-(2-pyridyl)-1-pyrazolyl]acetate}]. **2006**, 11, 940-952 6
- 640 Synthesis, growth, structural, optical and electrical properties of novel organic single crystal: p-toluidinium salicylate. **2018**, 4, 103-111 4
- 639 Synthesis and structural properties of N-(3,4-(dichlorophenyl)-3-oxo-3-phenyl-2-(phenylcarbonyl)propanamide and its Cu(II) complex. **2016**, 40, 76-92 6
- 638 Synthesis, Spectroscopy and X-Ray Crystal Structure of 9-Methyl-3-Thiophen-2-yl-Thieno [3, 2-e] [1, 2, 4] Triazolo [4, 3-c] Pyrimidine-8-Carboxylic Acid Ethyl Ester. **2011**, 02, 371-375 6
- 637 Facile Preparation of 1,2-Diols from Chalcones: An NMR Spectroscopy and X-Ray Crystallography Study. **2015**, 05, 137-146 1
- 636 Synthesis, Spectral Characterization and Crystal Structure of 2-((3-Aminophenyl)(phenyl)methylene) hydrazinecarboxamide. **2013**, 03, 64-68 2
- 635 Synthesis and Self-Assemblies of Bithiophene Functionalized 1H-Pyrazole Derivatives. **2014**, 35, 1221-1224 2
- 634 Synthesis, spectroscopic and X-ray crystallographic analysis of N-(2-(2-(4-chlorophenoxy)acetamido)phenyl)-1H-indole-2-carboxamide. **2019**, 10, 234-238 3
- 633 X-ray structures of organic salts between diethanolamine and ortho- and para-isomers of aminobenzoic acid: A specific synthon responsible for an association of the components. **2018**, 9, 121-125 1
- 632 A combined structural and computational investigation of aminobenzyl naphthol compounds derived from the Betti reaction using valine methyl ester. 0
- 631 Self-recovering ultraviolet-sensitive photochromic naphthalenediimide-based coordination networks: rapid fluorescence recognition of p-substituted nitrobenzenes. **2021**, 9, 14921-14937 3
- 630 Synthesis, structure and biological evaluation of highly functionalized 2-azetidinone integrated spirooxindolopyrrolidine heterocyclic hybrid. **2022**, 1250, 131745
- 629 Two 2D Co(II)/Mn(II) coordination polymers based on the quinoline-2,3-dicarboxylate ligand: synthesis, crystal structure, and fluorescence properties. **2021**, 1
- 628 Dimethyl 4,5-dichlorophthalate. **2021**, 6,

- 627 Conformations of p-tert-Butylcalix[8]arene in Solvated Crystal Structures. 2
- 626 Crystal structure and Hirshfeld surface analysis of (3a,6,6a,7,11b,11c)-2,2-dibenzyl-2,3,6a,11c-tetra-hydro-1,6,7-3a,6:7,11b-di-epoxy-dibenzo[*h*]isoquinolin-2-ium tri-fluoro-methane-sulfonate. **2021**, 77, 1072-1077
- 625 Crystal structure and Hirshfeld surface analysis of ()-1-[2,2-di-chloro-1-(4-fluoro-phen-yl)ethen-yl]-2-(2,4-di-chloro-phen-yl)diazene. **2021**, 77, 1158-1163
- 624 Synthron Polymorphism and π -Stacking in N-Phenyl-2-hydroxynicotinanilides. 3
- 623 Crystal structure of brigatinib Form A (Alunbrig[®]), C₂₉H₃₉ClN₇O₂P. 1-8
- 622 Determining Similarity of Conformational Polymorphs. **2002**, 436-448
- 621 Hydrogen Bonds. **2002**,
- 620 What is a net?. **2005**, 39-56
- 619 Naming the nets and finding them. **2005**, 57-79
- 618 A triclinic modification of 5,5'-dinitro-2,2'-dithio-dipyridine. **2007**, 64, o102-3 1
- 617 Bis(tetra-methyl-amonium) bis-(2,4,5-carboxy-benzoate)-benzene-1,2,4,5-tetra-carboxylic acid (1/1). **2007**, 64, o69-70 1
- 616 N-Cinnamoyl-L-phenyl-alanine methyl ester. **2007**, 64, o139
- 615 Phenyl 2,3-O-isopropyl-idene-1-thio- β -D-rhamnopyran-oside. **2007**, 64, o24-5
- 614 {1-[1-(3-Carboxy-propanamido)eth-yl]-1',2-bis-(diphenyl-phosphino)ferrocene-*P,P'*}dichloridoplatinum(II) dichloro-methane 1.25-solvate. **2007**, 64, m164-5
- 613 Bis[(E)-2-(3-hydr-oxy-4-methoxy-phen-yl)ethen-yl]-1-methyl-quinolinium tetra-iodidozincate(II) methanol solvate. **2007**, 64, m126-7
- 612 Methyl 3-methyl-5-oxo-4-(phenyl-hydrazono)-4,5-dihydro-1H-pyrazole-1-carbodithio-ate. **2007**, 64, o152 3
- 611 4-Meth-oxy-N-[6-methyl-2,3-dihydro-1,3-benzothia-zol-2-yl-idene]benzene-sulfonamide. **2007**, 64, o227 1
- 610 (E)-2-(2,6-Dichloro-phen-yl)-2-(phenyl-imino)acetamide. **2007**, 64, o170-1

- 609 Ethyl 3-benzoyl-2-hydroxy-prop-2-enoate. **2007**, 64, o15 1
- 608 Aromaticine, a sesquiterpene lactone from *Amblyopappus pusillus*. **2008**, 64, o529
- 607 2-Hydroxy-imino-1-phenyl-ethanone thio-semicarbazone monohydrate. **2008**, 64, o623-4 1
- 606 3-(2-Chloro-anilino)isobenzofuran-1(3H)-one. **2008**, 64, o754
- 605 Methyl 2-[[[(4-hydroxy-phen-yl)(methoxy-carbon-yl)meth-yl]amino-carbon-yl]ethano-ate hemihydrate. **2008**, 64, o663-4 1
- 604 3-(2,4-Dichloro-anilino)iso-benzo-furan-1(3H)-one. **2008**, 64, o755
- 603 2-(2-Hydroxy-ethyl)phthalazin-1(2H)-one. **2008**, 64, o756
- 602 5,6-Dichloro-2-(2-hydroxy-phen-yl)-iso-indoline-1,3-dione. **2008**, 64, o778 1
- 601 Di-[nicotinato- $\text{N}:\text{O}$; $\text{D}:\text{N}$]-bis-[aqua-(ethyl-enediamine- N,N')(nicotinato- N)]cadmium(II) dihydrate. **2008**, 64, m665-6 1
- 600 3-(2-Hydr-oxy-5-methyl-anilino)isobenzo-furan-1(3H)-one. **2008**, 64, o780
- 599 4-[(E)-Phenyl-imino-meth-yl]benzotrile. **2008**, 64, o790 1
- 598 2,2'-(Imino-dimethyl-ene)dibenz-imid-azol-ium bis-(perchlorate) methanol solvate. **2008**, 64, o791-2
- 597 (E)-3-(2-Chloro-phen-yl)-1-(2,4-dichloro-phen-yl)prop-2-en-1-one. **2008**, 64, o1086
- 596 4-(4-Cyano-benzoyl-meth-yl)benzotrile. **2008**, 64, o1148
- 595 (E)-3-(4-Chloro-phen-yl)-1-(2,4-dichloro-5-fluoro-phen-yl)prop-2-en-1-one. **2008**, 64, o956-7 3
- 594 4-[2-(3,4-Dimethoxy-phenethyl-amino)prop-oxy]-2-methoxy-benzamide. **2008**, 64, o1155
- 593 2,4,6-Tris(1-oxo-2-pyridylsulfanylmeth-yl)mesitylene methanol solvate. **2008**, 64, o1036-7 0
- 592 (E)-3-(2-Chloro-phen-yl)-1-(4-nitro-phen-yl)prop-2-en-1-one. **2008**, 64, o958-9

- 591 4'-Hydroxy-biphenyl-4-carboxylic acid. **2008**, 64, o1087 1
- 590 N,N-Dimethyl-N'-[3-(trifluoro-methyl)-phenyl]-urea. **2008**, 64, o1220 0
- 589 2-[(E)-(5-Amino-2,3-diphenyl-quinoxalin-6-yl)imino-meth-yl]-4-bromo-phenol. **2008**, 64, o1271-2 1
- 588 rac-(1S,2R)-Diethyl
6-hydr-oxy-1-(4-methoxy-phen-yl)-3-oxo-2,3-di-hydro-1H-benzo[f]chromen-2-yl]-phospho-nate.
2008, 64, o1240-1
- 587 2-((E)-{2-[(1E)-(2,4-Dihydroxy-benzyl-idene)amino]phen-yl}iminiometh-yl)-5-hydroxy-phenolate
methanol solvate. **2008**, 64, o1246-7 1
- 586 4-Meth-oxy-5-[4-(4-meth-oxy-1,3-benzodioxol-5-yl)perhydro-1H,3H-furo[3,4-c]furan-1-yl]-1,3-benzodioxole.
2008, 64, o1306-7 1
- 585 2-Amino-N-(2-benz-yloxy-3-methoxy-benzyl-idene)aniline. **2008**, 64, o1290-1
- 584 2-Amino-N-(2-hydr-oxy-3-methoxy-benzyl-idene)aniline. **2008**, 64, o1201-2 1
- 583 N-(4-Bromo-phenyl-sulfon-yl)-2,2,2-tri-methyl-acetamide. **2008**, 64, o1389
- 582 (E)-3-(3,4-Dimethoxy-phen-yl)-1-(2-fur-yl)prop-2-en-1-one. **2008**, 64, o1434-5
- 581 (E)-1-(2-Thien-yl)-3-(2,4,5-trimethoxy-phen-yl)prop-2-en-1-one. **2008**, 64, o1510-1 3
- 580 (Z)-3-Chloro-3-phenyl-N-[(S)-1-phenyl-ethyl]prop-2-enamide. **2008**, 64, o1372
- 579 2-Bromo-1-(4-methyl-phen-yl)-3-phenyl-prop-2-en-1-one. **2008**, 64, o1559 1
- 578 (E)-3-(3,4-Dimethoxy-phen-yl)-1-(2-thien-yl)prop-2-en-1-one. **2008**, 64, o1440
- 577 (E)-3-(2-Chloro-phen-yl)-1-(2-fur-yl)prop-2-en-1-one. **2008**, 64, o1467 1
- 576 Ethyl 3-nitro-4-(propyl-amino)benzoate. **2008**, 64, o1501-2 3
- 575 4-(4-Bromo-benzyl-ideneamino)-3-{1-[4-(2-methyl-prop-yl)phen-yl]eth-yl}-1-(mor-phol-ino-meth-yl)-1H-1,2,4-triazole-5(4H)
2008, 64, o1570-1
- 574 5-Hydr-oxy-8-nitro-1,4-naphthoquinone. **2008**, 64, o1523-4

573	2-Methyl-3-(3-methyl-phen-yl)acrylic acid. 2008 , 64, o1373	4
572	Ethyl 4-(tert-butyl-amino)-3-nitro-benzoate. 2008 , 64, o1550-1	3
571	3-(4-Chloro-phen-yl)-2-methyl-acrylic acid. 2008 , 64, o1542	1
570	2-(4-Ethoxy-benzyl-idene)butanoic acid. 2008 , 64, o1458	1
569	rac-2-Hydroxy-2,8-dimethyl-4-morpho-linoethyl-1-thia-4-aza-spiro-[4.5]decan-3-one. 2008 , 64, o1574-5	1
568	2-[(E)-(5-Amino-2,3-diphenyl-quinoxalin-6-yl)imino-meth-yl]-4-chloro-phenol. 2008 , 64, o1411-2	
567	trans-4-(1-Naphth-yl)-2-oxo-1,3-oxazolidine-5-carboxylic acid. 2008 , 64, o1484	
566	(E)-3-(4-Chloro-phen-yl)-1-(2-fur-yl)prop-2-en-1-one. 2008 , 64, o1530	
565	6-(2-Methyl-phen-yl)-3-(3,4,5-trimethoxy-phen-yl)-1,2,4-triazolo[3,4-b][1,3,4]thia-diazole. 2008 , 64, o1481	1
564	Monoclinic polymorph of trans-tetra-aquabis-[(4-pyridylsulfanyl)-acetato- η]cobalt(II). 2008 , 64, m1089	
563	4,4',5,5'-Tetra-methyl-2,2'-[1,1'-(propane-1,3-diyl)dinitrilo]diethyl-idyne]diphenol. 2008 , 64, o1854	2
562	2-Methyl-3-(4-nitro-phen-yl)acrylic acid. 2008 , 64, o1717-8	
561	Tetra-ethyl-ammonium tricarbonyl-chlorido(isoquinoline-1-carboxyl-ato- η ,O)technetate(I). 2008 , 64, m1213-4	
560	A second monoclinic polymorph of 2-amino-4,6-dichloro-pyrimidine. 2008 , 64, o1659-60	2
559	2,2,6,6-Tetra-methyl-piperidinium penta-chloro-benzene-thiol-ate. 2008 , 64, o1781	1
558	4,4'-[Butane-1,4-diylbis(nitrilo-methyl-idyne)]dibenzonitrile. 2008 , 64, o1855	2
557	4-Thioxo-3,5-dithia-1,7-hepta-nedioic acid. 2008 , 64, o2047	1
556	8-Ethyl-2-hydr-oxy-2-methyl-4-morpholinoethyl-1-thia-4-aza-spiro-[4.5]decan-3-one. 2008 , 64, o1939-40	

- 555 1-[(E)-2-Formyl-1-(4-methyl-phen-yl)ethen-yl]-3-(4-methyl-phen-yl)pyrazole-4-carbaldehyde. **2008**, 64, o1889
- 554 3-Cyclo-hexyl-sulfan-yl-2-(4-methyl-phen-yl)-5,7-dinitro-1H-indole. **2008**, 64, o1890
- 553 N,N'-Bis(2-iodo-benzyl-idene)ethane-1,2-diamine. **2008**, 64, o1870-1 1
- 552 Ethyl
4'-ethenyl-2'-oxo-4-phenyl-2-(3,4,5-trimethoxy-phen-yl)spiro-[pyrrolidine-3,3'-indoline]-5-carboxyl-ate
monohydrate. **2008**, 64, o2052-3
- 551 5-Bromo-5-bromo-methyl-2-phen-oxy-1,3,2-dioxaphospho-rinan-2-one. **2008**, 64, o2228-9
- 550 (E)-3-(4-Methyl-phen-yl)-3-[3-(4-methyl-phen-yl)-1H-pyrazol-1-yl]-2-propenal. **2008**, 64, o2243
- 549 N-Benzyl-2-(2-chloro-5-methyl-phen-oxy)acetamide. **2008**, 64, o2426
- 548 A second monoclinic polymorph of 4,4'-[butane-1,4-diylbis(nitrilo-methyl-idyne)]dibenzonitrile.
2008, 64, o2388
- 547 N,N'-Bis(4-chloro-benzyl-idene)-2,2-dimethyl-propane-1,3-diamine. **2008**, 64, o2273 1
- 546 4,4'-Dichloro-2,2'-(piperazine-1,4-diyl-dimethyl-ene)diphenol. **2008**, 64, o2309 1
- 545 [3-(4-Chloro-phen-yl)-5-hydr-oxy-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl](3-pyrid-yl)methanone. **2008**,
64, o2363-4
- 544 N-(2-Formamido-eth-yl)formamide. **2008**, 64, o2418
- 543 A monoclinic polymorph of 4,4'-dichloro-2,2'-(piperazine-1,4-diyl-dimethyl-ene)diphenol. **2008**, 64, o2446
- 542 2,2-Dimethyl-N,N'-bis-(4-nitro-benzyl-idene)propane-1,3-diamine. **2008**, 64, o2335
- 541 4-{2-[3-(2-Ammonioacetamido)propanamido]ethyl}-1H-imidazol-3-ium dichloride. **2008**, 64, o2476 1
- 540 Poly[potassium-E2-[2-(carboxymethyl)phenyl]acetato]. **2008**, 64, m1626 1
- 539 4-[(4-Chloro-phen-yl)(5-hydr-oxy-3-methyl-1-phenyl-1H-pyrazol-4-yl)meth-yl]-5-methyl-2-phenyl-1H-pyrazol-3(2H)-one.
2008, 64, o2301-2 1
- 538 4-(4-Chloro-phen-yl)-1-(2-hydr-oxy-2,2-di-phenyl-acet-yl)thio-semicarbazide. **2008**, 64, o2305 0

- 537 2-Amino-4-(2-chloro-phen-yl)-5,10-dioxo-5,10-dihydro-4H-benzo[g]chromene-3-carbonitrile. **2008**, 65, o5
- 536 1-Dichloro-acetyl-3,3-dimethyl-2,6-diphenyl-piperidin-4-one. **2008**, 65, o10
- 535 4,4'-Dichloro-2,2'-[2,2-dimethyl-propane-1,3-diylbis(nitrilo-methyl-idyne)]diphenol. **2008**, 65, o68-9
- 534 2-Iodo-N-(6-methyl-2-pyrid-yl)benzamide. **2008**, 65, o118-9
- 533 2-(Trimethyl-siloxy)adamantane-2-carbonitrile. **2008**, 65, o207
- 532 4-[(5-Hydr-oxy-3-methyl-1-phenyl-1H-pyrazol-4-yl)phenyl-meth-yl]-5-methyl-2-phenyl-1H-pyrazol-3(2H)-one ethanol hemisolvate. **2008**, 65, o66-7 2
- 531 1-Benzothio-phene-2-carbaldehyde 4-ethyl-thio-semicarbazone. **2008**, 65, o180-1 1
- 530 3,5-Dichloro-6-methyl-pyridin-2-amine. **2008**, 65, o97
- 529 2-(1,3-Dithian-2-yl)-1,3-dithiane-2-carbaldehyde. **2008**, 65, o173 3
- 528 (1R,3S)-1,1'-(1,3-Dihydro-2-benzofuran-1,3-diyl)bis(1,3-dimethyl-urea). **2008**, 65, o42-3 1
- 527 (1S*,2S*)-1,2-Di-tert-butyl-glycol. **2008**, 65, o211 1
- 526 1-(3-Phenyl-isoquinolin-1-yl)hydrazine. **2008**, 65, o137-8 4
- 525 3,3'-(p-Phenyl-enedimethyl-ene)di-imidazol-1-ium bis-(3-carb-oxy-4-hydroxy-benzene-sulfonate) dihydrate. **2009**, 65, o365
- 524 [N,N'-Bis(4-chlorobenzylidene)-2,2-dimethylpropane-1,3-diamine- π ,N']iodidocopper(I). **2009**, 65, m197 1
- 523 4-Hydrazino-2-(methyl-sulfan-yl)-pyrimidine. **2009**, 65, o422
- 522 6-Bromo-1-ethyl-1H-2,1-benzothia-zin-4(3H)-one 2,2-dioxide. **2009**, 65, o393 6
- 521 7-(2,2-Dimethylpropanamido)-2-methyl-1,8-naphthyridin-1-ium chloride monohydrate. **2009**, 65, o340
- 520 2-(2-Thien-yl)-4,5-dihydro-1H-imidazole. **2009**, 65, o301 0

- 519 1H,3H-Imidazolium (R,S)-camphor-10-sulfonate. **2009**, 65, o224-5
- 518 3-(2,4-Dichloro-phen-yl)-1,5-di-2-furylpentane-1,5-dione. **2009**, 65, o336-7
- 517 tert-Butyl imidazole-1-carboxyl-ate. **2009**, 65, o405
- 516 2-[(4-Ethyl-phen-yl)imino-meth-yl]-3,5-dimethoxy-phenol. **2009**, 65, o547 2
- 515 3-Hydr-oxy-1,2,3,9-tetra-hydro-pyrrolo[2,1-b]quinazolin-4-ium chloride dihydrate: (+)-vasicinol hydro-chloride dihydrate from Peganum harmala L. **2009**, 65, o474-5
- 514 Dimethyl [hydr-oxy(2-nitro-phen-yl)meth-yl]phospho-nate. **2009**, 65, o562 4
- 513 (Cyclo-pentane-1,1-di-yl)dimethanol. **2009**, 65, o479 2
- 512 4-Ethyl-phenol. **2009**, 65, o544 2
- 511 3,5-Dibenzoyl-2,6-dimethyl-1-pentyl-4-pyridone. **2009**, 65, o619
- 510 (E)-3-Allyl-sulfanyl-N-(4-methoxy-benzyl-idene)-5-(3,4,5-trimethoxy-phen-yl)-4H-1,2,4-triazol-4-amine. **2009**, 65, o469 0
- 509 N,N'-Bis(4-bromo-benzyl-idene)-2,2-dimethyl-propane-1,3-diamine. **2009**, 65, o747
- 508 6,6'-Diethoxy-2,2'-[2,2-dimethylpropane-1,3-diylbis(nitrilomethylidyne)]diphenol. **2009**, 65, o707-8 1
- 507 N-[6-(Dibromo-meth-yl)-2-pyrid-yl]-2,2-dimethyl-propionamide. **2009**, 65, o725 1
- 506 5-Chloro-8-hydr-oxy-6-methyl-1,4-naphthoquinone. **2009**, 65, o871-2
- 505 2-[2-Hydr-oxy-4-(pyrrolidin-1-yl)benzo-yl]benzoic acid. **2009**, 65, o936
- 504 2,4-Dichloro-N-phenethyl-benzene-sulfonamide. **2009**, 65, o921 1
- 503 tert-Butyl 3-[2,2-bis-(ethoxy-carbon-yl)-vinyl]-2-methyl-1H-indole-1-carboxyl-ate. **2009**, 65, o825
- 502 Diethyl (1-hydr-oxy-1-phenyl-ethyl)phospho-nate. **2009**, 65, o939 2

- 501 2,2'-Diamino-N,N'-(o-phenyl-ene)di-benz-amide. **2009**, 65, o850 1
- 500 2-Ethyl-5-nitro-aniline. **2009**, 65, o827
- 499 3,5-Dimeth-oxy-2-[(4-propyl-phen-yl)imino-meth-yl]phenol. **2009**, 65, o718 2
- 498 4-[(E)-4-Methoxy-benzyl-ideneamino]-3-{1-[4-(2-methyl-prop-yl)phen-yl]eth-yl}-1H-1,2,4-triazole-5(4H)-thione. **2009**, 65, o1149-50 1
- 497 Ethyl
3'-(2,4-dichloro-phen-yl)-5'-hydr-oxy-5'-methyl-4',5'-dihydro-spiro-[fluorene-9,2'(3'H)-furan]-4'-carboxyl-ate. **2009**, 65, o977-8 3
- 496 N-(5-Bromo-2-chloro-benz-yl)-N-cyclo-propyl-naphthalene-2-sulfonamide. **2009**, 65, o1098 1
- 495 4-[[3-(4-Hydroxy-benzyl-ideneamino)-2,2-dimethyl-propyl]iminiomethyl]phenolate dihydrate. **2009**, 65, o1071-2
- 494 (4-Chloro-2-fluoro-phen-yl)[1-(2,6-difluoro-phen-yl)but-3-en-yl]amine. **2009**, 65, o1027-8
- 493 (E,E)-1-(2-Hydroxy-imino-1-phenyl-ethyl-idene)semicarbazide monohydrate. **2009**, 65, o1059-60 1
- 492 7,14-Bis(4-bromo-phen-yl)-2,11,11-trimethyl-1,4,10,12-tetra-oxa-dispiro-[4.2.5.2]penta-decane-9,13-dione. **2009**, 65, o1151
- 491 Imidazolium trans-bis-(imino-diacetato-D,N,O')cobaltate(III). **2009**, 65, m561 1
- 490 Methyl
1-methyl-3-phenyl-1,2,3,3a,4,9b-hexa-hydro-benzo[f]chromeno[4,3-b]pyrrole-3a-carboxyl-ate. **2009**, 65, o1033 3
- 489 6-Bromo-1-methyl-1H-2,1-benzothia-zin-4(3H)-one 2,2-dioxide. **2009**, 65, o1182 3
- 488 Bis(2-hydroxy-benzaldehyde oxime) O,O'-butane-1,4-diyldicarbonyl ether. **2009**, 65, o1309 1
- 487 Ethyl
4-[3,5-bis-(trifluoro-meth-yl)phen-yl]-6-methyl-2-oxo-1,2,3,4-tetra-hydro-pyrimidine-5-carboxyl-ate. **2009**, 65, o1404-5
- 486 N,N'-(Phenyl-imino-dimethyl-ene)di-prop-2-enamide hemihydrate. **2009**, 65, o1343
- 485 (E)-2-Cyano-3-[4-(dimethyl-amino)phen-yl]-N-phenyl-prop-2-enamide. **2009**, 65, o1303
- 484 4-tert-Butyl-amino-3-nitro-benzoic acid. **2009**, 65, o1233-4 1

483 5-(3-Pyrid-yl)-1,3,4-thia-diazol-2-amine. **2009**, 65, o1447

482 Ethyl 2-[(3-chloro-phen-yl)hydrazono]-3-oxobutanoate. **2009**, 65, o1320-1

481 Ethyl 2-methyl-4-phenyl-quinoline-3-carboxyl-ate. **2009**, 65, o1382

480 3-Chloro-N-cyclo-hexyl-benzamide. **2009**, 65, o1265

0

479 2-Chloro-N'-[(E)-(2-meth-oxy-1-naphth-yl)methyl-ene]benzohydrazide. **2009**, 65, o1254

478 Ethyl
4-(5-chloro-3-methyl-1-phenyl-1H-pyrazol-4-yl)-6-methyl-2-oxo-1,2,3,4-tetra-hydro-pyrimidine-5-carboxyl-ate.
2009, 65, o1229

477 Diethyl (1-hydr-oxy-1,2-diphenyl-ethyl)phospho-nate. **2009**, 65, o1203

2

476 N-(4-Chloro-phenyl)-1,8-naphthalimide. **2009**, 65, o1552

475 2-(4-Bromo-benzene-sulfonamido)benzoic acid. **2009**, 65, o1610-1

2

474 4,4'-Dianilino-3,3'-(4-chloro-benzyl-idene)bis-[furan-2(5H)-one]. **2009**, 65, o1513-4

473 4-Bromo-3-{N-[2-(3,4-dimethoxy-phen-yl)eth-yl]-N-methyl-sulfamo-yl}-5-methyl-benzoic acid
monohydrate. **2009**, 65, o1568

472 (E)-1-(4-Chloro-phen-yl)ethanone semi-carbazone. **2009**, 65, o1634-5

2

471 (4Z,6Z,12Z,14Z)-2,10-Dimethyl-2,8,10,16-tetra-hydro-dipyrazolo[3,4-e:3',4'-l][1,2,4,8,9,11]hexa-azacyclo-tetra-decine-4,12
2009, 65, o1578-9

470 Phenyl N-(1,3-thia-zol-2-yl)carbamate. **2009**, 65, o1478

469 2-(1H-Benzimidazol-1-yl)-1-(2-fur-yl)ethanone O-ethyl-oxime. **2009**, 65, o1621-2

468 1-(2-Methyl-imidazo[1,2-a]pyridin-3-yl)-3,3-bis-(methyl-sulfan-yl)prop-2-enone monohydrate. **2009**,
65, o1698-9

1

467 4-(sec-Butyl-amino)-3-nitro-benzoic acid. **2009**, 65, o1557-8

466 2-(1H-Benzimidazol-1-yl)-1-(2-fur-yl)ethanone O-isopropyl-oxime. **2009**, 65, o1604-5

1

- 465 tert-Butyl N-hydr-oxy-N-[(1S*,2R*)-2-(1-naphth-yl)cyclo-pent-3-en-1-yl]carbamate. **2009**, 65, o1481
- 464 2-p-Tolyl-1-p-tolyl-methyl-1H-benzimidazole. **2009**, 65, o1688
- 463 2-Hydr-oxy-3-nitro-benzamide. **2009**, 65, o1630 1
- 462 3-(4-Fluoro-phen-yl)-6-meth-oxy-2-(4-pyrid-yl)quinoxaline. **2009**, 65, o1626
- 461 2-(1H-Benzimidazol-1-yl)-1-(2-furyl)ethanone O-propyloxime. **2009**, 65, o1517-8 2
- 460 tert-Butyl N-{4-methyl-3-[4-(3-pyrid-yl)pyrimidin-2-yl-oxy]phen-yl}carbamate. **2009**, 65, o1849
- 459 Dimethyl (1-hydr-oxy-1,2-diphenyl-ethyl)phospho-nate. **2009**, 65, o2051 1
- 458 3-Hydr-oxy-3-(methoxy-carbon-yl)penta-nedioic acid. **2009**, 65, o1843 1
- 457 (Z)-1-(2,5-Dichloro-3-thien-yl)ethanone semicarbazone. **2009**, 65, o1852-3
- 456 (E)-1-Phenyl-ethanone semicarbazone. **2009**, 65, o1807-8 1
- 455 4-(4-Chloro-phen-yl)-6-(methyl-sulfan-yl)pyrimidin-2-amine. **2009**, 65, o1793 1
- 454 2-(4-Bromo-benzene-sulfonamido)acetic acid. **2009**, 65, o1816
- 453 5-Azido-4-benz-yloxy-2-meth-oxy-6-methyl-perhydro-pyran-3-ol. **2009**, 65, o1972
- 452 (E)-3-[(4-Butyl-phen-yl)imino-meth-yl]benzene-1,2-diol. **2009**, 65, o2022 1
- 451 2,3-Diamino-pyridinium 3-amino-benzoate. **2009**, 65, o1729-30 1
- 450 Molecular Recognition Process between Nucleobases and Metal-Oxalato Frameworks. 407-449 1
- 449 2-Carb-oxy-1-(3-nitro-phen-yl)ethanaminium perchlorate. **2009**, 66, o117
- 448 1-(4-Ferrocenylphen-yl)-3-methyl-imidazolium iodide monohydrate. **2009**, 66, m49

447 (E)-N'-Benzyl-idene-5-methyl-isoxazole-4-carbohydrazide. **2009**, 66, o123

446 (E)-3-(4-Bromo-phen-yl)-3-[3-(4-bromo-phen-yl)-1H-pyrazol-1-yl]prop-2-enal. **2010**, 66, o279

445 Poly[[di-aqua-(4-formyl-2-meth-oxy-phenol-ato)disodium] 4-formyl-2-meth-oxy-phenolate]. **2010**, 66, m149-50

444 Valyl benzyl ester chloride. **2010**, 66, o324

443 2-[2-(Methyl-sulfan-yl)benzimidazol-1-yl]ethanol. **2010**, 66, o442

1

442 (1R,3aR,5aS,6S,8aR,8bR,9aS)-1-Hydr-oxy-6-isopropyl-1,3a,5a-trimethyl-perhydro-cyclo-penta-[a]cyclo-propa[i]naphthalen-1-one. **2010**, 66, o356-7

441 4,4-Bis(1H-pyrrol-2-yl)penta-nol. **2010**, 66, o393

440 Dimethyl 1,4-dihydro-4-(4-methoxy-phen-yl)-2,6-dimethyl-pyridine-3,5-dicarboxyl-ate. **2010**, 66, o587-8

439 Isonicotinonitrile-benzoic acid (1/1). **2010**, 66, o722

1

438 N-Butyl-4-methyl-6-phenyl-pyrimidin-2-amine. **2010**, 66, o866

437 N-[4-(N-Cyclo-hexyl-sulfamo-yl)phen-yl]acetamide. **2010**, 66, o868-9

436 Ethyl 1-benzyl-4-hydr-oxy-2-methyl-5-oxopyrrolidine-3-carboxyl-ate. **2010**, 66, o957

2

435 [E-(8-Quinol-yloxy)propanedi-yl]bis-[dicarbon-yl(3-methoxy-carbonyl-cyclo-penta-dien-yl)molybdenum(III)]. **2010**, 66, m383-4

434 4-[(2,5-Dimethyl-1,3-thia-zol-4-yl)meth-yl]-4-hydr-oxy-2-methyl-isoquinoline-1,3(2H,4H)-dione. **2010**, 66, o964-5

433 2-Amino-5-methyl-pyridinium 4-hydroxy-benzoate. **2010**, 66, o936-7

1

432 Diacetatobis(propane-1,3-diamine)nickel(II) dihydrate. **2010**, 66, m436-7

431 2-[2-(Methyl-amino)-benzo-yl]-2,3,4,9-tetra-hydro-1H-pyrido[3,4-b]indol-1-one. **2010**, 66, o1511

430 3-Chloro-benzohydrazide. **2010**, 66, o2169

- 429 Bis[2-(1H-benzimidazol-2-yl)benzoato]copper(II) dihydrate. **2010**, 66, m1306-7
- 428 [Acetato-1:2D:O'-tribromido-2Br-(5,5,7,12,12,14-hexa-methyl-1,4,8,11-tetra-aza-cyclo-tetra-deca-1,7-diene-1N)]dizinc(II) **2010**, 66, m1338
- 427 Diethyl 5-acetamido-3-methyl-thio-phene-2,4-dicarboxyl-ate. **2010**, 66, o3171 2
- 426 2,2'-[Naphthalene-1,5-diylbis(nitrilo-methanylyl-idene)]diphenol. **2011**, 67, o1765-6
- 425 Dimethyl 4,4'-dihydroxy-3,3'-{[(3aRS,7aRS)-2,3,3a,4,5,6,7,7a-octa-hydro-1H-1,3-benzimidazole-1,3-di-yl]bis-(methyl-ene)}dibenzoate **2011**, 67, o2911-2
- 424 (E)-5-[(2-Hydroxy-3-methoxy-benzyl-idene)amino]-1,3,4-thia-diazole-2(3H)-thione. **2011**, 67, o3518
- 423 trans-Tetra-carbonyl-bis-[tris-(3-fluoro-phen-yl)phosphane]chromium(0). **2011**, 67, m1652-3 1
- 422 3-[4-(10H-Indolo[3,2-b]quinolin-11-yl)piperazin-1-yl]propan-1-ol. **2011**, 67, o3465-6
- 421 N-[(E)-Anthracen-9-yl-methyl-idene]-3,4-dimethyl-1,2-oxazol-5-amine. **2011**, 67, o3487 1
- 420 (E)-5-[(3-Ethoxy-2-hydroxy-benzyl-idene)amino]-1,3,4-thia-diazole-2(3H)-thione. **2011**, 67, o3437 1
- 419 Isopropyl 3,4-dihydroxy-benzoate. **2011**, 67, o3233
- 418 1-[2-Benzoyloxy-2-[4-(morpholin-4-yl)phen-yl]eth-yl]-1H-benzimidazole. **2013**, 69, o147-8 1
- 417 (E)-2,4,6-Trimethyl-N-[(1H-pyrrol-2-yl)methyl-idene]aniline. **2013**, 69, o113 1
- 416 7-[(Morpholin-4-yl)(phen-yl)meth-yl]quinolin-8-ol. **2013**, 69, o45
- 415 1-[(Z)-[(2,3-Dihydroxy-prop-yl)amino]-methyl-idene]naphthalen-2(1H)-one. **2013**, 69, o136-7
- 414 (E)-5-[3-Cyano-2-(dicyano-methyl-ene)-1-oxaspiro-[4.5]dec-3-en-4-yl]-3-(1-methyl-1,4-dihydro-pyridin-4-yl-idene)pent-4-ynoic acid 3,5-bis-(benzoyloxy)benzoate. **2013**, 69, o103-4
- 413 4-Cyano-N-ethyl-spiro-[chromene-2,4'-piperidine]-1'-carboxamide. **2013**, 69, o138
- 412 N-[3a-(4-Bromo-phen-yl)-8b-hydroxy-6,8-dimethoxy-3-phenyl-2,3,3a,8b-tetra-hydro-1H-cyclo-penta-[b]benzofuran-1-yl]propanoic acid monohydrate. **2013**, 69, o52-3

393 2-(2,5-Di-meth-oxy-phen-yl)-4,5-diphenyl-1-(prop-2-en-1-yl)-1H-imidazole. **2013**, 69, o1098-9

392 2-Ferrocenyl-3-nitro-2H-chromene. **2013**, 69, m378

391 4,4'-Dimethyl-2,2'-[[2,3,3a,4,5,6,7,7a-octa-hydro-1H-benzimidazole-1,3-di-yl]bis-(methyl-ene)]diphenol. **2013**, 69, o1059

390 2-Amino-5-methyl-pyridinium 3-hy-droxy-pyridine-2-carboxyl-ate. **2013**, 69, o1118-9

1

389 4-(4-Methyl-phenyl-sulfon-yl)piperazin-1-ium tri-fluoro-acetate. **2013**, 69, o1112

388 3-Methyl-2-(3,3,3-tri-chloro-2-hy-droxy-prop-yl)quinazolin-4(3H)-one. **2013**, 69, o1094

1

387 5-Chloro-N'-cyclo-hexyl-idene-3-methyl-1H-indole-2-carbohydrazide. **2013**, 69, o1137

2

386 N'-(2,4-Di-nitro-phen-yl)acetohydrazide monohydrate. **2013**, 69, o1249

385 2,2'-[[2-(2-Chloro-phen-yl)-4-methyl-imidazolidine-1,3-di-yl]bis-(methyl-ene)]diphenol. **2013**, 69, o1221-2

1

384 2,2'-[[2-(2-Hy-droxy-phen-yl)-4-methyl-imidazolidine-1,3-di-yl]bis-(methyl-ene)]diphenol. **2013**, 69, o1295-6

383 5''-(2-Fluoro-benzyl-idene)-1'-(2-fluoro-phen-yl)-1''-methyl-1',2',3',5',6',7',8',8a'-octa-hydro-dispiro-[ace-naphthyl-ene-1,3'-
2013, 69, o1291-2

1

382 N'-(4-Ethyl-cyclo-hexyl-idene)-5-fluoro-3-phenyl-1H-indole-2-carbohydrazide. **2013**, 69, o1331

381 3-(4-Amino-phen-yl)-5-(4-meth-oxy-phen-yl)-4,5-di-hydro-1H-pyrazole-1-carbo-thio-amide. **2013**, 69, o1227-8

380 1''-Allyl-5''-(4-meth-oxy-benzyl-idene)-7'-(4-methoxy-phen-yl)-1',3',5',6',7',7a'-hexa-hydro-dispiro-[ace-naphthyl-ene-1,5'
2013, 69, o1345-6

379 A triclinic polymorph of
(E)-2-(4-iso-butyl-phen-yl)-N'-[1-(4-nitro-phen-yl)ethyl-idene]propano-hydrazide. **2013**, 69, o1333

378 (4E)-4-[(2-Hy-droxy-anilino)methyl-idene]-1-phenyl-pyrazolidine-3,5-dione dimethyl sulfoxide hemisolvate. **2013**, 69, o1408-9

377 1',1''-Dimethyl-4'-phenyl-dispiro-[11H-indeno-[1,2-b]quinoxaline-11,2'-pyrrolidine-3',3''-piperidin]-4''-one. **2013**, 69, o1433

376 1-[2-(4-Chloro-benz-yloxy)-2-[4-(mor-pho-lin-4-yl)phen-yl]eth-yl]-1H-benzimidazole propan-2-ol monosolvate. **2013**, 69, o1437-8

- 375 Dimethyl 6-iodo-2-methyl-1,2-di-hydro-quinoline-2,4-di-carboxyl-ate. **2013**, 69, o1476
- 374 1-{2-[(E)-2-(2-Nitro-phen-yl)ethen-yl]-1-phenyl-sulfonyl-1H-indol-3-yl}ethanone. **2013**, 69, o1422-3
- 373 Amino-[(1H-benzimidazol-2-yl)amino]-methaniminium 4-methyl-benzene-sulfonate. **2013**, 69, o1543-4
- 372 N-(4-Bromo-phen-yl)-2,6-dimethyl-1,3-dioxan-4-amine. **2013**, 69, o1579
- 371 2,6-Dimethyl-N-(2-methyl-phen-yl)-1,3-dioxan-4-amine. **2013**, 69, o1561
- 370 6-[(4'-Ethoxycarbonyl-[1,1'-biphenyl]-4-yl)oxy]hexanoic acid. **2013**, 69, o1588
- 369 1-(4-[[[(1,3,3-Tri-methyl-indolin-2-yl-idene)meth-yl]diazen-yl]phen-yl]ethanone. **2013**, 69, o1499
- 368 1,5-Bis(4-chloro-phen-yl)-3-(4-methyl-phen-yl)pentane-1,5-dione. **2013**, 69, o1508-9 1
- 367 2-[(Quinolin-8-yl-oxy)meth-yl]-1H-benzimid-a-zole monohydrate. **2013**, 69, o1838
- 366 6-Chloro-N-(pyridin-4-ylmeth-yl)pyridine-3-sulfonamide. **2013**, 69, o1765
- 365 Ethyl 4-anilino-2-methyl-5-oxo-1-phenyl-2,5-di-hydro-1H-pyrrole-2-carboxyl-ate. **2013**, 69, o1757-8 1
- 364 5-[(tert-Butyl-diphenyl-sil-yloxy)meth-yl]pyridazin-3(2H)-one. **2013**, 69, o1826-7 1
- 363 1-(4-Methyl-phenyl-sulfon-yl)-2-[[3-methyl-4-(2,2,2-tri-fluoro-eth-oxy)pyridin-2-yl]methyl-sulfan-yl]-1H-1,3-benzimidazole. **2013**, 69, o1846 1
- 362 Ethyl 2-[1-(3-methyl-but-yl)-4-phenyl-1H-1,2,3-triazol-5-yl]-2-oxo-acetate. **2013**, 69, o1768
- 361 Crystal Engineering with Novel Aminoborates. Hydrogen-Bonded Cyclic Motifs Containing Tetrahedral Boron and Nitrogen. **1998**, 341-344
- 360 Crystal Engineering of Purely Organic Molecular Magnets: What can AB Initio Computations Tell Us?. **1999**, 105-125
- 359 Crystal Engineering with Two-Dimensional Hydrogen Bonding Networks. **1999**, 133-144
- 358 Synthetic Supramolecular Chemistry. **1999**, 17-35

- 357 Hydrogen-Bond Assisted Assembly of Organic and Organic-Inorganic Solids. **1999**, 89-106 1
- 356 Intermolecular Interactions in Molecular Crystals Studied by ab initio Methods. **1999**, 235-250
- 355 Supramolecular Organization in Organometallic Crystals. **1999**, 211-222
- 354 Isotypic crystal structures of
1-benzyl-4-(4-bromo-phen-yl)-2-imino-1,2,5,6,7,8,9,10-octa-hydro-cyclo-octa-[b]pyridine-3-carbo-nitrile
and
1-benzyl-4-(4-fluoro-phen-yl)-2-imino-1,2,5,6,7,8,9,10-octa-hydro-cyclo-octa-[b]pyridine-3-carbo-nitrile.
2014, 70, 344-7
- 353 Crystal structure of 6-chloro-5-iso-propyl-pyrimidine-2,4(1H,3H)-dione. **2014**, 70, o1144-5
- 352 Structure and Absolute Configuration of the 11-Noriridoid α hapingolide **2015**, 91, 1417
- 351 Twofold Helical Molecular Assemblies in Organic Crystals: Chirality Generation and Handedness Determination. **2015**, 371-392 3
- 350 Crystal structure of tri-aqua-(4-cyano-benzoato-(2) O,O')(nicotinamide-N (1))zinc 4-cyano-benzoate. **2015**, 71, 684-6 1
- 349 Crystal structures of five (2-chloro-quinolin-3-yl)methyl ethers: supra-molecular assembly in one and two dimensions mediated by hydrogen bonding and π -stacking. **2015**, 71, 609-17 1
- 348 Crystal structure of
4-({5-[(E)-(3,5-di-fluoro-phen-yl)diazen-yl]-2-hy-droxy-benzyl-idene}amino)-2,2,6,6-tetra-methyl-piperidin-1-ox-yl.
2015, 71, 864-6
- 347 Crystal structure of 4-hy-droxy-pyridin-1-ium 3,5-di-carb-ox-y-benzoate. **2015**, 71, 861-3 2
- 346 Crystal structure of the co-crystalline adduct 1,3,6,8-tetra-aza-tri-cyclo-[4.4.1.1(3,8)]dodecane (TATD)-4-chloro-3,5-di-methyl-phenol (1/1). **2015**, 71, 737-40 2
- 345 Crystal structure of 4,4'-dimeth-ox-y-2,2'-bi-pyridine. **2015**, 71, o623-4
- 344 Crystal structures of three indole derivatives: 3-ethn-yl-2-methyl-1-phen-yl-sulfonyl-1H-indole, 4-phen-yl-sulfonyl-3H,4H-cyclo-penta-[b]indol-1(2H)-one and 1-{2-[(E)-2-(5-chloro-2-nitro-phen-yl)ethen-yl]-1-phen-yl-sulfonyl-1H-indol-3-yl}ethan-1-one chloro-form monosolvate. **2015**, 71, 1036-41
- 343 Two terphenyl-based diol hosts and corresponding solvent inclusions with dimethylformamide and acetonitrile. **2015**, 71, 768-75
- 342 Crystal structure of (4R,5S,6R)-6-azido-5-benz-yloxy-3,3,4-tri-fluoro-azepan-1-ium 2,2,2-tri-fluoro-acetate from synchrotron data. **2015**, 71, 1361-5
- 341 References. 293-300
- 340 Crystal structures of two bis-(iodo-meth-yl)benzene derivatives: similarities and differences in the crystal packing. **2015**, 71, 1505-9 0

- 339 Crystal structure of aqua-bis-(hepta-fluoro-butano-ato- μ)(1,10'-phenanthroline- κ^2) κ^2 N,N')copper(II). **2016**, 72, 4-7
- 338 tert-Butyl 3-(3-methyl-1-oxidopyridin-1-ium-2-yl)benzoate. **2016**, 1, ○
- 337 Crystal structure of diethyl 3-(3-chloro-phen-yl)-2,2-di-cyano-cyclo-propane-1,1-di-carboxyl-ate. **2016**, 72, 253-6
- 336 6-[6-(Pyridin-2-yl)-1,2,4,5-tetra-zin-3-yl]pyridin-3-amine monohydrate. **2016**, 72, 238-40
- 335 Crystal structure of 3-{5-[3-(4-fluoro-phen-yl)-1-isopropyl-1H-indol-2-yl]-1H-pyrazol-1-yl}indolin-2-one ethanol monosolvate. **2016**, 72, 283-6
- 334 3-Methylpyridinium 4-nitrobenzoate μ -nitrobenzoic acid (1/1). **2016**, 1,
- 333 Crystal structure of bis-(μ -nitro-benzoato- κ^1 ; κ^1)-bis-[bis-(3-cyano-pyridine- κ^1)(3-nitro-benzoato- κ^1)cadmium]. **2017**, 73, 413-416 ○
- 332 Density functional computational and X-ray studies on pharmaceutical compound 1-[3-[4-(4-fluorophenyl)piperazin-1-yl]propyl]-1H-indole. **2017**, 8, 1-7 1
- 331 Crystal structure of 1 β ,11-dihydroxyeremophil-9-en-8-one, C₁₅H₂₄O₃. **2017**, 232, 379-381
- 330 Conformational study of the 3,6-dihydro-2H-1,4-oxazin-2-one fragment in 8-tert-butyl-7-methoxy-8-methyl-9-oxa-6-azaspiro[4.5]decane-2,10-dione stereoisomers. **2017**, 73, 556-562
- 329 Crystallographic characterization of a novel spiro-[chroman-chromene]-carboxylate. **2017**, 10, 170-174
- 328 (E)-2,4-Dibromo-6-(hydrazinylidenemethyl)phenol. **2017**, 2,
- 327 Buthalital and methitural - 5,5-substituted derivatives of 2-thio-barbituric acid forming the same type of hydrogen-bonded chain. **2017**, 73, 1908-1912
- 326 Synthesis of Tripeptides Containing Heterocyclic β -Amino Acids by Using Heterospirocyclic 3-Amino-2H-azirines. **2018**, 97, 333 2
- 325 Biological Activity, Structural Characterization and Crystal Packing of Chromane-Carboxylate Derivatives. **2018**, 11, 1-5
- 324 N-(1-Deoxy- β -D-tagatopyranos-1-yl)-N-methylaniline (β -Tagatose-N-methylaniline) **2018**, 2018, M994
- 323 Structural characterization and crystal packing of the isoquinoline derivative. **2018**, 9, 189-193
- 322 Multifunctional arylsulfonamide derivatives with 5-HT/5-HT receptor antagonistic activity: a structural study. **2018**, 74, 1477-1486 ○

- 321 Chemo- and regioselective [3+2]-cyclo-additions of thio-carbonyl ylides: crystal structures of -8-benzoyl-1,1,3,3-tetra-methyl-7-tri-fluoro-methyl-5-thia-spiro-[3.4]octan-2-one and -3-benzoyl-2,2-diphenyl-4-(tri-fluoro-meth-yl)tetra-hydro-thio-phene. **2018**, 74, 1705-1709
- 320 Chloro-formyl steroids as precursors for hybrid heterosteroids: synthesis, spectroscopic characterization, and molecular and supramolecular structures. **2018**, 74, 1667-1673
- 319 The crystal structures of benzyl-ammonium phenyl-acetate and its hydrate. **2019**, 75, 194-201
- 318 A Novel Route to (R)-2-(3-Chlorophenyl)propan-1-amine, a Key Intermediate for the Synthesis of Lorcaserin. **2019**, 99, 1423
- 317 The sodium chloride complex catena-poly[[[β-2-[bis(2-hydroxyethyl)amino]ethan-1-ol]sodium] chloride], N(CH₂CH₂OH)₃NaCl. **2019**, 4,
- 316 Joel Bernstein (1941-2019). **2019**, 75, 113-114
- 315 Yüksek disordera sahip 2-fenil-4-[4-(1,4,7,10-tetraoksa-13-azasiklopentadesil)benziliden]-5-oksazolon Bileşinin Yapısal Karakterizasyonu ve DFT İncelemeleri. 254-264
- 314 Structural and spectroscopic characterization and DFT studies of 2-amino-1,10-phenanthroline-1-ium chloride. **2019**, 10, 95-101
- 313 1-(Cycloheptylidene)thiosemicarbazide. **2019**, 4,
- 312 Crystal structure and Hirshfeld surface analysis of 4-(4-methyl-benz-yl)-6-phenyl-pyridazin-3(2)-one. **2019**, 75, 1352-1356
- 311 Crystal structure, DFT and Hirshfeld surface analysis of 2-amino-4-(2-chloro-phen-yl)-7-hydroxy-4-benzo[1,2-b]pyran-3-carbo-nitrile. **2019**, 75, 1638-1642
- 310 Crystal structure, Hirshfeld surface analysis and inter-action energy and DFT studies of (2)-4-benzyl-2-(2,4-di-chloro-benzyl-idene)-2,1,4-benzo-thia-zin-3(4)-one. **2019**, 75, 1650-1656
- 309 The missing crystal structure in the series of ,','-tris-(pyridinyl)benzene-1,3,5-tricarbox-amides: the 2-pyridinyl derivative. **2020**, 76, 776-779
- 308 Three 4-(4-fluoro-phen-yl)piperazin-1-ium salts containing organic anions: supra-molecular assembly in one, two and three dimensions. **2020**, 76, 841-847
- 307 The Zn-(pr-thiosal) complex attenuates murine breast cancer growth by inducing apoptosis and G1/S cell cycle arrest. **2020**, 12, 897-914
- 306 Synthesis, structure and biological activity of four new picolinohydrazone derivatives. **2020**, 76, 673-680
- 305 Two -[4-(3-aryl-4-sydnonyl-idene-amino)-5-sulfan-yl-idene-1,1,2,4-triazol-3-yl]meth-yl}benzamides as disordered ethanol monosolvates. **2020**, 76, 1057-1061
- 304 The conformational analyses of 2-amino-N-[2-(dimethylphenoxy)ethyl]propan-1-ol derivatives in different environments. **2020**, 76, 681-689

- 303 2-Chloro-4-nitrobenzoic acid as a coformer with pharmaceutical cocrystals and molecular salts. **2020**, 76, 746-752
- 302 4-Styrylquinolines from cyclocondensation reactions between (2-aminophenyl)chalcones and 1,3-diketones: crystal structures and regiochemistry. **2020**, 76, 883-890 0
- 301 Crystal structure, thermal behaviour and detonation characterization of bis(4,5-diamino-1,2,4-triazol-3-yl)methane monohydrate. **2020**, 76, 891-896 0
- 300 Manganese Cyclotriphosphazene Multicarboxylate Frameworks and Composite Encapsulated 1,3,6,8-Tetrakis(p-benzoic acid) Pyrene as Visualization of Highly Selective Fluorescence Sensors for Aromatic Compounds with NH₂/NO₂ Group. 0
- 299 Synthesis, crystal structure, potential drug properties for Coronavirus of Co(II) and Zn(II) 2-chlorobenzoate with 3-cyanopyridine complexes. **2021**, 1250, 131825 0
- 298 Synthesis, Characterization, Crystal Structure, Molecular Docking Analysis and Other Physico-Chemical Properties of (E)-2-(3,4-Dimethoxystyryl)Quinoline. 1-25 2
- 297 Crystal structure of N-(2-(trifluoromethyl)phenyl)hexanamide, C₁₃H₁₆F₃NO. **2021**, 236, 291-292
- 296 Amino acid hydrogen oxalate quasiracemates Γ sulfur containing side chains. 1
- 295 Supramolecular architectures of mononuclear nickel(II) and homobinuclear copper(II) complexes with the 5,5'-dimethyl-2,2'-bipyridine ligand: Syntheses, crystal structures and Hirshfeld surface analyses. **2022**, 1250, 131728 0
- 294 A cross-phase reaction coordinate in the formation of a simple copper (II) orotate complex: Lability of crystals of a Jahn-Teller active intermediate. **2022**, 1249, 131640
- 293 Solid-state conformations of linear depsipeptide amides with an alternating sequence of β,β -disubstituted β -amino acid and β -hydroxy acid. **2020**, 76, 1-9
- 292 Chapter 7:Intramolecular Hydrogen Bonds. **2020**, 368-400
- 291 Chapter 4:Experimental Methods and Techniques. **2020**, 225-306
- 290 A binuclear Cu/Ca thio-cyanate complex with a Schiff base ligand derived from -vanillin and ammonia. **2020**, 76, 423-426 2
- 289 Crystal structure of (,)-2-hydroxy-4-(methyl-sulfanyl)butanoic acid. **2020**, 76, 562-566 0
- 288 Effect of the position of a methoxy substituent on the antimicrobial activity and crystal structures of 4-methyl-1,6-diphenylpyrimidine-2(1H)-selenone derivatives. **2020**, 76, 359-366 1
- 287 The crystal structure of 3-bromoisonicotinic acid, C₆H₄BrNO₂. **2020**, 235, 731-732
- 286 Conversion of 3-amino-4-arylamino-1H-isochromen-1-ones to 1-arylisochromeno[3,4-d][1,2,3]triazol-5(1H)-ones: synthesis, spectroscopic characterization and the structures of four products and one ring-opened derivative. **2020**, 76, 446-453

- 285 Crystal structure, Hirshfeld surface analysis and molecular docking studies of 3-(sec-butylthio)-4-hydroxy-2H-chromen-2-one. **2021**, 1-14
- 284 Alkaline earth metal salts of 3,6-bis-nitroguanyl-1,2,4,5-tetrazine: Promising perchlorate-free environmentally friendly pyrotechnic components. e6497 0
- 283 Molecular modeling and structural analysis of some tetrahydroindazole and cyclopentanepyrzole derivatives as COX-2 inhibitors. **2021**, 15, 103540 1
- 282 The crystal structures of salts of -(4-fluoro-phen-yl)piperazine with four aromatic carb-oxy-lic acids and with picric acid. **2020**, 76, 1179-1186 1
- 281 Structural and electronic aspects of hydrogen bonding in two polymorphs of butylene-N,N'-bis(O,O'-diarylphosphoramidate). **2013**, 69, 55-61 1
- 280 Thermodynamic and structural relationships between the two polymorphs of 1,3-dimethylurea. **2013**, 69, 70-6 1
- 279 A very short O-H...O hydrogen bond in the structure of clozapinium hydrogen bis-(3,5-di-nitro-benzoate). **2020**, 76, 1629-1633
- 278 When solvent becomes reactant: a study of 6-aminothiocytosine derivatives. **2020**, 76, 992-999
- 277 Crystal structure, thermal properties and detonation characterization of bis(5-amino-1,2,4-triazol-4-ium-3-yl)methane dinitrate. **2020**, 76, 965-971 0
- 276 Crystal structure of 4-bromobenzaldehyde [complete redetermination at 200 K, C₇H₅BrO. **2021**, 236, 143-145
- 275 Crystal structure of phenarsazine chloride dimethylsulfoxide solvate, C₁₄H₁₅AsClNOS. **2021**, 236, 129-131
- 274 Crystal structure of 2-((4-Aminophenyl)thio)acetic acid, C₈H₉NO₂S. **2021**, 236, 125-127
- 273 Crystal structure of 2-hydroxy-4-methoxy benzaldehyde, C₈H₈O₃. **2021**, 236, 81-83
- 272 Crystal structure of ortho-methoxy benzaldehyde, C₈H₈O₂ [a second polymorph and deposition of 3D coordinates. **2021**, 236, 65-67
- 271 Crystal structure of N-benzyl-N-nicotinoyl-nicotine amide C₁₉H₁₅N₃O₂. **2021**, 236, 101-103
- 270 Crystal structure of benzylthiuronium chloride, C₈H₁₁ClN₂S. **2021**, 236, 73-75
- 269 Crystal structure of N,N-diphenylformamide, C₁₃H₁₁NO. **2021**, 236, 57-59
- 268 The crystal structure of 2,6-difluorophenol, C₆H₄F₂O. **2021**, 236, 177-178

- 267 Crystal structure of DL- β -(methylaminomethyl)benzyl alcohol, C₉H₁₃NO. **2021**, 236, 51-53
- 266 A cocrystal of L-ascorbic acid with picolinic acid: the role of O-H...O, N-H...O and C-H...O hydrogen bonds and L-ascorbic acid conformation in structure stabilization. **2020**, 76, 967-978 1
- 265 Crystal Structure, Spectroscopic and DFT Computational Studies of N-(4-Fluorophenyl)-1-(5-Nitrothiophen-2-yl)methanimine. **2020**, 65, 1221-1225 2
- 264 Crystal structure of phenarsazine chloride acetic acid solvate, C₁₄H₁₃AsClNO₂. **2021**, 236, 113-115
- 263 The crystal structure of aqua-tris (1,3-diphenylpropane-1,3-dionato- λ O,O λ)-lanthanum(III), C₄₅H₃₅LaO₇. **2021**, 236, 205-207
- 262 The crystal structure of 2,4-dimethylimidazole monohydrate, C₅H₁₀N₂O. **2021**, 236, 181-183
- 261 The crystal structure of 2-iso-propylimidazole, C₆H₁₀N₂. **2021**, 236, 201-203
- 260 The crystal structure of 3-ammonio-4-aminobenzoate, C₇H₈N₂O₂ \cdot 2 second polymorph. **2021**, 236, 187-188 0
- 259 The crystal structure of bi-1,1 β -cyclopentane-1,1 β -diol, C₁₀H₁₈O₂. **2021**, 236, 197-199
- 258 The crystal structure of 2-(chloromethyl)pyridine, C₆H₆ClN. **2021**, 236, 263-265
- 257 The crystal structure of 3-chloropropionic acid, C₃H₅ClO₂. **2021**, 236, 273-275 1
- 256 The crystal structure of 2-(2-methoxyphenyl)acetic acid, C₉H₁₀O₃. **2021**, 236, 277-279
- 255 The crystal structure of bis(1,3-dihydroxy-2-methylpropan-2-aminium) carbonate, C₉H₂₄N₂O₇. **2021**, 236, 297-299
- 254 The crystal structure of 4-chloro-1-methylpiperidin-1-ium chloride, C₆H₁₃Cl₂N. **2021**, 236, 301-303
- 253 Redetermination of the crystal structure of para-toluidine, C₇H₉N. **2021**, 236, 293-295
- 252 The crystal structure of 3-chloropropylammonium chloride, C₃H₉Cl₂N. **2021**, 236, 285-286
- 251 Bak Br (II)-Nikotinamit İren Yeni Kompleksin Yapısal ve Spektroskopik Özellikler Açısından İncelenmesi.
- 250 Structural and electronic properties of 3-[2-(3, 4-dimethoxy phenyl)-ethyl]-2-methyl-3H-quinazoline-4-one: experimental (X-ray crystal structure) and theoretical (quantum chemical calculations) approach. **2020**, 708, 98-120 2

- 249 Crystal structure of benzanthrone $\bar{1}$ redetermination for correct molecular geometry and localization of hydrogen atoms. **2021**, 236, 139-141
- 248 The crystal structure of 1-chloro-2-(dimethylamino)ethane hydrochloride, C₄H₁₁Cl₂N. **2021**, 236, 287-289 ○
- 247 The crystal structure of 4-hydroxybenzene-1,3-diaminium dichloride, C₆H₁₀Cl₂N₂O. **2021**, 236, 281-283
- 246 A thermodynamic relationship and phase transition study involving two polymorphs of sulfamethoxazole: form I vs. form II. ○
- 245 (E)-5-(4-Chlorobenzylidene)-1-phenyl-4,5,6,7-tetrahydro-1H-indazol-4-one: crystal structure and Hirshfeld surface analysis. **2021**, 6,
- 244 Low-Dimensional Architectures in Isomeric -PtCl{PhPCHN(Ar)CHPPh} Complexes Using Regioselective-N(Aryl)-Group Manipulation. **2021**, 26, 1
- 243 Single-Crystal X-ray and Solid-State NMR Characterisation of AND-1184 and Its Hydrochloride Form. **2021**, 14,
- 242 Structures 4-n-propyl Piperazines as Non-Imidazole Histamine H₃ Antagonists. **2021**, 14,
- 241 Crystal Structure and Hirshfeld Surface Analysis of 1-(4-Chlorophenyl)-5-{4-[(2-methylphenyl)methoxy]phenyl}-1H-Pyrazole. **2021**, 37, 77-79 ○
- 240 Salt Formation, hydrogen-bonding patterns and supramolecular architectures of acridine with salicylic and hippuric acid molecules. **2021**, 77, 790-799
- 239 Synthesis, Crystal Structure, and Biological Evaluation of Novel 5-Hydroxymethylpyrimidines. **2021**, 14, ○
- 238 Synthesis, crystal structure, spectroscopic, antidiabetic, antioxidant and computational investigations of Ethyl 5-hydroxy-1-isonicotinoyl-3-methyl-4,5-dihydro-1H-pyrazole-5-carboxylate. **2021**, 131977 2
- 237 Influence of Incorporation of Different d-Electron Metal Cations into Biologically Active System on Its Biological and Physicochemical Properties. **2021**, 22,
- 236 Four Directional Twinning Deformation of an Anisotropic Molecular Single Crystal Based on Three Different Modes of Mechanical Twinning. 1
- 235 Effect of Perfluorinated Side-Chain Length on the Morphology, Hydrophobicity, and Stability of Xerogel Coatings. **2021**, ○
- 234 Uranyl Ion Coordination by Benzene-1,2,3-tricarboxylate: Building Chains and Networks from Binuclear Bricks. **2022**, 2022, e202100917 ○
- 233 Amino acid hydrogen oxalate quasiracemates $\bar{1}$ hydrocarbon side chains. **2021**, 23, 8053-8060 2
- 232 Anion-cation interactions in a series of salts with substituted Hphen, Hbpy and Hbpy cations and [W(CN)] anion: polymer with "super-short" N-H \cdots N hydrogen bridges containing exclusively anions and H. **2021**, 2

- 231 Polymorphism and cocrystal salt formation of 2-((2,6-dichlorophenyl)amino)benzoic acid, harvest of a second form of 2-((2,6-dimethylphenyl)amino)benzoic acid, and isomorphism between the two systems. 0
- 230 The crystal structure of 4-phenyl-4-[2-(pyridine-4-carbonyl)hydrazinylidene]butanoic acid, C₁₆H₁₅N₃O₃. **2021**, 1
- 229 Synthesis, structures and properties of metal-organic frameworks prepared using a semi-rigid tricarboxylate linker. 0
- 228 Hierarchical self-assembly and packing models of dipalladium(II,II)-based metallacapsules and metallacages based on amide-functionalized multi-pyrazoles. **2022**, 136, 109145 0
- 227 Crystal structure, Hirshfeld surface analysis, and molecular dynamics simulations of two isostructural N-propargyl-4-(2-oxopyrrolidin-1-yl)-1,2,3,4-tetrahydroquinolines. **2022**, 1254, 132280 0
- 226 Electrochemical, vibrational, optical and Hirshfeld surface studies of 3D-bis[di(1,10-phenanthroline) (1,10-phenanthroline)] hexacyanoferrate ethanol trihydrate. **2022**, 1254, 132320 0
- 225 Influence of protonation on the geometry of 2-(((2,6-dimethylphenoxy)ethyl)amino)-1-phenylethan-1-ol: crystal structures of the free base and of its chloride and 3-hydroxybenzoate salt forms.. **2022**, 78, 14-22
- 224 Constructing Supramolecular Frameworks Based Imidazolate-Edge-Bridged Metallacalix[3]arenes via Hierarchical Self-Assemblies. **2022**, 12, 212 0
- 223 Psilocybin: crystal structure solutions enable phase analysis of prior art and recently patented examples.. **2022**, 78, 36-55 3
- 222 C^βH^γN^δC hydrogen bonding in cyanobenzene-ethylenedithio-tetrathiafulvalene compounds. **2022**, 24, 1145-1155 0
- 221 Metal complexes with ONS donor Schiff bases. A review. **2022**, 217, 115692 2
- 220 New N-(3-acetyl-8-nitro-2,3-dihydro-1H,3H-spiro[quinoline-4,2'-[1,3,4]thiadiazol]-5'-yl) acetamides induced cell death in MCF-7 cells via G2/M phase cell cycle arrest. **2022**, 46, 2817-2828
- 219 Design, synthesis, crystal structure, cytotoxicity evaluation, density functional theory calculations and docking studies of 2-(benzamido) benzohydrazide derivatives as potent AChE and BChE inhibitors.. **2021**, 12, 154-167 2
- 218 Crystal structure, Hirshfeld surface analysis and DFT study of 2,2''-(((1,1')-(diselenedi-yl)bis-(2,1-phenyl-ene))bis-(methane-ylidene))bis-(aza-neylyl-idene))bis-[3',6'-bis-(di-ethyl-amino)ethane-1,2-dithiolate].. **2022**, 78, 1-7
- 217 Microcrystalline solid-solid transformations of conformationally-responsive solvates, desolvates and a salt of N,N'-(1,4-phenylene)dioxalamic acid: the energetics of hydrogen bonding and n/π* interactions. **2022**, 24, 1017-1034
- 216 Synthesis, spectroscopic characterization, crystal structure, theoretical (DFT) studies and molecular docking analysis of biologically potent isopropyl 5-chloro-2-hydroxy-3-oxo-2,3-dihydrobenzofuran-2-carboxylate. **2021**, 1-22 2
- 215 Crystal structure, DFT and Hirshfeld surface analysis of -acetyl--3-methyl--2,-6-di-phenyl-piperidine.. **2022**, 78, 179-183
- 214 Crystal structure from X-ray powder diffraction data, DFT-D calculation, Hirshfeld surface analysis, and energy frameworks of ()-trichloro-methiazide.. **2022**, 78, 140-148 0

213	Crystal structure of a three-dimensional neodymium(III) coordination polymer, [Nd(HO)(glutarato)(SO)] .. 2022 , 78, 159-163	
212	Synthesis, Crystallographic, Quantum Chemical, Antitumor, and Molecular Docking/Dynamic Studies of 4-Hydroxycoumarin-Neurotransmitter Derivatives.. 2022 , 23,	10
211	Crystal structure, Hirshfeld, computational biomolecular investigations, and MTT assay studies of amino pyrimidine derivative as EGFR kinase domain inhibitor. 2022 , 1254, 132416	1
210	Enhancement of charge-assisted hydrogen bond capabilities due to -alkylation proximity in alkoxy cationic polythiophenes: solution- and solid-state evidence EPR, AFM and surface free energy.. 2022 ,	
209	Synthesis, molecular and supramolecular structure aspects and biological evaluations of a novel [Ag ₂ (phthalazine)(NO ₃) ₂] _n 3D coordination polymer. 2022 , 132592	1
208	Crystal structure and Hirshfeld surface analysis of 5-acetyl-2-amino-4-(4-bromo-phen-yl)-6-oxo-1-phenyl-1,4,5,6-tetra-hydro-pyridine-3-carbo-nitrile.. 2022 , 78, 291-296	2
207	Mono- and Binuclear Copper(II) Complexes with Different Structural Motifs and Geometries: Synthesis, Spectral Characterization, Dft Calculations and Superoxide Dismutase Enzymatic Activity.	
206	Hydrogen-bonded organic frameworks: design, applications, and prospects.	4
205	The long-awaited synthesis and self-assembly of a small rigid -symmetric trilactam.. 2022 ,	1
204	Effect of substituents in novel bioactive tavorole derivatives on intermolecular interactions hierarchy.	1
203	Polymorphic Solvates, Ionic-cocrystals and C-N Bond Formation to Form Ionic Cocrystal In Sulfamethoxazole and Sulfathiazole Derived Urea.	0
202	Crystal structure and Hirshfeld surface analysis of 2-amino-4-(4-meth-oxy-phen-yl)-6-oxo-1-phenyl-1,4,5,6-tetra-hydro-pyridine-3-carbo-nitrile.. 2022 , 78, 330-335	
201	Insights on structure and interactions of 2-amino-4-methoxy-6-methylpyrimidinium salts with 4-aminosalicylate and 5-chlorosalicylate: a combined experimental and theoretical charge-density analysis.. 2022 , 78, 181-191	0
200	Cocrystallization and Thermal Behaviors of the Micropollutants Gemfibrozil, Aceclofenac, and Bisphenol A. 2022 , 22, 2208-2217	
199	Cyclohexanone-Based Chalcones as Alternatives for Fuel Additives.. 2022 , 7, 11871-11886	1
198	Hydrogen-Bonded Supramolecular Architecture by Solvomorphism of Hexahydroxytriptindane: From a Rosette Network to a Rod Structure.	
197	Crystal structures of three thalolactic acids: hydrogen bonding resulting in differing Z'.. 2022 , 78, 257-264	0
196	Controlled Hydrolysis of Odorants Schiff Bases in Low-Molecular-Weight Gels.. 2022 , 23,	6

- 195 Synthesis, crystal structure, Hirshfeld surface investigation and comparative DFT studies of ethyl 2-[2-(2-nitrobenzylidene)hydrazinyl]thiazole-4-carboxylate.. **2022**, 16, 18 3
- 194 (E)-5-(4-Methylbenzylidene)-1-phenyl-4,5,6,7-tetrahydro-1H-indazol-4-one. **2022**, 7,
- 193 Spectral, Structural, and Antibacterial Study of Copper(II) Complex with N₂O₂ Donor Schiff Base Ligand and Its Usage in Preparation of CuO Nanoparticles. **2022**, 2022, 1-13 1
- 192 Synthesis, X-ray diffraction, spectroscopic (FT-IR, UV-Vis, ¹H-NMR, ¹³C-NMR and TGA), DFT and molecular docking studies of (E)-3-(((3-chloro-4-(4-chlorophenoxy) phenyl) imino) methyl) benzene-1,2-diol. 1-15 0
- 191 Nematicidal activity of furanoeremophilenes against Meloidogyne incognita and Nacobbus aberrans.. **2022**, 0
- 190 Chalcogen Bonding with Diaryl Ditellurides: Evidence from Solid State and Solution Studies.. **2022**, 0
- 189 Crystal structure of novel [Ni(2aepy)(2ampy)Cl(H₂O)]Cl·H₂O complex comprising both 2-aminoethylpyridine (2aepy) and 2-aminomethylpyridine (2ampy) ligands within the coordination sphere and comparison of its thermal properties with analogous Ni(II) complexes with 2ampy and 2aepy ligands. **2022**, 115835
- 188 Cyrhretrenyl and cymantrenyl N-acylhydrazone complexes based on isoniazid: Synthesis, characterization, X-ray crystal structures and antitubercular activity evaluation. **2022**, 964, 122299 0
- 187 Growth, structural, optical, Z-scan and dielectric analysis of 2-Amino-4-methylpyridinium 2-chloro 4-nitro benzoate crystals for third order non-linear optical applications. **2022**, 1258, 132687 2
- 186 Synthesis, structural characterization and biological studies of Ni(II), Cu(II) and Fe(III) complexes of hydrazone derived from 2-(2-(2,2-dimethyl-4,6-dioxo-1,3-dioxan-5-ylidene)hydrazinyl)benzoic acid. **2022**, 536, 120919 0
- 185 Pyridin-2-one in complexes, cocrystals and an ionic liquid. Syntheses, structures and thermal stability. **2022**, 1260, 132790
- 184 New bioactive 1D Ag(I) coordination polymers with pyrazole and triazine ligands; Synthesis, X-ray structure, Hirshfeld analysis and DFT studies. **2022**, 537, 120948 1
- 183 Preparation and characterization of five 3D crystalline adducts from caffeine and organic acids. **2022**, 1260, 132697 3
- 182 Single crystal structure, thermal stability and theoretical studies of ethyl 4-(4-(dimethylamino)phenyl)-3,6-dimethyl-1-phenyl-1H-pyrazolo[3,4-b]pyridine-5-carboxylate. **2022**, 1260, 132826
- 181 New heteronuclear complexes of Pd(II)Ni(II)Pd(II) with Schiff base ligand: Synthesis, crystal structures and chemical properties. **2022**, 1261, 132924 0
- 180 Crystallographic Structure and in Silico Molecular Docking Analysis of 2-Cyclohexylidene-Hydrazine-Carbothiomide. **2021**, 66, 1306-1310
- 179 Molecular Recognition and Shape Studies of 3- and 4-Substituted Diarylamide Quasiracemates. **2021**, 11, 1596
- 178 Alkyl Chain Length-Dependent Dimensionality in Linking of Hydrogen-Bonding Supramolecular Columns.

- 177 Interaction Locality in Molecular Crystals. **2022**, 503-532
- 176 Crystal structures of cocrystals of 2,7-dihydroxynaphthalene with isoniazid and piracetam.. **2022**, 78, 280-286
- 175 Single crystal structure of 3-(2-(3-acetylphenyl)hydrazono)pentane-2,4-dione and molecular docking study with CYP450 members for anticancer molecular screening. **2022**, 99, 100482
- 174 Synthesis, X-ray, Hirshfeld, and AIM Studies on Zn(II) and Cd(II) Complexes with Pyridine Ligands. **2022**, 12, 590
- 173 Synthesis and Structural Study of Amidrazone Derived Pyrrole-2,5-Dione Derivatives: Potential Anti-Inflammatory Agents.. **2022**, 27, ○
- 172 Synthesis, crystal structure and catalytic activity of the new hybrid phosphate (C₄H₁₂N₂)[Co(H₂O)₆](HPO₄)₂. **2022**, 133296 ○
- 171 Half-Sandwich Arene Ruthenium(II) Thiosemicarbazone Complexes: Evaluation of Anticancer Effect on Primary and Metastatic Ovarian Cancer Cell Lines. **2022**, 13, ○
- 170 Sulfonamides with hydroxyphenyl moiety: Synthesis, structure, physicochemical properties, and ability to form complexes with Rh(III) ion. **2022**, 221, 115865 ○
- 169 Synthesis, X-ray structure, Hirshfeld, and antimicrobial studies of new Ag(I) complexes based on pyridine-type ligands. **2022**, 1264, 133210 ○
- 168 Surface and Void Space Analysis of the Crystal Structures of Two Lithium Bis(pentafluoroethanesulfonyl)imide Salts. **2022**, 12, 701
- 167 Structural Arrangements of Guanidinium-Based Dicarboxylic Acid Ionic Liquids and Insights into Carbon Dioxide Uptake through Structural Voids. 1
- 166 Prototropic tautomerism of (E)-N-((4-((2-hydroxy-5-methoxybenzylidene)amino)phenyl)sulfonyl)acetamide and its coordination abilities towards Ru, Rh, and Ir trivalent metal ions. **2022**, 115909
- 165 Phenoxy- and Phenylamino-Heterocyclic Quinones: Synthesis and Preliminary Anti-Pancreatic Cancer Activity.. **2022**, e202101036 ○
- 164 Transition Metal Catalysis Controlled by Hydrogen Bonding in the Second Coordination Sphere.. **2022**, 4
- 163 Crystalline salts of a diuretic drug torasemide with improved solubility and dissolution properties.
- 162 Pyrazolone-type compounds: synthesis and in silico assessment of antiviral potential against key viral proteins of SARS-CoV-2. **2022**, 12, 16054-16070 2
- 161 Crystal structure of merimepodib, C₂₃H₂₄N₄O₆. 1-7
- 160 Crystal structure of baricitinib, C₁₆H₁₇N₇O₂S. 1-7

- 159 Case of Charge-Assisted Hydrogen Bonding in the Crystal Structure of Sodium Laurate, Lauric Acid. 0
- 158 Co (II) Complexes Based on the Bis-Pyrazol-5-Triazine Pincer Ligand: Synthesis, X-ray Structure Studies, and Cytotoxic Evaluation. **2022**, 12, 741 1
- 157 Mono- and binuclear copper(II) complexes with different structural motifs and geometries: Synthesis, spectral characterization, DFT calculations and superoxide dismutase enzymatic activity. **2022**, 222, 115913 0
- 156 Thermodynamic and Molecular Recognition Mechanism of Diastereomeric Salt/Cocrystal-Induced Chiral Separation.
- 155 Crystal Structure of Chiral Drug Prenalterol and Its Precursor Prone to Spontaneous Resolution. **2022**, 14, 1150 0
- 154 Synthesis, molecular structural, optical, thermal and third harmonic nonlinear optical analysis of Piperazine-1,4-dium bis(2-carboxy-6-nitrobenzoate) tetrahydrate single crystal. **2022**, 129, 112503
- 153 Structure and surface analyses of a newly synthesized acyl thiourea derivative along with its in silico and in vitro investigations for RNR, DNA binding, urease inhibition and radical scavenging activities. **2022**, 12, 17194-17207 1
- 152 Indium coordination compounds derived from amino amides.
- 151 Bis(3-butylamino-4-nitro)piperazine. **2022**, 2022, M1390 1
- 150 Crystal structure and Hirshfeld surface analysis of (E)-2-(4-bromophenyl)-1-[2,2-dibromo-1-(4-nitrophenyl)ethenyl]diazene. **2022**, 78, 0
- 149 Crystal structure and Hirshfeld surface analysis of 2,2'-(phenylazanediy)bis(1-phenylethan-1-one). **2022**, 78,
- 148 Synthesis, X-ray structure, antimicrobial activity, DFT and molecular docking studies of N-(thiophen-2-ylmethyl)thiophene-2-carboxamide. **2022**, 78, 0
- 147 Synthesis and characterization of a novel coordination compound based on 2,6-dimethylpiperazine. **2022**, 133569
- 146 Crystal structures of methyl 3,5-dimethylbenzoate, 3,5-bis(bromomethyl)phenyl acetate and 5-hydroxybenzene-1,3-dicarbaldehyde. **2022**, 78,
- 145 Molecular modeling and nonlinear optical properties of new isostructural halogenated dihydroquinolinones.
- 144 Crystal structure of fulvestrant hydrate (ethyl acetate), C₃₂H₄₇F₅O₃S(H₂O)_{0.16}(C₄H₈O₂)_{0.025}. 1-9
- 143 Supramolecular cis-Bis(Chelation) [M(CN)₆]₃ [M = Cr^{III}, Fe^{III}, Co^{III}] by Phloroglucinol (H₃PG). **2022**, 27, 4111
- 142 Synthesis, characterization and Hirshfeld surface analysis of 2-aminobenzothiazol with 4-fluorobenzoic acid co-crystal. **2022**, 13, 206-213

- 141 Synthesis, crystal structure determination and Hirshfeld surface analysis of three new salt forms of creatinine with hydrobromic acid, 3-aminobenzoic acid and 3,5-dinitrobenzoic acid. **2022**, 78,
- 140 Crystal structure, Molecular structural analysis, Optical absorption and Thermal analysis of 2-amino-6-methyl pyridine-1-ium 2-carboxy-6-nitro benzoate A third harmonic nonlinear optical organic single crystal. **2022**,
- 139 Synthesis, characterization, crystal structure and Hirshfeld surface analysis of a hexahydroquinoline derivative: tert-butyl 4-([1,1'-biphenyl]-4-yl)-2,6,6-trimethyl-5-oxo-1,4,5,6,7,8-hexahydroquinoline-3-carboxylate. **2022**, 78,
- 138 Synthesis and structure of hexaaquacobalt bis(2-methyl-1H-imidazol-3-ium) tetraaquabis(benzene-1,3,5-tricarboxylato- κ)cobalt. **2022**, 78,
- 137 Vibrational spectroscopic signatures, effect of rehybridization and hyperconjugation on the dimer molecule of N-(4-chlorophenyl)-N'-(4,6-diaminopyrimidin-2-yl)sulfanyl]acetamide- quantum computational approach. 1-17
- 136 Chelating Phosphorus An O, C, O-Coordinating Pincer-Type Ligand Coordinating PIII and PV Centres. 0
- 135 Structural, spectral, DFT and Z-scan analysis of (E)-4-fluoro-N'-(3,4,5-trimethoxybenzylidene)benzohydrazide for optoelectronics applications. **2022**, 266, 169602 1
- 134 A new fast-responding fluorimetric turn-on sensor based on benzothiazole-phenanthridine for the sensitive, selective, and reversible detection of Cu²⁺ in real water samples and its use in bio-imaging. **2022**, 205, 110514 2
- 133 Synthesis, spectroscopic characterization, single crystal XRD, Hirshfeld Surface analysis and theoretical studies (DFT) of 4-adamantyl-(2-(substitutedbenzylidene)hydrazinyl)thiazoles. **2022**, 1267, 133620 4
- 132 Structural elucidation of phenoxybenzaldehyde derivatives from laboratory powder X-ray diffraction: A combined experimental and theoretical quantum mechanical study. **2022**, 1268, 133697 1
- 131 Synthesis and crystal structure of 1,3-bis{[N,N-bis(2-hydroxyethyl)amino]methyl}-5-[[4,6-dimethylpyridin-2-yl]amino]methyl}-2,4,6-triethylbenzene. **2022**, 78,
- 130 Dual inhibition of *S. aureus* TyrRS and *S. aureus* gyrase by two 4-amino-4'-acetyldiphenyl sulfide-based Schiff bases: Structural features, DFT study, Hirshfeld surface analysis and molecular docking. **2022**, 143, 109779
- 129 Synthesis of Two Novel Copper (II) Complexes as Potential Inhibitors of HIV-1 Protease Enzyme: Experimental and Theoretical Investigations. **2022**, 12, 1066
- 128 Activation/Deactivation of Inter-Peptide Bond in Fluoro-N-(2-hydroxy-5-methyl phenyl)benzamide Isomers, Induced by the Position of the Halogen Atom in the Benzene Ring. **2022**, 2022, M1416
- 127 Syntheses and crystal structures of 4-(4-nitrophenyl)piperazin-1-ium benzoate monohydrate and 4-(4-nitrophenyl)piperazin-1-ium 2-carboxy-4,6-dinitrophenolate. **2022**, 78, 840-845
- 126 Crystal structure and Hirshfeld surface analysis of ethyl 2'-amino-5-bromo-3'-cyano-6'-methyl-2-oxospiro[indoline-3,4'-pyran]-5'-carboxylate. **2022**, 78,
- 125 Syntheses and crystal structures of 4-(4-methoxyphenyl)piperazin-1-ium 4-methylbenzoate monohydrate and bis[4-(4-methoxyphenyl)piperazin-1-ium] benzene-1,2-dicarboxylate. **2022**, 78,
- 124 Glasdegib Dimaleate: Synthesis, Characterization and Comparison of Its Properties with Monomaleate Analogue. **2022**, 14, 1641

- 123 Synthesis, structure and sulfonamide-sulfonimide tautomerism of sulfonamide 1,2,4-triazine derivatives. **2022**, 78, 0
- 122 Is the phosphorous atom a stereogenic center? Crystallographic findings in five new dithiophosphonate compounds supported with NonCovalent Interaction Index (NCI), theoretical approach and spectroscopic analysis. **2022**, 133987
- 121 Rearranged Dichapetalin-Type Triterpenoids with Cytotoxic Activity from *Dichapetalum gelonioides*. 0
- 120 Identification of two novel thiazolidin-2-imines as tyrosinase inhibitors: synthesis, crystal structure, molecular docking and DFT studies. **2022**, 8, e10098 1
- 119 Pd-NHC complex catalyzed C-H bond activation reactions of caffeine and 2-isobutylthiazole. **2022**, 530, 112590
- 118 Crystal structure of aminopentamide hydrogen sulfate, (C₁₉H₂₅N₂O)(HSO₄). 1-6 0
- 117 Solid-state structure, phase transition, and shape-memory properties of network copolymers with hyperbranched units containing s-benzenetricarbamide cores. **2022**, 259, 125333 1
- 116 Anionic uranyl ion complexes with pyrazinetetracarboxylate: Influence of structure-directing cations. **2022**, 227, 116118 0
- 115 Synthesis, characterization, and biological properties of mono-, di- and poly-nuclear bismuth(III) halide complexes containing thiophene-2-carbaldehyde thiosemicarbazones. **2022**, 237, 111987 0
- 114 2-Aminophenol-based ligands and Cu(II) complexes: Synthesis, characterization, X-ray structure, thermal and electrochemical properties, and in vitro biological evaluation, ADMET study and molecular docking simulation. **2023**, 1271, 134073 0
- 113 Crystal structure of natural product argyirin-D determined by 3D electron diffraction. **2022**, 24, 5885-5889 0
- 112 Synthesis, Crystal Structure, DFT Calculations, Hirshfeld Surface Analysis and Molecular Docking Studies of a New Manganese Complex. 0
- 111 Hydrogen-bonded aromatic amide macrocycles: synthesis, properties and functions. 0
- 110 The extensive solid-form landscape of sulfathiazole: hydrogen-bond topology and node shape. **2022**, 24, 6587-6599 0
- 109 A hydrazine-bridged dinuclear ruthenium complex: Structural properties and biological activity. **2023**, 1272, 134228 0
- 108 The Role of the Bridge in Single-Ion Magnet Behaviour: Reinvestigation of Cobalt(II) Succinate and Fumarate Coordination Polymers with Nicotinamide. **2022**, 10, 128 0
- 107 Crystal structure of alfuzosin hydrochloride, C₁₉H₂₈N₅O₄Cl. **2022**, 37, 171-182 0
- 106 Zwitterionic and Anionic Polycarboxylates as Coligands in Uranyl Ion Complexes, and Their Influence on Periodicity and Topology. **2022**, 61, 15182-15203 1

105	Extremely Stable Thorium-MOF Assembly of Tetraphenylethylene Derivative With Tunable AIE Property and Highly Selective Detection of Nitro Aromatic Compounds. 2201547	1
104	Powder X-ray diffraction of altrenogest, C ₂₁ H ₂₆ O ₂ . 1-2	0
103	Synthesis and spectroscopic and structural characterization of three new 2-methyl-4-styrylquinolines formed using Friedländer reactions between (2-aminophenyl)chalcones and acetone. 2022 , 78, 524-530	0
102	Structure and cytotoxic properties of 1-hydroxy-5-methyl-7-phenylpyrido[3,4-d]pyridazin-4(3H)-one and its mono- and disubstituted ethyl acetates. 2022 , 78, 559-569	0
101	Anisotropic thermal expansion effects in layered n-Alkyl carboxylic acid [bipyridyl cocrystals. 1-8	0
100	[3 -allyl-Pd(II) complexes of 2-, 3- and 4-pyridylmethyl- coumarin esters.	0
99	Luminescent Zn Halide Complexes with 2-(2-Aminophenyl)benzothiazole Derivatives. 2022 , 10, 138	1
98	Crystal structure of 2,5-dihydroxyterephthalic acid from powder diffraction data. 2022 , 78, 1061-1065	0
97	Synthesis and Characterization of Ir-(η -NSi) Species Active toward the Solventless Hydrolysis of HSiMe(OSiMe ₃) ₂ .	1
96	Crystal structure of diclazuril, C ₁₇ H ₉ Cl ₃ N ₄ O ₂ . 1-5	0
95	Crystal structure of ponazuril, C ₁₈ H ₁₄ F ₃ N ₃ O ₆ S. 1-5	0
94	5-Fluoro-1,2,3-triazole motif in peptides and its electronic properties.	0
93	Synthesis, Antimicrobial Potential and Computational Studies of Crystalline 4-Bromo-2-(1,4,5-triphenyl-1-H-imidazole-2-yl)phenol and its Metal Complexes.	1
92	Crystal engineering of a co-crystal of antipyrine and 2-chlorobenzoic acid: relative energetic contributions based on multipolar refinement.	0
91	DNA binding, antitubercular, antibacterial and anticancer studies of newly designed piano-stool ruthenium(ii) complexes. 2022 , 51, 16371-16382	1
90	Varied role of organic carboxylate dizwitterions and anionic donors in mixed-ligand uranyl ion coordination polymers.	1
89	Crystal structure, growth, spectral, Hirshfeld surface, optical, thermal and third harmonic nonlinear optical studies of 2-amino-6-methyl pyridine-1-ium acetamido acetate monohydrate single crystal.	0
88	Synthesis, characterization, Hirshfeld surface analysis and molecular docking studies of 3-(cyclohexylthio)-4-hydroxy-6-methyl-2H-chromen-2-one. 1-16	0

87	Synthesis and Structure of 3D Bis[5-(2-pyridyl)tetrazolato]dicopper(II) Framework: One-pot Facile Fabrication of a Series of Catalysts Towards Dye Degradation in Sunlight. 2022 , 7,	0
86	Intermolecular Hydrogen Bonding in Alpha-Hydroxy Carboxylic Acids Crystals: Connectivity, Synthons, Supramolecular Motifs. 2022 , 12, 1479	1
85	Ab Initio Study of H-Bond Dynamics in Three-Component Crystals Comprising (DABCOH ⁺) _n Polycationic Chains.	0
84	Magnesium Coordination Chemistry: A Case Study of Magnesium Carboxylate Complexes with Hexamethylenetetramine. 2022 , 12, 1434	0
83	Synthesis, and spectroscopic and structural characterization of three new styrylquinolineBenzimidazole hybrids. 2022 , 78, 671-680	0
82	Acetophenone-Based 3,4-Dihydropyrimidine-2(1H)-Thione as Potential Inhibitor of Tyrosinase and Ribonucleotide Reductase: Facile Synthesis, Crystal Structure, In-Vitro and In-Silico Investigations. 2022 , 23, 13164	0
81	Metal Capture and Desorption Abilities of Two Types of Organized Films of Polyguanamine Derivatives with Cyclic Moiety and Bulky or Flexible Linkers. 2022 , 130479	0
80	Selective Synthesis and Structural Study of Amino Amide Trichlorozincates. 2022 , 134451	0
79	Conformational fidelity and hydrogen bond associability of L-histidine with sulfamate anion studied through XRD, quantum chemical, spectroscopic and molecular docking simulation as a cdk-4 inhibitor against retinoblastoma. 2023 , 1274, 134402	2
78	Synthesis, characterization and inhibitor properties of benzimidazolium salts bearing 4-(methylsulfonyl)benzyl side arms. 2023 , 1273, 134320	0
77	Synthesis, crystal structure, Hirshfeld surface analysis, thermal, luminescent properties, and computational studies of the new triazole derivative 1-(5-methyl-1-(pyridin-2-ylmethyl)-1H-1,2,3-triazol-4-yl)ethan-1-one. 2023 , 1274, 134353	0
76	Synthesis, characterization, theoretical studies and antioxidant and cytotoxic evaluation of a series of Tetrahydrocurcumin (THC)-benzylated derivatives. 2023 , 1273, 134355	0
75	Framework robustness in early d-block metal complexes with tripodal polyalcohol ligands. 2023 , 1274, 134360	0
74	Synthesis, crystal structure, Hirshfeld surface analysis, DNA binding, optical and nonlinear optical properties of Schiff bases derived from o-aminophenol. 2023 , 1274, 134427	1
73	Synthesis, crystal structure and molecular docking study of new monastrol analogues as inhibitors of epidermal growth factor receptor tyrosine kinase. 2023 , 1274, 134508	0
72	Molecular structure and third-order non-linear optical properties of two novel tetralone-based chalcone derivatives: Promising materials for optical limiting applications. 2022 , 111091	0
71	Synthesis, crystal structure, DFT calculations, Hirshfeld surface analysis and molecular docking studies of a new manganese complex. 2022 , 110198	0
70	N-Cycloamino substituent effects on the packing architecture of ortho-sulfanilamide molecular crystals and their in silico carbonic anhydrase II and IX inhibitory activities. 2022 , 78,	0

- 69 Synthesis, experimental and theoretical characterization of an unsymmetrical bis-benzimidazolium nitrate salt. 1-11 ○
- 68 Crystal structure of vismodegib, C₁₉H₁₄Cl₂N₂O₃S. 1-6 ○
- 67 Pseudohalide Coligands Guided Structural Motifs, Magnetism and BSA-Interactions of Copper(II) Complexes Derived from 1,3-Dimethyl-6-Aminouracil. **2022**, 116215 1
- 66 New Insights on Glutathione's Supramolecular Arrangement and Its In Silico Analysis as an Angiotensin-Converting Enzyme Inhibitor. **2022**, 27, 7958 1
- 65 Design, synthesis, theoretical study, antioxidant, and anticholinesterase activities of new pyrazolo-fused phenanthrolines. **2022**, 12, 33032-33048 ○
- 64 Iclaprim mesylate displaying a hydrogen-bonded molecular tape. **2023**, 79, 24-27 ○
- 63 Crystal structure of 2-(morpholino)ethylammonium picrate monohydrate. **2023**, 79, 8-13 ○
- 62 A three-step pathway from (2-aminophenyl)chalcones to novel styrylquinoline-chalcone hybrids: synthesis and spectroscopic and structural characterization of three examples. **2023**, 79, ○
- 61 Syntheses, crystal structures and Hirshfeld surface analysis of 4-(4-nitrophenyl)piperazin-1-ium trifluoroacetate and 4-(4-nitrophenyl)piperazin-1-ium trichloroacetate. **2023**, 79, 1-7 ○
- 60 Microcrystal Electron Diffraction (MicroED) Structure Determination of a Mechanochemically Synthesized Co-crystal not Affordable from Solution Crystallization. ○
- 59 A comparative structural analysis of arylsulfonamide chalcones with potential as a biofuel additive. **2023**, 1276, 134736 ○
- 58 Studies on the DFT calculations and molecular docking of versatile molecular sensor 1-(6-Aminopyridin-2-yl)-3-(4-nitrophenyl) urea. **2023**, 6, 100139 ○
- 57 η^3 -allyl-Pd(II) complexes of 2-, 3- and 4-pyridylmethyl-coumarin esters. ○
- 56 Crystallographic structure, quantum and in silico interaction analysis of 3-(benzylthio)-4-hydroxy-2H-chromen-2-one. 1-18 ○
- 55 Anticancer and antimicrobial activity of new copper (II) complexes. **2022**, 112108 ○
- 54 New Pd(II)PPh₃ Complex Bearing Meta-Cyanobenzyl-Substituted NHC: Crystal Structure and Computational Studies. 2188-2198 ○
- 53 Hydrogen-Bonded Chain of Rings Motif in N-(4-Methoxyphenyl)piperazin-1-ium Salts with Benzoate Anions: Supramolecular Assemblies and Their Energy Frameworks. **2022**, 12, 1807 ○
- 52 Fe(III) in the high-spin state in dimethylammonium bis[3-ethoxysalicylaldehyde thiosemicarbazonato(2-)]- β -O 2,N 1,S]ferrate(III). **2023**, 79, ○

- 51 Synthesis, characterization, and crystal structures of N,N'-bis(2-dialkylaminophenyl)thioureas. **2023**, 79, ○
- 50 Synthesis, Structural and Behavioral Studies of Indole Derivatives D2AAK5, D2AAK6 and D2AAK7 as Serotonin 5-HT1A and 5-HT2A Receptor Ligands. **2023**, 28, 383 ○
- 49 4-(3-oxo-1,3-dihydroisobenzofuran-1-yl)aminobenzoic acid and its complexes: Synthesis, Crystal Structures, Theoretical Calculations and In Vitro and In silico Antibacterial Properties. **2023**, 134932 ○
- 48 Crystal Engineering to Avoid Pairing Dipolar Moments: The Case of 5-Nitrouracil, a Highly Polarizable Molecule. **2023**, 13, 145 ○
- 47 Crystal structure of deracoxib, C₁₇H₁₄F₃N₃O₃S. 1-5 ○
- 46 Crystal structure of oxibendazole, C₁₂H₁₅N₃O₃. 1-6 ○
- 45 Supramolecular Shish Kebabs: Higher Order Dimeric Structures from Ring-in-Rings Complexes with Conformational Adaptivity. ○
- 44 Synthesis, crystal structures and fluorescence properties of two 1D Zn(II) homologous coordination polymers. **2023**, ○
- 43 Supramolecular Shish Kebabs: Higher Order Dimeric Structures from Ring-in-Rings Complexes with Conformational Adaptivity. ○
- 42 Correspondence on Crystalline Porous Organic Salt for Ultrarapid Adsorption/Desorption-Based Atmospheric Water Harvesting by Dual Hydrogen Bond System **2023**, 135, ○
- 41 Crystal structure of elvitegravir Form II, C₂₃H₂₃ClFNO₅. 1-11 ○
- 40 Overview of the Justicia Genus: Insights into Its Chemical Diversity and Biological Potential. **2023**, 28, 1190 ○
- 39 Stimuli-Responsive Properties of Supramolecular Gels Based on Pyridyl-N-oxide Amides. **2023**, 9, 89 ○
- 38 Structural and spectroscopic characterization, electronic properties, and biological activity of the 4-(3-methoxyphenyl)piperazin-1-ium 4-(3-methoxyphenyl)piperazine-1-carboxylate monohydrate. ○
- 37 Correspondence on Crystalline Porous Organic Salt for Ultrarapid Adsorption/Desorption-Based Atmospheric Water Harvesting by Dual Hydrogen Bond System **2023**, 62, ○
- 36 Piperonal chalcone derivative incorporating the pyrazolo[3,4-b]pyridine moiety; crystal structure, spectroscopic characterization and quantum chemical investigations. **2023**, 13, 5197-5207 ○
- 35 A rhodanine derivative as a potential antibacterial and anticancer agent: Crystal structure, spectral characterization, DFT calculations, Hirshfeld surface analysis, in silico molecular docking and ADMET studies. **2023**, 1280, 135025 ○
- 34 Crystal structure and characterization of the sulfamethazineβpiperidine salt. **2023**, 79, 71-76 ○

- 33 (R,R)-Tartrate as a polytopic ligand for UO₂²⁺: Mono- and dimeric coordination polymers including di- and tetranuclear subunits. **2023**, 235, 116346 ○
- 32 Cobalt(II), nickel(II), palladium(II) and zinc(II) metallothiosemicarbazones: Synthesis, characterization, X-ray structures and biological activity. **2023**, 551, 121462 ○
- 31 Synthesis, single crystal structure determinations, Hirshfeld surface analysis, crystal voids, interaction energies, and density functional theory studies of functionalized 1,3-thiazoles. **2023**, 1281, 135108 ○
- 30 Structure and in vitro antimicrobial activity of sulfamethoxazole and sulfadiazine polyiodide salts. **2023**, 1282, 135199 ○
- 29 Design, synthesis, characterization, crystal structure, in silico studies, and inhibitory properties of the PEPPSI type Pd(II)NHC complexes bearing chloro/fluorobenzyl group. **2023**, 135, 106513 ○
- 28 Design and synthesis of piano-stool ruthenium(II) complexes and their studies on the inhibition of amyloid β (1-42) peptide aggregation. **2023**, 239, 124197 ○
- 27 Novel copper (II) and zinc (II) complexes with enrofloxacin and oxolinic acid: synthesis, characterization, Hirshfeld surface and DFT/CAM-B3LYP/6-311++G(2d,2p)/LANL2DZ studies: NBO, QTAIM and RDG analysis. **2023**, 1282, 135141 ○
- 26 Atomic-level understanding on conformational flexibility of neochlorogenic and chlorogenic acids and their inclusion complexation with β -cyclodextrin. **2023**, 141, 108742 ○
- 25 On the structures of free-base lepidine and some mineral acid salts. **2023**, 1285, 135460 ○
- 24 Molecular modeling and solubility of olopatadine hydrochloride polymorphs. **2023**, 1224, 114110 ○
- 23 Structural features, dissolution performance and anthelmintic efficacy of multicomponent solid forms of fenbendazole with maleic and oxalic acids. **2023**, 25, 1301-1312 ○
- 22 Crystal structure, vibrational spectroscopy, ¹H NMR, and DFT analyses with antibacterial activity studies on silver nitrate complex of 5-iodoindole. **2023**, 150, 110465 ○
- 21 Fluorinated benzimidazolium salts: Synthesis, characterization, molecular docking studies and inhibitory properties against some metabolic enzymes. **2023**, 267, 110094 1
- 20 Structure and Microbiological Activity of 1H-benzo[d]imidazole Derivatives. **2023**, 24, 3319 ○
- 19 Two Crystal Forms of 4?-Methyl-2,4-dinitrodiphenylamine: Polymorphism Governed by Conformational Flexibility of a Supramolecular Synthron. **2023**, 13, 296 ○
- 18 The Methylene Spacer Matters: The Structural and Luminescent Effects of Positional Isomerism of n-Methylpyridyltriazole Carboxylate Semi-Rigid Ligands in the Structure of Zn(II) Based Coordination Polymers. **2023**, 15, 888 ○
- 17 Conversion of 2-methyl-4-styrylquinolines into 2,4-distyrylquinolines: synthesis, and spectroscopic and structural characterization of five examples. **2023**, 79, 94-103 ○
- 16 Topological Analysis of Molecular Dynamics Simulations using the Euler Characteristic. **2023**, 19, 1553-1567 ○

- 15 Flexible Aliphatic Diammonioacetates as Zwitterionic Ligands in UO₂²⁺ Complexes: Diverse Topologies and Interpenetrated Structures. **2023**, 62, 3929-3946 ○
- 14 Polymorphs, ionic cocrystal and inclusion complex of N-amino-1,8-naphthalimide. **2023**, 25, 1928-1940 ○
- 13 Experimental and Theoretical Investigation of Hydrogen-Bonding Interactions in Cocrystals of Sulfaguanidine. **2023**, 23, 2306-2320 ○
- 12 Crystal structure and Hirshfeld surface analysis of 2,5-diimino-8a-methyl-4,9-bis(4-methylphenyl)-7-oxo-6-phenyl-decahydro-2H-3,8-methanopyrano[3,2-c]pyridine-3,4a-dione N,N-dimethylformamide monosolvate. **2023**, 79, 254-258 ○
- 11 rac-1-(4-tert-Butylphenyl)-5-ethyl-4-ferrocenyl-5-hydroxy-1H-pyrrol-2(5H)-one. **2023**, 79, 264-266 ○
- 10 Crystal structure and Hirshfeld surface analysis of (2*R*,23*S*,25*R*,26*S*)-23,25,5-trimethyl-21-(2,2,2-trifluoroacetyl)-5-aza-2(2,6)-piperidina-1,3(2,5)-difuranacyclohexaphan-24-one. **2023**, 79, 292-296 ○
- 9 Solvatochromism and Reversible Solvent Exchange Phenomena in Solvatomorphic Organic Chromophore Crystals. **2023**, 23, 2922-2931 ○
- 8 Discovery of novel arylpiperazine-based DA/5-HT modulators as potential antipsychotic agents □ Design, synthesis, structural studies and pharmacological profiling. **2023**, 252, 115285 ○
- 7 Sulfonamide derived Schiff base Mn (II), Co (II), and Ni (II) complexes: Crystal structures, density functional theory and Hirshfeld surface analysis. ○
- 6 Efficient Synthesis of Imine-Carboxylic Acid Functionalized Compounds: Single Crystal, Hirshfeld Surface and Quantum Chemical Exploration. **2023**, 28, 2967 ○
- 5 Synthesis, Crystal Structure, Supramolecular Assembly Inspection by Hirshfeld Surface Analysis and Computational Exploration of 4-Phenyl-6-(*p*-Tolyl)Pyrimidin-2 (1H)-One (PPTP). **2023**, 64, 437-449 ○
- 4 Thiourea-Derived Single-Source Molecular Precursor For Spin-Coated PbS Thin Films. **2023**, 12, ○
- 3 SYNTHESIS, OPTICAL AND THERMAL ANALYSIS OF *p*-BROMO CHALCONE DERIVATIVES: A THEORETICAL AND EXPERIMENTAL STUDIES. **2023**, 135591 ○
- 2 3-(2-Chloro-5-methylphenoxy)propane-1,2-diol. **2023**, 2023, M1624 ○
- 1 A supramolecular self-assembly of peptide-derived compounds via 1,5-disubstituted tetrazole-based supramolecular synthons: An experimental and computational study. **2023**, 1288, 135732 ○