CITATION REPORT List of articles citing



DOI: 10.1016/0079-6727(94)00013-0 Progress in Quantum Electronics, 1995, 19, 161-237.

Source: https://exaly.com/paper-pdf/25878925/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 376 | 2D measurement and spatio-temporal coupling of few-cycle THz pulses. 1999 , 5, 243 | | |
| 375 | 2D measurement and spatio-temporal coupling of few-cycle THz pulses. 1999 , 5, 243 | | |
| 374 | Terabit optical signal processing based on time-space-conversion. | | 1 |
| 373 | Modified femtosecond pulse shaper using microlens arrays. <i>Optics Letters</i> , 1996 , 21, 812-4 | 3 | 6 |
| 372 | Ultrafast time-to-space conversion of phase by the method of spectral nonlinear optics. <i>Optics Letters</i> , 1996 , 21, 1753-5 | 3 | 24 |
| 371 | Pulse shaping of incoherent light by use of a liquid-crystal modulator array. <i>Optics Letters</i> , 1996 , 21, 175 | 56-8 | 22 |
| 370 | Overview of plasma-based accelerator concepts. 1996 , 24, 252-288 | | 994 |
| 369 | Terahertz waveform synthesis via optical pulse shaping. 1996 , 2, 709-719 | | 55 |
| 368 | Wigner spectrograms for femtosecond pulse-shaped heterodyne and autocorrelation measurements. 1996 , 32, 1278-1288 | | 39 |
| 367 | A femtosecond pulse-shaping apparatus containing microlens arrays for use with pixellated spatial light modulators. 1996 , 32, 2071-2077 | | 5 |
| 366 | Time-to-space transformation of femtosecond optical pulses with 12% conversion efficiency using KNbO/sub 3/. | | |
| 365 | Femtosecond pulse shaping by dynamic holographyin photorefractive multiple quantum wells. | | |
| 364 | Femtosecond Optical Pulse Processing And Applications. | | |
| 363 | Optical frequency domain differential phase shift keying in femtosecond-pulse spectral modulation systems. <i>Journal of Lightwave Technology</i> , 1997 , 15, 2214-2222 | 4 | 6 |
| 362 | Molecules in intense femtosecond laser fields. 1997 , T72, 53-68 | | 24 |
| 361 | Femtosecond pulse shaping by dynamic holograms in photorefractive multiple quantum wells. <i>Optics Letters</i> , 1997 , 22, 718-20 | 3 | 39 |
| 360 | Adaptive femtosecond pulse compression. <i>Optics Letters</i> , 1997 , 22, 1793-5 | 3 | 209 |

| 359 | Real-time spatial spectral interference measurements of ultrashort optical pulses. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1997 , 14, 2095 | 1.7 | 69 |
|-----|--|-----|-----|
| 358 | Bandwidth-limited diffraction of femtosecond pulses from photorefractive quantum wells. 1997 , 33, 2150-2158 | | 15 |
| 357 | Dispersion-Compensation Device with Waveguide Grating Routers. 1998, 5, 226-233 | | 2 |
| 356 | Approximating a desired temporal impulse response with a pupil function that consists of a series of light pulses. <i>Optics Communications</i> , 1998 , 146, 39-44 | 2 | |
| 355 | Diffraction and aberration analysis of a pulseshaper for a Gaussian beam. <i>Optics Communications</i> , 1998 , 147, 163-172 | 2 | 3 |
| 354 | Intracavity spectral shaping in external cavity mode-locked semiconductor diode lasers. 1998 , 4, 216-22 | 23 | 8 |
| 353 | Femtosecond pulse shaping for synthesis, processing, and time-to-space conversion of ultrafast optical waveforms. 1998 , 4, 317-331 | | 30 |
| 352 | Time-domain image processing using dynamic holography. 1998 , 4, 332-341 | | 28 |
| 351 | Microwave "DARK" Soliton Effect: Compression of Pulses and Signal to Noise Enhancement. 1998 , | | О |
| 350 | Rate multiplication of a 59-GHz soliton source at 1550 nm. <i>Journal of Lightwave Technology</i> , 1998 , 16, 670-677 | 4 | 18 |
| 349 | A femtosecond code-division multiple-access communication system test bed. <i>Journal of Lightwave Technology</i> , 1998 , 16, 1953-1964 | 4 | 121 |
| 348 | Dispersion-free fiber transmission for femtosecond pulses by use of a dispersion-compensating fiber and a programmable pulse shaper. <i>Optics Letters</i> , 1998 , 23, 283-5 | 3 | 93 |
| 347 | Engineerable femtosecond pulse shaping by second-harmonic generation with Fourier synthetic quasi-phase-matching gratings. <i>Optics Letters</i> , 1998 , 23, 864-6 | 3 | 57 |
| 346 | How to make femtosecond pulses overlap. <i>Optics Letters</i> , 1998 , 23, 1378-80 | 3 | 143 |
| 345 | Efficient time-to-space conversion of femtosecond optical pulses. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1998 , 15, 1242 | 1.7 | 30 |
| 344 | Adaptive real-time femtosecond pulse shaping. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1998 , 15, 1615 | 1.7 | 72 |
| 343 | Chirp-controlled ultrafast optical nonlinearities in semiconductors. 1998, 73, 3025-3027 | | 5 |
| 342 | Differential processing of ultrashort optical pulses using an arrayed-waveguide grating with a phase-only filter. 1998 , | | |

Comparison of spatial versus spectral Bragg selectivity for diffraction of femtosecond pulses from volume holograms. **1998**,

| 340 | Nonlinear detection of spectrally coded ultrashort pulse by two-photon absorption GaAs waveguide photodetectors. 1998 , | | 5 |
|-----|--|-----|--------------|
| 339 | Adaptive control of lasers and their interactions with matter. | | |
| 338 | Time-space-conversion optical signal processing using arrayed-waveguide grating. | | 1 |
| 337 | Spatial Phase Information Transmission through Single-Mode Fibers by Coherence Function Shaping of Low Coherent Light. 1999 , 38, L1416-L1418 | | 2 |
| 336 | Coherent quantum control of multiphoton transitions by shaped ultrashort optical pulses. 1999 , 60, 1287- | 129 | 2 282 |
| 335 | Propagation of Complex Laser Pulses in Optically Dense Media. 1999 , 82, 3984-3987 | | 14 |
| 334 | Adaptive all-order dispersion compensation of ultrafast laser pulses using dynamic spectral holography. 1999 , 75, 3255-3257 | | 13 |
| 333 | Wavelets in optical communications. 1999 , 1, 51-57 | | 6 |
| 332 | Ultrafast two-photon absorption optical thresholding of spectrally coded pulses. <i>Optics Communications</i> , 1999 , 167, 225-233 | | 12 |
| 331 | Programmable spectral phase coding of an amplified spontaneous emission light source. <i>Optics Communications</i> , 1999 , 167, 211-224 | | 11 |
| 330 | Semi-insulating semiconductor heterostructures: Optoelectronic properties and applications. Journal of Applied Physics, 1999 , 85, 6259-6289 | 5 | 139 |
| 329 | 1.5 /spl mu/m pulse shaping by degenerate type II DFG with QPM gratings. | | |
| 328 | | | O |
| 327 | Population and coherence control by three-pulse four-wave mixing. 1999 , 111, 3779-3782 | | 39 |
| 326 | . 1999 , 35, 487-500 | | 8 |
| 325 | Role of Pulse Phase and Direction in Two-Dimensional Optical Spectroscopy. 1999 , 103, 10369-10380 | | 103 |
| 324 | Complete dispersion compensation for 400-fs pulse transmission over 10-km fiber link using dispersion compensating fiber and spectral phase equalizer. 1999 , 11, 827-829 | | 38 |

(2000-1999)

| 323 | Real-time adaptive amplitude feedback in an AOM-based ultrafast optical pulse shaping system. 1999 , 11, 1665-1667 | | 5 |
|-----|---|-----|-----|
| 322 | Genetic algorithm pulse shaping for optimum femtosecond propagation in optical fibers. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1999 , 16, 2005 | 1.7 | 23 |
| 321 | Potential of femtosecond chirp control of ultrabroadband semiconductor continuum nonlinearities. Journal of the Optical Society of America B: Optical Physics, 1999, 16, 2285 | 1.7 | 9 |
| 320 | 2D measurement and spatio-temporal coupling of few-cycle THz pulses. <i>Optics Express</i> , 1999 , 5, 243-8 | 3.3 | 60 |
| 319 | Low-coherence interferometry with synthesis of coherence function. <i>Applied Optics</i> , 1999 , 38, 5974-80 | 1.7 | 12 |
| 318 | Demonstration of phase correlation in multiwavelength mode-locked semiconductor diode lasers. <i>Optics Letters</i> , 1999 , 24, 238-40 | 3 | 8 |
| 317 | Second-harmonic generation frequency-resolved optical gating analysis of low-intensity shaped femtosecond pulses at 1.55 mum. <i>Optics Letters</i> , 1999 , 24, 1780-2 | 3 | 14 |
| 316 | An optical phase-shift keying direct detection receiver using a high-resolution arrayed-waveguide grating. | | 1 |
| 315 | Femtosecond pulse processing for applications in broadband optical communications. | | |
| 314 | Real-space and real-time imaging of polariton wavepackets. 2000 , 87-89, 840-843 | | 3 |
| 313 | Self-phase modulation and compression of few-optical-cycle pulses. 2000 , 62, | | 34 |
| 312 | Manipulation of the intermode quantum correlations of optical pulses in nonlinear fibers via a classical pulse shaping. | | |
| 311 | Image transmission through single-mode fibers via shaped coherence functions of low coherent light. | | |
| 310 | . 2000, | | |
| 309 | Raman generation by phased and antiphased molecular states. 2000 , 85, 562-5 | | 193 |
| 308 | Phase relations, quasicontinuous spectra and subfemtosecond pulses in high-order stimulated raman scattering with short-pulse excitation. 2000 , 85, 1226-9 | | 51 |
| 307 | Collisional decoherence in the presence of ultrafast optical pulses. 2000 , 62, | | 11 |
| 306 | Eigenvectors of a raman medium. 2000 , 84, 75-8 | | 25 |

| 305 | fs-pulse synthesis using phase modulation by impulsively excited molecular vibrations. 2000 , 84, 5508-11 | | 70 |
|-----|---|-----|------|
| 304 | Wavelength tunable femtosecond pulse trains from a direct space-to-time pulse shaper. 2000 , | | 1 |
| 303 | Femtosecond-rate space-to-time conversion. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2000 , 17, 1759 | 1.7 | 6 |
| 302 | Optimal control of type I second-harmonic generation with ultrashort laser pulses. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2000 , 17, 1901 | 1.7 | 8 |
| 301 | Architectural approach to the role of optics in monoprocessor and multiprocessor machines. <i>Applied Optics</i> , 2000 , 39, 671-82 | 1.7 | 39 |
| 300 | Ultrafast picket fence pulse trains to enhance frequency conversion of shaped inertial confinement fusion laser pulses. <i>Applied Optics</i> , 2000 , 39, 6931-8 | 1.7 | 11 |
| 299 | Chirp control in the direct space-to-time pulse shaper. <i>Optics Letters</i> , 2000 , 25, 850-2 | 3 | 12 |
| 298 | Spectral phase correlation of coded femtosecond pulses by second-harmonic generation in thick nonlinear crystals. <i>Optics Letters</i> , 2000 , 25, 984-6 | 3 | 43 |
| 297 | Femtosecond pulse shaping using spatial light modulators. 2000 , 71, 1929-1960 | | 1537 |
| 296 | Whither the future of controlling quantum phenomena?. 2000 , 288, 824-8 | | 943 |
| 295 | Spectral Holography and Spectral Nonlinear Optics of Ultrashort Pulses. 2000 , 47, 679-683 | | |
| 294 | Femtosecond optics techniques for communications and information processing. | | |
| 293 | Multiplication and reshaping of high-repetition-rate optical pulse trains using highly dispersive fiber Bragg gratings. 2000 , 12, 1498-1500 | | 15 |
| 292 | The Dilemma. 2000 , 1-10 | | 2 |
| 291 | Transient sum-frequency mixing with temporally tailored laser pulses. <i>Optics Letters</i> , 2001 , 26, 722-4 | 3 | 4 |
| 290 | Optimization of ultrashort-pulse squeezing by spectral filtering with the Fourier pulse-shaping technique. <i>Optics Letters</i> , 2001 , 26, 1592-4 | 3 | 12 |
| 289 | All-optical square-pulse generation and multiplication at 1.5 mum by use of a novel class of fiber Bragg gratings. <i>Optics Letters</i> , 2001 , 26, 1615-7 | 3 | 22 |
| 288 | Spatial phase information transmission through an optical fiber by coherence function synthesis. <i>Applied Optics</i> , 2001 , 40, 6466-73 | 1.7 | 2 |

(2002-2001)

| 287 | Pulse shaping by difference-frequency mixing with quasi-phase-matching gratings. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2001 , 18, 534 | 1.7 | 42 |
|-----|--|-----|-----|
| 286 | Femtosecond direct space-to-time pulse shaping. 2001 , 37, 494-504 | | 52 |
| 285 | Selective bond dissociation and rearrangement with optimally tailored, strong-field laser pulses. 2001 , 292, 709-13 | | 774 |
| 284 | Effect of nonlinear spatial dispersion on replica pulses In a 512-element liquid crystal modulator pulse shaper. 2001 , | | |
| 283 | Control of exciton dynamics in nanodots for quantum operations. 2001 , 87, 067401 | | 170 |
| 282 | 8 THz bandwidth dispersion-slope compensator module for multiband 40 Gbit/s WDM transmission systems using an AWG and spatial phase filter. 2001 , 37, 777 | | 13 |
| 281 | Optical signal processing for communication and information systems. | | |
| 280 | Coherent control of second harmonic generation using spectrally phase coded femtosecond waveforms. 2001 , 267, 161-171 | | 31 |
| 279 | Laser-induced population transfer by adiabatic passage techniques. 2001 , 52, 763-809 | | 775 |
| 278 | 20-fs pulse shaping with a 512-element phase-only liquid crystal modulator. 2001 , 7, 718-727 | | 17 |
| 277 | Transform-Limited Pulses Are Not Optimal for Resonant Multiphoton Transitions. 2001, 86, 47-50 | | 225 |
| 276 | Femtosecond light source for phase-controlled multiphoton ionization. 2001 , 87, 033402 | | 84 |
| 275 | Group velocity-matched interactions in fs- nonlinear optics:enhanced high-order Raman scattering by impulsively excited vibrations. 2001 , | | |
| 274 | Light modulation at molecular frequencies. 2001 , 63, | | 30 |
| 273 | The role of dispersion in ultrafast optics. 2001 , 72, 1-29 | | 143 |
| 272 | Raman technique for single-cycle pulses. 2002 , 65, | | 22 |
| 271 | Generation of single dispersion precompensated 1-fs pulses by shaped-pulse optimized high-order stimulated Raman scattering. 2002 , 88, 103901 | | 91 |
| 270 | Spectrally modified chirped pulse generation of sustained shock waves. 2002 , 80, 3919-3921 | | 52 |

| 269 | Frequency modulation and pulse compression by coherent multimode molecular motion. 2002, 66, | | 4 |
|-----|--|--------|-----|
| 268 | FAST CARS: engineering a laser spectroscopic technique for rapid identification of bacterial spores. 2002 , 99, 10994-1001 | | 175 |
| 267 | Using feedback for coherent control of quantum systems. 2002 , 4, R35-R52 | | 49 |
| 266 | Femtosecond pulses in optical fibers. 2002 , 44, 85-141 | | |
| 265 | Closing the Loop on Bond Selective Chemistry Using Tailored Strong Field Laser Pulses. 2002 , 106, 6427 | '-6444 | 120 |
| 264 | Adaptive pulse compression by two-photon absorption in semiconductors. <i>Optics Letters</i> , 2002 , 27, 315 | -73 | 14 |
| 263 | Coherent micromirror arrays. <i>Optics Letters</i> , 2002 , 27, 366-8 | 3 | 14 |
| 262 | Line narrowing and hole burning within the homogeneous linewidth: a new wave-mixing effect in two-level systems. <i>Optics Letters</i> , 2002 , 27, 1830-2 | 3 | |
| 261 | Angular dispersion of femtosecond pulses in a Gaussian beam. Optics Letters, 2002, 27, 2034-6 | 3 | 30 |
| 260 | Optical pulse-shaping system based on an electro-optic modulator driven by an aperture-coupled-stripline electrical-waveform generator. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2002 , 19, 2423 | 1.7 | 20 |
| 259 | Propagation, manipulation, and control of picosecond optical pulses at 15 th in fiber Bragg gratings. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2002 , 19, 2742 | 1.7 | 30 |
| 258 | Terahertz pulse shaping and optimal waveform generation in poled ferroelectric crystals. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2002 , 19, 2791 | 1.7 | 22 |
| 257 | Nonlinear spectral filtering of short laser pulses induced by phase and amplitude irregularities. | | |
| 256 | Experimental observation of ring dark spatial solitons. | | |
| 255 | Optical pulse shaping using optical coherent transients. | | 0 |
| 254 | Terahertz pulse shaping and optimal waveform generation in poled ferroelectric crystals. | | |
| 253 | Dispersion control in a 100-kHz-repetition-rate 35-fs Ti:sapphire regenerative amplifier system. 2002 , 38, 1465-1470 | | 13 |
| 252 | Adaptive control methods for ultrafast pulse propagation in optical fibers. 2002 , 8, 690-698 | | 10 |

| 251 | Spectroscopic and quantum-control aspects of ultrashort-pulse synthesis through impulsive high-order stimulated Raman scattering. 2002 , 33, 112-120 | | 5 |
|-----|--|-----|-----|
| 250 | All-linear control of attosecond pulse generation. <i>Optics Communications</i> , 2002 , 203, 403-412 | 2 | 6 |
| 249 | Coherent control of acoustic vibrations in metal nanoparticles and thin films with sequences of femtosecond pulses: Harmonic-oscillator model. 2002 , 93, 286-290 | | 3 |
| 248 | The mode structure and spectral properties of supercontinuum emission from microstructure fibers. 2002 , 95, 851-860 | | 7 |
| 247 | An implementation of the Deutschllozsa algorithm on molecular vibronic coherences through four-wave mixing: a theoretical study. 2002 , 360, 459-465 | | 29 |
| 246 | Controlled supercontinuum generation for optimal pulse compression: a time-warp analysis of nonlinear propagation of ultra-broad-band pulses. 2003 , 77, 329-336 | | 5 |
| 245 | Preparation and addressability of molecular vibrational qubit states in the presence of anharmonic resonance. 2003 , 378, 273-280 | | 53 |
| 244 | Numerical studies of optical parametric chirped pulse amplification. 2003 , 35, 13-19 | | 11 |
| 243 | Robust control by a multicolor weak laser pulse of the fluorescence of NO2 from the X2A?/A2A? conical intersection. 2003 , 287, 237-251 | | 4 |
| 242 | Free-Space Electro-Optic Techniques. Springer Series in Optical Sciences, 2003, 155-192 | 0.5 | 3 |
| 241 | Generation of a 100-GHz optical pulse train by pulse repetition-rate multiplication using superimposed fiber Bragg gratings. 2003 , 15, 413-415 | | 28 |
| 240 | Adaptive RF-photonic arbitrary waveform generator. 2003 , 15, 581-583 | | 257 |
| 239 | Real-time detection of femtosecond optical pulse sequences via time-to-space conversion in the lightwave communications band. <i>Journal of Lightwave Technology</i> , 2003 , 21, 3323-3333 | 4 | 9 |
| 238 | Generation of entanglement between frequency bands by nonlinear fiber propagation and spectral pulse shaping. <i>Optics Letters</i> , 2003 , 28, 275-7 | 3 | 3 |
| 237 | Optimal generation of single-dispersion precompensated 1-fs pulses by molecular phase modulation. <i>Optics Letters</i> , 2003 , 28, 576-8 | 3 | 15 |
| 236 | Coherent two-photon absorption quenching of short laser pulses withphaseamplitude irregularities. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2003 , 20, 2569 | 1.7 | |
| 235 | Ultrashort pulse generation by molecular modulation. 2003 , 5, R1-R26 | | 59 |
| 234 | Ultra wideband microwave-photonic arbitrary waveform generator. | | 1 |

| 233 | Quantum Physics Under Control. 2003 , 56, 43-49 | | 237 |
|-----|--|---|-----|
| 232 | Feedback Control for Accurate Shaping of Ultrashort Optical Pulses prior to Chirped Pulse Amplification. 2004 , 43, 1366-1375 | | 15 |
| 231 | Phase control of a two-photon transition with shaped femtosecond laser-pulse sequences. 2004 , 70, | | 80 |
| 230 | Pulse shaping and processing by cascaded third-harmonic generation in quasiperiodic optical superlattices. 2004 , 70, | | 1 |
| 229 | Biexcitonic resonance in the nonlinear optical response of an InAs quantum dot ensemble. 2004 , 69, | | 12 |
| 228 | Ultrafast temporal pattern generation and recognition. 2004 , 43, 1874 | | 4 |
| 227 | Optically Driven Quantum Computing Devices Based on Semiconductor Quantum Dots. 2004 , 3, 147-161 | | 1 |
| 226 | Numerical modeling of optical coherent transient processes with complex configurations II. Angled beams with arbitrary phase modulations. 2004 , 107, 138-145 | | 16 |
| 225 | Temporal and spectral optimization course analysis of coherent control experiments. 2004 , 306, 287-293 | | 10 |
| 224 | Controlling nonlinear processes in microstructured fibers using shaped pulses. <i>Optics Express</i> , 2004 , 12, 4731-41 | 3 | 45 |
| 223 | Design of an extreme-ultraviolet monochromator free from temporal stretching. <i>Applied Optics</i> , 2004 , 43, 1072-81 | 7 | 9 |
| 222 | Time-frequency signal processing of terahertz pulses. <i>Applied Optics</i> , 2004 , 43, 3848-53 | 7 | 7 |
| 221 | Ultrafast pulse optimization using two-photon absorption induced thermal lens. <i>Optics Communications</i> , 2005 , 251, 423-428 | | 9 |
| 220 | Application of parametric time and frequency domain shaping. <i>European Physical Journal D</i> , 2005 , 33, 39-42 | 3 | 14 |
| 219 | Coherent control calculations for helium atom in short and intensive XUV laser pulses. <i>European Physical Journal D</i> , 2005 , 33, 307-311 | 3 | 3 |
| 218 | Limiting temporal and spectral resolution in spectroscopy and microscopy of coherent Raman scattering with chirped ultrashort laser pulses. 2005 , 100, 833-843 | | 12 |
| 217 | A direct temporal domain approach for pulse-repetition rate multiplication with arbitrary envelope shaping. 2005 , 11, 165-172 | | 16 |
| 216 | Real - time Shaping of Ultra - Short Optical Pulses Using an Arrayed - Waveguide - Grating and Spatial Light Modulator. 2005 , IWA6 | | |

| 215 | Ultrahigh frequency acoustic phonon generation and spectroscopy with Deathstar pulse shaping. <i>Springer Series in Chemical Physics</i> , 2005 , 236-238 | 0.3 | 1 |
|---------------------------------|--|-----|---------------|
| 214 | ULTRAFAST TECHNOLOGY Ultrafast Illumination and Processing. 2005, 264-273 | | |
| 213 | Atomic-Level Surface Phenomena Controlled by Femtosecond Optical Pulses. 2005, 335-347 | | |
| 212 | At the Confluence of Experiment and Simulation. 2005, 369-397 | | 1 |
| 211 | Subspace system identification framework for the analysis of multimoded propagation of THz-transient signals. 2005 , 16, 1037-1053 | | 19 |
| 210 | Femtosecond pulse compression using the Z-scan technique and closed-loop evolutionary algorithm. <i>Journal of Applied Physics</i> , 2005 , 98, 083521 | 2.5 | 3 |
| 209 | Shaping terahertz pulses using structured metal films. 2005, | | |
| 208 | A programmable on-chip ultrashort-pulse shaper using a micromachined actuator array and a chirped fiber Bragg grating. 2005 , | | |
| 207 | A micromachined platform for localized index modulation in chirped fiber Bragg gratings and its application to ultrafast optical pulse shaping. | | |
| | | | |
| 206 | Femtosecond lasers in gas phase chemistry. 2005 , 34, 949-69 | | 32 |
| 206 | Femtosecond lasers in gas phase chemistry. 2005, 34, 949-69 Optical rotatory-dispersion-type spatial light modulator and characteristics of the modulated light. Applied Optics, 2005, 44, 3992-9 | 1.7 | 32 |
| | Optical rotatory-dispersion-type spatial light modulator and characteristics of the modulated light. | 1.7 | |
| 205 | Optical rotatory-dispersion-type spatial light modulator and characteristics of the modulated light. <i>Applied Optics</i> , 2005 , 44, 3992-9 Programmable optical pulse burst manipulation using a virtually imaged phased array (VIPA) based | | 1 |
| 205 | Optical rotatory-dispersion-type spatial light modulator and characteristics of the modulated light. <i>Applied Optics</i> , 2005 , 44, 3992-9 Programmable optical pulse burst manipulation using a virtually imaged phased array (VIPA) based Fourier transform pulse shaper. <i>Journal of Lightwave Technology</i> , 2005 , 23, 3916-3923 Excitation and scattering of surface plasmon-polaritons on structured metal films and their | | 1 10 |
| 205 | Optical rotatory-dispersion-type spatial light modulator and characteristics of the modulated light. <i>Applied Optics</i> , 2005 , 44, 3992-9 Programmable optical pulse burst manipulation using a virtually imaged phased array (VIPA) based Fourier transform pulse shaper. <i>Journal of Lightwave Technology</i> , 2005 , 23, 3916-3923 Excitation and scattering of surface plasmon-polaritons on structured metal films and their application to pulse shaping and enhanced transmission. 2005 , 7, 249-249 | | 1 10 |
| 205 204 203 202 | Optical rotatory-dispersion-type spatial light modulator and characteristics of the modulated light. <i>Applied Optics</i> , 2005 , 44, 3992-9 Programmable optical pulse burst manipulation using a virtually imaged phased array (VIPA) based Fourier transform pulse shaper. <i>Journal of Lightwave Technology</i> , 2005 , 23, 3916-3923 Excitation and scattering of surface plasmon-polaritons on structured metal films and their application to pulse shaping and enhanced transmission. 2005 , 7, 249-249 Controlling quantum phenomena with photonic reagents. 2005 , 149-163 Repetition rate and center wavelength-tunable optical pulse generation using an optical comb | | 1 10 28 |
| 205 204 203 202 201 | Optical rotatory-dispersion-type spatial light modulator and characteristics of the modulated light. <i>Applied Optics</i> , 2005 , 44, 3992-9 Programmable optical pulse burst manipulation using a virtually imaged phased array (VIPA) based Fourier transform pulse shaper. <i>Journal of Lightwave Technology</i> , 2005 , 23, 3916-3923 Excitation and scattering of surface plasmon-polaritons on structured metal films and their application to pulse shaping and enhanced transmission. 2005 , 7, 249-249 Controlling quantum phenomena with photonic reagents. 2005 , 149-163 Repetition rate and center wavelength-tunable optical pulse generation using an optical comb generator and a high-resolution arrayed-waveguide grating. 2006 , 18, 679-681 | | 1 10 28 |

| 197 | Reshaping of attosecond x-ray pulses in thin crystals. <i>Optics Letters</i> , 2006 , 31, 280-2 | 3 | O |
|-----|---|-----|----|
| 196 | Spatial phase dislocations in femtosecond laser pulses. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2006 , 23, 26 | 1.7 | 25 |
| 195 | Arrayed-waveguide grating with wavefront compensation lenses for spatial filter integration. 2006 , 3, 221-226 | | 1 |
| 194 | Multirate RZ communications for dispersive wireless optical channels. 2006, | | |
| 193 | Coherent Raman spectroscopy with frequency-shifted and shaped pulses from a photonic-crystal fiber. 2006 , 418, 19-23 | | 11 |
| 192 | Competing processes in optical parametric chirped pulse amplification. <i>Optics Communications</i> , 2006 , 261, 225-230 | 2 | 14 |
| 191 | Selective excitation of molecular modes in a mixture by optimal control of electronically nonresonant femtosecond four-wave mixing spectroscopy. 2006 , 180, 289-299 | | 29 |
| 190 | Shaping of ultrashort pulses using bulk acousto-optic filter. 2006 , 82, 283-287 | | 9 |
| 189 | Selective spectral filtering of molecular modes of Larotene in solution using optimal control in four-wave-mixing spectroscopy. 2006 , 37, 697-704 | | 41 |
| 188 | A Compact Nanosecond-Pulse Shaping System Based on Pulse Stacking in Fibres. 2006 , 23, 2074-2076 | | 5 |
| 187 | Frequency domain equalization of optical channel distortion in free-space optical wireless communications. 2006 , 6390, 142 | | O |
| 186 | Dark pulses for resonant two-photon transitions. 2006 , 74, | | 19 |
| 185 | Ultrafast Lasers in Materials Research. 2006 , 31, 594-600 | | 8 |
| 184 | Photonic band gap fibre compressed chirped-pulse oscillator. 2007 , 9, 248-248 | | 2 |
| 183 | Optimization of Pulse Shaping System for Optical Wireless Communication. 2007, | | 0 |
| 182 | Generation of arbitrarily shaped pulse for optical wireless communication. 2007, | | |
| 181 | Programmable Polarization-Independent Electrooptic Matched Bandpass Filter Utilizing Symmetric Branch Beam Splitters in Ti: \$hbox{LiNbO}_{3}\$. <i>Journal of Lightwave Technology</i> , 2007 , 25, 2198-2205 | 4 | 3 |
| 180 | Ultrashort Laser Shock Dynamics. 2007 , 47-104 | | 3 |

| 179 | Monolithic Semiconductor Waveguide Device Concept for Picosecond Pulse Amplification, Isolation, and Spectral Shaping. 2007 , 43, 910-922 | | 18 |
|-----|--|-----|-----|
| 178 | Femtosecond quantum control of molecular dynamics in the condensed phase. 2007 , 9, 2470-97 | | 237 |
| 177 | Shaped Ultrafast Laser Pulses in the Deep Ultraviolet. 2007 , | | |
| 176 | Ultrafast Optical Measurements of Shocked Materials. 2007 , 159-184 | | |
| 175 | Complete characterization of molecular vibration using frequency resolved gating. 2007, 126, 091102 | | 14 |
| 174 | Time-Frequency and Coordinate-Momentum Wigner Wavepackets in Nonlinear Spectroscopy. 2007 , 345-3 | 372 | 12 |
| 173 | Application of feedback-controlled pulse shaping for control of CARS spectra: the role of phase and amplitude modulation. 2007 , 38, 1006-1021 | | 26 |
| 172 | Shaping ability of all fiber coherent pulse stacker. 2007 , 39, 1120-1124 | | 5 |
| 171 | Generation of shaped ultraviolet pulses at the third harmonic of titanium-sapphire femtosecond laser radiation. 2007 , 88, 519-526 | | 29 |
| 170 | An analytical model of the rotational Raman response function of molecular gases. 2008, 39, 756-765 | | 9 |
| 169 | Proposal and analysis of a reconfigurable pulse shaping technique based on multi-arm optical differentiators. <i>Optics Communications</i> , 2008 , 281, 4581-4588 | | 19 |
| 168 | Interrogation of surface plasmon resonance sensors using temporally stretched ultrashort optical pulses. 2008 , 133, 671-676 | | 1 |
| 167 | Coherent control for the spherical symmetric box potential in short and intensive XUV laser fields. 2008 , 6, | | |
| 166 | Generation of Picosecond Pulse Train With Alternate Carrier Frequencies Using Dispersion Oscillating Fiber. 2008 , 14, 733-738 | | 7 |
| 165 | Compact 10 GHz loopback arrayed-waveguide grating for high-fidelity optical arbitrary waveform generation. <i>Optics Letters</i> , 2008 , 33, 1714-6 | | 35 |
| 164 | Picosecond linear optical pulse shapers based on integrated waveguide Bragg gratings. <i>Optics Letters</i> , 2008 , 33, 2425-7 | | 16 |
| 163 | Analog and Digital Optical Pulse Synthesizers Using Arrayed-Waveguide Gratings for High-Speed Optical Signal Processing. <i>Journal of Lightwave Technology</i> , 2008 , 26, 670-677 | | 32 |
| 162 | Adaptive reshaping of objects in (multiparameter) Hilbert space for enhanced detection and classification: an application of receiver operating curve statistics to laser-based mass spectroscopy. 2008 , 25, 1039-50 | | O |

| 161 | Dissipative soliton resonances in laser models with parameter management. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2008 , 25, 1972 | 1.7 | 76 |
|-------------------|--|-----|---|
| 160 | Design, Fabrication and Characterization of an InP-Based Tunable Integrated Optical Pulse Shaper. 2008 , 44, 370-377 | | 26 |
| 159 | Influence of electronic resonances on mode selective excitation with tailored laser pulses. 2008 , 112, 1380-91 | | 5 |
| 158 | Programmable pulse shaping by using Liquid Crystal-Spatial Light Modulator (LC-SLM) for optical wireless communications. 2008 , | | O |
| 157 | Microoptical processing and shaping of ultrashort pulses. 2008, | | |
| 156 | Effects of narrow-band pulse shaping on a resonant multilevel system. 2008 , 78, | | 3 |
| 155 | Optical pulse shaping for ultrahigh-bit-rate telecom applications based on IIII integrated waveguide Bragg gratings. 2008 , | | |
| 154 | High-Resolution, Loop-Back AWG for Compact, High-Fidelity Optical Arbitrary Waveform Generation. 2008 , | | 1 |
| 153 | Dissipative soliton resonances in the anomalous dispersion regime. 2009 , 79, | | 124 |
| 152 | Spectral Analysis using Linearly Chirped Gaussian Pulse Stacking. 2009 , 26, 074207 | | |
| | | | , |
| 151 | Attosecond physics. 2009 , 81, 163-234 | | 3736 |
| 151 150 | Attosecond physics. 2009, 81, 163-234 Laser pulse shaping for generating uniform three-dimensional ellipsoidal electron beams. 2009, 12, | | 22 |
| | | 3 | |
| 150 | Laser pulse shaping for generating uniform three-dimensional ellipsoidal electron beams. 2009, 12, Simultaneous amplitude and phase modulation by a discrete phase-only filter. <i>Optics Letters</i> , 2009, | | 22 |
| 150 149 | Laser pulse shaping for generating uniform three-dimensional ellipsoidal electron beams. 2009 , 12, Simultaneous amplitude and phase modulation by a discrete phase-only filter. <i>Optics Letters</i> , 2009 , 34, 641-3 Simultaneous Optical Pulse Multiplication and Shaping Based on the Amplitude-Assisted | | 5 |
| 150 149 148 | Laser pulse shaping for generating uniform three-dimensional ellipsoidal electron beams. 2009, 12, Simultaneous amplitude and phase modulation by a discrete phase-only filter. <i>Optics Letters</i> , 2009, 34, 641-3 Simultaneous Optical Pulse Multiplication and Shaping Based on the Amplitude-Assisted Phase-Only Filter Utilizing a Fiber Bragg Grating. <i>Journal of Lightwave Technology</i> , 2009, 27, 5246-5252 Modulation-format agile, reconfigurable Tb/s transmitter based on optical arbitrary waveform | 4 | 5 |
| 150 149 148 | Laser pulse shaping for generating uniform three-dimensional ellipsoidal electron beams. 2009, 12, Simultaneous amplitude and phase modulation by a discrete phase-only filter. <i>Optics Letters</i> , 2009, 34, 641-3 Simultaneous Optical Pulse Multiplication and Shaping Based on the Amplitude-Assisted Phase-Only Filter Utilizing a Fiber Bragg Grating. <i>Journal of Lightwave Technology</i> , 2009, 27, 5246-5252 Modulation-format agile, reconfigurable Tb/s transmitter based on optical arbitrary waveform generation. <i>Optics Express</i> , 2009, 17, 15911-25 | 3-3 | 22542 |

Stability analysis of Linearly Chirped Gaussian Pulse Stacking in laser plasma reaction. 2009, 143 Experimental Demonstration of a FBG-Based Temporal Optical Pulse Shaping Scheme Dual to 142 Spatial Arrangements for its Use in OCDMA Systems. 2009, Finding Exoplanets with Quantum Imaging. 2009, 2, 141 1 3 b/s/Hz 1.2 Tb/s Packet Generation using Optical Arbitrary Waveform Generation Based Optical 140 Transmitter. 2009. Generating 20 GHz and 40 GHz Pulse Trains from a 10 GHz Mode-Locked Laser Using a Tunable 139 Planar Lightwave Circuit and Nonlinear Wavelength Conversion. 2010, Control of quantum phenomena: past, present and future. 2010, 12, 075008 138 600 Full parametric pulse shaping in phase, amplitude, and polarization using an effective four-array 15 137 modulator. **2010**, 101, 79-91 Dynamic pulse reshaping generation using coherent control for ultra fast switching use. 2010, 52, 1542-1545 136 Proposal of dual-heterodyne-mixing method and application to high-speed waveform 2 135 10 measurement using low-speed equipments. Optics Communications, 2010, 283, 4733-4740 Chirped Fiber Bragg Gratings. 2010, 301-345 134 29 Ultrafast gates for single atomic qubits. 2010, 105, 090502 133 93 Ultrafast spatiotemporal laser pulse engineering using chromatic dispersion. 2010, 12, 123011 132 Grism-based pulse shaper for line-by-line control of more than 600 optical frequency comb lines. 131 3 9 Optics Letters, 2010, 35, 3264-6 Tunable Lattice-Form Machidennder Interferometer for Arbitrary Binary Code Generation at 40 130 4 4 GHz. Journal of Lightwave Technology, 2010, Line-by-line control of 10-THz-frequency-spacing Raman sidebands. Optics Express, 2010, 18, 732-9 8 129 3.3 An Unbalanced Temporal Pulse-Shaping System for Chirped Microwave Waveform Generation. 128 27 2010, 58, 2968-2975 The reflection profile engineering approach to optimize VIPA demultiplexer for UWB-Over-Fiber 127 O systems. 2010, Experimental Demonstration of Symmetrical Waveform Generation Based on Amplitude-Only 126 15 Modulation in a Fiber-Based Temporal Pulse Shaping System. 2011, 23, 715-717

| 125 | Parametrically phase-, amplitude-, and polarization-shaped femtosecond laser pulses guided via a step-index fiber. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011 , 28, 406 | 1.7 | 6 |
|-----|--|-------------|-----|
| 124 | Arbitrary repetition-rate multiplication of high speed optical pulses using a programmable optical processor. 2011 , | | |
| 123 | Control of Quantum Phenomena. 2011 , 1-76 | | 11 |
| 122 | Dynamics of Optical Pulses Propagating in Fibers with Variable Dispersion. 2011 , | | |
| 121 | Generation of Phase Only Pulses Using Optical Pulse Synthesizer. Applied Physics Express, 2011 , 4, 092702 | 3 .4 | 1 |
| 120 | Dynamic optical arbitrary waveform generation and detection in InP photonic integrated circuits for Tb/s optical communications. <i>Optics Communications</i> , 2011 , 284, 3693-3705 | 2 | 23 |
| 119 | What spatial light modulators can do for optical microscopy. <i>Laser and Photonics Reviews</i> , 2011 , 5, 81-10 | В.3 | 267 |
| 118 | Ultrafast Raman loss spectroscopy (URLS): instrumentation and principle. 2011 , 42, 1883-1890 | | 33 |
| 117 | Ultrafast optical pulse shaping: A tutorial review. <i>Optics Communications</i> , 2011 , 284, 3669-3692 | 2 | 398 |
| 116 | Influence of the pulse shape and the dot size on the decay and reappearance of Rabi rotations in laser driven quantum dots. 2011 , 84, | | 23 |
| 115 | Optimizing Laser-Induced Refractive Index Changes in Optical Glasses via Spatial and Temporal Adaptive Beam Engineering. 2012 , 67-91 | | 2 |
| 114 | Development of a Novel Surface Processing System Using Femtosecond Pulse Train. 2012 , 523-524, 220- | 225 | 2 |
| 113 | Analytical study on arbitrary waveform generation by MEMS micro mirror arrays. <i>Optics Express</i> , 2012 , 20, 27542-53 | 3.3 | 4 |
| 112 | Dynamic optical arbitrary waveform generation with amplitude controlled by interference of two FBG arrays. <i>Optics Express</i> , 2012 , 20, 23074-81 | 3.3 | 9 |
| 111 | Proposal and design of Airy-based rocket pulses for invariant propagation in lossy dispersive media. <i>Optics Letters</i> , 2012 , 37, 4970-2 | 3 | 3 |
| 110 | Ultrafast optical frequency comb synthesizer and analyzer. <i>Optics Letters</i> , 2012 , 37, 3642-4 | 3 | 7 |
| 109 | Spectral waveform measurement of 2 ^T Hz optical frequency comb by dual-heterodyne mixing. Journal of the Optical Society of America B: Optical Physics, 2012 , 29, 1707 | 1.7 | 7 |
| 108 | Polarization dependence of phonon influences in exciton-biexciton quantum dot systems. 2012 , 86, | | 6 |

| 107 | Fast arbitrary waveform generation by using digital micro-mirror arrays. 2012, | | 1 |
|-----|---|-----|----|
| 106 | Ultrashort flat-top pulse generation using an integrated Mach-Zehnder interferometers. 2012, | | |
| 105 | Fiber transmission characteristics of phase only pulse and its dispersion compensation in high power regime. 2012 , 9, 410-415 | | 1 |
| 104 | All optical parallel-to-serial conversion by modified spectral holography structure. 2012 , 108, 153-158 | | |
| 103 | Ultrashort Flat-Top Pulse Generation Using On-Chip CMOS-Compatible Machidehnder Interferometers. 2012 , 24, 1387-1389 | | 10 |
| 102 | Short and Ultrashort Laser Pulses. 2012 , 1047-1094 | | 5 |
| 101 | Bandlimited Airy Pulses for Invariant Propagation in Single-Mode Fibers. <i>Journal of Lightwave Technology</i> , 2012 , 30, 3660-3666 | 4 | 2 |
| 100 | In-Fiber Subpicosecond Pulse Shaping for Nonlinear Optical Telecommunication Data Processing at 640 Gbit/s. 2012 , 2012, 1-16 | | 3 |
| 99 | Integrated Fourier-Domain Mode-Locked Lasers: Analysis of a Novel Coherent Comb Laser. 2012 , 18, 201-209 | | 3 |
| 98 | Grating-lens dispersive delay line. 2012 , 47, 29-32 | | |
| 97 | Analysis of dynamic optical arbitrary waveform generation based on three FBG arrays. 2013 , 52, 81-86 | | 9 |
| 96 | Experimental Electrically Reconfigurable Time-Domain Spectral Amplitude Encoding/Decoding in an Optical Code Division Multiple Access System. 2013 , 32, 324-335 | | 1 |
| 95 | Scattering of infrared pulses on ring Dielectric Micro-resonator band-stop filters. 2013, | | |
| 94 | Label free optimal dynamic discrimination of biological macromolecules. 2013, | | |
| 93 | Femtosecond pulse shaping by modulating the refractive index modulation of volume holographic grating. <i>Optics Express</i> , 2013 , 21, 7560-9 | 3.3 | 6 |
| 92 | Tunable microwave-photonic filter using frequency-to-time mapping-based delay lines. <i>Optics Express</i> , 2013 , 21, 21702-7 | 3.3 | 10 |
| 91 | Linear dispersive pre-defined peak amplitude modulation of spectrally modulated Airy-based pulses. <i>Optics Express</i> , 2013 , 21, 13394-401 | 3.3 | 2 |
| 90 | Picosecond optical signal processing based on transmissive fiber Bragg gratings. <i>Optics Letters</i> , 2013 , 38, 1247-9 | 3 | 11 |

| 89 | Selective amplification of frequency comb modes via optical injection locking of a semiconductor laser: influence of adjacent unlocked comb modes. 2013 , | | 7 |
|----|--|-----|-----|
| 88 | Tsymbol/s Optical Coding Based on Long-Period Gratings. 2013 , 25, 910-913 | | 5 |
| 87 | Spatial and Temporal Manipulation of Ultrafast Laser Pulses for Micro- and Nano-Processing. 2013 , 201-2 | 42 | |
| 86 | High Gain Frequency domain Optical Parametric Amplifier (FOPA) for High Contrast Pulses. 2014, | | |
| 85 | Continuous-Wave Molecular Modulation Using a High-Finesse Cavity. 2014 , 4, 498-514 | | 6 |
| 84 | Temporal self-imaging effect for periodically modulated trains of pulses. <i>Optics Express</i> , 2014 , 22, 15251 ₃ | 696 | 11 |
| 83 | Quasi-monoenergetic ion generation by hole-boring radiation pressure acceleration in inhomogeneous plasmas using tailored laser pulses. 2014 , 21, 012705 | | 20 |
| 82 | Optical pulse multiplication based on a doubly-sampled spectral filter utilizing fiber Bragg grating. 2014 , | | |
| 81 | Temporal widening of a short polarized pulse focused with a high numerical aperture aplanatic lens. 2014 , 31, 696-703 | | 3 |
| 80 | Tunable WDM sampling pulse streams using a spatial phase modulator in a biased pulse shaper. Optics Letters, 2014 , 39, 642-5 | | 1 |
| 79 | Frequency domain optical parametric amplification. <i>Nature Communications</i> , 2014 , 5, 3643 | 7.4 | 101 |
| 78 | Ultrafast optical signal generation and processing based on fiber long period gratings. 2014, | | |
| 77 | Temporal diffraction characteristics of transmitted multilayer volume holographic grating illuminated by an ultrashort pulse. <i>Optik</i> , 2014 , 125, 3231-3236 | .5 | 1 |
| 76 | Frequency domain optical parametric amplification. 2015, | | |
| 75 | Energy-Efficient Optical Pulse Multiplication and Shaping Based on a Triply Sampled Filter Utilizing a Fiber Bragg Grating. <i>Journal of Lightwave Technology</i> , 2015 , 33, 2167-2176 | | О |
| 74 | Coherent pulse synthesis: towards sub-cycle optical waveforms. <i>Laser and Photonics Reviews</i> , 2015 , 9, 129-171 | .3 | 132 |
| 73 | | | |
| 73 | Two-electron quantum ring in short pulses. <i>Chinese Physics B</i> , 2015 , 24, 020303 | .2 | 1 |

(2020-2015)

| 71 | Direct generation of 2 W average-power and 232 nJ picosecond pulses from an ultra-simple Yb-doped double-clad fiber laser. <i>Optics Letters</i> , 2015 , 40, 1097-100 | 3 | 19 |
|----|---|-------|----|
| 70 | Reconfigurable symmetric pulses generation using on-chip cascaded optical differentiators. <i>Optics Express</i> , 2016 , 24, 20529-41 | 3.3 | 5 |
| 69 | 128-bit spectral processing of sub-picosecond optical pulses in a standard SOI CMOS process. <i>Optics Express</i> , 2016 , 24, 30317-30327 | 3.3 | 4 |
| 68 | Time-domain Vander-Lugt filters for in-fiber complex (amplitude and phase) optical pulse shaping. <i>Optics Letters</i> , 2016 , 41, 2121-4 | 3 | 3 |
| 67 | Pulse train dependence of electron dynamics during resonant femtosecond laser nonlinear ionization of a Na4cluster. <i>Laser Physics</i> , 2016 , 26, 116001 | 1.2 | |
| 66 | Femtosecond pulse shaping using wavelength-selective directional couplers: proposal and simulation. <i>Optics Express</i> , 2016 , 24, 7943-50 | 3.3 | 5 |
| 65 | Enhancing field-free molecular alignment by a polynomial phase modulation. <i>European Physical Journal D</i> , 2016 , 70, 1 | 1.3 | |
| 64 | High Power Femtosecond Diode Lasers. Springer Series in Optical Sciences, 2016, 23-46 | 0.5 | 1 |
| 63 | Differential processing for frequency chirp measurement using optical pulse synthesizer. <i>Optics Communications</i> , 2017 , 387, 135-140 | 2 | |
| 62 | Yb:LuAlO crystal as a gain medium for efficient broadband chirped pulse regenerative amplification. <i>Optics Letters</i> , 2017 , 42, 2415-2418 | 3 | 10 |
| 61 | Huygenslimetasurfaces from microwaves to optics: a review. <i>Nanophotonics</i> , 2018 , 7, 1207-1231 | 6.3 | 80 |
| 60 | Quantum Control in Multilevel Systems. Advances in Atomic, Molecular and Optical Physics, 2018 , 67, 15 | 1-256 | 10 |
| 59 | Rapid scanning optical delay line based on a diffraction grating pair for a low-coherence reflectometer. <i>Applied Optics</i> , 2018 , 57, 4542-4550 | 1.7 | |
| 58 | A TD-DFT Treatment of Electronic Excitations in the STEM Spanning Dipole and Impact Scattering Regimes. <i>Microscopy and Microanalysis</i> , 2019 , 25, 2300-2301 | 0.5 | |
| 57 | Interaction of semiconductor metasurfaces with short laser pulses: From nonlinear-optical response toward spatiotemporal shaping. <i>Journal of Applied Physics</i> , 2019 , 126, 085705 | 2.5 | 6 |
| 56 | Ultrafast Raman Fiber Laser Based on Cavity Matching Scheme and Heavily Germania-Core Fiber. Journal of Lightwave Technology, 2019 , 37, 2914-2919 | 4 | 3 |
| 55 | Ultrashort laser pulse doubling by metal-halide perovskite multiple quantum wells. <i>Nature Communications</i> , 2020 , 11, 3361 | 17.4 | 28 |
| 54 | Information transfer via temporal convolution in nonlinear optics. Scientific Reports, 2020, 10, 14969 | 4.9 | |

| 53 | Femtosecond Laser Pulses: Linear Properties, Manipulation, Generation and Measurement. 2007 , 937-9 | 983 | 33 |
|----|--|-----|----|
| 52 | Analysis and control of small isolated molecular systems. 2007 , 25-152 | | 3 |
| 51 | Temporal Pulse Tailoring in Ultrafast Laser Manufacturing Technologies. <i>Springer Series in Materials Science</i> , 2010 , 121-144 | 0.9 | 14 |
| 50 | Multi-Dimensional Femtosecond Pulse Shaping. Springer Series in Chemical Physics, 1996 , 159-160 | 0.3 | 1 |
| 49 | Dynamics. 2004 , 621-739 | | 63 |
| 48 | Ultrafast Laser Applications in Manufacturing Processes: A State-of-the-Art Review. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2020 , 142, | 3.3 | 25 |
| 47 | Pulses from a mid-infrared quantum cascade laser frequency comb using an external compressor. Journal of the Optical Society of America B: Optical Physics, 2019, 36, 1676 | 1.7 | 6 |
| 46 | Generation of tunable ultra-short pulse sequences in a quasi-discrete spectral supercontinuum by dark solitons. <i>Optics Express</i> , 2019 , 27, 23539-23548 | 3.3 | 4 |
| 45 | 2x40-channel dispersion-slope compensator for 40-Gbit/s WDM transmission systems covering entire C- and L-bands. 2001 , | | 2 |
| 44 | Rapid programmable pulse shaping of femtosecond pulses at the MHz repetition rate. <i>OSA Continuum</i> , 2019 , 2, 1386 | 1.4 | 6 |
| 43 | Ultrashort light pulses in hollow waveguides. <i>Uspekhi Fizicheskikh Nauk</i> , 2002 , 172, 743 | 0.5 | 33 |
| 42 | 20-fs pulse shaping with a 512-element phase only liquid crystal modulator. 2000 , | | |
| 41 | 20-fs pulse shaping with a 512-element phase only liquid crystal modulator. <i>Springer Series in Chemical Physics</i> , 2001 , 177-179 | 0.3 | |
| 40 | Adaptive pulse shaping of amplified femtosecond pulse laser in phase and amplitude by directly referring frequency resolved optical gating traces. 2002 , | | |
| 39 | Strong Field Control of Photochemistry Using Tailored Laser Pulses. 2002, | | |
| 38 | Generation of entanglement between frequency bands via a nonlinear fiber propagation and a spectral pulse shaping. 2002 , | | |
| 37 | Ultrafast Single- and Multiwavelength Modelocked Semiconductor Lasers. 2002, | | 3 |
| 36 | Adaptive pulse shaping of amplified femtosecond pulse laser in phase and amplitude by directly referring to frequency resolved optical gating traces. <i>Springer Series in Chemical Physics</i> , 2003 , 232-234 | 0.3 | |

| 35 | Generation of Optional Pulse Shape by Yb Doped Fiber Laser System. <i>The Review of Laser Engineering</i> , 2006 , 34, 779-782 | Ο | |
|----|---|-----|---|
| 34 | Broadband Modulation of Light by Coherent Molecular Oscillations. 2009, 347-366 | | |
| 33 | Simultaneous optical pulse multiplication and shaping based on the amplitude-assisted phase-only FBG filter. 2009 , | | |
| 32 | Ultrafast optical pulse repetition rate multiplication based on time domain spectral amplitude/phase filtering. 2010 , | | |
| 31 | Grism-based Pulse Shaper for Line-by-Line Control of More than 600 Comb Lines. 2010 , | | |
| 30 | Line-by-line control towards 10-THz repetition rate arbitrary optical waveform generation. 2010, | | |
| 29 | Proposal of a Reconfigurable Ultrafast Optical Pulse Shaping Technique Using Multi-Arm Optical Differentiators. 2011 , | | |
| 28 | Integrated Temporal Fourier Transformer Based on Chirped Bragg Grating Waveguides. 2011, | | |
| 27 | Optical Coherence Tomography. 2012 , 297-306 | | |
| 26 | Femtosecond Pulse Shaping Based on a Wavelength-Selective Directional Coupler. 2012, | | |
| 25 | Pico-second Flat-Top Pulse-Shaper based on a Linearly-Chirped Fiber Bragg Grating in Transmission. 2013 , | | |
| 24 | Scattering of infrared optical pulses on the band-stop filters on ring dielectric micro-resonators. <i>Electronics and Communications</i> , 2013 , 18, 26-32 | | 2 |
| 23 | Femtosecond Optical Arbitrary Waveform Control Based on Ultrafast Optical Frequency Comb Synthesizer and Analyzer. <i>The Review of Laser Engineering</i> , 2014 , 42, 722 | О | |
| 22 | Soft-X-Ray Harmonics in the Water Window. 1998 , 45-51 | | |
| 21 | Femtosecond Fourier Optics: Shaping and Processing of Ultrashort Optical Pulses. <i>Springer Series in Optical Sciences</i> , 1999 , 233-246 | 0.5 | 3 |
| 20 | An optical phase-shift-keying direct-detection receiver using a high-resolution arrayed-waveguide grating. 1999 , | | |
| 19 | Generation, Control and Processing of Ultrafast Optical Signals by Electrooptic Modulation/Deflection. <i>Springer Series in Photonics</i> , 1999 , 79-91 | | 2 |
| 18 | Optimal Pulse Shaping for Ultrafast Laser Interaction with Quantum Systems. <i>Springer Series in Chemical Physics</i> , 2015 , 73-94 | 0.3 | |

| 17 | Scattering of Electromagnetic Pulses on Lattices of Dielectric Resonators. <i>Springer Series in Advanced Microelectronics</i> , 2016 , 117-150 | 1 | |
|----|--|-----|---|
| 16 | Generation of ultrahigh repetition Rate pulse bursts using phase-modulated grating. 2018, | | |
| 15 | Subpicosecond flat-top pulse shaping using a hybrid plasmonic microring-based temporal differentiator. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, 1738 | 1.7 | 4 |
| 14 | Optically Driven Quantum Computing Devices Based on Semiconductor Quantum Dots. 2005 , 147-161 | | |
| 13 | Optical information processing and waveform shaping with femtosecond pulses. | | |
| 12 | Optimization of ultrashort pulse squeezing in nonlinear fibers by an initial pulse shaping. | | |
| 11 | Brillouin gain spectrum manipulation using multifrequency pump and probe for slope-assisted BOTDA with wider dynamic range. <i>Applied Physics Express</i> , 2022 , 15, 022009 | 2.4 | 0 |
| 10 | Investigation of transmission properties of a practical double exponential pulse for communication and sensing application. <i>Optik</i> , 2022 , 255, 168735 | 2.5 | |
| 9 | High speed surface defects detection of mirrors based on ultrafast single-pixel imaging <i>Optics Express</i> , 2022 , 30, 15037-15048 | 3.3 | 1 |
| 8 | Hybrid fiber laser integrating fast and slow active media for accurate synthesis of high-energy arbitrary optical waveforms by cavity dumping. <i>Laser Physics Letters</i> , 2022 , 19, 075104 | 1.5 | |
| 7 | Stereodynamics: Orientation and Alignment in Chemistry. 2010 , 278-332 | | 0 |
| 6 | Femtochemistry and the Control of Chemical Reactivity. 2010 , 363-391 | | O |
| 5 | Reactive Scattering: Quantum State-Resolved Chemistry. 2010 , 214-239 | | O |
| 4 | Planar-integrated optical systems for pulse shaping. 1998, | | О |
| 3 | Applications of Holography for Femtosecond Time-Domain Processing. 1996, | | О |
| 2 | Multi-Dimensional Femtosecond Pulse Shaping and Spectroscopy. 1996 , | | O |
| 1 | Implementation of Traveling Wave Models of Grating-Based Integrated Optical Devices for Circuit Simulation. 2023 , 11, 21427-21450 | | 0 |