

The E-cadherin cell-cell adhesion pathway in urologic m

World Journal of Urology

13, 364-368

DOI: 10.1007/bf00191218

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A possible role for enzymes in tumour-cell invasion. <i>Medical Hypotheses</i> , 1997, 48, 443-447. | 0.8 | 5 |
| 2 | The natural history of clinical prostate carcinoma. <i>Cancer</i> , 1997, 80, 827-833. | 2.0 | 39 |
| 3 | The role of stroma in prostatic carcinogenesis. <i>Endocrine-Related Cancer</i> , 1998, 5, 253-270. | 1.6 | 52 |
| 4 | Genetic and epigenetic influences in prostatic carcinogenesis (review).. <i>International Journal of Oncology</i> , 1998, 13, 35. | 1.4 | 18 |
| 5 | β-Catenin expression has prognostic value in local and locally advanced prostate cancer. <i>British Journal of Cancer</i> , 1999, 80, 477-482. | 2.9 | 51 |
| 6 | Cytogenetic monoclonality in multifocal uroepithelial carcinomas: evidence of intraluminal tumour seeding. <i>British Journal of Cancer</i> , 1999, 81, 6-12. | 2.9 | 50 |
| 8 | The Cadherin-Catenin System: Implications for Growth and Differentiation of Endocrine Tissues. <i>Endocrine Reviews</i> , 1999, 20, 207-239. | 8.9 | 100 |
| 9 | Relationship between expression of the KAI1 metastasis suppressor and other markers of advanced bladder cancer. , 2000, 191, 39-47. | | 29 |
| 10 | Promoter Methylation of TSLC1 and Tumor Suppression by Its Gene Product in Human Prostate Cancer. <i>Japanese Journal of Cancer Research</i> , 2002, 93, 605-609. | 1.7 | 94 |
| 11 | A model for 3-dimensional growth of bladder cancers to investigate cell-matrix interactions. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2003, 21, 255-261. | 0.8 | 14 |
| 13 | Bystin in perineural invasion of prostate cancer. <i>Prostate</i> , 2006, 66, 266-272. | 1.2 | 38 |
| 14 | The intercellular adhesion molecule, cadherin-10, is a marker for human prostate luminal epithelial cells that is not expressed in prostate cancer. <i>Modern Pathology</i> , 2008, 21, 85-95. | 2.9 | 23 |
| 15 | The potential use of primary human upper urinary tract urothelial cell carcinoma (UUT-UCC) cultured cells for prognostic indicators and chemosensitivity test. <i>Experimental and Toxicologic Pathology</i> , 2013, 65, 703-708. | 2.1 | 2 |
| 16 | Outcome of Patients with Pathological Tumor Stage T3 Urothelial Carcinoma of the Bladder following Radical Cystectomy in a Single-Center Series with 116 Patients. <i>Urologia Internationalis</i> , 2014, 93, 311-319. | 0.6 | 9 |
| 17 | Prostate-Specific Deletion of Cdh1 Induces Murine Prostatic Inflammation and Bladder Overactivity. <i>Endocrinology</i> , 2021, 162, . | 1.4 | 9 |
| 18 | Malignant Renal Tumors. , 2012, , 1413-1474.e33. | | 48 |