

CITATION REPORT

List of articles citing

NMRPipe: a multidimensional spectral processing system based on UNIX pipes

DOI: 10.1007/bf00197809

Journal of Biomolecular NMR, 1995, 6, 277-93.

Source: <https://exaly.com/paper-pdf/25926709/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2275	Fast folding of a prototypic polypeptide: the immunoglobulin binding domain of streptococcal protein G. 1994 , 3, 1945-52		124
2274	¹ H, ¹⁵ N, ¹³ C and ¹³ CO assignments and secondary structure determination of basic fibroblast growth factor using 3D heteronuclear NMR spectroscopy. <i>Journal of Biomolecular NMR</i> , 1995 , 6, 245-54 ³		24
2273	Solution structure of calcium-free calmodulin. 1995 , 2, 768-76		600
2272	Molecular recognition in the bovine immunodeficiency virus Tat peptide-TAR RNA complex. 1995 , 2, 827-40		145
2271	Transforming growth factor beta 1: three-dimensional structure in solution and comparison with the X-ray structure of transforming growth factor beta 2. 1996 , 35, 8517-34		149
2270	High-resolution mono- and multidimensional magic angle spinning ¹ H nuclear magnetic resonance of membrane peptides in nondeuterated lipid membranes and H ₂ O. 1996 , 71, 2633-44		19
2269	Structure of the N-terminal cellulose-binding domain of <i>Cellulomonas fimi</i> CenC determined by nuclear magnetic resonance spectroscopy. 1996 , 35, 14381-94		122
2268	Solution structure of rat apo-S100B(beta beta) as determined by NMR spectroscopy. 1996 , 35, 11577-88		127
2267	Structure of the acid state of <i>Escherichia coli</i> ribonuclease HI. 1996 , 35, 11951-8		64
2266	Mapping hydration water molecules in the HIV-1 protease/DMP323 complex in solution by NMR spectroscopy. 1996 , 35, 12694-704		40
2265	Magnetic Field Dependence of Nitrogen Proton J Splittings in ¹⁵ N-Enriched Human Ubiquitin Resulting from Relaxation Interference and Residual Dipolar Coupling. 1996 , 118, 6264-6272		293
2264	Structure and dynamics of bacteriophage IKe major coat protein in MPG micelles by solution NMR. 1996 , 35, 5145-57		75
2263	Assignment of ¹⁵ N, ¹³ C- ¹³ C and HN Resonances in an ¹⁵ N, ¹³ C, ² H Labeled 64 kDa Trp Repressor Operator Complex Using Triple-Resonance NMR Spectroscopy and ² H-Decoupling. 1996 , 118, 6570-6579		127
2262	RNA folding topology and intermolecular contacts in the AMP-RNA aptamer complex. 1996 , 35, 13250-66		40
2261	Protein Backbone Dynamics and ¹⁵ N Chemical Shift Anisotropy from Quantitative Measurement of Relaxation Interference Effects. 1996 , 118, 6986-6991		287
2260	High-resolution solution structure of basic fibroblast growth factor determined by multidimensional heteronuclear magnetic resonance spectroscopy. 1996 , 35, 13552-61		54
2259	Investigation of molecular structure in solids by two-dimensional NMR exchange spectroscopy with magic angle spinning. 1996 , 105, 7915-7930		93

2258	Elongation factor TFIIIS contains three structural domains: solution structure of domain II. 1996 , 93, 10604-8		36
2257	Solution NMR evidence that the HIV-1 protease catalytic aspartyl groups have different ionization states in the complex formed with the asymmetric drug KNI-272. 1996 , 35, 9945-50		131
2256	The solution structure of human thioredoxin complexed with its target from Ref-1 reveals peptide chain reversal. 1996 , 4, 613-20		149
2255	Refined solution structure of type III antifreeze protein: hydrophobic groups may be involved in the energetics of the protein-ice interaction. 1996 , 4, 1325-37		164
2254	Comparison of the structure of human recombinant short form stromelysin by multidimensional heteronuclear NMR and X-ray crystallography. <i>Journal of Biomolecular NMR</i> , 1996 , 7, 8-28	3	29
2253	Resonance assignments for Oncostatin M, a 24-kDa alpha-helical protein. <i>Journal of Biomolecular NMR</i> , 1996 , 7, 273-82	3	21
2252	Secondary structure of beta-hydroxydecanoyl thiol ester dehydrase, a 39-kDa protein, derived from H alpha, C alpha, C beta and CO signal assignments and the Chemical Shift Index: comparison with the crystal structure. <i>Journal of Biomolecular NMR</i> , 1996 , 7, 335-40	3	12
2251	Determination of the solution structure of the SH3 domain of human p56 Lck tyrosine kinase. <i>Journal of Biomolecular NMR</i> , 1996 , 8, 105-22	3	20
2250	Complete 1H, 15N and 13C assignments, secondary structure, and topology of recombinant human interleukin-6. <i>Journal of Biomolecular NMR</i> , 1996 , 8, 123-35	3	9
2249	Band-selective 3D NOESY-TOCSY: measurement of through-space correlations between aliphatic protons of membrane peptides and proteins in non-deuterated detergents. <i>Journal of Biomolecular NMR</i> , 1996 , 8, 219-22	3	1
2248	Gifa V. 4: A complete package for NMR data set processing. <i>Journal of Biomolecular NMR</i> , 1996 , 8, 445-53		176
2247	Formation of the hinge helix in the lac repressor is induced upon binding to the lac operator. 1996 , 3, 916-9		68
2246	Deep penetration of an alpha-helix into a widened RNA major groove in the HIV-1 rev peptide-RNA aptamer complex. 1996 , 3, 1026-33		146
2245	Structural basis of RNA folding and recognition in an AMP-RNA aptamer complex. 1996 , 382, 183-6		236
2244	NMR study of the transforming growth factor-alpha (TGF-alpha)-epidermal growth factor receptor complex. Visualization of human TGF-alpha binding determinants through nuclear Overhauser enhancement analysis. 1996 , 271, 32204-11		19
2243	Molecular and structural analysis of a continuous birch profilin epitope defined by a monoclonal antibody. 1996 , 271, 29915-21		34
2242	Insight into lipid surface recognition and reversible conformational adaptations of an exchangeable apolipoprotein by multidimensional heteronuclear NMR techniques. 1997 , 272, 17912-20		49
2241	Structure of cardiac muscle troponin C unexpectedly reveals a closed regulatory domain. 1997 , 272, 18216-21		157

2240	Interaction of the second binding region of troponin I with the regulatory domain of skeletal muscle troponin C as determined by NMR spectroscopy. 1997 , 272, 28494-500	89
2239	Structural and functional roles of tyrosine 78 of yeast guanylate kinase. 1997 , 272, 19343-50	6
2238	Binding of the catabolite repressor protein CcpA to its DNA target is regulated by phosphorylation of its corepressor HPr. 1997 , 272, 26530-5	110
2237	Solution structure of a 142-residue recombinant prion protein corresponding to the infectious fragment of the scrapie isoform. 1997 , 94, 10086-91	431
2236	Structural and functional roles of tyrosine-50 of yeast guanylate kinase. 1997 , 679-689	2
2235	Backbone structure and dynamics of a hemolymph protein from the mealworm beetle <i>Tenebrio molitor</i> . 1997 , 36, 13791-801	14
2234	Determination of α and β Angles in Proteins from ^{13}C - ^{13}C Three-Bond J Couplings Measured by Three-Dimensional Heteronuclear NMR. How Planar Is the Peptide Bond?. 1997 , 119, 6360-6368	164
2233	Identification of Mg^{2+} -binding sites and the role of Mg^{2+} on target recognition by calmodulin. 1997 , 36, 4309-16	92
2232	Global folds of highly deuterated, methyl-protonated proteins by multidimensional NMR. 1997 , 36, 1389-401	231
2231	Heteronuclear NMR studies of the combined Src homology domains 2 and 3 of pp60 c-Src: effects of phosphopeptide binding. 1997 , 36, 14561-71	23
2230	Properly oriented heparin-decasaccharide-induced dimers are the biologically active form of basic fibroblast growth factor. 1997 , 36, 4782-91	104
2229	Quantitative Measurement of Relaxation Interference Effects between ^1H CSA and ^1H - ^{15}N Dipolar Interaction: Correlation with Secondary Structure. 1997 , 119, 8985-8990	93
2228	NMR structure of a protein kinase C- γ phorbol-binding domain and study of protein-lipid micelle interactions. 1997 , 36, 10709-17	120
2227	NMR studies of Ca^{2+} binding to the regulatory domains of cardiac and E41A skeletal muscle troponin C reveal the importance of site I to energetics of the induced structural changes. 1997 , 36, 12519-25	61
2226	Solution NMR Measurement of Amide Proton Chemical Shift Anisotropy in ^{15}N -Enriched Proteins. Correlation with Hydrogen Bond Lengths. 1997 , 119, 8076-8082	127
2225	Mechanism of direct coupling between binding and induced structural change in regulatory calcium binding proteins. 1997 , 36, 4386-92	116
2224	Determination of the three-dimensional structure of CC chemokine monocyte chemoattractant protein 3 by ^1H two-dimensional NMR spectroscopy. 1997 , 36, 4412-22	39
2223	Solution structure of the 30 kDa N-terminal domain of enzyme I of the <i>Escherichia coli</i> phosphoenolpyruvate:sugar phosphotransferase system by multidimensional NMR. 1997 , 36, 2517-30	159

2222	Characterization of the backbone dynamics of folded and denatured states of an SH3 domain. 1997 , 36, 2390-402	148
2221	Calcium-induced structural transition in the regulatory domain of human cardiac troponin C. 1997 , 36, 12138-46	177
2220	Magnetic Field Dependent Amide 15N Chemical Shifts in a Protein-DNA Complex Resulting from Magnetic Ordering in Solution. 1997 , 119, 9825-9830	59
2219	An Empirical Correlation between Amide Deuterium Isotope Effects on 13C Chemical Shifts and Protein Backbone Conformation. 1997 , 119, 8070-8075	52
2218	Identification by NMR of the binding surface for the histidine-containing phosphocarrier protein HPr on the N-terminal domain of enzyme I of the Escherichia coli phosphotransferase system. 1997 , 36, 4393-8	202
2217	Methods for Measurement of Intermolecular NOEs by Multinuclear NMR Spectroscopy: Application to a Bacteriophage λ -N-Peptide/boxBRNA Complex. 1997 , 119, 6711-6721	529
2216	Solution structure of 3-oxo-delta5-steroid isomerase. 1997 , 276, 415-8	136
2215	Effects of covalent dimerization on the structure and function of the carboxy-terminal fragment of neuropeptide Y. 1997 , 241, 737-43	6
2214	Structure-based design of a constrained peptide mimic of the HIV-1 V3 loop neutralization site. 1997 , 266, 31-9	72
2213	Solution structure of the HIV-2 TAR-argininamide complex. 1997 , 267, 624-39	129
2212	Flexible linker in the RNA polymerase alpha subunit facilitates the independent motion of the C-terminal activator contact domain. 1997 , 267, 953-62	72
2211	Solution structure of recombinant human interleukin-6. 1997 , 268, 468-81	65
2210	Automated analysis of protein NMR assignments using methods from artificial intelligence. 1997 , 269, 592-610	267
2209	Determination of the secondary structure and global topology of the 44 kDa ectodomain of gp41 of the simian immunodeficiency virus by multidimensional nuclear magnetic resonance spectroscopy. 1997 , 271, 819-26	34
2208	Contributions to protein entropy and heat capacity from bond vector motions measured by NMR spin relaxation. 1997 , 272, 790-804	134
2207	Solution structure of the first three zinc fingers of TFIIIA bound to the cognate DNA sequence: determinants of affinity and sequence specificity. 1997 , 273, 183-206	171
2206	Solution structure of the I gamma subdomain of the Mu end DNA-binding domain of phage Mu transposase. 1997 , 273, 19-25	32
2205	The three-dimensional high resolution structure of human interferon alpha-2a determined by heteronuclear NMR spectroscopy in solution. 1997 , 274, 661-75	150

2204	Optimized gene synthesis, high level expression, isotopic enrichment, and refolding of human interleukin-5. 1997 , 11, 86-94	18
2203	PDZ-like domains mediate binding specificity in the Clp/Hsp100 family of chaperones and protease regulatory subunits. 1997 , 91, 939-47	106
2202	Sequential assignment and secondary structure determination for the Src homology 2 domain of hematopoietic cellular kinase. 1997 , 406, 131-5	5
2201	A hairpin-loop conformation in tandem repeat sequence of the ice nucleation protein revealed by NMR spectroscopy. 1997 , 409, 227-31	14
2200	Sequential assignments and secondary structure of the RNA-binding transcriptional regulator NusB. 1997 , 415, 221-6	8
2199	A Multidimensional NMR Experiment for Measurement of the Protein Dihedral Angle [Based on Cross-Correlated Relaxation between ^1H - ^{13}C Dipolar and ^{13}C (Carbonyl) Chemical Shift Anisotropy Mechanisms. 1997 , 119, 11938-11940	91
2198	Skn-1: evidence for a bipartite recognition helix in DNA binding. 1997 , 94, 5556-61	9
2197	High-affinity binding of the Drosophila Numb phosphotyrosine-binding domain to peptides containing a Gly-Pro-(p)Tyr motif. 1997 , 94, 7204-9	64
2196	High resolution solution structure of ribosomal protein L11-C76, a helical protein with a flexible loop that becomes structured upon binding to RNA. 1997 , 4, 70-7	88
2195	The solution structure of a specific GAGA factor-DNA complex reveals a modular binding mode. 1997 , 4, 122-32	171
2194	Solution structure of the N-terminal zinc binding domain of HIV-1 integrase. 1997 , 4, 567-77	273
2193	Domain packing and dynamics in the DNA complex of the N-terminal zinc fingers of TFIIIA. 1997 , 4, 605-8	102
2192	The solution structure of an HMG-I(Y)-DNA complex defines a new architectural minor groove binding motif. 1997 , 4, 657-65	281
2191	^1H -NMR-derived secondary structure and overall fold of a natural anatoxin from the scorpion <i>Androctonus australis hector</i> . 1997 , 247, 1118-26	19
2190	The fructose transporter of <i>Bacillus subtilis</i> encoded by the lev operon: backbone assignment and secondary structure of the IIB(Lev) subunit. 1997 , 243, 306-14	9
2189	Solution structure of the Mu end DNA-binding beta subdomain of phage Mu transposase: modular DNA recognition by two tethered domains. 1997 , 16, 7532-41	39
2188	Alterations in chemical shifts and exchange broadening upon peptide boronic acid inhibitor binding to alpha-lytic protease. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 21-7	3 10
2187	A simple method to quantitatively measure polypeptide JHNH alpha coupling constants from TOCSY or NOESY spectra. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 373-82	3 28

2186	Conformation of an Shc-derived phosphotyrosine-containing peptide complexed with the Grb2 SH2 domain. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 273-8	3	18
2185	Pulse schemes for the measurement of 3JC'C gamma and 3JNC gamma scalar couplings in 15N,13C uniformly labeled proteins. <i>Journal of Biomolecular NMR</i> , 1997 , 9, 409-22	3	32
2184	Assignments, secondary structure and dynamics of the inhibitor-free catalytic fragment of human fibroblast collagenase. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 9-19	3	28
2183	Determination of backbone nitrogen-nitrogen J correlations in proteins. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 403-8	3	12
2182	Three-dimensional structure of the Hck SH2 domain in solution. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 263-72	3	19
2181	Measurement of (15)N- (1)H coupling constants in uniformly (15)N-labeled proteins: Application to the photoactive yellow protein. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 301-6	3	34
2180	Assignment and secondary structure of calcium-bound human S100B. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 77-88	3	20
2179	Correction of the NMR structure of the ETS1/DNA complex. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 317-38		57
2178	1H, 13C, and 15N NMR backbone assignments and chemical-shift-derived secondary structure of glutamine-binding protein of Escherichia coli. <i>Journal of Biomolecular NMR</i> , 1997 , 9, 167-80	3	10
2177	Triple-resonance NOESY-based experiments with improved spectral resolution: applications to structural characterization of unfolded, partially folded and folded proteins. <i>Journal of Biomolecular NMR</i> , 1997 , 9, 181-200	3	69
2176	Refined solution structure and backbone dynamics of HIV-1 Nef. 1997 , 6, 1248-63		136
2175	Nuclear magnetic resonance assignment and secondary structure of an ankyrin-like repeat-bearing protein: myotrophin. 1997 , 6, 1347-51		13
2174	pH titration studies of an SH2 domain-phosphopeptide complex: unusual histidine and phosphate pKa values. 1997 , 6, 1910-9		37
2173	Saccharide-RNA recognition in an aminoglycoside antibiotic-RNA aptamer complex. 1997 , 4, 35-50		115
2172	Solution structure of maurotoxin, a scorpion toxin from Scorpio maurus, with high affinity for voltage-gated potassium channels. 1997 , 29, 321-333		78
2171	Solution structure of TsKapa, a charybdotoxin-like scorpion toxin from Tityus serrulatus with high affinity for apamin-sensitive Ca(2+)-activated K+ channels. 1997 , 29, 359-69		35
2170	Solution NMR characterization of hydrogen bonds in a protein by indirect measurement of deuterium quadrupole couplings. 1997 , 127, 54-64		41
2169	Determination of Amide Proton CSA in 15N-Labeled Proteins Using 1H CSA/15N-H Dipolar and 15N CSA/15N-H Dipolar Cross-Correlation Rates. 1997 , 127, 128-133		44

2168	An HNCQ-based Pulse Scheme for the Measurement of ^{13}C - ^1H One-bond Dipolar couplings in ^{15}N , ^{13}C Labeled Proteins. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 325-32	3	50
2167	HMQC and HSQC experiments with water flip-back optimized for large proteins. <i>Journal of Biomolecular NMR</i> , 1998 , 11, 279-88	3	15
2166	NMR studies of <i>Borrelia burgdorferi</i> OspA, a 28 kDa protein containing a single-layer beta-sheet. <i>Journal of Biomolecular NMR</i> , 1998 , 11, 407-14	3	24
2165	A new general method for the biosynthesis of stable isotope-enriched peptides using a decahistidine-tagged ubiquitin fusion system: an application to the production of mastoparan-X uniformly enriched with ^{15}N and $^{15}\text{N}/^{13}\text{C}$. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 109-21	3	83
2164	^1H , ^{13}C , ^{15}N resonance assignment of the 20 kDa double stranded RNA binding domain of PKR. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 349-51	3	15
2163	NMR detection of slow conformational dynamics in an endonuclease toxin. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 145-59	3	24
2162	Dual amino acid-selective and site-directed stable-isotope labeling of the human c-Ha-Ras protein by cell-free synthesis. <i>Journal of Biomolecular NMR</i> , 1998 , 11, 295-306	3	118
2161	Sequence specific ^1HN , ^{15}N , ^1H alpha, ^{13}C alpha, and ^{13}C beta assignments for RNA-1 modulator protein ROM. <i>Journal of Biomolecular NMR</i> , 1998 , 11, 463-4	3	1
2160	A Sensitive Pulse Scheme for Measuring the Backbone Dihedral Angle psi Based on Cross-correlation Between $(^{13}\text{C}$ (alpha)- ^1H alpha) Dipolar and Carbonyl Chemical Shift Anisotropy Relaxation Interactions. <i>Journal of Biomolecular NMR</i> , 1998 , 11, 213-20	3	39
2159	Chemical shift as a probe of molecular interfaces: NMR studies of DNA binding by the three amino-terminal zinc finger domains from transcription factor IIIA. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 51-71	3	98
2158	Solvent exchange rates of side-chain amide protons in proteins. <i>Journal of Biomolecular NMR</i> , 1998 , 11, 205-12	3	6
2157	Resonance assignment and secondary structure of the cold shock domain of the human YB-1 protein. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 463-4	3	3
2156	3D HCCH-COSY-TOCSY experiment for the assignment of ribose and amino acid side chains in ^{13}C labeled RNA and protein. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 559-64	3	18
2155	Characterization of magnetically oriented phospholipid micelles for measurement of dipolar couplings in macromolecules. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 361-72	3	230
2154	^1H , ^{15}N and ^{13}C chemical shift assignment of the guanine nucleotide exchange domain of human Elongation Factor-one beta. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 467-8	3	1
2153	Sequence-specific ^1H , ^{13}C and ^{15}N assignment of the EH1 domain of mouse Eps15. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 465-6	3	2
2152	The NMR solution structure and characterization of pH dependent chemical shifts of the beta-elicitin, cryptogein. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 523-34	3	29
2151	Assignment of ^1H , ^{13}C and ^{15}N signals of the inhibitor protein Im9 bound to the DNase domain of colicin E9. <i>Journal of Biomolecular NMR</i> , 1998 , 12, 567-8	3	4

2150	The solution structure of ribosomal protein S4 delta41 reveals two subdomains and a positively charged surface that may interact with RNA. 1998 , 17, 4559-71	43
2149	Three-dimensional solution structure of the 44 kDa ectodomain of SIV gp41. 1998 , 17, 4572-84	348
2148	Structure of the double-stranded RNA-binding domain of the protein kinase PKR reveals the molecular basis of its dsRNA-mediated activation. 1998 , 17, 5458-65	252
2147	A helix-turn-helix structure unit in human centromere protein B (CENP-B). 1998 , 17, 827-37	33
2146	Solution structure and backbone dynamics of the photoactive yellow protein. 1998 , 37, 12689-99	121
2145	Solution structure of a protein inhibitor of neuronal nitric oxide synthase. 1998 , 5, 965-9	46
2144	Solution structure of the cellular factor BAF responsible for protecting retroviral DNA from autointegration. 1998 , 5, 903-9	99
2143	A stable single-layer beta-sheet without a hydrophobic core. 1998 , 5, 115-9	39
2142	Correlation between binding and dynamics at SH2 domain interfaces. 1998 , 5, 156-63	97
2141	Solution structure of P22 transcriptional antitermination N peptide-boxB RNA complex. 1998 , 5, 203-12	85
2140	Structure and mutagenesis of the Dbl homology domain. 1998 , 5, 1098-107	116
2139	Site-specific DNA binding using a variation of the double stranded RNA binding motif. 1998 , 5, 546-50	30
2138	Solution structure of cyanovirin-N, a potent HIV-inactivating protein. 1998 , 5, 571-8	220
2137	Solution structure of the IRF-2 DNA-binding domain: a novel subgroup of the winged helix-turn-helix family. 1998 , 6, 491-500	22
2136	The structural basis of ankyrin-like repeat function as revealed by the solution structure of myotrophin. 1998 , 6, 619-26	36
2135	3D accordion spectroscopy for measuring ¹⁵ N and ¹³ CO relaxation rates in poorly resolved NMR spectra. 1998 , 132, 25-33	24
2134	An Off-resonance Rotating Frame Relaxation Experiment for the Investigation of Macromolecular Dynamics Using Adiabatic Rotations. 1998 , 131, 351-7	112
2133	Suppression of Diagonal Peaks with Singular Value Decomposition. 1998 , 132, 176-178	9

2132	15N-edited three-dimensional NOESY-HMQC with water flipback: enhancement of weak labile 1H resonances of protein side chains contacting DNA. 1998 , 135, 87-92	16
2131	Measurement of dipolar couplings for methylene and methyl sites in weakly oriented macromolecules and their use in structure determination. 1998 , 134, 365-9	114
2130	3D NMR experiments for measuring 15N relaxation data of large proteins: application to the 44 kDa ectodomain of SIV gp41. 1998 , 135, 368-72	21
2129	DNA duplex dynamics: NMR relaxation studies of a decamer with uniformly 13C-labeled purine nucleotides. 1998 , 135, 310-33	51
2128	Technical aspects of NMR Spectroscopy with biological macromolecules and studies of hydration in solution. 1998 , 32, 193-275	71
2127	Tautomeric state and pKa of the phosphorylated active site histidine in the N-terminal domain of enzyme I of the Escherichia coli phosphoenolpyruvate:sugar phosphotransferase system. 1998 , 7, 789-93	22
2126	Structural characterization of the entire 1.3S subunit of transcarboxylase from Propionibacterium shermanii. 1998 , 7, 2156-63	23
2125	Solution structure of the His12 --> Cys mutant of the N-terminal zinc binding domain of HIV-1 integrase complexed to cadmium. 1998 , 7, 2669-74	37
2124	Independent ligand-induced folding of the RNA-binding domain and two functionally distinct antitermination regions in the phage lambda N protein. 1998 , 1, 265-75	84
2123	NMR structure of the bacteriophage lambda N peptide/boxB RNA complex: recognition of a GNRA fold by an arginine-rich motif. 1998 , 93, 289-99	229
2122	Solution structure of a TBP-TAF(II)230 complex: protein mimicry of the minor groove surface of the TATA box unwound by TBP. 1998 , 94, 573-83	191
2121	Three-dimensional structure of an evolutionarily conserved N-terminal domain of syntaxin 1A. 1998 , 94, 841-9	268
2120	NMR structure of the Streptomyces metalloproteinase inhibitor, SMPI, isolated from Streptomyces nigrescens TK-23: another example of an ancestral beta gamma-crystallin precursor structure. 1998 , 282, 421-33	38
2119	Measurement of three-bond, 13C'-13C beta J couplings in human ubiquitin by a triple resonance, E-COSY-type NMR technique. <i>Journal of Biomolecular NMR</i> , 1998 , 11, 199-203	3 11
2118	Dynamics and thermodynamics of the regulatory domain of human cardiac troponin C in the apo- and calcium-saturated states. 1998 , 37, 18032-44	51
2117	Solution structures of the Ca2+-free and Ca2+-bound C2A domain of synaptotagmin I: does Ca2+ induce a conformational change?. 1998 , 37, 16106-15	201
2116	Solution structure of calcium-bound rat S100B(beta-beta) as determined by nuclear magnetic resonance spectroscopy,. 1998 , 37, 2729-40	156
2115	Significantly Improved Resolution for NOE Correlations from Valine and Isoleucine (C β) Methyl Groups in 15N,13C- and 15N,13C,2H-Labeled Proteins. 1998 , 120, 4825-4831	28

2114	Solution structure of two new toxins from the venom of the Chinese scorpion <i>Buthus martensi</i> Karsch blockers of potassium channels. 1998 , 37, 12412-8	29
2113	Determination of Relative N-H, N-C, C-C and C-H Effective Bond Lengths in a Protein by NMR in a Dilute Liquid Crystalline Phase. 1998 , 120, 12334-12341	226
2112	Determination of the Protein Backbone Dihedral Angle ϕ from a Combination of NMR-Derived Cross-Correlation Spin Relaxation Rates. 1998 , 120, 9880-9887	51
2111	Structural characterization and optimization of antibody-selected phage library mimotopes of an antigen associated with autoimmune recurrent thrombosis. 1998 , 37, 16069-81	18
2110	Solution structure of the transmembrane H ⁺ -transporting subunit c of the F1F0 ATP synthase. 1998 , 37, 8817-24	277
2109	Structure and interaction site of the regulatory domain of troponin-C when complexed with the 96-148 region of troponin-I. 1998 , 37, 12419-30	53
2108	Using Amide 1H and 15N Transverse Relaxation To Detect Millisecond Time-Scale Motions in Perdeuterated Proteins: Application to HIV-1 Protease. 1998 , 120, 10534-10542	107
2107	Contribution of Backbone Dynamics to Entropy Changes Occurring on Oxidation of Cytochrome b5. Can Redox Linked Changes in Hydrogen Bond Networks Modulate Reduction Potentials?. 1998 , 102, 8201-8208	36
2106	NMR study suggests a major role for Arg111 in maintaining the structure and dynamical properties of type II human cellular retinoic acid binding protein. 1998 , 37, 13021-32	12
2105	Nuclear magnetic resonance solution structure of the plasminogen-activator protein staphylokinase. 1998 , 37, 10635-42	22
2104	NMR study of the conformation and localization of porcine galanin in SDS micelles. Comparison with an inactive analog and a galanin receptor antagonist. 1998 , 37, 9169-78	28
2103	An NMR Experiment for Measuring Methyl-Methyl NOEs in ¹³ C-Labeled Proteins with High Resolution. 1998 , 120, 7617-7625	77
2102	Stability and oligosaccharide binding of the N1 cellulose-binding domain of <i>Cellulomonas fimi</i> endoglucanase CenC. 1998 , 37, 3529-37	16
2101	Biopolymer Conformational Distributions from Solid-State NMR: β -Helix and 3_{10} -Helix Contents of a Helical Peptide. 1998 , 120, 7039-7048	89
2100	Calcium binding by the N-terminal cellulose-binding domain from <i>Cellulomonas fimi</i> beta-1,4-glucanase CenC. 1998 , 37, 12772-81	19
2099	Human general transcription factor TFIIB: conformational variability and interaction with VP16 activation domain. 1998 , 37, 7941-51	41
2098	Solution NMR Studies of a 42 KDa Escherichia Coli Maltose Binding Protein/ β -Cyclodextrin Complex: Chemical Shift Assignments and Analysis. 1998 , 120, 11738-11748	130
2097	Relationship between enzyme specificity and the backbone dynamics of free and inhibited alpha-lytic protease. 1998 , 37, 7696-707	27

2096	The Ca(2+)-dependent interaction of S100B(beta beta) with a peptide derived from p53. 1998 , 37, 1951-60	125
2095	Formation of the b subunit dimer is necessary for interaction with F1-ATPase. 1998 , 37, 923-32	53
2094	Reactivity of the human thioltransferase (glutaredoxin) C7S, C25S, C78S, C82S mutant and NMR solution structure of its glutathionyl mixed disulfide intermediate reflect catalytic specificity. 1998 , 37, 17145-56	127
2093	High-resolution solution NMR structure of the minimal active domain of the human immunodeficiency virus type-2 nucleocapsid protein. 1998 , 37, 17704-13	19
2092	The origin of differences in the physical properties of the equilibrium forms of cytochrome b5 revealed through high-resolution NMR structures and backbone dynamic analyses. 1998 , 37, 8289-302	42
2091	Overexpression, isotopic labeling, and spectral characterization of <i>Enterobacter cloacae</i> nitroreductase. 1998 , 13, 53-60	17
2090	A peptide corresponding to residues Asp177 to Asn208 of human cyclin A forms an alpha-helix. 1998 , 253, 621-7	8
2089	Solution structure of calmodulin-W-7 complex: the basis of diversity in molecular recognition. 1998 , 276, 165-76	137
2088	Equilibrium folding intermediates of a Greek key beta-barrel protein. 1998 , 276, 669-81	21
2087	A study of protein side-chain dynamics from new 2H auto-correlation and 13C cross-correlation NMR experiments: application to the N-terminal SH3 domain from drk. 1998 , 276, 939-54	108
2086	The solution structure of the Leu22-->Val mutant AREA DNA binding domain complexed with a TGATAG core element defines a role for hydrophobic packing in the determination of specificity. 1998 , 277, 621-34	37
2085	The solution structure of a fungal AREA protein-DNA complex: an alternative binding mode for the basic carboxyl tail of GATA factors. 1998 , 277, 605-20	59
2084	Solution structure of the human Hck SH3 domain and identification of its ligand binding site. 1998 , 278, 253-65	28
2083	Backbone and methyl dynamics of the regulatory domain of troponin C: anisotropic rotational diffusion and contribution of conformational entropy to calcium affinity. 1998 , 278, 667-86	118
2082	Dynamical behavior of the HIV-1 nucleocapsid protein. 1998 , 279, 633-49	129
2081	Cooperative interaction between the DNA-binding domains of PU.1 and IRF4. 1998 , 279, 1075-83	32
2080	NMR identification of epitopes of Lyme disease antigen OspA to monoclonal antibodies. 1998 , 281, 61-7	32
2079	Elucidation of the mode of interaction of thermolysin with a proteinaceous metalloproteinase inhibitor, SMPI, based on a model complex structure and a structural dynamics analysis. 1998 , 282, 435-46	18

2078	Prediction and structural characterization of an independently folding substructure in the src SH3 domain. 1998 , 283, 293-300	38
2077	High populations of non-native structures in the denatured state are compatible with the formation of the native folded state. 1998 , 284, 1153-64	49
2076	The fibronectin type III domain as a scaffold for novel binding proteins. 1998 , 284, 1141-51	392
2075	Determinants of backbone dynamics in native BPTI: cooperative influence of the 14-38 disulfide and the Tyr35 side-chain. 1998 , 284, 1581-96	34
2074	High-resolution solution structure of the inhibitor-free catalytic fragment of human fibroblast collagenase determined by multidimensional NMR. 1998 , 37, 1495-504	37
2073	Effect of N-terminal truncation and solution conditions on chemokine dimer stability: nuclear magnetic resonance structural analysis of macrophage inflammatory protein 1 beta mutants. 1998 , 37, 9346-54	37
2072	The NMR structure of Escherichia coli ribosomal protein L25 shows homology to general stress proteins and glutamyl-tRNA synthetases. 1998 , 17, 6377-84	62
2071	Direct Observation of Hydrogen Bonds in Nucleic Acid Base Pairs by Internucleotide 2JNN Couplings. 1998 , 120, 8293-8297	562
2070	Structure of the HIV-1 nucleocapsid protein bound to the SL3 psi-RNA recognition element. 1998 , 279, 384-8	601
2069	Three-dimensional solution structure of lactoferricin B, an antimicrobial peptide derived from bovine lactoferrin. 1998 , 37, 4288-98	208
2068	G protein-bound conformation of mastoparan-X: heteronuclear multidimensional transferred nuclear overhauser effect analysis of peptide uniformly enriched with ¹³ C and ¹⁵ N. 1998 , 37, 4782-90	52
2067	Mapping of a protein-RNA kissing hairpin interface: Rom and Tar-Tar*. 1998 , 26, 4688-95	31
2066	Structural characterization of a DNA duplex modeled on a DNA:RNA hybrid of the polypurine tract recognized by a reverse transcriptase. 1998 , 17, 831-41	3
2065	Structure of the Ets-1 pointed domain and mitogen-activated protein kinase phosphorylation site. 1998 , 95, 12129-34	122
2064	NMR evidence for a base triple in the HIV-2 TAR C-G.C+ mutant-argininamide complex. 1998 , 26, 1991-5	26
2063	Structural origins of L(+)-tartrate inhibition of human prostatic acid phosphatase. 1998 , 273, 30406-9	24
2062	High resolution structure of the N-terminal domain of tissue inhibitor of metalloproteinases-2 and characterization of its interaction site with matrix metalloproteinase-3. 1998 , 273, 21736-43	75
2061	The amino-terminal domain of human STAT4. Overproduction, purification, and biophysical characterization. 1998 , 273, 17109-14	12

2060	Yeast transcript elongation factor (TFIIS), structure and function. I: NMR structural analysis of the minimal transcriptionally active region. 1998 , 273, 22589-94	42
2059	Protein inhibitor of neuronal nitric-oxide synthase, PIN, binds to a 17-amino acid residue fragment of the enzyme. 1998 , 273, 33472-81	69
2058	Calcium-calmodulin-induced dimerization of the carboxyl-terminal domain from petunia glutamate decarboxylase. A novel calmodulin-peptide interaction motif. 1998 , 273, 30328-35	47
2057	The metal binding site of the hepatitis C virus NS3 protease. A spectroscopic investigation. 1998 , 273, 18760-9	53
2056	Structure-based minimization of transforming growth factor-alpha (TGF-alpha) through NMR analysis of the receptor-bound ligand. Design, solution structure, and activity of TGF-alpha 8-50. 1998 , 273, 27357-63	12
2055	The insulin-like growth factor (IGF)binding protein 1 binding epitope on IGF-I probed by heteronuclear NMR spectroscopy and mutational analysis. 1998 , 273, 24701-7	34
2054	The solution structure of the DNA-binding domain of Skn-1. 1998 , 95, 8455-60	14
2053	Structural basis of an embryonically lethal single Ala --> Thr mutation in the vnd/NK-2 homeodomain. 1998 , 95, 7412-6	15
2052	Effects of polyvalent cations on the folding of an rRNA three-way junction and binding of ribosomal protein S15. 1998 , 4, 984-97	58
2051	Conformational ensembles: the role of neuropeptide structures in receptor binding. 1999 , 19, 6318-26	26
2050	Structure of the phylogenetically most conserved domain of SRP RNA. 1999 , 5, 1419-29	42
2049	Phosphorylation-dependent conformational changes induce a switch in the actin-binding function of MARCKS. 1999 , 274, 36472-8	37
2048	Binding of elongin A or a von Hippel-Lindau peptide stabilizes the structure of yeast elongin C. 1999 , 96, 9033-8	23
2047	Direct identification of NH...N hydrogen bonds in non-canonical base pairs of RNA by NMR spectroscopy. 1999 , 27, 3104-10	94
2046	Identification of the single-stranded DNA binding surface of the transcriptional coactivator PC4 by NMR. 1999 , 274, 3693-9	23
2045	Stabilization of <i>Pseudomonas aeruginosa</i> cytochrome c(551) by systematic amino acid substitutions based on the structure of thermophilic <i>Hydrogenobacter thermophilus</i> cytochrome c(552). 1999 , 274, 37533-7	59
2044	Solution structure and peptide binding studies of the C-terminal src homology 3-like domain of the diphtheria toxin repressor protein. 1999 , 96, 6119-24	34
2043	NMR solution structure of domain 1 of human annexin I shows an autonomous folding unit. 1999 , 274, 2971-7	12

2042	Crystal structure of a maltogenic amylase provides insights into a catalytic versatility. 1999 , 274, 26279-86	122
2041	Phosphotyrosine binding domains of Shc and insulin receptor substrate 1 recognize the NPXpY motif in a thermodynamically distinct manner. 1999 , 274, 6114-21	29
2040	Structural and biochemical evaluation of the interaction of the phosphatidylinositol 3-kinase p85alpha Src homology 2 domains with phosphoinositides and inositol polyphosphates. 1999 , 274, 15678-85	14
2039	The solution structure of FADD death domain. Structural basis of death domain interactions of Fas and FADD. 1999 , 274, 16337-42	85
2038	The effect of matrix metalloproteinase complex formation on the conformational mobility of tissue inhibitor of metalloproteinases-2 (TIMP-2). 1999 , 274, 37226-32	17
2037	Structure of the insect cytokine peptide plasmacyte-spreading peptide 1 from <i>Pseudoplusia includens</i> . 1999 , 274, 4493-6	33
2036	Phase sensitive 3D J-resolved HMBC experiment for spectral assignment and measurement of long-range heteronuclear coupling constants. 1999 , 40, 5587-5591	7
2035	RNA architecture dictates the conformations of a bound peptide. 1999 , 6, 657-69	67
2034	Hydrodynamic, optical and spectroscopic studies of some organic-aqueous binary systems. 1999 , 79, 45-58	14
2033	Identification of the core domain and the secondary structure of the transcriptional coactivator MBF1. 1999 , 4, 415-24	15
2032	Structure of the Janus-faced C2B domain of rabphilin. 1999 , 1, 106-12	60
2031	Solution structure of the homodimeric core domain of <i>Escherichia coli</i> histidine kinase EnvZ. 1999 , 6, 729-34	205
2030	A novel target recognition revealed by calmodulin in complex with Ca ²⁺ -calmodulin-dependent kinase kinase. 1999 , 6, 819-24	197
2029	Protein conformational stabilities can be determined from hydrogen exchange rates. 1999 , 6, 910-2	130
2028	Structure of the cell-adhesion fragment of intimin from enteropathogenic <i>Escherichia coli</i> . 1999 , 6, 313-8	145
2027	NMR structure of the Tn916 integrase-DNA complex. 1999 , 6, 366-73	54
2026	A folding transition and novel zinc finger accessory domain in the transcription factor ADR1. 1999 , 6, 478-85	27
2025	Gradient and sensitivity enhanced multiple-quantum coherence in heteronuclear multidimensional NMR experiments. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 133-40	3 7

2024	A doublet-separated sensitivity-enhanced HSQC for the determination of scalar and dipolar one-bond J-couplings. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 175-80	3	96
2023	Sequence-specific ¹ H, ¹³ C and ¹⁵ N chemical shift assignment and secondary structure of the HTLV-I capsid protein. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 199-200	3	9
2022	Improved segmental isotope labeling of proteins and application to a larger protein. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 105-14	3	83
2021	A 4D TROSY-based pulse scheme for correlating ¹ H _{Ni} , ¹⁵ N _i , ¹³ C _α _{hi} , ¹³ C _i -1 chemical shifts in high molecular weight, ¹⁵ N, ¹³ C, ² H labeled proteins. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 309-13	3	44
2020	A high quality nuclear magnetic resonance solution structure of peptide deformylase from <i>Escherichia coli</i> : application of an automated assignment strategy using GARANT. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 311-24	3	9
2019	NMR structure determination of the tetramerization domain of the Mnt repressor: An asymmetric alpha-helical assembly in slow exchange. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 39-53	3	4
2018	An NMR solution study of the mega-oligosaccharide, rhamnogalacturonan II. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 253-71	3	25
2017	Backbone and C beta assignments of the anti-gp120 antibody Fv fragment complexed with an antigenic peptide. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 193-4	3	6
2016	Water-macromolecule interactions by NMR: a quadrature-free constant-time approach and its application to C12. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 189-201	3	12
2015	NMR exchange broadening arising from specific low affinity protein self-association: analysis of nitrogen-15 nuclear relaxation for rat CD2 domain 1. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 307-20	3	40
2014	¹ H, ¹⁵ N, and ¹³ C resonance assignment of the PH domain from <i>C. elegans</i> UNC-89. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 269-70	3	6
2013	Letter to the Editor: Backbone NMR assignments of a cyanobacterial transcriptional factor, SmtB, that binds zinc ions. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 191-2	3	5
2012	Heteronuclear relaxation in time-dependent spin systems: (¹⁵ N)-T1 (rho) dispersion during adiabatic fast passage. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 213-21	3	11
2011	¹ H, ¹³ C and ¹⁵ N chemical shift assignments of the capsid protein from Rous sarcoma virus. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 267-8	3	4
2010	Resonance assignments of the Tn916 integrase DNA-binding domain and the integrase:DNA complex. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 95-6	3	1
2009	Improved ¹ H _N -detected triple resonance TROSY-based experiments. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 3-10	3	122
2008	Solution structure of human acidic fibroblast growth factor and interaction with heparin-derived hexasaccharide. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 11-24	3	46
2007	¹ H, ¹⁵ N and ¹³ C resonance assignments for the bromodomain of the histone acetyltransferase P/CAF. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 291-2	3	3

2006	The structure in solution of the b domain of protein disulfide isomerase. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 357-68	3	60
2005	Backbone resonance assignments for the Fv fragment of the catalytic antibody NPN43C9 with bound p-nitrophenol. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 83-4	3	4
2004	¹ H, ¹⁵ N, ¹³ C, and ¹³ CO assignments and secondary structure determination of RGS4. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 339-40	3	1
2003	Sequence-specific ¹ H, ¹⁵ N and ¹³ C assignment of adenylate kinase from Escherichia coli in complex with the inhibitor AP5A. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 195-6	3	4
2002	Measurement of ³ hJNC' connectivities across hydrogen bonds in a 30 kDa protein. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 181-4	3	86
2001	Sequence-specific ¹ H, ¹³ C and ¹⁵ N assignment of the single-stranded DNA binding protein of the bacteriophage phi 29. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 303-4	3	
2000	Assignment of the backbone resonances of oxidized Fe-superoxide dismutase, a 42 kDa paramagnet-containing enzyme. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 293-4	3	8
1999	¹ H, ¹⁵ N and ¹³ C assignments of the DNA binding domain of transcription factor Mbp1 from <i>S. cerevisiae</i> in both its free and the DNA bound forms, and ¹ H assignments of the free DNA. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 397-8	3	6
1998	Backbone NMR assignment and secondary structure of ribosome recycling factor (RRF) from <i>Pseudomonas aeruginosa</i> . <i>Journal of Biomolecular NMR</i> , 1999 , 15, 341-2	3	2
1997	Microsecond time scale dynamics in the RXR DNA-binding domain from a combination of spin-echo and off-resonance rotating frame relaxation measurements. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 275-88	3	50
1996	Mapping of the detergent-exposed surface of membrane proteins and peptides by ¹ H solution NMR in detergent: Application to the gramicidin A ion channel. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 31-41	3	5
1995	Random-coil chemical shifts of phosphorylated amino acids. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 203-6	3	109
1994	Efficient determination of angles subtended by C(alpha)-H(alpha) and N-H(N) vectors in proteins via dipole-dipole cross-correlation. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 375-80	3	39
1993	Multiple-quantum HCN-CCH-TOCSY experiment for ¹³ C/ ¹⁵ N labeled RNA oligonucleotides. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 289-93	3	5
1992	Protein backbone angle restraints from searching a database for chemical shift and sequence homology. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 289-302	3	2724
1991	A robust and cost-effective method for the production of Val, Leu, Ile (delta 1) methyl-protonated ¹⁵ N-, ¹³ C-, ² H-labeled proteins. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 369-74	3	420
1990	A novel NMR experiment for the sequential assignment of proline residues and proline stretches in ¹³ C/ ¹⁵ N-labeled proteins. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 381-5	3	27
1989	Sequence-specific ¹ H, ¹³ C and ¹⁵ N assignment and secondary structure of the apo EH2 domain of mouse Eps15. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 97-8	3	1

1988	Letter to the Editor: ¹ H, ¹³ C and ¹⁵ N resonance assignments of the AT-rich interaction domain from the Dead Ringer protein. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 85-6	3	2
1987	¹ H, ¹³ C and ¹⁵ N NMR assignments for a carbon monoxide generating metalloenzyme from <i>Klebsiella pneumoniae</i> . <i>Journal of Biomolecular NMR</i> , 1999 , 14, 287-8	3	8
1986	Gradient and sensitivity enhancement of 2D TROSY with water flip-back, 3D NOESY-TROSY and TOCSY-TROSY experiments. <i>Journal of Biomolecular NMR</i> , 1999 , 13, 77-81	3	67
1985	¹ H, ¹³ C, and ¹⁵ N NMR backbone assignments of 37 kDa surface antigen OspC from <i>Borrelia burgdorferi</i> . <i>Journal of Biomolecular NMR</i> , 1999 , 14, 283-4	3	10
1984	Assignment of the ¹ H, ¹⁵ N, and ¹³ C resonances of the C-terminal domain of frataxin, the protein responsible for Friedreich ataxia. <i>Journal of Biomolecular NMR</i> , 1999 , 15, 87-8	3	18
1983	Backbone dynamics of the human CC chemokine eotaxin: fast motions, slow motions, and implications for receptor binding. 1999 , 8, 2041-54		37
1982	Structural changes in the C-terminus of Ca ²⁺ -bound rat S100B (beta beta) upon binding to a peptide derived from the C-terminal regulatory domain of p53. 1999 , 8, 1743-51		39
1981	Structure-function analysis of the Z-DNA-binding domain Zalpha of dsRNA adenosine deaminase type I reveals similarity to the (alpha + beta) family of helix-turn-helix proteins. 1999 , 18, 470-9		63
1980	NMR study of the binding of all-trans-retinoic acid to type II human cellular retinoic acid binding protein. 1999 , 1433, 240-52		5
1979	Novel mode of ligand binding by the SH2 domain of the human XLP disease gene product SAP/SH2D1A. 1999 , 9, 1355-62		97
1978	A new class of hexahelical insect proteins revealed as putative carriers of small hydrophobic ligands. 1999 , 7, 1325-32		49
1977	Anchoring an extended HTLV-1 Rex peptide within an RNA major groove containing junctional base triples. 1999 , 7, 1461-72		36
1976	The solution structure of Lac repressor headpiece 62 complexed to a symmetrical lac operator. 1999 , 7, 1483-92		72
1975	The three-dimensional structure of the HRDC domain and implications for the Werner and Bloom syndrome proteins. 1999 , 7, 1557-66		110
1974	The solution structure of the guanine nucleotide exchange domain of human elongation factor 1beta reveals a striking resemblance to that of EF-Ts from <i>Escherichia coli</i> . 1999 , 7, 217-26		29
1973	NMR structure of the N-terminal domain of <i>E. coli</i> DnaB helicase: implications for structure rearrangements in the helicase hexamer. 1999 , 7, 681-90		57
1972	Saccharide-RNA recognition in a complex formed between neomycin B and an RNA aptamer. 1999 , 7, 817-27		100
1971	Flap opening and dimer-interface flexibility in the free and inhibitor-bound HIV protease, and their implications for function. 1999 , 7, 1047-55		223

1970	NMR investigation and secondary structure of domains I and II of rat brain calbindin D28k (1-93). 1999 , 262, 933-8	6
1969	Quantitative measurement of transverse and longitudinal cross-correlation between ¹³ C- ¹ H dipolar interaction and ¹³ C chemical shift anisotropy: application to a ¹³ C-labeled DNA duplex. 1999 , 136, 169-75	16
1968	NMR experiments for the study of photointermediates: application to the photoactive yellow protein. 1999 , 137, 443-7	18
1967	Accurate measurement of H(N)-H(alpha) residual dipolar couplings in proteins. 1999 , 139, 451-3	35
1966	Signal enhancement using 45 degrees water flipback for 3D ¹⁵ N-edited ROESY and NOESY HMQC and HSQC. 1999 , 140, 451-9	10
1965	Dual processing of two-dimensional exchange data in magic angle spinning NMR of solids. 1999 , 141, 141-7	19
1964	NMR studies of the structure and dynamics of peptide E, an endogenous opioid peptide that binds with high affinity to multiple opioid receptor subtypes. 1999 , 49, 55-70	17
1963	Smoluchowski dynamics of the vnd/NK-2 homeodomain from <i>Drosophila melanogaster</i> : first-order mode-coupling approximation. 1999 , 49, 235-54	12
1962	An nmr conformational analysis of a synthetic peptide Cn2(1-15)NH ₂ -S-S-acetyl-Cn2(52-66)NH ₂ from the New World <i>Centruroides noxius</i> 2 (Cn2) scorpion toxin: comparison of the structure with those of the <i>Centruroides</i> scorpion toxins. 1999 , 49, 277-86	1
1961	Solution structure of the sodium channel inactivation gate. 1999 , 38, 855-61	116
1960	The solution structure and dynamics of an Arc repressor mutant reveal premelting conformational changes related to DNA binding. 1999 , 38, 6035-42	19
1959	Solution structures of the C-terminal domain of cardiac troponin C free and bound to the N-terminal domain of cardiac troponin I. 1999 , 38, 8313-22	46
1958	How Tetrahedral Are Methyl Groups in Proteins? A Liquid Crystal NMR Study. 1999 , 121, 4690-4695	53
1957	Solution structure of the Eps15 homology domain of a human POB1 (partner of RalBP1). 1999 , 442, 138-42	25
1956	Effects of nucleoside analog incorporation on DNA binding to the DNA binding domain of the GATA-1 erythroid transcription factor. 1999 , 444, 47-53	2
1955	The structure of the antimicrobial active center of lactoferricin B bound to sodium dodecyl sulfate micelles. 1999 , 446, 213-7	89
1954	The structural flexibility of the preferredoxin transit peptide. 1999 , 453, 318-26	44
1953	Binding of cardiac troponin-I147-163 induces a structural opening in human cardiac troponin-C. 1999 , 38, 8289-98	243

1952	Solution structure of Syrian hamster prion protein rPrP(90-231). 1999 , 38, 5362-77	172
1951	Internucleotide Scalar Couplings Across Hydrogen Bonds in Watson-Crick and Hoogsteen Base Pairs of a DNA Triplex. 1999 , 121, 6019-6027	235
1950	¹ H-NMR and circular dichroism spectroscopic studies on changes in secondary structures of the sodium channel inactivation gate peptides as caused by the pentapeptide KIFMK. 1999 , 77, 1363-73	10
1949	Structure of the antimicrobial peptide tritrpticin bound to micelles: a distinct membrane-bound peptide fold. 1999 , 38, 16749-55	137
1948	Role of heme in structural organization of cytochrome c probed by semisynthesis. 1999 , 38, 15944-51	25
1947	NMR structure and functional studies of the Mu repressor DNA-binding domain. 1999 , 38, 8367-76	22
1946	Millisecond to microsecond time scale dynamics of the retinoid X and retinoic acid receptor DNA-binding domains and dimeric complex formation. 1999 , 38, 1951-6	30
1945	Backbone dynamics of the N-terminal domain of the HIV-1 capsid protein and comparison with the G94D mutant conferring cyclosporin resistance/dependence. 1999 , 38, 10262-71	29
1944	¹³ C labeling indicates that the epoxide-containing amino acid of HC-toxin is biosynthesized by head-to-tail condensation of acetate. 1999 , 62, 143-5	9
1943	TROSY Triple-Resonance Four-Dimensional NMR Spectroscopy of a 46 ns Tumbling Protein. 1999 , 121, 2571-2575	139
1942	An NMR analysis of ubiquitin recognition by yeast ubiquitin hydrolase: evidence for novel substrate recognition by a cysteine protease. 1999 , 38, 11634-42	21
1941	Multistep denaturation of <i>Borrelia burgdorferi</i> OspA, a protein containing a single-layer beta-sheet. 1999 , 38, 4757-67	33
1940	The native state conformational ensemble of the SH3 domain from alpha-spectrin. 1999 , 38, 8899-906	73
1939	Relaxation of Two-Spin Coherence Due to Cross-Correlated Fluctuations of Dipole-Dipole Couplings and Anisotropic Shifts in NMR of ¹⁵ N, ¹³ C-Labeled Biomolecules. 1999 , 121, 6876-6883	67
1938	Measurement of Methyl ² H Quadrupolar Couplings in Oriented Proteins. How Uniform Is the Quadrupolar Coupling Constant?. 1999 , 121, 10608-10613	65
1937	Molecular complex of cholecystokinin-8 and N-terminus of the cholecystokinin A receptor by NMR spectroscopy. 1999 , 38, 14775-83	91
1936	Heteronuclear NMR and crystallographic studies of wild-type and H187Q <i>Escherichia coli</i> uracil DNA glycosylase: electrophilic catalysis of uracil expulsion by a neutral histidine 187. 1999 , 38, 11876-86	70
1935	Low-temperature-induced structural changes in the Apo regulatory domain of skeletal muscle troponin C. 1999 , 38, 5693-700	23

1934	Purple Membrane Induced Alignment of Biological Macromolecules in the Magnetic Field. 1999 , 121, 2047-2055	219
1933	Backbone dynamics of inactive, active, and effector-bound Cdc42Hs from measurements of (15)N relaxation parameters at multiple field strengths. 1999 , 38, 12547-57	44
1932	Correlation between 3hJNCH and Hydrogen Bond Length in Proteins. 1999 , 121, 6275-6279	157
1931	NMR characterization of the metallo-beta-lactamase from <i>Bacteroides fragilis</i> and its interaction with a tight-binding inhibitor: role of an active-site loop. 1999 , 38, 14507-14	99
1930	Solution structure of component B from methane monooxygenase derived through heteronuclear NMR and molecular modeling. 1999 , 38, 5799-812	73
1929	NMR solution structure of the catalytic fragment of human fibroblast collagenase complexed with a sulfonamide derivative of a hydroxamic acid compound. 1999 , 38, 7085-96	41
1928	Intermolecular contacts between the lambda-Cro repressor and the operator DNA characterized by nuclear magnetic resonance spectroscopy. 1999 , 16, 989-1002	2
1927	Calcium-dependent and -independent interactions of the calmodulin-binding domain of cyclic nucleotide phosphodiesterase with calmodulin. 1999 , 38, 1446-55	69
1926	Transverse 13C Relaxation of CHD2 Methyl Isotopomers To Detect Slow Conformational Changes of Protein Side Chains. 1999 , 121, 11589-11590	77
1925	Motional dynamics of the catalytic loop in OMP synthase. 1999 , 38, 284-95	42
1924	The EH1 domain of Eps15 is structurally classified as a member of the S100 subclass of EF-hand-containing proteins. 1999 , 38, 11271-7	28
1923	Hydrogen-exchange stabilities of RNase T1 and variants with buried and solvent-exposed Ala -> Gly mutations in the helix. 1999 , 38, 16481-90	21
1922	Defining the region of troponin-I that binds to troponin-C. 1999 , 38, 5478-89	46
1921	Cloning, expression, and characterization of a DNA binding domain of gpNu1, a phage lambda DNA packaging protein. 1999 , 38, 465-77	24
1920	Structural effect of complete [Rp]-phosphorothioate and phosphorodithioate substitutions in the DNA strand of a model antisense inhibitor-target RNA complex. 1999 , 285, 1609-22	23
1919	Long-range effects on dynamics in a temperature-sensitive mutant of trp repressor. 1999 , 285, 361-78	15
1918	Conformations of peptide fragments from the FK506 binding protein: comparison with the native and urea-unfolded states. 1999 , 285, 2161-75	20
1917	Analysis of the relationship between enzyme activity and its internal motion using nuclear magnetic resonance: 15N relaxation studies of wild-type and mutant lysozyme. 1999 , 286, 1547-65	50

1916	Structure, backbone dynamics and interactions with RNA of the C-terminal RNA-binding domain of a mouse neural RNA-binding protein, Musashi1. 1999 , 287, 315-30	43
1915	Structure and interactions with RNA of the N-terminal UUAG-specific RNA-binding domain of hnRNP D0. 1999 , 287, 221-37	42
1914	The cellulose-binding domains from <i>Cellulomonas fimi</i> beta-1, 4-glucanase CenC bind nitroxide spin-labeled celooligosaccharides in multiple orientations. 1999 , 287, 609-25	48
1913	The solution structure of the N-terminal proteinase domain of the hepatitis C virus (HCV) NS3 protein provides new insights into its activation and catalytic mechanism. 1999 , 289, 371-84	105
1912	Structural characterization of the interactions of optimized product inhibitors with the N-terminal proteinase domain of the hepatitis C virus (HCV) NS3 protein by NMR and modelling studies. 1999 , 289, 385-96	61
1911	High precision solution structure of the C-terminal KH domain of heterogeneous nuclear ribonucleoprotein K, a c-myc transcription factor. 1999 , 289, 949-62	81
1910	Characterization of the binding interface between ubiquitin and class I human ubiquitin-conjugating enzyme 2b by multidimensional heteronuclear NMR spectroscopy in solution. 1999 , 290, 213-28	86
1909	NMR studies of the pbx1 TALE homeodomain protein free in solution and bound to DNA: proposal for a mechanism of HoxB1-Pbx1-DNA complex assembly. 1999 , 291, 521-30	29
1908	Solution structure of the capsid protein from the human T-cell leukemia virus type-I. 1999 , 291, 491-505	91
1907	Solution structure of human GAIP (Galpha interacting protein): a regulator of G protein signaling. 1999 , 291, 927-39	65
1906	Altered flexibility in the substrate-binding site of related native and engineered high-alkaline <i>Bacillus subtilis</i> ins. 1999 , 292, 111-23	218
1905	Local folding coupled to RNA binding in the yeast ribosomal protein L30. 1999 , 292, 345-59	28
1904	Refining the overall structure and subdomain orientation of ribosomal protein S4 delta41 with dipolar couplings measured by NMR in uniaxial liquid crystalline phases. 1999 , 292, 375-87	33
1903	Solution structure of the DNA-binding domain of NtrC with three alanine substitutions. 1999 , 292, 1095-110	71
1902	Changes in side-chain and backbone dynamics identify determinants of specificity in RNA recognition by human U1A protein. 1999 , 294, 967-79	65
1901	NMR structure of an F-actin-binding "headpiece" motif from villin. 1999 , 294, 1299-310	65
1900	The solution structure of the Zalpha domain of the human RNA editing enzyme ADAR1 reveals a prepositioned binding surface for Z-DNA. 1999 , 96, 12465-70	73
1899	Structure-function relationships in novel peptide dodecamers with broad-spectrum bactericidal and endotoxin-neutralizing activities. 2000 , 349 Pt 3, 717-28	27

1898	Calcium-induced refolding of the calmodulin V136G mutant studied by NMR spectroscopy: evidence for interaction between the two globular domains. 2000 , 39, 15920-31	15
1897	Solution structure of nocistatin, a new peptide analgesic. 2000 , 53, 257-64	7
1896	Structural basis for the biological activity of dendrotoxin-I, a potent potassium channel blocker. 2000 , 54, 44-57	20
1895	Comparative modeling studies of the calmodulin-like domain of calcium-dependent protein kinase from soybean. 2000 , 39, 343-57	17
1894	Modified genetic algorithm resolves ambiguous NOE restraints and reduces unsightly NOE violations. 2000 , 39, 385-392	7
1893	Hydrogen exchange study of canine milk lysozyme: stabilization mechanism of the molten globule. 2000 , 40, 579-89	29
1892	Structural consequences of an amino acid deletion in the B1 domain of protein G. 2000 , 41, 323-33	7
1891	NMR structures of thioredoxin m from the green alga <i>Chlamydomonas reinhardtii</i> . 2000 , 41, 334-349	25
1890	Structures of the platelet calcium- and integrin-binding protein and the α IIb-integrin cytoplasmic domain suggest a mechanism for calcium-regulated recognition; homology modelling and NMR studies. 2000 , 13, 83-92	24
1889	Smoluchowski dynamics of the vnd/NK-2 homeodomain from <i>Drosophila melanogaster</i> : second-order maximum correlation approximation. 2000 , 54, 89-103	21
1888	Mapping the effects of metal ion reduction and substrate analog binding to Fe-superoxide dismutase by NMR spectroscopy. 2000 , 38, 536-542	18
1887	Novel relaxation compensated method to measure proton exchange rates in biomolecules based on decorrelation of heteronuclear two-spin order. 2000 , 38, 789-794	1
1886	Evaluation of cross-correlation effects and measurement of one-bond couplings in proteins with short transverse relaxation times. 2000 , 143, 184-96	129
1885	Protein dynamics measurements by TROSY-based NMR experiments. 2000 , 143, 423-6	160
1884	Sensitivity enhancement of HCACO by using an HMQC magnetization transfer scheme. 2000 , 143, 407-10	10
1883	An iterative fitting procedure for the determination of longitudinal NMR cross-correlation rates. 2000 , 144, 175-85	13
1882	NMRLAB-Advanced NMR data processing in matlab. 2000 , 145, 201-8	76
1881	Spectral estimation of NMR relaxation. 2000 , 145, 209-15	0

1880	Sensitivity-enhanced MQ-HCN-CCH-TOCSY and MQ-HCN-CCH-COSY pulse schemes for (13)C/(15)N labeled RNA oligonucleotides. 2000 , 145, 147-51		4
1879	Efficient measurement of (3)J(N,Cgamma) and (3)J(C',Cgamma) coupling constants of aromatic residues in (13)C, (15)N-labeled proteins. 2000 , 146, 126-31		5
1878	A J-multiplied HMQC (MJ-HMQC) experiment for measuring (3)J(HNHalpha) coupling constants. 2000 , 146, 228-31		6
1877	Oligomerization of the chromatin-structuring protein H-NS. 2000 , 36, 962-72		107
1876	Covalent structure of mutacin 1140 and a novel method for the rapid identification of lantibiotics. 2000 , 267, 6810-6		33
1875	Solution structure of the antimicrobial peptide gaegurin 4 by H and 15N nuclear magnetic resonance spectroscopy. 2000 , 267, 2695-704		34
1874	Formation of a native-like beta-hairpin finger structure of a peptide from the extended PDZ domain of neuronal nitric oxide synthase in aqueous solution. 2000 , 267, 3116-22		23
1873	Keratan sulfates from bovine tracheal cartilage structural studies of intact polymer chains using H and 13C NMR spectroscopy. 2000 , 267, 3360-9		11
1872	Thermodynamic analysis of helix-engineered forms of the activation domain of human procarboxypeptidase A2. 2000 , 267, 5891-9		13
1871	Sequence specific analysis of the heterogeneous glycan chain from peanut peroxidase by 1H-NMR spectroscopy. 2000 , 53, 135-44		10
1870	Structural study of the sodium channel inactivation gate peptide including an isoleucine-phenylalanine-methionine motif and its analogous peptide (phenylalanine/glutamine) in trifluoroethanol solutions and SDS micelles. 2000 , 56, 172-84		10
1869	Beta-helix structure and ice-binding properties of a hyperactive antifreeze protein from an insect. 2000 , 406, 325-8		360
1868	NMR structure of an anti-gp120 antibody complex with a V3 peptide reveals a surface important for co-receptor binding. 2000 , 8, 385-95		54
1867	A high-resolution structure of a DNA-chromomycin-Co(II) complex determined from pseudocontact shifts in nuclear magnetic resonance. 2000 , 8, 441-52		33
1866	Structure and self-association of the Rous sarcoma virus capsid protein. 2000 , 8, 617-28		104
1865	Structure of a PH domain from the <i>C. elegans</i> muscle protein UNC-89 suggests a novel function. 2000 , 8, 1079-87		25
1864	Letter to the editor: 1H, 15N, 13C, and 13CO assignments and secondary structure determination of collagenase-3 (MMP-13) complexed with a hydroxamic acid inhibitor. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 269-70	3	7
1863	Assignment of the 1H, 13C, and 15N resonances of the DNA binding domain of gpNu1, a genome packaging protein from bacteriophage lambda. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 69-70	3	3

1862	Characterization of the hydrogen bond network in guanosine quartets by internucleotide 3hJ(NC)' and 2hJ(NN) scalar couplings. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 279-89	3	77
1861	Assignment of 1H, 13C and 15N resonances of FKBP. from <i>Methanococcus thermolithotrophicus</i> . <i>Journal of Biomolecular NMR</i> , 2000 , 17, 183-4	3	1
1860	Backbone dynamics of a bacterially expressed peptide from the receptor binding domain of <i>Pseudomonas aeruginosa</i> pilin strain PAK from heteronuclear 1H-15N NMR spectroscopy. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 239-55	3	23
1859	NMR backbone assignments of the cold-regulated RNA-binding protein, rbpA1, in the cyanobacterium, <i>anabaena variabilis</i> M3. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 351-2	3	3
1858	Backbone 1H, 13C, and 15N resonance assignments of an 18.2 kDa protein, <i>E. coli</i> peptidyl-prolyl cis-trans isomerase b (EPPIb). <i>Journal of Biomolecular NMR</i> , 2000 , 18, 75-6	3	15
1857	Differential multiple-quantum relaxation arising from cross-correlated time-modulation of isotropic chemical shifts. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 33-42	3	71
1856	Assignment of 1H(N), 15N, 13C(alpha), 13CO and 13C(beta) resonances in a 67 kDa p53 dimer using 4D-TROSY NMR spectroscopy. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 173-6	3	27
1855	Letter to the editor: assignment and secondary structure identification of the ribosomal protein L18 from <i>Thermus thermophilus</i> . <i>Journal of Biomolecular NMR</i> , 2000 , 17, 273-4	3	3
1854	Letter to the editor: 1H, 13C and 15N resonance assignments of <i>Aquifex aeolicus</i> shikimate kinase in complex with the substrate shikimate. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 277-8	3	3
1853	Sequence-specific 1H, 15N and 13C resonance assignments of the inhibitory prodomain of human furin. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 275-6	3	4
1852	Letter to the editor: 1H, 15N and 13C resonance assignments for the catalytic domain of the yeast E2, UBC1. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 351-2	3	6
1851	Assignments of 1H, 13C, and 15N resonances of intramolecular dimer antifreeze protein RD3. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 273-4	3	3
1850	Letter to the editor: 1H, 15N, 13C, and 13CO assignments and secondary structure determination of ZipA. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 275-6	3	5
1849	Refinement of the protein backbone angle psi in NMR structure calculations. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 47-58	3	25
1848	Letter to the editor: 1H, 15N, and 13C NMR backbone assignments and secondary structure of the C-terminal recombinant fragment of auxilin including the J-domain. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 281-2	3	3
1847	Sequential assignment of proline-rich regions in proteins: application to modular binding domain complexes. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 253-9	3	64
1846	Measurement of one-bond 15N-13C' dipolar couplings in medium sized proteins. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 101-5	3	51
1845	Assignment of the 1H, 13C and 15N resonances of the C-terminal EF-hands of alpha-actinin in a 14 kDa complex with Z-repeat 7 of titin. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 277-8	3	3

1844	1H, 13C and 15N resonance assignments of the DNA binding domain of the human forkhead transcription factor AFX. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 181-2	3	11
1843	Sequence-specific 1H, 15N and 13C resonance assignments for the third EH domain of Eps15. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 81-2	3	2
1842	Measurement of dipolar couplings in a transducin peptide fragment weakly bound to oriented photo-activated rhodopsin. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 121-5	3	49
1841	Backbone resonance assignment of the N-terminal 24 kDa fragment of the gyrase B subunit from <i>S. aureus</i> complexed with novobiocin. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 357-8	3	6
1840	Sequence-specific resonance assignments of Q83, a lipocalin highly expressed in v-myc-transformed avian fibroblasts. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 177-8	3	4
1839	Random coil chemical shifts in acidic 8 M urea: implementation of random coil shift data in NMRView. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 43-8	3	258
1838	1H, 13C and 15N backbone assignment and secondary structure of the 19 kDa diadenosine 5', 5'''-P1, P4-tetrphosphate hydrolase from <i>Lupinus angustifolius</i> L. <i>Journal of Biomolecular NMR</i> , 2000 , 16, 269-70	3	4
1837	Measurement of the protein backbone dihedral angle phi based on quantification of remote CSA/DD interference in inter-residue 13C'(i - 1)-13Calpha(i) multiple-quantum coherences. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 265-8	3	21
1836	Sequence-specific 1H, 15N and 13C resonance assignments of the EEA1 FYVE domain. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 89-90	3	3
1835	Backbone NMR assignments of a high molecular weight protein (47 kDa), cyclic AMP receptor protein (apo-CRP). <i>Journal of Biomolecular NMR</i> , 2000 , 16, 79-80	3	11
1834	Structural comparison between wild-type and P25S human cystatin A by NMR spectroscopy. Does this mutation affect the alpha-helix conformation?. 2000 , 1, 26-42		7
1833	Solution structure of DinI provides insight into its mode of RecA inactivation. 2000 , 9, 2161-9		66
1832	Peptide and metal ion-dependent association of isolated helix-loop-helix calcium binding domains: studies of thrombic fragments of calmodulin. 2000 , 9, 964-75		9
1831	NMR solution structure of <i>Apis mellifera</i> chymotrypsin/cathepsin G inhibitor-1 (AMCI-1): structural similarity with <i>Ascaris</i> protease inhibitors. 2000 , 9, 976-84		38
1830	Analysis of the internal motion of free and ligand-bound human lysozyme by use of 15N NMR relaxation measurement: a comparison with those of hen lysozyme. 2000 , 9, 1669-84		18
1829	NMR investigation of the interaction of the inhibitor protein Im9 with its partner DNase. 2000 , 9, 1709-18		8
1828	Structure of a (Cys3His) zinc ribbon, a ubiquitous motif in archaeal and eucaryal transcription. 2000 , 9, 1743-52		53
1827	Solution structure of the MEF2A-DNA complex: structural basis for the modulation of DNA bending and specificity by MADS-box transcription factors. 2000 , 19, 2615-28		81

1826	A dynamically tuned double-stranded RNA binding mechanism for the activation of antiviral kinase PKR. 2000 , 19, 5567-74		133
1825	The solution structure of the C-terminal domain of the Mu B transposition protein. 2000 , 19, 5625-34		8
1824	Solution structure of the phosphoryl transfer complex between the signal transducing proteins HPr and IIA(glucose) of the Escherichia coli phosphoenolpyruvate:sugar phosphotransferase system. 2000 , 19, 5635-49		84
1823	Inhibitor binding induces active site stabilization of the HCV NS3 protein serine protease domain. 2000 , 19, 1195-206		59
1822	Structure of the central core domain of TFIIIEbeta with a novel double-stranded DNA-binding surface. 2000 , 19, 1346-56		51
1821	Multiple modes of peptide recognition by the PTB domain of the cell fate determinant Numb. 2000 , 19, 1505-15		77
1820	Structure of the fMet-tRNA(fMet)-binding domain of B. stearothermophilus initiation factor IF2. 2000 , 19, 1918-26		51
1819	Backbone resonance assignment of human UBC4. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 363-4	3	3
1818	Assignment of 1H and 15N resonances of mouse lysozyme M. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 361-2	3	1
1817	Pressure alters electronic orbital overlap in hydrogen bonds. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 207-16	3	27
1816	Transverse relaxation optimized 3D and 4D 15n/15N separated NOESY experiments of 15N labeled proteins. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 261-8	3	20
1815	1H, 13C and 15N resonance assignments of the SNT PTB domain in complex with FGFR1 peptide. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 371-2	3	1
1814	HNCAN pulse sequences for sequential backbone resonance assignment across proline residues in perdeuterated proteins. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 337-46	3	16
1813	Identification of the ubiquitin interfacial residues in a ubiquitin-E2 covalent complex. <i>Journal of Biomolecular NMR</i> , 2000 , 18, 319-27	3	26
1812	Novel inhibitors of DNA gyrase: 3D structure based biased needle screening, hit validation by biophysical methods, and 3D guided optimization. A promising alternative to random screening. 2000 , 43, 2664-74		378
1811	Structural basis for the impaired channeling and allosteric inter-subunit communication in the beta A169L/beta C170W mutant of tryptophan synthase. 2000 , 275, 41058-63		18
1810	Elucidating the mechanism of familial amyloidosis- Finnish type: NMR studies of human gelsolin domain 2. 2000 , 97, 10706-11		23
1809	Extension of transverse relaxation-optimized spectroscopy techniques to allosteric proteins: CO- and paramagnetic fluoromet-hemoglobin [beta (15N-valine)]. 2000 , 97, 2538-43		9

1808	Local structural elements in the mostly unstructured transcriptional activation domain of human p53. 2000 , 275, 29426-32	257
1807	Residue 259 is a key determinant of substrate specificity of protein-tyrosine phosphatases 1B and alpha. 2000 , 275, 18201-9	39
1806	X-ray structures of the apo and MgATP-bound states of Dictyostelium discoideum myosin motor domain. 2000 , 275, 38494-9	105
1805	Solvent organization in an oligonucleotide crystal. The structure of d(GCGAATTCG) ₂ at atomic resolution. 2000 , 275, 23034-44	46
1804	A structural basis for integrin activation by the cytoplasmic tail of the alpha IIb-subunit. 2000 , 97, 1450-5	128
1803	Crystal structure of TRAIL-DR5 complex identifies a critical role of the unique frame insertion in conferring recognition specificity. 2000 , 275, 31171-7	100
1802	The crystal structure of the Escherichia coli MobA protein provides insight into molybdopterin guanine dinucleotide biosynthesis. 2000 , 275, 40211-7	59
1801	Revisiting the catalytic CuZ cluster of nitrous oxide (N ₂ O) reductase. Evidence of a bridging inorganic sulfur. 2000 , 275, 41133-6	138
1800	Binding of alkylurea inhibitors to epoxide hydrolase implicates active site tyrosines in substrate activation. 2000 , 275, 15265-70	92
1799	Both coactivator LXXLL motif-dependent and -independent interactions are required for peroxisome proliferator-activated receptor gamma (PPARgamma) function. 2000 , 275, 3733-6	40
1798	Interaction of the factor XIII activation peptide with alpha -thrombin. Crystal structure of its enzyme-substrate analog complex. 2000 , 275, 36942-8	44
1797	Crystal structures of apo- and holo-bovine alpha-lactalbumin at 2. 2-A resolution reveal an effect of calcium on inter-lobe interactions. 2000 , 275, 37021-9	193
1796	Selected mutations in a mesophilic cytochrome c confer the stability of a thermophilic counterpart. 2000 , 275, 37824-8	46
1795	The crystal structure of 3alpha -hydroxysteroid dehydrogenase/carbonyl reductase from Comamonas testosteroni shows a novel oligomerization pattern within the short chain dehydrogenase/reductase family. 2000 , 275, 41333-9	76
1794	NMR studies of Bacillus subtilis tRNA(Trp) hyperexpressed in Escherichia coli. Assignment of imino proton signals and determination of thermal stability. 2000 , 275, 6712-6	10
1793	Mechanism of pH-dependent N-acetylgalactosamine binding by a functional mimic of the hepatocyte asialoglycoprotein receptor. 2000 , 275, 35176-84	57
1792	The structural features of concanavalin A governing non-proline peptide isomerization. 2000 , 275, 19778-87	56
1791	Crystal structure of human frataxin. 2000 , 275, 30753-6	164

1790	Structure of GATE-16, membrane transport modulator and mammalian ortholog of autophagocytosis factor Aut7p. 2000 , 275, 25445-50	119
1789	Crystal structure of 1-aminocyclopropane-1-carboxylate deaminase from <i>Hansenula saturnus</i> . 2000 , 275, 34557-65	47
1788	Solution Structure of an Antibody-Bound HIV-1 (IIIB) V3 Peptide: A Cis Proline Turn Linking Two Hairpin Strands. 2000 , 17 Suppl 1, 57-63	1
1787	Crystal structure of human squalene synthase. A key enzyme in cholesterol biosynthesis. 2000 , 275, 30610-7	181
1786	Crystal structure of dTDP-4-keto-6-deoxy-D-hexulose 3,5-epimerase from <i>Methanobacterium thermoautotrophicum</i> complexed with dTDP. 2000 , 275, 24608-12	48
1785	The structure of the transcriptional antiterminator NusB from <i>Escherichia coli</i> . 2000 , 7, 470-4	20
1784	Structural basis for catalysis and inhibition of N-glycan processing class I alpha 1,2-mannosidases. 2000 , 275, 41287-98	123
1783	Crystal structure of a conformation-selective casein kinase-1 inhibitor. 2000 , 275, 20052-60	113
1782	Detection of large pKa perturbations of an inhibitor and a catalytic group at an enzyme active site, a mechanistic basis for catalytic power of many enzymes. 2000 , 275, 41100-6	38
1781	Structure of a conserved domain common to the transcription factors TFIIIS, elongin A, and CRSP70. 2000 , 275, 31266-8	48
1780	Catalytic roles for two water bridged residues (Asp-98 and His-255) in the active site of copper-containing nitrite reductase. 2000 , 275, 23957-64	94
1779	Heparan/chondroitin sulfate biosynthesis. Structure and mechanism of human glucuronyltransferase I. 2000 , 275, 34580-5	134
1778	Structure of a C-type carbohydrate recognition domain from the macrophage mannose receptor. 2000 , 275, 21539-48	93
1777	Crystal structure of a thermophilic cytochrome P450 from the archaeon <i>Sulfolobus solfataricus</i> . 2000 , 275, 31086-92	155
1776	The structure and the characteristic DNA binding property of the C-terminal domain of the RNA polymerase alpha subunit from <i>Thermus thermophilus</i> . 2000 , 275, 16057-63	15
1775	Characterization of the N-terminal domain of the yeast transcriptional repressor Tup1. Proposal for an association model of the repressor complex Tup1 x Ssn6. 2000 , 275, 9011-8	32
1774	Chitin-binding proteins in invertebrates and plants comprise a common chitin-binding structural motif. 2000 , 275, 17929-32	119
1773	Detection of N-H...N hydrogen bonding in RNA via scalar couplings in the absence of observable imino proton resonances. 2000 , 28, 1585-93	93

1772	A strategically positioned cation is crucial for efficient catalysis by chorismate mutase. 2000 , 275, 36832-8	52
1771	NMR structure of a DNA duplex containing nucleoside analog 1-(2'-deoxy-beta-D-ribofuranosyl)-3-nitropyrrole and the structure of the unmodified control. 2000 , 28, 4514-22	19
1770	Analysis by NMR spectroscopy of the structural homology between the linear and the cyclic peptide recognized by anti-human leukocyte antigen class I monoclonal antibody TP25.99*. 2000 , 275, 24679-85	3
1769	Solution structure of the RNA polymerase subunit RPB5 from <i>Methanobacterium thermoautotrophicum</i> . 2000 , 97, 6311-5	17
1768	Elongin from <i>Saccharomyces cerevisiae</i> . 2000 , 275, 11174-80	17
1767	Solution structure of the chitin-binding domain of <i>Bacillus circulans</i> WL-12 chitinase A1. 2000 , 275, 13654-61	95
1766	A common interface on histidine-containing phosphocarrier protein for interaction with its partner proteins. 2000 , 275, 16401-3	23
1765	Solution structure of the E200K variant of human prion protein. Implications for the mechanism of pathogenesis in familial prion diseases. 2000 , 275, 33650-4	102
1764	X-ray crystallographic study of cyanide binding provides insights into the structure-function relationship for cytochrome cd1 nitrite reductase from <i>Paracoccus pantotrophus</i> . 2000 , 275, 25089-94	45
1763	Mechanism of catalysis of the cofactor-independent phosphoglycerate mutase from <i>Bacillus stearothermophilus</i> . Crystal structure of the complex with 2-phosphoglycerate. 2000 , 275, 23146-53	40
1762	Crystal structure of the allergen Equ c 1. A dimeric lipocalin with restricted IgE-reactive epitopes. 2000 , 275, 21572-7	66
1761	Fas- and tumor necrosis factor-mediated apoptosis uses the same binding surface of FADD to trigger signal transduction. A typical model for convergent signal transduction. 2000 , 275, 36217-22	55
1760	Structure of the BH domain from graf and its implications for Rho GTPase recognition. 2000 , 275, 38605-10	16
1759	Substrate recognition by the Lyn protein-tyrosine kinase. NMR structure of the immunoreceptor tyrosine-based activation motif signaling region of the B cell antigen receptor. 2000 , 275, 16174-82	19
1758	Expression and characterization of the chitin-binding domain of chitinase A1 from <i>Bacillus circulans</i> WL-12. 2000 , 182, 3045-54	139
1757	Secondary structure and calcium-induced folding of the <i>Clostridium thermocellum</i> dockerin domain determined by NMR spectroscopy. 2000 , 379, 237-44	56
1756	Structure of the amino terminus of a gap junction protein. 2000 , 381, 181-90	123
1755	Solution structure and backbone dynamics of the second PDZ domain of postsynaptic density-95. 2000 , 295, 225-37	94

1754	Structural comparison of the PhoB and OmpR DNA-binding/transactivation domains and the arrangement of PhoB molecules on the phosphate box. 2000 , 295, 1225-36	83
1753	Solution structure and dynamics of the Rous sarcoma virus capsid protein and comparison with capsid proteins of other retroviruses. 2000 , 296, 633-49	106
1752	Solution structure and dynamics of the DNA-binding domain of the adipocyte-transcription factor FREAC-11. 2000 , 296, 351-9	49
1751	Is folding of beta-lactoglobulin non-hierarchical? Intermediate with native-like beta-sheet and non-native alpha-helix. 2000 , 296, 1039-51	86
1750	Similarities between the spectrin SH3 domain denatured state and its folding transition state. 2000 , 297, 1217-29	90
1749	Ligand-induced stabilization of PPARgamma monitored by NMR spectroscopy: implications for nuclear receptor activation. 2000 , 298, 187-94	140
1748	Structure of the CAD domain of caspase-activated DNase and interaction with the CAD domain of its inhibitor. 2000 , 297, 1121-8	32
1747	NMR structure of stem-loop SL2 of the HIV-1 psi RNA packaging signal reveals a novel A-U-A base-triple platform. 2000 , 299, 145-56	89
1746	Backbone dynamics of the C-terminal SH2 domain of the p85alpha subunit of phosphoinositide 3-kinase: effect of phosphotyrosine-peptide binding and characterization of slow conformational exchange processes. 2000 , 299, 771-88	31
1745	NMR characterization of residual structure in the denatured state of protein L. 2000 , 299, 1341-51	105
1744	Global folds of proteins with low densities of NOEs using residual dipolar couplings: application to the 370-residue maltodextrin-binding protein. 2000 , 300, 197-212	147
1743	Mutational analysis and NMR studies of the death domain of the tumor necrosis factor receptor-1. 2000 , 300, 1323-33	32
1742	Hydration dynamics of the collagen triple helix by NMR. 2000 , 300, 1041-9	86
1741	Solution structure of the cysteine-rich domain of the Escherichia coli chaperone protein DnaJ. 2000 , 300, 805-18	102
1740	NMR structure of the HIV-1 nucleocapsid protein bound to stem-loop SL2 of the psi-RNA packaging signal. Implications for genome recognition. 2000 , 301, 491-511	300
1739	Solution conformation and amyloid-like fibril formation of a polar peptide derived from a beta-hairpin in the OspA single-layer beta-sheet. 2000 , 301, 477-89	59
1738	The three-dimensional solution structure and dynamic properties of the human FADD death domain. 2000 , 302, 171-88	84
1737	High-resolution solution structure of the catalytic fragment of human collagenase-3 (MMP-13) complexed with a hydroxamic acid inhibitor. 2000 , 302, 671-89	54

1736	The three-dimensional structure of the Nudix enzyme diadenosine tetraphosphate hydrolase from <i>Lupinus angustifolius</i> L. 2000 , 302, 1165-77	43
1735	A specific intermolecular association between the regulatory domains of a Tec family kinase. 2000 , 302, 607-23	69
1734	Determination of a high precision structure of a novel protein, <i>Linum usitatissimum</i> trypsin inhibitor (LUTI), using computer-aided assignment of NOESY cross-peaks. 2000 , 302, 1179-92	24
1733	Solution structure of the TAZ2 (CH3) domain of the transcriptional adaptor protein CBP. 2000 , 303, 243-53	101
1732	Formation of nNOS/PSD-95 PDZ dimer requires a preformed beta-finger structure from the nNOS PDZ domain. 2000 , 303, 359-70	103
1731	High precision NMR structure of YhhP, a novel <i>Escherichia coli</i> protein implicated in cell division. 2000 , 304, 219-29	29
1730	Solution structure and acetyl-lysine binding activity of the GCN5 bromodomain. 2000 , 304, 355-70	135
1729	Identification of the phospholipid-binding site of human beta(2)-glycoprotein I domain V by heteronuclear magnetic resonance. 2000 , 304, 927-39	43
1728	Structure of the PHD zinc finger from human Williams-Beuren syndrome transcription factor. 2000 , 304, 723-9	129
1727	Expression, purification, refolding, and characterization of recombinant human interleukin-13: utilization of intracellular processing. 2000 , 20, 186-95	23
1726	Expression, refolding, and isotopic labeling of human serum albumin domains for NMR spectroscopy. 2000 , 20, 492-9	18
1725	Characterization of parathyroid hormone/receptor interactions: structure of the first extracellular loop. 2000 , 39, 8153-60	77
1724	Chain-selective isotopic labeling for NMR studies of large multimeric proteins: application to hemoglobin. 2000 , 79, 1146-54	55
1723	Stereochemical requirements for receptor recognition of the mu-opioid peptide endomorphin-1. 2000 , 78, 590-9	72
1722	Transferred ¹³ C T ₁ Relaxation at Natural Isotopic Abundance: A Practical Method for Determining Site-Specific Changes in Ligand Flexibility upon Binding to a Macromolecule. 2000 , 122, 12530-12535	26
1721	Relative Orientation of Peptide Planes in Proteins Is Reflected in Carbonyl ¹³ C Carbonyl Chemical Shift Anisotropy Cross-Correlated Spin Relaxation. 2000 , 122, 7059-7071	19
1720	Structural basis of SNT PTB domain interactions with distinct neurotrophic receptors. 2000 , 6, 921-9	89
1719	Structure of a biologically active fragment of human serum apolipoprotein C-II in the presence of sodium dodecyl sulfate and dodecylphosphocholine. 2000 , 1486, 253-64	14

1718	An RNA-binding chameleon. 2000 , 6, 1067-76	70
1717	Structural basis for relief of autoinhibition of the Dbl homology domain of proto-oncogene Vav by tyrosine phosphorylation. 2000 , 102, 625-33	318
1716	Structure of the cytosolic domain of TOM5, a mitochondrial import protein. 2000 , 468, 101-4	10
1715	Rapid internal dynamics of BPTI is insensitive to pressure. (15)N spin relaxation at 2 kbar. 2000 , 470, 11-4	19
1714	Identification of the regions involved in DNA binding by the mouse PEBP2alpha protein. 2000 , 470, 125-30	14
1713	Solution structure of alpha-conotoxin SI. 2000 , 476, 287-95	13
1712	Solution structure and membrane-binding property of the N-terminal tail domain of human annexin I. 2000 , 484, 241-5	19
1711	Identification, characterization, and crystal structure of the Omega class glutathione transferases. 2000 , 275, 24798-806	541
1710	Utilization of site-directed spin labeling and high-resolution heteronuclear nuclear magnetic resonance for global fold determination of large proteins with limited nuclear overhauser effect data. 2000 , 39, 5355-65	527
1709	Solution structure of an RNA duplex including a C-U base pair. 2000 , 39, 7074-80	24
1708	Interhelical hydrogen bonding drives strong interactions in membrane proteins. 2000 , 7, 154-60	212
1707	Structural analysis of multifunctional peptide motifs in human bifunctional tRNA synthetase: identification of RNA-binding residues and functional implications for tandem repeats. 2000 , 39, 15775-82	51
1706	The ATT strand of AAT.ATT trinucleotide repeats adopts stable hairpin structures induced by minor groove binding ligands. 2000 , 39, 6799-808	46
1705	Binding Orientation of Proline-Rich Peptides in Solution: Polarity of the Profilin-Ligand Interaction. 2000 , 122, 7851-7852	14
1704	Structural basis of the drastically increased initial electron transfer rate in the reaction center from a Rhodospseudomonas viridis mutant described at 2.00-A resolution. 2000 , 275, 39364-8	49
1703	The structure of human beta-defensin-2 shows evidence of higher order oligomerization. 2000 , 275, 32911-8	253
1702	Crystal structure of pseudomonas aeruginosa lipase in the open conformation. The prototype for family I.1 of bacterial lipases. 2000 , 275, 31219-25	209
1701	Dynamics of cellular retinoic acid binding protein I on multiple time scales with implications for ligand binding. 2000 , 39, 9119-29	44

1700	Changes in dynamical behavior of the retinoid X receptor DNA-binding domain upon binding to a 14 base-pair DNA half site. 2000 , 39, 8747-57	15
1699	Solution structure of Eps15's third EH domain reveals coincident Phe-Trp and Asn-Pro-Phe binding sites. 2000 , 39, 4309-19	21
1698	Alignment of Biopolymers in Strained Gels: A New Way To Create Detectable Dipole-Dipole Couplings in High-Resolution Biomolecular NMR. 2000 , 122, 9340-9341	322
1697	Structural preordering in the N-terminal region of ribosomal protein S4 revealed by heteronuclear NMR spectroscopy. 2000 , 39, 13602-13	54
1696	Dynamics of the metallo-beta-lactamase from <i>Bacteroides fragilis</i> in the presence and absence of a tight-binding inhibitor. 2000 , 39, 13356-64	53
1695	Separation of Intra- and Intermolecular NOEs through Simultaneous Editing and J-Compensated Filtering: A 4D Quadrature-Free Constant-Time J-Resolved Approach. 2000 , 122, 9735-9738	17
1694	Chemical shift mapped DNA-binding sites and ¹⁵ N relaxation analysis of the C-terminal KH domain of heterogeneous nuclear ribonucleoprotein K. 2000 , 39, 6022-32	19
1693	Mechanism of neomycin and Rev peptide binding to the Rev responsive element of HIV-1 as determined by fluorescence and NMR spectroscopy. 2000 , 39, 5630-41	112
1692	Structure and dynamics of the tetrameric mnt repressor and a model for its DNA complex. 2000 , 17 Suppl 1, 113-22	2
1691	Structure-based design of a low molecular weight, nonphosphorus, nonpeptide, and highly selective inhibitor of protein-tyrosine phosphatase 1B. 2000 , 275, 10300-7	133
1690	High resolution solution structure of the 1.3S subunit of transcarboxylase from <i>Propionibacterium shermanii</i> . 2000 , 39, 2509-16	48
1689	A mechanism for plus-strand transfer enhancement by the HIV-1 nucleocapsid protein during reverse transcription. 2000 , 39, 9084-91	93
1688	Solution structure of the osteogenic 1-31 fragment of the human parathyroid hormone. 2000 , 39, 12766-77	42
1687	Structural understanding of the allosteric conformational change of cyclic AMP receptor protein by cyclic AMP binding. 2000 , 39, 13953-62	54
1686	Solution structures of the N-terminal domain of yeast calmodulin: Ca ²⁺ -dependent conformational change and its functional implication. 2000 , 39, 13660-8	24
1685	Direct Detection of Monovalent Metal Ion Binding to a DNA G-quartet by 205Tl NMR. 2000 , 122, 3240-3241	75
1684	Design of an Oligosaccharide Scaffold That Binds in the Minor Groove of DNA. 2000 , 122, 1883-1890	41
1683	Structure-Based Design of a Novel, Potent, and Selective Inhibitor for MMP-13 Utilizing NMR Spectroscopy and Computer-Aided Molecular Design. 2000 , 122, 9648-9654	111

1682	Escherichia coli uracil DNA glycosylase: NMR characterization of the short hydrogen bond from His187 to uracil O2. 2000 , 39, 11865-75	54
1681	Structure of the Bovine Antimicrobial Peptide Indolicidin Bound to Dodecylphosphocholine and Sodium Dodecyl Sulfate Micelles. 2000 , 39, 15765-15774	247
1680	Evaluation of the utility of NMR structures determined from minimal NOE-based restraints for structure-based drug design, using MMP-1 as an example. 2000 , 39, 13365-75	13
1679	Binding of alpha-actinin to titin: implications for Z-disk assembly. 2000 , 39, 5255-64	43
1678	A thioredoxin from the hyperthermophilic archaeon Methanococcus jannaschii has a glutaredoxin-like fold but thioredoxin-like activities. 2000 , 39, 6652-9	34
1677	Mechanistic Studies of Affinity Modulation. 2000 , 122, 11979-11982	6
1676	Interaction of cardiac troponin C with Ca(2+) sensitizer EMD 57033 and cardiac troponin I inhibitory peptide. 2000 , 39, 8782-90	45
1675	Solution structure of ZipA, a crucial component of Escherichia coli cell division. 2000 , 39, 9146-56	48
1674	Evidence that familial hypercholesterolemia mutations of the LDL receptor cause limited local misfolding in an LDL-A module pair. 2000 , 39, 13127-35	22
1673	Transient structure of the amyloid precursor protein cytoplasmic tail indicates preordering of structure for binding to cytosolic factors. 2000 , 39, 2714-25	77
1672	Structure and dynamics of an acid-denatured protein G mutant. 2000 , 39, 965-77	38
1671	Role of the structural domain of troponin C in muscle regulation: NMR studies of Ca ²⁺ binding and subsequent interactions with regions 1-40 and 96-115 of troponin I. 2000 , 39, 2902-11	48
1670	Recognition properties of V3-specific antibodies to V3 loop peptides derived from HIV-1 gp120 presented in multiple conformations. 2000 , 39, 10866-76	6
1669	Large Variations in One-Bond ¹³ C- ¹³ C Couplings in Polypeptides Correlate with Backbone Conformation. 2000 , 122, 2168-2171	26
1668	Folded state of the integral membrane colicin E1 immunity protein in solvents of mixed polarity. 2000 , 39, 12131-9	19
1667	Structure, dynamics, and insertion of a chloroplast targeting peptide in mixed micelles. 2000 , 39, 8219-27	46
1666	Cyclohexene Nucleic Acids (CeNA): Serum Stable Oligonucleotides that Activate RNase H and Increase Duplex Stability with Complementary RNA. 2000 , 122, 8595-8602	117
1665	NMR structure of free RGS4 reveals an induced conformational change upon binding Galpha. 2000 , 39, 7063-73	33

1664	Effects of site-directed mutagenesis on structure and function of recombinant rat liver S-adenosylhomocysteine hydrolase. Crystal structure of D244E mutant enzyme. 2000 , 275, 32147-56	40
1663	Measurement of Proton, Nitrogen, and Carbonyl Chemical Shielding Anisotropies in a Protein Dissolved in a Dilute Liquid Crystalline Phase. 2000 , 122, 10143-10154	188
1662	Buried polar interactions and conformational stability in the simian immunodeficiency virus (SIV) gp41 core. 2000 , 39, 676-85	31
1661	CC chemokine MIP-1 beta can function as a monomer and depends on Phe13 for receptor binding. 2000 , 39, 3401-9	105
1660	Probing the nature of the blue-shifted intermediate of photoactive yellow protein in solution by NMR: hydrogen-deuterium exchange data and pH studies. 2000 , 39, 14392-9	79
1659	Determination of pK(a) values of carboxyl groups in the N-terminal domain of rat CD2: anomalous pK(a) of a glutamate on the ligand-binding surface. 2000 , 39, 6814-24	31
1658	Three-dimensional solution structure of oryzacystatin-I, a cysteine proteinase inhibitor of the rice, <i>Oryza sativa</i> L. japonica. 2000 , 39, 14753-60	97
1657	Flexibility and ligand exchange in a buried cavity mutant of T4 lysozyme studied by multinuclear NMR. 2000 , 39, 12614-22	87
1656	NMR studies of the association of cytochrome b5 with cytochrome c. 2000 , 39, 14025-39	20
1655	Energetics of the induced structural change in a Ca ²⁺ regulatory protein: Ca ²⁺ and troponin I peptide binding to the E41A mutant of the N-domain of skeletal troponin C. 2000 , 39, 12731-8	35
1654	Structure-based optimization of peptide inhibitors of mammalian ribonucleotide reductase. 2000 , 39, 12210-5	19
1653	Hydrogen Bond Geometry and 2H/1H Fractionation in Proteins. 2000 , 122, 1030-1033	15
1652	Synthesis and characterization of a beta-hairpin peptide that represents a 'core module' of bovine pancreatic trypsin inhibitor (BPTI). 2000 , 39, 7927-37	21
1651	Cytochrome b562 variants: a library for examining redox potential evolution. 2000 , 39, 6075-82	41
1650	The NMR structure of the nucleocapsid protein from the mouse mammary tumor virus reveals unusual folding of the C-terminal zinc knuckle. 2000 , 39, 1604-12	33
1649	The potent anti-HIV protein cyanovirin-N contains two novel carbohydrate binding sites that selectively bind to Man(8) D1D3 and Man(9) with nanomolar affinity: implications for binding to the HIV envelope protein gp120. 2001 , 123, 3892-902	120
1648	Backbone dynamics in dihydrofolate reductase complexes: role of loop flexibility in the catalytic mechanism. 2001 , 40, 9846-59	226
1647	The membrane-proximal tryptophan-rich region of the HIV glycoprotein, gp41, forms a well-defined helix in dodecylphosphocholine micelles. 2001 , 40, 9570-8	162

1646	NADPH-cytochrome P450 oxidoreductase. Structural basis for hydride and electron transfer. 2001 , 276, 29163-70	174
1645	Temperature dependence of dynamics and thermodynamics of the regulatory domain of human cardiac troponin C. 2001 , 40, 12541-51	39
1644	Role of the ENTH domain in phosphatidylinositol-4,5-bisphosphate binding and endocytosis. 2001 , 291, 1047-51	400
1643	Intermolecular interactions between cholecystokinin-8 and the third extracellular loop of the cholecystokinin A receptor. 2001 , 40, 3804-9	58
1642	Analysis of slow interdomain motion of macromolecules using NMR relaxation data. 2001 , 123, 3953-9	120
1641	Conformational change of elongation factor Tu (EF-Tu) induced by antibiotic binding. Crystal structure of the complex between EF-Tu.GDP and aurodox. 2001 , 276, 17149-55	95
1640	Expression, purification, and biophysical characterization of the BRCT domain of human DNA ligase IIIalpha. 2001 , 21, 401-11	4
1639	NMR structure of Streptomyces killer toxin-like protein, SKLP: further evidence for the wide distribution of single-domain betagamma-crystallin superfamily proteins. 2001 , 305, 109-20	23
1638	Solution structure of a sweet protein: NMR study of MNEI, a single chain monellin. 2001 , 305, 505-14	61
1637	Interaction of the C-terminal domain of the E. coli RNA polymerase alpha subunit with the UP element: recognizing the backbone structure in the minor groove surface. 2001 , 306, 213-25	36
1636	Structural basis of diverse sequence-dependent target recognition by the 8 kDa dynein light chain. 2001 , 306, 97-108	126
1635	Structural analysis of the N-terminal domain of the human T-cell leukemia virus capsid protein. 2001 , 306, 783-97	55
1634	Stem-loop SL4 of the HIV-1 psi RNA packaging signal exhibits weak affinity for the nucleocapsid protein. structural studies and implications for genome recognition. 2001 , 314, 961-70	73
1633	Structure and functionality of a designed p53 dimer. 2001 , 307, 605-17	65
1632	Structural characterization of the N-terminal oligomerization domain of the bacterial chromatin-structuring protein, H-NS. 2001 , 306, 1127-37	36
1631	Solution structure, domain features, and structural implications of mutants of the chromo domain from the fission yeast histone methyltransferase Clr4. 2001 , 307, 861-70	16
1630	Dramatic stabilization of an SH3 domain by a single substitution: roles of the folded and unfolded states. 2001 , 307, 913-28	73
1629	Solution structure of a type I dockerin domain, a novel prokaryotic, extracellular calcium-binding domain. 2001 , 307, 745-53	74

1628	Structure, function, and dynamics of the dimerization and DNA-binding domain of oncogenic transcription factor v-Myc. 2001 , 307, 1395-410	83
1627	Conformational properties of alpha-synuclein in its free and lipid-associated states. 2001 , 307, 1061-73	838
1626	Formation of the single-layer beta-sheet of <i>Borrelia burgdorferi</i> OspA in the absence of the C-terminal capping globular domain. 2001 , 308, 367-75	8
1625	The solution structure of bacteriophage lambda protein W, a small morphogenetic protein possessing a novel fold. 2001 , 308, 9-14	36
1624	What is the average conformation of bacteriophage T4 lysozyme in solution? A domain orientation study using dipolar couplings measured by solution NMR. 2001 , 308, 745-64	80
1623	Solution structure, backbone dynamics and chitin binding of the anti-fungal protein from <i>Streptomyces tendae</i> TU901. 2001 , 308, 765-82	15
1622	Ligand-induced structural changes to maltodextrin-binding protein as studied by solution NMR spectroscopy. 2001 , 309, 961-74	114
1621	Solution structure of human IL-13 and implication for receptor binding. 2001 , 310, 219-30	47
1620	Solution structure of interleukin-13 and insights into receptor engagement. 2001 , 310, 231-41	33
1619	Native-like beta-hairpin retained in the cold-denatured state of bovine beta-lactoglobulin. 2001 , 310, 471-84	30
1618	Solution structure of the tumor necrosis factor receptor-1 death domain. 2001 , 310, 895-906	43
1617	Solution structure of the third immunoglobulin domain of the neural cell adhesion molecule N-CAM: can solution studies define the mechanism of homophilic binding?. 2001 , 311, 161-72	23
1616	Structure of the C-terminal RNA-binding domain of hnRNP D0 (AUF1), its interactions with RNA and DNA, and change in backbone dynamics upon complex formation with DNA. 2001 , 311, 973-88	35
1615	Solution structure and interaction surface of the C-terminal domain from p47: a major p97-cofactor involved in SNARE disassembly. 2001 , 311, 255-63	76
1614	Solution structure and dynamics of yeast elongin C in complex with a von Hippel-Lindau peptide. 2001 , 312, 177-86	25
1613	Structural basis for SRY-dependent 46-X,Y sex reversal: modulation of DNA bending by a naturally occurring point mutation. 2001 , 312, 481-99	114
1612	An intramolecular quadruplex of (GGA)(4) triplet repeat DNA with a G:G:G:G tetrad and a G(:A):G(:A):G(:A):G heptad, and its dimeric interaction. 2001 , 313, 255-69	127
1611	Structure and dynamics of MarA-DNA complexes: an NMR investigation. 2001 , 314, 113-27	25

1610	On the nature of conformational openings: native and unfolded-state hydrogen and thiol-disulfide exchange studies of ferric aquomyoglobin. 2001 , 314, 153-66	22
1609	Novel mechanism of regulation of the non-receptor protein tyrosine kinase Csk: insights from NMR mapping studies and site-directed mutagenesis. 2001 , 314, 129-38	31
1608	Identification of a high affinity nucleocapsid protein binding element within the Moloney murine leukemia virus Psi-RNA packaging signal: implications for genome recognition. 2001 , 314, 217-32	58
1607	Solution NMR structure of the myosin phosphatase inhibitor protein CPI-17 shows phosphorylation-induced conformational changes responsible for activation. 2001 , 314, 839-49	37
1606	Linked folding and anion binding of the Bacillus subtilis ribonuclease P protein. 2001 , 40, 2777-89	85
1605	Identification of the domain in the human interleukin-11 receptor that mediates ligand binding. 2001 , 306, 263-74	20
1604	Characterization of acyl-CoA-binding protein (ACBP) in the pheromone gland of the silkworm, Bombyx mori. 2001 , 31, 603-9	44
1603	Spectroscopic and molecular dynamics simulation studies of the interaction of insulin with glucose. 2001 , 29, 161-8	17
1602	Crystal structure and biophysical properties of a complex between the N-terminal SNARE region of SNAP25 and syntaxin 1a. 2001 , 276, 41301-9	41
1601	Structure of the C-domain of human cardiac troponin C in complex with the Ca ²⁺ sensitizing drug EMD 57033. 2001 , 276, 25456-66	53
1600	Structure of an RNA hairpin from HRV-14. 2001 , 40, 8055-64	16
1599	Adrenodoxin reductase-adrenodoxin complex structure suggests electron transfer path in steroid biosynthesis. 2001 , 276, 2786-9	130
1598	Three-dimensional structure of the synaptotagmin 1 C2B-domain: synaptotagmin 1 as a phospholipid binding machine. 2001 , 32, 1057-69	312
1597	Solution structure of ERK2 binding domain of MAPK phosphatase MKP-3: structural insights into MKP-3 activation by ERK2. 2001 , 7, 387-99	100
1596	Secondary structure of human apolipoprotein A-I(1-186) in lipid-mimetic solution. 2001 , 487, 390-6	24
1595	The solution structure of the disulphide-linked homodimer of the human trefoil protein TFF1. 2001 , 493, 70-4	34
1594	A synthetic peptide corresponding to the 550-585 region of alpha-dystroglycan binds beta-dystroglycan as revealed by NMR spectroscopy. 2001 , 499, 210-4	13
1593	High-pressure NMR study of the complex of a GTPase Rap1A with its effector RalGDS. A conformational switch in RalGDS revealed from non-linear pressure shifts. 2001 , 506, 180-4	12

1592	The solution structure and heme binding of the presequence of murine 5-aminolevulinate synthase. 2001 , 505, 325-31	21
1591	The solution structure of the viral binding domain of Tva, the cellular receptor for subgroup A avian leukosis and sarcoma virus. 2001 , 509, 161-8	26
1590	Discovery of small-molecule inhibitors of Bcl-2 through structure-based computer screening. 2001 , 44, 4313-24	306
1589	The crystal structure of the MJ0796 ATP-binding cassette. Implications for the structural consequences of ATP hydrolysis in the active site of an ABC transporter. 2001 , 276, 32313-21	194
1588	Implications for isoform-selective inhibitor design derived from the binding mode of bulky isothioureas to the heme domain of endothelial nitric-oxide synthase. 2001 , 276, 26486-91	23
1587	Reducing the environmental sensitivity of yellow fluorescent protein. Mechanism and applications. 2001 , 276, 29188-94	821
1586	Crystal structure of alkaline phosphatase from human placenta at 1.8 Å resolution. Implication for a substrate specificity. 2001 , 276, 9158-65	208
1585	The structure of the chloroplast F1-ATPase at 3.2 Å resolution. 2001 , 276, 1345-52	100
1584	Structural basis for recognition of the intron branch site RNA by splicing factor 1. 2001 , 294, 1098-102	190
1583	Backbone dynamics of receptor binding and antigenic regions of a <i>Pseudomonas aeruginosa</i> pilin monomer. 2001 , 40, 3985-95	18
1582	Structure and backbone dynamics of Apo-CBFbeta in solution. 2001 , 40, 11423-32	7
1581	Solution structure of the DNA binding domain of the human forkhead transcription factor AFX (FOXO4). 2001 , 40, 5861-9	66
1580	Novel agouti-related-protein-based melanocortin-1 receptor antagonist. 2001 , 44, 4114-24	28
1579	Concerted motion of a protein-peptide complex: backbone dynamics studies of an (¹⁵ N)-labeled peptide derived from P(21)-activated kinase bound to Cdc42Hs.GMPPCP. 2001 , 40, 14368-75	14
1578	Crystal structure of a complex between <i>Pseudomonas aeruginosa</i> alkaline protease and its cognate inhibitor: inhibition by a zinc-NH ₂ coordinative bond. 2001 , 276, 35087-92	45
1577	Monomeric solution structure of the prototypical 'C' chemokine lymphotactin. 2001 , 40, 12486-96	47
1576	Solid-state nuclear magnetic resonance evidence for an extended beta strand conformation of the membrane-bound HIV-1 fusion peptide. 2001 , 40, 8126-37	106
1575	Importance of basic residues and quaternary structure in the function of MIP-1 beta: CCR5 binding and cell surface sugar interactions. 2001 , 40, 4990-9	64

1574	Backbone dynamics of the calcium-signaling protein apo-S100B as determined by ¹⁵ N NMR relaxation. 2001 , 40, 3439-48	30
1573	Structural characterization of proteins with an attached ATCUN motif by paramagnetic relaxation enhancement NMR spectroscopy. 2001 , 123, 9843-7	145
1572	Measurement of (¹³ C(alpha)-(¹³ C(beta) dipolar couplings in (¹⁵ N, (¹³ C, (² H)-labeled proteins: application to domain orientation in maltose binding protein. 2001 , 123, 2858-64	25
1571	Conversion of phospholamban into a soluble pentameric helical bundle. 2001 , 40, 6636-45	33
1570	Biosynthesis of d-Alanyl-Lipoteichoic Acid: The Tertiary Structure of apo-d-Alanyl Carrier Protein,. 2001 , 40, 7964-7972	36
1569	Chi1 torsion angle dynamics in proteins from dipolar couplings. 2001 , 123, 6892-903	61
1568	Cross-correlated chemical shift modulation: a signature of slow internal motions in proteins. 2001 , 123, 4810-6	51
1567	Conformational and dynamic characterization of the molten globule state of an apomyoglobin mutant with an altered folding pathway. 2001 , 40, 14459-67	43
1566	Solution structure of the DNA-binding domain of TraM. 2001 , 40, 3370-7	9
1565	Probing slow time scale dynamics at methyl-containing side chains in proteins by relaxation dispersion NMR measurements: application to methionine residues in a cavity mutant of T4 lysozyme. 2001 , 123, 4556-66	160
1564	Tandem action of glycosyltransferases in the maturation of vancomycin and teicoplanin aglycones: novel glycopeptides. 2001 , 40, 4745-55	144
1563	NMR structure of human apolipoprotein C-II in the presence of sodium dodecyl sulfate. 2001 , 40, 5414-21	68
1562	An increase in side chain entropy facilitates effector binding: NMR characterization of the side chain methyl group dynamics in Cdc42Hs. 2001 , 40, 4590-600	56
1561	Interligand Overhauser effects in type II dihydrofolate reductase. 2001 , 40, 4242-52	39
1560	Slow motion in the CAA*TTG sequence of a DNA decamer duplex studied by NMR. 2001 , 40, 7239-46	9
1559	Structure, dynamics, and thermodynamics of the structural domain of troponin C in complex with the regulatory peptide 1-40 of troponin I. 2001 , 40, 10063-77	37
1558	Folding determinants of LDL receptor type A modules. 2001 , 40, 12801-7	32
1557	Backbone dynamics for the wild type and a double H52R/T56W mutant of the vnd/NK-2 homeodomain from <i>Drosophila melanogaster</i> . 2001 , 40, 12004-12	8

1556	Solution structure of HI0257, a bacterial ribosome binding protein. 2001 , 40, 10979-86	11
1555	Structural and dynamic analysis of residual dipolar coupling data for proteins. 2001 , 123, 1416-24	258
1554	MS/NMR: a structure-based approach for discovering protein ligands and for drug design by coupling size exclusion chromatography, mass spectrometry, and nuclear magnetic resonance spectroscopy. 2001 , 73, 571-81	78
1553	Intestinal fatty acid binding protein: the folding mechanism as determined by NMR studies. 2001 , 40, 732-42	70
1552	Stability and global fold of the mouse prohormone convertase 1 pro-domain. 2001 , 40, 5488-95	21
1551	The structural basis for the perturbed pKa of the catalytic base in 4-oxalocrotonate tautomerase: kinetic and structural effects of mutations of Phe-50. 2001 , 40, 1984-95	65
1550	Interaction of a toxin from the scorpion <i>Tityus serrulatus</i> with a cloned K ⁺ channel from squid (sqKv1A). 2001 , 40, 5942-53	29
1549	Role of the conserved acidic residue Asp21 in the structure of phosphatidylinositol 3-kinase Src homology 3 domain: circular dichroism and nuclear magnetic resonance studies. 2001 , 40, 119-29	6
1548	Shikimate-3-phosphate binds to the isolated N-terminal domain of 5-enolpyruvylshikimate-3-phosphate synthase. 2001 , 40, 3951-7	12
1547	Residues in <i>Methylosinus trichosporium</i> OB3b methane monooxygenase component B involved in molecular interactions with reduced- and oxidized-hydroxylase component: a role for the N-terminus. 2001 , 40, 9539-51	41
1546	Solution structure and backbone dynamics of the human DNA ligase IIIalpha BRCT domain. 2001 , 40, 13158-66	39
1545	A structural characterization of the interactions between titin Z-repeats and the alpha-actinin C-terminal domain. 2001 , 40, 4957-65	36
1544	Crystal structure of the "cab"-type beta class carbonic anhydrase from the archaeon <i>Methanobacterium thermoautotrophicum</i> . 2001 , 276, 10299-305	98
1543	Flexibility and bioactivity of insulin: an NMR investigation of the solution structure and folding of an unusually flexible human insulin mutant with increased biological activity. 2001 , 40, 10732-40	35
1542	Crystal structure of UDP-N-acetylmuramoyl-L-alanyl-D-glutamate: meso-diaminopimelate ligase from <i>Escherichia coli</i> . 2001 , 276, 10999-1006	107
1541	The role of cation-pi interactions in biomolecular association. Design of peptides favoring interactions between cationic and aromatic amino acid side chains. 2001 , 123, 6232-45	117
1540	Study of the conformational transition of A beta(1-42) using D-amino acid replacement analogues. 2001 , 40, 5457-63	59
1539	Residual dipolar coupling TOCSY for direct through space correlations of base protons and phosphorus nuclei in RNA. 2001 , 123, 3395-6	14

1538	Solution structure and dynamic character of the histidine-containing phosphotransfer domain of anaerobic sensor kinase ArcB from <i>Escherichia coli</i> . 2001 , 40, 375-86	19
1537	Photoaffinity labeling of mutant neurokinin-1 receptors reveals additional structural features of the substance P/NK-1 receptor complex. 2001 , 40, 2530-9	29
1536	Structural characterization and thermal stability of <i>Notothenia coriiceps</i> metallothionein. 2001 , 354, 291-9	18
1535	Molten-globule structure and membrane binding of the N-terminal protease-resistant domain (63-193) of the steroidogenic acute regulatory protein (StAR). 2001 , 356, 151-8	21
1534	Solution structure of the ribosome recycling factor from <i>Aquifex aeolicus</i> . 2001 , 40, 2387-96	53
1533	Alternate routes to conformational specificity in a Greek key beta barrel protein. 2001 , 268, 4653-63	2
1532	Chemosensory protein from the moth <i>Mamestra brassicae</i> . Expression and secondary structure from 1H and 15N NMR. 2001 , 268, 4731-9	27
1531	Bacterial expression and conformational analysis of a chemosensory protein from <i>Schistocerca gregaria</i> . 2001 , 268, 4794-801	27
1530	Solution structures of the cytoplasmic linkers between segments S4 and S5 (S4-S5) in domains III and IV of human brain sodium channels in SDS micelles. 2001 , 58, 193-203	8
1529	Helix-stabilizing effects of the pentapeptide KIFMK and its related peptides on the sodium channel inactivation gate peptides. 2001 , 58, 413-23	3
1528	Structure of the type III secretion and substrate-binding domain of <i>Yersinia</i> YopH phosphatase. 2001 , 42, 967-79	30
1527	Anabaena apoflavodoxin hydrogen exchange: on the stable exchange core of the alpha/beta(21345) flavodoxin-like family. 2001 , 43, 476-88	24
1526	Optimizing HMQC for ISn spin systems. 2001 , 39, 137-140	9
1525	Determination of solution conformation of allergenically active pentasaccharitol obtained from sea squirt antigen. 2001 , 39, 259-266	4
1524	Conformational analysis of N-arachidonylethanolamide (anandamide) using nuclear magnetic resonance and theoretical calculations. 2001 , 39, 432-437	16
1523	Calmodulin binding properties of peptide analogues and fragments of the calmodulin-binding domain of simian immunodeficiency virus transmembrane glycoprotein 41. 2001 , 58, 50-62	17
1522	Structural characterization of lipopeptide agonists for the bradykinin B2 receptor. 2001 , 58, 511-20	4
1521	Solution structure of the cytoplasmic linker between domain III-S6 and domain IV-S1 (III-IV linker) of the rat brain sodium channel in SDS micelles. 2001 , 59, 380-93	12

1520	Solution structure of hyaluronic acid oligomers by experimental and theoretical NMR, and molecular dynamics simulation. 2001 , 59, 434-45		28
1519	Measurement of homonuclear proton couplings from regular 2D COSY spectra. 2001 , 149, 276-81		60
1518	Measurement of homonuclear proton couplings based on cross-peak nulling in CT-COSY. 2001 , 151, 242-52		26
1517	S(3)E-E.COSY methods for the measurement of ¹⁹ F associated scalar and dipolar coupling constants. 2001 , 152, 179-84		26
1516	The extended Fourier transform for 2D spectral estimation. 2001 , 153, 22-31		4
1515	An efficient NMR experiment for analyzing sugar-puckering in unlabeled DNA: application to the 26-kDa dead ringer-DNA complex. 2001 , 153, 262-6		4
1514	Hydrogen bonds in RNA base pairs investigated by cross-correlated relaxation of multiple-quantum coherence in NMR. 2001 , 2, 41-5		19
1513	Structure of a family 15 carbohydrate-binding module in complex with xylopentaose. Evidence that xylan binds in an approximate 3-fold helical conformation. 2001 , 276, 49061-5		84
1512	Backbone resonance assignment of protease from Mason-Pfizer monkey virus. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 291-2	3	5
1511	Measurement and application of ¹ H- ¹⁹ F dipolar couplings in the structure determination of 2'-fluorolabeled RNA. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 39-47	3	33
1510	Complete sequence-specific ¹ H, ¹³ C and ¹⁵ N resonance assignments of the human PTK6 SH2 domain. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 291-2	3	7
1509	Novel 2D and 3D multiple-quantum bi-directional HCNCH experiments for the correlation of ribose and base protons/carbons in ¹³ C/ ¹⁵ N labeled RNA. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 167-72	3	12
1508	Sequence-specific assignment and determination of the secondary structure of the 163-residue M. tuberculosis and M. bovis antigenic protein mpb70. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 185-6	3	2
1507	Sequence-specific ¹ H, ¹³ C and ¹⁵ N signal assignments and secondary structure of archaeoglobusfulgidus SRP19. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 187-8	3	4
1506	Assignment of ¹ H, ¹³ C, and ¹⁵ N resonances of canine milk lysozyme. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 387-8	3	1
1505	NMR studies of the sporulation protein SpoIIAA: implications for the regulation of the transcription factor sigmaF in Bacillus subtilis. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 293-304	3	8
1504	Intraresidue ¹ H- ¹⁵ N- ¹³ C' and ¹ H alpha- ¹³ C alpha- ¹³ C' dipole-CSA relaxation interference as a source of constraints for structural refinement of metal-binding sites in zinc-finger proteins. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 347-54	3	2
1503	Sequential assignments of the isolated N-terminal domain of 5-enolpyruvylshikimate-3-phosphate synthase. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 387-8	3	2

1502	Sequence-specific assignment of the PAH2 domain of Sin3B free and bound to Mad1. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 377-8	3	4
1501	Characterization of molecular alignment in aqueous suspensions of Pf1 bacteriophage. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 365-77	3	97
1500	Quantitative measurement of water diffusion lifetimes at a protein/DNA interface by NMR. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 111-26	3	14
1499	Assignment of ¹ H, ¹⁵ N and ¹³ C resonances of the carbohydrate recognition domain of human galectin-3. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 91-2	3	19
1498	Multiplet component separation for measurement of methyl ¹³ C- ¹ H dipolar couplings in weakly aligned proteins. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 77-82	3	42
1497	Assignments of ¹ H and ¹⁵ N resonances of the Pseudomonas aeruginosa K122-4 pilin monomer. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 385-6	3	4
1496	3D H(aro)-NOESY-CH ₃ NH and C(aro)-NOESY-CH ₃ NH experiments for double labeled proteins. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 355-60	3	13
1495	¹ H, ¹⁵ N and ¹³ C assignments of a monomeric N-terminal deletion mutant of the Rous sarcoma virus protease. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 279-80	3	1
1494	Measurement of ¹ H ³ '- ³¹ P dipolar couplings in a DNA oligonucleotide by constant-time NOESY difference spectroscopy. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 367-70	3	30
1493	¹ H, ¹³ C, ¹⁵ N resonance assignments and fold verification of a circular permuted variant of the potent HIV-inactivating protein cyanovirin-N. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 289-90	3	13
1492	¹ H and ¹⁵ N sequential assignment and secondary structure of the monomeric N67D mutant of bovine seminal ribonuclease. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 289-90	3	4
1491	Improved NMR spectra of a protein-DNA complex through rational mutagenesis and the application of a sensitivity optimized isotope-filtered NOESY experiment. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 231-41	3	50
1490	Mapping the ligand binding site at protein side-chains in protein-ligand complexes through NOE difference spectroscopy. <i>Journal of Biomolecular NMR</i> , 2001 , 20, 195-202	3	15
1489	Assignment of the ¹ H, ¹³ C and ¹⁵ N signals of Sortase. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 379-80	3	13
1488	Direct structure refinement of high molecular weight proteins against residual dipolar couplings and carbonyl chemical shift changes upon alignment: an application to maltose binding protein. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 31-40	3	46
1487	¹ H, ¹⁵ N and ¹³ C assignments of the N-terminal domain of Yersinia outer protein H in its apo form and in complex with a phosphotyrosine peptide. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 69-70	3	5
1486	Sequence-specific ¹ H, ¹³ C and ¹⁵ N resonance assignments of human GABA receptor associated protein. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 183-4	3	18
1485	Controlling residual dipolar couplings in high-resolution NMR of proteins by strain induced alignment in a gel. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 141-51	3	85

1484	1H, 15N, and 13C resonance assignments for a 20 kDa DNA polymerase from African swine fever virus. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 177-8	3	1
1483	1H, 13C and 15N resonance assignments and secondary structure of ADR6 DNA-binding domain. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 187-8	3	5
1482	1H, 15N and 13C resonance assignments for the gallium protoporphyrin IX-HasA(sm) hemophore complex. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 189-90	3	10
1481	Backbone 1H, 13C, and 15N resonance assignments for a 14 kD protein, GABA(A) receptor associated protein (GABARAP). <i>Journal of Biomolecular NMR</i> , 2001 , 21, 185-6	3	6
1480	Sequence-specific 1H, 13C and 15N resonance assignments of the N-terminal, 135-residue domain of KaiA, a clock protein from <i>Synechococcus elongatus</i> . <i>Journal of Biomolecular NMR</i> , 2001 , 21, 179-80	3	5
1479	Simultaneous measurement of intra- and intermolecular NOEs in differentially labeled protein-ligand complexes. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 107-16	3	19
1478	Amide proton temperature coefficients as hydrogen bond indicators in proteins. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 249-61	3	293
1477	Rapid protein fold determination using secondary chemical shifts and cross-hydrogen bond 15N-13C' scalar couplings (3hbJNC'). <i>Journal of Biomolecular NMR</i> , 2001 , 21, 221-33	3	22
1476	An easy way to include weak alignment constraints into NMR structure calculations. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 275-80	3	45
1475	CPMG sequences with enhanced sensitivity to chemical exchange. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 361-6	3	63
1474	1H, 13C and 15N chemical shift assignments of the N-terminal PAS domain of mNPAS2. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 383-4	3	9
1473	Assignments of the 1H,13C, and 15N resonances of the substrate-binding SSD domain from Lon protease. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 387-8	3	3
1472	Secondary structure and backbone resonance assignments for human interleukin-13. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 93-4	3	4
1471	Complete 1H, 13C and 15N backbone assignments for the hepatitis A virus 3C protease. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 187-8	3	3
1470	Backbone (1H, 15N, 13C) resonance assignments of a 21 kDa construct of <i>S. aureus</i> peptide deformylase. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 81-2	3	1
1469	1H, 13C and 15N resonance assignments and secondary structure of the c-Myc binding domain (MBD) and the SH3 domain of the tumor suppressor Bin1. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 191-2	3	3
1468	Complete 1H, 15N, and 13C assignments of an exchangeable apolipoprotein, <i>Locusta migratoria</i> apolipoprotein III. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 83-4	3	4
1467	Probing the surface of a sweet protein: NMR study of MNEI with a paramagnetic probe. 2001 , 10, 1498-507		54

1466	Solution structure and backbone dynamics of an omega-conotoxin precursor. 2001 , 10, 538-50	21
1465	Solvation energetics and conformational change in EF-hand proteins. 2001 , 10, 301-12	47
1464	pH-induced conformational transitions of a molten-globule-like state of the inhibitory prodomain of furin: implications for zymogen activation. 2001 , 10, 934-42	26
1463	Solution structure of the DNA-binding domain of the TyrR protein of Haemophilus influenzae. 2001 , 10, 592-8	16
1462	Observation of the closing of individual hydrogen bonds during TFE-induced helix formation in a peptide. 2001 , 10, 943-50	64
1461	NMR and SAXS characterization of the denatured state of the chemotactic protein CheY: implications for protein folding initiation. 2001 , 10, 1100-12	55
1460	Solution structure of the PHD domain from the KAP-1 corepressor: structural determinants for PHD, RING and LIM zinc-binding domains. 2001 , 20, 165-77	149
1459	Structure and ligand recognition of the PB1 domain: a novel protein module binding to the PC motif. 2001 , 20, 3947-56	61
1458	Solution structure of the constant region of nuclear envelope protein LAP2 reveals two LEM-domain structures: one binds BAF and the other binds DNA. 2001 , 20, 4399-407	160
1457	Specificity of the HP1 chromo domain for the methylated N-terminus of histone H3. 2001 , 20, 5232-41	336
1456	SMN tudor domain structure and its interaction with the Sm proteins. 2001 , 8, 27-31	247
1455	The Mu repressor-DNA complex contains an immobilized 'wing' within the minor groove. 2001 , 8, 84-90	15
1454	Structure of the electron transfer complex between ferredoxin and ferredoxin-NADP(+) reductase. 2001 , 8, 117-21	256
1453	Peptide-triggered conformational switch in HIV-1 RRE RNA complexes. 2001 , 8, 146-50	53
1452	Vam3p structure reveals conserved and divergent properties of syntaxins. 2001 , 8, 258-64	120
1451	Solution structure of a Nedd4 WW domain-ENaC peptide complex. 2001 , 8, 407-12	181
1450	Solution structure of the PX domain, a target of the SH3 domain. 2001 , 8, 526-30	145
1449	The SAND domain structure defines a novel DNA-binding fold in transcriptional regulation. 2001 , 8, 626-33	167

1448	Latent and active p53 are identical in conformation. 2001 , 8, 756-60	227
1447	Structure of a BRCA1-BARD1 heterodimeric RING-RING complex. 2001 , 8, 833-7	381
1446	Ca ²⁺ -independent binding of an EF-hand domain to a novel motif in the alpha-actinin-titin complex. 2001 , 8, 853-7	67
1445	Solution structure of a viral DNA repair polymerase. 2001 , 8, 936-41	50
1444	Delineation of the allosteric mechanism of a cytidylyltransferase exhibiting negative cooperativity. 2001 , 8, 947-52	80
1443	Solution structure of Ca(2+)-calmodulin reveals flexible hand-like properties of its domains. 2001 , 8, 990-7	270
1442	A novel, specific interaction involving the Csk SH3 domain and its natural ligand. 2001 , 8, 998-1004	115
1441	Phox domain interaction with PtdIns(3)P targets the Vam7 t-SNARE to vacuole membranes. 2001 , 3, 613-8	328
1440	Solution structures of the inactivation gate particle peptides of rat brain type-IIA and human heart sodium channels in SDS micelles. 2001 , 57, 203-14	7
1439	Solution structure of B. subtilis acyl carrier protein. 2001 , 9, 277-87	71
1438	Solution structure of a cyanovirin-N:Man alpha 1-2Man alpha complex: structural basis for high-affinity carbohydrate-mediated binding to gp120. 2001 , 9, 931-40	121
1437	Structure of a conjugating enzyme-ubiquitin thiolester intermediate reveals a novel role for the ubiquitin tail. 2001 , 9, 897-904	144
1436	Solution structure of a telomeric DNA complex of human TRF1. 2001 , 9, 1237-51	69
1435	Automation of measurements and data evaluation in biomolecular NMR screening. 2001 , 6, 583-593	25
1434	Mapping the interactions between flavodoxin and its physiological partners flavodoxin reductase and cobalamin-dependent methionine synthase. 2001 , 98, 9521-6	84
1433	Structural basis of the Na ⁺ /H ⁺ exchanger regulatory factor PDZ1 interaction with the carboxyl-terminal region of the cystic fibrosis transmembrane conductance regulator. 2001 , 276, 19683-6	103
1432	Structures of prolyl oligopeptidase substrate/inhibitor complexes. Use of inhibitor binding for titration of the catalytic histidine residue. 2001 , 276, 1262-6	70
1431	Substrate and metal complexes of 3-deoxy-D-manno-octulosonate-8-phosphate synthase from Aquifex aeolicus at 1.9-A resolution. Implications for the condensation mechanism. 2001 , 276, 8393-402	58

1430	Identification and analysis of the acyl carrier protein (ACP) docking site on beta-ketoacyl-ACP synthase III. 2001 , 276, 8231-8	130
1429	Structure of Cdc4p, a contractile ring protein essential for cytokinesis in <i>Schizosaccharomyces pombe</i> . 2001 , 276, 5943-51	19
1428	Crystal structure of a mutant hERalpha ligand-binding domain reveals key structural features for the mechanism of partial agonism. 2001 , 276, 15059-65	106
1427	Crystallographic and solution studies of an activation loop mutant of the insulin receptor tyrosine kinase: insights into kinase mechanism. 2001 , 276, 10049-55	63
1426	Crystal structure of the eosinophil major basic protein at 1.8 A. An atypical lectin with a paradigm shift in specificity. 2001 , 276, 26197-203	44
1425	Crystal structure of activated CheY. Comparison with other activated receiver domains. 2001 , 276, 16425-31	129
1424	Crystal structure of <i>Bacillus subtilis</i> isocitrate dehydrogenase at 1.55 A. Insights into the nature of substrate specificity exhibited by <i>Escherichia coli</i> isocitrate dehydrogenase kinase/phosphatase. 2001 , 276, 26154-63	48
1423	Crystalline ligand transitions in lamprey hemoglobin. Structural evidence for the regulation of oxygen affinity. 2001 , 276, 26230-6	10
1422	The solution structure of the complex formed between alpha-bungarotoxin and an 18-mer cognate peptide derived from the alpha 1 subunit of the nicotinic acetylcholine receptor from <i>Torpedo californica</i> . 2001 , 276, 22930-40	42
1421	Crystal structure of baculovirus P35 reveals a novel conformational change in the reactive site loop after caspase cleavage. 2001 , 276, 32933-9	26
1420	Mapping the interacting regions between troponins T and C. Binding of TnT and TnI peptides to TnC and NMR mapping of the TnT-binding site on TnC. 2001 , 276, 36606-12	23
1419	Alanine-scanning mutagenesis of plasmacyte spreading peptide identifies critical residues for biological activity. 2001 , 276, 18491-6	23
1418	Molecular and biochemical analysis of two beta-galactosidases from <i>Bifidobacterium infantis</i> HL96. 2001 , 67, 4256-63	66
1417	A new lysozyme fold. Crystal structure of the muramidase from <i>Streptomyces coelicolor</i> at 1.65 A resolution. 2001 , 276, 31994-9	55
1416	Structure of sortase, the transpeptidase that anchors proteins to the cell wall of <i>Staphylococcus aureus</i> . 2001 , 98, 6056-61	248
1415	The active N-terminal region of p67phox. Structure at 1.8 A resolution and biochemical characterizations of the A128V mutant implicated in chronic granulomatous disease. 2001 , 276, 21627-31	61
1414	Crystal structure of the dimeric C-terminal domain of TonB reveals a novel fold. 2001 , 276, 27535-40	99
1413	Structure of human thymidylate synthase suggests advantages of chemotherapy with noncompetitive inhibitors. 2001 , 276, 14170-7	62

1412	Subunit-subunit interactions in trimeric arginase. Generation of active monomers by mutation of a single amino acid. 2001 , 276, 14242-8	41
1411	Biophysical characterization of interactions involving importin-alpha during nuclear import. 2001 , 276, 34189-98	129
1410	Structure of eicosapentaenoic and linoleic acids in the cyclooxygenase site of prostaglandin endoperoxide H synthase-1. 2001 , 276, 37547-55	103
1409	Stabilization of a fibronectin type III domain by the removal of unfavorable electrostatic interactions on the protein surface. 2001 , 40, 10326-33	55
1408	Folded monomer of HIV-1 protease. 2001 , 276, 49110-6	81
1407	Human UDP-galactose 4-epimerase. Accommodation of UDP-N-acetylglucosamine within the active site. 2001 , 276, 15131-6	102
1406	Tyrosine 36 plays a critical role in the interaction of the AB loop of tissue inhibitor of metalloproteinases-2 with matrix metalloproteinase-14. 2001 , 276, 32966-70	32
1405	Actin filament cross-linking by MARCKS: characterization of two actin-binding sites within the phosphorylation site domain. 2001 , 276, 22351-8	61
1404	Noncovalent interaction between ubiquitin and the human DNA repair protein Mms2 is required for Ubc13-mediated polyubiquitination. 2001 , 276, 40120-6	107
1403	Crystal structure at 1.5-A resolution of <i>Pyrus pyrifolia</i> pistil ribonuclease responsible for gametophytic self-incompatibility. 2001 , 276, 45261-9	50
1402	A novel snare N-terminal domain revealed by the crystal structure of Sec22b. 2001 , 276, 24203-11	68
1401	Solution structure of the focal adhesion adaptor PINCH LIM1 domain and characterization of its interaction with the integrin-linked kinase ankyrin repeat domain. 2001 , 276, 4932-9	55
1400	X-ray crystal structure of the trimeric N-terminal domain of gephyrin. 2001 , 276, 25294-301	70
1399	The crystal structure of the fab fragment of the monoclonal antibody MAK33. Implications for folding and interaction with the chaperone bip. 2001 , 276, 3287-94	25
1398	Crystallographic evidence for substrate-assisted catalysis in a bacterial beta-hexosaminidase. 2001 , 276, 10330-7	211
1397	The structure of the C4C4 ring finger of human NOT4 reveals features distinct from those of C3HC4 RING fingers. 2001 , 276, 10185-90	73
1396	Structural basis for the thioredoxin-like activity profile of the glutaredoxin-like NrdH-redoxin from <i>Escherichia coli</i> . 2001 , 276, 35836-41	39
1395	Two different neurodegenerative diseases caused by proteins with similar structures. 2001 , 98, 2352-7	134

1394	Crystal structure of the Mycobacterium tuberculosis beta-ketoacyl-acyl carrier protein synthase III. 2001 , 276, 20516-22	88
1393	Structure and mechanism of action of an indolicidin peptide derivative with improved activity against gram-positive bacteria. 2001 , 276, 24015-22	162
1392	Structural analyses of a malate dehydrogenase with a variable active site. 2001 , 276, 31156-62	24
1391	Structure of the bound dioxygen species in the cytochrome oxidase reaction of cytochrome cd1 nitrite reductase. 2001 , 276, 13072-6	33
1390	Structure of the induced antibacterial protein from tasar silkworm, <i>Antheraea mylitta</i> . Implications to molecular evolution. 2001 , 276, 41377-82	24
1389	Molecular basis for severe epimerase deficiency galactosemia. X-ray structure of the human V94m-substituted UDP-galactose 4-epimerase. 2001 , 276, 20617-23	40
1388	Crystal structure of the ligand-binding domain of the ultraspiracle protein USP, the ortholog of retinoid X receptors in insects. 2001 , 276, 7465-74	143
1387	Structural basis for Ni(2+) transport and assembly of the urease active site by the metallochaperone UreE from <i>Bacillus pasteurii</i> . 2001 , 276, 49365-70	68
1386	Residual structure and dynamics in Parkinson's disease-associated mutants of alpha-synuclein. 2001 , 276, 45996-6003	207
1385	On the enzymatic activation of NADH. 2001 , 276, 9316-21	90
1384	alpha-Lactalbumin (LA) stimulates milk beta-1,4-galactosyltransferase I (beta 4Gal-T1) to transfer glucose from UDP-glucose to N-acetylglucosamine. Crystal structure of beta 4Gal-T1 x LA complex with UDP-Glc. 2001 , 276, 37665-71	97
1383	Vitamin C inhibits the enzymatic activity of <i>Streptococcus pneumoniae</i> hyaluronate lyase. 2001 , 276, 15125-30	38
1382	Insights into ligand binding and catalysis of a central step in NAD+ synthesis: structures of <i>Methanobacterium thermoautotrophicum</i> NMN adenylyltransferase complexes. 2001 , 276, 7225-32	39
1381	An evolutionarily conserved motif in the TAB1 C-terminal region is necessary for interaction with and activation of TAK1 MAPKKK. 2001 , 276, 24396-400	53
1380	Chicken avidin exhibits pseudo-catalytic properties. Biochemical, structural, and electrostatic consequences. 2001 , 276, 32031-9	22
1379	Entropic stabilization of the tryptophan synthase alpha-subunit from a hyperthermophile, <i>Pyrococcus furiosus</i> . X-ray analysis and calorimetry. 2001 , 276, 11062-71	39
1378	Mapping the ribonucleolytic active site of eosinophil-derived neurotoxin (EDN). High resolution crystal structures of EDN complexes with adenylic nucleotide inhibitors. 2001 , 276, 15009-17	39
1377	Optimal design features of camelized human single-domain antibody libraries. 2001 , 276, 24774-80	55

1376	Crystal structure of fibroblast growth factor 9 reveals regions implicated in dimerization and autoinhibition. 2001 , 276, 4322-9	53
1375	Structure of the human 3alpha-hydroxysteroid dehydrogenase type 3 in complex with testosterone and NADP at 1.25-A resolution. 2001 , 276, 42091-8	45
1374	Oxyanion binding alters conformation and quaternary structure of the c-terminal domain of the transcriptional regulator mode. Implications for molybdate-dependent regulation, signaling, storage, and transport. 2001 , 276, 20641-7	32
1373	Conformational heterogeneity in the C-terminal zinc fingers of human MTF-1: an NMR and zinc-binding study. 2001 , 276, 42322-32	29
1372	The structure of a human type III Fcgamma receptor in complex with Fc. 2001 , 276, 16469-77	286
1371	Crystal structure of PBP2x from a highly penicillin-resistant <i>Streptococcus pneumoniae</i> clinical isolate: a mosaic framework containing 83 mutations. 2001 , 276, 45106-12	99
1370	Structural basis for pterin antagonism in nitric-oxide synthase. Development of novel 4-oxo-pteridine antagonists of (6R)-5,6,7,8-tetrahydrobiopterin. 2001 , 276, 49133-41	24
1369	Self-association of the H3 region of syntaxin 1A. Implications for intermediates in SNARE complex assembly. 2001 , 276, 13273-82	48
1368	Mutational and X-ray crystallographic analysis of the interaction of dihomogamma-linolenic acid with prostaglandin endoperoxide H synthases. 2001 , 276, 10358-65	42
1367	N-terminal residues of plasmatocyte-spreading peptide possess specific determinants required for biological activity. 2001 , 276, 37431-5	24
1366	Hyaluronan binding and degradation by <i>Streptococcus agalactiae</i> hyaluronate lyase. 2001 , 276, 41407-16	67
1365	Calpain mutants with increased Ca ²⁺ sensitivity and implications for the role of the C(2)-like domain. 2001 , 276, 7404-7	43
1364	The Structure of an alternative form of <i>Paracoccus pantotrophus</i> cytochrome cd(1) nitrite reductase. 2001 , 276, 29450-5	25
1363	Crystal structure of Lyme disease antigen outer surface protein C from <i>Borrelia burgdorferi</i> . 2001 , 276, 10010-5	71
1362	Structure of a pilin monomer from <i>Pseudomonas aeruginosa</i> : implications for the assembly of pili. 2001 , 276, 24186-93	92
1361	Class I major histocompatibility complex anchor substitutions alter the conformation of T cell receptor contacts. 2001 , 276, 21443-9	52
1360	Structure and site-directed mutagenesis of a flavoprotein from <i>Escherichia coli</i> that reduces nitrocompounds: alteration of pyridine nucleotide binding by a single amino acid substitution. 2001 , 276, 2816-23	76
1359	The potency and specificity of the interaction between the IA3 inhibitor and its target aspartic proteinase from <i>Saccharomyces cerevisiae</i> . 2001 , 276, 2023-30	30

1358	The rat liver Na(+)/bile acid cotransporter. Importance of the cytoplasmic tail to function and plasma membrane targeting. 2001 , 276, 6825-33	44
1357	Crystal structure of the mitotic spindle kinesin Eg5 reveals a novel conformation of the neck-linker. 2001 , 276, 25496-502	174
1356	Crystal structure of the C-type lectin-like domain from the human hematopoietic cell receptor CD69. 2001 , 276, 7312-9	63
1355	Mechanistic inferences from the crystal structure of fumarylacetoacetate hydrolase with a bound phosphorus-based inhibitor. 2001 , 276, 15284-91	48
1354	Crystal structure of mannanase 26A from <i>Pseudomonas cellulosa</i> and analysis of residues involved in substrate binding. 2001 , 276, 31186-92	76
1353	Folding and stability of sweet protein single-chain monellin. An insight to protein engineering. 2001 , 276, 44229-38	15
1352	Solution structure and dynamics of myeloid progenitor inhibitory factor-1 (MPIF-1), a novel monomeric CC chemokine. 2001 , 276, 4909-16	26
1351	Functional dynamics in the active site of the ribonuclease binase. 2001 , 98, 7684-9	100
1350	Porcine carbonyl reductase. structural basis for a functional monomer in short chain dehydrogenases/reductases. 2001 , 276, 18457-63	76
1349	Solution structure of the dodecamer d-(CATGGGCC-CATG) ₂ is B-DNA. Experimental and molecular dynamics study. 2001 , 19, 159-74	9
1348	Solution structure, hydrodynamics and thermodynamics of the UvrB C-terminal domain. 2001 , 19, 219-36	17
1347	Strong DNA binding by covalently linked dimeric Lac headpiece: evidence for the crucial role of the hinge helices. 2001 , 98, 6039-44	55
1346	Crystal structure of a soluble form of the intracellular chloride ion channel CLIC1 (NCC27) at 1.4-Å resolution. 2001 , 276, 44993-5000	157
1345	Production and characterization of recombinant tachycitin, the Cys-rich chitin-binding protein. 2002 , 15, 763-9	7
1344	93Nb magic angle spinning NMR study of perovskite relaxor ferroelectrics (1-x)Pb(Mg _{1/3} Nb _{2/3})O ₃ -xPb(Sc _{1/2} Nb _{1/2})O ₃ . 2002 , 66,	26
1343	The solution structures of the human beta-defensins lead to a better understanding of the potent bactericidal activity of HBD3 against <i>Staphylococcus aureus</i> . 2002 , 277, 8279-89	282
1342	Crystal structures of the semireduced and inhibitor-bound forms of cyclic nucleotide phosphodiesterase from <i>Arabidopsis thaliana</i> . 2002 , 277, 1419-25	23
1341	Roles of phosphorylation and helix propensity in the binding of the KIX domain of CREB-binding protein by constitutive (c-Myb) and inducible (CREB) activators. 2002 , 277, 42241-8	122

1340	PDZ7 of glutamate receptor interacting protein binds to its target via a novel hydrophobic surface area. 2002 , 277, 41140-6	28
1339	Solution structure of peptide toxins that block mechanosensitive ion channels. 2002 , 277, 34443-50	82
1338	Stoichiometry and structural effect of the cyclic nucleotide binding to cyclic AMP receptor protein. 2002 , 277, 11450-5	25
1337	Precursor structure of cephalosporin acylase. Insights into autoproteolytic activation in a new N-terminal hydrolase family. 2002 , 277, 2823-9	47
1336	Chemical shift mapping of RNA interactions with the polypyrimidine tract binding protein. 2002 , 30, 456-62	19
1335	Structural and functional role of threonine 112 in a superantigen <i>Staphylococcus aureus</i> enterotoxin B. 2002 , 277, 2756-62	12
1334	Structural basis for Hif-1 alpha /CBP recognition in the cellular hypoxic response. 2002 , 99, 5271-6	333
1333	pH-dependent intramolecular binding and structure involving Cx43 cytoplasmic domains. 2002 , 277, 36706-14	145
1332	Consensus-derived structural determinants of the ankyrin repeat motif. 2002 , 99, 16029-34	293
1331	Delineation of the high-affinity single-stranded telomeric DNA-binding domain of <i>Saccharomyces cerevisiae</i> Cdc13. 2002 , 30, 4305-13	42
1330	Structural insight into the mechanisms of targeting and signaling of focal adhesion kinase. 2002 , 22, 2751-60	79
1329	Solution structure of the fibronectin type III domain from <i>Bacillus circulans</i> WL-12 chitinase A1. 2002 , 277, 1388-97	52
1328	Cosolvent-induced transformation of a death domain tertiary structure. 2002 , 99, 11151-6	10
1327	Arm-site binding by lambda -integrase: solution structure and functional characterization of its amino-terminal domain. 2002 , 99, 3434-9	54
1326	The solution structure of acyl carrier protein from <i>Mycobacterium tuberculosis</i> . 2002 , 277, 15874-80	102
1325	Exploring the potential of the monobody scaffold: effects of loop elongation on the stability of a fibronectin type III domain. 2002 , 15, 1015-20	52
1324	An NMR approach to structural proteomics. 2002 , 99, 1825-30	180
1323	Solution structures of the cytoplasmic tail complex from platelet integrin alpha IIb- and beta 3-subunits. 2002 , 99, 5878-83	91

1322	Solution structure and dynamics of the outer membrane enzyme PagP by NMR. 2002 , 99, 13560-5	282
1321	Structure, specificity, and mode of interaction for bacterial albumin-binding modules. 2002 , 277, 8114-20	70
1320	Molecular structure of the GARP family of plant Myb-related DNA binding motifs of the Arabidopsis response regulators. 2002 , 14, 2015-29	211
1319	The PDZ1 domain of SAP90. Characterization of structure and binding. 2002 , 277, 6967-73	38
1318	Reaction mechanism of chalcone isomerase. pH dependence, diffusion control, and product binding differences. 2002 , 277, 1361-9	112
1317	Solution structure of dAATAA and dAAUAA DNA bulges. 2002 , 30, 2669-77	12
1316	A Hoogsteen base pair embedded in undistorted B-DNA. 2002 , 30, 5244-52	59
1315	Catalysis of cis/trans isomerization in native HIV-1 capsid by human cyclophilin A. 2002 , 99, 5247-52	183
1314	FRS2 PTB domain conformation regulates interactions with divergent neurotrophic receptors. 2002 , 277, 17088-94	22
1313	Yeast expression and NMR analysis of the extracellular domain of muscle nicotinic acetylcholine receptor alpha subunit. 2002 , 277, 12613-21	23
1312	Substrate induced conformational changes in argininosuccinate synthetase. 2002 , 277, 13074-81	17
1311	Three camelid VHH domains in complex with porcine pancreatic alpha-amylase. Inhibition and versatility of binding topology. 2002 , 277, 23645-50	129
1310	NMR structure and dynamics of a receptor-active apolipoprotein E peptide. 2002 , 277, 29172-80	22
1309	NMR-based binding screen and structural analysis of the complex formed between alpha-cobratoxin and an 18-mer cognate peptide derived from the alpha 1 subunit of the nicotinic acetylcholine receptor from <i>Torpedo californica</i> . 2002 , 277, 37439-45	20
1308	NMR structure of the 3' stem-loop from human U4 snRNA. 2002 , 30, 4371-9	7
1307	NMR structural analysis of alpha-bungarotoxin and its complex with the principal alpha-neurotoxin-binding sequence on the alpha 7 subunit of a neuronal nicotinic acetylcholine receptor. 2002 , 277, 12406-17	56
1306	Crystal structure of monomeric human beta-2-microglobulin reveals clues to its amyloidogenic properties. 2002 , 99, 9771-6	166
1305	The role of glutamine 114 in old yellow enzyme. 2002 , 277, 2138-45	38

1304	NMR structure of PW2 bound to SDS micelles. A tryptophan-rich anticoccidial peptide selected from phage display libraries. 2002 , 277, 36351-6	30
1303	Crystal structure of the open form of dog gastric lipase in complex with a phosphonate inhibitor. 2002 , 277, 2266-74	95
1302	Posttranscriptional activation of the transcriptional activator Rob by dipyrindyl in Escherichia coli. 2002 , 184, 1407-16	63
1301	Structure and mechanism of 2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase. An enzyme in the mevalonate-independent isoprenoid biosynthetic pathway. 2002 , 277, 8667-72	62
1300	Identification, characterization, and crystal structure of Bacillus subtilis nicotinic acid mononucleotide adenylyltransferase. 2002 , 277, 3698-707	40
1299	Crystal structures of active and inactive conformations of a caliciviral RNA-dependent RNA polymerase. 2002 , 277, 1381-7	131
1298	A molecular switch underlies a human telomerase disease. 2002 , 99, 16998-7003	100
1297	Solution structure of the phosphoryl transfer complex between the cytoplasmic A domain of the mannitol transporter IIMannitol and HPr of the Escherichia coli phosphotransferase system. 2002 , 277, 42289-98	58
1296	Structural rearrangement of human lymphotactin, a C chemokine, under physiological solution conditions. 2002 , 277, 17863-70	60
1295	Structure of a regulatory complex involving the Abl SH3 domain, the Crk SH2 domain, and a Crk-derived phosphopeptide. 2002 , 99, 14053-8	63
1294	The anti-toxin ParD of plasmid RK2 consists of two structurally distinct moieties and belongs to the ribbon-helix-helix family of DNA-binding proteins. 2002 , 361, 41-7	26
1293	The solution structure of ribosomal protein L18 from Thermus thermophilus reveals a conserved RNA-binding fold. 2002 , 363, 553-61	12
1292	Role of proline, cysteine and a disulphide bridge in the structure and activity of the anti-microbial peptide gaegurin 5. 2002 , 368, 171-82	38
1291	Structure of the antimicrobial peptide tachystatin A. 2002 , 277, 23651-7	34
1290	Scalar couplings across hydrogen bonds. 2001 , 338, 111-33	61
1289	Mapping the targeted membrane pore formation mechanism by solution NMR: the nisin Z and lipid II interaction in SDS micelles. 2002 , 41, 7670-6	62
1288	Molecular hinges in protein folding: the urea-denatured state of apomyoglobin. 2002 , 41, 12681-6	123
1287	Structural characterization of distinct alpha3N and alpha5 metal sites in the cyanobacterial zinc sensor SmtB. 2002 , 41, 9765-75	53

1286	Interactions of the products, 8-oxo-dGMP, dGMP, and pyrophosphate with the MutT nucleoside triphosphate pyrophosphohydrolase. 2002 , 41, 15566-77	24
1285	Three-dimensional solution NMR structure of Apo-L75F-TrpR, a temperature-sensitive mutant of the tryptophan repressor protein. 2002 , 41, 11954-62	6
1284	Role of dimerization in KH/RNA complexes: the example of Nova KH3. 2002 , 41, 4193-201	31
1283	Residue 19 of the parathyroid hormone: structural consequences. 2002 , 41, 13217-23	19
1282	Measurement of long-range cross-correlation rates using a combination of single- and multiple-quantum NMR spectroscopy in one experiment. 2002 , 124, 4050-7	10
1281	Three-dimensional solution structure of the calcium-signaling protein apo-S100A1 as determined by NMR. 2002 , 41, 788-96	70
1280	Ni-to-Ni ⁺ 3-ethylene-bridged partially modified retro-inverso tetrapeptide beta-turn mimetic: design, synthesis, and structural characterization. 2002 , 67, 5085-97	12
1279	Effects of T142 phosphorylation and mutation R145G on the interaction of the inhibitory region of human cardiac troponin I with the C-domain of human cardiac troponin C. 2002 , 41, 7267-74	21
1278	Truncated hemoglobin from the cyanobacterium <i>Synechococcus</i> sp. PCC 7002: evidence for hexacoordination and covalent adduct formation in the ferric recombinant protein. 2002 , 41, 6902-10	62
1277	The solution structure of apocalmodulin from <i>Saccharomyces cerevisiae</i> implies a mechanism for its unique Ca ²⁺ binding property. 2002 , 41, 15536-42	32
1276	Functional consequences of preorganized helical structure in the intrinsically disordered cell-cycle inhibitor p27(Kip1). 2002 , 41, 752-9	131
1275	Determination of (1)H homonuclear scalar couplings in unlabeled carbohydrates. 2002 , 124, 7235-9	10
1274	Structural and biochemical characterization of a fluorogenic rhodamine-labeled malarial protease substrate. 2002 , 41, 12244-52	64
1273	Solution structure of human apolipoprotein(a) kringle IV type 6. 2002 , 41, 660-8	14
1272	Solution structure of ascidian trypsin inhibitor determined by nuclear magnetic resonance spectroscopy. 2002 , 41, 10657-64	10
1271	Comparison of functional domains in vertebrate-type ferredoxins. 2002 , 41, 5978-89	21
1270	Crystal structure and NMR studies of the apo SH2 domains of ZAP-70: two bikes rather than a tandem. 2002 , 41, 14176-84	35
1269	Measurement of side-chain carboxyl pK(a) values of glutamate and aspartate residues in an unfolded protein by multinuclear NMR spectroscopy. 2002 , 124, 5714-7	62

1268	The C terminus of apocytochrome b562 undergoes fast motions and slow exchange among ordered conformations resembling the folded state. 2002 , 41, 5505-14	18
1267	Backbone dynamics of the ribonuclease binase active site area using multinuclear ((15)N and (13)CO) NMR relaxation and computational molecular dynamics. 2002 , 41, 2655-66	39
1266	Structural mechanism for heparin-binding of the third Kunitz domain of human tissue factor pathway inhibitor. 2002 , 41, 78-85	27
1265	Characterization of the ATP-binding domain of the sarco(endo)plasmic reticulum Ca(2+)-ATPase: probing nucleotide binding by multidimensional NMR. 2002 , 41, 1156-64	31
1264	Solution structure of human Mts1 (S100A4) as determined by NMR spectroscopy. 2002 , 41, 12670-80	68
1263	NMR-based screening method for transglutaminases: rapid analysis of their substrate specificities and reaction rates. 2002 , 50, 1330-4	32
1262	Structurally distinct modes of recognition of the KIX domain of CBP by Jun and CREB. 2002 , 41, 13956-64	59
1261	Native-like interactions favored in the unfolded bovine pancreatic trypsin inhibitor have different roles in folding. 2002 , 41, 2246-53	11
1260	Populating partially unfolded forms by hydrogen exchange-directed protein engineering. 2002 , 41, 12308-12	34
1259	Deuterium spin probes of side-chain dynamics in proteins. 1. Measurement of five relaxation rates per deuteron in (13)C-labeled and fractionally (2)H-enriched proteins in solution. 2002 , 124, 6439-48	166
1258	NMR analysis of the monomeric form of a mutant unliganded bovine neurophysin: comparison with the crystal structure of a neurophysin dimer. 2002 , 41, 5920-30	5
1257	Evidence for flexibility in the function of ribonuclease A. 2002 , 41, 6072-81	112
1256	Long-range magnetization transfer between uncoupled nuclei by dipole-dipole cross-correlated relaxation: a precise probe of beta-sheet geometry in proteins. 2002 , 124, 11038-45	9
1255	Thermodynamic analysis of conserved loop-stem interactions in P1-P2 frameshifting RNA pseudoknots from plant Luteoviridae. 2002 , 41, 10665-74	33
1254	Solution structure of the first HMG box domain in human upstream binding factor. 2002 , 41, 5415-20	19
1253	Site-selective screening by NMR spectroscopy with labeled amino acid pairs. 2002 , 124, 2446-7	58
1252	Thermal stability of calmodulin and mutants studied by (1)H-(15)N HSQC NMR measurements of selectively labeled [(15)N]Ile proteins. 2002 , 41, 6850-9	24
1251	Solution structure of the Vam7p PX domain. 2002 , 41, 5956-62	36

1250	Four-dimensional NMR spectroscopy of a 723-residue protein: chemical shift assignments and secondary structure of malate synthase g. 2002 , 124, 10025-35	205
1249	Intermolecular interactions between cholecystokinin-8 and the third extracellular loop of the cholecystokinin-2 receptor. 2002 , 41, 4560-6	39
1248	Structure and orientation of sarcolipin in lipid environments. 2002 , 41, 475-82	82
1247	Crystal structure of the antioxidant enzyme glutathione reductase inactivated by peroxynitrite. 2002 , 277, 2779-84	102
1246	Titration and exchange studies of liver fatty acid-binding protein with ¹³ C-labeled long-chain fatty acids. 2002 , 41, 5453-61	23
1245	Effect of glycosylation on MUC1 humoral immune recognition: NMR studies of MUC1 glycopeptide-antibody interactions. 2002 , 41, 9946-61	50
1244	Stabilization of protein by replacement of a fluctuating loop: structural analysis of a chimera of bovine alpha-lactalbumin and equine lysozyme. 2002 , 41, 13807-13	12
1243	The pH dependence of CD2 domain 1 self-association and 15N chemical exchange broadening is correlated with the anomalous pKa of Glu41. 2002 , 41, 14680-8	7
1242	Characterization of the monomeric form of the transmembrane and cytoplasmic domains of the integrin beta 3 subunit by NMR spectroscopy. 2002 , 41, 15618-24	39
1241	Structural mobility of the extracellular ligand-binding core of an ionotropic glutamate receptor. Analysis of NMR relaxation dynamics. 2002 , 41, 10472-81	78
1240	The Dean-Evans relation in (³¹ P) NMR spectroscopy and its application to the chemistry of octahedral tungsten sulfide clusters. 2002 , 124, 9229-40	8
1239	Principles of mucin architecture: structural studies on synthetic glycopeptides bearing clustered mono-, di-, tri-, and hexasaccharide glycodomains. 2002 , 124, 9833-44	145
1238	Solution structure and phosphopeptide binding to the N-terminal domain of Yersinia YopH: comparison with a crystal structure. 2002 , 41, 11425-37	29
1237	Formation of a copper specific binding site in non-native states of beta-2-microglobulin. 2002 , 41, 10646-56	95
1236	Reconstructing NMR spectra of "invisible" excited protein states using HSQC and HMQC experiments. 2002 , 124, 12352-60	155
1235	A circularly permuted myoglobin possesses a folded structure and ligand binding similar to those of the wild-type protein but with a reduced thermodynamic stability. 2002 , 41, 13318-27	8
1234	Calcium coordination studies of the metastatic Mts1 protein. 2002 , 41, 4239-45	12
1233	Solution structure of a novel chromoprotein derived from apo-neocarzinostatin and a synthetic chromophore. 2002 , 41, 11731-9	35

1232	A novel approach to the retrieval of structural and dynamic information from residual dipolar couplings using several oriented media in biomolecular NMR spectroscopy. 2002 , 124, 12020-30	147
1231	Structure-based screening as applied to human FABP4: a highly efficient alternative to HTS for hit generation. 2002 , 124, 11874-80	45
1230	A novel view of domain flexibility in E. coli adenylate kinase based on structural mode-coupling (15)N NMR relaxation. 2002 , 315, 155-70	61
1229	Lack of definable nucleation sites in the rate-limiting transition state of barnase under native conditions. 2002 , 315, 759-70	19
1228	Solution structure and functional analysis of the cysteine-rich C1 domain of kinase suppressor of Ras (KSR). 2002 , 315, 435-46	77
1227	The SH3 domain of nebulin binds selectively to type II peptides: theoretical prediction and experimental validation. 2002 , 316, 305-15	22
1226	5-Methylthiopentose: a new substituent on lipoarabinomannan in Mycobacterium tuberculosis. 2002 , 316, 89-100	63
1225	The solution structure and DNA-binding properties of the cold-shock domain of the human Y-box protein YB-1. 2002 , 316, 317-26	102
1224	Base flexibility in HIV-2 TAR RNA mapped by solution (15)N, (13)C NMR relaxation. 2002 , 317, 263-78	70
1223	Structure, dynamics and binding characteristics of the second PDZ domain of PTP-BL. 2002 , 316, 1101-10	62
1222	Refined structure and metal binding site of the kalata B1 peptide. 2002 , 399, 142-8	65
1221	An alternative method for pucker determination in carbohydrates from residual dipolar couplings: a solution NMR study of the fructofuranosyl ring of sucrose. 2002 , 124, 2358-62	54
1220	Isolation and characterization of a family of stable RNA tetraloops with the motif YNMG that participate in tertiary interactions. 2002 , 41, 12062-75	73
1219	NMR structure of the second intracellular loop of the alpha 2A adrenergic receptor: evidence for a novel cytoplasmic helix. 2002 , 41, 3596-604	39
1218	Structure of the Rhodobacter sphaeroides light-harvesting 1 beta subunit in detergent micelles. 2002 , 41, 31-41	39
1217	Diverse recognition of non-PxxP peptide ligands by the SH3 domains from p67(phox), Grb2 and Pex13p. 2002 , 21, 4268-76	134
1216	Structure and dynamics of a beta-helical antifreeze protein. 2002 , 41, 5515-25	54
1215	Multiple conformations of NAD and NADH when bound to human cytosolic and mitochondrial aldehyde dehydrogenase. 2002 , 41, 7156-68	69

1214	The human interferon receptor: NMR-based modeling, mapping of the IFN-alpha 2 binding site, and observed ligand-induced tightening. 2002 , 41, 3575-85	41
1213	Domain flexibility in ligand-free and inhibitor-bound Escherichia coli adenylate kinase based on a mode-coupling analysis of 15N spin relaxation. 2002 , 41, 6271-81	70
1212	Detecting protein kinase recognition modes of calmodulin by residual dipolar couplings in solution NMR. 2002 , 41, 12899-906	30
1211	Model for the catalytic domain of the proofreading epsilon subunit of Escherichia coli DNA polymerase III based on NMR structural data. 2002 , 41, 94-110	30
1210	The CXCR3 binding chemokine IP-10/CXCL10: structure and receptor interactions. 2002 , 41, 10418-25	100
1209	Cooperativity in transcription factor binding to the coactivator CREB-binding protein (CBP). The mixed lineage leukemia protein (MLL) activation domain binds to an allosteric site on the KIX domain. 2002 , 277, 43168-74	139
1208	Structure of the third intracellular loop of the human cannabinoid 1 receptor. 2002 , 41, 11344-50	34
1207	Structure comparison of two conserved HNF-3/fkh proteins HFH-1 and genesis indicates the existence of folding differences in their complexes with a DNA binding sequence. 2002 , 41, 3286-93	15
1206	A highly destabilizing mutation, G37A, of the bovine pancreatic trypsin inhibitor retains the average native conformation but greatly increases local flexibility. 2002 , 41, 2237-45	23
1205	Structural characterization of the PIT-1/ETS-1 interaction: PIT-1 phosphorylation regulates PIT-1/ETS-1 binding. 2002 , 99, 12657-62	24
1204	A structural mechanism of integrin alpha(IIb)beta(3) "inside-out" activation as regulated by its cytoplasmic face. 2002 , 110, 587-97	461
1203	Structure of the N-WASP EVH1 domain-WIP complex: insight into the molecular basis of Wiskott-Aldrich Syndrome. 2002 , 111, 565-76	145
1202	Conformational and molecular modeling studies of sulfated cholecystokinin-15. 2002 , 293, 1053-9	10
1201	Solution structure of betacellulin, a new member of EGF-family ligands. 2002 , 294, 1040-6	17
1200	NMR and CD studies on the interaction of Alzheimer beta-amyloid peptide (12-28) with beta-cyclodextrin. 2002 , 297, 1011-15	56
1199	The domain-swapped dimer of cyanovirin-N contains two sets of oligosaccharide binding sites in solution. 2002 , 298, 598-602	31
1198	Solution structure of polyglutamine tracts in GST-polyglutamine fusion proteins. 2002 , 513, 267-72	123
1197	pH dependence of the hydrogen exchange in the SH3 domain of alpha-spectrin. 2002 , 514, 295-9	12

1196	Placement of ¹⁹ F into the center of GB1: effects on structure and stability. 2002 , 517, 55-60	36
1195	Heteronuclear NMR studies of human serum apolipoprotein A-I. Part I. Secondary structure in lipid-mimetic solution. 2002 , 517, 139-43	26
1194	Enhancement of transglutaminase activity by NMR identification of its flexible residues affecting the active site. 2002 , 517, 175-9	23
1193	Effects of salt and nickel ion on the conformational stability of <i>Bacillus pasteurii</i> UreE. 2002 , 522, 135-40	15
1192	NMR structure determination and investigation using a reduced proton (REDPRO) labeling strategy for proteins. 2002 , 524, 177-82	38
1191	The temperature dependence of the hydrogen exchange in the SH3 domain of alpha-spectrin. 2002 , 527, 86-90	10
1190	The regions of securin and cyclin B proteins recognized by the ubiquitination machinery are natively unfolded. 2002 , 527, 303-8	34
1189	Dap-SL: a new site-directed nitroxide spin labeling approach for determining structure and motions in synthesized peptides and proteins. 2002 , 529, 243-8	16
1188	Structural dynamics of the membrane translocation domain of colicin E9 and its interaction with TolB. 2002 , 318, 787-804	37
1187	Potent inhibition of HIV-1 fusion by cyanovirin-N requires only a single high affinity carbohydrate binding site: characterization of low affinity carbohydrate binding site knockout mutants. 2002 , 318, 1-8	43
1186	Transient intermediary states with high and low folding probabilities in the apparent two-state folding equilibrium of ACBP at low pH. 2002 , 318, 805-14	34
1185	The solution structure of the bacteriophage lambda head-tail joining protein, gpFII. 2002 , 318, 1395-404	31
1184	Olfactory marker protein (OMP) exhibits a beta-clam fold in solution: implications for target peptide interaction and olfactory signal transduction. 2002 , 319, 823-37	28
1183	Redox-coupled conformational alternations in cytochrome c(3) from <i>D. vulgaris</i> Miyazaki F on the basis of its reduced solution structure. 2002 , 319, 767-78	33
1182	Structure of a beta-alanine-linked polyamide bound to a full helical turn of purine tract DNA in the 1:1 motif. 2002 , 320, 55-71	32
1181	High pressure NMR reveals that apomyoglobin is an equilibrium mixture from the native to the unfolded. 2002 , 320, 311-9	72
1180	The nuclease A inhibitor represents a new variation of the rare PR-1 fold. 2002 , 320, 771-82	18
1179	Equilibrium and pressure-jump relaxation studies of the conformational transitions of P13MTCP1. 2002 , 320, 609-28	44

1178	Solution structure of the pro-hormone convertase 1 pro-domain from <i>Mus musculus</i> . 2002 , 320, 801-12	38
1177	Solution structure of the DFF-C domain of DFF45/ICAD. A structural basis for the regulation of apoptotic DNA fragmentation. 2002 , 321, 317-27	37
1176	NMR structures of two variants of bovine pancreatic trypsin inhibitor (BPTI) reveal unexpected influence of mutations on protein structure and stability. 2002 , 321, 647-58	10
1175	Intramolecular dynamics of low molecular weight protein tyrosine phosphatase in monomer-dimer equilibrium studied by NMR: a model for changes in dynamics upon target binding. 2002 , 322, 137-52	48
1174	Detection and characterization of xenon-binding sites in proteins by ¹²⁹ Xe NMR spectroscopy. 2002 , 322, 425-40	94
1173	Cooperative interactions and a non-native buried Trp in the unfolded state of an SH3 domain. 2002 , 322, 163-78	63
1172	Structure and orientation of a G protein fragment in the receptor bound state from residual dipolar couplings. 2002 , 322, 441-61	93
1171	Side-chain dynamics of the SAP SH2 domain correlate with a binding hot spot and a region with conformational plasticity. 2002 , 322, 605-20	46
1170	Site-specific discrimination by cyanovirin-N for alpha-linked trisaccharides comprising the three arms of Man(8) and Man(9). 2002 , 322, 881-9	58
1169	A dimeric RNA quadruplex architecture comprised of two G:G(:A):G:G(:A) hexads, G:G:G:G tetrads and UUUU loops. 2002 , 322, 955-70	66
1168	Thermodynamic and kinetic exploration of the energy landscape of <i>Borrelia burgdorferi</i> OspA by native-state hydrogen exchange. 2002 , 323, 363-75	59
1167	Redesign of a four-helix bundle protein by phage display coupled with proteolysis and structural characterization by NMR and X-ray crystallography. 2002 , 323, 253-62	62
1166	TROSY-NMR studies of the 91kDa TRAP protein reveal allosteric control of a gene regulatory protein by ligand-altered flexibility. 2002 , 323, 463-73	71
1165	Transient structure formation in unfolded acyl-coenzyme A-binding protein observed by site-directed spin labelling. 2002 , 324, 349-57	80
1164	The solution structure of the recombinant hemoglobin from the cyanobacterium <i>Synechocystis</i> sp. PCC 6803 in its hemichrome state. 2002 , 324, 1015-29	53
1163	H-NS oligomerization domain structure reveals the mechanism for high order self-association of the intact protein. 2002 , 324, 841-50	109
1162	Solution structure and ligand recognition of the WW domain pair of the yeast splicing factor Prp40. 2002 , 324, 807-22	68
1161	Backbone dynamics and thermodynamics of <i>Borrelia</i> outer surface protein A. 2002 , 324, 991-1002	19

1160	Regulation of directionality in bacteriophage lambda site-specific recombination: structure of the Xis protein. 2002 , 324, 791-805	44
1159	Effects of volatile anesthetic on channel structure of gramicidin A. 2002 , 83, 1413-20	19
1158	NMR structures of the second transmembrane domain of the human glycine receptor alpha(1) subunit: model of pore architecture and channel gating. 2002 , 83, 252-62	46
1157	Solution structure of the epsin N-terminal homology (ENTH) domain of human epsin. 2002 , 2, 1-8	8
1156	Solution structure of a llama single-domain antibody with hydrophobic residues typical of the VH/VL interface. 2002 , 41, 8570-9	40
1155	Solution structure and dynamics of the human-Escherichia coli thioredoxin chimera: insights into thermodynamic stability. 2002 , 41, 9376-88	10
1154	Structural basis of lysine-acetylated HIV-1 Tat recognition by PCAF bromodomain. 2002 , 9, 575-86	212
1153	Solution structure of paralytic peptide of silkworm, Bombyx mori. 2002 , 23, 2111-6	23
1152	Structure of the regulatory N-domain of human cardiac troponin C in complex with human cardiac troponin I147-163 and bepridil. 2002 , 277, 31124-33	61
1151	Structure of the histone mRNA hairpin required for cell cycle regulation of histone gene expression. 2002 , 8, 29-46	34
1150	Hydrogen Bond Scalar Couplings A New Tool In Biomolecular NMR. 2002 , 255-283	5
1149	The structure of Ap(4)A hydrolase complexed with ATP-MgF(x) reveals the basis of substrate binding. 2002 , 10, 205-13	28
1148	The domain-swapped dimer of cyanovirin-N is in a metastable folded state: reconciliation of X-ray and NMR structures. 2002 , 10, 673-86	115
1147	The Ig-like structure of the C-terminal domain of lamin A/C, mutated in muscular dystrophies, cardiomyopathy, and partial lipodystrophy. 2002 , 10, 811-23	222
1146	An NMR view of the folding process of a CheY mutant at the residue level. 2002 , 10, 1173-1185	16
1145	Structure and interactions of PAS kinase N-terminal PAS domain: model for intramolecular kinase regulation. 2002 , 10, 1349-61	127
1144	Mapping of the interaction interface of DNA polymerase beta with XRCC1. 2002 , 10, 1709-20	40
1143	Temperature dependence of internucleotide nitrogen-nitrogen scalar couplings in RNA. 2002 , 40, 377-379	10

1142	Structural and catalytic response to temperature and cosolvents of carboxylesterase EST1 from the extremely thermoacidophilic archaeon <i>Sulfolobus solfataricus</i> P1. 2002 , 80, 784-93	16
1141	Structural characterization of a cyclic dipeptidomimetic: the effect of ring size on a 1,2,5-trisubstituted-3-oxo-1,4-diazepine system. 2002 , 64, 16-25	3
1140	High resolution NMR analysis of the seven transmembrane domains of a heptahelical receptor in organic-aqueous medium. 2002 , 64, 161-76	29
1139	Micelle-bound conformation of a hairpin-forming peptide: combined NMR and molecular dynamics study. 2002 , 65, 284-98	21
1138	Extracellular domains of the neurokinin-1 receptor: structural characterization and interactions with substance P. 2002 , 66, 339-49	24
1137	Novel 2D triple-resonance NMR experiments for sequential resonance assignments of proteins. 2002 , 156, 262-8	98
1136	Correlation of backbone amide and side-chain (¹³ C) resonances in perdeuterated proteins. 2002 , 156, 10-8	13
1135	Double-quantum dipolar recoupling at high magic-angle spinning rates. 2002 , 157, 253-66	34
1134	Structure-based computational database screening, in vitro assay, and NMR assessment of compounds that target TAR RNA. 2002 , 9, 185-93	115
1133	Multisite and multivalent binding between cyanovirin-N and branched oligomannosides: calorimetric and NMR characterization. 2002 , 9, 1109-18	79
1132	Sensitivity-enhanced E.COSY-type HSQC experiments for accurate measurements of one-bond ¹⁵ N- ¹ H(N) and ¹⁵ N- ¹³ C' and two-bond ¹³ C'- ¹ H(N) residual dipolar couplings in proteins. 2002 , 158, 173-7	16
1131	The <i>Bacillus subtilis</i> cell division proteins FtsL and DivIC are intrinsically unstable and do not interact with one another in the absence of other septasomal components. 2002 , 44, 663-74	37
1130	Effects of a tryptophanyl substitution on the structure and antimicrobial activity of C-terminally truncated gaegurin 4. 2002 , 269, 4367-74	33
1129	Solution structure of the Alzheimer amyloid beta-peptide (1-42) in an apolar microenvironment. Similarity with a virus fusion domain. 2002 , 269, 5642-8	470
1128	Hydrogen exchange, core modules, and new designed proteins. 2002 , 101-102, 67-79	4
1127	Intrinsic structural disorder and sequence features of the cell cycle inhibitor p57Kip2. 2002 , 46, 1-7	62
1126	Solution structure and backbone dynamics of an antigen-free heavy chain variable domain (VHH) from Llama. 2002 , 47, 546-55	32
1125	NMR structure of the hypothetical protein encoded by the YjbJ gene from <i>Escherichia coli</i> . 2002 , 47, 572-4	9

1124	Solution structure of the DNA-binding domain of MafG. 2002 , 9, 252-6		35
1123	A conserved RNA structure within the HCV IRES eIF3-binding site. 2002 , 9, 375-80		56
1122	Structural properties of an amyloid precursor of beta(2)-microglobulin. 2002 , 9, 326-31		167
1121	Structure of the N-terminal 283-residue fragment of the immature HIV-1 Gag polyprotein. 2002 , 9, 537-43		134
1120	3-Methyladenine DNA glycosylase I is an unexpected helix-hairpin-helix superfamily member. 2002 , 9, 659-64		44
1119	Core mutations switch monomeric protein GB1 into an intertwined tetramer. 2002 , 9, 877-85		32
1118	The active site of the SET domain is constructed on a knot. 2002 , 9, 833-8		59
1117	Novel potent 5-HT(3) receptor ligands based on the pyrrolidone structure. Effects of the quaternization of the basic nitrogen on the interaction with 5-HT(3) receptor. 2002 , 10, 2681-91		8
1116	Hepatitis C virus NS3 protease requires its NS4A cofactor peptide for optimal binding of a boronic acid inhibitor as shown by NMR. 2002 , 9, 79-92		20
1115	Accurate nucleic acid concentrations by nuclear magnetic resonance. 2002 , 308, 373-80		7
1114	Complete ¹ H, ¹⁵ N and ¹³ C assignments of the carboxyl terminal domain of the ciliary neurotrophic factor receptor (CNTFR). <i>Journal of Biomolecular NMR</i> , 2002 , 22, 95-6	3	2
1113	Solution structure of N-terminal SH3 domain of Vav and the recognition site for Grb2 C-terminal SH3 domain. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 37-46	3	17
1112	¹ H, ¹³ C and ¹⁵ N resonance assignments of GABARAP, GABAA receptor associated protein. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 97-8	3	10
1111	Backbone and side-chain ¹ H, ¹⁵ N, and ¹³ C assignments for chick cofilin. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 193-4	3	2
1110	¹ H, ¹³ C and ¹⁵ N resonance assignments for the perdeuterated 22 kD palm-thumb domain of DNA polymerase beta. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 197-8	3	4
1109	Sequence specific resonance assignment of the central domain of cardiac myosin binding protein C (MyBP-C). <i>Journal of Biomolecular NMR</i> , 2002 , 22, 199-200	3	4
1108	¹ H, ¹⁵ N and ¹³ C resonance assignments of rabbit apo-S100A11. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 191-2	3	8
1107	Backbone NMR assignments of ribosome recycling factors (RRFs) from <i>Escherichia coli</i> and <i>Thermotoga maritima</i> . <i>Journal of Biomolecular NMR</i> , 2002 , 22, 195-6	3	2

1106	Sequence-specific chemical shift assignment and chemical shift indexing of murine apo-Mts1. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 181-2	3	3
1105	¹ H, ¹³ C, and ¹⁵ N resonance assignments and secondary structure of the PWI domain from SRm160 using reduced dimensionality NMR. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 299-300	3	4
1104	Solution structure of the hypothetical protein MTH0637 from Methanobacterium thermoautotrophicum. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 291-4	3	3
1103	Automated assignment and 3D structure calculations using combinations of 2D homonuclear and 3D heteronuclear NOESY spectra. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 249-63	3	21
1102	Resonance assignment and secondary structure determination of a C-terminal fragment of the lupus autoantigen (La) protein containing a putative RNA recognition motif (RRM). <i>Journal of Biomolecular NMR</i> , 2002 , 22, 387-8	3	5
1101	Backbone resonance assignment of the ² H, ¹³ C, ¹⁵ N labelled 32kDa central domain of Escherichia coli TyrR. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 381-2	3	2
1100	¹ H, ¹³ C and ¹⁵ N resonance assignments of the DNA-binding domain of the essential protein Cdc13 complexed with single-stranded telomeric DNA. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 379-80	3	3
1099	Automated NMR determination of protein backbone dihedral angles from cross-correlated spin relaxation. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 349-63	3	30
1098	¹ H, ¹³ C and ¹⁵ N resonance assignments of the C-terminal domain of human lamin A/C. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 371-2	3	4
1097	Backbone ¹ H, ¹³ C, and ¹⁵ N resonance assignments for the C-terminal region of Ku86 (Ku86CTR). <i>Journal of Biomolecular NMR</i> , 2002 , 22, 373-4	3	1
1096	Semi-automated backbone resonance assignments of the extracellular ligand-binding domain of an ionotropic glutamate receptor. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 297-8	3	13
1095	Backbone assignments for endonuclease V from bacteriophage T4 with deuterium labeling. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 383-4	3	1
1094	High-resolution NMR structure of an AT-rich DNA sequence. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 265-80	3	28
1093	¹ H(N), ¹⁵ N, ¹³ CO, ¹³ Calpha, ¹³ Cbeta assignment and secondary structure of a 20 kDa alpha-L-fucosidase from pea using TROSY. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 295-6	3	6
1092	Assignment of a 15 kDa protein complex formed between the p160 coactivator ACTR and CREB binding protein. <i>Journal of Biomolecular NMR</i> , 2002 , 22, 377-8	3	6
1091	Assignment of the ¹ H, ¹³ C, and ¹⁵ N signals of Synechocystis sp. PCC 6803 methemoglobin. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 71-2	3	10
1090	Effect of deuteration on some structural parameters of methyl groups in proteins as evaluated by residual dipolar couplings. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 35-45	3	25
1089	¹ H, ¹⁵ N and ¹³ C assignments of the targeting (FAT) domain of focal adhesion kinase. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 75-6	3	1

1088	Backbone dynamics of the 8 kDa dynein light chain dimer reveals molecular basis of the protein's functional diversity. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 103-14	3	25
1087	Sequence-specific chemical shift assignment of calcium-loaded murine S100A4. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 153-4	3	
1086	¹ H, ¹⁵ N and ¹³ C chemical shift assignments of the structured core of the pseudomonas effector protein AvrPto. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 247-8	3	3
1085	¹ H, ¹⁵ N, and ¹³ C resonance assignments of low molecular weight human cytoplasmic protein tyrosine phosphatase-A (HCPTP-A). <i>Journal of Biomolecular NMR</i> , 2002 , 23, 251-2	3	3
1084	Assignment of ¹ H, ¹³ C and ¹⁵ N resonances of human Ca ²⁺ -S100B in complex with the TRTK-12 peptide. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 255-6	3	3
1083	Clean SEA-HSQC: a method to map solvent exposed amides in large non-deuterated proteins with gradient-enhanced HSQC. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 317-22	3	20
1082	¹ H, ¹⁵ N and ¹³ C resonance assignments of yeast <i>Saccharomyces cerevisiae</i> calmodulin in the Ca ²⁺ -free state. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 323-4	3	2
1081	Assignment of ¹ H and ¹⁵ N resonances and secondary structure of the recombinant RicC3 of 2S albumin storage protein from <i>Ricinus communis</i> . <i>Journal of Biomolecular NMR</i> , 2002 , 23, 331-2	3	1
1080	Backbone resonance assignments of the 25kD N-terminal ATPase domain from the Hsp90 chaperone. <i>Journal of Biomolecular NMR</i> , 2002 , 23, 327-8	3	19
1079	Rapid analysis of protein backbone resonance assignments using cryogenic probes, a distributed Linux-based computing architecture, and an integrated set of spectral analysis tools. 2002 , 2, 93-101		34
1078	Sequence-specific resonance assignments of the N-terminal, 105-residue KaiC-interacting domain of SasA, a protein necessary for a robust circadian rhythm in <i>Synechococcus elongatus</i> . <i>Journal of Biomolecular NMR</i> , 2002 , 24, 77-8	3	9
1077	¹ H, ¹³ C, and ¹⁵ N assignment of the N-terminal, catalytic domain of the replication initiation protein from the geminivirus TYLCV. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 73-4	3	7
1076	SPINS: standardized protein NMR storage. A data dictionary and object-oriented relational database for archiving protein NMR spectra. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 113-21	3	15
1075	Breaking symmetry in the structure determination of (large) symmetric protein dimers. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 143-8	3	72
1074	¹ H, ¹⁵ N and ¹³ C backbone assignment of MJ1267, an ATP-binding cassette. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 167-8	3	4
1073	A 3D doubly sensitivity enhanced X-filtered TOCSY-TOCSY experiment. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 155-60	3	2
1072	¹ H, ¹³ C and ¹⁵ N resonance assignments of Gads C-terminal SH3 domain in complex with an RXXK motif-containing peptide derived from SLP-76. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 161-2	3	1
1071	¹ H, ¹³ C, and ¹⁵ N backbone resonance assignments of the C-terminal domain of 5-enolpyruvylshikimate-3-phosphate synthase. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 269-70	3	

1070	Three-way decomposition of a complete 3D 15N-NOESY-HSQC. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 191-201	3	35
1069	Backbone 1H, 15N, and 13C resonance assignments of the repeated domain of human beta ig-h3 protein. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 367-8	3	
1068	Assignment of the 1H, 13C and 15N resonances of the coxsackievirus and adenovirus receptor domain 1. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 365-6	3	2
1067	Backbone NMR assignments of the metal-free UreE from <i>Bacillus pasteurii</i> . <i>Journal of Biomolecular NMR</i> , 2002 , 24, 361-2	3	2
1066	Program MULDER -- a tool for extracting torsion angles from NMR data. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 339-49	3	11
1065	Biosynthetically directed fractional 13C labeling facilitates identification of Phe and Tyr aromatic signals in proteins. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 231-5	3	10
1064	1H, 13C and 15N resonance assignments of an affibody-target complex. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 271-2	3	7
1063	Backbone 1H, 13C, and 15N resonance assignments of the von Willebrand factor A3 domain. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 357-8	3	2
1062	Differential multiple quantum relaxation caused by chemical exchange outside the fast exchange limit. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 263-8	3	25
1061	Backbone dynamics of the cytotoxic ribonuclease alpha-sarcin by 15N NMR relaxation methods. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 301-16	3	17
1060	BetaCore, a designed water soluble four-stranded antiparallel beta-sheet protein. 2002 , 11, 1539-51		18
1059	Structural characterization of the N-terminal autoregulatory sequence of phenylalanine hydroxylase. 2002 , 11, 2041-7		12
1058	Structure of TAR RNA complexed with a Tat-TAR interaction nanomolar inhibitor that was identified by computational screening. 2002 , 9, 707-12		73
1057	A "three-pronged" binding mechanism for the SAP/SH2D1A SH2 domain: structural basis and relevance to the XLP syndrome. 2002 , 21, 314-23		73
1056	The structure of the Dead ringer-DNA complex reveals how AT-rich interaction domains (ARIDs) recognize DNA. 2002 , 21, 1197-209		50
1055	Plasticity in protein-DNA recognition: lac repressor interacts with its natural operator O1 through alternative conformations of its DNA-binding domain. 2002 , 21, 2866-76		103
1054	Solution structure and DNA-binding properties of the C-terminal domain of UvrC from <i>E.coli</i> . 2002 , 21, 6257-66		39
1053	Recognition of ERK MAP kinase by PEA-15 reveals a common docking site within the death domain and death effector domain. 2002 , 21, 6494-504		83

1052	Three-dimensional structure of the complexin/SNARE complex. 2002 , 33, 397-409		327
1051	Backbone ¹ H, ¹⁵ N and ¹³ C assignments for the human rhinovirus 3C protease (serotype 14). <i>Journal of Biomolecular NMR</i> , 2003 , 26, 85-6	3	2
1050	Analysis of local conformation of membrane-bound and polycrystalline peptides by two-dimensional slow-spinning rotor-synchronized MAS exchange spectroscopy. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 49-68	3	13
1049	A strategy to obtain backbone resonance assignments of deuterated proteins in the presence of incomplete amide ² H/ ¹ H back-exchange. <i>Journal of Biomolecular NMR</i> , 2003 , 25, 291-311	3	25
1048	NMR structure of the ribosomal protein L23 from <i>Thermus thermophilus</i> . <i>Journal of Biomolecular NMR</i> , 2003 , 26, 131-7	3	13
1047	¹ H, ¹⁵ N and ¹³ C resonance assignments of the highly conserved 19 kDa C-terminal domain from human elongation factor 1B γ . <i>Journal of Biomolecular NMR</i> , 2003 , 26, 189-90	3	4
1046	¹ H, ¹³ C and ¹⁵ N resonance assignments of domain 1 of receptor associated protein. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 187-8	3	4
1045	Multiple quadrature detection in reduced dimensionality experiments. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 157-66	3	64
1044	Interaction of the tail with the catalytic region of a class II E2 conjugating enzyme. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 147-55	3	9
1043	¹ H, ¹³ C and ¹⁵ N backbone resonance assignments of the N-terminal domain of <i>Drosophila</i> GCM protein. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 277-8	3	1
1042	¹ H, ¹³ C and ¹⁵ N resonance assignments of a viral SET domain histone lysine methyltransferase. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 279-80	3	
1041	A rapid method to attain isotope labeled small soluble peptides for NMR studies. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 193-202	3	38
1040	Sequence-specific assignment of the B-Myb DNA-binding domain (B-MybR2R3) bound to a 16 base-pair DNA target site corresponding to a regulatory site from the tom-1 gene. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 375-6	3	
1039	Overall structure and sugar dynamics of a DNA dodecamer from homo- and heteronuclear dipolar couplings and ³¹ P chemical shift anisotropy. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 297-315	3	114
1038	Structure and dynamics of a membrane protein in micelles from three solution NMR experiments. <i>Journal of Biomolecular NMR</i> , 2003 , 26, 327-34	3	36
1037	Assignment of the ¹ H, ¹³ C and ¹⁵ N resonances of the catalytic domain of guanine nucleotide exchange factor SopE2 from <i>Salmonella dublin</i> . <i>Journal of Biomolecular NMR</i> , 2003 , 26, 379-80	3	1
1036	Resonance assignment and secondary structure of an N-terminal fragment of the human La protein. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 93-4	3	16
1035	Fully automated sequence-specific resonance assignments of hetero- nuclear protein spectra. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 69-79	3	45

1034	1H, 13C and 15N resonance assignments of rice telomere binding domain from <i>Oryza sativa</i> . <i>Journal of Biomolecular NMR</i> , 2003 , 27, 89-90	3	1
1033	Angular dependence of dipole-dipole-Curie-spin cross-correlation effects in high-spin and low-spin paramagnetic myoglobin. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 115-32	3	28
1032	Rotational diffusion tensor of nucleic acids from 13C NMR relaxation. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 133-42	3	46
1031	Complete resonance assignments for the nudix hydrolase DR2356 of <i>Deinococcus radiodurans</i> . <i>Journal of Biomolecular NMR</i> , 2003 , 27, 181-2	3	1
1030	Backbone assignments of Grb2 complexed with ligand peptides for SH3 and SH2 domains. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 185-6	3	2
1029	A combined HNCA/HNCO experiment for 15N labeled proteins with 13C at natural abundance. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 175-9	3	10
1028	Sequence-specific 1H, 13C and 15N resonance assignments of the rat liver fructose-2,6-bisphosphatase domain. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 281-2	3	1
1027	1H(C) and 1H(N) total NOE correlations in a single 3D NMR experiment. 15N and 13C time-sharing in t1 and t2 dimensions for simultaneous data acquisition. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 193-203	3	26
1026	Backbone resonance assignment of human eukaryotic translation initiation factor 4E (eIF4E) in complex with 7-methylguanosine diphosphate (m7GDP) and a 17-amino acid peptide derived from human eIF4GII. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 279-80	3	4
1025	Resonance assignments for the hypothetical protein yggU from <i>Escherichia coli</i> . <i>Journal of Biomolecular NMR</i> , 2003 , 27, 285-6	3	6
1024	Sequence-specific resonance assignments of ICl _n , an ion channel cloned from epithelial cells. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 399-400	3	5
1023	Solid state NMR sequential resonance assignments and conformational analysis of the 2x10.4 kDa dimeric form of the <i>Bacillus subtilis</i> protein Crh. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 323-39	3	150
1022	NMR assignment of the 1H, 15N and 13C resonances of the <i>E. coli</i> frataxin orthologue, CyaY. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 403-4	3	4
1021	1H, 13C and 15N backbone assignments of the pheromone binding protein from the silk moth <i>Antheraea polyphemus</i> (ApolPBP). <i>Journal of Biomolecular NMR</i> , 2003 , 27, 393-4	3	8
1020	Measurement of methyl 13C-1H cross-correlation in uniformly 13C-, 15N-, labeled proteins. <i>Journal of Biomolecular NMR</i> , 2003 , 27, 351-64	3	15
1019	1H, 15N, and 13C chemical shift assignments of the <i>Escherichia coli</i> nitrogen regulatory phosphocarrier IIA(Ntr). <i>Journal of Biomolecular NMR</i> , 2003 , 27, 401-2	3	3
1018	Solution structure of a putative ribosome binding protein from <i>Mycoplasma pneumoniae</i> and comparison to a distant homolog. 2003 , 4, 235-43		13
1017	Backbone (15N) relaxation analysis of the N-terminal domain of the HTLV-I capsid protein and comparison with the capsid protein of HIV-1. 2003 , 12, 973-81		7

1016	Arresting and releasing Staphylococcal alpha-hemolysin at intermediate stages of pore formation by engineered disulfide bonds. 2003 , 12, 997-1006		26
1015	Solution structure and thermal stability of ribosomal protein L30e from hyperthermophilic archaeon <i>Thermococcus celer</i> . 2003 , 12, 1483-95		13
1014	The PB1 domain and the PC motif-containing region are structurally similar protein binding modules. 2003 , 22, 4888-97		35
1013	¹ H, ¹³ C and ¹⁵ N resonance assignments of the catalytic domain of human MAPK phosphatase, PAC-1. <i>Journal of Biomolecular NMR</i> , 2003 , 25, 79-80	3	
1012	Assignment of ¹ H, ¹³ C and ¹⁵ N resonances of the N-terminal microtubule-binding domain of human doublecortin. <i>Journal of Biomolecular NMR</i> , 2003 , 25, 81-2	3	2
1011	NMR structure of ubiquitin-like domain in PARKIN: gene product of familial Parkinson's disease. <i>Journal of Biomolecular NMR</i> , 2003 , 25, 153-6	3	13
1010	¹ H, ¹³ C and ¹⁵ N backbone resonance assignments of the SAND domains from glucocorticoid modulatory element binding proteins-1 and -2. <i>Journal of Biomolecular NMR</i> , 2003 , 25, 259-60	3	
1009	¹ H, ¹⁵ N and ¹³ C resonance assignments for the PTB domain of the signaling protein Shc. <i>Journal of Biomolecular NMR</i> , 2003 , 25, 255-6	3	
1008	Unprecedented head-to-head conformers of d(GpG) bound to the antitumor active compound tetrakis (mu-carboxylato)dirhodium(II,II). 2003 , 125, 10703-13		68
1007	A further investigation of the cytochrome b5-cytochrome c complex. 2003 , 8, 777-86		14
1006	Solution structure of the MAPK phosphatase PAC-1 catalytic domain. Insights into substrate-induced enzymatic activation of MKP. 2003 , 11, 155-64		41
1005	Alternative conformations of HIV-1 V3 loops mimic beta hairpins in chemokines, suggesting a mechanism for coreceptor selectivity. 2003 , 11, 225-36		134
1004	Solution structure of MT_nc, a novel metallothionein from the Antarctic fish <i>Notothenia coriiceps</i> . 2003 , 11, 435-43		47
1003	Design of stable alpha-helical arrays from an idealized TPR motif. 2003 , 11, 497-508		235
1002	The human type I interferon receptor: NMR structure reveals the molecular basis of ligand binding. 2003 , 11, 791-802		73
1001	Structure of the C-terminal domain of human La protein reveals a novel RNA recognition motif coupled to a helical nuclear retention element. 2003 , 11, 833-43		86
1000	Coupling of folding and binding in the PTB domain of the signaling protein Shc. 2003 , 11, 905-13		21
999	Nuclear magnetic resonance data processing. MestRe-C: A software package for desktop computers. 2003 , 19A, 80-96		98

998	Carbonyl ¹³ C transverse relaxation measurements to sample protein backbone dynamics. 2003 , 41, 853-865	39
997	4-fluorophenylglycine as a label for ¹⁹ F NMR structure analysis of membrane-associated peptides. 2003 , 4, 1151-63	108
996	Conformational preferences of the amylin nucleation site in SDS micelles: an NMR study. 2003 , 69, 29-41	59
995	Biophysical and structural property of the putative DNA-binding protein, BldB, from <i>Streptomyces lividans</i> . 2003 , 69, 343-50	5
994	Application of NMR, molecular simulation, and hydrodynamics to conformational analysis of trisaccharides. 2003 , 69, 448-60	28
993	NMR assignment of protein side chains using residue-correlated labeling and NOE spectra. 2003 , 165, 237-47	2
992	A high sensitivity 3D experiment for measuring α - α residual dipolar coupling constants. 2003 , 165, 248-52	7
991	Interaction between calcium-free calmodulin and IQ motif of neurogranin studied by nuclear magnetic resonance spectroscopy. 2003 , 315, 175-82	27
990	The effects of Ca(2+) binding on the conformation of calbindin D(28K): a nuclear magnetic resonance and microelectrospray mass spectrometry study. 2003 , 317, 59-66	21
989	The three-dimensional structure of the mega-oligosaccharide rhamnogalacturonan II monomer: a combined molecular modeling and NMR investigation. 2003 , 338, 651-71	37
988	Comparison of two different lysozyme types under native and crystallization conditions using two-dimensional NMR and dynamic light scattering. 2003 , 104, 605-16	9
987	The Xplor-NIH NMR molecular structure determination package. 2003 , 160, 65-73	1919
986	Multiple-quantum magic-angle spinning spectroscopy using nonlinear sampling. 2003 , 161, 43-55	37
985	Progress on the two-dimensional filter diagonalization method. An efficient doubling scheme for two-dimensional constant-time NMR. 2003 , 162, 74-89	39
984	Measurement of ¹⁵ N chemical shift anisotropy in a protein dissolved in a dilute liquid crystalline medium with the application of magic angle sample spinning. 2003 , 163, 163-73	28
983	Sensitivity-enhanced 2D IPAP, TROSY-anti-TROSY, and E.COSY experiments: alternatives for measuring dipolar ¹⁵ N- ¹ HN couplings. 2003 , 163, 208-14	38
982	JE-TROSY: combined J- and TROSY-spectroscopy for the measurement of one-bond couplings in macromolecules. 2003 , 163, 92-8	26
981	Use of very long-distance NOEs in a fully deuterated protein: an approach for rapid protein fold determination. 2003 , 163, 228-35	22

980	Design of small volume HX and triple-resonance probes for improved limits of detection in protein NMR experiments. 2003 , 164, 128-35	29
979	The structure of the antimicrobial peptide Ac-RRWRF-NH ₂ bound to micelles and its interactions with phospholipid bilayers. 2003 , 61, 219-29	79
978	Plasmodium vivax CS peptides display conformational preferences for folded forms in solution. 2003 , 61, 252-62	1
977	NMR-derived model of interconverting conformations of an ICAM-1 inhibitory cyclic nonapeptide. 2003 , 62, 97-116	4
976	Expression and characterization of the FX ₂ D ion transport regulators for NMR structural studies in lipid micelles and lipid bilayers. 2003 , 1645, 15-21	20
975	Nuclear magnetic resonance structures of the zinc finger domain of human DNA polymerase- α . 2003 , 1651, 163-71	15
974	Nuclear magnetic resonance spectroscopy reveals the functional state of the signalling protein CheY in vivo in Escherichia coli. 2003 , 49, 1191-200	50
973	ParG, a protein required for active partition of bacterial plasmids, has a dimeric ribbon-helix-helix structure. 2003 , 50, 1141-53	70
972	On the molecular basis of the recognition of angiotensin II (AII). NMR structure of AII in solution compared with the X-ray structure of AII bound to the mAb Fab131. 2003 , 270, 849-60	27
971	NMR solution structure of calerythrin, an EF-hand calcium-binding protein from Saccharopolyspora erythraea. 2003 , 270, 2505-12	20
970	Azotobacter vinelandii rhodanese: selenium loading and ion interaction studies. 2003 , 270, 4208-15	5
969	Solution structure of the highly acidic protein HI1450 from Haemophilus influenzae, a putative double-stranded DNA mimic. 2004 , 54, 375-83	19
968	Collagen-binding mode of vWF-A3 domain determined by a transferred cross-saturation experiment. 2003 , 10, 53-8	65
967	A dimeric viral SET domain methyltransferase specific to Lys27 of histone H3. 2003 , 10, 187-96	78
966	ATP-induced conformational changes of the nucleotide-binding domain of Na,K-ATPase. 2003 , 10, 468-74	88
965	Structural and functional insights into PINCH LIM4 domain-mediated integrin signaling. 2003 , 10, 558-64	55
964	A conserved amphipathic helix in WASP/Scar proteins is essential for activation of Arp2/3 complex. 2003 , 10, 591-8	121
963	Structure and nucleic-acid binding of the Drosophila Argonaute 2 PAZ domain. 2003 , 426, 465-9	347

962	Role of solution conformation and flexibility of short peptide ligands that bind to the p56(lck) SH2 domain. 2003 , 11, 941-9	13
961	X-filtering for a range of coupling constants: application to the detection of intermolecular NOEs. 2003 , 160, 97-106	8
960	Hydrogen bonds lengths in nucleic acids estimated from longitudinal nitrogen-15 relaxation. 2003 , 165, 1-8	8
959	Specific interactions of distamycin with G-quadruplex DNA. 2003 , 31, 2944-51	78
958	Increased rigidity of eglin c at acidic pH: evidence from NMR spin relaxation and MD simulations. 2003 , 42, 13856-68	29
957	Temperature dependence of domain motions of calmodulin probed by NMR relaxation at multiple fields. 2003 , 125, 11379-84	62
956	Solution structure of Alo-3: a new knottin-type antifungal peptide from the insect <i>Acrocisus longimanus</i> . 2003 , 42, 14434-42	55
955	PA1b, an insecticidal protein extracted from pea seeds (<i>Pisum sativum</i>): 1H-2-D NMR study and molecular modeling. 2003 , 42, 11915-23	43
954	Characteristic domain motion in the ribosome recycling factor revealed by 15N NMR relaxation experiments and molecular dynamics simulations. 2003 , 42, 4101-7	23
953	Temperature dependence of anisotropic protein backbone dynamics. 2003 , 125, 8639-43	48
952	Probing the kinetic landscape of transient peptide-protein interactions by use of peptide (15)n NMR relaxation dispersion spectroscopy: binding of an antithrombin peptide to human prothrombin. 2003 , 125, 12432-42	40
951	Mutations in the B1 domain of protein G that delay the onset of amyloid fibril formation in vitro. 2003 , 12, 567-76	13
950	Electrostatic interactions in the reconstitution of an SH2 domain from constituent peptide fragments. 2003 , 12, 44-55	7
949	Stably folded de novo proteins from a designed combinatorial library. 2003 , 12, 92-102	89
948	Structural and kinetic characterization of the simplified SH3 domain FP1. 2003 , 12, 776-83	18
947	A wheat germ cell-free system is a novel way to screen protein folding and function. 2003 , 12, 1216-21	56
946	Changes in structure and dynamics of the Fv fragment of a catalytic antibody upon binding of inhibitor. 2003 , 12, 1386-94	13
945	Automated protein fold determination using a minimal NMR constraint strategy. 2003 , 12, 1232-46	50

944	Solution structure of the N-terminal amphitropic domain of Escherichia coli glucose-specific enzyme IIA in membrane-mimetic micelles. 2003 , 12, 1087-96	44
943	Role of a solvent-exposed tryptophan in the recognition and binding of antibiotic substrates for a metallo-beta-lactamase. 2003 , 12, 1368-75	53
942	Solution structure of ribosomal protein S28E from Methanobacterium thermoautotrophicum. 2003 , 12, 2831-7	15
941	Solution NMR structure of the 30S ribosomal protein S28E from Pyrococcus horikoshii. 2003 , 12, 2823-30	19
940	High-yield expression of isotopically labeled peptides for use in NMR studies. 2003 , 12, 1786-91	28
939	Refolding out of guanidine hydrochloride is an effective approach for high-throughput structural studies of small proteins. 2003 , 12, 2073-80	37
938	Ubiquitin recognition by the DNA repair protein hHR23a. 2003 , 42, 13529-35	75
937	The three-dimensional structure of bovine calcium ion-bound osteocalcin using ¹ H NMR spectroscopy. 2003 , 42, 7769-79	67
936	Solution structure and NH exchange studies of the MutT pyrophosphohydrolase complexed with Mg(2+) and 8-oxo-dGMP, a tightly bound product. 2003 , 42, 10140-54	35
935	Solution structure of the carboxyl-terminal domain of RAP74 and NMR characterization of the FCP1-binding sites of RAP74 and human TFIIB. 2003 , 42, 1460-9	18
934	Lack of negative charge in the E46Q mutant of photoactive yellow protein prevents partial unfolding of the blue-shifted intermediate. 2003 , 42, 14501-6	32
933	Side chain assignments of Ile delta 1 methyl groups in high molecular weight proteins: an application to a 46 ns tumbling molecule. 2003 , 125, 5701-6	45
932	Evaluation of backbone proton positions and dynamics in a small protein by liquid crystal NMR spectroscopy. 2003 , 125, 9179-91	262
931	Phosphorylation and mutation of human cardiac troponin I differentially destabilize the interaction of the functional regions of troponin I with troponin C. 2003 , 42, 14460-8	26
930	NMR structure and dynamics of the second transmembrane domain of the neuronal acetylcholine receptor beta 2 subunit. 2003 , 42, 13058-65	17
929	Solution structure and backbone dynamics of the holo form of the frenolicin acyl carrier protein. 2003 , 42, 4648-57	86
928	Solution structure of the disulfide-linked dimer of human intestinal trefoil factor (TFF3): the intermolecular orientation and interactions are markedly different from those of other dimeric trefoil proteins. 2003 , 42, 15139-47	44
927	Structural and dynamic characterization of a neuron-specific protein kinase C substrate, neurogranin. 2003 , 42, 5143-50	28

926	Proflavine acts as a Rev inhibitor by targeting the high-affinity Rev binding site of the Rev responsive element of HIV-1. 2003 , 42, 8035-46	68
925	Insights into the mobility of methyl-bearing side chains in proteins from (3)J(CC) and (3)J(CN) couplings. 2003 , 125, 8959-66	114
924	Specific non-native hydrophobic interactions in a hidden folding intermediate: implications for protein folding. 2003 , 42, 12461-5	59
923	Ile, Leu, and Val methyl assignments of the 723-residue malate synthase G using a new labeling strategy and novel NMR methods. 2003 , 125, 13868-78	279
922	RAMPED-UP NMR: multiplexed NMR-based screening for drug discovery. 2003 , 125, 10941-6	47
921	Extending the family of UNCG-like tetraloop motifs: NMR structure of a CACG tetraloop from coxsackievirus B3. 2003 , 42, 4373-83	29
920	Nuclear magnetic resonance structure of a prototype Lin12-Notch repeat module from human Notch1. 2003 , 42, 7061-7	38
919	Unexpected binding mode for 2'-phosphoadenosine-based nucleotide inhibitors in complex with human angiogenin revealed by heteronuclear NMR spectroscopy. 2003 , 42, 11137-49	10
918	Solution structure and backbone dynamics of the TGFbeta type II receptor extracellular domain. 2003 , 42, 10126-39	28
917	Thermodynamic rearrangement synthesis and NMR structures of C1, C3, and T isomers of C60H36. 2003 , 125, 7902-6	40
916	Distortion of the three-dimensional structure of the vnd/NK-2 homeodomain bound to DNA induced by an embryonically lethal A35T point mutation. 2003 , 42, 12522-31	1
915	Solution structure of a wedge-shaped synthetic molecule at a two-base bulge site in DNA. 2003 , 42, 8472-83	16
914	NMR structure and backbone dynamics of the extended second transmembrane domain of the human neuronal glycine receptor alpha1 subunit. 2003 , 42, 3989-95	25
913	Characterization of the low pH solution structure and dynamics of the region 4 of Escherichia coli RNA polymerase sigma70 subunit. 2003 , 42, 13438-48	4
912	NMR structure of the DNA-binding domain of the cell cycle protein Mbp1 from Saccharomyces cerevisiae. 2003 , 42, 1266-73	15
911	NMR structure of an archaeal homologue of ribonuclease P protein Rpp29. 2003 , 42, 13541-50	31
910	Mechanism of flavin mononucleotide cofactor binding to the Desulfovibrio vulgaris flavodoxin. 2. Evidence for cooperative conformational changes involving tryptophan 60 in the interaction between the phosphate- and ring-binding subsites. 2003 , 42, 2317-27	15
909	Structural characterization by NMR of the natively unfolded extracellular domain of beta-dystroglycan: toward the identification of the binding epitope for alpha-dystroglycan. 2003 , 42, 13717-24	14

908	Synthesis and NMR structure of p41icf, a potent inhibitor of human cathepsin L. 2003 , 125, 1508-17	21
907	Inhibitory specificity change of the ovomucoid third domain of the silver pheasant upon introduction of an engineered Cys14-Cys39 bond. 2003 , 42, 2524-34	11
906	Solution structure of human saposin C: pH-dependent interaction with phospholipid vesicles. 2003 , 42, 14729-40	80
905	Low-temperature-induced structural changes in human lysozyme elucidated by three-dimensional NMR spectroscopy. 2003 , 42, 1209-16	10
904	Solution structure and functional ligand screening of HI0719, a highly conserved protein from bacteria to humans in the YjgF/YER057c/UK114 family. 2003 , 42, 80-9	53
903	Side chain dynamics in unfolded protein states: an NMR based 2H spin relaxation study of $\Delta 131\Delta$. 2003 , 125, 1748-58	43
902	Structural and dynamic properties of the HIV-1 tat transduction domain in the free and heparin-bound states. 2003 , 42, 8999-9006	36
901	Recoupling of chemical shift anisotropies in solid-state NMR under high-speed magic-angle spinning and in uniformly ^{13}C -labeled systems. 2003 , 118, 8378-8389	118
900	KIX-mediated assembly of the CBP-CREB-HTLV-1 tax coactivator-activator complex. 2003 , 42, 12481-7	31
899	Use of nuclear magnetic resonance spectroscopy to study structure-function of bromodomains. 2004 , 376, 119-30	1
898	Assays for the determination of structure and dynamics of the interaction of the chromodomain with histone peptides. 2004 , 376, 131-48	40
897	Structure of the nuclear factor ALY: insights into post-transcriptional regulatory and mRNA nuclear export processes. 2003 , 42, 7348-57	19
896	Characterization of the yeast peroxiredoxin Ahp1 in its reduced active and overoxidized inactive forms using NMR. 2003 , 42, 14139-49	32
895	Solution conformations of mycothiol bimane, 1-D-GlcNAc- α -(1 \rightarrow 1)-D-myo-Ins and 1-D-GlcNAc- α -(1 \rightarrow 1)-L-myo-Ins. 2003 , 68, 3380-6	12
894	Mode-Coupling Analysis of ^{15}N CSA \parallel ^{15}N - ^1H Dipolar Cross-Correlation in Proteins. Rhombic Potentials at the N-H Bond. 2003 , 107, 9883-9897	20
893	Novel binding interactions of the DNA fragment d(pGpG) cross-linked by the antitumor active compound tetrakis(mu-carboxylato)dirhodium(II,II). 2003 , 125, 10714-24	67
892	Evidence for structural changes in carboxyl-terminal peptides of transducin alpha-subunit upon binding a soluble mimic of light-activated rhodopsin. 2003 , 42, 302-11	20
891	NMR studies of the interaction of a type II dihydrofolate reductase with pyridine nucleotides reveal unexpected phosphatase and reductase activity. 2003 , 42, 11150-60	20

890	13C-13C rotational resonance width distance measurements in uniformly 13C-labeled peptides. 2003 , 125, 15623-9	52
889	Solution structure of the RNase H domain of the HIV-1 reverse transcriptase in the presence of magnesium. 2003 , 42, 639-50	52
888	Solution structure of RicC3, a 2S albumin storage protein from <i>Ricinus communis</i> . 2003 , 42, 13839-47	60
887	Structural organization of the receptor associated protein. 2003 , 42, 14913-20	14
886	Aromatic and methyl NOEs highlight hydrophobic clustering in the unfolded state of an SH3 domain. 2003 , 42, 8687-95	77
885	Solvent interaction of a Hsp70 chaperone substrate-binding domain investigated with water-NOE NMR experiments. 2003 , 42, 11100-8	11
884	Interaction of a peptide from the receptor-binding domain of <i>Pseudomonas aeruginosa</i> pili strain PAK with a cross-reactive antibody: changes in backbone dynamics induced by binding. 2003 , 42, 11334-46	9
883	Solution structure of the lyase domain of human DNA polymerase lambda. 2003 , 42, 9564-74	26
882	Solution structure and dynamics of oxytetracycline polyketide synthase acyl carrier protein from <i>Streptomyces rimosus</i> . 2003 , 42, 8423-33	65
881	Mapping the binding interface of the cytochrome b5-cytochrome c complex by nuclear magnetic resonance. 2003 , 42, 14774-84	22
880	Effect of temperature and the F27W mutation on the Ca ²⁺ activated structural transition of trout cardiac troponin C. 2003 , 42, 6418-26	15
879	Nuclear magnetic resonance-based dissection of a glycosyltransferase specificity for the mucin MUC1 tandem repeat. 2003 , 42, 13817-25	15
878	The swapping of terminal arms in ribonucleases: comparison of the solution structure of monomeric bovine seminal and pancreatic ribonucleases. 2003 , 42, 8704-11	22
877	NMR structure of a bifunctional rhodamine labeled N-domain of troponin C complexed with the regulatory "switch" peptide from troponin I: implications for in situ fluorescence studies in muscle fibers. 2003 , 42, 4333-48	32
876	NMR structure of the active conformation of the Varkud satellite ribozyme cleavage site. 2003 , 100, 7003-8	56
875	Elucidation of the epsilon-theta subunit interface of <i>Escherichia coli</i> DNA polymerase III by NMR spectroscopy. 2003 , 42, 3635-44	29
874	Structural rearrangements of the two domains of <i>Azotobacter vinelandii</i> rhodanese upon sulfane sulfur release: essential molecular dynamics, 15N NMR relaxation and deuterium exchange on the uniformly labeled protein. 2003 , 33, 193-201	5
873	Cell transformation by the v-myc oncogene abrogates c-Myc/Max-mediated suppression of a C/EBP beta-dependent lipocalin gene. 2003 , 333, 33-46	18

872	Identification of a residue critical for maintaining the functional conformation of BPTI. 2003 , 333, 425-41	17
871	The kinetic pathway of folding of barnase. 2003 , 333, 169-86	74
870	Conversion of wild-type p53 core domain into a conformation that mimics a hot-spot mutant. 2003 , 333, 443-51	39
869	Tertiary structure of thiopurine methyltransferase from <i>Pseudomonas syringae</i> , a bacterial orthologue of a polymorphic, drug-metabolizing enzyme. 2003 , 333, 573-85	24
868	Three-dimensional structure of the channel-forming trans-membrane domain of virus protein "u" (Vpu) from HIV-1. 2003 , 333, 409-24	214
867	Three-dimensional structure of a monomeric form of a retroviral protease. 2003 , 333, 771-80	14
866	A metal-ligand-mediated intersubunit allosteric switch in related SmtB/ArsR zinc sensor proteins. 2003 , 333, 683-95	107
865	Role of the B helix in early folding events in apomyoglobin: evidence from site-directed mutagenesis for native-like long range interactions. 2003 , 334, 293-307	48
864	The solution structure of human mitochondria fission protein Fis1 reveals a novel TPR-like helix bundle. 2003 , 334, 445-58	126
863	Structural characterization of the 69 nucleotide potato spindle tuber viroid left-terminal domain by NMR and thermodynamic analysis. 2003 , 334, 751-67	35
862	Solution structure of the C-terminal antiparallel coiled-coil domain from <i>Escherichia coli</i> osmosensor ProP. 2003 , 334, 1063-76	35
861	Temperature dependence of the backbone dynamics of ribonuclease A in the ground state and bound to the inhibitor 5'-phosphothymidine (3'-5')pyrophosphate adenosine 3'-phosphate. 2003 , 42, 5279-91	40
860	Solution structure of a circular-permuted variant of the potent HIV-inactivating protein cyanovirin-N: structural basis for protein stability and oligosaccharide interaction. 2003 , 325, 211-23	30
859	Charge-charge interactions are key determinants of the pK values of ionizable groups in ribonuclease Sa (pI=3.5) and a basic variant (pI=10.2). 2003 , 325, 1077-92	90
858	Structure of the intact stem and bulge of HIV-1 Psi-RNA stem-loop SL1. 2003 , 326, 529-42	62
857	Solution structure of switch Arc, a mutant with 3(10) helices replacing a wild-type beta-ribbon. 2003 , 326, 899-909	13
856	Distinctive solution conformation of phosphatase inhibitor CPI-17 substituted with aspartate at the phosphorylation-site threonine residue. 2003 , 326, 1539-47	16
855	Solution NMR structure of ribosome-binding factor A (RbFA), a cold-shock adaptation protein from <i>Escherichia coli</i> . 2003 , 327, 521-36	70

854	High-resolution X-ray and NMR structures of the SMN Tudor domain: conformational variation in the binding site for symmetrically dimethylated arginine residues. 2003 , 327, 507-20	142
853	Monomeric complex of human orphan estrogen related receptor-2 with DNA: a pseudo-dimer interface mediates extended half-site recognition. 2003 , 327, 819-32	79
852	Spruce budworm antifreeze protein: changes in structure and dynamics at low temperature. 2003 , 327, 1155-68	31
851	Quantitative NMR studies of high molecular weight proteins: application to domain orientation and ligand binding in the 723 residue enzyme malate synthase G. 2003 , 327, 1121-33	86
850	Structural basis for simultaneous binding of two carboxy-terminal peptides of plant glutamate decarboxylase to calmodulin. 2003 , 328, 193-204	88
849	The mechanism of interaction of sweet proteins with the T1R2-T1R3 receptor: evidence from the solution structure of G16A-MNEI. 2003 , 328, 683-92	51
848	Folding of a beta-sheet protein monitored by real-time NMR spectroscopy. 2003 , 328, 1161-71	28
847	The tertiary structure and backbone dynamics of human prolactin. 2003 , 328, 1105-21	66
846	Dynamics and DNA substrate recognition by the catalytic domain of lambda integrase. 2003 , 329, 423-39	16
845	Towards an understanding of the poliovirus replication complex: the solution structure of the soluble domain of the poliovirus 3A protein. 2003 , 330, 225-34	53
844	Structural analysis of the epitope of the anti-HIV antibody 2F5 sheds light into its mechanism of neutralization and HIV fusion. 2003 , 330, 1101-15	120
843	A protein contortionist: core mutations of GB1 that induce dimerization and domain swapping. 2003 , 333, 141-52	66
842	Structural cooperativity in the SH3 domain studied by site-directed mutagenesis and amide hydrogen exchange. 2003 , 539, 125-30	17
841	Solution structure and p43 binding of the p38 leucine zipper motif: coiled-coil interactions mediate the association between p38 and p43. 2003 , 542, 119-24	27
840	Two distinct calcium-calmodulin interactions with N-terminal regions of the olfactory and rod cyclic nucleotide-gated channels characterized by NMR spectroscopy. 2003 , 548, 11-6	7
839	Solution structure of epiregulin and the effect of its C-terminal domain for receptor binding affinity. 2003 , 553, 232-8	14
838	Structure determination and conformational change induced by tyrosine phosphorylation of the N-terminal domain of the alpha-chain of pig gastric H ⁺ /K ⁺ -ATPase. 2003 , 300, 223-9	15
837	Contryphan-Vn: a modulator of Ca ²⁺ -dependent K ⁺ channels. 2003 , 303, 238-46	46

836	cDNA sequence and in vitro folding of GsMTx4, a specific peptide inhibitor of mechanosensitive channels. 2003 , 42, 263-74	69
835	Dynamic NMR structures of [Rp]- and [Sp]-phosphorothioated DNA-RNA hybrids: is flexibility required for RNase H recognition?. 2003 , 85, 2525-38	13
834	NMR solution structure and topological orientation of monomeric phospholamban in dodecylphosphocholine micelles. 2003 , 85, 2589-98	137
833	Overexpression, purification, and characterization of recombinant Ca-ATPase regulators for high-resolution solution and solid-state NMR studies. 2003 , 30, 253-61	75
832	Structural basis for the molecular recognition between human splicing factors U2AF65 and SF1/mBBP. 2003 , 11, 965-76	158
831	Modular architecture of the bacteriophage T7 primase couples RNA primer synthesis to DNA synthesis. 2003 , 11, 1349-60	90
830	Direct binding of the PDZ domain of Dishevelled to a conserved internal sequence in the C-terminal region of Frizzled. 2003 , 12, 1251-60	387
829	Rapid sample-mixing technique for transient NMR and photo-CIDNP spectroscopy: applications to real-time protein folding. 2003 , 125, 12484-92	87
828	Disulfide bond isomerization in basic pancreatic trypsin inhibitor: multisite chemical exchange quantified by CPMG relaxation dispersion and chemical shift modeling. 2003 , 125, 14324-35	127
827	Structure-based design of an indolicidin peptide analogue with increased protease stability. 2003 , 42, 14130-8	147
826	Synthesis of a cyclic peptide containing norlanthionine: effect of the thioether bridge on peptide conformation. 2003 , 68, 8193-8	18
825	The carboxyl-terminal region common to lamins A and C contains a DNA binding domain. 2003 , 42, 4819-28	142
824	Epitope mapping of antigenic MUC1 peptides to breast cancer antibody fragment B27.29: a heteronuclear NMR study. 2003 , 42, 14293-305	30
823	Structure of microcin J25, a peptide inhibitor of bacterial RNA polymerase, is a lassoed tail. 2003 , 125, 12475-83	200
822	Domain substructure of HPV E6 oncoprotein: biophysical characterization of the E6 C-terminal DNA-binding domain. 2003 , 42, 4909-17	38
821	Chemo-enzymatic synthesis of conformationally constrained oligosaccharides. 2003 , 1, 3891-9	10
820	Structural evidence for monodentate binding of guanine to the dirhodium(II,II) core in a manner akin to that of cisplatin. 2003 , 4426-4430	18
819	Simultaneous and accurate determination of one-bond (15)N-(13)C' and two-bond (1)H(N)--(13)C' dipolar couplings. 2003 , 125, 11504-5	9

818	Location of the Zn(2+)-binding site on S100B as determined by NMR spectroscopy and site-directed mutagenesis. 2003 , 42, 13410-21	37
817	Energetics and specificity of interactions within Ub.Uev.Ubc13 human ubiquitin conjugation complexes. 2003 , 42, 7922-30	40
816	NMR conformational studies of micelle-bound orexin-B: a neuropeptide involved in the sleep/awake cycle and feeding regulation. 2003 , 21, 341-51	10
815	Origin of higher affinity to RNA of the N-terminal RNA-binding domain than that of the C-terminal one of a mouse neural protein, musashi1, as revealed by comparison of their structures, modes of interaction, surface electrostatic potentials, and backbone dynamics. 2003 , 278, 41309-15	21
814	Structure of the male determinant factor for Brassica self-incompatibility. 2003 , 278, 36389-95	48
813	G-quartet-dependent recognition between the FMRP RGG box and RNA. 2003 , 9, 1198-207	93
812	Binding surface mapping of intra- and interdomain interactions among hHR23B, ubiquitin, and polyubiquitin binding site 2 of S5a. 2003 , 278, 36621-7	93
811	The role of a clinically important mutation in the fold and RNA-binding properties of KH motifs. 2003 , 9, 293-8	13
810	Structure and dynamics of the C-domain of human cardiac troponin C in complex with the inhibitory region of human cardiac troponin I. 2003 , 278, 27024-34	35
809	Binding and recognition in the assembly of an active BRCA1/BARD1 ubiquitin-ligase complex. 2003 , 100, 5646-51	280
808	Structure and function of the PWI motif: a novel nucleic acid-binding domain that facilitates pre-mRNA processing. 2003 , 17, 461-75	40
807	Concerted folding and binding of a flexible colicin domain to its periplasmic receptor TolA. 2003 , 278, 21860-8	26
806	NMR and ICP spectroscopic analysis of the DNA-binding domain of the Drosophila GCM protein reveals a novel Zn ²⁺ -binding motif. 2003 , 16, 247-54	2
805	Disease-causing mutations in the cellular retinaldehyde binding protein tighten and abolish ligand interactions. 2003 , 278, 12397-402	50
804	Cross-correlated relaxation enhanced ¹ H[¹³ C] NMR spectroscopy of methyl groups in very high molecular weight proteins and protein complexes. 2003 , 125, 10420-8	473
803	Solution structure of the C-terminal domain of the ciliary neurotrophic factor (CNTF) receptor and ligand free associations among components of the CNTF receptor complex. 2003 , 278, 23285-94	17
802	NMR structure of a complex containing the TFIIF subunit RAP74 and the RNA polymerase II carboxyl-terminal domain phosphatase FCP1. 2003 , 100, 5688-93	36
801	The energetic cost of domain reorientation in maltose-binding protein as studied by NMR and fluorescence spectroscopy. 2003 , 100, 12700-5	98

800	A 14-amino acid sequence with a beta-turn structure is required for apical membrane sorting of the rat ileal bile acid transporter. 2003 , 278, 4000-9	54
799	The binding surface and affinity of monomeric and dimeric chemokine macrophage inflammatory protein 1 beta for various glycosaminoglycan disaccharides. 2003 , 278, 1946-56	23
798	High precision NMR structure and function of the RING-H2 finger domain of EL5, a rice protein whose expression is increased upon exposure to pathogen-derived oligosaccharides. 2003 , 278, 15341-8	45
797	The solution structure of molt-inhibiting hormone from the Kuruma prawn <i>Marsupenaeus japonicus</i> . 2003 , 278, 9620-3	70
796	Solution structure of the phosphoryl transfer complex between the signal-transducing protein IIA _{glucose} and the cytoplasmic domain of the glucose transporter IICB _{glucose} of the <i>Escherichia coli</i> glucose phosphotransferase system. 2003 , 278, 25191-206	55
795	Conformational changes in the Ca ²⁺ -regulatory region from soybean calcium-dependent protein kinase- α : fluorescence resonance energy transfer studies. 2003 , 278, 43764-9	8
794	Structure of the monomeric 8-kDa dynein light chain and mechanism of the domain-swapped dimer assembly. 2003 , 278, 41491-9	36
793	Solution structure and base perturbation studies reveal a novel mode of alkylated base recognition by 3-methyladenine DNA glycosylase I. 2003 , 278, 48012-20	29
792	Detection of open and closed conformations of tryptophan synthase by 15N-heteronuclear single-quantum coherence nuclear magnetic resonance of bound 1-15N-L-tryptophan. 2003 , 278, 44083-90	22
791	Hyaluronan recognition mode of CD44 revealed by cross-saturation and chemical shift perturbation experiments. 2003 , 278, 43550-5	45
790	Flavivirus capsid is a dimeric alpha-helical protein. 2003 , 77, 7143-9	135
789	Solution structure of human BCL-w: modulation of ligand binding by the C-terminal helix. 2003 , 278, 21124-8	98
788	Structural analysis of an epidermal growth factor/transforming growth factor- α chimera with unique ErbB binding specificity. 2003 , 278, 39114-23	14
787	The NMR structure of the sensory domain of the membranous two-component fumarate sensor (histidine protein kinase) DcuS of <i>Escherichia coli</i> . 2003 , 278, 39185-8	87
786	Mapping the ligand binding pocket in the cellular retinaldehyde binding protein. 2003 , 278, 12390-6	10
785	Design of a partial peptide mimetic of anginex with antiangiogenic and anticancer activity. 2003 , 278, 45746-52	53
784	A conserved structural motif at the N terminus of bacterial translation initiation factor IF2. 2003 , 278, 16320-8	27
783	DNA-repair protein hHR23a alters its protein structure upon binding proteasomal subunit S5a. 2003 , 100, 12694-9	125

782	Solution structure of the Mycobacterium tuberculosis complex protein MPB70: from tuberculosis pathogenesis to inherited human corneal disease. 2003 , 278, 43736-43	39
781	Solution structure of the dimeric zinc binding domain of the chaperone ClpX. 2003 , 278, 48991-6	41
780	Interaction of T4 endonuclease V with DNA: importance of the flexible loop regions in protein-DNA interaction. 2003 , 278, 30985-92	1
779	Preorganization of molecular binding sites in designed diiron proteins. 2003 , 100, 3772-7	67
778	Structure of Mth11/Mth Rpp29, an essential protein subunit of archaeal and eukaryotic RNase P. 2003 , 100, 15398-403	46
777	The linker histone homolog Hho1p from <i>Saccharomyces cerevisiae</i> represents a winged helix-turn-helix fold as determined by NMR spectroscopy. 2003 , 31, 7199-207	14
776	Crystal structures of the Dab homology domains of mouse disabled 1 and 2. 2003 , 278, 36572-81	101
775	The intrinsically disordered SARS-CoV-2 nucleoprotein in dynamic complex with its viral partner nsp3a.. 2022 , 8, eabm4034	6
774	The Calcium-free form of Atorvastatin inhibits amyloid- β (1-42) aggregation in vitro.. 2022 , 101662	2
773	Electrostatic interactions between CSTF2 and pre-mRNA drive cleavage and polyadenylation.. 2022 ,	
772	Vaccine-elicited murine antibody WS6 neutralizes diverse beta-coronaviruses by recognizing a helical stem supersite of vulnerability.. 2022 ,	1
771	A new fold in TANGO1 evolved from SH3 domains for the export of bulky cargos.	
770	Identification of Structural transitions in bacterial fatty acid binding proteins that permit ligand entry and exit at membranes.. 2022 , 101676	4
769	Time-resolved DEER EPR and solid-state NMR afford kinetic and structural elucidation of substrate binding to Ca-ligated calmodulin.. 2022 , 119,	2
768	Group B Surface Protein β Structural Characterization of a Complement Factor H-Binding Motif and Its Contribution to Immune Evasion.. 2022 ,	
767	Mechanism of Atg9 recruitment by Atg11 in the cytoplasm-to-vacuole targeting pathway.. 2022 , 101573	2
766	The ASCC2 CUE domain in the ALKBH3-ASCC DNA repair complex recognizes adjacent ubiquitins in K63-linked polyubiquitin.. 2021 , 101545	0
765	Insight into the molecular basis of substrate recognition by the wall teichoic acid glycosyltransferase TagA. 2021 , 101464	0

- 764 MUL1-RING recruits the substrate, p53-TAD as a complex with UBE2D2-UB conjugate.. **2022**,
- 763 Identification and characterization of the interaction between the methyl-7-guanosine cap maturation enzyme RNMT and the cap-binding protein eIF4E.. **2022**, 167451 4
- 762 Compound screening identified gossypetin and isoquercitrin as novel inhibitors for amyloid fibril formations of V β proteins associated with AL amyloidosis.. **2022**, 596, 22-28
- 761 Biochemical and NMR studies reveal specific interaction between STIMATE C-tail and PI(4,5)P or PI(3,4,5)P-containing membrane.. **2022**, 597, 16-22
- 760 Insights into the specificity for the interaction of the promiscuous SARS-CoV-2 nucleocapsid protein N-terminal domain with deoxyribonucleic acids.. **2022**, 203, 466-466 2
- 759 Solid-state NMR spectroscopy insights for resolving different water pools in alginate hydrogels. **2022**, 127, 107500 2
- 758 Comprehensive multi-component analysis for authentication and differentiation of 6 Dendrobium species by 2D NMR-based metabolomic profiling. **2022**, 176, 107225 0
- 757 Structural effects of m6A modification of the Xist A-repeat AUCG tetraloop and its recognition by YTHDC1.. **2022**, 1 1
- 756 CD36 homologs determine microbial resistance to the Lyme disease spirochete.
- 755 Structures of highly flexible intracellular domain of human α 7 nicotinic acetylcholine receptor.. **2022**, 13, 793 2
- 754 BARD1 is an ATPase activating protein for OLA1.. **2022**, 130099
- 753 A Cysteine Variant at an Allosteric Site Alters MIF Dynamics and Biological Function in Homo- and Heterotrimeric Assemblies.. **2022**, 9, 783669 1
- 752 Solution structure and dynamics of the mitochondrial-targeted GTPase-activating protein (GAP) VopE by an integrated NMR/SAXS approach.. **2022**,
- 751 Inherent conformational plasticity in dsRBDs enables interaction with topologically distinct RNAs.. **2022**, 0
- 750 Plasma Metabolite Signature Classifies Male LRRK2 Parkinson's Disease Patients.. **2022**, 12, 0
- 749 FoxP3 can fold into two distinct dimerization states with divergent functional implications for T cell homeostasis.
- 748 Divergent allostery reveals critical differences between structurally homologous regulatory domains of Plasmodium falciparum and human protein kinase G.. **2022**, 101691 1
- 747 PBRM1 BD2 and BD4 associate with RNA to facilitate chromatin association.

746	Conformational change in the monomeric alpha-synuclein imparts fibril polymorphs.	1
745	Structural characterization of red beet fiber and pectin. 2022 , 107549	2
744	Tsg101/ESCRT-I recruitment regulated by the dual binding modes of K63-linked diubiquitin.. 2022 , 30, 289-299.e6	0
743	H, C and N resonance assignment of backbone and IVL-methyl side chain of the S135A mutant NS3pro/NS2B protein of Dengue II virus reveals unique secondary structure features in solution.. 2022 , 1	
742	The structural basis of mRNA recognition and binding by eukaryotic pseudouridine synthase PUS1.	
741	Validated Determination of NRG1 Ig-like Domain Structure by Mass Spectrometry Coupled with Computational Modeling.	
740	Structure-guided bifunctional molecules hit a DEUBAD-lacking hRpn13 species upregulated in multiple myeloma.. 2021 , 12, 7318	0
739	Time-resolved structural analysis of an RNA-cleaving DNA catalyst.. 2021 ,	7
738	Structural Basis for an Unprecedented Enzymatic Alkylation in Cylindrocyclophane Biosynthesis.	1
737	The Residual Structure of Acid-Denatured β -Microglobulin is Relevant to an Ordered Fibril Morphology.	
736	Nucleosome conformation dictates the histone code.	1
735	Active site structure of the Shigella flexneri effector Ospl.	
734	The mechanism of RNA capping by SARS-CoV-2.. 2022 ,	
733	Vault RNA1-1 riboregulates the autophagic function of p62 by binding to K7/R21 that are critical for p62 oligomerisation.. 2022 ,	1
732	The structure of Vibrio cholerae FeoC reveals conservation of the helix-turn-helix motif but not the cluster-binding domain.	
731	Direct Detection of Bound Ammonium Ions in the Selectivity Filter of Ion Channels by Solid-State NMR.. 2022 ,	0
730	Insights into the Cross Talk between Effector and Allosteric Lobes of KRAS from Methyl Conformational Dynamics.. 2022 ,	1
729	Solution structure of the phosphatidylinositol 3-phosphate binding domain from the Legionella effector SetA.	0

- 728 Amplification of the Specific Conformational Fluctuation of Proteins by Site-Specific Mutagenesis and Hydrostatic Pressure.. **2022**,
- 727 Cognate DNA Recognition by Engrailed Homeodomain Involves a Conformational Change Controlled via an Electrostatic-Spring-Loaded Latch.. **2022**, 23,
- 726 Selection of Synthetic Proteins to Modulate the Human Frataxin Function.
- 725 Resurfaced ZIKV EDIII nanoparticle immunogens elicit neutralizing and protective responses *in vivo*.. **2022**,
- 724 Cadaverine Is a Switch in the Lysine Degradation Pathway in Biofilm Identified by Untargeted Metabolomics.. **2022**, 12, 833269 0
- 723 Molecular and cellular insight into *Escherichia coli* SslE and its role during biofilm maturation.. **2022**, 8, 9 1
- 722 High-pH structure of EmrE reveals the mechanism of proton-coupled substrate transport.. **2022**, 13, 991 1
- 721 Structural Basis of HIV-1 Maturation Inhibitor Binding and Activity.
- 720 Antibacterial potency of Type VI amidase effector toxins is dependent on substrate topology and cellular context.
- 719 Structure and Carbohydrate Recognition by the Nonmitogenic Lectin Horcolin.. **2022**,
- 718 Interactions of a Long Noncoding RNA with Domains of NF- κ B and I κ B: Implications for the Inhibition of Non-Signal-Related Phosphorylation.. **2022**, 0
- 717 Structural basis for RNA-duplex unwinding by the DEAD-box helicase DbpA.
- 716 Influence of the Dynamically Disordered N-Terminal Tail Domain on the Amyloid Core Structure of Human Y145Stop Prion Protein Fibrils.. **2022**, 9, 841790 0
- 715 Tuning the rate of aggregation of hIAPP into amyloid using small-molecule modulators of assembly.. **2022**, 13, 1040 2
- 714 SpecDB: A Relational Database for Archiving Biomolecular NMR Spectra Data.
- 713 Protein Electrostatics Investigated through Paramagnetic NMR for Nonpolar Groups.. **2022**, 1 1
- 712 Structural basis for impaired 5' processing of a mutant tRNA associated with defects in neuronal homeostasis.. **2022**, 119, e2119529119 0
- 711 A Novel Family of Winged-Helix Single-Stranded DNA-Binding Proteins from Archaea.. **2022**, 23, 0

710	Solution structure of NPSL2, a regulatory element in the oncomiR-1 RNA.	
709	Contributions of the N-terminal intrinsically disordered region of the SARS-CoV-2 nucleocapsid protein to RNA-induced phase separation.	
708	Rational design of hairpin RNA excited states reveals multi-step transitions.. 2022 , 13, 1523	0
707	A broad and potent neutralization epitope in SARS-related coronaviruses.. 2022 ,	2
706	Receptor tyrosine kinases regulate signal transduction through a liquid-liquid phase separated state.. 2022 ,	5
705	Conformational transitions in yeast chorismate mutase important for allosteric regulation as identified by nuclear magnetic resonance spectroscopy.. 2022 , 167531	0
704	Observation of Arginine Side-Chain Motions Coupled to the Global Conformational Exchange Process in Deubiquitinase A.. 2022 , 7, 9936-9943	
703	PP2A forestalls mitophagy by dephosphorylating Parkin and ubiquitin.	
702	Structural basis of transcription antitermination by Q ϕ NusA induces refolding of Q ϕ to form nozzle for RNA polymerase exit channel.	0
701	Assembly mechanism of early Hsp90-Cdc37-kinase complexes.. 2022 , 8, eabm9294	1
700	Structural Fingerprinting of Short Interfering RNA Therapeutics by Solution Nuclear Magnetic Resonance Spectroscopy.. 2022 ,	0
699	Backbone and sidechain H, N and C resonance assignments of the free and RNA-bound tandem zinc finger domain of the tristetraproline family member from <i>Selaginella moellendorffii</i> .. 2022 , 1	
698	Different Conformations Revealed by NMR Underlie Resistance to Ceftazidime/Avibactam and Susceptibility to Meropenem and Imipenem among D179Y Variants of KPC β -Lactamase.. 2022 , e0212421	1
697	MptpA kinetics enhanced by allosteric control of an active conformation.. 2022 , 167540	0
696	Secondary structure prediction for RNA sequences including N-methyladenosine.. 2022 , 13, 1271	4
695	Structure determination of high-energy states in a dynamic protein ensemble.. 2022 ,	6
694	Coil-to-a-helix transition at the Nup358-BicD2 interface activates BicD2 for dynein recruitment.. 2022 , 11,	3
693	Hsp104 N-terminal Domain Interaction with Substrates Plays a Regulatory Role in Protein Disaggregation.. 2022 ,	0

- 692 Regulation of GTPase function by autophosphorylation.. **2022**, 82, 950-968.e14 2
- 691 Characteristic H3 N-tail dynamics in the nucleosome core particle, nucleosome, and chromosome.. **2022**, 25, 103937 0
- 690 A microbiota membrane disrupter disseminates to the pancreas and increases cell mass.
- 689 A kink in DWORF helical structure controls the activation of the sarcoplasmic reticulum Ca-ATPase. **2021**, 3
- 688 Structure, dynamics, and function of PsDef2 defensin from *Pinus sylvestris*.. **2022**, 0
- 687 Bound nucleotide can control the dynamic architecture of monomeric actin.. **2022**, 1
- 686 An anchored experimental design and meta-analysis approach to address batch effects in large-scale metabolomics.
- 685 Structures of PKA-phospholamban complexes reveal a mechanism of familial dilated cardiomyopathy.. **2022**, 11, 0
- 684 The dynamic properties of a nuclear coactivator binding domain are evolutionarily conserved.. **2022**, 5, 286 1
- 683 The MYC oncoprotein directly interacts with its chromatin cofactor PNUTS to recruit PP1 phosphatase.. **2022**, 1
- 682 The non-ELR CXC chemokine encoded by human cytomegalovirus UL146 genotype 5 contains a C-terminal hairpin and induces neutrophil migration as a selective CXCR2 agonist.. **2022**, 18, e1010355 0
- 681 Membrane permeabilization is mediated by distinct epitopes in mouse and human orthologs of the necroptosis effector, MLKL.. **2022**, 4
- 680 Membrane-Mimicking Reverse Micelles for High-Resolution Interfacial Study of Proteins and Membranes.. **2022**, 38, 3676-3686
- 679 Oligomer-to-Monomer Transition Underlies the Chaperone Function of AAGAB in AP1/AP2 Assembly.
- 678 Inherent Dynamics of Maltose Binding Protein (MBP) are Immune to the Native Environment. 0
- 677 Visualizing the Transiently Populated Closed-State of Human HSP90 ATP Binding Domain. 0
- 676 Minor differences in peptide presentation between chicken MHC class I molecules can explain differences in disease susceptibility.
- 675 Studies of a siderophore-producing cyclization domain: A refined proposal of substrate binding.

- 674 Small Molecule Modulation of the Archetypal UbiB protein COQ8.
- 673 Structural basis of RNA conformational switching in the transcriptional regulator 7SK RNP.. **2022**, ○
- 672 An actin-like filament from *Clostridium botulinum* exhibits a novel mechanism of filament dynamics.
- 671 Investigation of the Low-Populated Excited States of the HIV-1 Nucleocapsid Domain.. **2022**, 14,
- 670 Helix stabilization by co-operative side chain charge-reinforced interactions to phosphoserine in a basic kinase-substrate motif.. **2022**, ○
- 669 Conformational Flexibility in Neutralization of SARS-CoV-2 by Naturally Elicited Anti-SARS-CoV-2 Antibodies.
- 668 Engineering a more specific *E. coli* glyoxylate/hydroxypyruvate reductase for coupled steady state kinetics assays.
- 667 Structural and Preliminary Biochemical Characterization of MppQ, a PLP-Dependent Aminotransferase from *Streptomyces hygroscopicus*. ○
- 666 Structural and Biophysical Analysis of the Phytochelatin-Synthase-Like Enzyme from sp. Shows That Its Protease Activity is Sensitive to the Redox State of the Substrate.. **2022**, ○
- 665 Multivalent Angiomotin-like 1 and Yes-associated protein form a dynamic complex.. **2022**, 31, e4295
- 664 H, N and C backbone resonance assignments of the acidic domain of the human MDMX protein.. **2022**, 1 ○
- 663 Site-Specific Detection and Characterization of Ubiquitin Carbamylation.. **2022**,
- 662 Structure-based discovery of a non-canonical prototype long-chain monoacylglycerol lipase through an endogenous catalysis intermediate complex.
- 661 Solution structure ensemble of human obesity-associated protein FTO reveals druggable surface pockets at the interface between the N- and C-terminal domain.. **2022**, 101907 1
- 660 The mouse nicotinamide mononucleotide adenylyltransferase (NMNAT) chaperones diverse pathological amyloid client proteins.. **2022**, 101912
- 659 Long-range structural preformation in yes-associated protein precedes encounter complex formation with TEAD.. **2022**, 25, 104099 ○
- 658 Architecture of the Two Metal Binding Sites in Prolactin.. **2022**,
- 657 Structural characterization of a dimerization interface in the CD28 transmembrane domain.. **2022**, 1

656	Selective detection of protein acetylation by NMR spectroscopy.. 2022 , 337, 107169	0
655	Identification and receptor mechanism of TIR-catalyzed small molecules in plant immunity.	1
654	Redox-dependent structure and dynamics of macrophage migration inhibitory factor reveal sites of latent allostery.. 2022 ,	2
653	Structure and DNA binding analysis of AT-rich interaction domain present in human BAF-B specific subunit BAF250b.. 2022 , 31, e4294	
652	Structural insights into DNA binding domain of vancomycin-resistance-associated response regulator in complex with its promoter DNA from Staphylococcus aureus.. 2022 , 31, e4286	
651	Structures of RGL1 RAS-Association domain in complex with KRAS and the oncogenic G12V mutant.. 2022 , 167527	0
650	Phage display identification of nanomolar ligands for human NEDD4-WW3: Energetic and dynamic implications for the development of broad-spectrum antivirals.. 2022 , 207, 308-323	
649	Structural dynamics of the C-terminal X domain of Nipah and Hendra viruses controls the attachment to the C-terminal tail of the nucleocapsid protein.. 2022 , 167551	1
648	Spectroscopic signatures of bilayer ordering in native biological membranes.. 2022 , 1864, 183891	1
647	Small molecule inhibitor of Igf2bp1 represses Kras and a pro-oncogenic phenotype in cancer cells.. 2021 , 1-18	4
646	Biophysical and pharmacokinetic characterization of a small-molecule inhibitor of RUNX1/ETO tetramerization with anti-leukemic effects.	
645	Adaptively evolved human oral actinomyces-sourced defensins show therapeutic potential.. 2021 , e14499	3
644	Super-immunity by broadly protective nanobodies to sarbecoviruses.	0
643	Dissecting the stability determinants of a challenging de novo protein fold using massively parallel design and experimentation.	0
642	Structural basis for the peptidoglycan editing activity of YfiH.	
641	The NMR Spectral Measurement Database: A System for Organizing and Accessing NMR Spectra of Therapeutic Proteins. 2021 , 126,	
640	Determination of Histidine Protonation States in Proteins by Fast Magic Angle Spinning NMR.. 2021 , 8, 767040	1
639	Structural basis for topological regulation of Tn3 resolvase.	

638	Highly conserved s2m element of SARS-CoV-2 dimerizes via a kissing complex and interacts with host miRNA-1307-3p.. 2021,	3
637	Identification and characterization of the WYL BrxR protein and its gene as separable regulatory elements of a BREX phage restriction system.	2
636	Insight into the mechanism of H ⁺ -coupled nucleobase transport.	
635	Structure and Peptidomes of Swine MHC Class I with Long Peptides Reveal the Cross-Species Characteristics of the Novel N-Terminal Extension Presentation Mode.. 2021,	2
634	Substrate Specificity for Human Histidine Methyltransferase SETD3.	
633	Enhanced specificity mutations perturb allosteric signaling in CRISPR-Cas9.. 2021, 10,	6
632	Solution Structure of the BPSL1445 Protein of Reveals the SYLF Domain Three-Dimensional Fold.. 2021,	0
631	A recurring YYDRxG pattern in broadly neutralizing antibodies to a conserved site on SARS-CoV-2, variants of concern, and related viruses.	5
630	Interactions of Pleiotrophin with a Structurally Defined Heparin Hexasaccharide.. 2021, 12,	1
629	Structural and dynamic studies of the peptidase domain from Clostridium thermocellum PCAT1. 2021,	1
628	Client binding shifts the populations of dynamic Hsp90 conformations through an allosteric network.. 2021, 7, eabl7295	4
627	Dipolar Order Parameters in Large Systems With Fast Spinning.. 2021, 8, 791026	0
626	Structural basis of DegP protease temperature-dependent activation. 2021, 7, eabj1816	1
625	Two distinct binding modes provide the RNA binding protein RbFox with extraordinary sequence specificity.	
624	Common sequence motifs of nascent chains engage the ribosome surface and trigger factor.. 2021, 118,	3
623	Membrane potential-dependent regulation of mitochondrial complex II by oxaloacetate in interscapular brown adipose tissue.. 2022, 4, 197-210	0
622	Functional conservation and divergence of the helix-turn-helix motif of E2 ubiquitin-conjugating enzymes.. 2021, e108823	0
621	De Novo Design of Immunoglobulin-like Domains.	0

- 620 The flexible N-terminal motif of uL11 unique to eukaryotic ribosomes interacts with P-complex and facilitates protein translation.. **2022,** 0
- 619 Preparation of a stable CCL5CCR5 β signaling complex for Cryo-EM analysis. **2022,** 0
- 618 Hub coregulator structure and flexibility determine transcription factor binding and selection in regulatory interactomes.. **2022,** 101963 1
- 617 N-Terminus-Mediated Solution Structure of Dimerization Domain of PRC1. **2022,** 44, 1626-1645 0
- 616 Relative domain orientation of the L289K HIV-1 reverse transcriptase monomer.. **2022,** 31, e4307 0
- 615 An enhancer sequence in the intrinsically disordered region of FtsZ promotes polymer-guided substrate processing by ClpXP protease.. **2022,** 31, e4306 2
- 614 NMR resonance assignments of mouse lipocalin-type prostaglandin D synthase/prostaglandin J complex.. **2022,**
- 613 Broadly neutralizing antibodies target the coronavirus fusion peptide.. **2022,** 3
- 612 Highly conserved protein Rv1211 in Mycobacterium tuberculosis is a natively unfolded protein that binds to a calmodulin antagonist, trifluoperazine.. **2022,** 610, 182-187
- 611 Structural Characterization of a Thorarchaeota Profilin Indicates Eukaryotic-Like Features but with an Extended N-Terminus.. **2022,** e2101323 1
- 610 Molecular Basis of Functional Effects of Phosphorylation of the C-Terminal Domain of the Rabies Virus P Protein.. **2022,** e0011122 1
- 609 Structural and molecular determinants for the interaction of ExbB from Serratia marcescens and HasB, a TonB paralog.. **2022,** 5, 355 0
- 608 IGF-dependent dynamic modulation of a protease cleavage site in the intrinsically disordered linker domain of human IGFBP2.. **2022,** 0
- 607 Structural Basis for Reduced Dynamics of Three Engineered HNH Endonuclease Lys-to-Ala Mutants for the Clustered Regularly Interspaced Short Palindromic Repeat (CRISPR)-Associated 9 (CRISPR/Cas9) Enzyme.. **2022,** 0
- 606 Reassessing the helix bundle crossing model for gating in a non-selective ion channel.
- 605 Binding Specificity of ASHH2 CW Domain Toward H3K4me1 Ligand Is Coupled to Its Structural Stability Through Its β -Helix.. **2022,** 9, 763750
- 604 Data_Sheet_1.pdf. **2020,**
- 603 Presentation1.PDF. **2018,**

602 Data_Sheet_1.PDF. **2020**,

601 Data_Sheet_1.PDF. **2018**,

600 Data_Sheet_1.xlsx. **2019**,

599 Data_Sheet_2.pdf. **2019**,

598 Data_Sheet_3.fasta. **2019**,

597 Data_Sheet_4.pdf. **2019**,

596 Data_Sheet_1.PDF. **2019**,

595 Image_1.pdf. **2019**,

594 Image_2.pdf. **2019**,

593 Image_3.pdf. **2019**,

592 Image_4.pdf. **2019**,

591 Image_5.pdf. **2019**,

590 Image_6.pdf. **2019**,

589 Image_7.pdf. **2019**,

588 Image_8.pdf. **2019**,

587 Table_1.XLSX. **2019**,

586 Table_2.pdf. **2019**,

585 Data_Sheet_1.PDF. **2019**,

584 DataSheet1.DOCX. 2018,

583 Image_1.tif. 2019,

582 Image_2.TIF. 2019,

581 Image_3.TIF. 2019,

580 Image_4.TIF. 2019,

579 Image_5.TIF. 2019,

578 DataSheet1.DOCX. 2018,

577 Data_Sheet_1.pdf. 2018,

576 Image_1.TIF. 2018,

575 Image_2.TIF. 2018,

574 Image_3.TIF. 2018,

573 Image_4.TIF. 2018,

572 Image_5.TIF. 2018,

571 Image_6.TIF. 2018,

570 Image_7.TIF. 2018,

569 Image_8.TIF. 2018,

568 Image_9.TIF. 2018,

567 Presentation_1.PDF. 2018,

566 Data_Sheet_1.docx. **2018,**

565 Data_Sheet_1.pdf. **2018,**

564 Data_Sheet_1.PDF. **2017,**

563 Resonance assignment and secondary structure of the tandem harmonin homology domains of human RTEL1.. **2022,** 16, 159 ○

562 ¹H, ¹³C and ¹⁵N chemical shift assignments of the N-terminal domain of the two isoforms of the human apolipoprotein E.. **2022,** 1

561 Reversible domain closure modulates GlnBP ligand binding affinity.. **2022,** 17, e0263102

560 FOXO transcription factors differ in their dynamics and intra/intermolecular interactions.. **2022,** 4, 118-133 ○

559 Phase separation driven by interchangeable properties in the intrinsically disordered regions of protein paralogs.. **2022,** 5, 400 1

558 Convergent evolution of a parasite-encoded complement control protein-scaffold to mimic binding of mammalian TGF- β to its receptors, TR1 and TR11.. **2022,** 101994 1

557 A periplasmic cinched protein is required for siderophore secretion and virulence of Mycobacterium tuberculosis.. **2022,** 13, 2255 1

556 NMR Characterization of Long-Chain Fatty Acylcarnitine Binding to the Mitochondrial Carnitine/Acylcarnitine Carrier.. **2022,** 23,

555 Molecular Determinants of Human T-cell Leukemia Virus Type 1 Gag Targeting to the Plasma Membrane for Assembly.. **2022,** 434, 167609 ○

554 NANOG prion-like assembly mediates DNA bridging to facilitate chromatin reorganization and activation of pluripotency.. **2022,** 1

553 Mechanism of integrin activation by talin and its cooperation with kindlin.. **2022,** 13, 2362 2

552 Molecular insights into the effect of alkanediols on FUS liquid-liquid phase separation. ○

551 Scaffolding Protein GspB/OutB Facilitates Assembly of the Dickeya dadantii Type 2 Secretion System by Anchoring the Outer Membrane Secretin Pore to the Inner Membrane and to the Peptidoglycan Cell Wall.. **2022,** e0025322 ○

550 The N-Terminus of Human Sulfotransferase 2B1b-a Sterol-Sensing Allosteric Site.. **2022,** 61, 843-855 ○

549 Structure, mechanism, and phylogeny of LysM-chitinase conjugates specifically found in fern plants. **2022,** 111310 ○

548	Backbone and ILV side-chain NMR resonance assignments of the catalytic domain of human deubiquitinating enzyme USP7.. 2022 , 1	0
547	Elevator mechanism dynamics in a sodium-coupled dicarboxylate transporter.	0
546	Hololectin Interdomain Linker Determines Asparaginyl Endopeptidase-Mediated Maturation of Antifungal Hevein-Like Peptides in Oats. 2022 , 13,	1
545	Identification of Core Allosteric Sites through Temperature- and Nucleus-Invariant Chemical Shift Covariance.. 2022 ,	2
544	AIMP2-DX2 provides therapeutic interface to control KRAS-driven tumorigenesis.. 2022 , 13, 2572	1
543	Human Serum Alters the Metabolism and Antibiotic Susceptibility of .. 2022 ,	0
542	Validated determination of NRG1 Ig-like domain structure by mass spectrometry coupled with computational modeling.. 2022 , 5, 452	1
541	The CD8 β hinge is intrinsically disordered with a dynamic exchange that includes proline cis-trans isomerization. 2022 , 107234	0
540	Hsp70 exhibits a liquid-liquid phase separation ability and chaperones condensed FUS against amyloid aggregation. 2022 , 104356	1
539	Intron-Encoded Domain of Herstatin, An Autoinhibitor of Human Epidermal Growth Factor Receptors, Is Intrinsically Disordered.. 2022 , 9, 862910	
538	Discovery and structure of a widespread bacterial ABC transporter specific for ergothioneine.	
537	Crystal structure and biochemical analysis suggest that YjoB ATPase is a substrate-specific molecular chaperone.	
536	Structural basis for the inhibition of IAPP fibril formation by the co-chaperonin prefoldin.. 2022 , 13, 2363	1
535	Directed inter-domain motions enable the IsdH Staphylococcus aureus receptor to rapidly extract heme from human hemoglobin.. 2022 , 167623	
534	PHRONESIS: A One-Shot Approach for Sequential Assignment of Protein Resonances by Ultrafast MAS Solid-State NMR Spectroscopy.. 2022 , e202200127	0
533	Structural basis for feedforward control in the PINK1/Parkin pathway.. 2022 , e109460	0
532	A glutamine-based single α -helix scaffold to target globular proteins.	
531	Structural and functional studies of LaIT2, an antimicrobial and insecticidal peptide from <i>Liocheles australasiae</i> .. 2022 ,	

530	Structural anatomy of Protein Kinase C C1 domain interactions with diacylglycerol and other agonists.. 2022 , 13, 2695	3
529	Structure-Activity Relationship of Pine Nut-Derived Peptides and Their Protective Effect on Nerve-Cell Mitochondria. 2022 , 11, 1428	0
528	Zn-regulated GTPase metalloprotein activator 1 modulates vertebrate zinc homeostasis.. 2022 ,	5
527	Application of proteomics and metabolomics in microbiology research. 2022 , 107-129	
526	Shuffled ATG8 interacting motifs form an ancestral bridge between UFMylation and C53-mediated autophagy.	0
525	EF-hand protein, EfHP, specifically binds Ca ²⁺ and mediates Ca ²⁺ regulation of virulence in a human pathogen <i>Pseudomonas aeruginosa</i> . 2022 , 12,	
524	Insights into the client protein release mechanism of the ATP-independent chaperone Spy. 2022 , 13,	1
523	Structural Mechanism of Taf-I B Chaperone Function on Linker Histone H1.10.	
522	Solution structure of c-FLIP death effector domains. 2022 ,	
521	O-Fucosylation stabilizes the TSR3 motif in Thrombospondin-1 by interacting with nearby amino acids and protecting a disulfide bond. 2022 , 102047	0
520	HSPB5 disease-associated mutations have long-range effects on structure and dynamics through networks of quasi-ordered interactions.	
519	Dynamic allostery in substrate binding by human thymidylate synthase.	
518	PH Domain-Mediated Autoinhibition and Oncogenic Activation of Akt.	
517	Specific binding of Hsp27 and phosphorylated Tau mitigates abnormal Tau aggregation-induced pathology.	
516	1H, 13C, and 15N resonance assignments of human glutathione peroxidase 4.	
515	Structure of maize BZR1-type α -amylase BAM8 provides new insights into its noncatalytic adaptation.	
514	Evolution avoids a pathological stabilizing interaction in the immune protein S100A9.	
513	Targeting undruggable carbohydrate recognition sites through focused fragment library design. 2022 , 5,	1

- 512 The energy landscape reshaped by strain-specific mutations underlies the long-range epistasis in NS1 evolution of influenza A virus.
- 511 C-terminal determinants for RNA binding motif 7 protein stability and RNA recognition.
- 510 Atomic-Resolution Structure of SARS-CoV-2 Nucleocapsid Protein N-Terminal Domain. ○
- 509 Glycation of β -synuclein hampers its binding to synaptic-like vesicles and its driving effect on their fusion. **2022**, 79, ○
- 508 Conformational dynamics in the disordered region of human CPEB3 linked to memory consolidation. **2022**, 20,
- 507 The oncogenic fusion protein EWS-FLI1 promotes premature ageing of biomolecular condensates by catalyzing fibril formation.. ○
- 506 NMR resonance assignments of the DNA binding domain of mouse Junctophilin-2.
- 505 Atomic view of the HIV-1 matrix lattice; implications on virus assembly and envelope incorporation. **2022**, 119, ○
- 504 Atomic solution structure of Mycobacterium abscessus F-ATP synthase subunit b and identification of Ep1 Mab F1 as a targeted inhibitor. ○
- 503 Drugging the Sarcomere, a Delicate Balance: Position of N-Terminal Charge of the Inhibitor W7. 1
- 502 ^1H , ^{13}C and ^{15}N resonance assignments of TbBDF5-bromo1 domain from Trypanosoma brucei.
- 501 Multivalency, autoinhibition, and protein disorder in the regulation of interactions of dynein intermediate chain with dynactin and the nuclear distribution protein. ○
- 500 The B-box1 domain of PML mediates SUMO E2-E3 complex formation through an atypical interaction with UBC9. **2022**, 287, 106827
- 499 Imatinib disassembles the regulatory core of Abelson kinase by binding to its ATP site and not by binding to its myristoyl pocket. **2022**, 3, 91-99 2
- 498 Strengthening of enterococcal biofilms by Esp.
- 497 De novo design of site-specific protein interactions with learned surface fingerprints. ○
- 496 Deciphering the Path of S-nitrosation of Human Thioredoxin: Evidence of an Internal NO Transfer and Implication for the Cellular Responses to NO. **2022**, 11, 1236 ○
- 495 Molecular interactions underlying the phase separation of HP1—Role of phosphorylation, ligand and nucleic acid binding.

- 494 Dimeric G-quadruplex DNA Structure in the Proximal Promoter of VEGFR -2 Reveals A New Drug Target to Inhibit Tumor Angiogenesis.
- 493 Preferential Regulation of Transient Protein-Protein Interaction by the Macromolecular Crowders.
- 492 Structural basis for the unique multifaceted interaction of DPPA3 with the UHRF1 PHD finger.
- 491 COLMARq: A Web Server for 2D NMR Peak Picking and Quantitative Comparative Analysis of Cohorts of Metabolomics Samples. **2022**, 94, 8674-8682 2
- 490 A Powassan virus domain III nanoparticle immunogen elicits neutralizing and protective antibodies in mice. **2022**, 18, e1010573 2
- 489 The time-zero HSQC method improves the linear free energy relationship of a polypeptide chain through the accurate measurement of residue-specific equilibrium constants. *Journal of Biomolecular NMR*, 3 0
- 488 Abasic site ring opening and DNA-protein crosslink reversal by the SRAP protein YedK.
- 487 Small Molecule RPI-194 Stabilizes Activated Troponin to Increase the Calcium Sensitivity of Striated Muscle Contraction. 13, 0
- 486 Structural Insights of Fe³⁺ Induced β -Synuclein Fibrillation in Parkinson's Disease. **2022**, 167680 0
- 485 Disease-linked mutations cause exposure of a protein quality control degron. **2022**, 1 1
- 484 Real-time exchange of the lipid-bound intermediate and post-fusion states of the HIV-1 gp41 ectodomain. **2022**, 167683 0
- 483 ¹H, ¹³C, and ¹⁵N resonance assignments and solution structures of the KH domain of human ribosome binding factor A, mtRbfA, involved in mitochondrial ribosome biogenesis. 0
- 482 Elucidating dynamic anaerobe metabolism with Live Cell HRMAS ¹³C NMR and genome-scale metabolic modeling.
- 481 Williams-Beuren Syndrome Related Methyltransferase WBSR27: From Structure to Possible Function. 9, 0
- 480 TAPBPR employs a ligand-independent docking mechanism to chaperone MR1 molecules. 1 1
- 479 Cullin-independent recognition of HHARI substrates by a dynamic RBR catalytic domain. **2022**, 0 0
- 478 Differential metabolism between biofilm and suspended *Pseudomonas aeruginosa* cultures in bovine synovial fluid by 2D NMR-based metabolomics.
- 477 NMR assignment of human HSP90 N-terminal domain bound to a long residence time resorcinol ligand.

- 476 Solid-state NMR of paired helical filaments formed by the core tau fragment tau(297-391).
- 475 Raf Kinase Inhibitory Protein regulates the cAMP-dependent protein kinase signaling pathway through a positive feedback loop. **2022**, 119, 0
- 474 ILV methyl NMR resonance assignments of the 81kDa E. coli Hclamp.
- 473 Conformational effects of a cancer-linked mutation in pri-miR-30c RNA. **2022**, 167705 0
- 472 Structural and dynamic studies of DNA recognition by NF- κ B p50 RHR homodimer using methyl NMR spectroscopy.
- 471 B-Myb association with DNA is mediated by its negative regulatory domain and Cdk phosphorylation.
- 470 Structural insights into AT-rich DNA recognition by SALL family proteins.
- 469 A transthyretin monomer intermediate undergoes local unfolding and transient interaction with oligomers in a kinetically concerted aggregation pathway. **2022**, 102162 0
- 468 Ca²⁺-induced structural changes and intramolecular interactions in N-terminal region of diacylglycerol kinase alpha. **2022**, 31,
- 467 Solution structure of NPSL2, a regulatory element in the oncomiR-1 RNA. **2022**, 167688 0
- 466 Assessment of the Components of the Electrostatic Potential of Proteins in Solution: Comparing Experiment and Theory. **2022**, 126, 4543-4554 2
- 465 Distinct dissociation rates of murine and human norovirus P-domain dimers suggest a role of dimer stability in virus-host interactions. **2022**, 5, 1
- 464 Mechanistic insights into enhancement or inhibition of phase separation by different polyubiquitin chains. 0
- 463 Solid-state NMR ¹³C and ¹⁵N resonance assignments of Vibrio sp. SemiSWEET transporter in lipid bilayers.
- 462 PERIOD phosphorylation leads to feedback inhibition of CK1 activity to control circadian period. 0
- 461 CARD8 negatively regulates NLRP1 inflammasome activation level by interaction with NLRP1.
- 460 Membrane Binding Induces Distinct Structural Signatures in the Mouse Complexin-1C-Terminal Domain. **2022**, 167710 1
- 459 Sequence-specific ¹H, ¹³C and ¹⁵N backbone NMR assignments for the N-terminal IgV-like domain (D1) and full extracellular region (D1D2) of PD-L1. 1

- 458 Apo-Form Selective Inhibition of IDO for Tumor Immunotherapy. **2022**, 209, 180-191 1
- 457 Antibacterial potency of type VI amidase effector toxins is dependent on substrate topology and cellular context. 11, 0
- 456 Functional regulation of an intrinsically disordered protein via a conformationally excited state.
- 455 Many dissimilar NusG protein domains switch between α -helix and β -sheet folds. **2022**, 13, 2
- 454 Molecular and Functional Interactions of Alpha-Synuclein with Rab3a. **2022**, 102239 0
- 453 Exploring CRD mobility during RAS/RAF engagement at the membrane. **2022**, 0
- 452 Conformational selection guides β -arrestin recruitment at a biased G protein-coupled receptor. **2022**, 377, 222-228 0
- 451 The structure of *Vibrio cholerae* FeoC reveals conservation of the helix-turn-helix motif but not the cluster-binding domain.
- 450 Metabolic ^{15}N labeling of the N-glycosylated immunoglobulin G1 Fc with an engineered *Saccharomyces cerevisiae* strain. *Journal of Biomolecular NMR*, 3
- 449 Magnetically Aligned Lipid Bilayers with High Cholesterol for Solid-State NMR of Membrane Proteins.
- 448 Quantitative NMR analysis of the kinetics of prenucleation oligomerization and aggregation of pathogenic huntingtin exon-1 protein. **2022**, 119, 1
- 447 Modulating mitofusins to control mitochondrial function and signaling. **2022**, 13, 2
- 446 Global protein dynamics as communication sensors in peptide synthetase domains. **2022**, 8, 0
- 445 Structural Insights into the Interaction between *Bacillus subtilis* SepF Assembly and FtsZ by Solid-State NMR Spectroscopy.
- 444 SpecDB: A Relational Database for Archiving Biomolecular NMR Spectral Data. **2022**, 107268 0
- 443 PLG-007 and Its Active Component Galactomannan- β -Competitively Inhibit Enzymes That Hydrolyze Glucose Polymers. **2022**, 23, 7739
- 442 A simple protocol for the production of highly deuterated proteins for biophysical studies. **2022**, 102253 0
- 441 The proteasomal degradation signal FAT10 modulates substrate stability to accelerate degradation.

- 440 An NMR look at an engineered PET depolymerase. **2022**, 2
- 439 The Monomeric β -Crystallin Domain of the Small Heat-shock Proteins β -crystallin and Hsp27 Binds Amyloid Fibril Ends. **2022**, 434, 167711
- 438 The MDMX acidic domain competes with the p53 transactivation domain for MDM2 N-terminal domain binding. **2022**, 1869, 119319 0
- 437 Probing Watson-Crick and Hoogsteen base pairing in duplex DNA using dynamic nuclear polarization solid-state NMR spectroscopy. **2022**, 119, 0
- 436 Root exudate composition reflects drought severity gradient in blue grama (*Bouteloua gracilis*). **2022**, 12, 1
- 435 Structural mechanism of TAF-1 chaperone function on linker histone H1.10. **2022**, 167755
- 434 Rotamer-free protein sequence design based on deep learning and self-consistency. **2022**, 2, 451-462 0
- 433 Modulating co-translational protein folding by rational design and ribosome engineering. **2022**, 13, 0
- 432 Npl3 functions in mRNP assembly by recruitment of mRNP components to the transcription site and their transfer onto the mRNA.
- 431 Encoded Conformational Dynamics of the HIV Splice Site A3 Regulatory Locus: Implications for Differential Binding of hnRNP Splicing Auxiliary Factors. **2022**, 167728 0
- 430 The Structural Flexibility of PR-10 Food Allergens. **2022**, 23, 8252 0
- 429 Talin variant P229S compromises integrin activation and associates with multifaceted clinical symptoms. 1
- 428 Global Dynamics of a Protein on the Surface of Anisotropic Lipid Nanoparticles Derived from Relaxation-Based NMR Spectroscopy.
- 427 Chapter 2. Multistate Structures and Dynamics at Atomic Resolution Using Exact Nuclear Overhauser Enhancements (eNOEs). **2022**, 29-55
- 426 Synoeca-MP: New insights into its mechanism of action by using NMR and molecular dynamics simulations approach.
- 425 ATP-competitive inhibitors modulate the substrate binding cooperativity of a kinase by altering its conformational entropy. **2022**, 8, 1
- 424 Structural basis for the calmodulin-mediated activation of eukaryotic elongation factor 2 kinase. **2022**, 8, 1
- 423 NMR and Metabolomics: A Roadmap for the Future. **2022**, 12, 678 2

- 422 2-Propylphenol Allosterically Modulates COQ8A to Enhance ATPase Activity. **2022**, 17, 2031-2038 0
- 421 Mechanistic insights into RNA surveillance by the canonical poly(A) polymerase Pla1 of the MTREC complex.
- 420 Large-Scale Conformational Changes of FhaC Provide Insights Into the Two-Partner Secretion Mechanism. 9, 1
- 419 Solution structure of recombinant Pvfp-5 reveals insights into mussel adhesion. **2022**, 5, 0
- 418 Vav2 is a novel APP-interacting protein that regulates APP protein level. **2022**, 12,
- 417 Measurement of ^1H transverse relaxation rates in proteins: application to solvent PREs. 2
- 416 Structures of chloramphenicol acetyltransferase III and *E. coli* β -ketoacyl synthase III co-crystallized with partially hydrolysed acetyl-oxa(dethia)CoA.
- 415 Deciphering the alphabet of disorder \square Glu and Asp act differently on local but not global properties. 0
- 414 Modulation of pre-mRNA structure by hnRNP proteins regulates alternative splicing of MALT1. **2022**, 8, 0
- 413 Toward protein NMR at physiological concentrations by hyperpolarized water binding and mapping uncharted conformational spaces. **2022**, 8, 0
- 412 Conformational Plasticity of Centrin 1 from *Toxoplasma gondii* in Binding to the Centrosomal Protein SFI1. **2022**, 12, 1115 1
- 411 FACT modulates the conformations of histone H2A and H2B N-terminal tails within nucleosomes. **2022**, 5, 0
- 410 PH domain-mediated autoinhibition and oncogenic activation of Akt. 11,
- 409 Structure of the catalytically active APOBEC3G bound to a DNA oligonucleotide inhibitor reveals tetrahedral geometry of the transition state. 0
- 408 Androgen receptor condensates as drug targets. 0
- 407 Binding stoichiometry and structural model of the HIV-1 Rev/importin β complex. **2022**, 5, e202201431
- 406 Aligned peptoid-based macrodiscs for structural studies of membrane proteins by oriented-sample NMR. **2022**, 1
- 405 The mechanism of RNA capping by SARS-CoV-2. 0

- 404 Solid-state NMR study of structural heterogeneity of the apo WT mouse TSPO reconstituted in liposomes. **2022**, 0
- 403 Heterotropic roles of divalent cations in the establishment of allostery and affinity maturation of integrin $\alpha 5 \beta 1$. **2022**, 40, 111254 0
- 402 Charge neutralization of the active site glutamates does not limit substrate binding and transport by EmrE. 0
- 401 Structural insight into ASH1L PHD finger recognizing methylated histone H3K4 and promoting cell growth in prostate cancer. 12, 1
- 400 Structural features of Dnase1L3 responsible for serum antigen clearance. **2022**, 5, 1
- 399 The parallel tetrameric DNA G-quadruplex formed by the two-repeat C9orf72 GGGGCC sequence in solution. **2022**, 0
- 398 Ligands tune the local and global motions of neurotensin receptor 1 (NTS1): a DFT-guided solution NMR analysis. 0
- 397 The effector recognition by synthetic sensor NLR receptors requires the concerted action of multiple interfaces within and outside the integrated domain. 0
- 396 Dynamics and structural changes of calmodulin upon interaction with the antagonist calmidazolium. **2022**, 20, 1
- 395 Dynamic regulation of Zn(II) sequestration by calgranulin C. **2022**, 31, 1
- 394 Structure of the pre-mRNA leakage 39-kDa protein reveals a single domain of integrated zf-C3HC and Rsm1 modules. 0
- 393 Resonance assignments of the ORC2-WH domain of the human ORC protein. 0
- 392 Exploring the pH dependence of the SARS-CoV-2 complete fusion domain and the role of its unique structural features. **2022**, 31, 0
- 391 New Benzimidazoles Targeting Breast Cancer: Synthesis, Pin1 Inhibition, 2D NMR Binding, and Computational Studies. **2022**, 27, 5245 0
- 390 Specific phosphorylation of microtubule-associated protein 2c by extracellular signal-regulated kinase reduces interactions at its Pro-rich regions. **2022**, 102384 0
- 389 Structural analysis of Red1 as a conserved scaffold of the RNA-targeting MTREC/PAXT complex. **2022**, 13, 0
- 388 Cyclin-dependent kinase-mediated phosphorylation and the negative regulatory domain of transcription factor B-Myb modulate its DNA binding. **2022**, 102319 0
- 387 Observation of conformational changes that underlie the catalytic cycle of Xrn2. 0

- 386 Structures of LIG1 uncover a lack of sugar discrimination against a ribonucleotide at the 3'-end of nick DNA.
- 385 Contributions of the N-terminal intrinsically disordered region of the severe acute respiratory syndrome coronavirus 2 nucleocapsid protein to RNA-induced phase separation. **2022**, 31, ○
- 384 Cryo-EM reveals the structure and dynamics of a 723-residue malate synthase G.
- 383 A context-dependent and disordered ubiquitin-binding motif. **2022**, 79, ○
- 382 Full structure/function analysis of all the pilin subunits in a type 4 pilus: a complex of minor pilins in *Streptococcus sanguinis* mediates binding to glycans. ○
- 381 Regulation of PD-L1 through direct binding of cholesterol to CRAC motifs. **2022**, 8, 1
- 380 Why are G-quadruplexes good at preventing protein aggregation?.
- 379 Structural analyses of the plant PRT6-UBR box in the Cys-Arg/N-degron pathway and insights into the plant submergence response.
- 378 Afadin couples RAS GTPases to the polarity rheostat Scribble. **2022**, 13, 1
- 377 Biophysical and pharmacokinetic characterization of a small-molecule inhibitor of RUNX1/ETO tetramerization with anti-leukemic effects. **2022**, 12,
- 376 Chemical shift assignments of calmodulin bound to a C-terminal site (residues 1120-1147) in the β -subunit of a retinal cyclic nucleotide-gated channel (CNGB1).
- 375 The ribosome stabilizes partially folded intermediates of a nascent multi-domain protein. ○
- 374 Salt Dependence of DNA Binding Activity of Human Transcription Factor Dlx3. **2022**, 23, 9497 ○
- 373 Structural basis of 3'-end poly(A) RNA recognition by LARP1. ○
- 372 The weaker-binding Fc γ receptor IIIa F158 allotype retains sensitivity to N-glycan composition and exhibits a destabilized antibody-binding interface. **2022**, 298, 102329 ○
- 371 Rapid identification of short oligonucleotide impurities using lithium adduct consolidated MALDI-TOF mass spectrometry. **2022**, 481, 116913
- 370 Anionic lipids induce a fold-unfold transition in the membrane-translocating Engrailed homeodomain. **2022**, 1864, 184030
- 369 Identification of a novel HASPIN inhibitor and its synergism with the PLK1 inhibitor. ○

- 368 An RNA aptamer that shifts the reduction potential of metabolic cofactors. ○
- 367 Structural and mutational analysis of MazE6-operator DNA complex provide insights into autoregulation of toxin-antitoxin systems. **2022**, 5, ○
- 366 Expression, purification, and characterization of c-FLIP tandem death effector domains from *Escherichia coli*. **2022**, 200, 106168 ○
- 365 The LEF-1 high-mobility group box adopts residual structure in its DNA-free form. **2022**, 12-13, 100074 ○
- 364 Coupled MD simulations and NMR reveal that the intrinsically disordered domain of the breast-cancer susceptibility 1 protein (BRCA1) binds head-on to DNA double-strand ends. **2022**, 12-13, 100069 ○
- 363 On the potentially spurious contributions of cosolutes in protein ¹⁵N relaxation dispersion measurements. **2022**, 12-13, 100072 ○
- 362 Rapid and reliable RNA resonance assignment by combining chemical and enzymatic stable isotope labeling. **2022**, 12-13, 100077 ○
- 361 A disordered region retains the full protease inhibitor activity and the capacity to induce CD8+ T cells in vivo of the oral vaccine adjuvant U-Omp19. **2022**, 20, 5098-5114 ○
- 360 NOAH-(¹⁵N/¹³C)-CEST NMR supersequence for dynamics studies of biomolecules. **2022**, 58, 9258-9261 ○
- 359 Conformational Exchange Divergence Along the Evolutionary Pathway of Eosinophil-Associated Ribonucleases. ○
- 358 Structural and dynamical determinants of a β -sheet-enriched intermediate involved in amyloid fibrillar assembly of human prion protein. **2022**, 13, 10406-10427 ○
- 357 Recombinant expression, purification, and structural analysis of two ectodomains of Syndecan-1. **2023**, 201, 106170 ○
- 356 Characterization of the structure and self-assembly of two distinct class IB hydrophobins. ○
- 355 Proteolytic processing induces a conformational switch required for antibacterial toxin delivery. **2022**, 13, ○
- 354 Impact on *S. aureus* and *E. coli* membranes of treatment with chlorhexidine and alcohol solutions: insights from molecular simulations and nuclear magnetic resonance. ○
- 353 β -catenin interacts with the TAZ1 and TAZ2 domains of CBP/p300 to activate gene transcription. ○
- 352 Mapping the per-residue surface electrostatic potential of CAPRIN1 along its phase-separation trajectory. **2022**, 119, 2
- 351 Chemical shift assignments of a fusion protein comprising the C-terminal-deleted hepatitis B virus X protein BH3-like motif peptide and Bcl-xL. **2022**, 16, 357-361 ○

350	Structural basis of CBP/p300 recruitment by the microphthalmia-associated transcription factor.	0
349	NMR analysis suggests the terminal domains of Robo1 remain extended but are rigidified in the presence of heparan sulfate. 2022 , 12,	0
348	Structural basis for the interaction between the first SURP domain of the SF3A1 subunit in U2 snRNP and the human splicing factor SF1. 2022 , 31,	0
347	Slow protein dynamics elicits new enzymatic functions by means of epistatic interactions.	0
346	Structural characterization of human tryptophan hydroxylase 2 reveals L-Phe as the superior regulatory domain ligand relevant for serotonin biosynthesis.	0
345	Dynamic basis for dA-dGTP and dA-d8OGTP misincorporation via Hoogsteen base pairs.	0
344	Characterization of conformational heterogeneity via higher-dimensionality, proton-detected solid-state NMR.	0
343	The clinical drug candidate anle138b binds in a cavity of lipidic β -synuclein fibrils. 2022 , 13,	1
342	Discovery and Structural Characterization of Small Molecule Binders of the Human CTLH E3 Ligase Subunit GID4.	1
341	Liquid to solid transition of elastin condensates. 2022 , 119,	0
340	Unusual Cytochrome c552 from <i>Thioalkalivibrio paradoxus</i> : Solution NMR Structure and Interaction with Thiocyanate Dehydrogenase. 2022 , 23, 9969	0
339	Affinity-matured homotypic interactions induce spectrum of PfCSP-antibody structures that influence protection from malaria infection.	0
338	Backbone and side-chain resonance assignments of the NISTmAb-scFv and antigen-binding study. 2022 , 16, 391-398	0
337	Interaction of RAGE with β -synuclein fibrils mediates inflammatory response of microglia. 2022 , 40, 111401	3
336	Structural mechanism of tapasin-mediated MHC-I peptide loading in antigen presentation. 2022 , 13,	2
335	Conjugates of Desmicosin with Fragments of Antimicrobial Peptide Oncocin: Synthesis, Antibacterial Activity, Interaction with Ribosome. 2022 , 87, 871-889	0
334	Exploration of O-GlcNAc-transferase (OGT) glycosylation sites reveals a target sequence compositional bias.	1
333	Accurate de novo design of membrane-traversing macrocycles. 2022 , 185, 3520-3532.e26	1

- 332 *Ostrinia furnacalis* PBP2 solution NMR structure: Insight into ligand binding and release mechanisms. **2022**, 31, 0
- 331 NMR Structures of Calmodulin Bound to Two Separate Regulatory Sites in the Retinal Cyclic Nucleotide-Gated Channel. **2022**, 61, 1955-1965 0
- 330 Structural Insights into Mouse H-FABP. **2022**, 12, 1445 0
- 329 Molecular determinants of dynamic protein-protein interactions in the functional cycle of the membrane protein DsbD. 0
- 328 Solvent paramagnetic relaxation enhancement as a versatile method for studying structure and dynamics of biomolecular systems. **2022**, 1
- 327 Leveraging the Structure of DNAJA1 to Discover Novel Potential Pancreatic Cancer Therapies. **2022**, 12, 1391 0
- 326 Discovery and Structural and Functional Characterization of a Novel A-Superfamily Conotoxin Targeting $\alpha 10$ Nicotinic Acetylcholine Receptor. **2022**, 17, 2483-2494 1
- 325 Mutations of Rad6 E2 ubiquitin-conjugating enzymes at alanine-126 affect ubiquitination activity and decrease enzyme stability.. **2022**, 102524 0
- 324 Discovery of E6AP AZUL binding to UBQLN1/2 in cells, phase-separated droplets, and an AlphaFold-NMR integrated structure. 0
- 323 Characterizing Fast Conformational Exchange of Aromatic Rings Using Residual Dipolar Couplings: Distinguishing Jumps from Other Exchange Mechanisms. 0
- 322 High-Resolution Conformational Analysis of RGDechi-Derived Peptides Based on a Combination of NMR Spectroscopy and MD Simulations. **2022**, 23, 11039 0
- 321 Unorthodox PCNA Binding by Chromatin Assembly Factor 1. **2022**, 23, 11099 0
- 320 Convergent views on disordered protein dynamics from NMR and computational approaches. **2022**, 1
- 319 Natural and engineered inflammasome adaptor proteins reveal optimum linker length for self-assembly. **2022**, 102501 0
- 318 NMR resonance assignment of the N-terminal GTPase domain of human Miro2 Bound to GTP. **2022**, 16, 349-355 0
- 317 Assignment of IVL-Methyl side chain of the ligand-free monomeric human MALT1 paracaspase-IgL3 domain in solution. **2022**, 16, 363-371 0
- 316 Decoding human-macaque interspecies differences in Fc-effector functions: The structural basis for CD16-dependent effector function in Rhesus macaques. 13, 0
- 315 Experimental Investigations on the Structure of Yeast Mitochondrial Pyruvate Carriers. **2022**, 12, 916 0

314	The Ni(II)-Binding Activity of the Intrinsically Disordered Region of Human NDRG1, a Protein Involved in Cancer Development. 2022 , 12, 1272	0
313	Interdomain Dynamics via Paramagnetic NMR on the Highly Flexible Complex Calmodulin/Munc13-1. 2022 , 144, 17041-17053	1
312	Heat-shock chaperone HSPB1 regulates cytoplasmic TDP-43 phase separation and liquid-to-gel transition. 2022 , 24, 1378-1393	0
311	Activation of the human insulin receptor by non-insulin-related peptides. 2022 , 13,	0
310	Electrostatic and steric effects underlie acetylation-induced changes in ubiquitin structure and function. 2022 , 13,	0
309	Water Irradiation Devoid Pulses Enhance the Sensitivity of 1H, 1H Nuclear Overhauser Effects.	0
308	Specific binding of Hsp27 and phosphorylated Tau mitigates abnormal Tau aggregation-induced pathology. 11,	0
307	An Arg/Ala-Rich Helix in the N-Terminal Region of M. tuberculosis FtsQ Anchors FtsZ to Membranes.	0
306	Molecular basis of stepwise cyclic tetra-adenylate cleavage by the type III CRISPR ring nuclease Crn1/Sso2081.	0
305	Condensed-phase signaling can expand kinase specificity and respond to macromolecular crowding. 2022 , 82, 3693-3711.e10	1
304	A S13-sigma; arch stabilizes cyanobacteria transcription initiation complex.	0
303	NMR-guided directed evolution.	1
302	Evolution avoids a pathological stabilizing interaction in the immune protein S100A9. 2022 , 119,	0
301	A PKA inhibitor motif within SMOOTHENED controls Hedgehog signal transduction.	0
300	CHRONO participates in multi-modal repression of circadian transcriptional complexes.	0
299	Optimizing frequency sampling in CEST experiments.	0
298	Crystal structure of monkeypox H1 phosphatase, an Antiviral Drug Target.	0
297	De novo design of immunoglobulin-like domains. 2022 , 13,	0

296	The solution structure of Dead End bound to AU-rich RNA reveals an unusual mode of tandem RRM-RNA recognition required for mRNA regulation. 2022 , 13,	1
295	Targeting disordered-structured domain interactions in Galectin-3 based on NMR and enhanced MD. 2022 ,	0
294	Structural Fingerprinting of Antisense Oligonucleotide Therapeutics by Solution NMR Spectroscopy.	0
293	Dynamic allostery in substrate binding by human thymidylate synthase. 11,	0
292	Energy landscape reshaped by strain-specific mutations underlies epistasis in NS1 evolution of influenza A virus. 2022 , 13,	0
291	Disorder in the Human Skp1 Structure is the Key to its Adaptability to Bind Many Different Proteins in the SCF Complex Assembly. 2022 , 434, 167830	0
290	Remodelling the Surface of Thioredoxin from Escherichia coli by Grafting an Iron-Binding Site from the CyaY Protein Family.	0
289	Molecular Basis for the Recognition of HIV Nef138-8 Epitope by a Pair of Human Public T Cell Receptors. 2022 , 209, 1652-1661	0
288	DNA-mediated proteolysis by neutrophil elastase enhances binding activities of the HMGB1 protein. 2022 , 102577	0
287	Analysis of tripartite Synaptotagmin-1-SNARE -complexin-1 complexes in solution.	0
286	Automated analysis for multiplet identification from ultra-high resolution 2D-1H,13C-HSQC NMR spectra. 7, 262	0
285	Selective and Cell-Active PBRM1 Bromodomain Inhibitors Discovered through NMR Fragment Screening. 2022 , 65, 13714-13735	0
284	Design and characterization of a protein fold switching network.	0
283	Evolutionary Role of Water-Accessible Cavities in Src Homology 2 (SH2) Domains. 2022 , 126, 8689-8698	1
282	Structural studies of human fission protein FIS1 reveal a dynamic region important for GTPase DRP1 recruitment and mitochondrial fission. 2022 , 102620	0
281	Peptides that Mimic RS repeats modulate phase separation of SRSF1, revealing a reliance on combined stacking and electrostatic interactions.	0
280	Characterization of multiple interactions between the envelope E protein of SARS-CoV-2 and human BRD4. 2022 , 101853	0
279	Broad SARS-CoV-2 Neutralization by Monoclonal and Bispecific Antibodies Derived from a Gamma-infected Individual.	0

278	Discovery of a cysteine-rich peptide with glycation modification from <i>Achyranthes bidentata</i> Blume. 2022 , 105338	0
277	The Effect of Positive Charge Distribution on the Cryoprotective Activity of Dehydrins. 2022 , 12, 1510	0
276	Inhibition of RAS-driven signaling and tumorigenesis with a pan-RAS monobody targeting the Switch I/II pocket. 2022 , 119,	0
275	Bromodomain Interactions with Acetylated Histone 4 Peptides in the BRD4 Tandem Domain: Effects on Domain Dynamics and Internal Flexibility. 2022 , 61, 2303-2318	0
274	An intrinsic temporal order of c-JUN N-terminal phosphorylation regulates its activity by orchestrating co-factor recruitment. 2022 , 13,	1
273	A conserved and tunable mechanism for the temperature-controlled condensation of the translation factor Ded1p.	0
272	Structure and function of the N-terminal extension of the formin INF2. 2022 , 79,	0
271	Differential metabolism between biofilm and suspended <i>Pseudomonas aeruginosa</i> cultures in bovine synovial fluid by 2D NMR-based metabolomics. 2022 , 12,	1
270	A key GPCR phosphorylation motif discovered in arrestin2 β CR5 phosphopeptide complexes.	0
269	Pillar[5]arene-induced DNA condensation: liquid-liquid phase separation in pillar[5]arene-oligonucleotide system. 2022 , 120683	1
268	The N-terminus of obscurin is flexible in solution.	0
267	<i>Staphylococcus aureus</i> FtsZ and PBP4 bind to the conformationally dynamic N-terminal domain of GpsB.	1
266	Rosetta β Predictive Ability for Low-Affinity Ligand Binding in Fragment-Based Drug Discovery.	0
265	Accessing isotopically labeled proteins containing genetically encoded phosphoserine for NMR with optimized expression conditions. 2022 , 102613	1
264	Dynamic Interactions between Brilliant Green and MscL Investigated by Solid-State NMR Spectroscopy and Molecular Dynamics Simulations.	0
263	Characterization of the Tau Interactome in Human Brain Reveals Isoform-Dependent Interaction with 14-3-3 Family Proteins.	0
262	PEGylation of the antimicrobial peptide LyeTx I-b maintains structure-related biological properties and improves selectivity. 9,	3
261	¹ H, ¹³ C, and ¹⁵ N assignments of the mRNA binding protein hnRNP A18.	0

- 260 Structural dynamics of the N-terminal SH2 domain of PI3K in its free and CD28 -bound states. 0
- 259 Atomic resolution protein allostery from the multi-state structure of a PDZ domain. **2022**, 13, 1
- 258 Tropomyosin 1-I/C co-ordinates kinesin-1 and dynein motors during oskar mRNA transport. 0
- 257 Deciphering the Alphabet of Disorder: Glu and Asp Act Differently on Local but Not Global Properties. **2022**, 12, 1426 0
- 256 Structural resemblance of the DNAJA-family protein, Tid1, to the DNAJB-family Hsp40. **2022**, 55, 488-493 0
- 255 Phosphorylation of the DNA repair scaffold SLX4 drives folding of the SAP domain and activation of the MUS81-EME1 endonuclease. **2022**, 41, 111537 0
- 254 ¹H, ¹⁵N and ¹³C backbone resonance assignments of the acidic domain of the human MDM2 protein. 0
- 253 Selection of synthetic proteins to modulate the human frataxin function. 0
- 252 Dimers of D76N- β -microglobulin display potent anti-amyloid aggregation activity. **2022**, 102659 0
- 251 Promiscuity of response regulators for thioredoxin steers bacterial virulence. **2022**, 13, 0
- 250 Rapid protein assignments and structures from raw NMR spectra with the deep learning technique ARTINA. **2022**, 13, 2
- 249 Thumb-domain dynamics modulate the functional repertoire of DNA-Polymerase IV (DinB). 0
- 248 Specific location of galactosylation in an afucosylated antiviral monoclonal antibody affects its Fc γ RIIIA binding affinity. 13, 0
- 247 Characterization of the structure and self-assembly of two distinct class IB hydrophobins. 0
- 246 Dynamics of base pairs with low stability in RNA by solid-state nuclear magnetic resonance exchange spectroscopy. **2022**, 25, 105322 0
- 245 Full opening of helix bundle crossing does not lead to NaK channel activation. **2022**, 154, 1
- 244 Site of vulnerability on SARS-CoV-2 spike induces broadly protective antibody to antigenically distinct omicron SARS-CoV-2 subvariants. 0
- 243 Structural insights on the selective interaction of the histidine-rich piscidin antimicrobial peptide Of-Pis1 with membranes. **2022**, 184080 0

242	The residual structure of acid-denatured β -microglobulin is relevant to an ordered fibril morphology.	0
241	Mechanism of nucleic-acid-driven LLPS of TDP-43 PLD.	0
240	An S-glutathiomimetic provides structural insights into stromal interaction molecule-1 regulation. 2022 , 167874	0
239	SAM1 domain of SASH1 harbors distinctive structural heterogeneity. 2022 , 214, 107914	0
238	The Advanced Properties of Circularized MSP Nanodiscs Facilitate High-resolution NMR Studies of Membrane Proteins. 2022 , 434, 167861	0
237	Metabolic clearance of oxaloacetate and mitochondrial complex II respiration: Divergent control in skeletal muscle and brown adipose tissue. 2023 , 1864, 148930	0
236	Molecular Structure of Cu(II)-Bound Amyloid- β Monomer Implicated in Inhibition of Peptide Self-Assembly in Alzheimer's Disease.	1
235	Machine learning-guided directed evolution for the development of small-molecule antibiotics originating from antimicrobial peptides.	0
234	Mapping Interactions of the Intrinsically Disordered C-Terminal Regions of Tetrameric p53 by Segmental Isotope Labeling and NMR.	1
233	Structural study of acyl carrier protein of <i>Enterococcus faecalis</i> and its interaction with enzymes in de novo fatty acid synthesis. 2022 ,	0
232	Facile Detection of Light-Controlled Radical Scavengers from Natural Products Using In Situ UV-LED NMR Spectroscopy. 2022 , 11, 2206	0
231	Half-calcified calmodulin promotes basal activity and inactivation of the L-type calcium channel CaV1.2. 2022 , 102701	2
230	Irreversible inactivation of lactate racemase by sodium borohydride reveals reactivity of the nickel-pincer nucleotide cofactor.	0
229	C-terminal determinants for RNA binding motif 7 protein stability and RNA recognition. 2022 , 106928	0
228	FapA is an intrinsically disordered chaperone for <i>Pseudomonas</i> functional amyloid FapC. 2022 , 167878	0
227	Histone H3 proline 16 hydroxylation regulates mammalian gene expression. 2022 , 54, 1721-1735	1
226	Structural basis of RNA-induced autoregulation of the DExH-type RNA helicase maleless.	0
225	Polymer-Nanodiscs as a Novel Alignment Medium for High-Resolution NMR-Based Structural Studies of Nucleic Acids. 2022 , 12, 1628	0

- 224 Leveraging the HMBC to Facilitate Metabolite Identification. ○
- 223 Deciphering Structure-Function Relationship Unveils Salt-Resistant Mode of Action of a Potent MRSA-Inhibiting Antimicrobial Peptide, RR14. ○
- 222 Ras-dependent RAF-MAPK hyperactivation by pathogenic RIT1 is a therapeutic target in Noonan syndrome-associated cardiac hypertrophy. ○
- 221 Less is more: A simple methyl-TROSY based pulse scheme offers improved sensitivity in applications to high molecular weight complexes. **2022**, 107326 ○
- 220 Development of Charybdotoxin Q18F Variant as a Selective Peptide Blocker of Neuronal BK_{Ca} Channel for the Treatment of Epileptic Seizures. ○
- 219 Magic-angle-spinning NMR structure of the kinesin-1 motor domain assembled with microtubules reveals the elusive neck linker orientation. **2022**, 13, ○
- 218 Multivalent binding of the hub protein LC8 at a newly discovered site in 53BP1. **2022**, 1 ○
- 217 Sequence Context and Complex Hofmeister Salt Interactions Dictate Phase Separation Propensity of Resilin-like Polypeptides. 1
- 216 Balance-directed protein engineering of IsPETase enhances both PET hydrolysis activity and thermostability. ○
- 215 Structural insights into the mechanism of HIV-1 Tat secretion from the plasma membrane. **2022**, 167880 ○
- 214 Protocol to identify drug-binding sites in proteins using solution NMR spectroscopy. **2022**, 3, 101842 ○
- 213 Nanobody GPS by PCS: An Efficient New NMR Analysis Method for G Protein Coupled Receptors and Other Large Proteins. ○
- 212 A redox switch regulates the assembly and anti-CRISPR activity of AcrIIc1. **2022**, 13, ○
- 211 Structure and dynamics of the von Willebrand Factor C6 domain. **2022**, 107923 ○
- 210 A glutamine-based single helix scaffold to target globular proteins. **2022**, 13, ○
- 209 Advancing NMR-based metabolomics using complete reduction to amplitude frequency table: Cultivar differentiation of black ripe table olives as a case study. **2023**, 405, 134868 ○
- 208 Workflow Provenance with PREMIS. **2022**, 87-101 ○
- 207 5-Formylcytosine weakens the GC pair and imparts local conformational fluctuations to DNA duplexes. **2022**, 25, 241-254 ○

206	NMR spectrum reconstruction as a pattern recognition problem. 2023 , 346, 107342	0
205	Drosophila melanogaster frataxin: protein crystal and predicted solution structure with identification of the iron-binding regions. 2023 , 79,	0
204	Active-site cysteine 215 sulfonation targets protein tyrosine phosphatase PTP1B for Cullin1 E3 ligase-mediated degradation. 2023 , 194, 147-159	1
203	Dipyridamole interacts with the N-terminal domain of HSP90 and antagonizes the function of the chaperone in multiple cancer cell lines. 2023 , 207, 115376	0
202	Structural Plasticity of Pioneer Factor Sox2 and DNA Bendability Modulate Nucleosome Engagement and Sox2-Oct4 Synergism. 2023 , 435, 167916	0
201	Structural and functional studies of scorpine: A channel blocker and cytolytic peptide. 2023 , 222, 106985	0
200	Yeast nicotinate-nucleotide pyrophosphorylase in complex with its ligand: Crystallization and Preliminary structural approaches.	0
199	Upstream of N-Ras C-terminal cold shock domains mediate poly(A) specificity in a novel RNA recognition mode and bind poly(A) binding protein during translation regulation.	0
198	Multivalency, autoinhibition, and protein disorder in the regulation of interactions of dynein intermediate chain with dynactin and the nuclear distribution protein. 11,	0
197	Distinct conformational and energetic features define the specific recognition of (di)aromatic peptide motifs by PEX14. 2022 ,	0
196	Structural Elucidation of a Protective B cell Epitope on Outer Surface Protein C (OspC) of the Lyme disease spirochete, Borrelia burgdorferi.	0
195	Structural and dynamical basis for the interaction of HSP70-EEVD with JDP Sis1.	0
194	The dynamic nature of neurotensin receptor 1 (NTS1) allostery and signaling bias.	0
193	The prolactin receptor scaffolds Janus kinase 2 via co-structure formation with phosphoinositide-4,5-bisphosphate.	0
192	Detecting the Hydrogen Bond Cooperativity in a Protein Sheet by H/D Exchange. 2022 , 23, 14821	0
191	An anchored experimental design and meta-analysis approach to address batch effects in large-scale metabolomics. 9,	0
190	Structural basis for the unique multifaceted interaction of DPPA3 with the UHRF1 PHD finger. 2022 , 50, 12527-12542	0
189	Next-generation sequencing of a combinatorial peptide phage library screened against ubiquitin identifies peptide aptamers that can inhibit the in vitro ubiquitin transfer cascade. 13,	0

- 188 Solid-state NMR of paired helical filaments formed by the core tau fragment tau(297-391). 16, ○
- 187 Water irradiation devoid pulses enhance the sensitivity of ^1H , ^1H nuclear Overhauser effects. ○
- 186 Charge neutralization of the active site glutamates does not limit substrate binding and transport by small multidrug resistance transporter EmrE. **2022**, 102805 ○
- 185 Evolutionary conservation of the structure and function of meiotic Rec114-Mei4 and Mer2 complexes. ○
- 184 Mechanism of LLPS of SARS-CoV-2 N protein. ○
- 183 Conjugates of Chloramphenicol Amine and Berberine as Antimicrobial Agents. **2023**, 12, 15 ○
- 182 Complex Formation between Cytochrome c and a Tetra-alanino-calix[4]arene. **2022**, 23, 15391 ○
- 181 Molecular interactions underlying the phase separation of HP1—role of phosphorylation, ligand—and nucleic acid binding. 1
- 180 Inter-domain Flexibility of Human Ser/Arg-Rich Splicing Factor 1 Allows Variable Spacer Length in Cognate RNA Bipartite Motifs. **2022**, 61, 2922-2932 ○
- 179 The Role of Membrane Affinity and Binding Modes in Alpha-Synuclein Regulation of Vesicle Release and Trafficking. **2022**, 12, 1816 ○
- 178 High-resolution glucose fate-mapping reveals LDHB-dependent lactate production by human pancreatic β cells. ○
- 177 Understanding Self-assembly of Silica Precipitating Peptides to Control Silica Particle Morphology. 2207586 ○
- 176 Cosolvent Dimethyl Sulfoxide Influences Protein-Ligand Binding Kinetics via Solvent Viscosity Effects: Revealing the Success Rate of Complex Formation Following Diffusive Protein-Ligand Encounter. ○
- 175 Intramolecular autoinhibition of human PEX13 modulates peroxisomal import. ○
- 174 RNA conformational propensities determine cellular activity. ○
- 173 Visualizing the transiently populated closed-state of human HSP90 ATP binding domain. **2022**, 13, ○
- 172 Structural basis for specific RNA recognition by the alternative splicing factor RBM5. ○
- 171 DNA damage independent inhibition of NF- κ B transcription by anthracyclines. 11, ○

- 170 ZNF524 directly interacts with telomeric DNA and supports telomere integrity. ○
- 169 Mutation-driven evolution of antibacterial function in an ancestral antifungal scaffold: Significance for peptide engineering. 13, ○
- 168 Structural and functional insights into CST tethering in *Tetrahymena thermophila* telomerase. **2022**, 30, 1565-1572.e4 ○
- 167 ¹H, ¹³C, and ¹⁵N assignments of the mRNA binding protein hnRNP A18. ○
- 166 Expanding the HDAC druggable landscape beyond enzymatic inhibition. ○
- 165 Highly acidic pH facilitates enamel protein self-assembly, apatite crystal growth and enamel protein interactions in the early enamel matrix. 13, ○
- 164 Disruption of electrostatic contacts in the HNH nuclease from a thermophilic Cas9 rewires allosteric motions and enhances high-temperature DNA cleavage. **2022**, 157, 225103 ○
- 163 High yield expression and purification of full-length Neurotensin with pyroglutamate modification. **2022**, 106227 ○
- 162 Slow conformational changes in the rigid and highly stable chymotrypsin inhibitor 2. ○
- 161 Effects of breast fibroepithelial tumor associated retinoic acid receptor alpha ligand binding domain mutations on receptor function and retinoid signaling. ○
- 160 Residue alterations within a conserved hydrophobic pocket influence light, oxygen, voltage photoreceptor dark recovery. ○
- 159 Divergent self-association properties of paralogous proteins TRIM2 and TRIM3 regulate their E3 ligase activity. **2022**, 13, ○
- 158 Three segment ligation of a 104kDa multi-domain protein by SrtA and OaAEP1. ○
- 157 Real-time monitoring of enzyme-catalyzed phosphoribosylation of anti-influenza prodrug favipiravir by time-lapse nuclear magnetic resonance spectroscopy. ○
- 156 Zinc controls operator affinity of human transcription factor YY1 by mediating dimerization via its N-terminal region. **2022**, 194905 ○
- 155 Molecular insights into alginate β -lactoglobulin A multivalencies \square the foundation for their amorphous aggregates and coacervation. ○
- 154 Identification, binding, and structural characterization of single domain anti-PD-L1 antibodies inhibitory of immune regulatory proteins PD-1 and CD80. **2022**, 102769 ○
- 153 Arg/Lys-containing IDRs are cryptic binding domains for ATP and nucleic acids that interplay to modulate LLPS. **2022**, 5, 1

- 152 Pharmacological characterization of the small molecule 03A10 as an inhibitor of β -synuclein aggregation for Parkinson's disease treatment. ○
- 151 Structural insights into transcription activation mechanism of the global regulator GlnR from actinobacteria. ○
- 150 The Residual Structure of Unfolded Proteins Was Elucidated From The Standard Deviation Of NMR Intensity Differences. **2023**, 30, ○
- 149 Assessing the applicability of ^{19}F labeled tryptophan residues to quantify protein dynamics. ○
- 148 Activation Dynamics of Ubiquitin Specific Protease 7. ○
- 147 HECT Domain Interaction with Ubiquitin Binding Sites on Tsg101-UEV Controls HIV-1 Egress, Maturation and Infectivity. **2023**, 102901 ○
- 146 Structural insights into the activity regulation of full-length non-structural protein 1 from SARS-CoV-2. **2023**, ○
- 145 H2A ubiquitination alters H3-tail dynamics on linker-DNA to enhance H3K27 methylation. **2023**, 167936 ○
- 144 Slow Methyl Axes Motions in Perdeuterated Villin Headpiece Subdomain Probed by Cross-Correlated NMR Relaxation Measurements. **2023**, 9, 33 ○
- 143 Structural Properties of CXCL4L1 and Its Recognition of the CXCR3 N-Terminus. ○
- 142 Autoinhibitory structure of preligand association state implicates a new strategy to attain effective DR5 receptor activation. ○
- 141 Conformational exchange divergence along the evolutionary pathway of eosinophil-associated ribonucleases. **2023**, ○
- 140 Structure of the Sec14 domain of Kalirin reveals a distinct class of lipid-binding module in RhoGEFs. **2023**, 14, ○
- 139 ^{13}C and ^{15}N Resonance Assignments of Alpha Synuclein Fibrils Amplified from Lewy Body Dementia Tissue. ○
- 138 The structure of the high-affinity nickel-binding site in the Ni,Zn-HypADoreE2 complex. ○
- 137 Protein Conformational Dynamics Underlie Selective Recognition of Thermophilic over Mesophilic Enzyme I by a Substrate Analogue. **2023**, 13, 160 ○
- 136 NMR Analysis of the Interactions and Conformational Plasticity of Dynein Intermediate Chain. **2023**, 241-256 ○
- 135 Structural basis of bacterial effector protein azurin targeting tumor suppressor p53 and inhibiting its ubiquitination. **2023**, 6, ○

- 134 Rosetta $\bar{\text{B}}$ Predictive Ability for Low-Affinity Ligand Binding in Fragment-Based Drug Discovery. ○
- 133 Structural Insights Uncover the Specific Phosphoinositide Recognition by the PH1 Domain of Arap3. **2023**, 24, 1125 ○
- 132 Histone H3 core domain in chromatin with different DNA linker lengths studied by 1H-Detected solid-state NMR spectroscopy. 9, ○
- 131 Structural basis of regulated m7G tRNA modification by METTL1 $\bar{\text{W}}$ DR4. **2023**, 613, 391-397 ○
- 130 DNA base order parameter determination without influence of chemical exchange. **2023**, 210, 1-9 ○
- 129 On the effect of methionine oxidation on the interplay between $\bar{\text{E}}$ synuclein and synaptic-like vesicles. **2023**, 229, 92-104 ○
- 128 Crystal structure of theArabidopsisSPIRAL2 C-terminal domain reveals a p80-Katanin-like domain. ○
- 127 Fast Motions Dominate Dynamics of Intrinsically Disordered Tau Protein at High Temperatures. ○
- 126 Npl3 functions in mRNP assembly by recruitment of mRNP components to the transcription site and their transfer onto the mRNA. ○
- 125 The RBM17/SPF45 $\bar{\text{B}}$ AP30BP interaction is essential for splicing in a subset of human short introns. ○
- 124 Kinetochores-microtubule attachment in human cells is regulated by the interaction of a conserved motif of Ska1 with EB1. **2022**, 102853 ○
- 123 Small Molecules Targeting the RNA-Binding Protein HuR Inhibit Tumor Growth in Xenografts. **2023**, 66, 2032-2053 ○
- 122 Ligands selectively tune the local and global motions of neurotensin receptor 1 (NTS1). **2023**, 42, 112015 ○
- 121 Function and Importance of Marine Bacterial Transporters of Plankton Exometabolites. ○
- 120 The Q163C/Q309C mutant of $\bar{\text{M}}$ I-domain is an active variant suitable for NMR characterization. **2023**, 18, e0280778 ○
- 119 Redox Regulation and Metabolic Dependency of Zika Virus Replication: Inhibition by Nrf2-Antioxidant Response and NAD(H) Antimetabolites. ○
- 118 Structural mechanism of BRD4-NUT and p300 bipartite interaction in propagating aberrant gene transcription in chromatin in NUT carcinoma. **2023**, 14, ○
- 117 Structure and DNA bridging activity of the essential Rec114 $\bar{\text{M}}$ Mei4 trimer interface. ○

- 116 Characterizing inhibitors of human AP endonuclease 1. **2023**, 18, e0280526
- 115 Evolutionary fine-tuning of residual helix structure in disordered proteins manifests in complex structure and lifetime. **2023**, 6,
- 114 Design and characterization of a protein fold switching network. **2023**, 14,
- 113 Discovery of structural and functional transition sites for membrane-penetrating activity of sheep myeloid antimicrobial peptide-18. **2023**, 13,
- 112 Upstream of N-Ras C-terminal cold shock domains mediate poly(A) specificity in a novel RNA recognition mode and bind poly(A) binding protein.
- 111 Fully Automated Characterization of Protein/Peptide Binding by Microfluidic 2D NMR. **2023**, 145, 3204-3210
- 110 Mechanistic basis of staphylococcal interspecies competition for skin colonization.
- 109 Structure of alpha-synuclein fibrils derived from human Lewy body dementia tissue.
- 108 DNA binding and RAD51 engagement by the BRCA2 C-terminus orchestrate DNA repair and replication fork preservation. **2023**, 14,
- 107 Molten globule driven and self-downmodulated phase separation of a viral factory scaffold.
- 106 Structural insights into regulation of TRPM7 divalent cation uptake by the small GTPase ARL15.
- 105 Solid-State NMR Characterization of Lyophilized Formulations of Monoclonal Antibody Therapeutics.
- 104 Screening through Lead Optimization of High Affinity, Allosteric Cyclin-Dependent Kinase 2 (CDK2) Inhibitors as Male Contraceptives That Reduce Sperm Counts in Mice. **2023**, 66, 1928-1940
- 103 ATP and nucleic acids competitively modulate LLPS of the SARS-CoV2 nucleocapsid protein. **2023**, 6,
- 102 Plant Defense Elicitation by the Hydrophobin Cerato-Ulmin and Correlation with Its Structural Features. **2023**, 24, 2251
- 101 Correlated analytical and functional evaluation of higher order structure perturbations from oxidation of NISTmAb. **2023**, 15,
- 100 Differential Structural Features of Two Mutant ADAR1p150 Z-Domains Associated with Aicardi-Goutières Syndrome. **2023**, 435, 168040
- 99 A cationic motif upstream Engrailed2 homeodomain controls cell internalization through selective interaction with heparan sulfates. **2023**, 14,

- 98 Electronegative clusters modulate folding status and RNA binding of unstructured RNA-binding proteins. ○
- 97 Engineering the Active Site Lid Dynamics to Improve the Catalytic Efficiency of Yeast Cytosine Deaminase. **2023**, 24, 6592 ○
- 96 Solution NMR structure of cementum protein 1 derived peptide (CEMP1-p1) and its role in the mineralization process. ○
- 95 Ligand-induced conformational changes enable intersubunit communications in D-dopachrome tautomerase. **2023**, 122, 1268-1276 ○
- 94 β Catenin interacts with the TAZ1 and TAZ2 domains of CBP/p300 to activate gene transcription. **2023**, 238, 124155 ○
- 93 Intrinsic Disorder of the Neuronal SNARE Protein SNAP25a in its Pre-fusion Conformation. **2023**, 435, 168069 ○
- 92 The model polysaccharide potato galactan is actually a mixture of different polysaccharides. **2023**, 313, 120889 ○
- 91 Conserved linker length in double dsRBD proteins from plants restricts interdomain motion. **2023**, 16-17, 100109 ○
- 90 The RRM-mediated RNA binding activity in *T. brucei* RAP1 is essential for VSG monoallelic expression. **2023**, 14, ○
- 89 Solution-state NMR Assignment and Secondary Structural Propensities of the Full-Length and Minimalistic-Truncated Prefibrillar Monomeric Form of Biofilm-Forming Functional-Amyloid FapC from *Pseudomonas aeruginosa*. ○
- 88 Coiled-coil structure mediated inhibition of the cytotoxic huntingtin amyloid fibrils by an IP3 receptor fragment. **2023**, 232, 123412 ○
- 87 Negative interference with antibody-dependent cellular cytotoxicity mediated by rituximab from its interactions with human serum proteins. 14, ○
- 86 The pro -sequence of parathyroid hormone prevents premature amyloid fibril formation. **2023**, 597, 995-1006 ○
- 85 Identification of potent and selective N-myristoyltransferase inhibitors of *Plasmodium vivax* liver stage hypnozoites and schizonts. ○
- 84 ¹H, ¹⁵N and ¹³C resonance assignments of a minimal CPSF73-CPSF100 C-terminal heterodimer. ○
- 83 The ¹H, ¹⁵N and ¹³C resonance assignments of dengue virus capsid protein with the deletion of the intrinsically disordered N-terminal region. ○
- 82 Contrasting effect of ficoll on apo and holo forms of bacterial chemotaxis protein Y: Selective destabilization of the conformationally altered holo form. **2023**, 232, 123505 ○
- 81 Chemical shift assignments of calmodulin bound to the GluN1 C0 domain (residues 841-865) of the NMDA receptor. ○

- 80 Development of a Robust Consensus Modeling Approach for Identifying Cellular and Media Metabolites Predictive of Mesenchymal Stromal Cell Potency. ○
- 79 New insights in polydopamine formation via surface adsorption. **2023**, 14, ○
- 78 DEEP Picker1D and Voigt Fitter1D: a versatile tool set for the automated quantitative spectral deconvolution of complex 1D-NMR spectra. **2023**, 4, 19-26 ○
- 77 The small molecule inhibitor NAV-2729 has a complex target profile including multiple ADP-ribosylation factor regulatory proteins. **2023**, 299, 102992 ○
- 76 Two distinct binding modes provide the RNA-binding protein RbFox with extraordinary sequence specificity. **2023**, 14, ○
- 75 Practical considerations for the measurement of near-surface electrostatics based on solvent paramagnetic relaxation enhancements. **2023**, 349, 107400 1
- 74 Disulfide-bond-induced structural frustration and dynamic disorder in a peroxiredoxin from MAS NMR. ○
- 73 ¹H, ¹³C, ¹⁵N Backbone and sidechain chemical shift assignments of the C-terminal domain of human UDP-glucuronosyltransferase 2B17 (UGT2B17-C). ○
- 72 Shuffled ATG8 interacting motifs form an ancestral bridge between UFMylation and autophagy. ○
- 71 Backbone and side chain chemical shift assignment of diisopropyl fluorophosphatase (DFPase) from *Loligo vulgaris*, an organophosphorus-degrading enzyme. ○
- 70 Mechanistic insights into RNA surveillance by the canonical poly(A) polymerase Pla1 of the MTREC complex. **2023**, 14, ○
- 69 Negatively charged, intrinsically disordered regions can accelerate target search by DNA-binding proteins. 1
- 68 Fractionation factors reveal hidden frustration in an ancient allosteric module. **2023**, 158, 121101 ○
- 67 The 5'UTR of HCoV-OC43 adopts a topologically constrained structure to intrinsically repress translation. **2023**, 299, 103028 ○
- 66 Resonance assignments of the PUB domain of the RNF31 protein. ○
- 65 Conformational Dynamics of an β -Synuclein Fibril upon Receptor Binding Revealed by Insensitive Nuclei Enhanced by Polarization Transfer-Based Solid-State Nuclear Magnetic Resonance and Cryo-Electron Microscopy. **2023**, 145, 4473-4484 ○
- 64 Conformational Dynamics of Phytoglobin BvPgb1.2 from *Beta vulgaris* ssp. *vulgaris*. **2023**, 24, 3973 ○
- 63 Interaction of the bacterial division regulator MinE with lipid bicelles studied by NMR spectroscopy. **2023**, 299, 103037 ○

- 62 mRNA interactions with disordered regions control protein activity.
- 61 PBRM1 bromodomains associate with RNA to facilitate chromatin association.
- 60 Unfolding and Aggregation Pathways of Variable Domains from Immunoglobulin Light Chains. **2023**, 62, 1000-1011
- 59 Structural features, intrinsic disorder, and modularity of a pyriform spidroin 1 core repetitive domain.
- 58 Enterovirus Evolution Reveals the Mechanism of an RNA-Targeted Antiviral and Determinants of Viral Replication.
- 57 Molecular insight into the specific interactions of the SARS-Coronavirus -2 nucleocapsid with RNA and host protein. **2023**, 32,
- 56 Slow conformational changes in the rigid and highly stable chymotrypsin inhibitor 2. **2023**, 32,
- 55 B-box1 Domain of MID1 Interacts with the Ube2D1 E2 Enzyme Differently Than RING E3 Ligases. **2023**, 62, 1012-1025
- 54 E6AP AZUL interaction with UBQLN1/2 in cells, condensates, and an AlphaFold-NMR integrated structure. **2023**, 31, 395-410.e6
- 53 Structural Elucidation of Ivermectin Binding to α 7nAChR and the Induced Channel Desensitization. **2023**, 14, 1156-1165
- 52 Structural and mechanistic insight into ribosomal ITS2 RNA processing by nuclease-kinase machinery.
- 51 The Basal and Major Pilins in the *Corynebacterium diphtheriae* SpaA Pilus Adopt Similar Structures that Competitively React with the Pilin Polymerase.
- 50 ¹³C and ¹⁵N Resonance Assignments of Alpha Synuclein Fibrils Amplified from Lewy Body Dementia Tissue.
- 49 Label-free in vitro assays predict the potency of anti-disialoganglioside chimeric antigen receptor T-cell products. **2023**,
- 48 Solution structure of the DNA binding domain of Arabidopsis transcription factor WRKY11. **2023**, 653, 133-139
- 47 Sodium Oligomannate Electrostatically Binds to Aβ and Blocks Its Aggregation. **2023**, 127, 1983-1994
- 46 Backbone NMR assignment of the yeast expressed Fab fragment of the NISTmAb reference antibody.
- 45 Sometimes pulses just have to be perfect [An example based on the measurement of amide proton transverse relaxation rates in proteins. **2023**, 349, 107412

- 44 Peptides that Mimic RS repeats modulate phase separation of SRSF1, revealing a reliance on combined stacking and electrostatic interactions. 12, ○
- 43 Structural basis of HIV-1 maturation inhibitor binding and activity. **2023**, 14, ○
- 42 Underrepresented Impurities in 4-Hydroxyphenylpyruvate Affect the Catalytic Activity of Multiple Enzymes. **2023**, 95, 4957-4965 ○
- 41 Elucidating dynamic anaerobe metabolism with HRMAS 13C NMR and genome-scale modeling. ○
- 40 A single C-terminal residue controls SARS-CoV-2 spike trafficking and virion assembly. ○
- 39 Characterization of the Tau Interactome in Human Brain Reveals Isoform-Dependent Interaction with 14-3-3 Family Proteins. **2023**, 10, ENEURO.0503-22.2023 ○
- 38 Beta-KTx14.3, a scorpion toxin, blocks the human potassium channel KCNQ1. **2023**, 1871, 140906 ○
- 37 Decoding optimal ligand design for multicomponent condensates. ○
- 36 Lactate regulates cell cycle by remodelling the anaphase promoting complex. ○
- 35 Identification of small molecule antivirals against HTLV-1 by targeting the hDLG1-Tax-1 protein-protein interaction. ○
- 34 Biophysical and Biochemical Characterization of the Binding of the MarR-like Transcriptional Regulator Saro_0803 to the nov1 Promotor and Its Inhibition by Resveratrol. **2023**, 13, 541 ○
- 33 Production of isotopically enriched high molecular weight hyaluronic acid and characterization by solid-state NMR. ○
- 32 Structural context of homomeric interactions in the Ig domain of the MPZ (P0) myelin adhesion protein and relation to Charcot-Marie-Tooth disease phenotype variants. ○
- 31 Phosphatidylinositol-3,4,5-trisphosphate interacts with alpha-synuclein and initiates its aggregation and formation of Parkinson's disease-related fibril polymorphism. **2023**, 145, 573-595 ○
- 30 Robust automated backbone triple resonance NMR assignments of proteins using Bayesian-based simulated annealing. **2023**, 14, ○
- 29 Structural and Functional Characterization of the Newly Designed Antimicrobial Peptide Crabrolin21. **2023**, 13, 365 ○
- 28 Kinetic stabilization of translation-repression condensates by a neuron-specific microexon. ○
- 27 An Arg/Ala-rich helix in the N-terminal region of *M. tuberculosis* FtsQ is a potential membrane anchor of the Z-ring. **2023**, 6, ○

- 26 ANXA11 biomolecular condensates facilitate protein-lipid phase coupling on lysosomal membranes. ○
- 25 Post-fibrillization nitration of alpha-synuclein abolishes its seeding activity and pathology formation in primary neurons and in vivo. ○
- 24 Adoption of A β Junctions in RNAs by Binding of Z β Domains. **2023**, 251-275 ○
- 23 The reversible low-temperature instability of human DJ-1 oxidative states. ○
- 22 Structural features of the Notch ankyrin domain-Delta ϵ WWE2 domain heterodimer determined by NMR spectroscopy and functional implications. **2023**, ○
- 21 Mechanism of antibody-specific deglycosylation and immune evasion by Streptococcal IgG-specific endoglycosidases. **2023**, 14, ○
- 20 Discovery and Characterization of Pneumococcal Serogroup 36 Capsule Subtypes, Serotypes 36A and 36B. **2023**, 61, ○
- 19 Unusual pKa Values Mediate the Self-Assembly of Spider Dragline Silk Proteins. **2023**, 24, 1604-1616 ○
- 18 The EJC disassembly factor PYM is an intrinsically disordered protein and forms a fuzzy complex with RNA. 10, ○
- 17 Myokine Musclin Is Critical for Exercise-Induced Cardiac Conditioning. **2023**, 24, 6525 ○
- 16 Alloreactivity and autoreactivity converge to support B cell epitope targeting in transplant rejection. ○
- 15 Exploration of O-GlcNAc-transferase (OGT) glycosylation sites reveals a target sequence compositional bias. **2023**, 104629 ○
- 14 A real-time analysis of GFP unfolding by the AAA+ β -unfoldase PAN. **2023**, 350, 107431 ○
- 13 ¹H, ¹⁵N, ¹³C backbone and C β resonance assignments for UBQLN1 UBA and UBAA domains. ○
- 12 ¹H, ¹⁵N, and ¹³C chemical shift backbone resonance NMR assignment of the accumulation-associated protein (Aap) lectin domain from Staphylococcus epidermidis. ○
- 11 Structural and interaction analysis of human lipocalin-type prostaglandin D synthase with the poorly water-soluble drug NBQX. ○
- 10 Chemical shift assignments of calmodulin bound to a cytosolic domain of GluN2A (residues 1004-1024) from the NMDA receptor. ○
- 9 Function and dynamics of the intrinsically disordered carboxyl terminus of β adrenergic receptor. **2023**, 14, ○

- 8 Mapping N- to C-terminal Allosteric Coupling through Disruption of a Putative CD74 Activation Site in D-dopachrome Tautomerase. **2023**, 104729
- 7 Turning up the heat mimics allosteric signaling in imidazole-glycerol phosphate synthase. **2023**, 14,
- 6 Characterization of a fold in TANGO1 evolved from SH3 domains for the export of bulky cargos. **2023**, 14,
- 5 Structural Analysis of Bacillus subtilis Sigma Factors. **2023**, 11, 1077
- 4 Glycan Stability and Flexibility: Thermodynamic and Kinetic Characterization of Nonconventional Hydrogen Bonding in Lewis Antigens. **2023**, 145, 10022-10034
- 3 ATP and Zn²⁺ induce folding of ALS-associated hSOD1 with fundamentally distinctive mechanisms.
- 2 Recent Advances in NMR Protein Structure Prediction with ROSETTA. **2023**, 24, 7835
- 1 Qualitative and Quantitative Characterization of Protein-Carbohydrate Interactions by NMR Spectroscopy. **2023**, 115-128