

CITATION REPORT

List of articles citing

Effect of the pressure drop rate on cell nucleation in continuous processing of microcellular polymers

DOI: 10.1002/pen.760350509

Polymer Engineering and Science, 1995, 35, 432-440.

Source: <https://exaly.com/paper-pdf/25938828/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 356 | Novel Method of Fabricating Free-Standing and Nitrogen-Doped 3D Hierarchically Porous Carbon Monoliths as Anodes for High-Performance Sodium-Ion Batteries by Supercritical CO ₂ Foaming. | | |
| 355 | Characterization of Microcellular Foamed PVC/Cellulosic-Fibre Composites. <i>Journal of Cellular Plastics</i> , 1996 , 32, 449-469 | 1.5 | 71 |
| 354 | Novel approach to fabricate porous sponges of poly(D,L-lactic-co-glycolic acid) without the use of organic solvents. 1996 , 17, 1417-22 | | 911 |
| 353 | Effect of the crystallinity and morphology on the microcellular foam structure of semicrystalline polymers. <i>Polymer Engineering and Science</i> , 1996 , 36, 2645-2662 | 2.3 | 228 |
| 352 | Extrusion of polypropylene foams with hydrocerol and isopentane. 1996 , 2, 349-357 | | 26 |
| 351 | A Strategy for the Suppression of Cell Coalescence in the Extrusion of Microcellular High-Impact Polystyrene Foams. 1997 , 115-129 | | 19 |
| 350 | A study of cell nucleation in the extrusion of polypropylene foams. <i>Polymer Engineering and Science</i> , 1997 , 37, 1-10 | 2.3 | 247 |
| 349 | Processing and cell morphology relationships for microcellular foamed PVC/wood-fiber composites. <i>Polymer Engineering and Science</i> , 1997 , 37, 1137-1147 | 2.3 | 166 |
| 348 | Open pore biodegradable matrices formed with gas foaming. 1998 , 42, 396-402 | | 626 |
| 347 | Microcellular sheet extrusion system process design models for shaping and cell growth control. <i>Polymer Engineering and Science</i> , 1998 , 38, 674-688 | 2.3 | 41 |
| 346 | Extrusion of PE/PS blends with supercritical carbon dioxide. <i>Polymer Engineering and Science</i> , 1998 , 38, 1112-1120 | 2.3 | 98 |
| 345 | Processing and characterization of microcellular foamed high-density polyethylene/isotactic polypropylene blends. <i>Polymer Engineering and Science</i> , 1998 , 38, 1205-1215 | 2.3 | 215 |
| 344 | Low density microcellular foam processing in extrusion using CO ₂ . <i>Polymer Engineering and Science</i> , 1998 , 38, 1812-1823 | 2.3 | 219 |
| 343 | Plastisol foams ¶ rheological and rheo-optical approach to developing new grades of poly(vinyl chloride). 1999 , 28, 317-320 | | |
| 342 | Effects of supercritical CO ₂ on the viscosity and morphology of polymer blends. 2000 , 19, 300-311 | | 61 |
| 341 | Challenge to fortyfold expansion of biodegradable polyester foams by using carbon dioxide as a blowing agent. 2000 , 6, 39-48 | | 7 |
| 340 | CELLULOSE COMPOSITE MATERIALS AS SORBENTS-SORPTION AND RHEOLOGICAL PROPERTIES. 2000 , 305-317 | | |

| | | | |
|-----|---|-----|-----|
| 339 | Effects of Shear Stress and Pressure Drop Rate on Microcellular Foaming Process. <i>Journal of Cellular Plastics</i> , 2001 , 37, 353-363 | 1.5 | 41 |
| 338 | Study of Shear and Extensional Viscosities of Biodegradable PBS/CO ₂ Solutions. <i>Journal of Cellular Plastics</i> , 2001 , 37, 109-148 | 1.5 | 33 |
| 337 | Nucleation in Foam Extrusion. <i>Journal of Cellular Plastics</i> , 2001 , 37, 221-230 | 1.5 | 12 |
| 336 | Effect of Different Nucleating Agents on the Degassing Conditions as Measured by Ultrasonic Sensors. <i>Journal of Cellular Plastics</i> , 2002 , 38, 203-218 | 1.5 | 13 |
| 335 | Rheological behaviour of copoly(ethylene/octene) elastomer compounds: Effect of blowing agent and precipitated CaCO ₃ filler. 2002 , 31, 436-442 | | 1 |
| 334 | A Novel System Design for Continuous Processing of Plastic/Wood-Fiber Composite Foams with Improved Cell Morphology. <i>Journal of Cellular Plastics</i> , 2002 , 38, 367-383 | 1.5 | 32 |
| 333 | Foam Extrusion of Polystyrene Blown with HFC-134a. <i>Frontiers in Forests and Global Change</i> , 2002 , 21, 315-342 | 1.6 | 17 |
| 332 | Rheological Behavior of Ethylene-Octene Copolymer Vulcanizates: Effect of Blowing Agent and Precipitated Aluminium Silicate Filler. <i>Frontiers in Forests and Global Change</i> , 2002 , 21, 35-68 | 1.6 | 1 |
| 331 | Continuous microcellular polystyrene foam extrusion with supercritical CO ₂ . <i>Polymer Engineering and Science</i> , 2002 , 42, 2094-2106 | 2.3 | 102 |
| 330 | Rheological behavior of ethylene/octene copolymer vulcanizates: Effect of blowing agent and precipitated silica filler. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 1132-1138 | 2.9 | 4 |
| 329 | Preparation and characterization of microcellular polystyrene/polystyrene ionomer blends with supercritical carbon dioxide. 2003 , 41, 368-377 | | 24 |
| 328 | In situ bubble-stretching dispersion mechanism for additives in polymers. 2003 , 41, 1051-1058 | | 21 |
| 327 | Effect of die temperature on the morphology of microcellular foams. <i>Polymer Engineering and Science</i> , 2003 , 43, 1206-1220 | 2.3 | 54 |
| 326 | Extrusion of polystyrene nanocomposite foams with supercritical CO ₂ . <i>Polymer Engineering and Science</i> , 2003 , 43, 1261-1275 | 2.3 | 196 |
| 325 | Effects of die geometry on cell nucleation of PS foams blown with CO ₂ . <i>Polymer Engineering and Science</i> , 2003 , 43, 1378-1390 | 2.3 | 159 |
| 324 | Visual Observations of Batch and Continuous Foaming Processes. <i>Journal of Cellular Plastics</i> , 2003 , 39, 155-169 | 1.5 | 73 |
| 323 | A Review of CO ₂ Applications in the Processing of Polymers. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 6431-6456 | 3.9 | 567 |
| 322 | Process dynamics of starch-based microcellular foams produced by supercritical fluid extrusion. I: model development. 2003 , 36, 309-319 | | 47 |

| | | | |
|-----|---|-----|-----|
| 321 | Microcellular Plastics. 2003 , | | 1 |
| 320 | Effect of Recycling on the Rheological Properties and Foaming Behaviors of Branched Polypropylene. <i>Frontiers in Forests and Global Change</i> , 2003 , 22, 1-22 | 1.6 | 11 |
| 319 | Foaming Polystyrene with Mixtures of Carbon Dioxide and HFC-134a. <i>Frontiers in Forests and Global Change</i> , 2003 , 22, 75-88 | 1.6 | 5 |
| 318 | Structure-Property Relationships in Coextruded Foam/Film Microlayers. <i>Journal of Cellular Plastics</i> , 2004 , 40, 497-507 | 1.5 | 30 |
| 317 | Strain hardening in polypropylenes and its role in extrusion foaming. <i>Polymer Engineering and Science</i> , 2004 , 44, 2090-2100 | 2.3 | 207 |
| 316 | Rheological properties of injection molded LDPE and mPE foams. <i>Polymer Engineering and Science</i> , 2004 , 44, 2158-2164 | 2.3 | 19 |
| 315 | Investigation on the cell nucleation and cell growth in microcellular foaming by means of temperature quenching. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 163-171 | 2.9 | 22 |
| 314 | CO ₂ -assisted polymer processing: A new alternative for intractable polymers. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 1501-1511 | 2.9 | 33 |
| 313 | Development of an extrusion system for producing fine-celled HDPE/wood-fiber composite foams using CO ₂ as a blowing agent. 2004 , 23, 263-276 | | 51 |
| 312 | Tunable Microcellular Morphologies from Poly(ferrocenylsilane) Ceramic Precursors Foamed in Supercritical CO ₂ . 2004 , 205, 2398-2408 | | 10 |
| 311 | A Study of Strain-Induced Nucleation in Thermoplastic Foam Extrusion. <i>Journal of Cellular Plastics</i> , 2004 , 40, 27-44 | 1.5 | 22 |
| 310 | Analysis of Flow Fields in Foaming Die Using Finite Element Method. 2005 , 887 | | |
| 309 | Development of polymeric foams from recycled polyethylene and recycled gypsum. 2005 , 90, 256-263 | | 21 |
| 308 | Synthesis of polystyrene-carbon nanofibers nanocomposite foams. <i>Polymer</i> , 2005 , 46, 5218-5224 | 3.9 | 179 |
| 307 | Constitutive modeling for mechanical behavior of PMMA microcellular foams. <i>Polymer</i> , 2005 , 46, 11896-11903 | 3.9 | 36 |
| 306 | The effect of pressurized carbon dioxide as a temporary plasticizer and foaming agent on the hot stage extrusion process and extrudate properties of solid dispersions of itraconazole with PVP-VA 64. 2005 , 26, 349-58 | | 79 |
| 305 | Effect of long-chain branches of polypropylene on rheological properties and foam-extrusion performances. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 1793-1800 | 2.9 | 149 |
| 304 | Gas foaming of segmented poly(ester amide) films. <i>Polymer</i> , 2005 , 46, 9396-9403 | 3.9 | 72 |

| | | | |
|-----|---|-----|-----|
| 303 | MuCell [®] technology for injection molding: A processing method for polyether-urethane scaffolds. 2005 , 40, 4613-4618 | | 19 |
| 302 | Structure optimization of polycaprolactone foams by using mixtures of CO ₂ and N ₂ as blowing agents. <i>Polymer Engineering and Science</i> , 2005 , 45, 432-441 | 2.3 | 100 |
| 301 | Measurement of Gas Solubility for PP/Blowing-Agent Mixtures. 2005 , | | 1 |
| 300 | The Effect of Clay Content on PMMA-Clay Nanocomposite Foams. <i>Frontiers in Forests and Global Change</i> , 2005 , 24, 49-70 | 1.6 | 14 |
| 299 | . 2005 , | | 59 |
| 298 | Nozzle Injection of Physical Blowing Agents in the Injection Molding of Microcellular Foams. <i>International Polymer Processing</i> , 2005 , 20, 149-156 | 1 | 4 |
| 297 | Continuous Foam Extrusion of Rigid-rod Polyphenylenes. <i>Journal of Cellular Plastics</i> , 2005 , 41, 29-39 | 1.5 | 3 |
| 296 | Microcellular Injection Molding. <i>International Polymer Processing</i> , 2005 , 20, 202-214 | 1 | 34 |
| 295 | Strategies for Enhancing Expansion in Starch-Based Microcellular Foams Produced by Supercritical Fluid Extrusion. 2005 , 8, 23-34 | | 26 |
| 294 | Effect of Supercritical Gas on Crystallization of Linear and Branched Polypropylene Resins with Foaming Additives. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 6685-6691 | 3.9 | 64 |
| 293 | Challenge to Extrusion of Low-Density Microcellular Polycarbonate Foams Using Supercritical Carbon Dioxide. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 92-99 | 3.9 | 66 |
| 292 | Characteristics of the Skin Layers of Microcellular Injection Molded Parts. 2006 , 45, 871-877 | | 32 |
| 291 | A Microcellular Foaming Simulation System with a High Pressure-Drop Rate. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 6153-6161 | 3.9 | 84 |
| 290 | Numerical Modelling of the PVF ₂ Volume Strain with Carbon Dioxide. 2006 , 61, 751-757 | | 1 |
| 289 | Strategies for Achieving Microcellular LDPE Foams in Extrusion. <i>Frontiers in Forests and Global Change</i> , 2006 , 25, 1-18 | 1.6 | 20 |
| 288 | Key Processing Parameters for Microcellular Molded Polystyrene Material. <i>Frontiers in Forests and Global Change</i> , 2006 , 25, 99-108 | 1.6 | 9 |
| 287 | Measurement of N ₂ Solubility in Polypropylene and Ethene/Octene Copolymer. 2006 , | | |
| 286 | Polymer Extrusion with Supercritical Carbon Dioxide. 2006 , 255-272 | | 1 |

| | | | |
|-----|---|-----|-----|
| 285 | Bubble coalescence in foaming process of polymers. <i>Polymer Engineering and Science</i> , 2006 , 46, 680-690 | 2.3 | 53 |
| 284 | Mathematical modeling and numerical simulation for nucleated solution flow through slit die in foam extrusion. <i>Polymer Engineering and Science</i> , 2006 , 46, 751-762 | 2.3 | 5 |
| 283 | Multiplex shear stress-induced nucleation in dynamic microcellular foaming process. <i>Polymer Engineering and Science</i> , 2006 , 46, 1728-1738 | 2.3 | 13 |
| 282 | Measurement of gas solubility and diffusivity in polylactide. 2006 , 246, 158-166 | | 92 |
| 281 | Prediction of the viscosity reduction due to dissolved CO ₂ of and an elementary approach in the supercritical CO ₂ assisted continuous particle production of a polyester resin. 2006 , 170, 143-152 | | 18 |
| 280 | Supercritical carbon dioxide as a green solvent for processing polymer melts: Processing aspects and applications. 2006 , 31, 19-43 | | 472 |
| 279 | The effect of pressurized carbon dioxide as a plasticizer and foaming agent on the hot melt extrusion process and extrudate properties of pharmaceutical polymers. <i>Journal of Supercritical Fluids</i> , 2006 , 38, 383-391 | 4.2 | 85 |
| 278 | Porous methacrylate tissue engineering scaffolds: using carbon dioxide to control porosity and interconnectivity. 2006 , 41, 4197 | | 35 |
| 277 | Architecture and properties of anisotropic polymer composite scaffolds for bone tissue engineering. 2006 , 27, 905-16 | | 278 |
| 276 | Extrusion of microcellular open-cell LDPE-based sheet foams. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 3376-3384 | 2.9 | 33 |
| 275 | Use of Nitrogen as a Blowing Agent for the Production of Fine-Celled High-Density Polyethylene Foams. <i>Macromolecular Materials and Engineering</i> , 2006 , 291, 1233-1244 | 3.9 | 41 |
| 274 | Supercritical carbon dioxide: putting the fizz into biomaterials. 2006 , 364, 249-61 | | 67 |
| 273 | Supercritical Fluids. 2006 , | | 3 |
| 272 | Reducing Material Costs with Microcellular/Fine-celled Foaming. <i>Journal of Cellular Plastics</i> , 2007 , 43, 297-312 | 1.5 | 25 |
| 271 | Thermoplastic Foams from Zein and Gelatin. <i>International Polymer Processing</i> , 2007 , 22, 480-488 | 1 | 28 |
| 270 | Introduction to polymeric scaffolds for tissue engineering. 2007 , 1-32 | | 2 |
| 269 | Role of Processing Temperature in Polystyrene and Polycarbonate Foaming with Carbon Dioxide. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 7107-7116 | 3.9 | 39 |
| 268 | Effects of clay dispersion on the foam morphology of LDPE/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007 , 103, 2129-2134 | 2.9 | 91 |

| | | | |
|-----|---|------|-----|
| 267 | Solubility measurements of N ₂ and CO ₂ in polypropylene and ethene/octene copolymer. <i>Journal of Applied Polymer Science</i> , 2007 , 103, 2945-2953 | 2.9 | 62 |
| 266 | Steady flow simulation of a polymer-diluent solution through an abrupt axisymmetric contraction using internally consistent rheological scaling. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 1053-1074 | 2.9 | 5 |
| 265 | Design and preparation of bimodal porous scaffold for tissue engineering. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 3335-3342 | 2.9 | 32 |
| 264 | Visualization of the foaming mechanism of polyethylene blown by chemical blowing agents under ambient pressure. 2007 , 26, 213-222 | | 17 |
| 263 | Microcellular Foamed Wood-Plastic Composites by Different Processes: a Review. <i>Macromolecular Materials and Engineering</i> , 2007 , 292, 113-127 | 3.9 | 87 |
| 262 | The effect of supercritical CO ₂ as a reversible plasticizer and foaming agent on the hot stage extrusion of itraconazole with EC 20 cps. <i>Journal of Supercritical Fluids</i> , 2007 , 40, 153-162 | 4.2 | 42 |
| 261 | Foaming of polypropylene with supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2007 , 41, 299-310 | 4.10 | 229 |
| 260 | CO ₂ foaming based on polystyrene/poly(methyl methacrylate) blend and nanoclay. <i>Polymer Engineering and Science</i> , 2007 , 47, 103-111 | 2.3 | 77 |
| 259 | Reactive modification of PBT with applications in low density extrusion foaming. <i>Polymer Engineering and Science</i> , 2007 , 47, 244-253 | 2.3 | 20 |
| 258 | Cell structure and dynamic properties of injection molded polypropylene foams. <i>Polymer Engineering and Science</i> , 2007 , 47, 1070-1081 | 2.3 | 44 |
| 257 | Influence of different process and material parameters on chemical foaming of fluorinated ethylene propylene copolymers. <i>Polymer Engineering and Science</i> , 2007 , 47, 1740-1749 | 2.3 | 10 |
| 256 | Measurement of gas solubility in linear/branched PP melts. 2007 , 45, 2497-2508 | | 84 |
| 255 | Batch production of micron size particles from poly(ethylene glycol) using supercritical CO ₂ as a processing solvent. 2007 , 62, 1712-1720 | | 33 |
| 254 | Experimental and numerical studies on the effects of pressure release rate on number density of bubbles and bubble growth in a polymeric foaming process. 2008 , 63, 3643-3653 | | 88 |
| 253 | Measurement of the PVT property of PP/CO ₂ solution. 2008 , 270, 15-22 | | 52 |
| 252 | Design of highly porous melamine-based networks through a bicontinuous microemulsion templating strategy. 2008 , 48, 86-94 | | 7 |
| 251 | Cell coalescence suppressed by crosslinking structure in polypropylene microcellular foaming. <i>Polymer Engineering and Science</i> , 2008 , 48, 1312-1321 | 2.3 | 73 |
| 250 | Control of Bubble Size and Location in Nano-/Microscale Cellular Poly(propylene)/Rubber Blend Foams. <i>Macromolecular Materials and Engineering</i> , 2008 , 293, 574-580 | 3.9 | 51 |

| | | | |
|-----|---|-----|-----|
| 249 | Nanoscale Cellular Foams from a Poly(propylene)-Rubber Blend. <i>Macromolecular Materials and Engineering</i> , 2008 , 293, 991-998 | 3.9 | 53 |
| 248 | Open-pore biodegradable foams prepared via gas foaming and microparticulate templating. 2008 , 8, 655-64 | | 67 |
| 247 | Rheological behavior of a microcellular, oil-extended ethylene-propylene-diene rubber compound: Effects of the blowing agent curing agent, and conductive carbon black filler. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 1022-1030 | 2.9 | 3 |
| 246 | Effect of die geometry on foaming behaviors of high-melt-strength polypropylene with CO ₂ . <i>Journal of Applied Polymer Science</i> , 2008 , 109, 3122-3132 | 2.9 | 30 |
| 245 | Effects of the die geometry on the expansion of polystyrene foams blown with carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 3329-3336 | 2.9 | 24 |
| 244 | Foaming behavior of isotactic polypropylene in supercritical CO ₂ influenced by phase morphology via chain grafting. <i>Polymer</i> , 2008 , 49, 3146-3156 | 3.9 | 71 |
| 243 | A supercritical CO ₂ injection system for the production of polymer/mammalian cell composites. <i>Journal of Supercritical Fluids</i> , 2008 , 43, 535-541 | 4.2 | 24 |
| 242 | Are pharmaceuticals really going supercritical?. 2008 , 364, 176-87 | | 129 |
| 241 | Supercritical Fluids. 2008 , | | |
| 240 | Sustainable polymer foaming using high pressure carbon dioxide: a review on fundamentals, processes and applications. 2008 , 10, 731 | | 177 |
| 239 | The time-delayed expansion profile of supercritical fluid extrudates. 2008 , 41, 31-42 | | 14 |
| 238 | Parameter Design of a Coaxial Cable Insulation Manufacturing Process Using Axiomatic Design and the Taguchi Method. 2008 , 47, 785-790 | | 9 |
| 237 | Process-structure Relationships in PCL Foaming. <i>Journal of Cellular Plastics</i> , 2008 , 44, 37-52 | 1.5 | 17 |
| 236 | Design and manufacture of microporous polymeric materials with hierarchal complex structure for biomedical application. 2008 , 24, 1111-1117 | | 42 |
| 235 | Bubble Nucleation and Growth in Microcellular Injection Molding Processes. 2008 , 47, 420-426 | | 10 |
| 234 | Pressure Profile in Annular Die using PP/CO ₂ Solution Viscosity. <i>Frontiers in Forests and Global Change</i> , 2008 , 27, 147-164 | 1.6 | |
| 233 | Development of Two Part Porous Shape Memory Polymer Nanocomposites. 2008 , | | 2 |
| 232 | Injection Foam Molding. 2009 , 273-307 | | 4 |

| | | | |
|-----|--|-----|-----|
| 231 | Foaming behavior of high-melt strength polypropylene/clay nanocomposites. <i>Polymer Engineering and Science</i> , 2009 , 49, 2070-2084 | 2.3 | 56 |
| 230 | Development of CO ₂ for polymer foam applications. <i>Journal of Supercritical Fluids</i> , 2009 , 47, 493-499 | 4.2 | 110 |
| 229 | Foaming of thin films of a fluorinated ethylene propylene copolymer using supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2009 , 49, 103-110 | 4.2 | 31 |
| 228 | Change in the critical nucleation radius and its impact on cell stability during polymeric foaming processes. 2009 , 64, 4899-4907 | | 91 |
| 227 | Strategies To Estimate the Pressure Drop Threshold of Nucleation for Polystyrene Foam with Carbon Dioxide. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 1921-1927 | 3.9 | 16 |
| 226 | 3D Microstructure of supercritical fluid extrudates. II: Cell anisotropy and the mechanical properties. 2009 , 42, 603-611 | | 12 |
| 225 | Foaming of Microstructured and Nanostructured Polymer Blends. 2009 , 199-252 | | 21 |
| 224 | Synthesis and characterization of novel low density polyethylene/multiwall carbon nanotube porous composites. 2009 , 18, 104002 | | 25 |
| 223 | Effect of Temperature on Foaming Behaviors of Homo- and Co-polymer Polypropylene/Polydimethylsiloxane Blends with CO ₂ . <i>Journal of Cellular Plastics</i> , 2009 , 45, 303-319 | 1.5 | 13 |
| 222 | Equipment and Machines for Microcellular Injection Molding. 2010 , 314-398 | | 1 |
| 221 | Preparation of microcellular poly(ethylene-co-octene) rubber foam with supercritical carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA | 2.9 | 11 |
| 220 | Enhancing cell nucleation of thermoplastic polyolefin foam blown with nitrogen. <i>Journal of Applied Polymer Science</i> , 2010 , 118, n/a-n/a | 2.9 | 4 |
| 219 | Extrusion Foaming of Poly(styrene-co-acrylonitrile)/Clay Nanocomposites Using Supercritical CO ₂ . <i>Macromolecular Materials and Engineering</i> , 2010 , 295, 915-922 | 3.9 | 10 |
| 218 | Synthesis and processing of PMMA carbon nanotube nanocomposite foams. <i>Polymer</i> , 2010 , 51, 655-664 | 3.9 | 121 |
| 217 | Batch foaming of SAN/clay nanocomposites with scCO ₂ : A very tunable way of controlling the cellular morphology. <i>Polymer</i> , 2010 , 51, 3520-3531 | 3.9 | 64 |
| 216 | A new self designed apparatus for foaming. <i>Polymer Testing</i> , 2010 , 29, 1014-1020 | 4.5 | 2 |
| 215 | Polyethylene ionomer-based nano-composite foams prepared by a batch process and MuCell [®] injection molding. 2010 , 30, 62-70 | | 15 |
| 214 | Preparation in supercritical CO ₂ of porous poly(methyl methacrylate)/poly(L-lactic acid) (PMMABLA) scaffolds incorporating ibuprofen. <i>Journal of Supercritical Fluids</i> , 2010 , 54, 335-341 | 4.2 | 40 |

| | | | |
|-----|--|-----|-----|
| 213 | Solid-state microcellular polycarbonate foams. I. The steady-state process space using subcritical carbon dioxide. <i>Polymer Engineering and Science</i> , 2010 , 50, 2160-2169 | 2.3 | 25 |
| 212 | Nanocellular foams—cell structure difference between immiscible and miscible PEEK/PEI polymer blends. <i>Polymer Engineering and Science</i> , 2010 , 50, 2408-2416 | 2.3 | 42 |
| 211 | Effect of the Convergent-Filamentary Die Geometry on Volume Expansion of PS Foams Blown with CO ₂ . <i>Frontiers in Forests and Global Change</i> , 2010 , 29, 143-162 | 1.6 | 3 |
| 210 | Study of Surface Temperature Distribution in Plastic Sheet Spraying. 2010 , 43, 703-706 | | |
| 209 | Recent Past about WPC Work. 2010 , 77-102 | | |
| 208 | Study of Cell Nucleation in Microcellular Poly(lactic acid) Foamed with Supercritical CO ₂ through a Continuous-Extrusion Process. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 2186-2193 | 3.9 | 86 |
| 207 | Effects of Nucleating Agents—Shapes and Interfacial Properties on Cell Nucleation. <i>Journal of Cellular Plastics</i> , 2010 , 46, 441-460 | 1.5 | 31 |
| 206 | Foaming. 2010 , 273-291 | | 4 |
| 205 | Complex Macromolecular Systems I. 2010 , | | 6 |
| 204 | Parametric Design of Foamed Sheet Die. 2011 , 201-203, 768-772 | | |
| 203 | Recent Advances in the Processing of Wood-Plastic Composites. 2011 , | | 28 |
| 202 | Fabrication of porous PCL/elastin composite scaffolds for tissue engineering applications. <i>Journal of Supercritical Fluids</i> , 2011 , 59, 157-167 | 4.2 | 67 |
| 201 | Evaluating the foamability of polypropylene with nitrogen as the blowing agent. <i>Polymer Testing</i> , 2011 , 30, 887-892 | 4.5 | 32 |
| 200 | Engineering porous scaffolds using gas-based techniques. 2011 , 22, 661-6 | | 138 |
| 199 | Study on cell nucleation behavior of HDPE/wood composites/supercritical CO ₂ solution based on rheological properties. 2011 , 46, 3777-3784 | | 12 |
| 198 | Visualization of initial expansion behavior of butane-blown low-density polyethylene foam at extrusion die exit. <i>Polymer Engineering and Science</i> , 2011 , 51, 492-499 | 2.3 | 10 |
| 197 | Novel foam injection molding technology using carbon dioxide-laden pellets. <i>Polymer Engineering and Science</i> , 2011 , 51, 2295-2303 | 2.3 | 17 |
| 196 | A damage model for the blistering of polyvinylidene fluoride subjected to carbon dioxide decompression. 2011 , 59, 1909-1926 | | 15 |

| | | | |
|-----|---|-----|----|
| 195 | A direct method for evaluating polymer foamability. <i>Polymer Testing</i> , 2011 , 30, 118-123 | 4.5 | 6 |
| 194 | A two-step depressurization batch process for the formation of bi-modal cell structure polystyrene foams using scCO ₂ . <i>Journal of Supercritical Fluids</i> , 2011 , 55, 1104-1114 | 4.2 | 70 |
| 193 | The Effect of Polymer Additives on Surface Quality of Microcellular Injection Molded Parts. <i>International Polymer Processing</i> , 2011 , 26, 429-436 | 1 | 0 |
| 192 | Characterization of PP/Mg(OH) ₂ and PP/Nanoclay Composites with Supercritical CO ₂ (scCO ₂). 2011 , 50, 1064-1070 | | 8 |
| 191 | Extrusion with Carbon Dioxide (CO ₂) and Characterization of ABS/Mg (OH) ₂ /Nanoclay Composites. 2012 , 61, 116-123 | | 2 |
| 190 | The effect of expansion conditions on the batch foaming dynamics of StMMA copolymer. <i>Journal of Cellular Plastics</i> , 2012 , 48, 125-140 | 1.5 | 12 |
| 189 | Combined Effects of Chemical and Microcellular Foaming on Foaming Characteristics of PLA (Poly Lactic Acid) in Injection Molding Process. 2012 , 51, 455-460 | | 13 |
| 188 | Preparation and thermal properties of UV-curable polyacrylate-gold nanocomposite foams. 2012 , 22, 21654 | | 3 |
| 187 | Porous Biomaterials. 2012 , 35-65 | | 2 |
| 186 | In situ preparation of cross-linked polystyrene/poly(methyl methacrylate) blend foams with a bimodal cellular structure. 2012 , 23, 1350-1356 | | 23 |
| 185 | Extrusion Foaming of a Pre-ceramic Silicone Resin with a Variety of Profiles and Morphologies. <i>Advanced Engineering Materials</i> , 2012 , 14, 1110-1115 | 3.5 | 12 |
| 184 | Reactive extrusion of polypropylene/polystyrene blends with supercritical carbon dioxide. 2012 , 20, 559-567 | | 11 |
| 183 | The effects of extensional stresses on the foamability of polystyrene/calc composites blown with carbon dioxide. 2012 , 75, 49-62 | | 96 |
| 182 | Solubility, mutual diffusivity, specific volume and interfacial tension of molten PCL/CO ₂ solutions by a fully experimental procedure: effect of pressure and temperature. <i>Journal of Supercritical Fluids</i> , 2012 , 67, 131-138 | 4.2 | 34 |
| 181 | Microcellular extrusion of PLA utilizing solid-state nucleation in the gas-saturated pellet extrusion process. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 1967-1973 | 2.9 | 3 |
| 180 | Preparation of radiation crosslinked foams from low-density polyethylene/ethylene-vinyl acetate (LDPE/EVA) copolymer blend with a supercritical carbon dioxide approach. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 912-918 | 2.9 | 20 |
| 179 | Physical extruder foaming of poly(lactic acid)-processing and foam properties. <i>Polymer Engineering and Science</i> , 2013 , 53, 941-949 | 2.3 | 23 |
| 178 | Preparation of polystyrene/graphene oxide composites and their supercritical carbon dioxide foaming. 2013 , 20, 1 | | 13 |

| | | | | |
|-----|--|-----|--|-----|
| 177 | Micro- and Nanoengineering Approaches to Developing Gradient Biomaterials Suitable for Interface Tissue Engineering. 2013 , 52-79 | | | 8 |
| 176 | Microcellular foaming of plasticized thin PC sheet I. Effects of processing conditions. 2013 , 28, 235-242 | | | 1 |
| 175 | A clean and sustainable route towards the design and fabrication of biodegradable foams by means of supercritical CO ₂ /ethyl lactate solid-state foaming. 2013 , 3, 17355 | | | 20 |
| 174 | Fundamental mechanisms of cell nucleation in polypropylene foaming with supercritical carbon dioxide Effects of extensional stresses and crystals. <i>Journal of Supercritical Fluids</i> , 2013 , 79, 142-151 | 4.2 | | 147 |
| 173 | Critical processing parameters for foamed bead manufacturing in a lab-scale autoclave system. 2013 , 214, 180-188 | | | 65 |
| 172 | Novel electric conductive polylactide/carbon nanotubes foams prepared by supercritical CO ₂ . 2013 , 23, 395-401 | | | 18 |
| 171 | Effect of blowing agent composition and processing parameters on the low temperature foaming of poly(l-lactide/caprolactone) co-polymer by means of supercritical CO ₂ /ethyl lactate binary mixtures. <i>Journal of Supercritical Fluids</i> , 2013 , 84, 195-204 | 4.2 | | 8 |
| 170 | Solubility and diffusivity of carbon dioxide in St-MMA copolymers. 2013 , 58, 279-287 | | | 26 |
| 169 | A New Promising Nucleating Agent for Polymer Foaming: Applications of Ordered Mesoporous Silica Particles in Polymethyl Methacrylate Supercritical Carbon Dioxide Microcellular Foaming. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 14169-14178 | 3.9 | | 23 |
| 168 | Foaming behavior of microcellular thermoplastic olefin blends. <i>Journal of Cellular Plastics</i> , 2013 , 49, 223-244 | | | 20 |
| 167 | Effect of Carbon Black on Microcellular Behavior of Ethylene-Octene Copolymer Vulcanizates. <i>Frontiers in Forests and Global Change</i> , 2014 , 33, 71-86 | 1.6 | | 4 |
| 166 | Rheological and foaming behavior of linear and branched polylactides. 2014 , 53, 779-790 | | | 68 |
| 165 | An extrusion die with rollers for foaming polymers. <i>Polymer Engineering and Science</i> , 2014 , 54, 96-109 | 2.3 | | 3 |
| 164 | CO ₂ -blown nanocellular foams. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a | 2.9 | | 119 |
| 163 | Bubble nucleation in nonpressurized polymer foaming systems. <i>Polymer Engineering and Science</i> , 2014 , 54, 1201-1210 | 2.3 | | 8 |
| 162 | Superhydrophobic and oleophilic open-cell foams from fibrillar blends of polypropylene and polytetrafluoroethylene. 2014 , 6, 21131-40 | | | 113 |
| 161 | Low-temperature clean preparation of poly(lactic acid) foams by combining ethyl lactate and supercritical CO ₂ : correlation between processing and foam pore structure. 2014 , 63, 1303-1310 | | | 10 |
| 160 | Polylactic acid (PLA) biomedical foams for tissue engineering. 2014 , 313-334 | | | 27 |

| | | | |
|-----|---|-----|-----|
| 159 | Effects of saturation temperature/pressure on melting behavior and cell structure of expanded polypropylene bead. <i>Journal of Cellular Plastics</i> , 2014 , 50, 321-335 | 1.5 | 14 |
| 158 | Poly (lactic acid) foaming. 2014 , 39, 1721-1741 | | 317 |
| 157 | Surface hierarchical porosity in poly (ε-caprolactone) membranes with potential applications in tissue engineering prepared by foaming in supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2014 , 95, 273-284 | 4.2 | 15 |
| 156 | Fabrication of microcellular polycarbonate foams with unimodal or bimodal cell-size distributions using supercritical carbon dioxide as a blowing agent. <i>Journal of Cellular Plastics</i> , 2014 , 50, 55-79 | 1.5 | 78 |
| 155 | Experimental and numerical studies on bubble dynamics in nonpressurized foaming systems. <i>Polymer Engineering and Science</i> , 2014 , 54, 1947-1959 | 2.3 | 10 |
| 154 | Solid-state foaming of biodegradable polyesters by means of supercritical CO ₂ /ethyl lactate mixtures: Towards designing advanced materials by means of sustainable processes. <i>European Polymer Journal</i> , 2014 , 51, 1-11 | 5.2 | 29 |
| 153 | The synergy of supercritical CO ₂ and supercritical N ₂ in foaming of polystyrene for cell nucleation. <i>Journal of Supercritical Fluids</i> , 2014 , 90, 35-43 | 4.2 | 56 |
| 152 | Flow and mixing efficiency characterisation in a CO ₂ -assisted single-screw extrusion process by residence time distribution using Raman spectroscopy. 2014 , 92, 1210-1218 | | 8 |
| 151 | Investigation of Carbon Nanotubes Mixing Methods and Functionalizations for Electrically Conductive Polymer Composites. 2014 , | | 0 |
| 150 | Development of an extrusion die with rollers for foaming polymers. <i>Polymer Engineering and Science</i> , 2015 , 55, 2256-2269 | 2.3 | 1 |
| 149 | Current Issues and Challenges in Polypropylene Foaming: A Review. <i>Frontiers in Forests and Global Change</i> , 2015 , 34, 299-338 | 1.6 | 55 |
| 148 | Physical properties of microcellular polymeric foams with supercritical CO ₂ . 2015 , 19, S5-250-S5-256 | | 2 |
| 147 | Response surface optimization for producing microcellular polymethyl methacrylate foam using supercritical CO ₂ . <i>Journal of Cellular Plastics</i> , 2015 , 51, 471-487 | 1.5 | 6 |
| 146 | Mechanical and morphological properties of injection molded linear and branched-poly(lactide) (PLA) nanocomposite foams. <i>European Polymer Journal</i> , 2015 , 73, 455-465 | 5.2 | 48 |
| 145 | Processing of Materials for Regenerative Medicine Using Supercritical Fluid Technology. 2015 , 26, 1159-71 | | 68 |
| 144 | Glass Transition Temperature in Microcellular Foaming Process with Supercritical Carbon Dioxide: A Review. 2015 , 54, 119-127 | | 6 |
| 143 | Development of polylactide bead foams with double crystal melting peaks. <i>Polymer</i> , 2015 , 69, 83-94 | 3.9 | 108 |
| 142 | Study of volume swelling and interfacial tension of the polystyrene-carbon dioxide-dimethyl ether system. 2015 , 456, 174-81 | | 11 |

| | | | |
|-----|---|-----|-----|
| 141 | Expanding Two-Dimensional Electrospun Nanofiber Membranes in the Third Dimension By a Modified Gas-Foaming Technique. 2015 , 1, 991-1001 | | 83 |
| 140 | A model to predict the cell density and cell size distribution in nano-cellular foams. 2015 , 138, 634-645 | | 27 |
| 139 | Rheology, thermal properties, and foaming behavior of high D-content polylactic acid/cellulose nanofiber composites. 2015 , 5, 91544-91557 | | 51 |
| 138 | Mechanical and dielectric properties of microcellular polycarbonate foams with unimodal or bimodal cell-size distributions. <i>Journal of Cellular Plastics</i> , 2015 , 51, 307-327 | 1.5 | 23 |
| 137 | Past and present developments in polymer bead foams and bead foaming technology. <i>Polymer</i> , 2015 , 56, 5-19 | 3.9 | 135 |
| 136 | Biopolymer foaming with supercritical CO ₂ —thermodynamics, foaming behaviour and mechanical characteristics. <i>Journal of Supercritical Fluids</i> , 2015 , 96, 349-358 | 4.2 | 54 |
| 135 | High Melt Strength Polypropylene with Wide Molecular Weight Distribution Used as Basic Resin for Expanded Polypropylene Beads. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 217-225 | 3.9 | 9 |
| 134 | Numerical Selection of the Parameters in Producing Microcellular Polymethyl Methacrylate with Supercritical CO ₂ . <i>Frontiers in Forests and Global Change</i> , 2016 , 35, 309-328 | 1.6 | 1 |
| 133 | Effects of nano-/micro-sized additives and the corresponding induced crystallinity on the extrusion foaming behavior of PLA using supercritical CO ₂ . 2016 , 101, 24-34 | | 53 |
| 132 | A novel online visualization system for observing polymer extrusion foaming. <i>Polymer Testing</i> , 2016 , 52, 225-233 | 4.5 | 13 |
| 131 | Identification of cell-nucleation mechanism in foam injection molding with gas-counter pressure via mold visualization. 2016 , 62, 4035-4046 | | 14 |
| 130 | Effect of foam processing parameters on bubble nucleation and growth dynamics in high-pressure foam injection molding. 2016 , 155, 27-37 | | 41 |
| 129 | Hydrophobic modification of polypropylene/starch blend foams through tailoring cell diameter for oil-spill cleanup. 2016 , 6, 82088-82095 | | 15 |
| 128 | Microcellular Plastics. 2016 , 1-57 | | 11 |
| 127 | Nanocellular Foams. 2016 , 205-249 | | |
| 126 | Fabrication of polystyrene/nano-CaCO ₃ foams with unimodal or bimodal cell structure from extrusion foaming using supercritical carbon dioxide. 2016 , 37, 1864-1873 | | 8 |
| 125 | Study of the bubble nucleation and growth mechanisms in high-pressure foam injection molding through in-situ visualization. <i>European Polymer Journal</i> , 2016 , 76, 2-13 | 5.2 | 50 |
| 124 | Preparation of open-cell polymer foams by CO ₂ assisted foaming of polymer blends. <i>Polymer</i> , 2016 , 90, 331-341 | 3.9 | 41 |

| | | | |
|-----|---|-----|----|
| 123 | Experimental research on swelling and glass transition behavior of poly(methyl methacrylate) in supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2016 , 110, 110-116 | 4.2 | 27 |
| 122 | Aerogels and Foamed Nanostructured Polymer Blends. 2016 , 75-99 | | 4 |
| 121 | Die opening-induced microstructure growth in extrusion foaming of thermoplastic sheets. 2016 , 36, 129-138 | | 2 |
| 120 | A novel lab-scale batch foaming equipment: The mini-batch. <i>Journal of Cellular Plastics</i> , 2016 , 52, 533-543 | 3.5 | 15 |
| 119 | The effect of copolymer composition on the batch foaming dynamics of styrene/methylmethacrylate copolymers. 2017 , 30, 47-66 | | 5 |
| 118 | Extrusion assisted by supercritical CO ₂ : A review on its application to biopolymers. <i>Journal of Supercritical Fluids</i> , 2017 , 120, 408-420 | 4.2 | 79 |
| 117 | The determination of n-pentane solubility and diffusivity in styrene/methyl methacrylate copolymers via designed apparatus. <i>Journal of Cellular Plastics</i> , 2017 , 53, 319-331 | 1.5 | 3 |
| 116 | Foaming of poly(vinylidene fluoride-co-hexafluoropropylene) using supercritical carbon dioxide. 2017 , 73, 146-153 | | 6 |
| 115 | Surface roughness and foam morphology of cellulose acetate sheets foamed with 1,3,3,3-tetrafluoropropene. <i>Polymer Engineering and Science</i> , 2017 , 57, 441-449 | 2.3 | 4 |
| 114 | Processing-structure-property relationship in rigid polyurethane foams. <i>Journal of Applied Polymer Science</i> , 2017 , 134, | 2.9 | 13 |
| 113 | Insight into bubble nucleation at high-pressure drop rate. <i>Journal of Cellular Plastics</i> , 2017 , 53, 551-560 | 1.5 | 12 |
| 112 | Processing Technology. 2017 , 251-287 | | |
| 111 | Effect of Boric Acid on the Foaming Properties and Cell Structure of Poly(vinyl alcohol) Foam Prepared by Supercritical-CO ₂ Thermoplastic Extrusion Foaming. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 6655-6663 | 3.9 | 30 |
| 110 | Measurement Methods for Solubility and Diffusivity of Gases and Supercritical Fluids in Polymers and Its Applications. 2017 , 57, 695-747 | | 19 |
| 109 | Mastering the structure of PLA foams made with extrusion assisted by supercritical CO ₂ . <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45067 | 2.9 | 20 |
| 108 | Fabrication of lightweight microcellular foams in injection-molded polypropylene using the synergy of long-chain branches and crystal nucleating agents. <i>Polymer</i> , 2017 , 128, 119-127 | 3.9 | 49 |
| 107 | Supercritical CO ₂ foaming of radiation crosslinked polypropylene/high-density polyethylene blend: Cell structure and tensile property. 2017 , 141, 276-283 | | 19 |
| 106 | High-Pressure Preform Foam Blow Molding. <i>International Polymer Processing</i> , 2017 , 32, 637-647 | 1 | 3 |

| | | | |
|-----|--|-----|----|
| 105 | Lightweight, super-elastic, and thermal-sound insulation bio-based PEBA foams fabricated by high-pressure foam injection molding with mold-opening. <i>European Polymer Journal</i> , 2018 , 103, 68-79 | 5.2 | 66 |
| 104 | Extrusion foaming of thermoplastic cellulose acetate sheets with HFO-1234ze and co-blowing agents. <i>Polymer Engineering and Science</i> , 2018 , 58, E182-E188 | 2.3 | 3 |
| 103 | Foaming Processes. 2018 , 131-188 | | 2 |
| 102 | Foaming Mechanism of Polypropylene in Gas-Assisted Microcellular Injection Molding. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 4710-4720 | 3.9 | 9 |
| 101 | Design of biobased poly(butylene succinate) foams by single-screw extrusion: Identification of relevant rheological parameters controlling foam morphologies. <i>Polymer Engineering and Science</i> , 2018 , 58, 503-512 | 2.3 | 2 |
| 100 | Nanocomposites foams of poly(ethylene-co-vinyl acetate) with short and long nanocellulose fibers and foaming with supercritical CO ₂ . 2018 , 75, 1789-1807 | | 4 |
| 99 | Optimization of the cellular morphology of biaxially stretched thin polyethylene foams produced by extrusion film blowing. <i>Frontiers in Forests and Global Change</i> , 2018 , 37, 153-168 | 1.6 | 15 |
| 98 | Influence of process parameters on mechanical properties of physically foamed, fiber reinforced polypropylene parts. <i>Journal of Applied Polymer Science</i> , 2018 , 136, 47275 | 2.9 | 7 |
| 97 | Effect of poly(butylene succinate) on the microcellular foaming of polylactide using supercritical carbon dioxide. 2018 , 25, 1 | | 11 |
| 96 | References. 2018 , 235-249 | | |
| 95 | Early bubble coalescence in thermoplastic foaming. 2018 , 228, 459-462 | | 13 |
| 94 | Three-dimensional nanoporous polyacrylonitrile-based carbon scaffold for effective separation of oil from oil/water emulsion. <i>Polymer</i> , 2018 , 153, 597-606 | 3.9 | 16 |
| 93 | Morphology and compressive behaviour of foams produced from thermoplastic protein. 2018 , 53, 15703-15716 | | 6 |
| 92 | Accurate theoretical modeling of cell growth by comparing with visualized data in high-pressure foam injection molding. <i>European Polymer Journal</i> , 2019 , 119, 189-199 | 5.2 | 12 |
| 91 | Cellulose Nanostructure-Based Biodegradable Nanocomposite Foams: A Brief Overview on the Recent Advancements and Perspectives. <i>Polymers</i> , 2019 , 11, | 4.5 | 18 |
| 90 | Fabrication of macroporous carbon monoliths with controllable structure via supercritical CO ₂ foaming of polyacrylonitrile. 2019 , 33, 330-340 | | 10 |
| 89 | Development of bio-based poly(butylene succinate) formulations for microcellular injection foaming. 2019 , 12, 1009-1022 | | 1 |
| 88 | Thermosetting polyurethane foams by physical blowing agents: Chasing the synthesis reaction with the pressure. <i>Journal of Supercritical Fluids</i> , 2019 , 154, 104630 | 4.2 | 7 |

| | | | |
|----|--|-----|----|
| 87 | Solubility and diffusivity of CO ₂ and N ₂ in TPU and their effects on cell nucleation in batch foaming. <i>Journal of Supercritical Fluids</i> , 2019 , 154, 104623 | 4.2 | 33 |
| 86 | Physical Foaming and Crosslinking of Polyethylene with Modified Talcum. <i>Polymers</i> , 2019 , 11, | 4.5 | 6 |
| 85 | Effect of hard segment content on the microcellular foaming behavior of TPU using supercritical CO ₂ . <i>Journal of Supercritical Fluids</i> , 2019 , 153, 104590 | 4.2 | 29 |
| 84 | Near Net Shape Manufacturing Processes. 2019 , | | 3 |
| 83 | Advances in Near Net Shape Polymer Manufacturing Through Microcellular Injection Moulding. 2019 , 177-189 | | 2 |
| 82 | Processability of AquaSolveLLG polymer by hot-melt extrusion: Effects of pressurized CO on physicomechanical properties and API stability. 2019 , 52, 165-176 | | 8 |
| 81 | Continuous foam extrusion of high impact polystyrene (HIPS): Effects of processing parameters and blowing agent type and content. 2019 , | | |
| 80 | Morphological evaluation of ultra low-density poly (methyl methacrylate) microcellular plastic developed through cyclic foaming technique. 2019 , 10, 310 | | 4 |
| 79 | Development and Optimization of UV-Induced Chemical Foaming Process. 2019 , 32, 693-698 | | 2 |
| 78 | Radiation Cross-Linking for Conventional and Supercritical CO ₂ Foaming of Polymer. 2019 , 115-139 | | 4 |
| 77 | Investigation of the mold-filling phenomenon in high-pressure foam injection molding and its effects on the cellular structure in expanded foams. <i>Polymer</i> , 2019 , 160, 43-52 | 3.9 | 22 |
| 76 | Enhanced dispersion, flame retardancy and mechanical properties of polypropylene/intumescent flame retardant composites via supercritical CO ₂ foaming followed by defoaming. 2019 , 171, 282-290 | | 27 |
| 75 | Methodology for describing characteristic foam parameters during chemical foaming of Low-density Polyethylene. 2019 , 6, 025309 | | 4 |
| 74 | The role of hollow silica nanospheres and rigid silica nanoparticles on acoustic wave absorption of flexible polyurethane foam nanocomposites. <i>Journal of Cellular Plastics</i> , 2020 , 56, 395-410 | 1.5 | 4 |
| 73 | Designing multigradient biomaterials for skin regeneration. 2020 , 5, 100051 | | 23 |
| 72 | Depressurization induced morphology control in solid-state microcellular batch foaming process. 2020 , 57, 409-420 | | 3 |
| 71 | Amorphous Polymers' Foaming and Blends with Organic Foaming-Aid Structured Additives in Supercritical CO ₂ , a Way to Fabricate Porous Polymers from Macro to Nano Porosities in Batch or Continuous Processes. 2020 , 25, | | 4 |
| 70 | A Comprehensive Review on Carbon-Based Polymer Nanocomposite Foams as Electromagnetic Interference Shields and Piezoresistive Sensors. 2020 , 2, 2318-2350 | | 38 |

| | | | |
|----|---|-----|----|
| 69 | Injection-moulding of nitrogen-foamed bio-based microcellular poly(butylene succinate): Processing conditions/foam structure/flexural properties relationship. 2020 , 11, 30-46 | | 2 |
| 68 | Experimental and Numerical Analyses of n-Pentane Solubility and Diffusivity in Polystyrene/Poly(methyl methacrylate) Blends. 2020 , 65, 4596-4604 | | 2 |
| 67 | Effect of extrudate swell on extrusion foam of polyethylene terephthalate. <i>Journal of Cellular Plastics</i> , 2020 , 0021955X2097359 | 1.5 | 6 |
| 66 | Facilitating supercritical CO ₂ assisted exfoliation of graphene nanoplatelets with the polymer matrix. 2020 , 394, 124930 | | 18 |
| 65 | Design of ethylene-propylene-diene monomer foam and its double-layer composite for improving sound absorption properties via experimental method and theoretical verification. <i>Polymer Engineering and Science</i> , 2020 , 60, 1877-1889 | 2.3 | 2 |
| 64 | Advances in microcellular injection moulding. <i>Journal of Cellular Plastics</i> , 2020 , 56, 646-674 | 1.5 | 11 |
| 63 | Investigation on Foamed PP/Nano-CaCO Composites in a Combined in-Mold Decoration and Microcellular Injection Molding Process. <i>Polymers</i> , 2020 , 12, | 4.5 | 6 |
| 62 | Thermo-expandable microcapsule as a blowing agent for producing thermoplastic elastomer vulcanized syntactic foam. 2020 , | | |
| 61 | Effect of polymer swell in extrusion foaming of low-density polyethylene. <i>Physics of Fluids</i> , 2021 , 33, 033104 | 4.4 | 10 |
| 60 | Cyclic olefin copolymer foam: A promising thermal insulation material. 2021 , 409, 128251 | | 7 |
| 59 | The effect of injection process for microcellular foaming on the cell morphology and surface quality of Polyamide 6. 2021 , 8, 045311 | | 3 |
| 58 | Solid-state foaming of acrylonitrile butadiene styrene through microcellular 3D printing process. <i>Journal of Cellular Plastics</i> , 0021955X2110094 | 1.5 | 0 |
| 57 | Chemistry, Processing, Properties, and Applications of Rubber Foams. <i>Polymers</i> , 2021 , 13, | 4.5 | 5 |
| 56 | Influence of fibrillated poly(tetrafluoroethylene) on microcellular foaming of polyamide 6 in the presence of supercritical CO ₂ . <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51258 | 2.9 | 1 |
| 55 | Recycling and rheology of poly(lactic acid) (PLA) to make foams using supercritical fluid. <i>Physics of Fluids</i> , 2021 , 33, 067119 | 4.4 | 3 |
| 54 | Foamability of Cellulose Palmitate Using Various Physical Blowing Agents in the Extrusion Process. <i>Polymers</i> , 2021 , 13, | 4.5 | 1 |
| 53 | A study on fabrication of nanocomposite polyethylene foam through extrusion foaming procedure. <i>Frontiers in Forests and Global Change</i> , 026248932110409 | 1.6 | 2 |
| 52 | Modeling flow and cell formation in foam sheet extrusion of polystyrene with CO ₂ and co-blowing agents. Part II: Process model. <i>Polymer Engineering and Science</i> , 2021 , 61, 2701 | 2.3 | 1 |

| | | | |
|----|---|-----|----|
| 51 | Modeling flow and cell formation in foam sheet extrusion of polystyrene with CO ₂ and co-blowing agents. Part I: Material model. <i>Polymer Engineering and Science</i> , | 2.3 | 0 |
| 50 | Effect of Pressure of Supercritical CO ₂ on Perfusion Explosive with Foamed SF-3 Propellant. <i>Propellants, Explosives, Pyrotechnics</i> , | 1.7 | 0 |
| 49 | Foamability of thermoplastics. 2022 , 79-175 | | |
| 48 | The science behind foaming. 2022 , 37-78 | | |
| 47 | Modification of Polymers in Supercritical Carbon Dioxide. 2003 , 197-207 | | 1 |
| 46 | Applications of Axiomatic Design. 1999 , 1-46 | | 8 |
| 45 | Supercritical fluid processing and extraction of food. 2019 , 57-86 | | 4 |
| 44 | Effect of the melt compressibility and the pressure drop rate on the cell-nucleation behavior in foam injection molding with mold opening. <i>European Polymer Journal</i> , 2017 , 92, 314-325 | 5.2 | 33 |
| 43 | Polyolefinic nanocomposite foams: Review of microstructure-property relationships, applications, and processing considerations. <i>Journal of Cellular Plastics</i> , 0021955X2097975 | 1.5 | 2 |
| 42 | Continuous Production of High-Density and Low-Density Microcellular Plastics in Extrusion. 2000 , | | 8 |
| 41 | Foam Nucleation in Gas-Dispersed Polymeric Systems. 2000 , | | 5 |
| 40 | Extrusion Equipment for Foam Processing. 2014 , 310-335 | | 2 |
| 39 | About the numerous cost and processing advantages of the microcellular foam injection molding process for thermoplastics materials in the automobile industry. <i>Analecta Technica Szegedinensia</i> , 2015 , 9, 6-14 | 0.3 | 3 |
| 38 | Preparation of Poly(L-lactic acid) Scaffolds by Thermally Induced Phase Separation: Role of Thermal History. <i>International Polymer Processing</i> , 2018 , 33, 300-313 | 1 | 1 |
| 37 | Fabrication of Thermoplastic Polyurethane Foams with Wrinkled Pores and Superior Energy Absorption Properties by CO ₂ Foaming and Fast Chilling. <i>Macromolecular Materials and Engineering</i> , 2100600 | 3.9 | 1 |
| 36 | Processing of Polymer Scaffolds. 2002 , 733-740 | | 1 |
| 35 | The Relationship between Morphology and Mechanical Properties in Thermoplastic Foams. 2004 , | | |
| 34 | Foam Extrusion Using Carbon Dioxide as a Blowing Agent. 2008 , 69-99 | | |

| | | | |
|----|---|------|---|
| 33 | New Material Developments from the Nitrogen Autoclave Process. 2008 , 219-253 | | |
| 32 | Cell 3D: Kunststoffschäume für dreidimensionale Zellkultivierung. 2009 , 765-795 | | |
| 31 | Basics of Microcellular Injection Molding. 12-61 | | |
| 30 | Process for Microcellular Injection Molding. 227-313 | | |
| 29 | Innovative PLA Bead Foam Technology. 2016 , 159-199 | | |
| 28 | Microcellular Thermosetting Polyurethane Foams. <i>International Polymer Processing</i> , 2020 , 35, 326-330 | 1 | 1 |
| 27 | Continuous processing. <i>Supercritical Fluid Science and Technology</i> , 2021 , 375-387 | | |
| 26 | Gas foaming with physical blowing agents. <i>Supercritical Fluid Science and Technology</i> , 2021 , 9, 33-54 | | 0 |
| 25 | Fabrication of wrinkled thermoplastic polyurethane foams by dynamic supercritical carbon dioxide foaming. <i>Journal of Supercritical Fluids</i> , 2022 , 180, 105429 | 4.2 | 2 |
| 24 | Cell 3D: Kunststoffschäume für dreidimensionale Zellkultivierung. 2008 , 675-705 | | |
| 23 | Scalable Fabrication of Microcellular Open-Cell Polymer Foam. <i>Advanced Engineering Materials</i> , | 3.5 | 1 |
| 22 | Enhanced Foaming Behavior of Ultrahigh Molecular Weight Polyethylene by Blending Silicone Powder in Microcellular Foaming. <i>Advanced Engineering Materials</i> , 2101137 | 3.5 | 0 |
| 21 | Study of the Mechanical, Sound Absorption and Thermal Properties of Cellular Rubber Composites Filled with a Silica Nanofiller. <i>Materials</i> , 2021 , 14, | 3.5 | 0 |
| 20 | Determination of CO solubility in semi-crystalline polylactic acid with consideration of rigid amorphous fraction.. <i>International Journal of Biological Macromolecules</i> , 2022 , 204, 274-283 | 7.9 | 1 |
| 19 | Fabrication of Expanded EthylenePropyleneButene-1 Copolymer Bead. <i>Industrial & Engineering Chemistry Research</i> , | 3.9 | 1 |
| 18 | Foam 3D Printing of Thermoplastics: A Symbiosis of Additive Manufacturing and Foaming Technology.. <i>Advanced Science</i> , 2022 , e2105701 | 13.6 | 4 |
| 17 | Fabrication of super-hydrophilic and highly open-porous poly (lactic acid) scaffolds using supercritical carbon dioxide foaming.. <i>International Journal of Biological Macromolecules</i> , 2022 , 205, 740-748 | 7.9 | 0 |
| 16 | Calculating diffusion coefficients from molecular dynamics simulations for foam extrusion modelling of polypropylene with CO ₂ , N ₂ and ethanol. <i>Journal of Cellular Plastics</i> , 0021955X2210875 | 1.5 | 0 |

| | | | |
|----|---|-----|---|
| 15 | Foam expansion and wall evolution model for supercritical CO ₂ foaming to fabricate poly(ϵ -caprolactone) scaffold. <i>Chemical Engineering and Technology</i> , | 2 | |
| 14 | Matricial foaming. <i>Polymer Testing</i> , 2022 , 111, 107590 | 4.5 | |
| 13 | FOAMING. 2022 , 341-365 | | |
| 12 | Analysis of nanocellular foaming with nucleating agents based on coarse-grained molecular dynamics simulations. <i>Polymer</i> , 2022 , 254, 125059 | 3.9 | ○ |
| 11 | Extrusion foaming of linear and branched polypropylenes—Input of the thermomechanical analysis of pressure drop in the die. <i>International Polymer Processing</i> , 2022 , | 1 | |
| 10 | In-line measurement and modeling of temperature, pressure, and blowing agent dependent viscosity of polymer melts. 2022 , 32, 69-82 | | |
| 9 | A comparison study on polymeric nanocomposite foams with various carbon nanoparticles: adjusting radiation time and effect on electrical behavior and microcellular structure. 1-25 | | 1 |
| 8 | Visual observation and Numerical Studies of bubble formation of polypropylene chemical foaming system in the different injection foaming environment. 2022 , 29, | | |
| 7 | Influence of pressure-induced temperature drop on the foaming behavior of amorphous polylactide (PLA) during autoclave foaming with supercritical CO ₂ . 2022 , 190, 105734 | | ○ |
| 6 | Developing Insulating Polymeric Foams: Strategies and Research Needs from a Circular Economy Perspective. 2022 , 15, 6212 | | ○ |
| 5 | Hot-Melt Extrusion Coupled with Pressurized Carbon Dioxide for Enhanced Processability of Pharmaceutical Polymers and Drug Delivery Applications [An Integrated Review]. 2022 , 122291 | | 1 |
| 4 | ?????????????????. 2000 , 12, 704-709 | | 1 |
| 3 | Numerical study of bubble nucleation and growth of N ₂ in low density polyethylene. 089270572311538 | | ○ |
| 2 | Impact of Topological Parameters on Melt Rheological Properties and Foamability of PS POM-POMs. 2023 , 56, 1921-1933 | | ○ |
| 1 | Significantly Improved Foamability and Mechanical Properties of Polypropylene through a CoreShell Structure via Low Gas Pressure Foam Injection Molding. | | ○ |