CITATION REPORT List of articles citing

Sensitivity to two major allergens (Cry j I and Cry j II) in patients with Japanese cedar (Cryptomeria japonica) pollin

DOI: 10.1111/j.1365-2222.1995.tb00027.x Clinical and Experimental Allergy, 1995, 25, 848-52.

Source: https://exaly.com/paper-pdf/25948323/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
79	Food allergy to gelatin in children with systemic immediate-type reactions, including anaphylaxis, to vaccines. <i>Journal of Allergy and Clinical Immunology</i> , 1996 , 98, 1058-61	11.5	149
78	Effect of pollen exposure on serum IgE and IgG antibody responses in Japanese cedar pollinosis patients. <i>Allergology International</i> , 1996 , 45, 159-162	4.4	4
77	Th1/Th2 response profiles to the major allergens Cry j 1 and Cry j 2 of Japanese cedar pollen. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1996 , 51, 732-40	9.3	22
76	Responses of monkeys with pollinosis to two major allergens of Japanese cedar pollen. <i>International Archives of Allergy and Immunology</i> , 1997 , 112, 88-92	3.7	12
75	Specificity of an Enzyme-1 Inked Immunosorbent Assay for Dog Ige Antibody to Japanese Cedar (Cryptomeria Japonica) Pollen. <i>Allergology International</i> , 1997 , 46, 207-212	4.4	10
74	Epitope specificity of IgE antibodies to a major allergen (Cry j 1) of Japanese cedar pollen in sera of humans and monkeys with pollinosis. <i>Immunology</i> , 1997 , 91, 161-6	7.8	31
73	Oral administration of a dominant T-cell determinant peptide inhibits allergen-specific TH1 and TH2 cell responses in Cry j 2-primed mice. <i>Journal of Allergy and Clinical Immunology</i> , 1998 , 102, 961-7	11.5	63
72	Peptide specificity, HLA class II restriction, and T-cell subsets of the T-cell clones specific to either Cry j 1 or Cry j 2, the major allergens of Japanese cedar (Cryptomeria japonica) pollen. <i>International Archives of Allergy and Immunology</i> , 1999 , 119, 185-96	3.7	15
71	IgE reactivity and cross-reactivity of Japanese monkeys (Macaca fuscata) to Japanese cedar (Cryptomeria japonica) and cypress (Chamaecyparis obtusa) pollen allergens. <i>Clinical and Experimental Allergy</i> , 1999 , 29, 856-61	4.1	4
70	Sensitization to grass, ragweed, mugwort pollen allergens in Japanese monkeys (Macaca fuscata): preliminary report. <i>Clinical and Experimental Allergy</i> , 1999 , 29, 1692-5	4.1	1
69	The incidence of Japanese cedar pollinosis and sensitization to the pollen allergens among Japanese monkeys in a troop. <i>Immunology</i> , 1999 , 97, 522-5	7.8	2
68	The incidence of japanese cedar pollinosis and sensitization to the pollen allergens among Japanese monkeys in a troop. <i>Immunology</i> , 1999 , 97, 348-51	7.8	4
67	Purification, identification, and cDNA cloning of Cha o 2, the second major allergen of Japanese cypress pollen. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 263, 166-71	3.4	37
66	In vivo and in vitro tests showing sensitization to Japanese cedar (Cryptomeria japonica) pollen allergen in atopic dogs. <i>Journal of Veterinary Medical Science</i> , 2000 , 62, 995-1000	1.1	35
65	Inhibition of immunoglobulin E response to Japanese cedar pollen allergen (Cry j 1) in mice by DNA immunization: different outcomes dependent on the plasmid DNA inoculation method. <i>Immunology</i> , 2000 , 99, 179-86	7.8	35
64	Identification of a sequential B-cell epitope on major allergen (Cry j 1) of Japanese cedar (Cryptomeria japonica) pollen in mice. <i>International Archives of Allergy and Immunology</i> , 2000 , 123, 228-	.3 3 .7	13
63	IgE-reactivity to major Japanese cedar (Cryptomeria japonica) pollen allergens (Cry j 1 and Cry j 2) by ELISA in dogs with atopic dermatitis. <i>Veterinary Immunology and Immunopathology</i> , 2000 , 74, 263-70	2	22

(2005-2000)

62	Positive reactions to common allergens in 42 atopic dogs in Japan. <i>Veterinary Immunology and Immunopathology</i> , 2000 , 73, 193-204	2	56
61	In vitro diagnosis of cypress pollen allergy by using cytofluorimetric analysis of basophils (Basotest). <i>Journal of Allergy and Clinical Immunology</i> , 2000 , 105, 339-45	11.5	78
60	Preclinical evaluation of an immunotherapeutic peptide comprising 7 T-cell determinants of Cry j 1 and Cry j 2, the major Japanese cedar pollen allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 108, 94-100	11.5	77
59	Roles of carbohydrates on Cry j 1, the major allergen of Japanese cedar pollen, in specific T-cell responses. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 108, 101-8	11.5	29
58	Analysis of the canine IgE-binding epitope on the major allergen (Cry j 1) of Japanese cedar pollen with anti-Cry j 1 monoclonal antibodies. <i>Veterinary Immunology and Immunopathology</i> , 2001 , 78, 35-43	2	3
57	IgE reactivity and cross-reactivity to Japanese cedar (Cryptomeria japonica) and cypress (Chamaecyparis obtusa) pollen allergens in dogs with atopic dermatitis. <i>Veterinary Immunology and Immunopathology</i> , 2001 , 83, 69-77	2	6
56	Development of the fluorometric ELISA method for determination of alpha1-microglobulinuria in a cadmium-polluted area in Japan. <i>International Archives of Occupational and Environmental Health</i> , 2001 , 74, 514-8	3.2	2
55	Seasonal changes of humoral and cellular immune responses to Japanese cedar (Cryptomeria japonica) pollen allergens in Japanese monkeys (Macaca fuscata) with pollinosis. <i>Journal of Medical Primatology</i> , 2001 , 30, 112-20	0.7	1
54	Seasonal atopic dermatitis in dogs sensitive to a major allergen of Japanese cedar (Cryptomeria japonica) pollen. <i>Veterinary Dermatology</i> , 2002 , 13, 53-59	1.8	15
53	Immunotherapy with keyhole lampet hemocyanin-conjugated decapeptide vaccine in cypress pollen allergy. <i>Clinical and Experimental Allergy</i> , 2002 , 32, 1071-6	4.1	12
52	Molecular cloning and characterization of a new Japanese cedar pollen allergen homologous to plant isoflavone reductase family. <i>Clinical and Experimental Allergy</i> , 2002 , 32, 1064-70	4.1	23
51	A highly sensitive quantitative immunochromatography assay for antigen-specific IgE. <i>Journal of Immunological Methods</i> , 2003 , 272, 211-8	2.5	25
50	Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen allergen (Cry j 2) in humans, monkeys and mice. <i>Clinical and Experimental Allergy</i> , 2003 , 33, 211-7	4.1	8
49	Cry j 1 isoforms derived from Cryptomeria japonica trees have different binding properties to monoclonal antibodies. <i>Clinical and Experimental Allergy</i> , 2004 , 34, 1754-61	4.1	5
48	Roles of major oligosaccharides on Cry j 1 in human immunoglobulin E and T cell responses. <i>Clinical and Experimental Allergy</i> , 2004 , 34, 770-8	4.1	23
47	Identification of peptides containing T-cell epitopes of Japanese cedar (Cryptomeria japonica) pollen allergen (Cry j 1) in dogs. <i>Veterinary Immunology and Immunopathology</i> , 2004 , 102, 45-52	2	6
46	Oral immunotherapy against a pollen allergy using a seed-based peptide vaccine. <i>Plant Biotechnology Journal</i> , 2005 , 3, 521-33	11.6	94
45	Oral administration of a T cell epitope inhibits symptoms and reactions of allergic rhinitis in Japanese cedar pollen allergen-sensitized mice. <i>European Journal of Pharmacology</i> , 2005 , 510, 143-8	5.3	23

44	A rice-based edible vaccine expressing multiple T cell epitopes induces oral tolerance for inhibition of Th2-mediated IgE responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 17525-30	11.5	174
43	Detection of new antigenic proteins in Japanese cedar pollen. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 1162-6	2.3	3
42	Characterization of genes for a pollen allergen, Cry j 2, of Cryptomeria japonica. <i>International Archives of Allergy and Immunology</i> , 2007 , 143, 59-68	3.7	3
41	Effect of Cry-consensus peptide, a novel recombinant peptide for immunotherapy of Japanese cedar pollinosis, on an experimental allergic rhinitis model in B10.S mice. <i>Allergology International</i> , 2007 , 56, 465-72	4.4	9
40	Immunotherapy with CpG DNA conjugated with T-cell epitope peptide of an allergenic Cry j 2 protein is useful for control of allergic conditions in mice. <i>International Immunopharmacology</i> , 2007 , 7, 46-54	5.8	21
39	A rice-based edible vaccine expressing multiple T-cell epitopes to induce oral tolerance and inhibit allergy. <i>Immunology and Allergy Clinics of North America</i> , 2007 , 27, 129-39	3.3	38
38	Development of transgenic rice seed accumulating a major Japanese cedar pollen allergen (Cry j 1) structurally disrupted for oral immunotherapy. <i>Plant Biotechnology Journal</i> , 2007 , 5, 815-26	11.6	47
37	Effect of fermented milk prepared with two probiotic strains on Japanese cedar pollinosis in a double-blind placebo-controlled clinical study. <i>International Journal of Food Microbiology</i> , 2009 , 128, 429-34	5.8	67
36	Development of a novel real-time pollen-sorting counter using species-specific pollen autofluorescence. <i>Aerobiologia</i> , 2010 , 26, 99-111	2.4	34
35	Cross-sectional survey on immunoglobulin E reactivity in 23,077 subjects using an allergenic molecule-based microarray detection system. <i>Clinical and Experimental Allergy</i> , 2010 , 40, 911-21	4.1	142
34	Anti-allergic potential of oligomannose-coated liposome-entrapped Cry j 1 as immunotherapy for Japanese cedar pollinosis in mice. <i>International Immunopharmacology</i> , 2010 , 10, 1041-6	5.8	25
33	Induction of Th1 immune responses to Japanese cedar pollen allergen (Cry j 1) in mice immunized with Cry j 1 conjugated with CpG oligodeoxynucleotide. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2011 , 34, 157-61	2.6	11
32	IgE reactivity to a Cry j 3, an allergen of Japanese cedar (Cryptomeria japonica) pollen in dogs with canine atopic dermatitis. <i>Veterinary Immunology and Immunopathology</i> , 2012 , 149, 132-5	2	12
31	Oral immunotherapy for pollen allergy using T-cell epitope-containing egg white derived from genetically manipulated chickens. <i>PLoS ONE</i> , 2012 , 7, e48512	3.7	13
30	Analysis of conformational and sequential IgE epitopes on the major allergen Cry j 2 of Japanese cedar (Cryptomeria japonica) pollen in humans by using monoclonal antibodies for Cry j 2. <i>Journal of Clinical Immunology</i> , 2013 , 33, 977-83	5.7	9
29	Recombinant allergens for pollen immunotherapy. <i>Immunotherapy</i> , 2013 , 5, 1323-38	3.8	11
28	Oral immunotherapy with transgenic rice seed containing destructed Japanese cedar pollen allergens, Cry j 1 and Cry j 2, against Japanese cedar pollinosis. <i>Plant Biotechnology Journal</i> , 2013 , 11, 66-76	11.6	52
27	Therapeutic effects of 1 , 4 mannobiose in a Balb/c mouse model of intranasally-induced pollen allergy. <i>Allergology International</i> , 2013 , 62, 65-76	4.4	9

(2020-2013)

26	Cystatin SN upregulation in patients with seasonal allergic rhinitis. PLoS ONE, 2013, 8, e67057	3.7	35
25	New approach to screen for fungal allergens using whole genomic sequence data in Kuro-koji molds. <i>Mycotoxins</i> , 2015 , 65, 115-120	0.2	
24	Transcutaneous Peptide Immunotherapy of Japanese Cedar Pollinosis Using Solid-in-Oil Nanodispersion Technology. <i>AAPS PharmSciTech</i> , 2015 , 16, 1418-24	3.9	13
23	Prevention of allergic conjunctivitis in mice by a rice-based edible vaccine containing modified Japanese cedar pollen allergens. <i>British Journal of Ophthalmology</i> , 2015 , 99, 705-9	5.5	16
22	Inhibition of an Allergen-Antibody Reaction Related to Japanese Cedar Pollinosis Using DNA Aptamers Against the Cry j 2 Allergen. <i>Nucleic Acid Therapeutics</i> , 2015 , 25, 311-6	4.8	
21	Expression of recombinant T-cell epitopes of major Japanese cedar pollen allergens fused with cholera toxin B subunit in Escherichia coli. <i>Protein Expression and Purification</i> , 2015 , 109, 62-9	2	5
20	DNA aptamers against the Cry j 2 allergen of Japanese cedar pollen for biosensing applications. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 159-165	11.8	10
19	CryJ-LAMP DNA Vaccines for Japanese Red Cedar Allergy Induce Robust Th1-Type Immune Responses in Murine Model. <i>Journal of Immunology Research</i> , 2016 , 2016, 4857869	4.5	24
18	Immunodominance in allergic T-cell reactivity to Japanese cedar in different geographic cohorts. <i>Annals of Allergy, Asthma and Immunology</i> , 2016 , 117, 680-689.e1	3.2	5
17	Cross-reactivity between major IgE core epitopes on Cry j 2 allergen of Japanese cedar pollen and relevant sequences on Cha o 2 allergen of Japanese cypress pollen. <i>Allergology International</i> , 2016 , 65, 286-92	4.4	10
16	Safety and long-term immunological effects of CryJ2-LAMP plasmid vaccine in Japanese red cedar atopic subjects: A phase I study. <i>Human Vaccines and Immunotherapeutics</i> , 2017 , 13, 2804-2813	4.4	30
15	Next generation immunotherapy for tree pollen allergies. <i>Human Vaccines and Immunotherapeutics</i> , 2017 , 13, 2402-2415	4.4	5
14	Size distribution of allergenic Cry j 2 released from airborne Cryptomeria japonica pollen grains during the pollen scattering seasons. <i>Aerobiologia</i> , 2017 , 33, 59-69	2.4	6
13	Seroprevalence of Immunoglobulin E Antibodies against Japanese Cedar Pollen Allergens Cry j 1 and Cry j 2 in Dogs Bred in Japan. <i>Veterinary Sciences</i> , 2018 , 5,	2.4	1
12	Actualitā sur les allergāes du pollen de cyprā. <i>Revue Francaise Drallergologie</i> , 2018 , 58, 452-459	0.2	2
11	T-cell activation by transgenic rice seeds expressing the genetically modified Japanese cedar pollen allergens. <i>Immunology</i> , 2019 , 158, 94-103	7.8	1
10	Cypress Pollinosis: from Tree to Clinic. Clinical Reviews in Allergy and Immunology, 2019 , 56, 174-195	12.3	35
9	Solid-in-Oil Nanodispersions for Transcutaneous Immunotherapy of Japanese Cedar Pollinosis. <i>Pharmaceutics</i> , 2020 , 12,	6.4	1

8	Th1/Th2 response profiles to the major allergens Cry j 1 and Cry j 2 of Japanese cedar pollen. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1996 , 51, 732-740	9.3	17
7	Immunology. 2008 , 1-219		
6	Rice Seed-Based Allergy Vaccines: Induction of Allergen-Specific Oral Tolerance Against Cedar Pollen and House Dust Mite Allergies. 2014 , 503-516		
5	Noninfectious Noncancer (NINC) Vaccines. 2016 , 335-364		
4	Description and Clinical Exposure of Allergic Plants. 2018 , 53-150		
3	Allergen Stability and Immunological Reactivity during Co-dissolution and Incubation of House Dust Mite and Japanese Cedar Pollen SLIT-Tablets. <i>Biological and Pharmaceutical Bulletin</i> , 2020 , 43, 1448-145	5 ∂ ·3	1
2	Japanese Cedar Pollen Allergens in Japan. 2022 , 23,		О
1	T Cell Epitopes in Japanese Cedar (Cryptomeria japonica) Pollen Allergens: Choice of Major T Cell Epitopes in Cry j 1 and Cry j 2 Toward Design of the Peptide-Based Immunotherapeutics for the Management of Japanese Cedar Pollinosis. 1998 , 161, 448-457		20