

CITATION REPORT

List of articles citing

Materials processing by simple shear

DOI: 10.1016/0921-5093(95)09705-8

Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1995, 197, 157-164.

Source: <https://exaly.com/paper-pdf/25994375/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1816	Principle of equal-channel angular pressing for the processing of ultra-fine grained materials. 1996 , 35, 143-146		1522
1815	Significance of Microstructural Control for Superplastic Deformation and Forming. 1996 , 37, 336-339		76
1814	Microstructural characteristics of an ultrafine grain metal processed with equal-channel angular pressing. 1996 , 37, 277-283		35
1813	Evolution of grain boundary structure in submicrometer-grained Al-Mg alloy. 1996 , 37, 285-294		28
1812	The equal channel angular extrusion process for materials processing. 1996 , 37, 295-300		45
1811	Enhanced grain growth in an Al-Mg alloy with ultrafine grain size. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996 , 216, 41-46	5.3	80
1810	Microstructure and mechanical properties of 5056 Al alloy processed by equal channel angular extrusion. 1997 , 8, 1105-1111		14
1809	Low temperature superplasticity in an AZ91 magnesium alloy processed by ECAE. 1997 , 36, 681-686		214
1808	Elevated temperature mechanical properties of A 5056 Al-Mg alloy processed by equal-channel-angular-extrusion. 1997 , 36, 699-705		53
1807	An experimental study of equal channel angular extrusion. 1997 , 37, 437-442		143
1806	Finite element modelling of equal channel angular extrusion. 1997 , 37, 983-989		174
1805	Mechanical properties of pure aluminium processed by equal channel angular extrusion. 1997 , 17, 215-217		7
1804	Microstructure and properties of copper and aluminum alloy 3003 heavily worked by equal channel angular extrusion. 1997 , 28, 1047-1057		241
1803	An investigation of microstructural evolution during equal-channel angular pressing. 1997 , 45, 4733-4741		720
1802	In situ composites processed by simple shear. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 224, 107-115	5.3	76
1801	High strain rate superplasticity in an Al-Mg alloy containing scandium. 1998 , 38, 1851-1856		106
1800	Microstructure development during equal channel angular drawing of Al at room temperature. 1998 , 39, 677-684		59

1799	Texture formation in bulk iron processed by simple shear. 1998 , 39, 1699-1704		60
1798	Equal-channel angular pressing: A novel tool for microstructural control. 1998 , 4, 1181-1190		78
1797	Optimizing the rotation conditions for grain refinement in equal-channel angular pressing. 1998 , 29, 2011-2013		206
1796	Microstructural characteristics of ultrafine-grained aluminum produced using equal-channel angular pressing. 1998 , 29, 2245-2252		241
1795	The processing, properties, and applications of high-strain-rate superplastic materials. 1998 , 50, 34-39		15
1794	The influence of texture on the elastic properties of ultrafine-grain copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 242, 174-180	5-3	57
1793	Cyclic softening of ultrafine grain copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 244, 145-153	5-3	222
1792	The shearing characteristics associated with equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 257, 328-332	5-3	827
1791	Influence of channel angle on the development of ultrafine grains in equal-channel angular pressing. 1998 , 46, 1589-1599		365
1790	The process of grain refinement in equal-channel angular pressing. 1998 , 46, 3317-3331		1057
1789	Microstructural aspects of rolling deformation in ultrafine-grained copper. 1998 , 78, 373-388		39
1788	Factors influencing the flow and hardness of materials with ultrafine grain sizes. 1998 , 78, 203-216		70
1787	Low temperature superplasticity of AZ91 magnesium alloy with non-equilibrium grain boundaries. 1999 , 47, 2047-2057		280
1786	The development of microstructure and the influence of processing route during equal channel angular drawing of pure aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 266, 241-249	5-3	84
1785	Thermal stability of ultrafine-grained aluminum in the presence of Mg and Zr additions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 265, 188-196	5-3	159
1784	Equal channel angular extrusion: from macromechanics to structure formation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 271, 322-333	5-3	626
1783	Influence of pressing speed on microstructural development in equal-channel angular pressing. 1999 , 30, 1989-1997		134
1782	Overview of fatigue performance of Cu processed by severe plastic deformation. 1999 , 28, 1038-1044		146

1781	Grain refinement of a commercial 0.15%C steel by equal-channel angular pressing. 1999 , 41, 259-262	71
1780	On the corrosion behaviour of ultra-fine grain copper. 1999 , 41, 319-326	118
1779	Direct observation of shear deformation during equal channel angular pressing of pure aluminum. 1999 , 41, 353-357	90
1778	A two step SPD processing of ultrafine-grained titanium. 1999 , 11, 947-954	189
1777	Fatigue properties of 5056 Al-Mg alloy produced by equal-channel angular pressing. 1999 , 11, 925-934	119
1776	Developing stable fine-grain microstructures by large strain deformation. 1999 , 357, 1663-1681	321
1775	High-Resolution EBSD Analysis of Severely Deformed Submicron Grained Aluminum Alloys. 1999 , 601, 323	3
1774	An Examination of the Deformation Process in Equal-Channel Angular Pressing. 1999 , 601, 347	
1773	Processing by Equal-Channel Angular Pressing: Potential for Achieving Superplasticity. 1999 , 601, 365	
1772	Equal channel angular extrusion of polyalkenes. 1999 , 28, 467-475	30
1771	Texture and large-strain deformation microstructure. 1999 , 357, 1603-1619	14
1770	Strengthening of Sheath-Rolled Aluminum Based MMC by the ARB Process. 1999 , 40, 1422-1428	27
1769	Development of the ECAP with a rotary die and its application to AC4C aluminum alloy.. 2000 , 50, 655-659	14
1768	Achieving superplasticity at high strain rates using equal channel angular pressing. 2000 , 16, 1330-1333	10
1767	Achieving Superplasticity and Superplastic Forming through Severe Plastic Deformation. 2000 , 634, 851	1
1766	Processing to ultrafine grain structures by conventional routes. 2000 , 16, 1251-1255	25
1765	Strain History Curves and Simulative Materials Testing. 2000 , 49, 199-204	3
1764	Influence of pressing temperature on microstructural development in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 287, 100-106	5.3 180

1763	Microstructural evolution, microhardness and thermal stability of HPT-processed Cu. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 290, 128-138	5-3	282
1762	Observations and issues on mechanisms of grain refinement during ECAP process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 291, 46-53	5-3	321
1761	Dynamic recrystallization induced by plastic deformation at high strain rate in a Monel alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 276, 250-256	5-3	56
1760	Microstructure and texture evolution in ECAE processed A5056. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 280, 62-68	5-3	76
1759	Development of a multi-pass facility for equal-channel angular pressing to high total strains. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 281, 82-87	5-3	214
1758	Characteristics of submicron grained structure formed in aluminum by equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 283, 82-85	5-3	60
1757	Finite element simulation of a new deformation type occurring in changing-channel extrusion. 2000 , 102, 30-32		22
1756	Microstructural changes in equal channel angular pressed low carbon steel by static annealing. 2000 , 48, 3245-3252		137
1755	Deformation induced grain boundaries in commercially pure aluminium. 2000 , 48, 3377-3385		124
1754	Microstructural evolution in a commercial low carbon steel by equal channel angular pressing. 2000 , 48, 2247-2255		162
1753	The effect of strain path on the development of deformation structures in severely deformed aluminium alloys processed by ECAE. 2000 , 48, 1115-1130		354
1752	Bulk nanostructured materials from severe plastic deformation. 2000 , 45, 103-189		5139
1751	Microstructure and mechanical behavior of nanocrystalline metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 285, 391-396	5-3	85
1750	Analysis of the billet deformation behaviour in equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 287, 87-99	5-3	205
1749	Microstructural refinement of Ti-44Al-11Nb by severe plastic deformation. 2000 , 42, 731-736		13
1748	Microstructures and mechanical properties of equal-channel angular pressed low carbon steel. 2000 , 42, 695-699		63
1747	Using equal-channel angular pressing for refining grain size. 2000 , 52, 30-33		179
1746	Equal-channel angular pressing of commercial aluminum alloys: Grain refinement, thermal stability and tensile properties. 2000 , 31, 691-701		359

1745	Discontinuous velocity fields in a hardening rigid-plastic material. 2000 , 41, 182-187	1
1744	Microstructural evolution during formation of ultrafine grain structures by severe deformation. 2000 , 16, 1246-1250	52
1743	Observation of the Fulde-Ferrell-Larkin-Ovchinnikov state in the quasi-two-dimensional organic superconductor $\text{[(BEDT-TTF)}_2\text{Cu(NCS)}_2\text{(BEDT-TTF=bis(ethylene-dithio)tetrathiafulvalene)]}$. 2000 , 12, L641-L648	133
1742	Thermomechanical Conditions for Submicrocrystalline Structure Formation by Severe Plastic Deformation. 2000 , 73-78	2
1741	Influence of scandium on superplastic ductilities in an Al-Mg-Sc alloy. 2000 , 15, 2571-2576	40
1740	Morphological Evolution of Poly(ethylene terephthalate) during Equal Channel Angular Extrusion Process. 2000 , 33, 8746-8755	54
1739	Fine-grained alloys by thermomechanical processing. 2001 , 5, 15-21	90
1738	Properties of Ultra Low Carbon Steel Produced by Repetitive Shear Deformation of Side Extrusion. 2001 , 87, 762-766	16
1737	Microstructures and Mechanical Properties of Equal Channel Angular Pressed 5083 Al Alloy. 2001 , 42, 1074-1080	53
1736	Multiscale Phenomena in Fatigue of Ultra-Fine Grain Materials — an Overview. 2001 , 42, 74-84	159
1735	Tensile and low-cycle fatigue properties of heat treated ultra-fine grain 5056 aluminum alloy.. 2001 , 51, 646-650	2
1734	Processing commercial aluminum alloys for high strain rate superplasticity. 2001 , 53, 23-26	14
1733	Progress in equal-channel angular processing. 2001 , 53, 36-40	9
1732	Shear, principal, and equivalent strains in equal-channel angular deformation. 2001 , 32, 2639-2647	35
1731	An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. 2001 , 32, 707-716	22
1730	Effect of die shape on the deformation behavior in equal-channel angular pressing. 2001 , 32, 3007-3014	72
1729	Microstructural stability of ultrafine grained low-carbon steel containing vanadium fabricated by intense plastic straining. 2001 , 32, 2373-2381	29
1728	A new route to bulk nanostructured metals. 2001 , 32, 1559-1562	103

1727	An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg alloy. 2001 , 32, 707-716		44
1726	A new low carbon steel microstructure: Ultrafine ferrite grains with homogeneously distributed fine cementite particles. 2001 , 7, 431-435		12
1725	Effect of repetitive equal channel angular pressing on microstructural stability of low carbon steel. 2001 , 7, 437-442		8
1724	Grain refinement mechanism during equal-channel angular pressing of a low-carbon steel. 2001 , 49, 1285-1292	142	
1723	Microstructures and dislocation configurations in nanostructured Cu processed by repetitive corrugation and straightening. 2001 , 49, 1497-1505		45 ^o
1722	Optimizing the procedure of equal-channel angular pressing for maximum superplasticity. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 297, 111-118	5-3	119
1721	Influence of ECAP routes on the microstructure and properties of pure Ti. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 299, 59-67	5-3	381
1720	Overview of fatigue properties of fine grain 5056 Al-Mg alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 300, 171-182	5-3	115
1719	Effect of die angle on the deformation texture of copper processed by equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 307, 113-118	5-3	83
1718	Cyclic response of fine grain 5056 Al-Mg alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 319-321, 587-591	5-3	23
1717	Microstructural characteristics and thermal stability of ultrafine grained 6061 Al alloy fabricated by accumulative roll bonding process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 316, 145-152	5-3	99
1716	Cyclic behavior of ultrafine-grain titanium produced by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 318, 163-173	5-3	171
1715	Development of microstructure and texture during high temperature equal channel angular extrusion of aluminium. 2001 , 117, 169-177		35
1714	Dynamic mechanical behavior of oriented semicrystalline polyethylene terephthalate. 2001 , 39, 1394-1403		54
1713	Microstructure and properties of pure Ti processed by ECAP and cold extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 303, 82-89	5-3	258
1712	TEM investigation of multidirectionally deformed copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 319-321, 242-245	5-3	22
1711	Atomic force microscopic study on surface morphology of ultra-fine grained materials after tensile testing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 319-321, 862-866	5-3	77
1710	Stress corrosion cracking susceptibility of ultra-fine grain copper produced by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 318, 122-128	5-3	35

1709	The flow stress behavior of OFHC polycrystalline copper. 2001 , 49, 2065-2074	54
1708	Mechanical behavior of microcrystalline aluminum-lithium alloy under superplasticity conditions. 2001 , 43, 865-870	5
1707	On the multistage nature of deformation of the microcrystalline aluminum-lithium alloy 1420 under superplasticity conditions. 2001 , 43, 2099-2104	4
1706	X-ray diffraction analysis of pure aluminum in the cyclic equal channel angular pressing. 2001 , 44, 331-336	17
1705	Estimating the equivalent strain in equal-channel angular pressing. 2001 , 44, 575-579	56
1704	Finite element analysis of material flow in equal channel angular pressing. 2001 , 44, 677-681	114
1703	Influence of rolling on the superplastic behavior of an Al-Mg-Sc alloy after ECAP. 2001 , 44, 759-764	105
1702	Developing of SPD processing and enhanced properties in bulk nanostructured metals. 2001 , 44, 1605-1608	52
1701	Rotary-die equal-channel angular pressing of an Al 17 mass% Si 0.35 mass% Mg alloy. 2001 , 45, 261-266	94
1700	Development of deformation structures in low carbon steel by equal channel angular pressing. 2001 , 45, 421-426	36
1699	Deformation structures of pure Ti produced by equal channel angular pressing. 2001 , 45, 575-580	59
1698	Microstructure and flow stress of copper deformed to large plastic strains. 2001 , 45, 793-799	64
1697	Extrusion upsetting multiple processing in sandglass die. 2001 , 17, 1018-1020	2
1696	Nonepitaxial heterogeneous nucleation of Bialon in the Ca-doped system. 2001 , 16, 578-582	1
1695	Grain boundary structure in Al-Mg and Al-Mg-Sc alloys after equal-channel angular pressing. 2001 , 16, 583-589	60
1694	Evaluation of Strain Rate During Equal-channel Angular Pressing. 2002 , 17, 172-179	63
1693	Acoustic emission during cyclic deformation of ultrafine-grain copper processed by severe plastic deformation. 2002 , 82, 317-335	35
1692	On the possibilities to enhance the fatigue properties of ultrafine-grained metals. 2002 , 93, 641-648	57

1691	Grain Refinement in an Aluminium-Magnesium Alloy by Severe Plastic Deformation. 2002 , 230-232, 239-242	2
1690	Low Temperature Superplasticity of ECAE Processed Mg-10%Li-1%Zn Alloy. 2002 , 43, 2419-2423	35
1689	Effect of Equal Channel Angular Pressing on the Distribution of Reinforcements in the Discontinuous Metal Matrix Composites. 2002 , 43, 757-761	11
1688	Effect of microstructural factors on tensile properties of ECAE-processed AZ31 magnesium alloy.. 2002 , 52, 559-565	23
1687	Progress in Consolidation of Amorphous Zr-based Powder into Bulk Metallic Glass. 2002 , 754, 1	2
1686	Microstructural study of the parameters governing coarsening and cyclic softening in fatigued ultrafine-grained copper. 2002 , 82, 1781-1794	182
1685	Equal channel angular pressing of a SiCw reinforced aluminum-based composite. 2002 , 56, 999-1002	20
1684	FEM analysis of equal channel angular processes. 2002 , 17, 223-250	17
1683	Structure and properties of ultrafine-grained Al-Zn-Mg-Cu and Al-Cu-Mg-Mn alloys fabricated by ECA pressing combined with thermal treatment. 2002 , 49, 455-461	42
1682	High coercive states in PrâBeâBâCu alloy processed by equal channel angular pressing. 2002 , 242-245, 1399-1401	21
1681	Billet temperature rise during equal-channel angular pressing. 2002 , 46, 211-216	26
1680	On the impossibility of multi-pass equal-channel angular drawing. 2002 , 47, 13-18	24
1679	Orientation correlations in aluminium deformed by ECAE. 2002 , 47, 289-294	35
1678	An investigation of microstructure and grain-boundary evolution during ECA pressing of pure aluminum. 2002 , 33, 2173-2184	194
1677	Structural evolution of a strip-cast al alloy sheet processed by continuous equal-channel angular pressing. 2002 , 33, 665-673	46
1676	Equal-channel angular extrusion of beryllium. 2002 , 33, 965-972	17
1675	Microstructure evolution in Zr under equal channel angular pressing. 2002 , 33, 973-980	25
1674	Low-temperature superplastic behavior of a submicrometer-grained 5083 Al alloy fabricated by severe plastic deformation. 2002 , 33, 2859-2867	58

1673	Effect of pressing temperature on microstructure and tensile behavior of low carbon steels processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 323, 409-415	5:3	20
1672	WITHDRAWN: Effect of pressing temperature on microstructure and tensile behavior of low carbon steels processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 325, 31-37	5:3	30
1671	Microstructures and mechanical properties of 6061 aluminum alloy processed by accumulative roll-bonding. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 325, 228-235	5:3	226
1670	Grain refinement of intermetallics by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 329-331, 872-877	5:3	8
1669	Factors influencing the shearing patterns in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 332, 97-109	5:3	214
1668	Finite element analysis of deformation behaviour of metals during equal channel multi-angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 328, 317-323	5:3	104
1667	Annealing behavior of submicrometer grained ferrite in a low carbon steel fabricated by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 334, 79-86	5:3	64
1666	Shear strain accommodation during severe plastic deformation of titanium using equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 334, 239-245	5:3	69
1665	Properties of ultrafine-grained steel by repeated shear deformation of side extrusion process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 337, 45-49	5:3	57
1664	Improvement of high-cycle fatigue life in a 6061 Al alloy produced by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 337, 39-44	5:3	131
1663	Deformation paths related to equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 337, 241-247	5:3	58
1662	Estimation of friction during equal channel angular (ECA) pressing of aluminum alloys. 2002 , 122, 255-259		25
1661	Numerical and physical modelling of plastic deformation in 2-turn equal channel angular extrusion. 2002 , 125-126, 309-316		67
1660	Finite element analysis of equal channel angular pressing of strain rate sensitive metals. 2002 , 130-131, 497-503		63
1659	Influence of scandium and zirconium on grain stability and superplastic ductilities in ultrafine-grained Al-Mg alloys. 2002 , 50, 553-564		285
1658	Structure and properties of ultra-fine grain Cu-Zr alloy produced by equal-channel angular pressing. 2002 , 50, 1639-1651		242
1657	Modelling texture development during equal channel angular extrusion of aluminium. 2002 , 50, 2121-2136		134
1656	Microstructural evolutions of the Al strip prepared by cold rolling and continuous equal channel angular pressing. 2002 , 50, 4005-4019		167

1655	Microstructure of severely deformed Al-Mg and its evolution during annealing. 2002 , 50, 4047-4060	161
1654	Production of ultra-fine grain microstructures in Al-Mg alloys by conventional rolling. 2002 , 50, 4461-4476	172
1653	Ultragrain refinement of plain low carbon steel by cold-rolling and annealing of martensite. 2002 , 50, 4177-4189	286
1652	Constrained groove pressing and its application to grain refinement of aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 328, 98-103	5-3 291
1651	An analysis of pseudo equal-cross-section lateral extrusion through a curved channel. 2002 , 122, 260-265	3
1650	Mechanical Properties of Ultrafine Grained Steel Produced by Repetitive Cold Side Extrusion. 2002 , 51, 227-230	5
1649	Effect of initial textures on texture formation in AA 3004 sheets during continuous confined strip shearing and subsequent annealing. 2003 , 9, 413-419	17
1648	Monte-carlo modeling of grain growth in Zr equal channel angular pressed and recrystallized. 2003 , 9, 107-114	2
1647	Factors influencing microstructural development in equal-channel angular pressing. 2003 , 9, 141-149	37
1646	Work-softening behavior of the ultrafine-grained Al alloy processed by high-strain-rate, dissimilar-channel angular pressing. 2003 , 34, 625-632	38
1645	Mechanical properties of iron processed by severe plastic deformation. 2003 , 34, 71-83	98
1644	Effects of grain size and pressing speed on the deformation mode of commercially pure Ti during equal channel angular pressing. 2003 , 34, 1555-1558	24
1643	Effect of initial texture on texture evolution in 1050 Al alloys under simple shear. 2003 , 34, 1675-1681	5
1642	The formation of PSB-like shear bands in cyclically deformed ultrafine grained copper processed by ECAP. 2003 , 48, 1605-1609	95
1641	Evolution of crystallographic texture during equal channel angular extrusion of silver. 2003 , 49, 1203-1208	63
1640	Effect of large deformations on the microstructure of aluminium alloys. 2003 , 81, 528-530	22
1639	Polycrystal orientation maps from TEM. 2003 , 96, 127-37	96
1638	High strain rate superplasticity of submicrometer grained 5083 Al alloy containing scandium fabricated by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 341, 273-281	5-3 92

1637	Microstructure and tensile properties of a commercial 5052 aluminum alloy processed by equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 342, 144-151	5-3	54
1636	Microstructures and boundary populations in materials produced by equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 342, 320-328	5-3	129
1635	Analysis of the billet deformation during equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 343, 107-115	5-3	75
1634	Grain refinement and properties of pure Ti processed by warm ECAP and cold rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 343, 43-50	5-3	309
1633	Modeling texture and microstructural evolution in the equal channel angular extrusion process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 345, 122-138	5-3	155
1632	Microstructure, texture, grain boundaries in recrystallization regions in pure Cu ECAP samples. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 346, 83-90	5-3	44
1631	Microstructure and mechanical properties of AlMgSi alloys after equal channel angular pressing at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 347, 165-170	5-3	35
1630	A model investigation of the shearing characteristics in equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 347, 223-230	5-3	31
1629	Effect of precipitates on microstructural evolution of 7050 Al alloy sheet during equal channel angular rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 347, 253-257	5-3	80
1628	Fatigue life of fine-grain Al-Mg-Sc alloys produced by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 349, 318-326	5-3	101
1627	Dislocation density-based modeling of deformation behavior of aluminium under equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 351, 86-97	5-3	179
1626	Achieving superplasticity in ultrafine-grained copper: influence of Zn and Zr additions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 352, 129-135	5-3	54
1625	EBSF investigation of microstructure and texture evolution during equal channel angular pressing of aluminium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 361, 9-14	5-3	75
1624	Enhanced strength and fatigue life of ultra-fine grain Fe-6Ni Invar alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 355, 277-285	5-3	92
1623	Microstructure and mechanical properties of tantalum after equal channel angular extrusion (ECAE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 358, 266-272	5-3	108
1622	Mechanical properties of a two-phase alloy Mg-Li-Al processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 360, 345-349	5-3	68
1621	Equal-channel angular pressing using plate samples. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 361, 258-266	5-3	78
1620	Analysis of forming loads, microstructure development and mechanical property evolution during equal channel angular extrusion of a commercial grade aluminum alloy. 2003 , 135, 59-67		31

1619	Continuous shear method for studying material elements passing a stationary shear plane. 2003 , 141, 77-85	
1618	A comparison of FEM and upper-bound type analysis of equal-channel angular pressing (ECAP). 2003 , 141, 313-318	67
1617	Equal channel angular extrusion in a commercial Al-Mn alloy. 2003 , 143-144, 506-511	23
1616	Processing of aluminium alloys by equal channel angular drawing at room temperature. 2003 , 143-144, 105-111	10
1615	Finite element analysis of strain conditions after equal channel angular extrusion. 2003 , 140, 583-587	45
1614	Microstructure development during equal-channel angular pressing of titanium. 2003 , 51, 983-996	198
1613	The effect of coarse second-phase particles on the rate of grain refinement during severe deformation processing. 2003 , 51, 2811-2822	202
1612	Cavitation in superplastic 7075Al alloys prepared via friction stir processing. 2003 , 51, 3551-3569	59
1611	The effect of extrusion temperature on the development of deformation microstructures in 5052 aluminium alloy processed by equal channel angular extrusion. 2003 , 51, 2005-2015	109
1610	Developing superplasticity in a magnesium alloy through a combination of extrusion and ECAP. 2003 , 51, 3073-3084	321
1609	Consolidation of amorphous copper based powder by equal channel angular extrusion. 2003 , 317, 144-151	72
1608	Microstructure of Al-Si-Mg alloy processed by rotary-die equal channel angular pressing. 2003 , 57, 1689-1695	37
1607	Effect of silicon addition on grain refinement of copper alloys. 2003 , 57, 2280-2286	28
1606	Effect of ECAP on microstructure and mechanical properties of a commercial 6061 Al alloy produced by powder metallurgy. 2003 , 354, 216-220	43
1605	Modeling of texture evolution in copper under equal channel angular pressing. 2003 , 94, 1189-1198	40
1604	Phase Mixture Models for Metallic Materials with Submicrometer Grain Size. 2003 , 791, 1	1
1603	Novel particulate reinforced tin for tubular Nb ₃ /Sn multifilamentary superconductors. 2003 , 13, 3548-3552	4
1602	Modeling of deformation behavior of copper under equal channel angular pressing. 2003 , 94, 754-760	53

1601	On the nature of internal interfaces in tempered martensite ferritic steels. 2003 , 94, 511-520	39
1600	The Effect of Ram Speed on Mechanical and Thermal Properties in ECAE Process Simulation. 2003 , 44, 973-980	12
1599	Effect of Microstructural Factors on Tensile Properties of an ECAE-Processed AZ31 Magnesium Alloy. 2003 , 44, 468-475	117
1598	Grain Refinement in As-Cast 7475 Aluminum Alloy under Hot Equal-Channel Angular Pressing. 2003 , 44, 766-774	37
1597	Ultra Grain Refinement of Commercial Purity Aluminum by a Multi-Stack ARB Process. 2003 , 44, 1376-1381	18
1596	Effect of Strain on Microstructures and Mechanical Properties of ARB Processed and Annealed Ultra-low Carbon IF Steel. 2003 , 89, 273-280	23
1595	FORMING OF NANOSTRUCTURED MATERIALS â€” NUMERICAL ANALYSIS IN EQUAL CHANNEL ANGULAR EXTRUSION (ECAE) OF MAGNESIUM, ALUMINIUM AND TITANIUM ALLOYS. 2004 , 05, 417-424	2
1594	Ultrasonic attenuation due to grain boundary scattering in copper and copper-aluminum. 2004 , 116, 109-116	30
1593	Effect of Stacking Layer Number on Mechanical Properties of Accumulative Roll Bonding Processed Aluminum. 2004 , 449-452, 161-164	5
1592	Ultrafine-Grain Structures Produced by Severe Deformation Processing. 2004 , 447-448, 423-428	4
1591	Fiber Orientation during Equal Channel Angular Extrusion of Short Fiber Reinforced Thermoplastics. 2004 , 17, 205-227	19
1590	Texture Analysis of Nanostructured Metals Produced by Severe Plastic Deformation. 2004 , 443-444, 243-246	1
1589	Structural Characteristics Magnesium Alloys along of the Equal Channel Angular Pressing. 2004 , 274-276, 1083-1088	
1588	A Recrystallisation Based Investigation for Efficiency of Processing Routes during Equal Channel Angular Extrusion. 2004 , 467-470, 1325-1332	12
1587	Numerical Analysis on the Dissimilar Channel Angular Pressing by Multi-Pass Rolling. 2004 , 449-452, 101-104	1
1586	Structural Evolution of IF Steel during Annealing after ECAP. 2004 , 467-470, 1295-1300	9
1585	Measuring the strain rate sensitivity by instrumented indentation. Application to an ultrafine grain (equal channel angularâ€”pressed) eutectic Snâ€”Bi alloy. 2004 , 19, 282-290	18
1584	Microstructural refinement and deformation twinning during severe plastic deformation of 316L stainless steel at high temperatures. 2004 , 19, 2268-2278	40

1583	Grain Refinement on AZ31 Magnesium Alloy by Highly Strained and Annealed Method. 2004 , 449-452, 669-672		15
1582	Fine Microstructure Production Through Sandglass Extrusion. 2004 , 447-448, 429-434		2
1581	Structure and phase composition of an Al-Mg-Li-Zr alloy under high-rate superplasticity conditions. 2004 , 46, 1456-1461		5
1580	Effect of deformation temperature on the microstructure developed in commercial purity aluminum processed by equal channel angular extrusion. 2004 , 50, 613-617		60
1579	Superplasticity in cast A356 induced via friction stir processing. 2004 , 50, 931-935		118
1578	Characteristic of textures evolution induced by equal channel angular pressing in 6061 aluminum sheets. 2004 , 51, 185-189		21
1577	Grain refinement of steel plate by continuous equal-channel angular process. 2004 , 51, 181-184		38
1576	Product yield for ECAE processing. 2004 , 51, 373-377		80
1575	High angle boundary formation by grain subdivision in equal channel angular extrusion. 2004 , 51, 565-570		43
1574	Ultrafine grained dual phase steel fabricated by equal channel angular pressing and subsequent intercritical annealing. 2004 , 51, 909-913		73
1573	Characterising the dynamics of individual embedded dislocation structures. 2004 , 51, 783-788		4
1572	Mechanical Behavior of Bulk Poly(Ethylene Terephthalate) Subjected to Simple Shear. 2004 , 43, 385-403		22
1571	Microstructure evolution and low temperature superplasticity of ZK40 magnesium alloy subjected to ECAP. 2004 , 10, 501-506		23
1570	The role of modeling in the development of advanced processes for metallic aerospace alloys. 2004 , 10, 589-603		5
1569	Evolution of microstructure during annealing of a severely deformed aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 366, 310-317	5-3	94
1568	Texture evolution during equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 368, 28-40	5-3	96
1567	Size and distribution of particles and voids pre-existing in equal channel angular pressed 5083 Al alloy: their effect on cavitation during low-temperature superplastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 371, 178-186	5-3	36
1566	Analytical modeling of material flow in equal channel angular extrusion (ECAE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 380, 171-190	5-3	82

1565	Effect of nanocrystalline and ultrafine grain sizes on the strain rate sensitivity and activation volume: fcc versus bcc metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 381, 71-79	5.3	666
1564	The use of severe plastic deformation techniques in grain refinement. 2004 , 56, 64-68		94
1563	Models for severe plastic deformation by equal-channel angular extrusion. 2004 , 56, 69-77		9
1562	High-strain-rate superplastic behavior of equal-channel angular-pressed 5083 Al-0.2 wt pct Sc. 2004 , 35, 825-837		32
1561	Achieving enhanced ductility in a dilute magnesium alloy through severe plastic deformation. 2004 , 35, 1735-1744		52
1560	Dislocation structure and deformation in iron processed by equal-channel-angular pressing. 2004 , 35, 1343-1350		44
1559	Effect of deformation route on microstructural development in aluminum processed by equal channel angular extrusion. 2004 , 35, 1359-1368		70
1558	Microindentation of aluminum. 2004 , 35, 3323-3328		35
1557	Development of repetitive corrugation and straightening. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 371, 35-39	5.3	123
1556	Temperature effects on the fatigue behavior of ultrafine-grained copper produced by equal channel angular pressing. 2004 , 201, R119-R122		14
1555	The effect of strain path and temperature on the microstructure developed in copper processed by ECAE. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 366, 221-228	5.3	83
1554	Effect of the number of ECAP pass time on the electrochemical properties of 1050 Al alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 366, 282-291	5.3	135
1553	Finite element analysis of the plastic deformation zone and working load in equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 382, 217-236	5.3	167
1552	Microstructure and texture through thickness of ultralow carbon IF steel sheet severely deformed by accumulative roll-bonding. 2004 , 5, 163-172		89
1551	Processing of eutectic Zn \approx 5% Al alloy by equal-channel angular pressing. 2004 , 148, 279-287		24
1550	Finite element modelling of an Al \approx Mn alloy by equal channel angular extrusion (ECAE). 2004 , 153-154, 846-852		29
1549	Effect of additional processing on texture evolution of Al \approx 0.5Cu alloy processed by equal channel angular extrusion (ECAE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 372, 44-55	5.3	28
1548	Microstructural evolution of dilute Al \approx Mg alloys during processing by equal channel angular pressing and during subsequent annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 375-377, 853-856	5.3	10

1547	Structure and mechanical properties of commercial Al-Mg 1560 alloy after equal-channel angular extrusion and annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 367, 234-242	5-3	34
1546	Microstructure of ECAP severely deformed iron and its mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 369, 151-156	5-3	51
1545	Finite element analysis for deformation behavior of an aluminum alloy composite containing SiC particles and porosities during ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 371, 306-312	5-3	20
1544	A systematic comparison of static and dynamic ageing of two Al-Mg-Bi alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 373, 65-71	5-3	96
1543	Texture evolution during equal channel angular extrusion (ECAE): Part II. An effect of post-deformation annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 372, 235-244	5-3	29
1542	Observation of twin boundary migration in copper during deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 372, 173-179	5-3	58
1541	Creep in ultrafine grained aluminium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 387-389, 696-701	5-3	49
1540	Effect of accumulative strain on texture evolution in 1050 Al alloys processed by continuous confined strip shearing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 387-389, 240-243	5-3	15
1539	The distribution of dislocation walls in the early processing stage of equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 374, 196-203	5-3	17
1538	Continuous processing of ultrafine grained Al by ECAP-conform. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 382, 30-34	5-3	323
1537	Effect of pressing temperature on fine-grained structure formation in 7475 aluminum alloy during ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 381, 121-128	5-3	67
1536	Microstructure evolution in the equal channel angular extrusion process. 2004 , 193, 5177-5194		19
1535	Microstructural refinement of cast p-type Bi ₂ Te ₃ -Sb ₂ Te ₃ by equal channel angular extrusion. 2004 , 52, 49-55		76
1534	The application of equal-channel angular pressing to an aluminum single crystal. 2004 , 52, 1387-1395		95
1533	Adiabatic shear banding in ultrafine-grained Fe processed by severe plastic deformation. 2004 , 52, 1859-1869		224
1532	Analysis of texture evolution in equal channel angular extrusion of copper using a new flow field. 2004 , 52, 1885-1898		162
1531	Continuous recrystallisation of lamellar deformation structures produced by severe deformation. 2004 , 52, 3193-3206		89
1530	The transition from discontinuous to continuous recrystallization in some aluminium alloys. 2004 , 52, 3239-3250		181

1529	The transition from discontinuous to continuous recrystallization in some aluminium alloys. 2004 , 52, 3251-3262	210
1528	A new constitutive relationship for the homogeneous deformation of metals over a wide range of strain. 2004 , 52, 3555-3563	113
1527	Microstructures and properties of copper processed by equal channel angular extrusion for 1â16 passes. 2004 , 52, 4819-4832	482
1526	Heterogeneity of deformation texture in equal channel angular extrusion of copper. 2004 , 52, 4859-4875	129
1525	Effects of the deformation history and the initial textures on the texture evolution in an Al alloy strip during the shear deforming process. 2004 , 52, 4907-4918	13
1524	Recrystallization and Grain Growth in Al-Li Alloys Subjected to Severe Plastic Deformation. 2004 , 467-470, 1301-1306	1
1523	Ultra Grain Refinement and High Strengthening of Al Based MMC by Accumulative Roll Bonding Process. 2004 , 449-452, 613-616	6
1522	Optimal tool angles for equal channel angular extrusion of strain hardening materials by finite element analysis. 2004 , 30, 489-495	73
1521	Severe plastic deformation as a processing tool for developing superplastic metals. 2004 , 378, 27-34	57
1520	On the strength of boundaries in submicron IF steel. 2004 , 58, 3782-3786	12
1519	Equal channel angular extrusion compaction of semi-amorphous Al85Ni10Y2.5La2.5 alloy powder. 2004 , 365, 126-133	44
1518	Biodegradability of Poly (L-lactic Acid) Functionally Graded Materials with Hardness Gradient. 2004 , 45, 1005-1009	8
1517	Process Modelling of Equal Channel Angular Pressing for Ultrafine Grained Materials. 2004 , 45, 2172-2176	12
1516	Effect of Shear Deformation on Microstructural Evolution of Ni-30Fe Alloy during Hot Deformation. 2004 , 45, 2966-2973	12
1515	Achieving Superplasticity of Al-1%Mg-0.2%Sc Alloy in Plate Samples Processed by Equal-channel Angular Pressing. 2004 , 45, 2521-2524	11
1514	Microstructures and Mechanical Properties of Ultra Low Carbon Interstitial Free Steel Severely Deformed by a Multi-Stack Accumulative Roll Bonding Process. 2004 , 45, 2177-2181	24
1513	Secondary Processing of AZ31 Magnesium Alloy Concomitant with Grain Growth or Dynamic Recrystallization. 2004 , 45, 2377-2382	27
1512	Superplastic Deformation of AZ61 Magnesium Alloy having Fine Grains. 2004 , 45, 2537-2541	32

1511	Finite Element Investigation of Equal Channel Angular Extrusion Process. 2004 , 45, 2165-2171		21
1510	Strength Enhancement and Deformation Behavior of Gold after Equal-Channel Angular Pressing. 2004 , 45, 2200-2208		14
1509	Orientation Rotation Behavior in Aluminum Alloys during Dissimilar Channel Angular Pressing. 2004 , 45, 125-130		1
1508	Effect of Chemical Composition on Structure and Properties of Ultrafine Grained Cu-Cr-Zr Alloys Produced by Equal-Channel Angular Pressing. 2004 , 45, 2187-2191		40
1507	Fabrication of Ultrafine Grained Ferrite/Martensite Dual Phase Steel by Severe Plastic Deformation. 2005 , 45, 750-755		60
1506	High-Strengthening of Mg–5.5 mass%Y–4.3 mass%Zn Cast Alloy by Friction Stir Processing. 2005 , 46, 3081-3084		28
1505	Effect of Shear Deformation on Microstructural Evolution of Ni-30Fe Alloy during Hot Deformation. 2005 , 69, 341-347		1
1504	A Comparative Study of Two Shear Deforming Processes in Texture Evolution. 2005 , 46, 1064-1069		1
1503	Surface Deformation Features in Ultrafine-Grained Copper Cyclically Stressed at Different Temperatures. 2005 , 46, 3077-3080		7
1502	Fibre fracture during equal-channel angular extrusion of short fibre-reinforced thermoplastics. 2005 , 160, 90-98		25
1501	Grain refinement, thermal stability and tensile properties of 2024 aluminum alloy after equal-channel angular pressing. 2005 , 159, 314-320		61
1500	Finite element simulation of equal channel angular extrusion. 2005 , 166, 71-78		21
1499	An upper-bound analysis for equal-channel angular extrusion. 2005 , 168, 137-146		49
1498	Theoretical and practical aspects of the production of thin-walled tubes by the KOBO method. 2005 , 169, 44-53		25
1497	Texture formation during equal channel angular extrusion of fcc and bcc materials: comparison with simple shear. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 394, 66-77	5:3	241
1496	EBSD FEG-SEM, TEM and XRD techniques applied to grain study of a commercially pure 1200 aluminum subjected to equal-channel angular pressing. 2005 , 36, 401-14		39
1495	A kinematic analysis of the angular extrusion (AE) operations. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 391, 198-209	5:3	2
1494	The microstructural characteristics of ultrafine-grained nickel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 391, 377-389	5:3	177

1493	Fatigue notch sensitivity of ultrafine-grained copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 391, 337-341	5:3	42
1492	Compaction of amorphous aluminum alloy powder by direct extrusion and equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 393, 12-21	5:3	83
1491	Controlling the textures of the Al alloy sheet via dissimilar channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 394, 60-65	5:3	7
1490	Strain path effects on the microstructure evolution and mechanical properties of Zr702. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 395, 77-86	5:3	19
1489	Effect of severe plastic deformation on tensile properties of a cast Al \sim 1 mass% Si alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 395, 70-76	5:3	52
1488	The evolution of homogeneity and grain refinement during equal-channel angular pressing: A model for grain refinement in ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 398, 66-76	5:3	218
1487	Crystallographic texture evolution of three wrought magnesium alloys during equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 408, 72-78	5:3	115
1486	Tensile properties of an Al \sim 1mass%Si alloy at elevated temperatures processed by rotary-die equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 408, 147-153	5:3	38
1485	Ultrafine grained steels processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 299-302	5:3	82
1484	Microstructural modelling of equal channel angular pressing for producing ultrafine grained materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 285-289	5:3	41
1483	Influence of stacking fault energy on nanostructure formation under high pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 188-193	5:3	156
1482	Cyclic stress \sim strain response and low-cycle fatigue damage in ultrafine grained copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 457-461	5:3	34
1481	Applicability of the groove pressing technique for grain refinement in commercial purity copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 337-340	5:3	93
1480	Modeling the plastic anisotropy in pure copper after one pass of ECAE. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 201-206	5:3	23
1479	Mechanical behavior of a 6061 Al alloy and an Al ₂ O ₃ /6061 Al composite after equal-channel angular processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 472-475	5:3	8
1478	An analysis of the shear zone for metals deformed by equal-channel angular processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 239-242	5:3	29
1477	Computational analysis of effect of route on strain uniformity in equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 412, 287-297	5:3	30
1476	Impact toughness of an ultrafine-grained Al \sim 1 mass%Si alloy processed by rotary-die equal-channel angular pressing. 2005 , 53, 211-220		122

1475	Texture evolution during multi-pass equal channel angular extrusion of copper: Neutron diffraction characterization and polycrystal modeling. 2005 , 53, 2111-2125	126
1474	Ultrafine grained ferriteâ€”martensite dual phase steels fabricated via equal channel angular pressing: Microstructure and tensile properties. 2005 , 53, 3125-3134	239
1473	Texture evolution of five wrought magnesium alloys during route A equal channel angular extrusion: Experiments and simulations. 2005 , 53, 3135-3146	259
1472	Transition of tensile deformation behaviors in ultrafine-grained aluminum. 2005 , 53, 4019-4028	336
1471	Texture of IF steel after equal channel angular pressing (ECAP). 2005 , 53, 4245-4257	37
1470	Equal channel angular pressing of metal matrix composites: Effect on particle distribution and fracture toughness. 2005 , 53, 4919-4930	136
1469	Mechanical properties and microstructure of AZ31 Mg alloy processed by two-step equal channel angular extrusion. 2005 , 59, 2267-2270	88
1468	Influence of boundary characters on the tensile behavior of sub-micron-grained aluminum. 2005 , 52, 265-269	62
1467	Mechanical properties of submicron-grained aluminum. 2005 , 52, 359-363	102
1466	Characteristics of plastic deformation by rotary-die equal-channel angular pressing. 2005 , 52, 433-437	75
1465	Texture evolution during equal channel angular extrusion: Effect of initial texture from experiment and simulation. 2005 , 52, 1099-1104	67
1464	Strain rate sensitivity of ultrafine-grained aluminium processed by severe plastic deformation. 2005 , 53, 189-194	248
1463	Analysis of strain uniformity during multi-pressing in equal channel angular extrusion. 2005 , 53, 293-298	20
1462	Loading- and substructure-induced irreversibility in texture during route C equal channel angular extrusion. 2005 , 53, 965-969	28
1461	Deformation behavior of Alâ€”1.5Mg processed using the equal channel angular pressing technique. 2005 , 53, 1389-1393	25
1460	Temperature-Dependent Microstructures in Fatigued Ultrafine-Grained Copper Produced by Equal Channel Angular Pressing. 2005 , 7, 829-833	16
1459	The effect of coarse second-phase particles and fine precipitates on microstructure refinement and mechanical properties of severely deformed Al alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 394, 399-410	5:3 93
1458	Effect of equal channel angular pressing on strength and ductility of Alâ€”iAl composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 396, 3-10	5:3 24

1457	Grain refinement and superplasticity in a magnesium alloy processed by equal-channel angular pressing. 2005 , 36, 1705-1711	57
1456	Dynamic deformation and fracture behavior of ultrafine-grained aluminum alloy fabricates by equal-channel angular pressing. 2005 , 36, 2947-2955	5
1455	Modeling of oxide dispersions in reactively processed al. 2005 , 36, 177-186	1
1454	Microstructure and refining performance of an Al-5Ti-0.25C refiner before and after equal-channel angular pressing. 2005 , 36, 837-844	11
1453	Influence of severe plastic deformations on secondary phase precipitation in a 6082 Al-Mg-Si alloy. 2005 , 36, 1353-1364	84
1452	Effect of friction stir processing on the kinetics of superplastic deformation in an Al-Mg-Zr alloy. 2005 , 36, 1447-1458	42
1451	Dynamic deformation behavior of ultrafine-grained low-carbon steels fabricated by equal-channel angular pressing. 2005 , 36, 389-397	16
1450	Microstructural evolution and superplasticity of Al-5.8Mg-0.23Mn alloys processed by reciprocating extrusion. 2005 , 36, 2225-2234	15
1449	Microstructure and refining performance of an Al-5Ti-0.25C refiner before and after equal-channel angular pressing. 2005 , 36, 837-844	11
1448	Processing by equal-channel angular pressing: Applications to grain boundary engineering. 2005 , 40, 909-917	29
1447	Microstructure and mechanical properties of nanocrystalline titanium and Ti-10Nb alloy manufactured using various deformation methods. 2005 , 202, 2309-2320	20
1446	Microstructure Development of Copper Single Crystal Deformed by Equal Channel Angular Pressing. 2005 , 363-368	
1445	Consolidation with Grain Refinement by Compression Shearing Method under Room Temperature. 2005 , 54, 233-238	11
1444	Microstructure and mechanical properties of Al-4 wt-%Mg alloy (AA5182) after equal channel angular pressing. 2005 , 21, 606-612	15
1443	Oblique Cube Texture Formation in High Purity Aluminum during Equal Channel Angular Pressing. 2005 , 105, 351-356	10
1442	Texture Evolution in Commercially Pure Al during Equal Channel Angular Extrusion (ECAE) as a Function of Processing Routes. 2005 , 105, 357-362	17
1441	Equal Channel Extrusion Heterogeneities in Recrystallized Copper. 2005 , 495-497, 857-864	3
1440	Texture Gradient in ECAP Silver Measured by Synchrotron Radiation. 2005 , 495-497, 821-826	13

1439	Fatigue Property of High-Strength Carbon Steel Deformed by Repetitive Side Extrusion Process. 2005 , 475-479, 245-248	2
1438	The Effects of Free Space in Mould Cavity on Sandglass Extrusion. 2005 , 475-479, 2999-3002	
1437	Orientation Evolution during Equal Angular Channel Extrusion of Copper Single Crystal. 2005 , 495-497, 815-820	4
1436	Superplastic Behavior of As-Equal Channel Angular Pressed 5083 Al and 5083 Al-0.2 Sc Alloys. 2005 , 475-479, 2937-2940	2
1435	Pure Ni Single Crystal of Cube Orientation Deformed by Equal Channel Angular Extrusion. 2005 , 105, 333-338	7
1434	The Texture of 1050 Al Sheet Produced by Equal Channel Angular Pressing. 2005 , 475-479, 417-420	5
1433	R-Value and Texture Change of AA 1050 Al Alloy Sheet by Equal Channel Angular Pressing. 2005 , 495-497, 803-808	6
1432	On Structural Stability of Nanostructured Aluminium. 2005 , 475-479, 3501-3504	2
1431	Experiments and Modelling of ECAE Textures of f.c.c. Polycrystals. 2005 , 495-497, 839-844	17
1430	Texture Gradient in ECAP Copper Measured by Synchrotron Radiation. 2005 , 105, 327-332	13
1429	Grain Refinement in AZ91E Magnesium Alloy by Thermo-Mechanical Treatments. 2005 , 475-479, 493-496	3
1428	Severe plastic deformation of bulk Nb for Nb/sub 3/Sn superconductors. 2005 , 15, 3438-3441	6
1427	FINITE ELEMENT STUDY OF MULTIPASS EQUAL CHANNEL ANGULAR EXTRUSION/PRESSING. 2005 , 04, 745-751	9
1426	Processing of Bulk Nanostructured Metal, Polymer/Clay Nanocomposites and Nano Ceramic Powder. 2005 , 23, 371-374	
1425	Effect of rotary-die equal channel angular pressing on the thermoelectric properties of a (Bi,Sb) ₂ Te ₃ alloy. 2005 , 20, 895-903	29
1424	Microstructural refinement of tantalum for Nb/sub 3/Sn superconductor diffusion barriers. 2005 , 15, 3434-3437	9
1423	Microstructure Evolution and Mechanical Properties of AZ 31 Mg Alloy Processed by Equal Channel Angular Extrusion. 2005 , 488-489, 601-604	1
1422	Superplasticity of Magnesium Alloy ZK40 Processed by Equal Channel Angular Pressing. 2005 , 488-489, 575-580	1

1421	Evolution of Microstructure and Texture during Annealing of a Copper Processed by ECAE. 2005 , 495-497, 845-850	4
1420	ECAE of Al-4%Cu Alloys: Experimental Study Assisted by Polycrystalline-FEM Simulations. 2005 , 495-497, 775-784	2
1419	Local Orientation Gradient and Recrystallization of Deformed Copper. 2005 , 105, 157-162	4
1418	Modelling texture evolution in equal channel angular extrusion of bcc materials: effects of processing route and initial texture. 2005 , 13, 509-530	35
1417	Texture Evolution in FCC Metals during Equal Channel Angular Extrusion (ECAE) as a Function of Stacking Fault Energy. 2005 , 105, 345-350	12
1416	Microstructure and mechanical behavior of AZ91 Mg alloy processed by equal channel angular pressing. 2005 , 394, 194-199	166
1415	Spray forming thick nanostructured and microstructured FeAl deposits. 2005 , 13, 596-607	54
1414	An Upper Bound Solution Analysis of Equal Channel Angular Pressing. 2005 , 23, 109-112	
1413	Processing of Aluminium Alloys by Severe Plastic Deformation. 2006 , 519-521, 45-54	3
1412	Mechanical Properties of Fine-Grained AA1050 after ECAP. 2006 , 503-504, 847-852	11
1411	The New SPD Processing Trends to Fabricate Bulk Nanostructured Materials. 2006 , 114, 7-18	4
1410	. 2006 ,	2
1409	The Refinement of Grain Structure in a High-Purity Iron Base Alloy under Multiaxial Compression. 2006 , 15-17, 900-905	8
1408	III European Conference on Computational Mechanics. 2006 ,	1
1407	Hydrostatic Extrusion as a Method of Grain Refinement in Metallic Materials. 2006 , 503-504, 341-348	21
1406	Sheet Formability of AA 1050 Al Alloy Sheet by Equal Channel Angular Pressing of Route C Type. 2006 , 116-117, 324-327	2
1405	Structure and Mechanical Properties of Submicrocrystalline Copper Produced by ECAP to Very High Strains. 2006 , 503-504, 971-976	13
1404	Simple Shear Deformation of Polypropylene via the Equal Channel Angular Extrusion Process. 2006 , 39, 5796-5803	44

1403	On the fatigue behavior of ultrafine-grained interstitial-free steel. 2006 , 97, 1328-1336	49
1402	Numerical investigation on equal channel angular extrusion process of polymers. 2006 , 37, 491-506	13
1401	Numerical modelling of elasticâ€¦iscoplastic equal channel angular extrusion process of a polymer. 2006 , 38, 202-216	36
1400	Hardness, thermal stability and yttrium distribution in nanostructured deposits obtained by thermal spraying from milledâ€¦2O3 reinforcedâ€¦ atomized FeAl powders. 2006 , 14, 715-721	23
1399	Forming and machining of the nano-crystalline alloys. 2006 , 175-178	1
1398	Microstructure and mechanical properties of Pb-4%Sb alloy processed by equal channel angular pressing. 2006 , 9, 101-106	6
1397	Effect of compression-torsion combined loading on grain refinement of aluminum. 2006 , 56, 34-38	12
1396	Superplasticity in a Mg-8 mass%Li Two-Phase Alloy Processed by an ECAP Method. 2006 , 70, 729-734	6
1395	Microstructural Evolution of a Mg-8 mass%Li Alloy Processed by ECAP during Superplastic Deformation. 2006 , 70, 775-779	2
1394	Thermoelectric Properties of Texture-Controlled Bi1.9Sb0.1Te2.7Se0.3 Compounds Prepared by Angular Extrusion Technique. 2006 , 47, 1941-1944	10
1393	Equal Channel Angular Extrusion of Tubular Aluminum Alloy Specimensâ€¦Analysis of Extrusion Pressures and Mechanical Properties. 2006 , 8, 112-120	14
1392	Deformation twinning in polycrystalline copper at room temperature and low strain rate. 2006 , 54, 655-665	216
1391	Strain hardening behaviour and deformation kinetics of Cu deformed by equal channel angular extrusion from 1 to 16 passes. 2006 , 54, 1135-1146	105
1390	Effect of processing route on microstructure and texture development in equal channel angular extrusion of interstitial-free steel. 2006 , 54, 1087-1100	84
1389	Resistance to strain-induced damage of an ultrafine-grained magnesium alloy deformed in superplastic conditions. 2006 , 54, 3801-3809	45
1388	Flow stress anisotropy and Bauschinger effect in ultrafine grained copper. 2006 , 54, 5477-5488	69
1387	Effect of microstructure on plastic deformation of Cu at low homologous temperatures. 2006 , 54, 5581-5590	54
1386	Stress and strain histories in equal channel angular extrusion/pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 423, 143-147	5-3 22

1385	Deformation behavior in Zr702 processed by equal-channel angular pressing at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 423, 180-183	5:3	5
1384	Annealing behavior of Zr702 fabricated by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 416, 150-154	5:3	3
1383	Influence of crystal orientation on ECAP of aluminum single crystals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 420, 79-86	5:3	54
1382	Matrix grain refinement in Al ₃ TiAl composites by severe plastic deformation: Influence of particle size and processing route. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 425, 131-137	5:3	29
1381	Effect of equal channel angular pressing on tensile properties and fracture modes of casting Al ₃ Ti alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 426, 305-313	5:3	82
1380	Pinning of grain boundaries by second phase particles in equal-channel angularly pressed Cu ₃ Be alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 431, 86-91	5:3	33
1379	Martensitic transformation behavior of large strain deformed Fe ₃ 2% Ni alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 431, 109-113	5:3	7
1378	The simulation of deformation distribution during ECAP using 3D finite element method. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 432, 269-274	5:3	60
1377	Progressive texture evolution during equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 437, 259-267	5:3	13
1376	Challenges and advances in nanocomposite processing techniques. 2006 , 54, 121-285		344
1375	A novel high straining process for bulk materials—the development of a multipass forging system by compression along three axes. 2006 , 172, 152-158		20
1374	Candidature of equal channel angular pressing for processing of tubular commercial purity-titanium. 2006 , 173, 53-60		56
1373	A new design for equal channel angular extrusion. 2006 , 173, 29-33		62
1372	Numerical studies on processing routes and deformation mechanism of multi-pass equal channel angular pressing processes. 2006 , 176, 251-259		41
1371	The finite element analysis of equal channel angular pressing (ECAP) considering the strain path dependence of the work hardening of metals. 2006 , 180, 30-36		34
1370	Ultrafine grained structure and mechanical properties of a LY12 Al alloy prepared by repetitive upsetting-extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 422, 327-332	5:3	57
1369	Using ball-indentation to evaluate the properties of an ultrafine-grained Al ₃ % Si alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 427, 188-194	5:3	17
1368	On the effect of acute angles on deformation homogeneity in equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 430, 346-349	5:3	18

1367	Mechanical flow anisotropy in severely deformed pure titanium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 434, 294-302	5-3	73
1366	Grain size distribution and heat conductivity of copper processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 434, 88-94	5-3	31
1365	Grain boundary sliding and accommodation mechanisms during superplastic deformation of ZK40 alloy processed by ECAP. 2006 , 41, 409-415		9
1364	Microstructure and thermal stability of superplastic aluminium-titanium alloy after severe plastic deformation. 2006 , 41, 3767-3772		21
1363	Corrosion and stress corrosion cracking behavior of equal channel angular pressed oxygen-free copper in 3.5% NaCl solution. 2006 , 41, 4293-4297		19
1362	Physical, chemical, and mechanical properties of nanostructured materials. 2006 , 42, 85-94		20
1361	Improving the properties of magnesium alloys by equal channel angular pressing. 2006 , 48, 504-507		4
1360	Mechanics of single pass equal channel angular extrusion of powder in tubes. 2006 , 85, 185-194		25
1359	Principles of equal-channel angular pressing as a processing tool for grain refinement. 2006 , 51, 881-981		3270
1358	Evolution of crystallographic texture during equal channel angular extrusion of copper: The role of material variables. 2006 , 37, 739-753		50
1357	The effect of grain size, strain rate, and temperature on the mechanical behavior of commercial purity aluminum. 2006 , 37, 2983-2994		54
1356	Producing bulk ultrafine-grained materials by severe plastic deformation. 2006 , 58, 33-39		1192
1355	Formation of nano-sized grains in Cu and Cu-Be alloys by accumulative roll bonding process. 2006 , 12, 225-230		31
1354	An analysis of accumulated deformation in the Equal Channel Angular Rolling (ECAR) process. 2006 , 12, 289-292		27
1353	Strain-path effects on the evolution of microstructure and texture during the severe-plastic deformation of aluminum. 2006 , 37, 2879-2891		42
1352	Modeling of oxide breakup during equal channel angular pressing of reactively gas-atomized Al powders. 2006 , 37, 3317-3322		5
1351	The role of shear stress in the formation of annealing twin boundaries in copper. 2006 , 54, 983-986		26
1350	Creep transients during stress changes in ultrafine-grained copper. 2006 , 54, 1803-1807		20

1349	Origin of inhomogenous behavior during equal channel angular pressing. 2006 , 54, 1865-1869	48
1348	Formation process of shear bands and protrusions in ultrafine grained copper under cyclic stresses. 2006 , 54, 2101-2106	45
1347	Studying grain fragmentation in ECAE by simulating simple shear. 2006 , 54, 2107-2112	24
1346	Computational modeling of texture and microstructure evolution in Al alloys deformed by ECAE. 2006 , 55, 1099-1102	15
1345	Microstructural and textural characterization of copper processed by ECAE. 2006 , 56, 19-25	35
1344	Fracture behaviour of ultrafine-grained materials under static and cyclic loading. 2006 , 97, 1566-1570	19
1343	Anisotropic compressive properties of iron subjected to single-pass equal-channel angular pressing. 2006 , 86, 435-441	22
1342	Influence of Microstructure on Electrochemical Properties of Severely Deformed Al-5 wt% Cu Alloy by ECAP. 2006 , 519-521, 705-710	2
1341	Downscaling Equal Channel Angular Pressing. 2006 , 114, 265-270	6
1340	Scaling up of Equal Channel Angular Pressing (ECAP) for the Production of Forging Stock. 2006 , 503-504, 371-378	38
1339	Mechanical Properties of ECAP Processed Magnesium Alloy AS21X. 2006 , 503-504, 889-894	3
1338	Analytical and Numerical Modelling of Strain and Strain Rate in Equal Channel Angular Pressing (ECAP). 2006 , 306-308, 965-970	
1337	Influence of Plastic Deformation during ECAP on Precipitation Temperature of β in IN 718 Alloy. 2006 , 118, 431-436	
1336	Principals of Indirect Equal Channel Angular Drawing for Processing of Ultrafine Grained Materials. 2006 , 503-504, 877-882	2
1335	Some New Trends in SPD Processing for Fabrication of Bulk Nanostructured Materials. 2006 , 503-504, 3-10	9
1334	Mechanical Properties and Deformation Behaviour of Ultra-Fine Grained Nickel. 2006 , 114, 79-84	2
1333	X-Ray Diffraction Analysis on Crystallite Development of Nanostructured Aluminium. 2006 , 118, 53-58	1
1332	Evaluation of a Ni-20Cr Alloy Processed by Multi-Axis Forging. 2006 , 503-504, 793-798	8

1331	Texture Formation during ECAP of Aluminum Alloy AA 5109. 2006 , 503-504, 99-106	20
1330	Analysis of Hardness Maps on Aluminium Alloy Processed by ECAP. 2006 , 519-521, 1415-1420	1
1329	Strength of Commercial Aluminum Alloys after Equal Channel Angular Pressing and Post-ECAP Processing. 2006 , 114, 91-96	11
1328	Combination of ECAP and Hydrostatic Extrusion for UFG Microstructure Generation in Nickel. 2006 , 114, 51-56	7
1327	Three Dimensional Numerical Investigation of Equal Channel Multi-Angular Pressing. 2006 , 503-504, 931-936	1
1326	Microstructure and Corrosion Behaviour of Ultrafine-Grained Copper. 2006 , 503-504, 883-888	22
1325	High Z - Large Strain Deformation Processing and Its Applications. 2006 , 503-504, 329-334	5
1324	Mechanical Properties of Ultra-Fine Grained Al-Li Alloys. 2006 , 513, 25-34	2
1323	An EBSD Study of Texture and Grain Boundary Evolution in a Strongly Textured Aluminium Alloy during ECA Pressing. 2006 , 503-504, 937-942	3
1322	Inhomogeneity of Microstructure and Creep of ECAP Aluminium. 2006 , 503-504, 245-250	15
1321	Microstructure Refinement of Al-Si Alloy Using Compressive Torsion Processing. 2006 , 519-521, 1441-1446	15
1320	Microstructure and Mechanical Properties Resulting from Cold Rolling of Equal Channel Angular Extruded Commercial Purity Copper. 2006 , 503-504, 733-738	1
1319	Recovery of deformation substructure and coarsening of particles on annealing severely plastically deformed Al-Mg-Bi alloy and analysis of strengthening mechanisms. 2006 , 21, 329-342	25
1318	Deformation Behavior Study of Multi-Pass ECAE Process for Fabrication of Ultrafine or Nanostructured Bulk Materials. 2006 , 21, 507-512	19
1317	Equal Channel Angular Pressing of Metallic Powders for Nanostructured Materials. 2006 , 503-504, 221-226	10
1316	FATIGUE DAMAGE OF ULTRAFINE GRAINED OXYGEN-FREE COPPER. 2006 , 20, 4219-4224	3
1315	Microstructure and Properties of Al-6061 Alloy by Equal Channel Angular Extrusion for 16 Passes. 2007 , 22, 819-824	38
1314	Modelling grain refinement in fcc metals during equal-channel angular pressing by route $\alpha\beta\gamma$. 2007 , 98, 167-171	15

- 1313 Effect of ECAP and annealing treatment on γ martensite and damping capacity of Fe-18%Ni alloy. **2007**, 23, 407-410
- 1312 Grain Refinement and Strengthening of a Cylindrical Pure-Aluminum Specimen by Using Modified Equal-Channel Angular Pressing Technique. **2007**, 340-341, 937-942 3
- 1311 Tensile Properties and Fatigue Strength of Ultrafine Grained Pure Copper. **2007**, 353-358, 1649-1652
- 1310 Analysis of Deformation Textures and Microstructure in ECAE Processed Copper Single Crystals via Route C. **2007**, 561-565, 929-932
- 1309 Fine Grained Tantalum for Composite Nb_3Sn Superconductor Diffusion Barrier Sheet. **2007**, 17, 2660-2663 3
- 1308 Structure Development during ECAP and Subsequent Creep of Aluminium. **2007**, 539-543, 493-498 6
- 1307 Shear Pressing for Grain Refinement of Al-Mg-Li Sheet. **2007**, 546-549, 885-888
- 1306 Difference in Annealing Characteristics of Nanostructured Copper Alloys Processed by Accumulative Roll Bonding. **2007**, 124-126, 1373-1376
- 1305 Investigation on the nucleation mechanism of deformation-induced martensite in an austenitic stainless steel under severe plastic deformation. **2007**, 22, 724-729 52
- 1304 Influence of ECAP Routes on the Microstructure and Mechanical Properties of Hot Extruded 3003 Al Alloy. **2007**, 124-126, 1397-1400 3
- 1303 Small Angle X-Ray Scattering Study in Equal-Channel Angular Pressed 7055 Al Alloys. **2007**, 546-549, 839-844 1
- 1302 Densification and Conolidation of Powders by Equal Channel Angular Pressing. **2007**, 534-536, 253-256 7
- 1301 Controlling the Thickness Uniformity in Equal Channel Angular Rolling (ECAR). **2007**, 539-543, 2872-2877 4
- 1300 Annealing Texture of ECAE Processed Copper. **2007**, 558-559, 1353-1358 2
- 1299 Microstructure Evolution after Large Strain Deformation in Al-0.13%Mg. **2007**, 550, 235-240 1
- 1298 Microstructure and Thermal Stability of Al-Mg-Mn Alloys by Equal Channel Angular Pressing at Elevated Temperature. **2007**, 546-549, 929-932
- 1297 Mechanical Properties of Al-5.7wt% Ni Eutectic Alloy Severely Deformed by Equal-Channel Angular Pressing. **2007**, 539-543, 2916-2921
- 1296 Effect of Equal-Channel Angular Pressing (ECAP) on Creep in Aluminium Alloys. **2007**, 539-543, 2904-2909 15

1295 Effect of Processing Order on Strengthening of Friction Stirred Mg-Y-Zn Alloy. **2007**, 558-559, 817-820

1294 Analysis of Cavity Tool Stresses in Channel Angular Extrusion. **2007**, 340-341, 1381-1386

1293 Grain Refinement in High-Purity Iron Base Alloys during Thermomechanical Processing. **2007**, 539-543, 2898-2903

1292 Influence of Thermal Condition of ECAP on Microstructure Evolution in Low Carbon Steel. **2007**, 558-559, 611-616

1291 Microstructure and Mechanical Properties of Commercial Purity Copper Resulting from Repeated Groove Pressing Followed by Cold Rolling. **2007**, 539-543, 2198-2203

1290 The Effects of Extrusion Ratio and Friction on Material Microstructures during Sandglass Extrusion Process. **2007**, 551-552, 383-386

1289 Carbon Nanotube Reinforced Metal Matrix Nanocomposites via Equal Channel Angular Pressing. **2007**, 534-536, 245-248

1288 Deformation Processing of Sheet Metals by Continuous Frictional Angular Extrusion. **2007**, 550, 241-246

1287 Effect of Second Phase on the Mechanical Properties of Mg-Al-Zn Alloy by Equal Channel Angular Extrusion. **2007**, 546-549, 249-252

1286 Microstructural Characteristics of Cu-Fe-P Alloys Severely Deformed by Accumulative Roll Bonding Process. **2007**, 539-543, 2849-2852

1285 Microstructural Refinement and Mechanical Property Improvements of Ti-5Al-1Sn-1V-1Zr-0.76Mo Alloy by Equal Channel Angular Extrusion Processing. **2007**, 561-565, 175-178

1284 Numerical Analysis of Nano- or Micro-Crystalline Materials during ECAP by Dislocation Evolution Method. **2007**, 546-549, 687-690

1283 Microstructure and Texture of Zirconium and Titanium Grain Refined by Equal Channel Angular Pressing. **2007**, 539-543, 86-91

1282 Chapter 17 New technologies. **2007**, 475-517

1281 Deformation Behaviour and Ultrafine Grained Structure Development in Steels with Different Carbon Content Subjected to Severe Plastic Deformation. **2007**, 345-346, 45-48

1280 Study of Grain Growth Kinetics in Submicrocrystalline Armco-Iron. **2007**, 550, 465-470

1279 Nanocrystalline materials studied by powder diffraction line profile analysis. **2007**, 222, 114-128

1278 Equal Channel Angular Extrusion of Zinc-Aluminium Metal Matrix Composites. **2007**, 345-346, 113-116

1277	Nature of shear flow lines in equal-channel angular-pressed metals and alloys. 2007 , 87, 735-741	14
1276	Deformation behaviour, microstructure and processing of accumulative roll bonded aluminium alloy AA6016. 2007 , 98, 320-324	30
1275	Through-Thickness Characterization of Microstructure and Texture in High Purity Aluminum Processed to High Strain by Accumulative Roll-Bonding. 2007 , 48, 1978-1985	38
1274	Textures in AMCa602 and AZ31B magnesium alloys formed by wavy bend pressing. 2007 , 57, 99-104	7
1273	Reverse Austenite Transformation Behavior of Equal Channel Angular Pressed Low Carbon Ferrite/Pearlite Steel. 2007 , 47, 294-298	8
1272	Properties of Nanotitanium for Potential Medical Applications. 2007 , 253, 128-133	3
1271	Consolidation of blended powders by severe plastic deformation to form amorphous metal matrix composites. 2007 , 353, 185-193	21
1270	X-ray diffraction analysis of aluminium containing Al8Fe2Si processed by equal channel angular pressing. 2007 , 427, 176-182	34
1269	Fatigue behavior of nano-grained copper prepared by ECAP. 2007 , 434-435, 304-306	32
1268	Bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering. 2007 , 434-435, 358-361	24
1267	Deformation mechanism at impact test of Al-11% Si alloy processed by equal-channel angular pressing with rotary die. 2007 , 17, 104-109	10
1266	Effect of microstructures on superplasticity of Al-11%Si alloy. 2007 , 17, 509-513	6
1265	Microstructure and mechanical properties of commercial purity titanium severely deformed by ARB process. 2007 , 42, 1673-1681	150
1264	Optimization of the Equal Channel Angular Pressing (ECAP) Process for Strain Homogeneity. 2007 , 539-543, 3655-3660	1
1263	Formation mechanism of nanostructures in austenitic stainless steel during equal channel angular pressing. 2007 , 87, 4949-4971	34
1262	Fabrication of high strength nanostructured aluminium alloys by hydrostatic extrusion. 2007 , 98, 172-177	20
1261	Microstructural Refinement of Niobium for Superconducting RF Cavities. 2007 , 17, 1305-1309	9
1260	Ultrafine grained structure formation in steels using dynamic strain induced transformation processing. 2007 , 52, 14-28	67

1259	Synthesis of Nanostructured Materials by Inert-Gas Condensation Methods. 2007 , 47-90	9
1258	Equal Channel Angular Pressing Die Outer Corner Angle Influence on Flow and Strain Homogeneity. 2007 , 9, 572-576	8
1257	Fatigue Behavior of Al-Cu Alloy Subjected to Different Numbers of ECAP Passes. 2007 , 9, 860-866	16
1256	FIB and TEM studies of damage mechanisms in DLC coatings sliding against aluminum. 2007 , 516, 325-335	14
1255	Development of ultrafine grain aluminium-graphite metal matrix composite by equal channel angular pressing. 2007 , 67, 1275-1279	27
1254	Microstructure and texture evolution during equal channel angular extrusion of interstitial-free steel: Effects of die angle and processing route. 2007 , 55, 1017-1032	63
1253	Influence of preliminary extrusion conditions on the superplastic properties of a magnesium alloy processed by ECAP. 2007 , 55, 1083-1091	108
1252	Contribution of microstructural parameters to strengthening in an ultrafine-grained Al-7% Si alloy processed by severe deformation. 2007 , 55, 1319-1330	118
1251	Microstructure and texture gradient in copper deformed by equal channel angular pressing. 2007 , 55, 2013-2024	91
1250	The influence of back pressure on ECAP processed AA 6016: Modeling and experiment. 2007 , 55, 2985-2993	127
1249	Tension-compression asymmetry in severely deformed pure copper. 2007 , 55, 4603-4613	61
1248	Effect of redundant shear strain on microstructure and texture evolution during accumulative roll-bonding in ultralow carbon IF steel. 2007 , 55, 5873-5888	215
1247	Influences of crystallographic orientations on deformation mechanism and grain refinement of Al single crystals subjected to one-pass equal-channel angular pressing. 2007 , 55, 5889-5900	39
1246	Microstructure-mechanical property relationships in ultrafine-grained NbZr. 2007 , 55, 6596-6605	47
1245	Grain refinement in a commercial Al-Mg-Sc alloy under hot ECAP conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 444, 18-30	5-3 63
1244	Changes in the mechanical properties of a pearlitic steel due to large shear deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 445-446, 237-243	5-3 72
1243	Sensitivity of friction condition in finite element investigations of equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 445-446, 676-685	5-3 18
1242	Microstructural evolution of Fe-2%Ni alloy during large strain multi-axial forging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 447, 119-124	5-3 21

1241	Finite element analysis of plastic deformation of CP-Ti by multi-pass equal channel angular extrusion at medium hot-working temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 447, 134-141	5:3	19
1240	Remarkable improvement of recovery stress of Fe-Mn-Si shape memory alloy fabricated by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 454-455, 19-23	5:3	11
1239	Microstructure and yield strength of ultrafine grained aluminum processed by hot isostatic pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 458, 385-390	5:3	23
1238	On mechanical properties and superplasticity of Mg-Al-Zn alloys processed by reciprocating extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 464, 76-84	5:3	34
1237	Instrumented anvil-on-rod tests for constitutive model validation and determination of strain-rate sensitivity of ultrafine-grained copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 464, 202-209	5:3	11
1236	Evolution of crystallographic texture during equal channel angular extrusion (ECAE) and its effects on secondary processing of magnesium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 471, 1-14	5:3	136
1235	Microstructural characterization of a fine-grained ultra low carbon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 462, 248-252	5:3	12
1234	Grain refinement of commercially pure zirconium by ECAP and subsequent intermediate heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 449-451, 1087-1089	5:3	17
1233	Influence of equal-channel angular pressing on the acoustic emission behaviour of magnesium alloy AZ31 under compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 462, 111-115	5:3	3
1232	A quantitative model of grain refinement and strain hardening during severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 444, 214-219	5:3	55
1231	Processing microstructure property relationships in severely deformed tantalum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 463, 94-100	5:3	25
1230	Influence of Zr addition on the microstructure evolution and thermal stability of Al-Mg-Mn alloy processed by ECAP at elevated temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 452-453, 552-557	5:3	23
1229	The effect of severe plastic deformation on precipitation in supersaturated Al-Zn-Mg alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 460-461, 77-85	5:3	156
1228	Tensile properties and fracture mechanism of Al-Mg alloy subjected to equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 459, 137-144	5:3	80
1227	Microstructural refinement of an Fe-C alloy within the ferritic range via two different strain paths. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 460-461, 532-541	5:3	15
1226	Superplasticity of 5083 alloys with Zr and Mn additions produced by reciprocating extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 460-461, 409-419	5:3	25
1225	Optimal pressing route for continued equal channel angular pressing by finite element analysis. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 466, 166-171	5:3	36
1224	Properties and deformation behaviour of severe plastic deformed aluminium alloys. 2007 , 182, 207-214		52

1223	A new method for estimating strain in equal channel angular extrusion. 2007 , 183, 148-153	26
1222	An upper bound solution of ECAE process with outer curved corner. 2007 , 182, 555-563	51
1221	Effect of equal channel angular pressing on the deformation behaviour of magnesium alloy AZ31 under uniaxial compression. 2007 , 184, 294-299	34
1220	Die design for homogeneous plastic deformation during equal channel angular pressing. 2007 , 187-188, 46-50	43
1219	Study of deformation homogeneity in the multi-pass equal channel angular extrusion process. 2007 , 192-193, 121-127	19
1218	Bulk nanostructured processing of aluminum alloy. 2007 , 192-193, 575-581	40
1217	Deformation behavior and strain homogeneity in equal channel angular extrusion/pressing. 2007 , 192-193, 449-452	40
1216	Effect of severe ausforming via equal channel angular extrusion on the shape memory response of a NiTi alloy. 2007 , 361, 298-305	57
1215	Revealing deformation microstructures. 2007 , 10, 24-32	35
1214	A new method for producing bimetallic rods. 2007 , 61, 4110-4113	55
1213	Influence of the initial yield strain magnitude on the materials flow in equal-channel angular extrusion process. 2007 , 56, 105-108	16
1212	Indentation behavior of aluminum processed by equal channel angular extrusion: Effect of bending angle. 2007 , 56, 185-188	1
1211	Continuous frictional angular extrusion and its application in the production of ultrafine-grained sheet metals. 2007 , 56, 333-336	55
1210	Effect of strain path change on the plastic responses during uniaxial loading of materials pre-deformed by equal channel angular extrusion. 2007 , 56, 445-448	14
1209	Simulation and control of dispersoids and dispersoid-free zones during homogenizing an AlMgSi alloy. 2007 , 57, 603-606	12
1208	Influence of crystal orientation on the processing of copper single crystals by ECAP. 2007 , 42, 1501-1511	24
1207	The development of hardness homogeneity in aluminum and an aluminum alloy processed by ECAP. 2007 , 42, 1542-1550	68
1206	Plastic anisotropy in aluminum and copper pre-strained by equal channel angular extrusion. 2007 , 42, 1733-1750	24

1205	Fatigue limit and crack growth in ultra-fine grain metals produced by severe plastic deformation. 2007 , 42, 1797-1808	110
1204	Recent progress on the study of the microstructure and mechanical properties of ECAE copper. 2007 , 42, 9097-9111	27
1203	Recent progress on the study of the microstructure and mechanical properties of ECAE copper. 2007 , 42, 1622-1637	26
1202	The processing of ultrafine-grained materials through the application of severe plastic deformation. 2007 , 42, 3388-3397	45
1201	Microstructure-properties relationship in two Al-Mg-Si alloys through a combination of extrusion and aging. 2007 , 59, 58-61	13
1200	Grain Size, Misorientation, and Texture Evolution of Copper Processed by Equal Channel Angular Extrusion and the Validity of the Hall-Petch Relationship. 2007 , 38, 1080-1095	32
1199	Severe Plastic Deformation as a Means of Producing Ultra-Fine-Grained Net-Shaped Micro Electro-Mechanical Systems Parts. 2007 , 38, 1906-1909	40
1198	Fatigue-Property Enhancement of Magnesium Alloy, AZ31B, through Equal-Channel-Angular Pressing. 2007 , 38, 2283-2289	23
1197	On the Microstructural Stability of Ultrafine-Grained Interstitial-Free Steel under Cyclic Loading. 2007 , 38, 1946-1955	45
1196	The Influence of Zirconium on the Low-Cycle Fatigue Response of Ultrafine-Grained Copper. 2007 , 38, 1916-1925	17
1195	Static and Cyclic Crack Growth Behavior of Ultrafine-Grained Al Produced by Different Severe Plastic Deformation Methods. 2007 , 38, 1926-1933	27
1194	Deformation Mechanism of Zr702 Processed by Equal Channel Angular Pressing. 2007 , 38, 2805-2814	2
1193	Microstructures and Shape Memory Effect of Different Carbon-Bearing FeMnSiCrNi Alloys Aged after Equal Channel Angular Pressing. 2007 , 38, 299-303	5
1192	New Methods for Severe Plastic Deformation Processing. 2007 , 16, 360-374	34
1191	Modeling transients in the mechanical response of copper due to strain path changes. 2007 , 23, 640-664	92
1190	Factors influencing the equal-channel angular pressing of Ti-6Al-4V alloy having lamellar microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 164-169	5-3 5
1189	On the strain distribution during extrusion through a bent channel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 491, 501-506	5-3 3
1188	On the cyclic deformation response of ultrafine-grained Al-Mg alloys at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 496, 114-120	5-3 18

1187	A computational study of die geometry and processing conditions effects on equal channel angular extrusion of a polymer. 2008 , 50, 589-602	34
1186	Investigation into Channel Angular Extrusion and the UREAD energy absorption technique. 2008 , 50, 966-973	1
1185	Evolution of microstructure, texture and grain boundary character in a severely cold rolled Ti + Nb IF steel. 2008 , 43, 207-211	3
1184	Orientation splitting and its contribution to grain refinement during equal channel angular extrusion. 2008 , 43, 7273-7279	10
1183	Severe plastic deformation of an as-cast hypoeutectic Al ₃ Si alloy. 2008 , 43, 7501-7506	8
1182	Texture development in two-pass ECAE-processed beryllium. 2008 , 43, 7465-7473	15
1181	Texture simulation of aluminum rod during equal channel angular pressing. 2008 , 43, 4561-4566	3
1180	Flow properties of an aluminum alloy processed by equal channel angular pressing. 2008 , 43, 7432-7437	6
1179	Tailoring structures through two-step annealing process in nanostructured aluminum produced by accumulative roll-bonding. 2008 , 43, 7313-7319	9
1178	Mechanical properties of ultrafine grained ferritic steel sheets fabricated by rolling and annealing of duplex microstructure. 2008 , 43, 7391-7396	30
1177	Finite element analysis of two-turn Incremental ECAP. 2008 , 1, 483-486	16
1176	Transmission Electron Microscopy Study of Strain-Induced Low- and High-Angle Boundary Development in Equal-Channel Angular-Pressed Commercially Pure Aluminum. 2008 , 39, 181-189	57
1175	Microstructure of ECAE-Processed Copper after Long-Term Room-Temperature Storage. 2008 , 39, 2923-2930	48
1174	Heterogeneous and Architected Materials: A Possible Strategy for Design of Structural Materials. 2008 , 10, 24-36	98
1173	Mechanical Behaviour of Interstitial Free Steel and Pure Al Processed by ECAP. 2008 , 10, 731-736	
1172	Nonequilibrium thermodynamics of a deformed solid as a multiscale system. Corpuscular-wave dualism of plastic shear. 2008 , 11, 105-123	21
1171	Physical mesomechanics of crystal structure refinement upon severe plastic deformation. 2008 , 11, 203-212	10
1170	Intermediate annealing of pure copper during cyclic equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 483-484, 430-432	5-3 12

1169	Investigation on the geometrical aspect of deformation during equal-channel angular pressing by in-situ physical modeling experiments. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 476, 224-229	5-3	21
1168	Evaluation of formability and planar anisotropy based on textures in aluminum alloys processed by a shear deforming process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 477, 107-120	5-3	33
1167	Grain refinement of pure vanadium by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 479, 285-292	5-3	13
1166	Investigation of microstructure characteristics of commercially pure aluminum during equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 485, 621-626	5-3	20
1165	Grain-boundary structure of oxygen-free high-conductivity (OFHC) copper subjected to severe plastic deformation and annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 494, 47-51	5-3	7
1164	The significance of strain reversals during processing by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 498, 341-348	5-3	144
1163	Investigations on workability of commercial purity aluminum processed by equal channel angular pressing. 2008 , 202, 543-548		28
1162	Grain refinement and strain hardening in IF steel during multi-axis compression: Experiment and modelling. 2008 , 204, 255-263		24
1161	Improvement of shape memory effect in an Fe-Mn-Bi-Cr-Ni alloy fabricated by equal channel angular pressing. 2008 , 208, 130-134		15
1160	Microstructure behavior of Al-Mg-Sc alloy processed by ECAP at elevated temperature. 2008 , 56, 821-834		124
1159	Critical examination of strain-rate sensitivity measurement by nanoindentation methods: Application to severely deformed niobium. 2008 , 56, 884-893		95
1158	Orientation stability in equal channel angular extrusion. Part I: Face-centered cubic and body-centered cubic materials. 2008 , 56, 1018-1030		21
1157	Orientation stability in equal channel angular extrusion. Part II: Hexagonal close-packed materials. 2008 , 56, 1031-1043		43
1156	Temperature dependence of sound attenuation and shear modulus of ultra fine grained copper produced by equal channel angular pressing. 2008 , 56, 1473-1481		22
1155	Texture evolution by shear on two planes during ECAP of a high-strength aluminum alloy. 2008 , 56, 3800-3809		32
1154	Micromechanisms and mechanics of ultra-mild wear in Al-Bi alloys. 2008 , 56, 5605-5616		71
1153	The role of heat treatment on the cyclic stress-strain response of ultrafine-grained interstitial-free steel. 2008 , 30, 426-436		42
1152	Texture control and grain refinement of AA1050 Al alloy sheets by asymmetric rolling. 2008 , 50, 869-887		82

1151	Strengthening mechanisms in nanostructured aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 483-484, 102-104	5-3	67
1150	Tensile and compressive properties of AISI 304L stainless steel subjected to equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 475, 207-216	5-3	86
1149	Scale up and application of equal-channel angular extrusion for the electronics and aerospace industries. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 130-140	5-3	82
1148	Texture evolution in an aluminum alloy processed by ECAP with concurrent precipitate fragmentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 473, 219-225	5-3	28
1147	Single-pass severe plastic forming of ultrafine-grained plain carbon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 478, 376-383	5-3	13
1146	Three-dimensional numerical simulations of multi-pass equal-channel angular pressing by a variation difference method and comparison with experiment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 148-159	5-3	8
1145	The effect of geometrically necessary dislocations on grain refinement during severe plastic deformation and subsequent annealing of Al α % Si. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 141-147	5-3	20
1144	Deformation and fracture during equal channel angular pressing of AZ31 magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 487, 68-73	5-3	75
1143	Finite element analysis of rotary-die equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 490, 289-292	5-3	22
1142	Finite element analysis of the effect of the inner corner angle in equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 490, 438-444	5-3	35
1141	Tensile and compressive deformation behaviors of commercially pure Al processed by equal-channel angular pressing with different dies. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 496, 409-416	5-3	25
1140	Texture contribution in grain refinement effectiveness of different routes during ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 87-92	5-3	13
1139	Deformation and annealing textures of equal-channel angular pressed 1050 Al alloy strips. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 395-407	5-3	15
1138	CONTROL OF NANOSTRUCTURE OF MATERIALS. 2008 , 177-265		
1137	Evolution and mechanical effect of S γ -phase in ECA pressed Al α .8Cu α .2Mg α .5Mn alloys. 2008 , 14, 695-699		4
1136	Fatigue of a fine-grained high-strength Al-6Mg-Sc alloy produced by equal-channel angular pressing. 2008 , 105, 500-508		18
1135	Study of inner corner influence in equal Channel Angular Pressing using 3D finite element simulation. 2008 , 61, 125-129		2
1134	Mechanical properties of commercially pure aluminium subjected to repetitive bending and straightening process. 2008 , 61, 165-167		8

1133	Improvement of the fatigue performance of an ultrafine-grained NbZr alloy by nano-sized precipitates formed by internal oxidation. 2008 , 58, 571-574	22
1132	On microstructure and texture heterogeneities in single crystals deformed by equal channel angular extrusion. 2008 , 59, 1087-1090	21
1131	Mechanical properties and microstructure of AlMgMnZr alloy processed by equal channel angular pressing at elevated temperature. 2008 , 59, 306-311	13
1130	Effects and deformation characteristics of cross-channel extrusion process on pure Sn and AlSi0.3Mg alloy. 2008 , 107, 193-199	11
1129	Grain refinement under multi-axial forging in Fe2%Ni alloy. 2008 , 457, 279-285	23
1128	Equal channel angular pressing of Al3 wt% TiB2 in situ composite. 2008 , 459, 239-243	28
1127	Effective strain based on shear and principal strains in equal channel angular extrusion with outer curved corner. 2008 , 41, 409-419	5
1126	The effect of dead metal zone formation on strain and extrusion force during equal channel angular extrusion. 2008 , 42, 14-20	46
1125	Numerical simulation and experimental investigation of pure copper deformation behavior for equal channel angular pressing/extrusion process. 2008 , 44, 247-252	18
1124	Severe plastic deformation (SPD) processes for metals. 2008 , 57, 716-735	689
1123	Uniformity and continuity of effective strain in AZ91D processed by multi-pass equal channel angular extrusion. 2008 , 18, 92-98	7
1122	Annealing behavior of Al-Mg-Mn alloy processed by ECAP at elevated temperature. 2008 , 18, 248-254	12
1121	Development of microstructure and mechanical properties of as cast AlMgMn alloy during high temperature ECAP. 2008 , 24, 90-96	2
1120	On the Cyclic Stability and Fatigue Performance of Ultrafine-Grained Interstitial-Free Steel under Mean Stress. 2008 , 378-379, 39-52	9
1119	Influence of previous ageing treatments on the strength of an Al-4.3 wt.% Mg-1.2 wt.% Cu alloy processed by ECAE. 2008 , 99, 273-280	3
1118	Microstructure, texture and mechanical properties of the magnesium alloy AZ31 processed by ECAP. 2008 , 99, 50-55	41
1117	INFLUENCE OF BILLET SIZE ON THE DEFORMATION INHOMOGENEITY OF MATERIAL PROCESSED BY EQUAL CHANNEL ANGULAR PRESSING. 2008 , 22, 6088-6093	2
1116	Tensile Property of Submicrocrystalline Pure Fe Produced by HPT-Straining. 2008 , 584-586, 597-602	23

1115	Rapid cycle-dependent softening of equal channel angularly pressed Sn–Ag–Cu alloy. 2008 , 23, 2630-2638	2
1114	Effects of impurities and their redistribution during recrystallization of ice crystals. 2008 , 54, 362-370	13
1113	Combined effects of crystallographic orientation, stacking fault energy and grain size on deformation twinning in fcc crystals. 2008 , 88, 3011-3029	69
1112	Enhanced Mechanical Properties of Nano/Meso Hybrid Structure Materials Produced by Hot Roll Sintering Process. 2008 , 49, 90-96	38
1111	Microstructural Evolution and Mechanical Properties of High Purity Aluminium Processed by Equal-Channel Angular Pressing. 2008 , 49, 15-19	12
1110	Effect of Strain Path in High-Pressure Torsion Process on Hardening in Commercial Purity Titanium. 2008 , 49, 47-53	63
1109	Deformation Mechanism of Severely Deformed CP-Titanium by Uniaxial Compression Test. 2008 , 49, 38-40	7
1108	Nanostructured Aluminum and IF Steel Produced by Rolling – Comparative Study. 2008 , 48, 1080-1087	17
1107	Effects of ECAE on Plastic Deformation Behavior of Glassy Polymers. 2009 , 58, 29-34	3
1106	MULTI-SCALE FINITE ELEMENT SIMULATION OF SEVERE PLASTIC DEFORMATION. 2009 , 23, 1621-1626	1
1105	Microstructure and mechanical behavior of ultrafine-grained Ni processed by different powder metallurgy methods. 2009 , 24, 217-226	36
1104	3D NUMERICAL AND EXPERIMENTAL STUDY ON FLOW CHARACTERISTICS OF MULTI-PASS ECAP WITH AA1050. 2009 , 23, 1822-1828	2
1103	Multi-Scale Modeling of Texture Evolution in Beryllium and Zirconium during Equal Channel Angular Extrusion. 2009 , 633-634, 483-510	3
1102	Finite Element Analysis of Plastic Strain Distribution in Multipass ECAE Process of High Density Polyethylene. 2009 , 131,	11
1101	Plastic Behavior of Metals at Large Strains: Experimental Studies Involving Simple Shear. 2009 , 131,	12
1100	Tensile and fatigue properties of sub-microcrystalline ultra-low carbon steel produced by hpt-straining. 2009 , 100, 775-779	6
1099	Effects of grain size on mechanical properties of nanostructured copper alloy by severe plastic deformation (SPD) process. 2009 , 7, 335-341	5
1098	An Investigation of Hardness and Microstructure Evolution of Heat Treatable Aluminum Alloys during and after Equal-Channel Angular Pressing. 2009 , 633-634, 333-340	

1097	Effect of Severe Plastic Deformation on Mechanical Properties of Fe-Ni-Mn High Strength Steel. 2009 , 83-86, 16-23	3
1096	Effects of Grain Size on Micro Backward Extrusion of Copper. 2009 , 83-86, 1092-1098	6
1095	Analysis of Polypropylene Deformation in a 135° ECAE Die: Experiments and Three-Dimensional Finite Element Simulations. 2009 , 424, 71-78	4
1094	Nanostructure Formation and Properties in Some Al Alloys after SPD and Heat Treatment. 2009 , 633-634, 273-302	6
1093	A new route to fabricate ultrafine-grained structures in carbon steels without severe plastic deformation. 2009 , 60, 76-79	84
1092	A crystal plasticity-based explanation for the dependencies of grain refinement on processing route and die angle in equal channel angular extrusion. 2009 , 60, 706-709	7
1091	Growth mechanism of a small surface crack of ultrafine-grained copper in a high-cycle fatigue regime. 2009 , 60, 729-732	13
1090	A fan-type flow-line model in equal channel angular extrusion. 2009 , 61, 24-27	14
1089	Characterization of aluminum processed by equal channel angular extrusion: Effect of processing route. 2009 , 60, 1489-1495	27
1088	A New Technique for Severe Plastic Deformation: The Coneâ€šOne Method. 2009 , 11, NA-NA	
1087	A simple model for dynamic recrystallization during severe plastic deformation. 2009 , 79, 579-586	12
1086	Effects of severe plastic deformation on the corrosion behavior of aluminum alloys. 2009 , 13, 277-282	41
1085	Plastic flow anisotropy of pure zirconium after severe plastic deformation at room temperature. 2009 , 57, 4855-4865	65
1084	Grain refinement of T91 alloy by equal channel angular pressing. 2009 , 389, 221-224	25
1083	Equal channel angular pressing die to extrude a variety of materials. 2009 , 30, 1050-1059	52
1082	Upper-bound analysis of dual equal channel lateral extrusion. 2009 , 30, 1484-1489	24
1081	The link between microstructure and creep in aluminum processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 82-85	5:3 17
1080	Role of strain reversal in grain refinement by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 499, 427-433	5:3 66

1079	Enhanced rate-dependent tensile deformation in equal channel angularly pressed Sn-3Ag-Cu alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 502, 153-158	5-3	14
1078	Finite element analysis of deformation behavior in continuous ECAP process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 516, 111-118	5-3	22
1077	Microstructure and mechanical property of the ECAPed Mg ₂ Si/Mg composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 516, 283-289	5-3	38
1076	Evolution of texture during equal channel angular extrusion of commercially pure aluminum: Experiments and simulations. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 520, 134-146	5-3	39
1075	Microstructural and mechanical properties of commercially pure aluminum subjected to Dual Equal Channel Lateral Extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 527, 141-145	5-3	47
1074	A new method of characterizing equivalent strain for equal channel angular processing. 2009 , 16, 349-353		3
1073	Influence of Grain Boundary Character on Creep Void Formation in Alloy 617. 2009 , 40, 2803-2811		46
1072	Through-Thickness Variations of Deformed and Annealed Microstructures in ECAE-Processed Copper. 2009 , 40, 1684-1692		24
1071	Evolution of Grain-Boundary Microstructure and Texture in Interstitial-Free Steel Processed by Equal-Channel Angular Extrusion. 2009 , 40, 2729-2742		33
1070	Hydrostatic extrusion of UFG aluminium. 2009 , 2, 621-624		13
1069	Backward extrusion using micro-blanked aluminium sheet. 2009 , 2, 617-620		10
1068	Effects of die geometry on variation of the deformation rate in equal channel angular pressing. 2009 , 15, 439-445		8
1067	Microstructural characterization of ultrafine-grain interstitial-free steel by X-ray diffraction line profile analysis. 2009 , 94, 943-948		59
1066	Modeling texture evolution in equal channel angular extrusion using crystal plasticity finite element models. 2009 , 25, 768-779		47
1065	Orientation stability in equal-channel angular extrusion of body-centered cubic materials by {1 1 0}<1 1 1> and {1 1 2}<1 1 1> slip. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 118-121	5-3	4
1064	Analysis of thermal behavior during equal channel multi-angular pressing by the 3-dimensional finite volume method. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 130-136	5-3	10
1063	Cyclic stability of ultrafine-grained interstitial-free steel at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 160-162	5-3	13
1062	Monitoring the fatigue-induced damage evolution in ultrafine-grained interstitial-free steel utilizing digital image correlation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 517, 225-234	5-3	38

1061	The grain refinement of Al-6061 via ECAE processing: Deformation behavior, microstructure and property. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 526, 84-92	5-3	37
1060	Three-dimensional finite element analysis of multi-pass equal-channel angular extrusion of aluminum AA1050 with split dies. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 152-155	5-3	19
1059	Investigating the effects of hardening of aluminium alloys on equal-channel angular pressingâ€”A finite-element study. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 148-151	5-3	9
1058	ECAP vs. direct extrusionâ€”Techniques for consolidation of ultra-fine Al particles. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 504, 1-7	5-3	53
1057	Recovery of Industrial and Recycled Alâ€”Cu Alloys Subjected to Severe Plastic Deformation. 2009 , 2, 1337-1342		1
1056	Texture evolution in equal-channel angular extrusion. 2009 , 54, 427-510		368
1055	Study of channel angle influence on material flow and strain inhomogeneity in equal channel angular pressing using 3D finite element simulation. 2009 , 209, 89-95		81
1054	FEM and metallurgical analysis of modified 6082 aluminium alloys processed by multipass ECAP: Influence of material properties and different process settings on induced plastic strain. 2009 , 209, 1550-1564		46
1053	A modified die for equal channel angular pressing. 2009 , 209, 3182-3186		38
1052	Evaluation of grain refinement and variation in mechanical properties of equal-channel angular pressed 2014 aluminum alloy. 2009 , 30, 1638-1642		39
1051	Interfaces in bulk thermoelectric materials. 2009 , 14, 226-235		320
1050	Evolution of initial grain boundaries and shear bands in Cu bicrystals during one-pass equal-channel angular pressing. 2009 , 57, 1132-1146		30
1049	The effect of temperature and equal-channel angular-pressing routes on the form of powders and structure in pressings. 2009 , 50, 529-533		4
1048	On the principles of the deformation methods of aluminum-alloys grain refinement to ultrafine size: I. Fine-grained alloys. 2009 , 108, 43-49		12
1047	Using differential scanning calorimetry as an analytical tool for ultrafine grained metals processed by severe plastic deformation. 2009 , 25, 687-698		45
1046	Practical method for producing galvanised dual-phase steels with superior strength â€”ductility combination. 2009 , 25, 1265-1270		3
1045	Processing Dense Hetero-Nanostructured Metallic Materials for Improved Strength/Ductility Balance through High Strain Deformation and Electrical Current Assisted Sintering (ECAS). 2009 , 633-634, 559-567		1
1044	Grain refinement in as cast Alâ€”Mgâ€”Mn alloy during high temperature equal channel angular pressing. 2009 , 25, 820-828		5

1043	The effect of deformations passes on the extrusion pressure in axi-symmetric equal channel angular extrusion. 2009 , 44, 1116-1125		8
1042	Experimental and numerical study of ECAE deformation of polyolefins. 2009 , 45, 646-652		14
1041	Dependencies of grain refinement on processing route and die angle in equal channel angular extrusion of bcc materials. 2009 , 46, 1044-1050		4
1040	Fatigue damage generation in ECAPed oxygen free copper. 2009 , 483, 159-161		8
1039	Processing, Strength and Ductility of Bulk Nanostructured Metals Produced by Severe Plastic Deformation: An Overview. 2009 , 633-634, 131-150		3
1038	Effect of Cu content and number of passes on evolution of microstructure and mechanical properties of ECAPed Al/Cu alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 517, 46-50	5-3	21
1037	Experimental and numerical investigation on pure aluminum by ECAP. 2009 , 19, 1303-1311		31
1036	Coupled Analysis of Heat Transfer and Deformation in Equal Channel Angular Pressing of Al and Steel. 2009 , 50, 40-43		13
1035	Change-Channel Angular Extrusion of Magnesium Alloy AZ31. 2009 , 50, 765-770		10
1034	Influence of Severe Plastic Deformation on Precipitation Hardening in an Al-Mg-Si Alloy: Microstructure and Mechanical Properties. 2009 , 50, 771-775		12
1033	Microstructure Evolution in Pure Al Processed with Twist Extrusion. 2009 , 50, 96-100		45
1032	Effect of processing temperature on microstructure of AZ61 magnesium alloy produced by compressive torsion processing. 2009 , 59, 35-40		1
1031	Texture evolution during tensile necking of copper processed by equal channel angular extrusion. 2010 , 240, 012161		1
1030	New Microstructure Design for Commercially Pure Titanium with Outstanding Mechanical Properties by Mechanical Milling and Hot Roll Sintering. 2010 , 51, 39-45		94
1029	Microstructure and Mechanical Properties of Bulk Nanostructured Metals Produced by Severe Plastic Deformation. 2010 , 49, 280-284		3
1028	Effect of Cold Forging and Static Recrystallization on Microstructure and Mechanical Property of Magnesium Alloy AZ31. 2010 , 51, 341-346		12
1027	Study of Thermal Stability of Ultrafine-Grained Copper by means of Electron Back Scattering Diffraction. 2010 , 51, 209-213		7
1026	Equal Channel Angular Extrusion Technique for Controlling the Texture of n-Type Bi ₂ Te ₃ Based Thermoelectric Materials. 2010 , 51, 1914-1918		13

1025	A Comparison of the Effects of Pre-ECAR and Post-ECAR Aging on Microstructure and Strengthening in 7050 Al Alloy Sheet. 2010 , 51, 2109-2112		4
1024	Effect of temperature on the formation of a microstructure upon equal-channel angular pressing of the Al-Mg-Sc 1570 alloy. 2010 , 110, 153-161		22
1023	Thermo-mechanical response of Al 6061 with and without equal channel angular pressing (ECAP). 2010 , 26, 189-203		62
1022	3D FEM simulations for the homogeneity of plastic deformation in Al-Ti alloys during ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1404-1410	5-3	53
1021	Upper-bound sensitivity analysis of the ECAE process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 2831-2844	5-3	5
1020	Assessment of tensile strength using small punch test for transversely isotropic aluminum 2024 alloy produced by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 3630-3638	5-3	43
1019	Microstructure and texture of copper/niobium composites processed by ECAE. 2010 , 3, 1071-1074		3
1018	Microstructural evolution and mechanical properties of severely deformed Al-12Si casting alloy by equal-channel angular extrusion. 2010 , 16, 145-154		22
1017	Three-dimensional flow characteristics of aluminum alloy in multi-pass equal channel angular pressing. 2010 , 16, 413-420		9
1016	Tensile properties and fracture characteristics of ECAP-processed Al and Al-Cu alloys. 2010 , 16, 709-716		26
1015	Densification of Al-Y2O3 composite powder by equal channel angular pressing. 2010 , 63, 813-817		12
1014	A finite element simulation of NiTi alloy during equal channel angular extrusion. 2010 , 25, 824-828		1
1013	Amorphous Zr-Based Foams with Aligned, Elongated Pores. 2010 , 41, 1706-1713		6
1012	Fabrication of a Thermoelectric Nanocomposite via Multiple Roll Bonding of Cast Bi-22at.%Sb Alloy. 2010 , 39, 1654-1658		2
1011	Effect of strain reversals on the processing of high-purity aluminum by high-pressure torsion. 2010 , 45, 4583-4593		58
1010	EBSD characterization of an ECAP deformed Nb single crystal. 2010 , 45, 4672-4681		8
1009	On the fatigue crack growth-microstructure relationship in ultrafine-grained interstitial-free steel. 2010 , 45, 4813-4821		50
1008	The improvement of strength and ductility in ultra-fine grained 5052 Al alloy by cryogenic- and warm-rolling. 2010 , 45, 4739-4744		31

1007	Spheroidization of medium carbon steel fabricated by continuous shear drawing. 2010 , 45, 4866-4870		11
1006	Texture and microstructure evolution in ultrafine-grained AZ31 processed by EX-ECAP. 2010 , 45, 4665-4671		41
1005	A TEM Kikuchi pattern study of ECAP AA1200 via routes A, C, BC. 2010 , 61, 613-625		33
1004	The role of grain orientation in microstructure evolution of pure aluminum processed by equal channel angular pressing. 2010 , 61, 1371-1378		14
1003	Comprehensive analysis of minimum grain size in pure aluminum using friction stir processing. 2010 , 64, 1905-1908		40
1002	Quantification of microstructure refinement in aluminium deformed by equal channel angular extrusion: Route A vs. route Bc in a 90° die. 2010 , 63, 20-23		17
1001	Production of Very Fine Grained Mg β %Al α %Zn Alloy by Continuous Extrusion Forming (CONFORM). 2010 , 12, 843-847		4
1000	Electrochemical corrosion behaviour of a Ti-IF steel and a SAE 1020 steel in a 0.5 M NaCl solution. 2010 , 61, 407-411		11
999	A new model for prediction the strain field and extrusion pressure in ECAE process of circular cross section. 2010 , 34, 1901-1917		25
998	Thermal stability of ultrafine-grained copper during high speed micro-extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1791-1799 ^{5.3}		18
997	Deformation mechanism near crack-tip by finite element analysis and microstructure observation in magnesium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1761-1768	5.3	23
996	Utilization of channel angular deformation as an alternative for direct extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 2492-2497 ^{5.3}		
995	Equal channel angular extrusion of soft solids. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 3769-3776	5.3	26
994	Wear properties of ECAP-processed ultrafine grained Al α Ti alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 3726-3732	5.3	88
993	The influence of cooling rate on the microstructures and mechanical properties in ultrafine-grained aluminum processed by hot rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5287-5294	5.3	6
992	Twist channel angular pressing (TCAP) as a method for increasing the efficiency of SPD. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6386-6392	5.3	46
991	Effect of friction model in numerical analysis of equal channel angular pressing process. 2010 , 31, 449-457		39
990	Mechanical behavior and microstructural evolution of commercially pure titanium in enhanced multi-pass equal channel angular pressing and cold extrusion. 2010 , 31, S54-S60		51

989	Mechanics of continuous equal-channel angular extrusion. 2010 , 210, 542-549		19
988	Forgeability of ultra-fine grained aluminum alloy for bolt forming. 2010 , 52, 1269-1276		18
987	The effect of ECAP and Cu addition on the aging response and grain substructure evolution in an Al-4wt.% Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 634-644	5-3	13
986	An ultrahigh strength steel with ultrafine-grained microstructure produced through superplastic forming. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5430-5434	5-3	3
985	Different processing routes for deformation via simple shear extrusion (SSE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6153-6156	5-3	46
984	Microstructural evolution and its effect on mechanical properties of commercially pure aluminum deformed by ECAE (Equal Channel Angular Extrusion) via routes A and C. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7927-7930	5-3	24
983	The effect of microstructural inhomogeneity on the growth paths of surface-cracks in copper processed by equal channel angular pressing. 2010 , 77, 1914-1925		15
982	The thermal behavior of aluminum 5083 alloys deformed by equal channel angular pressing. 2010 , 499, 100-105		12
981	Microstructure changes during non-conventional heat treatment of thin Ni-Ti wires by pulsed electric current studied by transmission electron microscopy. 2010 , 58, 4503-4515		151
980	Plastic behavior of face-centered-cubic metals over a wide range of strain. 2010 , 58, 5015-5021		26
979	Orientation dependence of elastic properties and internal stresses in sub-microcrystalline copper produced by equal channel angular pressing. 2010 , 58, 6656-6664		4
978	Grain refinement in CuCrZr by SPD processing. 2010 , 207, 1136-1138		20
977	Ultrafine grained structure development in steel with different initial structure by severe plastic deformation. 2010 , 15, 240-246		5
976	Microstructural evolution of AA7050 al alloy processed by ECAP. 2010 , 15, 291-298		6
975	Sensitivity analysis of the ECAE process via 2k experiments design. 2010 , 15, 208-217		6
974	Microstructure Characterization of Large Strain Deformed Fe-32%Ni Alloy. 2010 , 146-147, 248-251		
973	Strengthening of CP-Ti by Rolling at Room Temperature. 2010 , 667-669, 737-741		
972	Flow Behaviour of Commercial Purity Titanium Subjected to Equal Channel Angular Pressing. 2010 , 667-669, 867-872		1

971	Visualization and Quantification of Severe Internal Deformation on Compressive Torsion Process. 2010 , 654-656, 1247-1250	5
970	Superplasticity of a Sc and Zr Modified Al-6%Cu Alloy Subjected to ECAE. 2010 , 638-642, 291-296	
969	Susceptibility to Hydrogen Embrittlement of IF Steel with Ultrafine-Grained Structure Produced by Accumulative Roll-Bonding Process. 2010 , 654-656, 1235-1238	1
968	Influence of Strain Path Changes on Microstructure Inhomogeneity and Mechanical Behavior of Wire Drawing Products. 2010 , 654-656, 314-317	6
967	Effect of a Special ECAP Die Configuration on Microhardness Distributions in Pure Aluminum. 2010 , 667-669, 69-74	1
966	Finite Element Simulation of Effects of Mould Angle and Friction on ECAP for AZ80 Magnesium Alloy. 2010 , 667-669, 81-86	2
965	Grain Refinement Efficiency in Equal Channel Angular Extrusion of FCC Metals Inferred from Crystal Plasticity Simulations of Slip Activities. 2010 , 638-642, 1971-1976	2
964	The Effect of Heat Treatment on Formability of Ultra-Fine Grained AA6061 for Bolt Manufacturing. 2010 , 443, 164-169	1
963	Grain Refinement of Magnesium Alloy AZ31 under Torsion Extrusion with a Square-Hole Die. 2010 , 654-656, 711-714	3
962	Effect of Preliminary Treatment on Grain Refinement of Medium Carbon Steel Using ECAP at Increased Temperature. 2010 , 638-642, 2013-2018	2
961	FATIGUE DAMAGE FORMATION PROCESS OF ULTRAFINE GRAINED OXYGEN-FREE AND DEOXIDIZED LOW-PHOSPHOROUS COPPER. 2010 , 24, 2506-2511	1
960	Hydrogen Embrittlement of Submicrocrystalline Ultra-Low Carbon Steel Produced by High-Pressure Torsion Straining. 2010 , 89-91, 763-768	6
959	The Relationship between Shear Bands and Crack Growth Behavior in Ultrafine Grained Copper Processed by Severe Plastic Deformation. 2010 , 452-453, 645-648	
958	Optimization of Strength and Ductility in Ultra-Fine 304 Stainless Steel after Equal-Channel Angular Processing. 2010 , 667-669, 937-942	2
957	Finite Element Simulation of the Effects of Mould Angle on the Equal Channel Angular Pressing for Al-Zn-Mg-Cu Alloy. 2010 , 97-101, 3075-3078	0
956	Grain Fragmentation in Equal Channel Angular Pressed Copper. 2010 , 654-656, 1570-1573	3
955	Microstructure and mechanical property evolution of 99.1% recycled aluminum during equal Channel Angular Extrusion. 2010 , 13, 012017	1
954	Grain Refinement and Texture Evolution during Equal Channel Angular Extrusion of Pure Cu and Cu-Zn Alloys. 2010 , 654-656, 1215-1218	1

953	Processing and Characterization of Pure Nickel Sheets by Constrained Groove Pressing (CGP) Technique. 2010 , 667-669, 523-528	5
952	Texture Evolution in Pure Copper Processed by Equal Channel Angular Extrusion with Extended Processing Routes. 2010 , 667-669, 271-276	2
951	Nano Grained Structure in KOBO Extruded Bulk Products. 2010 , 10, 11-17	4
950	Effects of Temperature and Grain Refinement on Micro Simple Upsetting of Copper. 2010 , 450, 149-152	2
949	High temperature shape memory alloys. 2010 , 55, 257-315	591
948	Grain refinement and carbide precipitation in Fe-Mn-Bi-Cr-Ni shape memory alloy fabricated by equal channel angular pressing. 2010 , 26, 691-694	3
947	Inhomogeneous evolution of microstructure in AZ91 Mg-alloy during high temperature equal-channel angular pressing. 2010 , 492, 166-172	23
946	On the processing of hetero-nanostructured metals for improved strength/ductility balance by ECAE and SPS techniques. 2010 , 504, S456-S459	17
945	Evolution of texture and microstructure in pulsed electro-deposited Cu treated by Surface Mechanical Attrition Treatment (SMAT). 2010 , 504, S410-S413	27
944	Corrosion behavior of equal-channel-angular-pressed pure magnesium in NaCl aqueous solution. 2010 , 52, 481-490	250
943	Quantitative analysis of the influence of strain hardening on equal channel angular pressing process. 2010 , 48, 633-639	9
942	On the selection of outlet channel length and billet length in equal channel angular extrusion. 2010 , 49, 293-298	6
941	Strengthening and stress drop of ultrafine grain aluminum after annealing. 2010 , 20, 2139-2142	13
940	Bonding interface zone of Mg-Gd-Y/Mg-Zn-Gd laminated composite fabricated by equal channel angular extrusion. 2010 , 20, s613-s618	8
939	Mechanical Properties and Temper Resistance of Deformation Induced Ferrite in a Low Carbon Steel. 2010 , 26, 1107-1113	8
938	Processing by Severe Plastic Deformation: Historical Developments and Current Impact. 2010 , 667-669, 9-14	23
937	Effects of temperature and grain refinement on the closed-die forging of a micro gear. 2010 , 224, 1767-1773	10
936	Corrosion behaviour of bulk ultra-fine grained AZ91D magnesium alloy fabricated by equal-channel angular pressing. 2011 , 53, 362-373	186

935	The influence of imposed strain on the development of microstructure and transformation characteristics of NiâTi shape memory alloys. 2011 , 509, 2716-2722		27
934	High strain rate superplasticity at intermediate temperatures of the Al 7075 alloy severely processed by equal channel angular pressing. 2011 , 509, 9589-9597		45
933	Introduction. 2011 , xxi-xxxv		5
932	Influences of Alloying Elements on Grain Sizes in Friction Stir Processed Pure Aluminum and Aluminum Alloys. 2011 , 677-684		
931	Investigation of Microhardness and Microstructure of AZ31 Alloy after High-Pressure Torsion. 2011 , 589-594		2
930	Experimental and Computational Studies of Competitive Precipitation Behavior Observed in an Al-Mg-Si Alloy with High Dislocation Density and Ultrafine-Grained Microstructures. 2011 , 75, 283-290		11
929	High Strength Bolt Manufacturing of Ultra-Fine Grained Aluminium Alloy 6061. 2011 , 52, 173-178		2
928	New structural and mechanical features of hexagonal materials after room temperature extrusion using the KoBo method. 2011 , 102, 464-473		16
927	Upper-bound analysis of axi-symmetric forward spiral extrusion. 2011 , 43, 684-692		23
926	Change of anisotropic tensile strength due to amount of severe plastic deformation in aluminum 2024 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 529, 1-8	5-3	21
925	Continuous ECAP process design for manufacturing a microstructure-refined bolt. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 530, 462-468	5-3	16
924	Effect of strain path on grain refinement in severely plastically deformed copper. 2011 , 64, 284-287		24
923	Effect of Mg content on the minimum grain size of AlâMg alloys obtained by friction stir processing. 2011 , 64, 355-358		73
922	Formability of ultrafine-grained interstitial-free steel fabricated by accumulative roll-bonding and subsequent annealing. 2011 , 65, 175-178		42
921	Effect of strain reversal on texture and grain refinement in route C equal channel angular pressed copper. 2011 , 65, 167-170		19
920	Effect of initial microstructure on ultrafine grain formation through warm deformation in medium-carbon steels. 2011 , 65, 404-407		24
919	Mechanical and microstructural characterization of 6061 aluminum alloy strips severely deformed by Dissimilar Channel Angular Pressing. 2011 , 62, 391-397		21
918	An investigation on diffusion bonding of aluminum to copper using equal channel angular extrusion process. 2011 , 65, 1862-1864		52

917	Tubular channel angular pressing (TCAP) as a novel severe plastic deformation method for cylindrical tubes. 2011 , 65, 3009-3012		124
916	Deformation heterogeneity of Ti under cryogenic channel-die compression. 2011 , 21, 277-285		11
915	Modeling of microstructure effects on the mechanical behavior of ultrafine-grained nickels processed by hot isostatic pressing. 2011 , 53, 812-826		7
914	Microstructure investigation and thermal stability of 99.1% aluminum processed by equal channel angular extrusion. 2011 , 46, 2185-2193		4
913	Twist-channel angular pressing: effect of the strain path on grain refinement and mechanical properties of copper. 2011 , 46, 7865-7876		27
912	Microstructure and mechanical properties of Cu and Cu-Zn alloys produced by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4259-4267	5.3	69
911	Shape memory characteristics of Ti49.5Ni25Pd25Sc0.5 high-temperature shape memory alloy after severe plastic deformation. 2011 , 59, 4747-4760		62
910	Near-Surface Deformed Layers on Rolled Aluminum Alloys. 2011 , 42, 1373-1385		51
909	Visco-Plastic Flow of Metal in Dynamic Conditions of Complex Strain Scheme. 2011 , 42, 2881-2897		42
908	Finite Element Analysis of the Deformation Distribution During Multi-Pass Rotary-Die ECAP. 2011 , 20, 1378-1384		15
907	Investigation and numerical analysis of strain distribution in the twist extrusion of pure aluminum. 2011 , 63, 69-76		14
906	Improving corrosion resistance of Al-11mass%Si alloy through a large number of ECAP passes. 2011 , 62, 848-852		25
905	Optimisation of thermo mechanical treatments using cryogenic rolling and aging of the high strength aluminium alloy AlZn5.5MgCu (AA7075). Optimierung der thermomechanischen Behandlung am Beispiel der hochfesten Aluminiumlegierung AlZn5,5MgCu mittels Tieftemperaturwalzen. 2011 , 42, 573-579		3
904	Fatigue Damage Evolution in Ultrafine-Grained Interstitial-Free Steel. 2011 , 13, 275-280		8
903	Tailoring nanostructured, graded, and particle-reinforced Al laminates by accumulative roll bonding. 2011 , 23, 2663-8		44
902	Texture evolution in commercially pure titanium after warm equal channel angular extrusion. 2011 , 59, 1121-1133		96
901	Crystal plasticity modeling of texture evolution and heterogeneity in equal channel angular pressing of aluminum single crystal. 2011 , 59, 3581-3592		60
900	Flow characteristics of continuous shear drawing of high carbon steel. 2011 , 53, 479-484		17

899	Axi-symmetric forward spiral extrusion, a kinematic and experimental study. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1023-1029	5-3	31
898	Hardness homogeneity on longitudinal and transverse sections of an aluminum alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3833-3840	5-3	64
897	Enhancing strength and ductility of Mg ₁₂ Gd ₁₀ .5Zr alloy by forming a bi-ultrafine microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4300-4311	5-3	24
896	Development of a novel severe plastic deformation method for tubular materials: Tube Channel Pressing (TCP). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5066-5072	5-3	72
895	A comprehensive evaluation of parameters governing the cyclic stability of ultrafine-grained FCC alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6345-6355	5-3	14
894	Microstructure, crystallographic texture, and plastic anisotropy evolution in an Mg alloy during equal channel angular extrusion processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 7616-7627	5-3	86
893	Microstructure development and hardening during high pressure torsion of commercially pure aluminium: Strain reversal experiments and a dislocation based model. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 2581-2591	5-3	56
892	An experimental evaluation of a special ECAP die containing two equal arcs of curvature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4173-4179	5-3	16
891	A modification on ECAP process by incorporating torsional deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4159-4165	5-3	36
890	EBSD analysis of nano-structured copper processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5348-5355	5-3	52
889	High Strength AA7050 Al alloy processed by ECAP: Microstructure and mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5804-5811	5-3	72
888	Producing bulk nanostructured metals and alloys by severe plastic deformation (SPD). 2011 , 3-39		12
887	Low-cycle fatigue-cracking mechanisms in fcc crystalline materials. 2011 , 91, 229-249		22
886	. 2011 , 21, 2584-2587		4
885	On the Conflicts in the Experimental Results Concerning the Mechanical Properties of Ultra-Fine Grained and Nanostructured Materials: Effects of Processing Routes and Experimental Conditions. 2011 , 683, 3-54		4
884	Texture Analysis of Commercial Pure (Grade 3) Ti after Two-Step Severe Plastic Deformation. 2011 , 682, 65-70		1
883	Analysis on Force of Pressure Head during ECAP Based on Simulation. 2011 , 181-182, 299-304		
882	Strain Rate Effects on the Flow Behaviour and Microstructure of ECAPed Magnesium-Alloys. 2011 , 690, 323-326		2

881	On the Cyclic Deformation Response and Microstructural Mechanisms of ECAPed and ARBed Copper - an Overview. 2011 , 683, 55-68	2
880	Finite Element Analysis of Titanium during Equal Channel Angular Extrusion. 2011 , 399-401, 1702-1707	
879	A Comparison of Temperature-Dependent Compressive Deformation Features of Ultrafine-Grained Ti and Cu Produced by ECAP. 2011 , 682, 41-45	6
878	Applying nanostructured steel sheets to automotive body structures. 2011 , 687-714	1
877	Microstructure and mechanical properties of nanostructured low-carbon steel prepared by equal-channel angular pressing. 2011 , 243-275	2
876	Fatigue Strength of Ultrafine Grained Copper Treated by Post-ECAP Mild Annealing. 2011 , 275, 23-26	1
875	Development of Microstructure and Texture in Al5052 Alloy Processed at Room and Cryogenic Temperatures in an ECAP Die. 2011 , 702-703, 89-92	
874	Bulk nanocrystalline and nanocomposite alloys produced from amorphous phase. 2011 , 152-177	3
873	Shearing Patterns of AZ31 Mg Alloy Processed by Equal-Channel Angular Pressing via Various Route. 2011 , 682, 33-39	1
872	A Study on Warm Micro Backward Extrusion of SUS 304 Stainless Steel. 2011 , 486, 139-142	
871	Observation of Anisotropy of Creep Fracture Using Small Punch Test for Al-Al4C3 System Produced by Equal Channel Angular Pressing. 2011 , 30,	1
870	Experimental and FEM Analysis of the AA 6082 Processed by Equal Channel Angular Extrusion. 2011 , 478, 46-53	4
869	Texture evolution and grain refinement of ultrafine-grained copper during micro-extrusion. 2011 , 91, 263-280	9
868	Microstructures and Properties of Ultrafine Grained Iron by Rolling. 2011 , 682, 61-64	
867	Finite Element Analysis of an Axi-Symmetric Forward Spiral Extrusion of Mg-1.75Mn Alloy. 2011 , 690, 173-176	1
866	Local texture and microstructure in cube-oriented nickel single crystal deformed by equal channel angular extrusion. 2011 , 91, 281-299	11
865	Finite Element Analysis of Friction Effect on Deformation Behavior of Copper Rods in a Modified C2S2 Process. 2012 , 217-219, 1487-1492	
864	Numerical Simulation of Equal Channel Angular Pressing for Multi-Pass in Different Routes. 2012 , 268-270, 373-377	5

863	Dynamic Molding of Powder Particles at Room Temperature. 2012 , 706-709, 1955-1960	11
862	Equal channel angular pressing processing routes and associated structure modification: a differential scanning calorimetry and X-ray line profile analysis. 2012 , 27, 194-199	5
861	Grain Refinement in OFHC Cu Subjected to Repetitive Upsetting Extrusion (RUE) Process. 2012 , 710, 270-275	4
860	X-ray studies of structure defects in recycled aluminum alloy during equal channel angular extrusion: Dislocation density and stored energy. 2012 , 28, 012043	2
859	GRADED TRANSITIONS IN Ni-Ti SHAPE MEMORY ALLOYS PROCESSED BY SEVERE PLASTIC DEFORMATION. 2012 , 05, 1250049	1
858	Severe plastic deformation for grain refinement and enhancement of properties. 2012 , 114-141	4
857	EBSD study of the microstructure evolution in a commercially pure aluminium severely deformed by ECAP. 2012 , 32, 012025	2
856	Evolution of microstructural and mechanical properties of an industrial 2017 Aluminium alloy processed by equal channel angular extrusion. 2012 , 28, 012039	2
855	Equal Channel Angular Pressing of Aluminum-Alumina In Situ Metal Matrix Composite. 2012 , 710, 247-252	3
854	TEM and stress relaxation analysis of 99.1% aluminum processed by Equal Channel Angular Extrusion. 2012 , 28, 012026	
853	Nanostructured steel for automotive body structures. 2012 , 57-84	
852	Influence of grain size and temperature on micro upsetting of copper. 2012 , 226, 183-190	13
851	Crystallographic Features of Martensite Transformed from Ultrafine Grained Austenite Fabricated by Severe Plastic Deformation. 2012 , 706-709, 1835-1840	
850	Processing methods for nanomaterials. 2012 , 1-39	
849	FEM Modeling and Experimental Analysis of AA6082 Processed by ECAE. 2012 , 713, 79-84	1
848	Modeling Mechanical Behavior of Materials Processed by Accumulative Roll Bonding. 2012 ,	
847	DEVELOPMENT OF CRYSTALLOGRAPHIC TEXTURE AND GRAIN REFINEMENT IN THE ALUMINUM LAYER OF CU-AL-CU TRI-LAYER COMPOSITE DEFORMED BY EQUAL CHANNEL ANGULAR EXTRUSION. 2012 , 05, 325-334	4
846	Changes in Mechanical Characteristics of Pre-Annealed Wires of Cu–Sn Alloy Manufactured by Continuous Draw Bending. 2012 , 53, 116-122	3

845	Microstructure and Crystallographic Features of Martensite Transformed from Ultrafine-Grained Austenite in Fe–24Ni–0.3C Alloy. 2012 , 53, 81-86		23
844	Effect of ECAP on high temperature compressive deformation behaviour of LY12 aluminium alloys. 2012 , 27, 58-61		1
843	Control of nanostructure of materials. 2012 , 177-265		
842	Effect of cold rolling on the structure and mechanical properties of austenitic corrosion-resistant 10Kh18N8D3BR steel. 2012 , 2012, 772-778		6
841	Strain Energy During Mechanical Milling: Part I. Mathematical Modeling. 2012 , 43, 4247-4257		11
840	Structure of materials based on bismuth chalcogenides and obtained by torsional severe plastic deformation. 2012 , 54, 383-386		
839	Computation on new deformation routes of tube channel pressing considering back pressure and friction effects. 2012 , 59, 174-181		10
838	Superplasticity at elevated temperature of an Mg&sup8%Li²%Zn alloy. 2012 , 541, 372-375		27
837	Forming of Tubular Commercial Purity Aluminum by ECAP. 2012 , 27, 986-989		21
836	Microstructure and dislocation density evolutions in MgAlZn alloy processed by severe plastic deformation. 2012 , 47, 7860-7869		40
835	Influence of Processing Severity During Equal-Channel Angular Pressing on the Microstructure of an Al-Zn-Mg-Cu Alloy. 2012 , 43, 4224-4236		22
834	Microstructure and tensile behavior of a friction stir processed magnesium alloy. 2012 , 60, 5079-5088		62
833	Surface effects and the size-dependent hardening and strengthening of nickel micropillars. 2012 , 60, 1432-1446		38
832	High-strength bolt-forming of fine-grained aluminum alloy 6061 with a continuous hybrid process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 552, 316-322	5.3	20
831	Tensile and fatigue properties of ultrafine-grained low-carbon steel processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 553, 157-163	5.3	22
830	Microstructural stability of ultrafine-grained niobium³%irconium alloy at elevated temperatures. 2012 , 517, 61-68		11
829	Effects of equal channel angular extrusion on the microstructure and high-temperature mechanical properties of ZA85 magnesium alloy. 2012 , 530, 48-55		16
828	Finite element analysis of plastic deformation in twist extrusion. 2012 , 60, 194-200		59

827	Corrosion behaviour of nanocrystalline 304 stainless steel prepared by equal channel angular pressing. 2012 , 54, 60-67		137
826	Influence of secondary extrusion on microstructures and mechanical properties of ZK60 Mg alloy processed by extrusion and ECAP. 2012 , 22, 1896-1901		17
825	Finite Element Analysis of Die Geometry and Process Conditions Effects on Equal Channel Angular Extrusion for Titanium Alloy. 2012 , 19, 54-58		10
824	Hall-Petch and dislocation strengthening in graded nanostructured steel. 2012 , 60, 5933-5943		108
823	Change in mechanical properties of fine copper wire manufactured by continuous rotary draw bending process. 2012 , 212, 2505-2513		8
822	Microstructural refinement of CP-Ti by cryogenic channel-die compression involving mechanical twinning. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 555, 106-116	5.3	13
821	Repetitive forging (RF) using inclined punches as a new bulk severe plastic deformation method. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 558, 150-157	5.3	26
820	Review on modified and novel techniques of severe plastic deformation. 2012 , 55, 2377-2390		36
819	Microstructural evolution of a recycled aluminum alloy deformed by equal channel angular pressing process. 2012 , 19, 1016-1022		4
818	Structural and Mechanical Behaviour of Severe Plastically Deformed OFE Copper Processed by Constrained Groove Pressing Technique. 2012 , 710, 229-234		3
817	Quantitative Microstructural Characterization of Thick Aluminum Plates Heavily Deformed Using Equal Channel Angular Extrusion. 2012 , 43, 4767-4776		11
816	The Cyclic Deformation Behavior of Severe Plastic Deformation (SPD) Metals and the Influential Factors. 2012 , 2, 41-55		12
815	Microstructure evolution of AA7050 Al alloy during Equal-Channel Angular Pressing. 2012 , 15, 732-738		2
814	Cryogenic forming of AA7075 by Equal-Channel Angular Pressing. 2012 , 43, 561-566		24
813	On the simulation of multi-stage forming processes: invariance under change of the reference configuration. 2012 , 43, 617-625		13
812	Influence of Pressing Temperature on Microstructure Evolution and Mechanical Behavior of Ultrafine-Grained Cu Processed by Equal-Channel Angular Pressing. 2012 , 14, 185-194		21
811	Cyclic Deformation Behavior of a 316L Austenitic Stainless Steel Processed by High Pressure Torsion. 2012 , 14, 948-954		17
810	Densification of Al-2024 and Al-2024/Al ₂ O ₃ Powders by Conventional P/M Route and ECAP: A Comparative Study. 2012 , 65, 381-386		3

809	The Evolution of Homogeneity in a Transverse Cross Section of Aluminum Alloy Profile Deformed by Twist Extrusion. 2012 , 64, 593-599		7
808	Microstructure and texture of copper/niobium composites processed by ECAE. 2012 , 5, 121-127		3
807	Microstructure and mechanical behavior of a Ti-4Nb-4Zr-8Sn alloy processed by warm swaging and warm rolling. 2012 , 60, 2169-2177		71
806	Strain field and extrusion load in ECAE process of bi-metal circular cross section. 2012 , 36, 2128-2141		14
805	Texture evolution and anisotropy in the thermo-mechanical response of UFG Ti processed via equal channel angular pressing. 2012 , 30-31, 202-217		57
804	Parallel tubular channel angular pressing (PTCAP) as a new severe plastic deformation method for cylindrical tubes. 2012 , 77, 82-85		82
803	Texture development and grain refinement in non-equal-channel angular-pressed Al. 2012 , 67, 33-36		14
802	Enhanced radiation tolerance of ultrafine grained Fe-Cr-Ni alloy. 2012 , 420, 235-240		68
801	Achieving high tensile elongation in an ultra-fine grained Al alloy via low dislocation density. 2012 , 82, 233-236		20
800	Strain rate sensitivity and fracture behavior of severely deformed Al-Mn alloy sheets. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 532, 26-30	5-3	36
799	Thermal stability and annealing behaviour of ultrafine grained commercially pure titanium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 532, 58-63	5-3	51
798	Enhancement of static and fatigue strength of 1050 Al processed by equal-channel angular pressing using two routes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 532, 120-129	5-3	19
797	Effects of confining pressure on flaw formation during the consolidation of ductile powders by angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 536, 24-32	5-3	4
796	Microstructural and mechanical properties of Al 7075 alloy processed by Equal Channel Angular Pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 533, 50-54	5-3	64
795	Modeling texture evolution during ECAP of copper single crystal by crystal plasticity FEM. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 534, 68-74	5-3	25
794	Effect of SiC particles on the microstructure evolution and mechanical properties of aluminum during ARB process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 540, 13-23	5-3	54
793	Recrystallisation and bonding behaviour of ultra fine grained copper and Cu-Cr alloy using ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 538, 7-13	5-3	33
792	The effect of the pre-homogenization treatment on the fracture characteristics and wear properties of ECAPed Al-Cu alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 539, 308-323	5-3	17

791	Enhanced microstructure homogeneity and mechanical properties of AZ31 magnesium alloy by repetitive upsetting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 540, 115-122	5-3	49
790	Grain refinement in an as-cast AZ61 magnesium alloy processed by multi-axial forging under the multitemperature processing procedure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 541, 98-104	5-3	117
789	Upper-bound and finite-element analyses of non-isothermal ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 546, 180-188	5-3	7
788	Bake hardening of ultra-fine grained low carbon steel produced by constrained groove pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 549, 157-162	5-3	22
787	Multiple direct extrusion: A new technique in grain refinement. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 550, 293-299	5-3	17
786	Work hardening and mechanical properties of severely deformed AA3003 by constrained groove pressing. 2012 , 14, 20-25		54
785	Continuous high strength aluminum bolt manufacturing by the spring-loaded ECAP system. 2012 , 212, 848-855		30
784	Plastic deformation mechanism of crystalline polymer materials in the equal channel angular extrusion process. 2012 , 212, 1528-1536		21
783	Corrosion fatigue behavior of a biocompatible ultrafine-grained niobium alloy in simulated body fluid. 2012 , 5, 181-92		49
782	Modeling texture development in a magnesium single crystal during equal channel angular pressing. 2012 , 76, 76-79		
781	An investigation about solid equal channel angular extrusion on polypropylene/organic montmorillonite composite. 2012 , 123, 2222-2227		12
780	Simulation of Aluminum Powder in Tube Compaction Using Equal Channel Angular Extrusion. 2012 , 21, 143-152		10
779	Damaging Prediction of Difficult-to-Work Aluminum Alloys During Equal Channel Angular Pressing. 2012 , 21, 287-297		12
778	Modelling of equal channel angular pressing using a mesh-free method. 2012 , 47, 4514-4519		8
777	Production of Titanium Powder Sheets by Asymmetric Rolling. 2013 , 51, 509-517		6
776	Thermoelectric Nanomaterials. 2013 ,		95
775	Anisotropic characteristics of granular materials under simple shear. 2013 , 20, 2275-2284		10
774	Wettability and In Vitro Bioactivity Studies on Titanium Rods Processed by Equal Channel Angular Pressing. 2013 , 66, 299-304		9

773	Characterization of AA6061 Alloy Processed by Equal Channel Angular Pressing and Subjected to Low Cycle Fatigue. 2013 , 66, 147-154		3
772	Structural and hardness inhomogeneities in Mg-Al-Zn alloys processed by high-pressure torsion. 2013 , 48, 4661-4670		32
771	On the die design for Repetitive Upsetting Extrusion (RUE) process. 2013 , 6, 289-301		14
770	The effects of equal channel angular extrusion on the mechanical and electrical properties of alumina dispersion-strengthened copper alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 565, 450-458	5-3	25
769	Anisotropic mechanical properties of amorphous Zr-based foams with aligned, elongated pores. 2013 , 61, 5937-5948		7
768	Acoustic Emission Analysis of Damage during Compressive Deformation of Amorphous Zr-Based Foams with Aligned, Elongated Pores. 2013 , 44, 3114-3122		2
767	Crystal Plasticity FEM Study on the Influence of Crystallographic Orientation in Copper Single Crystals Subjected to Equal Channel Angular Pressing. 2013 , 84, 1258-1266		1
766	High-cycle fatigue strength and small-crack growth behavior of ultrafine-grained copper with post-ECAP annealing. 2013 , 110, 218-232		16
765	Comparative analysis for corrosion resistance of micro-arc oxidation coatings on coarse-grained and ultra-fine grained AZ91D Mg alloy. 2013 , 216, 259-266		37
764	Influence of grain size on radiation effects in a low carbon steel. 2013 , 443, 302-310		28
763	Analysis of plastic deformation behavior during back pressure equal channel angular pressing by the finite element method. 2013 , 77, 202-207		22
762	Twenty-five years of ultrafine-grained materials: Achieving exceptional properties through grain refinement. 2013 , 61, 7035-7059		549
761	Development of Processing Using Equal-Channel Angular Pressing. 2013 , 191-214		
760	Achieving microstructures prone to superplastic deformation in an Al-Zn-Mg-Cu alloy by equal channel angular pressing. 2013 , 546, 253-259		24
759	Extreme grain refinement by severe plastic deformation: A wealth of challenging science. 2013 , 61, 782-817		1230
758	Enhanced ductility of the ZA85 magnesium alloy fabricated by equal-channel angular pressing. 2013 , 556, 26-31		12
757	Multiple pass axi-symmetrical forward spiral extrusion of interstitial-free (IF) steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 579, 217-225	5-3	7
756	Experimental microindentation of pure copper subjected to severe plastic deformation by combined tension-torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 571, 95-102	5-3	36

755	The effect of microstructure and texture evolution on mechanical properties of low-carbon steel processed by the continuous hybrid process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 579, 118-125	5-3	13
754	Optimizing the strength and ductility of AZ91 Mg alloy by ECAP and subsequent aging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 588, 329-334	5-3	57
753	Assessment of anisotropic tensile strength using a modified shear punch test for Cu-3Zr alloy processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 587, 320-327	5-3	7
752	The influence of strain rate, deformation temperature and stacking fault energy on the mechanical properties of Cu alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 583, 199-204	5-3	30
751	Spiral extrusion of aluminum/copper composite for future manufacturing of hybrid rods: A study of bond strength and interfacial characteristics. 2013 , 571, 85-92		28
750	TEM analysis and determination of dislocation densities in nanostructured copper tube produced via parallel tubular channel angular pressing process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 563, 193-198	5-3	36
749	Microstructure evolution and mechanical properties of TiB ₂ /Cu composites processed by equal channel angular pressing at elevated temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 571, 144-149	5-3	24
748	Comparison of the monotonic and cyclic mechanical properties of ultrafine-grained low carbon steels processed by continuous and conventional equal channel angular pressing. 2013 , 47, 138-142		10
747	Superplasticity of Composites. 2013 , 155-164		
746	Numerical and experimental analysis of twist channel angular pressing (TCAP) as a SPD process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 563, 86-94	5-3	29
745	Surface hardening of biocompatible ultrafine-grained niobium zirconium alloy by two-stage oxidation treatment. 2013 , 48, 4549-4556		3
744	Finite element simulation of cross equal channel angular pressing. 2013 , 74, 124-128		13
743	Investigation of nanostructured aluminum/copper composite produced by accumulative roll bonding and folding process. 2013 , 51, 274-279		56
742	Nanograined Ti-1Nb microalloy steel achieved by Accumulative Roll Bonding (ARB) process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 577, 43-47	5-3	25
741	Application of crystal plasticity modeling in equal channel angular extrusion. 2013 , 23, 170-179		7
740	Properties of high specific strength Al-5 wt.% Al ₂ O ₃ /B ₄ C nano-composite produced by accumulative roll bonding process. 2013 , 50, 427-432		54
739	Microstructure and strength of pure Cu with large grains processed by equal channel angular pressing. 2013 , 52, 23-29		29
738	Architecturing of Metal-Based Composites with Concurrent Nanostructuring: A New Paradigm of Materials Design. 2013 , 15, 336-340		71

737	A Comparison Between Cold-Welded and Diffusion-Bonded Al/Cu Bimetallic Rods Produced by ECAE Process. 2013 , 22, 3014-3023		18
736	Room temperature equal-channel angular pressing of a magnesium alloy. 2013 , 61, 3027-3036		43
735	A Study on the Aluminum Alloy AA1050 Severely Deformed by Non-Equal Channel Angular Pressing. 2013 , 651, 442-447		3
734	Mechanisms of structure formation in low-carbon steel at warm twist extrusion. 2013 , 2, 138-143		9
733	The effect of Al ₂ Cu precipitates on the microstructural evolution, tensile strength, ductility and work-hardening behaviour of a Al-4wt.% Cu alloy processed by equal-channel angular pressing. 2013 , 61, 115-125		37
732	Dislocation density and flow stress modeling of nanostructured Al-5Ti-1B composite during accumulative roll bonding. 2013 , 67, 359-363		3
731	Mechanical behaviour and microstructural evolution of constrained groove pressed nickel sheets. 2013 , 213, 214-220		47
730	Thermo-mechanical and metallurgical aspects in friction stir processing of AZ31 Mg alloy - numerical and experimental investigation. 2013 , 213, 279-290		55
729	Investigation of texture and mechanical properties of copper processed by new route of equal channel angular pressing. 2013 , 44, 374-381		39
728	Grain refinement and mechanical properties of CP-Ti processed by warm accumulative roll bonding. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 561, 109-117	5-3	63
727	Texture evolution in commercially pure titanium after equal channel angular pressing at room temperature. 2013 , 29, 961-967		1
726	Prediction of the effects of hardening and texture heterogeneities by finite element analysis based on the Taylor model. 2013 , 42, 120-140		33
725	Effects of grain refinement due to severe plastic deformation on the growth behavior of small cracks in copper. 2013 , 50, 63-71		21
724	A novel severe plastic deformation method for fabricating ultrafine grained pure copper. 2013 , 43, 492-498		36
723	The Effect of Warm Accumulative Roll Bonding and Post Process Treatment on Microstructure and Mechanical Behavior of CP-Ti. 2013 ,		
722	Microstructure and Local Mechanical Properties of Cu-Co Alloys after Severe Plastic Deformation. 2013 , 586, 100-103		4
721	Nanoindentation and Microstructural Study of Cu-Co Alloys after Severe Plastic Deformation. 2013 , 592-593, 720-723		2
720	Numerical Simulation and Experimental Research on the Deformation of Equal Channel Angular Pressing of Al-5Ti-1B Aluminum Alloy. 2013 , 815, 251-255		

719	The Effect of Particles on Microstructure and Mechanical Behaviour of Mg-10Gd-3Y-0.4Zr Alloy Processed by ECAP. 2013 , 765, 444-448	0
718	Microstructural and Mechanical Characterization of ARB AZ31. 2013 , 765, 403-407	5
717	USING OF BEZIER FORMULATION FOR CALCULATION OF STREAMLINE, STRAIN DISTRIBUTION AND EXTRUSION LOAD IN RECTANGULAR CROSS SECTION OF ECAE PROCESS. 2013 , 10, 1350005	6
716	Effect of Extrusion Route on Grain Refinement during ECAP Process. 2013 , 790, 90-93	
715	Effect of the Friction Coefficient on Large Strain Extrusion Machining. 2013 , 273, 138-142	2
714	AFM Characterization of Structural Evolution and Roughness of AISI 304 Austenitic Stainless Steel under Severe Deformation by Wavy Rolling. 2013 , 794, 230-237	2
713	Effects of Passes on Equal Channel Angular Pressing of 6061 Aluminium Alloy. 2013 , 747, 615-618	0
712	Grain Refinement and Deformation Behaviour of Medium Carbon Steel Processed by ECAP. 2013 , 592-593, 307-312	1
711	Effect of Pre-Heating on the Microstructural Evolution and Super-Plasticity of Al Deformed by Accumulative Roll Bonding. 2013 , 84, 1209-1215	
710	Fundamental Parameters and Experimental Factors in ECAP. 2013 , 215-238	1
709	Prior Structure Modification on Grain Refinement and Deformation Behavior of Medium Carbon Steel Processed by ECAP. 2013 , 84, 1340-1346	3
708	FINITE ELEMENT ANALYSIS OF CONSTRAINED GROOVE PRESSING OF PURE ALUMINUM SHEETS. 2013 , 02, 1350001	1
707	Description of Severe Plastic Deformation (SPD). 2013 , 6-21	1
706	Hardness and Microstructure Changes in Severely Deformed and Recrystallized Tantalum. 2013 , 151-160	5
705	Corrosion Fatigue of Ultra-Fine Grain Copper Fabricated by Severe Plastic Deformation. 2013 , 361-370	3
704	Metastable Nanostructured Alloys Processed by Severe Plastic Deformation. 2013 , 209-218	
703	Modelling of Texture Evolution in Kobo Extrusion Process / Modelowanie Rozwoju Tekstury W Procesie Wyciskania Metoda Kobo. 2013 , 58, 113-118	3
702	Equal Channel Angular Processing of Magnesium Alloys. 2013 , 643-652	5

701	Comparative Analysis of Two Twist-Based SPD Processes: Elliptical Cross-Section Spiral Equal-Channel Extrusion vs. Twist Extrusion. 2013 , 54, 1587-1591	13
700	Cross-Sectional Distributions of Mechanical Properties of Fine Cu–Sn Alloy Wire Manufactured by Continuous Rotary Draw Bending. 2013 , 54, 1634-1641	
699	Improvement in Mechanical Properties of a Cu–2.0 mass%Ni–0.5 mass%Si–0.1 mass%Zr Alloy by Combining Both Accumulative Roll-Bonding and Cryo-Rolling with Aging. 2013 , 54, 1-8	15
698	Modelling the Microstructural Evolution During Annealing of a Severely Deformed Al-3% Mg Alloy. 2013 , 495-504	1
697	Structure, Properties and Thermal Stability of Ultra-Fine Grained Cu-Cr-Zr Alloy. 2013 , 351-360	
696	Influence of Processing Route on Microstructure and Grain Boundary Development During Equal-Channel Angular Pressing of Pure Aluminum. 2013 , 15-24	1
695	Grain Refining Mechanism of Ti During Equal Channel Angular Pressing. 2013 , 99-104	1
694	Equal Channel Angular Pressing of Steels (BCC), Al Alloys (FCC) and Pure Titanium (HCP). 2013 , 25-34	
693	Corrosion Behavior of Commercial Aluminum Alloy Processed by Equal Channel Angular Pressing. 2013 , 2013, 1-11	26
692	Effect of grain size changes on corrosion behavior of copper produced by accumulative roll bonding process. 2013 , 16, 1379-1386	25
691	Evaluating the Induced Strain during Equal Channel Angular Processing. 2013 , 119-133	1
690	Tensile and Fatigue Properties of Al-Mg-Sc-Zr Alloy Fine-Grained by Equal-Channel Angular Pressing. 2013 , 341-350	
689	Developing Superplasticity at High Strain Rates through ECAP Processing. 2013 , 459-468	
688	Analysis of Principal and Equivalent Strains in Equal Channel Angular Deformation. 2013 , 575-584	
687	The texture development of ECAP processed AA1050 aluminum, before and after a final anneal: effect of the initial texture. 2014 , 63, 012152	1
686	Microstructure and Magnetic Properties of Bulk Nanocrystalline MnAl. 2014 , 4, 20-27	41
685	Grain Refinement and High-Performance of Equal-Channel Angular Pressed Cu-Mg Alloy for Electrical Contact Wire. 2014 , 4, 586-596	11
684	Deformation analysis on F138 austenitic stainless steel: ECAE and rolling. 2014 , 63, 012057	1

683	2D upper bound analysis of ECAE through 2D dies for a range of channel angles. 2014 , 17, 1226-1237	6
682	Integral sheet metal design via severe plastic deformation –state of the art and future challenges. 2014 , 63, 012003	2
681	Non-isothermal analysis of die corner gap formation for materials deformed by multi-pass ECAP. 2014 , 63, 012035	
680	Comparison of the microstructure and the mechanical properties of AX41 magnesium alloy processed by EX-ECAP via three different routes A, Bc and C. 2014 , 63, 012058	3
679	Corrosion behavior of magnesium powder fabricated by high-energy ball milling and spark plasma sintering. 2014 , 20, 1095-1101	13
678	References. 2014 , 93-97	
677	Investigation of a new route for equal channel angular pressing process using three-dimensional finite element method. 2014 , 228, 765-774	6
676	Tensile testing of Al6061-T6 microspecimens with ultrafine grained structure derived from machining-based SPD process. 2014 , 29, 1278-1287	4
675	Microstructure and Mechanical Properties of AA5483 after Combination of ECAP and Hydrostatic Extrusion SPD Processes. 2014 , 59, 163-166	14
674	Tubular pure copper grain refining by tube cyclic extrusion–compression (TCEC) as a severe plastic deformation technique. 2014 , 24, 623-630	19
673	Modeling and Analysis on Influence of Channel Angle and Processing Route in Equal Channel Angular Pressing. 2014 , 592-594, 504-510	1
672	Finite Element Study of Deformation Behaviour of Al-6063 Alloy Developed by Equal Channel Angular Extrusion. 2014 , 1043, 119-123	1
671	The effects of billet temperature on compound extrusion of magnesium alloy by three-dimensional finite element modeling and experiments. 2014 , 228, 1449-1457	7
670	Strength Properties of Aluminum Strips Subjected to Complex KOB0 Deformation. 2014 , 1079-1080, 50-53	1
669	Effect of Grain Size on Cross Wedge Rolling of Micro Copper Rod. 2014 , 622-623, 905-911	1
668	Microstructural stability after severe plastic deformation of AZ31 Magnesium. 2014 , 63, 012077	0
667	Incipient straining in severe plastic deformation methods. 2014 , 29, 718-728	9
666	Grain refinement and Lattice Imperfections in Commercial Aluminum Alloy Processed by Severe Plastic Deformation. 2014 , 62, 012003	1

665	Free-volume hole relaxation in molecularly oriented glassy polymers. 2014 , 89, 022603	11
664	Development of Microstructure and Fracture Toughness of AL-6063 Alloy Using Equal Channel Angular Extrusion. 2014 , 564, 488-494	1
663	Preparation of Globular Microstructure Aluminum Alloy Using Cooling Slope Casting as Feed Material for Equal Channel Pressing Process. 2014 , 1024, 247-250	1
662	Relationship between Strength and Grain Size of Friction Stir Processed and Annealed High Purity Aluminum. 2014 , 922, 372-375	1
661	Microhardness Characteristics of Al-6063 Alloy Processed by Equal Channel Angular Extrusion. 2014 , 564, 513-518	1
660	Investigation of Mechanical Properties of Nanostructured Titanium Processed by Warm ECAP Followed Cold Rolling. 2014 , 875-877, 63-67	1
659	Microstructural Evolution of AA5052 Alloy Sheets in High-Speed Rolling. 2014 , 922, 344-349	
658	Structure Refinement of Medium Carbon Steel and Deformation Properties Respond. 2014 , 782, 104-110	
657	Failure Analysis of Cast Tubular Specimens of Al ₈₅ Zn ₁₀ Mg While Processing at Room Temperature by Equal Channel Angular Pressing (ECAP). 2014 , 14, 690-695	2
656	In Situ Detection of Surface Micro-Cracking in Ultrafine-Grained AZ31 Magnesium Alloy by Resonant Ultrasound Spectroscopy. 2014 , 606, 87-90	1
655	Investigation of Tensile Property and Pore Closure Behavior and the Influence of Processing Route during Equal Channel Angular Pressing of Pure Aluminum Powder Compacts. 2014 , 592-594, 444-450	0
654	Fatigue Behaviour and Mechanical Properties of ECAP'ed and Thixoformed AA7075. 2014 , 33, 277-285	8
653	Effects of lubricant on the mechanical properties of aluminum 6063 alloy after ECAE. 2014 , 66, 360-364	
652	The effect of grain refinement by multi-pass continuous hybrid process on mechanical properties of low-carbon steel wires. 2014 , 214, 1398-1407	6
651	Structural and mechanical behaviour of severe plastically deformed high purity aluminium sheets processed by constrained groove pressing technique. 2014 , 57, 114-120	57
650	The role of mixed-mode deformation at the crack tip on shear banding and crack propagation of ultrafine-grained copper. 2014 , 66, 220-228	9
649	Microstructure characterization of Cu processed by compression with oscillatory torsion. 2014 , 94, 37-45	6
648	Abnormal Ductility Increase of Commercial Purity Al During Accumulative Roll Bonding. 2014 , 45, 404-408	

647	Mechanical and Microstructural Properties of Ultra-fine Grained AZ91 Magnesium Alloy Tubes Processed via Multi Pass Tubular Channel Angular Pressing (TCAP). 2014 , 30, 134-138		57
646	Microstructure and Mechanical Properties of Copper Processed by Twist Extrusion with a Reduced Twist-Line Slope. 2014 , 45, 2232-2241		22
645	Study of ECAE mechanics by upper bound rigid block model with two degrees of freedom. 2014 , 36, 469-476	14	
644	Crystallization behavior in severely cold-drawn Ti50Ni47Fe3 wire. 2014 , 33, 258-262		1
643	Influence of cross-rolling on the mechanical properties of an accumulative roll bonded aluminum alloy AA6014. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 597, 122-127	5-3	23
642	Continuous and ultra-fine grained chip production with large strain machining. 2014 , 214, 1777-1786		7
641	The Influence of Friction on the Processing of Ultrafine-Grained/Nanostructured Materials by Equal-Channel Angular Pressing. 2014 , 23, 1038-1048		14
640	Tube cyclic expansion-extrusion (TCEE) as a novel severe plastic deformation method for cylindrical tubes. 2014 , 49, 3158-3165		25
639	Mechanical Properties and Microstructure of AZ31B Magnesium Alloy Processed by I-ECAP. 2014 , 45, 1609-1620		29
638	EBSD and DTA Characterization of A356 Alloy Deformed by ECAP During Reheating and Partial Re-melting. 2014 , 45, 1540-1551		5
637	Grain Refinement in Pure Aluminum Severely Deformed by Equal Channel Angular Extrusion via Extended Processing Routes. 2014 , 45, 2601-2611		2
636	Corrosion Behavior of Ultra Fine Grain Copper Produced by Accumulative Roll Bonding Process. 2014 , 67, 115-121		9
635	Measurement method for stress-strain curve in a super-large strain range. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 600, 82-89	5-3	18
634	Modeling the evolution of dislocation populations under non-proportional loading. 2014 , 55, 58-79		22
633	Fabrication of Nano/Ultra-Fine Grained IF Steel via SPD Processes: a Review. 2014 , 67, 787-802		12
632	Finite element analysis of ultrasonic-assisted equal channel angular pressing. 2014 , 228, 1859-1868		9
631	Mechanical properties and precipitate behavior of Mg-Al-Zn alloy processed by equal-channel angular pressing and aging. 2014 , 594, 182-188		44
630	Influence of outer corner angle (OCA) on the plastic deformation and texture evolution in equal channel angular pressing. 2014 , 81, 79-88		14

629	Microstructure and mechanical properties of Al-7075 alloy processed by equal channel angular pressing combined with aging treatment. 2014 , 57, 250-257		123
628	Microstructural stability of ultrafine grained cold sprayed 6061 aluminum alloy. 2014 , 290, 482-489		37
627	Modeling of dislocation density and strength on rheoforged A356 alloy during multi-directional forging. 2014 , 81, 284-289		8
626	A new severe plastic deformation method by repetitive extrusion and upsetting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 595, 135-142	5-3	29
625	ZK60 alloy processed by ECAP: Microstructural, physical and mechanical characterization. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 594, 32-39	5-3	51
624	Microstructure Evolution of Carbon Steel by Hot Equal Channel Angular Extrusion. 2014 , 81, 1511-1516		1
623	Analysis of Strain Rate Sensitivity of Ultrafine-Grained AA1050 by Stress Relaxation Test. 2014 , 45, 5442-5450		14
622	Multiple-shocks induced nanocrystallization in iron. 2014 , 105, 021902		14
621	Texture evolution of an Fe-Ni alloy sheet produced by cross accumulative roll bonding. 2014 , 97, 140-149		20
620	Finite Element Modelling of Copper by Equal Channel Angular Extrusion. 2014 , 941-944, 2313-2316		1
619	Development of ultrafine-grained microstructure in Al-Cu-Mg alloy through equal-channel angular pressing. 2014 , 63, 012082		
618	Morphological Evolution of Al-2wt%Si-2.5wt%Cu Alloy Produced by EMS and EMS Enhanced by ECAP. 2014 , 217-218, 105-110		2
617	Upgrading in Mechanical Properties of High Performance Aluminum Alloys by Compressive Torsion Process. 2014 , 18, 57-61		4
616	Microstructure features and mechanical properties of a UFG Al-Mg-Si alloy produced via SPD. 2014 , 63, 012116		2
615	Corrosion properties of anodized aluminum: Effects of equal channel angular pressing prior to anodization. 2014 , 89, 163-170		11
614	Transition from intergranular to pitting corrosion in fine grained aluminum processed by equal channel angular pressing. 2014 , 87, 259-264		28
613	Texture Evolution as Determined by In situ Neutron Diffraction During Annealing of Iron Deformed by Equal Channel Angular Pressing. 2014 , 45, 4235-4246		2
612	CFD 2D simulation of viscous flow during ECAE through a rectangular die with parallel slants. 2014 , 74, 943-962		20

611	A thermodynamically consistent model of static and dynamic recrystallization. 2014 , 84, 1441-1451		0
610	Harmonic-structured copper: performance and proof of fabrication concept based on severe plastic deformation of powders. 2014 , 49, 6579-6585		86
609	Ultrafine-grained Ti-Nb-Ta-Zr alloy produced by ECAP at room temperature. 2014 , 49, 6656-6666		20
608	A rate dependent constitutive model for ECAE Cu based on instrumented nanoindentation results. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 597, 279-287	5-3	4
607	Evaluating a New Core-Sheath Procedure for Processing Hard Metals by Equal-Channel Angular Pressing. 2014 , 16, 918-926		6
606	The evolution of hardness homogeneity in commercially pure Ti processed by ECAP. 2014 , 29, 578-584		6
605	Elevated Temperature Mechanical Behavior of Severely Deformed Titanium. 2014 , 23, 1834-1844		26
604	Control of UFG Microstructure in Welded Carbon Steel Tubes by Cold Drawing and Annealing. 2014 , 67, 681-690		0
603	Microstructure and Intermetallic Strengthening in an Equal Channel Angular Pressed AA2219. Part I: Microstructure Characterization. 2014 , 3, 194-202		1
602	Development of new routes of severe plastic deformation through cyclic expansion-extrusion process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 613, 357-364	5-3	29
601	Development of Ultrafine-Grained Metals by Equal-Channel Angular Pressing. 2014 , 187-209		6
600	Cryogenic equal channel angular pressing of commercially pure titanium: microstructure and properties. 2014 , 49, 6803-6812		25
599	Nanocrystalline Metals: Review of the Current State of the Art and Future Opportunities for Copper and Copper Alloys. 2014 , 66, 1000-1019		71
598	Flow stress analysis of ultrafine grained AA 1050 by plane strain compression test. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 593, 136-144	5-3	12
597	RETRACTED: Tube Cyclic Extrusion-Compression (TCEC) as a novel severe plastic deformation method for cylindrical tubes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 598, 1-6	5-3	16
596	Effect of Si addition on the microstructure and mechanical properties of ECAPed Mg-5Al alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 589, 119-124	5-3	13
595	Numerical study of the effect of prior deformation history on texture evolution during equal channel angular pressing. 2014 , 81, 68-78		8
594	Deformation behavior of Mg single crystals during a single ECAP pass at room temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 590, 274-280	5-3	19

593	RETRACTED: Characterization of ultrafine-grained aluminum tubes processed by Tube Cyclic Extrusion–Compression (TCEC). 2014 , 95, 118-128	7
592	Microstructure and mechanical properties of bulk nanostructured Cu–Al alloys consolidated by equal channel angular extrusion. 2014 , 76, 168-185	79
591	Upper-bound analysis of die corner gap formation for strain-hardening materials in ECAP process. 2014 , 91, 350-358	5
590	Large-scale manufacturing of aluminum alloy plate extruded from subsize billet by new porthole-equal channel angular processing technique. 2014 , 24, 1521-1530	3
589	EBSD Analysis of Microstructure Evolution of Pure Iron Subjected to Sliding Wear and Related Change in Vickers Microhardness. 2014 , 55, 85-92	5
588	Severe Plastic Deformation Induced in Al, Al-Si, Ag and Cu by Hydrostatic Extrusion. 2014 , 59, 59-64	6
587	Microstructure and mechanical properties of fine grain seamless Nb tube by a novel shear deformation process. 2014 ,	
586	X-ray line profile analysis of equal channel angular pressing processed Cu. 2014 , 63, 012136	2
585	Prior thermo-mechanical processing to modify structure and properties of severely deformed low carbon steel. 2014 , 63, 012066	1
584	Effect of deformation route on the development of low CN Fe-20%Cr alloy by Equal Channel Angular Pressing. 2014 , 63, 012122	5
583	Report of International NanoSPD Steering Committee and statistics on recent NanoSPD activities. 2014 , 63, 011002	4
582	Contribution of shear deformation to grain refinement and densification of iron powder consolidated by high pressure torsion. 2014 , 63, 012032	6
581	Structure and properties of polypropylene/high-density polyethylene blends by solid equal channel angular extrusion. 2014 , 131, n/a-n/a	2
580	Structure and thermal decomposition of a nanocrystalline mechanically alloyed supersaturated Cu–Al solid solution. 2015 , 5, 333-339	17
579	Characterization of Mg AZ31 Alloy ECASD Processed Using Dynamical Mechanical Analysis (DMA). 2015 , 1766, 109-114	
578	Severe Plastic Deformation and Incremental Forming for Magnetic Hardening. 2015 , 794, 152-159	4
577	Dislocation Structure of Grain Boundaries in Single Crystals Deforming in Simple Shear. 2015 , 15, 319-320	
576	Processing of Copper by Equal Channel Angular Pressing (ECAP) – Microstructure Investigations. 2015 , 641, 286-293	

575	Strengthening in Thermomechanically Processed Magnesium Alloys. 2015 , 225-230		
574	Effects of HSHPT on the martensitic transformation behaviour of an NiTi alloy. 2015 , 33, 03007		
573	Strength and Electrical Conductivity of Bulk Nanostructured Cu and Cu-Based Alloys Produced by SPD. 2015 , 115-141		3
572	Large grain CBMM Nb ingot slices: An ideal test bed for exploring the microstructure-electromagnetic property relationships relevant to SRF. 2015 ,		
571	Modeling of Metal Flow during Processing by Multi-ECAP-Conform. 2015 , 17, 1723-1727		4
570	Enhanced Strengthening in Ultrafine-Grained Al-Mg-Si Alloys Produced via ECAP with Parallel Channels. 2015 , 17, 1733-1737		8
569	Gradient Structure in High Pressure Torsion Compacted Iron Powder. 2015 , 17, 1748-1753		13
568	Design of the Main Working Tools for Non-Ferrous Alloys Processing Using Multi-Pass ECAP Technique. 2015 , 1114, 129-134		
567	. 2015 ,		1
566	Metal Nanostructuring through Cryodeformation under All-Round Compression. 2015 , 435-448		3
565	High Temperature Flow Response Modeling of Ultra-Fine Grained Titanium. 2015 , 5, 1315-1327		13
564	Two-parameter Rigid Block Approach to Upper Bound Analysis of Equal Channel Angular Extrusion Through a Segal Die. 2015 , 18, 628-638		4
563	Enhanced Mechanical Properties and Electrical Conductivity in Ultrafine-Grained Al 6101 Alloy Processed via ECAP-Conform. 2015 , 5, 2148-2164		35
562	Effect of One-Pass ECAP prior to Cold Rolling on the Deformation Structure and Recrystallization in Ferritic Stainless Steel Sheets. 2015 , 101, 619-625		2
561	Structural coarsening during annealing of an aluminum plate heavily deformed using ECAE. 2015 , 89, 012035		1
560	Texture evolution in titanium on complex deformation paths: Experiment and modelling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 637, 251-263	5,3	26
559	Simple shear model of twist extrusion and its deviations. 2015 , 21, 569-579		16
558	Microstructure and texture evolution in a Cu-Ni-Si alloy processed by equal-channel angular pressing. 2015 , 638, 88-94		23

557	The role of microstructure and texture in controlling mechanical properties of AZ31B magnesium alloy processed by I-ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 638, 20-29	5-3	61
556	Effect of Ta Solute Concentration on the Microstructural Evolution in Immiscible Cu-Ta Alloys. 2015 , 67, 2802-2809		36
555	The Origin of Fracture in the I-ECAP of AZ31B Magnesium Alloy. 2015 , 46, 5275-5284		2
554	Thermal microstructural stability of AZ31 magnesium after severe plastic deformation. 2015 , 101, 9-19		35
553	Microstructural evolution and wear characteristics of equal channel angular pressing processed semi-solid-cast hypoeutectic aluminum alloys. 2015 , 67, 448-456		43
552	Influence of temperature and strain rate on flow stress behavior of twin-roll cast, rolled and heat-treated AZ31 magnesium alloys. 2015 , 25, 1-13		32
551	Improvement of ECAP process by imposing ultrasonic vibrations. 2015 , 79, 503-512		30
550	Ultrafine ferrite formation through cold-rolling and annealing of low-carbon dual-phase steel. 2015 , 31, 745-754		5
549	Bimodal Grain Size Distribution Enhances Strength and Ductility Simultaneously in a Low-Carbon Low-Alloy Steel. 2015 , 46, 1948-1957		23
548	Processing of E-treated Zircaloy-4 by warm compressions along three orthogonal axes. 2015 , 50, 2709-2725		1
547	Shear induced simultaneous consolidation and alignment of silicon nanowires into ingots using equal channel angular extrusion (ECAE). 2015 , 2, 015013		2
546	Microstructure and mechanical properties of a commercially pure Ti processed by warm equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 625, 311-320	5-3	33
545	Microstructure, texture and mechanical properties of cyclic expansionâextrusion deformed pure copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 628, 423-432	5-3	46
544	Evaluating the Room Temperature ECAP Processing of a NiTi Alloy via Simulation and Experiments. 2015 , 17, 532-538		7
543	Retracted: Characterization of SPD processed ultrafine-grained pure copper tubes via Tube Cyclic ExpansionâExtrusion. 2015 , 101, 114-121		1
542	Hardness and microstructure of tungsten heavy alloy subjected to severe plastic deformation and post-processing heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 635, 94-101	5-3	20
541	Shear-accelerated crystallization in a supercooled atomic liquid. 2015 , 91, 020301		23
540	Effect of die design parameters on the deformation behavior in pure shear extrusion. 2015 , 83, 144-153		15

539	Effect of Sample Size on Microstructure and Mechanical Properties of OFHC Copper Processed by Equal Channel Angular Pressing. 2015 , 817, 484-492		1
538	Formation of grains and dislocation structure of geometrically necessary boundaries. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 643, 12-16	5:3	5
537	Densification of Al 5083 Mechanically Alloyed Powder by Equal Channel Angular Pressing. 2015 , 68, 171-176		6
536	Microstructure and mechanical properties of an ITER-grade Cuâ€r alloy processed by equal channel angular pressing. 2015 , 98-99, 1978-1981		12
535	Correlative evolution of microstructure, particle dissolution, hardness and strength of ultrafine grained AA6063 alloy during annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 644, 284-296	5:3	11
534	Effect of ageing on tensile behavior of ultrafine grained Al 6061 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 641, 391-401	5:3	29
533	Evaluation of microstructure anisotropy on room and medium temperature ECAP deformed F138 steel. 2015 , 107, 98-111		16
532	Micro-structural Evolution in Metals Subjected to Simple Shear by a Particular Severe Plastic Deformation Method. 2015 , 24, 2944-2956		4
531	Microstructural approach to equal channel angular processing of commercially pure titaniumâ€ review. 2015 , 25, 1353-1366		31
530	Effect of grain size on ultrasonic softening of pure aluminum. 2015 , 63, 111-7		19
529	Modelling of microstructural effects on the mechanical behavior of ultrafine-grained Nickel using crystal plasticity finite element model. 2015 , 94, 212-225		12
528	The Effects of the Multi-pass Parallel Tubular Channel Angular Pressing on the Microstructure and Mechanical Properties of the Cuâ€n Tubes. 2015 , 68, 873-879		17
527	Role of deformation temperature on the evolution and heterogeneity of texture during equal channel angular pressing of magnesium. 2015 , 102, 98-102		26
526	Modeling of Microstructure Effects on the Mechanical Behavior of Ultrafine-Grained Nickels Processed by Severe Plastic Deformation by Crystal Plasticity Finite Element Model. 2015 , 137,		5
525	Fabrication and characterization of a biodegradable Mg-2Zn-0.5Ca/1â€TCP composite. 2015 , 54, 120-32		40
524	Formation of grain boundaries in ductile single crystals at finite plastic deformations. 2015 , 69, 134-151		18
523	Effect of equal channel angular extrusion on Al-6063 bending fatigue characteristics. 2015 , 22, 395-404		8
522	Strain Distribution Equal Channel Angular Pressing of Magnesium alloy at 90° and 120° Corner Angles. 2015 , 2, 230-235		1

521	Mechanical and microstructural evolution of Mg AZ31 alloy using ECASD process. 2015 , 4, 392-397		10
520	Change in characteristics of superplastic deformation of the aluminum-titanium alloy under the effect of ultrasonic vibrations. 2015 , 57, 2039-2044		8
519	Influencing the Gradient of Material Properties by Gradation Extrusion. 2015 , 794, 166-173		5
518	Microstructural Evolution and Its Effect on Mechanical Properties of Isotactic Polypropylene by Shear Plastic Deformation at Elevated Temperatures. 2015 , 54, 1309-1322		1
517	Characterizations Severe Plastic Deformation of Copper Processed by Equal Channel Angular Pressing Technique. 2015 , 515-524		
516	Effect of Equal Channel Angular Pressing on Densification Behavior of Al 5083 Alloy Powder. 2015 , 830-831, 63-66		2
515	Characterization and influence of deformation microstructure heterogeneity on recrystallization. 2015 , 89, 012003		16
514	Equal Channel Angular Extrusion of AA 6063 Using Conventional Direct Extrusion Press. 2015 , 24, 4569-4577		1
513	Simulation of Effective Stress and Temperature Field of the Die and Workpiece during ECAP of Pure Titanium at Different Ram Speeds by Finite Volume Method. 2015 , 656-657, 532-537		2
512	Local Mechanical Properties of Cu-Co Alloys with Coherent Co Precipitates. 2015 , 662, 15-18		
511	A new severe plastic deformation technique based on pure shear. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 626, 423-431	5-3	22
510	Electrical Conductivity, Thermal Stability, and Lattice Defect Evolution During Cyclic Channel Die Compression of OFHC Copper. 2015 , 24, 726-736		7
509	Modeling and optimization of equivalent plastic strain in equal-channel angular rolling using response surface methodology. 2015 , 229, 1963-1975		5
508	Effect of the grain/subgrain size on the strain-rate sensitivity and deformability of Ti-50 at%Ni alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 622, 21-29	5-3	15
507	Analysis of shear deformation by slip and twinning in low and high/medium stacking fault energy fcc metals using the . 2015 , 68, 132-149		10
506	A microstructure-based model for describing the material properties of Al-Zn alloys during high pressure torsion. 2015 , 68, 150-163		22
505	Improving homogeneity of ultrafine-grained/nanostructured materials produced by ECAP using a bevel-edge punch. 2015 , 50, 1513-1522		19
504	Effect of geometric parameters on strain, strain inhomogeneity and peak pressure in equal channel angular pressing - A study based on 3D finite element analysis. 2015 , 17, 88-97		17

503	Microstructure, texture and mechanical properties of coarse-grained Mg alloy processed by multidirectional forging. 2015 , 623, 62-68	84
502	Towards bulk nanostructured materials in pure shear. 2015 , 139, 15-18	12
501	Electromagnetic Stirring versus ECAP: Morphological Comparison of Al-Si-Cu Alloys to Make the Microstructural Refinement for Use in SSM Processing. 2016 , 2016, 1-7	4
500	An Investigation on the Deformation Heating in Billet and Die During Equal-Channel Angular Pressing and High-Pressure Torsion. 2016 , 19, 640-647	2
499	Substructural Alignment during ECAE Processing of an Al-0.1Mg Aluminium Alloy. 2016 , 6, 158	3
498	Formation and Corrosion Resistance of Micro-Arc Oxidation Coating on Equal-Channel Angular Pressed AZ91D Mg Alloy. 2016 , 6, 308	6
497	A comparison between DCCAE and conventional extrusion of Mg-9.5Li-3Al-1.6Y alloy. 2016 , 34, 626-631	5
496	Optimum processing parameters for equal channel angular pressing. 2016 , 100, 1-11	26
495	Microstructure and Mechanical Properties of Ultrafine-Grained Copper Produced Using Intermittent Ultrasonic-Assisted Equal-Channel Angular Pressing. 2016 , 47, 4648-4658	14
494	Deformation of Pure Aluminum Along the Groove Path of ECAP-Conform Process . 2016 , 18, 319-323	7
493	Study of a modified ECAP die for producing nanostructured Al6060 alloy using 3D finite element simulation. 2016 , 1818, 1	
492	Strain induced hardening and softening behaviors of deformed Cu and Cu alloys. 2016 , 31, 599-608	2
491	Study on structure homogeneity of plate sample with large dimension during equal channel angular pressing (ECAP). 2016 , 31, 3420-3427	6
490	Microstructure stability and mechanical properties of ultrafine-grained zirconium alloy under prolonged thermal exposure. 2016 ,	
489	Influence of die geometry on performance in gradation extrusion using numerical simulation and analytical calculation. 2016 , 65, 269-272	6
488	Microstructure and texture evolution of AA 6063 during an Ex-ECAE process. 2016 , 22, 519-526	
487	FEM simulation of micro-crystalline materials during ECAP based on the dislocation evolution method. 2016 , 89, 139-146	3
486	Formation mechanism of inclined fatigue-cracks in ultrafine-grained Cu processed by equal channel angular pressing. 2016 , 92, 577-587	12

485	Novel severe plastic deformation technique—accumulated extrusion (AccumEx). 2016 , 1-9	2
484	Microstructural evaluation of an asymmetrically rolled and recrystallized 3105 aluminum alloy. 2016 , 5, 183-189	3
483	Achieving Fine Beta Grain Structure in a Metastable Beta Titanium Alloy Through Multiple Forging-Annealing Cycles. 2016 , 47, 3633-3648	13
482	Enhanced grain refinement of commercial pure copper using the ECAP of Al—Cu—Al tri-layer composite. 2016 , 19, 254-259	6
481	Investigation on the maximum strain rate sensitivity (m) superplastic deformation of Mg-Li based alloy. 2016 , 112, 151-159	20
480	Semi-Solid Metal (SSM) Technologies. 2016 , 9-48	2
479	Friction reduction mechanisms in cast iron sliding against DLC: Effect of biofuel (E85) diluted engine oil. 2016 , 368-369, 196-209	18
478	Phase transformation in Fe—Mn alloys by severe plastic deformation under high pressure. 2016 , 185, 109-111	3
477	Effect of Deformation Homogeneity on Grain Refinement of AZ31 Magnesium Alloys Based on FEA during ECAP. 2016 , 850, 281-286	1
476	Consolidation of AA 7075-2 wt% ZrO ₂ Composite Powders by Severe Plastic Deformation via ECAP. 2016 , 29, 895-901	5
475	Extreme creep resistance in a microstructurally stable nanocrystalline alloy. 2016 , 537, 378-81	147
474	Evolution of microstructure and texture in commercial pure aluminum subjected to high pressure torsion processing. 2016 , 120, 285-294	37
473	Effect of various kinds of severe plastic deformation on the structure and electromechanical properties of precipitation-strengthened CuCrZr alloy. 2016 , 117, 1170-1178	3
472	New Formulas of Shear Strain during Equal-channel Angular Pressing Process with Consideration of Influences of Velocity and Motion Trajectory. 2016 , 23, 1020-1027	3
471	Simulation of the Elastoplastic Behavior of Grade-4 Ti in the ECAP-C Process. 2016 , 58, 236-244	2
470	Effect of workpiece viscosity on strain unevenness during equal channel angular extrusion: CFD 2D solution of Navier—Stokes equations for the physical variables —low velocities—punching pressure— 2016 , 3, 115301	10
469	Finite element analysis of die angle at constant offset length in two-turn ECAP. 2016 , 149, 012139	
468	Investigation of 7A09 aluminum alloy prepared by continuous variable cross-section direct extrusion (CVCDE). 2016 , 82, 1447-1453	2

467	The influence of severe plastic deformation processes on electrical conductivity of commercially pure aluminium and 5483 aluminium alloy. 2016 , 16, 717-723		24
466	An investigation of microstructure and mechanical properties during ECAE of commercially pure aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 670, 146-152	5:3	3
465	Microstructure and mechanical properties of carbon nanotubes reinforced aluminum matrix composites synthesized via equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 670, 205-216	5:3	45
464	Compressive, shear, and fracture behavior of CNT reinforced Al matrix composites manufactured by severe plastic deformation. 2016 , 106, 112-119		57
463	Gaining flexibility in the design of microstructure, texture and shape memory properties of an Fe-Mn-Si-Cr-Ni alloy processed by ECAE and annealing. 2016 , 107, 153-162		9
462	Ultrasonic assisted equal channel angular extrusion (UAE) as a novel hybrid method for continuous production of ultra-fine grained metals. 2016 , 169, 90-94		14
461	Predicting the ultimate grain size of aluminum sheets undergone constrained groove pressing. 2016 , 86, 1639-1658		22
460	Estimation of Average Strain Rate during Equal-Channel Angular Pressing. 2016 , 850, 419-425		1
459	Strength of MWCNT-Reinforced 70Sn-30Bi Solder Alloys. 2016 , 45, 98-103		14
458	Effect of Processing Parameters on the Magnetic Properties and Macrotexture of a Nd _{13.5} Fe _{73.8} Co _{6.7} B _{5.6} Ga _{0.4} Alloy Processed by Equal Channel Angular Pressing With Back Pressure. 2016 , 52, 1-4		1
457	A three-scale crystal plasticity model accounting for grain refinement in fcc metals subjected to severe plastic deformations. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 658, 490-502	5:3	12
456	Effects of processing parameters on the extrusion by continuous variable cross-section direct extrusion with 7A09 aluminium alloy. 2016 , 30, 1650053		3
455	An analytical solution of the ECAE process of bi-layer strip using a Bezier type streamline. 2016 , 30, 817-826		0
454	Modelling the temperature rise effect through high-pressure torsion. 2016 , 32, 1218-1222		4
453	Thixoforming of an ECAPed Aluminum A356 Alloy: Microstructure Evolution, Rheological Behavior, and Mechanical Properties. 2016 , 47, 1792-1802		12
452	Optimization of interpass annealing for a minimum recrystallized grain size and further grain refinement towards nanostructured AA6063 during equal channel angular pressing. 2016 , 112, 160-168		16
451	A new strategy to simultaneous increase in the strength and ductility of AA2024 alloy via accumulative roll bonding (ARB). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 656, 12-20	5:3	57
450	The Effects of Mechanical Properties on Fatigue Behavior of ECAPed AA7075. 2016 , 35, 225-234		9

449	Effect of pre-deformation thermomechanical processing on the development of ultrafine grain structure during equal channel angular extrusion. 2016 , 89, 377-384		16
448	Metallurgical and Mechanical Properties of Mild Steel Processed by Equal Channel Angular Pressing (ECAP). 2017 , 70, 83-87		1
447	Tube Reversing and Extrusion (TRE) as a Novel Method for Producing UFG Thin Tubes. 2017 , 70, 979-988		2
446	The effect of combining high-intensity ultrasonic vibration with ECAE process on the process parameters and mechanical properties and microstructure of aluminum 1050. 2017 , 88, 229-240		17
445	Microstructure and Mechanical Properties of Heavily Worked and Recrystallized Copper for Low-Temperature Superconductor Applications. 2017 , 27, 1-5		1
444	Effect of Purity Levels on the High-Temperature Deformation Characteristics of Severely Deformed Titanium. 2017 , 48, 999-1012		5
443	Influence of equal channel angular pressing temperature on texture, microstructure and mechanical properties of extruded AX41 magnesium. 2017 , 705, 273-282		41
442	Experimental and numerical investigation of microstructure and mechanical behavior of titanium/steel interfaces prepared by explosive welding. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 689, 323-331	5:3	118
441	Surface modification of severe plastically deformed ultrafine grained pure titanium by plasma electrolytic oxidation. 2017 , 316, 113-121		27
440	The microstructure, texture, and room temperature mechanical properties of friction stir processed Mg-Y-Nd alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 690, 244-253	5:3	42
439	Numerical simulation of Al1070 alloy through hybrid SPD process. 2017 , 91, 835-846		5
438	Twist Extrusion as a Potent Tool for Obtaining Advanced Engineering Materials: A Review . 2017 , 19, 1600873		49
437	Modeling grain fragmentation and deformation textures for titanium using a combined approach of the viscoplastic self-consistent model and a shear fluctuation model. 2017 , 52, 8132-8148		4
436	Hardness, Electrical Conductivity and Thermal Stability of Externally Oxidized Cu-Al ₂ O ₃ Composite Processed by SPD. 2017 , 26, 2110-2117		9
435	Microstructure and Corrosion Behavior of the Friction Stir Welded Joints Made from Ultrafine Grained Aluminum . 2017 , 19, 1600807		5
434	Analysis of eccentric unbonded bimetal rod in ECAP based on different arrangements of soft and hard metals. 2017 , 47, 501-527		2
433	Microstructural evolution and enhancement of mechanical properties of Al1050 by tubular channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 696, 26-32	5:3	1
432	Processing of Ultrafine-Grained Twinning-Induced Plasticity Steel Using Martensite Treatment. 2017 , 48, 3164-3167		1

431	Microstructural and mechanical study in the plastic zone of ARMCO iron processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 697, 24-36	5-3	23
430	Analysis and Simulation of Parallel Tubular Channel Angular Pressing of Al 5083 Tube. 2017 , 70, 2547-2553		6
429	The effect of rolling on the microstructure and compression behavior of AA5083 subjected to large-scale ECAE. 2017 , 695, 3589-3597		6
428	Influence of equal channel angular pressing routes on texture, microstructure and mechanical properties of extruded AX41 magnesium alloy. 2017 , 123, 282-293		48
427	Modeling Static and Dynamic Kinetics of Microstructural Evolution in Hot Deformation of Fe $\bar{0}$.15C $\bar{0}$.2Si $\bar{0}$.4Mn $\bar{0}$.03Nb Alloy. 2017 , 88, 1700036		7
426	On the evolution of microstructure and texture in commercial purity titanium during multiple passes of incremental equal channel angular pressing (I-ECAP). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 699, 31-47	5-3	19
425	WITHDRAWN: Microstructure and Mechanical Properties of Fe-canned Pure Mg after a Single ECAP at Room Temperature [Materials Science & Engineering A 700 (2017) 163-167]. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 700, 163-167	5-3	1
424	Review of solid state recycling of aluminum chips. 2017 , 125, 37-47		58
423	Finite element analysis of die offset in two-turn incremental ECAP. 2017 , 4, 2419-2424		2
422	Investigation of mechanical properties and fracture surfaces of dual-phase 60 $\bar{0}$ brass alloy processed by warm equal-channel angular pressing. 2017 , 52, 8041-8051		14
421	Processing Methods of Nanomaterials. 2017 , 1-25		
420	A Review on Grain Refinement of Aluminum Alloys: Progresses, Challenges and Prospects. 2017 , 30, 409-432		101
419	Evolution of microstructure and texture in copper during repetitive extrusion-upsetting and subsequent annealing. 2017 , 33, 690-697		15
418	Room Temperature Flow Behavior of Ti Deformed by Equal-Channel Angular Pressing Using Core $\bar{0}$ Sheath Method. 2017 , 19, 1600552		4
417	Influence of grain boundary misorientations on the mechanical behavior of a near- $\bar{0}$ Ti-6Al-7Nb alloy processed by ECAP. 2017 , 190, 256-259		13
416	Experimental evaluation of forming limit diagram and mechanical properties of nano/ultra-fine grained aluminum strips fabricated by accumulative roll bonding. 2017 , 108, 1036-1044		35
415	Microstructure and Mechanical Properties of Ultrafine-Grained Al-6061 Prepared Using Intermittent Ultrasonic-Assisted Equal-Channel Angular Pressing. 2017 , 26, 5107-5117		8
414	Experimental evaluation of the plane stress fracture toughness for ultra-fine grained aluminum specimens prepared by accumulative roll bonding process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 708, 301-310	5-3	43

413	Achieving Radiation Tolerance through Non-Equilibrium Grain Boundary Structures. 2017 , 7, 12275		28
412	Equivalent strain at large shear deformation: Theoretical, numerical and finite element analysis. 2017 , 15, 442-448		8
411	Strong ductile bulk tungsten. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 707, 602-611	5:3	18
410	Evolution of Texture and Mechanical Properties of Pure Mg Processed by ECAP at Room Temperature. 2017 , 69, 2297-2301		8
409	Microstructure characteristics of ECAP-processed (TiB + La ₂ O ₃)/Ti-6Al-4V composites. 2017 , 726, 57-66		9
408	Structure and phase composition of ultrafine-grained TiNb alloy after high-temperature annealings. 2017 ,		
407	Severe Plastic Deformation of Materials. 2017 , 717-754		9
406	Microstructural and hardness changes in aluminum alloy Al-7075: Correlating machining and equal channel angular pressing. 2017 ,		1
405	Microstructure evolution and mechanical performance of copper processed by equal channel angular rolling. 2017 , 134, 246-252		9
404	Study of mechanical properties and corrosive resistance of ultrafine-grained titanium alloy Ti-5Al-2V. 2017 , 723, 354-367		35
403	Effect of Solid Die Equi-Channel Pressing Angle on Mg ₁₇ Al ₁₂ Phase Morphology and Mechanical Behavior of AZ80 Mg alloy. 2017 , 26, 1825-1829		2
402	Direct influence of recovery behaviour on mechanical properties in oxygen-free copper processed using different SPD techniques: HPT and ECAP. 2017 , 6, 369-377		27
401	Assessment of microstructural and electrochemical behavior of severely deformed pure copper through equal channel angular pressing. 2017 , 723, 856-865		10
400	Fundamentals of titanium nanocrystalline structure creation by cryomechanical grain fragmentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 700, 707-713	5:3	12
399	Microstructure and Mechanical Properties of Al Tube Processed by Friction Stir Tube Back Extrusion (FSTBE). 2017 , 70, 1849-1856		11
398	Numerical and experimental investigation of HDPE behavior during 2-ECAP process using 90° and 120° dies. 2017 , 39, 2055-2069		2
397	Effect of pure shear strain on mechanical properties and microstructural evolution. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 679, 133-142	5:3	2
396	Experimental and numerical investigation of texture evolution and the effects of intragranular backstresses in aluminum alloys subjected to large strain cyclic deformation. 2017 , 93, 137-163		35

395	Characteristics of friction welding within a short time for aluminum alloy deformed by ECAE process. 2017 , 207, 597-602	2
394	Improvement in mechanical properties of semi-solid AA7075 aluminum alloys by Equal-Channel Angular Pressing. 2017 , 207, 1451-1456	6
393	The effect of Cu-based core-sheath configurations on the processing of Nd-Fe-B-based permanent magnets via equal-channel angular pressing. 2017 , 194, 012043	1
392	Research Progress of Ultrafine-Grained Pure Titanium Produced by Equal-Channel Angular Pressing. 2017 , 46, 3639-3644	4
391	Microstructure Evolution in High Purity Aluminum Single Crystal Processed by Equal Channel Angular Pressing (ECAP). 2017 , 10,	4
390	A Critical Review of Mg-Based Hydrogen Storage Materials Processed by Equal Channel Angular Pressing. 2017 , 7, 324	32
389	Microstructural Stability of a Niobium Single Crystal Deformed by Equal Channel Angular Pressing. 2017 , 20, 1238-1247	10
388	Design and Mechanical Properties Analysis of AA5083 Ultrafine Grained Cams. 2017 , 7, 116	2
387	Effect of strain-path change on the anisotropic mechanical properties of a commercially pure aluminum. 2017 , 219, 012040	1
386	Equal Channel Angular Extrusion Characteristics on Mechanical Behavior of Aluminum Alloy. 2017 ,	1
385	A modified counterpart of cyclic extrusion-compression: Experimental study and dislocation density-based finite element modeling. 2018 , 232, 465-480	2
384	Crystal plasticity modeling of grain refinement in aluminum tubes during tube cyclic expansion-extrusion. 2018 , 232, 481-494	2
383	Development of a modified form of continuous equal channel angular processing (CECAP) of AA5xxx strain hardening Al-Mg alloys and a study of the resulting properties. Establishment of process parameters for in-line control. 2018 , 96, 3691-3702	3
382	Finite Element Analysis of V-Shape Incremental Equal Channel Angular Pressing. 2018 , 195-210	
381	Combined process of helical rolling-pressing and its effect on the microstructure of ferrous and non-ferrous materials. 2018 , 115, 213	5
380	Methods for improving ductility of tungsten - A review. 2018 , 75, 170-183	111
379	Plane stress fracture toughness of cryorolled 6082 Al alloy. 2018 , 95, 28-41	3
378	Hydrostatic cyclic expansion extrusion (HCEE) as a novel severe plastic deformation process for producing long nanostructured metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 718, 412-417	5-3 15

- 377 Analytical and numerical approaches to modelling severe plastic deformation. **2018**, 95, 172-242 81
- 376 Equal Channel Angular Pressing of a Newly Developed Precipitation Hardenable Scandium Containing Aluminum Alloy. **2018**, 423-429
- 375 Enhancement of Diffusion Bonding of Silver Graphite to Copper by Severe Plastic Deformation. **2018**, 137-150
- 374 A new hybrid process to produce ultrafine grained aluminium plates. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2018**, 714, 105-116 5-3 8
- 373 Chip Morphology and Chip Formation Mechanisms During Machining of ECAE-Processed Titanium. **2018**, 140, 12
- 372 Fracture in annealed and severely deformed tungsten. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2018**, 734, 244-254 5-3 13
- 371 Tailoring Microstructure and Properties of Fine Grained Magnesium Alloys by Severe Plastic Deformation. **2018**, 20, 1700785 17
- 370 Microstructure and Mechanical properties of Cu-7wt.% Al Alloy produced by Equal Channel Angular pressing with different routes. **2018**, 5, 8241-8248
- 369 Effect of Severe Plastic Deformation by 120 deg ECAP or Shock Impact on 6061 Aluminum Alloy at High Strain Rates. **2018**, 140, 3
- 368 Forming limit diagrams of fine-grained Al 5083 produced by equal channel angular rolling process. **2018**, 232, 922-930 8
- 367 Numerical and experimental studies on deformation behavior of 5083 aluminum alloy strips in equal channel angular rolling. **2018**, 232, 1031-1043 2
- 366 Mechanical properties of ultrafine-grained AX41 magnesium alloy at room and elevated temperatures. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2018**, 731, 438-445 5-3 11
- 365 Dynamic behaviors of phase transforming cellular structures. **2018**, 184, 536-544 15
- 364 Grain size effects in aluminum processed by severe plastic deformation. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2018**, 710, 300-308 5-3 38
- 363 Tube Twist Pressing (TTP) as a New Severe Plastic Deformation Method. **2018**, 71, 639-648 4
- 362 The influence of an ECAP-based deformation process on the microstructure and properties of electrolytic tough pitch copper. **2018**, 53, 3862-3875 12
- 361 Effect of ECAP on structural, mechanical and functional characteristics of the austenitic Cr-Ni-Ti steels. **2018**, 1134, 012049 3
- 360 Inhomogeneous Precipitation of the β Phase in Ti15Mo Alloy Deformed by ECAP. **2018**, 941, 1183-1188 1

359	Constrained bending and straightening-a proposed method for severe plastic deformation of metals. 2018 , 423, 012169	2
358	Circular simple shear extrusion as an alternative for simple shear extrusion technique for producing bulk nanostructured materials. 2018 , 15, 1502-1508	3
357	Microstructure control of pure iron by utilizing metal cutting method. 2018 , 15, 1541-1548	2
356	Effect of Multidirectional Forging on the Grain Structure and Mechanical Properties of the Al-Mg-Mn Alloy. 2018 , 11,	16
355	The Relationship between Mg Content and Extra-Hardening in Ultrafine Grained Al-Mg Alloy by SPD. 2018 , 941, 1173-1177	2
354	Optimization Process Parameters of Equal Angular Channel Pressing According to the Measurement Results of Microstructural Homogeneity. 2018 , 21,	3
353	Fatigue Properties of Ultra-Fine Grained Al-Mg-Si Wires with Enhanced Mechanical Strength and Electrical Conductivity. 2018 , 8, 1034	10
352	A new method for severe plastic deformation of the copper sheets. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 737, 236-244	5-3 12
351	Deformation of high density polyethylene by dynamic equal-channel-angular pressing.. 2018 , 8, 22583-22591	6
350	Latest Developments in Modeling and Characterization of Joining Metal Based Hybrid Materials. 2018 , 20, 1800048	26
349	Aluminium Lithium Alloys. 2018 , 387-438	15
348	Fatigue behavior of AA7075 aluminium alloy severely deformed by equal channel angular pressing. 2018 , 757, 324-332	29
347	The Femtosecond Laser Ablation on Ultrafine-Grained Copper. 2018 , 49, 2907-2917	0
346	A review on properties and microstructure of micro-extruded product using SPD and as-cast material. 2018 , 43, 1	1
345	Effect of grain refinement on mechanical and electrochemical properties of severely deformed pure copper through equal channel angular pressing. 2018 , 5, 076504	5
344	Cryodeformation of metals under isotropic compression (Review). 2018 , 44, 349-370	3
343	Microstructure anisotropy of nanocrystalline titanium produced by cryomechanical grain fragmentation. 2018 , 44, 444-450	2
342	Experimental Investigation of Mechanical Behavior of a Polyamide before and after Constrained Groove Pressing Process. 2018 , 36, 25-36	

341	Microstructure Homogeneity in AA6063 Alloy Processed by Cyclic Expansion Extrusion. 2018 , 385, 223-227	4
340	Superplasticity of Aerospace 7075 (Al-Zn-Mg-Cu) Aluminium Alloy Obtained by Severe Plastic Deformation. 2018 , 385, 39-44	2
339	Effective Parameters for the Success of Severe Plastic Deformation Methods. 2018 , 187-222	2
338	Severe Plastic Deformation Methods for Tubular Samples. 2018 , 131-164	2
337	Severe Plastic Deformation Methods for Bulk Samples. 2018 , 37-112	7
336	Thermal stability of ARMCO iron processed by ECAP. 2018 , 98, 2917-2932	11
335	Control of Nanostructure of Materials. 2018 , 169-253	
334	Light-Weight Aluminum-Based Alloys—from Fundamental Science to Engineering Applications. 2018 , 8, 260	6
333	Mg _{0.5} Zn _{0.5} Zr/HA nanocomposites fabricated by high shear solidification and equal channel angular extrusion. 2018 , 34, 1868-1879	4
332	Novel Friction-Assisted Tube Forming Methods: A Comparison of Microstructure and Mechanical Properties. 2018 , 140,	3
331	Design, Fabrication of Equal Channel Angular Extrusion Process and its Effect on Microstructure and Hardness of Al and Cu Alloys. 2018 , 71, 2605-2614	1
330	Exploration of equal channel angular pressing routes for efficiently achieving ultrafine microstructure in magnesium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 733, 179-189	5-3 12
329	Evaluation of Microstructure and Mechanical Properties of Multilayer Al5052/Cu Composite Produced by Accumulative Roll Bonding. 2018 , 57, 144-153	20
328	Effects of processing conditions on microstructure and mechanical properties of equal-channel-angular-pressed titanium. 2018 , 34, 1149-1167	10
327	Interface sheet-constrained groove pressing as a modified severe plastic deformation process. 2018 , 34, 1669-1678	8
326	The effect of continuous equal channel angular processing (CECAP) on the large-scale mechanical properties of AA5xxx strain hardening Al-Mg alloys as a basis for on-line control and predicting processability. 2018 , 97, 4031-4041	1
325	Equal channel angular extrusion for bulk processing of Fe-Co-V soft magnetic alloys, part II: Texture analysis and magnetic properties. 2018 , 33, 2176-2188	5
324	Effect of Strain Rate Sensitivity and Strain Hardening Exponent of Materials on Plastic Strain Distribution and Damage Accumulation During Equal Channel Angular Pressing. 2019 , 43, 831-844	1

323	Microstructure, Texture, and Mechanical Properties of Laminar Metal Composites Produced by Accumulative Roll Bonding. 2019 , 21, 1800210	8
322	Filtration and heat processes in lateral extrusion of plastically compressible materials. 2019 , 1203, 012022	
321	Taguchi grey relational analysis for parametric optimization of severe plastic deformation process. 2019 , 1, 1	15
320	Deformation Heterogeneities in Equal Channel Angular Pressing. 2019 , 60, 1331-1343	10
319	Severe Plastic Deformation of Polymers. 2019 , 60, 1192-1202	13
318	Numerical prediction of tensile yield strength and micro hardness of Ti6Al4V alloy processed by constrained bending and straightening severe plastic deformation. 2019 , 6, 106560	4
317	Investigation on the Strain Distribution in Tube High-Pressure Shearing. 2019 , 9, 1117	3
316	Structure and Tensile Strength of Pure Cu after High Pressure Torsion Extrusion. 2019 , 9, 1081	2
315	. 2019 ,	7
314	Nanotechnology enabled design of a structural material with extreme strength as well as thermal and electrical properties. 2019 , 31, 10-20	15
313	Enhancement of Mechanical Properties and Rolling Formability in AZ91 Alloy by RD-ECAP Processing. 2019 , 12,	11
312	Accumulative Roll Bondingâ Review. 2019 , 9, 3627	38
311	Anisotropic properties of Ag/Ti3AlC2 electrical contact materials prepared by equal channel angular pressing. 2019 , 784, 431-438	14
310	Ductile fracture analysis of annealed and ECAPed pure copper. 2019 , 103, 102277	3
309	Effect of the Rate of Multiaxial Compression at Room Temperature on the Evolution of Microstructure of Commercial-Purity Aluminum. 2019 , 61, 96-100	
308	Effect of Lubricant and Operation Temperature on the Metallurgical Property of AM60 Magnesium Alloy in ECAP Process. 2019 , 62, 821-827	
307	The mechanics of High Pressure Compressive Shearing with application to ARMCOâ steel. 2019 , 154, 127-137	8
306	Microhardness evolution of pure titanium deformed by equal channel angular extrusion. 2019 , 116, 408	13

305	Strength&ductility combination of fine-grained magnesium alloy with high deformation twin density. 2019 , 798, 350-359	20
304	Strain Accumulated during Equal-Channel Angular Pressing and Its Components. 2019 , 2019, 281-288	5
303	On solution mapping and remeshing in crystal plasticity finite element simulations: application to equal channel angular pressing. 2019 , 27, 075001	2
302	High-cycle-fatigue induced continuous grain growth in ultrafine-grained titanium. 2019 , 174, 29-42	27
301	Microscale shear specimens for evaluating the shear deformation in single-crystal and nanocrystalline Cu and at Cu&Al interfaces. 2019 , 34, 1574-1583	7
300	Grain-size affected mechanical response and deformation behavior in microscale reverse extrusion. 2019 , 6, 100272	11
299	Bioactive Micro-arc Calcium Phosphate Coatings on Nanostructured and Ultrafine-Grained Bioinert Metals and Alloys. 2019 , 191-231	2
298	Global view for grain refinement in ultra-low-C IF steel during high-strain deformation at various temperatures and strain rates. 2019 , 6, 100262	11
297	Influence of equal channel angular pressing in an acute angle die with a back pressure notch on grain refinement, torsion and mechanical properties of aluminium. 2019 , 50, 155-164	11
296	Lattice defects in severely deformed biomedical Ti-6Al-7Nb alloy and thermal stability of its ultra-fine grained microstructure. 2019 , 788, 881-890	7
295	Effect of severe plastic deformation on the physical and mechanical properties of the ultrafine-grained alloy Ti-15Mo. 2019 , 672, 012052	0
294	A Study on Microstructure and Mechanical Properties of AZ31 Magnesium Alloy after Constrained Groove Pressing. 2019 , 611, 012005	2
293	The Simulation of Shear Angle and Deformations of Cu/Al Composite Sheets during Accumulated Roll Bonding. 2019 , 971, 9-14	1
292	Grain characteristics and mechanical properties of bioinert Ti-40 wt. % Nb alloy. 2019 ,	
291	Mechanical and Electrical Characterization of Two Carbon/Ultra High Molecular Weight Polyethylene Composites Created Via Equal Channel Angular Processing. 2019 , 141,	4
290	Analysis of microstructure and properties of commercially cast Mg after a single room-temperature ECAP. 2019 , 6, 026521	1
289	The effect of continuous confined strip shearing deformation on the mechanical properties of AZ31 magnesium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 743, 397-403	5:3 3
288	Study of the microstructure and texture heterogeneities of Fe&Ni alloy severely deformed by equal channel angular pressing. 2019 , 54, 4354-4365	3

287	Significance of stacking fault energy in bulk nanostructured materials: Insights from Cu and its binary alloys as model systems. 2019 , 101, 1-45		104
286	Continuum dislocation dynamics-based grain fragmentation modeling. 2019 , 114, 252-271		11
285	Microstructure and texture development during solid consolidation recycling of Ti-6Al-4V. 2019 , 147, 223-232		4
284	Recent Progress and Development in Extrusion of Rare Earth Free Mg Alloys: A Review. 2019 , 32, 145-168		40
283	Effect of equal channel angular pressing (ECAP) on the evolution of texture, microstructure and mechanical properties in the Al-Cu-Li alloy AA2195. 2019 , 785, 972-983		41
282	Study of Fine-Grained Pure Copper Fabrication by Cyclic Contraction/Expansion Extrusion (CCEE) Using Experimental and Finite Element Simulation Methods. 2019 , 72, 757-765		2
281	Accounting Bauschinger effect in the numerical simulation of constrained groove pressing process. 2019 , 38, 49-62		17
280	Analysis of the micro and substructural evolution during severe plastic deformation of ARMCO iron and consequences in mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 740-741, 108-120	5-3	28
279	Influence of the initial state on the microstructure and mechanical properties of AX41 alloy processed by ECAP. 2019 , 54, 3469-3484		16
278	Accumulative roll bonding (ARB)-processed high-manganese twinning induced plasticity (TWIP) steel with extraordinary strength and reasonable ductility. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 742, 27-32	5-3	18
277	The effect of grain size and grain boundary misorientation on the corrosion resistance of commercially pure aluminium. 2019 , 148, 57-70		46
276	High-pressure torsion and equal-channel angular pressing. 2019 , 3-19		2
275	Circular Simple Shear Extrusion as an Alternative to Simple Shear Extrusion Technique. 2020 , 44, 193-201		2
274	Advances in Material Sciences and Engineering. 2020 ,		4
273	Fatigue life evaluation of an ultrafine-grained pure aluminum. 2020 , 234, 90-104		
272	Dynamic high pressure torsion: A novel technique for dynamic severe plastic deformation. 2020 , 276, 116393		15
271	Ultrafine-Grained Plates and Sheets: Processing, Anisotropy and Formability. 2020 , 22, 1900666		3
270	An efficient and stabilised SPH method for large strain metal plastic deformations. 2020 , 7, 523-539		4

269	Preparation of bulk nanolaminated aluminum alloy with high strength. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 770, 138556	5-3	5
268	Influence of temperature of ECAP processing on the microstructure and microhardness of as-cast AX41 alloy. 2020 , 55, 3118-3129		8
267	Micro- and mesoscale mechanical properties of an ultra-fine grained CrFeMnNi high entropy alloy produced by large strain machining. 2020 , 178, 508-512		16
266	Coupling of Bezier-type streamline and ETMB model to predict dislocation cell size in ECAE. 2020 , 2, 015004		0
265	Deformation mechanisms and strain rate sensitivity of bimodal and ultrafine-grained copper. 2020 , 186, 363-373		18
264	Statistical analysis of dislocation substructure in commercially pure aluminum subjected to static and dynamic high pressure torsion. 2020 , 160, 110088		5
263	Numerical and experimental study of a 5754-aluminum alloy processed by heterogeneous repetitive corrugation and straightening. 2020 , 9, 1941-1947		10
262	Deformation and strain analysis for grain refinement of materials processed through equal channel angular pressing. 2020 , 21, 1513-1519		9
261	Dissimilar material welding of tantalum foil and Q235 steel plate using improved explosive welding technique. 2020 , 186, 108348		28
260	Effect of the severe plastic deformation by ECAP on microstructure and phase transformations in Ti-15Mo alloy. 2020 , 22, 100811		10
259	A meshless multiscale approach to modeling severe plastic deformation of metals: Application to ECAE of pure copper. 2020 , 173, 109329		6
258	Microstructure and mechanical properties of Mg-Zn-Ca-Zr alloy fabricated by hot extrusion-shearing process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 795, 139937	5-3	14
257	Study of microstructure and mechanical properties of pure titanium processed by new route of equal channel angular pressing. 2020 , 768, 022047		0
256	Visualization of Axial Material Flow by Eccentric Thread Swaging. 2020 , 47, 1339-1344		2
255	Effect of Severe Plastic Deformation, through Equal-Channel Angular Press Processing, on the Electrochemical Behavior of Al5083 Alloy. 2020 , 10, 7776		1
254	Synergistic Effect of Grain Size, $\text{Mg}_{17}\text{Al}_{12}$, and Texture on Mechanical Properties of Mg-15Al (wt.%) Magnesium Alloy Processed by Equal Channel Angular Pressing. 2020 , 29, 4360-4369		5
253	Analysis of Tribological Properties in Disks of AA-5754 and AA-5083 Aluminium Alloys Previously Processed by Equal Channel Angular Pressing and Isothermally Forged. 2020 , 10, 938		2
252	A New Modified Cyclic Extrusion Channel Angular Pressing (CECAP) Process for Producing Ultrafine-Grained Mg Alloy. 2020 , 73, 2447-2456		0

251	Crack initiation mechanism in ultrafine-grained copper fabricated by severe plastic deformation in the high-cycle fatigue regime. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 788, 139569	5-3	4
250	Effect of extrusion routes on thermal stability of pure titanium processed by equal channel angular pressing. 2020 , 768, 022020		
249	A comprehensive review on equal channel angular pressing of bulk metal and sheet metal process methodology and its varied applications. 2020 , 59, 698-726		11
248	Microstructure, tensile properties and formability of ultrafine-grained Al-Mn square plates processed by Incremental ECAP. 2020 , 196, 109125		3
247	Thermal analysis of CuMg alloys deformed by equal channel angular pressing. 2020 , 146, 1393		
246	Athermal strength of pure aluminum is significantly decreased by severe plastic deformation and it is markedly augmented by subsequent annealing. 2020 , 10, 14090		1
245	The Role of Long Period Stacking Ordered Phase in Dynamic Recrystallization of a Mg-Gd-Y-Zn-Zr Alloy during Multi-Directional Forging Process. 2020 , 13,		2
244	Modeling of the ECAP Induced Strain Hardening Behavior in FCC Metals. 2020 , 51, 5453-5474		3
243	Effect of high temperature ECAP process on microstructure and mechanical properties of Ti-5553 alloy. 2020 , 1678, 012035		
242	Designing (Ultra)Fine-Grained High-Entropy Alloys by Spark Plasma Sintering and Equal-Channel Angular Pressing. 2020 , 10, 1157		2
241	Effects of different deformation routes of ECAP on AA6063 mechanical properties and microstructure. 2020 , 50, 119-124		1
240	The Preparation and Characterization of Cu/AA6061 multi-layer Composite produced by Accumulated Roll Bonding. 2020 , 758, 012099		1
239	Influence of Severe Plastic Deformation on Static Recrystallization Microstructure of Pure Iron. 2020 , 10, 1320		1
238	Severe Plastic Deformation-Key Features, Methods and Application. 2020 , 1003, 31-36		
237	Increasing Fatigue Life of 09Mn2Si Steel by Helical Rolling: Theoretical-Experimental Study on Governing Role of Grain Boundaries. 2020 , 13,		6
236	Anisotropic arc erosion resistance of Ag/Ti3AlC2 composites induced by the alignment of Ti3AlC2. 2020 , 171, 108633		5
235	Equal channel angular pressing of the aluminium alloy: A numerical investigation. 2020 , 26, 2173-2178		2
234	Increase in Total Elongation Caused by Pure Shear Deformation in Ultra-Fine-Grained Cu Processed by Equal-Channel Angular Pressing. 2020 , 10, 654		2

233	A review on fabrication methods, reinforcements and mechanical properties of aluminum matrix composites. 2020 , 56, 1059-1074	64
232	Analysis of the Rolling Process of Alloy 6005 in a Three-High Skew Rolling Mill. 2020 , 13,	5
231	Effect of Equal Channel Angular Pressing on Mechanical and Tribological Properties of Sintered Al-Sn Composites. 2020 , 29, 1955-1963	3
230	A feasibility study of continuous grain refinement of sheet metal. 2020 , 48, 379-387	3
229	Effect of plastic strain and processing routes on the hardness of as-cast aluminum. 2020 ,	
228	Effect of Temperature on Strength and Hardness in Multi-pass Equal Channel Angular Pressing (ECAP) of Aluminum Alloys. 2020 , 73, 619-627	2
227	Electrochemical Performance of Aluminum Anodes with Different Grain Sizes for Al-Air Batteries. 2020 , 167, 040514	5
226	Effect of ECAP Process and Subsequent Annealing on Microstructure and Properties of Cu-0.25Se-0.25Te Alloy. 2020 , 49, 2617-2624	4
225	Microstructure Evolution and Mechanical Properties of Ti-6Al-4V Alloy Prepared by Multipass Equal Channel Angular Pressing. 2020 , 29, 905-913	7
224	Comparative Study of the Planar Uniformity of the Mechanical Properties of the AA1050 Strips Processed by Conventional and Cross Accumulative Roll-Bonding Techniques. 2020 , 72, 1571-1579	3
223	Fracture Behavior of Annealed and Equal Channel Angular Pressed Copper: An Experimental Study. 2020 , 29, 975-986	3
222	Exploring performance limits of a new martensitic high strength steel by ausforming via equal channel angular pressing. 2020 , 184, 63-69	9
221	Equal channel angular pressing of gas tungsten arc welded AA6061 alloy. 2020 , 64, 1053-1064	6
220	Microstructural Refinement and Performance Improvement of Cast n-Type Bi ₂ Te _{2.79} Se _{0.21} Ingot by Equal Channel Angular Extrusion. 2020 , 27, 3070	2
219	Analysis of microstructural evolution and compressive properties for pure Mg after room-temperature ECAP. 2020 , 271, 127781	10
218	Effect of ECAP on microstructure, mechanical and tribological properties of aluminum and brass alloys: A review. 2020 , 26, 2302-2307	3
217	Equal channel angular extrusion: An effective method to refine the microstructure of cast n-type Bi ₂ Te ₃ based ingot to co-optimize thermoelectric and mechanical properties. 2020 , 103, 106191	2
216	Experimental and FEM Analysis of Wear Behaviour in AA5083 Ultrafine-Grained Cams. 2020 , 10, 479	4

215	Investigation wavy interface forming and stretching in severe plastic deformed copper/steel bimetallic rod. 2020 , 1-10	2
214	Evolution of microstructure and performance of n-type BiTeSe thermoelectric materials fabricated by multi-path equal channel angular extrusion. 2020 , 24, 101121	1
213	Current understanding of surface effects in microcutting. 2020 , 192, 108688	14
212	Optimization of the Severe Plastic Deformation Processes for the Grain Refinement of Al6060 Alloy Using 3D FEM Analysis. 2020 , 29, 5307-5313	6
211	New Die Design Configuration for Grain Refinement by Hollow Twist Extrusion (HTE) Process. 2021 , 27, 667-675	2
210	Influence of Ball Burnishing Process on Equal Channel Angular Pressed Mg-Zn-Si Alloy on the Evolution of Microstructure and Corrosion Properties. 2021 , 13, 1549-1560	5
209	Decoupling Seebeck coefficient and resistivity, and simultaneously optimizing thermoelectric and mechanical performances for n-type BiTeSe alloy by multi-pass equal channel angular extrusion. 2021 , 263, 114846	0
208	Effects of constrained groove pressing, severe shot peening and ultrasonic nanocrystal surface modification on microstructure and mechanical behavior of S500MC high strength low alloy automotive steel. 2021 , 538, 147935	16
207	A systems engineering analysis of tailored formed metallic hybrids. 2021 , 15, 211-221	
206	On the low-cycle fatigue response of CoCrNiFeMn high entropy alloy with ultra-fine grain structure. 2021 , 205, 116540	24
205	Processing ultrafine grained non-circular cross-section profiles via severe plastic deformation. 2021 , 235, 572-580	1
204	Achieving an exceptional ductility at room temperature in a low SFE copper alloy fabricated by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140654	5-3 1
203	A Statistical Method to Predict the Hardness and Grain Size After Equal Channel Angular Pressing of AA-6063 with Intermediate Annealing. 2021 , 46, 2055-2070	3
202	Microstructure and Mechanical Properties of AM60 Magnesium Alloy Processed by a New Severe Plastic Deformation Technique. 2021 , 27, 2957-2967	3
201	Heterogeneities in the microstructure and mechanical properties of high-Cr martensitic stainless steel produced by repetitive hot roll bonding. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 801, 140416	5-3 5
200	Tailoring Mechanical Properties of Mg-Al-Zn-Mn Alloy by Multipass Equal Channel Angular Pressing. 2021 , 23, 2000790	2
199	High Temperature Mechanical Properties and Microstructures of Thermally Stabilized Fe-Based Alloys Synthesized by Mechanical Alloying Followed by Hot Extrusion. 2021 , 27, 1790-1797	1
198	Comparison of physical and virtual simulation of multi-axial forging processes on EN-AW 6082 aluminium alloy. 2021 , 45, 4100-4104	

197	Short-Term Material Characterization by Electrohydraulic Incremental Extrusion through Micro Channels. 2021 , 14,		0
196	Effect of Equal Channel Angular Pressing on the Dynamic Softening Behavior of Ti-6Al-4V Alloy in the Hot Deformation Process. 2021 , 14,		1
195	Effect of Equal-channel angular pressing on mechanical Properties: An overview. 2021 , 45, 5602-5607		1
194	Equal channel angular processing – modern deforming technique for quality products. 2021 , 381-423		
193	Investigation of mechanical and microstructural properties of pure copper processed by combined extrusion-equal channel angular pressing (C-Ex-ECAP). 2021 , 113, 2175-2191		4
192	Research progress of ultrafine grained magnesium alloy prepared by equal channel angular pressing. 2021 , 8, 022001		4
191	Mechanical behaviour of Aluminium Alloy AA6063 processed through ECAP with optimum die design parameters. 1-15		4
190	Properties inhomogeneity of AM60 magnesium alloy processed by cyclic extrusion compression angular pressing followed by extrusion. 2021 , 31, 655-665		2
189	Strengthening of Materials by Equal Channel Angular Pressing Using ANSYS. 255-265		
188	Microstructure Evolution and Mechanical Properties of cp-Ti Processed by a Novel Technique of Rotational Constrained Bending. 2021 , 52, 1665-1678		3
187	The processing route towards outstanding performance of the severely deformed Al-Mg-Mn-Sc-Zr alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 806, 140818	5-3	3
186	Direct evidence of microstructure dependence of magnetic flux trapping in niobium. 2021 , 11, 5364		3
185	Contemporary Progresses in Ultrasonic Welding of Aluminum Metal Matrix Composites. 2021 , 8,		7
184	Artificial aging time influencing the crack propagation behavior of the aluminum alloy 6060 processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 811, 141039	5-3	1
183	Application of solid processing routes for the synthesis of graphene-aluminum composites- a review. 2021 , 36, 1219-1235		3
182	Tube equal channel angular extrusion (tECAE) of Mg-Al-Zn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 814, 141236	5-3	1
181	Finite Element Model of Equal Channel Angular Extrusion of Ultra High Molecular Weight Polyethylene. 1-30		0
180	Copper-Tantalum Metal Matrix Composites Consolidated from Powder Blends by Severe Plastic Deformation. 2021 , 11, 1010		0

179	In-depth investigation of a third body formed by selective transfer in a NiCr / AgPd electrical contact. 2021 , 474-475, 203753	
178	Effects of pressure on the generalized stacking fault energy and twinning propensity of face-centered cubic metals. 2021 , 866, 158869	6
177	Effect of Microstructure and Mechanical Properties of Al5083 Alloy Processed by ECAP at Room Temperature and High Temperature. 2021 , 11, 683	2
176	Metal hybrids processed by high-pressure torsion: synthesis, microstructure, mechanical properties and developing trends. 1-35	2
175	In-situ investigation of phase transformations in ultra-fine grained Ti15Mo alloy. 2021 , 867, 159027	5
174	Experimental Investigation on Wire Electric Discharge Machining of Biodegradable AZ91 Mg Alloy. 2021 , 30, 7752-7761	4
173	SEM/EBSD Analysis of Grain Refinement and Coarsening of Ultra-Fine-Grained Al during Simple Shear Deformation. 2021 , 62, 921-928	1
172	On the Hybrid Modeling of Phenomenological Damage Evolution in Low Carbon Steels During Equal Channel Angular Extrusion Process. 1	0
171	Effect of cold drawing on microstructure and properties of the invar alloy strengthened by carbide-forming elements. 2021 , 13, 1012-1019	2
170	Influence of ECAP processing temperature and number of passes on hardness and microstructure of Al-6063. 1-12	2
169	Microstructure and Mechanical Behavior of ARMCO Fe Severely Plastically Deformed by Combination of Constrained Groove Pressing and Cold Rolling. 2021 , 30, 8196	2
168	Grain-refining and strengthening mechanisms of bulk ultrafine grained CP-Ti processed by L-ECAP and MDF. 2021 , 83, 196-207	9
167	Mg-based materials for hydrogen storage. 2021 , 9, 1837-1837	18
166	Effects of Heat Treatment and Severe Plastic Deformation on Microstructure, Mechanical Properties and Midsection Ultimate Strength of Shipbuilding Steel. 2021 , 30, 7805-7816	
165	The effect of strain rate on the microstructural evolution of pure Mg during ECAE. 2021 , 178, 111209	1
164	Deformation Texture Evolution in ARMCO Iron Sheets During Constrained Groove Pressing Followed by Cold Rolling. 1	0
163	Cryogenic temperature equal channel angular pressing of pure titanium: microstructure and homogeneity. 2021 , 14, 1167-1179	0
162	Examination of inverse Hall-Petch relation in nanostructured aluminum alloys by ultra-severe plastic deformation. 2021 , 91, 78-89	14

161	New Processing Routes for Nanostructuring of Light Alloys. 2022 , 224-233	1
160	Effect of processing parameters on equal-channel angular pressing of aluminum alloys: An overview. 2021 , 45, 5551-5559	1
159	Grain Refinement and Mechanical Properties of CP-Ti Processed by Warm Accumulative Roll Bonding. 33-40	2
158	Processing and Bioactivity Evaluation of Ultrafine-Grained Titanium. 125-136	1
157	Assessment of Equal Channel Angular Extrusion Processing of Magnesium Alloys. 243-247	4
156	The Main Tendencies in Elaboration of Materials with High Specific Strength. 2004 , 33-44	2
155	Consolidation of Cu and Amorphous ZR-Based Powders by Severe Plastic Deformation. 2004 , 91-100	1
154	Twist Extrusion as a Tool for Grain Refinement in Al-Mg-Sc-Zr Alloys. 2006 , 77-82	6
153	Fatigue and Fracture Processes in Severe Plastic Deformed Rail Steels. 2006 , 859-860	2
152	Ultra-fine Grain Materials by Severe Plastic Deformation: Application to Steels. 2009 , 325-344	8
151	Microstructure and Texture Evolution During the Accumulative Roll Bonding of Pure Ni. 2009 , 421-429	1
150	The Use of the DIC Method to Involve the Strain Instability Occurred in an Undergoing High Shear during the ECAE Process. 2013 , 567-574	1
149	Severe Plastic Deformation, A Tool to Enhance Thermoelectric Performance. 2013 , 193-254	13
148	FEM Modelling of the Continuous Combined Drawing and Rolling Process for Severe Plastic Deformation of Metallic Materials. 2014 , 17-45	1
147	Texture, Structural Evolution and Mechanical Properties in AA5083 Processed by ECAE. 2000 , 189-195	3
146	High Strain Rate Superplasticity in Fine-Grained Commercial Al Alloys Processed by Equal-Channel Angular Pressing. 1998 , 477-486	2
145	Plastic flow during equal-channel angular pressing with arbitrary tool angles. 2020 , 134, 102755	7
144	The 7th International Conference on Nanomaterials by Severe Plastic Deformation: a report of the International NanoSPD Steering Committee. 2017 , 194, 012001	1

143	Computer Simulation of the Metal Deformation Process in an Equal Channel Step Matrix with Additional Backpressure. 969, 012086	2
142	Severe plastic deformation. 2004,	0
141	Interrelation of Microstructure and Corrosion Resistance in Biodegradable Magnesium Alloys with Aluminum, Lithium and Rare Earth Additions. 2015, 128, 491-497	3
140	Microstructure and Mechanical Properties of Severely Deformed AX41 Magnesium Alloy. 2015, 128, 768-771	2
139	De Gruyter. 2006, 2006, 313-318	3
138	Performance and Prospects of Severe Plastic Deformation for Effective Biomedical Titanium Alloys. 2017, 5, 8-23	8
137	Fractographical Analysis on Fracture Mechanism of Stainless Steel Having Harmonic Microstructure. 2012, 61, 686-691	10
136	IMPORTANCE OF E-CAP DIE DESIGN FOR PRODUCING IMPROVED HARDNESS AND ULTRA FINE GRAINS OF ALUMINUM ALLOY-6xxx SERIES. 2017, 13, 30	3
135	Some factors affecting the creep behaviour of metallic materials processed by equal-channel angular pressing. 2009, 100, 762-766	8
134	Microstructural evolution of equal-channel angular pressed interstitial-free steel. 2009, 100, 834-837	5
133	Metallographic Preparation of Aluminium-Titanium Composites. 2013, 50, 739-753	8
132	Plastic Deformation Structures. 2004, 192-206	8
131	Split Die Design for ECAP with Lower Loads. 2008, 32, 217-222	1
130	Discovering Iranians' Shopping Culture by Considering Virtual Items Using Data Mining Techniques. 2009, 9, 2351-2361	2
129	Finite Element Analysis on the Effect of Die Corner Angle in Equal Channel Angular Pressing Process of Powders. 2007, 14, 26-31	1
128	Numerical Investigation of Plastic Deformation in Two-turn Equal Channel Angular Extrusion. 2014, 4, 728-733	1
127	AVALIAÇÃO DAS CARACTERÍSTICAS MICROESTRUTURAIS DE LIGAS DE ALUMÍNIO SUBMETIDAS A TÉCNICAS DE DEFORMAÇÃO PLÁSTICA SEVERA.	1
126	Preform Effect on the Plastic Deformation Behavior of Workpieces in Equal Channel Angular Pressing. 2006, 15, 382-386	2

125	Effect of Equal Channel Angular Pressing Temperature on the Fracture and Mechanical Properties of Magnesium. 2008 , 17, 13-18	1
124	Microstructure Refinement in Hypereutectic Al-Si Alloy by Compressive Torsion Processing. 2009 , 50, 109-113	6
123	Large-Strain Characteristics and Grain Refinement in Torsion Extrusion. 2009 , 50, 186-191	2
122	Microstructural evolution of a niobium-microalloyed steel during hot shear deformation and subsequent cooling. 2022 , 300, 117417	1
121	Microstructural Evolution of a 3003 Based Aluminium Alloy during the CSET Process. 2021 , 14,	1
120	Recrystallization mechanisms, grain refinement, and texture evolution during ECAE processing of Mg and its alloys. 2021 , 162, 104067	2
119	Microstructural Refinement and Mechanical Property Improvement of Copper and Copper-AL2O3 Specimens Processed by Equal Channel Angular Extrusion (ECAE). 2000 , 273-279	
118	An Investigation of Microstructural Evolution and Sliding Wear Behavior of Ultra-Fine Grained 5052 Aluminum Alloy Fabricated by an Accumulative Roll-Bonding Process. 2003 , 12, 376-381	
117	Simulation of Texture Evolution in Equal Channel Angular Extrusion of Copper Using a New Flow Field. 2004 , 191-198	
116	Microstructures and Mechanical Behavior of 2024 Al Alloys Deformed by Equal Channel Angular Pressing. 2006 , 16, 68-74	
115	Surface Damage of Ultra-Fine Grain Copper in High-Cycle Fatigue Regime. 2006 , 55, 42-48	
114	Effect of Annealing on High-Cycle Fatigue of an Al-Mg-Sc Alloy Produced by Equal-Channel Angular Pressing. 2006 , 55, 837-842	
113	Cube textured tapes for use in YBa ₂ Cu ₃ O _{7-x} coated conductor applications. 2006 , 97, 1363-1371	
112	Finite Element Analysis of Continuous Rotary-Die Equal Channel Angular Pressing. 2006 , 15, 524-528	2
111	Metalworking. 2007 , 12-1-12-29	
110	Superplasticity and Superplastic Forming. 2007 , 14-1-14-35	
109	Mechanical Alloying and Severe Plastic Deformation. 2007 , 13-1-13-28	
108	Effect of Torsional Loading on Distribution of Refined Microstructure Formed Using Compressive Torsion Processing. 2008 , 49, 51-55	2

- 107 Analysis of Densification Behavior during Powder Equal Channel Angular Pressing using Critical Relative Density Model. **2008**, 15, 365-370 1
- 106 Nanocrystalline Materials. **2008**, 2621-2636
- 105 Nanocrystalline Materials. **2008**, 2602-2620
- 104 Evolution of Crystallographic Texture During Equal Channel Angular Extrusion (ECAE) of (Cu) Brass. **2009**, 457-464
- 103 Charakterisierung der Schädigungsentwicklung in ultrafeinkörnigem IF Stahl mittels digitaler Bildkorrelation*. **2010**, 52, 27-35 1
- 102 Metallic Glasses. **2010**, 11-47 1
- 101 Investigation of Microhardness and Microstructure of AZ31 Alloy after High Pressure Torsion. **2011**, 589-594
- 100 The Effect of Friction Stir Processing on Microstructure and Tensile Behavior of Thixomolded AZ91 Magnesium Alloy. **2012**, 391-396
- 99 The Effect of Friction Stir Processing on Microstructure and Tensile Behavior of Thixomolded AZ91 Magnesium Alloy. 391-396
- 98 A Comparison of Dislocation Microstructures Formed during Severe Plastic Deformation of an Al-2.5 Mg Alloy at Room and Cryogenic Temperatures and Their Effect on Alloy's Room-Temperature Strength. 805-811
- 97 Microstructural Evolution with Annealing of Ultralow Carbon IF Steel Severely Deformed by Six-Layer Stack ARB Process. **2012**, 22, 403-408
- 96 Processing and Characterization of Ultra-Fine Grain Structure in Al Alloy by Equal Channel Angular Pressing. 175-182
- 95 Nanocrystalline Materials: Synthesis and Properties. **2014**, 2921-2935
- 94 Structures and Properties of Commercial Aluminium Alloys after Severe Straining. **1998**, 421-426
- 93 Nanocrystalline Materials: Fatigue. 2903-2920
- 92 INFLUÊNCIA DA ECAE NAS PROPRIEDADES DE LIGAS NiTi COM EFEITO DE MEMÓRIA DE FORMA.
- 91 CARACTERIZAÇÃO MICROESTRUTURAL E DA TEXTURA CRISTALOGRÁFICA DA LIGA AL AA 1070 PRENSADA EM CANAIS EQUIANGULARES A FRIO VIA ROTA A.
- 90 Strengthening in Thermomechanically Processed Magnesium Alloys. **2015**, 225-230

- 89 Grain Refinement in Al-Mn-Fe-Si Alloys by Severe Plastic Deformation. **2015**, 15, 679-684 4
- 88 Optical Properties of Plastically Deformed Copper: Ellipsometry and Raman Study. **2016**, 173-182
- 87 Superplastic Forming of Aerospace Materials. **2017**, 39-63
- 86 CuZn40Pb2â€ºin Elektriksel letkenlii^ erine APlastik Deformasyonun Etkisi. **2018**, 33, 1-244
- 85 Solid particle erosion wear behavior of severe plastically deformed AA7075 alloys. **2018**, 60, 885-891 3
- 84 Ecap Consolidation and Heat Treatment of Blended Elemental Powders of Iron, Chromium, Nickel and Manganese. **2019**, 22, 0
- 83 Bending Forces and Hardness Properties of Ti6Al4V Alloy Processed by Constrained Bending and Straightening Severe Plastic Deformation. **2020**, 389-398
- 82 An Effective and Economical Method to Improve Structural Homogeneity and Mechanical Properties of Alâ€ºMg Alloy Processed by ECAE. **2020**, 1053-1060
- 81 Fracture Behavior of Ultrafine-Grained Titanium Under Tension at Elevated Temperatures. **2020**, 142, 4
- 80 Die Design and Its Parameters for Grain Refinement of AA6XXX Series Through Equal Channel Angular Pressing. **2022**, 343-353
- 79 Microstructure Evolution in Cuâ€º0.5 wt% Zr Alloy Processed by a Novel Severe Plastic Deformation Technique of Rotational Constrained Bending. **2021**, 11, 63 2
- 78 Microstructure and mechanical properties of magnesium alloy Mgâ€ºAl after deformation. **2020**,
- 77 Compara^  metal^ gica das ligas semiss^ das Al2Si2.5Cu e Al4Si2.5Cu produzidas via processo de extrus^  em canal angular. **2020**, 25,
- 76 Understanding the Textural and Microstructural Development in Two-Pass ECAP by Route A of a Commercial Aluminium Alloy. **2006**, 137-144
- 75 Deformation Mechanisms Inducing Microstructure Refinement in Commercially Pure Aluminium Processed via ECAP: Comparison to Cold-Rolling and Hot-Torsion. **2006**, 193-198
- 74 The Deformation Characteristics of Pure Aluminum Processed by Equal-Channel Angular Pressing. **2006**, 201-208
- 73 A Phenomenological Model to Simulate Mechanical Tests on Ultrafinegrained Aluminum Produced by ECAE. **2006**, 61-61
- 72 Evolution and mechanical effect of S?-phase in ECA pressed Alâ€º3.8Cuâ€º1.2Mgâ€º0.5Mn alloys. **2008**, 14, 695-699

71	Texture evolution in high-pressure torsion processing. 2022 , 125, 100886	6
70	Tool wear analysis of C-shaped equal channel reciprocating extrusion process of AISI-H13 steel die using finite element method. 2021 , 43, 1	0
69	Formation process of fatigue slip bands with unique configurations of ultrafine-grained high-purity Cu fabricated by severe plastic deformation. 2022 , 899, 163263	
68	Emerging Opportunities in Manufacturing Bulk Soft-Magnetic Alloys for Energy Applications: A Review. 2022 , 74, 1306	1
67	Numerical analysis of subgrain formation during metal cutting and rolling based on the crystal plasticity theory. 2022 , 15, 1	
66	High Temperature Oxidation Resistance of TB8 Titanium Alloy after Equal Channel Angular Pressing and Heat Treatment. 1	
65	Effect of ECAP die angle on the strain homogeneity, microstructural evolution, crystallographic texture and mechanical properties of pure magnesium: numerical simulation and experimental approach. 2022 , 17, 1491-1511	3
64	The formation mechanism, mechanical properties and thermal stability of the pure copper sheet with gradient structure processed by plastic flow machining. 2022 , 185, 111745	0
63	On the nature of internal interfaces in tempered martensite ferritic steels. 2022 , 94, 511-520	2
62	Modeling of texture evolution in copper under equal channel angular pressing. 2022 , 94, 1189-1198	1
61	Effect of intersection annealing on the microstructure and compressive properties of pure Mg processed by four-pass ambient ECAP. 2022 ,	0
60	Plastic Deformation and Precipitation Characterization of Al-Zn-Mg-Cu Alloy Micro-Alloyed with Sc.	
59	Equal channel angular processing on aluminium and its alloys âA review. 2022 , 56, 2388-2391	
58	Cryogenic and Room Temperature ECAP Consolidation of Blended Elemental Powders of Aluminum and Copper. 25,	0
57	Mechanical properties of aluminium alloy AA7086 by equal channel angular press with parameters of die design. 2022 ,	
56	Manufacturing Processes for Permanent Magnets: Part IIâBonding and Emerging Methods. 1	2
55	The Role of Mandrel Rotation during CSET Processing Demonstrated on a 3003 Aluminium Alloy. 2022 , 12, 398	
54	Nanomaterials by severe plastic deformation: review of historical developments and recent advances. 2022 , 10, 163-256	26

53	Equal channel angular pressing die design through finite element analysis method for non-strain hardening material. 1-20	0
52	Permanent Strength of Metals: A Case Study on FCC Metals Processed by Severe Plastic Deformation. 1	0
51	NUMERICAL SIMULATION OF THE STRESS-STRAIN DURING CONSTRAINED GROOVE PRESSING PROCESS. 2022 , 59, 79-91	
50	Cryogenic forming of AA6065 by ECAP. 2022 ,	1
49	Optimization of processing conditions in equal channel angular pressing for superior structure and properties. 2022 , 69, 317	
48	Effect of processing route on grain refinement and mechanical properties in equal channel angular pressing of aluminium alloy AA7068. 2022 , 69, 1	
47	Influence of metal texture and loading rate on heat release under quasi-static tension. 2022 , 2231, 012009	
46	Deformation mechanisms of pure Ti during equal channel angular pressing. 2002 , 8,	2
45	Modeling of deformation behavior of copper under equal channel angular pressing. 2022 , 94, 754-760	0
44	Fracture behaviour of ultrafine-grained materials under static and cyclic loading. 2022 , 97, 1566-1570	3
43	Yield Point Phenomenon Induced by Twinning Accompanied by Abnormal Grain Growth in Fine-Grained Copper. 2022 ,	
42	Strengthening of Duplex Stainless Steel Processed by Equal Channel Angular Pressing (Ecap).	
41	Experimental investigation and finite element modeling for improved shearing cutting performance using optimized bio-inspired shearing tool. 2022 , 44,	0
40	Tensile properties of cross cryo-rolled and room temperature rolled 6063 Al alloy. 095440892211059	
39	Development of a Thermomechanical Treatment Mode for Stainless-Steel Rings. 2022 , 15, 4930	0
38	Characterisation of Microstructure, Texture and Mechanical Properties of Pure Aluminium Sheets Severely Deformed by Constrained Groove Pressing and Subsequent Cold Rolling.	1
37	Effects of Strain-Induced Cyclic Transformation on the Microstructure of the Peened Surface of SUS 304 Austenitic Stainless Steel. 2100603	0
36	Regularities of Microstructure Evolution in a Cu-Cr-Zr Alloy during Severe Plastic Deformation. 2022 , 15, 5745	0

35	The Effect of ECAP Processing Conditions on Microstructural Evolution and Mechanical Properties of Pure Magnesium—Experimental, Mathematical Empirical and Response Surface Approach. 2022 , 15, 5312	2
34	Understanding the Fabrication of Ultrafine Grains Through Severe Plastic Deformation Techniques: An Overview.	0
33	Severe plastic deformation for obtaining nanometric and ultrafine-grained materials. 2007 , 27, 101-105	1
32	Influence of Equal Channel Angular Extrusion on Mechanical Characteristics and Associated Microstructural Changes of Aluminum, Copper, Titanium and Magnesium Alloys and Their Metal Matrix Composites—A Review. 2023 , 51, 20210591	1
31	Microstructure and properties evolution of Cu-Ti-Cr-Mg alloy during equal channel angular pressing at room temperature and cryogenic temperature. 2022 , 927, 166940	1
30	A comprehensive review of magnesium-based alloys and composites processed by cyclic extrusion compression and the related techniques. 2023 , 131, 101016	3
29	Permanent strength of interstitial-free steel processed by severe plastic deformation and subsequent annealing. 2022 ,	0
28	In-Situ Fabrication, Microstructure and Mechanical Performance of Nano Iron-Rich Precipitate Reinforced Cu and Cu Alloys. 2022 , 12, 1453	0
27	An Overview of Deformation Path Shapes on Equal Channel Angular Pressing. 2022 , 12, 1800	1
26	Strengthening of duplex stainless steel processed by equal channel angular pressing (ECAP).	1
25	Grain refinement OF Al—Zn—Mg alloy during equal channel angular pressing (ECAP). 2022 , 100739	1
24	Direct Observation of Evolution from Amorphous Phase to Strain Glass. 2022 , 15, 7900	0
23	Effect of cutting speed on shear band formation and chip morphology of Ti—Al—V alloy using nanoindentation and EBSD mapping. 2023 , 862, 144372	0
22	Properties and hardening behavior of equal channel angular extrusion processed Mg-Al binary alloys. 2023 , 195, 112514	1
21	Current Trends to Obtain Metals and Alloys with Ultrafine-Grained Structure. 2022 , 23,	0
20	Developing methods of constrained groove pressing technique: A review. 146442072211433	0
19	Deformation Behavior, Recrystallization Kinetics, Strengthening Mechanisms and Residual Stress in Al-Mg-Si-Ag Alloy Processed by Equal-Channel Angular Pressing.	0
18	The mechanism of nano-network structure formed by friction-induced pozzolanic silicate. 2023 , 111858	0

- 17 Interfaces generation via severe plastic deformation – A new way to multiple shape memory polymer composites. **2023**, 267, 125653 ○
- 16 An upper bound analysis of channel angular pressing process considering die geometric characteristics, friction, and material strain-hardening. **2023**, 41, 259-276 ○
- 15 Cyclic plasticity and deformation mechanism of AlCrCuFeNi high entropy alloy. **2023**, 940, 168838 ○
- 14 Finite element analysis of stress-strain state of the deformation zone of a UFG Ti Grade 4 workpiece subjected to abrasive-free ultrasonic finishing. **2022**, 36-45 ○
- 13 Finite Element Analysis of the Stress-strain State of the Deformation Zone of a Workpiece from UFG Grade 4 Ti Subjected to Abrasive-Free Ultrasonic Finishing. **2022**, 63, 617-623 ○
- 12 Experimental and numerical investigations of platinum foil/titanium plate interfaces prepared by explosive welding. **2023**, 23, ○
- 11 Advancement and influence of designing of ECAP on deformation and microstructure properties of the AA5083 under thermal effects. ○
- 10 Microstructural Evolution and Distributions of Grain Boundary in SPD Processed Al-3 mass%Mg Alloy. **2023**, ○
- 9 Nano-structuring of a high entropy alloy by severe plastic deformation: Experiments and crystal plasticity simulations. **2023**, 250, 118814 ○
- 8 Tribological studies on aluminum beryl composites subjected to ECAP process. **2023**, 523, 204775 ○
- 7 Attaining High Functional Performance in Biodegradable Mg-Alloys: An Overview of Challenges and Prospects for the Mg-Zn-Ca System. **2023**, 16, 1324 ○
- 6 Effect of ECAP die angle and route type on the experimental evolution, crystallographic texture, and mechanical properties of pure magnesium. **2023**, 13, ○
- 5 Spall Failure of ECAE Mg-Al Alloys at Extreme Strain Rates: Influence of a Refined Precipitate and Grain Microstructure. **2023**, 13, 454 ○
- 4 Mechanical characterisation and microstructure study of Al-Zn alloy processed by equal channel angular pressing combined with heat treatment. 1-12 ○
- 3 A High Strength and High Conductivity Cu_{0.4}Cr_{0.3}Zr Alloy Prepared by Cryo-ECAP and Heat Treatment. **2022**, 123, 1537-1547 ○
- 2 Effect of plastic deformation treatment on microstructure and comprehensive properties of SiCw reinforced 2000 series aluminium matrix composites. 1-16 ○
- 1 Minor titanium addition markedly improves the co-deformability of copper-tantalum composites. **2023**, 145000 ○