

CITATION REPORT

List of articles citing

Constructing a Significance Test for Incongruence

DOI: 10.1093/sysbio/44.4.570
Systematic Biology, 1995, 44, 570-572.

Source: <https://exaly.com/paper-pdf/26079025/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
946	Different behaviour of 19S thyroglobulin extracted from normal thyroid, simple goitre and toxic goitre in polyacrylamide slab gel isoelectric focusing. 1978 , 89, 296-302		
945	Coding Chromosomal Data for Phylogenetic Analysis: Phylogenetic Resolution of the Pan-Homo-Gorilla Trichotomy. <i>Systematic Biology</i> , 1995 , 44, 563	8.4	2
944	Random Cladistics, Version 3.0.. <i>Systematic Biology</i> , 1996 , 45, 610	8.4	
943	A congruence study of molecular and morphological data for eutherian mammals. 1996 , 6, 373-90		41
942	Random Cladistics, version 3.0. Mark Siddall. 1995. Computer program available by anonymous ftp from zoo.toronto.edu.. <i>Systematic Biology</i> , 1996 , 45, 610-612	8.4	1
941	Testing for Phylogenetic Conflict Among Molecular Data Sets in the Tribe Triticeae (Gramineae). <i>Systematic Biology</i> , 1996 , 45, 524-545	8.4	651
940	Phylogeny and Behavior in Honey Bees (Hymenoptera: Apidae). 1997 , 90, 43-53		53
939	Tests of turtle phylogeny: molecular, morphological, and paleontological approaches. <i>Systematic Biology</i> , 1997 , 46, 235-68	8.4	236
938	Process partitions, congruence, and the independence of characters: inferring relationships among closely related Hawaiian <i>Drosophila</i> from multiple gene regions. <i>Systematic Biology</i> , 1997 , 46, 751-64	8.4	89
937	Molecular phylogeny of the springhare, <i>Pedetes capensis</i> , based on mitochondrial DNA sequences. 1997 , 14, 20-9		33
936	Multiple sources of character information and the phylogeny of Hawaiian drosophilids. <i>Systematic Biology</i> , 1997 , 46, 654-73	8.4	503
935	A phylogenetic study on genera of Cidariini from the Holarctic and the Indo-Australian areas (Lepidoptera: Geometridae: Larentiinae). 1997 , 22, 287-312		17
934	Phylogeny of the island populations of the Hawaiian <i>Drosophila</i> grimshawi complex: evidence from combined data. 1997 , 7, 173-84		28
933	Correlation of functional domains and rates of nucleotide substitution in cytochrome b. 1997 , 7, 352-65		100
932	PTP is Meaningless, T-PTP is Contradictory: A Reply to Trueman.. <i>Cladistics</i> , 1998 , 14, 105-116	3.5	29
931	Molecular phylogeny of Acipenserinae. 1998 , 9, 141-55		160
930	Phylogenetics of social behavior in Australian gall-forming thrips: evidence from mitochondrial DNA sequence, adult morphology and behavior, and gall morphology. 1998 , 9, 163-80		61

929	Phylogeny of fungus-growing ants (Tribe Attini) based on mtDNA sequence and morphology. 1998 , 9, 42-7		91
928	Character congruence of multiple data partitions and the origin of the Hawaiian Drosophilidae. 1998 , 9, 225-35		97
927	Phylogeny of the Carnivora (Mammalia): congruence vs incompatibility among multiple data sets. 1998 , 9, 414-26		171
926	Assessing the relative contribution of molecular and morphological characters in simultaneous analysis trees. 1998 , 9, 427-36		225
925	Phylogenetic utility of the external transcribed spacer (ETS) of 18S-26S rDNA: congruence of ETS and ITS trees of Calycadenia (Compositae). 1998 , 10, 449-63		469
924	Forum ITP. <i>Cladistics</i> , 1998 , 14, 105-116	3.5	16
923	The comparison of morphological and molecular data in phylogenetic systematics. 1998 , 275-296		15
922	Reverse successive weighting. <i>Systematic Biology</i> , 1998 , 47, 733-7	8.4	40
921	Evolutionary Differentiation in Three Endemic West Indian Warblers. <i>Auk</i> , 1998 , 115, 890-903	2.1	55
920	Systematics and population level analysis of <i>Anopheles darlingi</i> . 1998 , 93, 647-50		9
919	Entomological contributions in memory of Byron A. Alexander / edited by George W. Byers, Robert H. Hagen and Robert W. Brooks.. 1999 ,		
918	Molecular systematics of the Herpotrichiellaceae with an assessment of the phylogenetic positions of <i>Exophiala dermatitidis</i> and <i>Phialophora americana</i> . 1999 , 91, 67-83		61
917	Molecular evolution of glutamate receptors: a primitive signaling mechanism that existed before plants and animals diverged. 1999 , 16, 826-38		155
916	Phylogenetic Analysis of the Cultivated and Wild Species of <i>Phaseolus</i> (Fabaceae). 1999 , 24, 438		85
915	Molecular Phylogeny of Melanopline Grasshoppers (Orthoptera: Acrididae): the Genus <i>Melanoplus</i> . 1999 , 92, 617-623		26
914	Data set incongruence and correlated character evolution: an example of functional convergence in the hind-limbs of stiff-tail diving ducks. <i>Systematic Biology</i> , 1999 , 48, 683-714	8.4	87
913	Mitochondrial DNA population structure of roan and sable antelope: implications for the translocation and conservation of the species. 1999 , 8, 227-38		57
912	Mitochondrial DNA Phylogeography and the Conservation of Endangered Lesser Antillean Icterus Orioles. 1999 , 13, 1088-1096		40

911	Species concepts and the determination of historic gene flow patterns in the Eulemur fulvus (Brown Lemur) complex. 1999 , 66, 39-56		1
910	Parsimony Analysis of Total Evidence from Extinct and Extant Taxa and the Cetacean-Artiodactyl Question (Mammalia, Ungulata).. <i>Cladistics</i> , 1999 , 15, 315-330	3.5	66
909	Species concepts and the determination of historic gene flow patterns in the Eulemur fulvus (Brown Lemur) complex. 1999 , 66, 39-56		12
908	A molecular phylogeny of the patellid limpets (Gastropoda: Patellidae) and its implications for the origins of their antitropical distribution. 1999 , 11, 138-56		73
907	Cytochrome b phylogeny of the family bovidae: resolution within the alcelaphini, antilopini, neotragini, and tragelaphini. 1999 , 12, 31-46		64
906	Preliminary Classification of the Mexican Biogeographic Provinces: A Parsimony Analysis of Endemicity Based on Plant, Insect, and Bird Taxa. 1999 , 44, 507		37
905	Phylogenetic reconstruction based on low copy DNA sequence data in an allopolyploid: The B genome of wheat. 1999 , 42, 351-360		72
904	Interspecific hybrid ancestry of a plant adaptive radiation: allopolyploidy of the Hawaiian silversword alliance (Asteraceae) inferred from floral homeotic gene duplications. 1999 , 16, 1105-13		152
903	Error, bias, and long-branch attraction in data for two chloroplast photosystem genes in seed plants. 2000 , 17, 782-97		152
902	Total evidence: Molecules, morphology, and the phylogenetics of cichlid fishes. 2000 , 288, 76-92		97
901	Nuclear and mitochondrial genes contain similar phylogenetic signal for pigeons and doves (Aves: Columbiformes). 2000 , 14, 141-51		118
900	A phylogenetic study of the malagasy couas with insights into cuckoo relationships. 2000 , 14, 436-44		27
899	Phylogeny and character behavior in the family Lemuridae. 2000 , 15, 124-34		20
898	Phylogeny and historical biogeography of the loliginid squids (Mollusca: cephalopoda) based on mitochondrial DNA sequence data. 2000 , 15, 191-214		71
897	Variation in modes and rates of evolution in nuclear and mitochondrial ribosomal DNA in the mushroom genus <i>Amanita</i> (Agaricales, Basidiomycota): phylogenetic implications. 2000 , 16, 48-63		41
896	Phylogenetic relationships, morphological incongruence, and geographic speciation in the fontinalaceae (Bryophyta). 2000 , 16, 225-37		75
895	Increasing fidelity in parsimony analysis of dorid nudibranchs by differential weighting, or a tale of two genes. 2000 , 16, 161-72		25
894	The interrelationships of proseriata (Platyhelminthes: seriata) tested with molecules and morphology. 2000 , 16, 449-66		270

893	Phylogenetic relationships of north American field crickets inferred from mitochondrial DNA data. 2000 , 17, 48-57		72
892	Phylogenetic analysis of the repleta species group of the genus <i>Drosophila</i> using multiple sources of characters. 2000 , 16, 296-307		67
891	Phylogeny of the treehoppers (Insecta: Hemiptera: Membracidae): evidence from two nuclear genes. 2000 , 17, 317-34		45
890	The phylogenetic relationships of the shags and cormorants: can sequence data resolve a disagreement between behavior and morphology?. 2000 , 17, 345-59		46
889	Large sequence divergence of mitochondrial DNA genotypes of the control region within populations of the african antelope, kob (<i>Kobus kob</i>). 2000 , 9, 1997-2008		52
888	Molecular evolution, adaptive radiation, and geographic diversification in the amphiatlantic family Rapateaceae: evidence from <i>ndhF</i> sequences and morphology. 2000 , 54, 1915-37		105
887	Global phylogeography of a cryptic copepod species complex and reproductive isolation between genetically proximate "populations". 2000 , 54, 2014-27		243
886	Evolution of heteroneuran Lepidoptera (Insecta) and the utility of dopa decarboxylase for Cretaceous-age phylogenetics. 2000 , 130, 213-234		10
885	Phylogeny of sea skaters, <i>Halobates</i> Eschscholtz (Hemiptera, Gerridae), based on mtDNA sequence and morphology. 2000 , 130, 511-526		31
884	Phylogenetic relationships among loliginid squids (Cephalopoda: Myopsida) based on analyses of multiple data sets. 2000 , 130, 603-633		30
883	The current state of insect molecular systematics: a thriving Tower of Babel. 2000 , 45, 1-54		395
882	Gene family evolution and homology: genomics meets phylogenetics. 2000 , 1, 41-73		157
881	Phylogeny, Biogeography, and Taxonomy of Australasian Teals. <i>Auk</i> , 2000 , 117, 154-163	2.1	20
880	A Molecular Phylogeny of the Dove Genus <i>Zenaida</i> : Mitochondrial and Nuclear DNA Sequences. 2000 , 102, 864-870		53
879	A New Method to Localize and Test the Significance of Incongruence: Detecting Domain Shuffling in the Nuclear Receptor Superfamily. <i>Systematic Biology</i> , 2000 , 49, 183-201	8.4	42
878	A New Method to Localize and Test the Significance of Incongruence: Detecting Domain Shuffling in the Nuclear Receptor Superfamily. <i>Systematic Biology</i> , 2000 , 49, 183-201	8.4	40
877	Phylogenetic analysis of <i>Silphium</i> and subtribe <i>Engelmanniinae</i> (Asteraceae: Heliantheae) based on ITS and ETS sequence data. 2000 , 87, 565-572		60
876	Phylogeny of the water strider genus <i>Aquarius</i> Schellenberg (Heteroptera: Gerridae) based on nuclear and mitochondrial DNA sequences and morphology. 2000 , 31, 71-90		27

875	Phylogenetic analysis of arthropods using two nuclear protein-encoding genes supports a crustacean + hexapod clade. 2000 , 267, 1011-9	111
874	Linkage disequilibrium and phylogenetic congruence between chloroplast and mitochondrial haplotypes in <i>Silene vulgaris</i> . 2000 , 267, 1801-8	51
873	Molecular systematics of European <i>Hyalodaphnia</i> : the role of contemporary hybridization in ancient species. 2000 , 267, 1833-42	91
872	MOLECULAR EVOLUTION, ADAPTIVE RADIATION, AND GEOGRAPHIC DIVERSIFICATION IN THE AMPHIATLANTIC FAMILY RAPATEACEAE: EVIDENCE FROM <i>ndhF</i> SEQUENCES AND MORPHOLOGY. 2000 , 54, 1915	11
871	GLOBAL PHYLOGEOGRAPHY OF A CRYPTIC COPEPOD SPECIES COMPLEX AND REPRODUCTIVE ISOLATION BETWEEN GENETICALLY PROXIMATE POPULATIONS 2000 , 54, 2014	15
870	Basal Angiosperm Phylogeny Inferred from Duplicate Phytochromes A and C. 2000 , 161, S41-S55	82
869	The use of anonymous DNA markers in assessing worldwide relatedness in the yeast species <i>Pichia kluyveri</i> Bedford and Kudrjavzev. 2000 , 46, 967-80	13
868	Molecular systematics of the ascomycete genus <i>Farrowia</i> (Chaetomiaceae). 2001 , 79, 321-333	8
867	The Historical Biogeography of Fagaceae: Tracking the Tertiary History of Temperate and Subtropical Forests of the Northern Hemisphere. 2001 , 162, S77-S93	176
866	Phylogeny and Biogeography of the Styracaceae. 2001 , 162, S95-S116	46
865	Systematics of Fagaceae: Phylogenetic Tests of Reproductive Trait Evolution. 2001 , 162, 1361-1379	185
864	Phylogenetic relationships of <i>Memnoniella</i> and <i>Stachybotrys</i> species and evaluation of morphological features for <i>Memnoniella</i> species identification. 2001 , 93, 54-65	22
863	Evolution and phylogenetic significance of cardioidean shell microstructure (Mollusca, Bivalvia). 2001 , 75, 607-643	23
862	A Molecular Phylogeny of the Dove Genera <i>Streptopelia</i> and <i>Columba</i> . <i>Auk</i> , 2001 , 118, 874-887	2.1 60
861	Coevolution of the domains of cytoplasmic tyrosine kinases. 2001 , 18, 312-21	14
860	Molecular phylogeny of <i>Diabrotica</i> beetles (Coleoptera: Chrysomelidae) inferred from analysis of combined mitochondrial and nuclear DNA sequences. 2001 , 10, 303-14	46
859	A data based parsimony method of cophylogenetic analysis. 2001 , 30, 79-87	28
858	Ancestry of <i>KNOX</i> genes revealed by bryophyte (<i>Physcomitrella patens</i>) homologs. 2001 , 150, 23-36	35

857	A molecular phylogeographic perspective on a fifty-year-old taxonomic issue in grasshopper systematics. 2001 , 86, 54-9	29
856	Molecular phylogenetic analysis of the dragonfly genera <i>Libellula</i> , <i>Ladona</i> , and <i>Plathemis</i> (Odonata: Libellulidae) based on mitochondrial cytochrome oxidase I and 16S rRNA sequence data. 2001 , 18, 348-61	29
855	Phylogenetic utility of mitochondrial COI and nuclear Gpdh genes in <i>Drosophila</i> . 2001 , 18, 404-22	49
854	A molecular biogeographic analysis of the relationship between North American melanoploid grasshoppers and their Eurasian and South American relatives. 2001 , 18, 460-6	35
853	Phylogenetic relationships within <i>Diadasia</i> , a group of specialist bees. 2001 , 19, 144-56	30
852	Interrelationships and evolution of the tapeworms (Platyhelminthes: Cestoda). 2001 , 19, 443-67	233
851	Phylogenetic utility of the nuclear gene malate synthase in the palm family (Arecaceae). 2001 , 19, 409-20	59
850	Phylogeny and biogeography of the flowering plant genus <i>Styrax</i> (Styracaceae) based on chloroplast DNA restriction sites and DNA sequences of the internal transcribed spacer region. 2001 , 19, 387-408	74
849	Elongation factor-2: a useful gene for arthropod phylogenetics. 2001 , 20, 136-48	84
848	Retrieval of four adaptive lineages in duiker antelope: evidence from mitochondrial DNA sequences and fluorescence in situ hybridization. 2001 , 20, 409-25	24
847	Evaluation of relationships within the endemic Hawaiian Platynini (Coleoptera: Carabidae) based on molecular and morphological evidence. 2001 , 21, 72-85	23
846	The evolution of nuclear receptors: evidence from the coral <i>Acropora</i> . 2001 , 21, 93-102	44
845	Molecular systematics of bats of the genus <i>Myotis</i> (Vespertilionidae) suggests deterministic ecomorphological convergences. 2001 , 21, 436-48	235
844	Molecular systematics and evolution of <i>Regina</i> and the thamnophiine snakes. 2001 , 21, 408-23	75
843	Phylogenetic revision of <i>Agapophytus Guñin</i> (Diptera : Therevidae : Agapophytinae). 2001 , 15, 467	2
842	Phylogenetics of gall-inducing thrips on Australian <i>Acacia</i> . 2001 , 74, 73-86	22
841	A phylogenetic analysis of variation in reproductive mode within an Australian lizard (<i>Saiphos equalis</i> , Scincidae). 2001 , 74, 131-139	36
840	Computer-Intensive Randomization in Systematics. <i>Cladistics</i> , 2001 , 17, S35-S52	3-5 7

839	Exploring the Behavior of POY, a Program for Direct Optimization of Molecular Data. <i>Cladistics</i> , 2001 , 17, S60-S70	3.5	66
838	Radiation of the Spider Genus <i>Dysdera</i> (Araneae, Dysderidae) in the Canary Islands: Cladistic Assessment Based on Multiple Data Sets. <i>Cladistics</i> , 2001 , 17, 313-353	3.5	69
837	Arthropod phylogeny based on eight molecular loci and morphology. 2001 , 413, 157-61		432
836	Polytene chromosomes as indicators of phylogeny in several species groups of <i>Drosophila</i> . 2001 , 1, 6		23
835	Evolution and phylogenetic significance of cardioidean shell microstructure (Mollusca, Bivalvia). 2001 , 75, 607-643		33
834	Molecular and Morphological Phylogenetic Analysis of an Insular Radiation in Pacific Black Flies (<i>Simulium</i>). <i>Systematic Biology</i> , 2001 , 50, 18-38	8.4	13
833	Phylogeny of Amaryllidaceae tribe Amaryllideae based on nrDNA ITS sequences and morphology. 2001 , 88, 2321-2330		33
832	The putative glutamate receptors from plants are related to two superfamilies of animal neurotransmitter receptors via distinct evolutionary mechanisms. 2001 , 18, 1417-20		35
831	Sources of error and confidence intervals in estimating the age of angiosperms from rbcL and 18S rDNA data. 2001 , 88, 1499-1516		211
830	Combining and comparing morphometric shape descriptors with a molecular phylogeny: the case of fruit type evolution in Bornean <i>Lithocarpus</i> (Fagaceae). <i>Systematic Biology</i> , 2001 , 50, 860-80	8.4	42
829	Analysis of Character Correlations Among Wood Decay Mechanisms, Mating Systems, and Substrate Ranges in Homobasidiomycetes. <i>Systematic Biology</i> , 2001 , 50, 215-242	8.4	124
828	Incongruence of Mitochondrial and Nuclear Gene Trees in the Carabid Beetles <i>Ohomopterus</i> . <i>Systematic Biology</i> , 2001 , 50, 39-59	8.4	24
827	Failure of the ILD to Determine Data Combinability for Slow Loris Phylogeny. <i>Systematic Biology</i> , 2001 , 50, 408-424	8.4	222
826	Molecular and Morphological Phylogenetic Analysis of an Insular Radiation in Pacific Black Flies (<i>Simulium</i>). <i>Systematic Biology</i> , 2001 , 50, 18-38	8.4	37
825	Phylogenetic Utility of Different Types of Molecular Data Used to Infer Evolutionary Relationships among Stalk-Eyed Flies (<i>Diopsidae</i>). <i>Systematic Biology</i> , 2001 , 50, 87-105	8.4	81
824	Incongruence of Mitochondrial and Nuclear Gene Trees in the Carabid Beetles <i>Ohomopterus</i> . <i>Systematic Biology</i> , 2001 , 50, 39-59	8.4	158
823	PHYLOGENETIC ANALYSIS OF PHALANGIDA (ARACHNIDA, OPILIONES) USING TWO NUCLEAR PROTEIN-ENCODING GENES SUPPORTS MONOPHYLY OF PALPATORES. 2001 , 29, 189-200		39
822	Phylogenetic Utility of Different Types of Molecular Data Used to Infer Evolutionary Relationships among Stalk-Eyed Flies (<i>Diopsidae</i>). <i>Systematic Biology</i> , 2001 , 50, 87-105	8.4	124

821	Failure of the ILD to Determine Data Combinability for Slow Loris Phylogeny. <i>Systematic Biology</i> , 2001 , 50, 408-424	8.4	332
820	The utility of the incongruence length difference test. <i>Systematic Biology</i> , 2002 , 51, 625-37	8.4	363
819	A PHYLOGENETIC STUDY OF POLLINATOR CONSERVATISM AMONG SEXUALLY DECEPTIVE ORCHIDS. 2002 , 56, 888		3
818	A cladistic analysis of Diopsidae (Diptera) based on morphological and DNA sequence data. 2002 , 33, 325-336		28
817	Phylogenetic Relationships of the Oriental-Australian Rear-Fanged Water Snakes (Colubridae: Homalopsinae) Based on Mitochondrial DNA Sequences. 2002 , 2002, 906-915		19
816	Phylogeny of the Oriental <i>Drosophila melanogaster</i> species group: a multilocus reconstruction. <i>Systematic Biology</i> , 2002 , 51, 786-805	8.4	54
815	SPECIATION IN ANCIENT CRYPTIC SPECIES COMPLEXES: EVIDENCE FROM THE MOLECULAR PHYLOGENY OF BRACHIONUS PLICATILIS (ROTIFERA). 2002 , 56, 1431		8
814	Phylogeny of <i>Stephanomeria</i> and related genera (compositae-lactuceae) based on analysis of 18S-26S nuclear rDNA ITS and ETS sequences. 2002 , 89, 160-8		33
813	Phylogeny and Systematic Position of Opiliones: A Combined Analysis of Chelicerate Relationships Using Morphological and Molecular Data. <i>Cladistics</i> , 2002 , 18, 5-70	3.5	16
812	Phylogeny of the <i>Bifrenaria</i> (Orchidaceae) Complex Based on Morphology and Sequence Data from Nuclear rDNA Internal Transcribed Spacers (ITS) and Chloroplast trnL-trnF Region. 2002 , 163, 1055-1066		25
811	Intrafamilial Relationships of the Thelypteroid Ferns (Thelypteridaceae). 2002 , 92, 131		81
810	Molecular Phylogeny of Acipenseridae: Nonmonophyly of Scaphirhynchinae. 2002 , 2002, 287-301		53
809	Phylogenetic relationships in the Gesnerioideae (Gesneriaceae) based on nrDNA ITS and cpDNA trnL-F and trnE-T spacer region sequences. 2002 , 89, 296-311		69
808	Phylogeny of Capparaceae and Brassicaceae based on chloroplast sequence data. 2002 , 89, 1826-42		179
807	Troubleshooting Molecular Phylogenetic Analyses. 2002 , 33, 49-72		206
806	What is a Wood-Warbler? Molecular Characterization of a Monophyletic Parulidae. <i>Auk</i> , 2002 , 119, 695-714		71
805	Seabird Supertrees: Combining Partial Estimates of Procellariiform Phylogeny. <i>Auk</i> , 2002 , 119, 88-108	2.1	95
804	A phylogenetic study of <i>Nephroma</i> (lichen-forming Ascomycota). 2002 , 106, 777-787		34

803	Phylogenetic analyses of the Lyophylleae (Agaricales, Basidiomycota) based on nuclear and mitochondrial rDNA sequences. 2002 , 106, 1043-1059	69
802	Phylogeny of Anophelinae (Diptera: Culicidae) based on nuclear ribosomal and mitochondrial DNA sequences. 2002 , 27, 361-382	99
801	Phylogenetic relationships among microgastrine braconid wasp genera based on data from the 16S, COI and 28S genes and morphology. 2002 , 27, 337-359	43
800	Multiple genes and the monophyly of Ischnocera (Insecta: Phthiraptera). 2002 , 22, 101-10	43
799	Phylogeny of the subgenus sophophora (Diptera: drosophilidae) based on combined analysis of nuclear and mitochondrial sequences. 2002 , 22, 442-53	58
798	A phylogenetic analysis of tribe Areceae (Arecaceae) using two low-copy nuclear genes. 2002 , 236, 1-17	54
797	Rapid, independent evolution of flightlessness in four species of Pacific Island rails (Rallidae): an analysis based on mitochondrial sequence data. 2002 , 33, 5-14	75
796	A phylogeny of the megapodes (Aves: Megapodiidae) based on nuclear and mitochondrial DNA sequences. 2002 , 23, 408-21	47
795	Extraordinary haplotype diversity in haplodiploid inbreeders: phylogenetics and evolution of the bark beetle genus <i>Coccotrypes</i> . 2002 , 23, 171-88	33
794	The perils of using host relationships in parasite taxonomy: phylogeny of the <i>Degeeriella</i> complex. 2002 , 23, 150-7	40
793	Origin of Macaronesian <i>Sideritis</i> L. (Lamioideae: Lamiaceae) inferred from nuclear and chloroplast sequence datasets. 2002 , 23, 293-306	72
792	A molecular phylogeny for the South African limbless lizard taxa of the subfamily Acontinae (Sauria: Scincidae) with special emphasis on relationships within Acontias. 2002 , 24, 315-23	19
791	Phylogeny of Drosophilinae (Diptera: Drosophilidae), with comments on combined analysis and character support. 2002 , 24, 249-64	105
790	Phylogeny of Tetraoninae and other galliform birds using mitochondrial 12S and ND2 genes. 2002 , 24, 203-15	108
789	Historical relationships among Neotropical lowland forest areas of endemism as determined by mitochondrial DNA sequence variation within the Wedge-billed Woodcreeper (Aves: Dendrocolaptidae: <i>Glyphorynchus spirurus</i>). 2002 , 24, 153-67	99
788	Phylogenetic relationships of the southern African freshwater crab fauna (Decapoda: Potamonautidae: <i>Potamonautes</i>) derived from multiple data sets reveal biogeographic patterning. 2002 , 25, 511-23	66
787	Use of the nuclear gene glyceraldehyde 3-phosphate dehydrogenase for phylogeny reconstruction of recently diverged lineages in <i>Mitthyridium</i> (Musci: Calymperaceae). 2002 , 25, 10-26	23
786	Paraphyly in Hawaiian hybrid blowfly populations and the evolutionary history of anthropophilic species. 2002 , 11, 141-8	65

785	Phylogeography of western Pacific <i>Leucetta 'chagosensis'</i> (Porifera: Calcarea) from ribosomal DNA sequences: implications for population history and conservation of the Great Barrier Reef World Heritage Area (Australia). 2002 , 11, 1753-68		93
784	The phylogeny of the louse genus <i>Brueelia</i> does not reflect host phylogeny. 2002 , 77, 233-247		65
783	Molecular phylogeny of Tornier's cat snake (<i>Crotaphopeltis tornieri</i>), endemic to East African mountain forests: biogeography, vicariance events and problematic species boundaries. 2002 , 40, 46-56		17
782	A phylogenetic study of pollinator conservatism among sexually deceptive orchids. 2002 , 56, 888-98		84
781	Speciation in ancient cryptic species complexes: evidence from the molecular phylogeny of <i>Brachionus plicatilis</i> (Rotifera). 2002 , 56, 1431-44		309
780	Phylogeny of a paradigm lineage: the <i>Drosophila melanogaster</i> species group (Diptera: Drosophilidae). 2002 , 76, 21-37		42
779	Phylogeny and Systematic Position of Opiliones: A Combined Analysis of Chelicerate Relationships Using Morphological and Molecular Data1. <i>Cladistics</i> , 2002 , 18, 5-70	3.5	213
778	RASA Attributes Highly Significant Structure to Randomized Data.. <i>Cladistics</i> , 2002 , 18, 334-353	3.5	13
777	Partitioned Bremer support and multiple trees.. <i>Cladistics</i> , 2002 , 18, 436-444	3.5	32
776	A phylogenetic hypothesis for passerine birds: taxonomic and biogeographic implications of an analysis of nuclear DNA sequence data. 2002 , 269, 295-308		291
775	The phylogeny of the Schistosomatidae based on three genes with emphasis on the interrelationships of <i>Schistosoma</i> Weinland, 1858. 2003 , 126, 203-24		223
774	Molecular phylogenetics of the Oriental members of the <i>Myzomyia</i> Series of <i>Anopheles</i> subgenus <i>Cellia</i> (Diptera: Culicidae) inferred from nuclear and mitochondrial DNA sequences. 2003 , 28, 57-69		28
773	Speciation and host-parasite relationships in the parasite genus <i>Gyrodactylus</i> (Monogenea, Platyhelminthes) infecting gobies of the genus <i>Pomatoschistus</i> (Gobiidae, Teleostei). 2003 , 33, 1679-89		58
772	Molecular phylogenetics and evolution of the endemic Hawaiian genus <i>Adenophorus</i> (Grammitidaceae). 2003 , 26, 337-47		33
771	Phylogenetic relationships among <i>Bactrocera</i> species (Diptera: Tephritidae) inferred from mitochondrial DNA sequences. 2003 , 26, 8-17		60
770	Reconstructing species phylogeny of the carabid beetles <i>Ohomopterus</i> using multiple nuclear DNA sequences: heterogeneous information content and the performance of simultaneous analyses. 2003 , 26, 139-54		59
769	Dramatically elevated rate of mitochondrial substitution in lice (Insecta: Phthiraptera). 2003 , 26, 231-42		79
768	Phylogeny of the eelpout genus <i>Lycodes</i> (Pisces, Zoarcidae) as inferred from mitochondrial cytochrome b and 12S rDNA. 2003 , 26, 369-88		44

767	Endemic diversification of the monophyletic cottoid fish species flock in Lake Baikal explored with mtDNA sequencing. 2003 , 27, 143-55	83
766	Molecular phylogeny of <i>Crematogaster</i> subgenus <i>Decacrema</i> ants (Hymenoptera: Formicidae) and the colonization of <i>Macaranga</i> (Euphorbiaceae) trees. 2003 , 27, 441-52	38
765	A molecular phylogeny of the Littorininae (Gastropoda: Littorinidae): unequal evolutionary rates, morphological parallelism, and biogeography of the Southern Ocean. 2003 , 28, 60-86	123
764	Molecular approach to the phylogenetics of sea spiders (Arthropoda: Pycnogonida) using partial sequences of nuclear ribosomal DNA. 2003 , 28, 588-600	29
763	Phylogenetic position of Phthiraptera (Insecta: Paraneoptera) and elevated rate of evolution in mitochondrial 12S and 16S rDNA. 2003 , 29, 102-14	73
762	Phylogeny of the endemic Baikalian <i>Sergentia</i> (Chironomidae, Diptera). 2003 , 29, 120-5	18
761	Phylogeny and evolution of reproductive modes in Autolytinae (Syllidae, Annelida). 2003 , 29, 235-49	78
760	Ecological and morphological differentiation among cryptic evolutionary lineages in freshwater limpets of the nominal form-group <i>Ancylus fluviatilis</i> (O.F. Müller, 1774). 2003 , 12, 2731-45	51
759	Utility of complete large and small subunit rRNA genes in resolving the phylogeny of the Neodermata (Platyhelminthes): implications and a review of the cercomer theory. 2003 , 78, 155-171	234
758	Evidence for ecological speciation in the sister species <i>Candidula unifasciata</i> (Poiret, 1801) and <i>C. rugosiuscula</i> (Michaud, 1831) (Helicellinae, Gastropoda). 2003 , 79, 611-628	29
757	Molecular phylogeny of wood mice (<i>Apodemus</i> , Muridae) in East Asia. 2003 , 80, 469-481	76
756	Phylogeny and biogeography of <i>Crinum</i> L. (Amaryllidaceae) inferred from nuclear and limited plastid non-coding DNA sequences. 2003 , 141, 349-363	42
755	The Widespread Colonization Island of <i>Actinobacillus actinomycetemcomitans</i> . 2003 , 34, 193-8	116
754	Linking coevolutionary history to ecological process: doves and lice. 2003 , 57, 2335-41	80
753	Data exploration in phylogenetic inference: scientific, heuristic, or neither.. <i>Cladistics</i> , 2003 , 19, 379-418 ^{3,5}	120
752	Phylogenetics of Sigmodontinae (Rodentia, Muroidea, Cricetidae), with special reference to the akodont group, and with additional comments on historical biogeography. <i>Cladistics</i> , 2003 , 19, 307-323 ^{3,5}	59
751	Systematics and biogeography of the family Scorpionidae (Chelicerata : Scorpiones), with a discussion on phylogenetic methods. 2003 , 17, 185	68
750	Phylogenetic relationships of <i>Termitomyces</i> and related taxa. 2003 , 107, 1277-86	42

749	Phylogenetics of Sigmodontinae (Rodentia, Muroidea, Cricetidae), with special reference to the akodont group, and with additional comments on historical biogeography. <i>Cladistics</i> , 2003 , 19, 307-323	3.5	63
748	PHYLOGENETIC STUDIES ON DIDELPHID MARSUPIALS II. NONMOLECULAR DATA AND NEW IRBP SEQUENCES: SEPARATE AND COMBINED ANALYSES OF DIDELPHINE RELATIONSHIPS WITH DENSER TAXON SAMPLING. 2003 , 276, 1-82		110
747	LINKING COEVOLUTIONARY HISTORY TO ECOLOGICAL PROCESS: DOVES AND LICE. 2003 , 57, 2335		3
746	Intraspecific phylogeny of the New Zealand short-tailed bat <i>Mystacina tuberculata</i> inferred from multiple mitochondrial gene sequences. <i>Systematic Biology</i> , 2003 , 52, 460-76	8.4	43
745	RECENT EVOLUTIONARY HISTORY OF THE FOX SPARROWS (GENUS: PASSERELLA). <i>Auk</i> , 2003 , 120, 522	2.1	21
744	When do parasites fail to speciate in response to host speciation?. <i>Systematic Biology</i> , 2003 , 52, 37-47	8.4	114
743	Family-level relationships of Onagraceae based on chloroplast <i>rbcl</i> and <i>ndhF</i> data. 2003 , 90, 107-15		179
742	Combined support for wholesale taxic atavism in gavialine crocodylians. <i>Systematic Biology</i> , 2003 , 52, 403-22	8.4	161
741	Host defense reinforces host-parasite cospeciation. 2003 , 100, 15694-9		102
740	Are the Dental Data Really at Odds with the Molecular Data? Morphological Evidence for Whale Phylogeny (Re)Reexamined. <i>Systematic Biology</i> , 2003 , 52, 853-864	8.4	28
739	Floral Morphology in Caesalpinoid Legumes: Testing the Monophyly of the <i>Umtiza</i> Clade 2003 , 164, S393-S407		34
738	A phylogeny based on three mitochondrial genes supports the division of <i>Schistosoma intercalatum</i> into two separate species. 2003 , 127, 131-7		24
737	Genes, morphology and agreement: congruence in Australian anthracine bee flies (Diptera : Bombyliidae : Anthracinae). 2003 , 17, 161		5
736	Systematics of Halosarpheia based on morphological and molecular data. 2003 , 95, 530-552		23
735	Phylogenetic Relationships of the Red-Bellied Grackle (Icteridae: Hypopyrrhus Pyrohypogaster) Inferred From Mitochondrial DNA Sequence Data. 2004 , 106, 664-670		7
734	Partitioned Bremer support localises significant conflict in bee flies (Diptera : Bombyliidae : Anthracinae). 2004 , 18, 351		12
733	In Search of the Origin of Twin Penises: Molecular Phylogeny of Earwigs (Dermaptera: Forficulina) Based on Mitochondrial and Nuclear Ribosomal RNA Genes. 2004 , 97, 903-912		17
732	Phylogeny and diversification of the largest avian radiation. 2004 , 101, 11040-5		574

731	Phylogeny and infrageneric classification of <i>Symplocos</i> (Symplocaceae) inferred from DNA sequence data. 2004 , 91, 1901-14		29
730	Congruence versus phylogenetic accuracy: revisiting the incongruence length difference test. <i>Systematic Biology</i> , 2004 , 53, 81-9	8.4	199
729	Molecular and cytological examination of <i>Calopogon</i> (Orchidaceae, Epidendroideae): circumscription, phylogeny, polyploidy, and possible hybrid speciation. 2004 , 91, 707-23		34
728	Phylogenetic relationships and biogeography of <i>Fuchsia</i> (Onagraceae) based on noncoding nuclear and chloroplast DNA data. 2004 , 91, 601-14		78
727	PHYLOGENETIC RELATIONSHIPS OF THE RED-BELLIED GRACKLE (ICTERIDAE: HYPOPYRRHUS PYROHYPOGASTER) INFERRED FROM MITOCHONDRIAL DNA SEQUENCE DATA. 2004 , 106, 664		6
726	The phylogeny of <i>Gaura</i> (Onagraceae) based on ITS, ETS, and trnL-F sequence data. 2004 , 91, 139-48		20
725	A phylogenetic review of the African leaf chameleons: genus <i>Rhampholeon</i> (Chamaeleonidae): the role of vicariance and climate change in speciation. 2004 , 271, 1967-75		50
724	The origin and radiation of Macaronesian beetles breeding in <i>Euphorbia</i> : the relative importance of multiple data partitions and population sampling. <i>Systematic Biology</i> , 2004 , 53, 711-34	8.4	48
723	Evolutionary history of coastal tiger beetles in Japan based on a comparative phylogeography of four species. 2004 , 13, 3057-69		26
722	Conservation genetics and demographic history of the endangered Cape Fear shiner (<i>Notropis mekistocholas</i>). 2004 , 13, 2947-58		29
721	Evidence for emergence of an amphibian iridoviral disease because of human-enhanced spread. 2005 , 14, 213-24		88
720	The evolution of echolocation in swiftlets. 2004 , 35, 135-143		39
719	Geographic patterns of genetic variation in four Neotropical rodents: conservation implications for small game mammals in French Guiana. 2004 , 81, 203-218		7
718	Phylogeny and life-history evolution in <i>Carabus</i> (subtribe <i>Carabina</i> : Coleoptera, Carabidae) based on sequences of two nuclear genes. 2004 , 81, 135-149		44
717	Molecular evidence suggests an ancient radiation for the fairy shrimp genus <i>Streptocephalus</i> (Branchiopoda: Anostraca). 2004 , 82, 313-327		33
716	The phylogenetic position of Siboglinidae (Annelida) inferred from 18S rRNA, 28S rRNA and morphological data. <i>Cladistics</i> , 2004 , 20, 518-533	3.5	79
715	Molecular phylogeny of major lineages of <i>Trichadenotecnum</i> and a review of diagnostic morphological characters (Psocoptera: Psocidae). 2004 , 29, 383-394		21
714	Phylogenetic analysis of the genus <i>Thricops</i> Rondani (Diptera: Muscidae) based on molecular and morphological characters. 2004 , 29, 395-414		10

713	Treehopper trees: phylogeny of Membracidae (Hemiptera: Cicadomorpha: Membracoidea) based on molecules and morphology. 2004 , 29, 441-454	38
712	Host specificity and molecular phylogeny of larval Digenea isolated from New Zealand and Australian topshells (Gastropoda: Trochidae). 2004 , 34, 557-68	42
711	Generic relationships among the baccate-fruited Amaryllidaceae (tribe Haemantheae) inferred from plastid and nuclear non-coding DNA sequences. 2004 , 244, 141-155	19
710	Phylogenetic relationships and biogeographic patterns in North American members of <i>Carex</i> section <i>Acrocystis</i> (Cyperaceae) using nrDNA ITS and ETS sequence data. 2004 , 243, 175-187	33
709	<i>Sorghum laxiflorum</i> and <i>S. macrospermum</i> , the Australian native species most closely related to the cultivated <i>S. bicolor</i> based on ITS1 and ndhF sequence analysis of 25 <i>Sorghum</i> species. 2004 , 249, 233-246	38
708	Molecular data suggest that melanistic ectotherms at the south-western tip of Africa are the products of Miocene climatic events: evidence from cordylid lizards. 2004 , 263, 373-383	36
707	Phylogenetics of barbets (Aves: Piciformes) based on nuclear and mitochondrial DNA sequence data. 2004 , 30, 187-200	45
706	Molecular phylogeny and biogeography of the Korean woodroaches <i>Cryptocercus</i> spp. 2004 , 30, 450-64	24
705	Molecular systematics of the damselfishes (Teleostei: Pomacentridae): Bayesian phylogenetic analyses of mitochondrial and nuclear DNA sequences. 2004 , 31, 66-88	132
704	A molecular phylogeny of eurytomid wasps inferred from DNA sequence data of 28S, 18S, 16S, and COI genes. 2004 , 31, 300-7	28
703	Phylogenies of the Frigatebirds (Fregatidae) and Tropicbirds (Phaethonidae), two divergent groups of the traditional order Pelecaniformes, inferred from mitochondrial DNA sequences. 2004 , 31, 31-8	39
702	The origin of polynucleotide phosphorylase domains. 2004 , 31, 123-30	55
701	Phylogenetic relationships and evolutionary history of the shrimp genus <i>Penaeus</i> s.l. derived from mitochondrial DNA. 2004 , 31, 39-49	105
700	Molecular phylogenetic relationships of two extinct potoroid marsupials, <i>Potorous platyops</i> and <i>Caloprymnus campestris</i> (Potoroinae: Marsupialia). 2004 , 31, 476-85	11
699	Molecular phylogenetics and biogeography of transisthmian and amphi-Atlantic needlefishes (Belonidae: <i>Strongylura</i> and <i>Tylosurus</i>): perspectives on New World marine speciation. 2004 , 31, 833-51	36
698	Phylogeny and evolution of the Australo-Papuan honeyeaters (Passeriformes, Meliphagidae). 2004 , 31, 943-60	81
697	Paleoclimatic history and vicariant speciation in the "sand goby" group (Gobiidae, Teleostei). 2004 , 32, 324-36	82
696	Molecular phylogeny and plumage signal evolution in a trans Andean and circum Amazonian avian species complex. 2004 , 32, 512-23	50

- 695 Phylogeny of the bears (Ursidae) based on nuclear and mitochondrial genes. **2004**, 32, 480-94 96
- 694 A phylogeny of the extant Phocidae inferred from complete mitochondrial DNA coding regions. **2004**, 33, 363-77 53
- 693 Molecular phylogenetics and diversification of the genus *Sporophila* (Aves: Passeriformes). **2004**, 33, 562-79 38
- 692 Molecular phylogeny of the fern genus *Elaphoglossum* (Elaphoglossaceae) based on chloroplast non-coding DNA sequences: contributions of species from the Indian Ocean area. **2004**, 33, 745-63 78
- 691 A New Genus and Species of Live-Bearing Scincid Lizard (Reptilia: Scincidae) from New Caledonia. **2004**, 38, 320-330 22
- 690 A molecular supermatrix of the rabbits and hares (Leporidae) allows for the identification of five intercontinental exchanges during the Miocene. *Systematic Biology*, **2004**, 53, 433-47 8.4 176
- 689 Biogeography explains cophylogenetic patterns in toucan chewing lice. *Systematic Biology*, **2004**, 53, 154-64 8.4 92
- 688 Phylogenetic relationships and divergence times of the genus *Tokudaiia* within Murinae (Muridae; Rodentia) inferred from the nucleotide sequences encoding the *Cytb* gene, *RAG 1*, and *IRBP*. **2004**, 82, 1343-1351 16
- 687 The Ajellomycetaceae, a new family of vertebrate-associated Onygenales. **2004**, 96, 812-21 70
- 686 Relationships of the New Zealand mountain ribbonwoods (*Hoheria glabrata* and *H. lyallii*; Malvaceae), based on molecular and morphological data. **2005**, 43, 527-549 2
- 685 Evolutionary history of the *Drosophila bipectinata* species complex. **2005**, 85, 23-46 51
- 684 Molecular systematics of the butterfly genus *Ithomia* (Lepidoptera: Ithomiinae): a composite phylogenetic hypothesis based on seven genes. **2005**, 34, 625-44 51
- 683 Molecular phylogenetics and historical biogeography of Hawaiian *Dryopteris* (Dryopteridaceae). **2005**, 34, 392-407 54
- 682 Molecular phylogeny of lugworms (Annelida, Arenicolidae) inferred from three genes. **2005**, 34, 673-9 19
- 681 Molecular phylogeny of *Sinocyclocheilus* (Cypriniformes: Cyprinidae) inferred from mitochondrial DNA sequences. **2005**, 36, 67-77 56
- 680 Phylogenetic studies of pantherine cats (Felidae) based on multiple genes, with novel application of nuclear beta-fibrinogen intron 7 to carnivores. **2005**, 35, 483-95 51
- 679 Phylogeny and character evolution of endemic Australian carabid beetles of the genus *Pamborus* based on mitochondrial and nuclear gene sequences. **2005**, 36, 391-404 20
- 678 The phylogeny and taxonomy of austral monodontine topshells (Mollusca: Gastropoda: Trochidae), inferred from DNA sequences. **2005**, 37, 474-83 38

677	Molecular phylogenetics and biogeography of the Neotropical redstarts (<i>Myioborus</i> ; Aves, Parulinae). 2005 , 37, 511-28	69
676	Multigene phylogeny of the Old World mice, Murinae, reveals distinct geographic lineages and the declining utility of mitochondrial genes compared to nuclear genes. 2005 , 37, 370-88	113
675	Molecular phylogeography of Dolichopoda cave crickets (Orthoptera, Rhabdophoridae): a scenario suggested by mitochondrial DNA. 2005 , 37, 153-64	42
674	A phylogeny of the Caniformia (order Carnivora) based on 12 complete protein-coding mitochondrial genes. 2005 , 37, 192-201	77
673	Molecular phylogeny of basal gobioid fishes: Rhyacichthyidae, Odontobutidae, Xenisthmidae, Eleotridae (Teleostei: Perciformes: Gobioidae). 2005 , 37, 858-71	82
672	Molecular phylogeny of the subgenus <i>Drosophila</i> (Diptera, Drosophilidae) with an emphasis on Neotropical species and groups: a nuclear versus mitochondrial gene approach. 2005 , 36, 623-40	54
671	Molecular phylogenetics and biogeography of <i>Lepus</i> in Eastern Asia based on mitochondrial DNA sequences. 2005 , 37, 45-61	50
670	Phylogenetic relationships amongst swifts and swiftlets: a multi locus approach. 2005 , 37, 264-77	22
669	Phylogenetic relationships within the Laridae (Charadriiformes: Aves) inferred from mitochondrial markers. 2005 , 37, 686-99	75
668	Evolutionary history of freshwater sculpins, genus <i>Cottus</i> (Teleostei; Cottidae) and related taxa, as inferred from mitochondrial DNA phylogeny. 2005 , 36, 654-68	56
667	A preliminary phylogeny of the Pentatomomorpha (Hemiptera: Heteroptera) based on nuclear 18S rDNA and mitochondrial DNA sequences. 2005 , 37, 313-26	55
666	Unraveling evolutionary lineages in the limbless fossorial skink genus <i>Acontias</i> (Sauria: Scincidae): are subspecies equivalent systematic units?. 2005 , 34, 645-54	14
665	Molecular Phylogenetics of Tribe Geonomeae (Arecaceae) Using Nuclear DNA Sequences of Phosphoribulokinase and RNA Polymerase II. 2005 , 30, 275-283	51
664	Phylogenetic relationships of the Papuan Swiftlet <i>Aerodramus papuensis</i> and implications for the evolution of avian echolocation. 2005 , 147, 790-796	16
663	Single origin of a pan-Pacific bird group and upstream colonization of Australasia. 2005 , 438, 216-9	162
662	CLADOGENESIS AS THE RESULT OF LONG-DISTANCE RAFTING EVENTS IN SOUTH PACIFIC TOPSHELLS (GASTROPODA, TROCHIDAE). 2005 , 59, 1701-1711	82
661	Systematics of the olive thrush <i>Turdus olivaceus</i> species complex with reference to the taxonomic status of the endangered Taita thrush <i>T. helleri</i> . 2005 , 36, 391-404	37
660	Phylogeny and biogeographical history of Trogoniformes, a pantropical bird order. 2005 , 84, 725-738	37

659	Mitochondrial DNA Evidence and Evolution in Varanoidea (Squamata).. <i>Cladistics</i> , 2001 , 17, 211-226	3.5	3
658	A "Total Evidence" Analysis of the Phylogenetic Relationships among the Photosynthetic Stramenopiles.. <i>Cladistics</i> , 2001 , 17, 227-241	3.5	1
657	Comparison of two alignment techniques within a single complex data set: POY versus Clustal. <i>Cladistics</i> , 2005 , 21, 272-281	3.5	28
656	Phylogenetic relationships and evolution of Orbiniidae (Annelida, Polychaeta) based on molecular data. 2005 , 144, 59-73		41
655	Phylogenetic relationships in some Melampsora rusts on Salicaceae assessed using rDNA sequence information. 2005 , 109, 401-9		22
654	Molecular phylogeny and evolution of host-plant use in conifer seed chalcids in the genus Megastigmus (Hymenoptera: Torymidae). 2005 , 31, 47-64		24
653	Molecular phylogeny of Palaearctic genera of Gomphocerinae grasshoppers (Orthoptera, Acrididae). 2005 , 31, 362-368		20
652	Genetic divergence between two morphologically similar varieties of the kuruma shrimp Penaeus japonicus. 2005 , 147, 367-379		39
651	Biological Impacts of Climatic Change on a Beringian Endemic: Cryptic Refugia in the Establishment and Differentiation of the Rock Sandpiper (Calidris Ptilocnemis). 2005 , 68, 219-240		30
650	Phylogenetic Relationships of the Madagascar Pygmy Kingfisher (Ispidina Madagascariensis). <i>Auk</i> , 2005 , 122, 1271-1280	2.1	13
649	Molecular Phylogenetics of the Ramphastos Toucans: Implications for the Evolution of Morphology, Vocalizations, and Coloration. <i>Auk</i> , 2005 , 122, 1191-1209	2.1	29
648	Untangling long branches: identifying conflicting phylogenetic signals using spectral analysis, neighbor-net, and consensus networks. <i>Systematic Biology</i> , 2005 , 54, 620-33	8.4	46
647	Trans-oceanic and endemic origins of the small minnow mayflies (Ephemeroptera, Baetidae) of Madagascar. 2005 , 272, 1829-36		72
646	Missing the forest for the trees: phylogenetic compression and its implications for inferring complex evolutionary histories. <i>Systematic Biology</i> , 2005 , 54, 146-57	8.4	37
645	Phylogenetic Relationships of the Madagascar Pygmy Kingfisher (Ispidina Madagascariensis). <i>Auk</i> , 2005 , 122, 1271	2.1	13
644	A four-gene study of evolutionary relationships in Solanum section Acanthophora. 2005 , 92, 603-12		49
643	Chloroplast DNA phylogeny of the woody Sonchus alliance (Asteraceae: Sonchinae) in the Macaronesian Islands. 2005 , 92, 2072-85		45
642	SYSTEMATIC REVISION OF PATELLOIDA PYGMAEA (DUNKER, 1860) (GASTROPODA: LOTTIIDAE), WITH A DESCRIPTION OF A NEW SPECIES. 2005 , 71, 357-370		27

641	Phylogenetic relationships and character evolution among selected species of Bactrocera (Diptera: Tephritidae) based on multiple mitochondrial genes. 2005 , 36, 343-359		4
640	CLADOGENESIS AS THE RESULT OF LONG-DISTANCE RAFTING EVENTS IN SOUTH PACIFIC TOPSHELLS (GASTROPODA, TROCHIDAE). 2005 , 59, 1701		5
639	Comparing host and parasite phylogenies: gyrodactylus flatworms jumping from goby to goby. <i>Systematic Biology</i> , 2005 , 54, 710-8	8.4	74
638	Untangling Gloxinieae (Gesneriaceae). I. Phylogenetic patterns and generic boundaries inferred from nuclear, chloroplast, and morphological cladistic datasets. 2005 , 54, 389-410		37
637	Phylogenetic relationships and biogeography of Ranunculus and allied genera (Ranunculaceae) in the Mediterranean region and in the European Alpine System. 2005 , 54, 911-932		76
636	Relationships within tribe Lycieae (Solanaceae): paraphyly of Lycium and multiple origins of gender dimorphism. 2005 , 92, 2044-53		72
635	Systematics of the group of African whip spiders (Chelicerata: Amblypygi): Evidence from behaviour, morphology and DNA. 2005 , 5, 203-236		103
634	Molecular Phylogenetics of the Ramphastos Toucans: Implications for the Evolution of Morphology, Vocalizations, and Coloration. <i>Auk</i> , 2005 , 122, 1191	2.1	30
633	Phylogenetic Inference in Sapindaceae sensu lato Using Plastid matK and rbcL DNA Sequences. 2005 , 30, 366-382		101
632	Molecular phylogeny of the bumble bee subgenus Pyrobombus (Hymenoptera:Apidae: Bombus) with insights into gene utility for lower-level analysis. 2006 , 20, 289		48
631	Evolutionary relationships of Hyphodiscus hymeniophilus (anamorph Catenulifera rhodogena) inferred from β -tubulin and nuclear ribosomal DNA sequences. 2006 , 84, 243-253		19
630	Origin and relationships of the austral genus Abrotanella (Asteraceae) inferred from DNA sequences. 2006 , 55, 95-106		40
629	SEASONAL MIGRATION, SPECIATION, AND MORPHOLOGICAL CONVERGENCE IN THE GENUS CATHARUS (TURDIDAE). <i>Auk</i> , 2006 , 123, 1052	2.1	10
628	A MOLECULAR PHYLOGENY OF KINGFISHERS (ALCEDINIDAE) WITH INSIGHTS INTO EARLY BIOGEOGRAPHIC HISTORY. <i>Auk</i> , 2006 , 123, 487	2.1	17
627	Molecular identification and phylogeny of the Maculatus group of Anopheles mosquitoes (Diptera: Culicidae) based on nuclear and mitochondrial DNA sequences. 2006 , 99, 272-80		33
626	Finding Nemo: molecular phylogeny and evolution of the unusual life style of anemonefish. 2006 , 385, 19-27		34
625	Phylogeny of Eunicida (Annelida) and exploring data congruence using a partition addition bootstrap alteration (PABA) approach. <i>Systematic Biology</i> , 2006 , 55, 1-20	8.4	104
624	A molecular phylogenetic study of southern African Apiaceae. 2006 , 93, 1828-47		53

623	A Molecular Phylogeny of Kingfishers (Alcedinidae) With Insights Into Early Biogeographic History. <i>Auk</i> , 2006 , 123, 487-499	2.1	22
622	Seasonal Migration, Speciation, and Morphological Convergence in the Genus <i>Catharus</i> (Turdidae). <i>Auk</i> , 2006 , 123, 1052-1068	2.1	27
621	Phylogeny and Classification of <i>Carex</i> Section <i>Ovales</i> (Cyperaceae). 2006 , 167, 1029-1048		48
620	The biogeography of the austral, subalpine genus <i>Ourisia</i> (Plantaginaceae) based on molecular phylogenetic evidence: South American origin and dispersal to New Zealand and Tasmania. 2006 , 87, 479-513		54
619	Further problems with the incongruence length difference test: Hypercongruence effect and multiple comparisons. <i>Cladistics</i> , 2006 , 22, 289-295	3.5	41
618	Partition-free congruence analysis: implications for sensitivity analysis. <i>Cladistics</i> , 2006 , 22, 256-263	3.5	14
617	Higher-level phylogeny of the Ithomiinae (Lepidoptera: Nymphalidae): classification, patterns of larval hostplant colonization and diversification. <i>Cladistics</i> , 2006 , 22, 297-368	3.5	72
616	Molecular systematics of the suborder Trogiomorpha (Insecta: Psocodea: Psocoptera). 2006 , 146, 287-299		36
615	Canegrubs and cladistics: what story do adult, larval and ecological characters tell?. 2006 , 45, 55-66		5
614	Molecular phylogeny of the green lacewings (Neuroptera: Chrysopidae). 2006 , 45, 235-243		52
613	A REASSESSMENT OF SPECIES BOUNDARIES IN <i>CYTOSEIRA</i> AND <i>HALIDRYX</i> (PHAEOPHYCEAE, FUCALES) ALONG THE NORTH AMERICAN WEST COAST1. 2006 , 42, 707-720		23
612	A REVISED CLASSIFICATION OF THE DICTYOTEAE (DICTYOTALES, PHAEOPHYCEAE) BASED ON <i>rbcl</i> AND 26S RIBOSOMAL DNA SEQUENCE ANALYSES1. 2006 , 42, 1271-1288		78
611	Patterns of recurrent evolution and geographic parthenogenesis within apomictic polyploid Easter daises (<i>Townsendia hookeri</i>). 2006 , 15, 3389-400		47
610	Phylogeography and Pleistocene refugia of the adder (<i>Vipera berus</i>) as inferred from mitochondrial DNA sequence data. 2006 , 15, 3425-37		116
609	Co-cladogenesis spanning three phyla: leafhoppers (Insecta: Hemiptera: Cicadellidae) and their dual bacterial symbionts. 2006 , 15, 4175-91		118
608	Different patterns of selection on the nuclear genes <i>IRBP</i> and <i>DMP-1</i> affect the efficiency but not the outcome of phylogeny estimation for didelphid marsupials. 2006 , 38, 363-80		31
607	Phylogeny of the shanny, <i>Lipophrys pholis</i> , from the NE Atlantic using mitochondrial DNA markers. 2006 , 39, 282-7		18
606	Molecular phylogenetics and biogeography of the nacellid limpets of New Zealand (Mollusca: Patellogastropoda). 2006 , 38, 261-5		21

605	Molecular phylogenetic relationship of toads distributed in the Far East and Europe inferred from the nucleotide sequences of mitochondrial DNA genes. 2006 , 38, 250-60	37
604	Phylogeny of the cricket subfamily Eneopterinae (Orthoptera, Grylloidea, Eneopteridae) based on four molecular loci and morphology. 2006 , 40, 643-61	37
603	Comparative analysis of a translocated copy of the trnK intron in carnivorous family Nepenthaceae. 2006 , 39, 478-90	28
602	Basal relationships in the <i>Drosophila melanogaster</i> species group. 2006 , 39, 787-98	36
601	Attributes and congruence of three molecular data sets: inferring phylogenies among <i>Septoria</i> -related species from woody perennial plants. 2006 , 40, 808-29	21
600	Phylogenetic relationships of the bulbuls (Aves: Pycnonotidae) based on mitochondrial and nuclear DNA sequence data. 2006 , 40, 687-95	34
599	Evolutionary relationships among the Scarabaeini (Coleoptera: Scarabaeidae) based on combined molecular and morphological data. 2006 , 40, 662-78	15
598	Molecular phylogeny of the Arctoidea (Carnivora): effect of missing data on supertree and supermatrix analyses of multiple gene data sets. 2006 , 41, 165-81	128
597	Molecular evidence for adaptive radiation of <i>Micromeria</i> Benth. (Lamiaceae) on the Canary Islands as inferred from chloroplast and nuclear DNA sequences and ISSR fingerprint data. 2006 , 41, 566-78	42
596	Dissecting the ancient rapid radiation of microgastrine wasp genera using additional nuclear genes. 2006 , 41, 690-703	55
595	CRYPTIC SPECIES IN AN INSECTIVOROUS BAT, <i>SCOTOPHILUS DINGANII</i> . 2006 , 87, 161-170	29
594	Population structure of <i>Francisella tularensis</i> . 2006 , 188, 5319-24	36
593	Introduction of a nuclear marker for phylogenetic analysis of Nepenthaceae. 2006 , 8, 831-40	32
592	Phylogeny of the caniform carnivora: evidence from multiple genes. 2006 , 127, 65-79	36
591	Genetic evidence of cryptic speciation within hammerhead sharks (Genus <i>Sphyrna</i>). 2006 , 148, 1143-1155	62
590	Sympatric size variants of the microcopepod <i>Oncaea venusta</i> exhibit distinct lineages in DNA sequences. 2006 , 149, 503-513	16
589	Phylogenetic investigations of Sordariaceae based on multiple gene sequences and morphology. 2006 , 110, 137-50	129
588	Ribosomal and RPB2 DNA sequence analyses suggest that <i>Sporidesmium</i> and morphologically similar genera are polyphyletic. 2006 , 110, 916-28	94

587	ESTimating plant phylogeny: lessons from partitioning. 2006 , 6, 48		27
586	A reassessment of <i>Hemizygia</i> and <i>Syncolostemon</i> (Ocimeae□lamiaceae). 2006 , 55, 941-958		5
585	Multiple origins of the Juan Fernandez kelpfish fauna and evidence for frequent and unidirectional dispersal of cirrhitoid fishes across the South Pacific. <i>Systematic Biology</i> , 2006 , 55, 566-78	8.4	25
584	PHYLOGENETIC ANALYSIS OF THE CARDINI GROUP OF DROSOPHILA WITH RESPECT TO CHANGES IN PIGMENTATION. 2006 , 60, 1228		1
583	Rank-Free Monography: A Practical Example From the Moss Clade <i>Leucophanella</i> (Calymperaceae). 2006 , 31, 13-30		14
582	Phylogenetic relationships among the piny solanums□(Solanum subgenus <i>Leptostemonum</i> , Solanaceae). 2006 , 93, 157-169		121
581	Phylogenetics of tribe Phyllanthae (Phyllanthaceae; Euphorbiaceae sensu lato) based on nrITS and plastid matK DNA sequence data. 2006 , 93, 637-55		92
580	Periodic extinctions of transposable elements in bacterial lineages: evidence from intragenomic variation in multiple genomes. 2006 , 23, 723-33		84
579	Chloroplast DNA variation and geographical structure of the <i>Aristolochia kaempferi</i> group (Aristolochiaceae). 2006 , 93, 442-53		32
578	Phylogeny and biogeography of the sandalwoods (<i>Santalum</i> , Santalaceae): repeated dispersals throughout the Pacific. 2007 , 94, 1028-40		125
577	Multiple cophylogenetic analyses reveal frequent cospeciation between pelecaniform birds and <i>Pectinopygus</i> lice. <i>Systematic Biology</i> , 2007 , 56, 232-51	8.4	79
576	Molecular phylogenetics of <i>Maxillaria</i> and related genera (Orchidaceae: Cymbidieae) based on combined molecular data sets. 2007 , 94, 1860-89		61
575	Phylogenetic origins of the Himalayan endemic <i>Dolomiaea</i> , <i>Diplazoptilon</i> and <i>Xanthopappus</i> (Asteraceae: Cardueae) based on three DNA regions. 2007 , 99, 311-22		55
574	Correcting the problem of false incongruence due to noise imbalance in the incongruence length difference (ILD) test. <i>Systematic Biology</i> , 2007 , 56, 496-503	8.4	32
573	Historical Biogeography of the New World Solitaires (<i>Myadestes</i> SPP). <i>Auk</i> , 2007 , 124, 868	2.1	29
572	The Pleasures and Perils of Darwinizing Culture (with Phylogenies). 2007 , 2, 360-375		155
571	Phylogeny of the Calymperaceae with a rank-free systematic treatment. 2007 , 110, 46-73		10
570	Worldwide phylogeny of <i>Lactarius</i> section <i>Deliciosi</i> inferred from ITS and glyceraldehyde-3-phosphate dehydrogenase gene sequences. 2007 , 99, 820-832		28

569	Phylogeny of <i>Cuscuta</i> Subgenus <i>Cuscuta</i> (Convolvulaceae) Based on nrDNA ITS and Chloroplast trnL Intron Sequences. 2007 , 32, 899-916		19
568	Molecular phylogeny in mytilids supports the wooden steps to deep-sea vents hypothesis. 2007 , 330, 446-56		56
567	On the phylogeny of the <i>Drosophila hydei</i> subgroup: new insights from combined analyses of nuclear and mitochondrial data. 2007 , 43, 1198-205		2
566	Worldwide phylogeography of limpets of the order Patellogastropoda: molecular, morphological and palaeontological evidence. 2007 , 73, 79-99		88
565	. 2007 , 46, 709-725		7
564	Monophyly and phylogenetic relationships of <i>Thereva</i> and therevine genus-groups (Insecta:Diptera:Therevidae) based on EF-1 α 28S rDNA and mitochondrial 16S rDNA sequences. 2007 , 21, 279		7
563	Relationships of cucumbers and melons unraveled: molecular phylogenetics of Cucumis and related genera (Benincaseae, Cucurbitaceae). 2007 , 94, 1256-66		41
562	PHYLOGENETIC RELATIONSHIPS AMONG NINE SCALLOP SPECIES (BIVALVIA: PECTINIDAE) INFERRED FROM NUCLEOTIDE SEQUENCES OF ONE MITOCHONDRIAL AND THREE NUCLEAR GENE REGIONS. 2007 , 26, 25-32		6
561	PHYLOGENETIC ANALYSIS OF MORPHOLOGICAL CHARACTERS IN OURISIA (PLANTAGINACEAE): TAXONOMIC AND EVOLUTIONARY IMPLICATIONS1. 2007 , 94, 554-570		4
560	Construction and annotation of large phylogenetic trees. 2007 , 20, 287		16
559	MOLECULAR PHYLOGENETICS OF THE TODY-TYRANT AND FLATBILL ASSEMBLAGE OF TYRANT FLYCATCHERS (TYRANNIDAE). <i>Auk</i> , 2007 , 124, 134	2.1	21
558	Molecular Phylogenetics of The Tody-Tyrant and Flatbill Assemblage of Tyrant Flycatchers (Tyrannidae). <i>Auk</i> , 2007 , 124, 134-154	2.1	24
557	Historical Biogeography of the New World Solitaires (<i>Myadestes</i> SPP). <i>Auk</i> , 2007 , 124, 868-885	2.1	25
556	Age and origin of enigmatic megaherbs from the subantarctic islands. 2007 ,		1
555	Molecular phylogeny of the three paedomorphic Mediterranean gobies (Perciformes: Gobiidae). 2007 , 308, 722-9		19
554	A molecular phylogeny of the cotingas (Aves: Cotingidae). 2007 , 42, 25-37		23
553	A molecular phylogeny for the large African orchid genus <i>Disa</i> . 2007 , 43, 75-90		38
552	Phylogeny and Bayesian divergence time estimations of small-headed flies (Diptera: Acroceridae) using multiple molecular markers. 2007 , 43, 808-32		57

551	The phylogeny of the social <i>Anelosimus</i> spiders (Araneae: Theridiidae) inferred from six molecular loci and morphology. 2007 , 43, 833-51	72
550	Novel phylogeny of the raccoon family (Procyonidae: Carnivora) based on nuclear and mitochondrial DNA evidence. 2007 , 43, 1171-7	33
549	Molecular phylogeny of Clupeiformes (Actinopterygii) inferred from nuclear and mitochondrial DNA sequences. 2007 , 44, 386-98	78
548	Phylogeny of Raninae (Anura: Ranidae) inferred from mitochondrial and nuclear sequences. 2007 , 43, 1-13	68
547	Evolutionary differentiation in the Neotropical montane region: molecular phylogenetics and phylogeography of Buarremon brush-finches (Aves, Emberizidae). 2007 , 44, 993-1016	109
546	A molecular phylogeny of the marine mussel genus <i>Perna</i> (Bivalvia: Mytilidae) based on nuclear (ITS1&2) and mitochondrial (COI) DNA sequences. 2007 , 44, 685-98	56
545	Phylogenetic congruence of armored scale insects (Hemiptera: Diaspididae) and their primary endosymbionts from the phylum Bacteroidetes. 2007 , 44, 267-80	69
544	Phylogenetic analysis of chloroplast DNA <i>matK</i> gene and ITS of nrDNA sequences reveals polyphyly of the genus <i>Sonchus</i> and new relationships among the subtribe Sonchinae (Asteraceae: Cichorieae). 2007 , 44, 578-97	49
543	Molecular phylogeny of the Siphonocladales (Chlorophyta: Cladophorophyceae). 2007 , 44, 1237-56	60
542	Nuclear and mtDNA-based phylogeny of southern African sand lizards, <i>Pedioplanis</i> (Sauria: Lacertidae). 2007 , 44, 622-33	24
541	Molecular phylogeny of the spiny lobster genus <i>Palinurus</i> (Decapoda: Palinuridae) with hypotheses on speciation in the NE Atlantic/Mediterranean and SW Indian Ocean. 2007 , 45, 102-10	29
540	A molecular phylogeny of the genus <i>Gammarus</i> (Crustacea: Amphipoda) based on mitochondrial and nuclear gene sequences. 2007 , 45, 596-611	133
539	The potential of the WRKY gene family for phylogenetic reconstruction: an example from the Malvaceae. 2007 , 44, 1141-54	13
538	Evolution of resupination in Malagasy species of <i>Bulbophyllum</i> (Orchidaceae). 2007 , 45, 358-76	31
537	Molecular phylogenetics of the bee-eaters (Aves: Meropidae) based on nuclear and mitochondrial DNA sequence data. 2007 , 45, 23-32	13
536	Phylogenetic analysis of nuclear and mitochondrial genes supports species groups for <i>Columbicola</i> (Insecta: Phthiraptera). 2007 , 45, 506-18	30
535	Simultaneous polyphenism and cryptic species in an intertidal limpet from New Zealand. 2007 , 45, 470-9	30
534	Resolution of the <i>Hylobates</i> phylogeny: congruence of mitochondrial D-loop sequences with molecular, behavioral, and morphological data sets. 2007 , 45, 620-8	63

533	Data congruence, paedomorphosis and salamanders. 2007 , 4, 22	9
532	Avifaunal interchange across the Panamanian isthmus: insights from <i>Campylorhynchus</i> wrens. 2007 , 90, 687-702	31
531	Molecular phylogenetic analyses of mullets (Mugilidae, Mugiliformes) based on two mitochondrial genes. 2007 , 23, 598-604	45
530	Phylogenetic concordance analysis shows an emerging pathogen is novel and endemic. 2007 , 10, 1075-83	49
529	Invaders or endemics? Molecular phylogenetics, biogeography and systematics of <i>Dreissena</i> in the Balkans. 2007 , 52, 1525-1536	39
528	Comparative phylogeography of three endemic rodents from the Albertine Rift, east central Africa. 2007 , 16, 663-74	44
527	Cryptic speciation and patterns of phenotypic variation of a highly variable acanthocephalan parasite. 2007 , 16, 4097-109	60
526	Phylogeny and historical biogeography of the cave-adapted shrimp genus <i>Typhlatya</i> (Atyidae) in the Caribbean Sea and western Atlantic. 2007 , 35, 071009214220003-???	2
525	CHARACTERS, CONGRUENCE AND QUALITY: A STUDY OF NEUROANATOMICAL AND TRADITIONAL DATA IN CAECILIAN PHYLOGENY. 2007 , 72, 423-470	3
524	Intercontinental dispersal prior to human translocation revealed in a cryptogenic invasive tree. 2007 , 175, 575-587	33
523	Molecular phylogeny of the Chinese ranids inferred from nuclear and mitochondrial DNA sequences. 2007 , 35, 29-39	20
522	Making the most of mitochondrial genomes--markers for phylogeny, molecular ecology and barcodes in <i>Schistosoma</i> (Platyhelminthes: Digenea). 2007 , 37, 1401-18	71
521	The phylogenetic significance of peptidoglycan types: Molecular analysis of the genera <i>Microbacterium</i> and <i>Aureobacterium</i> based upon sequence comparison of <i>gyrB</i> , <i>rpoB</i> , <i>recA</i> and <i>ppk</i> and 16SrRNA genes. 2007 , 30, 102-8	50
520	Species delimitation and phylogenetic relationships in <i>Lactarius</i> section <i>Deliciosi</i> in Europe. 2007 , 111, 1285-97	20
519	A DNA sequence-based study of the <i>Schistosoma indicum</i> (Trematoda: Digenea) group: population phylogeny, taxonomy and historical biogeography. 2007 , 134, 2009-20	30
518	Molecular phylogeny of <i>Juglans</i> (Juglandaceae): a biogeographic perspective. 2007 , 3, 363-378	73
517	Overview of the phylogenetic relationships of some southern Brazilian species from section <i>Torva</i> and related sections of "spiny <i>Solanum</i> " (<i>Solanum</i> subgenus <i>Leptostemonum</i> , Solanaceae). 2008 , 132, 143-58	11
516	Molecular phylogeny of grey mullets (Teleostei: Mugilidae) in Greece: evidence from sequence analysis of mtDNA segments. 2007 , 45, 623-36	18

515	Geographic patterns of genetic variation and conservation consequences in three South American rodents. 2007 , 45, 839-56	12
514	Biogeography and evolution of flower color in <i>Veratrum</i> (Melanthiaceae) through inference of a phylogeny based on multiple DNA markers. 2007 , 267, 177-190	17
513	<i>Sorghum</i> resolved as a distinct genus based on combined ITS1, <i>ndhF</i> and <i>Adh1</i> analyses. 2007 , 268, 29-43	25
512	Genetic diversity of <i>Nymphon</i> (Arthropoda: Pycnogonida: Nymphonidae) along the Antarctic Peninsula with a focus on <i>Nymphon australe</i> Hodgson 1902. 2008 , 155, 315-323	63
511	Molecular systematics of the barklouse family Psocidae (Insecta: Psocodea: 'Psocoptera') and implications for morphological and behavioral evolution. 2008 , 46, 547-59	19
510	Molecular phylogeny and biogeography of the Neotropical cichlid fish tribe Cichlasomatini (Teleostei: Cichlidae: Cichlasomatinae). 2008 , 46, 659-72	32
509	Molecular phylogeography of the nose-horned viper (<i>Vipera ammodytes</i> , Linnaeus (1758)): evidence for high genetic diversity and multiple refugia in the Balkan peninsula. 2008 , 46, 1116-28	109
508	Origin and higher-level relationships of psoroptidian mites (Acari: Astigmata: Psoroptidia): evidence from three nuclear genes. 2008 , 47, 1135-56	44
507	Pliocene colonization and adaptive radiations in Australia and New Guinea (Sahul): multilocus systematics of the old endemic rodents (Muroidea: Murinae). 2008 , 47, 84-101	163
506	A study on phylogeny and biogeography of mahseer species (Pisces: Cyprinidae) using sequences of three mitochondrial DNA gene regions. 2008 , 48, 1223-31	36
505	Influence of data conflict and molecular phylogeny of major clades in Cimicomorphan true bugs (Insecta: Hemiptera: Heteroptera). 2008 , 47, 581-97	44
504	Phylogeography of a morphologically diverse Neotropical montane species, the Common Bush-Tanager (<i>Chlorospingus ophthalmicus</i>). 2008 , 47, 650-64	55
503	The snake family Psammophiidae (Reptilia: Serpentes): phylogenetics and species delimitation in the African sand snakes (<i>Psammophis</i> Boie, 1825) and allied genera. 2008 , 47, 1045-60	31
502	Genetic divergence and evolutionary relationships in six species of genera <i>Hoplobatrachus</i> and <i>Euphyctis</i> (Amphibia: Anura) from Bangladesh and other Asian countries revealed by mitochondrial gene sequences. 2008 , 48, 515-27	28
501	First molecular phylogeny of the major clades of Pseudoscorpiones (Arthropoda: Chelicerata). 2008 , 49, 170-84	75
500	Molecular, morphological, and biogeographic resolution of cryptic taxa in the Greenside Darter <i>Etheostoma blennioides</i> complex. 2008 , 49, 69-83	15
499	Phylogenetic analysis of the internal transcribed spacer (ITS) region in Menyanthaceae using predicted secondary structure. 2008 , 49, 526-37	23
498	Molecular phylogeny of <i>Allograpta</i> (Diptera, Syrphidae) reveals diversity of lineages and non-monophyly of phytophagous taxa. 2008 , 49, 715-27	30

497	Genetic differentiation of the <i>Chlorospingus ophthalmicus</i> complex in Mexico and Central America. 2008 , 39, 311-321	29
496	Increased molecular divergence of two endemic <i>Trachelipus</i> (Isopoda, Oniscidea) species from Greece reveals patterns not congruent with current taxonomy. 2008 , 95, 361-370	17
495	Molecular phylogeny of songbirds (Aves: Passeriformes) and the relative utility of common nuclear marker loci. <i>Cladistics</i> , 2008 , 24, 328-349	3.5 27
494	RESOLVING EVOLUTIONARY RELATIONSHIPS AMONG THE BROWN ALGAE USING CHLOROPLAST AND NUCLEAR GENES(1). 2008 , 44, 394-405	54
493	A taxonomic reappraisal of the European <i>Daphnia longispina</i> complex (Crustacea, Cladocera, Anomopoda). 2008 , 37, 507-519	101
492	DNA sequence analysis and the phylogeographical history of the rodent <i>Deltamys kempii</i> (Sigmodontinae, Cricetidae) on the Atlantic Coastal Plain of south of Brazil. 2008 , 21, 1823-35	8
491	The genetic legacy of polyploid Bolivian <i>Daphnia</i> : the tropical Andes as a source for the North and South American <i>D. pulicaria</i> complex. 2008 , 17, 1789-800	50
490	Inferring the evolutionary history of <i>Drosophila americana</i> and <i>Drosophila novamexicana</i> using a multilocus approach and the influence of chromosomal rearrangements in single gene analyses. 2008 , 17, 2910-26	22
489	Phylogeography of post-Pleistocene population expansion in a fungus-gardening ant and its microbial mutualists. 2008 , 17, 4480-8	57
488	Phylogeography of native ploidy levels and invasive tetraploids of <i>Solidago gigantea</i> . 2008 , 17, 5245-56	23
487	Automated simultaneous analysis phylogenetics (ASAP): an enabling tool for phylogenomics. 2008 , 9, 103	25
486	Independent origins of new sex-linked chromosomes in the <i>melanica</i> and <i>robusta</i> species groups of <i>Drosophila</i> . 2008 , 8, 33	20
485	Molecular data reveal convergent reproductive strategies in iceryine scale insects (Hemiptera: Coccoidea: Monophlebidae), allowing the re-interpretation of morphology and a revised generic classification. 2008 , 33, 8-50	23
484	Phylogenetic position of the genus <i>Tetraophasis</i> (Aves, Galliformes, Phasianidae) as inferred from mitochondrial and nuclear sequences. 2008 , 36, 626-637	26
483	Systematics of <i>Alloteuthis</i> (Cephalopoda:Loliginidae) based on molecular and morphometric data. 2008 , 364, 99-109	20
482	The phylogenetic relationships between Amphinomidae, Archinomidae and Euphrosinidae (Amphinomida: Aciculata: Polychaeta), inferred from molecular data. 2008 , 88, 509-513	14
481	The Golden Tree Frog of Trinidad, <i>Phyllodytes auratus</i> (Anura: Hylidae): systematic and conservation status. 2008 , 43, 181-188	16
480	Phylogenetics of the Caprifoliaceae and Lonicera (Dipsacales) Based on Nuclear and Chloroplast DNA Sequences. 2008 , 33, 776-783	40

479	Molecular phylogeny of <i>Persicaria</i> (Persicarieae, Polygonaceae). 2008 , 33, 77-86		38
478	Phylogeny of extant nephilid orb-weaving spiders (Araneae, Nephilidae): testing morphological and ethological homologies. <i>Cladistics</i> , 2008 , 24, 147-217	3.5	135
477	Phylogenetic Relationships of Tribe Crotalarieae (Fabaceae) Inferred from DNA Sequences and Morphology. 2008 , 33, 752-761		49
476	Ambilobea, a new genus from Madagascar, the position of Aucoumea, and comments on the tribal classification of the frankincense and myrrh family (Burseraceae). 2008 , 26, 218-229		20
475	Testing congruence in phylogenomic analysis. <i>Systematic Biology</i> , 2008 , 57, 104-15	8.4	148
474	A survey of <i>Penicillium brevicompactum</i> and <i>P. bialowiezense</i> from indoor environments, with commentary on the taxonomy of the <i>P. brevicompactum</i> group This paper is one of a selection of papers published in the Special Issue on Systematics Research.. 2008 , 86, 732-741		14
473	Phylogeny and biogeography of Apiaceae tribe Oenantheae inferred from nuclear rDNA ITS and cpDNA psbI-trnK(UUU) sequences, with emphasis on the North American Endemics clade. 2008 , 86, 1039-1064		17
472	Intraspecific Phylogeography of the Least Brook Lamprey (<i>Lampetra aepyptera</i>). 2008 , 2008, 579-585		11
471	A mitochondrial multigene approach contributing to the systematics of the brook and river lampreys and the phylogenetic position of <i>Eudontomyzon mariae</i> . 2008 , 65, 2780-2790		27
470	Evolutionary relationships of "Candidatus endobugula" bacterial symbionts and their <i>Bugula</i> bryozoan hosts. 2008 , 74, 3605-9		32
469	MLST of housekeeping genes captures geographic population structure and suggests a European origin of <i>Borrelia burgdorferi</i> . 2008 , 105, 8730-5		232
468	Incongruence between cpDNA and nrITS trees indicates extensive hybridization within <i>Eupersicaria</i> (Polygonaceae). 2008 , 95, 1122-35		48
467	Evolution of MDA-5/RIG-I-dependent innate immunity: independent evolution by domain grafting. 2008 , 105, 17040-5		63
466	Multiple hybridization in the <i>Aristolochia kaempferi</i> group (Aristolochiaceae): evidence from reproductive isolation and molecular phylogeny. 2008 , 95, 885-96		8
465	Parsimony via consensus. <i>Systematic Biology</i> , 2008 , 57, 251-6	8.4	11
464	A phylogeny of long-tongued horse flies (Diptera:Tabanidae:Philoliche) with the first cladistic review of higher relationships within the family. 2008 , 22, 311		17
463	Systematics of the <i>Phialophora verrucosa</i> complex: new insights from analyses of β -tubulin, large subunit nuclear rDNA and ITS sequences This paper is one of a selection of papers published in the Special Issue on Systematics Research.. 2008 , 86, 742-750		14
462	Islands under islands: The phylogeography and evolution of <i>Halocaridina rubra</i> Holthuis, 1963 (Crustacean: Decapoda: Atyidae) in the Hawaiian archipelago. 2008 , 53, 675-689		40

461	Phylogeny of the Serrasalmidae (Characiformes) based on mitochondrial DNA sequences. 2008 , 31, 343-351		59
460	Molecular evidence for a polyphyletic genus Japonia (Architaenioglossa: Cyclophoridae) and with the description of a new genus and two new species. 2008 , 1792, 22		10
459	DNA-sequence variation among Schistosoma mekongi populations and related taxa; phylogeography and the current distribution of Asian schistosomiasis. 2008 , 2, e200		36
458	Phylogenetic relationships of Nocardiosis species based on partial gyrB and 16S rRNA gene sequences. 2008 , 22, 6-11		4
457	Taxonomic and biogeographic implications of a phylogenetic analysis of the Campanulaceae based on three chloroplast genes. 2009 , 58, 715-734		51
456	Molecular phylogeny and biogeography of Holcoglossum (Orchidaceae: Aeridinae) based on nuclear ITS, and chloroplast trnL-F and matK. 2009 , 58, 849-861		18
455	The impact of outgroup choice and missing data on major seed plant phylogenetics using genome-wide EST data. <i>PLoS ONE</i> , 2009 , 4, e5764	3.7	38
454	Phylogenetic analysis of seven WRKY genes across the palm subtribe Attaleinae (Arecaceae) [corrected] identifies Syagrus as sister group of the coconut. <i>PLoS ONE</i> , 2009 , 4, e7353	3.7	53
453	Multiple origins of deep-sea Asellota (Crustacea: Isopoda) from shallow waters revealed by molecular data. 2009 , 276, 799-808		88
452	Morphological and nuclear ribosomal DNA data support distinguishing two new species of Umbilicaria (Umbilicariaceae, Ascomycota) from Europe. 2009 , 41, 631-648		9
451	The origin of the endemic patellogastropod limpets of the Ogasawara Islands in the northwestern Pacific. 2009 , 75, 87-90		12
450	A preliminary phylogeny of the 'didymocarpoid Gesneriaceae' based on three molecular data sets: Incongruence with available tribal classifications. 2009 , 96, 989-1010		57
449	Evolution of fruit and seed characters in the Diervilla and Lonicera clades (Caprifoliaceae, Dipsacales). 2009 , 104, 253-76		18
448	The use and validity of composite taxa in phylogenetic analysis. <i>Systematic Biology</i> , 2009 , 58, 560-72	8.4	28
447	Bythinella Moquin-Tandon, 1856 (Gastropoda: Rissooidea: Bythinellidae) in Romania: species richness in a glacial refugium. 2009 , 43, 2955-2973		37
446	Cladophora rhodolithicola sp. nov. (Cladophorales, Chlorophyta), a diminutive species from European maerl beds. 2009 , 44, 155-169		17
445	Testing the impact of miniaturization on phylogeny: Paleozoic dissorophoid amphibians. <i>Systematic Biology</i> , 2009 , 58, 312-27	8.4	51
444	Estimated Molecular Phylogenetic Relationships of Six Siphonostomatoid Families (Copepoda) Symbiotic on Elasmobranchs. 2009 , 82, 1547-1567		15

443	Distribution and evolution of variable group-I introns in the small ribosomal subunit of North Atlantic Porphyra (Bangiales, Rhodophyta). 2009 , 44, 171-182	6
442	Perenniporiella chaquenia sp. nov. and further notes on Perenniporiella and its relationships with Perenniporia (poriales, basidiomycota). 2009 , 101, 657-73	45
441	Insights into reticulate evolution in Machaerantherinae (Asteraceae: Astereae): 5S ribosomal RNA spacer variation, estimating support for incongruence, and constructing reticulate phylogenies. 2009 , 96, 920-32	13
440	Phylogenetic studies of the core Alismatales inferred from morphology and rbcL sequences. 2009 , 19, 931-945	25
439	Colonization and speciation on volcanic islands: phylogeography of the flightless grasshopper genus Arminda (Orthoptera, Acrididae) on the Canary Islands. 2009 , 34, 188-197	17
438	Phylogenetic and environmental lability of flavonoids in a medicinal moss. 2009 , 37, 180-192	5
437	DNA variation within Juncaceae: comparison of impact of organelle regions on phylogeny. 2009 , 278, 169-186	11
436	Molecular identification of weedy glyphosate-resistant Lolium (Poaceae) in California. 2009 , 49, 354-364	9
435	Testing phylogenetic hypotheses for reconstructing the evolutionary history of Dolichopoda cave crickets in the eastern Mediterranean. 2009 , 36, 1785-1797	43
434	Phylogenetic relationships, diversification and biogeography in Neotropical Brotogeris parakeets. 2009 , 36, 1712-1729	46
433	Phylogenetic analysis of New World screwworm fly, Cochliomyia hominivorax, suggests genetic isolation of some Caribbean island populations following colonization from South America. 2009 , 23 Suppl 1, 14-22	13
432	Pleistocene phylogeography and phylogenetic concordance in cold-adapted spring snails (Bythinella spp.). 2009 , 18, 890-903	53
431	Diversity despite dispersal: colonization history and phylogeography of Hawaiian crab spiders inferred from multilocus genetic data. 2009 , 18, 1746-64	38
430	Supraspecies relationships in the subfamily Arvicolinae (Rodentia, Cricetidae): An unexpected result of nuclear gene analysis. 2009 , 43, 834-846	48
429	Phylogeny and systematic position of Zosterodasys (Ciliophora, Synhymeniida): a combined analysis of ciliate relationships using morphological and molecular data. 2009 , 56, 323-38	12
428	Genealogical discordance and patterns of introgression and selection across a cricket hybrid zone. 2009 , 63, 2999-3015	54
427	Phylogeny, biogeography, and recurrent evolution of divergent bill types in the nectar-stealing flowerpiercers (Thraupini: Diglossa and Diglossopsis). 2009 , 98, 14-28	33
426	Mitochondrial DNA variation of an isolated population of the Adriatic brook lamprey Lampetra zanandreaei (Agnatha: Petromyzontidae): phylogeographic and phylogenetic inferences. 2009 , 75, 2344-51	4

425	Landscape genetic patterns of the rainbow darter <i>Etheostoma caeruleum</i> : a catchment analysis of mitochondrial DNA sequences and nuclear microsatellites. 2009 , 75, 2244-68		25
424	Phylogeny, biogeography and classification of the snake superfamily Elapoidea: a rapid radiation in the late Eocene. <i>Cladistics</i> , 2009 , 25, 38-63	3.5	93
423	Phylogeny and phylogenetic classification of the tyrant flycatchers, cotingas, manakins, and their allies (Aves: Tyrannidae). <i>Cladistics</i> , 2009 , 25, 429-467	3.5	91
422	Phylogenetic relationships and generic delimitation in Inuleae subtribe Inulinae (Asteraceae) based on ITS and cpDNA sequence data. <i>Cladistics</i> , 2009 , 25, 319-352	3.5	26
421	Phylogeny and phylogenetic classification of the antbirds, ovenbirds, woodcreepers, and allies (Aves: Passeriformes: infraorder Furnariidae). <i>Cladistics</i> , 2009 , 25, 386-405	3.5	58
420	Molecular systematics and biogeography of the western Mediterranean stonefly genus <i>Tyrrhenoleuctra</i> (Insecta, Plecoptera). 2009 , 47, 328-336		19
419	Phylogeny of the mud worm genus <i>Marenzelleria</i> (Polychaeta, Spionidae) inferred from mitochondrial DNA sequences. 2009 , 38, 313-321		22
418	Tethyan relicts on continental coastlines of the northwestern Pacific Ocean and Australasia: molecular phylogeny and fossil record of batillariid gastropods (Caenogastropoda, Cerithioidea). 2009 , 38, 503-525		35
417	Evolutionarily independent genes and genomes and insights on genetic structure, evolution and conservation of the collis group of darters. 2009 , 12, 374-383		2
416	Molecular phylogeny of the tribe Sphodrini (Coleoptera: Carabidae) based on mitochondrial and nuclear markers. 2009 , 50, 44-58		24
415	Origin and diversification of the clawed lobster genus <i>Metanephrops</i> (Crustacea: Decapoda: Nephropidae). 2009 , 50, 411-22		26
414	Phylogenetic utility of nuclear nitrate reductase: a multi-locus comparison of nuclear and chloroplast sequence data for inference of relationships among American Lycieae (Solanaceae). 2009 , 50, 608-17		13
413	Escape from the Ponto-Caspian: evolution and biogeography of an endemic goby species flock (Benthophilinae: Gobiidae: Teleostei). 2009 , 52, 84-102		80
412	Molecular phylogenetics and biogeography of the Neocellia Series of <i>Anopheles</i> mosquitoes in the Oriental Region. 2009 , 52, 588-601		33
411	Phylogeny of Bromelioideae (Bromeliaceae) inferred from nuclear and plastid DNA loci reveals the evolution of the tank habit within the subfamily. 2009 , 51, 327-39		122
410	Molecular phylogeny and taxonomic reconsideration of the subfamily Zapodinae (Rodentia: Dipodidae), with an emphasis on Chinese species. 2009 , 51, 447-53		12
409	Phylogenetic and morphometric differentiation reveal geographic radiation and pseudo-cryptic speciation in a mangrove crab from the Indo-West Pacific. 2009 , 52, 825-34		54
408	Towards a more robust molecular phylogeny of Chinese Apiaceae subfamily Apioideae: additional evidence from nrDNA ITS and cpDNA intron (<i>rpl16</i> and <i>rps16</i>) sequences. 2009 , 53, 56-68		62

407	Molecular phylogenetics of the hummingbird genus <i>Coeligena</i> . 2009 , 53, 425-34	31
406	Flanking regions of monomorphic microsatellite loci provide a new source of data for plant species-level phylogenetics. 2009 , 53, 726-33	34
405	A "crown of thorns" is an inducible defense that protects <i>Daphnia</i> against an ancient predator. 2009 , 106, 2248-52	93
404	16S and 28S rDNA Sequences in Phylogenetic Analyses of Freshwater Prawns (<i>Macrobrachium</i> Bate, 1868) from Taiwan. 2009 , 29, 400-412	4
403	Phylogenetics of Dilleniaceae Using Sequence Data from Four Plastid Loci (<i>rbcl</i> , <i>infA</i> , <i>rps4</i> , <i>rpl16</i> Intron). 2009 , 170, 794-813	24
402	Phylogenetic and phylogeographic patterns in sigmodontine rodents of the genus <i>oligoryzomys</i> . 2009 , 100, 309-21	20
401	The phylogenetic position of <i>Thermophis</i> (Serpentes: Colubridae), an endemic snake from the Qinghai-Xizang Plateau, China. 2009 , 43, 479-488	9
400	Morphological and Molecular Phylogenetic Analysis of Evolutionary Lineages within <i>Clausocalanus</i> (Copepoda: Calanoida). 2009 , 29, 111-120	35
399	An update of the structure and 16S rRNA gene sequence-based definition of higher ranks of the class Actinobacteria, with the proposal of two new suborders and four new families and emended descriptions of the existing higher taxa. 2009 , 59, 589-608	517
398	The Phylogeny of <i>Linum</i> and Linaceae Subfamily Linoideae, with Implications for Their Systematics, Biogeography, and Evolution of Heterostyly. 2009 , 34, 386-405	81
397	Molecular taxonomy and phylogeny of Italian <i>Lepidurus</i> taxa (Branchiopoda: Notostraca). 2009 , 76, 358-365	12
396	Generic Delimitations and Relationships of the Cape Genera <i>Capnophyllum</i> , <i>Dasispermum</i> , and <i>Sonderina</i> , the North African Genera <i>Kruberia</i> and <i>Stoibrax</i> , and a New Monotypic Genus of the Subfamily Apioideae (Apiaceae). 2009 , 34, 580-594	15
395	Phylogeny, Introgression, and Character Evolution of Diploid Species in <i>Mentzelia</i> Section <i>Trachyphytum</i> (Loasaceae). 2010 , 35, 601-617	6
394	Phylogenomic Analysis of BAC-end Sequence Libraries in <i>Oryza</i> (Poaceae). 2010 , 35, 512-523	6
393	A supermatrix-based molecular phylogeny of the family Drosophilidae. 2010 , 92, 25-38	99
392	A molecular phylogenetic study of <i>Hemsleya</i> (Cucurbitaceae) based on ITS, <i>rpl16</i> , <i>trnH-psbA</i> , and <i>trnL</i> DNA sequences. 2010 , 285, 23-32	6
391	Phylogeny and infrageneric classification of <i>Correa</i> Andrews (Rutaceae) on the basis of nuclear and chloroplast DNA. 2010 , 288, 127-138	9
390	Phylogeny of the Southeast Asian endemic genus <i>Neocinnamomum</i> H. Liu (Lauraceae). 2010 , 290, 173-184	11

- 389 Botryosphaeriaceae associated with *Terminalia catappa* in Cameroon, South Africa and Madagascar. **2010**, 9, 101-123 89
- 388 Taxonomic boundaries, phylogenetic relationships and biogeography of the *Drosophila willistoni* subgroup (Diptera: Drosophilidae). **2010**, 138, 601-17 21
- 387 Phylogenetic relationships and macro-evolutionary patterns within the *Drosophila tripunctata* "radiation" (Diptera: Drosophilidae). **2010**, 138, 725-35 21
- 386 Floral and macroecological evolution within *Cyrtanthus* (Amaryllidaceae): Inferences from combined analyses of plastid *ndhF* and nrDNA ITS sequences. **2010**, 76, 217-238 18
- 385 Molecular phylogeny of the subfamily Exoristinae (Diptera, Tachinidae), with discussions on the evolutionary history of female oviposition strategy. **2010**, 35, 148-163 32
- 384 Molecular phylogeny of the Mediterranean species of *Philaenus* (Hemiptera: Auchenorrhyncha: Aphrophoridae) using mitochondrial and nuclear DNA sequences. **2010**, 35, 318-328 18
- 383 Phylogenetic analysis of nuclear and mitochondrial DNA reveals a complex of cryptic species in *Crassicutis cichlasomae* (Digenea: Apocreadiidae), a parasite of Middle-American cichlids. **2010**, 40, 471-86 51
- 382 The evolutionary diversification of parrots supports a taxon pulse model with multiple trans-oceanic dispersal events and local radiations. **2010**, 54, 984-94 55
- 381 Evolutionary inferences based on ITS rDNA and actin sequences reveal extensive diversity of the common lichen alga *Asterochloris* (Trebouxiophyceae, Chlorophyta). **2010**, 54, 36-46 96
- 380 Evolution of Picornaviridae: an examination of phylogenetic relationships and cophylogeny. **2010**, 54, 995-1005 20
- 379 Cytogenetic contributions for the study of the Amazonian *Engystomops* (Anura; Leiuperidae) assessed in the light of phylogenetic relationships. **2010**, 54, 709-25 12
- 378 Complex patterns of continental speciation: molecular phylogenetics and biogeography of sub-Saharan puddle frogs (*Phrynobatrachus*). **2010**, 55, 883-900 44
- 377 On the origin of *Halipeurus heraldicus* on Round Island petrels: cophylogenetic relationships between petrels and their chewing lice. **2010**, 55, 1111-20 5
- 376 A multiple data set phylogeny for the endemic South African freshwater phreatoicidean isopod genus *Mesamphisopus*: Taxonomic and biogeographic implications. **2010**, 55, 541-51 10
- 375 A multi-gene estimate of phylogeny in the nightjars and nighthawks (Caprimulgidae). **2010**, 55, 443-53 19
- 374 Molecular phylogeny and historical biogeography of *Nacella* (Patellogastropoda: Nacellidae) in the Southern Ocean. **2010**, 56, 115-24 62
- 373 Phylogeny of the moss class Polytrichopsida (BRYOPHYTA): Generic-level structure and incongruent gene trees. **2010**, 55, 381-98 51
- 372 Molecular phylogenetic relationships and a revised classification of the subfamily Ericoideae (Ericaceae). **2010**, 56, 343-54 27

371	The phylogenetic position and speciation dynamics of the genus <i>Perdix</i> (Phasianidae, Galliformes). 2010 , 56, 840-7	17
370	Evolution of sea anemones (Cnidaria: Actiniaria: Hormathiidae) symbiotic with hermit crabs. 2010 , 56, 868-77	30
369	Phylogenetic relationships among tribes in Xylocopinae (Apidae) and implications on nest structure evolution. 2010 , 57, 237-44	10
368	Molecular phylogeny of the genus <i>Luzula</i> DC. (Juncaceae, Monocotyledones) based on plastome and nuclear ribosomal regions: a case of incongruence, incomplete lineage sorting and hybridisation. 2010 , 57, 536-51	22
367	Catching the phylogenetic history through the ontogenetic hourglass: a phylogenomic analysis of <i>Drosophila</i> body segmentation genes. 2010 , 12, 288-95	8
366	THE MOLECULAR PHYLOGENETIC AND GEOMETRIC MORPHOMETRIC EVALUATION OF MICRASTERIAS CRUX-MELITENSIS/M. RADIANS SPECIES COMPLEX1. 2010 , 46, 703-714	15
365	Global interrelationships of Plesiosauria (Reptilia, Sauropterygia) and the pivotal role of taxon sampling in determining the outcome of phylogenetic analyses. 2010 , 85, 361-92	129
364	Phylogeny of <i>Rhus</i> gall aphids (Hemiptera : Pemphigidae) based on combined molecular analysis of nuclear EF1 α and mitochondrial COII genes. 2010 , 13, 351-357	14
363	A phylogeny of Vetigastropoda and other Archaeogastropods re-organizing old gastropod clades. 2010 , 129, 220-240	46
362	Gene and species trees reveal mitochondrial and nuclear discordance in the <i>Drosophila cardini</i> group (Diptera: Drosophilidae). 2010 , 129, 353-367	7
361	Peripatric speciation drives diversification and distributional pattern of reef hermit crabs (Decapoda: Diogenidae: Calcinus). 2010 , 64, 634-62	84
360	Phylogeny of magpie-robins and shamas (Aves: Turdidae: Copsychus and Trichixos): implications for island biogeography in Southeast Asia. 2010 , 37, no-no	7
359	Molecular phylogeography and population structure of a mid-elevation montane frog <i>Leptobranchium ailaonicum</i> in a fragmented habitat of southwest China. 2010 , 54, 47-58	44
358	Phylogeny of the <i>Linnaea</i> clade: are <i>Abelia</i> and <i>Zabelia</i> closely related?. 2010 , 57, 741-52	28
357	Towards a molecular phylogeny of Mollusks: bivalves' early evolution as revealed by mitochondrial genes. 2010 , 57, 641-57	80
356	Influence of different substrates on the evolution of morphology and life-history traits of azooxanthellate solitary corals (Scleractinia: Flabellidae). 2010 , 101, 184-192	7
355	Radiation of the „ <i>Drosophila</i> “ subgenus (Drosophilidae, Diptera) in the Neotropics. 2010 , 48, 310-321	29
354	The role of historical factors and natural selection in the evolution of breeding systems of <i>Oxalis alpina</i> in the Sonoran desert 'Sky Islands'. 2010 , 23, 2163-75	24

353	Eggplant origins: Out of Africa, into the Orient. 2010 , 59, 49-56	65
352	Evolution and systematic value of fruit and seed characters in Adoxaceae (Dipsacales). 2010 , 59, 850-866	16
351	How many of Cassini anagrams should there be? Molecular systematics and phylogenetic relationships in the Filago group (Asteraceae, Gnaphalieae), with special focus on the genus Filago. 2010 , 59, 1671-1689	35
350	A molecular phylogeny and infrageneric classification for Kunzea (Myrtaceae) inferred from rDNA ITS and ETS sequences. 2010 , 23, 309	13
349	An application of supertree methods to Mammalian mitogenomic sequences. 2010 , 6, 57-71	3
348	Generic delineation, phylogeny and subtribal affinities of Phagnalon and Aliella (Compositae, Gnaphalieae) based on nuclear and chloroplast sequences. 2010 , 59, 1654-1670	16
347	A molecular phylogeny and a new classification of Pyrola (Pyroleae, Ericaceae). 2010 , 59, 1690-1700	15
346	Multiple markers and multiple individuals refine true seal phylogeny and bring molecules and morphology back in line. 2010 , 277, 1065-70	51
345	Phylogenetic evaluation of North American Leuciscidae (Actinopterygii: Cypriniformes: Cyprinoidea) as inferred from analyses of mitochondrial and nuclear DNA sequences. 2010 , 8, 493-505	16
344	Phylogenetic Relationships in Solanum Section Androceras (Solanaceae). 2010 , 35, 885-893	18
343	A Molecular Phylogeny of North American Atripliceae (Chenopodiaceae), with Implications for Floral and Photosynthetic Pathway Evolution. 2010 , 35, 839-857	14
342	Phylogenetic Relationships of the White-Throated Barbtail, Premnoplex tatei (Furnariidae), an Endemic of the Northeastern Mountain Range of Venezuela Relaciones Filogenéticas de Premnoplex tatei (Furnariidae), una Especie Endémica de la Región Montaña Nororiental de Venezuela. 2010 , 112, 541-570	3
341	Evolution of box jellyfish (Cnidaria: Cubozoa), a group of highly toxic invertebrates. 2010 , 277, 493-501	81
340	Molecular systematics of the neotropical genus Psiguria (Cucurbitaceae): Implications for phylogeny and species identification. 2010 , 97, 156-73	23
339	Origins and introgression of polyploid species in Mentzelia section Trachyphytum (Loasaceae). 2010 , 97, 1457-73	16
338	What is the phylogenetic placement of Dipteronia dyerana Henry? An example of plant species placement based on nucleotide sequences. 2010 , 144, 634-643	6
337	Molecular systematics of the neotropical scorpion genus Tityus (Buthidae): the historical biogeography and venom antigenic diversity of toxic Venezuelan species. 2010 , 55, 436-54	33
336	Molecular Phylogenetics of Galeandra (Orchidaceae: Catasetinae) based on Plastid and Nuclear DNA Sequences. 2010 , 35, 476-486	17

- 335 The use of partial *cox1*, *rbcL* and LSU rDNA sequences for phylogenetics and species identification within the *Nitzschia palea* species complex (Bacillariophyceae). **2010**, 45, 413-425 64
- 334 The phylogeography of *Indoplanorbis exustus* (Gastropoda: Planorbidae) in Asia. **2010**, 3, 57 25
- 333 Genetic covariation of the marine fungal symbiont *Haloguignardia irritans* (Ascomycota, Pezizomycotina) with its algal hosts *Cystoseira* and *Halidrys* (Phaeophyceae, Fucales) along the west coast of North America. **2010**, 114, 82-95 16
- 332 Conflict between reproductive gene trees and species phylogeny among heterothallic and pseudohomothallic members of the filamentous ascomycete genus *Neurospora*. **2010**, 47, 869-78 28
- 331 The Genus *Siro* Latreille, 1796 (Opiliones, Cyphophthalmi, Sironidae), in North America with a Phylogenetic Analysis Based on Molecular Data and the Description of Four New Species. **2010**, 160, 1 15
- 330 Phylogenetic Studies in the Commelinaceae Subfamily Commelinoideae Inferred from Nuclear Ribosomal and Chloroplast DNA Sequences. **2011**, 36, 268-276 27
- 329 Phylogenetic relationships and phylogeographic patterns in *Monodelphis* (Didelphimorphia: Didelphidae). **2011**, 92, 121-133 13
- 328 Molecular phylogeny of *Cypripedium* (Orchidaceae: Cypripedioideae) inferred from multiple nuclear and chloroplast regions. **2011**, 61, 308-20 32
- 327 Molecular phylogeny and phylogeography of the Cuban cave-fishes of the genus *Lucifuga*: evidence for cryptic allopatric diversity. **2011**, 61, 470-83 20
- 326 Cryptic diversity and morphological convergence in threatened species of fossorial skinks in the genus *Scelotes* (Squamata: Scincidae) from the Western Cape Coast of South Africa: implications for species boundaries, digit reduction and conservation. **2011**, 61, 823-33 17
- 325 *Centaurea* Sect. *Cyanus*: Nuclear Phylogeny, Biogeography, and Life-Form Evolution. **2011**, 172, 238-249 18
- 324 Canary grasses (*Phalaris*, Poaceae): Molecular phylogenetics, polyploidy and floret evolution. **2011**, 60, 1306-1316 13
- 323 Phylogeny, taxon circumscriptions, and character evolution in the core Ptychanthoideae (Lejeuneaceae, Marchantiophyta). **2011**, 60, 1607-1622 21
- 322 Systematics of the Arctioid group: Disentangling *Arctium* and *Cousinia* (Cardueae, Carduinae). **2011**, 60, 539-554 12
- 321 Molecular phylogeny of *Euphorbia* subg. *Esula* sect. *Aphyllis* (Euphorbiaceae) inferred from nrDNA and cpDNA markers with biogeographic insights. **2011**, 60, 705-720 29
- 320 Combined analysis of four mitochondrial regions allowed the detection of several matrilineal lineages of the lessepsian fish *Fistularia commersonii* in the Mediterranean Sea. **2011**, 91, 1289-1293 13
- 319 Another step towards understanding the slit-limpets (Fissurellidae, Fissurelloidea, Vetigastropoda, Gastropoda): a combined five-gene molecular phylogeny. **2011**, 40, 238-259 13
- 318 Genetic differentiation in the Trinidad endemic *Mannophryne trinitatis* (Anura: Aromobatidae): Miocene vicariance, in situ diversification and lack of geographical structuring across the island. **2011**, 49, 133-140 8

- 317 A phylogeographic, demographic and historical analysis of the short-tailed pit viper (*Gloydius brevicaudus*): evidence for early divergence and late expansion during the Pleistocene. **2011**, 20, 1905-22 55
- 316 There and back again: switching between host orders by avian body lice (Ischnocera: Gonioididae). **2011**, 102, 614-625 22
- 315 A taxonomic re-assessment in the Chinese *Bupleurum* (Apiaceae): Insights from morphology, nuclear ribosomal internal transcribed spacer, and chloroplast (*trnH-psbA*, *matK*) sequences. *Journal of Systematics and Evolution*, **2011**, 49, 558-589 2.9 17
- 314 Examination of five nuclear markers for phylogenetic study of *Hologalegina* (Leguminosae). **2011**, 63, 489-499 5
- 313 Analysis of meristic and mitochondrial DNA variation in *Syngnathus abaster* (Teleostea: Syngnathidae) from two western Mediterranean lagoons. **2011**, 66, 1140-1147 4
- 312 Taxonomy of *Desmodesmus serratus* (Chlorophyceae, Chlorophyta) and related taxa on the basis of morphological and DNA sequence data. **2011**, 50, 23-56 31
- 311 Conservation genetics of xerothermic beetles in Europe: the case of *Centricnemus leucogrammus*. **2011**, 15, 787-797 15
- 310 A molecular phylogenetic assessment of the advanced Asiatic and Malesian didymocarpoid Gesneriaceae with focus on non-monophyletic and monotypic genera. **2011**, 292, 223-248 75
- 309 Phylogeny of Pyroleae (Ericaceae): implications for character evolution. **2011**, 124, 325-37 12
- 308 Molecular phylogenetic analyses of Tofieldiaceae (Alismatales): family circumscription and intergeneric relationships. **2011**, 124, 349-57 14
- 307 Isolation of a novel monkey adenovirus reveals a new phylogenetic clade in the evolutionary history of simian adenoviruses. **2011**, 8, 125 8
- 306 The performance of the Congruence Among Distance Matrices (CADM) test in phylogenetic analysis. **2011**, 11, 64 67
- 305 A molecular phylogeny of the tamarins (genus *Saguinus*) based on five nuclear sequence data from regions containing Alu insertions. **2011**, 146, 385-91 5
- 304 Molecular phylogeny and evolution of symbiosis in a clade of Indopacific nudibranchs. **2011**, 58, 116-23 14
- 303 Molecular systematics of the African snake family Lamprophiidae Fitzinger, 1843 (Serpentes: Elapoidea), with particular focus on the genera *Lamprophis* Fitzinger 1843 and *Mehelya* Csiki 1903. **2011**, 58, 415-26 29
- 302 Amphibian phylogeography in the Antipodes: Refugia and postglacial colonization explain mitochondrial haplotype distribution in the Patagonian frog *Eupsophus calcaratus* (Cycloramphidae). **2011**, 58, 343-52 58
- 301 Tempo and mode of species diversification in Dolichopoda cave crickets (Orthoptera, Rhabdophoridae). **2011**, 60, 108-21 56
- 300 Analysis of genetic variation and phylogeny of the predatory bug, *Pilophorus typicus*, in Japan using mitochondrial gene sequences. **2011**, 11, 18 5

299	Phylogenetic relationships among arecoid palms (Arecaceae: Arecoideae). 2011 , 108, 1417-32	73
298	Lessons from <i>Plectocephalus</i> (Compositae, Cardueae-Centaureinae): ITS disorientation in annuals and Beringian dispersal as revealed by molecular analyses. 2011 , 108, 263-77	22
297	Phylogenetic perspectives on diversification, biogeography, and floral evolution of <i>Collinsia</i> and <i>Tonella</i> (Plantaginaceae). 2011 , 98, 731-53	34
296	Molecular phylogenetics of the palm subtribe Ptychospermatinae (Arecaceae). 2011 , 98, 1716-26	5
295	Phylogenetic relationships of Greek <i>Apis mellifera</i> subspecies based on sequencing of mtDNA segments (COI and ND5). 2011 , 50, 42-50	15
294	Evolution in African Marantaceae - Evidence from Phylogenetic, Ecological and Morphological Studies. 2011 , 36, 277-290	12
293	Is <i>Remusatia</i> (araceae) monophyletic? Evidence from three plastid regions. 2012 , 13, 71-83	1
292	Phylogeny, Hybridization, and Evolution of Habit and Breeding System in <i>Sidalcea</i> and <i>Eremalche</i> (Malvaceae). 2012 , 173, 532-548	0
291	Co-phylogeography and morphological evolution of sika deer lice (<i>Damalinia sika</i>) with their hosts (<i>Cervus nippon</i>). 2012 , 139, 1614-29	10
290	New taxa are delineated in Alphamycetaceae (Rhizophydiales, Chytridiomycota). 2012 , 94, 9-29	17
289	Systematics of Eriogonoideae s. s. (Polygonaceae). 2012 , 37, 723-737	19
288	Molecular and morphological evidence that <i>Phymactis papillosa</i> from Argentina is, in fact, a new species of the genus <i>Bunodosoma</i> (Cnidaria: Actiniidae). 2012 , 92, 895-910	7
287	Phylogeny and proposed circumscription of <i>Breynia</i> , <i>Sauropus</i> and <i>Synostemon</i> (Phyllanthaceae), based on chloroplast and nuclear DNA sequences. 2012 , 25, 313	21
286	Systematics and ecology of the Australasian genus <i>Empodisma</i> (Restionaceae) and description of a new species from peatlands in northern New Zealand. <i>PhytoKeys</i> , 2012 , 39-79	0.9 24
285	The complete mitochondrial genome and phylogenetic analysis of <i>Nyctereutes procyonoides</i> . 2012 , 32, 232-239	4
284	Why is the molecular identification of the forensically important blowfly species <i>Lucilia caesar</i> and <i>L. illustris</i> (family Calliphoridae) so problematic?. 2012 , 223, 153-9	37
283	The taxonomic status of <i>Trichophyton quinckeanum</i> and <i>T. interdigitale</i> revisited: a multigene phylogenetic approach. 2012 , 50, 871-82	39
282	Systematics of the coral genus <i>Craterastrea</i> (Cnidaria, Anthozoa, Scleractinia) and description of a new family through combined morphological and molecular analyses. 2012 , 10, 417-433	48

281	Molecular phylogeny of hipposiderid bats from Southeast Asia and evidence of cryptic diversity. 2012 , 62, 597-611		42
280	Molecular phylogenetics, historical biogeography, and chromosome number evolution of <i>Portulaca</i> (Portulacaceae). 2012 , 63, 97-112		61
279	Evolution and biogeography of an emerging quasispecies: diversity patterns of the fish Viral Hemorrhagic Septicemia virus (VHSV). 2012 , 63, 327-41		58
278	Complex evolution in Arundinarieae (Poaceae: Bambusoideae): incongruence between plastid and nuclear GBSSI gene phylogenies. 2012 , 63, 777-97		66
277	Monophyly, divergence times, and evolution of host plant use inferred from a revised phylogeny of the <i>Drosophila repleta</i> species group. 2012 , 64, 533-44		77
276	Genetic population structure in the boky-boky (Carnivora: Eupleridae), a conservation flagship species in the dry deciduous forests of central western Madagascar. 2012 , 15, 164-173		6
275	Systematics of disjunct northeastern Asian and northern North American <i>Allium</i> (Amaryllidaceae). 2012 , 90, 491-508		24
274	Multigene phylogenetic analyses of the <i>Thelonectria coronata</i> and <i>T. veuillotiana</i> species complexes. 2012 , 104, 1325-50		12
273	Molecular phylogenetic relationships of family Haemulidae (Perciformes: Percioidei) and the related species based on mitochondrial and nuclear genes. 2012 , 23, 264-77		8
272	A Broad Phylogenetic Analysis of Boraginaceae: Implications for the Relationships of <i>Mertensia</i> . 2012 , 37, 758-783		36
271	Molecular phylogeny and character evolution in terete-stemmed Andean opuntias (Cactaceae-Opuntioideae). 2012 , 65, 668-81		37
270	Distinct genetic lineages of <i>Bactrocera caudata</i> (Insecta: Tephritidae) revealed by COI and 16S DNA sequences. <i>PLoS ONE</i> , 2012 , 7, e37276	3-7	18
269	Selection for high oridonin yield in the Chinese medicinal plant <i>Isodon</i> (Lamiaceae) using a combined phylogenetics and population genetics approach. <i>PLoS ONE</i> , 2012 , 7, e50753	3-7	4
268	Revised generic delimitations for <i>Oxypolis</i> and <i>Ptilimnium</i> (Apiaceae) based on leaf morphology, comparative fruit anatomy, and phylogenetic analysis of nuclear rDNA ITS and cpDNA trnQ-trnK intergenic spacer sequence data. 2012 , 61, 402-418		14
267	Phylogeny of tribe Rhinanthae (Orobanchaceae) with a focus on biogeography, cytology and re-examination of generic concepts. 2012 , 61, 1269-1285		18
266	RESEARCH ON WILD RELATIVES OF FRUIT AND NUT CROPS AT THE DAVIS REPOSITORY. 2012 , 19-32		1
265	Phylogeny and biogeography of <i>Lonchocarpus</i> sensu lato and its allies in the tribe Millettieae (Leguminosae, Papilionoideae). 2012 , 61, 93-108		26
264	The phylogenetic relationships of <i>Paramesotriton</i> (Caudata: Salamandridae) based on partial mitochondrial DNA gene sequences. 2012 , 3150, 59		1

263	Phylogeny of the tribe Fumarieae (Papaveraceae s.l.) based on chloroplast and nuclear DNA sequences: evolutionary and biogeographic implications. 2012 , 99, 517-28	16
262	Systematics of Symphyotrichinae (Asteraceae: Astereae): Disagreements Between Two Nuclear Regions Suggest a Complex Evolutionary History. 2012 , 37, 818-832	2
261	Testing relationships among the vetigastropod taxa: a molecular approach. 2012 , 78, 12-27	36
260	Using haplotype networks, estimation of gene flow and phenotypic characters to understand species delimitation in fungi of a predominantly Antarctic <i>Usnea</i> group (Ascomycota, Parmeliaceae). 2012 , 12, 17-37	34
259	The phylogenetic relationships of the Andean swamp rat genus <i>Neotomys</i> (Rodentia, Cricetidae, Sigmodontinae) based on mitochondrial and nuclear markers. 2012 , 57, 277-287	19
258	A molecular analysis of the evolutionary relationships in the Callitrichinae, with emphasis on the position of the dwarf marmoset. 2012 , 41, 1-10	29
257	Phylogenetics and biogeography of the Balkan Band gobies (Teleostei: Gobiidae): vulnerable species in need of taxonomic revision. 2012 , 105, 73-91	28
256	Phylogeography and molecular phylogeny of Macaronesian island <i>Tarphius</i> (Coleoptera: Zopheridae): why are there so few species in the Azores?. 2012 , 39, 1583-1595	15
255	MOLECULAR PHYLOGENY AND TAXONOMY OF THE AEGAGROPILA CLADE (CLADOPHORALES, ULVOPHYCEAE), INCLUDING THE DESCRIPTION OF AEGAGROPILOPSIS GEN. NOV. AND PSEUDOCLADOPHORA GEN. NOV.(1). 2012 , 48, 808-25	26
254	Toward a natural classification: phylogeny of acontiate sea anemones (Cnidaria, Anthozoa, Actiniaria). <i>Cladistics</i> , 2012 , 28, 375-392	3-5 33
253	Genetically separate populations of the ocean-skater <i>Halobates sericeus</i> (Heteroptera: Gerridae) have been maintained since the late Pleistocene. 2012 , 105, 797-805	6
252	Contrasting introduction scenarios among continents in the worldwide invasion of the banana fungal pathogen <i>Mycosphaerella fijiensis</i> . 2012 , 21, 1098-114	39
251	Molecular phylogeny and intraspecific differentiation of the <i>Eremias velox</i> complex of the Iranian Plateau and Central Asia (Sauria, Lacertidae). 2012 , 50, 220-229	7
250	Ecological differentiation of cryptic species within an asexual protist morphospecies: a case study of filamentous green alga <i>Klebsormidium</i> (Streptophyta). 2013 , 60, 350-62	56
249	Late-Pleistocene Phylogeography and Demographic History of Two Evolutionary Lineages of <i>Artibeus jamaicensis</i> (Chiroptera: Phyllostomidae) in Mexico. 2013 , 15, 19-33	8
248	Phylogenetic analysis of symbionts in feather-feeding lice of the genus <i>Columbicola</i> : evidence for repeated symbiont replacements. 2013 , 13, 109	43
247	Complete chloroplast genome of the genus <i>Cymbidium</i> : lights into the species identification, phylogenetic implications and population genetic analyses. 2013 , 13, 84	175
246	Molecular phylogeny of tribe Stachydeae (Lamiaceae subfamily Lamioideae). 2013 , 69, 535-51	28

245	MLSTest: novel software for multi-locus sequence data analysis in eukaryotic organisms. 2013 , 20, 188-96	47
244	Geographical origin and sexual-system evolution of the androdioecious plant <i>Gynochthodes boninensis</i> (Rubiaceae), endemic to the Bonin Islands, Japan. 2013 , 68, 699-708	1
243	Diversity and distribution of co-infecting Botryosphaeriaceae from <i>Eucalyptus grandis</i> and <i>Syzygium cordatum</i> in South Africa. 2013 , 84, 38-43	23
242	Phylogeography and polyploid evolution of North American goldenrods (<i>Solidago</i> subsect. <i>Humiles</i> , Asteraceae). 2013 , 40, 1887-1898	13
241	Is dietary niche breadth linked to morphology and performance in Sandveld lizards <i>Nucras</i> (Sauria: Lacertidae)? 2013 , 110, 674-688	22
240	Phylogeography of the East Asian polymitarcyid mayfly genus <i>Ephoron</i> (Ephemeroptera: Polymitarcyidae): a comparative analysis of molecular and ecological characteristics. 2013 , 109, 181-202	26
239	Cophylogeny of quill mites from the genus <i>Syringophilopsis</i> (Acari: Syringophilidae) and their North American passerine hosts. 2013 , 99, 827-34	6
238	Hybridization and systematics of dioecious North American <i>Nymphoides</i> (<i>N. aquatica</i> and <i>N. cordata</i> ; Menyanthaceae). 2013 , 104, 127-137	3
237	Phylogeography of Fischer's blue, <i>Tongeia fischeri</i> , in Japan: Evidence for introgressive hybridization. 2013 , 66, 316-26	14
236	Effects of changing climate on species diversification in tropical forest butterflies of the genus <i>Cymothoe</i> (Lepidoptera: Nymphalidae). 2013 , 108, 546-564	15
235	Molecular phylogeny of North American Branchiobdellida (Annelida: Clitellata). 2013 , 66, 30-42	23
234	Phylogenetic lineages in the Botryosphaeriales: a systematic and evolutionary framework. 2013 , 76, 31-49	159
233	Evidence of cryptic genetic lineages within <i>Aedes notoscriptus</i> (Skuse). 2013 , 18, 191-201	15
232	Phylogenetic analyses reveal extensive cryptic speciation and host specialization in an economically important mite taxon. 2013 , 66, 928-40	50
231	Molecular phylogeny and host use evolution of the genus <i>Exorista</i> Meigen (Diptera: Tachinidae). 2013 , 66, 401-11	6
230	Relationships and evolution in the Drakensberg near-endemic genus, <i>Craterocapsa</i> (Campanulaceae). 2013 , 86, 79-91	5
229	Intricate patterns of phylogenetic relationships in the olive family as inferred from multi-locus plastid and nuclear DNA sequence analyses: a close-up on <i>Chionanthus</i> and <i>Noronhia</i> (Oleaceae). 2013 , 67, 367-78	26
228	Historical biogeography and phylogeny of <i>Typhlatya</i> cave shrimps (Decapoda: Atyidae) based on mitochondrial and nuclear data. 2013 , 40, 594-607	31

227	A review of the Iberian Sphingonotini with description of two novel species (Orthoptera: Acrididae: Oedipodinae). 2013 , 168, 29-60		7
226	Molecular phylogeny and host specificity of the larval Eustrongylides (Nematoda: Dioctophmidae) from freshwater fish in China. 2013 , 99, 137-44		16
225	Reconstructing the evolution and biogeographic history of tribe Cardueae (Compositae). 2013 , 100, 867-82		93
224	Phylogeny of Southern African and Australasian Wahlenbergioids (Campanulaceae) based on ITS and trnL-F Sequence Data: Implications for a Reclassification. 2013 , 38, 523-535		7
223	Phylogenetic relationships of <i>Salvia</i> (Lamiaceae) in China: Evidence from DNA sequence datasets. <i>Journal of Systematics and Evolution</i> , 2013 , 51, 184-195	2.9	19
222	Testing the role of the Himalaya Mountains as a dispersal barrier in freshwater gastropods (<i>Gyraulus</i> spp.). 2013 , 109, 526-534		28
221	Morphology and molecular taxonomy of <i>Evlachovaea</i> -like fungi, and the status of this unusual conidial genus. 2013 , 117, 1-12		12
220	Molecular systematics of <i>Dendrobium</i> (Orchidaceae, Dendrobieae) from mainland Asia based on plastid and nuclear sequences. 2013 , 69, 950-60		65
219	Molecular phylogeny of <i>Koenigia</i> L. (Polygonaceae: Persicarieae): implications for classification, character evolution and biogeography. 2013 , 69, 1093-100		16
218	Emergence of the epidemic methicillin-resistant <i>Staphylococcus aureus</i> strain USA300 coincides with horizontal transfer of the arginine catabolic mobile element and <i>speG</i> -mediated adaptations for survival on skin. 2013 , 4, e00889-13		82
217	Molecular phylogenetics of <i>Chelonopsis</i> (Lamiaceae: Gomphostemmatae) as inferred from nuclear and plastid DNA and morphology. 2013 , 62, 375-386		17
216	Geographical origin of <i>Leucobryum boninense</i> Sull. & Lesq. (Leucobryaceae, Musci) endemic to the Bonin Islands, Japan. 2013 , 3, 753-62		1
215	Taxonomic adjustments in the systematics of the southern African lacertid lizards (Sauria: Lacertidae). 2013 , 3669, 101-14		10
214	Exploring the utility of three nuclear regions to reconstruct reticulate evolution in the fern genus <i>Asplenium</i> . <i>Journal of Systematics and Evolution</i> , 2013 , 51, 142-153	2.9	18
213	Molecular Phylogenetic Analysis of the Circumboreal Genus <i>Cassiope</i> (Ericaceae) Reveals Trends in Some Morphological and Wood Anatomy Characters and Likely Reticulate Evolution. 2013 , 115, 221-249		1
212	Phylogenetic analyses of <i>Tolpis</i> Adans. (Asteraceae) reveal patterns of adaptive radiation, multiple colonization and interspecific hybridization. <i>Cladistics</i> , 2013 , 29, 416-434	3.5	18
211	Distinct genetic clades of Malaysian <i>Copera</i> damselflies and the phylogeny of platycnemine subfamilies. 2013 , 3, 2977		6
210	Evaluation of the taxonomic status of the genus <i>Aliella</i> (Compositae, Gnaphalieae): a recircumscription of the genus <i>Phagnalon</i> . 2013 , 148, 1		6

209	Molecular species delimitation in the <i>Racomitrium canescens</i> complex (Grimmiaceae) and implications for DNA barcoding of species complexes in mosses. <i>PLoS ONE</i> , 2013 , 8, e53134	3-7	28
208	Comparative analysis of pathogenicity and phylogenetic relationship in <i>Magnaporthe grisea</i> species complex. <i>PLoS ONE</i> , 2013 , 8, e57196	3-7	37
207	A new molecular phylogeny and a new genus, <i>Pendulorchis</i> , of the <i>Aerides-Vanda</i> alliance (Orchidaceae: Epidendroideae). <i>PLoS ONE</i> , 2013 , 8, e60097	3-7	11
206	Molecular phylogeography and population genetic structure of an endangered species <i>Pachyhynobius shangchengensis</i> (hynobiid Salamander) in a fragmented habitat of southeastern China. <i>PLoS ONE</i> , 2013 , 8, e78064	3-7	4
205	Taxonomic position and phylogeny of the genus <i>Vargasiella</i> (Orchidaceae, Vandoideae) based on molecular and morphological evidence. <i>PLoS ONE</i> , 2014 , 9, e98472	3-7	2
204	Full Issue PDF Volume 39, Issue 12. 2014 , 39, 573-624		1
203	Molecular phylogenetic relationships of some common sweetlips (Haemulidae: Plectorhynchinae) and the synonyms controversy of two <i>Plectorhynchus</i> species. 2016 , 27, 2209-14		1
202	Phylogeny of the holly grevilleas (Proteaceae) based on nuclear ribosomal and chloroplast DNA. 2014 , 27, 56		11
201	Ancient diversification of <i>Hyposmocoma</i> moths in Hawaii. 2014 , 5, 3502		32
200	Interoceanic Sex-Biased Migration in Bluefish. 2014 , 143, 1308-1315		4
199	Paleoclimate Shaped Bluefish Structure in the Northern Hemisphere. 2014 , 39, 578-586		8
198	Species limits and diversification in the Madagascar olive (<i>Noronhia</i> , Oleaceae). 2014 , 174, 141-161		15
197	Multiple origins of circumboreal taxa in <i>Pyrola</i> (Ericaceae), a group with a Tertiary relict distribution. 2014 , 114, 1701-9		14
196	Molecular phylogenetics and character evolution of morphologically diverse groups, <i>Dendrobium</i> section <i>Dendrobium</i> and allies. 2014 , 6,		13
195	Phylogenetic position of <i>Trocholejeunea</i> and a new infrageneric classification of <i>Acrolejeunea</i> (Lejeuneaceae, Marchantiophyta). 2014 , 36, 31		11
194	Contrasting genetic structure of closely related giant water bugs: phylogeography of <i>Appasus japonicus</i> and <i>Appasus major</i> (Insecta: Heteroptera, Belostomatidae). 2014 , 72, 7-16		32
193	Reassessment of the systematics of the widespread Neotropical genus <i>Cercomacra</i> (Aves: <i>Thamnophilidae</i>). 2014 , 170, 546-565		11
192	Non-concordant phylogeographical patterns of three widely codistributed endemic Western Balkans lacertid lizards (Reptilia, Lacertidae) shaped by specific habitat requirements and different responses to Pleistocene climatic oscillations. 2014 , 52, 119-129		13

- 191 High mountain origin, phylogenetics, evolution, and niche conservatism of arctic lineages in the hemiparasitic genus *Pedicularis* (Orobanchaceae). **2014**, 76, 75-92 25
- 190 The influence of the complex topography and dynamic history of the montane Neotropics on the evolutionary differentiation of a cloud forest bird (*Premnoplex brunnescens*, Furnariidae). **2014**, 41, 1533-1546³⁸
- 189 Molecular phylogeny and historical biogeography of *Caltha* (Ranunculaceae) based on analyses of multiple nuclear and plastid sequences. *Journal of Systematics and Evolution*, **2014**, 52, 51-67 2.9 7
- 188 First molecular phylogeny of the subfamily Polycerinae (Mollusca, Nudibranchia, Polyceridae). **2014**, 68, 143-153 10
- 187 The ink sac clouds octopod evolutionary history. **2014**, 725, 215-235 36
- 186 Molecular phylogeny of elasmobranchs inferred from mitochondrial and nuclear markers. **2014**, 41, 447-57 17
- 185 A Phylogeny of the Violaceae (Malpighiales) Inferred from Plastid DNA Sequences: Implications for Generic Diversity and Intrafamilial Classification. **2014**, 39, 239-252 50
- 184 *Parasenecio chenopodiifolius* (Compositae: Senecioneae) is a Synotis and conspecific with *S. otophylla* based on evidence from morphology, cytology and ITS/ETS sequence data. **2014**, 32, 824-835 4
- 183 Diversity and distribution of rhizobia nodulated with *Phaseolus vulgaris* in two ecoregions of China. **2014**, 78, 128-137 55
- 182 Phylogenetic investigation and divergence dating of *Poa* (Poaceae, tribe Poeae) in the Australasian region. **2014**, 175, 523-552 20
- 181 Phylogenies and Chromosome Evolution of *Phacelia* (Boraginaceae: Hydrophylloideae) Inferred from Nuclear Ribosomal and Chloroplast Sequence Data. **2014**, 61, 16-47 7
- 180 Redescription of the Skull of *Coloradisaurus brevis* (Dinosauria, Sauropodomorpha) from the Late Triassic Los Colorados Formation of the Ischigualasto-Villa Union Basin, northwestern Argentina. **2014**, 34, 1113-1132 28
- 179 Molecular phylogeny of hipposiderid bats (Chiroptera: Hipposideridae) from Solomon Islands and Cape York Peninsula, Australia. **2014**, 43, 429-442 10
- 178 Molecular phylogenetics of the *Handleyomys chapmani* complex in Mesoamerica. **2014**, 95, 26-40 14
- 177 A new phylogenetic analysis sheds new light on the relationships in the *Calanthe* alliance (Orchidaceae) in China. **2014**, 77, 216-22 14
- 176 The genus *Atheris* (Serpentes: Viperidae) in East Africa: phylogeny and the role of rifting and climate in shaping the current pattern of species diversity. **2014**, 79, 12-22 31
- 175 Molecular systematics of subtribe Orchidinae and Asian taxa of Habenariinae (Orchideae, Orchidaceae) based on plastid matK, rbcL and nuclear ITS. **2014**, 77, 41-53 39
- 174 *Billolivia*, a new genus of Gesneriaceae from Vietnam with five new species. **2014**, 161, 241 11

173	TreSpEx-Detection of Misleading Signal in Phylogenetic Reconstructions Based on Tree Information. 2014 , 10, 51-67		73
172	Confronting the constraints of morphological taxonomy in the Botryosphaeriales. 2014 , 33, 155-68		51
171	Systematics of the Octopleura Clade of Miconia (Melastomataceae: Miconieae) in Tropical America. 2014 , 179, 1		26
170	Barriopsis tectonae sp. nov. a new species of Botryosphaeriaceae from Tectona grandis (teak) in Thailand. 2014 , 176, 81		9
169	Transfer of the New Caledonian genus Boronella to Boronia (Rutaceae) based on analyses of cpDNA and nrDNA. 2015 , 28, 111		9
168	A multi-locus approach resolves the phylogenetic relationships of the Simulium asakoeae and Simulium ceylonicum species groups in Malaysia: evidence for distinct evolutionary lineages. 2015 , 29, 330-7		35
167	Molecular phylogeny and a taxonomic proposal for the genus Streptococcus. 2015 , 14, 10905-18		27
166	A new myco-heterotrophic genus, Yunorchis, and the molecular phylogenetic relationships of the tribe Calypsoeae (Epidendroideae, Orchidaceae) inferred from plastid and nuclear DNA sequences. <i>PLoS ONE</i> , 2015 , 10, e0123382	3.7	2
165	Comparative Phylogenetic Studies on Schistosoma japonicum and Its Snail Intermediate Host Oncomelania hupensis: Origins, Dispersal and Coevolution. 2015 , 9, e0003935		18
164	The Hidden Diversity of Zanclea Associated with Scleractinians Revealed by Molecular Data. <i>PLoS ONE</i> , 2015 , 10, e0133084	3.7	23
163	The mammals of Northern Melanesia: biogeography, systematics and ecology. 2015 , 7,		
162	The identity of Roscoea cauteoides var. pubescens (Z. Y. Zhu) T. L.Wu based on molecular and morphological evidences. 2015 , 205, 259		1
161	Adapting simultaneous analysis phylogenomic techniques to study complex disease gene relationships. 2015 , 54, 10-38		2
160	Phylogenetic position of Sonneratia griffithii based on sequences of the nuclear ribosomal internal transcribed spacer and 13 nuclear genes. <i>Journal of Systematics and Evolution</i> , 2015 , 53, 47-52	2.9	8
159	Exceptionally High Levels of Genetic Diversity in Wheat Curl Mite (Acari: Eriophyidae) Populations from Turkey. 2015 , 108, 2030-9		17
158	Geologic events coupled with Pleistocene climatic oscillations drove genetic variation of Omei treefrog (Rhacophorus omeimontis) in southern China. 2015 , 15, 289		11
157	Biogeography of the smooth snake (Coronella austriaca): origin and conservation of the northernmost population. 2015 , 114, 426-435		5
156	Phylogeny of Gracilariaceae (Rhodophyta): evidence from plastid and mitochondrial nucleotide sequences. 2015 , 51, 356-66		34

155	Assignment of homoeologs to parental genomes in allopolyploids for species tree inference, with an example from <i>Fumaria</i> (papaveraceae). <i>Systematic Biology</i> , 2015 , 64, 448-71	8.4	15
154	Comparative phylogeography of alpine invertebrates indicates deep lineage diversification and historical refugia in the Australian Alps. 2015 , 42, 89-102		19
153	Characterisation of the relationship between <i>Spirometra erinacei</i> and <i>Diphyllobothrium</i> species using complete <i>cytb</i> and <i>cox1</i> genes. 2015 , 35, 1-8		19
152	Phylogeny, systematics, and trait evolution of <i>Carex</i> section <i>Glareosae</i> . 2015 , 102, 1128-44		12
151	Molecular phylogenetics, character evolution and systematics of the genus <i>Micranthes</i> (Saxifragaceae). 2015 , 178, 47-66		16
150	A multi-locus analysis of phylogenetic relationships within grass subfamily Pooideae (Poaceae) inferred from sequences of nuclear single copy gene regions compared with plastid DNA. 2015 , 87, 14-27		28
149	A new phylogeny of the Cephalaspidea (Gastropoda: Heterobranchia) based on expanded taxon sampling and gene markers. 2015 , 89, 130-50		56
148	Studies in Asian <i>Nervilia</i> (Orchidaceae) V: <i>Nervilia futago</i> , a Cryptic New Species from Southwest Japan Confirmed by Morphological, Cytological, and Molecular Analyses. 2015 , 40, 413-425		7
147	Phylogenetic reconstruction of <i>Asperula</i> sect. <i>Cynanchicae</i> (Rubiaceae) reveals a mosaic of evolutionary histories. 2015 , 64, 754-769		13
146	Phylogeny and classification of the East Asian <i>Amitostigma</i> alliance (Orchidaceae: Orchideae) based on six DNA markers. 2015 , 15, 96		20
145	Towards a comprehensive phylogeny of the large temperate genus <i>Pedicularis</i> (Orobanchaceae), with an emphasis on species from the Himalaya-Hengduan Mountains. 2015 , 15, 176		27
144	Biogeography in deep time - What do phylogenetics, geology, and paleoclimate tell us about early platyrrhine evolution?. 2015 , 82 Pt B, 358-74		82
143	Update on the distribution and phylogenetics of <i>Biomphalaria</i> (Gastropoda: Planorbidae) populations in Guangdong Province, China. 2015 , 141, 258-70		19
142	Molecular Phylogeny of <i>Gueldenstaedtia</i> and <i>Tibetia</i> (Fabaceae) and Their Biogeographic Differentiation within Eastern Asia. <i>PLoS ONE</i> , 2016 , 11, e0162982	3.7	9
141	Ancient Geographical Barriers Drive Differentiation among Populations and Recent Divergence from. 2016 , 7, 1618		12
140	Phylogenetic analyses of the isonychiid mayflies (Ephemeroptera: Isonychiidae) in the northeast palearctic region. 2016 , 46, 246-259		13
139	Histories of host shifts and cospeciation among free-living parasitoids of <i>Rhagoletis</i> flies. 2016 , 29, 1766-79		15
138	Phylogeographic breaks within Asian butternuts indicate the existence of a phytogeographic divide in East Asia. 2016 , 209, 1757-72		53

137	DNA analyses reveal abundant homoplasy in taxonomically important morphological characters of Eusiroidea (Crustacea, Amphipoda). 2016 , 45, 300-321		8
136	Integrative taxonomy helps to reveal the mask of the genus <i>Gynandropaa</i> (Amphibia: Anura: Dicroglossidae). 2016 , 11, 134-50		4
135	Sampling diverse characters improves phylogenies: Craniodental and postcranial characters of vertebrates often imply different trees. 2016 , 70, 666-86		21
134	Comparable disparity in the appendicular skeleton across the fish-tetrapod transition, and the morphological gap between fish and tetrapod postcrania. 2016 , 59, 249-267		18
133	Host and ecology both play a role in shaping distribution of digenean parasites of New Zealand whelks (Gastropoda: Buccinidae: <i>Cominella</i>). 2016 , 143, 1143-56		2
132	Dental Data Perform Relatively Poorly in Reconstructing Mammal Phylogenies: Morphological Partitions Evaluated with Molecular Benchmarks. <i>Systematic Biology</i> , 2017 , 66, 813-822	8.4	27
131	Phylogenetic position and independent generic status of <i>Indocypraea</i> (Asteraceae-Heliantheae-Ecliptinae): evidence from chloroplast DNA sequences. 2016 , 277, 146		2
130	Phylogenetic relationships and natural hybridization in <i>Triadica</i> inferred from nuclear and chloroplast DNA analyses. 2016 , 64, 142-148		0
129	Phylogenetic Diversity of <i>Ammopiptanthus</i> Rhizobia and Distribution of Rhizobia Associated with <i>Ammopiptanthus mongolicus</i> in Diverse Regions of Northwest China. 2016 , 72, 231-239		4
128	Are <i>Phenacoccus solani</i> Ferris and <i>P. defectus</i> Ferris (Hemiptera: Pseudococcidae) distinct species?. 2016 , 4093, 539-51		6
127	A distinct island population of threatened freshwater fish: to split or lump?. 2016 , 777, 79-93		8
126	Molecular systematics of southern African monkey orange <i>Strychnos</i> L. (Loganiaceae). 2016 , 71, 1		4
125	Phylogeographic patterns in New Zealand and temperate Australian cantharidines (Mollusca: Gastropoda: Trochidae: Cantharidinae): Trans-Tasman divergences are ancient. 2016 , 100, 333-344		5
124	Phylogeny of non-monophyletic <i>Teucrium</i> (Lamiaceae: Ajugoideae): Implications for character evolution and taxonomy. 2016 , 65, 805-822		19
123	Complex geographic- and habitat-based niche partitioning of an East Asian habitat generalist mayfly <i>Isonychia japonica</i> (Ephemeroptera: Isonychiidae) with reference to differences in genetic structure. 2016 , 35, 712-723		21
122	Taxonomic notes on <i>Cimicifuga nanchuanensis</i> (Ranunculaceae), a hitherto imperfectly known species from China. 2016 , 34, 87-101		5
121	Phylogeny, classification and biogeography of <i>Halfordia</i> (Rutaceae) in Australia and New Caledonia. 2016 , 302, 1457-1470		5
120	Preliminary phylogeny of <i>Fordiophyton</i> (Melastomataceae), with the description of two new species. 2016 , 247, 45		24

119	Diving in head first: trade-offs between phenotypic traits and sand-diving predator escape strategy in Meroles desert lizards. 2016 , 119, 919-931	7
118	Colonization and diversification of the Euphorbia species (sect. Aphyllis subsect. Macaronesicae) on the Canary Islands. 2016 , 6, 344-54	9
117	A new species of the Ranunculaceae from southwestern China based on morphological and molecular data. 2016 , 283, 43	2
116	Clusterflock: a flocking algorithm for isolating congruent phylogenomic datasets. 2016 , 5, 44	6
115	Dimorphic male scutal patterns and upper-eye facets of Simulium mirum n. sp. (Diptera: Simuliidae) from Malaysia. 2016 , 9, 136	4
114	A phylogenetic analysis of molecular and morphological characters of Herminium (Orchidaceae, Orchideae): evolutionary relationships, taxonomy, and patterns of character evolution. <i>Cladistics</i> , 2016 , 32, 198-210	3.5 13
113	Evolutionary history and population genetic structure of the endemic tree frog Hyla tsinlingensis (Amphibia: Anura: Hylidae) inferred from mitochondrial gene analysis. 2016 , 27, 1348-57	5
112	Variability of ecological and autotrophic host specificity in a mycoheterotrophic system: Pterospora andromeda and associated fungal and conifer hosts. 2016 , 20, 97-107	5
111	Populations of Bactrocera oleae (Diptera: Tephritidae) and Its Parasitoids in Himalayan Asia. 2016 , 109, 81-91	8
110	Biodiversity and biogeography of rhizobia associated with common bean (Phaseolus vulgaris L.) in Shaanxi Province. 2016 , 39, 211-219	39
109	Eastward colonization of the Mediterranean Basin by two geographically structured clades: The case of Odontites Ludw. (Orobanchaceae). 2016 , 96, 140-149	10
108	An Eight Marker Phylogeny of Solanum sect. Micracantha (Solanaceae). 2016 , 41, 120-127	4
107	Evolutionary trends in the distylous genus Pulmonaria (Boraginaceae): Evidence of ancient hybridization and current interspecific gene flow. 2016 , 98, 63-73	8
106	Systematics of the ectomycorrhizal genus Lactarius in the Rocky Mountain alpine zone. 2016 , 108, 414-40	11
105	Molecular phylogenetics and systematics of Trigonella L. (Fabaceae) based on nuclear ribosomal ITS and chloroplast trnL intron sequences. 2016 , 63, 79-96	9
104	Phylogeography of Syringa josikaea (Oleaceae): Early Pleistocene divergence from East Asian relatives and survival in small populations in the Carpathians. 2016 , 119, 689-703	11
103	Discrete and morphometric traits reveal contrasting patterns and processes in the macroevolutionary history of a clade of scorpions. 2017 , 30, 814-825	11
102	Around the pole: evolution of sub-Antarctic Ranunculus. 2017 , 44, 875-886	7

101	North-west Africa as a source and refuge area of plant biodiversity: a case study on <i>Campanula kremeri</i> and <i>Campanula occidentalis</i> . 2017 , 44, 2057-2068	13
100	Evolution of foraging behaviour: Deep intra-generic genetic divergence between territorial and non-territorial southern African patellid limpets. 2017 , 117, 95-101	4
99	Phylogenetic analysis of Micracidini bark beetles (Coleoptera: Curculionidae) demonstrates a single trans-Atlantic disjunction and inclusion of <i>Cactopinus</i> in the New World clade. 2017 , 149, 8-25	5
98	First description of a new cryptic species, <i>Simulium vanluni</i> from Peninsular Malaysia: An integrated morpho-taxonomical and genetic approach for naming cryptic species in the family Simuliidae. 2017 , 167, 31-39	10
97	<i>Thismia nigricoronata</i> , a new species of Burmanniaceae (Thismieae, Dioscoreales) from Vang Vieng, Vientiane Province, Laos, and a key to subgeneric classification. 2017 , 319, 225	19
96	A First Phylogeny of the Genus <i>Dimocarpus</i> and Suggestions for Revision of Some Taxa Based on Molecular and Morphological Evidence. 2017 , 7, 6716	4
95	Generic recircumscription of <i>Parasenecio</i> (Asteraceae: Senecioneae) based on nuclear ribosomal and plastid DNA sequences, with descriptions of two new genera. 2017 , 184, 418-443	8
94	Phylogeny and taxonomy of the genus <i>Ilyodon</i> Eigenmann, 1907 (Teleostei: Goodeidae), based on mitochondrial and nuclear DNA sequences. 2017 , 55, 340-355	9
93	A new species of the genus <i>Parasesarma</i> De Man 1895 from East African mangroves and evidence for mitochondrial introgression in sesarmid crabs. 2017 , 269, 89-99	12
92	Phylogenetic relationships of <i>D. rudis</i> (Bedriaga, 1886) and <i>D. bithynica</i> (Mehely, 1909) based on microsatellite and mitochondrial DNA in Turkey. 2017 , 28, 814-825	6
91	A new species of giant rat (Muridae, <i>Uromys</i>) from Vangunu, Solomon Islands. 2017 , 98, 1518-1530	7
90	Phylogenetic, cytological and morphological comparisons of <i>Oxalis</i> subsect. <i>Oxalis</i> (Oxalidaceae) in East Asia. 2017 , 324, 266	3
89	Phylogenetics of subtribe Orchidinae s.l. (Orchidaceae; Orchidoideae) based on seven markers (plastid <i>matK</i> , <i>psaB</i> , <i>rbcl</i> , <i>trnL-F</i> , <i>trnH-psba</i> , and nuclear <i>nrITS</i> , <i>Xdh</i>): implications for generic delimitation. 2017 , 17, 222	23
88	Phylogenetic analysis of <i>Zieria</i> (Rutaceae) in Australia and New Caledonia based on nuclear ribosomal DNA shows species polyphyly, divergent paralogues and incongruence with chloroplast DNA. 2018 , 31, 16	6
87	<i>Bothriospermum longistylum</i> sp. nov. (Boraginaceae) from north China. 2018 , 36, njb-01694	1
86	Integrative analyses of <i>Nervilia</i> (Orchidaceae) section <i>Linervia</i> reveal further undescribed cryptic diversity in Thailand. 2018 , 16, 377-396	5
85	Genomic insight into the taxonomy of <i>Rhizobium</i> genospecies that nodulate <i>Phaseolus vulgaris</i> . 2018 , 41, 300-310	19
84	Prioritizing the orchids of a biodiversity hotspot for conservation based on phylogenetic history and extinction risk. 2018 , 186, 473-497	14

83	Phylogeny based on 16S rRNA sequence and morphology of selected mosses of Mount Abu, Rajasthan (India). 2018 , 16, 218-225		1
82	A phylogenetic study of the genus <i>Wiborgia</i> (Crotalariaeae, Fabaceae). 2018 , 115, 179-193		1
81	Phylogenetic relationships of <i>Hechtia</i> (Hechtioideae; Bromeliaceae). 2018 , 376, 227		4
80	Description of a New <i>Rhagoletis</i> (Diptera: Tephritidae) Species in the <i>tabellaria</i> Species Group. 2018 , 2,		2
79	<i>Oreocharis duyunensis</i> (Gesneriaceae), a new species from Guizhou, China. 2018 , 36, e01514		4
78	A molecular phylogeny of the Old World cypresses (Cupressus: Cupressaceae): evidence from nuclear and chloroplast DNA sequences. 2018 , 304, 1181-1197		1
77	Molecular phylogenetics and species-level systematics of. 2018 , 7, 450-462		4
76	Genetic Structure of the Hyrcanian Wood Frog, <i>Rana pseudodalmatina</i> (Amphibia: Ranidae) Using mtDNA Gene Sequences. 2018 , 54, 1221-1228		4
75	<i>Sulettaria</i> : A new ginger genus disjunct from <i>Elettaria cardamomum</i> . 2018 , 67, 725-738		2
74	Phylogenetic Systematics and Biogeography of the Pantropical Genus <i>Sesbania</i> (Leguminosae). 2018 , 43, 414-429		9
73	The firefly genus <i>Pteroptyx</i> Olivier revisited (Coleoptera: Lampyridae: Luciolinae). 2018 , 4456, 1-71		16
72	The Hemiparasitic Plant (Orobanchaceae) Is Polyphyletic and Contains Cryptic Species in the Hengduan Mountains of Southwest China. 2018 , 9, 142		10
71	Transfer of <i>Senecio karelinioides</i> (Asteraceae: Senecioneae) to <i>Synotis</i> based on evidence from morphology, karyology and ITS/ETS sequence data. 2018 , 36, e01838		0
70	Multiple origin of flightlessness in Phaneropterinae bushcrickets and redefinition of the tribus Odonturini (Orthoptera: Tettigoniioidea: Phaneropteridae). 2018 , 18, 327-339		6
69	Dispersal is associated with morphological innovation, but not increased diversification, in <i>Cyphostemma</i> (Vitaceae). <i>Journal of Systematics and Evolution</i> , 2018 , 56, 340-359	2.9	12
68	Reinstatement of <i>Isotrema</i> , a new generic delimitation of <i>Aristolochia</i> subgen. <i>Siphisia</i> (Aristolochiaceae). 2019 , 401, 1		10
67	Taxonomic status of three controversial species of <i>Cephalanthera</i> (Orchidaceae) from Korea based on morphological and molecular data. 2019 , 415, 105-112		1
66	Pleistocene climatic changes drove dispersal and isolation of <i>Richtera discoidea</i> (Asteraceae), an endemic plant of campos rupestres in the central and eastern Brazilian sky islands. 2019 , 189, 132-152		10

65	Towards a new classification of tribe Stachydeae (Lamiaceae): naming clades using molecular evidence. 2019 , 190, 345-358		5
64	Molecular systematics of Goodyerinae (Cranichideae, Orchidoideae, Orchidaceae) based on multiple nuclear and plastid regions. 2019 , 139, 106542		11
63	Phylogenetic incongruence and homoplasy in the appendages and bodies of arthropods: why broad character sampling is best. 2019 , 187, 100-116		2
62	Evolutionary history of the arid climate-adapted <i>Helichrysum</i> (Asteraceae: Gnaphalieae): Cape origin and association between annual life-history and low chromosome numbers. <i>Journal of Systematics and Evolution</i> , 2019 , 57, 468-487	2.9	2
61	Analysis of and from Different Hosts Based on Multilocus Phylogeny and Pathogenicity Associated with Host Preference in China. 2019 , 109, 1433-1440		3
60	Molecular analyses of the genus <i>Drunella</i> (Ephemeroptera: Ephemerellidae) in the East Asian region. 2019 , 20, 243-254		3
59	Evolutionary origin of a periodical mass-flowering plant. 2019 , 9, 4373-4381		5
58	Identification of species and materia medica within subg. based on DNA barcodes. <i>PeerJ</i> , 2019 , 7, e6357 ^{3,1}		4
57	A Curious New Species of <i>Xenostegia</i> (Convolvulaceae) from Central Africa, with Remarks on the Phylogeny of the Genus. 2019 , 44, 405-414		2
56	Molecular and morphological evidence for a new species of <i>Siphocranion</i> (Lamiaceae) from the Sino-Vietnamese border. 2019 , 425, 1-18		3
55	<i>Amana baohuaensis</i> (Liliaceae), a new species from East China. 2019 , 427, 43-50		2
54	Molecular phylogeny and divergence times of <i>Onosma</i> (Boraginaceae s.s.) based on nrDNA ITS and plastid rpl32-trnL(UAG) and trnH _{psbA} sequences. 2019 , 37, e02060		11
53	Spatiotemporal pattern analysis of potential light seine fishing areas in the East China sea using VIIRS day/night band imagery. 2019 , 40, 1460-1480		1
52	Craniodental and Postcranial Characters of Non-Avian Dinosauria Often Imply Different Trees. <i>Systematic Biology</i> , 2020 , 69, 638-659	8.4	4
51	Integrative Approach Helps Clarify Confusing Taxonomy of the <i>Pseudopediastrum boryanum</i> Species Complex (Chlorophyceae), Including Recognition of five Distinct Species. 2020 , 56, 1557-1574		2
50	Repeated intercontinental migrations and recurring hybridizations characterise the evolutionary history of yew (<i>Taxus L.</i>). 2020 , 153, 106952		2
49	Implications of plastome evolution in the true lilies (monocot order Liliales). 2020 , 148, 106818		11
48	A Combination of Long-Day Suppressor Genes Contributes to the Northward Expansion of Rice. 2020 , 11, 864		5

47	The new locally endemic genus (Caryophyllaceae) and patterns of endemism highlight the high conservation priority of the poorly studied Shirkuh Mountains (central Iran). <i>Journal of Systematics and Evolution</i> , 2020 , 58, 339-353	2.9	4
46	Phylogeny and classification of the Sematophyllaceae s.l. (Hypnales, Bryophyta). <i>Journal of Systematics and Evolution</i> , 2021 , 59, 524-540	2.9	
45	Molecular phylogeny, biogeography and character evolution of the montane genus Juss. (Bignoniaceae). <i>Plant Diversity</i> , 2021 , 43, 1-14	2.9	4
44	Genetic diversity of the pathogenic banana Fusarium wilt in northern Viet Nam.		
43	Partitioning of Multiple Data, Sets Phylogenetic Analysis. 2002 , 102-119		4
42	Molecular Systematics: 1994-1995. 1997 , 470-499		1
41	How to validate phylogenetic trees? A stepwise procedure. <i>Studies in Classification, Data Analysis, and Knowledge Organization</i> , 1998 , 71-88	0.2	6
40	Allopatric divergence, local adaptation, and multiple Quaternary refugia in a long-lived tree (<i>Quercus spinosa</i>) from subtropical China.		5
39	Uncovering hidden coral diversity: a new cryptic lobophylliid scleractinian from the Indian Ocean. <i>Cladistics</i> , 2019 , 35, 301-328	3.5	18
38	Conservation of the S10-spc-alpha locus within otherwise highly plastic genomes provides phylogenetic insight into the genus <i>Leptosira</i> . <i>PLoS ONE</i> , 2008 , 3, e2752	3.7	87
37	Phylogenetic relationships among deep-sea and chemosynthetic sea anemones: actinoscyphiidae and actinostolidae (Actiniaria: Mesomyaria). <i>PLoS ONE</i> , 2010 , 5, e10958	3.7	19
36	Recent speciation in three closely related sympatric specialists: inferences using multi-locus sequence, post-mating isolation and endosymbiont data. <i>PLoS ONE</i> , 2011 , 6, e27834	3.7	15
35	Convergent evolution associated with habitat decouples phenotype from phylogeny in a clade of lizards. <i>PLoS ONE</i> , 2012 , 7, e51636	3.7	26
34	Multilocus comparative phylogeography of two aristeid shrimps of high commercial interest (<i>Aristeus antennatus</i> and <i>Aristaeomorpha foliacea</i>) reveals different responses to past environmental changes. <i>PLoS ONE</i> , 2013 , 8, e59033	3.7	8
33	Hidden among sea anemones: the first comprehensive phylogenetic reconstruction of the order Actiniaria (Cnidaria, Anthozoa, Hexacorallia) reveals a novel group of hexacorals. <i>PLoS ONE</i> , 2014 , 9, e96998	3.7	98
32	Taxonomic status, phylogenetic affinities and genetic diversity of a presumed extinct genus, <i>Paraisometrum</i> W.T. Wang (gesneriaceae) from the karst regions of Southwest China. <i>PLoS ONE</i> , 2014 , 9, e107967	3.7	15
31	Multigene assessment of the species boundaries and sexual status of the basidiomycetous yeasts <i>Cryptococcus flavescens</i> and <i>C. terrestris</i> (Tremellales). <i>PLoS ONE</i> , 2015 , 10, e0120400	3.7	27
30	Gene Diversification of an Emerging Pathogen: A Decade of Mutation in a Novel Fish Viral Hemorrhagic Septicemia (VHS) Substrain since Its First Appearance in the Laurentian Great Lakes. <i>PLoS ONE</i> , 2015 , 10, e0135146	3.7	15

29	Phylogenetic Analysis of a 'Jewel Orchid' Genus <i>Goodyera</i> (Orchidaceae) Based on DNA Sequence Data from Nuclear and Plastid Regions. <i>PLoS ONE</i> , 2016 , 11, e0150366	3.7	11
28	<i>Senecio changii</i> (Asteraceae: Senecioneae), a New Species from Sichuan, China. <i>PLoS ONE</i> , 2016 , 11, e0151423	1.4	1
27	Genetic diversity of the xerothermic weevils <i>Polydrusus inustus</i> and <i>Centricnemus leucogrammus</i> (Coleoptera: Curculionidae) in central Europe. <i>European Journal of Entomology</i> , 2009 , 106, 325-334		21
26	Phylogenetic Analysis of <i>Meconopsis</i> (Papaveraceae) and Evaluation of Two Controversial Taxonomic Species. <i>Lundellia</i> , 2015 , 18, 14-27	0.6	2
25	Phylogeography of <i>L.</i> (Caryophyllaceae): evolutionary history of a disjunct endemic from the Western Mediterranean continental islands. <i>PeerJ</i> , 2016 , 4, e2618	3.1	8
24	Genetic and morphological analyses indicate that the Australian endemic scorpion (Scorpiones: Urodacidae) is a species complex. <i>PeerJ</i> , 2017 , 5, e2759	3.1	4
23	Geography shapes the phylogeny of frailejones (Espeletiinae Cuatrec., Asteraceae): a remarkable example of recent rapid radiation in sky islands. <i>PeerJ</i> , 2017 , 5, e2968	3.1	43
22	Cenozoic aridization in Central Eurasia shaped diversification of toad-headed agamas (; Agamidae, Reptilia). <i>PeerJ</i> , 2018 , 6, e4543	3.1	13
21	(Gesneriaceae), a new species with a unique inflorescence structure from Guangdong, China. <i>PeerJ</i> , 2019 , 7, e6157	3.1	3
20	Clusterflock: A Flocking Algorithm for Isolating Congruent Phylogenomic Datasets.		
19	(Brassicaceae), a new species from Sichuan, southwest China. <i>PhytoKeys</i> , 2017 , 15-26	0.9	1
18	Radiation of members of the complex (Asteraceae) on the Qinghai-Tibetan Plateau and their proposed taxonomic treatment. <i>PhytoKeys</i> , 2018 , 11-25	0.9	
17	Recent Evolutionary History of the Fox Sparrows (Genus: <i>Passerella</i>). <i>Auk</i> , 2003 , 120, 522-527	2.1	
16	Image_1.jpg. 2020 ,		
15	Image_2.jpg. 2020 ,		
14	Image_3.pdf. 2020 ,		
13	Image_4.jpg. 2020 ,		
12	Image_5.jpg. 2020 ,		

11 Table_1.xlsx. 2020,

10 Table_2.xlsx. 2020,

9 Table_3.xlsx. 2020,

8 Table_4.xlsx. 2020,

7 Image_1.PDF. 2018,

6 Image_2.JPEG. 2018,

5 Table_1.XLSX. 2018,

4 Table_2.DOCX. 2018,

3 Table_3.XLSX. 2018,

2 *Primulina fangdingii* (Gesneriaceae), a new species from Guangxi, China.

1 Understanding the systematic implications of Pollinium morphology of Aroidinae (Orchidaceae). ○