

Role of nitric oxide in porcine liver circulation under non-steady-state conditions

Journal of Applied Physiology

78, 1319-1329

DOI: [10.1152/jappl.1995.78.4.1319](https://doi.org/10.1152/jappl.1995.78.4.1319)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Distinct behavior of portal venous and arterial vascular waterfalls in porcine liver. <i>Journal of Critical Care</i> , 1995, 10, 104-114.	2.2	8
2	Determinants of splanchnic blood flow. <i>British Journal of Anaesthesia</i> , 1996, 77, 50-58.	3.4	194
4	Differential effects of nitric oxide synthase inhibitors on endotoxin- induced liver damage in rats. <i>Gastroenterology</i> , 1997, 113, 1323-1333.	1.3	124
5	Regulation of hepatic blood flow during resuscitation from hemorrhagic shock: role of NO and endothelins. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1997, 272, H2736-H2745.	3.2	22
6	Effects of nitric oxide on blood flow distribution and O2 extraction capabilities during endotoxic shock. <i>Journal of Applied Physiology</i> , 1997, 83, 1164-1173.	2.5	50
7	Sphincters of canine hepatic sublobular veins respond to endothelin-1 and 3. <i>Anatomy and Embryology</i> , 1997, 196, 299-309.	1.5	12
8	Importance of nitric oxide in hepatic arterial blood flow and total hepatic blood volume regulation in pigs. <i>Acta Physiologica Scandinavica</i> , 1997, 161, 303-309.	2.2	13
9	The Role of Nitric Oxide in Hepatic Metabolism. <i>Nutrition</i> , 1998, 14, 376-390.	2.4	97
10	Systemic and regional pCO2 gradients as markers of intestinal ischaemia. <i>Intensive Care Medicine</i> , 1998, 24, 599-604.	8.2	45
11	Differential regulation of hepatic arterial and portal venous vascular resistance by nitric oxide and carbon monoxide in rats. <i>Life Sciences</i> , 1998, 62, 2025-2033.	4.3	75
12	Selective iNOS Inhibition Is Superior to Norepinephrine in the Treatment of Rat Endotoxic Shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 157, 162-170.	5.6	63
13	Nitric oxide inhibits norepinephrine-induced hepatic vascular responses but potentiates hepatic glucose output. <i>Canadian Journal of Physiology and Pharmacology</i> , 1999, 78, 36-44.	1.4	1
14	Intestinal and hepatic perfusion and metabolism in hypodynamic endotoxic shock. Effects of nitric oxide synthase inhibition. <i>Acta Anaesthesiologica Scandinavica</i> , 1999, 43, 56-63.	1.6	13
15	Experimental evaluation of the effects of the intraportal administration of cyclic guanosine monophosphate on ischemia/reperfusion in the porcine liver. <i>Surgery Today</i> , 1999, 29, 1158-1163.	1.5	6
16	Nitric oxide metabolism in canine sepsis: relation to regional blood flow. <i>Journal of Critical Care</i> , 1999, 14, 186-190.	2.2	9
17	Nitric oxide in liver injury. <i>Hepatology</i> , 1999, 30, 1-5.	7.3	184
18	Trauma- and Sepsis-Induced Hepatic Ischemia and Reperfusion Injury. <i>Archives of Surgery</i> , 2000, 135, 766.	2.2	15
19	S-nitroso-N-acetylpenicillamine (SNAP) During Hemorrhagic Shock Improves Mortality as a Result of Recovery From Vascular Hyporeactivity. <i>Anesthesia and Analgesia</i> , 2000, 90, 362-368.	2.2	9

#	ARTICLE	IF	CITATIONS
20	Hepatic Blood Flow and Oxygen Consumption after Burn and Sepsis. <i>Journal of Trauma</i> , 2000, 49, 101-108.	2.3	31
21	S-nitroso-N-acetylpenicillamine (SNAP) During Hemorrhagic Shock Improves Mortality as a Result of Recovery From Vascular Hyporeactivity. <i>Anesthesia and Analgesia</i> , 2000, 90, 362.	2.2	16
22	Microvascular Dysfunction in Sepsis. <i>Microcirculation</i> , 2000, 7, 83-101.	1.8	149
23	S-Methylisothiourea sulfate improves renal, but not hepatic dysfunction in canine endotoxic shock model. <i>Intensive Care Medicine</i> , 2000, 26, 117-124.	8.2	20
24	Selective inhibition of inducible nitric oxide synthase: A promising strategy in the therapy of septic shock?. <i>Intensivmedizin Und Notfallmedizin</i> , 2000, 37, 166-175.	0.2	0
25	Nitric oxide modulates acetylcholine-induced vasodilatation in the hepatic arterial vasculature of the dual-perfused rat liver. <i>Acta Physiologica Scandinavica</i> , 2001, 171, 413-418.	2.2	8
26	Role of Nitric Oxide in Cardiovascular Alterations. <i>Sepsis</i> , 2001, 4, 99-109.	0.5	6
27	Clinical review: splanchnic ischaemia. <i>Critical Care</i> , 2002, 6, 306.	5.8	43
28	Microvascular responses to sepsis: clinical significance. <i>Pathophysiology</i> , 2002, 8, 141-148.	2.2	50
29	The role of nitric oxide in systemic and hepatic haemodynamics in the rat in vivo. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003, 368, 142-149.	3.0	9
30	Differential nitric oxide synthase expression during hepatic ischemia-reperfusion. <i>American Journal of Surgery</i> , 2003, 185, 589-595.	1.8	40
31	Sex Differences in Hepatic Heme Oxygenase Expression and Activity Following Trauma and Hemorrhagic Shock. <i>Archives of Surgery (Chicago, Ill: 1920)</i> , 2003, 138, 1375.	1.4	43
32	Splanchnic Blood Flow in Low-Flow States. <i>Anesthesia and Analgesia</i> , 2003, 96, 1129-1138.	2.2	36
33	Chronic hepatic artery ligation does not prevent liver from differentiating portal vs. peripheral glucose delivery. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E845-E853.	3.5	3
34	Low-dose terlipressin during long-term hyperdynamic porcine endotoxemia: Effects on hepatosplanchnic perfusion, oxygen exchange, and metabolism*. <i>Critical Care Medicine</i> , 2005, 33, 373-380.	0.9	168
35	The role of nitric oxide in the modulation of hepatic microcirculation and tissue oxygenation in an experimental model of hepatic steatosis. <i>Microvascular Research</i> , 2005, 70, 129-136.	2.5	51
36	Current Understanding of Gender Dimorphism in Hepatic Pathophysiology1. <i>Journal of Surgical Research</i> , 2005, 128, 147-156.	1.6	59
37	Nitric Oxide-Mediated Effects on Liver Blood Flow. <i>Transplantation Proceedings</i> , 2005, 37, 3338-3339.	0.6	3

#	ARTICLE	IF	CITATIONS
38	Spontaneous breathing during airway pressure release ventilation in experimental lung injury: effects on hepatic blood flow. <i>Intensive Care Medicine</i> , 2008, 34, 523-527.	8.2	31
39	Nitric oxide-deficiency regulates hepatic heme oxygenase-1. <i>Nitric Oxide - Biology and Chemistry</i> , 2008, 18, 61-69.	2.7	20
40	Nitric Oxide Administration Restores the Hepatic Artery Buffer Response During Porcine Endotoxemia. <i>Journal of Investigative Surgery</i> , 2008, 21, 183-194.	1.3	14
41	Posttranslational Activation of Endothelial Nitric Oxide Synthase Attenuates Carbon Tetrachloride-Induced Hepatotoxicity in Newborn Rats. <i>Pediatric Research</i> , 2008, 63, 613-619.	2.3	0
42	Effect of Supplemental Oxygen versus Dobutamine Administration on Liver Oxygen Tension in dPP-Guided Normovolemic Pigs. <i>European Surgical Research</i> , 2009, 42, 236-244.	1.3	1
43	Modification of the Hepatic Hemodynamic Response to Acute Changes in Paco ₂ by Nitric Oxide Synthase Inhibition in Rabbits. <i>Anesthesia and Analgesia</i> , 2010, 110, 845-851.	2.2	2
44	Effects of Nitric Oxide Donor on Hepatic Arterial Buffer Response in Anesthetized Pigs. <i>Journal of Investigative Surgery</i> , 2010, 23, 183-189.	1.3	5
45	Regulation of hepatic blood flow: The hepatic arterial buffer response revisited. <i>World Journal of Gastroenterology</i> , 2010, 16, 6046.	3.3	405
46	Effects of cardiac preload reduction and dobutamine on hepatosplanchnic blood flow regulation in porcine endotoxemia. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G247-G255.	3.4	5
47	Does pharmacological conditioning with the volatile anaesthetic sevoflurane offer protection in liver surgery?. <i>Hpb</i> , 2012, 14, 854-862.	0.3	13
49	Personalizing blood pressure management in septic shock. <i>Annals of Intensive Care</i> , 2015, 5, 41.	4.6	94
50	Endotoxic shock alters distribution of blood flow within the intestinal wall. <i>Critical Care Medicine</i> , 1996, 24, 1345-1351.	0.9	101
51	L-canavanine, an inhibitor of inducible nitric oxide synthase, improves venous return in endotoxemic rats. <i>Critical Care Medicine</i> , 1997, 25, 469-475.	0.9	25
52	Effects of vasoactive drugs on gastric intramucosal pH. <i>Critical Care Medicine</i> , 1998, 26, 1749-1758.	0.9	105
53	Enteral infusion of sodium 2-ketooisocaproate in endotoxic rats. <i>Critical Care Medicine</i> , 1999, 27, 373-379.	0.9	5
54	Nitric oxide inhibits norepinephrine-induced hepatic vascular responses but potentiates hepatic glucose output. <i>Canadian Journal of Physiology and Pharmacology</i> , 2000, 78, 36-44.	1.4	10
55	Protective role of endogenous carbon monoxide in hepatic microcirculatory dysfunction after hemorrhagic shock in rats.. <i>Journal of Clinical Investigation</i> , 1998, 102, 1220-1228.	8.2	151
56	The Splanchnic Circulation in Cirrhosis and Portal Hypertension. , 2001, , 599-610.		0

#	ARTICLE	IF	CITATIONS
57	Effects of Pharmacologic Agents on Splanchnic Blood Flow. Update in Intensive Care and Emergency Medicine, 1996, , 264-279.	0.6	1
58	Therapeutic Options to Increase Splanchnic Blood Flow. Update in Intensive Care and Emergency Medicine, 1996, , 280-293.	0.6	0
59	Pressure-Flow Relationships in Liver Vascular Beds during Sepsis. Yearbook of Intensive Care and Emergency Medicine, 1996, , 321-332.	0.1	0
60	Splanchnic Blood Flow. Update in Intensive Care and Emergency Medicine, 1997, , 76-91.	0.6	0
61	Hemodynamic Management of Gastric Intramucosal Acidosis in Septic Patients. Yearbook of Intensive Care and Emergency Medicine, 1998, , 656-666.	0.1	0
62	Role of Nitric Oxide in Septic Shock. , 1998, , 33-47.		0
63	Therapeutic Interventions for Improvement of Impaired Intestinal Blood Flow. , 1999, , 227-244.		0
64	Successful Administration of the NO Synthase Inhibitor 546C88 as a Delayed Continuous Infusion in a Baboon Model of Septic Shock. , 1999, , 23-43.		0
65	Nitric Oxide in Sepsis and Nitric Oxide in Sepsis and ARDS. , 1999, , 531-547.		0
66	Nitric oxide and the gastrointestinal tract. Current Opinion in Critical Care, 1999, 5, 151.	3.2	1
68	The management of oligometastatic disease in colorectal cancer: Present strategies and future perspectives. Critical Reviews in Oncology/Hematology, 2023, 186, 103990.	4.4	1