

CITATION REPORT

List of articles citing

Stress-Induced Phenylpropanoid Metabolism

DOI: 10.1105/tpc.7.7.1085
Plant Cell, 1995, 7, 1085-1097.

Source: <https://exaly.com/paper-pdf/26338780/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2362	Alkaloid Biosynthesis[mdash]The Basis for Metabolic Engineering of Medicinal Plants. <i>Plant Cell</i> , 1995 , 7, 1059-1070	11.6	145
2361	The Shikimate Pathway: Early Steps in the Biosynthesis of Aromatic Compounds. <i>Plant Cell</i> , 1995 , 7, 907-918	11.6	330
2360	Lignin Biosynthesis. <i>Plant Cell</i> , 1995 , 7, 1001-1013	11.6	446
2359	Plant resistance to fungi. 1996 , 18, 469-475		27
2358	Plant Cytochrome P450 Monooxygenases. 1996 , 15, 235-284		233
2357	Phenylpropanoid metabolism and lignin biosynthesis: from weeds to trees. 1996 , 1, 171-178		265
2356	Metabolic engineering: prospects for crop improvement through the genetic manipulation of phenylpropanoid biosynthesis and defense responses--a review. 1996 , 179, 61-71		179
2355	Transcriptional activation of plant defense genes. 1996 , 6, 624-30		57
2354	Effects of ozone depletion and increased UV-B on terrestrial ecosystems. 1996 , 51, 217-243		68
2353	Role of Jasmonates in the Elicitor- and Wound-Inducible Expression of Defense Genes in Parsley and Transgenic Tobacco. 1996 , 112, 183-192		87
2352	Anthranilate synthase from <i>Ruta graveolens</i> . Duplicated AS alpha genes encode tryptophan-sensitive and tryptophan-insensitive isoenzymes specific to amino acid and alkaloid biosynthesis. 1996 , 111, 507-14		61
2351	Isolation and characterization of a tobacco mosaic virus-inducible myb oncogene homolog from tobacco. 1996 , 93, 14972-7		137
2350	The role of cytochrome P450 monooxygenases in plant-insect interactions. 1996 , 112, 1411-9		195
2349	Chlorophyll fluorescence and anthocyanin content in chilled maize plants after return to a non-chilling temperature under various irradiances. 1996 , 38, 625-627		12
2348	Carbohydrate esters of cinnamic acid from fruits of <i>Physalis peruviana</i> , <i>Psidium guajava</i> and <i>Vaccinium vitis-idaea</i> . 1996 , 43, 481-485		37
2347	Signal perception, transduction, and gene expression involved in anthocyanin biosynthesis. 1996 , 15, 525-557		158
2346	Cloning of wound-induced cytochrome P450 monooxygenases expressed in pea. 1996 , 110, 1035-46		85

2345	Resistance gene-dependent plant defense responses. <i>Plant Cell</i> , 1996 , 8, 1773-91	11.6	1402
2344	Overexpression of L-Phenylalanine Ammonia-Lyase in Transgenic Tobacco Plants Reveals Control Points for Flux into Phenylpropanoid Biosynthesis. 1996 , 112, 1617-1624		204
2343	Tomato Polyphenol Oxidase (Differential Response of the Polyphenol Oxidase F Promoter to Injuries and Wound Signals). 1997 , 115, 409-418		151
2342	Retention in situ and spectral analysis of fluorescent vacuole components in sections of plant tissues. 1997 , 72, 123-8		5
2341	Regulation of sesquiterpene cyclase gene expression. Characterization of an elicitor- and pathogen-inducible promoter. 1997 , 115, 437-51		56
2340	Defense response in slash pine: chitosan treatment alters the abundance of specific mRNAs. 1997 , 10, 135-7		21
2339	Isolation of a cDNA and a genomic clone encoding cinnamate 4-hydroxylase from Arabidopsis and its expression manner in planta. 1997 , 113, 755-63		160
2338	Oxidative burst: an early plant response to pathogen infection. 1997 , 322 (Pt 3), 681-92		957
2337	Maize phenylalanine ammonia-lyase has tyrosine ammonia-lyase activity. 1997 , 113, 175-9		245
2336	Flavonoid-Peroxidase Reaction as a Detoxification Mechanism of Plant Cells against H ₂ O ₂ . 1997 , 115, 1405-1412		337
2335	Evidence of Phytoalexins in Cucumber Leaves Infected with Powdery Mildew following Treatment with Leaf Extracts of <i>Reynoutria sachalinensis</i> . 1997 , 113, 719-727		147
2334	Cinnamate-4-hydroxylase expression in Arabidopsis. Regulation in response to development and the environment. 1997 , 113, 729-38		188
2333	Natural product munitions â€” new prospects for plant protection. 1997 , 2, 449-450		1
2332	A novel suppressor of cell death in plants encoded by the Lls1 gene of maize. 1997 , 89, 25-31		238
2331	Lignification in Plant Cell Walls. 1997 , 87-132		128
2330	Cloning and characterization of cDNA clones encoding phenylalanine ammonia-lyase in barley. 1997 , 123, 143-150		20
2329	Cloning of cytochrome P450 cDNAs from cultured <i>Glycyrrhiza echinata</i> L. cells and their transcriptional activation by elicitor-treatment. 1997 , 126, 39-47		20
2328	Release and biological activity of diffusible signal compounds from elicited plant cells. 1997 , 151, 699-710		8

2327	Effect of high temperature conditioning on ethylene, phenylalanine ammonia-lyase, peroxidase and polyphenol oxidase activities in flavedo of chilled "Fortune" mandarin fruit. 1997 , 150, 674-678	97	
2326	The effect of plant age and nodulation on the isoflavonoid content of red clover (<i>Trifolium pratense</i>). 1997 , 150, 603-610	22	
2325	Regulation of the Cinnamate 4-Hydroxylase (CYP73A1) in Jerusalem Artichoke Tubers in Response to Wounding and Chemical Treatments. 1997 , 113, 951-959	53	
2324	A peroxidase/phenolics/ascorbate system can scavenge hydrogen peroxide in plant cells. 1997 , 101, 845-852	166	
2323	PAL Activity and Differential Ozone Sensitivity in Tobacco, Bean and Poplar. 1997 , 145, 533-539	13	
2322	Mutants of Arabidopsis as tools to understand the regulation of phenylpropanoid pathway and UVB protection mechanisms. 1997 , 65, 765-76	82	
2321	Rapid stimulation of a soybean protein-serine kinase that phosphorylates a novel bZIP DNA-binding protein, G/HBF-1, during the induction of early transcription-dependent defenses. 1997 , 16, 726-38	128	
2320	Elicitor-induced changes of phenylalanine ammonia-lyase activity in barley cell suspension cultures. 1997 , 50, 185-193	29	
2319	Roles of flavonoids in symbiotic and defense functions in legume roots. 1997 , 63, 27-39	76	
2318	A phosphorus-31 nuclear magnetic resonance study of elicitor-mediated metabolic changes in <i>Catharanthus roseus</i> suspension cultures. 1997 , 33, 301-305	2	
2317	Role of phenylpropanoid compounds in plant responses to different stress factors. 1997 , 19, 257-268	107	
2316	Methyljasmonate-induced accumulation of coumaroyl conjugates in barley leaf segments. 1997 , 44, 589-592	51	
2315	Vacuolar uptake of the phytoalexin medicarpin by the glutathione conjugate pump. 1997 , 45, 689-93	74	
2314	Plant O-methyltransferases: molecular analysis, common signature and classification. <i>Plant Molecular Biology</i> , 1998 , 36, 1-10	4.6	206
2313	A diverse family of phenylalanine ammonia-lyase genes expressed in pine trees and cell cultures. <i>Plant Molecular Biology</i> , 1998 , 37, 15-24	4.6	40
2312	Anthranilate N-hydroxycinnamoyl/benzoyltransferase gene from carnation: rapid elicitation of transcription and promoter analysis. <i>Plant Molecular Biology</i> , 1998 , 38, 1201-14	4.6	17
2311	Expression of an anther-specific chalcone synthase-like gene is correlated with uninucleate microspore development in <i>Nicotiana sylvestris</i> . <i>Plant Molecular Biology</i> , 1998 , 38, 1169-78	4.6	32
2310	Nitric oxide functions as a signal in plant disease resistance. 1998 , 394, 585-8	1543	

2309	EFFECTS OF PROLINE AND PROLINE ANALOGS ON TOTAL PHENOLIC AND ROSMARINIC ACID LEVELS IN SHOOT CLONES OF THYME (<i>Thymus vulgaris</i> L.). 1998 , 22, 37-51	28
2308	Reduced hyperhydricity and enhanced growth of tissue culture-generated raspberry (<i>Rubus</i> sp.) clonal lines by <i>Pseudomonas</i> sp. isolated from oregano. 1998 , 33, 441-445	8
2307	Phenylpropanoid biosynthesis and its regulation. 1998 , 1, 251-7	370
2306	Unusual flavonoids produced by callus of <i>Hypericum perforatum</i> . 1998 , 48, 1165-1168	65
2305	Seasonal differences in foliar content of chlorogenic acid, a phenylpropanoid antioxidant, in <i>Mahonia repens</i> . 1998 , 21, 513-521	94
2304	Production of yellow colour in flowers: redirection of flavonoid biosynthesis in <i>Petunia</i> . 1998 , 13, 259-266	100
2303	The maize Lc regulatory gene up-regulates the flavonoid biosynthetic pathway of <i>Petunia</i> . 1998 , 13, 381-392	138
2302	More than 80R2R3-MYB regulatory genes in the genome of <i>Arabidopsis thaliana</i> . 1998 , 14, 273-84	239
2301	'Floral' scent production by <i>Puccinia</i> rust fungi that mimic flowers. 1998 , 7, 1127-36	68
2300	Effects of the ultraviolet-B radiation (UV-B) on conifers: a review. 1998 , 99, 319-28	35
2299	Effects of methyl jasmonate and elicitor on the activation of phenylalanine ammonia-lyase and the accumulation of scopoletin and scopolin in tobacco cell cultures. 1998 , 132, 13-19	79
2298	Specific mRNA accumulation of a gene coding for an O-methyltransferase in almond (<i>Prunus amygdalus</i> , Batsch) flower tissues. 1998 , 134, 79-88	11
2297	Nitrogen recycling during phenylpropanoid metabolism in sweet potato tubers. 1998 , 153, 316-23	41
2296	FROM VACUOLAR GS-X PUMPS TO MULTISPECIFIC ABC TRANSPORTERS. 1998 , 49, 727-760	261
2295	Pathogen defence in plants – a paradigm of biological complexity. 1998 , 3, 86-90	303
2294	EPR detection of phytophenoxyl radicals stabilized by zinc ions: evidence for the redox coupling of plant phenolics with ascorbate in the H ₂ O ₂ -peroxidase system. 1998 , 422, 377-80	80
2293	Identification of a cytochrome P450 cDNA encoding (2S)-flavanone 2-hydroxylase of licorice (<i>Glycyrrhiza echinata</i> L.; Fabaceae) which represents licodione synthase and flavone synthase II. 1998 , 431, 287-90	79
2292	Effect of Methyl Jasmonate and Elicitor on PAL Gene Expression in Tobacco Cultured Cells. 1998 , 7, 79-84	9

2291	Chapter 12 Plant Biotechnology and the Production of Alkaloids: Prospects of Metabolic Engineering. 1998 , 50, 453-508	11
2290	Silicon-mediated accumulation of flavonoid phytoalexins in cucumber. 1998 , 88, 396-401	267
2289	A study of the cell wall mechanical properties in unhyperhydrated shoots of oregano (<i>origanum vulgare</i>) inoculated with <i>pseudomonas</i> sp. by load deformation analysis. 1998 , 12, 209-220	4
2288	The influence of powdery mildew (<i>Erysiphe graminis</i> f.sp. <i>hordei</i>) on the accumulation of transcripts from low-temperature-responsive genes in barley. 1998 , 52, 353-369	1
2287	CYP81E1, a cytochrome P450 cDNA of licorice (<i>Glycyrrhiza echinata</i> L.), encodes isoflavone 2'-hydroxylase. 1998 , 251, 67-70	70
2286	The biosynthesis of shikimate metabolites. 1998 , 15, 17-58	58
2285	Metabolism of ferulic acid to vanillin. A bacterial gene of the enoyl-SCoA hydratase/isomerase superfamily encodes an enzyme for the hydration and cleavage of a hydroxycinnamic acid SCoA thioester. 1998 , 273, 4163-70	157
2284	Flavonoid accumulation in tissue and cell culture. Studies in Citrus and other plant species. 1998 , 439, 67-84	7
2283	Wound and Defense Responses in Cassava as Related to Post-Harvest Physiological Deterioration. 1998 , 231-248	14
2282	Reduction of light-induced anthocyanin accumulation in inoculated sorghum mesocotyls. Implications for a compensatory role in the defense response. 1998 , 116, 979-89	128
2281	Piperonylic acid, a selective, mechanism-based inactivator of the trans-cinnamate 4-hydroxylase: A new tool to control the flux of metabolites in the phenylpropanoid pathway. 1998 , 118, 209-18	59
2280	Control of Hyperhydricity in Anise (<i>Pimpinella anisum</i>) Tissue Culture by <i>Pseudomonas</i> spp.. 1998 , 6, 57-67	4
2279	Responses of barley and wheat to pathogens, non-pathogens and wounding as indicated by induced phenylalanine ammonia-lyase activity. 1998 , 48, 184-191	4
2278	Defense gene induction in tobacco by nitric oxide, cyclic GMP, and cyclic ADP-ribose. 1998 , 95, 10328-33	1095
2277	4-Coumarate:coenzyme A ligase in hybrid poplar. Properties of native enzymes, cDNA cloning, and analysis of recombinant enzymes. 1998 , 116, 743-54	109
2276	Anion channels and the stimulation of anthocyanin accumulation by blue light in <i>Arabidopsis</i> seedlings. 1998 , 116, 503-9	46
2275	Induction of <i>Arabidopsis</i> tryptophan pathway enzymes and camalexin by amino acid starvation, oxidative stress, and an abiotic elicitor. <i>Plant Cell</i> , 1998 , 10, 359-70	11.6 152
2274	10.1 Host Reactions - Plants. 1998 , 539-572	6

2273	Signal Transduction Networks and the Integration of Responses of Environmental Stimuli. 1998 , 53-73	7
2272	Modification of Plant Secondary Metabolism by Foreign Phytoalexin Genes. 1999 , 190-203	
2271	Effects of stress on cellular infrastructure and metabolic organization in plant cells. 2000 , 194, 239-73	24
2270	Tobacco O-methyltransferases involved in phenylpropanoid metabolism. The different caffeoyl-coenzyme A/5-hydroxyferuloyl-coenzyme A 3/5-O-methyltransferase and caffeic acid/5-hydroxyferulic acid 3/5-O-methyltransferase classes have distinct substrate specificities and expression patterns. 1999 , 121, 215-24	120
2269	Screening of high biomass and phenolic producing clonal lines of spearmint in tissue culture using pseudomonas and azetidine-2 carboxylate.. 1999 , 13, 227-253	9
2268	Flavan-containing cells delimit Frankia-infected compartments in Casuarina glauca nodules. 1999 , 121, 113-22	54
2267	The Biology of Corn Anthracnose: Knowledge to Exploit for Improved Management. 1999 , 83, 596-608	101
2266	Transgene-mediated and elicitor-induced perturbation of metabolic channeling at the entry point into the phenylpropanoid pathway. <i>Plant Cell</i> , 1999 , 11, 1537-52	11.6 167
2265	Expression of uroporphyrinogen decarboxylase or coproporphyrinogen oxidase antisense RNA in tobacco induces pathogen defense responses conferring increased resistance to tobacco mosaic virus. 1999 , 274, 4231-8	77
2264	Improvement of pea (<i>Pisum sativum</i>) seed vigour response by fish protein hydrolysates in combination with acetyl salicylic acid. 1999 , 35, 159-165	21
2263	AKR-deficiency disturbs the balance of some signal transduction pathways in <i>Arabidopsis thaliana</i> . 1999 , 37, 465-471	2
2262	Phenylpropanoid and anthocyanin changes in low-temperature treated winter oilseed rape leaves. 1999 , 37, 491-496	87
2261	Increased susceptibility of <i>Eucalyptus marginata</i> to stem infection by <i>Phytophthora cinnamomi</i> resulting from root hypoxia. 1999 , 48, 797-806	11
2260	Molecular cloning and functional expression of O-methyltransferases common to isoquinoline alkaloid and phenylpropanoid biosynthesis. 1999 , 17, 329-39	133
2259	A novel parsley 4CL1 cis-element is required for developmentally regulated expression and protein-DNA complex formation. 1999 , 18, 77-88	19
2258	Three 4-coumarate:coenzyme A ligases in <i>Arabidopsis thaliana</i> represent two evolutionarily divergent classes in angiosperms. 1999 , 19, 9-20	319
2257	Structure of chalcone synthase and the molecular basis of plant polyketide biosynthesis. 1999 , 6, 775-84	470
2256	INFLUENCE OF ACETYL SALICYLIC ACID IN COMBINATION WITH FISH PROTEIN HYDROLYSATES ON HYPERHYDRICITY REDUCTION AND PHENOLIC SYNTHESIS IN OREGANO (<i>ORIGANUM VULGARE</i>) TISSUE CULTURES. 1999 , 23, 619-635	20

2255	Elicitor-responsive promoter regions in the tryptophan decarboxylase gene from <i>Catharanthus roseus</i> . <i>Plant Molecular Biology</i> , 1999 , 39, 129-36	4.6	36
2254	Identification of disease response genes expressed in <i>Gossypium hirsutum</i> upon infection with the wilt pathogen <i>Verticillium dahliae</i> . <i>Plant Molecular Biology</i> , 1999 , 40, 289-96	4.6	52
2253	Developmentally regulated patterns of expression directed by poplar PAL promoters in transgenic tobacco and poplar. <i>Plant Molecular Biology</i> , 1999 , 39, 657-69	4.6	39
2252	Novel characteristics and regulation of a divergent cinnamate 4-hydroxylase (CYP73A15) from French bean: engineering expression in yeast. <i>Plant Molecular Biology</i> , 1999 , 39, 1079-90	4.6	39
2251	The promoter of the strictosidine synthase gene from periwinkle confers elicitor-inducible expression in transgenic tobacco and binds nuclear factors GT-1 and GBF. <i>Plant Molecular Biology</i> , 1999 , 39, 1299-310	4.6	47
2250	Identification of UV-B light-responsive regions in the promoter of the tryptophan decarboxylase gene from <i>Catharanthus roseus</i> . <i>Plant Molecular Biology</i> , 1999 , 41, 491-503	4.6	55
2249	Analysis of promoters from tyrosine/dihydroxyphenylalanine decarboxylase and berberine bridge enzyme genes involved in benzyloquinoline alkaloid biosynthesis in opium poppy. <i>Plant Molecular Biology</i> , 1999 , 40, 121-31	4.6	29
2248	Cell-specific production and antimicrobial activity of naphthoquinones in roots of <i>Lithospermum erythrorhizon</i> . 1999 , 119, 417-28		130
2247	The expression of petunia flavonoid 3 ^o and 3 ^o 5 ^o hydroxylase genes in potatoes (<i>Solanum tuberosum</i> cv. Jopung). 1999 , 4, 305-308		
2246	TRADE-OFFS IN PHENOLIC METABOLISM OF SILVER BIRCH: EFFECTS OF FERTILIZATION, DEFOLIATION, AND GENOTYPE. 1999 , 80, 1970-1986		84
2245	LIGHT REGULATION OF ANTHOCYANIN ACCUMULATION AND CHALCONE SYNTHASE GENE EXPRESSION IN PETUNIA FLOWERS. 1999 , 47, 225-229		6
2244	Variation in the ability of the maize Lc regulatory gene to upregulate flavonoid biosynthesis in heterologous systems. 1999 , 140, 31-39		31
2243	Effect of benzoic acid hydroxy- and methoxy- ring substituents during cucumber (<i>Cucumis sativus</i> L.) germination. 1999 , 141, 139-147		36
2242	Transcripts for possible capsaicinoid biosynthetic genes are differentially accumulated in pungent and non-pungent <i>Capsicum</i> spp. 1999 , 148, 47-57		96
2241	Effects of jasmonic acid and of an elicitor from <i>Ceratocystis fimbriata</i> f. sp. platani on the accumulation of phytoalexins in leaves of susceptible and resistant plane trees. 1999 , 148, 105-110		9
2240	Flavonoid Biosynthetic Pathway and Cereal Defence Response: An Emerging Trend in Crop Biotechnology. 1999 , 8, 15-20		10
2239	Phosphorylation of phenylalanine ammonia-lyase: evidence for a novel protein kinase and identification of the phosphorylated residue. 1999 , 457, 47-52		87
2238	The Chalcone/Stilbene Synthase-type Family of Condensing Enzymes. 1999 , 749-771		36

2237	4-hydroxycinnamoyl-CoA hydratase/lyase (HCHL)--An enzyme of phenylpropanoid chain cleavage from <i>Pseudomonas</i> . 1999 , 365, 10-6	84
2236	Accumulation of 3-deoxyanthocyanidin phytoalexins and resistance to <i>Colletotrichum sublineolum</i> in sorghum. 1999 , 55, 263-273	115
2235	N-Acylethanolamines in signal transduction of elicitor perception. Attenuation Of alkalinization response and activation of defense gene expression. 1999 , 121, 1299-308	56
2234	Silage Corn. 2000 ,	1
2233	Flower pattern stability in genetically modified lisianthus (<i>Eustoma grandiflorum</i>) under commercial growing conditions. 2000 , 28, 175-184	9
2232	Phenols in the plant and in man. The potential for possible nutritional enhancement of the diet by modifying the phenols content or profile. 2000 , 80, 985-1012	545
2231	Characterization of cis-elements required for vascular expression of the cinnamoyl CoA reductase gene and for protein-DNA complex formation. 2000 , 23, 663-76	97
2230	The Change of Heat Emission and Phenolic Compound Level in <i>Hordeum vulgare</i> (L.) and <i>Festuca pratensis</i> (Huds.) Calli Treated with <i>Bipolaris sorokiniana</i> (Sacc.) Shoem. Phytotoxins. 2000 , 184, 17-21	4
2229	Effects of yeast elicitor on the growth and secondary metabolism of a high-tanshinone-producing line of the Ti transformed <i>Salvia miltiorrhiza</i> cells in suspension culture. 2000 , 35, 837-840	36
2228	Changes in endogenous phenolic acids during development of <i>Secale cereale</i> caryopses and after dehydration treatment of unripe rye grains. 2000 , 38, 595-602	54
2227	Alterations in phenylpropanoid content in soybean roots during low temperature acclimation. 2000 , 38, 587-593	66
2226	Structural control of polyketide formation in plant-specific polyketide synthases. 2000 , 7, 919-30	207
2225	Identification and expression of isoflavone synthase, the key enzyme for biosynthesis of isoflavones in legumes. 2000 , 18, 208-12	334
2224	Modified atmosphere and modified humidity packaging alleviates chilling injury symptoms in mango fruit. 2000 , 19, 93-101	104
2223	Effect of nitrogen supply rate on disease resistance in tomato depends on the pathogen. 2000 , 218/2, 239-247	101
2222	Modulation of amino acid metabolism in transformed tobacco plants deficient in Fd-GOGAT. 2000 , 221, 67-79	40
2221	UV irradiation Alters the Levels of Flavonoids Involved in the Defence Mechanism of <i>Citrus aurantium</i> Fruits against <i>Penicillium digitatum</i> . 2000 , 106, 617-622	60
2220	The Oxidants and Antioxidant Enzymes in Tomato Leaves Treated With O-Hydroxyethylrutin and Infected with <i>Botrytis cinerea</i> . 2000 , 106, 657-665	17

2219	Phenolic and Oxidative Metabolism as Bioindicators of Nitrogen Deficiency in French Bean Plants (<i>Phaseolus vulgaris</i> L. cv. Strike). 2000 , 2, 272-277		20
2218	Molecular cloning and functional expression of a stress-induced multifunctional O-methyltransferase with pinosylvin methyltransferase activity from Scots pine (<i>Pinus sylvestris</i> L.). <i>Plant Molecular Biology</i> , 2000 , 44, 733-45	4.6	61
2217	Salicylic acid in the machinery of hypersensitive cell death and disease resistance. <i>Plant Molecular Biology</i> , 2000 , 44, 429-42	4.6	218
2216	The intensity of respiration and heat emission from seedlings of <i>Festuca pratensis</i> (Hud.) and <i>Hordeum vulgare</i> L. during pathogenesis caused by <i>Bipolaris sorokiniana</i> (Sacc.) Shoem. 2000 , 22, 25-30		11
2215	Altering expression of cinnamic acid 4-hydroxylase in transgenic plants provides evidence for a feedback loop at the entry point into the phenylpropanoid pathway. 2000 , 122, 107-16		166
2214	Function and Evolution of Plant Cytochrome P450. 2000 , 34, 151-189		55
2213	Secondary Metabolism. 2000 , 1-29		41
2212	Toward The Identification Of The Genes For The Synthesis Of Condensed Tannins In Forage Legumes. 2000 , 257-263		1
2211	cDNA-AFLP reveals a striking overlap in race-specific resistance and wound response gene expression profiles. <i>Plant Cell</i> , 2000 , 12, 963-77	11.6	353
2210	The TT8 gene encodes a basic helix-loop-helix domain protein required for expression of DFR and BAN genes in <i>Arabidopsis</i> siliques. <i>Plant Cell</i> , 2000 , 12, 1863-78	11.6	552
2209	Genetic manipulation of isoflavone 7-O-methyltransferase enhances biosynthesis of 4'-O-methylated isoflavonoid phytoalexins and disease resistance in alfalfa. <i>Plant Cell</i> , 2000 , 12, 1689-702	11.6	167
2208	Induction of chalcone synthase expression in white spruce by wounding and jasmonate. 2000 , 41, 982-7		113
2207	Molecular characterization of CYP73A9 and CYP82A1 P450 genes involved in plant defense in pea. 2000 , 124, 47-58		56
2206	Purification and characterization of precarthamin decarboxylase from the yellow petals of <i>Carthamus tinctorius</i> L. 2000 , 382, 238-44		12
2205	COMMENTARY Salicylic acid and its role in plant defense responses: what do we really know?. 2000 , 56, 91-93		32
2204	Content of flavonols and selected phenolic acids in strawberries and <i>Vaccinium</i> species: influence of cultivar, cultivation site and technique. 2000 , 33, 517-524		369
2203	Mutational analysis of 4-coumarate:CoA ligase identifies functionally important amino acids and verifies its close relationship to other adenylate-forming enzymes. 2000 , 467, 117-22		87
2202	Stimulation of novel phenolic metabolite, epoxy-pseudoisoeugenol-(2-methylbutyrate) (EPB), in transformed anise (<i>pimpinella anisum</i> L.) root cultures by fish protein hydrolysates. 2000 , 14, 1-20		11

2201	Antioxidant phenolic metabolites from fruit and vegetables and changes during postharvest storage and processing. 2000 , 23, 739-795	32
2200	Mechanism of chalcone synthase. pKa of the catalytic cysteine and the role of the conserved histidine in a plant polyketide synthase. 2000 , 275, 39640-6	108
2199	Production of the isoflavones genistein and daidzein in non-legume dicot and monocot tissues. 2000 , 124, 781-94	207
2198	Induction of Ltp (lipid transfer protein) and Pal (phenylalanine ammonia-lyase) gene expression in rice roots colonized by the arbuscular mycorrhizal fungus <i>Glomus mosseae</i> . 2000 , 51, 1969-77	125
2197	Energy dissipation and radical scavenging by the plant phenylpropanoid pathway. 2000 , 355, 1499-510	288
2196	Antimicrobial Compounds and Resistance. 2000 , 325-370	52
2195	Bioactivity of the phenolic compounds in higher plants. 2001 , 25, 651-681	13
2194	Genetic modification of plant secondary metabolite pathways using transcriptional regulators. 2001 , 72, 103-25	19
2193	A stress-responsive gene from groundnut, Gdi-15, is homologous to flavonol 3-O-glucosyltransferase involved in anthocyanin biosynthesis. 2001 , 284, 574-9	27
2192	Anthocyanin accumulation and related gene expression in Japanese parsley (<i>Oenanthe stolonifera</i> , DC.) induced by low temperature. 2001 , 158, 71-78	23
2191	Carbon status during leaf development in kiwifruit and subsequent resistance of wounded tissue to <i>Botrytis cinerea</i> . 2001 , 20, 553-560	5
2190	Induction of shikimate dehydrogenase and peroxidase in pepper (<i>Capsicum annuum</i> L.) seedlings in response to copper stress and its relation to lignification. 2001 , 161, 179-188	198
2189	Regulation of mimosine accumulation in <i>Leucaena leucocephala</i> seedlings. 2001 , 161, 597-604	19
2188	Possible role of plasma membrane H ⁺ -ATPase in the elicitation of phytoalexin and related isoflavone root secretion in chickpea (<i>Cicer arietinum</i> L.) seedlings. 2001 , 161, 791-798	13
2187	AtMYB4: a transcription factor general in the battle against UV. 2001 , 6, 135-6	59
2186	Tissue Culture Selection for Phenolics and Rosmarinic Acid in Thyme. 2001 , 8, 31-42	3
2185	A conserved MYB transcription factor involved in phosphate starvation signaling both in vascular plants and in unicellular algae. 2001 , 15, 2122-33	858
2184	Biosynthesis of secondary metabolites in sugarcane. 2001 , 24, 243-250	26

2183	Stimulatory and Inhibitory Conditioning Factors that Regulate Cell Proliferation and Morphogenesis in Plant Cell Cultures.. 2001 , 18, 93-99		3
2182	Rerouting the plant phenylpropanoid pathway by expression of a novel bacterial enoyl-CoA hydratase/lyase enzyme function. <i>Plant Cell</i> , 2001 , 13, 1669-82	11.6	56
2181	Chapter Seven Properties and metabolic engineering of alfalfa phenylpropanoid pathway O-methyltransferases. 2001 , 131-154		1
2180	Flavonoids. 2001 ,		3
2179	Alternations in phenolic acids content in developing rye grains in normal environment and during enforced dehydration. 2001 , 23, 475-482		14
2178	UV and blue light signalling: pathways regulating chalcone synthase gene expression in Arabidopsis. 2001 , 151, 121-131		127
2177	Identification of 4-coumarate:coenzyme A ligase (4CL) substrate recognition domains. 2001 , 27, 455-65		53
2176	Two cinnamoyl-CoA reductase (CCR) genes from Arabidopsis thaliana are differentially expressed during development and in response to infection with pathogenic bacteria. 2001 , 57, 1187-95		194
2175	Antioxidant capacity of a 3-deoxyanthocyanidin from soybean. 2001 , 58, 1097-105		20
2174	The ABC-like vacuolar transporter for rye mesophyll flavone glucuronides is not species-specific. 2001 , 56, 153-9		15
2173	Combinatorial biochemistry in plants: the case of O-methyltransferases. 2001 , 56, 1-4		34
2172	Purification and characterization of UDP-glucose:cyclichydroxamic acid β glucosyltransferases from maize seedlings. 2001 , 39, 27-35		5
2171	Contrary operations of Box-I element of pea phenylalanine ammonia-lyase gene 1 promoter for organ-specific expression. 2001 , 39, 355-362		3
2170	Release of phytoalexins and related isoflavonoids from intact chickpea seedlings elicited with reduced glutathione at root level. 2001 , 39, 785-795		38
2169	Phenolic compounds and related enzymes as determinants of quality in fruits and vegetables. 2001 , 81, 853-876		738
2168	Phenylpropanoid interconversion in Anigozanthos preissii observed by high-performance liquid chromatography-nuclear magnetic resonance spectroscopy. 2001 , 12, 43-7		10
2167	Hydroxyproline-rich glycoproteins expressed during stress responses in cassava. 2001 , 120, 59-70		21
2166	Effects of long-term open-field ozone exposure on leaf phenolics of European silver birch (<i>Betula pendula</i> Roth). 2001 , 27, 1049-62		72

2165	Herbivore-induced volatile production by <i>Arabidopsis thaliana</i> leads to attraction of the parasitoid <i>Cotesia rubecula</i> : chemical, behavioral, and gene-expression analysis. 2001 , 27, 1911-28	260
2164	New applications for an old lignified element staining reagent. 2001 , 33, 379-85	11
2163	Structures of two natural product methyltransferases reveal the basis for substrate specificity in plant O-methyltransferases. 2001 , 8, 271-9	253
2162	Phenolic and phenolic-related factors as determinants of suitability of mountain birch leaves to an herbivorous insect. 2001 , 29, 223-240	94
2161	Cytochrome P450s as genes for crop improvement. 2001 , 4, 162-7	47
2160	Chalcone isomerase isozymes with different substrate specificities towards 6'-hydroxy- and 6'-deoxychalcones in cultured cells of <i>Glycyrrhiza echinata</i> , a leguminous plant producing 5-deoxyflavonoids. 2001 , 42, 1169-73	31
2159	Activation of a mitogen-activated protein kinase pathway is involved in disease resistance in tobacco. 2001 , 98, 741-6	398
2158	Identification of the enzymatic active site of tobacco caffeoyl-coenzyme A O-methyltransferase by site-directed mutagenesis. 2001 , 276, 36831-8	22
2157	Signals Regulating Multiple Responses to Wounding and Herbivores. 2001 , 20, 487-521	133
2156	Molecular evidence for induction of phenylalanine ammonia-lyase during <i>Puccinia graminis</i> infection and elicitation in wheat. 2001 , 23, 286-291	6
2155	A small decrease of plastid transketolase activity in antisense tobacco transformants has dramatic effects on photosynthesis and phenylpropanoid metabolism. <i>Plant Cell</i> , 2001 , 13, 535-51	11.6 274
2154	14-3-3 gene family in hybrid poplar and its involvement in tree defence against pathogens1. 2001 , 52, 1331-1338	27
2153	PARTIAL PURIFICATION OF A BASIC GUAIACIOL PEROXIDASE FROM FAVA BEAN (<i>VICIA FABA</i> L.): CHARACTERIZATION OF ENZYME STABILITY FOLLOWING ELICITOR TREATMENT. 2001 , 15, 99-111	2
2152	A stilbene synthase from Japanese red pine (<i>Pinus densiflora</i>): implications for phytoalexin accumulation and down-regulation of flavonoid biosynthesis. 2002 , 99, 3335-9	66
2151	Nitric oxide synthase-mediated phytoalexin accumulation in soybean cotyledons in response to the <i>Diaporthe phaseolorum</i> f. sp. <i>meridionalis</i> elicitor. 2002 , 130, 1288-97	140
2150	Low temperature-induced modifications in cell ultrastructure and localization of phenolics in winter oilseed rape (<i>Brassica napus</i> L. var. <i>oleifera</i> L.) leaves. 2002 , 90, 637-45	74
2149	Downregulation of a pathogen-responsive tobacco UDP-Glc:phenylpropanoid glucosyltransferase reduces scopoletin glucoside accumulation, enhances oxidative stress, and weakens virus resistance. <i>Plant Cell</i> , 2002 , 14, 1093-107	11.6 195
2148	Reaction mechanism of chalcone isomerase. pH dependence, diffusion control, and product binding differences. 2002 , 277, 1361-9	112

2147	Analysing changes in fruit pigments. 2002 , 248-282	9
2146	Differential substrate inhibition couples kinetically distinct 4-coumarate:coenzyme a ligases with spatially distinct metabolic roles in quaking aspen. 2002 , 128, 428-38	84
2145	Chemical inactivation of the cinnamate 4-hydroxylase allows for the accumulation of salicylic acid in elicited cells. 2002 , 130, 1022-31	29
2144	Chapter Twelve Structurally guided alteration of biosynthesis in plant type III polyketide synthases. 2002 , 197-222	
2143	Regulation of the plant defence response in arbuscular mycorrhizal symbiosis. 2002 , 53, 1377-1386	225
2142	Chemical responses to plant injury and plant aging. 2002 , 27, 59-102	
2141	Flavone glucoside uptake into barley mesophyll and Arabidopsis cell culture vacuoles. Energization occurs by H(+)-antiport and ATP-binding cassette-type mechanisms. 2002 , 128, 726-33	106
2140	Molecular characterization and in silico expression analysis of a chalcone synthase gene family in <i>Sorghum bicolor</i> . 2002 , 61, 179-188	39
2139	Towards and Understanding of the Evolution of the Downy Mildews. 2002 , 1-57	18
2138	Production of Phenolics by in Vitro Cultures of <i>Hypericum perforatum</i> : A Case Study. 2002 , 367-374	
2137	Characterization of a bacterial tyrosine ammonia lyase, a biosynthetic enzyme for the photoactive yellow protein. 2002 , 512, 240-4	137
2136	Structure and transcription of three chalcone synthase genes of grapevine (<i>Vitis vinifera</i>). 2002 , 162, 867-872	82
2135	Constitutive elevated accumulation of phenylpropanoids in soybean roots at low temperature. 2002 , 163, 369-373	74
2134	Survival and growth of <i>Listeria monocytogenes</i> and <i>Escherichia coli</i> O157:H7 in ready-to-eat iceberg lettuce washed in warm chlorinated water. 2002 , 65, 459-64	86
2133	Plants and human health in the twenty-first century. 2002 , 20, 522-31	567
2132	Nitric oxide burst and nitric oxide-dependent gene induction in plants. 2002 , 40, 625-631	38
2131	Effects of wounding and salicylic acid on hydroxycinnamoylmalic acids in <i>Thunbergia alata</i> . 2002 , 40, 761-769	17
2130	Changes in phenolic metabolism of tobacco plants during short-term boron deficiency. 2002 , 40, 997-1002	100

2129	Polyphenols in greenhouse and open-air-grown lettuce. 2002 , 79, 337-342		106
2128	Identification and quantification of galloyl derivatives, flavonoid glycosides and anthocyanins in leaves of <i>Pistacia lentiscus</i> L. 2002 , 13, 79-86		92
2127	Overexpression of beta-carotene hydroxylase enhances stress tolerance in <i>Arabidopsis</i> . 2002 , 418, 203-6		301
2126	CLONAL HERBAL EXTRACTS AS ELICITORS OF PHENOLIC SYNTHESIS IN DARK-GERMINATED MUNGBEANS FOR IMPROVING NUTRITIONAL VALUE WITH IMPLICATIONS FOR FOOD SAFETY. 2002 , 26, 209-232		21
2125	Relationship between Bran Mechanical Properties and Milling Behaviour of Durum Wheat (<i>Triticum durum</i> Desf.). Influence of Tissue Thickness and Cell Wall Structure. 2002 , 36, 377-386		33
2124	Comparison of the Effect of Different Fungal Elicitors on <i>Rubia Tinctorum</i> L. Suspension Culture. 2002 , 45, 281-290		12
2123	Reddening of Cotton (<i>Gossypium Hirsutum</i> L.) Leaves. 2002 , 45, 303-306		7
2122	Biotechnology for the production of plant secondary metabolites. 2002 , 1, 13-25		394
2121	Phenolic compounds in embryos of triticales caryopses at different stages of development and maturation in normal environment and after dehydration treatment. 2002 , 126, 115-122		14
2120	14-3-3 proteins and the response to abiotic and biotic stress. <i>Plant Molecular Biology</i> , 2002 , 50, 1031-9	4.6	145
2119	Effect of nitrogen and water treatment on leaf chemistry in horsenettle (<i>Solanum carolinense</i>), and relationship to herbivory by flea beetles (<i>Epitrix</i> spp.) and tobacco hornworm (<i>Manduca sexta</i>). 2002 , 28, 2377-98		33
2118	Biological responses of suspension cultures of <i>Taxus chinensis</i> var. <i>mairei</i> to shear stresses in the short term. 2003 , 110, 61-74		8
2117	Profiling of flavonoid conjugates in <i>Lupinus albus</i> and <i>Lupinus angustifolius</i> responding to biotic and abiotic stimuli. 2003 , 29, 1127-42		35
2116	A novel potato defence-related alcohol:NADP ⁺ oxidoreductase induced in response to <i>Erwinia carotovora</i> . <i>Plant Molecular Biology</i> , 2003 , 52, 177-89	4.6	18
2115	Structure of the tobacco caffeic acid O-methyltransferase (COMT) II gene: identification of promoter sequences involved in gene inducibility by various stimuli. <i>Plant Molecular Biology</i> , 2003 , 52, 495-509	4.6	29
2114	Defoliation-induced responses in peroxidases, phenolics, and polyamines in scots pine (<i>Pinus sylvestris</i> L.) needles. 2003 , 29, 1905-18		25
2113	Induction of hypericins and hyperforins in <i>Hypericum perforatum</i> in response to damage by herbivores. 2003 , 29, 2667-81		42
2112	Cytochemical Localization of Phenolic Compounds in Columella Cells of the Root Cap during Maturation of Seeds of <i>Brassica napus</i> L.. 2003 , 5, 378-382		9

2111	4-coumarate:CoA ligase gene family in <i>Rubus idaeus</i> : cDNA structures, evolution, and expression. <i>Plant Molecular Biology</i> , 2003 , 51, 327-40	4.6	49
2110	Reaction of winter oilseed rape callus to different concentrations of elicitors: pectinase or chitosan. 2003 , 25, 83-89		13
2109	Phenylalanine ammonia-lyase and ethylene in relation to chilling injury as affected by fruit age in citrus. 2003 , 29, 309-318		60
2108	Plant-part specific and temporal variation in phenolic compounds of boreal bilberry (<i>Vaccinium myrtillus</i>) plants. 2003 , 31, 115-127		60
2107	Elicitation of soluble phenolics in date palm (<i>Phoenix dactylifera</i>) callus by <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> culture medium. 2003 , 49, 41-47		49
2106	Benzophenone synthase and chalcone synthase from <i>Hypericum androsaemum</i> cell cultures: cDNA cloning, functional expression, and site-directed mutagenesis of two polyketide synthases. 2003 , 34, 847-55		97
2105	Differential expression of multiple PR10 proteins in western white pine following wounding, fungal infection and cold-hardening. 2003 , 119, 544-553		96
2104	Defence lignin and hydroxycinnamyl alcohol dehydrogenase activities in wounded <i>Eucalyptus gunnii</i> . 2003 , 33, 91-104		34
2103	Defence lignin and hydroxycinnamyl alcohol dehydrogenase activities in wounded <i>Eucalyptus gunnii</i> . 2003 , 33, 339-352		8
2102	The Use of Controlled Postharvest Abiotic Stresses as a Tool for Enhancing the Nutraceutical Content and Adding-Value of Fresh Fruits and Vegetables. 2003 , 68, 1560-1565		274
2101	Rediscovering plant-based drugs. 2003 , 21, 843-4		1
2100	Fitness costs of chemical defense in <i>Plantago lanceolata</i> L.: effects of nutrient and competition stress. 2003 , 57, 2519-30		43
2099	Similar stress responses are elicited by copper and ultraviolet radiation in the aquatic plant <i>Lemna gibba</i> : implication of reactive oxygen species as common signals. 2003 , 44, 1320-9		150
2098	MOLECULAR SIGNALS AND RECEPTORS: CONTROLLING RHIZOSPHERE INTERACTIONS BETWEEN PLANTS AND OTHER ORGANISMS. 2003 , 84, 858-868		129
2097	An overexpression of chalcone reductase of <i>Pueraria montana</i> var. <i>lobata</i> alters biosynthesis of anthocyanin and 5'-deoxyflavonoids in transgenic tobacco. 2003 , 303, 326-31		38
2096	Validation of leaf ozone symptoms in natural vegetation using microscopical methods. 2003 , 124, 101-18		111
2095	Enhancement of anthocyanin biosynthesis by sugar in radish (<i>Raphanus sativus</i>) hypocotyl. 2003 , 164, 259-265		110
2094	Phenol metabolism is differentially affected by ozone in two cell lines from grape (<i>Vitis vinifera</i> L.) leaf. 2003 , 165, 951-957		57

2093	Establishment of a co-culture of <i>Ammi majus</i> L. and <i>Ruta graveolens</i> L. for the synthesis of furanocoumarins. 2003 , 165, 1315-1319	30
2092	Effect of anthocyanin on David peach (<i>Prunus davidiana</i> Franch) under low temperature stress. 2003 , 97, 27-39	11
2091	Chitosan and chitin oligomers increase phenylalanine ammonia-lyase and tyrosine ammonia-lyase activities in soybean leaves. 2003 , 160, 859-63	140
2090	Differential responses in vitro of rice cultivars to Italian lineages of the blast pathogen <i>Pyricularia grisea</i> (Cooke) Sacc. 1. Oxidative burst. 2003 , 160, 1033-40	10
2089	Characterization of Plasmopara-resistance in grapevine using in vitro plants. 2003 , 160, 1393-400	79
2088	The metabolic pathway of salicylic acid rather than of chlorogenic acid is involved in the stress-induced flowering of <i>Pharbitis nil</i> . 2003 , 160, 461-7	41
2087	Cinnamate:coenzyme A ligase from the filamentous bacterium <i>Streptomyces coelicolor</i> A3(2). 2003 , 185, 20-7	65
2086	4-Coumarate:coenzyme A ligase has the catalytic capacity to synthesize and reuse various (di)adenosine polyphosphates. 2003 , 131, 1401-10	27
2085	<i>Arabidopsis</i> ICX1 is a negative regulator of several pathways regulating flavonoid biosynthesis genes. 2003 , 131, 707-15	56
2084	Inhibition of <i>Listeria monocytogenes</i> by Elite Clonal Extracts of Oregano (<i>Origanum vulgare</i>). 2003 , 17, 129-149	20
2083	Purification, cloning, and properties of an acyltransferase controlling shikimate and quinate ester intermediates in phenylpropanoid metabolism. 2003 , 278, 95-103	280
2082	Daphnetin methylation by a novel O-methyltransferase is associated with cold acclimation and photosystem II excitation pressure in rye. 2003 , 278, 6854-61	27
2081	FITNESS COSTS OF CHEMICAL DEFENSE IN <i>PLANTAGO LANCEOLATA</i> L.: EFFECTS OF NUTRIENT AND COMPETITION STRESS. 2003 , 57, 2519	4
2080	A functional genomics approach toward the understanding of secondary metabolism in plant cells. 2003 , 100, 8595-600	339
2079	Isolation and sequencing a genomic DNA encoding for phenylalanine ammonia-lyase from <i>Phalaenopsis</i> . 2003 , 14, 442-9	8
2078	Phenolic Antioxidant Biosynthesis in Plants for Functional Food Application: Integration of Systems Biology and Biotechnological Approaches. 2003 , 17, 67-97	42
2077	The functions of nitric oxide-mediated signaling and changes in gene expression during the hypersensitive response. 2003 , 5, 33-41	58
2076	Auxin responsiveness of a novel cytochrome p450 in rice coleoptiles. 2003 , 133, 2000-9	25

2075	Metabolic flux analysis of the phenylpropanoid pathway in wound-healing potato tuber tissue using stable isotope-labeled tracer and LC-MS spectroscopy. 2003 , 44, 510-7	51
2074	Exopolysaccharides produced by plant pathogenic bacteria affect ascorbate metabolism in <i>Nicotiana tabacum</i> . 2003 , 44, 803-10	27
2073	Effect of Simulated Microgravity on Seedling Development and Vascular Differentiation of Soy. 2003 ,	
2072	Isolation and quantitative analysis of cryptotanshinone, an active quinoid diterpene formed in callus of <i>Salvia miltiorrhiza</i> BUNGE. 2003 , 26, 845-8	37
2071	Low Microbial Load Sprouts with Enhanced Antioxidants for Astronaut Diet. 2003 ,	1
2070	Effects of sucrose on anthocyanin production in hypocotyl of two radish (<i>Raphanus sativus</i>) varieties. 2004 , 21, 401-405	21
2069	Molecular and biochemical analysis of two cDNA clones encoding dihydroflavonol-4-reductase from <i>Medicago truncatula</i> . 2004 , 134, 979-94	117
2068	Related to ubiquitin 1 and 2 are redundant and essential and regulate vegetative growth, auxin signaling, and ethylene production in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2004 , 16, 2418-32	11.6 71
2067	Condensed lignins are synthesized in poplar leaves exposed to ozone. 2004 , 134, 586-94	101
2066	Structural basis for the entrance into the phenylpropanoid metabolism catalyzed by phenylalanine ammonia-lyase. <i>Plant Cell</i> , 2004 , 16, 3426-36	11.6 208
2065	Chapter eight Metabolic engineering of soybean for improved flavor and health benefits. 2004 , 38, 153-176	1
2064	Ectopic expression of a UDP-glucose:phenylpropanoid glucosyltransferase leads to increased resistance of transgenic tobacco plants against infection with Potato Virus Y. 2004 , 45, 1185-93	40
2063	Toxicity caused by hydroxycinnamoyl-coenzyme A thioester accumulation in mutants of <i>Acinetobacter</i> sp. strain ADP1. 2004 , 70, 2974-83	19
2062	Tissue-specific gene silencing mediated by a naturally occurring chalcone synthase gene cluster in <i>Glycine max</i> . <i>Plant Cell</i> , 2004 , 16, 819-35	11.6 158
2061	Cloning, heterologous expression, and characterization of a phenylalanine aminomutase involved in Taxol biosynthesis. 2004 , 279, 53947-54	97
2060	Cytophysiological features of <i>Posidonia oceanica</i> as putative markers of environmental conditions. 2004 , 20, 215-223	12
2059	Comparative sequence analysis of the region harboring the hardness locus in barley and its colinear region in rice. 2004 , 136, 3177-90	66
2058	Isolation and characterization of a wound inducible phenylalanine ammonia-lyase gene (LSPAL1) from Romaine lettuce leaves. 2004 , 121, 429-438	61

2057	Effects of root-applied naringenin and chalcone on the growth of annual plants. 2004 , 4, 235-238	19
2056	Genome stability of vtc1, tt4, and tt5 Arabidopsis thaliana mutants impaired in protection against oxidative stress. 2004 , 38, 60-9	58
2055	Expression of RPS4 in tobacco induces an AvrRps4-independent HR that requires EDS1, SGT1 and HSP90. 2004 , 40, 213-24	112
2054	Down-regulation of photosystem I by Erwinia carotovora-derived elicitors correlates with H ₂ O ₂ accumulation in chloroplasts of potato. 2004 , 5, 115-23	10
2053	Differential accumulation of flavonoids and hydroxycinnamates in leaves of Ligustrum vulgare under excess light and drought stress. 2004 , 163, 547-561	319
2052	Phenylalanine ammonia-lyase-induced freezing tolerance in jack pine (Pinus banksiana) seedlings treated with low, ambient levels of ultraviolet-B radiation. 2004 , 122, 244-253	36
2051	The Role of the Barley Testa Layer and its Flavonoid Content in Resistance to Fusarium Infections. 2004 , 126, 147-160	92
2050	Nitrogen-induced changes in phenolics of Vaccinium myrtillus--implications for interaction with a parasitic fungus. 2004 , 30, 1937-56	38
2049	Oxidation of vacuolar and apoplastic phenolic substrates by peroxidase: Physiological significance of the oxidation reactions. 2004 , 3, 207-219	151
2048	Possible functions of extracellular peroxidases in stress-induced generation and detoxification of active oxygen species. 2004 , 3, 173-193	87
2047	Environmental conditions influence the content and yield of anthocyanins and total phenolics in purple- and red-flesh potatoes during tuber development. 2004 , 81, 187-193	88
2046	Seasonal changes in antioxidant activity, total phenolic and anthocyanin constituent of the stems of two Morus species (Morus alba L. and Morus nigra L.). 2004 , 44, 251-256	36
2045	Suppression of phenylalanine ammonia lyase expression in sugar beet by the fungal pathogen Cercospora beticola is mediated at the core promoter of the gene. <i>Plant Molecular Biology</i> , 2004 , 55, 835-852	4.6 27
2044	Changes in the concentration of phenolic compounds and exudation induced by phosphate deficiency in bean plants (Phaseolus vulgaris L.). 2004 , 267, 41-49	77
2043	Detection of the putative cis-region involved in the induction by a Pyricularia oryzae elicitor of the promoter of a gene encoding phenylalanine ammonia-lyase in rice. 2004 , 22, 513-8	14
2042	Chalcone synthase-like gene in the liverwort, Marchantia paleacea var. diptera. 2004 , 23, 167-73	17
2041	Changes in sugar, organic acid, flavonol and carotenoid composition during ripening of berries of three seabuckthorn (Hippophae rhamnoides L.) cultivars. 2004 , 219, 360	65
2040	Effects of heat treatment on the quality of fresh-cut Chinese water chestnut. 2004 , 39, 143-148	24

2039	Role of proline-linked pentose phosphate pathway in biosynthesis of plant phenolics for functional food and environmental applications: a review. 2004 , 39, 789-804	122
2038	Suppression of nitric oxide production in mouse macrophages by soybean flavonoids accumulated in response to nitroprusside and fungal elicitation. 2004 , 5, 5	31
2037	Signal quenching, detoxification and mineralization of vir gene-inducing phenolics by the VirH2 protein of <i>Agrobacterium tumefaciens</i> . 2004 , 51, 1103-15	28
2036	Liquid chromatography coupled to nuclear magnetic resonance spectroscopy for the identification of isoflavone glucoside malonates in <i>T. pratense</i> L. leaves. 2004 , 27, 1061-70	59
2035	Exploring recombinant flavonoid biosynthesis in metabolically engineered <i>Escherichia coli</i> . 2004 , 5, 500-7	116
2034	<i>Agrobacterium tumefaciens</i> AK-6b gene modulates phenolic compound metabolism in tobacco. 2004 , 65, 169-79	28
2033	Modification of flavonoid biosynthesis in crop plants. 2004 , 65, 2631-48	284
2032	Methyl jasmonate treatments reduce chilling injury and activate the defense response of guava fruits. 2004 , 313, 694-701	140
2031	EST analysis of genes involved in secondary metabolism in <i>Camellia sinensis</i> (tea), using suppression subtractive hybridization. 2004 , 166, 953-961	86
2030	Involvement of nitric oxide in elicitor-induced defense responses and secondary metabolism of <i>Taxus chinensis</i> cells. 2004 , 11, 298-306	38
2029	Solid-state bioconversion of fava bean by <i>Rhizopus oligosporus</i> for enrichment of phenolic antioxidants and l-DOPA. 2004 , 5, 235-244	48
2028	Distribution, developmental and stress responses of antioxidant metabolism in <i>Malus</i> . 2004 , 27, 1309-1320	52
2027	Stimulation of phenolics, antioxidant and antimicrobial activities in dark germinated mung bean sprouts in response to peptide and phytochemical elicitors. 2004 , 39, 637-646	180
2026	Analysis of the involvement of hydroxyanthranilate hydroxycinnamoyltransferase and caffeoyl-CoA 3-O-methyltransferase in phytoalexin biosynthesis in oat. 2004 , 17, 81-9	55
2025	Biosynthesis of Polyphenol Phytoestrogens in Plants. 2005 ,	
2024	Caracterização química e física de batatas 'gata' minimamente processadas, embaladas sob diferentes atmosferas modificadas ativas. 2005 , 40, 1035-1041	10
2023	Heat Treatments to Reduce Decay. 2005 , 11-42	1
2022	Flavonoid Functions in Plants. 2005 , 397-441	44

2021	Antioxidant enzyme response studies in H ₂ O ₂ -stressed porcine muscle tissue following treatment with oregano phenolic extracts. 2005 , 40, 2123-2134	15
2020	Effect of water and temperature stress on the content of active constituents of <i>Hypericum brasiliense</i> Choisy. 2005 , 43, 241-8	253
2019	CO ₂ -induced total phenolics in suspension cultures of <i>Panax ginseng</i> C. A. Mayer roots: role of antioxidants and enzymes. 2005 , 43, 449-57	34
2018	Oxidation of liposomal membrane suppressed by flavonoids: quantitative structure-activity relationship. 2005 , 13, 6477-84	46
2017	Structure-antioxidant activity relationships of flavonoids isolated from the resinous exudate of <i>Heliotropium sinuatum</i> . 2005 , 15, 309-12	39
2016	Simultaneous LC-DAD and LC-MS Determination of Ellagitannins, Flavonoid Glycosides, and Acyl-Glycosyl Flavonoids in <i>Cistus salvifolius</i> L. Leaves. 2005 , 62, 245-249	32
2015	Production of pilocarpine in callus of jaborandi (<i>pilocarpus microphyllus</i> stapf). 2005 , 41, 806-811	19
2014	The importance of non-photosynthetic pigments and cinnamic acid derivatives in photoprotection. 2005 , 106, 135-146	87
2013	Genomics of berry fruits antioxidant components. 2005 , 23, 179-87	8
2012	Direct and indirect defences induced by piercing-sucking and chewing herbivores in <i>Medicago truncatula</i> . 2005 , 167, 597-606	162
2011	Overexpression of <i>Osmyb4</i> enhances compatible solute accumulation and increases stress tolerance of <i>Arabidopsis thaliana</i> . 2005 , 125, 212-223	79
2010	Involvement of components of the phospholipid-signaling pathway in wound-induced phenylpropanoid metabolism in lettuce (<i>Lactuca sativa</i>) leaf tissue. 2005 , 125, 345-355	35
2009	Mono-carboxylic acids and their salts inhibit wound-induced phenolic accumulation in excised lettuce (<i>Lactuca sativa</i>) leaf tissue. 2005 , 125, 051020045109002-???	3
2008	Induction of Defence Responses in Roots and Mesocotyls of Sorghum Seedlings by Inoculation with <i>Fusarium thapsinum</i> and <i>F. proliferatum</i> , Wounding and Light. 2005 , 153, 522-529	23
2007	Unwounded plants elicit <i>Agrobacterium vir</i> gene induction and T-DNA transfer: transformed plant cells produce opines yet are tumour free. 2005 , 57, 1522-31	30
2006	Effects of a biocontrol agent and methyl jasmonate on postharvest diseases of peach fruit and the possible mechanisms involved. 2005 , 98, 941-50	168
2005	Systemic Potato virus YNTN infection and levels of salicylic and gentisic acids in different potato genotypes. 2005 , 54, 441-447	27
2004	cDNA-AFLP reveals genes differentially expressed during the hypersensitive response of cassava. 2005 , 6, 113-23	18

2003	Multiple defence signals induced by <i>Erwinia carotovora</i> ssp. <i>carotovora</i> elicitors in potato. 2005 , 6, 541-9	27
2002	On the role of flavonoids in the integrated mechanisms of response of <i>Ligustrum vulgare</i> and <i>Phillyrea latifolia</i> to high solar radiation. 2005 , 167, 457-70	133
2001	Structure-function relationships in plant phenylpropanoid biosynthesis. 2005 , 8, 249-53	73
2000	Effects of pre- and post-harvest application of salicylic acid or methyl jasmonate on inducing disease resistance of sweet cherry fruit in storage. 2005 , 35, 253-262	274
1999	Wound-induced phenolic accumulation and browning in lettuce (<i>Lactuca sativa</i> L.) leaf tissue is reduced by exposure to n-alcohols. 2005 , 37, 47-55	70
1998	Possible regulatory role of phenylalanine ammonia-lyase in the production of anthocyanins in asparagus (<i>Asparagus officinalis</i> L). 2005 , 85, 925-930	21
1997	Profiling isoflavone conjugates in root extracts of lupine species with LC/ESI/MSn systems. 2005 , 40, 1088-103	38
1996	Phytochemical phenolics in organically grown vegetables. 2005 , 49, 1136-42	126
1995	Birch PR-10c interacts with several biologically important ligands. 2005 , 66, 2524-33	69
1994	Nod factor induces soybean resistance to powdery mildew. 2005 , 43, 1022-30	29
1993	Formation of phenolic compounds in various cultivars of wheat (<i>Triticum aestivum</i> L.). 2005 , 41, 99-102	2
1992	Response of Winter Wheat to Cold: Production of Phenolic Compounds and L-Phenylalanine Ammonia Lyase Activity. 2005 , 41, 600-603	33
1991	Flavonoids: from cell cycle regulation to biotechnology. 2005 , 27, 365-74	42
1990	Identification of three shikimate kinase genes in rice: characterization of their differential expression during panicle development and of the enzymatic activities of the encoded proteins. 2005 , 222, 438-47	35
1989	Do multitrophic interactions override N fertilization effects on Operophtera larvae?. 2005 , 143, 241-50	25
1988	Effect of wounding and chemical treatments on expression of the gene encoding cinnamate-4-hydroxylase in <i>Camptotheca acuminata</i> leaves. 2005 , 48, 298-303	5
1987	Metabolism of phenolic compounds in <i>Vitis riparia</i> seeds during stratification and during germination under optimal and low temperature stress conditions. 2005 , 27, 313-320	27
1986	Polyamine profiles of healthy and parasite-infected <i>Vaccinium myrtillus</i> plants under nitrogen enrichment. 2005 , 31, 561-75	4

1985	DcMYB1 acts as a transcriptional activator of the carrot phenylalanine ammonia-lyase gene (DcPAL1) in response to elicitor treatment, UV-B irradiation and the dilution effect. <i>Plant Molecular Biology</i> , 2005 , 59, 739-52	4.6	74
1984	The Effects of Cold Acclimation of Winter Wheat Plants on Changes in CO2 Exchange and Phenolic Compound Formation. 2005 , 52, 320-325		9
1983	Ultraviolet Rays Promote Development of Photosystem II Photochemical Activity and Accumulation of Phenolic Compounds in the Tea Callus Culture (<i>Camellia sinensis</i>). 2005 , 52, 731-739		15
1982	Phenylpropanoids comprise a multitude of plant secondary metabolites and cell wall components. 2005 , 435-454		2
1981	Isoflavonoid production by adventitious-root cultures of <i>Iris germanica</i> (Iridaceae). 2005 , 22, 207-215		14
1980	Host-hemiparasite transfer of the C-glucosyl xanthone mangiferin between <i>Mangifera indica</i> and <i>Dendrophthoe falcata</i> . 2005 , 1, 171-177		5
1979	Structural elucidation of chalcone reductase and implications for deoxychalcone biosynthesis. 2005 , 280, 30496-503		71
1978	Metabolic flux analysis of the phenylpropanoid pathway in elicitor-treated potato tuber tissue. 2005 , 46, 454-66		68
1977	A novel approach for nontargeted data analysis for metabolomics. Large-scale profiling of tomato fruit volatiles. 2005 , 139, 1125-37		413
1976	Water deficits affect caffeate O-methyltransferase, lignification, and related enzymes in maize leaves. A proteomic investigation. 2005 , 137, 949-60		166
1975	Identification of a novel factor, vanillyl benzyl ether, which inhibits somatic embryogenesis of Japanese larch (<i>Larix leptolepis</i> Gordon). 2005 , 46, 445-53		17
1974	A mechanism of nonphotochemical energy dissipation, independent from PsbS, revealed by a conformational change in the antenna protein CP26. <i>Plant Cell</i> , 2005 , 17, 1217-32	11.6	195
1973	Anthocyaninless Cultivars of Sweet Orange Lack to Express the UDP-Glucose Flavonoid 3-O-Glucosyl Transferase. 2005 , 14, 9-14		18
1972	Nitric oxide is involved in methyl jasmonate-induced defense responses and secondary metabolism activities of <i>Taxus</i> cells. 2005 , 46, 923-30		125
1971	Stimulation of High Biomass, Rosmarinic Acid, and Total Phenolics in Tissue Cultures of Pennyroyal in Response to <i>Pseudomonas mucidolens</i> . 2005 , 11, 13-24		1
1970	Detection of and response to signals involved in host-microbe interactions by plant-associated bacteria. 2005 , 69, 155-94		266
1969	The <i>Arabidopsis</i> transcription factor MYB12 is a flavonol-specific regulator of phenylpropanoid biosynthesis. 2005 , 138, 1083-96		519
1968	Antioxidant enzymes and isoflavonoids in chilled soybean (<i>Glycine max</i> (L.) Merr.) seedlings. 2005 , 162, 403-12		112

1967	Profiling C6-C3 and C6-C1 phenolic metabolites in <i>Cocos nucifera</i> . 2005 , 162, 375-81	31
1966	Post-stress metabolism involves umbelliferone production in anthocyanin-producing and nonproducing cells of <i>Glehnia littoralis</i> suspension cultures. 2005 , 162, 703-10	13
1965	Discovery of a novel superfamily of type III polyketide synthases in <i>Aspergillus oryzae</i> . 2005 , 331, 253-60	91
1964	Calcium lactate washing treatments for salad-cut Iceberg lettuce: Effect of temperature and concentration on quality retention parameters. 2005 , 38, 729-740	55
1963	UV-absorbing compounds in subarctic herbarium bryophytes. 2005 , 133, 303-14	36
1962	Diagnosis of abiotic and biotic stress factors using the visible symptoms in foliage. 2005 , 137, 455-65	184
1961	Changes in the concentrations of phenolics and photosynthates in Scots pine (<i>Pinus sylvestris</i> L.) seedlings exposed to nickel and copper. 2005 , 137, 603-9	42
1960	Growth and defense in deciduous trees and shrubs under UV-B. 2005 , 137, 404-14	69
1959	Optically assessed contents of leaf polyphenolics and chlorophyll as indicators of nitrogen deficiency in wheat (<i>Triticum aestivum</i> L.). 2005 , 91, 35-49	261
1958	A transposon-based activation-tagging population in <i>Arabidopsis thaliana</i> (TAMARA) and its application in the identification of dominant developmental and metabolic mutations. 2005 , 579, 4622-8	34
1957	Modulation of key enzymes involved in ammonium assimilation and carbon metabolism by low temperature in rice (<i>Oryza sativa</i> L.) roots. 2005 , 169, 295-302	39
1956	Salicylic acid induced the expression of phenylalanine ammonia-lyase gene in grape berry. 2005 , 169, 928-934	106
1955	Induction of redox sensitive extracellular phenolics during plant-Bacterial interactions. 2005 , 66, 90-98	50
1954	Lectins: tools for the molecular understanding of the glycode. 2005 , 3, 1593-608	399
1953	Seed coats: Structure, development, composition, and biotechnology. 2005 , 41, 620-644	132
1952	Involvement of ethylene biosynthesis and perception in the susceptibility of citrus fruits to <i>Penicillium digitatum</i> infection and the accumulation of defence-related mRNAs. 2005 , 56, 2183-93	69
1951	Metabolic Engineering of Isoflavone Biosynthesis. 2005 , 147-190	80
1950	Terrestrial Plant-Derived Anticancer Agents and Plant Species Used in Anticancer Research. 2006 , 25, 79-113	58

1949	Pharmacological Activities of Phenylpropanoids Glycosides. 2006 , 33, 675-718	9
1948	Characterization of flavonoid 7-O-glucosyltransferase from <i>Arabidopsis thaliana</i> . 2006 , 70, 1471-7	44
1947	Association of <i>Gluconacetobacter diazotrophicus</i> with roots of common bean (<i>Phaseolus vulgaris</i>) seedlings is promoted in vitro by UV light. 2006 , 84, 321-327	6
1946	Isolation and Identification of Flavonoids. 2006 , 47-69	28
1945	Flavonoids as Signal Molecules: Targets of Flavonoid Action. 2006 , 239-268	46
1944	Bioconversions of ferulic acid, an hydroxycinnamic acid. 2006 , 32, 115-25	103
1943	Modification of Secondary Metabolism and Flavonoid Biosynthesis Under Phosphate Deficiency in Bean Roots. 2006 , 29, 245-258	19
1942	Diagnosis of abiotic and biotic stress factors using the visible symptoms in foliage. 2006 , 140, 562-71	32
1941	Why some leaves are anthocyanic and why most anthocyanic leaves are red?. 2006 , 201, 163-177	152
1940	Wound-induced expression of the ferulate 5-hydroxylase gene in <i>Camptotheca acuminata</i> . 2006 , 1760, 182-90	19
1939	Cloning and expression analysis of an o-methyltransferase (OMT) gene from Chinese shrimp, <i>Fenneropenaeus chinensis</i> . 2006 , 21, 284-92	16
1938	Changes and subcellular localizations of the enzymes involved in phenylpropanoid metabolism during grape berry development. 2006 , 163, 115-27	65
1937	Possible involvement of some secondary metabolites in salt tolerance of sugarcane. 2006 , 163, 723-30	219
1936	Proteins induced by cadmium in soybean cells. 2006 , 163, 1203-6	52
1935	Expression of the flavonoid 3?-hydroxylase and flavonoid 3?,5?-hydroxylase genes and flavonoid composition in grape (<i>Vitis vinifera</i>). 2006 , 170, 61-69	132
1934	Seasonal variations of selected flavonoids, phenolic acids and quinones in annual shoots of common walnut (<i>Juglans regia</i> L.). 2006 , 170, 453-461	101
1933	Elicitor-induced rosmarinic acid accumulation and secondary metabolism enzyme activities in <i>Salvia miltiorrhiza</i> hairy roots. 2006 , 170, 853-858	145
1932	Phenolics metabolism and lignin synthesis in root suspension cultures of <i>Panax ginseng</i> in response to copper stress. 2006 , 171, 147-154	146

1931	The ectopic expression of the rice Osmyb4 gene in Arabidopsis increases tolerance to abiotic, environmental and biotic stresses. 2006 , 69, 26-42	84
1930	Involvement of nitric oxide in oxidative burst, phenylalanine ammonia-lyase activation and Taxol production induced by low-energy ultrasound in <i>Taxus yunnanensis</i> cell suspension cultures. 2006 , 15, 351-8	111
1929	Bioactive constituents of brazilian red propolis. 2006 , 3, 249-54	130
1928	Comparative Genomics of The Shikimate Pathway in Arabidopsis, <i>Populus Trichocarpa</i> and <i>Oryza Sativa</i> : Shikimate Pathway Gene Family Structure and Identification of Candidates for Missing Links in Phenylalanine Biosynthesis. 2006 , 85-113	6
1927	Profiling isoflavone conjugates in different organs of <i>Lupinus exaltatus</i> Zucc. 2006 , 17, 184-91	14
1926	An in vitro screening assay to discover novel inhibitors of 4-coumarate:CoA ligase. 2006 , 62, 1065-71	13
1925	Cadmium-induced changes in pigments, total phenolics, and phenylalanine ammonia-lyase activity in fronds of <i>Azolla imbricata</i> . 2006 , 21, 505-12	78
1924	Wounding of Root or Basal Stalk Prior to Harvest Affects Pre-harvest Antioxidant Accumulation and Tobacco-specific Nitrosamine Formation during Air Curing of Burley Tobacco (<i>Nicotiana tabacum</i> L.). 2006 , 192, 267-277	10
1923	Biochemical and molecular characterizations of nicotine demethylase in tobacco. 2006 , 129, 307-319	25
1922	Isoflavonoid exudation from white lupin roots is influenced by phosphate supply, root type and cluster-root stage. 2006 , 171, 657-68	58
1921	ANTIOXIDANT ENZYME RESPONSE STUDIES IN H ₂ O ₂ -STRESSED PORCINE MUSCLE TISSUE FOLLOWING TREATMENT WITH FAVA BEAN SPROUT EXTRACT AND L-DOPA. 2006 , 30, 671-698	9
1920	Genomics of hybrid poplar (<i>Populus trichocarpax deltoides</i>) interacting with forest tent caterpillars (<i>Malacosoma disstria</i>): normalized and full-length cDNA libraries, expressed sequence tags, and a cDNA microarray for the study of insect-induced defences in poplar. 2006 , 15, 1275-97	159
1919	Growth at elevated CO ₂ concentrations leads to modified profiles of secondary metabolites in tobacco cv. SamsunNN and to increased resistance against infection with potato virus Y. 2006 , 29, 126-37	119
1918	Evidence that differential gene expression between the halophyte, <i>Thellungiella halophila</i> , and <i>Arabidopsis thaliana</i> is responsible for higher levels of the compatible osmolyte proline and tight control of Na ⁺ uptake in <i>T. halophila</i> . 2006 , 29, 1220-34	209
1917	Environmental and developmental effects on the biosynthesis of UV-B screening pigments in Scots pine (<i>Pinus sylvestris</i> L.) needles. 2006 , 29, 1484-91	12
1916	Involvement of wound-induced receptor-like protein kinase in wound signal transduction in tobacco plants. 2006 , 47, 249-57	26
1915	The <i>Arabidopsis thaliana</i> TIR-NB-LRR R-protein, RPP1A; protein localization and constitutive activation of defence by truncated alleles in tobacco and <i>Arabidopsis</i> . 2006 , 47, 829-40	93
1914	Downregulation of high-isoelectric-point extracellular superoxide dismutase mediates alterations in the metabolism of reactive oxygen species and developmental disturbances in hybrid aspen. 2007 , 49, 135-48	28

1913	Conifer defence against insects: microarray gene expression profiling of Sitka spruce (<i>Picea sitchensis</i>) induced by mechanical wounding or feeding by spruce budworms (<i>Choristoneura occidentalis</i>) or white pine weevils (<i>Pissodes strobi</i>) reveals large-scale changes of the host transcriptome. 2006 , 29, 1545-70	197
1912	Morpho-anatomical, physiological and biochemical adjustments in response to root zone salinity stress and high solar radiation in two Mediterranean evergreen shrubs, <i>Myrtus communis</i> and <i>Pistacia lentiscus</i> . 2006 , 170, 779-94	90
1911	Exogenous salicylic acid inhibits browning of fresh-cut Chinese water chestnut. 2006 , 94, 535-540	53
1910	Antioxidative responses of <i>Echinacea angustifolia</i> cultured roots to different levels of CO ₂ in bioreactor liquid cultures. 2006 , 39, 982-990	8
1909	Antioxidant responses in minimally processed celery during refrigerated storage. 2006 , 94, 68-74	56
1908	Induction of phenolic compounds in <i>Hypericum perforatum</i> L. cells by <i>Colletotrichum gloeosporioides</i> elicitation. 2006 , 67, 149-55	79
1907	Transgenic ipt tobacco overproducing cytokinins overaccumulates phenolic compounds during in vitro growth. 2006 , 44, 526-34	39
1906	Phenolic acids content of fifteen dry edible bean (<i>Phaseolus vulgaris</i> L.) varieties. 2006 , 19, 205-211	185
1905	Organic food: buying more safety or just peace of mind? A critical review of the literature. 2006 , 46, 23-56	239
1904	Effect of cold hardening on the phenolic complex of winter wheat leaves. 2006 , 53, 495-500	28
1903	Lipopolysaccharides of <i>Pectobacterium atrosepticum</i> and <i>Pseudomonas corrugata</i> induce different defence response patterns in tobacco, tomato, and potato. 2006 , 8, 636-45	27
1902	Ergosterol treatment leads to the expression of a specific set of defence-related genes in tobacco. <i>Plant Molecular Biology</i> , 2006 , 62, 43-51	4.6 40
1901	Fragrance of Canada thistle (<i>Cirsium arvense</i>) attracts both floral herbivores and pollinators. 2006 , 32, 917-27	120
1900	Salicylic acid enhances Jaceosidin and Syringin production in cell cultures of <i>Saussurea medusa</i> . 2006 , 28, 1027-31	34
1899	Accumulation of gentisic acid as associated with systemic infections but not with the hypersensitive response in plant-pathogen interactions. 2006 , 223, 500-11	53
1898	Differential accumulation of monolignol-derived compounds in elicited flax (<i>Linum usitatissimum</i>) cell suspension cultures. 2006 , 223, 975-89	109
1897	Multiple cis-regulatory elements regulate distinct and complex patterns of developmental and wound-induced expression of <i>Arabidopsis thaliana</i> 4CL gene family members. 2006 , 224, 1226-38	59
1896	Solar ultraviolet-B radiation alters the attractiveness of <i>Arabidopsis</i> plants to diamondback moths (<i>Plutella xylostella</i> L.): impacts on oviposition and involvement of the jasmonic acid pathway. 2006 , 149, 81-90	76

1895	Expression profile of a PAL gene from <i>Astragalus membranaceus</i> var. <i>Mongholicus</i> and its crucial role in flux into flavonoid biosynthesis. 2006 , 25, 705-10	74
1894	Different responses of shoot and root cultures of <i>Glehnia littoralis</i> to yeast extract. 2006 , 61, 30-37	6
1893	A change of phenolic acids content in poplar leaves induced by methyl salicylate and methyl jasmonate. 2006 , 17, 107-110	13
1892	Variations in total phenolics during ontogenetic, morphogenetic, and diurnal cycles in <i>Hypericum</i> species from Turkey. 2006 , 49, 432-439	14
1891	Boron deficiency effects on growth, photosynthesis and relative concentrations of phenolics of <i>Dittrichia viscosa</i> (Asteraceae). 2006 , 56, 293-300	35
1890	Localization and effects of cadmium in leaves of a cadmium-tolerant willow (<i>Salix viminalis</i> L.): Part II Microlocalization and cellular effects of cadmium. 2006 , 58, 25-40	120
1889	Screening capacity of UV-absorbing compounds in spores of Arctic Laminariales. 2006 , 338, 123-133	44
1888	Spatial study of antioxidant enzymes, peroxidase and phenylalanine ammonia-lyase in the citrus fruit <i>Penicillium digitatum</i> interaction. 2006 , 39, 115-124	100
1887	Effect of salicylic acid on phenylpropanoids and phenylalanine ammonia-lyase in harvested grape berries. 2006 , 40, 64-72	116
1886	Transcriptome changes in the phenylpropanoid pathway of <i>Glycine max</i> in response to <i>Pseudomonas syringae</i> infection. 2006 , 6, 26	124
1885	Lutein is needed for efficient chlorophyll triplet quenching in the major LHCII antenna complex of higher plants and effective photoprotection in vivo under strong light. 2006 , 6, 32	193
1884	Plants on red alert: do insects pay attention?. 2006 , 28, 65-71	92
1883	Fragments of ATP synthase mediate plant perception of insect attack. 2006 , 103, 8894-9	300
1882	Hormonal and stress induction of the gene encoding common bean acetyl-coenzyme A carboxylase. 2006 , 142, 609-19	21
1881	Molecular architecture of strictosidine glucosidase: the gateway to the biosynthesis of the monoterpenoid indole alkaloid family. <i>Plant Cell</i> , 2007 , 19, 2886-97	11.6 74
1880	GeneChip profiling of transcriptional responses to soybean cyst nematode, <i>Heterodera glycines</i> , colonization of soybean roots. 2007 , 58, 3407-18	51
1879	Relevance of cytochrome P450s in plants: also one of Ron Estabrook's research interests. 2007 , 39, 273-80	
1878	Transcriptome profiling of <i>Lotus japonicus</i> roots during arbuscular mycorrhiza development and comparison with that of nodulation. 2007 , 14, 117-33	58

1877	Temporal gene expression profiling of the wheat leaf rust pathosystem using cDNA microarray reveals differences in compatible and incompatible defence pathways. 2007 , 2007, 17542	31
1876	Transcript profiling of the anoxic rice coleoptile. 2007 , 144, 218-31	245
1875	Induction of isoforms of tetrapyrrole biosynthetic enzymes, AtHEMA2 and AtFC1, under stress conditions and their physiological functions in Arabidopsis. 2007 , 144, 1039-51	52
1874	Identification of a flavonol 7-O-rhamnosyltransferase gene determining flavonoid pattern in Arabidopsis by transcriptome coexpression analysis and reverse genetics. 2007 , 282, 14932-41	206
1873	Methyl jasmonate and salicylic acid induced oxidative stress and accumulation of phenolics in Panax ginseng bioreactor root suspension cultures. 2007 , 12, 607-21	112
1872	Potential involvement of flavonoids in the rooting response of chestnut hybrid (<i>Castanea crenata</i> × <i>Castanea sativa</i>) clones. 2007 , 47, 96	9
1871	N-trans-feruloyltyramine as a melanin biosynthesis inhibitor. 2007 , 30, 1972-4	20
1870	Flavonoids and auxin transport: modulators or regulators?. 2007 , 12, 556-63	432
1869	The levels of IAA, IAA ^{sp} and some phenolics in cherry rootstock 'Sela 5' leafy cuttings pretreated with IAA and IBA. 2007 , 112, 399-405	29
1868	Chlorogenic acid synthesis in coffee: An analysis of CGA content and real-time RT-PCR expression of HCT, HQT, C3H1, and CCoAOMT1 genes during grain development in <i>C. canephora</i> . 2007 , 172, 978-996	95
1867	The Arabidopsis AtbZIP9 protein fused to the VP16 transcriptional activation domain alters leaf and vascular development. 2007 , 172, 1148-1156	32
1866	Local and systemic stress responses in Norway spruce: Similarities in gene expression between a compatible pathogen interaction and drought stress. 2007 , 70, 161-173	26
1865	High-yield expression and purification of isotopically labeled cytochrome P450 monooxygenases for solid-state NMR spectroscopy. 2007 , 1768, 3061-70	15
1864	Ozone stress and antioxidant substances in <i>Trifolium repens</i> and <i>Centaurea jacea</i> leaves. 2007 , 146, 707-14	38
1863	Effects of enhanced UV-B radiation and epidermal UV screening in arctic and alpine plants. 2007 , 195-209	24
1862	Identification of a cytochrome P450 cDNA (CYP98A5) from <i>Phaseolus vulgaris</i> , inducible by 3,5-dichlorosalicylic acid and 2,6-dichloro isonicotinic acid. 2007 , 164, 421-8	9
1861	Accumulation of p-hydroxybenzoic acid in hairy roots of <i>Daucus carota</i> . 2007 , 164, 1358-66	42
1860	A modern view of phenylalanine ammonia lyase. 2007 , 85, 273-82	265

1859	Flavonoid biosynthesis in barley primary leaves requires the presence of the vacuole and controls the activity of vacuolar flavonoid transport. 2007 , 144, 432-44	59
1858	Role of Hormonal System in the Manifestation of Growth Promoting and Antistress Action of Salicylic Acid. 2007 , 69-89	28
1857	Poplar defense against insect herbivores This review is one of a selection of papers published in the Special Issue on Poplar Research in Canada.. 2007 , 85, 1111-1126	53
1856	UV screening in higher plants induced by low temperature in the absence of UV-B radiation. 2007 , 6, 190-5	113
1855	Evaluation of different coloured carrot cultivars on antioxidative capacity based on their carotenoid and phenolic contents. 2007 , 58, 603-11	65
1854	Levels of phenolic compounds and enzyme activity can be used to screen for resistance of sugarcane to smut (<i>Ustilago scitaminea</i>). 2007 , 36, 32	30
1853	Plant Defence Compounds Against Botrytis Infection. 2007 , 143-161	21
1852	Immune response. 2007 , 265-314	7
1851	An in silico analysis of the key genes involved in flavonoid biosynthesis in <i>Citrus sinensis</i> . 2007 , 30, 819-831	12
1850	Alterações morfológicas e acúmulo de compostos fenólicos em plantas de sorgo sob estresse de alumínio. 2007 , 66, 17-25	9
1849	Extremely low frequency weak magnetic fields enhance resistance of NN tobacco plants to tobacco mosaic virus and elicit stress-related biochemical activities. 2007 , 28, 214-23	27
1848	Change in isoflavone concentration of soybean (<i>Glycine max</i> L.) seeds at different growth stages. 2007 , 87, 496-503	25
1847	Effect of root zone pH and form and concentration of nitrogen on accumulation of quality-related components in green tea. 2007 , 87, 1505-1516	64
1846	Purification and characterization of a cationic peroxidase from artichoke leaves. 2007 , 87, 1417-1423	10
1845	Comparative effects of sulfur and nitrogen fertilization and post-harvest processing parameters on the glucotropaeolin content of <i>Tropaeolum majus</i> L.. 2007 , 87, 1576-1585	15
1844	Antioxidant capacity of leafy vegetables as affected by high tunnel environment, fertilisation and growth stage. 2007 , 87, 2692-9	48
1843	Compositional changes induced by UV-B radiation treatment of common bean and soybean seedlings monitored by capillary electrophoresis with diode array detection. 2007 , 30, 604-11	20
1842	Novel transgenic rice overexpressing anthocyanidin synthase accumulates a mixture of flavonoids leading to an increased antioxidant potential. 2007 , 9, 95-111	93

1841	The increase in antioxidant capacity after wounding depends on the type of fruit or vegetable tissue. 2007 , 101, 1254-1262	252
1840	Effect of nitric oxide on pericarp browning of harvested longan fruit in relation to phenolic metabolism. 2007 , 104, 571-576	125
1839	The impact of Cu treatment on phenolic and polyamine levels in plant material regenerated from embryos obtained in anther culture of carrot. 2007 , 45, 54-61	23
1838	Salinity effects on polyphenol content and antioxidant activities in leaves of the halophyte <i>Cakile maritima</i> . 2007 , 45, 244-9	307
1837	Responses of epidermal phenolic compounds to light acclimation: in vivo qualitative and quantitative assessment using chlorophyll fluorescence excitation spectra in leaves of three woody species. 2007 , 88, 163-79	65
1836	Phenols content and 2-D electrophoresis protein pattern: a promising tool to monitor <i>Posidonia meadows</i> health state. 2007 , 7, 6	27
1835	Propanil and swep inhibit 4-coumarate:CoA ligase activity in vitro. 2007 , 63, 815-20	7
1834	Estimation of total phenolic content and other oxidation substrates in plant tissues using Folin-Ciocalteu reagent. 2007 , 2, 875-7	1350
1833	Sanitation procedure affects biochemical and nutritional changes of shredded carrots. 2007 , 72, S146-52	29
1832	Major phenolic acids and total antioxidant activity in Mamaki leaves, <i>Pipturus albidus</i> . 2007 , 72, S696-701	12
1831	Microarray analysis of <i>Fusarium graminearum</i> -induced wheat genes: identification of organ-specific and differentially expressed genes. <i>Plant Biotechnology Journal</i> , 2007 , 5, 38-49	11.6 74
1830	Characterization and differential expression analysis of artichoke phenylalanine ammonia-lyase-coding sequences. 2008 , 132, 33-43	19
1829	Potential physical and chemical barriers to infection by the burrowing nematode <i>Radopholus similis</i> in roots of susceptible and resistant banana (<i>Musa</i> spp.). 2007 , 56, 878-890	59
1828	Histochemical and genetic analysis of host and non-host interactions of <i>Arabidopsis</i> with three <i>Botrytis</i> species: an important role for cell death control. 2007 , 8, 41-54	134
1827	Chloroplast-located flavonoids can scavenge singlet oxygen. 2007 , 174, 77-89	189
1826	BROWNING INHIBITION AND QUALITY MAINTENANCE OF FRESH-CUT CHINESE WATER CHESTNUT BY ANOXIA TREATMENT. 2007 , 31, 595-606	8
1825	<i>Erwinia carotovora</i> elicitors and <i>Botrytis cinerea</i> activate defense responses in <i>Physcomitrella patens</i> . 2007 , 7, 52	72
1824	Sequencing analysis of 20,000 full-length cDNA clones from cassava reveals lineage specific expansions in gene families related to stress response. 2007 , 7, 66	78

1823	Global transcription profiling reveals differential responses to chronic nitrogen stress and putative nitrogen regulatory components in <i>Arabidopsis</i> . 2007 , 8, 281	151
1822	Species-specific effects of elevated CO ₂ on resource allocation in <i>Plantago maritima</i> and <i>Armeria maritima</i> . 2007 , 35, 121-129	4
1821	Browning disorders in pear fruit. 2007 , 43, 1-13	221
1820	Cloning and expression analysis of phenylalanine ammonia-lyase in relation to chilling tolerance in harvested banana fruit. 2007 , 44, 34-41	28
1819	Involvement of the phenylpropanoid pathway in the response of table grapes to low temperature and high CO ₂ levels. 2007 , 46, 29-35	60
1818	Biochemical changes and antioxidant activity of mango ginger (<i>Curcuma amada</i> Roxb.) rhizomes during postharvest storage at different temperatures. 2007 , 46, 189-194	32
1817	Effect of cadmium on the phenolic compounds formation in the callus cultures derived from various organs of the tea plant. 2007 , 54, 237-243	32
1816	The effect of phenylalanine on biosynthesis of protoberberine alkaloids in the cell culture of low meadow-rue. 2007 , 54, 267-272	4
1815	Biotechnology of flavonoids and other phenylpropanoid-derived natural products. Part I: Chemical diversity, impacts on plant biology and human health. 2007 , 2, 1214-34	318
1814	Transcriptomic Analysis of Salicylic Acid-Responsive Genes in Tobacco By-2 Cells. 2007 , 371-396	3
1813	Flavonoid Distribution in Tissues of <i>Phillyrea latifolia</i> L. Leaves as Estimated by Microspectrofluorometry and Multispectral Fluorescence Microimaging¶. 2007 , 76, 350-360	13
1812	Internal quality and antioxidants content of cold-stored red sweet peppers as affected by polyethylene bag packaging and hot water treatment. 2007 , 225, 395-405	36
1811	Influence of heavy metals on the carbohydrate and phenolics in mangrove, <i>Aegiceras corniculatum</i> L., seedlings. 2007 , 78, 440-4	21
1810	Accumulation of calycosin and its 7-O-beta-D-glucoside and related gene expression in seedlings of <i>Astragalus membranaceus</i> Bge. var. <i>mongholicus</i> (Bge.) Hsiao induced by low temperature stress. 2007 , 26, 1111-20	37
1809	Phenolic Compounds and Cell Structure in Bilberry Leaves Affected by Emissions from a Zn&Bb Smelter. 2007 , 181, 123-133	41
1808	Profiling of phenolic glycosidic conjugates in leaves of <i>Arabidopsis thaliana</i> using LC/MS. 2007 , 2, 197-219	49
1807	Metabolic engineering of flavonoids in tomato (): the potential for metabolomics. 2007 , 3, 399-412	144
1806	Metabolite profiling and assessment of metabolome compartmentation of soybean leaves using non-aqueous fractionation and GC-MS analysis. 2007 , 3, 297-305	66

1805	Overexpression of rice WRKY89 enhances ultraviolet B tolerance and disease resistance in rice plants. <i>Plant Molecular Biology</i> , 2007 , 65, 799-815	4.6	203
1804	Phenolic compounds in Norway spruce as affected by boron nutrition at the end of the growing season. 2007 , 292, 13-23		22
1803	A proteomic screen and identification of waterlogging-regulated proteins in tomato roots. 2007 , 295, 37-51		63
1802	Alterations in photosynthesis in Arabidopsis lacking IMMUTANS, a chloroplast terminal oxidase. 2007 , 91, 11-23		21
1801	Physiological implications of metabolite biosynthesis for net assimilation and heat-stress tolerance of sugarcane (<i>Saccharum officinarum</i>) sprouts. 2007 , 120, 219-28		186
1800	Odour and colour polymorphism in the food-deceptive orchid <i>Dactylorhiza romana</i> . 2007 , 267, 37-45		42
1799	Identification of a factor that complementarily inhibits somatic embryogenesis with vanillyl benzyl ether in Japanese larch. 2007 , 43, 203-208		6
1798	Cold acclimation induced accumulation of phenolic compounds and freezing tolerance in <i>Ammopiptanthus mongolicus</i> . 2007 , 9, 203-207		10
1797	Approaches to biosynthesis of salidroside and its key metabolic enzymes. 2007 , 9, 295-299		5
1796	Molecular characterization of cell death induced by a compatible interaction between <i>Fusarium oxysporum</i> f. sp. <i>linii</i> and flax (<i>Linum usitatissimum</i>) cells. 2008 , 46, 590-600		52
1795	Effect of wounding on chalcone synthase and pathogenesis related PR-10 gene expression and content of phenolic compounds in bilberry leaves. 2008 , 52, 391-395		12
1794	Gene expression profiling in maize roots under aluminum stress. 2008 , 52, 475-485		13
1793	Tomato (<i>Solanum lycopersicum</i>) health components: from the seed to the consumer. 2008 , 7, 231-250		218
1792	Unusually divergent 4-coumarate:CoA-ligases from <i>Ruta graveolens</i> L. <i>Plant Molecular Biology</i> , 2008 , 67, 335-46	4.6	19
1791	Role of aluminum-binding ligands in aluminum resistance of <i>Eucalyptus camaldulensis</i> and <i>Melaleuca cajuputi</i> . 2008 , 302, 175-187		30
1790	Colored and white sectors from star-patterned petunia flowers display differential resistance to corn earworm and cabbage looper larvae. 2008 , 34, 757-65		42
1789	Allelopathic enhancement and differential gene expression in rice under low nitrogen treatment. 2008 , 34, 688-95		31
1788	Salicylic acid activates phenylalanine ammonia-lyase in grape berry in response to high temperature stress. 2008 , 55, 1-10		80

- 1787 Fractional changes in phenolic acids composition in root nodules of *Arachis hypogaea* L.. **2008**, 55, 159-163 18
- 1786 *Arabidopsis* R2R3-MYB transcription factor AtMYB60 functions as a transcriptional repressor of anthocyanin biosynthesis in lettuce (*Lactuca sativa*). **2008**, 27, 985-94 75
- 1785 Phenolic compound localisation in *Polypodium vulgare* L. rhizomes after mannitol-induced dehydration and controlled desiccation. **2008**, 27, 1251-9 15
- 1784 Molecular approaches for improvement of medicinal and aromatic plants. **2008**, 2, 93-112 26
- 1783 Comparison of Cytochrome P450 Genes from Six Plant Genomes. **2008**, 1, 216-235 105
- 1782 Upregulation of the promoter activity of the carrot (*Daucus carota*) phenylalanine ammonia-lyase gene (DcPAL3) is caused by new members of the transcriptional regulatory proteins, DcERF1 and DcERF2, which bind to the GCC-box homolog and act as an activator to the DcPAL3 promoter. **2008**, 121, 499-508 11
- 1781 Accumulation of cell wall-bound phenolic metabolites and their upliftment in hairy root cultures of tomato (*Lycopersicon esculentum* Mill.). **2008**, 30, 1253-8 16
- 1780 Health-promoting substances and heavy metal content in tomatoes grown with different farming techniques. **2008**, 47, 266-72 59
- 1779 Cation dependent O-methyltransferases from rice. **2008**, 227, 641-7 42
- 1778 Virus-induced silencing of Comt, pAmt and Kas genes results in a reduction of capsaicinoid accumulation in chili pepper fruits. **2008**, 227, 681-95 71
- 1777 Glycosyltransferase efficiently controls phenylpropanoid pathway. **2008**, 8, 25 15
- 1776 Differentiation of isomeric malonylated flavonoid glyconjugates in plant extracts with UPLC-ESI/MS/MS. **2008**, 19, 444-52 40
- 1775 Use of 1-methylcyclopropene for alleviating chilling injury and lignification of bamboo shoot (*Phyllostachys praecox* f. *prevernalis*) during cold storage. **2008**, 88, 151-157 41
- 1774 Effect of temperature and water availability during late maturation of the soybean seed on germ and cotyledon isoflavone content and composition. **2008**, 88, 218-228 26
- 1773 Quality of fresh-cut tomatoes as affected by salt content in irrigation water and post-processing ultraviolet-C treatment. **2008**, 88, 1969-1974 21
- 1772 Effect of production site and storage on antioxidant levels in specialty potato (*Solanum tuberosum* L.) tubers. **2008**, 88, 2087-2092 25
- 1771 Biometric anatomy of seedlings developed onboard of Foton-M2 in an automatic system supporting growth. **2008**, 62, 505-513 15
- 1770 Effect of nitrate fertilization and saline stress on the contents of active constituents of *Echinacea angustifolia* DC. **2008**, 107, 1461-1466 21

1769	Organ-specific distribution of phenolic compounds in bilberry (<i>Vaccinium myrtillus</i>) and 'northblue' blueberry (<i>Vaccinium corymbosum</i> x <i>V. angustifolium</i>). 2008 , 110, 156-60	118
1768	Effect of rootstocks and harvesting time on the nutritional quality of peel and flesh of peach fruits. 2008 , 110, 361-7	101
1767	Free and bound phenolic compounds in leaves of pak choi (<i>Brassica campestris</i> L. ssp. <i>chinensis</i> var. <i>communis</i>) and Chinese leaf mustard (<i>Brassica juncea</i> Coss). 2008 , 110, 838-46	52
1766	Effect of growth temperature on the composition of phenols in pea roots. 2008 , 55, 712-715	12
1765	Screening of visible and UV radiation as a photoprotective mechanism in plants. 2008 , 55, 719-737	145
1764	Relationship between H ₂ O ₂ and jasmonic acid in pea leaf wounding response. 2008 , 55, 765-775	18
1763	HEALTH-RELATED FUNCTIONALITY OF PHENOLIC-ENRICHED PEA SPROUTS IN RELATION TO DIABETES AND HYPERTENSION MANAGEMENT. 2008 , 32, 3-14	7
1762	A new class of homoserine lactone quorum-sensing signals. 2008 , 454, 595-9	311
1761	Multicolor fluorescence imaging of leaves--a useful tool for visualizing systemic viral infections in plants. 2008 , 84, 1048-60	27
1760	Carbon monoxide alleviates cadmium-induced oxidative damage by modulating glutathione metabolism in the roots of <i>Medicago sativa</i> . 2008 , 177, 155-166	144
1759	Targeted gene analysis in <i>Ulmus americana</i> and <i>U. pumila</i> tissues. 2008 , 38, 90-103	9
1758	Physiological Basis for Differences in Resistance to <i>Microdochium nivale</i> (Fr.) Samuels and Hallett in Two Androgenic Genotypes of <i>Festulolium</i> Derived from Tetraploid F1 Hybrids of <i>Festuca pratensis</i> [<i>Lolium multiflorum</i> (<i>Festulolium</i>)]. 2008 , 156, 155-163	9
1757	<i>Erwinia amylovora</i> modifies phenolic profiles of susceptible and resistant apple through its type III secretion system. 2008 , 132, 262-71	35
1756	Role of phenylalanine ammonia-lyase in heat pretreatment-induced chilling tolerance in banana fruit. 2008 , 132, 318-28	154
1755	Expression of a bacterial flagellin gene triggers plant immune responses and confers disease resistance in transgenic rice plants. 2008 , 9, 525-9	44
1754	Multilocus analysis of variation using a large empirical data set: phenylpropanoid pathway genes in <i>Arabidopsis thaliana</i> . 2008 , 17, 1211-23	27
1753	Effect of heat treatment and refrigerated storage on antioxidant properties of pre-cut celery (<i>Apium graveolens</i> L.). 2008 , 43, 44-51	30
1752	Changes of bioactive compounds and anti-oxidant activity during cold storage of carrots. 2008 , 43, 2019-2025	26

1751	Functional-genomics-based identification of genes that regulate Arabidopsis responses to multiple abiotic stresses. 2008 , 31, 697-714	94
1750	A hypothesis on physiological alterations during plant ontogenesis governing susceptibility of winter barley to ramularia leaf spot. 2008 , 57, 518-526	22
1749	The tryptophan pathway is involved in the defense responses of rice against pathogenic infection via serotonin production. 2008 , 54, 481-95	170
1748	Elicitor-induced transcription factors for metabolic reprogramming of secondary metabolism in <i>Medicago truncatula</i> . 2008 , 8, 132	97
1747	Quantitative ¹ H NMR metabolomics reveals extensive metabolic reprogramming of primary and secondary metabolism in elicitor-treated opium poppy cell cultures. 2008 , 8, 5	84
1746	Short and long-term uptake of Hg in white lupin plants: Kinetics and stress indicators. 2008 , 62, 316-322	66
1745	Synergism exists between ethylene and methyl jasmonate in artificial light-induced pigment enhancement of Fuji apple fruit peel. 2008 , 47, 136-140	48
1744	Effect of low temperature storage on phenolic composition and antioxidant activity of sweetpotatoes. 2008 , 47, 176-180	49
1743	Effects of the yeast <i>Pichia guilliermondii</i> against <i>Rhizopus nigricans</i> on tomato fruit. 2008 , 49, 113-120	102
1742	Relationship between browning and related enzymes (PAL, PPO and POD) in rambutan fruit (<i>Nephelium lappaceum</i> Linn.) cvs. Rongrien and See-Chompoo. 2008 , 50, 164-168	106
1741	Potential for metabolic engineering of resveratrol biosynthesis. 2008 , 26, 77-81	91
1740	Traumatic Resin Ducts and Polyphenolic Parenchyma Cells in Conifers. 2008 , 147-169	24
1739	Costs and benefits of capsaicin-mediated control of gut retention in dispersers of wild chilies. 2008 , 89, 107-17	50
1738	Effect of minimal processing on bioactive compounds and color attributes of fresh-cut tomatoes. 2008 , 41, 217-226	78
1737	Effect of high-voltage electrostatic field on quality of carrot juice during refrigeration. 2008 , 41, 1752-1757	36
1736	Anthocyanin, antioxidant activity and stress-induced gene expression in high CO ₂ -treated table grapes stored at low temperature. 2008 , 165, 522-30	63
1735	Evidence for p-hydroxybenzoate formation involving enzymatic phenylpropanoid side-chain cleavage in hairy roots of <i>Daucus carota</i> . 2008 , 165, 407-14	36
1734	Influence of plant secondary metabolites on in vitro oxidation of methyl ferulate with cell wall peroxidases from lupine apoplast. 2008 , 165, 239-50	2

1733	Phenylalanine ammonia-lyase-mediated biosynthesis of 2-hydroxy-4-methoxybenzaldehyde in roots of <i>Hemidesmus indicus</i> . 2008 , 165, 1033-40	33
1732	Effect of saline irrigation water on agronomical and phytochemical characters of chamomile (<i>Matricaria recutita</i> L.). 2008 , 116, 437-441	62
1731	The relationship between graft incompatibility and phenols in <i>Uapaca kirkiana</i> Mill Arg.. 2008 , 117, 212-218	24
1730	Identification of stress-induced genes from the drought tolerant semi-arid legume crop horsegram (<i>Macrotyloma uniflorum</i> (Lam.) Verdc.) through analysis of subtracted expressed sequence tags. 2008 , 175, 372-384	49
1729	Artificial infection of <i>Vaccinium vitis-idaea</i> L. and defence responses to <i>Exobasidium</i> species. 2008 , 72, 146-150	6
1728	ABA level, proline and phenolic concentration, and PAL activity induced during cold acclimation in androgenic <i>Festulolium</i> forms with contrasting resistance to frost and pink snow mould (<i>Microdochium nivale</i>). 2008 , 73, 126-132	22
1727	Differential accumulation of 3-deoxy anthocyanidin phytoalexins in sugarcane varieties varying in red rot resistance in response to <i>Colletotrichum falcatum</i> infection. 2008 , 10, 154-157	14
1726	Gene expression of phenyl alanine ammonia-lyase (PAL), chavicol O-methyl transferase (CVOMT) and eugenol O-methyl transferase (EOMT) in <i>Ocimum basilicum</i> at different stages of growth. 2008 , 136, S55-S56	
1725	New Perspectives for Addressing Patterns of Secondary Metabolites in Marine Macroalgae. 2008 , 121-146	7
1724	Structural and expressional divergence of genes encoding O-methyltransferase in wheat. 2008 , 51, 856-69	11
1723	Phenolic content in cuttings of two clones of hybrid chestnut (<i>Castanea crenata</i> × <i>Castanea sativa</i>) in the first days after cutting severance. 2008 , 58, 162-168	4
1722	Characterization of the RND-type multidrug efflux pump MexAB-OprM of the plant pathogen <i>Pseudomonas syringae</i> . 2008 , 74, 3387-93	56
1721	Phenylalanine ammonia lyase functions as a switch directly controlling the accumulation of calycosin and calycosin-7-O-beta-D-glucoside in <i>Astragalus membranaceus</i> var. <i>mongholicus</i> plants. 2008 , 59, 3027-37	19
1720	Rice Gene Network Inferred from Expression Profiling of Plants Overexpressing OsWRKY13, a Positive Regulator of Disease Resistance. 2008 , 1, 538-551	6
1719	Sugarcane. 2008 , 1-58	15
1718	Mutation of a rice gene encoding a phenylalanine biosynthetic enzyme results in accumulation of phenylalanine and tryptophan. <i>Plant Cell</i> , 2008 , 20, 1316-29	11.6 75
1717	Principal transcriptional programs regulating plant amino acid metabolism in response to abiotic stresses. 2008 , 147, 316-30	196
1716	Organic fruit and vegetables. 2008 , 505-532	1

1715	Storage and handling of fruit and vegetables for optimum health-related quality. 2008 , 412-430	1
1714	Agronomy and the nutritional quality of fruit. 2008 , 346-391	6
1713	Requirement of a plasmid-encoded catalase for survival of <i>Rhizobium etli</i> CFN42 in a polyphenol-rich environment. 2008 , 74, 2398-403	8
1712	Reconfiguration of the achene and receptacle metabolic networks during strawberry fruit development. 2008 , 148, 730-50	222
1711	Comprehensive flavonol profiling and transcriptome coexpression analysis leading to decoding gene-metabolite correlations in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2008 , 20, 2160-76	11.6 308
1710	Physiological and ecological functions and biosynthesis of health-promoting compounds in fruit and vegetables. 2008 , 201-247	3
1709	Optically-assessed preformed flavonoids and susceptibility of grapevine to <i>Plasmopara viticola</i> under different light regimes. 2008 , 35, 77-84	35
1708	Integration of Plasma Membrane and Nuclear Signaling in Elicitor Regulation of Plant Secondary Metabolism. 2008 , 3, 1934578X0800300	
1707	Solar radiation affects grapevine susceptibility to <i>Plasmopara Viticola</i> . 2008 , 65, 65-70	8
1706	Characterization of SBZ1, a soybean bZIP protein that binds to the chalcone synthase gene promoter. 2008 , 25, 131-140	8
1705	Role of miniature inverted repeat transposable elements inserted into the promoter region of a carrot phenylalanine ammonia-lyase gene and its gene expression. 2008 , 25, 473-481	5
1704	Phenolic Compounds Produced by Secretory Structures in Plants: A Brief Review. 2008 , 3, 1934578X0800300	1
1703	Metabolic engineering of the tryptophan and phenylalanine biosynthetic pathways in rice. 2009 , 26, 523-533	18
1702	Indu de metabitos secundrios em plntulas de <i>Hypericum brasiliense</i> Choisy crescendo in vitro. 2009 , 39, 267-272	5
1701	Caractersticas vegetativas, fenolgicas e produtivas do pessegueiro cultivar Chimarrita enxertado em diferentes porta-enxertos. 2009 , 44, 583-589	12
1700	Impact of reoligotrophication in Lake Constance on nutrient content and defensive phenolic compounds in Eurasian watermilfoil. 2009 , 30, 897-899	2
1699	Functional genomics of the Dof transcription factor family genes in suspension-cultured cells of <i>Arabidopsis thaliana</i> . 2009 , 26, 15-28	12
1698	Effect of Temperature during the Seed-filling Period and Varietal Differences in Soybean Isoflavone Content and Components in Cold Districts. 2009 , 78, 74-82	1

1697	Leaf anatomical adaptations of <i>Calystegia soldanella</i> , <i>Euphorbia paralias</i> and <i>Otanthus maritimus</i> to the ecological conditions of coastal sand dune systems. 2009 , 62, 142-151	24
1696	Introduction to the Different Classes of Natural Products. 2009 , 3-50	24
1695	Differential gene expression during hypersensitive response in Phylloxera-resistant rootstock using custom oligonucleotide arrays. 2009 , 4, 261-269	14
1694	Analysis of transcriptome changes induced by <i>Ptr ToxA</i> in wheat provides insights into the mechanisms of plant susceptibility. 2009 , 2, 1067-83	48
1693	Accumulation of flavonoids in an <i>ntra ntrb</i> mutant leads to tolerance to UV-C. 2009 , 2, 249-58	44
1692	Determination of fluoride and its effects on flavonoids in some legumes. 2009 , 91, 409-418	4
1691	Chloroplast photooxidation-induced transcriptome reprogramming in <i>Arabidopsis thaliana</i> white leaf sectors. 2009 , 150, 904-23	62
1690	The wound-, pathogen-, and ultraviolet B-responsive MYB134 gene encodes an R2R3 MYB transcription factor that regulates proanthocyanidin synthesis in poplar. 2009 , 150, 924-41	208
1689	Chemical diversity and defence metabolism: how plants cope with pathogens and ozone pollution. 2009 , 10, 3371-99	178
1688	Light-induced vegetative anthocyanin pigmentation in <i>Petunia</i> . 2009 , 60, 2191-202	187
1687	Members of the LBD family of transcription factors repress anthocyanin synthesis and affect additional nitrogen responses in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2009 , 21, 3567-84	11.6 365
1686	Plant defense responses in opium poppy cell cultures revealed by liquid chromatography-tandem mass spectrometry proteomics. 2009 , 8, 86-98	54
1685	Interactions of <i>Bacillus</i> spp. and plants--with special reference to induced systemic resistance (ISR). 2009 , 164, 493-513	426
1684	The effect of exogenous ethylene and methyl jasmonate on PAL activity, phenolic profiles and antioxidant capacity of carrots (<i>Daucus carota</i>) under different wounding intensities. 2009 , 51, 242-249	116
1683	Defense responses of harvested tomato fruit to burdock fructooligosaccharide, a novel potential elicitor. 2009 , 52, 110-116	51
1682	Postharvest physiology and browning of longkong (<i>Aglaia dookoo</i> Griff.) fruit under ambient conditions. 2009 , 52, 294-299	34
1681	Influence of the stage of ripeness on phenolic metabolism and antioxidant activity in table grapes exposed to different CO ₂ treatments. 2009 , 54, 118-121	11
1680	Phenolic compounds of <i>Pinus laricio</i> needles: a bioindicator of the effects of prescribed burning in function of season. 2009 , 407, 4542-8	6

1679	The isolation and mapping of a novel hydroxycinnamoyltransferase in the globe artichoke chlorogenic acid pathway. 2009 , 9, 30	71
1678	Health-Affecting Compounds in Brassicaceae. 2009 , 8, 31-43	185
1677	Nitric oxide signals ROS scavenger-mediated enhancement of PAL activity in nitrogen-deficient <i>Matricaria chamomilla</i> roots: side effects of scavengers. 2009 , 46, 1686-93	71
1676	Effect of growth stage on the content and composition of the essential oil and phenolic fraction of sweet marjoram (<i>Origanum majorana</i> L.). 2009 , 30, 395-402	144
1675	Altitudinal variation of UV-absorbing compounds in <i>Plantago asiatica</i> . 2009 , 37, 378-384	23
1674	Interaction effects of root-zone salinity and solar irradiance on the physiology and biochemistry of <i>Olea europaea</i> . 2009 , 65, 210-219	42
1673	Soybean root growth inhibition and lignification induced by p-coumaric acid. 2009 , 66, 25-30	66
1672	Expression of PAL and HSPs in fresh-cut banana fruit. 2009 , 66, 31-37	16
1671	Healthy and unhealthy plants: The effect of stress on the metabolism of Brassicaceae. 2009 , 67, 23-33	88
1670	Ultrafast internal conversion in a model anthocyanin-polyphenol complex: implications for the biological role of anthocyanins in vegetative tissues of plants. 2009 , 15, 1397-402	24
1669	Special quality traits of coloured potato breeding clones: Anthocyanins, soluble phenols and antioxidant capacity. 2009 , 89, 206-215	22
1668	Comparison of phenolic acids in organically and conventionally grown pac choi (<i>Brassica rapa</i> L. <i>chinensis</i>). 2009 , 89, 940-946	24
1667	Effect of methyl jasmonate on quality and antioxidant activity of postharvest loquat fruit. 2009 , 89, 2064-2070	42
1666	A novel type III polyketide synthase encoded by a three-intron gene from <i>Polygonum cuspidatum</i> . 2009 , 229, 457-69	35
1665	<i>Pythium</i> infection activates conserved plant defense responses in mosses. 2009 , 230, 569-79	69
1664	Phenylalanine ammonia-lyase (PAL) and cinnamate 4-hydroxylase (C4H) and catechins (flavan-3-ols) accumulation in tea. 2009 , 9, 125-34	135
1663	Solar ultraviolet radiation alters alder and birch litter chemistry that in turn affects decomposers and soil respiration. 2009 , 161, 719-28	16
1662	Evidence for the signaling role of methyl jasmonate, methyl salicylate and benzothiazole between poplar (<i>Populus simonii</i> P. <i>pyramidalis</i> âOpera 8277â) cuttings. 2009 , 23, 1003-1011	13

1661	Changes in the profile of flavonoid accumulation in <i>Medicago truncatula</i> leaves during infection with fungal pathogen <i>Phoma medicaginis</i> . 2009 , 47, 847-53	52
1660	Use of Weibull distribution for describing kinetics of antioxidant potential changes in fresh-cut watermelon. 2009 , 95, 99-105	41
1659	Molecular cloning, expression and characterization of a phenylalanine ammonia-lyase gene (SmPAL1) from <i>Salvia miltiorrhiza</i> . 2009 , 36, 939-52	87
1658	Characterization of the phenylalanine ammonia-lyase gene (SlPAL5) from tomato (<i>Solanum lycopersicum</i> L.). 2009 , 36, 1579-85	36
1657	Variability of metabolic responses and antioxidant defence in two lines of <i>Medicago ciliaris</i> to Fe deficiency. 2009 , 320, 219-230	15
1656	The significance of host-fungus combinations in ectomycorrhizal symbioses for the chemical quality of willow foliage. 2009 , 323, 213-224	29
1655	Increased Accumulation of Artemisinin and Anthocyanins in <i>Artemisia annua</i> Expressing the Arabidopsis Blue Light Receptor CRY1. 2009 , 27, 334-341	32
1654	Flavonoid biosynthesis and degradation play a role in early defence responses of bilberry (<i>Vaccinium myrtillus</i>) against biotic stress. 2009 , 125, 629-640	62
1653	Lyso-phosphatidylethanolamine-enhanced phenylalanine ammonia-lyase and insoluble acid invertase in isolated radish cotyledons. 2009 , 57, 69-78	9
1652	Time course study on accumulation of cell wall-bound phenolics and activities of defense enzymes in tomato roots in relation to <i>Fusarium</i> wilt. 2009 , 25, 795-802	23
1651	Biological activities of the essential oils and methanol extract of two cultivated mint species (<i>Mentha longifolia</i> and <i>Mentha pulegium</i>) used in the Tunisian folkloric medicine. 2009 , 25, 2227-2238	91
1650	Metabolomic analysis of the interaction between plants and herbivores. 2009 , 5, 150-161	117
1649	Differential metabolic response of narrow leafed lupine (<i>Lupinus angustifolius</i>) leaves to infection with <i>Colletotrichum lupini</i> . 2009 , 5, 354-362	17
1648	Enzyme induction as a possible mechanism for latex-mediated insect resistance in romaine lettuce. 2009 , 35, 190-200	28
1647	Promotive effects of alginate-derived oligosaccharides on the inducing drought resistance of tomato. 2009 , 8, 303-311	22
1646	Activities of lipoxygenase and phenylalanine ammonia lyase in poplar leaves induced by insect herbivory and volatiles. 2009 , 20, 372-376	7
1645	Differential proteomic analysis of developmental stages of <i>Acca sellowiana</i> somatic embryos. 2009 , 31, 501-514	19
1644	Profiling Gene Expression During Gland Morphogenesis of a Glanded and a Glandless Upland Cotton. 2009 , 52, 609-615	2

1643	A quantum mechanics study on the reaction mechanism of chalcone formation from p-coumaroyl-CoA and malonyl-CoA catalyzed by chalcone synthase. 2009 , 122, 157-166	1
1642	The ornamental variety, Japanese striped corn, contains high anthocyanin levels and PAL specific activity: establishing the potential for development of an oral therapeutic. 2009 , 28, 503-15	4
1641	Isolation and mapping of a C3'H gene (CYP98A49) from globe artichoke, and its expression upon UV-C stress. 2009 , 28, 963-74	35
1640	Expression of an elicitor-encoding gene from Magnaporthe grisea enhances resistance against blast disease in transgenic rice. 2009 , 28, 925-33	35
1639	Circadian rhythm of Z- and E-2-beta-D: -glucopyranosyloxy-4-methoxy cinnamic acids and herniarin in leaves of Matricaria chamomilla. 2009 , 28, 1137-43	9
1638	Developmental, genetic and environmental factors affect the expression of flavonoid genes, enzymes and metabolites in strawberry fruits. 2009 , 32, 1117-31	136
1637	Proteomic analysis of E-aminobutyric acid priming and abscisic acid induction of drought resistance in crabapple (<i>Malus pumila</i>): effect on general metabolism, the phenylpropanoid pathway and cell wall enzymes. 2009 , 32, 1612-1631	42
1636	Flavones and flavonols play distinct critical roles during nodulation of <i>Medicago truncatula</i> by <i>Sinorhizobium meliloti</i> . 2009 , 57, 171-83	190
1635	Patterns of differential gene expression in <i>Brassica napus</i> cultivars infected with <i>Sclerotinia sclerotiorum</i> . 2009 , 10, 635-49	85
1634	EFFECT OF OXYGEN CONCENTRATION ON THE BIOCHEMICAL AND CHEMICAL CHANGES OF STORED LONGAN FRUIT. 2009 , 32, 2-17	11
1633	Analysing scots pine defence-related transcripts and fungal DNA levels in seedlings single- or dual-inoculated with endophytic and pathogenic <i>Rhizoctonia</i> species. 2009 , 39, 377-389	11
1632	Changes in abscisic acid, salicylic acid and phenylpropanoid concentrations during cold acclimation of androgenic forms of <i>Festulolium</i> (<i>Festuca pratensis</i> \times <i>Lolium multiflorum</i>) in relation to resistance to pink snow mould (<i>Microdochium nivale</i>). 2009 , 128, 397-403	23
1631	Stimulation of nodulation in <i>Medicago truncatula</i> by low concentrations of ammonium: quantitative reverse transcription PCR analysis of selected genes. 2009 , 135, 317-30	19
1630	Physiological and proteomic responses of two contrasting <i>Populus cathayana</i> populations to drought stress. 2009 , 136, 150-68	118
1629	Spatial association of photosynthesis and chemical defense in <i>Arabidopsis thaliana</i> following herbivory by <i>Trichoplusia ni</i> . 2009 , 137, 115-24	14
1628	Plant polyphenols effectively protect HaCaT cells from ultraviolet C-triggered necrosis and suppress inflammatory chemokine expression. 2009 , 1171, 305-13	34
1627	Environmental regulation of leaf colour in red 35S:PAP1 <i>Arabidopsis thaliana</i> . 2009 , 182, 102-115	179
1626	Influence of environment and genotype on polyphenol compounds and in vitro antioxidant capacity of native Andean potatoes (<i>Solanum tuberosum</i> L.). 2009 , 22, 517-524	60

1625	Spatial-temporal distribution of nitric oxide involved in regulation of phenylalanine ammonialyase activation and Taxol production in immobilized <i>Taxus cuspidata</i> cells. 2009 , 139, 222-8	9
1624	Engineering of plant-specific phenylpropanoids biosynthesis in <i>Streptomyces venezuelae</i> . 2009 , 141, 181-8	63
1623	Gene expression changes related to the production of phenolic compounds in potato tubers grown under drought stress. 2009 , 70, 1107-1116	140
1622	Environmental stresses induce health-promoting phytochemicals in lettuce. 2009 , 47, 578-83	199
1621	A comparative study on the phenolic acids identified and quantified in dry beans using HPLC as affected by different extraction and hydrolysis methods. 2009 , 113, 336-344	139
1620	Phenolics composition in <i>Erica</i> sp. differentially exposed to metal pollution in the Iberian Southwestern Pyritic Belt. 2009 , 100, 446-51	40
1619	Accumulation of antioxidant phenolic constituents in submerged cultures of <i>Inonotus obliquus</i> . 2009 , 100, 1327-35	50
1618	Functional genomics for plant natural product biosynthesis. 2009 , 26, 1466-87	104
1617	Production of phenolic compounds in callus cultures of tea plant under the effect of 2,4-D and NAA. 2009 , 56, 45-49	18
1616	Cytochrome P450 monooxygenases as reporters for circadian-regulated pathways. 2009 , 150, 858-78	50
1615	UV-B absorbing compounds in present-day and fossil pollen, spores, cuticles, seed coats and wood: evaluation of a proxy for solar UV radiation. 2009 , 8, 1233-43	43
1614	Detoxification and repair process of ozone injury: from O ₃ uptake to gene expression adjustment. 2009 , 157, 1461-9	132
1613	Evaluation of direct and indirect effects of flavonoids, mineral elements and dry weight on antiradical scavenging activity in leaf material of field-grown <i>Trifolium pratense</i> cultivars using Path Analysis. 2009 , 113, 1-11	12
1612	The antioxidant capacity and polyphenol content of organic and conventional retail vegetables after domestic cooking. 2009 , 42, 210-215	190
1611	How relevant are flavonoids as antioxidants in plants?. 2009 , 14, 125-32	418
1610	Identification of differentially expressed genes during flower opening by suppression subtractive hybridization and cDNA microarray analysis in <i>Eustoma grandiflorum</i> . 2009 , 122, 129-133	7
1609	A mutation in ELA1, an age-dependent negative regulator of PAP1/MYB75, causes UV- and cold stress-tolerance in <i>Arabidopsis thaliana</i> seedlings. 2009 , 176, 678-686	24
1608	Metabolism and roles of stilbenes in plants. 2009 , 177, 143-155	412

1607	Burdock fructooligosaccharide induces resistance to tobacco mosaic virus in tobacco seedlings. 2009 , 74, 34-40	26
1606	Secondary metabolism and antioxidants are involved in environmental adaptation and stress tolerance in lettuce. 2009 , 166, 180-91	181
1605	Metabolic changes in <i>Agrobacterium tumefaciens</i> -infected <i>Brassica rapa</i> . 2009 , 166, 1005-14	24
1604	Possible contribution of cell-wall-bound ferulic acid in drought resistance and recovery in triticale seedlings. 2009 , 166, 1720-33	42
1603	Biomarkers in aquatic plants: selection and utility. 2009 , 198, 49-109	28
1602	Risks Associated with Overcollection of Medicinal Plants in Natural Habitats. 2009 , 363-387	5
1601	A horizontal gene transfer at the origin of phenylpropanoid metabolism: a key adaptation of plants to land. 2009 , 4, 7	105
1600	QTL-specific microarray gene expression analysis of wheat resistance to <i>Fusarium</i> head blight in Sumai-3 and two susceptible NILs. 2009 , 52, 409-18	38
1599	Plant Phenolics as Radiation Protectants for the Beet Armyworm (Lepidoptera: Noctuidae) Nucleopolyhedrovirus. 2009 , 26, 1-10	6
1598	Bacterial rhamnolipids are novel MAMPs conferring resistance to <i>Botrytis cinerea</i> in grapevine. 2009 , 32, 178-193	159
1597	Xanthone biosynthesis in <i>Hypericum perforatum</i> cells provides antioxidant and antimicrobial protection upon biotic stress. 2009 , 70, 60-8	99
1596	Phenolic acid content of organic and conventionally grown winter wheat. 2009 , 37, 189-197	21
1595	Study on the <i>Coffea arabica</i> / <i>Colletotrichum kahawae</i> pathosystem: Impact of a biological plant protection product. 2009 , 116, 78-85	2
1594	Strategies to Optimize the Flavonoid Content of Tomato Fruit. 2010 , 138-162	20
1593	Effects of 60-day NO ₂ fumigation on growth, oxidative stress and antioxidative response in <i>Cinnamomum camphora</i> seedlings. 2010 , 11, 190-9	10
1592	Characterization of isoflavone synthase gene from <i>Psoralea corylifolia</i> : a medicinal plant. 2010 , 29, 747-55	25
1591	Transcriptional regulation of the cinnamyl alcohol dehydrogenase gene from sweet potato in response to plant developmental stage and environmental stress. 2010 , 29, 779-91	49
1590	Differential expression of CHS7 and CHS8 genes in soybean. 2010 , 231, 741-53	47

1589	Expression of bacterial tyrosine ammonia-lyase creates a novel p-coumaric acid pathway in the biosynthesis of phenylpropanoids in Arabidopsis. 2010 , 232, 209-18	28
1588	Enzymes of phenylpropanoid metabolism in the important medicinal plant <i>Melissa officinalis</i> L. 2010 , 232, 731-42	45
1587	Two O-methyltransferases from <i>Picea abies</i> : characterization and molecular basis of different reactivity. 2010 , 232, 837-44	6
1586	O-methyltransferase(s)-suppressed plants produce lower amounts of phenolic vir inducers and are less susceptible to <i>Agrobacterium tumefaciens</i> infection. 2010 , 232, 975-86	18
1585	DkMyb2 wound-induced transcription factor of persimmon (<i>Diospyros kaki</i> Thunb.), contributes to proanthocyanidin regulation. 2010 , 232, 1045-59	71
1584	Age-induced loss of wound-healing ability in potato tubers is partly regulated by ABA. 2010 , 232, 1433-45	37
1583	Theoretical conformational analysis of rutin. 2010 , 141, 793-800	10
1582	Role of nodD gene product and flavonoid interactions in induction of nodulation genes in <i>Mesorhizobium ciceri</i> . 2010 , 16, 69-77	4
1581	Difference in in vitro response and esculin content in two populations of <i>Taraxacum officinale</i> Weber. 2010 , 16, 353-8	11
1580	Overexpression and Inactivation of UGT73B2 Modulate Tolerance to Oxidative Stress in Arabidopsis. 2010 , 53, 233-239	12
1579	Growth, secondary metabolite production and antioxidant enzyme response of <i>Morinda citrifolia</i> adventitious root as affected by auxin and cytokinin. 2010 , 4, 109-116	48
1578	Methyl jasmonate induces anthocyanin accumulation in <i>Gynura bicolor</i> cultured roots. 2010 , 46, 460-465	21
1577	Cold acclimation of forage grasses in relation to pink snow mould (<i>Microdochium nivale</i>) resistance. 2010 , 32, 37-43	1
1576	Biochemical and enzymatic changes in rice plants as a mechanism of defense. 2010 , 32, 695-701	114
1575	High molecular size humic substances enhance phenylpropanoid metabolism in maize (<i>Zea mays</i> L.). 2010 , 36, 662-9	115
1574	Phenolic composition and antioxidant capacity of bilberry (<i>Vaccinium myrtillus</i>) leaves in Northern Europe following foliar development and along environmental gradients. 2010 , 36, 1017-28	78
1573	Induction of capsaicinoid synthesis in <i>Capsicum chinense</i> cell cultures by salicylic acid or methyl jasmonate. 2010 , 54, 430-434	33
1572	Polymorphisms of soybean isoflavone synthase and flavanone 3-hydroxylase genes are associated with soybean mosaic virus resistance. 2010 , 25, 13-24	15

1571	The distribution of ester-linked ferulic acid in the cell walls of angiosperms. 2010 , 9, 19-33	85
1570	Anatomical and physiological evidence of white blush on baby carrot surfaces. 2010 , 55, 45-52	15
1569	Influence of pre-harvest UV-B irradiation and normal or controlled atmosphere storage on flavonoid and hydroxycinnamic acid contents of pak choi (<i>Brassica campestris</i> L. ssp. <i>chinensis</i> var. <i>communis</i>). 2010 , 56, 202-208	40
1568	Polymorphisms in monolignol biosynthetic genes are associated with biomass yield and agronomic traits in European maize (<i>Zea mays</i> L.). 2010 , 10, 12	25
1567	Global transcriptome profiling of wild soybean (<i>Glycine soja</i>) roots under NaHCO ₃ treatment. 2010 , 10, 153	100
1566	Modulation of flavonoid biosynthetic pathway genes and anthocyanins due to virus infection in grapevine (<i>Vitis vinifera</i> L.) leaves. 2010 , 10, 187	134
1565	A transcriptomic approach highlights induction of secondary metabolism in citrus fruit in response to <i>Penicillium digitatum</i> infection. 2010 , 10, 194	80
1564	Identification and characterisation of CYP75A31, a new flavonoid 3'5'-hydroxylase, isolated from <i>Solanum lycopersicum</i> . 2010 , 10, 21	56
1563	Habituation to thaxtomin A in hybrid poplar cell suspensions provides enhanced and durable resistance to inhibitors of cellulose synthesis. 2010 , 10, 272	11
1562	Expression analysis of flavonoid biosynthesis genes during <i>Arabidopsis thaliana</i> silique and seed development with a primary focus on the proanthocyanidin biosynthetic pathway. 2010 , 3, 255	36
1561	Changes of metabolic responses to direct and induced Fe deficiency of two <i>Pisum sativum</i> cultivars. 2010 , 68, 238-246	56
1560	Induction of defense genes and secondary metabolites in saskatoons (<i>Amelanchier alnifolia</i> Nutt.) in response to <i>Entomosporium mespili</i> using jasmonic acid and Canada milkvetch extracts. 2010 , 68, 273-282	5
1559	cDNA-AFLP analysis on transcripts associated with hydroxysafflor yellow A (HSYA) biosynthetic pathway in <i>Carthamus tinctorius</i> . 2010 , 38, 971-980	4
1558	Comparative analysis of proteomic changes in contrasting flax cultivars upon cadmium exposure. 2010 , 31, 421-31	63
1557	Changes of ginsenosides in Korean red ginseng (<i>Panax ginseng</i>) fermented by <i>Lactobacillus plantarum</i> M1. 2010 , 45, 1319-1324	53
1556	Accumulation of salicylic acid-induced phenolic compounds and raised activities of secondary metabolic and antioxidative enzymes in <i>Salvia miltiorrhiza</i> cell culture. 2010 , 148, 99-104	173
1555	Polyphenol content and antioxidant capacity in organic and conventional plant foods. 2010 , 23, 561-568	120
1554	Dual metabolomics: a novel approach to understanding plant-pathogen interactions. 2010 , 71, 590-7	71

1553	Cloning, expression, site-directed mutagenesis and immunolocalization of phenylalanine ammonia-lyase in <i>Bambusa oldhamii</i> . 2010 , 71, 1999-2009	41
1552	A polyhedral approach for understanding flavonoid biosynthesis in <i>Arabidopsis</i> . 2010 , 27, 829-36	12
1551	Stone formation in peach fruit exhibits spatial coordination of the lignin and flavonoid pathways and similarity to <i>Arabidopsis</i> dehiscence. 2010 , 8, 13	85
1550	Action and reaction of host and pathogen during <i>Fusarium</i> head blight disease. 2010 , 185, 54-66	172
1549	De novo biosynthesis of defense root exudates in response to <i>Fusarium</i> attack in barley. 2010 , 185, 577-88	154
1548	MYB96-mediated abscisic acid signals induce pathogen resistance response by promoting salicylic acid biosynthesis in <i>Arabidopsis</i> . 2010 , 186, 471-83	216
1547	Analysis of PRODUCTION OF FLAVONOL GLYCOSIDES-dependent flavonol glycoside accumulation in <i>Arabidopsis thaliana</i> plants reveals MYB11-, MYB12- and MYB111-independent flavonol glycoside accumulation. 2010 , 188, 985-1000	179
1546	Metabolite profiling of <i>Raphanus sativus</i> L. to evaluate the effects of manure amendment. 2010 , 56, 591-600	9
1545	Abiotic and biotic stresses and changes in the lignin content and composition in plants. 2010 , 52, 360-76	574
1544	Lignin biosynthesis studies in plant tissue cultures. 2010 , 52, 176-85	85
1543	EFFECT OF GRADUAL COOLING STORAGE ON CHILLING INJURY AND PHENYLALANINE AMMONIA-LYASE ACTIVITY IN TOMATO FRUIT. 2010 , 34, 295-307	16
1542	The roles of plant phenolics in defence and communication during <i>Agrobacterium</i> and <i>Rhizobium</i> infection. 2010 , 11, 705-19	208
1541	Mass spectrometry-based metabolomics application to identify quantitative resistance-related metabolites in barley against <i>Fusarium</i> head blight. 2010 , 11, 769-82	111
1540	Genome-wide analysis of phenylpropanoid defence pathways. 2010 , 11, 829-46	235
1539	Use of the growing environment as a source of variation to identify the quantitative trait transcripts and modules of co-expressed genes that determine chlorogenic acid accumulation. 2010 , 33, 1220-33	36
1538	A feruloyl transferase involved in the biosynthesis of suberin and suberin-associated wax is required for maturation and sealing properties of potato periderm. 2010 , 62, 277-90	89
1537	Effect of high oxygen modified atmosphere on post-harvest physiology and sensorial qualities of mushroom. 2010 , 45, 1097-1103	37
1536	Influence of cultivation system on bioactive molecules synthesis in strawberries: spin-off on antioxidant and antiproliferative activity. 2010 , 75, C94-9	19

1535	Antioxidant capacity and antioxidant content in roots of 4 sweetpotato varieties. 2010 , 75, C400-5	34
1534	DROUGHT STRESS: Comparative Time Course Action of the Foliar Applied Glycinebetaine, Salicylic Acid, Nitrous Oxide, Brassinosteroids and Spermine in Improving Drought Resistance of Rice. 2010 , 196, 336-345	94
1533	Role of Proanthocyanidins in Resistance of the Legume <i>Swainsona formosa</i> to <i>Phytophthora cinnamomi</i> . 2010 , 158, 365-371	6
1532	Obligatory short-day plant, <i>Perilla frutescens</i> var. <i>crispa</i> can flower in response to low-intensity light stress under long-day conditions. 2010 , 138, 339-45	23
1531	The sweet potato <i>IbMYB1</i> gene as a potential visible marker for sweet potato intragenic vector system. 2010 , 139, 229-40	34
1530	Effects of enhanced UV-B radiation on hydroxycinnamic acid derivatives extracted from different cell compartments in the aquatic liverwort <i>Jungermannia exsertifolia</i> subsp. <i>cordifolia</i> . 2010 , 140, 269-79	22
1529	Characterization of MYB proteins acting as transcriptional regulatory factors for carrot phenylalanine ammonia-lyase gene (<i>DcPAL3</i>). 2010 , 27, 131-139	7
1528	Biochemical and morphological responses to abiotic elicitor chitin in suspension-cultured sugarcane cells. 2010 , 53, 253-260	0
1527	The <i>Arabidopsis</i> wall associated kinase-like 10 gene encodes a functional guanylyl cyclase and is co-expressed with pathogen defense related genes. 2010 , 5, e8904	98
1526	A central regulatory system largely controls transcriptional activation and repression responses to phosphate starvation in <i>Arabidopsis</i> . 2010 , 6, e1001102	408
1525	Efeito de diferentes temperaturas na qualidade de mandioquinha-salsa minimamente processada. 2010 , 28, 311-315	0
1524	Antisense down-regulation of 4CL expression alters lignification, tree growth, and saccharification potential of field-grown poplar. 2010 , 154, 874-86	160
1523	Differential expression of isoflavone biosynthetic genes in soybean during water deficits. 2010 , 51, 936-48	86
1522	Functional analysis of the <i>Arabidopsis</i> PAL gene family in plant growth, development, and response to environmental stress. 2010 , 153, 1526-38	450
1521	The strawberry fruit <i>Fra a</i> allergen functions in flavonoid biosynthesis. 2010 , 3, 113-24	76
1520	Unraveling ferulate role in suberin and periderm biology by reverse genetics. 2010 , 5, 953-8	18
1519	Cylindrospermopsin and microcystin-LR alter the growth, development and peroxidase enzyme activity of white mustard (<i>Sinapis alba</i> L.) seedlings, a comparative analysis. 2010 , 61 Suppl, 35-48	22
1518	Transcriptome analysis of <i>Escherichia coli</i> O157:H7 exposed to lysates of lettuce leaves. 2010 , 76, 1375-87	90

1517	Molecular dissection of the pathogen-inducible 3-deoxyanthocyanidin biosynthesis pathway in sorghum. 2010 , 51, 1173-85	53
1516	Flavonoid phytoalexin-dependent resistance to anthracnose leaf blight requires a functional yellow seed1 in <i>Sorghum bicolor</i> . 2010 , 184, 915-26	76
1515	The pepper 9-lipoxygenase gene CaLOX1 functions in defense and cell death responses to microbial pathogens. 2010 , 152, 948-67	141
1514	Stress-induced flowering. 2010 , 5, 944-7	101
1513	Enhancing Rhizobium-legume Symbiosis Using Signaling Factors. 2010 , 27-54	14
1512	The Biosynthetic Pathways for Shikimate and Aromatic Amino Acids in <i>Arabidopsis thaliana</i> . 2010 , 8, e0132	175
1511	Quantitative Evaluation of 4-Coumarate: CoA Ligase (4CL) Activity and Correlated Chemical Constituents in Four Plant Materials by Chromatographic Analysis. 2010 , 8, 274-279	1
1510	RNA profiling of fusarium head blight-resistant wheat addition lines containing the <i>Thinopyrum elongatum</i> chromosome 7E. 2010 , 32, 188-214	33
1509	Plant metabolism and the environment: implications for managing phenolics. 2010 , 50, 620-43	78
1508	Polyphenol Oxidase and Oleuropein in Olives and their Changes During Olive Ripening. 2010 , 233-238	1
1507	Salicylic acid and the flowering gene FLOWERING LOCUS T homolog are involved in poor-nutrition stress-induced flowering of <i>Pharbitis nil</i> . 2010 , 167, 447-52	79
1506	Differential in vitro responses of rice cultivars to Italian lineages of the blast pathogen <i>Pyricularia grisea</i> . 2. Aromatic biosynthesis. 2010 , 167, 928-32	8
1505	Interaction and accumulation of manganese and cadmium in the manganese accumulator <i>Lupinus albus</i> . 2010 , 167, 1027-32	55
1504	Influence of combined hot air and UV-C treatment on the antioxidant system of minimally processed broccoli (<i>Brassica oleracea</i> L. var. <i>Italica</i>). 2010 , 43, 1313-1319	56
1503	Seasonal changes in temperature and precipitation influence isoflavone concentration in short-season soybean. 2010 , 117, 113-121	18
1502	Role of ploidy in cadmium and nickel uptake by <i>Matricaria chamomilla</i> plants. 2010 , 48, 2109-14	18
1501	Cloning and expression of a phenylalanine ammonia-lyase gene (BoPAL2) from <i>Bambusa oldhamii</i> in <i>Escherichia coli</i> and <i>Pichia pastoris</i> . 2010 , 71, 224-30	32
1500	Photoprotective roles of anthocyanins in <i>Begonia semperflorens</i> . 2010 , 179, 202-208	75

1499	Identification and mapping of genes related to caffeoylquinic acid synthesis in <i>Cynara cardunculus</i> L.. 2010 , 179, 338-347	43
1498	Riboflavin activates defense responses in tobacco and induces resistance against <i>Phytophthora parasitica</i> and <i>Ralstonia solanacearum</i> . 2010 , 74, 330-336	40
1497	The potential of priming in food production. 2010 , 21, 399-407	35
1496	Expression of chalcone synthase and chalcone isomerase genes and accumulation of corresponding flavonoids during fruit maturation of Guoqing No. 4 satsuma mandarin (<i>Citrus unshiu</i> Marcow). 2010 , 125, 110-116	32
1495	Effects of conventional and organic nitrogen fertilizers on soil microbial activity, mycorrhizal colonization, leaf antioxidant content, and Fusarium wilt in highbush blueberry (<i>Vaccinium corymbosum</i> L.). 2010 , 125, 775-778	19
1494	Stress-Induced Buildup of Screening Pigments. 2010 , 33-65	
1493	Biosynthesis of ethers: unusual or common natural events?. 2010 , 27, 370-92	29
1492	Fresh-Cut Vegetables and Fruits. 2010 , 185-251	6
1491	Determination of Total Phenols, Free Radical Scavenging and Antibacterial Activities of <i>Mentha longifolia</i> Linn. Hudson from the Cold Desert, Ladakh, India.. 2010 , 2, 470-475	5
1490	Effectiveness of phytoestrogens in climacteric medicine. 2010 , 1205, 262-7	16
1489	Cyclic environmental factors only partially explain the seasonal variability of photoprotection and physiology in two mosses from an unforested headwater stream. 2010 , 113, 277-291	13
1488	Antioxidant capacity in cultivated and wild <i>Solanum</i> species: the effect of wound stress. 2010 , 1, 209-18	5
1487	Managing phenol contents in crop plants by phytochemical farming and breeding-visions and constraints. 2010 , 11, 807-57	148
1486	Localized increases of polyphenol concentration and antioxidant capacity in relation to the differential accumulations of copper and cadmium in roots and in shoots of sunflower. 2010 , 88, 901-911	3
1485	Seasonal variation of defense-related gene expression in leaves from Bois noir affected and recovered grapevines. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 6628-37	5-7 35
1484	Silicon-induced changes in antifungal phenolic acids, flavonoids, and key phenylpropanoid pathway genes during the interaction between miniature roses and the biotrophic pathogen <i>Podosphaera pannosa</i> . 2011 , 157, 2194-205	94
1483	Metabolic profiling and predicting the free radical scavenging activity of guava (<i>Psidium guajava</i> L.) leaves according to harvest time by 1H-nuclear magnetic resonance spectroscopy. 2011 , 75, 1090-7	16
1482	Flavonols: old compounds for old roles. 2011 , 108, 1225-33	232

1481	Storage elevates phenolic content and antioxidant activity but suppresses antiproliferative and pro-apoptotic properties of colored-flesh potatoes against human colon cancer cell lines. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 8155-66	5-7	53
1480	Phenolic metabolism in grafted versus nongrafted cherry tomatoes under the influence of water stress. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 8839-46	5-7	17
1479	Influence of abiotic stress signals on secondary metabolites in plants. 2011 , 6, 1720-31		1205
1478	Plants as biofactories: physiological role of reactive oxygen species on the accumulation of phenolic antioxidants in carrot tissue under wounding and hyperoxia stress. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 6583-93	5-7	171
1477	A metabolomic approach differentiates between conventional and organic ketchups. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 11703-10	5-7	43
1476	Anthocyanin accumulation and expression of anthocyanin biosynthetic genes in radish (<i>Raphanus sativus</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 6034-9	5-7	72
1475	Phylogenomic Analysis of the Phenylalanine Ammonia Lyase Gene Family in Loblolly Pine (<i>Pinus taeda</i> L.). 2011 ,		
1474	Intercalation and grafting of benzene derivatives into zinc-aluminum and copper-chromium layered double hydroxide hosts: an XPS monitoring study. 2011 , 13, 17564-78		63
1473	Preharvest L-arginine treatment induced postharvest disease resistance to <i>Botrytis cinerea</i> in tomato fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 6543-9	5-7	80
1472	Optimization, in-house validation, and application of a liquid chromatography-tandem mass spectrometry (LC-MS/MS)-based method for the quantification of selected polyphenolic compounds in leaves of grapevine (<i>Vitis vinifera</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10787-94	5-7	28
1471	Chemical Composition and Antioxidant Activities of Tunisian and Canadian Coriander (<i>Coriandrum sativum</i> L.) Fruit. 2011 , 23, 7-15		16
1470	Mosquito larvicidal activity of methyl-p-hydroxybenzoate isolated from the leaves of <i>Vitex trifolia</i> Linn. 2011 , 120, 115-8		44
1469	Maintaining mango (<i>Mangifera indica</i> L.) fruit quality during the export chain. 2011 , 44, 1254-1263		129
1468	Changes in bioactive compounds and antioxidant capacity of fresh-cut cashew apple. 2011 , 44, 1459-1462		32
1467	Leucoanthocyanidin Dioxygenase in <i>Arabidopsis thaliana</i> : characterization of mutant alleles and regulation by MYB-BHLH-TTG1 transcription factor complexes. 2011 , 484, 61-8		62
1466	Trans-Chalcone prevents VEGF expression and retinal neovascularization in the ischemic retina. 2011 , 93, 350-4		26
1465	Cleavage of resveratrol in fungi: characterization of the enzyme Rco1 from <i>Ustilago maydis</i> . 2011 , 48, 132-43		25
1464	Diadenosine polyphosphates (Ap3A and Ap4A) behave as alarmones triggering the synthesis of enzymes of the phenylpropanoid pathway in <i>Arabidopsis thaliana</i> . 2011 , 1, 1-6		17

1463	Effects of Pb stress on nutrient uptake and secondary metabolism in submerged macrophyte <i>Vallisneria natans</i> . 2011 , 74, 1297-303	75
1462	Influence of blanching and low temperature preservation strategies on antioxidant activity and phytochemical content of carrots, green beans and broccoli. 2011 , 44, 299-306	51
1461	Chemical composition, mineral content and antioxidant activity of <i>Verbena officinalis</i> L.. 2011 , 44, 875-882	45
1460	Effect of different drying temperatures on the moisture and phytochemical constituents of edible Irish brown seaweed. 2011 , 44, 1266-1272	122
1459	Plant aging and excess light enhance flavan-3-ol content in <i>Cistus clusii</i> . 2011 , 168, 96-102	16
1458	Significance of phenols in cadmium and nickel uptake. 2011 , 168, 576-84	56
1457	4-Coumarate:CoA ligase family members from elicitor-treated <i>Sorbus aucuparia</i> cell cultures. 2011 , 168, 944-51	24
1456	A survey on basal resistance and riboflavin-induced defense responses of sugar beet against <i>Rhizoctonia solani</i> . 2011 , 168, 1114-22	52
1455	Production of dragon's blood in <i>Dracaena cochinchinensis</i> plants by inoculation of <i>Fusarium proliferatum</i> . 2011 , 180, 292-9	37
1454	Cloning of FaPAL6 gene from strawberry fruit and characterization of its expression and enzymatic activity in two cultivars with different anthocyanin accumulation. 2011 , 181, 111-8	24
1453	Gene expression profiles, phenolics and lignin of Sitka spruce bark and sapwood before and after wounding and inoculation with <i>Heterobasidion annosum</i> . 2011 , 75, 180-187	24
1452	Cytological analysis of infection process and the first defence responses induced in winter rye (<i>Secale cereale</i> L.) seedlings inoculated with <i>Microdochium nivale</i> . 2011 , 76, 189-196	11
1451	Eggplant relatives as sources of variation for developing new rootstocks: Effects of grafting on eggplant yield and fruit apparent quality and composition. 2011 , 128, 14-22	88
1450	Phenolic content and free radical scavenging activities in rambutan during fruit maturation. 2011 , 129, 247-252	27
1449	Metagenomic analysis of the coral holobiont during a natural bleaching event on the Great Barrier Reef. 2011 , 3, 651-60	132
1448	Quinic Acids from <i>Aster caucasicus</i> and from Transgenic Callus Expressing a β Amyrin Synthase \S . 2011 , 6, 1934578X1100601	1
1447	Quantitative resistance of potato to <i>Pectobacterium atrosepticum</i> and <i>Phytophthora infestans</i> : integrating PAMP-triggered response and pathogen growth. 2011 , 6, e23331	21
1446	Genetic engineering of woody plants: current and future targets in a stressful environment. 2011 , 142, 105-17	42

- 1445 Ultraviolet irradiation induces accumulation of isoflavonoids and transcription of genes of enzymes involved in the calycosin-7-O- β -glucoside pathway in *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao. **2011**, 142, 265-73 24
- 1444 Cryptogein, a fungal elicitor, remodels the phenylpropanoid metabolism of tobacco cell suspension cultures in a calcium-dependent manner. **2011**, 34, 149-61 24
- 1443 System responses to long-term drought and re-watering of two contrasting alfalfa varieties. **2011**, 68, 871-89 95
- 1442 BITTERNES REDUCTION AND ENZYMATIC TRANSFORMATION OF GINSENOSES FROM KOREAN RED GINSENG (*PANAX GINSENG*) EXTRACT. **2011**, 35, 1267-1282 7
- 1441 EFFECT OF METHYL JASMONATE ON PERICARP BROWNING OF POSTHARVEST LYCHEES. **2011**, 35, 417-422 19
- 1440 CHEMICAL AND ANTIOXIDANT PROPERTIES OF CULTIVATED AND WILD *FRAGARIA* AND *RUBUS* BERRIES. **2011**, 34, 1-9 69
- 1439 Comparison of the gene expression profiles of resistant and non-resistant Japanese black pine inoculated with pine wood nematode using a modified LongSAGE technique. **2011**, 41, 143-155 15
- 1438 Sugar beet waste and its component ferulic acid inhibits external mycelium of arbuscular mycorrhizal fungus. **2011**, 43, 1456-1463 14
- 1437 Experimental (X-Ray Photoelectron Spectroscopy) and theoretical studies of benzene based organics intercalated into layered double hydroxide. **2011**, 13, 1676-1686 29
- 1436 Changes in wheat leaf phenolome in response to cold acclimation. **2011**, 72, 2294-307 38
- 1435 Stepwise increase of resveratrol biosynthesis in yeast *Saccharomyces cerevisiae* by metabolic engineering. **2011**, 13, 455-63 114
- 1434 Defense mechanisms against herbivory in *Picea*: sequence evolution and expression regulation of gene family members in the phenylpropanoid pathway. **2011**, 12, 608 32
- 1433 Plant age and in vitro or in vivo propagation considerably affect cold tolerance of *Miscanthus giganteus*. **2011**, 34, 163-171 20
- 1432 A comparative study of antioxidative activities of cell-wall polysaccharides. **2011**, 346, 2255-9 33
- 1431 Tandem allylic oxidation-condensation/esterification catalyzed by silica gel: an expeditious approach towards antimalarial diaryldienones and enones from natural methoxylated phenylpropenes. **2011**, 9, 5211-9 18
- 1430 Phenolic content and antioxidant activity in two contrasting *Medicago ciliaris* lines cultivated under salt stress. **2011**, 66, 813-820 5
- 1429 Antioxidant activity of extracts from *Thalictrum minus* suspension culture. **2011**, 58, 715-720 2
- 1428 Herbivore-induced changes in tomato (*Solanum lycopersicum*) primary metabolism: a whole plant perspective. **2011**, 37, 1294-303 59

1427	Chalcone synthase and its functions in plant resistance. 2011 , 10, 397-412		324
1426	Enolases: storage compounds in seeds? Evidence from a proteomic comparison of zygotic and somatic embryos of <i>Cyclamen persicum</i> Mill. <i>Plant Molecular Biology</i> , 2011 , 75, 305-19	4.6	31
1425	European corn borer injury effects on lignin, carbon and nitrogen in corn tissues. 2011 , 341, 165-177		6
1424	Analysis of Differential Transcript Expression Reveals Time-Dependent Leaf Responses to <i>Sclerotinia sclerotiorum</i> in Wild and Cultivated Sunflower. 2011 , 29, 597-608		10
1423	Proteomic Analysis of Low Nitrogen Stress-Responsive Proteins in Roots of Rice. 2011 , 29, 618-625		40
1422	Forced expression of <i>Mdmyb10</i> , a myb transcription factor gene from apple, enhances tolerance to osmotic stress in transgenic <i>Arabidopsis</i> . 2011 , 38, 205-11		56
1421	Molecular characterization of a phenylalanine ammonia-lyase gene (<i>BoPAL1</i>) from <i>Bambusa oldhamii</i> . 2011 , 38, 283-90		45
1420	Molecular cloning and characterization of a phenylalanine ammonia-lyase gene (<i>LrPAL</i>) from <i>Lycoris radiata</i> . 2011 , 38, 1935-40		33
1419	Isolation and characterization of a gene encoding cinnamoyl-CoA reductase from <i>Isatis indigotica</i> Fort. 2011 , 38, 2075-83		14
1418	Transcriptional responses of winter barley to cold indicate nucleosome remodelling as a specific feature of crown tissues. 2011 , 11, 307-25		50
1417	RNAi-mediated suppression of the phenylalanine ammonia-lyase gene in <i>Salvia miltiorrhiza</i> causes abnormal phenotypes and a reduction in rosmarinic acid biosynthesis. 2011 , 124, 183-92		85
1416	Isolation and promoter analysis of a chalcone synthase gene <i>PtrCHS4</i> from <i>Populus trichocarpa</i> . 2011 , 30, 1661-71		10
1415	Identification of flavonoids in <i>Pinus Laricio</i> needles and changes occurring after prescribed burning. 2011 , 21, 9-17		6
1414	Fruit quality of Italian pomegranate (<i>Punica granatum</i> L.) autochthonous varieties. 2011 , 232, 397-403		24
1413	Unusual withanolides from aeroponically grown <i>Withania somnifera</i> . 2011 , 72, 518-22		40
1412	Effect of low doses of irradiation on oxidative stress and secondary metabolites production of rosemary (<i>Rosmarinus officinalis</i> L.) callus culture. 2011 , 80, 968-976		76
1411	Antioxidant phytochemicals in lettuce grown in high tunnels and open field. 2011 , 52, 133-139		25
1410	Biochemical, microbiological and physiological changes in Jamun (<i>Syzygium cumini</i> L.) kept for long term storage under modified atmosphere packaging. 2011 , 48, 357-65		28

1409	Drought effects on polyphenol composition and antioxidant activities in aerial parts of <i>Salvia officinalis</i> L.. 2011 , 33, 1103-1111	116
1408	Effects of cytokinin on callus proliferation associated with physiological and biochemical changes in <i>Vitis vinifera</i> L.. 2011 , 33, 1451-1459	10
1407	Changes in biomass allocation and phenolic compounds accumulation due to the effect of light and nitrate supply in <i>Cecropia peltata</i> plants. 2011 , 33, 2135-2147	10
1406	The elicitation of a systemic resistance by <i>Pseudomonas putida</i> BTP1 in tomato involves the stimulation of two lipoxygenase isoforms. 2011 , 11, 29	63
1405	Effect of clone selection, nitrogen supply, leaf damage and mycorrhizal fungi on stilbene and emodin production in knotweed. 2011 , 11, 98	9
1404	Selection of reference genes for qPCR in hairy root cultures of peanut. 2011 , 4, 392	29
1403	Structural and biochemical investigation of two <i>Arabidopsis</i> shikimate kinases: the heat-inducible isoform is thermostable. 2011 , 20, 1125-36	8
1402	Flavonoid Biosynthesis. 2011 , 293-320	8
1401	Extraction optimisation of daphnoretin from root bark of <i>Wikstroemia indica</i> (L.) C.A. and its anti-tumour activity tests. 2011 , 124, 1500-1506	42
1400	Effect of BTH on antioxidant enzymes, radical-scavenging activity and decay in strawberry fruit. 2011 , 125, 145-149	54
1399	The most abundant polyphenol of soy leaves, coumestrol, displays potent β -glucosidase inhibitory activity. 2011 , 126, 1057-1063	71
1398	Anthocyanins composition and antioxidant activity of wild <i>Lycium ruthenicum</i> Murr. from Qinghai-Tibet Plateau. 2011 , 126, 859-865	165
1397	The influence of organic and conventional crop management, variety and year on the yield and flavonoid level in common buckwheat groats. 2011 , 127, 602-8	38
1396	P450s in plant-insect interactions. 2011 , 1814, 36-45	168
1395	Sensitivity of <i>Xanthoria parietina</i> to UV-A: role of metabolic modulators. 2011 , 103, 243-50	6
1394	Phylogeny, topology, structure and functions of membrane-bound class III peroxidases in vascular plants. 2011 , 72, 1124-35	30
1393	Co-expression of GbMYB1 and GbMYC1 induces anthocyanin accumulation in roots of cultured <i>Gynura bicolor</i> DC. plantlet on methyl jasmonate treatment. 2011 , 49, 159-67	19
1392	Physiological and phytochemical response to drought stress of German chamomile (<i>Matricaria recutita</i> L.). 2011 , 49, 201-7	59

- 1391 Elicitin-membrane interaction is driven by a positive charge on the protein surface: role of Lys13 residue in lipids loading and resistance induction. **2011**, 49, 321-8 14
- 1390 The pepper mannose-binding lectin gene CaMBL1 is required to regulate cell death and defense responses to microbial pathogens. **2011**, 155, 447-63 98
- 1389 Effects of *Lymantria dispar* Feeding and Wounding on Phenylalanine Ammonia-Lyase in *Populus simonii* [P. nigra]. **2011**, 183-185, 323-327
- 1388 Phenylalanine Ammonia Lyase Under Combined Effects of Enhanced UV-B Radiation and Allelopathy Stress. **2011**, 53, 2
- 1387 Secondary Metabolites of Date Palm. **2011**, 653-674 12
- 1386 Molecular and biochemical basis for stress-induced accumulation of free and bound p-coumaraldehyde in cucumber. **2011**, 157, 1056-66 16
- 1385 Integrative analysis of transgenic alfalfa (*Medicago sativa* L.) suggests new metabolic control mechanisms for monolignol biosynthesis. **2011**, 7, e1002047 51
- 1384 DETECTION AND DISCRIMINATION OF NUTRIENT DEFICIENCIES IN SUNFLOWER BY BLUE-GREEN AND CHLOROPHYLL-A FLUORESCENCE IMAGING. **2011**, 34, 2114-2126 10
- 1383 Biotic and Abiotic Factors Affecting the Content of the Chosen Antioxidant Compounds in Vegetables. **2012**, 76, 55-78 18
- 1382 Impact of diurnal temperature variation on grape berry development, proanthocyanidin accumulation, and the expression of flavonoid pathway genes. **2012**, 63, 2655-65 116
- 1381 Phenolic contents and compositions in skins of red wine grape cultivars among various genetic backgrounds and originations. **2012**, 13, 3492-510 90
- 1380 Nitrate reductase- and nitric oxide-dependent activation of sinapoylglucose:malate sinapoyltransferase in leaves of *Arabidopsis thaliana*. **2012**, 53, 1607-16 13
- 1379 Crop residue and residue management effects on *Armadillidium vulgare* (Isopoda: Armadillidiidae) populations and soybean stand densities. **2012**, 105, 1629-39 6
- 1378 Anaerobic p-coumarate degradation by *Rhodopseudomonas palustris* and identification of CouR, a MarR repressor protein that binds p-coumaroyl coenzyme A. **2012**, 194, 1960-7 42
- 1377 Biochemistry of post-harvest spoilage of mahula (*Madhuca latifolia* L.) flowers: changes in total sugar, ascorbic acid, phenol and phenylalanine ammonia-lyase activity. **2012**, 45, 846-855 5
- 1376 Purification and Characterization of Peroxidase from Sweet Gourd (*Cucurbita moschata* Lam. Poiret). **2012**, 15, 1110-1119 40
- 1375 Transcriptional Regulation of the Lignin Biosynthetic Pathway Revisited: New Players and Insights. **2012**, 61, 173-218 13
- 1374 Biomarker genes highlight intraspecific and interspecific variations in the responses of *Pinus taeda* L. and *Pinus radiata* D. Don to *Sirex noctilio* F. acid gland secretions. **2012**, 32, 1302-12 8

1373	Reduction of inositol (1,4,5)-trisphosphate affects the overall phosphoinositol pathway and leads to modifications in light signalling and secondary metabolism in tomato plants. 2012 , 63, 825-35		12
1372	Biosynthesis of proanthocyanidins in white clover flowers: cross talk within the flavonoid pathway. 2012 , 158, 666-78		40
1371	Effect of Light Intensity on Brassica rapa Chemistry and Plutella xylostella (Lepidoptera: Plutellidae) Life History Traits.. 2012 , 47, 327-349		2
1370	Molecular cloning, characterization and expression of the phenylalanine ammonia-lyase gene from Juglans regia. 2012 , 17, 7810-23		45
1369	Metabolomics of forage plants: a review. 2012 , 110, 1281-90		46
1368	In Vitro Propagation and Approaches for Metabolites Production in Medicinal Plants. 2012 , 62, 35-55		4
1367	Modification of fatty acid, essential oil and phenolic contents of salt-treated sweet marjoram (Origanum majorana L.) according to developmental stage. 2012 , 77, C1047-54		7
1366	Impact of postharvest brassinosteroids treatment on PAL activity in tomato fruit in response to chilling stress. 2012 , 144, 116-120		67
1365	RNAi suppression of lignin biosynthesis in sugarcane reduces recalcitrance for biofuel production from lignocellulosic biomass. <i>Plant Biotechnology Journal</i> , 2012 , 10, 1067-76	11.6	125
1364	Identification and characterization of petiolule-like pulvinus mutants with abolished nyctinastic leaf movement in the model legume Medicago truncatula. 2012 , 196, 92-100		28
1363	Combined effects of storage and processing on the bioactive compounds and pro-apoptotic properties of color-fleshed potatoes in human colon cancer cells. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 11088-96	5.7	49
1362	Methyl eugenol: its occurrence, distribution, and role in nature, especially in relation to insect behavior and pollination. 2012 , 12, 56		161
1361	An Alternative Use of Horticultural Crops: Stressed Plants as Biofactories of Bioactive Phenolic Compounds. 2012 , 2, 259-271		76
1360	Microbial rescue to plant under habitat-imposed abiotic and biotic stresses. 2012 , 96, 1137-55		44
1359	MicroR828 regulates lignin and H2O2 accumulation in sweet potato on wounding. 2012 , 196, 427-440		71
1358	Characterization, fine mapping and expression profiling of Ragged leaves1 in maize. 2012 , 125, 1125-35		5
1357	Light response, oxidative stress management and nucleic acid stability in closely related Linderniaceae species differing in desiccation tolerance. 2012 , 236, 541-55		33
1356	Simulated moose (Alces alces L.) browsing increases accumulation of secondary metabolites in bilberry (Vaccinium myrtillus L.) along gradients of habitat productivity and solar radiation. 2012 , 38, 1225-34		9

1355	Cloning, Characterization and Functional Analysis of a Phenylalanine Ammonia-lyase Gene (FtPAL) from <i>Fagopyrum tataricum</i> Gaertn. 2012 , 30, 1172-1182		14
1354	Exogenous treatment with salicylic acid attenuates occurrence of citrus canker in susceptible navel orange (<i>Citrus sinensis</i> Osbeck). 2012 , 169, 1143-9		36
1353	Metabolic fingerprinting of Tomato Mosaic Virus infected <i>Solanum lycopersicum</i> . 2012 , 169, 1586-96		45
1352	Barnyard grass stress up regulates the biosynthesis of phenolic compounds in allelopathic rice. 2012 , 169, 1747-53		34
1351	Comparison of isoflavones and anthocyanins in soybean [<i>Glycine max</i> (L.) Merrill] seeds of different planting dates. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 10196-202	5-7	28
1350	Increasing catechin and procyanidin accumulation in high-CO ₂ -treated <i>Fragaria vesca</i> strawberries. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 7489-96	5-7	17
1349	AtACDO1, an ABC1-like kinase gene, is involved in chlorophyll degradation and the response to photooxidative stress in <i>Arabidopsis</i> . 2012 , 63, 3959-73		32
1348	Effects of salicylic acid on seedling growth and nitrogen use efficiency in cucumber (<i>Cucumis sativus</i> L.). 2012 , 146, 302-308		13
1347	Polyphenols as chemotaxonomic markers in Italian "long-storage" tomato genotypes. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 309-14	5-7	32
1346	Short photoirradiation induces flavonoid synthesis and increases its production in postharvest vegetables. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4359-68	5-7	36
1345	Ripening attributes of new passion fruit line featuring seasonal non-climacteric behavior. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 1810-21	5-7	11
1344	Content of antioxidative caffeoylquinic acid derivatives in field-grown <i>Ligularia fischeri</i> (Ledeb.) Turcz and responses to sunlight. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 5597-603	5-7	19
1343	Physiological and morphological changes in <i>Salix viminalis</i> L. as a result of plant exposure to copper. 2012 , 47, 548-57		20
1342	Lenticels on mango fruit: Origin, development, discoloration and prevention of their discoloration. 2012 , 135, 164-170		11
1341	Control of blue and green mold decay of citrus fruit by <i>Pichia membranefaciens</i> and induction of defense responses. 2012 , 135, 120-127		50
1340	Influence of bicarbonate salts, used against apple scab, on selected primary and secondary metabolites in apple fruit and leaves. 2012 , 143, 197-204		12
1339	Ecological and agronomic importance of the plant genus <i>Lotus</i> . Its application in grassland sustainability and the amelioration of constrained and contaminated soils. 2012 , 182, 121-33		82
1338	N-Acylethanolamines and related compounds: aspects of metabolism and functions. 2012 , 184, 129-40		27

1337	Evaluation of a method to characterize the phenolic profile of organic and conventional tomatoes. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 3373-80	5-7	56
1336	Stress-Induced Flowering. 2012 , 331-345		16
1335	Phenolic compounds and saponins in quinoa samples (<i>Chenopodium quinoa</i> Willd.) grown under different saline and nonsaline irrigation regimens. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4620-7	5-7	91
1334	Bioactive components in forced sweet cherry fruit (<i>Prunus avium</i> L.), antioxidative capacity and allergenic potential as dependent on cultivation under cover. 2012 , 46, 388-392		31
1333	Changes in the nature of phenolic deposits after re-warming as a result of melatonin pre-sowing treatment of <i>Vigna radiata</i> seeds. 2012 , 169, 34-40		33
1332	Two phenylalanine ammonia lyase isoforms are involved in the elicitor-induced response of rice to the fungal pathogen <i>Magnaporthe oryzae</i> . 2012 , 169, 249-54		36
1331	Alternative oxidase (AOX) and phenolic metabolism in methyl jasmonate-treated hairy root cultures of <i>Daucus carota</i> L. 2012 , 169, 657-63		28
1330	Responses of growth and primary metabolism of water-stressed barley roots to rehydration. 2012 , 169, 686-95		70
1329	Salicylic acid is involved in the regulation of starvation stress-induced flowering in <i>Lemna paucicostata</i> . 2012 , 169, 987-91		32
1328	UV-B-mediated flavonoid synthesis in white asparagus (<i>Asparagus officinalis</i> L.). 2012 , 48, 196-201		47
1327	Isolation and molecular characterisation of flavonoid 3'-hydroxylase and flavonoid 3', 5'-hydroxylase genes from a traditional Chinese medicinal plant, <i>Epimedium sagittatum</i> . 2012 , 497, 125-30		19
1326	De novo sequencing and characterization of <i>Picrorhiza kurroa</i> transcriptome at two temperatures showed major transcriptome adjustments. 2012 , 13, 126		107
1325	Differential effects of environment on potato phenylpropanoid and carotenoid expression. 2012 , 12, 39		70
1324	Elicitation of secondary metabolism in <i>Hypericum perforatum</i> by rhizosphere bacteria and derived elicitors in seedlings and shoot cultures. 2012 , 50, 1201-9		36
1323	Host-Parasite Interactions and Trade-offs Between Growth- and Defence-Related Metabolism Under Changing Environments. 2012 , 53-83		11
1322	The Roles of Salicylic Acid and Jasmonic Acid in Plant Immunity. 2012 , 55-79		6
1321	Lignins and Abiotic Stresses. 2012 , 219-262		51
1320	Flavonoids. 2012 ,		11

1319	Plant Phenolics: A Biochemical and Physiological Perspective. 2012 , 1-39		16
1318	Regional scale patterns in seagrass defences: Phenolic acid content in <i>Zostera noltii</i> . 2012 , 114, 18-22		22
1317	Effect of water deficit on leaf phenolic composition, gas exchange, oxidative damage and antioxidant activity of four Greek olive (<i>Olea europaea</i> L.) cultivars. 2012 , 60, 1-11		99
1316	Effect of nitric oxide on the activity of phenylalanine ammonia-lyase and antioxidative response in sweetpotato root in relation to wound-healing. 2012 , 74, 125-131		12
1315	Activating defense responses and reducing postharvest blue mold decay caused by <i>Penicillium expansum</i> in peach fruit by yeast saccharide. 2012 , 74, 100-107		15
1314	Overexpression of phenylalanine ammonia-lyase improves flavones production in transgenic hairy root cultures of <i>Scutellaria baicalensis</i> . 2012 , 47, 2575-2580		14
1313	Quality from the field: The impact of environmental factors as quality determinants in medicinal plants. 2012 , 82, 11-20		145
1312	Salt-stressed fresh cut leek accelerates CO ₂ and C ₂ H ₄ production and enhances the development of quality characteristics of traditional Greek sausages during storage. 2012 , 92, 789-94		
1311	Effect of gamma radiation on morphological, biochemical, and physiological aspects of plants and plant products. 2012 , 20, 17-39		94
1310	Postharvest Stress Treatments in Fruits and Vegetables. 2012 , 347-358		2
1309	Luteolin, a bioactive flavone compound extracted from <i>Cichorium endivia</i> L. subsp. <i>divaricatum</i> alleviates the harmful effect of salinity on maize. 2012 , 34, 2165-2177		16
1308	Assessment of the role of meta-topolins on in vitro produced phenolics and acclimatization competence of micropropagated Williams banana. 2012 , 34, 2265-2273		53
1307	Development of a novel adsorptive membrane chromatographic method for the fractionation of polyphenols from bilberry. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 2427-33	5-7	28
1306	Verte and Romaine lettuce varieties (<i>Lactuca sativa</i>) show differential responses to high NaCl concentrations. 2012 , 175, 641-648		2
1305	Responses and Management of Heat Stress in Plants. 2012 , 135-157		13
1304	Host-selective toxins of <i>Pyrenophora tritici-repentis</i> induce common responses associated with host susceptibility. 2012 , 7, e40240		28
1303	A RAD tag derived marker based eggplant linkage map and the location of QTLs determining anthocyanin pigmentation. 2012 , 7, e43740		89
1302	Flavonoid-deficient mutants in grass pea (<i>Lathyrus sativus</i> L.): genetic control, linkage relationships, and mapping with aconitase and S-nitrosoglutathione reductase isozyme loci. 2012 , 2012, 345983		13

1301	Phenolic concentrations and antioxidant properties of wines made from north american grapes grown in china. 2012 , 17, 3304-23	24
1300	A "novel" protocol for the analysis of hydroxycinnamic acids in leaf tissue of chicory (<i>Cichorium intybus</i> L., Asteraceae). 2012 , 2012, 142983	9
1299	Transcriptome analysis of resistant soybean roots infected by <i>Meloidogyne javanica</i> . 2012 , 35, 272-82	18
1298	Inheritance of Anthocyanin Pigment and Photosensitivity in Eggplant (<i>Solanum melongena</i> L.) Fruit. 2012 , 50, 75-80	4
1297	Bioactive compounds and total antioxidant capacity of cashew apples (<i>Anacardium occidentale</i> L.) during the ripening of early dwarf cashew clones. 2012 , 36, 325-332	31
1296	Is there any difference between the phenolic content of organic and conventional tomato juices?. 2012 , 130, 222-227	63
1295	Enhancement in furanocoumarin content and phenylalanine ammonia lyase activity in developing seedlings of <i>Psoralea corylifolia</i> L. in response to gamma irradiation of seeds. 2012 , 51, 341-7	6
1294	The TvPirin gene is necessary for haustorium development in the parasitic plant <i>Triphysaria versicolor</i> . 2012 , 158, 1046-53	19
1293	The response to daylight or continuous ozone of phenylpropanoid and lignin biosynthesis pathways in poplar differs between leaves and wood. 2012 , 236, 727-37	19
1292	The role of flavonoids in root-rhizosphere signalling: opportunities and challenges for improving plant-microbe interactions. 2012 , 63, 3429-44	417
1291	Anti-complementary activity of enzyme-treated traditional Korean rice wine (Makgeolli) hydrolysates. 2012 , 92, 1765-70	11
1290	Phenolic Compounds in Plant Defense and Pathogen Counter-Defense Mechanisms. 2012 , 191-208	42
1289	Enhancement of phenolic compound production in <i>Spirulina platensis</i> by two-step batch mode cultivation. 2012 , 24, 897-905	34
1288	Pure culture of <i>Metarhizium anisopliae</i> LHL07 reprograms soybean to higher growth and mitigates salt stress. 2012 , 28, 1483-94	77
1287	Metabolomics demonstrates divergent responses of two <i>Eucalyptus</i> species to water stress. 2012 , 8, 186-200	80
1286	An integrated analysis of the rosmarinic acid-biosynthetic genes to uncover the regulation of rosmarinic acid pathway in <i>Salvia miltiorrhiza</i> . 2012 , 34, 1501-1511	11
1285	Defence response of Sitka spruce before and after inoculation with <i>Heterobasidion annosum</i> : 1H NMR fingerprinting of bark and sapwood metabolites. 2012 , 402, 3333-44	3
1284	Characterization and primary functional analysis of phenylalanine ammonia-lyase gene from <i>Phyllostachys edulis</i> . 2012 , 31, 1345-56	20

1283	Characterization, high-resolution mapping and differential expression of three homologous PAL genes in <i>Coffea canephora</i> Pierre (Rubiaceae). 2012 , 236, 313-26	42
1282	Co-expression of VpROMT gene from Chinese wild <i>Vitis pseudoreticulata</i> with VpSTS in tobacco plants and its effects on the accumulation of pterostilbene. 2012 , 249, 819-33	2
1281	Impact of carbon dioxide enrichment on the responses of maize leaf transcripts and metabolites to water stress. 2012 , 144, 238-53	75
1280	Two glycosyltransferases involved in anthocyanin modification delineated by transcriptome independent component analysis in <i>Arabidopsis thaliana</i> . 2012 , 69, 154-67	124
1279	DETERMINATION OF TOTAL POLYPHENOL, FLAVONOID AND ANTHOCYANIN CONTENTS AND ANTIOXIDANT CAPACITIES OF SKINS FROM PEANUT (<i>ARACHIS HYPOGAEA</i>) LINES WITH DIFFERENT SKIN COLORS. 2012 , 36, 301-308	37
1278	Differential expression of <i>Arabidopsis</i> defense-related genes in response to sulfur dioxide. 2012 , 87, 718-24	26
1277	Alleviation of chilling injury and browning of postharvest bamboo shoot by salicylic acid treatment. 2012 , 131, 456-461	68
1276	Changes in physicochemical quality and browning related enzyme activity of longkong fruit during four different weeks of on-tree maturation. 2012 , 131, 1437-1442	24
1275	Phenolic profiles of cherry tomatoes as influenced by hydric stress and rootstock technique. 2012 , 134, 775-82	64
1274	Protective effect of red light against blast disease caused by <i>Magnaporthe oryzae</i> in rice. 2012 , 39, 41-44	15
1273	Salinity-induced changes in caffeic acid derivatives, alkalamides and ketones in three <i>Echinacea</i> species. 2012 , 77, 234-241	19
1272	Salinity-induced changes in phenolic compounds in leaves and roots of four olive cultivars (<i>Olea europaea</i> L.) and their relationship to antioxidant activity. 2012 , 79, 37-43	126
1271	Ultrasound assisted extraction of polyphenols from black chokeberry. 2012 , 93, 42-47	203
1270	Identification of genes up-regulated during somatic embryogenesis of cucumber. 2012 , 50, 54-64	15
1269	Nicotiflorin, rutin and chlorogenic acid: phenylpropanoids involved differently in quantitative resistance of potato tubers to biotrophic and necrotrophic pathogens. 2012 , 57, 23-31	26
1268	Response of carbon and nitrogen-rich metabolites to nitrogen deficiency in PSARK::IPT tobacco plants. 2012 , 57, 231-7	22
1267	Long-term deficit and excess of irrigation influences quality and browning related enzymes and phenolic metabolism of fresh-cut iceberg lettuce (<i>Lactuca sativa</i> L.). 2012 , 73, 37-45	43
1266	Storage of fresh walnuts (<i>Juglans regia</i> L.) at low temperature and phenolic compounds. 2012 , 73, 80-88	38

1265	Utilization of hydrolytic enzymes for the extraction of ginsenosides from Korean ginseng leaves. 2012 , 47, 538-543	13
1264	Administration of resveratrol: What formulation solutions to bioavailability limitations?. 2012 , 158, 182-93	420
1263	Global changes in gene expression of grapefruit peel tissue in response to the yeast biocontrol agent <i>Metschnikowia fructicola</i> . 2012 , 13, 338-49	59
1262	Monolignol biosynthesis is associated with resistance to <i>Sclerotinia sclerotiorum</i> in <i>Camelina sativa</i> . 2012 , 13, 887-99	53
1261	DWARF50 (D50), a rice (<i>Oryza sativa</i> L.) gene encoding inositol polyphosphate 5-phosphatase, is required for proper development of intercalary meristem. 2012 , 35, 2031-44	14
1260	nMAT1, a nuclear-encoded maturase involved in the trans-splicing of nad1 intron 1, is essential for mitochondrial complex I assembly and function. 2012 , 71, 413-26	89
1259	Expression of a bacterial, phenylpropanoid-metabolizing enzyme in tobacco reveals essential roles of phenolic precursors in normal leaf development and growth. 2012 , 145, 260-74	4
1258	Organ-specific responses of tomato growth and phenolic metabolism to nitrate limitation. 2012 , 14, 760-9	30
1257	Ultraviolet induction of antifungal activity in plants. 2012 , 55, 507-13	3
1256	Genome wide expression profiling of two accession of <i>G. herbaceum</i> L. in response to drought. 2012 , 13, 94	40
1255	The phenylalanine ammonia lyase (PAL) gene family shows a gymnosperm-specific lineage. 2012 , 13 Suppl 3, S1	51
1254	Variations in antioxidant properties of strawberries grown in Brazilian savannah and harvested in different seasons. 2012 , 92, 831-8	21
1253	Overexpression of cinnamate 4-hydroxylase gene enhances biosynthesis of decursinol angelate in <i>Angelica gigas</i> hairy roots. 2012 , 50, 114-20	16
1252	Chemical composition, functional properties and processing of carrot-a review. 2012 , 49, 22-32	291
1251	Response of barley seedlings to water deficit and enhanced UV-B irradiation acting alone and in combination. 2012 , 34, 161-171	43
1250	Effect of NaCl on fatty acids, phenolics and antioxidant activity of <i>Nigella sativa</i> organs. 2012 , 34, 379-386	5
1249	Effect of triadimefon: a triazole fungicide on oxidative stress defense system and eugenol content in <i>Ocimum tenuiflorum</i> L.. 2012 , 34, 599-605	9
1248	Nitric oxide elicitation for secondary metabolite production in cultured plant cells. 2012 , 93, 455-66	59

1247	The antioxidative role of anthocyanins in Arabidopsis under high-irradiance. 2012 , 56, 97-104	43
1246	Molecular cloning, characterization and expression of a chalcone reductase gene from <i>Astragalus membranaceus</i> Bge. var. <i>mongholicus</i> (Bge.) Hsiao. 2012 , 39, 2275-83	5
1245	Harvest-inducibility of the promoter of alfalfa S-adenosyl-L-methionine: trans-caffeoyl-CoA3-O-methyltransferase gene. 2012 , 39, 2489-95	2
1244	Characterization, and expression profile of a phenylalanine ammonia lyase gene from <i>Jatropha curcas</i> L. 2012 , 39, 3443-52	22
1243	The effects of various parameters during processing for cryopreservation on the ultrastructure and viability of recalcitrant zygotic embryos of <i>Amaryllis belladonna</i> . 2012 , 249, 155-69	26
1242	Rate of dehydration, state of subcellular organisation and nature of cryoprotection are critical factors contributing to the variable success of cryopreservation: studies on recalcitrant zygotic embryos of <i>Haemanthus montanus</i> . 2012 , 249, 171-86	17
1241	Prey-induced changes in the accumulation of amino acids and phenolic metabolites in the leaves of <i>Drosera capensis</i> L. 2012 , 42, 1277-85	7
1240	Polyphenol metabolism of developing apple skin of a scab resistant and a susceptible apple cultivar. 2012 , 26, 109-119	30
1239	Responses to environmental stresses in woody plants: key to survive and longevity. 2012 , 125, 1-10	27
1238	Purification of a NAD(P) reductase-like protein from the thermogenic appendix of the <i>Sauromatum guttatum</i> inflorescence. 2013 , 32, 197-207	3
1237	Lettuce production and antioxidant capacity are differentially modified by salt stress and light intensity under ambient and elevated CO ₂ . 2013 , 170, 1517-25	60
1236	Genetic analysis of phenylpropanoid metabolites associated with resistance against <i>Verticillium longisporum</i> in <i>Brassica napus</i> . 2013 , 31, 347-361	32
1235	Molecular and analysis of a phenylalanine ammonia-lyase gene (LrPAL2) from <i>Lycoris radiata</i> . 2013 , 40, 2293-300	28
1234	Cloning, bioinformatics and the enzyme activity analyses of a phenylalanine ammonia-lyase gene involved in dragon's blood biosynthesis in <i>Dracaena cambodiana</i> . 2013 , 40, 97-107	18
1233	Changes of flavonol synthase and flavonol contents during grape berry development. 2013 , 237, 529-540	12
1232	Salicylic acid modulated flavonol biosynthesis in three key phases during grape berry development. 2013 , 237, 441-448	6
1231	Hypobarica and hypoxia affects phytochemical production, gas exchange, and growth of lettuce. 2013 , 51, 465-473	10
1230	Health Properties of Apple and Pear. 2013 , 81-100	6

1229	Minimal processing of leafy vegetables. 2013 , 235-246		
1228	Elucidating phytochemical production in <i>Juniperus</i> sp.: seasonality and response to stress situations. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4044-52	5-7	6
1227	Effects of drying temperature on the chemical and physical properties of <i>Musa acuminata</i> Colla (AAA Group) leaves. 2013 , 45, 430-434		26
1226	Enhancement of antioxidant capacity of cornelian cherry (<i>Cornus mas</i>) fruit by postharvest calcium treatment. 2013 , 161, 160-164		39
1225	UV-irradiation enhances rice allelopathic potential in rhizosphere soil. 2013 , 71, 21-29		12
1224	A fungal elicitor enhances the resistance of tomato fruit to <i>Fusarium oxysporum</i> infection by activating the phenylpropanoid metabolic pathway. 2013 , 41, 133-142		16
1223	Transcription profile of soybean-root-knot nematode interaction reveals a key role of phytohormones in the resistance reaction. 2013 , 14, 322		47
1222	Production of hydroxycinnamoyl-shikimates and chlorogenic acid in <i>Escherichia coli</i> : production of hydroxycinnamic acid conjugates. 2013 , 12, 15		29
1221	Ability of ellagic acid to alleviate osmotic stress on chickpea seedlings. 2013 , 71, 173-83		42
1220	Microscopic and biochemical aspects of sorghum resistance to anthracnose mediated by silicon. 2013 , 163, 114-123		22
1219	Antioxidants and ROS scavenging ability in ten Darjeeling tea clones may serve as markers for selection of potentially adapted clones against abiotic stress. 2013 , 19, 421-33		3
1218	Deep sequencing of <i>Lotus corniculatus</i> L. reveals key enzymes and potential transcription factors related to the flavonoid biosynthesis pathway. 2013 , 288, 131-9		13
1217	Nitrate reductase is required for the transcriptional modulation and bactericidal activity of nitric oxide during the defense response of <i>Arabidopsis thaliana</i> against <i>Pseudomonas syringae</i> . 2013 , 238, 475-86		40
1216	Synthesis and SAR investigation of natural phenylpropene-derived methoxylated cinnamaldehydes and their novel Schiff bases as potent antimicrobial and antioxidant agents. 2013 , 22, 5129-5140		15
1215	Changes in L-phenylalanine ammonia-lyase activity and isoflavone phytoalexins accumulation in soybean seedlings infected with <i>Sclerotinia sclerotiorum</i> . 2013 , 8, 921-929		1
1214	Cinnamic acid induced changes in reactive oxygen species scavenging enzymes and protein profile in maize (<i>Zea mays</i> L.) plants grown under salt stress. 2013 , 19, 53-9		26
1213	Design and application of an in vivo reporter assay for phenylalanine ammonia-lyase. 2013 , 97, 7877-85		21
1212	Cloning and characterisation of a phenylalanine ammonia-lyase gene from <i>Rhus chinensis</i> . 2013 , 32, 1179-90		17

1211	Transcriptome of oil palm (<i>Elaeis guineensis</i> Jacq.) roots treated with <i>Ganoderma boninense</i> . 2013 , 9, 377-386	30
1210	Changes of phenolic secondary metabolite profiles in the reaction of narrow leaf lupin () plants to infections with fungus or treatment with its toxin. 2013 , 9, 575-589	28
1209	Environmental effects of nanosilver: impact on castor seed germination, seedling growth, and plant physiology. 2013 , 20, 8636-48	133
1208	Construction of cold induced subtracted cDNA library from <i>Cicer microphyllum</i> and transcript characterization of identified novel wound induced gene. 2013 , 250, 459-69	7
1207	Metabolomic analysis of isonitrosoacetophenone-induced perturbations in phenolic metabolism of <i>Nicotiana tabacum</i> cells. 2013 , 94, 82-90	12
1206	Levels of constitutive flavonoid biosynthetic enzymes in carnation (<i>Dianthus caryophyllus</i> L.) cultivars with differential response to <i>Fusarium oxysporum</i> f. sp. <i>dianthi</i> . 2013 , 35, 1233-1245	10
1205	Both cyclic-AMP and cyclic-GMP can act as regulators of the phenylpropanoid pathway in <i>Arabidopsis thaliana</i> seedlings. 2013 , 70, 142-9	9
1204	Arbuscular mycorrhizal fungi (AMF) increase growth and secondary metabolism in cucumber subjected to low temperature stress. 2013 , 160, 222-229	127
1203	Inhibitory effect of sulfated lentinan and lentinan against tobacco mosaic virus (TMV) in tobacco seedlings. 2013 , 61, 264-9	31
1202	Geographical differentiation inferred from flavonoid content between coastal and freshwater populations of the coastal plant <i>Lathyrus japonicus</i> (Fabaceae). 2013 , 51, 243-250	3
1201	Regulation of flavanone 3-hydroxylase gene involved in the flavonoid biosynthesis pathway in response to UV-B radiation and drought stress in the desert plant, <i>Reaumuria soongorica</i> . 2013 , 73, 161-7	74
1200	Changes in potato phenylpropanoid metabolism during tuber development. 2013 , 65, 89-101	43
1199	Light exposure inhibiting tissue browning and improving antioxidant capacity of fresh-cut celery (<i>Apium graveolens</i> var. <i>dulce</i>). 2013 , 141, 2473-8	22
1198	Ecologically relevant UV-B dose combined with high PAR intensity distinctly affect plant growth and accumulation of secondary metabolites in leaves of <i>Centella asiatica</i> L. Urban. 2013 , 127, 161-9	35
1197	Flavonol content and biometrical traits as a tool for the characterization of "Cipolla di Giarratana": a traditional Sicilian onion landrace. 2013 , 140, 810-6	16
1196	Effect of different rootstocks on PAL activity and phenolic compounds in flowers, leaves, hulls and kernels of three pistachio (<i>Pistacia vera</i> L.) cultivars. 2013 , 27, 1681-1689	26
1195	Polyphenolic compounds, antioxidant activity and l-phenylalanine ammonia-lyase activity during ripening of olive cv. "Cobrançosa" under different irrigation regimes. 2013 , 51, 412-421	57
1194	Herbivore-induced phenylacetonitrile is biosynthesized from de novo-synthesized L-phenylalanine in the giant knotweed, <i>Fallopia sachalinensis</i> . 2013 , 587, 1811-7	16

1193	Modulation of isoflavonoid composition of <i>Rhizopus oryzae</i> elicited soybean (<i>Glycine max</i>) seedlings by light and wounding. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 8657-67	5-7	41
1192	Trade-offs between chemical defence and regrowth capacity in <i>Plantago lanceolata</i> . 2013 , 27, 883-898		7
1191	Compatible rhizosphere microbes mediated alleviation of biotic stress in chickpea through enhanced antioxidant and phenylpropanoid activities. 2013 , 168, 33-40		130
1190	Brassinosteroid regulates secondary metabolism in tomato towards enhanced tolerance to phenanthrene. 2013 , 57, 154-158		55
1189	Structural characterization of flavonoid glycosides from leaves of wheat (<i>Triticum aestivum</i> L.) using LC/MS/MS profiling of the target compounds. 2013 , 48, 329-39		57
1188	Role of Plant Metabolites in Abiotic Stress Tolerance Under Changing Climatic Conditions with Special Reference to Secondary Compounds. 2013 , 705-726		8
1187	Sources of Variability in the Flavonoid Content of Foods. 2013 , 2, 46-51		14
1186	Plant Environmental Stress Responses for Survival and Biomass Enhancement. 2013 , 79-108		5
1185	Stereoselectivity of chalcone isomerase with chalcone derivatives: a computational study. 2013 , 19, 4753-61		1
1184	Optimization of extraction of phenolics from leaves of <i>Ficus virens</i> . 2013 , 14, 903-15		20
1183	Growth and phenolic content of sowthistle grown in a closed-type plant production system with a UV-A or UV-B lamp. 2013 , 54, 492-500		25
1182	Screening anti-southern rice black-streaked dwarf virus drugs based on S7-1 gene expression in rice suspension cells. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 8049-55	5-7	10
1181	Phenolic components from <i>Rhus parviflora</i> fruits and their inhibitory effects on lipopolysaccharide-induced nitric oxide production in RAW 264.7 macrophages. 2013 , 27, 2244-7		8
1180	Influence of air temperature on yield and phytochemical content of red chicory and garland chrysanthemum grown in plant factory. 2013 , 54, 399-404		5
1179	Some aspects of underground organs of spotleaf orchis growth and phenolic compounds accumulation at the generative stage of ontogenesis. 2013 , 40, 281-288		3
1178	Kinetics of metabolism in sugarcane (<i>Saccharum officinarum</i> L.) under heat stress. 2013 , 18, 41-47		5
1177	Arbuscular mycorrhizal fungal inoculation increases phenolic synthesis in clover roots via hydrogen peroxide, salicylic acid and nitric oxide signaling pathways. 2013 , 170, 74-9		94
1176	The influence of salicylic acid elicitation of shoots, callus, and cell suspension cultures on production of naphthodianthrones and phenylpropanoids in <i>Hypericum perforatum</i> L.. 2013 , 113, 25-39		83

1175	Citrus phenylpropanoids and defence against pathogens. Part I: metabolic profiling in elicited fruits. 2013 , 136, 178-85	56
1174	Role of brassinosteroids in alleviation of phenanthrene-cadmium co-contamination-induced photosynthetic inhibition and oxidative stress in tomato. 2013 , 64, 199-213	182
1173	UV-B impairs growth and gas exchange in grapevines grown in high altitude. 2013 , 149, 127-40	40
1172	Coordinated regulation of anthocyanin biosynthesis through photorespiration and temperature in peach (<i>Prunus persica</i> f. <i>atropurpurea</i>). 2013 , 9, 265-278	22
1171	Arsenite tolerance in rice (<i>Oryza sativa</i> L.) involves coordinated role of metabolic pathways of thiols and amino acids. 2013 , 20, 884-96	36
1170	Methyl jasmonate induced defense responses increase resistance to <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> race 4 in banana. 2013 , 164, 484-491	44
1169	Estimation of flavonoid and centelloside accumulation in leaves of <i>Centella asiatica</i> L. Urban by multiparametric fluorescence measurements. 2013 , 93, 27-34	14
1168	<i>Rhodosporidium paludigenum</i> induces resistance and defense-related responses against <i>Penicillium digitatum</i> in citrus fruit. 2013 , 85, 196-202	60
1167	Low iron availability and phenolic metabolism in a wild plant species (<i>Parietaria judaica</i> L.). 2013 , 72, 145-53	16
1166	Methyl jasmonate and <i>Echinothrips americanus</i> regulate coumarin accumulation in leaves of <i>Matricaria chamomilla</i> . 2013 , 47, 38-41	11
1165	Effect of phenylpyrrole fungicide fludioxonil on morphological and physiological characteristics of <i>Sclerotinia sclerotiorum</i> . 2013 , 106, 61-67	108
1164	Inhibitory effect of esterified lactoferin and lactoferrin against tobacco mosaic virus (TMV) in tobacco seedlings. 2013 , 105, 62-8	17
1163	Influence of shading net on polyphenol profile and radical scavenging activity in different varieties of black currant berries. 2013 , 160, 20-28	15
1162	Internal browning disorder and fruit quality in modified atmosphere packaged 'Bartlett' pears during storage and transit. 2013 , 83, 72-82	37
1161	Cross-talk interactions of exogenous nitric oxide and sucrose modulates phenylpropanoid metabolism in yellow lupine embryo axes infected with <i>Fusarium oxysporum</i> . 2013 , 211, 102-21	21
1160	The flavonoid biosynthetic pathway in <i>Arabidopsis</i> : structural and genetic diversity. 2013 , 72, 21-34	440
1159	Activation of Defense Mechanisms against Pathogens in Mosses and Flowering Plants. 2013 , 14, 3178-200	85
1158	Changes in phenolic metabolism in salicylic acid-treated shoots of <i>Cistus heterophyllus</i> . 2013 , 113, 417-427	28

1157	Enzymatic Browning. 2013 , 387-418		7
1156	Expression and mapping of anthocyanin biosynthesis genes in carrot. 2013 , 126, 1689-702		55
1155	Physiological and biochemical mechanisms regulating chilling tolerance in fruits and vegetables under postharvest salicylates and jasmonates treatments. 2013 , 156, 73-85		98
1154	Analysis of genetically modified red-fleshed apples reveals effects on growth and consumer attributes. <i>Plant Biotechnology Journal</i> , 2013 , 11, 408-19	11.6	72
1153	Overlapping Horizons of Salicylic Acid under Different Stresses. 2013 , 137-152		
1152	Flavonoids: their structure, biosynthesis and role in the rhizosphere, including allelopathy. 2013 , 39, 283-97		252
1151	The inducible soybean glyceollin phytoalexins with multifunctional health-promoting properties. 2013 , 54, 1208-1216		28
1150	Natural and Synthetic Chalcones. 2013 , 47-89		5
1149	Production of salidroside and tyrosol in cell suspension cultures of <i>Rhodiola crenulata</i> . 2013 , 114, 295-303		22
1148	Interaction of small RNA-8105 and the intron of IbMYB1 RNA regulates IbMYB1 family genes through secondary siRNAs and DNA methylation after wounding. 2013 , 75, 781-94		16
1147	Genomics of Cereal-Based Functional Foods. 2013 , 247-274		2
1146	Phenolic Compounds: Introduction. 2013 , 1543-1580		77
1145	Structural analysis and profiling of phenolic secondary metabolites of Mexican lupine species using LC-MS techniques. 2013 , 92, 71-86		48
1144	Effect of nitric oxide signaling in bacterial-treated soybean plant under salt stress. 2013 , 195, 571-7		18
1143	Accumulation of anthocyanin and associated gene expression in radish sprouts exposed to light and methyl jasmonate. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4127-32	5.7	38
1142	Engineering flavonoid glycosyltransferases for enhanced catalytic efficiency and extended sugar-donor selectivity. 2013 , 238, 683-93		23
1141	Phenolic Acids. 2013 , 1951-1973		32
1140	Mass Spectrometric Detection of Phenolic Acids. 2013 , 2047-2059		2

1139	Salicylic Acid-Mediated Stress-Induced Flowering. 2013 , 163-182		5
1138	Roles of Flavonoids in Symbiotic Root-Rhizosphere Interactions. 2013 , 541-550		
1137	Comparative analyses of stress-responsive genes in <i>Arabidopsis thaliana</i> : insight from genomic data mining, functional enrichment, pathway analysis and phenomics. 2013 , 9, 1888-908		20
1136	Postharvest salicylic acid treatment enhances antioxidant potential of cornelian cherry fruit. 2013 , 154, 31-36		65
1135	Molecular cloning and biochemical characterization of two UDP-glycosyltransferases from poplar. 2013 , 91, 148-57		17
1134	Metabolomic analysis and differential expression of anthocyanin biosynthetic genes in white- and red-flowered buckwheat cultivars (<i>Fagopyrum esculentum</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 10525-33	5-7	22
1133	Metabolomic analysis of the effect of shade treatment on the nutritional and sensory qualities of green tea. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 332-8	5-7	61
1132	Ameliorative effect of melatonin on meristematic cells of chilled and re-warmed <i>Vigna radiata</i> roots. 2013 , 57, 91-96		40
1131	Seaweed-based Functional Foods. 2013 , 313-327		1
1130	ASSESSMENT OF THE ROLE OF FLUORESCENT ROOT AND SEED EXUDATES IN CROP PLANTS. 2013 , 36, 811-824		1
1129	The transcriptomes of dormant leafy spurge seeds under alternating temperature are differentially affected by a germination-enhancing pretreatment. 2013 , 170, 539-47		8
1128	Sethoxydim treatment inhibits lipid metabolism and enhances the accumulation of anthocyanins in rape (<i>Brassica napus</i> L.) leaves. 2013 , 107, 120-6		9
1127	Isolation and identification of phenolic compounds accumulated in brown rice grains ripened under high air temperature. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 11921-8	5-7	10
1126	The effect of high hydrostatic pressure processing on the extraction, retention and stability of anthocyanins and flavonols contents of berry fruits and berry juices. 2013 , 48, n/a-n/a		6
1125	Divergence in Gene Expression Is Uncoupled from Divergence in Coding Sequence in a Secondarily Woody Sunflower. 2013 , 174, 1079-1089		23
1124	In vitro antioxidant and H(+), K(+)-ATPase inhibition activities of <i>Acalypha wilkesiana</i> foliage extract. 2013 , 5, 214-23		7
1123	Role of Monophenols in the Recovery Process of Wild-Type Yeast Cells Subjected to Severe Environmental Stress. 2013 , 63, 187-191		1
1122	4-coumarate: CoA ligase partitions metabolites for eugenol biosynthesis. 2013 , 54, 1238-52		46

1121	Oxylipin biosynthesis genes positively regulate programmed cell death during compatible infections with the synergistic pair potato virus X-potato virus Y and Tomato spotted wilt virus. 2013 , 87, 5769-83	57
1120	Flavonoids as antioxidants and developmental regulators: relative significance in plants and humans. 2013 , 14, 3540-55	259
1119	Phenolics metabolism in boron-deficient tea [<i>Camellia sinensis</i> (L.) O. Kuntze] plants. 2013 , 64, 196-206	26
1118	Role of Flavonoid and Isoflavonoid Molecules in Symbiotic Functioning and Host-Plant Defence in the Leguminosae. 2013 , 33-48	6
1117	Conservation, Divergence, and Genome-Wide Distribution of PAL and POX A Gene Families in Plants. 2013 , 2013, 678969	26
1116	Effects of altered lignin biosynthesis on phenylpropanoid metabolism and plant stress. 2013 , 4, 635-650	43
1115	Proteomics analysis of UV-irradiated <i>Lonicera japonica</i> Thunb. with bioactive metabolites enhancement. 2013 , 13, 3508-22	18
1114	Biochemical responses to ultraviolet-C radiation and methyl jasmonate in <i>Pinus radiata</i> seedlings that accompany induced resistance to <i>Diplodia pinea</i> . 2013 , 62, 851-858	4
1113	Effect of cold-induced changes in physical and chemical leaf properties on the resistance of winter triticale (<i>Triticosecale</i>) to the fungal pathogen <i>Microdochium nivale</i> . 2013 , 62, 867-878	21
1112	Growth of <i>Arabidopsis</i> seedlings on high fungal doses of <i>Piriformospora indica</i> has little effect on plant performance, stress, and defense gene expression in spite of elevated jasmonic acid and jasmonic acid-isoleucine levels in the roots. 2013 , 8, e26301	21
1111	Lignans and Stilbenes from African Medicinal Plants. 2013 , 435-478	5
1110	Advances Concerning Lignin Utilization in New Materials. 2013 , 255-312	26
1109	Avenanthramides: Chemistry and Biosynthesis. 2013 , 195-226	4
1108	Fruit coloration and anthocyanin biosynthesis after bag removal in non-red and red apples (<i>Malus domestica</i> Borkh.). 2013 , 18, 1549-63	58
1107	Chicoric acid: chemistry, distribution, and production. 2013 , 1, 40	85
1106	Valuing the Endangered Species <i>Antirrhinum lopesianum</i> : Neuroprotective Activities and Strategies for in vitro Plant Propagation. 2013 , 2, 273-92	7
1105	Total antioxidant capacity, total phenolic content and mineral elements in the fruit peel of <i>Myrciaria cauliflora</i> . 2013 , 16, 301-309	10
1104	Early phenylpropanoid biosynthetic steps in <i>Cannabis sativa</i> : link between genes and metabolites. 2013 , 14, 13626-44	23

1103	Differences in the phenolic composition and antioxidant properties between <i>Vitis coignetiae</i> and <i>Vitis vinifera</i> seeds extracts. 2013 , 18, 3410-26	23
1102	Antioxidants in Different Potato Genotypes: Effect of Drought and Wounding Stress. 2013 , 3, 131-146	15
1101	Health promoting and sensory properties of phenolic compounds in food. 2014 , 61, 764-779	58
1100	Heteroconium chaetospira induces resistance to clubroot via upregulation of host genes involved in jasmonic acid, ethylene, and auxin biosynthesis. 2014 , 9, e94144	46
1099	Effects of polysaccharide elicitors on secondary metabolite production and antioxidant response in <i>Hypericum perforatum</i> L. shoot cultures. 2014 , 2014, 609649	31
1098	Composição química e atividade antioxidante da polpa e resíduos de abacate 'Hass'. 2014 , 36, 417-424	20
1097	Analysis of phenolic compounds and antioxidant abilities of extracts from germinating <i>Vitis californica</i> seeds submitted to cold stress conditions and recovery after the stress. 2014 , 15, 16211-25	17
1096	Transcriptome sequencing and analysis of leaf tissue of <i>Avicennia marina</i> using the Illumina platform. 2014 , 9, e108785	15
1095	Salicylic acid alters antioxidant and phenolics metabolism in <i>Catharanthus roseus</i> grown under salinity stress. 2014 , 11, 118-25	30
1094	Advanced Multi-Color Fluorescence Imaging System for Detection of Biotic and Abiotic Stresses in Leaves. 2014 , 4, 79-95	16
1093	Skin Browning and Expression of PPO, STS, and CHS Genes in the Grape Berries of 'Rhine Muscat' 2014 , 83, 122-132	12
1092	A Characterization of Content, Composition and Scavenging Capacity of Phenolic Compounds in Parsnip Roots of Various Weight. 2014 , 9, 1934578X1400900	3
1091	An important role of the pepper phenylalanine ammonia-lyase gene (PAL1) in salicylic acid-dependent signalling of the defence response to microbial pathogens. 2014 , 65, 2295-306	224
1090	Transcriptional profiling of the responses to infection by the false smut fungus <i>Ustilagoidea virens</i> in resistant and susceptible rice varieties. 2014 , 36, 377-388	8
1089	Anthocyanin Content and Composition in Winter Blue Barley Cultivars and Lines. 2014 , 91, 195-200	10
1088	Plant Polyphenol Profiles as a Tool for Traceability and Valuable Support to Biodiversity. 2014 , 15-33	9
1087	Flavonoid supplementation affects the expression of genes involved in cell wall formation and lignification metabolism and increases sugar content and saccharification in the fast-growing eucalyptus hybrid <i>E. urophylla</i> x <i>E. grandis</i> . 2014 , 14, 301	6
1086	Exogenous application of methyl jasmonate and salicylic acid increases antioxidant activity in the leaves of pistachio (<i>Pistacia vera</i> L. cv. Fandoughi) trees and reduces the performance of the phloem-feeding psyllid <i>Agonoscaena pistaciae</i> . 2014 , 8, 525-530	12

1085	An apple B-box protein, MdCOL11, is involved in UV-B- and temperature-induced anthocyanin biosynthesis. 2014 , 240, 1051-62		75
1084	The Potato in the Human Diet: a Complex Matrix with Potential Health Benefits. 2014 , 57, 201-214		27
1083	The Role of Phytochemicals in Relationships of Plants with Other Organisms. 2014 , 1-21		
1082	Alternation of flavonoid accumulation under drought stress in <i>Arabidopsis thaliana</i> . 2014 , 9, e29518		78
1081	Enhancement of rutin production in <i>Fagopyrum tataricum</i> hairy root cultures with its endophytic fungal elicitors. 2014 , 44, 782-94		5
1080	Sucrose and invertases, a part of the plant defense response to the biotic stresses. <i>Frontiers in Plant Science</i> , 2014 , 5, 293	6.2	163
1079	Autophagy-related direct membrane import from ER/cytoplasm into the vacuole or apoplast: a hidden gateway also for secondary metabolites and phytohormones?. 2014 , 15, 7462-74		23
1078	Phosphorylation of <i>Arabidopsis</i> transketolase at Ser428 provides a potential paradigm for the metabolic control of chloroplast carbon metabolism. 2014 , 458, 313-22		29
1077	Evolution of the fruit endocarp: molecular mechanisms underlying adaptations in seed protection and dispersal strategies. <i>Frontiers in Plant Science</i> , 2014 , 5, 284	6.2	63
1076	Litters of photosynthetically divergent grasses exhibit differential metabolic responses to warming and elevated CO ₂ . 2014 , 5, art106		6
1075	Enhanced Plant Immunity Using <i>Trichoderma</i> . 2014 , 495-504		11
1074	<i>Agrobacterium tumefaciens</i> responses to plant-derived signaling molecules. <i>Frontiers in Plant Science</i> , 2014 , 5, 322	6.2	87
1073	Chemically induced conditional rescue of the reduced epidermal fluorescence8 mutant of <i>Arabidopsis</i> reveals rapid restoration of growth and selective turnover of secondary metabolite pools. 2014 , 164, 584-95		30
1072	Ethylene-induced flavonol accumulation in guard cells suppresses reactive oxygen species and moderates stomatal aperture. 2014 , 164, 1707-17		128
1071	Coffee and beverages are the major contributors to polyphenol consumption from food and beverages in Japanese middle-aged women. 2014 , 3, e48		25
1070	Regulatory network rewiring for secondary metabolism in <i>Arabidopsis thaliana</i> under various conditions. 2014 , 14, 180		26
1069	Isolation, Stability, and Antioxidant Activity of Anthocyanins from <i>Lycium ruthenicum</i> Murray and <i>Nitraria Tangutorum</i> Bobr of Qinghai-Tibetan Plateau. 2014 , 49, 2897-2906		29
1068	Characterization of p-hydroxycinnamate catabolism in a soil Actinobacterium. 2014 , 196, 4293-303		38

1067	Novel roles for the polyphenol oxidase enzyme in secondary metabolism and the regulation of cell death in walnut. 2014 , 164, 1191-203	124
1066	A group of sequence-related sphingomonad enzymes catalyzes cleavage of β -aryl ether linkages in lignin β -guaiacyl and β -syringyl ether dimers. 2014 , 48, 12454-63	60
1065	Enhancement of oxidative and drought tolerance in Arabidopsis by overaccumulation of antioxidant flavonoids. 2014 , 77, 367-79	573
1064	β -Glucosidase BGLU42 is a MYB72-dependent key regulator of rhizobacteria-induced systemic resistance and modulates iron deficiency responses in Arabidopsis roots. 2014 , 204, 368-79	122
1063	Engineering a sensitive visual-tracking reporter system for real-time monitoring phosphorus deficiency in tobacco. <i>Plant Biotechnology Journal</i> , 2014 , 12, 674-84	11.6 24
1062	The Role of Carbohydrates in Plant Resistance to Abiotic Stresses. 2014 , 229-270	7
1061	Activation of MKK9-MPK3/MPK6 enhances phosphate acquisition in Arabidopsis thaliana. 2014 , 203, 1146-1160	42
1060	Effect of Light Environment on Growth and Phenylpropanoids of Yarrow (<i>Achillea collina</i> cv. SPAK) Grown in the Alps. 2014 , 90, 113-20	4
1059	Comparison of flavonoids profile in sprouts of common buckwheat cultivars and wild tartary buckwheat. 2014 , 49, 1977-1984	14
1058	Coherences of instrumental and sensory characteristics: case study on cherry tomatoes. 2014 , 79, C2192-202	6
1057	A gene-derived SNP-based high resolution linkage map of carrot including the location of QTL conditioning root and leaf anthocyanin pigmentation. 2014 , 15, 1118	40
1056	Foliar Anthocyanins: A Horticultural Review. 2014 , 209-252	2
1055	Physiological responses of a halophytic shrub to salt stress by Na ₂ SO ₄ and NaCl: oxidative damage and the role of polyphenols in antioxidant protection. 2014 , 6,	39
1054	Cyclic Nucleotides and Nucleotide Cyclases in Plants Under Stress. 2014 , 119-151	1
1053	Secondary Metabolites and Environmental Stress in Plants: Biosynthesis, Regulation, and Function. 2014 , 55-85	2
1052	BrMYB4, a suppressor of genes for phenylpropanoid and anthocyanin biosynthesis, is down-regulated by UV-B but not by pigment-inducing sunlight in turnip cv. Tsuda. 2014 , 55, 2092-101	26
1051	Phenolic Composition of <i>Malus baccata</i> Fruit. 2014 , 50, 739-740	2
1050	Oligosaccharides from <i>Botrytis cinerea</i> and Elicitation of Grapevine Defense. 2014 , 1-18	

1049	Variation of antioxidants and secondary metabolites in nitrogen-deficient barley plants. 2014 , 171, 260-8	36
1048	Seasonal and geographical impact on the morphology and 20-hydroxyecdysone content in different tissue types of wild <i>Ajuga bracteosa</i> Wall. ex Benth. 2014 , 87, 12-20	12
1047	Modeling phenolic content during storage of cut fruit and vegetables: A consecutive reaction mechanism. 2014 , 140, 1-8	32
1046	Increasing the added-value of onions as a source of antioxidant flavonoids: a critical review. 2014 , 54, 1050-62	70
1045	Diversity in plant red pigments: anthocyanins and betacyanins. 2014 , 8, 37-48	44
1044	Direct discrimination of different plant populations and study on temperature effects by Fourier transform infrared spectroscopy. 2014 , 10, 203-211	20
1043	Induced defense mechanisms in an aquatic angiosperm to insect herbivory. 2014 , 175, 173-85	35
1042	Postharvest Heat Treatment for Mitigation of Chilling Injury in Fruits and Vegetables. 2014 , 7, 37-53	67
1041	Copper phytoextraction with <i>Salix purpurea</i> L. var. <i>viminialis</i> under various Ca/Mg ratios. Part 2. Effect on organic acid, phenolics and salicylic acid contents. 2014 , 36, 903-913	15
1040	How do background ozone concentrations affect the biosynthesis of rosmarinic acid in <i>Melissa officinalis</i> ?. 2014 , 171, 35-41	16
1039	The effect of nitrate assimilation deficiency on the carbon and nitrogen status of <i>Arabidopsis thaliana</i> plants. 2014 , 46, 1121-9	5
1038	Effect of farming systems on the yield, quality parameters and sensory properties of conventionally and organically grown potato (<i>Solanum tuberosum</i> L.) tubers. 2014 , 145, 903-9	28
1037	The over-expression of <i>Chrysanthemum crassum</i> CcSOS1 improves the salinity tolerance of chrysanthemum. 2014 , 41, 4155-62	29
1036	Physiological and phytochemical responses of three nutrient-stressed bulbous plants subjected to vermicompost leachate treatment. 2014 , 36, 721-731	25
1035	A comparative study of bioactive secondary metabolite production in diploid and tetraploid <i>Echinacea purpurea</i> (L.) Moench. 2014 , 116, 323-332	40
1034	Molecular and biochemical characterization of <i>Sclerotinia sclerotiorum</i> laboratory mutants resistant to dicarboximide and phenylpyrrole fungicides. 2014 , 87, 221-230	41
1033	Transcriptome characterization of <i>Ishige okamurae</i> (Phaeophyceae) shows strong environmental acclimation. 2014 , 33, 20-26	4
1032	Function of the photosynthetic apparatus of oilseed winter rape under elicitation by <i>Phoma lingam</i> phytotoxins in relation to carotenoid and phenolic levels. 2014 , 36, 295-305	13

1031	Stereochemical features of glutathione-dependent enzymes in the <i>Sphingobium</i> sp. strain SYK-6 Earyl etherase pathway. 2014 , 289, 8656-67	46
1030	Epidermal coumaroyl anthocyanins protect sweet basil against excess light stress: multiple consequences of light attenuation. 2014 , 152, 585-98	50
1029	Seasonal changes in the concentrations of plant secondary metabolites and their effects on food selection by <i>Microtus oeconomus</i> . 2014 , 79, 215-220	7
1028	Effect of salicylic acid treatment on tomato plant physiology and tolerance to potato virus X infection. 2014 , 138, 331-345	22
1027	MiRNAting control of DNA methylation. 2014 , 39, 365-80	12
1026	Tomato fruit quality as influenced by the interactions between agricultural techniques and harvesting period. 2014 , 177, 443-448	6
1025	Novel insights of dietary polyphenols and obesity. 2014 , 25, 1-18	558
1024	Explaining intraspecific diversity in plant secondary metabolites in an ecological context. 2014 , 201, 733-750	275
1023	Identification and quantification of phenolic compounds in diverse cultivars of eggplant grown in different seasons by high-performance liquid chromatography coupled to diode array detector and electrospray-quadrupole-time of flight-mass spectrometry. 2014 , 57, 114-122	50
1022	Natural product biosynthesis in <i>Medicago</i> species. 2014 , 31, 356-80	62
1021	<i>Arabidopsis</i> Kelch repeat F-box proteins regulate phenylpropanoid biosynthesis via controlling the turnover of phenylalanine ammonia-lyase. <i>Plant Cell</i> , 2013 , 25, 4994-5010	11.6 136
1020	Control of root-knot nematode (<i>Meloidogyne javanica</i>) with combination of <i>Arthrobotrys oligospora</i> and salicylic acid and study of some plant defense responses. 2014 , 24, 203-215	23
1019	Multiple functions of polyphenols in plants inhabiting unfavorable Mediterranean areas. 2014 , 103, 107-116	79
1018	Valorization of oilseed residues: Extraction of polyphenols from flaxseed hulls by pulsed electric fields. 2014 , 52, 347-353	98
1017	Control of Biotic and Abiotic Stresses in Cultivated Plants by the Use of Biostimulant Microorganisms. 2014 , 107-117	6
1016	Functional diversification of duplicated chalcone synthase genes in anthocyanin biosynthesis of <i>Gerbera hybrida</i> . 2014 , 201, 1469-1483	62
1015	Effects of UV-B radiation on anatomical characteristics, phenolic compounds and gene expression of the phenylpropanoid pathway in highbush blueberry leaves. 2014 , 85, 85-95	48
1014	Genomic evaluation of oxalate-degrading transgenic soybean in response to <i>Sclerotinia sclerotiorum</i> infection. 2014 , 15, 563-75	9

1013	Elicitors, SA and MJ enhance carotenoids and tocopherol biosynthesis and expression of antioxidant related genes in <i>Moringa oleifera</i> Lam. leaves. 2014 , 36, 2695-2704		38
1012	Resistance in mango against infection by <i>Ceratocystis fimbriata</i> . 2014 , 104, 820-33		22
1011	Bioactive compounds in sweet rowanberry fruits of interspecific Rowan crosses. 2014 , 9, 1078-1086		4
1010	Change in chemical composition of onion (<i>Allium cepa</i> L. cv. Sunpower) during post-storage under ambient conditions. 2014 , 42, 87-98		14
1009	Grafting influences phenolic profile and carpometric traits of fruits of greenhouse-grown eggplant (<i>Solanum melongena</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 10504-14	5-7	28
1008	Histopathological aspects of mango resistance to the infection process of <i>Ceratocystis fimbriata</i> . 2014 , 63, 1282-1295		33
1007	Mechanisms of Defence to Pathogens: Biochemistry and Physiology. 2014 , 106-136		3
1006	Effect of rhamnolipids on <i>Rhodotorula glutinis</i> biocontrol of <i>Alternaria alternata</i> infection in cherry tomato fruit. 2014 , 97, 32-35		40
1005	Diadenosine triphosphate is a novel factor which in combination with cyclodextrins synergistically enhances the biosynthesis of trans-resveratrol in <i>Vitis vinifera</i> cv. Monastrell suspension cultured cells. 2014 , 84, 271-276		16
1004	Individual phenolic response and peroxidase activity in peel of differently sun-exposed apples in the period favorable for sunburn occurrence. 2014 , 171, 1706-12		28
1003	Among- and within-genus variability of the UV-absorption capacity in saxicolous mosses. 2014 , 117, 1-9		6
1002	Nutritional and Antioxidant Potential of Lentil Sprouts Affected by Elicitation with Temperature Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 3306-3313	5-7	35
1001	Phenylpropanoid pathway metabolites promote tolerance response of lupine roots to lead stress. 2014 , 110, 61-7		34
1000	Effect of different concentrations of ozone on physiological changes associated to gas exchange, fruit ripening, fruit surface quality and defence-related enzymes levels in papaya fruit during ambient storage. 2014 , 179, 163-169		33
999	Metabolite profiling of phenolics, anthocyanins and flavonols in cabbage (<i>Brassica oleracea</i> var. capitata). 2014 , 60, 8-14		34
998	Regulations of capsaicin synthesis in <i>Capsicum annum</i> L. by <i>Penicillium resedanum</i> LK6 during drought conditions. 2014 , 175, 167-173		17
997	Dietary polysaccharide extracts of <i>Agaricus brasiliensis</i> fruiting bodies: chemical characterization and bioactivities at different levels of purification. 2014 , 64, 53-64		22
996	Transcriptomic profiling revealed an important role of cell wall remodeling and ethylene signaling pathway during salt acclimation in <i>Arabidopsis</i> . <i>Plant Molecular Biology</i> , 2014 , 86, 303-17	4.6	94

995	Salicylic acid and methyl jasmonate improve chilling tolerance in cold-stored lemon fruit (<i>Citrus limon</i>). 2014 , 171, 1722-31	112
994	Characterization of dihydroflavonol 4-reductase (DFR) genes and their association with cold and freezing stress in <i>Brassica rapa</i> . 2014 , 550, 46-55	59
993	Effect of Silicon on Growth, Photosynthesis, Oxidative Status and Phenolic Compounds of Maize (<i>Zea mays</i> L.) Grown in Cadmium Excess. 2014 , 225, 1	34
992	Identification of candidate genes involved in early iron deficiency chlorosis signaling in soybean (<i>Glycine max</i>) roots and leaves. 2014 , 15, 702	45
991	Plant regeneration and biochemical accumulation of hydroxybenzoic and hydroxycinnamic acid derivatives in <i>Hypoxis hemerocallidea</i> organ and callus cultures. 2014 , 227, 157-64	29
990	Comparison of good- and bad-quality cork: application of high-throughput sequencing of phellogenetic tissue. 2014 , 65, 4887-905	24
989	Heterologous Expression of BoPAP1 in Tomato Induces Stamen Specific Anthocyanin Accumulation and Enhances Tolerance to a Long-Term Low Temperature Stress. 2014 , 33, 757-768	14
988	Growth characteristics and phenylalanine ammonia-lyase activity in peach grafted on different <i>Prunus</i> spp.. 2014 , 58, 114-120	15
987	Involvement of kaempferol in the defence response of virus infected <i>Arabidopsis thaliana</i> . 2014 , 138, 257-271	7
986	Leaf-, panel- and latex-expressed sequenced tags from the rubber tree (<i>Hevea brasiliensis</i>) under cold-stressed and suboptimal growing conditions: the development of gene-targeted functional markers for stress response. 2014 , 34, 1035-1053	13
985	Comparison of leaf anatomy and essential oils from <i>Drimys brasiliensis</i> Miers in a montane cloud forest in Itamonte, MG, Brazil. 2014 , 55, 41	2
984	Esculetin and esculin (esculetin 6-O-glucoside) occur as inclusions and are differentially distributed in the vacuole of palisade cells in <i>Fraxinus ornus</i> leaves: a fluorescence microscopy analysis. 2014 , 140, 28-35	23
983	UV-B inhibition of hypocotyl growth in etiolated <i>Arabidopsis thaliana</i> seedlings is a consequence of cell cycle arrest initiated by photodimer accumulation. 2014 , 65, 2949-61	46
982	Metabolite signature of <i>Candidatus Liberibacter asiaticus</i> infection in two citrus varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 6585-91	5-7 49
981	Expression of genes related to flavonoid and stilbene synthesis as affected by signaling chemicals and <i>Botrytis cinerea</i> in grapevines. 2014 , 58, 758-767	15
980	Changes in the composition of phenolic compounds and antioxidant properties of grapevine roots and leaves (<i>Vitis vinifera</i> L.) under continuous of long-term drought stress. 2014 , 36, 1491-1499	119
979	Proteome-level investigation of <i>Cucumis sativus</i> -derived resistance to <i>Sphaerotheca fuliginea</i> . 2014 , 36, 1781-1791	8
978	Accumulation of flavonoids and related gene expressions in different organs of <i>Astragalus membranaceus</i> Bge. 2014 , 173, 2076-85	14

977	Molecular evolution and functional characterisation of an ancient phenylalanine ammonia-lyase gene (NnPAL1) from <i>Nelumbo nucifera</i> : novel insight into the evolution of the PAL family in angiosperms. 2014 , 14, 100		23
976	A phenylalanine ammonia-lyase ortholog (PnPAL1) from <i>Picrorhiza kurroa</i> Royle ex. Benth: molecular cloning, promoter analysis and response to biotic and abiotic elicitors. 2014 , 547, 245-56		15
975	Genetically engineering <i>Synechocystis</i> sp. Pasteur Culture Collection 6803 for the sustainable production of the plant secondary metabolite p-coumaric acid. 2014 , 111, 9449-54		53
974	Elicitation. 2014 , 201-230		71
973	The flavonoid biosynthetic enzyme chalcone isomerase modulates terpenoid production in glandular trichomes of tomato. 2014 , 164, 1161-74		122
972	Bioactive compounds from culinary herbs inhibit a molecular target for type 2 diabetes management, dipeptidyl peptidase IV. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 6147-58	5-7	92
971	Plants as biofactories: Stress-induced production of chlorogenic acid isomers in potato tubers as affected by wounding intensity and storage time. 2014 , 62, 61-66		54
970	<i>Rhizobium tibeticum</i> activated with a mixture of flavonoids alleviates nickel toxicity in symbiosis with fenugreek (<i>Trigonella foenum graecum</i> L.). 2014 , 23, 946-59		8
969	Hot water and ethanol treatments can effectively inhibit the discoloration of fresh-cut sunchoke (<i>Helianthus tuberosus</i> L.) tubers. 2014 , 94, 49-57		20
968	<i>Colletotrichum lindemuthianum</i> infection causes changes in phenolic content of French green bean pods. 2014 , 170, 211-218		6
967	Isoflavones and anthocyanins analysis in soybean (<i>Glycine max</i> (L.) Merrill) from three different planting locations in Korea. 2014 , 156, 76-83		20
966	Accumulation of anthocyanin and related genes expression during the development of cabbage seedlings. 2014 , 49, 1084-1091		10
965	Stress enhances the gene expression and enzyme activity of phenylalanine ammonia-lyase and the endogenous content of salicylic acid to induce flowering in <i>Pharbitis</i> . 2014 , 171, 895-902		51
964	Effect of active modified atmosphere packaging with different initial gas compositions on nutritional compounds of shiitake mushrooms (<i>Lentinus edodes</i>). 2014 , 92, 107-113		48
963	Stress and salicylic acid induce the expression of PnFT2 in the regulation of the stress-induced flowering of <i>Pharbitis nil</i> . 2014 , 171, 205-12		25
962	Three-year comparative study of polyphenol contents and antioxidant capacities in fruits of tomato (<i>Lycopersicon esculentum</i> Mill.) cultivars grown under organic and conventional conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 5173-80	5-7	23
961	Dynamic changes in the free and bound phenolic compounds and antioxidant activity of brown rice at different germination stages. 2014 , 161, 337-44		115
960	Possibilities and limitations in the analysis of covalent interactions between phenolic compounds and proteins. 2014 , 65, 13-19		80

959	Phenolic composition and content of representatives of genus <i>Spiraea</i> L. under industrial pollution in Novosibirsk. 2014 , 7, 228-236	3
958	Enzymatic transformation of ginsenosides in Korean Red Ginseng (<i>Panax ginseng</i> Meyer) extract prepared by Spezyme and Optidex. 2014 , 38, 264-9	25
957	Modeling of the respiration rate and gene expression patterns of cabbage in response to mechanical impact stress using a modified Weibull distribution. 2014 , 96, 118-127	2
956	Foliage identification of different autochthonous common cyclamen genotypes (<i>Cyclamen purpurascens</i> Mill.) using various biochemical parameters. 2014 , 173, 37-44	5
955	Identification of gene-specific polymorphisms and association with capsaicin pathway metabolites in <i>Capsicum annum</i> L. collections. 2014 , 9, e86393	23
954	Perturbing Lignin Biosynthesis: Metabolic Changes in Response to Manipulation of the Phenylpropanoid Pathway. 2014 , 39-59	3
953	Integration and scaling of UV-B radiation effects on plants: from DNA to leaf. 2015 , 5, 2544-55	22
952	Inhibition of <i>Botrytis cinerea</i> and accumulation of stilbene compounds by light-emitting diodes of grapevine leaves and differential expression of defense-related genes. 2015 , 143, 753-765	29
951	Bacterial synthesis of N-hydroxycinnamoyl phenethylamines and tyramines. 2015 , 14, 162	10
950	Using genome-wide associations to identify metabolic pathways involved in maize aflatoxin accumulation resistance. 2015 , 16, 673	31
949	Selection of soybean mutant lines with altered seed coat colour and their antioxidant activity. 2015 , 134, 573-579	2
948	Meta-transcriptomics indicates biotic cross-tolerance in willow trees cultivated on petroleum hydrocarbon contaminated soil. 2015 , 15, 246	18
947	<i>Cistus creticus</i> subsp. <i>eriocephalus</i> as a Model for Studying Plant Physiological and Metabolic Responses to Environmental Stress Factors. 2015 , 12, 1862-70	3
946	Prevention of enzymatic browning of Chinese yam (<i>Dioscorea</i> spp.) using electrolyzed oxidizing water. 2015 , 80, C718-28	14
945	Ascorbic acid, -carotene, total phenolic compound and microbiological quality of organic and conventional citrus and strawberry grown in Egypt. 2015 , 14, 272-277	16
944	Identification of 4CL Genes in Desert Poplars and Their Changes in Expression in Response to Salt Stress. 2015 , 6, 901-17	15
943	Carbon Fluxes between Primary Metabolism and Phenolic Pathway in Plant Tissues under Stress. 2015 , 16, 26378-94	153
942	Phenolic Phytoalexins in Rice: Biological Functions and Biosynthesis. 2015 , 16, 29120-33	61

941	Elicitation of Diosgenin Production in <i>Trigonella foenum-graecum</i> (Fenugreek) Seedlings by Methyl Jasmonate. 2015 , 16, 29889-99		32
940	Tilting Plant Metabolism for Improved Metabolite Biosynthesis and Enhanced Human Benefit. 2015 , 20, 12698-731		67
939	Gene Expression, Protein Function and Pathways of Responding to Silver Nanoparticles in Comparison to Silver Ions, Cold, Salt, Drought, and Heat. 2015 , 5, 436-467		66
938	Detection of Lettuce Discoloration Using Hyperspectral Reflectance Imaging. 2015 , 15, 29511-34		14
937	Interactions between cranberries and fungi: the proposed function of organic acids in virulence suppression of fruit rot fungi. <i>Frontiers in Microbiology</i> , 2015 , 6, 835	5-7	7
936	Analysis of genes that are differentially expressed during the <i>Sclerotinia sclerotiorum</i> - <i>Phaseolus vulgaris</i> interaction. <i>Frontiers in Microbiology</i> , 2015 , 6, 1162	5-7	26
935	Comparison of Soybean Transformation Efficiency and Plant Factors Affecting Transformation during the <i>Agrobacterium</i> Infection Process. 2015 , 16, 18522-43		15
934	The Arabidopsis RCC1 Family Protein TCF1 Regulates Freezing Tolerance and Cold Acclimation through Modulating Lignin Biosynthesis. 2015 , 11, e1005471		61
933	Large-Scale Transcriptome Analysis in Faba Bean (<i>Vicia faba</i> L.) under <i>Ascochyta fabae</i> Infection. 2015 , 10, e0135143		32
932	Aboveground Whitefly Infestation Modulates Transcriptional Levels of Anthocyanin Biosynthesis and Jasmonic Acid Signaling-Related Genes and Augments the Cope with Drought Stress of Maize. 2015 , 10, e0143879		8
931	Phenylalanine and tyrosine levels are rate-limiting factors in production of health promoting metabolites in <i>Vitis vinifera</i> cv. Gamay Red cell suspension. <i>Frontiers in Plant Science</i> , 2015 , 6, 538	6.2	41
930	Elucidating the biosynthetic and regulatory mechanisms of flavonoid-derived bioactive components in <i>Epimedium sagittatum</i> . <i>Frontiers in Plant Science</i> , 2015 , 6, 689	6.2	18
929	Dynamic transcription profiles of "Qinguan" apple (<i>Malus domestica</i>) leaves in response to <i>Marssonina coronaria</i> inoculation. <i>Frontiers in Plant Science</i> , 2015 , 6, 842	6.2	11
928	Overexpression of Soybean Isoflavone Reductase (GmIFR) Enhances Resistance to <i>Phytophthora sojae</i> in Soybean. <i>Frontiers in Plant Science</i> , 2015 , 6, 1024	6.2	57
927	Subspecialization of R2R3-MYB Repressors for Anthocyanin and Proanthocyanidin Regulation in Forage Legumes. <i>Frontiers in Plant Science</i> , 2015 , 6, 1165	6.2	48
926	Antioxidant and anticancer activities of broccoli by-products from different cultivars and maturity stages at harvest. 2015 , 20, 8-14		33
925	Distribution of Flavonoids and Cyclohexenyl Chalcone Derivatives in Conventional Propagated and In Vitro-Derived Field-Grown <i>Boesenbergia rotunda</i> (L.) Mansf. 2015 , 2015, 451870		8
924	Altitudinal Variation of Flavonoid Content in the Leaves of <i>Fallopia japonica</i> and the Needles of <i>Larix kaempferi</i> on Mt. Fuji. 2015 , 10, 1934578X1501000		1

923	Molecular cloning and expression profiling of a chalcone synthase gene from <i>Lamiophlomis rotata</i> . 2015 , 94, 193-205	5
922	Biochemical interactions for antibiosis mechanism of resistance to <i>Chilo partellus</i> (Swinhoe) in different maize types. 2015 , 9, 373-382	5
921	Hypoglycemic activity of withanolides and elicited <i>Withania somnifera</i> . 2015 , 116, 283-289	48
920	Gas chromatography mass spectrometry based profiling of alkyl coumarates and ferulates in two species of cattail (<i>Typha domingensis</i> P., and <i>Typha latifolia</i> L.). 2015 , 13, 91-98	15
919	Early response to nanoparticles in the <i>Arabidopsis</i> transcriptome compromises plant defence and root-hair development through salicylic acid signalling. 2015 , 16, 341	118
918	Phenols enhancement effect of microbial consortium in pea plants restrains <i>Sclerotinia sclerotiorum</i> . 2015 , 89, 23-32	28
917	Evaluation of Polysaccharide-Based Edible Coatings for Their Ability to Preserve the Postharvest Quality of Indian Blackberry (<i>Syzygium cumini</i> L.). 2015 , 15, 198-222	10
916	Fungal endophyte infection of ryegrass reprograms host metabolism and alters development. 2015 , 208, 1227-40	119
915	Advances in grain sorghum and its co-products as a human health promoting dietary system. 2015 , 77, 349-359	58
914	Effects of PHENYLALANINE AMMONIA LYASE (PAL) knockdown on cell wall composition, biomass digestibility, and biotic and abiotic stress responses in <i>Brachypodium</i> . 2015 , 66, 4317-35	106
913	Effects of Cultivars, Organic Cropping Management, and Environment on Antioxidants in Whole Grain Rice. 2015 , 92, 364-369	4
912	BTH and BABA induce resistance in pea against rust (<i>Uromyces pisi</i>) involving differential phytoalexin accumulation. 2015 , 242, 1095-106	18
911	Identification of lettuce phenylalanine ammonia-lyase inhibitors based on in silico virtual screening followed by in vitro evaluation. 2015 , 24, 1617-1621	3
910	Peculiarities of polyphenolic profile of fruits of Siberian crab apple and its hybrids with <i>Malus</i> \times <i>Domestica</i> Borkh. 2015 , 37, 1	6
909	IN-VITRO evidence for the protective properties of the main components of the Mediterranean diet against colorectal cancer: A systematic review. 2015 , 24, 145-52	19
908	Metabolic shift from withasteroid formation to phenylpropanoid accumulation in cryptogein-cotransformed hairy roots of <i>Withania somnifera</i> (L.) Dunal. 2015 , 252, 1097-110	19
907	Analysis of DNA methylation of <i>Spirodela polyrhiza</i> (Grater Duckweed) in response to abscisic acid using methylation-sensitive amplified polymorphism. 2015 , 62, 127-135	2
906	Ectopic expression of myo-inositol 3-phosphate synthase induces a wide range of metabolic changes and confers salt tolerance in rice. 2015 , 232, 49-56	31

905	Substrate biofortification in combination with foliar sprays of plant growth promoting bacteria and humic substances boosts production of organic tomatoes. 2015 , 183, 100-108	81
904	Companion cropping with wheat increases resistance to Fusarium wilt in watermelon and the roles of root exudates in watermelon root growth. 2015 , 90, 12-20	11
903	Photoperiod and shading regulate coloration and anthocyanin accumulation in the leaves of malus crabapples. 2015 , 121, 619-632	21
902	Detection of QTL for metabolic and agronomic traits in wheat with adjustments for variation at genetic loci that affect plant phenology. 2015 , 233, 143-154	60
901	Castanea root transcriptome in response to Phytophthora cinnamomi challenge. 2015 , 11, 1	43
900	Effect of nitrogen fertilisation and irrigation on phenolic content, phenolic acid composition, and antioxidant activity of winter wheat grain. 2015 , 95, 1039-46	21
899	Genome-wide analysis of the lignin toolbox of Eucalyptus grandis. 2015 , 206, 1297-313	78
898	Secondary metabolites in plant innate immunity: conserved function of divergent chemicals. 2015 , 206, 948-964	210
897	Association genetics and expression patterns of a CBF4 homolog in Populus under abiotic stress. 2015 , 290, 913-28	6
896	Molecular cloning, expression, and evolution analysis of type II CHI gene from peanut (Arachis hypogaea L.). 2015 , 225, 1-10	9
895	Coumarin pretreatment alleviates salinity stress in wheat seedlings. 2015 , 88, 27-35	30
894	In vitro culture may be the major contributing factor for transgenic versus nontransgenic proteomic plant differences. 2015 , 15, 124-34	6
893	Nontargeted metabolite profiles and sensory properties of strawberry cultivars grown both organically and conventionally. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1010-9	5-7 44
892	McMYB10 regulates coloration via activating McF3'H and later structural genes in ever-red leaf crabapple. <i>Plant Biotechnology Journal</i> , 2015 , 13, 948-61	11.6 53
891	Antioxidant properties and evaluation of phytochemical composition of Salvia verbenaca L. extracts at different developmental stages. 2015 , 70, 15-20	12
890	Heterologous production of curcuminoids. 2015 , 79, 39-60	54
889	Hydroxycinnamic Acid Degradation, a Broadly Conserved Trait, Protects Ralstonia solanacearum from Chemical Plant Defenses and Contributes to Root Colonization and Virulence. 2015 , 28, 286-97	44
888	Capsaicinoids, flavonoids, tocopherols, antioxidant capacity and color attributes in 23 native Peruvian chili peppers (Capsicum spp.) grown in three different locations. 2015 , 240, 273-283	36

887	A possible role of an anthocyanin filter in low-intensity light stress-induced flowering in <i>Perilla frutescens</i> var. <i>crispa</i> . 2015 , 175, 157-62	9
886	Transcriptome and proteome analysis of <i>Eucalyptus</i> infected with <i>Calonectria pseudoreteaudii</i> . 2015 , 115, 117-31	30
885	Cloning and functional characterization of a 4-coumarate CoA ligase from liverwort <i>Plagiochasma appendiculatum</i> . 2015 , 111, 48-58	45
884	Methyl Jasmonate Primed Defense Responses Against <i>Penicillium expansum</i> in Sweet Cherry Fruit. 2015 , 33, 1464-1471	16
883	Induction of plant virus defense response by brassinosteroids and brassinosteroid signaling in <i>Arabidopsis thaliana</i> . 2015 , 241, 875-85	51
882	Derivative of plant phenolic compound inhibits the type III secretion system of <i>Dickeya dadantii</i> via HrpX/HrpY two-component signal transduction and Rsm systems. 2015 , 16, 150-63	27
881	Changes in flavonol content and transcript levels of genes in the flavonoid pathway in tobacco under phosphorus deficiency. 2015 , 76, 225-231	14
880	Are ant feces nutrients for plants? A metabolomics approach to elucidate the nutritional effects on plants hosting weaver ants. 2015 , 11, 1013-1028	7
879	Salinity-induced responses and resistance in <i>Trifolium repens</i> L.. 2015 , 14, 225-236	2
878	Metabolic patterns associated with the seasonal rhythm of seed survival after dehydration in germinated seeds of <i>Schismus arabicus</i> . 2015 , 15, 37	1
877	Effect of companion plants on tomato greenhouse production. 2015 , 186, 31-37	18
876	Induction of the Phenylpropanoid Pathway by Acibenzolar-S-Methyl and Potassium Phosphite Increases Mango Resistance to <i>Ceratocystis fimbriata</i> Infection. 2015 , 99, 447-459	33
875	When plants produce not enough or at all: metabolic engineering of flavonoids in microbial hosts. <i>Frontiers in Plant Science</i> , 2015 , 6, 7	6.2 72
874	Amelioration of postharvest chilling injury in anthurium cut flowers by γ -Aminobutyric acid (GABA) treatments. 2015 , 110, 70-76	42
873	Developing <i>Streptomyces venezuelae</i> as a cell factory for the production of small molecules used in drug discovery. 2015 , 38, 1606-16	27
872	Exogenous phytohormones increase the accumulation of health-promoting metabolites, and influence the expression patterns of biosynthesis related genes and biological activity in Chinese cabbage (<i>Brassica rapa</i> spp. <i>pekinensis</i>). 2015 , 193, 136-146	30
871	S-methylmethionine contributes to enhanced defense against Maize dwarf mosaic virus infection in maize. 2015 , 38, 771-782	4
870	Expression profiles of flavonoid-related gene, 4 coumarate: coenzyme A ligase, and optimization of culturing conditions for the selected flavonoid production in <i>Boesenbergia rotunda</i> . 2015 , 123, 47-55	3

869	Oligochitosan and sodium alginate enhance stilbene production and induce defense responses in <i>Vitis vinifera</i> cell suspension cultures. 2015 , 37, 1		12
868	Molecular, biochemical and anatomical analysis of some potato (<i>L.</i>) cultivars growing in Egypt. 2015 , 13, 39-49		12
867	Exogenous adenosine 5'-phosphoramidate behaves as a signal molecule in plants; it augments metabolism of phenylpropanoids and salicylic acid in <i>Arabidopsis thaliana</i> seedlings. 2015 , 94, 144-52		4
866	Transcriptional profiling of <i>Petunia</i> seedlings reveals candidate regulators of the cold stress response. <i>Frontiers in Plant Science</i> , 2015 , 6, 118	6.2	12
865	Leaf polyphenol profile and SSR-based fingerprinting of new segregant <i>Cynara cardunculus</i> genotypes. <i>Frontiers in Plant Science</i> , 2014 , 5, 800	6.2	29
864	Metabolic response of narrow leaf lupine (<i>Lupinus angustifolius</i>) plants to elicitation and infection with <i>Colletotrichum lupini</i> under field conditions. 2015 , 37, 1		7
863	Down-regulation of Kelch domain-containing F-box protein in <i>Arabidopsis</i> enhances the production of (poly)phenols and tolerance to ultraviolet radiation. 2015 , 167, 337-50		62
862	Improvement in <i>Agrobacterium</i> -mediated transformation of chickpea (<i>Cicer arietinum</i> L.) by the inhibition of polyphenolics released during wounding of cotyledonary node explants. 2017 , 254, 253-269		14
861	Nitric oxide-fixation by non-symbiotic haemoglobin proteins in <i>Arabidopsis thaliana</i> under N-limited conditions. 2017 , 40, 36-50		29
860	Environment and genotype effects on antioxidant properties of organically grown wheat varieties: a 3-year study. 2017 , 97, 641-649		17
859	Impacts of methyl jasmonate and phenyl acetic acid on biomass accumulation and antioxidant potential in adventitious roots of <i>Wall ex Benth.</i> , a high valued endangered medicinal plant. 2017 , 23, 229-237		46
858	Transcriptome profiling of sweetpotato tuberous roots during low temperature storage. 2017 , 112, 97-108		25
857	Induction of resveratrol biosynthesis in <i>Vitis amurensis</i> cells by heterologous expression of the <i>Arabidopsis</i> constitutively active, Ca ²⁺ -independent form of the AtCPK1 gene. 2017 , 54, 144-155		10
856	Plant polyphenol content, soil fertilization and agricultural management: a review. 2017 , 243, 1107-1115		74
855	Nutrient Supply and Simulated Herbivory Differentially Alter the Metabolite Pools and the Efficacy of the Glucosinolate-Based Defense System in Brassica Species. 2017 , 43, 129-142		9
854	Nutritional and nutraceutical aspects of KAMUT [®] khorasan wheat grown during the last two decades. 2017 , 155, 954-965		4
853	Relative expression of genes of menthol biosynthesis pathway in peppermint (<i>Mentha piperita</i> L.) after chitosan, gibberellic acid and methyl jasmonate treatments. 2017 , 64, 59-66		2
852	Effects of UV-B and UV-C combination on phenolic compounds biosynthesis in fresh-cut carrots. 2017 , 127, 99-104		44

851	High flavonoid accompanied with high starch accumulation triggered by nutrient starvation in bioenergy crop duckweed (<i>Landoltia punctata</i>). 2017 , 18, 166		20
850	Stimulation of Various Phenolics in Plants Under Ambient UV-B Radiation. 2017 , 9-56		6
849	Transcriptome analysis reveals metabolic alteration due to consecutive monoculture and abiotic stress stimuli in <i>Rehmannia glutinosa</i> Libosch. 2017 , 36, 859-875		10
848	Fine-tuning of the flavonoid and monolignol pathways during apple early fruit development. 2017 , 245, 1021-1035		10
847	Potential of biosynthesized silver nanoparticles using <i>Stenotrophomonas</i> sp. BHU-S7 (MTCC 5978) for management of soil-borne and foliar phytopathogens. <i>Scientific Reports</i> , 2017 , 7, 45154	4-9	70
846	Effect of short-term Zn/Pb or long-term multi-metal stress on physiological and morphological parameters of metalicolous and nonmetalicolous <i>Echium vulgare</i> L. populations. 2017 , 115, 380-389		23
845	Control of anthracnose disease via increased activity of defence related enzymes in 'Hass' avocado fruit treated with methyl jasmonate and methyl salicylate. 2017 , 234, 163-167		19
844	Nitric oxide mediates brassinosteroid-induced flavonoid biosynthesis in <i>Camellia sinensis</i> L. 2017 , 214, 145-151		53
843	Effect of pulsed electric fields on the antioxidant potential of apples stored at different temperatures. 2017 , 132, 195-201		28
842	The R2R3-MYB TT2b and the bHLH TT8 genes are the major regulators of proanthocyanidin biosynthesis in the leaves of <i>Lotus</i> species. 2017 , 246, 243-261		18
841	Transcriptomic responses to conspecific and congeneric competition in co-occurring <i>Trifolium</i> . 2017 , 105, 602-615		18
840	β-Amino butyric acid mediated changes in cellular redox homeostasis confers tomato resistance to early blight. 2017 , 46, 239-249		6
839	Biochemical characterization of a key step involved in 2H4MB production in <i>Decalepis hamiltonii</i> . 2017 , 214, 74-80		8
838	The Accumulation and Degradation of Alkaloids in <i>Catharanthus roseus</i> Supported by Various External Agents Under Different Environmental Conditions. 2017 , 321-329		2
837	Pathway Modulation of Medicinal and Aromatic Plants Through Metabolic Engineering Using <i>Agrobacterium tumefaciens</i> . 2017 , 431-462		4
836	Secondary Metabolism and the Rationale for Systems Manipulation. 2017 , 45-65		
835	Analysis of the potato calcium-dependent protein kinase family and characterization of StCDPK7, a member induced upon infection with <i>Phytophthora infestans</i> . 2017 , 36, 1137-1157		19
834	A Functional Smoothie from Carrots with Induced Enhanced Phenolic Content. 2017 , 10, 491-502		20

833	Processes Underlying a Reproductive Barrier in - Rice Hybrids Revealed by Transcriptome Analysis. 2017 , 174, 1683-1696	13
832	Exogenous application of rutin and gallic acid regulate antioxidants and alleviate reactive oxygen generation in L. 2017 , 23, 301-309	24
831	Changes in flavonoid and phenolic acid contents in some Rosa species during ripening. 2017 , 235, 154-159	43
830	Glyceollins: Soybean phytoalexins that exhibit a wide range of health-promoting effects. 2017 , 34, 98-105	21
829	Short-term treatments with high CO and low O concentrations on quality of fresh goji berries (<i>Lycium barbarum</i> L.) during cold storage. 2017 , 97, 5194-5201	15
828	Toxicological implications of selenium nanoparticles with different coatings along with Se on <i>Lemna minor</i> . 2017 , 181, 655-665	27
827	UPLC-QTOF analysis reveals metabolomic changes in the flag leaf of wheat (<i>Triticum aestivum</i> L.) under low-nitrogen stress. 2017 , 111, 30-38	29
826	Variation in ornamental traits, physiological responses of <i>Tagetes erecta</i> L. and <i>T. patula</i> L. in relation to antioxidant and metabolic profile under deficit irrigation strategies. 2017 , 214, 200-208	8
825	Improvement of drought tolerance of soybean plants by using methyl jasmonate. 2017 , 23, 545-556	65
824	Growth strategy, phylogeny and stoichiometry determine the allelopathic potential of native and non-native plants. 2017 , 126, 1770-1779	18
823	Chemical and Physical Elicitation for Enhanced Cannabinoid Production in Cannabis. 2017 , 439-456	19
822	Copper and nickel co-treatment alters metal uptake and stress parameters of <i>Salix purpurea</i> L. 2017 , 216, 125-134	17
821	Research on the relationship between phenolic acids and rooting of tree peony (<i>Paeonia suffruticosa</i>) plantlets in vitro. 2017 , 224, 53-60	12
820	Plant hormone signaling in flowering: An epigenetic point of view. 2017 , 214, 16-27	56
819	Potted rice straw increased the antioxidase activity and growth of Chinese green cabbage seedlings and altered the soil microbial community. 2017 , 63, 784-795	
818	Small molecules below-ground: the role of specialized metabolites in the rhizosphere. 2017 , 90, 788-807	114
817	Convergence of Stress-Induced Hormone Signaling Pathways on a Transcriptional Co-Factor. 2017 , 285-317	
816	Impact of light quality on flavonoid production and growth of <i>Hyptis marrubioides</i> seedlings cultivated in vitro. 2017 , 27, 466-470	21

815	Increased temperature elicits higher phenolic accumulation in fresh-cut pitaya fruit. 2017 , 129, 90-96	28
814	Effects of Gamma Stress and Carbon Dioxide on Eight Bioactive Flavonoids and Photosynthetic Efficiency in <i>Centella asiatica</i> . 2017 , 36, 957-969	6
813	Role of brassinosteroids in alleviating toxin-induced stress of <i>Verticillium dahliae</i> on cotton callus growth. 2017 , 24, 12281-12292	13
812	Elicitation of furanocoumarins in <i>Changium smyrnioides</i> suspension cells. 2017 , 130, 1-12	23
811	Metabolic signatures altered by in vitro temperature stress in <i>Ajuga bracteosa</i> Wall. ex. Benth.. 2017 , 39, 1	16
810	Enhanced production of metabolites by elicitation in <i>Opuntia ficus-indica</i> , <i>Opuntia megacantha</i> , and <i>Opuntia streptacantha</i> callus. 2017 , 129, 289-298	8
809	Overexpression of the LmHQT1 gene increases chlorogenic acid production in <i>Lonicera macranthoides</i> Hand-Mazz. 2017 , 39, 1	12
808	Association of the Production of Phenylpropanoid Compounds at the Infection Sites of <i>Corynespora cassiicola</i> with Soybean Resistance against Target Spot. 2017 , 165, 131-142	3
807	Exogenous nitric oxide induces disease resistance against <i>Monilinia fructicola</i> through activating the phenylpropanoid pathway in peach fruit. 2017 , 97, 3030-3038	50
806	Differential phenolic production in leaves of <i>Vitis vinifera</i> cv. Alvarinho affected with esca disease. 2017 , 112, 45-52	18
805	Potential use of cuminic acid as a botanical fungicide against <i>Valsa mali</i> . 2017 , 106, 9-15	11
804	Analysis of flavonoids and antioxidants in extracts of ferns from Tianmu Mountain in Zhejiang Province (China). 2017 , 97, 137-145	17
803	Chemistry and health effects of furanocoumarins in grapefruit. 2017 , 25, 71-83	81
802	Identification of metabolites associated with water stress responses in <i>Solanum tuberosum</i> L. clones. 2017 , 135, 24-33	14
801	Fluphenazine (dose) for people with schizophrenia. 2017 ,	78
800	Antioxidant and anticancer potential of bioactive compounds following UV-C light-induced plant cambium meristematic cell cultures. 2017 , 109, 762-772	11
799	Cold-induced physiological and biochemical responses of three grapevine cultivars differing in cold tolerance. 2017 , 39, 1	16
798	Effects of genotype and temperature on accumulation of plant secondary metabolites in Canadian and Australian wheat grown under controlled environments. <i>Scientific Reports</i> , 2017 , 7, 9133	4.9 52

797	Rhizosphere Signaling Cascades: Fundamentals and Determinants. 2017 , 211-226		7
796	Induction of plant disease resistance upon treatment with yeast cell wall extract. 2017 , 81, 2071-2078		3
795	Genome-wide dissection of the chalcone synthase gene family in <i>Oryza sativa</i> . 2017 , 37, 1		10
794	Low vapor pressure deficit reduces glandular trichome density and modifies the chemical composition of cuticular waxes in silver birch leaves. 2017 , 37, 1166-1181		18
793	The effect of postharvest storage temperature on sweet cherry (<i>Prunus avium</i> L.) phenolic metabolism and colour development. 2017 , 225, 751-756		12
792	Iron deficiency stimulates anthocyanin accumulation in grapevine apical leaves. 2017 , 119, 286-293		7
791	Phenylalanine ammonia-lyase gene induction with benzothiadiazole elevates defence against <i>Lasiodiplodia theobromae</i> in tea in India. 2017 , 165, 755-761		3
790	Environmental stress is the major cause of transcriptomic and proteomic changes in GM and non-GM plants. <i>Scientific Reports</i> , 2017 , 7, 10624	4-9	11
789	Medicinal, Non-medicinal, Biopesticides, Color- and Dye-Yielding Plants; Secondary Metabolites and Drug Principles; Significance of Medicinal Plants; Use of Medicinal Plants in the Systems of Traditional and Complementary and Alternative Medicines (CAMs). 2017 , 61-104		5
788	Molecular bases for differential aging programs between flag and second leaves during grain-filling in rice. <i>Scientific Reports</i> , 2017 , 7, 8792	4-9	13
787	Phytochemicals. 2017 , 201-238		
786	Digital gene expression analysis during floral transition in pak choi (<i>Brassica rapa</i> subsp. <i>chinensis</i>). 2017 , 1-9		1
785	A Cell Wall Proteome and Targeted Cell Wall Analyses Provide Novel Information on Hemicellulose Metabolism in Flax. 2017 , 16, 1634-1651		11
784	Effects of quince seed, almond, and tragacanth gum coating on the banana slices properties during the process of hot air drying. 2017 , 5, 1057-1064		22
783	Rootstock-modulated yield performance, fruit maturation and phytochemical quality of 'Lane Late' and 'Delta' sweet orange. 2017 , 225, 112-121		26
782	Induction of resistance in tomato against <i>Xanthomonas perforans</i> by lipopolysaccharides of the pathogen. 2017 , 50, 649-657		
781	High-Density Genetic Linkage Map Construction and Quantitative Trait Locus Mapping for Hawthorn (<i>Crataegus pinnatifida</i> Bunge). <i>Scientific Reports</i> , 2017 , 7, 5492	4-9	9
780	Phenylalanine ammonia-lyase2.1 contributes to the soybean response towards <i>Phytophthora sojae</i> infection. <i>Scientific Reports</i> , 2017 , 7, 7242	4-9	31

779	Different levels of UV-B resistance in <i>Vaccinium corymbosum</i> cultivars reveal distinct backgrounds of phenylpropanoid metabolites. 2017 , 118, 541-550		23
778	Effect of harvest seasonal and gamma irradiation on the physicochemical changes in pineapple fruit cv. Pattavia during stimulated sea shipment. 2017 , 5, 997-1003		8
777	Induction of disease resistance providing new insight into sulfur dioxide preservation in <i>Vitis vinifera</i> L.. 2017 , 225, 567-573		17
776	Jasmonate-mediated defence responses, unlike salicylate-mediated responses, are involved in the recovery of grapevine from bois noir disease. 2017 , 17, 118		24
775	Role of defense enzymes and phenolics in resistance of wheat crop (<i>Triticum aestivum</i> L.) towards aphid complex. 2017 , 12, 304-311		25
774	Biosynthesis and Regulation of Phenylpropanoids in Plants. 2017 , 36, 257-290		161
773	Transcriptome Analysis of Two Species of Jute in Response to Polyethylene Glycol (PEG)- induced Drought Stress. <i>Scientific Reports</i> , 2017 , 7, 16565	4-9	33
772	Differentially evolved glucosyltransferases determine natural variation of rice flavone accumulation and UV-tolerance. 2017 , 8, 1975		99
771	Quantitative shotgun proteomic analysis of cold-stressed mature rice anthers. 2017 , 11, 417-427		4
770	A sweet potato cinnamate 4-hydroxylase gene, IbC4H, increases phenolics content and enhances drought tolerance in tobacco. 2017 , 39, 1		14
769	A three-dimensional spatial mapping approach to quantify fine-scale heterogeneity among leaves within canopies. 2017 , 5, 1700056		1
768	Temporary immersion bioreactors (TIB) provide a versatile, cost-effective and reproducible in vitro analysis of the response of pineapple shoots to salinity and drought. 2017 , 39, 1		10
767	The Effect of Fermentation and Drying on <i>Clicanthus Nutans</i> Lindai Extract Chemical Constituents and Bioactivity. 2017 , 206, 012041		
766	Mild water deficit increases the contents of bioactive compounds in dropwort. 2017 , 58, 458-466		6
765	RNA-seq analysis provides insight into reprogramming of culm development in <i>Zizania latifolia</i> induced by <i>Ustilago esculenta</i> . <i>Plant Molecular Biology</i> , 2017 , 95, 533-547	4-6	23
764	Response of non-enzymatic antioxidative mechanisms to stress caused by infection with <i>Fusarium</i> fungi and chemical protection in different wheat genotypes. 2017 , 33, 949-962		14
763	Differential abilities of Korean soybean varieties to biosynthesize glyceollins by biotic and abiotic elicitors. 2017 , 26, 255-261		5
762	Six phenylalanine ammonia-lyases from <i>Camellia sinensis</i> : Evolution, expression, and kinetics. 2017 , 118, 413-421		17

761	Effect of Storage Temperature on Vitamin C, Total Phenolics, UPLC Phenolic Acid Profile and Antioxidant Capacity of Eleven Potato (<i>Solanum tuberosum</i>) Varieties. 2017 , 3, 73-89	36
760	Online hyperspectral imaging system for evaluating quality of agricultural products. 2017 ,	1
759	Relation between salt tolerance and biochemical changes in cumin (<i>Cuminum cyminum</i> L.) seeds. 2017 , 25, 391-402	28
758	Mechanisms underlying toxicity and stimulatory role of single-walled carbon nanotubes in <i>Hyoscyamus niger</i> during drought stress simulated by polyethylene glycol. 2017 , 324, 306-320	84
757	Selected secondary metabolites in <i>Echium vulgare</i> L. populations from nonmetalliferous and metalliferous areas. 2017 , 133, 4-14	23
756	Changes in radical scavenging activity of normal, endoreduplicated and depolyploid root tip cells of. 2017 , 24, 1538-1546	2
755	Evaluation of polyphenolic content and antioxidant activity in two onion varieties grown under organic and conventional production systems. 2017 , 97, 2982-2990	18
754	<i>Trichoderma</i> and its secondary metabolites improve yield and quality of grapes. 2017 , 92, 176-181	85
753	Selecting vegetative/generative/dwarfing rootstocks for improving fruit yield and quality in water stressed sweet peppers. 2017 , 214, 9-17	36
752	Metabolite profiling of symbiont and host during thermal stress and bleaching in the coral <i>Acropora aspera</i> . 2017 , 36, 105-118	48
751	Poplar PtabZIP1-like enhances lateral root formation and biomass growth under drought stress. 2017 , 89, 692-705	38
750	The <i>Arabidopsis</i> UDP-glycosyltransferases UGT79B2 and UGT79B3, contribute to cold, salt and drought stress tolerance via modulating anthocyanin accumulation. 2017 , 89, 85-103	182
749	Changes in element accumulation, phenolic metabolism, and antioxidative enzyme activities in the red-skin roots of. 2017 , 41, 307-315	25
748	Photoprotective effects of topical ginseng leaf extract using Ultraflo L against UVB-induced skin damage in hairless mice. 2017 , 41, 456-462	13
747	Effect of cutting styles on quality and antioxidant activity in fresh-cut pitaya fruit. 2017 , 124, 1-7	50
746	Apoplastic recognition of multiple candidate effectors from the wheat pathogen <i>Zymoseptoria tritici</i> in the nonhost plant <i>Nicotiana benthamiana</i> . 2017 , 213, 338-350	56
745	Effectiveness of in situ application of an Integrated Phytoremediation System (IPS) by adding a selected blend of rhizosphere microbes to heavily multi-contaminated soils. 2017 , 99, 70-82	38
744	Combination of iTRAQ proteomics and RNA-seq transcriptomics reveals multiple levels of regulation in phytoplasma-infected Mill. 2017 , 4, 17080	36

743	The effect of tropospheric ozone on flavonoids and pigments content in common buckwheat cotyledons. 2017 , 24, 457-465		2
742	An ubiquitin-like protein SDE2 negatively affects sucrose-induced anthocyanin biosynthesis in Arabidopsis. 2017 , 62, 1585-1592		6
741	Magnesium-deficiency-induced alterations of gas exchange, major metabolites and key enzymes differ among roots, and lower and upper leaves of Citrus sinensis seedlings. 2017 , 37, 1564-1581		26
740	Screening for Polyphenol Compounds and Antioxidant Capacity of Sweet Cherry Fruits Infected with Monilinia Laxa. 2017 , 66, 46-52		1
739	Antioxidant activity of methanolic extracts from three coriander (Coriandrum sativum L.) fruit varieties. 2017 , 10, S3176-S3183		40
738	Activation of Secondary Metabolism in Citrus Plants Is Associated to Sensitivity to Combined Drought and High Temperatures. <i>Frontiers in Plant Science</i> , 2016 , 7, 1954	6.2	86
737	Adaptation Mechanisms in the Evolution of Moss Defenses to Microbes. <i>Frontiers in Plant Science</i> , 2017 , 8, 366	6.2	34
736	Regulation of Isoflavone Biosynthesis by miRNAs in Two Contrasting Soybean Genotypes at Different Seed Developmental Stages. <i>Frontiers in Plant Science</i> , 2017 , 8, 567	6.2	14
735	Brassinosteroid Mediated Cell Wall Remodeling in Grasses under Abiotic Stress. <i>Frontiers in Plant Science</i> , 2017 , 8, 806	6.2	41
734	Nanoparticles Alter Secondary Metabolism in Plants via ROS Burst. <i>Frontiers in Plant Science</i> , 2017 , 8, 832	6.2	166
733	NaCl Induces Flavonoid Biosynthesis through a Putative Novel Pathway in Post-harvest Ginkgo Leaves. <i>Frontiers in Plant Science</i> , 2017 , 8, 920	6.2	16
732	Antioxidant Responses Induced by UVB Radiation in Desv. <i>Frontiers in Plant Science</i> , 2017 , 8, 921	6.2	33
731	Cultivar Diversity of Grape Skin Polyphenol Composition and Changes in Response to Drought Investigated by LC-MS Based Metabolomics. <i>Frontiers in Plant Science</i> , 2017 , 8, 1826	6.2	46
730	Influence of Indole-3-Acetic Acid and Gibberellic Acid on Phenylpropanoid Accumulation in Common Buckwheat (<i>Fagopyrum esculentum</i> Moench) Sprouts. 2017 , 22,		25
729	Stability of Bioactive Compounds in Broccoli as Affected by Cutting Styles and Storage Time. 2017 , 22,		37
728	Natural Korean Medicine Dang-Gui: Biosynthesis, Effective Extraction and Formulations of Major Active Pyranocoumarins, Their Molecular Action Mechanism in Cancer, and Other Biological Activities. 2017 , 22,		13
727	trans-Cinnamic and Chlorogenic Acids Affect the Secondary Metabolic Profiles and Ergosterol Biosynthesis by <i>Fusarium culmorum</i> and <i>F. graminearum</i> Sensu Stricto. 2017 , 9,		13
726	Meristem Plant Cells as a Sustainable Source of Redox Actives for Skin Rejuvenation. 2017 , 7,		9

725	Characterization and Expression Profiling of <i>Camellia sinensis</i> Cinnamate 4-hydroxylase Genes in Phenylpropanoid Pathways. 2017 , 8,	22
724	Physico-chemical characterization of cherry tomatoes grown under organic agriculture. 2017 , 513-518	0
723	Bruchid egg induced transcript dynamics in developing seeds of black gram (<i>Vigna mungo</i>). 2017 , 12, e0176337	5
722	Transcriptome analysis of filling stage seeds among three buckwheat species with emphasis on rutin accumulation. 2017 , 12, e0189672	11
721	A comparative analysis of nonhost resistance across the two Triticeae crop species wheat and barley. 2017 , 17, 232	16
720	Impact of metal stress on the production of secondary metabolites in <i>Pteris vittata</i> L. and associated rhizosphere bacterial communities. 2017 , 24, 16735-16750	12
719	The Flavonol-Anthocyanin Pathway in Blackberry and Arabidopsis: State of the Art. 2017 ,	5
718	Development of mango wilt in mango cultivars submitted to salt stress. 2017 , 76, 372-377	1
717	Onions: A Source of Flavonoids. 2017 ,	5
716	Phytochemical Profile and Antibacterial Activity of <i>Retama raetam</i> and <i>R. sphaerocarpa</i> cladodes from Algeria. 2017 , 12, 1934578X1701201	2
715	Effect of organic agronomic techniques and packaging on the quality of lamb's lettuce. 2018 , 98, 4606-4615	2
714	Oxidative enzymes and functional quality of minimally processed grape berries sanitised with ozonated water. 2018 , 53, 1371-1380	9
713	Phenylacylated-flavonoids from <i>Peucedanum chryseum</i> . 2018 , 28, 228-230	6
712	Candidate genes of flavonoid biosynthesis in <i>Selaginella bryopteris</i> (L.) Baker identified by RNA-Seq. 2018 , 18, 505-517	10
711	Quality Control of Herbal Drugs: Advancements and Challenges. 2018 , 189-209	
710	Study of defense-related gene expression in grapevine infested by <i>Colomerus vitis</i> (Acari: Eriophyidae). 2018 , 75, 25-40	4
709	Flavonoids profile and antioxidant activity in flowers and leaves of hawthorn species (<i>Crataegus</i> spp.) from different regions of Iran. 2018 , 21, 452-470	45
708	Sweetening During Low-Temperature and Long-Term Storage of Indian Potatoes. 2018 , 61, 207-217	8

707	Growth enhancement and salt tolerance of Safflower (<i>Carthamus tinctorius</i> L.), by salicylic acid. 2018 , 13, 16-22	28
706	Transcriptomic and biochemical analysis of highlighted induction of phenylpropanoid pathway metabolism of citrus fruit in response to salicylic acid, <i>Pichia membranaefaciens</i> and oligochitosan. 2018 , 142, 81-92	48
705	Phenolic compounds and the antioxidant properties in seeds of green- and yellow-podded bean (<i>Phaseolus vulgaris</i> L.) varieties. 2018 , 16, 373-380	7
704	Glycine betaine treatment attenuates chilling injury and maintains nutritional quality of hawthorn fruit during storage at low temperature. 2018 , 233, 188-194	25
703	Non-destructive measurement of soil respiration in a grassland ecosystem using the multiple-microchambers method. 2018 , 33, 471-477	1
702	A rich source of potential bioactive compounds with anticancer activities by <i>Catharanthus roseus</i> cambium meristematic stem cell cultures. 2018 , 217, 107-117	19
701	Rutin promoted resistance of tomato against <i>Xanthomonas perforans</i> . 2018 , 151, 527-531	5
700	Differential pH-Induced Biosynthesis of Steviol Glycosides and Biochemical Parameters in Submerge Root Cultures of <i>Stevia rebaudiana</i> (Bert.). 2018 , 20, 734-744	8
699	Production of resveratrol in <i>Flammulina velutipes</i> by combinatorial expression of its biosynthetic genes. 2018 , 112, 755-761	
698	Characterization and expression patterns of a cinnamate-4-hydroxylase gene involved in lignin biosynthesis and in response to various stresses and hormonal treatments in <i>Ginkgo biloba</i> . 2018 , 40, 1	19
697	Visible Light Activated Radical Denitrative Benzoylation of β -Nitrostyrenes: A Photocatalytic Approach to Chalcones. 2018 , 360, 1407-1413	18
696	Structural basis for substrate recognition and inhibition of prephenate aminotransferase from <i>Arabidopsis</i> . 2018 , 94, 304-314	9
695	Response of health-promoting bioactive compounds and related enzyme activities of table grape (<i>Vitis vinifera</i> L.) to deficit irrigation in greenhouse. 2018 , 93, 573-584	4
694	Species-specific spring and autumn leaf phenology captured by time-lapse digital cameras. 2018 , 9, e02089	21
693	The use of legume and grass cover crops induced changes in ion accumulation, growth and physiological performance of young olive trees irrigated with high-salinity water. 2018 , 232, 170-174	6
692	Molecular dissection of distinct symptoms induced by tomato chlorosis virus and tomato yellow leaf curl virus based on comparative transcriptome analysis. 2018 , 516, 1-20	26
691	Relationships between tyrosine, phenylalanine, chlorogenic acid, and ascorbic acid concentrations and blackspot biochemical potential and blackspot susceptibility in stored russet potatoes. 2018 , 98, 3735-3740	10
690	Control of relative humidity and root-zone water content for acclimation of in vitro-propagated M9 apple rootstock plantlets. 2018 , 59, 303-313	6

689	Indoleamines and phenylpropanoids modify development in the bryophyte <i>Plagiomnium cuspidatum</i> (Hedw.) T.J. Kop. 2018 , 54, 454-464	3
688	TGMI: an efficient algorithm for identifying pathway regulators through evaluation of triple-gene mutual interaction. 2018 , 46, e67	9
687	The bHLH transcription factor GmPIB1 facilitates resistance to <i>Phytophthora sojae</i> in <i>Glycine max.</i> 2018 , 69, 2527-2541	24
686	Aqueous chlorine dioxide treatment of horticultural produce: Effects on microbial safety and produce quality-A review. 2018 , 58, 318-333	30
685	Effect of cytokinin combined elicitors (l-phenylalanine, salicylic acid and chitosan) on in vitro propagation, secondary metabolites and molecular characterization of medicinal herb <i>Coleus aromaticus</i> Benth (L). 2018 , 17, 435-444	19
684	Effects of cooking and drying on phenolic compounds and antioxidant activity of African green leafy vegetables. 2018 , 34, 248-264	14
683	Subfunctionalization of duplicate MYB genes in <i>Solanum commersonii</i> generated the cold-induced ScAN2 and the anthocyanin regulator ScAN1. 2018 , 41, 1038-1051	33
682	Elicitation as a tool to improve the profiles of high-value secondary metabolites and pharmacological properties of <i>Hypericum perforatum</i> . 2019 , 71, 70-82	58
681	GCâMS Analysis of Cell Wall-Bound Phenolic Compounds and Lignin Quantification in Date Palm Cultivars that are Resistant or Susceptible to <i>Fusarium oxysporum</i> f. sp. <i>albedinis</i> . 2018 , 43, 63-71	4
680	Revalorisation of rapeseed pomace extracts: An in vitro study into its anti-oxidant and DNA protective properties. 2018 , 239, 323-332	17
679	Carbon allocation and partitioning in <i>Populus tremuloides</i> are modulated by ectomycorrhizal fungi under phosphorus limitation. 2018 , 38, 52-65	9
678	Genetic diversity and population structure analysis of <i>Pistacia</i> species revealed by phenylalanine ammonia-lyase gene markers and implications for conservation. 2018 , 29, 991-1001	1
677	Mechanisms of resistance in the rice cultivar Manikpukha to the rice stem nematode <i>Ditylenchus angustus</i> . 2018 , 19, 1391-1402	17
676	Evaluation of phenolic and flavonoid compounds in pollen grains of three <i>Citrus</i> species in response to low temperature. 2018 , 57, 214-222	4
675	Plant growth-promoting bacteria elevate the nutritional and functional properties of black cumin and flaxseed fixed oil. 2018 , 98, 1584-1590	14
674	Contribution of both lignin content and sinapyl monomer to disease resistance in tobacco. 2018 , 67, 642-650	17
673	The Different Resistance of Two <i>Astragalus</i> Plants to UV-B Stress is Tightly Associated with the Organ-specific Isoflavone Metabolism. 2018 , 94, 115-125	13
672	Ectopic expression of glycosyltransferase UGT76E11 increases flavonoid accumulation and enhances abiotic stress tolerance in <i>Arabidopsis</i> . 2018 , 20, 10-19	28

671	Dissection of resistance to <i>Microdochium nivale</i> in <i>Lolium multiflorum</i> / <i>Festuca arundinacea</i> introgression forms. 2018 , 123, 43-53	6
670	Metabolite profiling and isolation of biologically active compounds from <i>Scadoxus puniceus</i> , a highly traded South African medicinal plant. 2018 , 32, 625-630	10
669	Metabolic Engineering of Microorganisms for the Production of Natural Compounds. 2018 , 2, 1700190	55
668	The Effect of Vine Kill Method on Vine Kill, Tuber Skinning Injury, Tuber Yield and Size Distribution, and Tuber Nutrients and Phytonutrients in Two Potato Cultivars Grown for Early Potato Production. 2018 , 95, 54-70	4
667	Arginine treatment attenuates chilling injury of pomegranate fruit during cold storage by enhancing antioxidant system activity. 2018 , 137, 31-37	47
666	Induced responses of <i>Bougainvillea glabra</i> Choisy (Nyctaginaceae) against <i>Phenacoccus peruvianus</i> Granara de Willink (Hemiptera: Pseudococcidae) attack: preliminary results. 2018 , 12, 41-48	3
665	Sensitive response of sediment-grown <i>Myriophyllum spicatum</i> L. to arsenic pollution under different CO ₂ availability. 2018 , 812, 177-191	7
664	Relationship between flesh browning and the activities of polyphenol oxidase, peroxidase and phenylalanine ammonia-lyase in feijoa fruit. 2018 , 911-918	2
663	Antioxidant Activities of Selected Berries and Their Free, Esterified, and Insoluble-Bound Phenolic Acid Contents. 2018 , 23, 35-45	19
662	Content of Phenolic Compounds and Antioxidant Properties in Seeds of Sweet and Bitter Cultivars of Lupine (<i>Lupinus angustifolius</i>). 2018 , 13, 1934578X1801301	1
661	Micromosaic Structure of Vegetation and Variability of the Chemical Composition of L Layer of the Litter in Dwarf Shrub-Green Moss Spruce Forests of the Northern Taiga. 2018 , 11, 754-761	0
660	Multidimensional roles of flavonoids in background of <i>Gossypium hirsutum</i> . 2018 , 4, 1510754	3
659	Potential Adverse Effects of Alteration of Phytochemical Accumulation in Fruits and Vegetables. 2018 ,	1
658	Role of Plant Secondary Metabolites at the Host-Pathogen Interface. 2018 , 220-260	2
657	Convenience of Applying of Viticulture Technique as a Function of the Water Status of the Vine-Stock. 2018 ,	3
656	Research and Development for Bioavailable Functional Foods in Food Science. 2018 , 24, 183-191	1
655	A Systematic Review: Polyphenol Contents in Stressed-Olive Trees and Its Fruit Oil. 2018 ,	2
654	Plant-Rhizobium symbiosis, seed nutraceuticals, and waste quality for energy production of <i>Vicia faba</i> L. as affected by crop management. 2018 , 5,	11

653	Looking at Flavonoid Biodiversity in Horticultural Crops: A Colored Mine with Nutritional Benefits. 2018 , 7,		34
652	Characterization of a heat responsive UDP: Flavonoid glucosyltransferase gene in tea plant (<i>Camellia sinensis</i>). 2018 , 13, e0207212		11
651	Production of Value-Added Plants. 2018 , 325-351		1
650	Enzymatic Browning of Fruit and Vegetables: A Review. 2018 , 63-78		24
649	Photoprotection enhanced by red cell wall pigments in three East Antarctic mosses. 2018 , 51, 49		16
648	Adaptation Mechanism of Salt Excluders under Saline Conditions and Its Applications. 2018 , 19,		49
647	Brassica yellows virus' movement protein upregulates anthocyanin accumulation, leading to the development of purple leaf symptoms on <i>Arabidopsis thaliana</i> . <i>Scientific Reports</i> , 2018 , 8, 16273	4-9	7
646	New Perspectives on Chlorogenic Acid Accumulation in Harvested Leaf Tissue: Impact on Traditional Medicine Preparations. 2018 , 3, 18380-18386		7
645	Flavonoid Productivity Optimized for Green and Red Forms of <i>Perilla frutescens</i> via Environmental Control Technologies in Plant Factory. 2018 , 2018, 1-9		8
644	Fruitlet shedding is affected by the position in the apple cluster. 2018 , 323-330		0
643	Green Tea Polyphenols: A Putative Mechanism for Cytotoxic Action against Cancer Cells. 2018 , 305-332		2
642	Vacuoles and Plant Defense. 2018 , 119-141		
641	Effect of Long-Term Strontium Exposure on the Content of Phytoestrogens and Allantoin in Soybean. 2018 , 19,		10
640	Comprehensive Profiling and Inheritance Patterns of Metabolites in Foxtail Millet. <i>Frontiers in Plant Science</i> , 2018 , 9, 1716	6.2	12
639	Molecular Identification and Characterization of Hydroxycinnamoyl Transferase in Tea Plants (<i>L.</i>). 2018 , 19,		10
638	Mineral deficiencies effect on resistance-related enzymes activities in tomato leaves. 2018 , 41, 2320-2329		2
637	Do Extended Cultivation Periods and Reduced Nitrogen Supply Increase Root Yield and Anthocyanin Content of Purple Carrots?. 2018 , 4, 7		1
636	Biological Activities, Health Benefits, and Therapeutic Properties of Avenanthramides: From Skin Protection to Prevention and Treatment of Cerebrovascular Diseases. 2018 , 2018, 6015351		32

635	Association of SSR and Candidate Gene Markers with Genetic Variations in Summer Heat and Drought Performance for Creeping Bentgrass. 2018 , 58, 2644-2656	5
634	Comparison of gene co-networks analysis provide a systems view of rice (<i>Oryza sativa</i> L.) response to <i>Tilletia horrida</i> infection. 2018 , 13, e0202309	2
633	Cowpea and abiotic stresses: identification of reference genes for transcriptional profiling by qPCR. 2018 , 14, 88	24
632	Sunlight Differentially Affects the Fruit Skin, Flesh, and Core Coloration of the Type 2 Red-fleshed Apple <i>Malus domestica</i> B.S.P. Optimization of Fruit Bagging Treatment. 2018 , 87, 462-473	4
631	Histone H3K9 demethylase JMJ25 epigenetically modulates anthocyanin biosynthesis in poplar. 2018 , 96, 1121-1136	21
630	Vacuolar Transport of Secondary Metabolites and Xenobiotics. 2018 , 234-267	0
629	Quality Parameter Levels of Strawberry Fruit in Response to Different Sound Waves at 1000 Hz with Different dB Values (95, 100, 105 dB). 2018 , 8, 127	4
628	Modular pathway engineering for resveratrol and piceatannol production in engineered <i>Escherichia coli</i> . 2018 , 102, 9691-9706	15
627	The ethylene response factor MdERF1B regulates anthocyanin and proanthocyanidin biosynthesis in apple. <i>Plant Molecular Biology</i> , 2018 , 98, 205-218	4.6 53
626	Quantitative trait loci regulate the concentrations of steryl ferulates in brown rice. 2018 , 95, 800-810	7
625	Postharvest quality of plums in response to the occurrence of leaf scald disease. 2018 , 143, 102-111	6
624	6-Benzylaminopurine improves the quality of harvested litchi fruit. 2018 , 143, 137-142	19
623	Developing Stress-Tolerant Plants Through In Vitro Tissue Culture: Family Brassicaceae. 2018 , 327-372	7
622	Phytoconstituents—Active and Inert Constituents, Metabolic Pathways, Chemistry and Application of Phytoconstituents, Primary Metabolic Products, and Bioactive Compounds of Primary Metabolic Origin. 2018 , 25-164	2
621	Assessing Allelopathic Index for Estimating Allelopathic potential of Ajowan Extracts. 2018 , 21, 165-172	6
620	Characterization of bioactive and volatile profiles of thyme (<i>Thymus vulgaris</i> L.) teas as affected by infusion times. 2018 , 12, 2570-2580	8
619	Chemistry of Himalayan Phytochemicals. 2018 , 121-166	8
618	Identity of plant, lichen and moss species connects with microbial abundance and soil functioning in Maritime Antarctica. 2018 , 429, 35-52	19

617	Stress cross-response of the antioxidative system promoted by superimposed drought and cold conditions in <i>Coffea</i> spp. 2018 , 13, e0198694		28
616	Wounding stress induces phenylalanine ammonia lyases, leading to the accumulation of phenylpropanoids in the model liverwort <i>Marchantia polymorpha</i> . 2018 , 155, 30-36		22
615	Pharmaceutical, Nutraceutical and Therapeutic Properties of Selected Wild Medicinal Plants: Thyme, Spearmint, and Rosemary. 2018 , 275-290		4
614	Wound Stress, an Unheeded Factor for Echinacoside Accumulation in <i>Cistanche deserticola</i> Y. C. Ma. 2018 , 23,		
613	Structural, functional and evolutionary diversity of 4-coumarate-CoA ligase in plants. 2018 , 248, 1063-1078		47
612	Combined Drought and Heat Activates Protective Responses in That Are Not Activated When Subjected to Drought or Heat Stress Alone. <i>Frontiers in Plant Science</i> , 2018 , 9, 819	6.2	44
611	Synergistic effect of selenium and UV-B radiation in enhancing antioxidant level of wheatgrass grown from selenium rich wheat. 2018 , 42, e12577		6
610	Effect of Elicitors in the Nutritional and Sensorial Quality of Fruits and Vegetables. 2018 , 71-91		2
609	Nutrient Management in Aquaponics: Comparison of Three Approaches for Cultivating Lettuce, Mint and Mushroom Herb. 2018 , 8, 27		38
608	Enzymes Characterized From Vanilla. 2018 , 423-434		
607	Efficient enhancement of gallic acid accumulation in cell suspension cultures of <i>Barringtonia racemosa</i> L. by elicitation. 2018 , 135, 203-212		9
606	Biochemical Properties and Neuroprotective Effects of Compounds in Various Species of Berries. 2017 , 23,		37
605	Analysis of Metabolites in White Flowers of Desr. and Violet Flowers of Desr. 2018 , 23,		19
604	Imaging and Spectroscopy of Natural Fluorophores in Pine Needles. 2018 , 7,		31
603	Antinutritional factors in pearl millet grains: Phytate and goitrogens content variability and molecular characterization of genes involved in their pathways. 2018 , 13, e0198394		22
602	Ice plant growth and phytochemical concentrations are affected by light quality and intensity of monochromatic light-emitting diodes. 2018 , 59, 529-536		7
601	Resistance of native oak to recurrent drought conditions simulating predicted climatic changes in the Mediterranean region. 2018 , 41, 2299-2312		12
600	Accumulation of Phenolic Compounds at the Initial Steps of Ontogenesis of <i>Fagopyrum esculentum</i> Plants That Differ in Their Ploidy Levels. 2018 , 45, 171-178		3

- 599 Penconazole alleviates salt-induced damage in safflower (*Carthamus tinctorius* L.) plants. **2018**, 13, 420-427 8
- 598 Effects of postharvest chilling and heating treatments on the sensory quality and antioxidant system of daylily flowers. **2018**, 59, 671-685 6
- 597 Changes in mineral nutrient concentrations and C-N metabolism in cabbage shoots and roots following macronutrient deficiency. **2018**, 181, 777-786 13
- 596 Impact of transportation, storage, and retail shelf conditions on lettuce quality and phytonutrients losses in the supply chain. **2018**, 6, 1527-1536 10
- 595 Piriformospora indica cell wall modulates gene expression and metabolite profile in *Linum album* hairy roots. **2018**, 248, 1289-1306 17
- 594 Incidence of dairy wastewater on morphological and physiological compartment of Chemlali and Chetoui olive. **2018**, 20, 29-36 7
- 593 Phenylpropanoids and Alzheimer's disease: A potential therapeutic platform. **2018**, 120, 99-111 19
- 592 LC-MS untargeted metabolomics reveals early biomarkers to predict browning of fresh-cut lettuce. **2018**, 146, 9-17 14
- 591 Effect of Microwave and High-Pressure Processing on Quality of an Innovative Broccoli Hummus. **2018**, 11, 1464-1477 19
- 590 Environmental Stress and Secondary Metabolites in Plants: An Overview. **2018**, 153-167 28
- 589 Discovering variation of secondary metabolite diversity and its relationship with disease resistance in *L.* **2018**, 8, 5619-5636 11
- 588 Darkening, damage and oxidative protection are stimulated in tissues closer to the yam cut, attenuated or not by the environment. **2019**, 99, 334-342 5
- 587 Changes in the expression of some genes involved in the biosynthesis of secondary metabolites in *Cuminum cyminum* L. under UV stress. **2019**, 256, 279-290 26
- 586 Covalent Interactions Between Proteins and Phenolic Compounds. **2019**, 544-549 2
- 585 Induction of phenolic compounds by UV and PAR is modulated by leaf ontogeny and barley genotype. **2019**, 134, 81-93 8
- 584 In silico annotation of 458 genes identified from comparative analysis of Full length cDNAs and NextGen Sequence of chromosome 2A of hexaploid wheat. **2019**, 28, 25-34 2
- 583 Diverse biological effects of glycosyltransferase genes from Tartary buckwheat. **2019**, 19, 339 11
- 582 Chemical Composition of Mango (*M.*) Fruit: Nutritional and Phytochemical Compounds. *Frontiers in Plant Science*, **2019**, 10, 1073 6.2 86

581	Stress and defense responses in plant secondary metabolites production. 2019 , 52, 39	363
580	Understanding the Impacts of Crude Oil and its Induced Abiotic Stresses on Agrifood Production: A Review. 2019 , 5, 47	21
579	Nutraceutical Properties of Mulberries Grown in Southern Italy (Apulia). 2019 , 8,	6
578	Priming of (L.) Gaertn seeds with HO and magnetic field ameliorates seawater stress. 2019 , 5, e01886	7
577	Changes in Content of Polyphenols and Ascorbic Acid in Leaves of White Cabbage after Pest Infestation. 2019 , 24,	14
576	Patagonian Berries: Healthy Potential and the Path to Becoming Functional Foods. 2019 , 8,	16
575	An NMR Metabolomics Approach and Detection of Ganoderma boninense-Infected Oil Palm Leaves Using MWCNT-Based Electrochemical Sensor. 2019 , 2019, 1-12	9
574	Dietary Flavonoids for Immunoregulation and Cancer: Food Design for Targeting Disease. 2019 , 8,	40
573	Melatonin and phenolics biosynthesis-related genes in Vitis vinifera cell suspension cultures are regulated by temperature and copper stress. 2019 , 138, 475-488	9
572	Response of Phenylpropanoid Pathway and the Role of Polyphenols in Plants under Abiotic Stress. 2019 , 24,	453
571	Production of pyrrolizidine alkaloids and shikonins in Echium plantagineum L. in response to various plant stressors. 2019 , 75, 2530-2541	11
570	The Biosynthetic Pathway of Major Avenanthramides in Oat. 2019 , 9,	9
569	Transcriptome analysis reveals that barnyard grass exudates increase the allelopathic potential of allelopathic and non-allelopathic rice (Oryza sativa) accessions. 2019 , 12, 30	6
568	Tomato glycosyltransferase Twi1 plays a role in flavonoid glycosylation and defence against virus. 2019 , 19, 450	9
567	Physiological and Metabolomic Responses of Kale to Combined Chilling and UV-A Treatment. 2019 , 20,	7
566	Cotton Production in India. 2019 , 193-215	1
565	Mixotrophic cultivation of Spirulina platensis in dairy wastewater: Effects on the production of biomass, biochemical composition and antioxidant capacity. 2019 , 14, e0224294	21
564	Effect of Preharvest Abiotic Stresses on the Accumulation of Bioactive Compounds in Horticultural Produce. <i>Frontiers in Plant Science</i> , 2019 , 10, 1212	6.2 61

563	Maize phenylalanine ammonia-lyases contribute to resistance to Sugarcane mosaic virus infection, most likely through positive regulation of salicylic acid accumulation. 2019 , 20, 1365-1378		20
562	Chemical Diversity and Classification of Secondary Metabolites in Nine Bryophyte Species. 2019 , 9,		17
561	Design, Synthesis, and Bioactivity Evaluation of Novel Isoxazole-Amide Derivatives Containing an Acylhydrazone Moiety as New Active Antiviral Agents. 2019 , 24,		7
560	Physiological and metabolomics analyses of young and old leaves from wild and cultivated soybean seedlings under low-nitrogen conditions. 2019 , 19, 389		9
559	Short-Term Ultraviolet (UV)-A Light-Emitting Diode (LED) Radiation Improves Biomass and Bioactive Compounds of Kale. <i>Frontiers in Plant Science</i> , 2019 , 10, 1042	6.2	18
558	Transcriptome Sequencing and Metabolome Analysis Reveal Genes Involved in Pigmentation of Green-Colored Cotton Fibers. 2019 , 20,		17
557	Rhizophagus intraradices promotes alfalfa (<i>Medicago sativa</i>) defense against pea aphids (<i>Acyrtosiphon pisum</i>) revealed by RNA-Seq analysis. 2019 , 29, 623-635		6
556	Comparison of Phytochemicals, Antioxidant and Anti-Inflammatory Properties of Sun-, Oven- and Freeze-Dried Ginger Extracts. 2019 , 8,		16
555	MdCOL4 Interaction Mediates Crosstalk Between UV-B and High Temperature to Control Fruit Coloration in Apple. 2019 , 60, 1055-1066		25
554	Advance of the negative regulation of anthocyanin biosynthesis by MYB transcription factors. 2019 , 136, 178-187		66
553	Evaluating the Toxic Impacts of Cadmium Selenide Nanoparticles on the Aquatic Plant Lemna minor. 2019 , 24,		21
552	Health Benefits of Dietary Phenolic Compounds and Biogenic Amines. 2019 , 3-27		2
551	Genome-Wide Identification and Transcriptional Expression of the Gene Family in Common Walnut (<i>L.</i>). 2019 , 10,		15
550	Expression profiling of immature florets of IR58025A, a wild-abortive cytoplasmic male sterile line of rice and its cognate, isonuclear maintainer line, IR58025B. 2019 , 9, 278		1
549	Metabolic Analysis of Four Cultivars of. 2019 , 9,		7
548	Preferential accumulation of glycosylated cyanidins in winter-hardy rye (<i>Secale cereale L.</i>) genotypes during cold acclimation. 2019 , 164, 203-212		6
547	Molecular analysis of genes related to phenylpropanoid and ascorbate biosynthesis in salt and UV-B treated pak choi grown under LEDs. 2019 , 97, 513-519		2
546	A Comparative Review on the Extraction, Antioxidant Content and Antioxidant Potential of Different Parts of Walnut (<i>L.</i>) Fruit and Tree. 2019 , 24,		56

545	Impact of N, P, K, and Humic Acid Supplementation on the Chemical Profile of Medical Cannabis (L). <i>Frontiers in Plant Science</i> , 2019 , 10, 736	6.2	52
544	Identification and quantification of phenolic compounds of <i>Artemisia herba-alba</i> at three harvest time by HPLC-ESI-Q-TOF-MS. 2019 , 22, 843-852		7
543	Optimization of Photosynthetic Photon Flux Density and Root-zone Temperature for Enhancing Secondary Metabolite Accumulation and Production of Coriander in Plant Factory. 2019 , 9, 224		15
542	RcPAL, a key gene in lignin biosynthesis in <i>Ricinus communis</i> L. 2019 , 19, 181		8
541	Evolution of phytochemical diversity in <i>Pilocarpus</i> (Rutaceae). 2019 , 163, 132-146		9
540	Effect of Selenium Enrichment and Type of Application on Yield, Functional Quality and Mineral Composition of Curly Endive Grown in a Hydroponic System. 2019 , 9, 207		32
539	Transcriptome Sequencing of Chickpea (<i>Cicer arietinum</i> L.) Genotypes for Identification of Drought-Responsive Genes Under Drought Stress Condition. 2019 , 37, 186-203		19
538	The time of the day to harvest affects the degreening, antioxidant compounds, and protein content during postharvest storage of broccoli. 2019 , 43, e12904		7
537	<i>Solanum aethiopicum</i> gr. gilo and Its Interspecific Hybrid with <i>S. melongena</i> as Alternative Rootstocks for Eggplant: Effects on Vigor, Yield, and Fruit Physicochemical Properties of Cultivar 'Scarlati'. 2019 , 9, 223		19
536	Marine Invertebrate Stress Responses to Virus Infection. 2019 , 63-104		
535	Deciphering the phenolic acid reserves and antioxidant activity within the protocorm like bodies of <i>Ansellia africana</i> : A vulnerable medicinal orchid. 2019 , 135, 21-29		8
534	Potential roles of plant biochemistry in mediating ecosystem responses to warming and drought. 2019 , 103-124		2
533	4-Coumarate 3-hydroxylase in the lignin biosynthesis pathway is a cytosolic ascorbate peroxidase. 2019 , 10, 1994		67
532	Production, Leaf Quality and Antioxidants of Perennial Wall Rocket as Affected by Crop Cycle and Mulching Type. 2019 , 9, 194		22
531	Water Stress and Redox Regulation with Emphasis on Future Biotechnological Prospects. 2019 , 155-177		2
530	H-NMR Metabolite Fingerprinting Analysis Reveals a Disease Biomarker and a Field Treatment Response in subsp. -Infected Olive Trees. 2019 , 8,		13
529	Effect of low-temperature storage on the content of folate, vitamin B , ascorbic acid, chlorogenic acid, tyrosine, and phenylalanine in potatoes. 2019 , 99, 4842-4848		13
528	Biosynthesis and bioactivity of <i>Cynara cardunculus</i> L. guaianolides and hydroxycinnamic acids: a genomic, biochemical and health-promoting perspective. 2019 , 18, 495-526		6

527	Impact of elevated carbon dioxide and temperature on strawberry polyphenols. 2019 , 99, 4659-4669		12
526	Current Scenario of Pb Toxicity in Plants: Unraveling Plethora of Physiological Responses. 2020 , 249, 153-197		11
525	Transcriptome sequencing analysis of maize embryonic callus during early redifferentiation. 2019 , 20, 159		11
524	Interactive effects of drought and shading on <i>Torreya grandis</i> seedlings: physiological and growth responses. 2019 , 33, 951-961		12
523	Effects of Light-Emitting Diodes on the Accumulation of Glucosinolates and Phenolic Compounds in Sprouting Canola (<i>L.</i>). 2019 , 8,		30
522	Compound-specific $\delta^{15}N$ values express differences in amino acid metabolism in plants of varying lignin content. 2019 , 161, 130-138		10
521	NtMYB4 and NtCHS1 Are Critical Factors in the Regulation of Flavonoid Biosynthesis and Are Involved in Salinity Responsiveness. <i>Frontiers in Plant Science</i> , 2019 , 10, 178	6.2	40
520	Anti-Adhesion Activity of Tannins Isolated from the Mangrove <i>Laguncularia racemosa</i> . 2019 , 16, e1800632		6
519	Effect of lavender hydrosol on antioxidant activity and growth in <i>Nicotiana benthamiana</i> . 2019 , 42, 23-28		1
518	Biological activities and phytochemical analysis of phenolic extracts from <i>Salsola kali</i> L.. Role of endogenous factors in the selection of the best plant extracts. 2019 , 123, 193-199		7
517	Transcriptome profiling of coriander: a dual purpose crop unravels stem gall resistance genes. 2019 , 98, 1		6
516	Mucilage of spineless cactus in the composition of an edible coating for minimally processed yam (<i>Dioscorea</i> spp.). 2019 , 13, 2000-2008		6
515	Effect of dehydration techniques on bioactive compounds in hawthorn slices and their correlations with antioxidant properties. 2019 , 56, 2446-2457		14
514	Nanoparticles and Abiotic Stress Tolerance in Plants: Synthesis, Action, and Signaling Mechanisms. 2019 , 549-561		22
513	Genome-Wide Analysis of Family Genes in Foxtail Millet (<i>L.</i>) and Characterization of the Role of in Drought Tolerance. 2019 , 20,		20
512	Transcriptional and Metabolomic Analyses Indicate that Cell Wall Properties are Associated with Drought Tolerance in. 2019 , 20,		12
511	Role and Regulation of Plants Phenolics in Abiotic Stress Tolerance. 2019 , 157-168		64
510	Biochemical and Molecular Regulation of Phenylpropanoids Pathway Under Abiotic Stresses. 2019 , 183-192		6

509	Transcriptomic Analysis of Seed Germination Under Salt Stress in Two Desert Sister Species (and). 2019 , 10, 231		18
508	The proteome of <i>Medicago truncatula</i> in response to ammonium and urea nutrition reveals the role of membrane proteins and enzymes of root lignification. 2019 , 162, 168-180		6
507	Rice sulfoquinovosyltransferase SQD2.1 mediates flavonoid glycosylation and enhances tolerance to osmotic stress. 2019 , 42, 2215-2230		22
506	The OsmiR396-OsGRF8-OsF3H-flavonoid pathway mediates resistance to the brown planthopper in rice (<i>Oryza sativa</i>). <i>Plant Biotechnology Journal</i> , 2019 , 17, 1657-1669	11.6	48
505	Different effects of calcium and penconazole on primary and secondary metabolites of under drought. 2019 , 25, 497-509		3
504	Comprehensive RNA sequencing and co-expression network analysis to complete the biosynthetic pathway of coumestrol, a phytoestrogen. <i>Scientific Reports</i> , 2019 , 9, 1934	4.9	13
503	Transcriptome profiling of resistance response to <i>Meloidogyne chitwoodi</i> introgressed from wild species <i>Solanum bulbocastanum</i> into cultivated potato. 2019 , 20, 907		8
502	Comparative Phytochemical Analyses and Metabolic Profiling of Different Phenotypes of Chinese Cabbage (<i>ssp.</i>). 2019 , 8,		17
501	Dual RNA Sequencing of during Infection Unveils Host-Pathogen Interactions. 2019 , 20,		11
500	Lignin biosynthesis: old roads revisited and new roads explored. 2019 , 9, 190215		52
499	Comprehensive multivariate correlations between climatic effect, metabolite-profile, antioxidant capacity and antibacterial activity of Brazilian red propolis metabolites during seasonal study. <i>Scientific Reports</i> , 2019 , 9, 18293	4.9	23
498	Genetic Parameters and QTLs for Total Phenolic Content and Yield of Wheat Mapping Population of CSDH Lines under Drought Stress. 2019 , 20,		7
497	A comparison of the transcriptomes between diploid and autotetraploid under salt stress. 2019 , 25, 1-11		8
496	How Do Different Watering Regimes Affect the Growth, Chlorophyll Fluorescence, Phytohormone, and Phenolic Acid Content of Greenhouse-Grown <i>Ceratotheca triloba</i> ?. 2019 , 38, 385-399		9
495	UV-B shock induces photoprotective flavonoids but not antioxidant activity in Antarctic <i>Colobanthus quitensis</i> (Kunth) Bartl. 2019 , 159, 179-190		11
494	Effects of chitosan and salicylic acid on the production of pharmacologically attractive secondary metabolites in callus cultures of <i>Fagonia indica</i> . 2019 , 129, 525-535		31
493	Efficacy of biological agents and compost on growth and resistance of tomatoes to late blight. 2019 , 249, 799-813		15
492	Polyphenolic profiles in lettuce (<i>Lactuca sativa</i> L.) after CaCl ₂ treatment and cold storage. 2019 , 245, 733-744		18

491	Chemical composition and evaluation of the anti-inflammatory and antinociceptive activities of <i>Duguetia furfuracea</i> essential oil: Effect on edema, leukocyte recruitment, tumor necrosis factor alpha production, iNOS expression, and adenosinergic and opioidergic systems. 2019 , 231, 325-336	13
490	Biochemical traits of asparagus cultivars and quality changes in two differently coloured genotypes during cold storage. 2019 , 101, 427-434	6
489	Analysis of Selected Phenolic Compounds in Organic, Pesticide-Free, Conventional Rice (L.) Using LC-ESI-MS/MS. 2018 , 24,	8
488	Impact of Crude Oil on Yield and Phytochemical Composition of Selected Green Leafy Vegetables. 2019 , 25, 554-570	6
487	Differential co-expression networks of long non-coding RNAs and mRNAs in <i>Cleistogenes songorica</i> under water stress and during recovery. 2019 , 19, 23	31
486	Effects of exogenous ascorbic acid and ferulic acid on the yellowing of fresh-cut Chinese water chestnut. 2019 , 148, 15-21	17
485	Genotypic differences in leaf secondary metabolism, plant hormones and yield under alone and combined stress of drought and salinity in cotton genotypes. 2019 , 165, 343-355	28
484	Integrated analysis of transcriptomic and metabolomic data reveals critical metabolic pathways involved in polyphenol biosynthesis in <i>Nicotiana tabacum</i> under chilling stress. 2018 , 46, 30-43	26
483	Identification and expression profiling of rosmarinic acid biosynthetic genes from <i>Satureja khuzistanica</i> under carbon nanotubes and methyl jasmonate elicitation. 2019 , 136, 561-573	11
482	Improving production of plant secondary metabolites through biotic and abiotic elicitation. 2019 , 12, 1-12	90
481	Drier Climatic Conditions Increase Withanolide Content of <i>Withania coagulans</i> Enhancing Its Inhibitory Potential Against Human Prostate Cancer Cells. 2019 , 188, 460-480	5
480	Dough properties, bread quality, and associated interactions with added phenolic compounds: A review. 2019 , 52, 629-639	58
479	Post-translational and transcriptional regulation of phenylpropanoid biosynthesis pathway by Kelch repeat F-box protein SAGL1. <i>Plant Molecular Biology</i> , 2019 , 99, 135-148	4.6 17
478	Titanium dioxide and zinc oxide nanoparticles affect some bacterial diseases, and growth and physiological changes of beetroot. 2019 , 25, 409-430	27
477	Lsi1 modulates the antioxidant capacity of rice and protects against ultraviolet-B radiation. 2019 , 278, 96-106	9
476	Red galls: the different stories of two gall types on the same host. 2019 , 21, 284-291	7
475	Rice Phenolics: Extraction, Characterization, and Utilization in Foods. 2019 , 217-242	2
474	Alterations in plant sugar metabolism: signatory of pathogen attack. 2019 , 249, 305-318	23

473	CAD1 and CCR2 protein complex formation in monolignol biosynthesis in <i>Populus trichocarpa</i> . 2019 , 222, 244-260	20
472	Translational Regulation of Metabolic Dynamics during Effector-Triggered Immunity. 2020 , 13, 88-98	23
471	A Putative Common Bean Chalcone O-Methyltransferase Improves Salt Tolerance in Transgenic <i>Arabidopsis thaliana</i> . 2020 , 39, 957-969	2
470	A role of age-dependent DNA methylation reprogramming in regulating the regeneration capacity of <i>Boea hygrometrica</i> leaves. 2020 , 20, 133-149	6
469	Pomegranate peels crude extract as a corrosion inhibitor of mild steel in HCl medium: Passivation and hydrophobic effect. 2020 , 71, 148-154	8
468	Investigation on the effects of nitrate and salinity stress on the antioxidant properties of green algae with special reference to the use of processed biomass as potent fish feed ingredient. 2020 , 28, 211-234	6
467	The root transcriptome analyses of peanut wild species <i>Arachis correntina</i> (Burkart) Krapov. & W.C. Gregory and cultivated variety Xiaobaisha in response to benzoic acid and p-cumaric acid stress. 2020 , 67, 9-20	1
466	Nitrogen nutrition modulates oxidative stress and metabolite production in <i>Hypericum perforatum</i> . 2020 , 257, 439-447	4
465	Chalcone synthases (CHSs): the symbolic type III polyketide synthases. 2019 , 251, 15	11
464	Oxidation of polyphenols and inhibition of photosystem II under acute photooxidative stress. 2019 , 251, 16	3
463	Phenylalanine ammonia-lyase family is closely associated with response to phosphate deficiency in rice. 2020 , 42, 67-76	9
462	Transcriptomic Study for Identification of Major Nitrogen Stress Responsive Genes in Australian Bread Wheat Cultivars. 2020 , 11, 583785	10
461	Induction of Natural Defenses in Tomato Seedlings by Using Alginate and Oligoalginates Derivatives Extracted from Moroccan Brown Algae. 2020 , 18,	13
460	Production of Antioxidant Molecules in (L.) and (L.) under Metal Stress: A Possible Tool in the Evaluation of Plant Metal Tolerance. 2020 , 21,	1
459	Quantification of polyphenolic compounds and relative gene expression studies of phenylpropanoid pathway in apple (Borkh) in response to infection. 2020 , 27, 3397-3404	5
458	Nanofomulation of zinc oxide and chitosan zinc sustain oxidative stress and alter secondary metabolite profile in tobacco. 2020 , 10, 477	3
457	RNA-sequencing based gene expression landscape of guava cv. Allahabad Safeda and comparative analysis to colored cultivars. 2020 , 21, 484	6
456	Methyl 3-(4-hydroxyphenyl) propionate modulates plant growth and secondary metabolite accumulation by inducing metabolic changes in <i>Perilla frutescens</i> . 2020 , 453, 577-593	1

455	Concurrent Metabolic Profiling and Quantification of Aromatic Amino Acids and Phytohormones in Plants Responding to. 2020 , 10,		6
454	Anticancer activity of Momordica cochinchinensis (red gac) aril and the impact of varietal diversity. 2020 , 20, 365		2
453	Impacts of zinc oxide nano and bulk particles on redox-enzymes of the Punica granatum callus. <i>Scientific Reports</i> , 2020 , 10, 19722	4.9	6
452	Ethylene Induction of Non-Enzymatic Metabolic Antioxidants in. 2020 , 25,		1
451	Advances in Biosynthesis and Biological Functions of Proanthocyanidins in Horticultural Plants. 2020 , 9,		9
450	Overexpression of OsCM alleviates BLB stress via phytohormonal accumulation and transcriptional modulation of defense-related genes in <i>Oryza sativa</i> . <i>Scientific Reports</i> , 2020 , 10, 19520	4.9	6
449	Adaptation mechanism of mango fruit (L. cv. Chaunsa White) to heat suggest modulation in several metabolic pathways.. 2020 , 10, 35531-35544		6
448	De novo assembly and characterization of transcriptome in the medicinal plant <i>Euphorbia jolkini</i> . 2020 , 42, 1011-1021		0
447	Target-Genes Reveal Species and Genotypic Specificity of Anthocyanin Pigmentation in and Related Genera. 2020 , 11,		7
446	Enhancing UDP-Rhamnose Supply for Rhamnosylation of Flavonoids in by Regulating the Modular Pathway and Improving NADPH Availability. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 9513-9523	5.7	4
445	Chemical plasticity in the fine root construct of <i>Quercus</i> spp. varies with root order and drought. 2020 , 228, 1835-1851		7
444	Metabolomic and transcriptomic analyses reveal the regulation of pigmentation in the purple variety of <i>Dendrobium officinale</i> . <i>Scientific Reports</i> , 2020 , 10, 17700	4.9	10
443	<i>Bacillus licheniformis</i> strain POT1 mediated polyphenol biosynthetic pathways genes activation and systemic resistance in potato plants against Alfalfa mosaic virus. <i>Scientific Reports</i> , 2020 , 10, 16120	4.9	17
442	Applications of Cytokinins in Horticultural Fruit Crops: Trends and Future Prospects. 2020 , 10,		3
441	Drought Stress Responses and Resistance in Plants: From Cellular Responses to Long-Distance Intercellular Communication. <i>Frontiers in Plant Science</i> , 2020 , 11, 556972	6.2	67
440	Gene co-expression analysis reveals transcriptome divergence between wild and cultivated chickpea under drought stress. 2020 , 104, 1195-1214		10
439	Innovation and Application of the Type III Secretion System Inhibitors in Plant Pathogenic Bacteria. 2020 , 8,		3
438	Celery (L.) Performances as Subjected to Different Sources of Protein Hydrolysates. 2020 , 9,		14

437	Long-Term Cd Exposure Alters the Metabolite Profile in Stem Tissue of. 2020 , 9,		3
436	Enzymatic Browning in Wheat Kernels Produces Symptom of Black Point Caused by. <i>Frontiers in Microbiology</i> , 2020 , 11, 526266	5-7	2
435	Identification of Phenolic Compounds and Determination of Antioxidant Activity in Extracts and Infusions of Salvia Leaves. 2020 , 13,		8
434	Overexpression of exogenous in rice plants confers tolerance to biuret toxicity. 2020 , 4, e00290		1
433	Genes, pathways and networks responding to drought stress in oil palm roots. <i>Scientific Reports</i> , 2020 , 10, 21303	4-9	3
432	The MexE/MexF/AmeC Efflux Pump of <i>Agrobacterium tumefaciens</i> and Its Role in Ti Plasmid Virulence Gene Expression. 2020 , 202,		5
431	MiMIF-2 Effector of Exhibited Enzyme Activities and Potential Roles in Plant Salicylic Acid Synthesis. 2020 , 21,		0
430	Transcriptomic profiling of purple broccoli reveals light-induced anthocyanin biosynthetic signaling and structural genes. 2020 , 8, e8870		5
429	Ascorbic Acid Induces the Increase of Secondary Metabolites, Antioxidant Activity, Growth, and Productivity of the Common Bean under Water Stress Conditions. 2020 , 9,		12
428	Synthetic Biology Approaches to Engineer towards the Industrial Production of Valuable Polyphenolic Compounds. 2020 , 10,		12
427	Responses of resistant and susceptible hybrid clones of <i>Eucalyptus urophylla</i> × <i>Eucalyptus grandis</i> to infection by <i>Ceratocystis fimbriata</i> . 2020 , 77, 1		4
426	Methyl Jasmonate Applications From Flowering to Ripe Fruit Stages of Strawberry (‘Camarosa’) Reinforce the Fruit Antioxidant Response at Post-harvest. <i>Frontiers in Plant Science</i> , 2020 , 11, 538	6.2	13
425	Transcriptome and metabolite analysis reveal the drought tolerance of foxtail millet significantly correlated with phenylpropanoids-related pathways during germination process under PEG stress. 2020 , 20, 274		14
424	Anthocyanin Biosynthesis and DNA Methylation Dynamics in Sweet Orange Fruit [<i>L. (Osbeck)</i>] under Cold Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 7024-7031	5-7	15
423	Cell Wall Acetylation in Hybrid Aspen Affects Field Performance, Foliar Phenolic Composition and Resistance to Biological Stress Factors in a Construct-Dependent Fashion. <i>Frontiers in Plant Science</i> , 2020 , 11, 651	6.2	5
422	Trunk Girdling Increased Stomatal Conductance in Cabernet Sauvignon Grapevines, Reduced Glutamine, and Increased Malvidin-3-Glucoside and Quercetin-3-Glucoside Concentrations in Skins and Pulp at Harvest. <i>Frontiers in Plant Science</i> , 2020 , 11, 707	6.2	1
421	Exogenous Melatonin Modulates the Physiological and Biochemical Mechanisms of Drought Tolerance in Tartary Buckwheat (<i>L.</i> Gaertn). 2020 , 25,		17
420	Growth characteristics and phytochemicals of canola (<i>Brassica napus</i>) grown under UV radiation and low root zone temperature in a controlled environment. 2020 , 61, 267-277		6

4 ¹⁹	Transcriptional differentiation of UV-B protectant genes in maize landraces spanning an elevational gradient in Chiapas, Mexico. 2020 , 13, 1949-1967		2
4 ¹⁸	Phenolic acids in selected scab-resistant and mildew-tolerant apple cultivars. 2020 , 42, 1		4
4 ¹⁷	In Vitro Propagation and Variation of Antioxidant Properties in Micropropagated Berry Plants-A Review. 2020 , 25,		12
4 ¹⁶	Interactive Effect of Melatonin and UV-C on Phenylpropanoid Metabolite Production and Antioxidant Potential in Callus Cultures of Purple Basil (<i>L. var.s</i>). 2020 , 25,		21
4 ¹⁵	Regulation of phenylpropanoid biosynthesis by MdMYB88 and MdMYB124 contributes to pathogen and drought resistance in apple. 2020 , 7, 102		16
4 ¹⁴	Phenylalanine increases chrysanthemum flower immunity against <i>Botrytis cinerea</i> attack. 2020 , 104, 226-240		12
4 ¹³	Infection cushions of <i>Fusarium graminearum</i> are fungal arsenals for wheat infection. 2020 , 21, 1070-1087		14
4 ¹²	New Insight into Plant Signaling: Extracellular ATP and Uncommon Nucleotides. 2020 , 9,		9
4 ¹¹	Management of Plant Physiology with Beneficial Bacteria to Improve Leaf Bioactive Profiles and Plant Adaptation under Saline Stress in <i>L</i> . 2020 , 9,		6
4 ¹⁰	miR477 targets the phenylalanine ammonia-lyase gene and enhances the susceptibility of the tea plant (<i>Camellia sinensis</i>) to disease during <i>Pseudopezalotriopsis</i> species infection. 2020 , 251, 59		11
4 ⁰⁹	Identification of an SCPL Gene Controlling Anthocyanin Acylation in Carrot (<i>L</i> .) Root. <i>Frontiers in Plant Science</i> , 2019 , 10, 1770	6.2	13
4 ⁰⁸	Transcriptome Analysis Reveals Differences in Key Genes and Pathways Regulating Carbon and Nitrogen Metabolism in Cotton Genotypes under N Starvation and Resupply. 2020 , 21,		12
4 ⁰⁷	ETHYLENE RESPONSE FACTOR39-MYB8 complex regulates low-temperature-induced lignification of loquat fruit. 2020 , 71, 3172-3184		17
4 ⁰⁶	<i>Reynoutria sachalinensis</i> extract elicits SA-dependent defense responses in courgette genotypes against powdery mildew caused by <i>Podosphaera xanthii</i> . <i>Scientific Reports</i> , 2020 , 10, 3354	4.9	7
4 ⁰⁵	Evo-physio: on stress responses and the earliest land plants. 2020 , 71, 3254-3269		45
4 ⁰⁴	Genome-wide transcriptional response of papain-like cysteine protease-mediated resistance against <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> in rice. 2020 , 39, 457-472		11
4 ⁰³	A sense of place: transcriptomics identifies environmental signatures in Cabernet Sauvignon berry skins in the late stages of ripening. 2020 , 20, 41		10
4 ⁰²	Green leaves and seeds alcoholic extract controls <i>Sporobolus indicus</i> germination in laboratory conditions. <i>Scientific Reports</i> , 2020 , 10, 1599	4.9	1

401	Effect of biotic and abiotic elicitors on isoflavone biosynthesis during seed development and in suspension cultures of soybean (L.). 2020 , 10, 98		6
400	Physicochemical Characterization, Antioxidant Activity, and Phenolic Compounds of Hawthorn (spp.) Fruits Species for Potential Use in Food Applications. 2020 , 9,		28
399	Salicylic Acid Biosynthesis in Plants. <i>Frontiers in Plant Science</i> , 2020 , 11, 338	6.2	98
398	Metabolomics Response for Drought Stress Tolerance in Chinese Wheat Genotypes (). 2020 , 9,		24
397	Comprehensive Map of the Artemisia annua Proteome and Quantification of Differential Protein Expression in Chemotypes Producing High versus Low Content of Artemisinin. 2020 , 20, e1900310		3
396	Potassium and zinc-induced frost tolerance in pistachio flowers is associated with physiological and biochemical changes. 2020 , 34, 1021-1032		1
395	Transcriptional and metabolite analysis reveal a shift in direct and indirect defences in response to spider-mite infestation in cucumber (Cucumis sativus). <i>Plant Molecular Biology</i> , 2020 , 103, 489-505	4.6	9
394	Sugar-regulated susceptibility of tomato fruit to Colletotrichum and Penicillium requires differential mechanisms of pathogenicity and fruit responses. 2020 , 22, 2870-2891		3
393	Reticine A, a new potent natural elicitor: isolation from the fruit peel of Citrus reticulata and induction of systemic resistance against tobacco mosaic virus and other plant fungal diseases. 2021 , 77, 354-364		10
392	Physiological and biochemical responses of 10 commercial Iranian pistachio cultivars to freezing. 2021 , 76, 329-339		1
391	Comparative Analysis of Root Transcriptome Profiles of Sesame (Sesamum indicum L.) in Response to Osmotic Stress. 2021 , 40, 1787-1801		3
390	Characterization of chlorophyll-deficient soybean [Glycine max (L.) Merr.] mutants obtained by ion-beam irradiation reveals concomitant reduction in isoflavone levels. 2021 , 68, 1213-1223		2
389	Contribution of phenylpropanoid metabolism to plant development and plant-environment interactions. 2021 , 63, 180-209		95
388	Fast quantitative determination of phenolic compounds in grape juice by UPLC-MS: method validation and characterization of juices produced with different grape varieties. 2021 , 15, 1044-1056		2
387	Banana defence responses to Cosmopolites sordidus feeding and methyl jasmonate application. 2021 , 178, 98-108		0
386	Effects of growth conditions and cultivability on the content of cyclitols in Medicago sativa. 2021 , 18, 33-48		5
385	Arbuscular mycorrhizal fungus alleviates alfalfa leaf spots caused by Phoma medicaginis revealed by RNA-seq analysis. 2021 , 130, 547-560		9
384	Responses of Lotus corniculatus to environmental change 3: The sensitivity of phenolic accumulation to growth temperature and light intensity and effects on tissue digestibility. 2021 , 253, 35		3

383	Impact of Environmental Factors on Stilbene Biosynthesis. 2021 , 10,		27
382	Interspecific interactions within a vector-borne complex are influenced by a co-occurring pathosystem. <i>Scientific Reports</i> , 2021 , 11, 2242	4.9	0
381	Elicitation of Stress-Induced Phenolic Metabolites for Antimicrobial Applications against Foodborne Human Bacterial Pathogens. 2021 , 10,		0
380	Responses of <i>Lotus corniculatus</i> to environmental change. 4: Root carbohydrate levels at defoliation and regrowth climatic conditions are major drivers of phenolic content and forage quality. 2021 , 253, 38		
379	Combined effects of ozone and drought stress on the emission of biogenic volatile organic compounds from <i>Quercus robur</i> L. 2021 , 18, 535-556		3
378	Prominence of Antioxidant Potential of Plants and Its Induction by Interaction with Microorganisms. 2021 , 551-564		1
377	Integrated transcriptome, small RNA and degradome sequencing approaches proffer insights into chlorogenic acid biosynthesis in leafy sweet potato. 2021 , 16, e0245266		3
376	, an R2R3-MYB Repressor Transcription Factor, Negatively Regulates the Biosynthesis of Anthocyanin in Banana. <i>Frontiers in Plant Science</i> , 2020 , 11, 600704	6.2	11
375	Isoflavone levels, nodulation and gene expression profiles of a CRISPR/Cas9 deletion mutant in the isoflavone synthase gene of red clover. 2021 , 40, 517-528		8
374	Elicitors Modulate Young Sandalwood (<i>L.</i>) Growth, Heartwood Formation, and Concrete Oil Synthesis. 2021 , 10,		5
373	Effects of Light Intensity, Spectral Composition, and Paclobutrazol on the Morphology, Physiology, and Growth of <i>Petunia</i> , <i>Geranium</i> , <i>Pansy</i> , and <i>Dianthus</i> Ornamental Transplants. 1		1
372	Functional analysis of MYB alleles from <i>Solanum chilense</i> and <i>Solanum lycopersicum</i> in controlling anthocyanin levels in heterologous tobacco plants. 2021 , 172, 1630-1640		1
371	Phenylalanine Ammonia Lyase (PAL) Promotes Antiviral Defenses against and Its Satellites. 2021 , 12,		1
370	Comparative transcriptome analysis of <i>Rheum australe</i> , an endangered medicinal herb, growing in its natural habitat and those grown in controlled growth chambers. <i>Scientific Reports</i> , 2021 , 11, 3702	4.9	6
369	Mutants of <i>Lotus japonicus</i> deficient in flavonoid biosynthesis. 2021 , 134, 341-352		2
368	Physiological and Biochemical Responses of Ungrafted and Grafted Bell Pepper Plants (<i>L.</i> var. (<i>L.</i>) <i>Sendtn.</i>) Grown under Moderate Salt Stress. 2021 , 10,		1
367	The effect of salt stress on the production of apocarotenoids and the expression of genes related to their biosynthesis in saffron. 2021 , 48, 1707-1715		0
366	R2R3-MYB transcription factors, StmiR858 and sucrose mediate potato flavonol biosynthesis. 2021 , 8, 25		11

365	Chitosan Elicitation Impacts Flavonolignan Biosynthesis in (<i>L.</i>) Gaertn Cell Suspension and Enhances Antioxidant and Anti-Inflammatory Activities of Cell Extracts. 2021 , 26,		6
364	Proteomic approach to identify the differentially abundant proteins during flavour development in tuberous roots of Wight & Arn. 2021 , 11, 173		1
363	Insights into the Role of Transcriptional Gene Silencing in Response to Herbicide-Treatments in. 2021 , 22,		1
362	Application of Light-Emitting Diodes for Improving the Nutritional Quality and Bioactive Compound Levels of Some Crops and Medicinal Plants. 2021 , 26,		11
361	Innate Resistance and Phosphite Treatment Affect Both the Pathogen's and Host's Transcriptomes in the Tanoak- Pathosystem. 2021 , 7,		3
360	The Impact of Far-Red Light Supplementation on Hormonal Responses to Cold Acclimation in Barley. 2021 , 11,		2
359	Molecular Aspects of Grafting in Woody Plants. 87-126		1
358	Impact of Foliar Application of Amino Acids on Total Phenols, Phenolic Acids Content of Different Mints Varieties under the Field Condition. 2021 , 10,		1
357	Genome-wide survey of the F-box/Kelch (FBK) members and molecular identification of a novel FBK gene TaAFR in wheat.		1
356	Homocitrate Synthase NifV Plays a Key Role for Nitrogenase Activity during Symbiosis with Papilionoids and in Free-Living Growth Conditions. 2021 , 10,		2
355	High-Throughput LC-ESI-MS/MS Metabolomics Approach Reveals Regulation of Metabolites Related to Diverse Functions in Mature Fruit of Grafted Watermelon. 2021 , 11,		1
354	Suppresses Mulberry Immune Responses Through Regulation of Salicylic Acid Signaling. <i>Frontiers in Plant Science</i> , 2021 , 12, 658590	6.2	0
353	Tracing the acclimation of European beech (<i>Fagus sylvatica</i> L.) populations to climatic stress by analyzing the antioxidant system. 2021 , 14, 95-103		4
352	The evolution of the phenylpropanoid pathway entailed pronounced radiations and divergences of enzyme families.		0
351	Overexpression of thioredoxin m in chloroplasts alters carbon and nitrogen partitioning in tobacco. 2021 , 72, 4949-4964		0
350	Integrated Gene Co-expression Analysis and Metabolites Profiling Highlight the Important Role of ZmHIR3 in Maize Resistance to Stalk Rot. <i>Frontiers in Plant Science</i> , 2021 , 12, 664733	6.2	1
349	Abscisic Acid's Role in the Modulation of Compounds that Contribute to Wine Quality. 2021 , 10,		2
348	Effects of Magnesium Oxide and Magnesium Hydroxide Microparticle Foliar Treatment on Tomato PR Gene Expression and Leaf Microbiome. 2021 , 9,		

347	Natural Biostimulants Elicit Plant Immune System in an Integrated Management Strategy of the Postharvest Green Mold of Orange Fruits Incited by. <i>Frontiers in Plant Science</i> , 2021 , 12, 684722	6.2	5
346	A Review on sp.: Phytochemical and Antimicrobial Activities. 2021 , 10,		6
345	Use of the abrasion technique in minimal processing as an alternative to increase purchase acceptability and minimize browning in yam. 2022 , 102, 121-131		0
344	Metabolic Engineering of Isoflavones: An Updated Overview. <i>Frontiers in Plant Science</i> , 2021 , 12, 6701036.2		11
343	Effect of coronatine on synthesis of cephalotaxine in suspension cells of <i>Cephalotaxus mannii</i> and its transcriptome analysis. 2021 , 147, 209		
342	Gene Encodes a Flavonoid Prenyltransferase in White Lupin. <i>Frontiers in Plant Science</i> , 2021 , 12, 673337	6.2	2
341	Potential impacts of soil microbiota manipulation on secondary metabolites production in cannabis. 2021 , 3, 25		4
340	Secondary Metabolites of LV Strain Decrease Asian Soybean Rust Severity in Experimentally Infected Plants. 2021 , 10,		
339	Chemical Composition and Cytotoxic Activity of the Essential Oil and Oleoresins of In Vitro Micropropagated Lindl: A Vulnerable Medicinal Orchid of Africa. 2021 , 26,		1
338	Genome-wide survey of the F-box/Kelch (FBK) members and molecular identification of a novel FBK gene TaAFR in wheat. 2021 , 16, e0250479		1
337	Physiological and Biochemical Response to Infection in Three Durum Wheat Genotypes at Seedling and Full Anthesis Stage. 2021 , 22,		2
336	Induced With Chitosan Triggers Defense Response of Table Grapes Against Post-harvest Blue Mold Disease. <i>Frontiers in Microbiology</i> , 2021 , 12, 704519	5.7	5
335	Identification of anti-TMV active flavonoid glycosides and their mode of action on virus particles from <i>Clematis lasianдра Maxim.</i> 2021 , 77, 5268-5277		3
334	Phosphate Fertilization as a Modulator of Enzymatic Browning in Minimally Processed Cassava. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 10058-10068	5.7	0
333	HCT-Mediated Lignin Synthesis Pathway Involved in the Response of Tea Plants to Biotic and Abiotic Stresses. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 10069-10081	5.7	2
332	Deciphering the Physicochemical and Microscopical Changes in -Infected Oil Palm Woodblocks under the Influence of Phenolic Compounds. 2021 , 10,		4
331	Fillable and Unfillable Gaps in Rice Transcriptome under Field and Controlled Environments.		
330	Flavonoid Biosynthetic Pathway: Genetics and Biochemistry. 2021 , 18, 271-286		1

329	Induced Resistance by Ascorbate Oxidation Involves Potentiating of the Phenylpropanoid Pathway and Improved Rice Tolerance to Parasitic Nematodes. <i>Frontiers in Plant Science</i> , 2021 , 12, 713870	6.2	0
328	Black Goji Berry Anthocyanins: Extraction, Stability, Health Benefits, and Applications. 2021 , 1, 1360-1370		2
327	Fluorescence from abnormally sterile pollen of the Japanese apricot. 2021 , 38, 355-366		0
326	Application of Nano- β -Cyclodextrin to Induce Biosynthesis of Phenylpropanoids and Antioxidant Activity of Basil. 2021 , 45, 1951		2
325	Assessment of biochemical compounds and antioxidant enzyme activity in barley and wheatgrass under water-deficit condition. 2021 ,		1
324	SbCASP4 improves salt exclusion by enhancing the root apoplastic barrier. 2021 , 254, 81		1
323	Effects of Drought Stress on Anthocyanin Accumulation in Mulberry Fruits. 2021 , 20, 450-460		0
322	Relationship between the Phenylpropanoid Pathway and Dwarfism of Based on RNA-Seq and iTRAQ. 2021 , 22,		1
321	An insight into in vitro strategies for bioproduction of isoflavones. 2021 , 15, 717		1
320	Salicylic Acid Seed Priming Enhanced Resistance in Wheat Against <i>Fusarium graminearum</i> Seedling Blight. 1		0
319	Uncoupling effect of lipid peroxidation in spinach thylakoids exposed to peroxy radicals generated by 2,2'-azobis (2-amidinopropane) dihydrochloride.		2
318	Targeted Metabolic and In-Silico Analyses Highlight Distinct Glucosinolates and Phenolics Signatures in Korean Rapeseed Cultivars. 2021 , 10,		0
317	Exogenous ethanol treatment alleviates oxidative damage of under conditions of high-light stress. 2021 , 38, 339-344		1
316	Multi-responses of O-methyltransferase genes to salt stress and fiber development of <i>Gossypium</i> species. 2021 , 21, 37		3
315	First Report of CRISPR/Cas9 Mediated DNA-Free Editing of and Genes in Chickpea Protoplasts. 2021 , 22,		28
314	Enhanced Production of Aromatic Amino Acids in Tobacco Plants Leads to Increased Phenylpropanoid Metabolites and Tolerance to Stresses. <i>Frontiers in Plant Science</i> , 2020 , 11, 604349	6.2	10
313	Proton Channelling β -Type Cytochromes in Plant Plasma Membranes?. 2005 , 187-217		1
312	Ozone Effects on the Metabolism and the Antioxidant System of Poplar Leaves at Different Stages of Development. 2008 , 1317-1321		1

311	Phenylpropanoid Metabolism Induced by Wounding and Insect Herbivory. 2008 , 189-211	28
310	Regulating Phytonutrient Levels in Plants âToward Modification of Plant Metabolism for Human Health. 2009 , 289-330	2
309	Lignins and Abiotic Stress: An Overview. 2014 , 267-296	11
308	Mitochondrial Respiration: Involvement of the Alternative Respiratory Pathway and Residual Respiration in Abiotic Stress Responses. 2014 , 321-364	1
307	Constituent and Induced Tannin Accumulations in Roots of Loblolly Pines. 1999 , 843-852	1
306	Diverse regulatory mechanisms of amino acid biosynthesis in plants. 1999 , 21, 173-89	8
305	Production of Aromatic Amino Acid Derivatives through Metabolic Engineering of Crop Plants. 1999 , 23-33	1
304	Prospects for the metabolic engineering of bioactive flavonoids and related phenylpropanoid compounds. 1998 , 439, 55-66	20
303	Modern analytical techniques for flavonoid determination. 2002 , 505, 61-76	24
302	Arabidopsis thaliana. 1998 , 253-285	1
301	Suppression subtractive hybridization as a tool to identify anthocyanin metabolism-related genes in apple skin. 2010 , 643, 15-31	2
300	Unravelling the Complex Networks Involved in Plant Stress Tolerance Through Metabolomics. 2019 , 313-329	1
299	Oligosaccharides from Botrytis cinerea and Elicitation of Grapevine Defense. 2015 , 939-958	9
298	Role of Polyphenols as Antioxidants in Native Species from Argentina Under Drought and Salinization. 2015 , 247-267	2
297	Pulsed Electric Fields Effects on Health-Related Compounds and Antioxidant Capacity of Tomato Juice. 2016 , 1-14	1
296	Research into Isoflavonoid Phyto-oestrogens in Plant Cell Cultures. 2008 , 55-84	3
295	Allelopathy and Abiotic Stress Interaction in Crop Plants. 2013 , 451-468	16
294	Molecular Breeding of Japanese GentiansâApplications of Genetic Transformation, Metabolome Analyses, and Genetic Markers. 2015 , 239-265	5

293	Root Exudation: The Role of Secondary Metabolites, Their Localisation in Roots and Transport into the Rhizosphere. 2014 , 221-247	5
292	UV and blue light signal transduction in the regulation of flavonoid biosynthesis gene expression in Arabidopsis. 1998 , 71-82	2
291	Hypoxic Storage of Fruit. 2014 , 353-369	1
290	Grapevine & Sulfur: Old Partners, New Achievements. 2009 , 31-52	3
289	Tomato Production for Human Health, Not Only for Food. 2012 , 187-225	3
288	Salicylic acid in the machinery of hypersensitive cell death and disease resistance. 2000 , 185-198	13
287	Differentiation of Vascular Elements in Tissue Culture. 1999 , 3-35	1
286	Modification of Plant Secondary Metabolism by Genetic Engineering. 2000 , 217-231	6
285	General Strategies. 2000 , 31-50	5
284	Particle Gun Methodology as a Tool in Metabolic Engineering. 2000 , 69-86	2
283	Transcriptional Regulators to Modify Secondary Metabolism. 2000 , 111-125	14
282	Plant Colour and Fragrance. 2000 , 127-163	8
281	Plant Organization Based on Source-Sink Relationships: New Findings on Developmental, Biochemical and Molecular Responses to Environment. 2001 , 263-280	1
280	Gene Expression Under Environmental Stresses âMolecular Marker Analysis. 2002 , 371-408	4
279	Fruit and Vegetables and Health: An Overview. 2014 , 965-1000	5
278	Adventitious Root Culture of Morinda citrifolia in Bioreactors for Production of Bioactive Compounds. 2014 , 185-222	2
277	UDP-glucosyltransferase regulates grain size and abiotic stress tolerance associated with metabolic flux redirection in rice. 2020 , 11, 2629	47
276	Alternative products against anthracnose affect selected primary and secondary metabolites in strawberry fruit. 2016 , 71, 363-371	4

275	The Crude Methanolic Extraction of UV Absorbing Pigments in Leaves of Three Forest Floor Species along an Elevation Gradient. 2002 , 41, 97-110	1
274	14-3-3 gene family in hybrid poplar and its involvement in tree defence against pathogens 1. 2001 , 52, 1331-1338	0
273	Rice gene network inferred from expression profiling of plants overexpressing OsWRKY13, a positive regulator of disease resistance. 2008 , 1, 538-51	120
272	CHAPTER 10: Oat Phenolics: Biochemistry and Biological Functionality. 2011 , 157-217	8
271	Decoupling the direct and indirect effects of climate on plant litter decomposition: Accounting for stress-induced modifications in plant chemistry. 2018 , 24, 1428-1451	48
270	N-3-oxo-octanoyl-homoserine lactone-mediated priming of resistance to <i>Pseudomonas syringae</i> requires the salicylic acid signaling pathway in <i>Arabidopsis thaliana</i> . 2020 , 20, 38	8
269	Functional characterization of NADPH-cytochrome P450 reductase and cinnamic acid 4-hydroxylase encoding genes from <i>Scoparia dulcis</i> L. 2020 , 61, 6	2
268	Induction of Proteins in Response to Biotic and Abiotic Stresses. 2001 ,	1
267	Underground Plant Metabolism. 2002 , 1045-1070	2
266	Molecular Mechanisms of Plant Responses to Elevated Levels of Tropospheric Ozone. 1999 , 769-793	1
265	Chapter 4 Carrot: Secondary Metabolites and their Prospective Health Benefits. 2016 , 107-194	0
264	The Uses of Plant Natural Products by Humans and Risks Associated with Their Use. 2006 , 441-473	2
263	Antioxidant capacity and phenolic content of berry fruits as affected by genotype, preharvest conditions, maturity, and postharvest handling. 2007 , 147-186	11
262	Quercetin feeding protects plants against oxidative stress. 5, 2430	19
261	Transgressive segregation of isoflavone contents under the control of four QTLs in a cross between distantly related soybean varieties. 2010 , 60, 243-254	14
260	A three-component gene expression system and its application for inducible flavonoid overproduction in transgenic <i>Arabidopsis thaliana</i> . 2011 , 6, e17603	7
259	Oxidative stress induced in sunflower seedling roots by aqueous dry olive-mill residues. 2012 , 7, e46137	12
258	Ectopic expression of <i>Arabidopsis</i> glycosyltransferase UGT85A5 enhances salt stress tolerance in tobacco. 2013 , 8, e59924	55

257	Inhibition of phenylpropanoid biosynthesis in <i>Artemisia annua</i> L.: a novel approach to reduce oxidative browning in plant tissue culture. 2013 , 8, e76802	58
256	Variation in broccoli cultivar phytochemical content under organic and conventional management systems: implications in breeding for nutrition. 2014 , 9, e95683	24
255	Transcriptome Sequencing and Analysis for Culm Elongation of the World's Largest Bamboo (<i>Dendrocalamus sinicus</i>). 2016 , 11, e0157362	17
254	The Transcriptional Response to DNA-Double-Strand Breaks in <i>Physcomitrella patens</i> . 2016 , 11, e0161204	22
253	Isolation and characterization of GmMYBJ3, an R2R3-MYB transcription factor that affects isoflavonoids biosynthesis in soybean. 2017 , 12, e0179990	12
252	Transcriptomic and metabolomic profiling of melatonin treated soybean (<i>Glycine max</i> L.) under drought stress during grain filling period through regulation of secondary metabolite biosynthesis pathways. 2020 , 15, e0239701	7
251	The E3 Ligase APIP10 Connects the Effector AvrPiz-t to the NLR Receptor Piz-t in Rice. 2016 , 12, e1005529	71
250	High-value co-products from plant foods: nutraceuticals, micronutrients and functional ingredients. 2007 , 448-469	2
249	Response of phenolic metabolism induced by aluminium toxicity in <i>Fagopyrum esculentum</i> Moench. plants. 2015 , 87, 129-135	20
248	Flavonoid distribution in tissues of <i>Phillyrea latifolia</i> L. leaves as estimated by microspectrofluorometry and multispectral fluorescence microimaging. 2002 , 76, 350-60	65
247	Positive impact of abiotic stress on medicinal and aromatic plants. 2017 , 12, 309-313	11
246	Influência do dano físico na fisiologia pós-colheita de folhas de taioba. 2011 , 70, 682-687	3
245	<i>Polygala extraaxillaris</i> : oxidative stress in <i>Brachiaria decumbens</i> mediated by volatile oils. 2013 , 31, 793-804	1
244	Leaf structure, microanalysis and characterization of the latex protein profile of <i>Pachystroma longifolium</i> (Nees) I.M. Jonhst. (Euphorbiaceae) in a seasonally dry Atlantic Forest. 2011 , 25, 150-159	1
243	Pilocarpine content and molecular diversity in jaborandi. 2006 , 63, 478-482	14
242	Activation of phenylalanine ammonia lyase as a key component of the antioxidative system of salt-challenged maize leaves. 2010 , 22, 217-223	25
241	The Mastic Tree (<i>L.</i>) Leaves as Source of BACs: Effect of Growing Location, Phenological Stage and Extraction Solvent on Phenolic Content. 2020 , 58, 303-314	3
240	Coumaroyl-isocitric and caffeoyl-isocitric acids as markers of pineapple fruitlet core rot disease. 2019 , 74, 11-17	5

239	Influence of organic and mineral fertilizers on the antioxidants and total phenolic compounds level in tomato (<i>Solanum lycopersicum</i>) var. mongal F1. 2016 , 4, 414-420	9
238	Effects of Salinity Stress on Growth and Phenolics of Rice (<i>Oryza sativa</i> L.). 57, 1-10	21
237	Darkening of Plant Tissues during in vitro Cultivation and Methods for its Prevention. 2020 , 36, 26-42	2
236	Transcript analysis of some defense genes of tomato in response to host and non-host bacterial pathogens. 2017 , 6, 177-183	4
235	Valorification of Jerusalem Artichoke Tubers (<i>Helianthus Tuberosus</i>) for Achieving of Functional Ingredient with High Nutritional Value. 2018 , 1, 276-283	5
234	Production system effects on growth, pod yield and seed quality of organic faba bean in southern Italy. 2018 , 30, 375-385	4
233	Contrastive responses of spring and winter wheat cultivars to chilling and acclimation treatments. 2011 , 97,	2
232	Control Of Postharvest Decay Of Apple Fruit With <i>Trichoderma Virens</i> Isolates And Induction Of Defense Responses. 2010 , 50,	11
231	Effect of Ascorbic Acid and Etiolation on Antioxidant Enzyme Activity and Phenylpropanoid Metabolism during Shoot Regeneration from Cut Ends of Tomato Stems. 2011 , 80, 45-51	4
230	Baz-Zeytin i Yapraklardaki Flavanol Miktarna A Ya ve Sulaman Etkisi. 2017 , 21, 177-184	3
229	Flavone Synthase II (CYP93B) of Antarctic Plant <i>Colobanthus quitensis</i> (Kunth) Bartl.. 2018 , 4, 196-198	1
228	Quantitative Evaluation of 4-Coumarate: CoA Ligase (4CL) Activity and Correlated Chemical Constituents in Four Plant Materials by Chromatographic Analysis. 2010 , 8, 274-279	3
227	Microbial Conversion of Ginsenoside from the Extract of Korean Red Ginseng (<i>Panax ginseng</i>) by <i>Lactobacillus</i> sp.. 2010 , 15, 105-112	3
226	Investigations of in vitro Selection for Salt Tolerant Lines in Sour Orange (<i>Citrus aurantium</i> L.). 2008 , 8, 155-159	8
225	Effect of Salt Treatment on the Expression of Phenolics and Peroxidase Activity Assessed in Two Barley Cultivars Acsad 1230 and Arig 8. 2005 , 4, 196-202	5
224	Anti-Oxidation Profile in the Leaves of Maize Inbreds: Elevation in the Activity of Phenylalanine Ammonia Lyase under Drought Stress. 2010 , 5, 137-145	8
223	Comparison of Antioxidant Activity of <i>Rheum ribes</i> Fruits and Seed Methanolic Extracts against Protein Oxidation and Lipid Peroxidation. 2015 , 18, 232-239	4
222	Effect of Enhanced UV-B Radiation on Reniform Nematode (<i>Rotylenchus reniformis</i> Linford and Oliveira) Populations in Cotton (<i>Gossypium hirsutum</i> L.). 2007 , 6, 51-59	5

221	Stress-Induced Flowering in Pharbitisâ Review. 2013 , 04, 74-79	5
220	Only Attract Ants? The Versatility of Petiolar Extrafloral Nectaries in <i>Passiflora&/i>; 2013 , 04, 460-469	10
219	Phenolic Compound Profiles of Two Common Beans Consumed by Rwandans. 2014 , 05, 2943-2947	2
218	Ecological and Chemotypic Analysis for Improved Growth and Management of Naturally Occurring Black Cohosh (<i>Actaea racemosa&/i> L.) Populations in Western Maryland. 2015 , 06, 3272-3281	1
217	Influence of agronomic variables on quality of tomato fruits. 2011 , 02, 424-431	4
216	Organic Crop Management Enhances Chicoric Acid Content in Lettuce. 2012 , 03, 1296-1302	2
215	Phenolic Acids Content and Nutritional Quality of Conventional, Organic and Biodynamic Cultivations of the Tomato CXD271BIO Breeding Line (<i>Solanum lycopersicum&/i> L.). 2016 , 07, 1112-1121	6
214	Flavonoid Glycosides from Fenzl. 2019 , 16, 191-195	5
213	Enzymatic Synthesis of Phenolic CoAs Using 4-Coumarate:coenzyme A Ligase (4CL) from Rice. 2007 , 28, 365-366	25
212	Methyl Substitution Effects on ¹ H and ¹³ C NMR Data of Methoxyflavones. 2008 , 29, 1793-1796	14
211	Structural Modeling and Biochemical Characterization of Flavonoid O-Methyltransferase from Rice. 2009 , 30, 2803-2805	6
210	Comparative Study of White and Steamed Black Panax ginseng, P. quinquefolium, and P. notoginseng on Cholinesterase Inhibitory and Antioxidative Activity. 2012 , 36, 93-101	35
209	The effect of grafting on the antioxidant properties of tomato (Solanum lycopersicum L.). 2011 , 9, 844	27
208	Molecular cloning of two genes encoding cinnamate 4-hydroxylase (C4H) from oilseed rape (Brassica napus). 2007 , 40, 247-60	21
207	Isolation of anthocyanin-related MYB gene, GbMYB2, from Gynura bicolor leaves. 2010 , 27, 481-487	4
206	Immunological detection and cellular localization of the phenylalanine ammonia-lyase of a hybrid aspen. 2006 , 23, 399-404	4
205	Early Growth, Pigmentation, Protein Content, and Phenylalanine Ammonia-lyase Activity of Red Curled Lettuces Grown under Different Lighting Conditions. 2012 , 30, 6-12	40
204	Heat Shock Treatments Induce the Accumulation of Phytochemicals in Kale Sprouts. 2012 , 30, 509-518	10

203	Antimicrobial Activity of Thinned Strawberry Fruits at Different Maturation Stages. 2012 , 30, 769-775		5
202	Effect of Air Temperature on Growth and Phytochemical Content of Beet and Ssamchoo. 2015 , 33, 303-308		2
201	Phytogeographic and genetic variation in , a traditional antidiabetic medicine-adaptation in action in both a plant and a discipline. 2016 , 4, e2645		5
200	Influence of light intensity, fertilizing and season on the cirsiolol content, a chemical marker of (Lamiaceae). 2019 , 7, e6187		4
199	Physiological responses of hydroponically-grown Japanese mint under nutrient deficiency. 2019 , 7, e7751		8
198	Growing Environment Influence the Anthocyanin Content in Purple- and Red-Fleshed Potatoes During Tuber Development. 2015 , 60, 231-238		2
197	Variations of glucosinolates in kale leaves (<i>Brassica oleracea</i> var. <i>acephala</i>) treated with drought-stress in autumn and spring seasons. 2015 , 42, 167-175		3
196	Phenolics in Human Health. 2014 , 5, 393-396		110
195	First Data on the Effects of Ultraviolet Radiation on Phenolic Compounds in the Model Hornwort <i>Anthoceros agrestis</i> . 2018 , 39, 201-211		7
194	Comparison of Isoflavone Content in 43 Soybean Varieties Adapted to Highland Cultivation Areas. 2018 , 50, 442-452		3
193	Widely Targeted Metabolomics Analysis to Reveal Transformation Mechanism of Active Compounds During Steaming and Drying Processes. 2021 , 8, 742511		4
192	Transcriptome and metabolome analysis of stress tolerance to aluminium in <i>Vitis quinquangularis</i> . 2021 , 254, 105		3
191	Light and Temperature Shape the Phenylpropanoid Profile of Fronds. <i>Frontiers in Plant Science</i> , 2021 , 12, 727667	6.2	1
190	Transcriptomic and Coexpression Network Analyses Revealed Pine Genes Associated with Pine Wood Nematode Infection. 2021 , 22,		1
189	Tomato leaves under stress: a comparison of stress response to mild abiotic stress between a cultivated and a wild tomato species. <i>Plant Molecular Biology</i> , 2021 , 107, 177-206	4.6	1
188	Growth and Carotenoid Contents of Intercropped Vegetables in Building-Integrated Urban Agriculture. 2021 , 2021, 1-9		1
187	Transcriptional regulatory networks in response to drought stress and rewatering in maize (<i>Zea mays</i> L.). 2021 , 296, 1203-1219		1
186	Cloning of Defense Related Genes against pathogens in Forest Trees. 2000 , 467-483		

185 Flavonoids. **2000**,

184 Effects of Air Pollutants on Gene Expression in Plants. **2002**, 121-139

183 Methyl Jasmonate and Ethylene Interfere with Polyamine Metabolism and Organogenesis in Tobacco Thin Cell Layers. **2003**, 191-215

182 Phytoalexin.

181 Molecular Cloning and Characterization of S-adenosylmethionine Synthetase Isolated from Suspension Culture Cdna Library of Oil Palm (*Elaeis guineensis* Jacq.). **2003**, 6, 1468-1475

1

180 Cloning and Characterization of Soybean IFS (Isoflavone Synthase) Genes from Korean Cultivar, Sinpaldalkong. **2004**, 14, 38-44

179 Dietary Restriction, Hormesis, and Small Molecule Mimetics. **2005**, 63-104

1

178 Food Additives. **2005**, 1632-1675

177 A promoter analysis of the DcMYB1 gene that encodes the transcriptional activator of the stress-inducible DcPAL1 gene. **2006**, 23, 203-209

2

176 Plant Conservation. **2006**, 503-533

175 Trends In The Analysis Of Phytochemicals Flavonoids And Carotenoids. **2008**, 39-76

174 Induction of Phenolics and Terpenoids in Edible Plants Using Plant Stress Responses. **2009**, 249-258

173 Stability of pUC-Derived Plasmids with a Fluorescence Marker in *Pectobacterium carotovorum* subsp. *carotovorum* and subsp. *betavasculorum*. **2009**, 25, 286-290

172 Metabolomics Approach in Soybean. **2010**, 313-330

171 Effect of Irradiation on the Biological System in Plants. **2013**, 40, 111-124

1

170 Molecular Controls for Isoflavonoid Biosynthesis in Relation to Plant and Human Health. **1999**, 133-159

169 Nitric oxide signalling in the plant hypersensitive disease resistance response. **1999**, 127-133

168 Agricultural Soil Health and Pea Footrot Disease Suppressiveness. **2015**, 125-145

- 167 Assessment of phytochemicals and antioxidant activities of raw and germinating *Ceiba pentandra* (kapok) seeds. **2015**, 29, 414-9 5
- 166 Analysis of Functional Constituents of Mulberries (*Morus alba* L.) Cultivated in a Greenhouse and Open Field during Maturation. **2015**, 44, 1588-1593 2
- 165 Lignin: Antibacterial Properties. 4328-4334
- 164 Impact of Harvest Timing for Winemaking. **2016**, 111, 381-387
- 163 Research on and Application of Rice Allelopathy and Crop Allelopathic Autotoxicity in China. **2016**, 161-196
- 162 Chapter 6 Secondary Metabolites in Horticultural Crops. **2016**, 201-214
- 161 Chapter 1 Environmental Stress and Stress Biology in Plants. **2016**, 1-38
- 160 Changes in the Organic Compound Contents of the Pear Rootstocks *Pyrus calleryana* and *Pyrus betulaefolia* Affected by Excessive Soil Moisture. **2016**, 35, 175-183
- 159 Chapter 4 Carrot: Secondary Metabolites and their Prospective Health Benefits. **2016**, 107-194
- 158 Chapter 1 Environmental Stress and Stress Biology in Plants. **2016**, 1-38
- 157 Chapter 6 Secondary Metabolites in Horticultural Crops. **2016**, 201-214
- 156 Biochemistry of the Host Pathogen Interaction. **2017**, 215-224
- 155 Pulsed Electric Fields Effects on Health-Related Compounds and Antioxidant Capacity of Tomato Juice. **2017**, 2225-2238
- 154 Health Benefits of Dietary Phenolic Compounds and Biogenic Amines. **2018**, 1-25
- 153 Health Benefits of Dietary Phenolic Compounds and Biogenic Amines. **2018**, 1-25
- 152 Mecanismos de resist ncia em plantas contra ataque de pat genos: indu o de resist ncia. **2018**, 85-150 0
- 151 Ethnomedicine, Health Food and Nutraceuticals-Traditional Wisdom of Maternal and Child Health in India. **2018**, 113-117
- 150 Comparative Transcriptomic and Metabolomic Analyses in Response to Cold in Tartary Buckwheat (*Fagopyrum tataricum*).

- 149 MdMYB3 helps regulate anthocyanin accumulation in apple calli under moderately acidic conditions.
- 148 Effects of Electro-conductivity on Growth of Beet and Turnip in the Reclaimed Land Soil. **2018**, 37, 197-206 1
- 147 Comparative analysis of the expression of stress-related genes in two pea genotypes contrasting in tolerance to cadmium. **2018**, 16, 75-84
- 146 α-Glucosidase and α-Amylase Inhibitory Effect and Antioxidant Activity of Aerial Part from *Linaria aegyptiaca* L.. **2019**, 15, 22-27 1
- 145 A Sense of Place: Transcriptomics Identifies Environmental Signatures in Cabernet Sauvignon Berry Skins in the Late Stages of Ripening.
- 144 Role of Micronutrients in Secondary Metabolism of Plants. **2020**, 311-329 0
- 143 Diverse defenses: O-methylated flavonoids contribute to the maize arsenal against fungal pathogens. **2021**, 0
- 142 Silicon Application Enhances the Photosynthetic Pigments and Phenolic/Flavonoid Content by Modulating the Phenylpropanoid Pathway in Common Buckwheat under Aluminium Stress. 1 0
- 141 Roles of the 2-Oxoglutarate-Dependent Dioxygenase Superfamily in the Flavonoid Pathway: A Review of the Functional Diversity of F3H, FNS I, FLS, and LDOX/ANS. **2021**, 26, 0
- 140 Implication of Row Orientation Changes on Fruit Parameters of *L. cv. Riesling* in Steep Slope Vineyards. **2021**, 10, 2
- 139 Humic acids enrich the plant microbiota with bacterial candidates for the suppression of pathogens.
- 138 Transcriptional profiling reveals conserved and species-specific plant defense responses during the interaction of the early divergent plant *Physcomitrium patens* with *Botrytis cinerea*.
- 137 Re-evaluation of Diadenosine Tetrphosphate (ApA) From a Stress Metabolite to Secondary Messenger. **2020**, 7, 606807 5
- 136 In-vitro Callus Propagation and Secondary Metabolite Quantification in *Sericostoma pauciflorum*. **2012**, 11, 1103-9 6
- 135 Synthesis and Biological Evaluation of Novel Mono Acid Esters Derived from the Constituents of *Urtica pilulifera*. **2014**, 13, 1173-81
- 134 Pre-processing Cooling of Harvested Grapes Induces Changes in Berry Composition and Metabolism, and Affects Quality and Aroma Traits of the Resulting Wine.. **2021**, 8, 728510 3
- 133 Novel metabolic interactions and environmental conditions mediate the boreal peatmoss-cyanobacteria mutualism. **2021**, 1
- 132 Influence of Temperature Conditions during Growth on Bioactive Compounds and Antioxidant Potential of Wheat and Barley Grasses. **2021**, 10, 1

131	Synergy of Nitric Oxide and 1-Methylcyclopropene Treatment in Prolong Ripening and Senescence of Peach Fruit.. 2021 , 10,		1
130	A light-responsive transcription factor SmMYB35 enhances anthocyanin biosynthesis in eggplant (<i>Solanum melongena</i> L.). 2021 , 255, 12		3
129	Phenolic and flavonoid compounds and antioxidant activity in flowers of nine endemic <i>Verbascum</i> species from Iran. 2021 ,		1
128	Biometabolomics of Disease Resistance to. 2021 , 349-494		
127	Photosynthetic efficiency, growth and secondary metabolism of common buckwheat (<i>Fagopyrum esculentum</i> Moench) in different controlled-environment production systems.. <i>Scientific Reports</i> , 2022 , 12, 257	4-9	2
126	Aquatic chemical ecology meets ecotoxicology. 1		1
125	Analysis of the transcriptome of the needles and bark of <i>Pinus radiata</i> induced by bark stripping and methyl jasmonate.. 2022 , 23, 52		0
124	Metabolomic profiling of brassinolide and abscisic acid in response to high-temperature stress.. 2022 , 1		1
123	Mechanisms of Abscisic Acid-Mediated Drought Stress Responses in Plants.. 2022 , 23,		10
122	Near-harvest application of methyl jasmonate affected phenolic content and antioxidant properties in "Thompson Seedless" grape.. 2022 , 10, 477-486		0
121	Maximizing Leaves, Inflorescences, and Chemical Composition Production of Trees under Calcareous Soil Conditions.. 2022 , 11,		2
120	1'-Acetoxyeugenol Acetate Isolated from Thai Ginger Induces Apoptosis in Human Ovarian Cancer Cells by ROS Production via NADPH Oxidase.. 2022 , 11,		2
119	Cool Temperature Enhances Growth, Ferulic Acid and Flavonoid Biosynthesis While Inhibiting Polysaccharide Biosynthesis in .. 2022 , 27,		0
118	Studying the effect of different drying methods on phenolic content, antioxidant activity, color and antimicrobial activity in Assam tea (<i>Camellia assamica</i>). 1		1
117	Cloning and Functional Characterization of a Pericarp Abundant Expression Promoter () From Peanut (<i>L.</i>).. 2021 , 12, 821281		1
116	Integrated transcriptomic and metabolomic analyses of Caucasian clover (<i>Trifolium ambiguum</i> Bieb.) in response to freezing stress. 1		0
115	A Survey of Enhanced Cold Tolerance and Low-Temperature-Induced Anthocyanin Accumulation in a Novel Biotype.. 2022 , 11,		0
114	Evolution of DIMBOA-Glc -Methyltransferases from Flavonoid -Methyltransferases in the Grasses.. 2022 , 27,		0

113	Physiological, biochemical, and molecular responses of to digested cell wall of .. 2021 , 27, 2695-2708		2
112	The complete chloroplast genome of the threatened (Dipentodontaceae). 2019 , 98,		
111	Analysis of chickpea gene co-expression networks and pathways during heavy metal stress. 2019 , 44,		
110	Elemental Composition of Medicinal Plants Under Changing Environmental and Edaphic Conditions. 2022 , 135-161		
109	Comprehensive Analysis of Endogenous Volatile Compounds, Transcriptome, and Enzyme Activity Reveals Involved in Cinnamyl Alcohol Synthesis in .. <i>Frontiers in Plant Science</i> , 2022 , 13, 820742	6.2	0
108	Control of Early Blight Fungus () in Tomato by Boric and Phenylboronic Acid.. 2022 , 11,		2
107	Melatonin different-increasing the cryopreservation recovery rate of shoot tips of <i>Chrysanthemum morifolium</i> cv. Chuju by regulating the level of oxidative stress. 1		
106	Trends in the biotechnological production of isoflavonoids in plant cell suspension cultures. 1		0
105	Capsicum Leaves under Stress: Using Multi-Omics Analysis to Detect Abiotic Stress Network of Secondary Metabolism in Two Species.. 2022 , 11,		0
104	Metabolic Engineering of for Hyperoside Biosynthesis.. 2022 , 10,		0
103	Ethylene-responsive factor ERF114 mediates fungal pathogen effector PevD1-induced disease resistance in <i>Arabidopsis thaliana</i> .. 2022 ,		2
102	Differential Expression of Calycosin-7-O- β -D-glucoside Biosynthesis Genes and Accumulation of Related Metabolites in Different Organs of <i>Astragalus membranaceus</i> Bge. var. <i>mongholicus</i> (Bge.) Hsiao Under Drought Stress.. 2022 , 1		0
101	Interactive effects of chilling and wounding stresses on antioxidant compounds and fatty acid profile of purslane. 2022 , 44, 1		1
100	Phenolic Compounds in the Plant Development and Defense: An Overview.		1
99	Agro-active endo-therapy treated <i>Xylella fastidiosa</i> subsp. <i>pauca</i> -infected olive trees assessed by the first H-NMR-based metabolomic study.. <i>Scientific Reports</i> , 2022 , 12, 5973	4.9	0
98	Effects of resveratrol treatment on quality and antioxidant properties of postharvest strawberry fruit.. 2022 , e14176		0
97	A study on the physiological and biological responses of <i>Eichhornia crassipes</i> (Mart.) Solms in relation to pollution stress. 1		
96	Comprehensive analysis of phenolics compounds in citrus fruits peels by UPLC-PDA and UPLC-Q/TOF MS using a fused-core column.. 2022 , 14, 100262		1

95	Genome-wide identification and analysis of the genes from the orchids and .. 2021 , 1-14		
94	Profiling of Polyphenols and Glucosinolates in Kale and Broccoli Microgreens Grown under Chamber and Windowsill Conditions by Ultrahigh-Performance Liquid Chromatography High-Resolution Mass Spectrometry. 2022 , 2, 101-113		4
93	Effects of Light on Secondary Metabolite Biosynthesis in Medicinal Plants.. <i>Frontiers in Plant Science</i> , 2021 , 12, 781236	6.2	5
92	Nucleoside 5'-Phosphoramidates Control the Phenylpropanoid Pathway in Suspension-Cultured Cells.. 2021 , 22,		1
91	Endophytic Fungi: From Symbiosis to Secondary Metabolite Communications or Vice Versa?. <i>Frontiers in Plant Science</i> , 2021 , 12, 791033	6.2	5
90	Effect of soil salinity on growth parameters and antioxidant activity in two genotypes of eggplant (<i>Solanum melongena</i> L.). 2021 , 2, 95-102		0
89	Comparative transcriptome analysis of candidate genes involved in chlorogenic acid biosynthesis during fruit development in three pear varieties of Xinjiang Uygur Autonomous Region.. 2022 , 23, 345-351		
88	Micropropagation, phytochemical content and antioxidant activity of gamma-irradiated blackberry (<i>Rubus fruticosus</i> L.) plantlets. 1		2
87	Mild-Intensity UV-A Radiation Applied Over a Long Duration Can Improve the Growth and Phenolic Contents of Sweet Basil.. <i>Frontiers in Plant Science</i> , 2022 , 13, 858433	6.2	1
86	Image_1.TIF. 2019 ,		
85	Image_2.TIF. 2019 ,		
84	Image_3.TIF. 2019 ,		
83	Image_4.TIF. 2019 ,		
82	Image_5.tif. 2019 ,		
81	Image_6.tif. 2019 ,		
80	Image_7.tif. 2019 ,		
79	Image_8.TIF. 2019 ,		
78	Image_9.TIF. 2019 ,		

77 Table_1.xlsx. **2019**,

76 Table_2.DOCX. **2019**,

75 Table_3.xlsx. **2019**,

74 Table_4.DOCX. **2019**,

73 Data_Sheet_1.pdf. **2020**,

72 Data_Sheet_2.pdf. **2020**,

71 Table_1.XLSX. **2018**,

70 DataSheet_1.pdf. **2020**,

69 DataSheet_2.xlsx. **2020**,

68 Image_1.JPEG. **2021**,

67 Image_2.JPEG. **2021**,

66 Image_3.JPEG. **2021**,

65 Table_1.XLSX. **2021**,

64 Table_2.XLSX. **2021**,

63 Table_3.XLS. **2021**,

62 Presentation_1.PPTX. **2019**,

61 Table_1.DOCX. **2019**,

60 Data_Sheet_1.XLS. **2018**,

59 DataSheet1.docx. **2016,**

58 Image1.TIF. **2016,**

57 Image2.TIF. **2016,**

56 Image3.TIF. **2016,**

55 Image4.TIF. **2016,**

54 Image5.TIF. **2016,**

53 Image6.TIF. **2016,**

52 Image7.TIF. **2016,**

51 Image8.TIF. **2016,**

50 Image9.TIF. **2016,**

49 Table1.DOCX. **2016,**

48 Table2.DOCX. **2016,**

47 Table3.DOCX. **2016,**

46 Data_Sheet_1.docx. **2020,**

45 Presentation_1.pptx. **2020,**

44 Table_1.xlsx. **2020,**

43 Biotechnological Road Map for Innovative Weed Management.. *Frontiers in Plant Science*, **2022**, 13, 887703 [o](#)

42 Construction of two regulatory networks related to salt stress and lignocellulosic synthesis under salt stress based on a *Populus davidiana* P. *bolleana* transcriptome analysis.. *Plant Molecular Biology*, **2022**, 4.6 [1](#)

41	Peroxisomal Proteome Mining of Sweet Pepper (<i>Capsicum annuum</i> L.) Fruit Ripening Through Whole Isobaric Tags for Relative and Absolute Quantitation Analysis. <i>Frontiers in Plant Science</i> , 2022 , 13,	6.2	1
40	The isolation and expression analysis of cinnamate 4-hydroxylase and chalcone synthase genes of <i>Scrophularia striata</i> under different abiotic elicitors.. <i>Scientific Reports</i> , 2022 , 12, 8128	4.9	0
39	Biosynthesis of Phenolic Compounds and Antioxidant Activity in Fresh-Cut Fruits and Vegetables. <i>Frontiers in Microbiology</i> , 2022 , 13,	5.7	6
38	Metabolomic and Transcriptomic Analyses of Quality Deterioration in <i>Fusarium solani</i> -Infected Sweet Potato (<i>Ipomoea batatas</i> (L.) Lam cv Xinxiang) Storage Roots. <i>Journal of Agricultural and Food Chemistry</i> , 2022 , 70, 7258-7266	5.7	0
37	Genetic mapping of sorghum resistance to an Illinois isolate of <i>Colletotrichum sublineola</i> . <i>Plant Genome</i> ,	4.4	
36	Temperature- and light stress adaptations in Zygnematophyceae: The challenges of a semi-terrestrial lifestyle. <i>Frontiers in Plant Science</i> , 13,	6.2	0
35	Genome sequencing reveals chromosome fusion and extensive expansion of genes related to secondary metabolism in <i>Artemisia argyi</i> . <i>Plant Biotechnology Journal</i> ,	11.6	3
34	Phytochemical Screening of Putat Air [<i>Barringtonia racemosa</i> (L.) Spreng Herbal Plants Found in Bireun, Aceh, Indonesia. 2022 , 2727-2732		
33	Exogenously Applied Rohitukine Inhibits Photosynthetic Processes, Growth and Induces Antioxidant Defense System in <i>Arabidopsis thaliana</i> . 2022 , 11, 1512		0
32	Insights on the Extraction and Analysis of Phenolic Compounds from Citrus Fruits: Green Perspectives and Current Status. 1-27		1
31	Cloning, characterization and prokaryotic expression analysis of two phenylalanine ammonia-lyase genes from <i>Peucedanum praeruptorum</i> Dunn.		
30	Role of phenylalanine/tyrosine ammonia lyase and anthocyanidin synthase enzymes for anthocyanin biosynthesis in developing <i>Solanum melongena</i> L. genotypes..		
29	Fine mapping and characterisation of a PV-PUR mediating anthocyanin synthesis in snap bean (<i>Phaseolus vulgaris</i> L.).		
28	Overexpression of Sweet Potato Carotenoid Cleavage Dioxygenase 4 (IbCCD4) Decreased Salt Tolerance in <i>Arabidopsis thaliana</i> . 2022 , 23, 9963		0
27	Transcriptional Reactivation of Lignin Biosynthesis for the Heterologous Production of Etoposide Aglycone in <i>Nicotiana benthamiana</i> .		0
26	High temperature increased lignin contents of poplar (<i>Populus</i> spp) stem via inducing the synthesis caffeate and coniferaldehyde. 13,		0
25	The effect of cold plasma pretreatment on GABA, Ebryanol, phytic acid, phenolics and antioxidant capacity in brown rice during germination.		0
24	The Inhibitory Effect of <i>Haloxylon</i> , <i>Cichorium</i> spp and <i>Capparis</i> spp on <i>Cercospora</i> leaf spot disease on sugar beet in vitro and vivo.		0

23	Characterization of physiological and antioxidant responses in Run1Ren1 <i>Vitis vinifera</i> plants during <i>Erysiphe necator</i> attack. 13,	0
22	Effects of pruning on mineral nutrients and untargeted metabolites in fresh leaves of <i>Camellia sinensis</i> cv. Shuixian. 13,	0
21	Fine mapping and characterisation of a PV-PUR mediating anthocyanin synthesis in snap bean (<i>Phaseolus vulgaris</i> L.).	0
20	Effects of Salinity Stress on Growth and Phenolics of Rice (&i>Oryza sativa&/i> L.). 57, 1-10	1
19	Salicylic acid biosynthesis is not from phenylalanine in <i>Arabidopsis</i> .	3
18	Grape juice reduces the effects of amyloid aggregation phenotype and extends the longevity in <i>Caenorhabditis elegans</i> . 1-12	0
17	Total phenolics, quercetin glycosides and antioxidant activity in organic and conventional orchards in three apple cultivars during fruit growth. 2022 , 20, e0805	0
16	Altering the balance between AOX1A and NDB2 expression affects a common set of transcripts in <i>Arabidopsis</i> . 13,	0
15	Comparative evaluation of bioactive phytochemicals in <i>Spinacia oleracea</i> cultivated under greenhouse and open field conditions.	1
14	Flooding and herbivory: the effect of concurrent stress factors on plant volatile emissions and gene expression in two heirloom tomato varieties. 2022 , 22,	0
13	Cloning of a CHS gene of <i>Poncirus trifoliata</i> and its expression in response to soil water deficit and arbuscular mycorrhizal fungi. 13,	0
12	Integrated transcriptome and metabolome analysis reveals the anthocyanin biosynthesis mechanisms in blueberry (<i>Vaccinium corymbosum</i> L.) leaves under different light qualities. 13,	0
11	Influence of type of production on the contents of selected nutrients/phytochemicals in buckwheat grains. 2022 , 27, 107-113	0
10	Pigmented radish (<i>Raphanus sativus</i>): Genetic variability, heritability and interrelationships of total phenolics, anthocyanins and antioxidant activity. 2017 , 87,	0
9	Analytical quality-by-design (AQbD) approach for comprehensive analysis of bioactive compounds from Citrus peel wastes by UPLC.	0
8	Silicon in action: Between iron scarcity and excess copper. 14,	0
7	Genetic and epigenetic control of the plant metabolome. 2200104	0
6	AtBBX29 integrates photomorphogenesis and defense responses in <i>Arabidopsis</i> .	0

- 5 Fine mapping and characterisation of a PV-PUR mediating anthocyanin synthesis in snap bean (*Phaseolus vulgaris* L.). **2023**, 43, ○
- 4 Transcription factor GLK1 promotes anthocyanin biosynthesis via an MBW complex-dependent pathway in *Arabidopsis thaliana*. ○
- 3 Mineral elements and their relation to anthocyanin content in pigmented rice plants using definitive screening design and self-organizing maps. ○
- 2 Molecular identification of phenylalanine ammonia lyase-encoding genes EFPALs and EFPAL2-interacting transcription factors in *Euryale ferox*. 14, ○
- 1 Hierarchical Clustering and Omics Analysis Revealed Massive Molecular Shifts in a Tree under Combined Hypoxia and Salinity. ○