Cytotoxicity of hamycin for Trichomonas vaginalis, Hel

Journal of Antimicrobial Chemotherapy 36, 795-802

DOI: 10.1093/jac/36.5.795

Citation Report

#	Article	IF	Citations
1	Recalcitrant vaginal trichomoniasis. Sexually Transmitted Infections, 1999, 75, 127-128.	1.9	10
2	Antigiardial Activity of Isoflavones fromDalbergia frutescensBark. Journal of Natural Products, 2000, 63, 1414-1416.	3.0	88
3	Treatment of Infections Caused by Metronidazole-Resistant Trichomonas vaginalis. Clinical Microbiology Reviews, 2004, 17, 783-793.	13.6	240
4	Current Therapeutics, Their Problems, and Sulfur-Containing-Amino-Acid Metabolism as a Novel Target against Infections by "Amitochondriate―Protozoan Parasites. Clinical Microbiology Reviews, 2007, 20, 164-187.	13.6	181
5	Therapeutic effects of Iranian herbal extracts against Trichomonas vaginalis. Iranian Biomedical Journal, 2017, 21, 285-293.	0.7	8
6	Diagnosis and Treatment of Metronidazole-Resistant Trichomonas vaginalis Infection. , 2009, , 1091-1100.		2
7	Diagnosis and Treatment of Metronidazole-Resistant Trichomonas vaginalis Infection., 2017,, 1277-1291.		2
8	Development of Drug Resistance in Trichomonas vaginalis and its Overcoming with Natural Products. The Open Bioactive Compounds Journal, 2009, 2, 21-28.	0.8	16
9	Molecular typing of Trichomonas vaginalis isolates by HSP70 restriction fragment length polymorphism American Journal of Tropical Medicine and Hygiene, 2000, 62, 441-445.	1.4	17
10	Use of intravaginal microbicides to prevent acquisition of Trichomonas vaginalis infection in Lactobacillus-pretreated, estrogenized young mice American Journal of Tropical Medicine and Hygiene, 2000, 63, 284-289.	1.4	18