

CITATION REPORT

List of articles citing

Slowly-Cooled Bulk Amorphous Alloys

DOI: 10.4028/www.scientific.net/msf.179-181.691
Materials Science Forum, 1995, 179-181, 691-700.

Source: <https://exaly.com/paper-pdf/26386565/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
132	Cu-Rich Colored Amorphous Alloys in Cu–Mg–Ce System. 1995 , 36, 1176-1179		2
131	Fe-Based Ferromagnetic Glassy Alloys with Wide Supercooled Liquid Region. 1995 , 36, 1180-1183		352
130	High Strength Al–V–M (M=Fe, Co or Ni) Alloys Containing High Volume Fraction of Nanoscale Amorphous Precipitates. 1995 , 36, 1219-1228		23
129	Solidification Analyses of Bulky Zr60Al10Ni10Cu15Pd5 Glass Produced by Casting into Wedge-Shape Copper Mold. 1995 , 36, 1276-1281		43
128	Multicomponent Fe-Based Glassy Alloys with Wide Supercooled Liquid Region before Crystallization. 1995 , 36, 1282-1285		87
127	Thermal and Magnetic Properties of Bulk Fe-Based Glassy Alloys Prepared by Copper Mold Casting. 1995 , 36, 1427-1433		398
126	Continuous-Cooling-Transformation (CCT) Curves for Zr–Al–Ni–Cu Supercooled Liquids to Amorphous or Crystalline Phase (Rapid Publication). 1995 , 36, 876-878		22
125	Thermodynamics and Kinetics of Nanostructure Formation in Soft-Magnetic Nanocrystalline Alloys (Overview). 1995 , 36, 896-902		70
124	Thermal Properties of Zr–TM–B and Zr–TM–Ga (TM=Co, Ni, Cu) Amorphous Alloys with Wide Range of Supercooling. 1995 , 36, 1411-1419		12
123	High Strength Bulk Amorphous Alloys with Low Critical Cooling Rates (Overview). 1995 , 36, 866-875		950
122	Solidification Condition of Bulk Glassy Zr60Al10Ni10Cu15Pd5 Alloy by Unidirectional Arc Melting. 1995 , 36, 1398-1402		24
121	Effect of Additional Elements on Glass Transition Behavior and Glass Formation Tendency of Zr–Al–Cu–Ni Alloys. 1995 , 36, 1420-1426		179
120	Mechanical Properties and Thermal Stability of Ti- and Al-Based Amorphous Wires Prepared by a Melt Extraction Method. 1995 , 36, 858-865		29
119	Soft magnetic properties of bulk Fe-based amorphous alloys prepared by copper mold casting. 1996 , 32, 4866-4871		73
118	Effect of Additional Elements (M) on the Thermal Stability of Supercooled Liquid in Fe72−xAl5Ga2P11C6B4Mx Glassy Alloys. 1996 , 37, 32-38		80
117	Preparation of Bulk Pr–Fe–Al Amorphous Alloys and Characterization of Their Hard Magnetic Properties. 1996 , 37, 1731-1740		69
116	Hard Magnetic Bulk Amorphous Nd–Fe–Al Alloys of 12 mm in Diameter Made by Suction Casting. 1996 , 37, 636-640		91

115	Bulk Nd‐Fe‐Al Amorphous Alloys with Hard Magnetic Properties. 1996 , 37, 99-108		244
114	Multicomponent Co-based Amorphous Alloys with Wide Supercooled Liquid Region. 1996 , 37, 1332-1336		69
113	Soft Magnetic Properties and Wide Supercooled Liquid Region of Fe‐P‐B‐Si Base Amorphous Alloys. 1996 , 37, 1715-1721		63
112	Thermal stability and magnetic properties of Fe-Al-Ga-P-C-B-Si amorphous thick sheets. 1997 , 33, 3784-3786		15
111	Soft magnetic properties of Fe based amorphous thick sheets with large glass forming ability. <i>Journal of Applied Physics</i> , 1997 , 81, 4029-4031	2.5	16
110	Effect of B Addition on the Extension of Supercooled Liquid Region in Zr‐Cu‐Al Base Amorphous Alloys. 1997 , 38, 185-188		14
109	Amorphous Nd‐Fe‐Si Thick Ribbons and Their Hard Magnetic Properties. 1997 , 38, 1027-1030		13
108	Improvement of Mechanical Properties by Precipitation of Nanoscale Compound Particles in Zr‐Cu‐Pd‐Al Amorphous Alloys. 1997 , 38, 1040-1046		106
107	Effect of B Addition on Extension of Supercooled Liquid Region before Crystallization in Pd‐Cu‐Si Amorphous Alloys. 1997 , 38, 175-178		17
106	Thermal and Magnetic Properties of Fe ₅₆ Co ₇ Ni ₇ Zr ₁₀ -xNb _x B ₂₀ Amorphous Alloys with Wide Supercooled Liquid Range. 1997 , 38, 577-582		55
105	New Fe‐Co‐Ni‐Zr‐B Amorphous Alloys with Wide Supercooled Liquid Regions and Good Soft Magnetic Properties. 1997 , 38, 359-362		176
104	Preparation and Thermal Stability of Bulk Amorphous Pd ₄₀ Cu ₃₀ Ni ₁₀ P ₂₀ Alloy Cylinder of 72 mm in Diameter. 1997 , 38, 179-183		286
103	Thermal Stability and Magnetic Properties of Bulk Amorphous Fe‐Al‐Ga‐P‐C‐B‐Si Alloys. 1997 , 38, 189-196		63
102	Experimental investigations of the enthalpies of formation of Zr-based metallic amorphous binary and ternary alloys. 1998 , 102, 1252-1258		20
101	Ferromagnetic bulk amorphous alloys. 1998 , 29, 1779-1793		208
100	Volume Effects in Bulk Metallic Glass Formation. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 554, 21		22
99	Wide supercooled liquid region and soft magnetic properties of Fe ₅₆ Co ₇ Ni ₇ Zr ₁₀ Nb (or Ta) ₁₀ B ₂₀ amorphous alloys. <i>Journal of Applied Physics</i> , 1998 , 83, 1967-1974	2.5	69
98	Anelastic relaxation behavior and thermal stability of undercooled metallic melts in the amorphous Zr ₆₅ Al _x Cu ₃₅ system. 1998 , 58, 9062-9066		18

97	Influence of Si addition on thermal stability and soft magnetic properties for Fe ₈₀ Al ₁₀ Ga ₅ P ₃ C ₂ B ₂ glassy alloys. <i>Journal of Applied Physics</i> , 1998 , 83, 6329-6331	2.5	32
96	Ferromagnetic Co ₄₀ Fe ₂₀ Zr ₄₀ B ₂₀ amorphous alloys with glass transition and good high-frequency permeability. <i>Applied Physics Letters</i> , 1998 , 73, 744-746	3.4	73
95	New bulk amorphous Fe ₈₀ (Co,Ni) ₁₀ M ₁₀ B ₂₀ (M=Zr,Hf,Nb,Ta,Mo,W) alloys with good soft magnetic properties. <i>Journal of Applied Physics</i> , 1998 , 83, 6326-6328	2.5	126
94	Density, Thermal Stability and Mechanical Properties of Zr-Ti-Al-Cu-Ni Bulk Amorphous Alloys with High Al Plus Ti Concentrations. 1998 , 39, 857-862		47
93	Thermal and Mechanical Properties of Ti-Ni-Cu-Sn Amorphous Alloys with a Wide Supercooled Liquid Region before Crystallization. 1998 , 39, 1001-1006		258
92	Synthesis of Glassy Fe-Co-Nd-Zr-B Alloys and Their Crystallization-Induced Magnetic Properties. 1998 , 39, 327-333		4
91	High Packing Density of Zr- and Pd-Based Bulk Amorphous Alloys. 1998 , 39, 318-321		125
90	Mechanical Properties of Zr-Ti-Al-Ni-Cu Bulk Amorphous Sheets Prepared by Squeeze Casting. 1998 , 39, 1230-1237		41
89	Compositional Dependence of Thermal Stability and Soft Magnetic Properties for Fe-Al-Ga-P-C-B Glassy Alloys. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 554, 155		2
88	Thermal Stability of Bulk Metallic Glasses. Influence on Mechanical Properties. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 554, 413		3
87	Soft Magnetic Properties of Fe-Based Glassy Alloys with High Saturation Magnetization.. 1998 , 22, 1085-1089		11
86	Chapter 14 Bulk amorphous alloys. 1999 , 2, 375-415		30
85	Effect of Nb addition on glass-forming ability, strength, and hardness of Fe ₈₀ Zr ₂₀ amorphous alloys. 1999 , 34, 915-920		31
84	Structure and magnetic properties of bulk Fe-Al-Ga-P-C-B-Si glassy alloys in a ringed form prepared by copper mold casting. 1999 , 35, 3361-3363		16
83	High-frequency permeability of (Fe, Co, Ni) ₆₂ Nb ₈ B ₃₀ amorphous alloys with a wide supercooled liquid region. <i>Applied Physics Letters</i> , 1999 , 74, 2510-2512	3.4	20
82	Hydrogen absorption and desorption behavior of Zr-based amorphous alloys with a large structurally relaxed amorphous region. <i>Journal of Alloys and Compounds</i> , 1999 , 292, 275-280	5.7	27
81	In situ crystallization of Zr ₅₅ Cu ₃₀ Al ₁₀ Ni ₅ bulk glass forming from the glassy and undercooled liquid states using synchrotron radiation. <i>Journal of Non-Crystalline Solids</i> , 1999 , 247, 31-34	3.9	20
80	Effect of Lanthanide Element on Glass-Forming Ability and Local Atomic Structure of Fe-Co-(Ln)-B Amorphous Alloys. 1999 , 40, 1144-1148		20

79	Preparation of New Ni-based Amorphous Alloys with a Large Supercooled Liquid Region. 1999 , 40, 258-261	37
78	Bulk Amorphous Ni ₇₅ -xNb ₅ MxP ₂₀ -yBy (M=Cr, Mo) Alloys with Large Supercooling and High Strength. 1999 , 40, 1130-1136	121
77	Soft Magnetic Properties of Ring Shape Bulk Glassy Fe-Al-Ga-P-C-B-Si Alloy Prepared by Copper Mold Casting. 1999 , 40, 1019-1022	32
76	Synthesis of Fe-Co-Nd-B Amorphous Alloys with Glass Transition and their Crystallization-Induced Hard Magnetic Properties. 1999 , 40, 1123-1129	8
75	Preparation and Soft Magnetic Properties of Fe-P-B-Ge Amorphous Alloys. 1999 , 40, 1444-1449	4
74	Preparation of Ti-Cu-Ni-Si-B Amorphous Alloys with a Large Supercooled Liquid Region. 1999 , 40, 301-306	113
73	High Strength and Good Soft Magnetic Properties of Bulk Glassy Fe-Mo-Ga-P-C-B Alloys with High Glass-Forming Ability. 2000 , 41, 1478-1481	27
72	Thermal Stability and Magnetic Properties of Fe-Co-Pr-B Amorphous Alloys with a Supercooled Liquid Region. 2000 , 41, 1482-1485	5
71	Bulk Glassy Fe-Co-Ga-P-C-B Alloys with High Glass-Forming Ability, High Saturation Magnetization and Good Soft Magnetic Properties. 2000 , 41, 1675-1678	32
70	Formation and Magnetic Properties of Bulk Glassy Fe-Co-Nd-Dy-B Alloys with High Boron Concentrations. 2000 , 41, 1679-1682	24
69	Effect of Dy Addition on the Thermal Stability and Magnetic Properties of the Fe-Co-Nd-B Amorphous Alloys with Supercooled Liquid Region. 2000 , 41, 696-700	9
68	Structural Study of Fe-Based Glassy Alloys with a Large Supercooled Liquid Region. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 644, 161	
67	Elastic Properties of Three Bulk Metallic Glasses. Evolution Versus Temperature in the Glass Transition Region and Influence of Crystallisation.. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 644, 1061	1
66	Synthesis and Stability of Amorphous Al Alloys. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 644, 471	1
65	The e/a-constant HumeRothery phases in an As-cast Zr ₆₅ Al _{7.5} Ni ₁₀ Cu _{17.5} alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 291, 78-85	5.3 31
64	Crystallization and hard magnetic properties of Fe ₇₀ Nd ₁₀ Dy ₅ B amorphous alloys with glass transition. <i>Journal of Applied Physics</i> , 2000 , 87, 6122-6124	2.5 21
63	Dynamic crystallization process in a supercooled liquid region of Cu ₄₀ Ti ₃₀ Ni ₁₅ Zr ₁₀ Sn ₅ amorphous alloy. <i>Journal of Non-Crystalline Solids</i> , 2000 , 261, 108-114	3.9 39
62	Preparation of new amorphous powder cores using Fe-based glassy alloy. 2000 , 36, 3424-3429	25

61	Nanocrystallization of Al-rich metallic glasses. 2000 , 391-405		3
60	Bulk Glassy Fe _{78-x} Co _x Ga ₂ P ₁₂ C ₄ B ₄ Alloys with High Saturation Magnetization and Good Soft Magnetic Properties. <i>Materials Transactions</i> , 2001 , 42, 1052-1055	1.3	3
59	Soft Magnetic Properties of (Fe, Co)-RE-B Amorphous Alloys with a Large Supercooled Liquid Region. <i>Materials Transactions</i> , 2001 , 42, 1142-1145	1.3	31
58	Glass-Forming Ability, Crystallized Structure and Magnetic Properties of Fe ₆₇ Co _{9.5} Nd ₃ Dy _{0.5} B ₂₀ Glassy Alloy with Large Supercooled Liquid Region. <i>Materials Transactions</i> , 2001 , 42, 2059-2063	1.3	11
57	Preparation and Magnetic Properties of Co-based Bulk Glassy Alloys. <i>Materials Transactions</i> , 2001 , 42, 2572-2575	1.3	27
56	Thermal and Mechanical Properties of Cu-Based Cu-Zr-Ti Bulk Glassy Alloys. <i>Materials Transactions</i> , 2001 , 42, 1149-1151	1.3	114
55	Hard Magnetic Properties and Nanocrystallized Structure of Fe _{66.5} Co ₁₀ Pr _{3.5} B ₂₀ Glassy Alloy. <i>Materials Transactions</i> , 2001 , 42, 1543-1546	1.3	8
54	(Fe, Co)-(Hf, Nb)-B Glassy Thick Sheet Alloys Prepared by a Melt Clamp Forging Method. <i>Materials Transactions</i> , 2001 , 42, 1820-1822	1.3	4
53	Formation and Soft Magnetic Properties of (Fe, Co)-RE-B Glassy Alloy with Large Thickness. <i>Materials Transactions</i> , 2001 , 42, 1835-1838	1.3	16
52	Thermal and Mechanical Properties of Cu-Based Cu-Zr-Ti-Y Bulk Glassy Alloys. <i>Materials Transactions</i> , 2001 , 42, 2042-2045	1.3	59
51	Cu-Based Bulk Glassy Alloys with Good Mechanical Properties in Cu-Zr-Hf-Ti System. <i>Materials Transactions</i> , 2001 , 42, 1805-1812	1.3	40
50	Bulk Glassy Co ₄₃ Fe ₂₀ Ta _{5.5} B _{31.5} Alloy with High Glass-Forming Ability and Good Soft Magnetic Properties. <i>Materials Transactions</i> , 2001 , 42, 2136-2139	1.3	30
49	Metastable phases in Zr-based bulk glass-forming alloys detected using a synchrotron beam in transmission. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 304-306, 34-38	5.3	37
48	Undercooling and glass formation in Al-based alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 304-306, 159-165	5.3	44
47	Bulk amorphous and nanocrystalline alloys with high functional properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 304-306, 1-10	5.3	270
46	Local atomic structure of amorphous alloys with supercooled liquid region. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 304-306, 660-664	5.3	17
45	Environmental properties of Zr-based metallic glasses and nanocrystalline alloys. 2001 , 44, 1649-1654		46
44	Bulk Amorphous Alloys. 2001 , 1-51		63

43	Influence of ribbon thickness on the formation and magnetic properties of melt-spun Fe ₄₀ Ni ₄₀ Dy ₅ B metallic glasses. <i>Journal of Applied Physics</i> , 2001 , 89, 1509-1511	2.5	11
42	Thermal Stability and Mechanical Properties of Bulk Glassy Cu-Zr-Ti-(Nb, Ta) Alloys. <i>Materials Transactions</i> , 2002 , 43, 1367-1370	1.3	33
41	Cu-based bulk glassy alloys with high tensile strength of over 2000 MPa. <i>Journal of Non-Crystalline Solids</i> , 2002 , 304, 200-209	3.9	119
40	Amorphization and nanostructure synthesis in Al alloys. 2002 , 10, 1079-1088		44
39	Relationship between intermetallic compound formation and glass forming ability of Al ₇₅ Ni ₁₅ Co alloy. 2003 , 319, 424-428		20
38	Primary crystallization in amorphous Al-based alloys. <i>Journal of Non-Crystalline Solids</i> , 2003 , 317, 52-61	3.9	62
37	Diffusion and isotope effect in bulk-metallic glass-forming Pd ₄₀ Cu ₂₀ Ni ₁₀ P alloys from the glass to the equilibrium melt. <i>Journal of Materials Research</i> , 2003 , 18, 2688-2696	2.5	23
36	. 2003 , 39, 3016-3018		2
35	Diffusion in a metallic melt at the critical temperature of mode coupling theory. 2003 , 90, 195502		72
34	Formation, Thermal Stability, Mechanical Properties and Corrosion Resistance of Cu-Zr-Ti-Ni-Nb Bulk Glassy Alloys. <i>Materials Transactions</i> , 2003 , 44, 1147-1152	1.3	19
33	Cold-consolidation of ball-milled Fe-based amorphous ribbons by high pressure torsion. 2004 , 50, 1221-1225		74
32	Corrosion of amorphous and nanocrystalline Zr-based alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 375-377, 53-59	5.3	97
31	Influence of alloying on the formation of Zr-based quasicrystals. <i>Journal of Non-Crystalline Solids</i> , 2004 , 334-335, 23-28	3.9	3
30	Synthesis and Fundamental Properties of Cu-Based Bulk Glassy Alloys in Binary and Multi-component Systems. <i>Materials Transactions</i> , 2004 , 45, 1153-1162	1.3	36
29	Bulk glassy and nonequilibrium crystalline alloys by stabilization of supercooled liquid: fabrication, functional properties and applications (Part 1). <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2005 , 81, 156-171	4	29
28	Mössbauer and magnetic studies of (Fe _{100-X} Co _X) ₆₂ Nb ₈ B ₃₀ (X=0,33,50) alloys. <i>Journal of Magnetism and Magnetic Materials</i> , 2005 , 292, 447-452	2.8	21
27	Cathodic Arc Plasma Combinatorial Material Synthesis for Composition Search of New Amorphous Alloy. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 894, 1		
26	Enhanced bulk metallic glass formability by combining chemical compatibility and atomic size effects. <i>Journal of Applied Physics</i> , 2005 , 97, 013512	2.5	29

25	Annealing experiments on bulk amorphous alloys around the glass transition temperature. <i>Journal of Magnetism and Magnetic Materials</i> , 2006 , 304, e657-e659	2.8	
24	Review: Experimental enthalpies of formation of compounds in Al-Ni-X systems. <i>Journal of Materials Science</i> , 2006 , 41, 631-641	4.3	17
23	Microstructural Characterization of the Emulsified Cu ₄₇ Ti ₃₃ Zr ₁₁ Ni ₆ Sn ₂ Si ₁ Alloy Powder. <i>Solid State Phenomena</i> , 2006 , 118, 623-634	0.4	
22	Evaluation of glass-forming ability for metallic glasses based on order-disorder competition. <i>Applied Physics Letters</i> , 2006 , 89, 091917	3.4	25
21	Superheated liquid fragility and thermodynamic refinement for evaluation of metallic glass-forming ability. <i>Applied Physics Letters</i> , 2007 , 90, 031910	3.4	9
20	Influence of annealing on the high frequency magnetotransport properties of melt-spun Fe ₃₁ Co ₃₁ Nb ₈ B ₃₀ alloys. <i>Journal of Non-Crystalline Solids</i> , 2007 , 353, 3099-3102	3.9	
19	Effect of ball-milling and shot-peening on Zr ₅₅ Al ₁₀ Ni ₅ Cu ₃₀ alloys. <i>Journal of Alloys and Compounds</i> , 2007 , 430, 97-101	5.7	10
18	Corrosion resistance of Cu ₄₇ Zr ₃₃ Al ₁₁ and Zr ₄₀ Ni ₁₀ Al ₁₀ Nb bulk metallic glasses. <i>Journal of Alloys and Compounds</i> , 2007 , 434-435, 234-236	5.7	34
17	Nd ₆₀ Fe ₃₀ Ni _x Al ₁₀ bulk metallic glasses with high hard magnetic properties. <i>Materials Letters</i> , 2007 , 61, 219-222	3.3	9
16	Correlation between local structure of melts and glass forming ability for Fe ₇₈ M ₉ B ₁₃ (M=Nb, Si, and Zr) alloys. <i>Journal of Applied Physics</i> , 2009 , 105, 013531	2.5	19
15	The effect of Cu on the properties of Nd-based bulk metallic glasses. <i>Materials & Design</i> , 2009 , 30, 1236-1239		8
14	Spark plasma sintering of gas atomized Al ₈₇ Ni ₈ La ₅ amorphous powder. <i>Journal of Physics: Conference Series</i> , 2009 , 144, 012079	0.3	5
13	Production of high-strength Al ₈₅ Y ₈ Ni ₅ Co ₂ bulk alloy by spark plasma sintering. <i>Journal of Physics: Conference Series</i> , 2010 , 240, 012155	0.3	2
12	Electrochemical corrosion and oxidation resistances of Zr ₆₀ Ni ₂₁ Al ₁₉ bulk amorphous alloys. <i>Science China: Physics, Mechanics and Astronomy</i> , 2010 , 53, 2223-2226	3.6	4
11	Isothermal and non-isothermal crystallization kinetics of ultraviscous melt of Mg ₆₅ Cu ₂₅ Tb ₁₀ glass. <i>Thermochimica Acta</i> , 2010 , 510, 144-153	2.9	8
10	Correlation between local structure of melts and glass forming ability for Fe ₇₀ EM ₁₀ B ₂₀ (EM = early transition metal) alloys. <i>Journal of Non-Crystalline Solids</i> , 2010 , 356, 1374-1378	3.9	12
9	Influences of Similar Elements on Glass Forming Ability and Magnetic Properties in Al-Ni-La Amorphous Alloy. <i>Journal of Materials Science and Technology</i> , 2010 , 26, 146-150	9.1	13
8	Development of static and dynamic structures in glass-forming metallic alloys. <i>Thermochimica Acta</i> , 2011 , 522, 20-27	2.9	3

7	Co-based ternary bulk metallic glasses with ultrahigh strength and plasticity. <i>Journal of Materials Research</i> , 2011 , 26, 2072-2079	2.5	119
6	A study on the formation of crystalline phases during solidification and crystallisation in the bulk metallic glass of Zr ₅₃ Cu ₂₁ Al ₁₀ Ni ₈ Ti ₈ composition. <i>Philosophical Magazine</i> , 2012 , 92, 2136-2149	1.6	
5	Thermal stability and mechanical properties of Cu ₄₆ Zr ₄₆ Ag ₈ bulk metallic glass and its composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 559, 711-718	5.3	22
4	Designing primary phase-embedded Cu-based bulk metallic glass composites: a computational thermodynamic approach. <i>RSC Advances</i> , 2014 , 4, 52203-52208	3.7	4
3	Microstructure and properties of laser clad Fe-based amorphous alloy coatings containing Nb powder. <i>Journal of Non-Crystalline Solids</i> , 2020 , 550, 120351	3.9	11
2	Bulk Metallic Glasses with High Strength. <i>Transactions of Materials Processing</i> , 2005 , 14, 97-105		
1	Synthesis of Bulk Metallic Glasses. 2010 , 145-186		1