

CITATION REPORT

List of articles citing

Nanoindentation and Nanoscratching of Hard Carbon Coatings for Magnetic Disks

DOI: 10.1557/proc-383-447

Materials Research Society Symposia Proceedings,
1995, 383, 447.

Source: <https://exaly.com/paper-pdf/26395015/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
323	Nanoindentation and the tribology of head-disk interface components. 1996 , 32, 110-114		11
322	Hard boron-dioxide-based films deposited in a sputter-sourced, high-density plasma deposition system. 1997 , 15, 2623-2626		32
321	Scanning probe microscopy of vacuum-arc-deposited metallic and diamond-like carbon thin films. 1998 , 325, 19-23		8
320	Application of Cathodic Arc Deposited Amorphous Hard Carbon Films to the Head/Disk Tribology. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 517, 371		8
319	Scratching resistance of diamond-like carbon coatings in the subnanometer regime. 1999 , 75, 1077-1079		31
318	Elastic properties of hydrogen-free amorphous carbon thin films and their relation with carbon-carbon bonding. 1999 , 353, 208-213		41
317	Deposition of ultra-thin diamond-like carbon protective coating on magnetic disks by electron cyclotron resonance plasma technique. 1999 , 254, 167-173		19
316	A comparative study of composition, structure and elastic properties of boron nitride films deposited by magnetron and ion beam sputtering. 1999 , 8, 410-414		2
315	Nanoindentation and nanoscratching studies of amorphous carbon films. 1999 , 8, 558-562		50
314	Wear and hardness of carbon overcoats on magnetic recording sliders. 2000 , 243, 18-24		35
313	Mechanical properties and corrosion studies of amorphous carbon on magnetic disks prepared by ECR plasma technique. 2000 , 368, 198-202		22
312	Hard and superhard nanocomposite coatings. <i>Surface and Coatings Technology</i> , 2000 , 125, 322-330	4.4	863
311	On the significance of the H/E ratio in wear control: a nanocomposite coating approach to optimised tribological behaviour. 2000 , 246, 1-11		1863
310	A study on the synthesis and microstructure of WC/TiN superlattice coating. <i>Surface and Coatings Technology</i> , 2000 , 131, 372-377	4.4	26
309	Diamond-like carbon coatings applied to hard disks. 2000 , 9, 815-818		18
308	Mechanical properties of DLC films prepared in acetylene and methane plasmas using electron cyclotron resonance microwave plasma chemical vapor deposition. 2001 , 10, 1862-1867		30
307	Mechanical properties of a-C:H multilayer films. 2001 , 10, 1833-1838		22

306	Fracture resistance enhancement of diamond-like carbon/nitrogenated diamond-like carbon multilayer deposited by electron cyclotron resonance microwave plasma chemical vapor deposition. 2001 , 19, 130-135		9
305	Hard and superhard Zr ₁₀ Ni ₁₀ N nanocomposite films. <i>Surface and Coatings Technology</i> , 2001 , 139, 101-109	4.4	109
304	Magnetron sputtering of hard nanocomposite coatings and their properties. <i>Surface and Coatings Technology</i> , 2001 , 142-144, 557-566	4.4	183
303	Hard and superhard nanocomposite Al ₁₀ Ti ₁₀ N films prepared by magnetron sputtering. <i>Surface and Coatings Technology</i> , 2001 , 142-144, 603-609	4.4	31
302	Magnetron sputtered Cr ₁₀ Ni ₁₀ N and Ti ₁₀ Mo ₁₀ N films: comparison of mechanical properties. <i>Surface and Coatings Technology</i> , 2001 , 142-144, 146-151	4.4	71
301	Mechanical properties of superhard nanocomposites. <i>Surface and Coatings Technology</i> , 2001 , 146-147, 175-182	4.4	135
300	Deposition and properties of tetrahedral amorphous carbon films prepared on magnetic hard disks. 2001 , 19, 1606-1610		18
299	Hard Nanocomposite Coatings Prepared by Magnetron Sputtering. 2002 , 230-232, 613-622		20
298	Localized deformation of multicomponent thin films. 2002 , 420-421, 330-337		36
297	Relationships between hardness, Young's modulus and elastic recovery in hard nanocomposite coatings. <i>Surface and Coatings Technology</i> , 2002 , 154, 304-313	4.4	484
296	Relationship between structure and mechanical properties in hard Al ₁₀ Si ₁₀ Ti ₁₀ N films prepared by magnetron sputtering. 2002 , 413, 121-130		15
295	Micro/Nanomechanical and Tribological Properties of Thin Diamond-Like Carbon Coatings. 2003 , 16, 47-51		2
294	Hardness of C, CN _x and AlN thin films after rapid thermal annealing. 2003 , 82, 452-457		6
293	Structure and mechanical properties of magnetron sputtered Zr ₁₀ Ti ₁₀ Ti ₁₀ N films. <i>Surface and Coatings Technology</i> , 2003 , 166, 243-253	4.4	51
292	Synthesis of CrN/AlN superlattice coatings using closed-field unbalanced magnetron sputtering process. <i>Surface and Coatings Technology</i> , 2003 , 171, 91-95	4.4	109
291	Dry sliding wear of magnetron sputtered TiN/CrN superlattice coatings. <i>Surface and Coatings Technology</i> , 2003 , 173, 58-66	4.4	27
290	Structure-property relationships in single- and dual-phase nanocrystalline hard coatings. <i>Surface and Coatings Technology</i> , 2003 , 174-175, 725-731	4.4	120
289	Structure and physical-mechanical properties of nanostructured thin films. 2003 , 45, 1177-1184		43

288	Structure-hardness relations in sputtered TiAlN films. 2003 , 444, 189-198		45
287	An investigation of amorphous hydrogenated carbon (a-C:H) coatings using x-ray reflectivity and scratch testing. 2004 , 22, 2107-2111		
286	Effects of bias voltage and temperature on mechanical properties of TiSiN coatings deposited by a hybrid system of arc ion plating and sputtering techniques. 2004 , 447-448, 371-376		42
285	Structure and properties of CaO- and ZrO ₂ -doped TiC _x N _y coatings for biomedical applications. <i>Surface and Coatings Technology</i> , 2004 , 182, 101-111	4-4	47
284	Quaternary hard nanocomposite TiC _x N _y /SiCN coatings prepared by plasma enhanced chemical vapor deposition. 2004 , 466, 189-196		42
283	Effect of ion bombardment on properties of hard reactively sputtered Ti(Fe)N _x films. <i>Surface and Coatings Technology</i> , 2004 , 177-178, 289-298	4-4	40
282	Deposition and characterization of a-C:H coatings using a glow discharge. <i>Surface and Coatings Technology</i> , 2004 , 187, 54-62	4-4	4
281	Structure and mechanical properties of TiSiN films deposited by combined DC/RF reactive unbalanced magnetron sputtering. 2004 , 22, 2351-2355		23
280	Ion-assisted sputter deposition. 2004 , 362, 103-16		26
279	Design, characterization and testing of Ti-based multicomponent coatings for load-bearing medical applications. 2005 , 26, 2909-24		70
278	Structural and mechanical property of Si incorporated (Ti,Cr,Al)N coatings deposited by arc ion plating process. <i>Surface and Coatings Technology</i> , 2005 , 200, 1383-1390	4-4	38
277	Microstructure, mechanical and tribological properties of novel multi-component nanolayered nitride coatings. <i>Surface and Coatings Technology</i> , 2005 , 200, 1709-1713	4-4	14
276	Structural and mechanical properties of nanolayered TiAlN/CrN coatings synthesized by a cathodic arc deposition process. <i>Surface and Coatings Technology</i> , 2005 , 200, 1702-1708	4-4	67
275	Growth and characterization of nanocrystalline zirconium nitride/Inconel structures. 2005 , 23, 998-1005		4
274	Physical and Mechanical Properties of Hard Nanocomposite Films Prepared by Reactive Magnetron Sputtering. 2006 , 407-463		20
273	Optimization of Nanostructured Tribological Coatings. 2006 , 511-538		15
272	Physical and mechanical properties of chromium zirconium nitride thin films. <i>Surface and Coatings Technology</i> , 2006 , 200, 3411-3417	4-4	38
271	Tribological contact analysis of a rigid ball sliding on a hard coated surface. <i>Surface and Coatings Technology</i> , 2006 , 200, 3810-3823	4-4	71

270	Effect of addition of Cu into ZrOx film on its properties. <i>Surface and Coatings Technology</i> , 2006 , 200, 6792-6800	4.4	38
269	Enhanced hardness in sputtered ZrNiN films. <i>Surface and Coatings Technology</i> , 2006 , 200, 6293-6297	4.4	28
268	Multifunctional biocompatible nanostructured coatings for load-bearing implants. <i>Surface and Coatings Technology</i> , 2006 , 201, 4111-4118	4.4	53
267	Structural and mechanical properties of AlTiN/CrN coatings synthesized by a cathodic-arc deposition process. <i>Surface and Coatings Technology</i> , 2006 , 201, 4209-4214	4.4	32
266	Structure and mechanical properties of DC magnetron sputtered TiC/Cu films. 2006 , 81, 531-538		45
265	Photothermal Investigation of Ti-Cu-N and Ti-Ni-N PVD Films. 2006 , 55, 585-588		5
264	Adhesion, friction, and deformation characteristics of Ti-(Ca,Zr)-(C,N,O,P) coatings for orthopedic and dental implants. 2006 , 48, 1301-1308		27
263	Multifunctional Ti-(Ca,Zr)-(C,N,O,P) films for load-bearing implants. 2006 , 27, 3519-31		39
262	Breakdown of the Coulomb friction law in TiC _{0.5} -C:H nanocomposite coatings. 2006 , 100, 114309		36
261	Mechanical Properties of TiAlN/CrN Nanolayered Coatings Synthesized by a Cathodic-Arc Deposition Process. 2006 , 118, 323-327		1
260	Influence of CH ₄ partial pressure on the microstructure of sputter-deposited tungsten carbide thin films. 2006 , 18, 1913-25		10
259	Phase transformation of the A15 metastable phase of Fe-Cr thin films prepared by ion-beam sputtering. 2007 , 102, 043511		6
258	Mechanical properties of nano-structured Ti-Si-N films synthesized by cathodic arc evaporation. 2007 , 440, 375-379		23
257	Toughness of hard nanostructured ceramic thin films. <i>Surface and Coatings Technology</i> , 2007 , 201, 5148-5152		258
256	Structure and mechanical properties of ZrCrAlN nanostructured thin films by closed-field unbalanced magnetron sputtering. <i>Surface and Coatings Technology</i> , 2007 , 201, 5547-5551	4.4	6
255	Effect of Al Addition on Structure and Properties of Sputtered TiC Films. 2007 , 4, S6-S10		13
254	Ti-Si-N Films with a High Content of Si. 2007 , 4, S574-S578		18
253	Properties of magnetron sputtered AlSiN thin films with a low and high Si content. <i>Surface and Coatings Technology</i> , 2008 , 202, 3485-3493	4.4	48

252	Ta-doped multifunctional bioactive nanostructured films. <i>Surface and Coatings Technology</i> , 2008 , 202, 3615-3624	4.4	33
251	Industrial applications of superhard nanocomposite coatings. <i>Surface and Coatings Technology</i> , 2008 , 202, 5063-5073	4.4	304
250	Effects of Al target power on the mechanical and oxidation resistance of the CrN/AlN multilayer coatings. <i>Surface and Coatings Technology</i> , 2008 , 202, 5526-5529	4.4	28
249	Abrasive wear resistance of Ti1-xAlxN hard coatings deposited by a vacuum arc system with lateral rotating cathodes. <i>Surface and Coatings Technology</i> , 2008 , 203, 680-684	4.4	28
248	Comparison in mechanical and tribological properties of CrMoN and CrTiAlN multilayer films deposited by DC reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 2008 , 202, 2189-2193	4.4	50
247	Nanoindentation study of amorphous-Co79Zr13Nb8/Cr multilayers. <i>Surface and Coatings Technology</i> , 2008 , 202, 3239-3245	4.4	17
246	Wear, erosion and corrosion resistance of CrTiAlN coating deposited by magnetron sputtering. <i>Surface and Coatings Technology</i> , 2008 , 202, 3886-3892	4.4	50
245	Some Applications of Cathodic Arc Coatings. 2008 , 429-490		1
244	Bilayer period dependence of CrN/CrAlN nanoscale multilayer thin films. 2009 , 45, 73-79		18
243	Two-Functional Direct Current Sputtered Silver-Containing Titanium Dioxide Thin Films. 2009 , 4, 313-320		19
242	Tribofilm formation and tribological properties of TiC and nanocomposite TiAlC coatings. 2009 , 266, 379-387		38
241	Structures and properties of hard and superhard nanocomposite coatings. 2009 , 52, 29-54		120
240	Structures, mechanical properties and thermal stability of TiN/SiNx multilayer coatings deposited by magnetron sputtering. 2009 , 486, 515-520		25
239	Structures and properties of hard and superhard nanocomposite coatings. 2009 , 179, 35		36
238	Microstructure and tribological properties of CrN and CrSiCN coatings. <i>Surface and Coatings Technology</i> , 2010 , 205, 182-188	4.4	49
237	Structure and mechanical properties of low temperature magnetron sputtered nanocrystalline (nc-)Ti(N,C)/amorphous diamond like carbon (a-C:H) coatings. 2010 , 519, 24-30		11
236	CrN/Ag nanocomposite coatings: Tribology at room temperature and during a temperature ramp. <i>Surface and Coatings Technology</i> , 2010 , 204, 1388-1394	4.4	58
235	Si-doped multifunctional bioactive nanostructured films. <i>Surface and Coatings Technology</i> , 2010 , 205, 728-739	4.4	32

234	Microstructure, mechanical and electrochemical properties evaluation of pulsed DC reactive magnetron sputtered nanostructured Cr ₂ N and Cr ₂ SiN thin films. <i>Surface and Coatings Technology</i> , 2010 , 205, 1331-1338	4.4	15
233	Mechanical properties optimization of tungsten nitride thin films grown by reactive sputtering and laser ablation. 2010 , 85, 69-77		23
232	Diamond-like carbon coatings enhance the hardness and resilience of bearing surfaces for use in joint arthroplasty. 2010 , 6, 1619-24		46
231	Tribological and mechanical properties of nanocrystalline-TiC/a-C nanocomposite thin films. 2010 , 28, 244-249		99
230	Computer Simulations of Nanometer-Scale Indentation and Friction. 2010 , 955-1011		2
229	Computer Simulations of Nanometer-Scale Indentation and Friction. 2011 , 439-525		4
228	Mechanical and electrochemical characterization of vanadium nitride (VN) thin films. 2011 , 258, 312-320		77
227	TiCu hard nanocomposite films prepared by pulse biased arc ion plating. 2011 , 258, 370-376		25
226	Properties of nanocrystalline AlCu films reactively sputtered by DC pulse dual magnetron. 2011 , 258, 1762-1767		32
225	TiAlN coatings deposited by triode magnetron sputtering varying the bias voltage. 2011 , 257, 6181-6185		70
224	Structure and properties of CrAlSiN Nanocomposite coatings deposited by lateral rotating cathod arc. 2011 , 519, 1894-1900		49
223	Evaluation of rhenium carbide as a prospective material for hard coating. 2011 , 519, 3236-3241		4
222	Microscale interpretation of tribological phenomena in Ti/TiN soft-hard multilayer coatings on soft austenite steel substrates. 2011 , 59, 343-355		25
221	Tribological Behaviors of Titanium Nitride- and Chromium-Nitride-Based Physical Vapor Deposition Coating Systems. 2012 , 134,		5
220	Microstructural, nanomechanical and antibacterial properties of magnetron sputtered nanocomposite thin films of CrN/Cu. 2012 , 28, 134-140		13
219	The influence of Ti doping on the mechanical properties of TaN film. <i>Surface and Coatings Technology</i> , 2012 , 212, 128-133	4.4	10
218	Nanocomposites of carbon nanotubes embedded in a (Ti,Al)N coated film. <i>Surface and Coatings Technology</i> , 2012 , 212, 223-228	4.4	5
217	Microstructure and Erosion Resistance Performance of ZrAlN/Cu Coating. 2012 , 32, 757-765		2

216	The effect of addition of Al in ZrO ₂ thin film on its resistance to cracking. <i>Surface and Coatings Technology</i> , 2012 , 207, 355-360	4.4	28
215	Characterization of the elastic-plastic behavior of intermetallic coatings growth on medical stainless steel by instrumented ultramicroindentation. 2012 , 16, 1-8		13
214	Transparent ZrAlO ₃ oxide coatings with enhanced resistance to cracking. <i>Surface and Coatings Technology</i> , 2012 , 206, 2105-2109	4.4	42
213	Impact wear resistance of plasma diffusion treated and duplex treated/PVD-coated Ti ₆ Al ₄ V alloy. <i>Surface and Coatings Technology</i> , 2012 , 206, 2645-2654	4.4	26
212	Influence of Zr and O on the structure and properties of TiC(N) coatings deposited by magnetron sputtering of composite TiC _{0.5} +ZrO ₂ and (Ti, Zr)C _{0.5} +ZrO ₂ targets. <i>Surface and Coatings Technology</i> , 2012 , 206, 2506-2514	4.4	10
211	Two-phase single layer Al-O-N nanocomposite films with enhanced resistance to cracking. <i>Surface and Coatings Technology</i> , 2012 , 206, 4230-4234	4.4	34
210	Nanocrystalline TiN coatings with improved toughness deposited by pulsing the nitrogen flow rate. <i>Surface and Coatings Technology</i> , 2012 , 206, 4279-4286	4.4	40
209	An investigation into the tribological performance of Physical Vapour Deposition (PVD) coatings on high thermal conductivity Cu-alloy substrates and the effect of an intermediate electroless Ni ₃ P layer prior to PVD treatment. 2012 , 520, 2922-2931		13
208	Improved mechanical performance and delayed corrosion phenomena in biodegradable Mg-Zn-Ca alloys through Pd-alloying. 2012 , 6, 53-62		61
207	Micro-abrasion wear testing of triode plasma diffusion and duplex treated Ti ₆ Al ₄ V alloy. 2012 , 274-275, 377-387		19
206	A study on the tribological characteristics of duplex-treated Ti ₆ Al ₄ V alloy under oil-lubricated sliding conditions. 2013 , 64, 155-163		43
205	Impact wear and abrasion resistance of CrN, AlCrN and AlTiN PVD coatings. <i>Surface and Coatings Technology</i> , 2013 , 215, 170-177	4.4	94
204	Selection of boron based tribological hard coatings using multi-criteria decision making methods. 2013 , 50, 742-749		48
203	An investigation of the tribological and nano-scratch behaviors of FeNiCr alloy sintered by direct metal laser sintering. 2013 , 47, 386-394		19
202	Thermal stability of CrTaN hard coatings prepared using biased direct current sputter deposition. 2013 , 544, 606-611		5
201	Antibacterial CrCuO films prepared by reactive magnetron sputtering. 2013 , 276, 660-666		20
200	Hard coating material selection using multi-criteria decision making. 2013 , 44, 240-245		47
199	Analysis on multiple ring-like cracks in thin amorphous carbon film on soft substrate under nanoindentation. 2013 , 46, 505314		17

198	Wear mechanism and tribological characteristics of porous NiTi shape memory alloy for bone scaffold. 2013 , 101, 2586-601		13
197	A nanometric cushion for enhancing scratch and wear resistance of hard films. 2014 , 5, 1005-15		6
196	The effect of Cu and Ni on the nanostructure and properties of arc-PVD coatings based on titanium nitride. <i>Surface and Coatings Technology</i> , 2014 , 260, 186-197	4-4	26
195	Properties of nanostructured TiN-Ni ceramic-metal coatings obtained by ion-plasma vacuum-arc method. 2014 , 55, 456-463		4
194	Effect of substrate bias on microstructure and properties of NiTiN nanocomposite thin films deposited by reactive magnetron co-sputtering. <i>Surface and Coatings Technology</i> , 2014 , 251, 239-246	4-4	22
193	Synthesis of Cu doped TiN composite films deposited by pulsed bias arc ion plating. 2014 , 320, 17-21		13
192	Structure and indentation behavior of nanocomposite TiBN films. 2014 , 564, 160-169		15
191	Tribology of Engineered Surfaces. 2014 , 123-166		1
190	Application of Recently Developed MCDM Methods for Materials Selection. 2015 , 809-810, 1468-1473		0
189	Influence of Si contents on tribological characteristics of CrAlSiN nanocomposite coatings. 2015 , 584, 46-51		25
188	The tribological properties of Zr/a-C:Zr/Zr-C:H-x films with various pulsed-direct current power frequency sliding against various normal loading. 2015 , 19, S5-337-S5-342		1
187	Structure and phase formation in the TiAlSiN system during the growth of nanostructured arc PVD coatings. 2015 , 51, 1111-1117		6
186	Nanostructuring and property modification of arc PVD TiN coatings by nickel. 2015 , 51, 122-128		8
185	Mechanical properties of commercial LiMn2O4 cathode under different States of Charge. 2015 , 89, 153-162		35
184	Dependence of nanoindentation hardness with crystallographic orientation of austenite grains in metastable stainless steels. 2015 , 645, 188-195		38
183	Mechanical properties of sol-gel coatings on polycarbonate: a review. 2015 , 75, 710-719		23
182	Structural and mechanical properties of reactively sputtered TiAlC nanostructured hard coatings. <i>Surface and Coatings Technology</i> , 2015 , 276, 431-439	4-4	10
181	The structure, oxidation resistance, mechanical and tribological properties of CrTiAlN coatings. <i>Surface and Coatings Technology</i> , 2015 , 277, 58-66	4-4	14

180	Microstructure and tribological behavior of multilayered CrN coating by arc ion plating. <i>Surface and Coatings Technology</i> , 2015 , 275, 332-340	4-4	20
179	Structural, morphological and mechanical characterization of Mo sputtered coatings. <i>Surface and Coatings Technology</i> , 2015 , 266, 14-21	4-4	7
178	A mechanical and tribological study of Cr/CrN multilayer coatings. 2015 , 160, 131-140		15
177	Microstructures and wear properties of laser cladding Co-based composite coatings on Ti6Al4V. 2015 , 80, 174-181		96
176	Mechanical properties and oxidation resistance of reactively sputtered Ta _{1-x} Zr _x Ny thin films. <i>Surface and Coatings Technology</i> , 2015 , 280, 27-36	4-4	18
175	Chemical inertness of Cr ₂ N coatings in glass molding. 2015 , 593, 102-109		20
174	Development of Si-modified CrAlSiN nanocomposite coating for anti-wear application in extreme environment. <i>Surface and Coatings Technology</i> , 2015 , 284, 273-280	4-4	21
173	Microstructure and mechanical properties of reactive sputtered nanocrystalline (Ti,Al)N films. 2015 , 584, 192-197		10
172	TiN films deposition inside stainless-steel tubes using magnetic field-enhanced arc ion plating. 2015 , 112, 46-54		15
171	Influence of discharge power on the structural, electro-optical, and mechanical properties of (TiZrHf)N coatings. 2015 , 622, 446-457		17
170	Mechanical properties, sliding wear and solid particle erosion behaviors of plasma enhanced magnetron sputtering CrSiCN coating systems. 2015 , 324-325, 27-35		37
169	Mechanical properties and oxidation behavior of ZrNx thin films fabricated through high-power impulse magnetron sputtering deposition. 2016 , 34, 02D107		5
168	Hardness, adhesion strength, and tribological properties of adaptive nanostructured ion-plasma vacuum-arc coatings (Ti,Al)NMo ₂ N. 2016 , 57, 572-579		2
167	Modifications of surface properties of beta Ti by laser gas diffusion nitriding. 2016 , 28, 022505		5
166	Role of minor additions on metallic glasses and composites. 2016 , 31, 76-87		10
165	Development and evaluation of low friction TiSiCN nanocomposite coatings for piston ring applications. <i>Surface and Coatings Technology</i> , 2016 , 298, 121-131	4-4	40
164	Nanoindentation Study of the Surface of Ion-Exchanged Lithium Silicate Glass. 2016 , 120, 5585-5598		6
163	Nanoindentation as an alternative to mechanical abrasion for assessing wear of polymeric automotive coatings. 2016 , 13, 677-690		8

162	Effect of volume fraction on mechanical properties of Zr/ZrN multilayer systems. 2016 , 42, 18806-18812		10
161	The microstructure and mechanical properties of thin film Ni(Ti) nanocomposite coatings containing both oxygen and nitrogen. <i>Surface and Coatings Technology</i> , 2016 , 304, 375-383	4-4	3
160	Competing mechanisms in the wear resistance behavior of biomineralized rod-like microstructures. 2016 , 96, 511-534		13
159	Hybrid dcMS/HPPMS PVD nitride and oxynitride hard coatings for adhesion and abrasion reduction in plastics processing. <i>Surface and Coatings Technology</i> , 2016 , 308, 349-359	4-4	19
158	Gradient nanostructured coatings obtained by magnetron sputtering of a multiphase AlN _{0.7} IB _{2.0} iSi ₂ target. 2016 , 117, 990-1002		5
157	Carbon doping to improve the high temperature tribological properties of VN coating. 2016 , 97, 327-336		31
156	Structure and properties of CrSiCN coatings deposited by pulsed dc magnetron sputtering for wear and erosion protection. <i>Surface and Coatings Technology</i> , 2016 , 287, 44-54	4-4	20
155	Investigation of the effects of AR layers on the structure and properties of transparent conductive oxide thin films. <i>Surface and Coatings Technology</i> , 2016 , 290, 2-9	4-4	1
154	Structure and wear behavior of AlCrSiN-based coatings. 2016 , 370, 176-183		17
153	Simultaneously achieving superior mechanical and tribological properties in WC/a-C nanomultilayers via structural design and interfacial optimization. 2017 , 698, 420-432		27
152	Investigation of various properties of HfO ₂ -TiO ₂ thin film composites deposited by multi-magnetron sputtering system. 2017 , 421, 170-178		11
151	Mechanical properties and oxidation resistance of sputtered Cr _{0.7} N coatings. <i>Surface and Coatings Technology</i> , 2017 , 320, 196-200	4-4	8
150	Phase composition, structure, and mechanical properties of arc PVD MoSi ₂ Al and MoSi ₂ AlN coatings. 2017 , 53, 125-134		6
149	Investigation of Ti _{0.54} Al _{0.46} /Ti _{0.54} Al _{0.46} N multilayer films deposited by reactive gas pulsing process by nano-indentation and electron energy-loss spectroscopy. 2017 , 634, 96-106		9
148	BiS ₂ -based superconductor presents ductile-like tribo-mechanical behavior. 2017 , 30, 075005		2
147	Scratch adhesion and tribological behaviour of graded Cr/CrN/CrTiN coatings synthesized by closed-field unbalanced magnetron sputtering. 2017 , 380-381, 163-175		43
146	Investigations on Mechanical and Tribological Behavior of dcMS/HPPMS CrN and (Cr,Al)N Hard Coatings Using Nanoscratch Technique . 2017 , 19, 1600632		21
145	Flexible Hard Coating: Glass-Like Wear Resistant, Yet Plastic-Like Compliant, Transparent Protective Coating for Foldable Displays. 2017 , 29, 1700205		59

144	Cross-Talk Immunity of PEDOT:PSS Pressure Sensing Arrays with Gold Nanoparticle Incorporation. 2017 , 7, 12252		11
143	Investigation of the influence of the vanadium content on the high temperature tribo-mechanical properties of DC magnetron sputtered AlCrVN thin films. <i>Surface and Coatings Technology</i> , 2017 , 328, 172-181	4-4	16
142	Abrasive-Erosive Wear of Thermally Sprayed Coatings from Experimental and Commercial Cr ₃ C ₂ -Based Powders. 2017 , 26, 2020-2029		4
141	Influence of nitrogen variation on the microstructural, mechanical and tribological properties of CN _x coatings deposited by dc unbalanced magnetron sputtering. <i>Surface and Coatings Technology</i> , 2017 , 332, 414-421	4-4	1
140	Tailoring the mechanical and tribological properties of B ₄ C/a-C coatings by controlling the boron carbide content. <i>Surface and Coatings Technology</i> , 2017 , 329, 11-18	4-4	32
139	High temperature nanotribology of ultra-thin hydrogenated amorphous carbon coatings. 2017 , 123, 112-121		19
138	Computer Simulations of Nanometer-Scale Indentation and Friction. 2017 , 1013-1067		
137	Extended metastable Al solubility in cubic VAlN by metal-ion bombardment during pulsed magnetron sputtering: film stress vs subplantation. 2017 , 122, 025304		15
136	Multilayer design of CrN/MoN protective coatings for enhanced hardness and toughness. 2017 , 725, 1188-1198		60
135	Selectable phase formation in VAlN thin films by controlling Al subplantation depth. 2017 , 7, 17544		14
134	Ta ₂ N ₅ Thin Films Fabricated through HIPIMS/RFMS Co-Sputtering. <i>Coatings</i> , 2017 , 7, 189	2-9	5
133	Flexible Antibacterial Coatings. 2017 , 22,		17
132	Superhard amorphous/nanocrystalline multilayer coatings for carbide inserts used for intermittent cutting. 2018 , 96, 2953-2962		1
131	Tribological properties of nanocomposite Cr-Mo-Si-N coatings at elevated temperature through silicon content modification. <i>Surface and Coatings Technology</i> , 2018 , 338, 69-74	4-4	29
130	Solid particle erosion behavior of nanolaminated Cr ₂ AlC films. 2018 , 402-403, 187-195		19
129	Wear behavior of graded Cr-CrN-Cr(1-x)Al(x)N coatings synthesized by closed-field unbalanced magnetron sputtering for advanced machining operations. 2018 , 44, 7723-7733		8
128	Abrasive, hydroabrasive, and erosion wear behaviour of nanostructured (Ti,Al)N-Cu and (Ti,Al)N-Ni coatings. <i>Surface and Coatings Technology</i> , 2018 , 338, 1-13	4-4	12
127	Structure, corrosion, and tribological properties of CrSiN coatings with various Si contents in 3.5% NaCl solution. 2018 , 50, 471-479		14

126	Development of new $Zr-Ti-Nb-Zr$ biocompatible coating with low Young's modulus and high toughness for medical applications. 2018 , 142, 44-55		16
125	Structure and Phase Formation in the $MoSi_2-Al_2O_3-ZrN$ System during the Formation of Arc-PVD Coatings and Their Properties. 2018 , 2018, 663-670		
124	Experimental study of tribological and mechanical properties of TiN coating on AISI 52100 bearing steel. 2018 , 10, 168781401880288		13
123	Mechanical Properties of $ZrSi_3N_4$ Films Fabricated through HiPIMS/RFMS Co-Sputtering. <i>Coatings</i> , 2018 , 8, 263	2.9	5
122	The effect of crystallographic grain orientation of polycrystalline Ti on ploughing under scratch testing. 2018 , 408-409, 214-221		23
121	Wear and erosion of arc-PVD multilayer Ti-Al-Mo-N coatings under various conditions of friction and loading. 2018 , 98, 593-601		13
120	Heat Resistance, High-Temperature Tribological Characteristics, and Electrochemical Behavior of Arc-PVD Nanostructural Multilayer $Ti-Al-Si-N$ Coatings. 2018 , 54, 416-424		1
119	High-Performance and Simply-Synthesized Ladder-Like Structured Methacrylate Siloxane Hybrid Material for Flexible Hard Coating. 2018 , 10,		19
118	Contact Behavior of Composite $CrTiSiN$ Coated Dies in Compressing of Mg Alloy Sheets under High Pressure. <i>Materials</i> , 2018 , 11,	3.5	0
117	Structure, Composition, and Properties of Arc PVD $MoSi_2-Al_2O_3-TiN$ Coatings. 2018 , 54, 437-445		2
116	Effect of annealing temperature on the properties of Ag doped ZnO thin films. 2018 , 5, 106406		4
115	Tribological performance of TiN and TiCN coatings on a working tool steel. 2018 , 32, 3659-3666		3
114	Ni nanocluster composites for enhanced impact resistance of multilayered arc-PVD ceramic coatings. <i>Surface and Coatings Technology</i> , 2018 , 354, 360-368	4.4	5
113	A review of the intrinsic ductility and toughness of hard transition-metal nitride alloy thin films. 2019 , 688, 137479		31
112	Effect of multicomponent doping on the structure and tribological properties of VN-based coatings. 2019 , 806, 566-574		7
111	Investigation of the Fracture and Strength of a Compound with a Carbide Base of a Wear-Resistant Ion-Plasma Vacuum-Arc TiN , $TiAlN$, $TiAlCrN$, and $TiAlTiN$ Coatings by the Scratch Testing. 2019 , 40, 171-178		
110	Effect of Bias Voltage on Mechanical Properties of HiPIMS/RFMS Cosputtered Zr-Si-N Films. <i>Materials</i> , 2019 , 12,	3.5	3
109	Mechanical and tribological properties of nanostructured $TiAlN/TaN$ coatings deposited by DC magnetron sputtering. <i>Surface and Coatings Technology</i> , 2019 , 378, 124941	4.4	10

108	A comparative study on the nanoindentation behavior, wear resistance and in vitro biocompatibility of SLM manufactured CP-Ti and EBM manufactured Ti64 gyroid scaffolds. 2019 , 97, 587-596		34
107	Wear modes in open porosity titanium matrix composites with TiC addition processed by spark plasma sintering. 2019 , 29, 1653-1664		14
106	Structural, mechanical and tribological properties of ZrC thin films deposited by magnetron sputtering. 2019 , 169, 108909		10
105	Cavitation Erosion and Sliding Wear Mechanisms of AlTiN and TiAlN Films Deposited on Stainless Steel Substrate. <i>Coatings</i> , 2019 , 9, 340	2.9	30
104	Effect of electric currents on tribological behaviors of Ti/MoS ₂ composite film sliding against aluminum. 2019 , 7, 025014		
103	Wear resistance of TiN or AlTiN nanostructured Ni-based hardfacing by PTA under pin on disc test. 2019 , 426-427, 1584-1593		7
102	Investigation of the Temperature-Related Wear Performance of Hard Nanostructured Coatings Deposited on a S600 High Speed Steel. 2019 , 9, 332		5
101	Galling resistance of nanostructured CVD tungsten/tungsten carbide coatings. 2019 , 7, 025004		4
100	Characterization of HfO ₂ Optical Coatings Deposited by MF Magnetron Sputtering. <i>Coatings</i> , 2019 , 9, 106	2.9	20
99	A review on the mechanical properties for thin film and block structure characterised by using nanoscratch test. 2019 , 8, 628-644		17
98	Tribological properties of boron carbonitride coatings sliding against different wood (acerbic, beech, and lauan) balls. 2019 , 28, 096369351987573		4
97	Evaluation of the fracture toughness of Ti _{1-x} Zr _x N hard coatings: Effect of compositions. <i>Surface and Coatings Technology</i> , 2019 , 358, 487-496	4.4	8
96	Friction wear property of laser surface processed Ni-based amorphous alloy coatings. 2019 , 33, 1940014		
95	Influence of the deposition parameters on the texture and mechanical properties of magnetron sputtered cubic MoN _x thin films. 2019 , 5, 100186		8
94	Microstructure, mechanical and corrosion properties of TiN/Ni nanomultilayered films. 2019 , 38, 979-988		3
93	Preparation of multicomponent thin films by magnetron co-sputtering method: The Cu-Ti case study. 2019 , 161, 419-428		10
92	CrAg coatings: synthesis, microstructure and antimicrobial properties. 2019 , 35, 596-603		3
91	Structure formation of adaptive arc-PVD Ti-Al-Mo-N and Ti-Al-Mo-Ni-N coatings and their wear-resistance under various friction conditions. <i>Surface and Coatings Technology</i> , 2019 , 376, 38-43	4.4	10

90	Tribological studies of reactive magnetron sputtered titanium aluminium nitride (TiAlN) coatings. 2019 , 17, 90-94		1
89	Structure and mechanical properties of TiAlCrSiN coatings deposited on Ti(C,N)-NbC-Ni cermets with varied Mo ₂ C contents. 2020 , 86, 105083		3
88	Adhesion and dynamic impact wear of nanocomposite TiC-based coatings prepared by DCMS and HiPIMS. 2020 , 86, 105123		10
87	Selection of Coating and Nitriding Process for AISI 4140 Steel Material to Enhance Tribological Properties. 2020 , 463-473		1
86	Tuning of mechanical properties of Ti _{1-x} Al _x N coatings through Ta alloying. <i>Surface and Coatings Technology</i> , 2020 , 382, 125219	4-4	6
85	Microstructure and properties of TiB ₂ /Cr multilayered coatings with double periodical structures. <i>Surface and Coatings Technology</i> , 2020 , 382, 125150	4-4	7
84	Nanomechanical Characterization for Cold Spray: From Feedstock to Consolidated Material Properties. 2020 , 10, 1195		11
83	Hot-injection for synthesizing ammonium thiosulfate precursor of molybdenum disulfide thin film coated on nano-porous aluminum oxide for surface strengthening. 2020 , 848, 156262		3
82	Nickel Effect on the Structure and Properties of Adaptive Wear-Resistant Arc-PVD TiAlMoN Coatings. 2020 , 61, 466-474		4
81	Hardness, Young's Modulus and Elastic Recovery in Magnetron Sputtered Amorphous AlMgB ₁₄ Films. 2020 , 10, 823		4
80	Nanomechanics of Biomaterials From Cells to Shells. 2020 , 60, 1171-1184		4
79	Using Methods of Analysis of Optical Images of Friction Surfaces of TiAlN Based Coatings for Assessing Accumulation of Damage and Diagnostics of Failure in Tribological Tests. 2020 , 56, 635-646		
78	Effect of applied load on the tribological properties of MoS ₂ /TiL/MoS ₂ /TiH nano-multilayer coating. 2020 , 10, 105303		2
77	Effects of titanium doping on the structure and mechanical properties of diamond-like nanocomposite films. <i>Surface and Coatings Technology</i> , 2020 , 402, 126300	4-4	3
76	Effect of the Microwave Heating on Diffusion Kinetics and Mechanical Properties of Borides in AISI 316L. 2020 , 73, 2635-2644		9
75	Effects of the Nitrogen Flow Ratio and Substrate Bias on the Mechanical Properties of W ₂ N and WSi ₂ N Films. <i>Coatings</i> , 2020 , 10, 1252	2,9	1
74	Room- and elevated-temperature nano-scaled mechanical properties of low-density Ti-based medium entropy alloy. 2020 , 798, 140140		0
73	Mechanical and High-Temperature Tribological Properties of Cr ₃ C ₂ -NiCr/TiN Duplex Coating. 2020 , 29, 7207-7220		1

72	Improvement of CrMoN/SiNx coatings on mechanical and high temperature Tribological properties through biomimetic laminated structure design. <i>Surface and Coatings Technology</i> , 2020 , 393, 125754	4.4	4
71	Comparison of Lifetime of the PVD Coatings in Laboratory Dynamic Impact Test and Industrial Fine Blanking Process. <i>Materials</i> , 2020 , 13,	3.5	3
70	Metal-ion subplantation: A game changer for controlling nanostructure and phase formation during film growth by physical vapor deposition. 2020 , 127, 180901		16
69	Influence of currents on tribological behavior of diamond-like carbon films. 2020 , 126, 1		4
68	Tribological Performance of Al Alloys Dispersed with Carbon Nanotubes or Ni-Coated Carbon Nanotubes Produced by Mechanical Milling and Extrusion. 2020 , 29, 1630-1639		3
67	Improved Mechanical Properties, Wear and Corrosion Resistance of 316L Steel by Homogeneous Chromium Nitride Layer Synthesis Using Plasma Nitriding. 2020 , 29, 877-889		11
66	Structure and mechanical properties of architecturally designed Ti-Al-N and Ti-Al-Ta-N-based multilayers. <i>Surface and Coatings Technology</i> , 2020 , 385, 125355	4.4	1
65	High temperature nanomechanical and nanotribological behavior of sub-5 nm nitrogen-doped carbon overcoat films. 2021 , 535, 147662		5
64	Effect of temperature and deposition technology on the microstructure, chemistry and tribo-mechanical characteristics of Ti-B based thin films by magnetron sputtering. <i>Surface and Coatings Technology</i> , 2021 , 405, 126556	4.4	1
63	Nanolayer CrAlN/TiSiN coating designed for tribological applications. 2021 , 47, 2022-2033		6
62	Characterization of Plasma-deposited a-C:H:Si:F:N Films. 2021 , 24,		
61	Tribological properties of multilayer tetrahedral amorphous carbon coatings deposited by filtered cathodic vacuum arc deposition. 2021 , 9, 1292-1302		1
60	Influence of the PVD process conditions on the incorporation of TiN nanoparticles into magnetron sputtered CrN thin films. <i>Surface and Coatings Technology</i> , 2021 , 409, 126935	4.4	0
59	A modified Sneddon model for the contact between conical indenters and spherical samples. 2021 , 36, 1762-1771		1
58	Study on the Effect of the Sealers on the Steel Surface Layer Modified by Electrical Discharge Machining. 316, 713-719		
57	Improvement of the mechanical and the tribological properties of CrNbTiMoZr coatings through the incorporation of carbon and the adjustment of the substrate bias voltage. <i>Surface and Coatings Technology</i> , 2021 , 412, 127064	4.4	2
56	Investigation of the Wear Performance of TiB Coated Cutting Tools during the Machining of Ti6Al4V Alloy. <i>Materials</i> , 2021 , 14,	3.5	2
55	Silicon carbonitride ceramic surface-modified nanoporous aluminum alloy by preceramic polysilazane precursor for surface strengthening. 2021 , 267, 115113		2

54	Mechanical Properties and Diffusion Barrier Performance of CrWN Coatings Fabricated through Hybrid HiPIMS/RFMS. <i>Coatings</i> , 2021 , 11, 690	2.9	2
53	Friction and wear behaviors of NiAlBi ₂ O ₃ /Ag/Cr ₂ O ₃ composite coating in the thermal cycle of RT-800°C. 2021 , 159, 106957		5
52	Phase formation and mechanical properties of reactively and non-reactively sputtered Ti-B-N hard coatings. <i>Surface and Coatings Technology</i> , 2021 , 420, 127327	4.4	2
51	Influence of substrate bias and temperature on the crystallization of metallic NbTaTiVZr high-entropy alloy thin films. <i>Surface and Coatings Technology</i> , 2021 , 421, 127357	4.4	6
50	A Facile Nitriding Approach for Improved Impact Wear of Martensitic Cold-Work Steel Using H ₂ /N ₂ Mixture Gas in an AC Pulsed Atmospheric Plasma Jet. <i>Coatings</i> , 2021 , 11, 1119	2.9	3
49	Impact of structure on mechanical properties and oxidation behavior of magnetron sputtered cubic and hexagonal MoN _x thin films. <i>Applied Surface Science Advances</i> , 2021 , 5, 100119	2.6	1
48	Influence of bilayers period on mechanical properties of TaN _x /TaC _x multilayers obtained by direct current magnetron sputtering. 2021 , 734, 138845		
47	Tribological properties of plasma sprayed Cr ₂ O ₃ , Cr ₂ O ₃ /TiO ₂ , Cr ₂ O ₃ /Al ₂ O ₃ and Cr ₂ O ₃ /rO ₂ coatings. 2021 , 480-481, 203931		7
46	High temperature mechanical properties of fluorite crystal structured materials (CeO ₂ , ThO ₂ , and UO ₂) and advanced accident tolerant fuels (U ₃ Si ₂ , UN, and UB ₂). 2021 , 554, 153035		6
45	Mechanical performance of ITO/Ag/ITO multilayer films deposited on glass substrate by RF and DC magnetron sputtering. 2021 , 47, 31442-31450		1
44	Hard Nanocomposite Films Prepared by Reactive Magnetron Sputtering. 2004 , 43-56		3
43	Computational Modeling of Nanometer-Scale Tribology. 2005 , 623-691		8
42	Computer Simulations of Nanometer-Scale Indentation and Friction. 2017 , 301-370		1
41	Computer Simulations of Nanometer-Scale Indentation and Friction. 2007 , 1051-1106		7
40	Structure, Properties and Fabrication of the Solid Nanocrystalline Coatings Deposited in Several Ways. 2007 , 8, 171-246		8
39	A study of properties of ZrO ₂ thin films deposited by magnetron sputtering under different plasma parameters: Biomedical application. 2019 , 70, 117-121		5
38	Influence of magnetron powering mode on various properties of TiO ₂ thin films. 2018 , 36, 748-760		0
37	Effect of Modulation Periods on the Mechanical and Tribological Performance of MoS ₂ /TiL/MoS ₂ /TiH Multilayer Coatings. <i>Coatings</i> , 2021 , 11, 1230	2.9	

36	Surface morphology and mechanical properties changes induced in Ti3InC2 (M3AX2) thin nanocrystalline films by irradiation of 100 keV Ne+ ions. <i>Surface and Coatings Technology</i> , 2021 , 426, 127775	4.4	1
35	Micro-Hardness and Micro-Wear Measurements on Magnetic Heads. 2003 , 377-386		
34	Germanium window with highly durable diamond-like carbon coating for infrared camera of automobile. 2019 ,		
33	Nickel effect on the structure and properties of adaptive wear-resistant arc-PVD TiAlMoN coatings. 2019 , 68-77		
32	Study of plasma-hardened wheel steel using nanoindentation. 2020 , 86, 56-60		
31	Final plasma hardening the details of peristaltic pumps. 2020 , 150-161		
30	Computer Simulations of Nanometer-Scale Indentation and Friction. 2008 , 655-740		
29	Tribological Characterization of TiAlC nanostructured Coatings Deposited by DC Pulse Magnetron Sputtering. 1-28		
28	Effect of cermet substrate characteristics on the microstructure and properties of TiAlN coatings. 2022 , 29, 547-556		2
27	Room Temperature Deposition of Nanocrystalline SiC Thin Films by DCMS/HiPIMS Co-Sputtering Technique.. <i>Nanomaterials</i> , 2022 , 12,	5.4	0
26	Mechanical, oxidation, and cutting properties of AlCrN/AlTiSiN nano-multilayer coatings. <i>Surface and Coatings Technology</i> , 2022 , 433, 128094	4.4	1
25	Optimizing mechanical properties in single-layered and multi-layered amorphous carbon coatings. 2022 , 123, 108843		0
24	The influence of the H/E ratio on wear resistance of coating systems [Insights from small-scale testing. <i>Surface and Coatings Technology</i> , 2022 , 128272	4.4	4
23	Protective films on complex substrates of thermoplastic and cellular elastomers: Prospective applications to rubber, nylon and cork. <i>Surface and Coatings Technology</i> , 2022 , 128405	4.4	1
22	Mechanical properties and oxidation behavior of CrWSiN films. <i>Surface and Coatings Technology</i> , 2022 , 437, 128368	4.4	0
21	Improved interfacial adhesion of AlTiN coating by micro-grooves using ultrasonic surface rolling processing. <i>Journal of Materials Processing Technology</i> , 2022 , 304, 117570	5.3	0
20	Investigation of friction and wear resistance of carbonitrided AISI 4130 steels using single and multi-pass scratch technique. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 095440622210875	1.3	
19	Contact size effects on the friction and wear of amorphous carbon films. <i>Applied Surface Science Advances</i> , 2022 , 9, 100248	2.6	1

18	Mechanical and Tribological Properties of Ta-N and Ta-Al-N Coatings Deposited by Reactive High Power Impulse Magnetron Sputtering.. <i>Materials</i> , 2022 , 15,	3.5	1
17	Effects of W Content on Structural and Mechanical Properties of TaWN Films. <i>Coatings</i> , 2022 , 12, 700	2.9	0
16	Fracture behaviour of silver nanowire films during shear deformation. <i>Nanotechnology</i> , 2022 , 33, 375706	3.4	
15	Sliding wear performance of TiAl-based nitride coatings deposited on ADI by cathodic arc deposition and plasma based ion implantation and deposition. <i>Tribology - Materials, Surfaces and Interfaces</i> , 1-14	1.4	
14	Role of Nitrogen and Yttrium Contents in Manufacturing (Cr, Y) _{Nx} Film Nanostructures. <i>Nanomaterials</i> , 2022 , 12, 2410	5.4	
13	Tailoring the Hybrid Magnetron Sputtering Process (HiPIMS and dcMS) to Manufacture Ceramic Multilayers: Powering Conditions, Target Materials, and Base Layers. <i>Nanomaterials</i> , 2022 , 12, 2465	5.4	0
12	Characteristics of Thin High Entropy Alloy Films Grown by Pulsed Laser Deposition. 2022 , 12, 1211		
11	Improvement of Mechanical Properties and Adhesion of Ti-Al-Si-N Coatings by Alloying with Ta. 2022 , 10, 178		
10	Microstructure and properties of Nb ₂ O ₅ /Mg gradient coating on AZ31 magnesium alloy by magnetron sputtering. 2022 ,		1
9	A pseudospectral contact mechanics simulation of microindentation in two slip systems activated single crystalline material by using a homographic conformal mapping. 2023 , 146, 327-347		0
8	Wear Induced Sub-surface Deformation Characteristics of a 26 Wt% Cr White Cast Iron Subjected to a Destabilization Heat Treatment. 2023 , 71,		0
7	The effect of the Ar/N ₂ gas ratio on the structure and properties of Ta-Si-N coatings produced by magnetron sputtering of TaSi ₂ target. 2023 , 102654		0
6	A comparative study of nanolaminate CrN/Mo ₂ N and CrN/W ₂ N as hard and corrosion resistant coatings. 2023 , 455, 129209		0
5	Multi-Parametric Exploration of a Selection of Piezoceramic Materials for Bone Graft Substitute Applications. 2023 , 16, 901		0
4	Processing of Co-base/C-nanotubes compound coatings on D2 steel using plasma transferred by arc: Tribological and mechanical performance. 2023 , 461, 129458		0
3	Hard yet tough thermodynamics-driven nanostructured (AlCrNbSixTi) _N multicomponent nitride hard coating. 2023 , 947, 169645		0
2	Enhancing the wear performance of Ti-6Al-4V against Al ₂ O ₃ and WC-6Co via TiBn layer produced by boriding. 2023 , 65, 279-290		0
1	Boron Carbonitride Films with Tunable Composition: LPCVD and PECVD Synthesis Using Trimethylamine Borane and Nitrogen Mixture and Characterization. 2023 , 13, 4959		0

