

# CITATION REPORT

List of articles citing

## Actigraphy and motion analysis: new tools for psychiatry

DOI: 10.3109/10673229509017161

Harvard Review of Psychiatry, 1995, 3, 18-35.

**Source:** <https://exaly.com/paper-pdf/26398993/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
179	Relationship between early abuse, posttraumatic stress disorder, and activity levels in prepubertal children. <b>1996</b> , 35, 1384-93		83
178	Motor activity and severity of depression in hospitalized prepubertal children. <b>1996</b> , 35, 752-63		22
177	Objective measurement of hyperactivity and attentional problems in ADHD. <b>1996</b> , 35, 334-42		196
176	Circadian rhythms and the pharmacology of affective illness. <b>1996</b> , 71, 253-312		119
175	Circadian rest-activity disturbances in children with seasonal affective disorder. <b>1997</b> , 36, 188-95		24
174	Actigraphy can measure antidepressant-induced daytime sedation in healthy volunteers. <b>1997</b> , 12, 437-443		9
173	Indoor navigation using a diverse set of cheap, wearable sensors.		47
172	Motor activity and perception of sleep in depressed patients. <b>1999</b> , 33, 215-24		36
171	The anatomy of a clinical trial. <b>1999</b> , 14, S103-S108		
170	Actigraphic predictors of depressed mood in a cohort of non-psychiatric adults. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>1999</b> , 33, 553-8	2.6	21
169	Actigraphy to measure day structure as a therapeutic variable in the treatment of schizophrenic patients. <b>2000</b> , 102, 91-5		21
168	Spatiotemporal gait patterns during over ground locomotion in major depression compared with healthy controls. <b>2000</b> , 34, 277-83		144
167	Future Directions of Inquiry in Adapted Physical Activity. <b>2000</b> , 52, 369-381		14
166	Sleep estimation from wrist activity in patients with major depression. <b>2000</b> , 70, 49-53		49
165	Actigraphic monitoring (actigraphy) of circadian locomotor activity in schizophrenic patients with acute neuroleptic-induced akathisia. <b>2000</b> , 10, 171-6		29
164	Sleep estimation from wrist movement quantified by different actigraphic modalities. <b>2001</b> , 105, 185-91		215
163	Gender differences in associations of diurnal blood pressure variation, awake physical activity, and sleep quality with negative affect: the work site blood pressure study. <b>2001</b> , 38, 997-1002		63

162 Trastornos psicomotores en el niño. **2002**, 37, 1-15

161 Measuring psychomotor agitation by use of an actimeter: a pilot study. *Journal of Affective Disorders*, **2002**, 72, 91-4 6.6 8

160 Actigraphy in human psychopharmacology: a review. **2003**, 18, 39-49 35

159 Clinical and parental assessment of sleep in children with attention-deficit/hyperactivity disorder referred to a pediatric sleep medicine center. **2003**, 42, 807-13 59

158 Asymmetrical singularities in real-world signals. **2003**, 68, 065204 41

157 Rate dependency revisited: understanding the effects of methylphenidate in children with attention deficit hyperactivity disorder. **2003**, 13, 41-51 32

156 Novel strategy for the analysis of CPT data provides new insight into the effects of methylphenidate on attentional states in children with ADHD. **2004**, 14, 219-32 45

155 Relationships between diurnal blood pressure variation, physical activity, and health-related QOL. **2004**, 26, 145-55 12

154 Healthwear: medical technology becomes wearable. **2004**, 37, 42-49 97

153 Objective assessment of psychomotor retardation in primary care patients with depression. **2004**, 27, 31-7 13

152 The effects of yoga on the attention and behavior of boys with Attention-Deficit/ hyperactivity Disorder (ADHD). **2004**, 7, 205-16 148

151 Lower limb motor restlessness in Asperger's disorder, measured using actometry. *Psychiatry Research*, **2004**, 128, 63-70 9.9 7

150 Power law temporal auto-correlations in day-long records of human physical activity and their alteration with disease. **2004**, 66, 448-454 12

149 Chapter 6 Actigraphy. **2005**, 6, 67-72 2

148 Evaluation of depression with actigraphy. **2005**, 3, 22-26 3

147 Psychological therapies for bipolar disorder: the role of model-driven approaches to therapy integration. **2005**, 7, 22-32 24

146 Actigraphic assessment of circadian activity and sleep patterns in bipolar disorder. **2005**, 7, 176-86 231

145 Validity of Simpson-Angus Scale (SAS) in a naturalistic schizophrenia population. **2005**, 5, 5 69

144	Diurnal actigraphy and stimulant efficacy in narcolepsy. <b>2005</b> , 20, 105-13		19
143	Evidence of a role for the 5-HTTLPR genotype in the modulation of motor response to antidepressant treatment. <b>2005</b> , 178, 303-8		21
142	Phenotyping the untouchables: environmental enhancement of behavioral and physiological activation in seizure-prone El mice. <b>2005</b> , 6, 35-42		15
141	Actigraphy in patients with seasonal affective disorder and healthy control subjects treated with light therapy. <i>Biological Psychiatry</i> , <b>2005</b> , 58, 331-6	7.9	55
140	[The melatonin system, biological rhythms and mood disorders]. <b>2006</b> , 32, S802-9		0
139	Context-Aware Sensing. <b>2006</b> , 287-331		3
138	Actigraph assessment of rest/activity disturbances in psychiatric disorders. <b>2006</b> , 1287, 32-37		1
137	Behavioral seizure correlates in animal models of epilepsy: a road map for assay selection, data interpretation, and the search for causal mechanisms. <b>2006</b> , 8, 5-38		32
136	Psychophysiological Assessment. <b>2006</b> , 201-231		5
135	Depression and physical activity. 348-368		10
134	Troubles psychomoteurs chez l'enfant. <b>2006</b> , 1, 1-16		
133	Neurobiology of Attention-Deficit/Hyperactivity Disorder in Preschoolers. <b>2006</b> , 19, 94-108		12
132	Continuous electronic data capture of physiology, behavior and experience in real life: towards ecological momentary assessment of emotion. <b>2006</b> , 18, 171-186		50
131	Long-Term Activity Monitoring with a Wearable Sensor Node.		19
130	Methylphenidate blood levels and therapeutic response in children with attention-deficit hyperactivity disorder: I. Effects of different dosing regimens. <b>2006</b> , 16, 416-31		30
129	Universal scaling law in human behavioral organization. <b>2007</b> , 99, 138103		102
128	Power-law temporal autocorrelation of activity reflects severity of parkinsonism. <b>2007</b> , 22, 1308-13		21
127	Actigraphic predictors of the depressive state in students with no psychiatric disorders. <i>Journal of Affective Disorders</i> , <b>2007</b> , 98, 117-20	6.6	14

126	Physical activity and cortisol in anorexia nervosa. <b>2007</b> , 32, 539-47		66
125	A reverse-translational approach to bipolar disorder: rodent and human studies in the Behavioral Pattern Monitor. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2007</b> , 31, 882-96	9	94
124	Chronic nicotine exposure has dissociable behavioural effects on control and beta2-/- mice. <b>2008</b> , 38, 503-14		14
123	Improvement of motor functions by noisy vestibular stimulation in central neurodegenerative disorders. <b>2008</b> , 255, 1657-61		66
122	Panic disorder and locomotor activity. <b>2008</b> , 2, 23		12
121	Cognitive-behavioural treatment of first diagnosis bipolar disorder. <b>2008</b> , 15, 367-77		14
120	Sleep quality in women with and without postpartum depression. <b>2008</b> , 37, 722-35; quiz 735-7		89
119	Cognition in older women: the importance of daytime movement. <i>Journal of the American Geriatrics Society</i> , <b>2008</b> , 56, 1658-64	5.6	63
118	Circadian activity rhythm abnormalities in ill and recovered bipolar I disorder patients. <b>2008</b> , 10, 256-65		116
117	Behavioral measures in animal studies: relevance to patients with epilepsy. <b>2008</b> , 12, 612-21		4
116	A review of potential cognitive and environmental risk markers in children of bipolar parents. <b>2008</b> , 28, 1083-95		28
115	Dysregulation of the behavioral approach system (BAS) in bipolar spectrum disorders: review of theory and evidence. <b>2008</b> , 28, 1188-205		155
114	Variations of rest activity rhythm and sleep/wake in schizophrenic patients versus healthy subjects: An actigraphic comparative study. <b>2008</b> , 39, 69-78		14
113	Of mice and men--universality and breakdown of behavioral organization. <i>PLoS ONE</i> , <b>2008</b> , 3, e2050	3.7	61
112	Increased motor activity in cycloid psychosis compared to schizophrenia. <b>2009</b> , 10, 746-51		21
111	A reverse-translational study of dysfunctional exploration in psychiatric disorders: from mice to men. <b>2009</b> , 66, 1072-80		150
110	Assessment of circadian function in fibroblasts of patients with bipolar disorder. <b>2009</b> , 14, 143-55		77
109	Disturbed circadian motor activity patterns in postcardiotomy delirium. <b>2009</b> , 63, 56-64		19

108	Objectively measured motor activity in schizophrenia challenges the validity of expert ratings. <i>Psychiatry Research</i> , <b>2009</b> , 169, 187-90	9.9	62
107	Higher motor activity in schizophrenia patients treated with olanzapine versus risperidone. <b>2010</b> , 30, 181-4		17
106	Development of a Decision Support Model for Screening Attention-deficit Hyperactivity Disorder with Actigraph-based Measurements of Classroom Activity. <b>2010</b> , 1, 377-93		10
105	The quantitative assessment of motor activity in mania and schizophrenia. <i>Journal of Affective Disorders</i> , <b>2010</b> , 120, 200-6	6.6	68
104	Cross-species assessments of motor and exploratory behavior related to bipolar disorder. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2010</b> , 34, 1296-306	9	50
103	Ambulatory actigraphy correlates with apathy in mild Alzheimer's disease. <b>2010</b> , 9, 509-516		16
102	Clinical assessment and diagnosis of adults with attention-deficit/hyperactivity disorder. <b>2010</b> , 10, 1569-80		87
101	Emotions beyond the laboratory: theoretical fundamentals, study design, and analytic strategies for advanced ambulatory assessment. <b>2010</b> , 84, 552-69		188
100	Depression, Fatigue, and Pre-Sleep Arousal: A Mediation Model. <b>2010</b> , 24, 307-327		8
99	Noise and fluctuations in human physiology: Anomalous statistics in health and diseases. <b>2011</b> ,		
98	Feasibility of three electronic instruments in studying the benefits of adaptive seating. <b>2011</b> , 6, 483-90		5
97	Measuring motor activity in major depression: the association between the Hamilton Depression Rating Scale and actigraphy. <i>Psychiatry Research</i> , <b>2011</b> , 190, 212-6	9.9	36
96	High-Resolution Actigraphic Analysis of ADHD: A Wide Range of Movement Variability Observation in Three School Courses - A Pilot Study. <b>2011</b> , 17, 29-37		18
95	Traditional chinese medicine improves activities of daily living in Parkinson's disease. <b>2011</b> , 2011, 789506		22
94	Circadian activity rhythms and risk of incident dementia and mild cognitive impairment in older women. <b>2011</b> , 70, 722-32		300
93	Neuropsychological outcomes across the day in children with attention-deficit/hyperactivity disorder treated with atomoxetine: results from a placebo-controlled study using a computer-based continuous performance test combined with an infra-red motion-tracking device. <b>2011</b> , 21, 433-44		35
92	Screening Instruments of Sleep Disorders: Actigraphy. <b>2012</b> , 33-48		
91	A Feasibility Study of Wrist-Worn Accelerometer Based Detection of Smoking Habits. <b>2012</b> ,		23

90	Modulation of attention-deficit/hyperactivity disorder symptoms by short- and long-acting methylphenidate over the course of a day. <b>2012</b> , 22, 131-8		10
89	Detecting leisure activities with dense motif discovery. <b>2012</b> ,		34
88	Behavioral organization of locomotor activity and its modeling. <b>2012</b> ,		
87	Comparison of objectively measured motor behavior with ratings of the motor behavior domain of the Bern Psychopathology Scale (BPS) in schizophrenia. <i>Psychiatry Research</i> , <b>2012</b> , 198, 224-9	9.9	25
86	Nonlinear analysis of actigraphic signals for the assessment of the attention-deficit/hyperactivity disorder (ADHD). <b>2012</b> , 34, 1317-29		24
85	Hyperactivity persists in male and female adults with ADHD and remains a highly discriminative feature of the disorder: a case-control study. <i>BMC Psychiatry</i> , <b>2012</b> , 12, 190	4.2	24
84	Multi-scale motility amplitude associated with suicidal thoughts in major depression. <i>PLoS ONE</i> , <b>2012</b> , 7, e38761	3.7	24
83	Neural correlates of disbalanced motor control in major depression. <i>Journal of Affective Disorders</i> , <b>2012</b> , 136, 124-133	6.6	45
82	Adolescent rat circadian activity is modulated by psychostimulants. <b>2012</b> , 1431, 35-45		10
81	Frontal white matter integrity is related to psychomotor retardation in major depression. <b>2012</b> , 47, 13-9		89
80	Clinical application of actigraphy in psychotic disorders: a systematic review. <i>Current Psychiatry Reports</i> , <b>2013</b> , 15, 359	9.1	31
79	Temporal organization of rest defined by actigraphy data in healthy and childhood chronic fatigue syndrome children. <i>BMC Psychiatry</i> , <b>2013</b> , 13, 281	4.2	5
78	Wrist actigraphy for measuring sleep in intervention studies with Alzheimer's disease patients: application, usefulness, and challenges. <i>Sleep Medicine Reviews</i> , <b>2013</b> , 17, 475-88	10.2	58
77	Activity monitoring in patients with depression: a systematic review. <i>Journal of Affective Disorders</i> , <b>2013</b> , 145, 21-8	6.6	132
76	Monitoring for disease progression via mathematical time-series modeling: Actigraphy-based monitoring patients with depressive disorder. <b>2013</b> ,		
75	Co-variation of depressive mood and locomotor dynamics evaluated by ecological momentary assessment in healthy humans. <i>PLoS ONE</i> , <b>2013</b> , 8, e74979	3.7	39
74	Actigraphic assessment of motor activity in acutely admitted inpatients with bipolar disorder. <i>PLoS ONE</i> , <b>2014</b> , 9, e89574	3.7	67
73	Associations between observed in-home behaviors and self-reported low mood in community-dwelling older adults. <i>Journal of the American Geriatrics Society</i> , <b>2014</b> , 62, 685-9	5.6	11

72	Co-variation of depressive mood and spontaneous physical activity evaluated by ecological momentary assessment in major depressive disorder. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2014</b> , 2014, 6635-8	0.9	3
71	Estimation of muscle strength from actigraph data in Duchenne muscular dystrophy. <i>Pediatrics International</i> , <b>2014</b> , 56, 748-52	1.2	9
70	Effect of quetiapine XR on depressive symptoms and sleep quality compared with lithium in patients with bipolar depression. <i>Journal of Affective Disorders</i> , <b>2014</b> , 157, 33-40	6.6	21
69	Locomotor Profiling from Rodents to the Clinic and Back Again. <i>Current Topics in Behavioral Neurosciences</i> , <b>2016</b> , 28, 287-303	3.4	20
68	Locomotor micro-activities associated with therapeutic responses in patients with seasonal affective disorders. <i>Integrative Medicine International</i> , <b>2015</b> , 1, 151-161	1.4	2
67	An objective measure of hyperactivity aspects with compressed webcam video. <i>Child and Adolescent Psychiatry and Mental Health</i> , <b>2015</b> , 9, 45	6.8	4
66	The possibility of the deterioration of autonomic nerve activity in depression. <b>2015</b> ,		
65	Assessing activity recognition feedback in long-term psychology trials. <b>2015</b> ,		2
64	Objective identification and analysis of physiological and behavioral signs of schizophrenia. <i>Journal of Mental Health</i> , <b>2015</b> , 24, 276-82	2.7	17
63	Bipolar disorder and ADHD: comorbidity and diagnostic distinctions. <i>Current Psychiatry Reports</i> , <b>2015</b> , 17, 604	9.1	40
62	Postnatal loss of hap1 reduces hippocampal neurogenesis and causes adult depressive-like behavior in mice. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1005175	6	17
61	Response to stress in Drosophila is mediated by gender, age and stress paradigm. <i>Stress</i> , <b>2015</b> , 18, 254-66		16
60	Seeking a fingerprint: analysis of point processes in actigraphy recording. <i>Journal of Statistical Mechanics: Theory and Experiment</i> , <b>2016</b> , 2016, 054034	1.9	4
59	Actigraph measures discriminate pediatric bipolar disorder from attention-deficit/hyperactivity disorder and typically developing controls. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2016</b> , 57, 706-16	7.9	48
58	A preliminary study of movement intensity during a Go/No-Go task and its association with ADHD outcomes and symptom severity. <i>Child and Adolescent Psychiatry and Mental Health</i> , <b>2016</b> , 10, 47	6.8	6
57	Patterns of motor activity in spontaneously hypertensive rats compared to Wistar Kyoto rats. <i>Behavioral and Brain Functions</i> , <b>2016</b> , 12, 32	4.1	4
56	Diagnosis and characterization of mania: Quantifying increased energy and activity in the human behavioral pattern monitor. <i>Psychiatry Research</i> , <b>2016</b> , 240, 278-283	9.9	10
55	Bipolar Disorders and Biological Rhythms. <b>2016</b> , 297-317		



54	The clinical utility of the continuous performance test and objective measures of activity for diagnosing and monitoring ADHD in children: a systematic review. <i>European Child and Adolescent Psychiatry</i> , <b>2016</b> , 25, 677-99	5.5	80
53	Multiscale Analysis of Intensive Longitudinal Biomedical Signals and Its Clinical Applications. <i>Proceedings of the IEEE</i> , <b>2016</b> , 104, 242-261	14.3	38
52	Experiences of remote mood and activity monitoring in bipolar disorder: A qualitative study. <i>European Psychiatry</i> , <b>2017</b> , 41, 115-121	6	43
51	Quantification of free-living activity patterns using accelerometry in adults with mental illness. <i>Scientific Reports</i> , <b>2017</b> , 7, 43174	4.9	10
50	The impact and measurement of social dysfunction in late-life depression: an evaluation of current methods with a focus on wearable technology. <i>International Journal of Geriatric Psychiatry</i> , <b>2017</b> , 32, 247-255	3.9	7
49	Motor-Activity Markers of Circadian Timekeeping Are Related to Ketamine's Rapid Antidepressant Properties. <i>Biological Psychiatry</i> , <b>2017</b> , 82, 361-369	7.9	54
48	Dysregulation of objectively assessed 24-hour motor activity patterns as a potential marker for bipolar I disorder: results of a community-based family study. <i>Translational Psychiatry</i> , <b>2017</b> , 7, e1211	8.6	27
47	Walking away from depression-motor activity increases ratings of mood and incentive drive in patients with major depression. <i>Psychiatry Research</i> , <b>2017</b> , 247, 68-72	9.9	11
46	Disrupted Ultradian Activity Rhythms and Differential Expression of Several Clock Genes in Interleukin-6-Deficient Mice. <i>Frontiers in Neurology</i> , <b>2017</b> , 8, 99	4.1	5
45	What can kinematics tell us about the affective states of animals?. <i>Animal Welfare</i> , <b>2017</b> , 26, 383-397	2.9	9
44	A review of physiological and behavioral monitoring with digital sensors for neuropsychiatric illnesses. <i>Physiological Measurement</i> , <b>2018</b> , 39, 05TR01	2.9	57
43	Clinical response to treatment in inpatients with depression correlates with changes in activity levels and psychomotor speed. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2018</b> , 52, 652-659	2.6	6
42	Combining actigraphy, ecological momentary assessment and neuroimaging to study apathy in patients with schizophrenia. <i>Schizophrenia Research</i> , <b>2018</b> , 195, 176-182	3.6	37
41	Negatively Skewed Locomotor Activity Is Related to Autistic Traits and Behavioral Problems in Typically Developing Children and Those With Autism Spectrum Disorders. <i>Frontiers in Human Neuroscience</i> , <b>2018</b> , 12, 518	3.3	1
40	Are 24-hour motor activity patterns associated with continued rapid response to ketamine?. <i>Neuropsychiatric Disease and Treatment</i> , <b>2018</b> , 14, 2739-2748	3.1	12
39	Acoustic Hyper-Reactivity and Negatively Skewed Locomotor Activity in Children With Autism Spectrum Disorders: An Exploratory Study. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 355	5	7
38	The association between mood state and chronobiological characteristics in bipolar I disorder: a naturalistic, variable cluster analysis-based study. <i>International Journal of Bipolar Disorders</i> , <b>2018</b> , 6, 5	5.4	8
37	Pharmacological Manipulation of the Circadian Clock: A Possible Approach to the Management of Bipolar Disorder. <i>CNS Drugs</i> , <b>2019</b> , 33, 981-999	6.7	6

36	Twenty-four-hour motor activity and body temperature patterns suggest altered central circadian timekeeping in Smith-Magenis syndrome, a neurodevelopmental disorder. <i>American Journal of Medical Genetics, Part A</i> , <b>2019</b> , 179, 224-236	2.5	10
35	Actigraphy studies and clinical and biobehavioural correlates in schizophrenia: a systematic review. <i>Journal of Neural Transmission</i> , <b>2019</b> , 126, 531-558	4.3	21
34	Motion mapping in humans as a biomarker for psychiatric disorders. <i>Neuropsychopharmacology</i> , <b>2019</b> , 44, 231-232	8.7	3
33	Idiographic analyses of motivation and related processes in participants with schizophrenia following a therapeutic intervention for negative symptoms. <i>BMC Psychiatry</i> , <b>2020</b> , 20, 464	4.2	2
32	Association of Locomotor Activity During Sleep Deprivation Treatment With Response. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 688	5	1
31	Augmented Movelet Method for Activity Classification Using Smartphone Gyroscope and Accelerometer Data. <i>Sensors</i> , <b>2020</b> , 20,	3.8	3
30	Integrative Objective Quantification of Individual Locomotor Behavior in Depressive Patients: Implications for Their Stratification and Personalized Treatment Monitoring. <b>2021</b> , 555-574		
29	Actigraphy. <b>2021</b> , 271-281		
28	Age and gender differences in objective sleep properties using large-scale body acceleration data in a Japanese population. <i>Scientific Reports</i> , <b>2021</b> , 11, 9970	4.9	6
27	Upregulation of Glutamatergic Receptors in Hippocampus and Locomotor Hyperactivity in Aged Spontaneous Hypertensive Rat. <i>Cellular and Molecular Neurobiology</i> , <b>2021</b> , 1	4.6	
26	Predicting incident dementia and mild cognitive impairment in older women with nonparametric analysis of circadian activity rhythms in the Study of Osteoporotic Fractures. <i>Sleep</i> , <b>2021</b> , 44,	1.1	1
25	Relationships among the Hexosamine Biosynthetic Pathway, Sleep Disturbance, and Cognition in Obstructive Sleep Apnea. <i>Chronobiology in Medicine</i> , <b>2021</b> , 3, 75-83	0.6	
24	Seasonal Sleep Variations and Their Association With Meteorological Factors: A Japanese Population Study Using Large-Scale Body Acceleration Data. <i>Frontiers in Digital Health</i> , <b>2021</b> , 3, 677043	2.3	1
23	Using e-diaries to investigate ADHD - State-of-the-art and the promising feature of just-in-time-adaptive interventions. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2021</b> , 127, 884-898	9	6
22	Past, Present, and Future of Multisensory Wearable Technology to Monitor Sleep and Circadian Rhythms. <i>Frontiers in Digital Health</i> , <b>2021</b> , 3, 721919	2.3	6
21	Using Behavioral Patterns Across Species in Mood Disorder Research. <i>NeuroMethods</i> , <b>2011</b> , 21-41	0.4	2
20	Ambulatory Activity Monitoring. <i>European Psychologist</i> , <b>2009</b> , 14, 142-152	4.4	60
19	Enhanced persistency of resting and active periods of locomotor activity in schizophrenia. <i>PLoS ONE</i> , <b>2012</b> , 7, e43539	3.7	42

18	Cortico-cortical white matter motor pathway microstructure is related to psychomotor retardation in major depressive disorder. <i>PLoS ONE</i> , <b>2012</b> , 7, e52238	3.7	61
17	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory. <i>PLoS ONE</i> , <b>2020</b> , 15, e0241991	3.7	2
16	Biological rhythms and mood disorders. <i>Dialogues in Clinical Neuroscience</i> , <b>2012</b> , 14, 369-79	5.7	21
15	The relationship between affective state and the rhythmicity of activity in bipolar disorder. <i>Journal of Clinical Psychiatry</i> , <b>2014</b> , 75, e317-22	4.6	37
14	Motor Activity in Adult Patients with Attention Deficit Hyperactivity Disorder. <i>Psychiatry Investigation</i> , <b>2015</b> , 12, 474-82	3.1	3
13	Veränderungen von Motilität, Gestik und Lokomotion. <b>2004</b> , 77-91		
12	Activity Measurement. <b>2006</b> , 85-120		4
11	Sleep and Biological Rhythms Abnormalities in the Pathophysiology of Bipolar Disorders. <i>Medical Psychiatry</i> , <b>2007</b> , 189-208		
10	References. 293-311		
9	Actigraphy. <b>2012</b> , 177-185		
8	Behavioral Organization in Spontaneous Physical Activity and Its Alterations in Psychiatric Disorders. <i>The Brain &amp; Neural Networks</i> , <b>2013</b> , 20, 123-134	0.1	
7	Context Aware Sensing. <b>2014</b> , 355-404		
6	Risk-Benefit Analysis in the Use of Psychopharmacologic Interventions for Difficult-to-Diagnose Behavioral Disorders in Individuals With Mental Retardation. <i>Psychiatric Annals</i> , <b>1997</b> , 27, 207-212	0.5	1
5	Motorik. <b>1998</b> , 163-189		1
4	Physical Activity Monitoring. <b>2020</b> , 447-457		0
3	Table_1.docx. <b>2020</b> ,		
2	Digital Phenotyping of Behavioral Symptoms as the Next Frontier for Personalized and Proactive Cancer Care. <b>2022</b> ,		0
1	A Review about Wireless Sensor Networks and the Internet of Things. <b>2022</b> , 4, 69-73		0

