# Actigraphy and Motion Analysis: New Tools for Psychia

Harvard Review of Psychiatry

3, 18-35

DOI: 10.3109/10673229509017161

Citation Report

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Relationship between Early Abuse, Posttraumatic Stress Disorder, and Activity Levels in Prepubertal Children. Journal of the American Academy of Child and Adolescent Psychiatry, 1996, 35, 1384-1393. | 0.5 | 96 |
| 2 | Motor Activity and Severity of Depression in Hospitalized Prepubertal Children. Journal of the American Academy of Child and Adolescent Psychiatry, 1996, 35, 752-763. | 0.5 | 24 |
| 3 | Objective Measurement of Hyperactivity and Attentional Problems in ADHD. Journal of the American Academy of Child and Adolescent Psychiatry, 1996, 35, 334-342. | 0.5 | 230 |
| 4 | Circadian rhythms and the pharmacology of affective illness. , 1996, 71, 253-312. | | 142 |
| 5 | Circadian Rest-Activity Disturbances in Seasonal Affective Disorder. Archives of General Psychiatry, 1997, 54, 124. | 12.3 | 90 |
| 6 | Circadian Rest-Activity Disturbances in Children With Seasonal Affective Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 1997, 36, 188-195. | 0.5 | 28 |
| 7 | Actigraphy can measure antidepressant-induced daytime sedation in healthy volunteers. Human Psychopharmacology, 1997, 12, 437-443. | 1.5 | 13 |
| 8 | Effects of Fluoxetine and Dothiepin on 24-Hour Activity in Depressed Patients. Neuropsychobiology, 1999, 39, 44-48. | 1.9 | 24 |
| 9 | Indoor navigation using a diverse set of cheap, wearable sensors. , 0, , . | | 76 |
| 10 | Motor activity and perception of sleep in depressed patients. Journal of Psychiatric Research, 1999, 33, 215-224. | 3.1 | 44 |
| 11 | The anatomy of a clinical trial. Human Psychopharmacology, 1999, 14, S103-S108. | 1.5 | 0 |
| 12 | Actigraphic Predictors of Depressed Mood in a Cohort of Non-Psychiatric Adults. Australian and New Zealand Journal of Psychiatry, 1999, 33, 553-558. | 2.3 | 23 |
| 13 | Actigraphy to measure day structure as a therapeutic variable in the treatment of schizophrenic patients. Acta Psychiatrica Scandinavica, 2000, 102, 91-95. | 4.5 | 23 |
| 14 | Spatiotemporal gait patterns during over ground locomotion in major depression compared with healthy controls. Journal of Psychiatric Research, 2000, 34, 277-283. | 3.1 | 195 |
| 15 | Future Directions of Inquiry in Adapted Physical Activity. Quest, 2000, 52, 369-381. | 1.2 | 20 |
| 16 | Sleep estimation from wrist activity in patients with major depression. Physiology and Behavior, 2000, 70, 49-53. | 2.1 | 55 |
| 17 | Actigraphic monitoring (actigraphy) of circadian locomotor activity in schizophrenic patients with acute neuroleptic-induced akathisia. European Neuropsychopharmacology, 2000, 10, 171-176. | 0.7 | 32 |
| 18 | Sleep estimation from wrist movement quantified by different actigraphic modalities. Journal of Neuroscience Methods, 2001, 105, 185-191. | 2.5 | 253 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Gender Differences in Associations of Diurnal Blood Pressure Variation, Awake Physical Activity, and Sleep Quality With Negative Affect. Hypertension, 2001, 38, 997-1002. | 2.7 | 71 |
| 21 | Measuring psychomotor agitation by use of an actimeter: a pilot study. Journal of Affective Disorders, 2002, 72, 91-94. | 4.1 | 8 |
| 22 | Temporal interrelationships among fatigue, circadian rhythm and depression in breast cancer patients undergoing chemotherapy treatment. Supportive Care in Cancer, 2002, 10, 329-336. | 2.2 | 144 |
| 23 | Motor activity and autonomic cardiac functioning in major depressive disorder. Journal of Affective Disorders, 2003, 76, 23-30. | 4.1 | 101 |
| 24 | Actigraphy in human psychopharmacology: a review. Human Psychopharmacology, 2003, 18, 39-49. | 1.5 | 41 |
| 25 | Clinical and Parental Assessment of Sleep in Children with Attention-Deficit/Hyperactivity Disorder Referred to a Pediatric Sleep Medicine Center. Clinical Pediatrics, 2003, 42, 807-813. | 0.8 | 70 |
| 26 | Asymmetrical singularities in real-world signals. Physical Review E, 2003, 68, 065204. | 2.1 | 46 |
| 27 | Rate Dependency Revisited: Understanding the Effects of Methylphenidate in Children with Attention Deficit Hyperactivity Disorder. Journal of Child and Adolescent Psychopharmacology, 2003, 13, 41-51. | 1.3 | 37 |
| 28 | Antisocial Violent Offenders With Attention Deficit Hyperactivity Disorder Demonstrate Akathisia-Like Hyperactivity in Three-Channel Actometry. Journal of Neuropsychiatry and Clinical Neurosciences, 2003, 15, 194-199. | 1.8 | 12 |
| 29 | The Role of Actigraphy in the Study of Sleep and Circadian Rhythms. Sleep, 2003, 26, 342-392. | 1.1 | 2,213 |
| 30 | Automatic Sleep-Wake and Nap Analysis with a New Wrist Worn Online Activity Monitoring Device Vivago WristCareÂ®. Sleep, 2003, , . | 1.1 | 22 |
| 31 | Decreased Fractal Correlation in Diurnal Physical Activity in Chronic Fatigue Syndrome. Methods of Information in Medicine, 2004, 43, 26-29. | 1.2 | 20 |
| 32 | Novel Strategy for the Analysis of CPT Data Provides New Insight into the Effects of Methylphenidate on Attentional States in Children with ADHD. Journal of Child and Adolescent Psychopharmacology, 2004, 14, 219-232. | 1.3 | 51 |
| 33 | Relationships Between Diurnal Blood Pressure Variation, Physical Activity, and Healthâ€Related QOL. Clinical and Experimental Hypertension, 2004, 26, 145-155. | 1.3 | 14 |
| 34 | Healthwear: medical technology becomes wearable. Computer, 2004, 37, 42-49. | 1.1 | 136 |
| 35 | Objective Assessment of Psychomotor Retardation in Primary Care Patients with Depression. Journal of Behavioral Medicine, 2004, 27, 31-37. | 2.1 | 17 |
| 36 | The effects of yoga on the attention and behavior of boys with Attention-Deficit/hyperactivity Disorder (ADHD). Journal of Attention Disorders, 2004, 7, 205-216. | 2.6 | 197 |
| 37 | Lower limb motor restlessness in Asperger's disorder, measured using actometry. Psychiatry Research, 2004, 128, 63-70. | 3.3 | 10 |

| # | Article | IF | Citations |
|---|---|---|---|
| 38 | Power law temporal auto-correlations in day-long records of human physical activity and their alteration with disease. Europhysics Letters, 2004, 66, 448-454. | 2.0 | 14 |
| 39 | Chapter 6 Actigraphy. Handbook of Clinical Neurophysiology, 2005, 6, 67-72. | 0.0 | 3 |
| 40 | Evaluation of depression with actigraphy. Sleep and Biological Rhythms, 2005, 3, 22-26. | 1.0 | 4 |
| 41 | Psychological therapies for bipolar disorder: the role of model-driven approaches to therapy integration. Bipolar Disorders, 2005, 7, 22-32. | 1.9 | 39 |
| 42 | Actigraphic assessment of circadian activity and sleep patterns in bipolar disorder. Bipolar Disorders, 2005, 7, 176-186. | 1.9 | 271 |
| 43 | Validity of Simpson-Angus Scale (SAS) in a naturalistic schizophrenia population. BMC Neurology, 2005, 5, 5. | 1.8 | 88 |
| 44 | Diurnal actigraphy and stimulant efficacy in narcolepsy. Human Psychopharmacology, 2005, 20, 105-113. | 1.5 | 21 |
| 45 | Evidence of a role for the 5-HTTLPR genotype in the modulation of motor response to antidepressant treatment. Psychopharmacology, 2005, 178, 303-308. | 3.1 | 24 |
| 46 | Phenotyping the untouchables: environmental enhancement of behavioral and physiological activation in seizure-prone El mice. Epilepsy and Behavior, 2005, 6, 35-42. | 1.7 | 16 |
| 47 | Actigraphic recordings in quantification of periodic leg movements during sleep in children. Sleep Medicine, 2005, 6, 325-332. | 1.6 | 32 |
| 48 | Actigraphy in Patients with Seasonal Affective Disorder and Healthy Control Subjects Treated with Light Therapy. Biological Psychiatry, 2005, 58, 331-336. | 1.3 | 69 |
| 50 | Context-Aware Sensing. , 2006, , 287-331. | | 3 |
| 51 | Actigraph assessment of restâ€"activity disturbances in psychiatric disorders. International Congress Series, 2006, 1287, 32-37. | 0.2 | 3 |
| 52 | Behavioral seizure correlates in animal models of epilepsy: A road map for assay selection, data interpretation, and the search for causal mechanisms. Epilepsy and Behavior, 2006, 8, 5-38. | 1.7 | 36 |
| 53 | Psychophysiological Assessment. , 2006, , 201-231. | | 7 |
| 54 | Depression and physical activity. , 2006, , 348-368. | | 12 |
| 56 | Neurobiology of Attention-Deficit/Hyperactivity Disorder in Preschoolers. Infants and Young Children, 2006, 19, 94-108. | 0.7 | 15 |
| 57 | Continuous electronic data capture of physiology, behavior and experience in real life: towards ecological momentary assessment of emotion. Interacting With Computers, 2006, 18, 171-186. | 1.5 | 62 |

| # | Article | IF | Citations |
|---|---|---|---|
| 58 | Long-Term Activity Monitoring with a Wearable Sensor Node. , 0, , . | | 23 |
| 59 | Methylphenidate Blood Levels and Therapeutic Response in Children with Attention-Deficit Hyperactivity Disorder I. Effects of Different Dosing Regimens. Journal of Child and Adolescent Psychopharmacology, 2006, 16, 416-431. | 1.3 | 36 |
| 60 | Dynamics of behavioral organization and its alteration in major depression. AIP Conference Proceedings, 2007, , . | 0.4 | 0 |
| 61 | Universal Scaling Law in Human Behavioral Organization. Physical Review Letters, 2007, 99, 138103. | 7.8 | 129 |
| 62 | Power-law temporal autocorrelation of activity reflects severity of parkinsonism. Movement Disorders, 2007, 22, 1308-1313. | 3.9 | 25 |
| 63 | Actigraphic predictors of the depressive state in students with no psychiatric disorders. Journal of Affective Disorders, 2007, 98, 117-120. | 4.1 | 18 |
| 64 | Physical activity and cortisol in Anorexia Nervosa. Psychoneuroendocrinology, 2007, 32, 539-547. | 2.7 | 75 |
| 65 | A reverse-translational approach to bipolar disorder: Rodent and human studies in the Behavioral Pattern Monitor. Neuroscience and Biobehavioral Reviews, 2007, 31, 882-896. | 6.1 | 104 |
| 66 | Chronic Nicotine Exposure has Dissociable Behavioural Effects on Control and Beta2âˆ’/âˆ’ Mice. Behavior Genetics, 2008, 38, 503-514. | 2.1 | 16 |
| 67 | Improvement of motor functions by noisy vestibular stimulation in central neurodegenerative disorders. Journal of Neurology, 2008, 255, 1657-1661. | 3.6 | 77 |
| 68 | Panic disorder and locomotor activity. BioPsychoSocial Medicine, 2008, 2, 23. | 2.1 | 16 |
| 69 | Cognitiveâ€“behavioural treatment of first diagnosis bipolar disorder. Clinical Psychology and Psychotherapy, 2008, 15, 367-377. | 2.7 | 18 |
| 70 | Sleep Quality in Women With and Without Postpartum Depression. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2008, 37, 722-737. | 0.5 | 111 |
| 71 | Cognition in Older Women: The Importance of Daytime Movement. Journal of the American Geriatrics Society, 2008, 56, 1658-1664. | 2.6 | 79 |
| 72 | Circadian activity rhythm abnormalities in ill and recovered bipolar I disorder patients. Bipolar Disorders, 2008, 10, 256-265. | 1.9 | 142 |
| 73 | Behavioral measures in animal studies: Relevance to patients with epilepsy. Epilepsy and Behavior, 2008, 12, 612-621. | 1.7 | 5 |
| 74 | A review of potential cognitive and environmental risk markers in children of bipolar parents. Clinical Psychology Review, 2008, 28, 1083-1095. | 11.4 | 30 |
| 75 | Dysregulation of the behavioral approach system (BAS) in bipolar spectrum disorders: Review of theory and evidence. Clinical Psychology Review, 2008, 28, 1188-1205. | 11.4 | 184 |

| # | Article | IF | Citations |
|---|---|---|---|
| 76 | Variations of restÂâ€“Âactivity rhythm and sleepÂâ€“Âwake in schizophrenic patients versus healthy subjects: An actigraphic comparative study. Biological Rhythm Research, 2008, 39, 69-78. | 0.9 | 18 |
| 77 | Of Mice and Men â€" Universality and Breakdown of Behavioral Organization. PLoS ONE, 2008, 3, e2050. | 2.5 | 83 |
| 78 | Increased motor activity in cycloid psychosis compared to schizophrenia. World Journal of Biological Psychiatry, 2009, 10, 746-751. | 2.6 | 23 |
| 79 | Quantitative Motor Activity Differentiates Schizophrenia Subtypes. Neuropsychobiology, 2009, 60, 80-86. | 1.9 | 61 |
| 80 | A Reverse-Translational Study of Dysfunctional Exploration in Psychiatric Disorders. Archives of General Psychiatry, 2009, 66, 1072. | 12.3 | 174 |
| 81 | Assessment of circadian function in fibroblasts of patients with bipolar disorder. Molecular Psychiatry, 2009, 14, 143-155. | 7.9 | 89 |
| 82 | Disturbed circadian motor activity patterns in postcardiotomy delirium. Psychiatry and Clinical Neurosciences, 2009, 63, 56-64. | 1.8 | 22 |
| 83 | Objectively measured motor activity in schizophrenia challenges the validity of expert ratings. Psychiatry Research, 2009, 169, 187-190. | 3.3 | 74 |
| 84 | Higher Motor Activity in Schizophrenia Patients Treated With Olanzapine Versus Risperidone. Journal of Clinical Psychopharmacology, 2010, 30, 181-184. | 1.4 | 19 |
| 85 | Development of a decision support model for screening attention-deficit hyperactivity disorder with actigraph-based measurements of classroom activity. Applied Clinical Informatics, 2010, 01, 377-393. | 1.7 | 15 |
| 86 | The quantitative assessment of motor activity in mania and schizophrenia. Journal of Affective Disorders, 2010, 120, 200-206. | 4.1 | 84 |
| 87 | Cross-species assessments of motor and exploratory behavior related to bipolar disorder. Neuroscience and Biobehavioral Reviews, 2010, 34, 1296-1306. | 6.1 | 58 |
| 88 | Tortuosity in Movement Paths Is Related to Cognitive Impairment. Methods of Information in Medicine, 2010, 49, 592-598. | 1.2 | 60 |
| 89 | Unraveling the Nature of Hyperactivity in Children With Attention-Deficit/Hyperactivity Disorder. Archives of General Psychiatry, 2010, 67, 388. | 12.3 | 20 |
| 91 | Clinical assessment and diagnosis of adults with attention-deficit/hyperactivity disorder. Expert Review of Neurotherapeutics, 2010, 10, 1569-1580. | 2.8 | 100 |
| 92 | Motor Activity and Depression Severity in Adolescent Outpatients. Neuropsychobiology, 2010, 61, 33-40. | 1.9 | 21 |
| 93 | Emotions beyond the laboratory: Theoretical fundaments, study design, and analytic strategies for advanced ambulatory assessment. Biological Psychology, 2010, 84, 552-569. | 2.2 | 244 |
| 94 | Depression, Fatigue, and Pre-Sleep Arousal: A Mediation Model. Journal of College Student Psychotherapy, 2010, 24, 307-327. | 1.0 | 10 |

| # | Article | IF | Citations |
|---|---|---|---|
| 95 | Noise and fluctuations in human physiology: Anomalous statistics in health and diseases. , 2011, , . | | 0 |
| 96 | Feasibility of three electronic instruments in studying the benefits of adaptive seating. Disability and Rehabilitation: Assistive Technology, 2011, 6, 483-490. | 2.2 | 6 |
| 97 | Measuring motor activity in major depression: The association between the Hamilton Depression Rating Scale and actigraphy. Psychiatry Research, 2011, 190, 212-216. | 3.3 | 48 |
| 98 | Objective Evaluation of the Severity of Parkinsonism Using Power-Law Temporal Auto-Correlation of Activity. , 2011, , . | | 0 |
| 99 | High-Resolution Actigraphic Analysis of ADHD: A Wide Range of Movement Variability Observation in Three School Courses - A Pilot Study. Healthcare Informatics Research, 2011, 17, 29. | 1.9 | 26 |
| 100 | Traditional Chinese Medicine Improves Activities of Daily Living in Parkinson's Disease. Parkinson's Disease, 2011, 2011, 1-7. | 1.1 | 26 |
| 101 | Circadian activity rhythms and risk of incident dementia and mild cognitive impairment in older women. Annals of Neurology, 2011, 70, 722-732. | 5.3 | 400 |
| 102 | Neuropsychological Outcomes Across the Day in Children with Attention-Deficit/Hyperactivity Disorder Treated with Atomoxetine: Results from a Placebo-Controlled Study Using a Computer-Based Continuous Performance Test Combined with an Infra-Red Motion-tracking Device. Journal of Child and Adolescent Psychopharmacology, 2011, 21, 433-444. | 1.3 | 43 |
| 103 | Screening Instruments of Sleep Disorders: Actigraphy. Intelligent Systems, Control and Automation: Science and Engineering, 2012, , 33-48. | 0.5 | 0 |
| 104 | A Feasibility Study of Wrist-Worn Accelerometer Based Detection of Smoking Habits. , 2012, , . | | 32 |
| 106 | Modulation of Attention-Deficit/Hyperactivity Disorder Symptoms by Short- and Long-Acting Methylphenidate over the Course of a Day. Journal of Child and Adolescent Psychopharmacology, 2012, 22, 131-138. | 1.3 | 15 |
| 107 | Detecting leisure activities with dense motif discovery. , 2012, , . | | 47 |
| 108 | Behavioral organization of locomotor activity and its modeling. , 2012, , . | | 0 |
| 109 | Comparison of objectively measured motor behavior with ratings of the motor behavior domain of the Bern Psychopathology Scale (BPS) in schizophrenia. Psychiatry Research, 2012, 198, 224-229. | 3.3 | 27 |
| 110 | Nonlinear analysis of actigraphic signals for the assessment of the attention-deficit/hyperactivity disorder (ADHD). Medical Engineering and Physics, 2012, 34, 1317-1329. | 1.7 | 30 |
| 111 | Hyperactivity persists in male and female adults with ADHD and remains a highly discriminative feature of the disorder: a case-control study. BMC Psychiatry, 2012, 12, 190. | 2.6 | 37 |
| 112 | Multi-Scale Motility Amplitude Associated with Suicidal Thoughts in Major Depression. PLoS ONE, 2012, 7, e38761. | 2.5 | 31 |
| 113 | Neural correlates of disbalanced motor control in major depression. Journal of Affective Disorders, 2012, 136, 124-133. | 4.1 | 57 |

| # | Article | IF | Citations |
|---|---|---|---|
| 114 | Adolescent rat circadian activity is modulated by psychostimulants. Brain Research, 2012, 1431, 35-45. | 2.2 | 10 |
| 115 | Frontal white matter integrity is related to psychomotor retardation in major depression. Neurobiology of Disease, 2012, 47, 13-19. | 4.4 | 134 |
| 116 | Clinical Application of Actigraphy in Psychotic Disorders: A Systematic Review. Current Psychiatry Reports, 2013, 15, 359. | 4.5 | 40 |
| 117 | Temporal organization of rest defined by actigraphy data in healthy and childhood chronic fatigue syndrome children. BMC Psychiatry, 2013, 13, 281. | 2.6 | 9 |
| 118 | Wrist actigraphy for measuring sleep in intervention studies with Alzheimer's disease patients: Application, usefulness, and challenges. Sleep Medicine Reviews, 2013, 17, 475-488. | 8.5 | 77 |
| 119 | Activity monitoring in patients with depression: A systematic review. Journal of Affective Disorders, 2013, 145, 21-28. | 4.1 | 193 |
| 120 | Monitoring for disease progression via mathematical time-series modeling: Actigraphy-based monitoring patients with depressive disorder. , 2013, , . | | 0 |
| 121 | Co-Variation of Depressive Mood and Locomotor Dynamics Evaluated by Ecological Momentary Assessment in Healthy Humans. PLoS ONE, 2013, 8, e74979. | 2.5 | 48 |
| 122 | Actigraphic Assessment of Motor Activity in Acutely Admitted Inpatients with Bipolar Disorder. PLoS ONE, 2014, 9, e89574. | 2.5 | 89 |
| 123 | Automated Detection of Puffing and Smoking with Wrist Accelerometers. , 2014, , . | | 28 |
| 124 | Associations Between Observed Inâ€Home Behaviors and Selfâ€Reported Low Mood in Communityâ€Dwelling Older Adults. Journal of the American Geriatrics Society, 2014, 62, 685-689. | 2.6 | 19 |
| 125 | Co-variation of depressive mood and spontaneous physical activity evaluated by ecological momentary assessment in major depressive disorder. , 2014, 2014, 6635-8. | | 4 |
| 126 | Estimation of muscle strength from actigraph data in <scp>D</scp>uchenne muscular dystrophy. Pediatrics International, 2014, 56, 748-752. | 0.5 | 16 |
| 127 | Effect of quetiapine XR on depressive symptoms and sleep quality compared with lithium in patients with bipolar depression. Journal of Affective Disorders, 2014, 157, 33-40. | 4.1 | 26 |
| 128 | Locomotor Profiling from Rodents to the Clinic and Back Again. Current Topics in Behavioral Neurosciences, 2015, 28, 287-303. | 1.7 | 23 |
| 129 | Locomotor Microactivities Associated with Therapeutic Responses in Patients with Seasonal Affective Disorders. Integrative Medicine International, 2015, 1, 151-161. | 0.6 | 5 |
| 130 | An objective measure of hyperactivity aspects with compressed webcam video. Child and Adolescent Psychiatry and Mental Health, 2015, 9, 45. | 2.5 | 8 |
| 131 | The possibility of the deterioration of autonomic nerve activity in depression. , 2015, , . | | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 132 | Assessing activity recognition feedback in long-term psychology trials. , 2015, , . | | 2 |
| 133 | Objective identification and analysis of physiological and behavioral signs of schizophrenia. Journal of Mental Health, 2015, 24, 276-282. | 1.9 | 23 |
| 134 | Bipolar Disorder and ADHD: Comorbidity and Diagnostic Distinctions. Current Psychiatry Reports, 2015, 17, 604. | 4.5 | 59 |
| 135 | Postnatal Loss of Hap1 Reduces Hippocampal Neurogenesis and Causes Adult Depressive-Like Behavior in Mice. PLoS Genetics, 2015, 11, e1005175. | 3.5 | 21 |
| 136 | Response to stress inDrosophilais mediated by gender, age and stress paradigm. Stress, 2015, 18, 254-266. | 1.8 | 32 |
| 137 | Seeking a fingerprint: analysis of point processes in actigraphy recording. Journal of Statistical Mechanics: Theory and Experiment, 2016, 2016, 054034. | 2.3 | 6 |
| 138 | Actigraph measures discriminate pediatric bipolar disorder from attentionâ€deficit/hyperactivity disorder and typically developing controls. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2016, 57, 706-716. | 5.2 | 77 |
| 139 | A preliminary study of movement intensity during a Go/No-Go task and its association with ADHD outcomes and symptom severity. Child and Adolescent Psychiatry and Mental Health, 2016, 10, 47. | 2.5 | 12 |
| 140 | Patterns of motor activity in spontaneously hypertensive rats compared to Wistar Kyoto rats. Behavioral and Brain Functions, 2016, 12, 32. | 3.3 | 7 |
| 141 | Diagnosis and characterization of mania: Quantifying increased energy and activity in the human behavioral pattern monitor. Psychiatry Research, 2016, 240, 278-283. | 3.3 | 13 |
| 142 | Bipolar Disorders and Biological Rhythms. , 2016, , 297-317. | | 1 |
| 143 | The clinical utility of the continuous performance test and objective measures of activity for diagnosing and monitoring ADHD in children: a systematic review. European Child and Adolescent Psychiatry, 2016, 25, 677-699. | 4.7 | 128 |
| 144 | Multiscale Analysis of Intensive Longitudinal Biomedical Signals and Its Clinical Applications. Proceedings of the IEEE, 2016, 104, 242-261. | 21.3 | 54 |
| 145 | Experiences of Remote Mood and Activity Monitoring in Bipolar Disorder: A Qualitative Study. European Psychiatry, 2017, 41, 115-121. | 0.2 | 69 |
| 146 | Quantification of free-living activity patterns using accelerometry in adults with mental illness. Scientific Reports, 2017, 7, 43174. | 3.3 | 16 |
| 147 | The impact and measurement of social dysfunction in lateâ€life depression: an evaluation of current methods with a focus on wearable technology. International Journal of Geriatric Psychiatry, 2017, 32, 247-255. | 2.7 | 16 |
| 148 | Motor-Activity Markers of Circadian Timekeeping Are Related to Ketamineâ€™s Rapid Antidepressant Properties. Biological Psychiatry, 2017, 82, 361-369. | 1.3 | 68 |
| 149 | Dysregulation of objectively assessed 24-hour motor activity patterns as a potential marker for bipolar I disorder: results of a community-based family study. Translational Psychiatry, 2017, 7, e1211-e1211. | 4.8 | 40 |

| # | Article | IF | Citations |
|---|---|---|---|
| 150 | Walking away from depression-motor activity increases ratings of mood and incentive drive in patients with major depression. Psychiatry Research, 2017, 247, 68-72. | 3.3 | 13 |
| 151 | Disrupted Ultradian Activity Rhythms and Differential Expression of Several Clock Genes in Interleukin-6-Deficient Mice. Frontiers in Neurology, 2017, 8, 99. | 2.4 | 6 |
| 152 | What can kinematics tell us about the affective states of animals?. Animal Welfare, 2017, 26, 383-397. | 0.7 | 18 |
| 153 | A review of physiological and behavioral monitoring with digital sensors for neuropsychiatric illnesses. Physiological Measurement, 2018, 39, 05TR01. | 2.1 | 86 |
| 154 | Clinical response to treatment in inpatients with depression correlates with changes in activity levels and psychomotor speed. Australian and New Zealand Journal of Psychiatry, 2018, 52, 652-659. | 2.3 | 8 |
| 155 | Combining actigraphy, ecological momentary assessment and neuroimaging to study apathy in patients with schizophrenia. Schizophrenia Research, 2018, 195, 176-182. | 2.0 | 58 |
| 156 | Negatively Skewed Locomotor Activity Is Related to Autistic Traits and Behavioral Problems in Typically Developing Children and Those With Autism Spectrum Disorders. Frontiers in Human Neuroscience, 2018, 12, 518. | 2.0 | 4 |
| 157 | Are 24-hour motor activity patterns associated with continued rapid response to ketamine?. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2739-2748. | 2.2 | 14 |
| 158 | Acoustic Hyper-Reactivity and Negatively Skewed Locomotor Activity in Children With Autism Spectrum Disorders: An Exploratory Study. Frontiers in Psychiatry, 2018, 9, 355. | 2.6 | 11 |
| 159 | The association between mood state and chronobiological characteristics in bipolar I disorder: a naturalistic, variable cluster analysis-based study. International Journal of Bipolar Disorders, 2018, 6, 5. | 2.2 | 9 |
| 160 | Pharmacological Manipulation of the Circadian Clock: A Possible Approach to the Management of Bipolar Disorder. CNS Drugs, 2019, 33, 981-999. | 5.9 | 15 |
| 161 | Twentyâ€fourâ€hour motor activity and body temperature patterns suggest altered central circadian timekeeping in Smithâ€"Magenis syndrome, a neurodevelopmental disorder. American Journal of Medical Genetics, Part A, 2019, 179, 224-236. | 1.2 | 20 |
| 162 | Actigraphy studies and clinical and biobehavioural correlates in schizophrenia: a systematic review. Journal of Neural Transmission, 2019, 126, 531-558. | 2.8 | 39 |
| 163 | Motion mapping in humans as a biomarker for psychiatric disorders. Neuropsychopharmacology, 2019, 44, 231-232. | 5.4 | 6 |
| 164 | Idiographic analyses of motivation and related processes in participants with schizophrenia following a therapeutic intervention for negative symptoms. BMC Psychiatry, 2020, 20, 464. | 2.6 | 3 |
| 165 | Association of Locomotor Activity During Sleep Deprivation Treatment With Response. Frontiers in Psychiatry, 2020, 11, 688. | 2.6 | 2 |
| 166 | Augmented Movelet Method for Activity Classification Using Smartphone Gyroscope and Accelerometer Data. Sensors, 2020, 20, 3706. | 3.8 | 10 |
| 167 | Integrative Objective Quantification of Individual Locomotor Behavior in Depressive Patients: Implications for Their Stratification and Personalized Treatment Monitoring. , 2021, , 555-574. | | 0 |

| # | Article | IF | Citations |
|---|---|---|---|
| 168 | Actigraphy. , 2021, , 271-281. | | 0 |
| 169 | Age and gender differences in objective sleep properties using large-scale body acceleration data in a Japanese population. Scientific Reports, 2021, 11, 9970. | 3.3 | 19 |
| 170 | Upregulation of Glutamatergic Receptors in Hippocampus and Locomotor Hyperactivity in Aged Spontaneous Hypertensive Rat. Cellular and Molecular Neurobiology, 2022, 42, 2205-2217. | 3.3 | 3 |
| 171 | Predicting incident dementia and mild cognitive impairment in older women with nonparametric analysis of circadian activity rhythms in the Study of Osteoporotic Fractures. Sleep, 2021, 44, . | 1.1 | 15 |
| 172 | Relationships among the Hexosamine Biosynthetic Pathway, Sleep Disturbance, and Cognition in Obstructive Sleep Apnea. Chronobiology in Medicine, 2021, 3, 75-83. | 0.4 | 0 |
| 173 | Seasonal Sleep Variations and Their Association With Meteorological Factors: A Japanese Population Study Using Large-Scale Body Acceleration Data. Frontiers in Digital Health, 2021, 3, 677043. | 2.8 | 3 |
| 174 | Using e-diaries to investigate ADHD â€" State-of-the-art and the promising feature of just-in-time-adaptive interventions. Neuroscience and Biobehavioral Reviews, 2021, 127, 884-898. | 6.1 | 16 |
| 175 | Past, Present, and Future of Multisensory Wearable Technology to Monitor Sleep and Circadian Rhythms. Frontiers in Digital Health, 2021, 3, 721919. | 2.8 | 41 |
| 177 | Ambulatory Activity Monitoring. European Psychologist, 2009, 14, 142-152. | 3.1 | 76 |
| 178 | Actigraphic predictors of depressed mood in a cohort of non-psychiatric adults. Australian and New Zealand Journal of Psychiatry, 1999, 33, 553-558. | 2.3 | 2 |
| 179 | Enhanced Persistency of Resting and Active Periods of Locomotor Activity in Schizophrenia. PLoS ONE, 2012, 7, e43539. | 2.5 | 50 |
| 180 | Cortico-Cortical White Matter Motor Pathway Microstructure Is Related to Psychomotor Retardation in Major Depressive Disorder. PLoS ONE, 2012, 7, e52238. | 2.5 | 74 |
| 181 | Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory. PLoS ONE, 2020, 15, e0241991. | 2.5 | 6 |
| 182 | Biological rhythms and mood disorders. Dialogues in Clinical Neuroscience, 2012, 14, 369-379. | 3.7 | 31 |
| 183 | The Relationship Between Affective State and the Rhythmicity of Activity in Bipolar Disorder. Journal of Clinical Psychiatry, 2014, 75, e317-e322. | 2.2 | 44 |
| 184 | Actigraphically Assessed Activity in Unipolar Depression. Journal of Clinical Psychiatry, 2015, 76, 1181-1187. | 2.2 | 39 |
| 185 | Motor Activity in Adult Patients with Attention Deficit Hyperactivity Disorder. Psychiatry Investigation, 2015, 12, 474. | 1.6 | 4 |
| 186 | Quantitative Evaluation of Movement Disorders by Specified Analysis According to Actigraphy Records. International Journal of Integrative Medicine, 2013, , 1. | 0.7 | 6 |

| # | Article | IF | Citations |
|---|---|---|---|
| 187 | Scale-Invariant Locomotor Activity Patterns in Children with SAD. International Journal of Integrative Medicine, 2013, , 1. | 0.7 | 3 |
| 188 | VerÃnderungen von MotilitÃt, Gestik und Lokomotion. , 2004, , 77-91. | | 0 |
| 189 | Context aware sensing - what's the significance?. , 2005, , . | | 8 |
| 190 | Activity Measurement. , 2006, , 85-120. | | 4 |
| 191 | Sleep and Biological Rhythms Abnormalities in the Pathophysiology of Bipolar Disorders. Medical Psychiatry, 2007, , 189-208. | 0.2 | 0 |
| 193 | Actigraphy. , 2012, , 177-185. | | 0 |
| 194 | Behavioral Organization in Spontaneous Physical Activity and Its Alterations in Psychiatric Disorders. The Brain & Neural Networks, 2013, 20, 123-134. | 0.1 | 0 |
| 195 | Context Aware Sensing. , 2014, , 355-404. | | 4 |
| 196 | Risk-Benefit Analysis in the Use of Psychopharmacologic Interventions for Difficult-to-Diagnose Behavioral Disorders in Individuals With Mental Retardation. Psychiatric Annals, 1997, 27, 207-212. | 0.1 | 3 |
| 197 | Motorik. , 1998, , 163-189. | | 1 |
| 200 | Digital Phenotyping of Behavioral Symptoms as the Next Frontier for Personalized and Proactive Cancer Care. JCO Clinical Cancer Informatics, 2022, , . | 2.1 | 1 |
| 201 | A Review about Wireless Sensor Networks and the Internet of Things. Journal on Internet of Things, 2022, 4, 69-73. | 0.4 | 1 |
| 202 | Decisional style, sleepiness, and online responsiveness. Ergonomics, 0, , 1-13. | 2.1 | 0 |
| 203 | A Network Analysis Approach for the Classification of Psychiatric Disorders Using Multi-Modal Data. , 2023, , . | | 0 |