## CITATION REPORT List of articles citing

The nuclear receptor superfamily: the second decade

DOI: 10.1016/0092-8674(95)90199-x Cell, 1995, 83, 835-9.

Source: https://exaly.com/paper-pdf/26490028/citation-report.pdf

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2287	Control of Eicosanoid Production by Cellular and Secreted Phospholipase A2. 17-27		
2286	Neurotransmitters and neuromodulators. 99-120		2
2285	Steroid hormone metabolites and hormone binding assays. <b>2001</b> , 176, 145-62		1
2284	An algorithm for monotone regression with one or more independent variables. <b>1970</b> , 57, 263-271		32
2283	In vitro studies in primary aldosteronism:. <b>1988</b> , 117, 135-144		2
2282	Superiority of in situ hybridization over immunolabeling for detecting DNA on Lowicryl sections: a study on adenovirus-infected cells. <b>1993</b> , 41, 1537-46		5
2281	The RXR heterodimers and orphan receptors. <i>Cell</i> , <b>1995</b> , 83, 841-50	56.2	2789
2280	Stability of the ligand-estrogen receptor interaction depends on estrogen response element flanking sequences and cellular factors. <b>1996</b> , 59, 413-29		30
2279	Interaction of the Ubc9 human homologue with c-Jun and with the glucocorticoid receptor. <b>1996</b> , 61, 257-62		63
2278	The mosquito ultraspiracle homologue, a partner of ecdysteroid receptor heterodimer: cloning and characterization of isoforms expressed during vitellogenesis. <b>1996</b> , 121, 119-32		130
2277	ER beta: identification and characterization of a novel human estrogen receptor. <b>1996</b> , 392, 49-53		1676
2276	The PML and PML/RARalpha domains: from autoimmunity to molecular oncology and from retinoic acid to arsenic. <b>1996</b> , 229, 253-60		33
2275	The peroxisome proliferator activated receptors (PPARS) and their effects on lipid metabolism and adipocyte differentiation. <b>1996</b> , 1302, 93-109		760
2274	Androgen regulation of the rat keratinocyte growth factor (KGF/FGF7) promoter. <b>1996</b> , 220, 858-63		34
2273	Retinyl methyl ether: binding to transport proteins and effect on transcriptional regulation. <b>1996</b> , 223, 293-8		2
2272	Phosphorylation of purified estradiol-liganded estrogen receptor by casein kinase II increases estrogen response element binding but does not alter ligand stability. <b>1996</b> , 223, 554-60		27
2271	Mammalian mature osteoclasts as estrogen target cells. <b>1996</b> , 223, 637-42		80

2270	The war on cancer. <b>1996</b> , 347, 1377-81		505
2269	xGCNF, a nuclear orphan receptor is expressed during neurulation in Xenopus laevis. <b>1996</b> , 60, 45-57		44
2268	A CBP integrator complex mediates transcriptional activation and AP-1 inhibition by nuclear receptors. <i>Cell</i> , <b>1996</b> , 85, 403-14	56.2	1954
2267	Interaction between estradiol and cAMP in the regulation of specific gene expression. <b>1996</b> , 124, 71-7		21
2266	Transcription factors in disease. <b>1996</b> , 6, 334-42		60
2265	Retinoid receptors in transcriptional regulation. <b>1996</b> , 6, 567-74		55
2264	Differentiation and gene regulation. <b>1996</b> , 6, 639-82		
2263	Thyroid Hormone Receptors: Mechanisms of Transcriptional Regulation and Roles during Frog Development. <b>1996</b> , 3, 307-318		
2262	Molecular mechanisms of retinoid actions in skin. <b>1996</b> , 10, 1002-13		353
2261	Analysis of estrogen receptor transcriptional enhancement by a nuclear hormone receptor coactivator. <b>1996</b> , 93, 10069-73		214
2260	p300 is a component of an estrogen receptor coactivator complex. <b>1996</b> , 93, 11540-5		324
2259	RAR and RXR selective ligands cooperatively induce apoptosis and neuronal differentiation in P19 embryonal carcinoma cells. <b>1996</b> , 10, 1071-7		63
2258	A possible involvement of TIF1 alpha and TIF1 beta in the epigenetic control of transcription by nuclear receptors <b>1996</b> , 15, 6701-6715		401
2257	The fork head product directly specifies the tissue-specific hormone responsiveness of the Drosophila Sgs-4 gene <b>1996</b> , 15, 4825-4834		56
2256	Light-mediated retinoic acid production. <b>1996</b> , 93, 12570-4		78
2255	TIF2, a 160 kDa transcriptional mediator for the ligand-dependent activation function AF-2 of nuclear receptors <b>1996</b> , 15, 3667-3675		809
2254	Constitutive expression of hepatic cytochrome P450 genes. <b>1996</b> , 10, 1112-7		115
2253	The extreme C terminus of progesterone receptor contains a transcriptional repressor domain that functions through a putative corepressor. <b>1996</b> , 93, 12195-9		80

2252	Thyroid hormone-responsive genes in developing cerebellum include a novel synaptotagmin and a hairless homolog. <b>1996</b> , 16, 7832-40	173
2251	Activation and repression by nuclear hormone receptors: hormone modulates an equilibrium between active and repressive states. <b>1996</b> , 16, 3807-13	120
2250	In vivo genomic footprinting of thyroid hormone-responsive genes in pituitary tumor cell lines. <b>1996</b> , 16, 4465-77	22
2249	RIP-140 interacts with multiple nuclear receptors by means of two distinct sites. <b>1996</b> , 16, 6029-36	125
2248	Multiple steps in the regulation of transcription-factor level and activity. <b>1996</b> , 317 ( Pt 2), 329-42	125
2247	Ligand induction of a transcriptionally active thyroid hormone receptor coactivator complex. <b>1996</b> , 93, 8329-33	478
2246	P450 Cytochromes and Hormonal Regulation: An Overview. <b>1996</b> , 1-28	17
2245	Chapter 2. Gonadal Steroid Receptors: Possible Roles in the Etiology and Therapy of Cognitive and Neurological Disorders. <b>1996</b> , 31, 11-20	6
2244	The molecular pharmacology of ovarian steroid receptors. <b>1996</b> , 52, 99-128	8
2243	Antidiabetic thiazolidinediones inhibit leptin (ob) gene expression in 3T3-L1 adipocytes. <b>1996</b> , 93, 5793-6	292
2242	Functional analysis of retinoid Z receptor beta, a brain-specific nuclear orphan receptor. <b>1996</b> , 93, 10105-10	49
2241	The nuclear hormone receptor coactivator SRC-1 is a specific target of p300. <b>1996</b> , 93, 10626-31	398
2240	Ah receptor signaling pathways. <b>1996</b> , 12, 55-89	767
2239	Thyroid Hormone Receptors: Mechanisms of Transcriptional Regulation and Roles during Frog Development. <b>1996</b> , 3, 307-318	20
2238	Unravelling of physiological functions of retinoids using a dominant-negative retinoic acid receptor. <b>1996</b> , 21, 329-339	
2237	Glucocorticoid receptor lacking the tau 1 transactivation domain is a gene-specific regulator of the	<u> </u>
<i></i>	wild-type glucocorticoid-receptor activity. <b>1996</b> , 242, 839-45	7
2236		15

2234	Characterization of the human germ cell nuclear factor gene. <b>1996</b> , 1309, 179-82	26
2233	Transcriptional control: how nuclear receptors get turned on. <b>1996</b> , 6, 372-4	20
2232	Plant hormones: brassinosteroids in the spotlight. <b>1996</b> , 6, 658-61	17
2231	Potent gene regulatory and antiproliferative activities of 20-methyl analogues of 1,25 dihydroxyvitamin D3. <b>1996</b> , 63, 199-206	16
2230	Tadpole competence and tissue-specific temporal regulation of amphibian metamorphosis: roles of thyroid hormone and its receptors. <b>1996</b> , 18, 391-9	146
2229	The analysis of complex developmental programmes: amphibian metamorphosis. <b>1996</b> , 1, 429-35	20
2228	Peroxisome proliferator-induced pleiotropic responses: pursuit of a phenomenon. <b>1996</b> , 804, 176-201	101
2227	Nuclear receptors spring into action. <b>1996</b> , 3, 113-5	53
2226	Two distinct actions of retinoid-receptor ligands. <b>1996</b> , 382, 819-22	198
2225	Role of CBP/P300 in nuclear receptor signalling. <b>1996</b> , 383, 99-103	863
2224	Functional interactions between Stat5 and the glucocorticoid receptor. <b>1996</b> , 383, 726-8	593
2223	An oxysterol signalling pathway mediated by the nuclear receptor LXR alpha. <b>1996</b> , 383, 728-31	1462
2222	Transcribing diabetes. <b>1996</b> , 384, 407-8	16
2221	Mutations in the hepatocyte nuclear factor-4alpha gene in maturity-onset diabetes of the young (MODY1). <b>1996</b> , 384, 458-60	1016
2220	Transcription-modulating drugs: mechanism and selectivity. <b>1996</b> , 7, 608-15	40
2219	Nuclear hormone receptors: ligand-activated regulators of transcription and diverse cell responses. <b>1996</b> , 3, 529-36	127
2218	Multiple interactions between hTAFII55 and other TFIID subunits. Requirements for the formation of stable ternary complexes between hTAFII55 and the TATA-binding protein. <b>1996</b> , 271, 19774-80	44
2217	Abnormalities of torsional fast phase eye movements in unilateral rostral midbrain disease. <b>1996</b> , 47, 201-7	36

2216	Characterization of a premeiotic germ cell-specific cytoplasmic protein encoded by Stra8, a novel retinoic acid-responsive gene. <b>1996</b> , 135, 469-77	263
2215	Identification of natural monomeric response elements of the nuclear receptor RZR/ROR. They also bind COUP-TF homodimers. <b>1996</b> , 271, 19732-6	86
2214	Ligand-induced conformational changes in the human retinoic acid receptor detected using monoclonal antibodies. <b>1996</b> , 271, 22969-75	11
2213	Transcriptional synergism between vitamin D-responsive elements in the rat 25-hydroxyvitamin D3 24-hydroxylase (CYP24) promoter. <b>1996</b> , 271, 29715-21	102
2212	Functional characterization of a mutant thyroid hormone receptor in Xenopus laevis. <b>1996</b> , 271, 33394-403	10
2211	The high affinity ligand binding conformation of the nuclear 1,25-dihydroxyvitamin D3 receptor is functionally linked to the transactivation domain 2 (AF-2). <b>1996</b> , 24, 4513-8	35
<b>221</b> 0	A brassinosteroid-insensitive mutant in Arabidopsis thaliana exhibits multiple defects in growth and development. <b>1996</b> , 111, 671-8	636
2209	c-Jun can mediate androgen receptor-induced transactivation. <b>1996</b> , 271, 24583-9	84
2208	Two receptor interaction domains in the corepressor, N-CoR/RIP13, are required for an efficient interaction with Rev-erbA alpha and RVR: physical association is dependent on the E region of the orphan receptors. <b>1996</b> , 24, 4379-86	72
2207	p53 is a mediator for radiation-repressed human TR2 orphan receptor expression in MCF-7 cells, a new pathway from tumor suppressor to member of the steroid receptor superfamily. <b>1996</b> , 271, 14649-52	39
2206	Suppression of the human erythropoietin gene expression by the TR2 orphan receptor, a member of the steroid receptor superfamily. <b>1996</b> , 271, 10405-12	35
2205	Essential cis-acting elements in rat uncoupling protein gene are in an enhancer containing a complex retinoic acid response domain. <b>1996</b> , 271, 31533-42	54
2204	An analysis of retinoic acid-induced gene expression and metabolism in AB1 embryonic stem cells. <b>1996</b> , 271, 14971-80	40
2203	A novel DNA-binding protein, HS2NF5, interacts with a functionally important sequence of the human beta-globin locus control region. <b>1996</b> , 271, 32421-9	36
2202	Different regions in activation function-1 of the human estrogen receptor required for antiestrogen- and estradiol-dependent transcription activation. <b>1996</b> , 271, 24172-8	149
2201	Regulation of human immunodeficiency virus type 1 gene transcription by nuclear receptors in human brain cells. <b>1996</b> , 271, 22895-900	11
2200	Transcriptional repression by Rev-erbA alpha is dependent on the signature motif and helix 5 in the ligand binding domain: silencing does not involve an interaction with N-CoR. <b>1996</b> , 24, 3490-8	16
2199	Characterization of germ cell-specific expression of the orphan nuclear receptor, germ cell nuclear factor. <b>1997</b> , 138, 4364-72	67

2198	response element (ERE) sequence: a comparison with the vitellogenin A2 consensus ERE. <b>1997</b> , 11, 1581-92	41
2197	Both thyroid hormone and 9-cis retinoic acid receptors are required to efficiently mediate the effects of thyroid hormone on embryonic development and specific gene regulation in Xenopus laevis. <b>1997</b> , 17, 4738-49	86
2196	The activation function-2 hexamer of steroidogenic factor-1 is required, but not sufficient for potentiation by SRC-1. <b>1997</b> , 11, 1626-35	90
2195	High-mobility group (HMG) protein HMG-1 and TATA-binding protein-associated factor TAF(II)30 affect estrogen receptor-mediated transcriptional activation. <b>1997</b> , 11, 1009-19	61
2194	Hinge and amino-terminal sequences contribute to solution dimerization of human progesterone receptor. <b>1997</b> , 11, 1114-28	66
2193	Synthetic glucocorticoids that dissociate transactivation and AP-1 transrepression exhibit antiinflammatory activity in vivo. <b>1997</b> , 11, 1245-55	255
2192	Characterization of the Xenopus homolog of an immediate early gene associated with cell activation: sequence analysis and regulation of its expression by thyroid hormone during amphibian metamorphosis. <b>1997</b> , 7, 179-93	29
2191	A new actor in the estrogen receptor dramaenter ER-beta. <b>1997</b> , 138, 861-2	126
2190	1alpha,25-dihydroxyvitamin D3 actions in LNCaP human prostate cancer cells are androgen-dependent. <b>1997</b> , 138, 3290-8	76
2189	Involvement of the transcription factor IID protein complex in gene activation by the N-terminal transactivation domain of the glucocorticoid receptor in vitro. <b>1997</b> , 11, 1467-75	64
2188	Estrogen-related receptor alpha 1 functionally binds as a monomer to extended half-site sequences including ones contained within estrogen-response elements. <b>1997</b> , 11, 342-52	134
2187	Teleost FTZ-F1 homolog and its splicing variant determine the expression of the salmon gonadotropin IIbeta subunit gene. <b>1997</b> , 11, 877-90	48
2186	TNF alpha-mediated inhibition and reversal of adipocyte differentiation is accompanied by suppressed expression of PPARgamma without effects on Pref-1 expression. <b>1997</b> , 138, 2776-83	162
2185	Activities in Pit-1 determine whether receptor interacting protein 140 activates or inhibits Pit-1/nuclear receptor transcriptional synergy. <b>1997</b> , 11, 1332-41	50
2184	Chick ovalbumin upstream promoter-transcription factors (COUP-TFs): coming of age. <b>1997</b> , 18, 229-40	253
2183	Overexpression of unliganded steroid receptors activates endogenous heat shock factor. <b>1997</b> , 11, 1365-74	29
2182	Human estrogen receptor (ER) gene promoter-P1: estradiol-independent activity and estradiol inducibility in ER+ and ER- cells. <b>1997</b> , 11, 1319-31	35
2181	Glucocorticoid and mineralocorticoid receptors: biology and clinical relevance. <b>1997</b> , 48, 231-40	255

2180	Histone acetylation influences thyroid hormone and retinoic acid-mediated gene expression. <b>1997</b> , 16, 421-31	29
2179	Studies on the mechanism of glucocorticoid-mediated repression from a negative glucocorticoid response element from the bovine prolactin gene. <b>1997</b> , 16, 153-63	32
2178	Drug discovery using receptors that modulate gene expression. <b>1997</b> , 17, 531-43	8
2177	The glucocorticoid receptor regulates the binding of C/EPBbeta on the alpha-1-acid glycoprotein promoter in vivo. <b>1997</b> , 16, 1467-76	24
2176	Unique requirements for retinoid-dependent transcriptional activation by the orphan receptor LXR. <b>1997</b> , 11, 289-98	130
2175	Plasticity of tetramer formation by retinoid X receptors. An alternative paradigm for DNA recognition. <b>1997</b> , 272, 9860-7	22
2174	Retinoic acid receptor/retinoid X receptor heterodimers can be activated through both subunits providing a basis for synergistic transactivation and cellular differentiation. <b>1997</b> , 272, 9443-9	66
2173	Is Lamprey Metamorphosis Regulated by Thyroid Hormones?. <b>1997</b> , 37, 441-460	52
2172	p300 functions as a coactivator for the peroxisome proliferator-activated receptor alpha. <b>1997</b> , 272, 33435-43	143
2171	Functional interactions between the estrogen receptor and the transcription activator Sp1 regulate the estrogen-dependent transcriptional activity of the vitellogenin A1 io promoter. <b>1997</b> , 272, 18250-60	58
2170	Allosteric interaction of the 1alpha,25-dihydroxyvitamin D3 receptor and the retinoid X receptor on DNA. <b>1997</b> , 25, 4307-13	15
2169	A role for HDJ-2/HSDJ in correcting subnuclear trafficking, transactivation, and transrepression defects of a glucocorticoid receptor zinc finger mutant. <b>1997</b> , 8, 795-809	49
2168	Steroid receptor interactions with heat shock protein and immunophilin chaperones. <b>1997</b> , 18, 306-60	1208
2167	Transcriptional regulation of apolipoprotein A-I gene expression by the nuclear receptor RORalpha. <b>1997</b> , 272, 22401-4	100
2166	Organization and partial sequence of the hepatocyte nuclear factor-4 alpha/MODY1 gene and identification of a missense mutation, R127W, in a Japanese family with MODY. <b>1997</b> , 46, 1652-7	70
2165	Activation of the nuclear receptor LXR by oxysterols defines a new hormone response pathway. <b>1997</b> , 272, 3137-40	933
2164	Specific deactivation of the mouse mammary tumor virus long terminal repeat promoter upon continuous hormone treatment. <b>1997</b> , 272, 21803-10	7
2163	Toward therapeutic intervention of cancer by vitamin D compounds. <b>1997</b> , 89, 182-5	51

2162	Cloning, chromosomal localization, and functional analysis of the murine estrogen receptor beta. <b>1997</b> , 11, 353-65	647
2161	Selective interaction of hsp90 with an estrogen receptor ligand-binding domain containing a point mutation. <b>1997</b> , 272, 12229-35	23
2160	The function of steroid hormone receptors is inhibited by the hsp90-specific compound geldanamycin. <b>1997</b> , 272, 18694-701	132
2159	Sequences in the ligand-binding domains of the human androgen and progesterone receptors which determine their distinct ligand identities. <b>1997</b> , 18, 147-60	22
2158	Differential interaction of nuclear receptors with the putative human transcriptional coactivator hTIF1. <b>1997</b> , 272, 12062-8	78
2157	Induction of the intronic enhancer of the human ciliary neurotrophic factor receptor (CNTFRalpha) gene by the TR4 orphan receptor. A member of steroid receptor superfamily. <b>1997</b> , 272, 3109-16	54
2156	The phantom ligand effect: allosteric control of transcription by the retinoid X receptor. <b>1997</b> , 11, 299-308	112
2155	Chicken ovalbumin upstream promoter-transcription factor interacts with estrogen receptor, binds to estrogen response elements and half-sites, and inhibits estrogen-induced gene expression. <b>1997</b> , 272, 31465-74	81
2154	Interaction between the amino- and carboxyl-terminal regions of the rat androgen receptor modulates transcriptional activity and is influenced by nuclear receptor coactivators. <b>1997</b> , 272, 29821-8	284
2153	Thyroid hormone induces apoptosis in primary cell cultures of tadpole intestine: cell type specificity and effects of extracellular matrix. <b>1997</b> , 139, 1533-43	57
2152	Subnuclear trafficking of glucocorticoid receptors in vitro: chromatin recycling and nuclear export. <b>1997</b> , 137, 523-38	91
2151	CDK2 is a target for retinoic acid-mediated growth inhibition in MCF-7 human breast cancer cells. <b>1997</b> , 11, 1191-202	77
2150	Molecular genetic analysis of brassinosteroid action. <b>1997</b> , 100, 702-709	7
2149	Nuclear hormone receptor antagonism with AP-1 by inhibition of the JNK pathway. <b>1997</b> , 11, 3351-64	259
2148	Binding of type II nuclear receptors and estrogen receptor to full and half-site estrogen response elements in vitro. <b>1997</b> , 25, 1903-12	42
2147	The orphan nuclear receptor LXRalpha is positively and negatively regulated by distinct products of mevalonate metabolism. <b>1997</b> , 94, 10588-93	241
2146	Mouse glucocorticoid receptor phosphorylation status influences multiple functions of the receptor protein. <b>1997</b> , 272, 9287-93	195
2145	The rat glucocorticoid receptor mutant K461A differentiates between two different mechanisms of transrepression. <b>1997</b> , 272, 21090-5	23

2144	Differential transactivation by two isoforms of the orphan nuclear hormone receptor CAR. <b>1997</b> , 272, 23565-71	222
2143	Isolation and characterization of a novel ligand-dependent thyroid hormone receptor-coactivating protein. <b>1997</b> , 272, 29834-41	60
2142	Identification of a novel suppressive vitamin D response sequence in the 5'-flanking region of the murine Id1 gene. <b>1997</b> , 272, 29865-72	13
2141	Characterization of receptor interaction and transcriptional repression by the corepressor SMRT. <b>1997</b> , 11, 2025-37	95
2140	Ligand-induced peroxisome proliferator-activated receptor alpha conformational change. <b>1997</b> , 272, 2013-20	72
2139	The Arolla Workshopsome of its history. <b>1997</b> , 378, 575-7	2
2138	Human TAF(II)135 potentiates transcriptional activation by the AF-2s of the retinoic acid, vitamin D3, and thyroid hormone receptors in mammalian cells. <b>1997</b> , 11, 1381-95	118
2137	The thyrotrope-restricted isoform of the retinoid-X receptor-gamma1 mediates 9-cis-retinoic acid suppression of thyrotropin-beta promoter activity. <b>1997</b> , 11, 481-9	52
2136	Analysis of the functional role of steroid receptor coactivator-1 in ligand-induced transactivation by thyroid hormone receptor. <b>1997</b> , 11, 755-67	36
2135	The partial agonist activity of antagonist-occupied steroid receptors is controlled by a novel hinge domain-binding coactivator L7/SPA and the corepressors N-CoR or SMRT. <b>1997</b> , 11, 693-705	378
2134	Novel dimeric Nur77 signaling mechanism in endocrine and lymphoid cells. <b>1997</b> , 17, 5946-51	313
2133	Aldosterone, salt and cardiac fibrosis. <b>1997</b> , 19, 885-99	37
2132	The Ecdysone Regulatory Cascades in Drosophila. <b>1997</b> , 5, 81-135	37
2131	The DNA binding domain of hepatocyte nuclear factor 4 mediates cooperative, specific binding to DNA and heterodimerization with the retinoid X receptor alpha. <b>1997</b> , 272, 1218-25	62
2130	Phenobarbital alters protein binding to the CYP2B1/2 phenobarbital-responsive unit in native chromatin. <b>1997</b> , 272, 29423-5	32
2129	Cloning and characterization of the type I inositol 1,4,5-trisphosphate receptor gene promoter. Regulation by 17beta-estradiol in osteoblasts. <b>1997</b> , 272, 22425-31	21
2128	Differential regulation of the transcriptional activity of the orphan nuclear receptor NGFI-B by membrane depolarization and nerve growth factor. <b>1997</b> , 272, 31278-84	67
2127	Retinoic acid receptor alpha gene expression in the rat testis: potential role during the prophase of meiosis and in the transition from round to elongating spermatids. <b>1997</b> , 56, 549-56	87

2126	Isolation and characterization of PBP, a protein that interacts with peroxisome proliferator-activated receptor. <b>1997</b> , 272, 25500-6	280
2125	The glucocorticoid receptor is associated with the RNA-binding nuclear matrix protein hnRNP U. <b>1997</b> , 272, 28471-8	61
2124	Functional domains of the nuclear receptor hepatocyte nuclear factor 4. <b>1997</b> , 272, 539-50	115
2123	Three amino acid substitutions selectively disrupt the activation but not the repression function of the glucocorticoid receptor N terminus. <b>1997</b> , 272, 4149-56	102
2122	Interaction of androgen receptors with androgen response element in intact cells. Roles of amino-and carboxyl-terminal regions and the ligand. <b>1997</b> , 272, 15973-9	62
2121	Ligand-independent activation domain in the N terminus of peroxisome proliferator-activated receptor gamma (PPARgamma). Differential activity of PPARgamma1 and -2 isoforms and influence of insulin. <b>1997</b> , 272, 20230-5	207
2120	Human estrogen receptor beta binds DNA in a manner similar to and dimerizes with estrogen receptor alpha. <b>1997</b> , 272, 25832-8	222
2119	Steroidogenic factor 1: a key determinant of endocrine development and function. <b>1997</b> , 18, 361-77	578
2118	Retinoic acid receptor expression abnormalities in lung cancer: important clues or major obstacles?. <b>1997</b> , 89, 602-4	12
2117	K+ channel expression and cell proliferation are regulated by intracellular sodium and membrane depolarization in oligodendrocyte progenitor cells. <b>1997</b> , 17, 2669-82	140
2116	The heat shock-induced hyperphosphorylation of tau is estrogen-independent and prevented by androgens: implications for Alzheimer disease. <b>1997</b> , 94, 6612-7	76
2115	Immunochemical demonstration of the mineralocorticoid receptor in ocular tissues. <b>1997</b> , 65, 70-8	26
2114	Myocyte-specific enhancer factor 2 and thyroid hormone receptor associate and synergistically activate the alpha-cardiac myosin heavy-chain gene. <b>1997</b> , 17, 2745-55	78
2113	Heterodimeric interaction between retinoid X receptor alpha and orphan nuclear receptor OR1 reveals dimerization-induced activation as a novel mechanism of nuclear receptor activation. <b>1997</b> , 17, 3977-86	46
2112	Proposed mechanism for the stabilization of nuclear receptor DNA binding via protein dimerization. <b>1997</b> , 17, 6546-54	26
2111	The mouse estrogen receptor-related orphan receptor alpha 1: molecular cloning and estrogen responsiveness. <b>1997</b> , 19, 299-309	65
<b>2</b> 110	Retinoid-induced apoptosis and Sp1 cleavage occur independently of transcription and require caspase activation. <b>1997</b> , 17, 6348-58	126
2109	Constitutive activation of gene expression by thyroid hormone receptor results from reversal of p53-mediated repression. <b>1997</b> , 17, 7195-207	28

2108	DAX-1 inhibits SF-1-mediated transactivation via a carboxy-terminal domain that is deleted in adrenal hypoplasia congenita. <b>1997</b> , 17, 1476-83	396
2107	Nuclear receptor steroidogenic factor 1 directs embryonic stem cells toward the steroidogenic lineage. <b>1997</b> , 17, 3997-4006	106
2106	tau4/tau c/AF-2 of the thyroid hormone receptor relieves silencing of the retinoic acid receptor silencer core independent of both tau4 activation function and full dissociation of corepressors. <b>1997</b> , 17, 4259-71	21
2105	Novel receptor interaction and repression domains in the orphan receptor SHP. <b>1997</b> , 17, 7126-31	120
2104	Retinoid X receptor:vitamin D3 receptor heterodimers promote stable preinitiation complex formation and direct 1,25-dihydroxyvitamin D3-dependent cell-free transcription. <b>1997</b> , 17, 1923-37	68
2103	Peroxisome proliferator-activated receptors and retinoic acid receptors differentially control the interactions of retinoid X receptor heterodimers with ligands, coactivators, and corepressors. <b>1997</b> , 17, 2166-76	227
2102	Chicken ovalbumin upstream promoter transcription factors act as auxiliary cofactors for hepatocyte nuclear factor 4 and enhance hepatic gene expression. <b>1997</b> , 17, 2790-7	66
2101	The nuclear orphan receptors COUP-TF and ARP-1 positively regulate the trout estrogen receptor gene through enhancing autoregulation. <b>1997</b> , 17, 5053-66	39
2100	Retinoid-induced chromatin structure alterations in the retinoic acid receptor beta2 promoter. <b>1997</b> , 17, 6481-90	45
2099	AF-2 activity and recruitment of steroid receptor coactivator 1 to the estrogen receptor depend on a lysine residue conserved in nuclear receptors. <b>1997</b> , 17, 1832-9	191
2098	Prebending the estrogen response element destabilizes binding of the estrogen receptor DNA binding domain. <b>1997</b> , 17, 3173-80	18
2097	Functional domains of the human orphan receptor ARP-1/COUP-TFII involved in active repression and transrepression. <b>1997</b> , 17, 4914-32	55
2096	A conformational switch in nuclear hormone receptors is involved in coupling hormone binding to corepressor release. <b>1997</b> , 17, 6131-8	71
2095	Probing the structure and function of the estrogen receptor ligand binding domain by analysis of mutants with altered transactivation characteristics. <b>1997</b> , 17, 4644-53	32
2094	Retinoid X receptor (RXR) within the RXR-retinoic acid receptor heterodimer binds its ligand and enhances retinoid-dependent gene expression. <b>1997</b> , 17, 644-55	148
2093	HNF4beta, a new gene of the HNF4 family with distinct activation and expression profiles in oogenesis and embryogenesis of Xenopus laevis. <b>1997</b> , 17, 687-94	43
2092	Tissue-specific regulation of medium-chain acyl-CoA dehydrogenase gene by thyroid hormones in the developing rat. <b>1997</b> , 324 ( Pt 1), 289-94	23
2091	Functional conformations of the nuclear 1alpha,25-dihydroxyvitamin D3 receptor. <b>1997</b> , 327 ( Pt 2), 561-8	28

2090	Coexpression of nuclear receptor partners increases their solubility and biological activities. <b>1997</b> , 94, 2278-83	88
2089	SMRT corepressor interacts with PLZF and with the PML-retinoic acid receptor alpha (RARalpha) and PLZF-RARalpha oncoproteins associated with acute promyelocytic leukemia. <b>1997</b> , 94, 9028-33	325
2088	Vitamin A in serum is a survival factor for fibroblasts. <b>1997</b> , 94, 10205-8	28
2087	Conservation of function between mammalian and plant steroid 5alpha-reductases. <b>1997</b> , 94, 3554-9	146
2086	Modified steroid receptors and steroid-inducible promoters as genetic switches for gene therapy. <b>1997</b> , 40, 339-67	5
2085	Subnuclear Trafficking of Steroid Receptors. <b>1997</b> , 24, 165-183	
2084	Retinoids and Apoptosis. <b>1997</b> , 161-196	2
2083	Chapter 25. Nuclear Orphan Receptors: Scientific Progress and Therapeutic Opportunities. <b>1997</b> , 32, 251-260	4
2082	Use of quantitative polymerase chain reaction to study retinoid receptor expression. <b>1997</b> , 282, 48-64	5
2081	Thioredoxin in the endocrine response to stress. <b>1999</b> , 57, 153-75	11
2080	Hormone replacement: therapeutic strategies in the treatment of Alzheimer disease and ageing-related cognitive disorders. <b>1997</b> , 7, 611-629	5
2079	Transcription inhibitors in inflammation. <b>1997</b> , 6, 555-67	12
2078	Steroidal affinity labels of the estrogen receptor. 3. Estradiol 11 beta-n-alkyl derivatives bearing a terminal electrophilic group: antiestrogenic and cytotoxic properties. <b>1997</b> , 40, 2217-27	17
2077	Zinc binding properties of the DNA binding domain of the 1,25-dihydroxyvitamin D3 receptor. <b>1997</b> , 36, 10482-91	35
2076	Thyroid hormone resistance syndrome manifests as an aberrant interaction between mutant T3 receptors and transcriptional corepressors. <b>1997</b> , 11, 470-80	165
2075	17 alpha (haloacetamidoalkyl) estradiols alkylate the human estrogen receptor at cysteine residues 417 and 530. <b>1997</b> , 36, 5861-7	21
2074	Identification of a functional imperfect estrogen-responsive element in the 5'-promoter region of the human cathepsin D gene. <b>1997</b> , 36, 7793-801	51
2073	Hepatocyte nuclear factor 4 inhibits the activity of site A from the rat apolipoprotein AI gene. <b>1997</b> , 36, 301-6	20

2072	Functional in vivo interaction between the amino-terminal, transactivation domain and the ligand binding domain of the androgen receptor. <b>1997</b> , 36, 1052-64	189
2071	Inhibition of mineralocorticoid activity by the beta-isoform of the human glucocorticoid receptor. <b>1997</b> , 60, 43-50	42
2070	Developmental Biology. <b>1997</b> ,	21
2069	Prominent expression of nuclear hormone receptor ROR alpha in Purkinje cells from early development. <b>1997</b> , 28, 177-84	49
2068	Molecular and Cellular Ontogeny of Distinct Pituitary Cell Types. 1997, 1-31	1
2067	Recent advances in chemoprevention of cancer. <b>1997</b> , 278, 1073-7	685
2066	Differential ligand activation of estrogen receptors ERalpha and ERbeta at AP1 sites. <b>1997</b> , 277, 1508-10	2006
2065	Regulation of hepatic lecithin:retinol acyltransferase activity by retinoic acid receptor-selective retinoids. <b>1997</b> , 344, 220-7	29
2064	Transcriptional regulation by competition between ELP isoforms and nuclear receptors. <b>1997</b> , 230, 407-12	6
2063	Functional characterization of a novel type of 1 alpha,25-dihydroxyvitamin D3 response element identified in the mouse c-fos promoter. <b>1997</b> , 230, 646-51	39
2062	Retinoic acids differentially regulate NOR-1 and its closely related orphan nuclear receptor genes in breast cancer cell line MCF-7. <b>1997</b> , 231, 417-20	18
2061	mRNA expression of HNF-4 isoforms and of HNF-1alpha/HNF-1beta variants and differentiation of human cell lines that mimic highly specialized phenotypes of intestinal epithelium. <b>1997</b> , 235, 820-5	23
2060	A splicing variant of Steroid Receptor Coactivator-1 (SRC-1E): the major isoform of SRC-1 to mediate thyroid hormone action. <b>1997</b> , 236, 83-7	56
2059	Functional association between CBP and HNF4 in trans-activation. <b>1997</b> , 241, 664-9	99
2058	The Caenorhabditis elegans orphan nuclear hormone receptor gene nhr-2 functions in early embryonic development. <b>1997</b> , 184, 303-19	22
2057	Reduction of both RAR and RXR levels is required to maximally alter sensitivity of CA-OV3 ovarian tumor cells to growth suppression by all-trans-retinoic acid. <b>1997</b> , 237, 118-26	28
2056	Organization, sequence, chromosomal localization, and promoter identification of the mouse orphan nuclear receptor Nurr1 gene. <b>1997</b> , 41, 250-7	33
2055	Human estrogen receptor-like 1 (ESRL1) gene: genomic organization, chromosomal localization, and promoter characterization. <b>1997</b> , 44, 52-60	30

2054	Chromosomal mapping of the human and murine orphan receptors ERRalpha (ESRRA) and ERRbeta (ESRRB) and identification of a novel human ERRalpha-related pseudogene. <b>1997</b> , 45, 320-6		26
2053	Thyroid hormone induces beta1-adrenergic receptor gene transcription through a direct repeat separated by five nucleotides. <b>1997</b> , 29, 3223-37		41
2052	Effects of retinoid and thyroid receptors during development of the inner ear. 1997, 8, 257-264		19
2051	Identification of two estrogen receptor transcripts with novel 5' exons isolated from a MCF7 cDNA library. <b>1997</b> , 62, 143-53		42
2050	hsp70 is not required for high affinity binding of purified calf uterine estrogen receptor to estrogen response element DNA in vitro. <b>1997</b> , 63, 283-301		19
2049	In situ localization of progesterone receptors in normal mouse mammary glands: absence of receptors in the connective and adipose stroma and a heterogeneous distribution in the epithelium. <b>1997</b> , 63, 251-9		51
2048	Isolation of a functional ecdysteroid receptor homologue from the ixodid tick Amblyomma americanum (L.). <b>1997</b> , 27, 945-62		52
2047	Chromatin modulation of glucocorticoid and progesterone receptor activity. <b>1997</b> , 8, 384-90		17
2046	Generating sexually differentiated songs. <b>1997</b> , 7, 839-43		17
2045	Retinoid X receptors. <b>1997</b> , 29, 275-8		55
2044	Nuclear receptors: structure, function and involvement in disease. <b>1997</b> , 29, 1325-41		87
2043	The estrogen receptor gene: promoter organization and expression. <b>1997</b> , 29, 1343-69		55
2042	The testis and the adrenal are (transcriptionally) the same. <b>1997</b> , 62, 46-52		5
2041	Drosophila ecdysone receptor mutations reveal functional differences among receptor isoforms. <i>Cell</i> , <b>1997</b> , 91, 777-88	56.2	244
2040	The presence of a transcription activation function in the hormone-binding domain of androgen receptor is revealed by studies in yeast cells. <b>1997</b> , 412, 355-8		41
2039	Chicken thyroid hormone receptor alpha requires the N-terminal amino acids for exclusive nuclear localization. <b>1997</b> , 416, 291-6		18
2038	Expression of the estrogen-related receptor 1 (ERR-1) orphan receptor during mouse development. <b>1997</b> , 65, 71-85		77
2037	Limited specificity and large overlap of the functions of the mouse RAR gamma 1 and RAR gamma 2 isoforms. <b>1997</b> , 66, 131-42		32

2036	Regulation of the CRABP-I gene during mouse embryogenesis. <b>1997</b> , 67, 157-69		14
2035	The acute promyelocytic leukemia PML-RAR alpha protein induces hepatic preneoplastic and neoplastic lesions in transgenic mice. <b>1997</b> , 14, 1547-54		27
2034	Nuclear receptor coactivator ACTR is a novel histone acetyltransferase and forms a multimeric activation complex with P/CAF and CBP/p300. <i>Cell</i> , <b>1997</b> , 90, 569-80	6.2	1311
2033	Glucocorticoid-dependent transcriptional repression of the osteocalcin gene by competitive binding at the TATA box. <b>1997</b> , 16, 919-27		62
2032	Identification of a novel human kinesin-related gene (HK2) by the cDNA differential display technique. <b>1997</b> , 42, 67-73		13
2031	Rat nurr1 is prominently expressed in perirhinal cortex, and differentially induced in the hippocampal dentate gyrus by electroconvulsive vs. kindled seizures. <b>1997</b> , 47, 251-61		46
2030	Transcriptional induction of RC3/neurogranin by thyroid hormone: differential neuronal sensitivity is not correlated with thyroid hormone receptor distribution in the brain. <b>1997</b> , 49, 37-44		61
2029	Peroxisome proliferators and peroxisome proliferator activated receptors (PPARs) as regulators of lipid metabolism. <b>1997</b> , 79, 81-94		191
2028	The brain as a symbol-processing machine. <b>1997</b> , 53, 121-98		14
2027	Modification of thyroid hormone and 9-cis retinoic acid signaling by overexpression of their cognate receptors using adenoviral vector. <b>1997</b> , 131, 59-66		7
2026	Purkinje cell protein-2 cis-elements mediate repression of T3-dependent transcriptional activation. <b>1997</b> , 131, 79-87		26
2025	The rat TSHbeta gene contains distinct response elements for regulation by retinoids and thyroid hormone. <b>1997</b> , 131, 137-46		40
2024	Inhibition of mineralocorticoid and glucocorticoid receptor function by the heat shock protein 90-binding agent geldanamycin. <b>1997</b> , 131, 233-40		54
2023	Retinoid receptors in rat vaginal and uterine epithelia: changes with ovarian steroids. <b>1997</b> , 132, 101-8		14
2022	Ginsenoside-Rg1, one of the major active molecules from Panax ginseng, is a functional ligand of glucocorticoid receptor. <b>1997</b> , 133, 135-40		158
2021	Steroid receptor phylogeny and vertebrate origins. <b>1997</b> , 135, 101-7		84
2020	Regulation of the human interleukin-2 gene by the alpha and beta isoforms of the glucocorticoid receptor. <b>1997</b> , 136, 23-8		40
2019	Retinoids stimulate lipid synthesis and accumulation in LNCaP prostatic adenocarcinoma cells. <b>1997</b> , 136, 37-46		11

Retinoid X and retinoic acid receptors interact with transcription factor II-B by distinct mechanism <b>1997</b> , 129, 55-61	ns. 5
Expression of Fas-estrogen receptor fusion protein induces cell death in pancreatic cancer cell lines. <b>1997</b> , 116, 53-9	9
2016 Thyroid hormone-induced plasticity in the adult rat brain. <b>1997</b> , 44, 549-57	57
Ligand-dependent interaction between the estrogen receptor and the human homologues of SWI2/SNF2. <b>1997</b> , 188, 95-100	146
2014 Molecular cloning of chicken FTZ-F1-related orphan receptors. <b>1997</b> , 197, 261-8	56
Protocol for site-directed mutagenesis in the preparation of large gene-targeting vectors. <b>1997</b> , 2 426-8, 430	22,
2012 Activation of the orphan receptor RIP14 by retinoids. <b>1997</b> , 94, 7909-14	81
Regulation of dopaminergic pathways by retinoids: activation of the D2 receptor promoter by members of the retinoic acid receptor-retinoid X receptor family. <b>1997</b> , 94, 14349-54	183
2010 Looking ahead: some genetic issues of the future. <b>1997</b> , 40, 328-47	6
Functional role of a conformationally flexible homopurine/homopyrimidine domain of the 2009 androgen receptor gene promoter interacting with Sp1 and a pyrimidine single strand DNA-binding protein. <b>1997</b> , 11, 3-15	ng 54
2008 Head and Neck Chemoprevention: Recent Advances. <b>1997</b> , 4, 128-135	4
2007 Estrogen-dependent transcriptional activation and vitellogenin gene memory. <b>1997</b> , 11, 1985-93	16
Analysis of vitamin D analog-induced heterodimerization of vitamin D receptor with retinoid X receptor using the yeast two-hybrid system. <b>1997</b> , 11, 366-78	40
2005 Nuclear Signalling of Melatonin. <b>1997</b> , 23, 25-35	10
Autoactivation of XenopusThyroid Hormone Receptor © enes Correlates with Larval Epithelial Apoptosis and Adult Cell Proliferation. <b>1997</b> , 4, 9-18	
2003 The germ cell nuclear factor mGCNF is expressed in the developing nervous system. <b>1997</b> , 19, 410	)-20 76
2002 Molecular genetic analysis of brassinosteroid action. <b>1997</b> , 100, 702-709	45
2001 The war on cancer: a review. <b>1997</b> , 833, 137-46	41

2000	Retinoic acid modulates the anti-proliferative effect of 1,25-dihydroxyvitamin D3 in cultured human epidermal keratinocytes. <b>1997</b> , 109, 46-54	45
1999	Specific organization of the negative response elements for retinoic acid and thyroid hormone receptors in keratin gene family. <b>1997</b> , 109, 566-72	41
1998	A truncated RAR alpha co-operates with the v-erbB oncogene to transform early haematopoietic progenitors in vitro and in vivo. <b>1997</b> , 14, 1471-9	3
1997	Novel retinoid-related molecules as apoptosis inducers and effective inhibitors of human lung cancer cells in vivo. <b>1997</b> , 3, 686-90	82
1996	Defective limbic system in mice lacking the tailless gene. <b>1997</b> , 390, 515-7	159
1995	A complex containing N-CoR, mSin3 and histone deacetylase mediates transcriptional repression. <b>1997</b> , 387, 43-8	1109
1994	Toxin-induced activation of the G protein p21 Rho by deamidation of glutamine. <b>1997</b> , 387, 729-33	424
1993	A signature motif in transcriptional co-activators mediates binding to nuclear receptors. <b>1997</b> , 387, 733-6	1801
1992	Retinoic acid and arsenic: towards oncogene-targeted treatments of acute promyelocytic leukaemia. <b>1997</b> , 1333, M53-61	16
1991	Growth inhibition of cultured human gastric cancer cells by 9-cis-retinoic acid with induction of cdk inhibitor Waf1/Cip1/Sdi1/p21 protein. <b>1997</b> , 61, 313-20	27
1990	Retinoic acid and development of the retina. <b>1997</b> , 16, 323-351	32
1989	1alpha,25-dihydroxyvitamin D3 and a variety of its natural metabolites transcriptionally repress nuclear-factor-kappaB-mediated interleukin-8 gene expression. <b>1997</b> , 250, 63-71	82
1988	Dimeric binding of the mouse germ cell nuclear factor. <b>1997</b> , 244, 120-7	31
1987	Neuronal cell nuclear factora nuclear receptor possibly involved in the control of neurogenesis and neuronal differentiation. <b>1997</b> , 249, 826-37	31
1986	Induction of altered gene expression in early embryos. <b>1997</b> , 396, 79-95	7
1985	Distributional characteristics of the mRNA for retinoid Z receptor beta (RZR beta), a putative nuclear melatonin receptor, in the rat brain and spinal cord. <b>1997</b> , 747, 332-7	23
1984	Hypothyroidism coordinately and transiently affects myelin protein gene expression in most rat brain regions during postnatal development. <b>1997</b> , 752, 285-93	106
1983	Characterization of the cholinergic neuronal differentiation of the human neuroblastoma cell line LA-N-5 after treatment with retinoic acid. <b>1997</b> , 102, 53-67	31

1982	An orphan nuclear receptor lacking a zinc-finger DNA-binding domain: interaction with several nuclear receptors. <b>1997</b> , 1350, 27-32	51
1981	Vitamin D and 9-cis retinoic acid: an efficient partnership for the induction of myelomonocytic cell growth inhibition and differentiation. <b>1997</b> , 21, 173-6	1
1980	Retinoids: from hindbrain patterning to Parkinson disease. <b>1997</b> , 13, 343-5	36
1979	Cell-cell and cell-ECM interactions in epithelial apoptosis and cell renewal during frog intestinal development. <b>1995</b> , 27, 179-202	4
1978	The promoter context is a decisive factor in establishing selective responsiveness to nuclear class II receptors. <b>1997</b> , 16, 2861-73	23
1977	The T3R alpha gene encoding a thyroid hormone receptor is essential for post-natal development and thyroid hormone production. <b>1997</b> , 16, 4412-20	253
1976	A mutation mimicking ligand-induced conformational change yields a constitutive RXR that senses allosteric effects in heterodimers. <b>1997</b> , 16, 5697-709	110
1975	The glucocorticoid receptor is a key regulator of the decision between self-renewal and differentiation in erythroid progenitors. <b>1997</b> , 16, 267-80	117
1974	Defective adipocyte differentiation in mice lacking the C/EBPbeta and/or C/EBPdelta gene. <b>1997</b> , 16, 7432-43	602
1973	Ligand-independent activation of the oestrogen receptor by mutation of a conserved tyrosine. <b>1997</b> , 16, 1427-35	94
1972	DAX1 gene expression upregulated by steroidogenic factor 1 in an adrenocortical carcinoma cell line. <b>1997</b> , 61, 1-8	45
1971	Trypanosoma brucei: effects of methoprene and other isoprenoid compounds on procyclic and bloodstream forms in vitro and in mice. <b>1997</b> , 87, 229-36	7
1970	Hydroxylated polychlorinated biphenyls (PCBs) as estrogens and antiestrogens: structure-activity relationships. <b>1997</b> , 145, 111-23	186
1969	Androgen deprivation causes up-regulation of androgen receptor transcript in the rat prostate. <b>1997</b> , 171, 133-8	5
1968	Serotonin (5-HT) stimulates thyrotropin-releasing hormone (TRH) gene transcription in rat embryonic cardiomyocytes. <b>1997</b> , 6, 153-8	1
1967	Autoactivation of Xenopus Thyroid Hormone Receptor beta Genes Correlates with Larval Epithelial Apoptosis and Adult Cell Proliferation. <b>1997</b> , 4, 9-18	27
1966	Glukokortikoide 🛮 Teil I Wirkmechanismen und Nebenwirkungen. <b>1997</b> , 38, 366-370	
1965	Wirkungsmechanismen von Steroidhormonen und Steroidhormonantagonisten und ihre Bedeutung fildie Tumorkarzinogenese. <b>1997</b> , 30, 617-623	2

1964	Hormonal influences on brain ageing quality: focus on corticotropin releasing hormone-, vasopressin- and oxytocin-immunoreactive neurones in the human brain. <b>1997</b> , 104, 1095-100	17
1963	The role of vitamin A in differentiation and skin carcinogenesis. <b>1997</b> , 8, 426-437	21
1962	Identification of peroxisome proliferator-activated receptor ligands from a biased chemical library. <b>1997</b> , 4, 909-18	87
1961	Inducible gene expression in mammalian cells and transgenic mice. <b>1997</b> , 8, 608-16	108
1960	How can we use our growing understanding of gene transcription to discover effective new medicines?. <b>1997</b> , 8, 713-7	9
1959	Gibberellins, brassinosteroids and light-regulated development. <b>1997</b> , 20, 801-806	76
1958	Further evidence for the importance of an androgen response element in the factor IX promoter. <b>1997</b> , 98, 79-85	28
1957	Correlation of clinical, endocrine and molecular abnormalities with in vivo responses to high-dose testosterone in patients with partial androgen insensitivity syndrome. <b>1997</b> , 46, 497-506	25
1956	Effects of retinoid X receptor-selective ligands on proliferation of prostate cancer cells. <b>1997</b> , 32, 115-21	37
1955	Expression of the vitamin D and the retinoid X receptors in Saccharomyces cerevisiae: alternative in vivo models for ligand-induced transactivation. <b>1997</b> , 66, 184-96	8
1954	Vitamin D3 analogs and their 24-Oxo metabolites equally inhibit clonal proliferation of a variety of cancer cells but have differing molecular effects. <b>1997</b> , 66, 413-425	75
1953	Sensitive induction of apoptosis in breast cancer cells by a novel 1,25-dihydroxyvitamin D3 analogue shows relation to promoter selectivity. <b>1997</b> , 66, 552-62	70
1952	1 alpha,25-dihydroxyvitamin D3 receptor as a mediator of transrepression of retinoid signaling. <b>1997</b> , 67, 287-96	15
1951	Molecular cloning and brain localization of HZF-2 alpha, a new member of the Rev-erb subfamily of orphan nuclear receptors. <b>1997</b> , 32, 341-58	8
1950	Integrity of the 1,25-dihydroxyvitamin D3 receptor in bone, lung, and other cancers. <b>1997</b> , 19, 254-7	26
1949	Vitamin A Regulation of Viral Growth. <b>1997</b> , 7, 21-34	7
1948	Temporal and spatial expression of an intestinal Na+/PO4 3- cotransporter correlates with epithelial transformation during thyroid hormone-dependent frog metamorphosis. <b>1997</b> , 20, 53-66	20
1947	Temporal and spatial regulation of a putative transcriptional repressor implicates it as playing a role in thyroid hormone-dependent organ transformation. <b>1997</b> , 20, 329-37	24

1946	Meis2, a novel mouse Pbx-related homeobox gene induced by retinoic acid during differentiation of P19 embryonal carcinoma cells. <b>1997</b> , 210, 173-83	79
1945	Expression of cytoplasmic retinoic acid-binding proteins and nuclear receptors in squamous-cell carcinomas in vitro. <b>1997</b> , 70, 478-80	1
1944	Retinoid-interferon therapy of solid tumors. <b>1997</b> , 70, 481-3	39
1943	Identification of a novel breast-cancer-anti-estrogen-resistance (BCAR2) locus by cell-fusion-mediated gene transfer in human breast-cancer cells. <b>1997</b> , 72, 700-5	12
1942	Engineered cell lines as a tool for monitoring biological activity of hormone analogs. <b>1997</b> , 249, 119-30	55
1941	In vivo tissue specific modulation of rat insulin receptor gene expression in an experimental model of mineralocorticoid excess. <b>1998</b> , 185, 177-82	16
1940	Cloning and sequencing of the CRABP-I locus from chicken and pufferfish: analysis of the promoter regions in transgenic mice. <b>1998</b> , 7, 85-94	8
1939	Receptors for 1alpha,25(OH)2D3: past, present, and future. <b>1998</b> , 13, 1360-9	102
1938	c-Fos dimerization with c-Jun represses c-Jun enhancement of androgen receptor transactivation. <b>1998</b> , 9, 193-200	25
1937	Thyroid hormone, all-trans retinoic acid, and 9-cis retinoic acid functioned as negative modulators of the effect of glucocorticoid on induction of alpha 1-acid glycoprotein mRNA in RLN-10 cells. <b>1998</b> , 45, 1-10	1
1936	Isoforms of steroid receptor co-activator 1 differ in their ability to potentiate transcription by the oestrogen receptor. <b>1998</b> , 17, 232-43	252
1935	Antagonism in the human mineralocorticoid receptor. <b>1998</b> , 17, 3317-25	134
1934	Two distinct nuclear receptor interaction domains in NSD1, a novel SET protein that exhibits characteristics of both corepressors and coactivators. <b>1998</b> , 17, 3398-412	191
1933	The thyroid hormone receptor functions as a ligand-operated developmental switch between proliferation and differentiation of erythroid progenitors. <b>1998</b> , 17, 4291-303	74
1932	The kinase Eg2 is a component of the Xenopus oocyte progesterone-activated signaling pathway. <b>1998</b> , 17, 5627-37	116
1931	The coactivator TIF2 contains three nuclear receptor-binding motifs and mediates transactivation through CBP binding-dependent and -independent pathways. <b>1998</b> , 17, 507-19	416
1930	Expression of germ cell nuclear factor (GCNF/RTR) during spermatogenesis. 1998, 50, 93-102	49
1929	Differential gene expression of thyroid hormone receptor alpha and beta in fish development. 1998, 109, 75-85	141

1928	Characterization of progesterone-binding moieties in the little skate Raja erinacea. <b>1998</b> , 109, 106-18	15
1927	Induction of peroxisomal oxidases in mussels: comparison of effects of lubricant oil and benzo(a)pyrene with two typical peroxisome proliferators on peroxisome structure and function in Mytilus galloprovincialis. <b>1998</b> , 149, 64-72	56
1926	Requirement for cooperative interaction of interleukin-6 responsive element type 2 and glucocorticoid responsive element in the synergistic activation of mouse metallothionein-I gene by interleukin-6 and glucocorticoid. <b>1998</b> , 151, 143-51	29
1925	PPAR-gamma agonists inhibit production of monocyte inflammatory cytokines. <b>1998</b> , 391, 82-6	2548
1924	Differentiation and reversal of malignant changes in colon cancer through PPARgamma. <b>1998</b> , 4, 1046-52	867
1923	Activators of the nuclear receptor PPARgamma enhance colon polyp formation. <b>1998</b> , 4, 1058-61	514
1922	Natural ligands of nuclear receptors have conserved volumes. <b>1998</b> , 5, 679-81	41
1921	The nuclear hormone receptor SEX-1 is an X-chromosome signal that determines nematode sex. <b>1998</b> , 396, 168-73	116
1920	Interdomain communication regulating ligand binding by PPAR-gamma. <b>1998</b> , 396, 377-80	304
1919	Ligand binding and co-activator assembly of the peroxisome proliferator-activated receptor-gamma. <b>1998</b> , 395, 137-43	1652
1918	Interactions controlling the assembly of nuclear-receptor heterodimers and co-activators. <b>1998</b> , 395, 199-202	301
1917	Cytochrome P450 knockout mice: new toxicological models. <b>1998</b> , 25, 783-7	16
1917 1916		16 74
,		
1916	Molecular and structural biology of thyroid hormone receptors. <b>1998</b> , 25, S2-11	74
1916 1915	Molecular and structural biology of thyroid hormone receptors. <b>1998</b> , 25, S2-11  Conformational adaptation of agonists to the human nuclear receptor RAR gamma. <b>1998</b> , 5, 199-202  Metabolism of the vitamin D3 analogue EB1089 alters receptor complex formation and reduces	74 123
1916 1915 1914	Molecular and structural biology of thyroid hormone receptors. 1998, 25, S2-11  Conformational adaptation of agonists to the human nuclear receptor RAR gamma. 1998, 5, 199-202  Metabolism of the vitamin D3 analogue EB1089 alters receptor complex formation and reduces promoter selectivity. 1998, 125, 607-14  Retinoic acids regulate apoptosis of T lymphocytes through an interplay between RAR and RXR	74 123 7

1910	Photoproducts in transcriptionally active DNA induce signal transduction to the delayed U.Vresponsive genes for collagenase and metallothionein. <b>1998</b> , 16, 2827-34	36
1909	Critical role for p27Kip1 in cell cycle arrest after androgen depletion in mouse mammary carcinoma cells (SC-3). <b>1998</b> , 17, 2619-27	13
1908	Metal mediated sterol receptor-DNA complex association and dissociation determined by electrospray ionization mass spectrometry. <b>1998</b> , 16, 262-6	49
1907	A phase I study of the vitamin D analogue EB 1089 in patients with advanced breast and colorectal cancer. <b>1998</b> , 78, 6-13	135
1906	A Complex Regulatory Unit Mediates Estrogen Receptor Gene Autoregulation in Fish. <b>1998</b> , 839, 129-132	1
1905	The evolution of 'bricolage'. <b>1998</b> , 14, 54-9	196
1904	Expression of retinoic acid receptor and retinoid X receptor subtypes in rat liver cells: implications for retinoid signalling in parenchymal, endothelial, Kupffer and stellate cells. <b>1998</b> , 77, 111-6	37
1903	Inhibition of androgen action by dehydroepiandrosterone sulfotransferase transfected in PC-3 prostate cancer cells. <b>1998</b> , 109, 267-78	13
1902	Retinoids and mouse placentation. <b>1998</b> , 19, 57-76	2
1901	A novel retinoic acid receptor (RAR)-selective antagonist inhibits differentiation and apoptosis of HL-60 cells: implications of RARalpha-mediated signals in myeloid leukemic cells. <b>1998</b> , 22, 517-25	13
1900	Binding and activation of the human aldehyde dehydrogenase 2 promoter by hepatocyte nuclear factor 4. <b>1998</b> , 1399, 181-6	30
1899	Molecular cloning from neurulating Ambystoma mexicanum embryos of the cDNA encoding an orphan nuclear receptor (aDOR1) closely related to TR2-11. <b>1997</b> , 62, 159-70	9
1898	Phorbol ester causes ligand-independent activation of the androgen receptor. <b>1998</b> , 256, 541-9	39
1897	DNase I hypersensitive sites in the 5' flanking region of the human plasminogen activator inhibitor type 2 (PAI-2) gene are associated with basal and tumor necrosis factor-alpha-induced transcription in monocytes. <b>1998</b> , 256, 550-9	3
1896	Sheep liver cytosolic aldehyde dehydrogenase: the structure reveals the basis for the retinal specificity of class 1 aldehyde dehydrogenases. <b>1998</b> , 6, 1541-51	181
1895	Development of a scintillation proximity assay for peroxisome proliferator-activated receptor gamma ligand binding domain. <b>1998</b> , 257, 112-9	102
1894	Exoestrogens: Mechanisms of action and strategies for identification and assessment. 1998, 17, 3-14	129
1893	Aquarius, a novel gene isolated by gene trapping with an RNA-dependent RNA polymerase motif. <b>1998</b> , 212, 304-17	27

1892	Effect of fenretinide on plasma IGF-I and IGFBP-3 in early breast cancer patients. <b>1998</b> , 76, 787-90	37
1891	Thyroid hormone regulates the expression of the MAL proteolipid, a component of glycolipid-enriched membranes, in neonatal rat brain. <b>1998</b> , 52, 584-90	15
1890	Thyroid hormone receptor isoforms are sequentially expressed in oligodendrocyte lineage cells during rat cerebral development. <b>1998</b> , 54, 584-94	45
1889	Evolution of the androgen receptor: structure-function implications. <b>1998</b> , 20, 860-9	35
1888	Chemical-inducible gene expression systems for plants∃ review 1998, 54, 360-367	24
1887	Spatial distributions of retinoic acid receptor gene transcripts in the prenatal mouse inner ear. <b>1998</b> , 393, 298-308	20
1886	Retinoids and their receptors in skeletal development. <b>1998</b> , 43, 137-55	43
1885	Retinoic acid and thyroid hormone may function through similar and competitive pathways in regenerating axolotls. <b>1998</b> , 282, 724-38	9
1884	Effects of conformationally restricted synthetic retinoids on ovarian tumor cell growth. <b>1998</b> , 68, 378-88	33
1883	L7 protein is a coregulator of vitamin D receptor-retinoid X receptor-mediated transactivation. <b>1998</b> , 69, 1-12	28
1882	Inhibition of PPAR alpha/RXR alpha-mediated direct hyperplasia pathways during griseofulvin-induced hepatocarcinogenesis. <b>1998</b> , 69, 189-200	11
1881	Structural variants of the vitamin D analogue EB1089 reduce its ligand sensitivity and promoter selectivity. <b>1998</b> , 71, 340-350	6
1880	RAR-, not RXR, ligands inhibit cell activation and prevent apoptosis in B-lymphocytes. <b>1998</b> , 175, 68-77	34
1879	Expression and neuropeptidergic characterization of estrogen receptors (ERalpha and ERbeta) throughout the rat brain: anatomical evidence of distinct roles of each subtype. <b>1998</b> , 36, 357-78	463
1878	Expression and function of a retinoic acid receptor in budding ascidians. <b>1998</b> , 208, 537-46	44
1877	Cyclopamine-induced holoprosencephaly and associated craniofacial malformations in the golden hamster: anatomic and molecular events. <b>1998</b> , 1, 29-41	30
1876	Structural characterization of the mouse long-chain acyl-CoA dehydrogenase gene and 5' regulatory region. <b>1998</b> , 9, 361-5	14
1875	Steroid hormone action 1998: novel challenges for drug design. <b>1998</b> , 76, 459-60	1

1874	Transcriptional cross-talk, the second mode of steroid hormone receptor action. <b>1998</b> , 76, 480-9	284
1873	Germ cell nuclear factor: an orphan receptor with unexpected properties. <b>1998</b> , 76, 800-10	30
1872	Molekularbiologie des Etrogenrezeptors und seine Regulation durch Etrogen und AntiEtrogene. <b>1998</b> , 31, 1046-1050	1
1871	Molecular mechanism of vitamin D receptor action. <b>1998</b> , 47, 451-75	89
1870	Engineering novel specificities for ligand-activated transcription in the nuclear hormone receptor RXR. <b>1998</b> , 5, 13-21	41
1869	A high-affinity subtype-selective agonist ligand for the thyroid hormone receptor. <b>1998</b> , 5, 299-306	216
1868	Retinoylation of proteins in a macrophage tumor cell line J774, following uptake of chylomicron remnant retinyl ester. <b>1998</b> , 9, 705-711	9
1867	Expression of nuclear hormone receptors in Escherichia coli. <b>1998</b> , 9, 502-5	8
1866	MEK inhibitors: the chemistry and biological activity of U0126, its analogs, and cyclization products. <b>1998</b> , 8, 2839-44	353
1865	An efficient substitution reaction for the preparation of thyroid hormone analogues. <b>1998</b> , 6, 1179-83	8
	An efficient substitution reaction for the preparation of thyroid hormone analogues. <b>1998</b> , 6, 1179-83  Therapeutic potential of selective modulators of nuclear receptor action. <b>1998</b> , 2, 501-7	79
1864	Therapeutic potential of selective modulators of nuclear receptor action. <b>1998</b> , 2, 501-7  Keratinocyte differentiation is stimulated by activators of the nuclear hormone receptor	79
1864	Therapeutic potential of selective modulators of nuclear receptor action. 1998, 2, 501-7  Keratinocyte differentiation is stimulated by activators of the nuclear hormone receptor PPARalpha. 1998, 110, 368-75  Ligands and activators of nuclear hormone receptors regulate epidermal differentiation during	79 140
1864 1863 1862	Therapeutic potential of selective modulators of nuclear receptor action. 1998, 2, 501-7  Keratinocyte differentiation is stimulated by activators of the nuclear hormone receptor PPARalpha. 1998, 110, 368-75  Ligands and activators of nuclear hormone receptors regulate epidermal differentiation during fetal rat skin development. 1998, 111, 429-33  Reduction of intrafollicular apoptosis in chemotherapy-induced alopecia by topical	79 140 86
1864 1863 1862	Therapeutic potential of selective modulators of nuclear receptor action. 1998, 2, 501-7  Keratinocyte differentiation is stimulated by activators of the nuclear hormone receptor PPARalpha. 1998, 110, 368-75  Ligands and activators of nuclear hormone receptors regulate epidermal differentiation during fetal rat skin development. 1998, 111, 429-33  Reduction of intrafollicular apoptosis in chemotherapy-induced alopecia by topical calcitriol-analogs. 1998, 111, 598-604  Anchorage-dependent expression of the vitamin D receptor in normal human keratinocytes. 1998,	79 140 86
1864 1863 1862 1861	Therapeutic potential of selective modulators of nuclear receptor action. 1998, 2, 501-7  Keratinocyte differentiation is stimulated by activators of the nuclear hormone receptor PPARalpha. 1998, 110, 368-75  Ligands and activators of nuclear hormone receptors regulate epidermal differentiation during fetal rat skin development. 1998, 111, 429-33  Reduction of intrafollicular apoptosis in chemotherapy-induced alopecia by topical calcitriol-analogs. 1998, 111, 598-604  Anchorage-dependent expression of the vitamin D receptor in normal human keratinocytes. 1998, 111, 551-8  Thyroid hormone regulation of Xenopus laevis metamorphosis: functions of thyroid hormone	79 140 86 44 16

1856	Steroid receptor isoforms: exception or rule?. <b>1998</b> , 137, 1-5	37
1855	Action of 1,25(OH)2D3 on the cell cycle genes, cyclin D1, p21 and p27 in MCF-7 cells. <b>1998</b> , 142, 57-65	129
1854	Comparison of tamoxifen ligands on estrogen receptor interaction with estrogen response elements. <b>1998</b> , 143, 79-90	22
1853	Coactivators and corepressors as mediators of nuclear receptor function: an update. <b>1998</b> , 143, 1-7	93
1852	Unveiling the mechanism of action and regulation of the steroidogenic acute regulatory protein. <b>1998</b> , 145, 39-45	71
1851	Differentiation and antiproliferation effects of retinoic acid receptor beta in hepatoma cells. <b>1998</b> , 124, 205-11	39
1850	On CNS repair and protection strategies: novel approaches with implications for spinal cord injury and Parkinson's disease. <b>1998</b> , 26, 302-5	11
1849	Activation by thyroid stimulating hormone of nerve growth factor-induced gene-B expression in thyrocytes in culture: relation with proliferation and specific gene expression. <b>1998</b> , 1403, 232-44	4
1848	Identification of a thyroid hormone response element in the promoter region of the rat lipocalin-type prostaglandin D synthase (beta-trace) gene. <b>1998</b> , 55, 321-30	36
1847	Identification of a human nuclear receptor defines a new signaling pathway for CYP3A induction. <b>1998</b> , 95, 12208-13	753
1846	Orphan nuclear receptorsnew ligands and new possibilities. <b>1998</b> , 12, 3149-55	243
1845	SXR, a novel steroid and xenobiotic-sensing nuclear receptor. <b>1998</b> , 12, 3195-205	713
1844	Three-dimensional quantitative structure-activity relationship study of nonsteroidal estrogen receptor ligands using the comparative molecular field analysis/cross-validated r2-guided region selection approach. <b>1998</b> , 41, 2261-7	53
1843	The LXRs: a new class of oxysterol receptors. <b>1998</b> , 8, 571-5	311
1842	The nuclear receptor PPARgamma - bigger than fat. <b>1998</b> , 8, 576-81	124
1841	TIF1alpha: a possible link between KRAB zinc finger proteins and nuclear receptors. <b>1998</b> , 65, 43-50	39
1840	Molecular chaperones and subcellular trafficking of steroid receptors. <b>1998</b> , 65, 51-8	50
1839	Novel mechanism of action for Nur77 and antagonism by glucocorticoids: a convergent mechanism for CRH activation and glucocorticoid repression of POMC gene transcription. <b>1998</b> , 65, 59-63	52

1838	X-ray crystallographic and functional studies of thyroid hormone receptor. <b>1998</b> , 65, 133-41		58
1837	Direct repeat 3-type element lacking the ability to bind to the vitamin D receptor enhances the function of a vitamin D-responsive element. <b>1998</b> , 66, 263-9		8
1836	Using yeast to study glucocorticoid receptor phosphorylation. <b>1998</b> , 66, 303-18		11
1835	Evolution of mammalian 11beta- and 17beta-hydroxysteroid dehydrogenases-type 2 and retinol dehydrogenases from ancestors in Caenorhabditis elegans and evidence for horizontal transfer of a eukaryote dehydrogenase to E. coli. <b>1998</b> , 66, 355-63		17
1834	Identification of DNA binding sites for the V-erbA oncoprotein, the viral homolog to thyroid hormone receptor alpha. <b>1998</b> , 67, 181-91		7
1833	A novel human estrogen receptor beta: identification and functional analysis of additional N-terminal amino acids. <b>1998</b> , 67, 233-40		60
1832	Psoriasis treatment. <b>1998</b> , 10, 1-40		9
1831	Structural elements of an orphan nuclear receptor-DNA complex. <b>1998</b> , 1, 849-61		126
1830	Initiation of rhombomeric Hoxb4 expression requires induction by somites and a retinoid pathway. <b>1998</b> , 21, 39-51		242
1829	Posttranscriptional regulation of oligodendroglial thyroid hormone (T3) receptor beta 1 by T3. <b>1998</b> , 16, 461-7		9
1828	The molecular basis of thyroid hormone-dependent central nervous system remodeling during amphibian metamorphosis. <b>1998</b> , 119, 219-28		43
1827	Estrogen receptor beta: re-evaluation of estrogen and antiestrogen signaling. <b>1998</b> , 63, 335-9		95
1826	An orphan nuclear receptor activated by pregnanes defines a novel steroid signaling pathway. <i>Cell</i> , <b>1998</b> , 92, 73-82	56.2	1289
1825	Wilms' tumor 1 and Dax-1 modulate the orphan nuclear receptor SF-1 in sex-specific gene expression. <i>Cell</i> , <b>1998</b> , 93, 445-54	56.2	509
1824	The DHR78 nuclear receptor is required for ecdysteroid signaling during the onset of Drosophila metamorphosis. <i>Cell</i> , <b>1998</b> , 93, 543-55	56.2	55
1823	Phosphorylation of the MAP kinase ERK2 promotes its homodimerization and nuclear translocation. <i>Cell</i> , <b>1998</b> , 93, 605-15	56.2	582
1822	Cholesterol and bile acid metabolism are impaired in mice lacking the nuclear oxysterol receptor LXR alpha. <i>Cell</i> , <b>1998</b> , 93, 693-704	56.2	1213
1821	Cloning, expression analysis and chromosomal localization of the human nuclear receptor gene GCNF. <b>1998</b> , 424, 73-8		32

1820	Heterodimerization is mainly responsible for the dominant negative activity of amino-terminally truncated rat androgen receptor forms. <b>1998</b> , 430, 393-6	22
1819	1Alpha,25-dihydroxyvitamin D3 decreases DNA binding of nuclear factor-kappaB in human fibroblasts. <b>1998</b> , 436, 329-34	84
1818	Albumin's role in steroid hormone action and the origins of vertebrates: is albumin an essential protein?. <b>1998</b> , 439, 9-12	29
1817	A gut check for PPARgamma. <b>1998</b> , 115, 1283-5	9
1816	The orphan receptor BmHNF-4 of the silkmoth Bombyx mori: ovarian and zygotic expression of two mRNA isoforms encoding polypeptides with different activating domains. <b>1998</b> , 72, 3-13	25
1815	Orphan nuclear receptor ROR alpha-deficient mice display the cerebellar defects of staggerer. 1998, 70, 147-53	157
1814	The nuclear receptor transcription factor, retinoid-related orphan receptor beta, regulates retinal progenitor proliferation. <b>1998</b> , 77, 149-64	41
1813	Identification and Assessment of Endocrine Disruptors: Limitations of in Vivo and in Vitro Assays. <b>1998</b> , 106, 577	37
1812	Hepatocyte nuclear factor 1alpha is an accessory factor required for activation of glucose-6-phosphatase gene transcription by glucocorticoids. <b>1998</b> , 17, 967-74	40
1811	Cloning of the human NCNF gene. <b>1998</b> , 18, 1-13	9
1811 1810	Cloning of the human NCNF gene. <b>1998</b> , 18, 1-13  Properties of overlapping EREs: synergistic activation of transcription and cooperative binding of ER. <b>1998</b> , 37, 6023-32	9
	Properties of overlapping EREs: synergistic activation of transcription and cooperative binding of ER. <b>1998</b> , 37, 6023-32	
1810	Properties of overlapping EREs: synergistic activation of transcription and cooperative binding of ER. <b>1998</b> , 37, 6023-32  Heterodimer formation by retinoid X receptor: regulation by ligands and by the receptor's	26
1810 1809	Properties of overlapping EREs: synergistic activation of transcription and cooperative binding of ER. 1998, 37, 6023-32  Heterodimer formation by retinoid X receptor: regulation by ligands and by the receptor's self-association properties. 1998, 37, 10691-700  Role of important hydrophobic amino acids in the interaction between the glucocorticoid receptor tau 1-core activation domain and target factors. 1998, 37, 9586-94	26 47
1810 1809 1808	Properties of overlapping EREs: synergistic activation of transcription and cooperative binding of ER. 1998, 37, 6023-32  Heterodimer formation by retinoid X receptor: regulation by ligands and by the receptor's self-association properties. 1998, 37, 10691-700  Role of important hydrophobic amino acids in the interaction between the glucocorticoid receptor tau 1-core activation domain and target factors. 1998, 37, 9586-94  Three-dimensional models of estrogen receptor ligand binding domain complexes, based on related crystal structures and mutational and structure-activity relationship data. 1998, 41, 1803-14	26 47 70
1810 1809 1808	Properties of overlapping EREs: synergistic activation of transcription and cooperative binding of ER. 1998, 37, 6023-32  Heterodimer formation by retinoid X receptor: regulation by ligands and by the receptor's self-association properties. 1998, 37, 10691-700  Role of important hydrophobic amino acids in the interaction between the glucocorticoid receptor tau 1-core activation domain and target factors. 1998, 37, 9586-94  Three-dimensional models of estrogen receptor ligand binding domain complexes, based on related crystal structures and mutational and structure-activity relationship data. 1998, 41, 1803-14  GST-Induced dimerization of DNA-binding domains alters characteristics of their interaction with	26 47 70 56
1810 1809 1808 1807	Properties of overlapping EREs: synergistic activation of transcription and cooperative binding of ER. 1998, 37, 6023-32  Heterodimer formation by retinoid X receptor: regulation by ligands and by the receptor's self-association properties. 1998, 37, 10691-700  Role of important hydrophobic amino acids in the interaction between the glucocorticoid receptor tau 1-core activation domain and target factors. 1998, 37, 9586-94  Three-dimensional models of estrogen receptor ligand binding domain complexes, based on related crystal structures and mutational and structure-activity relationship data. 1998, 41, 1803-14  GST-Induced dimerization of DNA-binding domains alters characteristics of their interaction with DNA. 1998, 14, 208-20  Ectopic expression of DAN enhances the retinoic acid-induced neuronal differentiation in human neuroblastoma cell lines. 1998, 243, 722-6	26 47 70 56 29

1802	Ultraviolet B suppresses vitamin D receptor gene expression in keratinocytes. <b>1998</b> , 246, 64-9	25
1801	A novel isoform of rat estrogen receptor beta with 18 amino acid insertion in the ligand binding domain as a putative dominant negative regular of estrogen action. <b>1998</b> , 246, 142-7	121
1800	Involvement of thyroid hormone and its alpha receptor in avian neurulation. <b>1998</b> , 197, 1-11	59
1799	A putative G-protein-coupled receptor, H218, is down-regulated during the retinoic acid-induced differentiation of F9 embryonal carcinoma cells. <b>1998</b> , 239, 320-5	13
1798	The human TRIP6 gene encodes a LIM domain protein and maps to chromosome 7q22, a region associated with tumorigenesis. <b>1998</b> , 49, 314-6	69
1797	Isolation of a gene encoding a novel member of the nuclear receptor superfamily from the critical region of Usher syndrome type IIa at 1q41. <b>1998</b> , 50, 382-4	113
1796	High-resolution solution structure of the retinoid X receptor DNA-binding domain. <b>1998</b> , 281, 271-84	54
1795	Auto-silencing by the retinoid X receptor. <b>1998</b> , 284, 21-32	34
1794	DNA-induced conformational changes are the basis for cooperative dimerization by the DNA binding domain of the retinoid X receptor. <b>1998</b> , 284, 533-9	62
1793	Macrophages in human atheroma contain PPARgamma: differentiation-dependent peroxisomal proliferator-activated receptor gamma(PPARgamma) expression and reduction of MMP-9 activity through PPARgamma activation in mononuclear phagocytes in vitro. <b>1998</b> , 153, 17-23	489
1792	New insecticides with ecdysteroidal and juvenile hormone activity. <b>1998</b> , 43, 545-69	659
1791	Identification of a retinoic acid response domain involved in the activation of the beta 1-adrenergic receptor gene by retinoic acid in F9 teratocarcinoma cells. <b>1998</b> , 55, 215-25	6
1790	Flavonoids as Hormones. 1998, 249-267	25
1789	Endocrine disruption in wildlife: a critical review of the evidence. <b>1998</b> , 28, 319-61	799
1788	Retinoic acid X receptor in the diploblast, Tripedalia cystophora. <b>1998</b> , 95, 13442-7	126
1787	Differential expression of the estrogen receptors alpha and beta in the rat corpus luteum of pregnancy: regulation by prolactin and placental lactogens. <b>1998</b> , 139, 2432-42	79
1786	Regulation of androgen action. <b>1999</b> , 55, 309-52	193
1785	Regulation of peroxisome proliferator-activated receptors. <b>1998</b> , 54, 121-66	50

1784	Of mice and genes: evolution of vertebrate brain development. <b>1998</b> , 52, 207-17	48
1783	Steroid receptor coactivator-1 coactivates activating protein-1-mediated transactivations through interaction with the c-Jun and c-Fos subunits. <b>1998</b> , 273, 16651-4	157
1782	The putative cofactor TIF1alpha is a protein kinase that is hyperphosphorylated upon interaction with liganded nuclear receptors. <b>1998</b> , 273, 16199-204	56
1781	Nuclear integration of glucocorticoid receptor and nuclear factor-kappaB signaling by CREB-binding protein and steroid receptor coactivator-1. <b>1998</b> , 273, 29291-4	245
1780	Transcription from the thyroid hormone-dependent promoter of the Xenopus laevis thyroid hormone receptor betaA gene requires a novel upstream element and the initiator, but not a TATA Box. <b>1998</b> , 273, 14186-93	23
1779	A potent antidiabetic thiazolidinedione with unique peroxisome proliferator-activated receptor gamma-activating properties. <b>1998</b> , 273, 32679-84	151
1778	Evidence for the suppression of apoptosis by the peroxisome proliferator activated receptor alpha (PPAR alpha). <b>1998</b> , 19, 43-8	106
1777	Oxysterol regulation of steroidogenic acute regulatory protein gene expression. Structural specificity and transcriptional and posttranscriptional actions. <b>1998</b> , 273, 30729-35	58
1776	Retinoic acid receptors interact physically and functionally with the T:G mismatch-specific thymine-DNA glycosylase. <b>1998</b> , 273, 20728-36	102
1775	Meiosis-activating sterol promotes resumption of meiosis in mouse oocytes cultured in vitro in contrast to related oxysterols. <b>1998</b> , 58, 1297-302	94
1774	The induction by estrogen of rat alpha 2u-globulin gene expression in mouse L-cells. <b>1998</b> , 20, 141-50	2
1773	Different classes of coactivators recognize distinct but overlapping binding sites on the estrogen receptor ligand binding domain. <b>1998</b> , 273, 28371-7	55
1772	Defective release of corepressor by hinge mutants of the thyroid hormone receptor found in patients with resistance to thyroid hormone. <b>1998</b> , 273, 30175-82	99
1771	Endocrine Modulation and the Federal Government. <b>1998</b> , 17, 111-128	1
1770	Mouse P450RAI (CYP26) expression and retinoic acid-inducible retinoic acid metabolism in F9 cells are regulated by retinoic acid receptor gamma and retinoid X receptor alpha. <b>1998</b> , 273, 2409-15	135
1769	Determinants of ligand specificity of estrogen receptor-alpha: estrogen versus androgen discrimination. <b>1998</b> , 273, 693-9	60
1768	The analysis of regulatory sequences required for high level induction of rat alpha 2u-globulin gene expression by dexamethasone. <b>1998</b> , 20, 129-39	9
1767	Nur77, a member of the steroid receptor superfamily, antagonizes negative feedback of ACTH synthesis and secretion by glucocorticoid in pituitary corticotrope cells. <b>1998</b> , 156, 169-75	36

1766	Antiprogestins mediate differential effects on glucocorticoid receptor remodeling of chromatin structure. <b>1998</b> , 273, 1175-83	21
1765	Multiple parameters determine the specificity of transcriptional response by nuclear receptors HNF-4, ARP-1, PPAR, RAR and RXR through common response elements. <b>1998</b> , 26, 2491-9	87
1764	Enhancement of estrogen receptor transcriptional activity by the coactivator GRIP-1 highlights the role of activation function 2 in determining estrogen receptor pharmacology. <b>1998</b> , 273, 6679-88	78
1763	Endocrinology of Pregnancy. 1998,	7
1762	Peptide hormones, steroid hormones, and puffs: mechanisms and models in insect development. <b>1999</b> , 55, 73-125	97
1761	Three isoforms of a hepatocyte nuclear factor-4 transcription factor with tissue- and stage-specific expression in the adult mosquito. <b>1998</b> , 273, 29801-10	17
1760	The role of the T-box for the function of the vitamin D receptor on different types of response elements. <b>1998</b> , 26, 5372-8	32
1759	Transcription-modulating drugs: a new frontier in the treatment of essential hypertension. <b>1998</b> , 32, 380-6	35
1758	Mechanisms of the mouse orphan nuclear receptor TR2-11-mediated gene suppression. <b>1998</b> , 273, 18077-85	23
1757	Phosphorylation of thyroid hormone receptors by protein kinase A regulates DNA recognition by specific inhibition of receptor monomer binding. <b>1998</b> , 273, 10926-32	36
1756	Steroid receptor coactivator-1 interacts with the p50 subunit and coactivates nuclear factor kappaB-mediated transactivations. <b>1998</b> , 273, 10831-4	185
1755	Functional activities of the A and B forms of the human androgen receptor in response to androgen receptor agonists and antagonists. <b>1998</b> , 12, 654-63	45
1754	Angiotensin II-induced nuclear targeting of the angiotensin type 1 (AT1) receptor in brain neurons. <b>1998</b> , 139, 365-75	152
1753	Folding requirements of the ligand-binding domain of the human mineralocorticoid receptor. <b>1998</b> , 12, 855-63	38
1752	Thyroid hormone receptor does not heterodimerize with the vitamin D receptor but represses vitamin D receptor-mediated transactivation. <b>1998</b> , 12, 1367-79	19
1751	Cloning of rabbit TR4 and its bone cell-specific activity to suppress estrogen receptor-mediated transactivation. <b>1998</b> , 139, 204-12	13
1750	p300/CREB-binding protein enhances the prolactin-mediated transcriptional induction through direct interaction with the transactivation domain of Stat5, but does not participate in the Stat5-mediated suppression of the glucocorticoid response. <b>1998</b> , 12, 1582-93	189
1749	Catalytic cleavage of the androgen receptor messenger RNA and functional inhibition of androgen receptor activity by a hammerhead ribozyme. <b>1998</b> , 12, 1558-66	40

1748	Steroidogenic factor-1 contains a carboxy-terminal transcriptional activation domain that interacts with steroid receptor coactivator-1. <b>1998</b> , 12, 290-301	119
1747	A nuclear receptor corepressor modulates transcriptional activity of antagonist-occupied steroid hormone receptor. <b>1998</b> , 12, 513-24	149
1746	Nuclear corepressors enhance the dominant negative activity of mutant receptors that cause resistance to thyroid hormone. <b>1998</b> , 139, 640-50	48
1745	Trafficking of androgen receptor mutants fused to green fluorescent protein: a new investigation of partial androgen insensitivity syndrome. <b>1998</b> , 83, 3597-603	27
1744	PCR cloning of N-terminal RAR isoforms and APL-associated PLZF-RAR alpha fusion proteins. <b>1998</b> , 89, 307-32	7
1743	Divergent pathways regulate ligand-independent activation of ER alpha in SK-N-BE neuroblastoma and COS-1 renal carcinoma cells. <b>1998</b> , 12, 835-41	60
1742	Nuclear receptors have distinct affinities for coactivators: characterization by fluorescence resonance energy transfer. <b>1998</b> , 12, 1594-604	148
1741	Interaction and dissociation by ligands of estrogen receptor and Hsp90: the antiestrogen RU 58668 induces a protein synthesis-dependent clustering of the receptor in the cytoplasm. <b>1998</b> , 12, 842-54	65
1740	Inhibition of estrogen receptor action by the orphan receptor SHP (short heterodimer partner). <b>1998</b> , 12, 1551-7	128
1739	Transcription activation by the human estrogen receptor subtype beta (ER beta) studied with ER beta and ER alpha receptor chimeras. <b>1998</b> , 139, 4513-22	228
1738	Upstream stimulatory factors mediate estrogen receptor activation of the cathepsin D promoter. <b>1998</b> , 12, 1310-21	56
1737	Characterization of a region upstream of exon I.1 of the human CYP19 (aromatase) gene that mediates regulation by retinoids in human choriocarcinoma cells. <b>1998</b> , 139, 1684-91	75
1736	Positive and negative discrimination of estrogen receptor agonists and antagonists using site-specific DNA recombinase fusion proteins. <b>1998</b> , 12, 1120-32	12
1735	Cell-specific inhibition of retinoic acid receptor-alpha silencing by the AF2/tau c activation domain can be overcome by the corepressor SMRT, but not by N-CoR. <b>1998</b> , 12, 504-12	19
1734	Identification of critical residues for heterodimerization within the ligand-binding domain of retinoid X receptor. <b>1998</b> , 12, 325-32	33
1733	A novel natural mutation in the thyroid hormone receptor defines a dual functional domain that exchanges nuclear receptor corepressors and coactivators. <b>1998</b> , 12, 1888-902	67
1732	Estrogen-induced retinoic acid receptor alpha 1 gene expression: role of estrogen receptor-Sp1 complex. <b>1998</b> , 12, 882-90	103
1731	Signaling by tyrosine kinases negatively regulates the interaction between transcription factors and SMRT (silencing mediator of retinoic acid and thyroid hormone receptor) corepressor. <b>1998</b> , 12, 1161-71	47

1730	Retinoid X receptor and c-cerbA/thyroid hormone receptor regulate erythroid cell growth and differentiation. <b>1998</b> , 12, 1269-79	22
1729	The DNA-binding and tau2 transactivation domains of the rat glucocorticoid receptor constitute a nuclear matrix-targeting signal. <b>1998</b> , 12, 1420-31	55
1728	Substitution of Ala564 in the first zinc cluster of the deoxyribonucleic acid (DNA)-binding domain of the androgen receptor by Asp, Asn, or Leu exerts differential effects on DNA binding. <b>1998</b> , 139, 103-10	15
1727	Cloning of a cDNA for xDOR2, a novel TR2-related nuclear orphan receptor, expressed during neurulation in Xenopus laevis embryos. <b>1998</b> , 9, 113-20	3
1726	The Establishment of a Quantitative RT-PCR Assay for Estrogen Receptor mRNA in Japanese Eel, Anguilla japonica. <b>1998</b> , 15, 923-930	9
1725	The receptor-associated coactivator 3 activates transcription through CREB-binding protein recruitment and autoregulation. <b>1998</b> , 273, 5948-54	68
1724	Determinants of coactivator LXXLL motif specificity in nuclear receptor transcriptional activation. <b>1998</b> , 12, 3357-68	491
1723	Molecular cloning of xSRC-3, a novel transcription coactivator from Xenopus, that is related to AIB1, p/CIP, and TIF2. <b>1998</b> , 12, 1038-47	37
1722	IkappaBbeta interacts with the retinoid X receptor and inhibits retinoid-dependent transactivation in lipopolysaccharide-treated cells. <b>1998</b> , 273, 3212-5	22
1721	Activation of the prolactin gene by peroxisome proliferator-activated receptor-alpha appears to be DNA binding-independent. <b>1998</b> , 273, 26652-61	45
1720	RAP46 is a negative regulator of glucocorticoid receptor action and hormone-induced apoptosis. <b>1998</b> , 273, 14620-5	103
1719	Estradiol-induced phosphorylation of serine 118 in the estrogen receptor is independent of p42/p44 mitogen-activated protein kinase. <b>1998</b> , 273, 13317-23	149
1718	Role of GHF-1 in the regulation of the rat growth hormone gene promoter by thyroid hormone and retinoic acid receptors. <b>1998</b> , 273, 27541-7	27
1717	Crystal structure of the ligand binding domain of the human nuclear receptor PPARgamma. <b>1998</b> , 273, 31108-12	210
1716	Negative feedback control of the retinoid-retinoic acid/retinoid X receptor pathway by the human TR4 orphan receptor, a member of the steroid receptor superfamily. <b>1998</b> , 273, 13437-43	56
1715	Bcl3, an IkappaB protein, as a novel transcription coactivator of the retinoid X receptor. <b>1998</b> , 273, 30933-8	31
1714	DNA binding and transactivation characteristics of the mosquito ecdysone receptor-Ultraspiracle complex. <b>1998</b> , 273, 27531-40	70
1713	Prostaglandins promote and block adipogenesis through opposing effects on peroxisome proliferator-activated receptor gamma. <b>1998</b> , 273, 1855-8	234

1712	Mutual and intercompartmental regulation of estrogen receptor and progesterone receptor expression in the mouse uterus. <b>1998</b> , 59, 1143-52	156
1711	Steroid receptor coactivator-1 interacts with serum response factor and coactivates serum response element-mediated transactivations. <b>1998</b> , 273, 28564-7	51
1710	Structure and expression of the orphan nuclear receptor SHP gene. <b>1998</b> , 273, 14398-402	85
1709	Transactivation of the human apolipoprotein CII promoter by orphan and ligand-dependent nuclear receptors. The regulatory element CIIC is a thyroid hormone response element. <b>1998</b> , 273, 17810-6	32
1708	Zinc finger proteins RUSH in where others fear to tread. <b>1998</b> , 58, 285-94	7
1707	Generation and reproductive phenotypes of mice lacking estrogen receptor beta. <b>1998</b> , 95, 15677-82	1344
1706	Monitoring of PPAR alpha protein expression in human tissue by the use of PPAR alpha-specific MAbs. <b>1998</b> , 17, 47-53	37
1705	Phage-displayed mimotopes elicit monoclonal antibodies specific for a malaria vaccine candidate. <b>1998</b> , 379, 65-70	17
1704	Ciona intestinalis nuclear receptor 1: a member of steroid/thyroid hormone receptor family. <b>1998</b> , 95, 11152-7	37
1703	Proteasomal regulation of nuclear receptor corepressor-mediated repression. <b>1998</b> , 12, 1775-80	185
1702	Retinoids induce differential expression and DNA binding of the mouse germ cell nuclear factor in P19 embryonal carcinoma cells. <b>1998</b> , 379, 349-59	24
1701	Cloning and characterization of a novel binding factor (GMEB-2) of the glucocorticoid modulatory element. <b>1998</b> , 273, 17756-62	29
1700	Endocrine active compounds: from biology to dose response assessment. <b>1998</b> , 28, 363-423	27
1699	Functional and physical interactions between the estrogen receptor Sp1 and nuclear aryl hydrocarbon receptor complexes. <b>1998</b> , 26, 3044-52	102
1698	Identification of a vitamin D response element in the proximal promoter of the chicken carbonic anhydrase II gene. <b>1998</b> , 273, 10638-46	22
1697	CREB binding protein is a coactivator for the androgen receptor and mediates cross-talk with AP-1. <b>1998</b> , 273, 31853-9	157
1696	High-mobility group chromatin proteins 1 and 2 functionally interact with steroid hormone receptors to enhance their DNA binding in vitro and transcriptional activity in mammalian cells. <b>1998</b> , 18, 4471-87	298
1695	Nuclear receptor DAX-1 recruits nuclear receptor corepressor N-CoR to steroidogenic factor 1. <b>1998</b> , 18, 2949-56	287

1694	The NGFI-B subfamily of the nuclear receptor superfamily (review). <b>1998</b> , 12, 1237-43	33
1693	The nuclear orphan receptor CAR-retinoid X receptor heterodimer activates the phenobarbital-responsive enhancer module of the CYP2B gene. <b>1998</b> , 18, 5652-8	626
1692	Expression of retinoic acid receptor-beta sensitizes prostate cancer cells to growth inhibition mediated by combinations of retinoids and a 19-nor hexafluoride vitamin D3 analog. <b>1998</b> , 139, 1972-80	64
1691	Two separate NCoR (nuclear receptor corepressor) interaction domains mediate corepressor action on thyroid hormone response elements. <b>1998</b> , 12, 1567-81	55
1690	Estrogen receptor, a common interaction partner for a subset of nuclear receptors. <b>1998</b> , 12, 1184-92	58
1689	Definition of a negative modulation domain in the human progesterone receptor. <b>1998</b> , 12, 1334-42	31
1688	Functional interactions between nuclear receptors recognizing a common sequence element, the direct repeat motif spaced by one nucleotide (DR-1). <b>1998</b> , 123, 1174-9	24
1687	Steroid hormone receptors and heat shock proteins. <b>1998</b> , 54, 167-205	20
1686	Coregulatory proteins in nuclear hormone receptor action. <b>1999</b> , 55, 165-218	43
1685	The Vitamin D Receptor: Discovery, Structure, and Function. <b>1998</b> , 213-241	
1684	Diverse signaling pathways modulate nuclear receptor recruitment of N-CoR and SMRT complexes. <b>1998</b> , 95, 2920-5	554
1683	Nuclear receptors, nuclear-receptor factors, and nuclear-receptor-like orphans form a large paralog cluster in Homo sapiens. <b>1998</b> , 15, 665-82	14
1682	Transactivation by retinoid X receptor-peroxisome proliferator-activated receptor gamma (PPARgamma) heterodimers: intermolecular synergy requires only the PPARgamma hormone-dependent activation function. <b>1998</b> , 18, 3483-94	161
1681	Adrenocortical and gonadal expression of the mammalian Ftz-F1 gene encoding Ad4BP/SF-1 is independent of pituitary control. <b>1998</b> , 124, 217-24	31
1680	Transgenic mice carrying an imbalance in the native ratio of A to B forms of progesterone receptor exhibit developmental abnormalities in mammary glands. <b>1998</b> , 95, 696-701	175
1679	Nurr1 is essential for the induction of the dopaminergic phenotype and the survival of ventral mesencephalic late dopaminergic precursor neurons. <b>1998</b> , 95, 4013-8	602
1678	Human umbilical vein endothelial cells lack expression of the estrogen receptor. <b>1998</b> , 6, 9-21	6
1677	Retinoic acid receptor gamma1 (RARgamma1) levels control RARbeta2 expression in SK-N-BE2(c) neuroblastoma cells and regulate a differentiation-apoptosis switch. <b>1998</b> , 18, 6482-92	30

1676	Identification of a novel RING finger protein as a coregulator in steroid receptor-mediated gene transcription. <b>1998</b> , 18, 5128-39	185
1675	Syndromes of glucocorticoid and mineralocorticoid resistance. <b>1998</b> , 139, 127-38	13
1674	Transcriptional silencing is defined by isoform- and heterodimer-specific interactions between nuclear hormone receptors and corepressors. <b>1998</b> , 18, 5724-33	71
1673	The AML1-MTG8 leukemic fusion protein forms a complex with a novel member of the MTG8(ETO/CDR) family, MTGR1. <b>1998</b> , 18, 846-58	134
1672	pp90rsk1 regulates estrogen receptor-mediated transcription through phosphorylation of Ser-167. <b>1998</b> , 18, 1978-84	294
1671	Transformation of hematopoietic cells by the Ski oncoprotein involves repression of retinoic acid receptor signaling. <b>1998</b> , 95, 11187-92	58
1670	Androgen receptor polymorphisms (CAG repeat lengths) in androgenetic alopecia, hirsutism, and acne. <b>1998</b> , 3, 9-15	159
1669	Crystallographic comparison of the estrogen and progesterone receptor's ligand binding domains. <b>1998</b> , 95, 5998-6003	577
1668	Expression of the peroxisome proliferator-activated receptor gamma (PPARgamma) in human atherosclerosis and regulation in macrophages by colony stimulating factors and oxidized low density lipoprotein. <b>1998</b> , 95, 7614-9	622
1667	Age-related changes in human oestrogen receptor alpha function and levels in osteoblasts. <b>1998</b> , 333 ( Pt 3), 787-94	53
1666	Oestrogen receptor facilitates the formation of preinitiation complex assembly: involvement of the general transcription factor TFIIB. <b>1998</b> , 336 ( Pt 3), 639-46	27
1665	Differential modulation of transcriptional activity of oestrogen receptors by direct protein-protein interactions with retinoid receptors. <b>1998</b> , 336 ( Pt 3), 711-7	12
1664	Steroid Hormone Receptor Families. <b>1998</b> , 383-411	1
1663	Acute promyelocytic leukemia as a model for cross-talk between interferon and retinoic acid pathways: from molecular biology to clinical applications. <b>1998</b> , 30, 11-22	32
1662	Vitamin A and embryonic development: an overview. <b>1998</b> , 128, 455S-458S	131
1661	Interactions with single-stranded and double-stranded DNA-binding factors and alternative promoter conformation upon transcriptional activation of the Htf9-a/RanBP1 and Htf9-c genes. 1998, 273, 495-505	13
1660	Cloning and characterization of a novel human hepatocyte transcription factor, hB1F, which binds and activates enhancer II of hepatitis B virus. <b>1998</b> , 273, 29022-31	83
1659	Activation by diverse xenochemicals of the 51-base pair phenobarbital-responsive enhancer module in the CYP2B10 gene. <b>1998</b> , 53, 597-601	161

1658	Aldehyde dehydrogenases in the generation of retinoic acid in the developing vertebrate: a central role of the eye. <b>1998</b> , 128, 463S-466S	27
1657	GeneUp: a program to select short PCR primer pairs that occur in multiple members of sequence lists. <b>1998</b> , 25, 112-7, 120-3	9
1656	Interference between progesterone and dioxin signal transduction pathways. Different mechanisms are involved in repression by the progesterone receptor A and B isoforms. <b>1998</b> , 273, 8829-34	36
1655	Molecular mechanism of a cross-talk between estrogen and growth-factor signaling pathways. <b>1998</b> , 55 Suppl 1, 5-10	40
1654	Retinoic acid-receptor activation of SP-B gene transcription in respiratory epithelial cells. <b>1998</b> , 275, L239-46	9
1653	Effect of Steroid Hormones and Retinoids on the Formation of Capillary-Like Tubular Structures of Human Microvascular Endothelial Cells in Fibrin Matrices Is Related to Urokinase Expression. <b>1998</b> , 92, 927-938	67
1652	Reduced Retinoic Acid-Sensitivities of Nuclear Receptor Corepressor Binding to PML- and PLZF-RAR&Underlie Molecular Pathogenesis and Treatment of Acute Promyelocytic Leukemia. 1998, 91, 2634-2642	273
1651	Combined Arsenic and Retinoic Acid Treatment Enhances Differentiation and Apoptosis in Arsenic-Resistant NB4 Cells. <b>1998</b> , 91, 4300-4310	159
1650	Induction of Differentiation in Acute Promyelocytic Leukemia Cells by 9-cis Retinoic Acid ⊞rocopherol Ester (9-cisTretinoin Tocoferil). <b>1998</b> , 91, 4715-4726	17
1649	Retinoic Acid Selectively Inhibits Lipopolysaccharide Induction of Tissue Factor Gene Expression in Human Monocytes. <b>1998</b> , 91, 2857-2865	29
1648	Developmental and Physiologic Roles of the Nuclear Receptor Steroidogenic Factor-I in the Reproductive System. <b>1998</b> , 5, 6-12	3
1647	Identification and assessment of endocrine disruptors: limitations of in vivo and in vitro assays. <b>1998</b> , 106 Suppl 2, 577-82	105
1646	A new bioassay using transient transfection for invasion-related gene analysis. <b>1998</b> , 18, 198-208	10
1645	Retardation of skeletal development and cervical abnormalities in transgenic mice expressing a dominant-negative retinoic acid receptor in chondrogenic cells. <b>1998</b> , 95, 7491-6	33
1644	Expression of peroxisomal proliferator-activated receptors and retinoid X receptors in the kidney. <b>1999</b> , 277, F966-73	59
1643	PPARlin Adipocyte Differentiation. <b>1999</b> , 77, 16	8
1642	The human fetal retinal pigment epithelium: A target tissue for thyroid hormones. <b>1999</b> , 31, 399-406	14
1641	Proceedings of the British Toxicology Society Autumn Meeting University of York 20-22 September 1998. <b>1999</b> , 18, 46-65	2

1640	Addiction-prone Lewis but not Fischer rats develop compulsive running that coincides with downregulation of nerve growth factor inducible-B and neuron-derived orphan receptor 1. <b>1999</b> , 19, 6169-74	50
1639	Inhibition of hSP-B promoter in respiratory epithelial cells by a dominant negative retinoic acid receptor. <b>1999</b> , 276, L398-404	3
1638	Characterization of receptor-interacting protein 140 in retinoid receptor activities. <b>1999</b> , 274, 31320-6	53
1637	An assay for the detection of xenoestrogens based on a promoter containing overlapping EREs. <b>1999</b> , 107, 563-6	13
1636	The vitamin D receptor binds in a transcriptionally inactive form and without a defined polarity on a retinoic acid response element. <b>1999</b> , 13, 1073-81	20
1635	Mice devoid of all known thyroid hormone receptors are viable but exhibit disorders of the pituitary-thyroid axis, growth, and bone maturation. <b>1999</b> , 13, 1329-41	335
1634	Inhibition of nuclear receptor signalling by poly(ADP-ribose) polymerase. <b>1999</b> , 19, 2644-9	86
1633	Peroxisome proliferator-activated receptors: a family of lipid-activated transcription factors. <b>1999</b> , 70, 566-71	97
1632	Overlapping and divergent actions of estrogen and the neurotrophins on cell fate and p53-dependent signal transduction in conditionally immortalized cerebral cortical neuroblasts. <b>1999</b> , 19, 6994-7006	31
1631	Interaction fonctionnelle de l⊞sp90 avec les rEepteurs des stEoEles. <b>1999</b> , 193, 361-367	4
1630	Retinoic Acid Prevents Phosphorylation of pRB in Normal Human B Lymphocytes: Regulation of Cyclin E, Cyclin A, and p21Cip1. <b>1999</b> , 94, 1348-1358	47
1629	Cellular aspects of trophic actions in the nervous system. <b>1999</b> , 189, 177-265	34
1628	The orphan human pregnane X receptor mediates the transcriptional activation of CYP3A4 by rifampicin through a distal enhancer module. <b>1999</b> , 56, 1329-39	569
1627	Purification and identification of p68 RNA helicase acting as a transcriptional coactivator specific for the activation function 1 of human estrogen receptor alpha. <b>1999</b> , 19, 5363-72	316
1626	Methylation, gene expression and the chromatin connection in cancer (review). <b>1999</b> , 4, 333-50	20
1625	The v-erbA oncogene (review) <b>1999</b> , 4, 351	2
1624	Expression of hepatocyte growth factor-like protein is repressed by retinoic acid and enhanced by cyclic adenosine 3',5'-monophosphate response element-binding protein (CREB)-binding protein (CBP). <b>1999</b> , 140, 187-96	14
1623	17Beta-estradiol decreases nitric oxide synthase II synthesis in vascular smooth muscle cells. <b>1999</b> , 140, 2004-9	51

Estrogen receptor-alpha detected on the plasma membrane of aldehyde-fixed GH3/B6/F10 rat pituitary tumor cells by enzyme-linked immunocytochemistry. <b>1999</b> , 140, 3805-14	151
Clinical and functional effects of mutations in the DAX-1 gene in patients with adrenal hypoplasia congenita. <b>1999</b> , 84, 504-11	120
Ligand-independent coregulator recruitment by the triply activatable OR1/retinoid X receptor-alpha nuclear receptor heterodimer. <b>1999</b> , 13, 1105-18	27
Characterization of two nuclear androgen receptors in Atlantic croaker: comparison of their biochemical properties and binding specificities. <b>1999</b> , 140, 1602-11	124
Pharmacological peroxisome proliferator-activated receptorgamma ligands: emerging clinical indications beyond diabetes. <b>1999</b> , 8, 1859-1872	17
Development of selective aryl hydrocarbon receptor modulators for treatment of breast cancer. <b>1999</b> , 8, 1385-96	52
Transcriptional interferences between normal or mutant androgen receptors and the activator protein 1dissection of the androgen receptor functional domains. <b>1999</b> , 140, 350-7	36
The therapeutic potential of targeting drugs at transcription factors. <b>1999</b> , 8, 737-46	2
Functional analysis of a novel estrogen receptor-beta isoform. <b>1999</b> , 13, 129-37	106
Chromatin recycling of glucocorticoid receptors: implications for multiple roles of heat shock protein 90. <b>1999</b> , 13, 355-65	78
Structure/function of the human glucocorticoid receptor: tyrosine 735 is important for transactivation. <b>1999</b> , 13, 1855-63	40
Rapid action of 17beta-estradiol on kainate-induced currents in hippocampal neurons lacking intracellular estrogen receptors. <b>1999</b> , 140, 660-6	191
Progesterone-regulated gene expression in the primate endometrium. <b>1999</b> , 17, 241-55	7
Androgen receptor-mediated hypersensitivity to androgens in women with nonhyperandrogenic hirsutism: skewing of X-chromosome inactivation. <b>1999</b> , 84, 1091-5	71
Identification of mouse TRAP100: a transcriptional coregulatory factor for thyroid hormone and vitamin D receptors. <b>1999</b> , 13, 1130-40	31
Male pseudohermaphroditism caused by mutations of the human androgen receptor. <b>1999</b> , 84, 3435-41	27
Transcriptional activities of the orphan nuclear receptor ERR alpha (estrogen receptor-related receptor-alpha). <b>1999</b> , 13, 764-73	102
Cortisol selectively stimulates pituitary gonadotropin beta-subunit in a primitive teleost, Anguilla anguilla. <b>1999</b> , 140, 1228-35	23
	pituitary tumor cells by enzyme-linked immunocytochemistry. 1999, 140, 3805-14  Clinical and functional effects of mutations in the DAX-1 gene in patients with adrenal hypoplasia congenita. 1999, 84, 504-11  Ligand-independent coregulator recruitment by the triply activatable OR1/retinoid X receptor-alpha nuclear receptor heterodimer. 1999, 13, 1105-18  Characterization of two nuclear androgen receptors in Atlantic croaker: comparison of their biochemical properties and binding specificities. 1999, 140, 1602-11  Pharmacological peroxisome proliferator-activated receptorgamma ligands: emerging clinical indications beyond diabetes. 1999, 8, 1859-1872  Development of selective aryl hydrocarbon receptor modulators for treatment of breast cancer. 1999, 8, 1385-96  Transcriptional interferences between normal or mutant androgen receptors and the activator protein 1-dissection of the androgen receptor functional domains. 1999, 140, 350-7  The therapeutic potential of targeting drugs at transcription factors. 1999, 8, 737-46  Functional analysis of a novel estrogen receptor-beta isoform. 1999, 13, 129-37  Chromatin recycling of glucocorticoid receptors: implications for multiple roles of heat shock protein 90. 1999, 13, 355-65  Structure/function of the human glucocorticoid receptor: tyrosine 735 is important for transactivation. 1999, 13, 1855-63  Rapid action of 17beta-estradiol on kainate-induced currents in hippocampal neurons lacking intracellular estrogen receptors. 1999, 140, 660-6  Progesterone-regulated gene expression in the primate endometrium. 1999, 17, 241-55  Androgen receptor-mediated hypersensitivity to androgens in women with nonhyperandrogenic hirsultism: skewing of X-chromosome inactivation. 1999, 84, 1091-5  Identification of mouse TRAP100: a transcriptional coregulatory factor for thyroid hormone and vitamin D receptors. 1999, 13, 1130-40  Male pseudohermaphroditism caused by mutations of the human androgen receptor. 1999, 84, 3435-41  Transcriptional activities of the orphan nuclear receptor ERR a

1604	In vitro and in vivo analysis of the regulation of a transcription factor gene by thyroid hormone during Xenopus laevis metamorphosis. <b>1999</b> , 13, 2076-89	76
1603	Dissociative glucocorticoid activity of medroxyprogesterone acetate in normal human lymphocytes. <b>1999</b> , 84, 4055-61	76
1602	Messenger ribonucleic acid in situ hybridization analysis of estrogen receptors alpha and beta in human breast carcinoma. <b>1999</b> , 84, 781-5	29
1601	Ligand-activated retinoic acid receptor inhibits AP-1 transactivation by disrupting c-Jun/c-Fos dimerization. <b>1999</b> , 13, 276-85	90
1600	A truncated human peroxisome proliferator-activated receptor alpha splice variant with dominant negative activity. <b>1999</b> , 13, 1535-49	119
1599	Interaction of the putative androgen receptor-specific coactivator ARA70/ELE1alpha with multiple steroid receptors and identification of an internally deleted ELE1beta isoform. <b>1999</b> , 13, 117-28	92
1598	Transition from monomeric to homodimeric DNA binding by nuclear receptors: identification of RevErbAalpha determinants required for RORalpha homodimer complex formation. <b>1999</b> , 13, 431-9	25
1597	Human insulin receptor substrate-2 (IRS-2) is a primary progesterone response gene. <b>1999</b> , 13, 485-94	39
1596	Coactivators for the orphan nuclear receptor RORalpha. <b>1999</b> , 13, 1550-7	76
1595	Steroid receptor coactivator-1 and its family members differentially regulate transactivation by the tumor suppressor protein p53. <b>1999</b> , 13, 1924-33	62
1594	When some fine old genes meet a 'new' environment. <b>1999</b> , 84, 1-18	9
1593	Functional assessment of the calcium messenger system in cultured mouse Leydig tumor cells: regulation of human chorionic gonadotropin-induced expression of the steroidogenic acute regulatory protein. <b>1999</b> , 140, 1739-51	70
1592	Hormone-dependent interaction between the amino- and carboxyl-terminal domains of progesterone receptor in vitro and in vivo. <b>1999</b> , 13, 910-24	148
1591	HMG-1 stimulates estrogen response element binding by estrogen receptor from stably transfected HeLa cells. <b>1999</b> , 13, 632-43	83
1590	Ribozyme-mediated cleavage of the estrogen receptor messenger RNA and inhibition of receptor function in target cells. <b>1999</b> , 13, 925-34	6
1589	Selective recognition of vitamin D receptor conformations mediates promoter selectivity of vitamin D analogs. <b>1999</b> , 55, 1077-87	47
1588	VITAMINS. <b>1999</b> , 491-692	6
1587	Expression of oestrogen receptor-alpha and -beta in ovarian endometriomata. <b>1999</b> , 5, 742-7	82

1586	Characterization of the amino-terminal activation domain of peroxisome proliferator-activated receptor alpha. Importance of alpha-helical structure in the transactivating function. <b>1999</b> , 274, 35152-8	38
1585	Direct association with thioredoxin allows redox regulation of glucocorticoid receptor function. <b>1999</b> , 274, 3182-8	158
1584	Xenopus cytosolic thyroid hormone-binding protein (xCTBP) is aldehyde dehydrogenase catalyzing the formation of retinoic acid. <b>1999</b> , 274, 8460-9	18
1583	Two distinct isoforms of cDNA encoding rainbow trout androgen receptors. <b>1999</b> , 274, 5674-80	91
1582	L-764406 is a partial agonist of human peroxisome proliferator-activated receptor gamma. The role of Cys313 in ligand binding. <b>1999</b> , 274, 7913-22	91
1581	Activation of luteinizing hormone beta gene by gonadotropin-releasing hormone requires the synergy of early growth response-1 and steroidogenic factor-1. <b>1999</b> , 274, 13870-6	132
1580	Antagonistic action of novel 1alpha,25-dihydroxyvitamin D3-26, 23-lactone analogs on differentiation of human leukemia cells (HL-60) induced by 1alpha,25-dihydroxyvitamin D3. <b>1999</b> , 274, 16392-9	84
1579	Structural requirements of ligands for the oxysterol liver X receptors LXRalpha and LXRbeta. <b>1999</b> , 96, 266-71	795
1578	Nuclear Hormone Receptors and Evolution. <b>1999</b> , 39, 704-713	9
1577	Membrane-Initiated Steroid Actions and the Proteins that Mediate Them. <b>1999</b> , 220, 9-19	95
1576	Selective binding of steroid hormone receptors to octamer transcription factors determines transcriptional synergism at the mouse mammary tumor virus promoter. <b>1999</b> , 274, 26713-9	50
1575	Function of estrogen receptor (ER) in gene expression. <b>1999</b> , 29, 321-2	3
1574	Receptor interacting protein RIP140 inhibits both positive and negative gene regulation by glucocorticoids. <b>1999</b> , 274, 18121-7	72
1573	Rapid down-regulation of CD63 transcription by progesterone in human endometrial stromal cells. <b>1999</b> , 5, 554-8	13
1572	Characterization of EcR and RXR Homologues in the Ixodid Tick, Amblyomma americanum (L.). <b>1999</b> , 39, 747-757	18
1571	Amplification and overexpression of peroxisome proliferator-activated receptor binding protein (PBP/PPARBP) gene in breast cancer. <b>1999</b> , 96, 10848-53	152
1570	CPF: an orphan nuclear receptor that regulates liver-specific expression of the human cholesterol 7alpha-hydroxylase gene. <b>1999</b> , 96, 6660-5	248
1569	Vitamin D represses retinoic acid-dependent transactivation of the retinoic acid receptor-beta2 promoter: the AF-2 domain of the vitamin D receptor is required for transrepression. <b>1999</b> , 140, 2898-907	18

1568	Progesterone regulates proliferation of endothelial cells. <b>1999</b> , 274, 2185-92	99
1567	A structural explanation for the retinal specificity of class 1 ALDH enzymes. <b>1999</b> , 463, 27-38	8
1566	Post-transcriptional regulation of the DNA damage-inducible gadd45 gene in human breast carcinoma cells exposed to a novel retinoid CD437. <b>1999</b> , 27, 3111-9	39
1565	Vitamin D-dependent suppression of human atrial natriuretic peptide gene promoter activity requires heterodimer assembly. <b>1999</b> , 274, 11260-6	22
1564	c-Src, receptor tyrosine kinases, and human cancer. <b>1999</b> , 76, 61-119	185
1563	Nuclear receptor coactivators. <b>2000</b> , 47, 89-112	82
1562	Structural and functional analysis of the promoter of a mouse gene encoding an androgen-regulated protein (MSVSP99). <b>1999</b> , 23, 287-98	
1561	Changes in equine endometrial oestrogen receptor alpha and progesterone receptor mRNAs during the oestrous cycle, early pregnancy and after treatment with exogenous steroids. <b>1999</b> , 117, 135-42	25
1560	Steroid hormones, dendritic remodeling and neuronal death: insights from insect metamorphosis. <b>1999</b> , 54, 51-60	28
1559	Identification of progesterone-dependent messenger ribonucleic acid regulatory patterns in the rhesus monkey endometrium by differential-display reverse transcription-polymerase chain reaction. <b>1999</b> , 60, 1029-35	12
1558	Cellular and subcellular localization of six retinoid receptors in rat testis during postnatal development: identification of potential heterodimeric receptors. <b>1999</b> , 61, 1300-8	80
1557	Germ Cell Nuclear Factor: An Orphan Receptor in Search of a Function. <b>1999</b> , 39, 796-806	9
1556	A peroxisome proliferator-activated receptor gamma ligand inhibits adipocyte differentiation. <b>1999</b> , 96, 6102-6	301
1555	An estrogen receptor-selective coregulator that potentiates the effectiveness of antiestrogens and represses the activity of estrogens. <b>1999</b> , 96, 6947-52	231
1554	The molecular chaperone Hsp90 can negatively regulate the activity of a glucocorticosteroid-dependent promoter. <b>1999</b> , 96, 1439-44	74
1553	Mouse steroid receptor coactivator-1 is not essential for peroxisome proliferator-activated receptor alpha-regulated gene expression. <b>1999</b> , 96, 1585-90	71
1552	Human T-cell leukemia retrovirus-Tax protein is a repressor of nuclear receptor signaling. <b>1999</b> , 96, 2633-8	24
1551	Hyperphosphorylation of the retinoid X receptor alpha by activated c-Jun NH2-terminal kinases. <b>1999</b> , 274, 18932-41	71

1550	Analysis of the molecular mechanism for the antagonistic action of a novel 1alpha,25-dihydroxyvitamin D(3) analogue toward vitamin D receptor function. <b>1999</b> , 274, 32376-81	54
1549	Glucocorticoid Receptor Isoforms Alpha and Beta: Potential Physiological and Pathological Importance. <b>1999</b> , 1,	
1548	Molecular Diagnostics of Diseases with Androgen Receptor Mutations. <b>1999</b> , 23, 327-333	
1547	Nuclear Receptors and the Hormonal Regulation of Drosophila Metamorphosis. <b>1999</b> , 39, 714-721	9
1546	Nuclear Receptors in Mosquito Vitellogenesis. <b>1999</b> , 39, 722-735	26
1545	Estrogen receptor null mice: what have we learned and where will they lead us?. <b>1999</b> , 20, 358-417	1600
1544	Redox regulation of the glucocorticoid receptor. <b>1999</b> , 1, 403-23	18
1543	Steroid receptor coactivator-1 (SRC-1) enhances ligand-dependent and receptor-dependent cell-free transcription of chromatin. <b>1999</b> , 96, 9485-90	65
1542	Retinoid isomers differ in the ability to induce release of SMRT corepressor from retinoic acid receptor-alpha. <b>1999</b> , 274, 2885-92	19
1541	cDNA cloning of a novel androgen receptor subtype. <b>1999</b> , 274, 25205-9	99
1540	Lysine 246 of the vitamin D receptor is crucial for ligand-dependent interaction with coactivators and transcriptional activity. <b>1999</b> , 274, 13503-10	35
1539	Molecular control of immune/inflammatory responses: interactions between nuclear factor-kappa B and steroid receptor-signaling pathways. <b>1999</b> , 20, 435-59	598
1538	Activation of the promoter of the orphan receptor SHP by orphan receptors that bind DNA as monomers. <b>1999</b> , 274, 20869-73	86
1537	A testis-specific androgen receptor coregulator that belongs to a novel family of nuclear proteins. <b>1999</b> , 274, 3700-4	125
1536	Glucocorticoid induction of epithelial sodium channel expression in lung and renal epithelia occurs via trans-activation of a hormone response element in the 5'-flanking region of the human epithelial sodium channel alpha subunit gene. <b>1999</b> , 274, 12431-7	118
1535	Identification of a novel DNA binding site for nuclear orphan receptor OR1. <b>1999</b> , 274, 10421-9	15
1534	Retina-specific nuclear receptor: A potential regulator of cellular retinaldehyde-binding protein expressed in retinal pigment epithelium and Mler glial cells. <b>1999</b> , 96, 15149-54	49
1533	STAT5b down-regulates peroxisome proliferator-activated receptor alpha transcription by inhibition of ligand-independent activation function region-1 trans-activation domain. <b>1999</b> , 274, 29874-82	59

1532	Identification of nuclear receptor corepressor as a peroxisome proliferator-activated receptor alpha interacting protein. <b>1999</b> , 274, 15901-7	103
1531	Regulation of nuclear localization: a key to a door. <b>1999</b> , 15, 291-339	267
1530	Oxidative stress as a regulator of gene expression in the vasculature. <b>1999</b> , 85, 753-66	677
1529	In vivo transcription factor recruitment during thyroid hormone receptor-mediated activation. <b>1999</b> , 96, 10092-7	25
1528	Expression of retinoid receptor genes and proteins in non-small-cell lung cancer. <b>1999</b> , 91, 1059-66	117
1527	Basic transcription element-binding protein (BTEB) is a thyroid hormone-regulated gene in the developing central nervous system. Evidence for a role in neurite outgrowth. <b>1999</b> , 274, 23128-34	97
1526	Transcriptional anti-repression. Thyroid hormone receptor beta-2 recruits SMRT corepressor but interferes with subsequent assembly of a functional corepressor complex. <b>1999</b> , 274, 37131-8	32
1525	Direct visualization of the human estrogen receptor alpha reveals a role for ligand in the nuclear distribution of the receptor. <b>1999</b> , 10, 471-86	222
1524	Identification of amino acid sequence in the hinge region of human vitamin D receptor that transfers a cytosolic protein to the nucleus. <b>1999</b> , 274, 33531-8	48
1523	Interleukin 1beta induces type II-secreted phospholipase A(2) gene in vascular smooth muscle cells by a nuclear factor kappaB and peroxisome proliferator-activated receptor-mediated process. <b>1999</b> , 274, 23085-93	75
1522	Bcl3, an IkappaB protein, stimulates activating protein-1 transactivation and cellular proliferation. <b>1999</b> , 274, 28491-6	58
1521	Analysis of estrogen response element binding by genetically selected steroid receptor DNA binding domain mutants exhibiting altered specificity and enhanced affinity. <b>1999</b> , 274, 23591-8	20
1520	The vitamin D receptor and the syndrome of hereditary 1,25-dihydroxyvitamin D-resistant rickets. <b>1999</b> , 20, 156-88	259
1519	Iterative size-exclusion chromatography coupled with liquid chromatographic mass spectrometry to enrich and identify tight-binding ligands from complex mixtures. <b>1999</b> , 55, 11653-11667	14
1518	A comprehensive survey of stille-type Csp2-Csp2 single bond forming processes in the synthesis of retinoic acid and analogs. <b>1999</b> , 55, 15071-15098	48
1517	Structural basis for engineering of retinoic acid receptor isotype-selective agonists and antagonists. <b>1999</b> , 6, 519-29	73
1516	The protein kinase C (PKC) substrate GAP-43 is already expressed in neural precursor cells, colocalizes with PKCeta and binds calmodulin. <b>1999</b> , 11, 503-16	28
1515	Characterization and DNA-binding properties of GRF, a novel monomeric binding orphan receptor related to GCNF and betaFTZ-F1. <b>1999</b> , 266, 181-90	41

1514	An A/G Polymorphism in the Promoter of Mitochondrial Aldehyde Dehydrogenase (ALDH2): Effects of the Sequence Variant on Transcription Factor Binding and Promoter Strength. <b>1999</b> , 23, 963-968	30
1513	Structure of HAP1-18-DNA implicates direct allosteric effect of protein-DNA interactions on transcriptional activation. <b>1999</b> , 6, 22-7	23
1512	A vital role for vitamin A. <b>1999</b> , 21, 346-7	13
1511	Making sense out of sound. <b>1999</b> , 21, 347-9	17
1510	DNA-binding mechanism of the monomeric orphan nuclear receptor NGFI-B. <b>1999</b> , 6, 471-7	75
1509	Retinoids and adipose tissues: metabolism, cell differentiation and gene expression. <b>1999</b> , 23, 1-6	192
1508	In acute promyelocytic leukemia NB4 cells, the synthetic retinoid CD437 induces contemporaneously apoptosis, a caspase-3-mediated degradation of PML/RARalpha protein and the PML retargeting on PML-nuclear bodies. <b>1999</b> , 13, 739-49	32
1507	Retinoic acid and interferon signaling cross talk in normal and RA-resistant APL cells. <b>1999</b> , 13, 1167-74	52
1506	JEM-1, a novel nuclear co-factor: localisation and functional interaction with AP-1. <b>1999</b> , 13, 1982-92	15
1505	Retinoic acid resistance in NB4 APL cells is associated with lack of interferon alpha synthesis Stat1 and p48 induction. <b>1999</b> , 18, 3944-53	30
1504	Synergistic inhibition of prostate cancer cell lines by a 19-nor hexafluoride vitamin D3 analogue and anti-activator protein 1 retinoid. <b>1999</b> , 79, 101-7	17
1503	Transcriptional repression of the human collagenase-1 (MMP-1) gene in MDA231 breast cancer cells by all-trans-retinoic acid requires distal regions of the promoter. <b>1999</b> , 79, 221-8	25
1502	Inhibition of proliferation and induction of apoptosis in soft tissue sarcoma cells by interferon-alpha and retinoids. <b>1999</b> , 80, 1350-8	30
1501	Steroidogenic factor-1: its role in endocrine organ development and differentiation. <b>1999</b> , 20, 199-223	75
1500	Molecular cloning of an estrogen receptor beta subtype from the goldfish, Carassius auratus. <b>1999</b> , 113, 388-400	106
1499	New screening methods for chemicals with hormonal activities using interaction of nuclear hormone receptor with coactivator. <b>1999</b> , 154, 76-83	288
1498	The advantage of alfacalcidol over vitamin D in the treatment of osteoporosis. <b>1999</b> , 65, 311-6	66
1497	Progesterone signaling and mammary gland morphogenesis. <b>1999</b> , 4, 89-104	53

1496	Cytochrome P450, peroxisome proliferation, and cytoplasmic fatty acid-binding protein content in liver, heart and kidney of the diabetic rat. <b>1999</b> , 192, 53-61	29
1495	Identification of the histamine H1 receptor gene as a differentially repressed target of the human TR2 orphan receptor. <b>1999</b> , 194, 199-207	13
1494	Androgen effects on the solubility and conformational change of the androgen receptor in baculovirus expression system. <b>1999</b> , 195, 19-23	1
1493	Impaired retinal function and vitamin A availability in mice lacking retinol-binding protein. <b>1999</b> , 18, 4633-44	364
1492	RAR-independent RXR signaling induces t(15;17) leukemia cell maturation. <b>1999</b> , 18, 7011-8	97
1491	Mice deficient in the steroid receptor co-activator 1 (SRC-1) are resistant to thyroid hormone. <b>1999</b> , 18, 1900-4	196
1490	Role of the essential yeast protein PSU1 in p6anscriptional enhancement by the ligand-dependent activation function AF-2 of nuclear receptors. <b>1999</b> , 18, 2229-40	32
1489	Non-transcriptional action of oestradiol and progestin triggers DNA synthesis. <b>1999</b> , 18, 2500-10	216
1488	Lipid soluble vitamins in gene regulation. <b>1999</b> , 10, 91-7	39
1487	Phylogenetic analyses reveal ancient duplication of estrogen receptor isoforms. <b>1999</b> , 49, 609-14	18
1486	Regulation of steroid receptor subcellular trafficking. <b>1999</b> , 30, 1-24	39
1485	Regulation of lactoferrin gene expression by estrogen and epidermal growth factor: molecular mechanism. <b>1999</b> , 31, 49-64	27
1484	Ligand-free RAR can interact with the RNA polymerase II subunit hsRPB7 and repress transcription. <b>1999</b> , 10, 281-9	9
1483	Human trabecular meshwork cells as a thyroid hormone target tissue: presence of functional thyroid hormone receptors. <b>1999</b> , 237, 231-40	9
1482	Sodium transport-related proteins in the mammalian distal nephron - distribution, ontogeny and functional aspects. <b>1999</b> , 200, 447-68	73
1481	General overview of mineralocorticoid hormone action. <b>1999</b> , 84, 273-326	58
1480	DNA binding, protein interaction and differential expression of the human germ cell nuclear factor. <b>1999</b> , 1446, 173-80	17
1479	cDNA cloning and expression analysis of mouse zf9, a Krppel-like transcription factor gene that is induced by adipogenic hormonal stimulation in 3T3-L1 cells. <b>1999</b> , 1447, 199-207	17

1478	Investigation of the binding interactions of progesterone using muteins of the human progesterone receptor ligand binding domain designed on the basis of a three-dimensional protein model. <b>1999</b> , 1429, 391-400	18
1477	Eukaryotic transcriptional control. <b>1999</b> , 15, M46-M49	3
1476	MAP kinase pathways. <b>1999</b> , 71, 479-500	654
1475	Retinoic acid induces apoptosis of human CD34+ hematopoietic progenitor cells: involvement of retinoic acid receptors and retinoid X receptors depends on lineage commitment of the hematopoietic progenitor cells. <b>1999</b> , 27, 642-53	35
1474	Leukemia: the sophisticated subversion of hematopoiesis by nuclear receptor oncoproteins. <b>1999</b> , 1423, F15-33	4
1473	Effects of glucocorticoids on the trabecular meshwork: towards a better understanding of glaucoma. <b>1999</b> , 18, 629-67	185
1472	Eukaryotic transcriptional control. <b>1999</b> , 9, M46-M49	109
1471	Eukaryotic transcriptional control. <b>1999</b> , 24, M46-M49	14
1470	Synergism between a half-site and an imperfect estrogen-responsive element, and cooperation with COUP-TFI are required for estrogen receptor (ER) to achieve a maximal estrogen-stimulation of rainbow trout ER gene. <b>1999</b> , 259, 385-95	34
1469	Inhibitory effect of uremic solutions on protein-DNA-complex formation of the vitamin D receptor and other members of the nuclear receptor superfamily. <b>1999</b> , 74, 386-394	10
1468	Transforming growth factor-beta1 is an autocrine mediator of U937 cell growth arrest and differentiation induced by vitamin D3 and retinoids. <b>1999</b> , 178, 109-19	43
1467	Glia as mediators of steroid hormone action on the nervous system: An overview. <b>1999</b> , 40, 434-45	50
1466	Oligodendrocyte development and thyroid hormone. <b>1999</b> , 40, 497-512	121
1465	RORgammaT, a thymus-specific isoform of the orphan nuclear receptor RORgamma / TOR, is up-regulated by signaling through the pre-T cell receptor and binds to the TEA promoter. <b>1999</b> , 29, 4072-80	66
1464	Positive and negative interaction of 1,25-dihydroxyvitamin D3 and the retinoid CD437 in the induction of human melanoma cell apoptosis. <b>1999</b> , 81, 467-70	39
1463	Role of retinoic acid receptor overexpression in sensitivity to fenretinide and tumorigenicity of human ovarian carcinoma cells. <b>1999</b> , 81, 829-34	37
1462	Effects of glucocorticoids and mineralocorticoids on proliferation and maturation of human peripheral blood stem cells. <b>1999</b> , 62, 65-73	16
1461	An analysis of ecdysone receptor domains required for heterodimerization with ultraspiracle. <b>1999</b> , 41, 61-70	19

1460	DNA-binding properties of the ecdysteroid receptor-complex (EcR/USP) of the epithelial cell line from Chironomus tentans. <b>1999</b> , 41, 124-33	15
1459	Genetic organization of polytene chromosomes. <b>1999</b> , 39, 1-589	39
1458	Retinoids. 1999,	11
1457	Convergence of transforming growth factor-beta and vitamin D signaling pathways on SMAD transcriptional coactivators. <b>1999</b> , 283, 1317-21	390
1456	Orphan nuclear receptors: shifting endocrinology into reverse. <b>1999</b> , 284, 757-60	427
1455	Bile acids: natural ligands for an orphan nuclear receptor. <b>1999</b> , 284, 1365-8	1779
1454	Tamoxifen resistant breast cancer: coregulators determine the direction of transcription by antagonist-occupied steroid receptors. <b>1999</b> , 69, 45-50	68
1453	EcR interacts with corepressors and harbours an autonomous silencing domain functional in both Drosophila and vertebrate cells. <b>1999</b> , 68, 163-9	11
1452	Molecular defects of the androgen receptor. <b>1999</b> , 69, 315-22	51
1451	Interactions in the transcriptional regulation exerted by Stat5 and by members of the steroid hormone receptor family. <b>1999</b> , 69, 195-204	104
1450	Human Ad4BP/SF-1 and its related nuclear receptor. <b>1999</b> , 69, 323-8	6
1449	Sensitivity of virally-driven luciferase reporter plasmids to members of the steroid/thyroid/retinoid family of nuclear receptors. <b>1999</b> , 70, 197-201	17
1448	Inhibition by aldosterone of insulin receptor mRNA levels and insulin binding in U-937 human promonocytic cells. <b>1999</b> , 70, 211-8	26
1447	Role of estrogen receptor ligand and estrogen response element sequence on interaction with chicken ovalbumin upstream promoter transcription factor (COUP-TF). <b>1999</b> , 71, 1-19	34
1446	The nuclear-receptor interacting protein (RIP) 140 binds to the human glucocorticoid receptor and modulates hormone-dependent transactivation. <b>1999</b> , 71, 93-102	21
1445	Mechanisms by which Thiazolidinediones Enhance Insulin Action. <b>1999</b> , 10, 9-13	65
1444	Ligand-independent Activation of Steroid Receptors: New Roles for Old Players. <b>1999</b> , 10, 41-46	96
1443	Glucocorticoid Receptor beta: View I. <b>1999</b> , 10, 333-338	55

1442	Tissue transglutaminase: an enzyme with a split personality. <b>1999</b> , 31, 817-36	153
1441	PPAR gamma is required for placental, cardiac, and adipose tissue development. <b>1999</b> , 4, 585-95	1576
1440	Phosphorylation of the nuclear receptor SF-1 modulates cofactor recruitment: integration of hormone signaling in reproduction and stress. <b>1999</b> , 3, 521-6	330
1439	Catecholamines participate in the induction of ornithine decarboxylase gene expression in normal and hyperplastic mouse kidney. <b>1999</b> , 1454, 71-9	4
1438	Activators of peroxisome proliferator-activated receptor-gamma (PPARgamma) inhibit inducible nitric oxide synthase expression but increase heme oxygenase-1 expression in rat glial cells. <b>1999</b> , 262, 129-32	79
1437	Differential expression of retinoid receptors in the adult mouse central nervous system. <b>1999</b> , 89, 1291-300	206
1436	AP-1 and T3RE cis elements operate as a functional unit in the transcriptional control of the human malic enzyme gene. <b>1999</b> , 226, 111-9	9
1435	Identification of two hERR2-related novel nuclear receptors utilizing bioinformatics and inverse PCR. <b>1999</b> , 228, 101-9	51
1434	RXR-2, a member of the retinoid x receptor family in Schistosoma mansoni. <b>1999</b> , 233, 33-8	37
1433	Isolation and characterisation of the retinoic acid receptor-alpha gene in the Japanese pufferfish, F. rubripes. <b>1999</b> , 236, 315-23	13
1432	Association of some potential hormone response elements in human genes with the Alu family repeats. <b>1999</b> , 239, 341-9	52
1431	Retinoid signaling in immortalized and carcinoma-derived human uroepithelial cells. <b>1999</b> , 148, 55-65	8
1430	After chromatin is SWItched-on can it be RUSHed?. <b>1999</b> , 151, 49-56	9
1429	Estrogen receptor binding to estrogen response elements slows ligand dissociation and synergistically activates reporter gene expression. <b>1999</b> , 150, 99-111	22
1428	The role of estrogen in folliculogenesis. <b>1999</b> , 151, 57-64	118
1427	Studies on two ecdysone receptor isoforms of the spruce budworm, Choristoneura fumiferana. <b>1999</b> , 152, 73-84	46
1426	The glucocorticoid receptor is essential for maintaining basal and dexamethasone-induced repression of the murine corticosteroid-binding globulin gene. <b>1999</b> , 154, 29-36	40
1425	Transcription control and neuronal differentiation by agents that activate the LXR nuclear receptor family. <b>1999</b> , 155, 51-60	25

1424	Two distinct subpopulations of ecdysone receptor complex in the female mosquito during vitellogenesis. <b>1999</b> , 156, 111-20		32
1423	The aryl hydrocarbon receptor (AHR)/AHR nuclear translocator (ARNT) heterodimer interacts with naturally occurring estrogen response elements. <b>1999</b> , 157, 105-19		104
1422	Stimulation of the myelin basic protein gene expression by 9-cis-retinoic acid and thyroid hormone: activation in the context of its native promoter. <b>1999</b> , 64, 92-100		54
1421	Characterization of the 5'-flanking region of the human dopamine transporter gene. <b>1999</b> , 74, 167-74		95
1420	Medical significance of peroxisome proliferator-activated receptors. <b>1999</b> , 354, 141-8		402
1419	Trafficking of the androgen receptor. <b>1999</b> , 302, 121-35		4
1418	The acquisition of competence to respond to ecdysone in Drosophila is transcript specific. <b>1999</b> , 82, 131-9		20
1417	Coregulatory proteins in steroid hormone receptor action: the role of chromatin high mobility group proteins HMG-1 and -2. <b>1999</b> , 64, 576-86		73
1416	Hormone-activated nuclear receptors inhibit the stimulation of the JNK and ERK signalling pathways in endothelial cells. <b>1999</b> , 459, 272-6		43
1415	Specific hydroxylations determine selective corticosteroid recognition by human glucocorticoid and mineralocorticoid receptors. <b>1999</b> , 464, 9-13		109
1414	Specific binding of hydroxylated polychlorinated biphenyl metabolites and other substances to bovine calf uterine estrogen receptor: structure-binding relationships. <b>1999</b> , 233, 141-61		38
1413	Regulation of hormone-induced histone hyperacetylation and gene activation via acetylation of an acetylase. <i>Cell</i> , <b>1999</b> , 98, 675-86	ó.2	593
1412	A unified nomenclature system for the nuclear receptor superfamily. <i>Cell</i> , <b>1999</b> , 97, 161-3	ó.2	965
1411	PPARdelta is an APC-regulated target of nonsteroidal anti-inflammatory drugs. <i>Cell</i> , <b>1999</b> , 99, 335-45 $_{56}$	ó.2	956
1410	Involvement of T3Ralpha- and beta-receptor subtypes in mediation of T3 functions during postnatal murine intestinal development. <b>1999</b> , 116, 1367-78		93
1409	Inflammatory alterations in mesenteric adipose tissue in Crohn's disease. <b>1999</b> , 117, 73-81		260
1408	NEW INSIGHTS INTO THE MOLECULAR BASIS OF GLUCOCORTICOID ACTION. <b>1999</b> , 19, 653-670		1
1407	Induction of cellular differentiation by retinoic acid in vitro. <b>1999</b> , 165, 190-202		181

1406	Teratology of retinoids. <b>1999</b> , 39, 399-430	237
1405	Transcriptional targets shared by estrogen receptor- related receptors (ERRs) and estrogen receptor (ER) alpha, but not by ERbeta. <b>1999</b> , 18, 4270-9	242
1404	Different functions for the thyroid hormone receptors TRalpha and TRbeta in the control of thyroid hormone production and post-natal development. <b>1999</b> , 18, 623-31	305
1403	Millisecond to microsecond time scale dynamics of the retinoid X and retinoic acid receptor DNA-binding domains and dimeric complex formation. <b>1999</b> , 38, 1951-6	30
1402	Prevention of the polycystic ovarian phenotype and characterization of ovulatory capacity in the estrogen receptor-alpha knockout mouse. <b>1999</b> , 140, 5855-65	98
1401	Nuclear-receptor ligands and ligand-binding domains. <b>1999</b> , 68, 559-81	301
1400	Binding specificity and modulation of the human ApoCIII promoter activity by heterodimers of ligand-dependent nuclear receptors. <b>1999</b> , 38, 964-75	49
1399	Retinoids inhibit interleukin-12 production in macrophages through physical associations of retinoid X receptor and NFkappaB. <b>1999</b> , 274, 7674-80	182
1398	Function of estrogen receptor tyrosine 537 in hormone binding, DNA binding, and transactivation. <b>1999</b> , 38, 14146-56	52
1397	Vitamin D resistance. <b>1999</b> , 106, 355-70	35
1396	Identification of both general and region-specific embryonic CNS enhancer elements in the nestin promoter. <b>1999</b> , 248, 509-19	63
1395	The HNF-3alpha transcription factor is a primary target for retinoic acid action. <b>1999</b> , 250, 1-9	24
1394	The expression and activity of D-type cyclins in F9 embryonal carcinoma cells: modulation of growth by RXR-selective retinoids. <b>1999</b> , 253, 372-84	15
1393	Fate of mesencephalic AHD2-expressing dopamine progenitor cells in NURR1 mutant mice. <b>1999</b> , 253, 737-46	199
1392	Conformational dynamics and molecular recognition: backbone dynamics of the estrogen receptor DNA-binding domain. <b>1999</b> , 289, 963-79	32
1391	Retinoic acid receptor: a simulation analysis of retinoic acid binding and the resulting conformational changes. <b>1999</b> , 291, 101-15	65
1390	The dimerization/repression domain of RFX1 is related to a conserved region of its yeast homologues Crt1 and Sak1: a new function for an ancient motif. <b>1999</b> , 294, 121-37	15

1388	Interactions of nuclear receptor coactivator/corepressor proteins with the aryl hydrocarbon receptor complex. <b>1999</b> , 367, 250-7	132
1387	Fish androgen receptor: cDNA cloning, steroid activation of transcription in transfected mammalian cells, and tissue mRNA levels. <b>1999</b> , 254, 378-83	96
1386	Binding characteristics of dialkyl phthalates for the estrogen receptor. <b>1999</b> , 254, 311-4	103
1385	Identification of inducible genes at the early stage of adipocyte differentiation of 3T3-L1 cells. <b>1999</b> , 254, 299-305	79
1384	Increased expression of cyclooxygenases and peroxisome proliferator-activated receptor-gamma in Alzheimer's disease brains. <b>1999</b> , 254, 582-6	193
1383	Transcription of the human thyrotropin-releasing hormone receptor gene-analysis of basal promoter elements and glucocorticoid response elements. <b>1999</b> , 257, 829-34	15
1382	Phosphorylation/dephosphorylation of androgen receptor as a determinant of androgen agonistic or antagonistic activity. <b>1999</b> , 259, 21-8	45
1381	Molecular cloning of rat efp: expression and regulation in primary osteoblasts. <b>1999</b> , 261, 412-8	14
1380	Two compounds commonly used for phospholipase C inhibition activate the nuclear estrogen receptors. <b>1999</b> , 261, 340-4	18
1379	PPARgamma agonists enhance human vascular endothelial adhesiveness by increasing ICAM-1 expression. <b>1999</b> , 263, 718-22	37
1378	Advanced glycation end product-induced peroxisome proliferator-activated receptor gamma gene expression in the cultured mesangial cells. <b>1999</b> , 264, 441-8	51
1377	Rapid nongenomic effects of aldosterone in mineralocorticoid-receptor-knockout mice. <b>1999</b> , 266, 257-61	118
1376	Retinoid signaling required for normal heart development regulates GATA-4 in a pathway distinct from cardiomyocyte differentiation. <b>1999</b> , 206, 206-18	87
1375	A role for xGCNF in midbrain-hindbrain patterning in Xenopus laevis. <b>1999</b> , 213, 170-9	11
1374	An analysis of the early events when oligodendrocyte precursor cells are triggered to differentiate by thyroid hormone, retinoic acid, or PDGF withdrawal. <b>1999</b> , 213, 327-39	47
1373	Versatile copurification procedure for rapid isolation of homogeneous RAR-RXR heterodimers. <b>1999</b> , 16, 308-14	4
1372	MAP kinase-mediated signalling to nucleosomes and immediate-early gene induction. <b>1999</b> , 10, 205-14	181
1371	Retinoid receptors in health and disease: co-regulators and the chromatin connection. <b>1999</b> , 10, 215-25	89

1370	Stage-specific expression of estrogen receptor subtypes and estrogen responsive finger protein in preimplantational mouse embryos. <b>1999</b> , 46, 153-8	34
1369	Polymorphism of homopolymeric glutamines in coactivators for nuclear hormone receptors. <b>1999</b> , 46, 279-84	17
1368	Thyroid Hormone Receptors. <b>1999</b> , 737-755	
1367	Role of retinoid receptors in the regulation of mucin gene expression by retinoic acid in human tracheobronchial epithelial cells. <b>1999</b> , 338, 351-357	51
1366	Functional divergence between the half-sites of the DNA-binding sequence for the yeast transcriptional regulator Rap1p. <b>1999</b> , 341, 477-482	16
1365	Development effects of thyroid hormone: the role of deiodinases in regulatory control. <b>1999</b> , 27, 83-8	9
1364	Role of retinoid receptors in the regulation of mucin gene expression by retinoic acid in human tracheobronchial epithelial cells. <b>1999</b> , 338, 351	14
1363	Functional divergence between the half-sites of the DNA-binding sequence for the yeast transcriptional regulator Rap1p. <b>1999</b> , 341, 477	7
1362	Molecular mechanisms of cytochrome P-450 induction by xenobiotics: An expanded role for nuclear hormone receptors. <b>1999</b> , 56, 851-7	97
1361	Mechanism of Action of Steroid Hormone Receptors in the Endometrium. <b>1999</b> , 5, 103-109	1
1360	Retinoid X receptor suppresses transformation by the v-myb oncogene. <b>1999</b> , 66, 1039-48	8
1359	Rüepteurs stfodiens et müanismes diction des stfodes sexuels. <b>1999</b> , 193, 269-273	1
1358	The peroxisome proliferator-activated receptor(PPARgamma) as a regulator of monocyte/macrophage function. <b>1999</b> , 66, 733-9	244
1357	Selective interaction of vitamin D receptor with transcriptional coactivators by a vitamin D analog. <b>1999</b> , 19, 1049-55	178
1356	Heterodimerization between members of the Nur subfamily of orphan nuclear receptors as a novel mechanism for gene activation. <b>1999</b> , 19, 7549-57	213
1355	Dissection of the LXXLL nuclear receptor-coactivator interaction motif using combinatorial peptide libraries: discovery of peptide antagonists of estrogen receptors alpha and beta. <b>1999</b> , 19, 8226-39	336
1354	The AF1 and AF2 domains of the androgen receptor interact with distinct regions of SRC1. <b>1999</b> , 19, 8383-92	329
1353	Recognition of multiple patterns of DNA sites by Drosophila homeodomain protein Bicoid. <b>1999</b> , 125, 809-17	20

1352	Oestrogen deficiency in men: where are we today?. <b>1999</b> , 140, 111-29	95
1351	Developmental effects of ectopic expression of the glucocorticoid receptor DNA binding domain are alleviated by an amino acid substitution that interferes with homeodomain binding. <b>1999</b> , 19, 7106-22	15
1350	Two new members of the emerging KDWK family of combinatorial transcription modulators bind as a heterodimer to flexibly spaced PuCGPy half-sites. <b>1999</b> , 19, 7741-50	32
1349	Phosphorylation of human estrogen receptor alpha by protein kinase A regulates dimerization. <b>1999</b> , 19, 1002-15	205
1348	Alien, a highly conserved protein with characteristics of a corepressor for members of the nuclear hormone receptor superfamily. <b>1999</b> , 19, 3383-94	172
1347	Characterization of the DNA-binding and dimerization properties of the nuclear orphan receptor germ cell nuclear factor. <b>1999</b> , 19, 690-703	45
1346	Modulation of transcriptional activation and coactivator interaction by a splicing variation in the F domain of nuclear receptor hepatocyte nuclear factor 4alpha1. <b>1999</b> , 19, 6509-22	117
1345	NRIF3 is a novel coactivator mediating functional specificity of nuclear hormone receptors. <b>1999</b> , 19, 7191-202	53
1344	The androgen receptor amino-terminal domain plays a key role in p160 coactivator-stimulated gene transcription. <b>1999</b> , 19, 6085-97	226
1343	Dual requirement for the EcR/USP nuclear receptor and the dGATAb factor in an ecdysone response in Drosophila melanogaster. <b>1999</b> , 19, 5732-42	35
1342	Activating signal cointegrator 1, a novel transcription coactivator of nuclear receptors, and its cytosolic localization under conditions of serum deprivation. <b>1999</b> , 19, 6323-32	55
1341	Retinoid receptors and the induction of apoptosis in canine osteosarcoma cells. <b>2000</b> , 62, 469-72	6
1340	Retinoid-mediated signaling in CD38 antigen expression. <b>2000</b> , 75, 20-38	11
1339	Reproductive Functions of the Progesterone Receptor. <b>2000</b> , 7, S25-S32	26
1338	Stimulation by 1,25-dihydroxyvitamin D3 of insulin receptor expression and insulin responsiveness for glucose transport in U-937 human promonocytic cells. <b>2000</b> , 47, 383-91	295
1337	Regulation of cytochrome P450 (CYP) genes by nuclear receptors. <b>2000</b> , 347, 321-37	227
1336	All natural DR3-type vitamin D response elements show a similar functionality in vitro. <b>2000</b> , 352, 301	27
1335	The pro-apoptotic protein death-associated protein 3 (DAP3) interacts with the glucocorticoid receptor and affects the receptor function. <b>2000</b> , 349 Pt 3, 885-93	28

1334	A natural sequence consisting of overlapping glucocorticoid-responsive elements mediates glucocorticoid, but not androgen, regulation of gene expression. <b>2000</b> , 350, 123-129	18
1333	Steroid hormone receptor expression and action in bone. <b>2000</b> , 98, 217-240	85
1332	Steroid hormone receptor expression and action in bone. <b>2000</b> , 98, 217	50
1331	A natural sequence consisting of overlapping glucocorticoid-responsive elements mediates glucocorticoid, but not androgen, regulation of gene expression. <b>2000</b> , 350, 123	4
1330	Induction of the fatty acid transport protein 1 and acyl-CoA synthase genes by dimer-selective rexinoids suggests that the peroxisome proliferator-activated receptor-retinoid X receptor heterodimer is their molecular target. <b>2000</b> , 275, 12612-8	64
1329	Genomic structure and mapping of human orphan receptor LXR alpha: upregulation of LXRa mRNA during monocyte to macrophage differentiation. <b>2000</b> , 7, 145-51	36
1328	Functional differences between the amino-terminal domains of estrogen receptors alpha and beta. <b>2000</b> , 58, 584-90	136
1327	Peroxisome proliferator-activated receptors (PPARs) and their implications in diseases. <b>2000</b> , 7, 8-18	12
1326	Resistance to thyroid hormone in the absence of mutations in the thyroid hormone receptor genes. <b>2000</b> , 7, 253-259	15
1325	Regulation of cytochrome P450 (CYP) genes by nuclear receptors. <b>2000</b> , 347, 321-337	358
1325	Regulation of cytochrome P450 (CYP) genes by nuclear receptors. 2000, 347, 321-337  All-trans-retinoic acid and polyriboinosinoic:polyribocytidylic acid cooperate to elevate anti-tetanus immunoglobulin G and immunoglobulin M responses in vitamin A-deficient lewis rats and Balb/c mice. 2000, 59, 519-29	35 <sup>8</sup>
	All-trans-retinoic acid and polyriboinosinoic:polyribocytidylic acid cooperate to elevate anti-tetanus immunoglobulin G and immunoglobulin M responses in vitamin A-deficient lewis rats and Balb/c	
1324	All-trans-retinoic acid and polyriboinosinoic:polyribocytidylic acid cooperate to elevate anti-tetanus immunoglobulin G and immunoglobulin M responses in vitamin A-deficient lewis rats and Balb/c mice. <b>2000</b> , 59, 519-29  Photoreceptor phagocytosis selectively activates PPARgamma expression in retinal pigment	8
1324	All-trans-retinoic acid and polyriboinosinoic:polyribocytidylic acid cooperate to elevate anti-tetanus immunoglobulin G and immunoglobulin M responses in vitamin A-deficient lewis rats and Balb/c mice. 2000, 59, 519-29  Photoreceptor phagocytosis selectively activates PPARgamma expression in retinal pigment epithelial cells. 2000, 60, 328-37	8
1324 1323 1322	All-trans-retinoic acid and polyriboinosinoic:polyribocytidylic acid cooperate to elevate anti-tetanus immunoglobulin G and immunoglobulin M responses in vitamin A-deficient lewis rats and Balb/c mice. 2000, 59, 519-29  Photoreceptor phagocytosis selectively activates PPARgamma expression in retinal pigment epithelial cells. 2000, 60, 328-37  Cyclin C is a primary 1alpha,25-dihydroxyvitamin D(3) responding gene. 2000, 77, 75-81	8 61 16
1324 1323 1322 1321	All-trans-retinoic acid and polyriboinosinoic:polyribocytidylic acid cooperate to elevate anti-tetanus immunoglobulin G and immunoglobulin M responses in vitamin A-deficient lewis rats and Balb/c mice. 2000, 59, 519-29  Photoreceptor phagocytosis selectively activates PPARgamma expression in retinal pigment epithelial cells. 2000, 60, 328-37  Cyclin C is a primary 1alpha,25-dihydroxyvitamin D(3) responding gene. 2000, 77, 75-81  Isolation and characterization of the chicken vitamin D receptor gene and its promoter. 2000, 77, 92-102  Natural metabolites of 125-dihydroxyvitamin D3 retain biologic activity mediated through the	8 61 16
1324 1323 1322 1321	All-trans-retinoic acid and polyriboinosinoic:polyribocytidylic acid cooperate to elevate anti-tetanus immunoglobulin G and immunoglobulin M responses in vitamin A-deficient lewis rats and Balb/c mice. 2000, 59, 519-29  Photoreceptor phagocytosis selectively activates PPARgamma expression in retinal pigment epithelial cells. 2000, 60, 328-37  Cyclin C is a primary 1alpha,25-dihydroxyvitamin D(3) responding gene. 2000, 77, 75-81  Isolation and characterization of the chicken vitamin D receptor gene and its promoter. 2000, 77, 92-102  Natural metabolites of 1⊉5-dihydroxyvitamin D3 retain biologic activity mediated through the vitamin D receptor. 2000, 78, 112-120	8 61 16 10 33

1316	Steroid regulation of octopamine expression during metamorphic development of the moth Manduca sexta. <b>2000</b> , 424, 283-96	30
1315	Ƙatenin, Cycline und mehr: neue Erkenntnisse zur Pathogenese, Behandlung und Pr⊠ention von Dickdarmkrebs. <b>2000</b> , 112, 2349-2351	3
1314	Neue funktionelle Materialien aus selbstorganisierten organischen Gelen: vom Zufall zur Planung. <b>2000</b> , 112, 2351-2354	194
1313	beta-Catenin, Cyclins, and More: New Insights into the Pathogenesis, Treatment, and Prevention of Colon Cancer. <b>2000</b> , 39, 2261-2263	5
1312	New Functional Materials Based on Self-Assembling Organogels: From Serendipity towards Design. <b>2000</b> , 39, 2263-2266	959
1311	Stimulation of PPARalpha promotes epidermal keratinocyte differentiation in vivo. <b>2000</b> , 115, 353-60	123
1310	Keratinocyte differentiation in hyperproliferative epidermis: topical application of PPARalpha activators restores tissue homeostasis. <b>2000</b> , 115, 361-7	91
1309	The role of specific retinoid receptors in sebocyte growth and differentiation in culture. <b>2000</b> , 114, 349-53	42
1308	Oxysterols induce differentiation in human keratinocytes and increase Ap-1-dependent involucrin transcription. <b>2000</b> , 114, 545-53	86
1307	Role of molecular chaperones in subnuclear trafficking of glucocorticoid receptors. <b>2000</b> , 57, 1241-9	31
1306	Mechanistic aspects of mineralocorticoid receptor activation. <b>2000</b> , 57, 1250-5	49
1305	Expression of the 11beta-hydroxysteroid dehydrogenase 2 gene in the mouse. <b>2000</b> , 57, 1307-12	28
1304	Mineralocorticoid selectivity: molecular and cellular aspects. <b>2000</b> , 57, 1364-9	46
1303	Molecular mechanisms of dissociative glucocorticoid activity. <b>2000</b> , 30 Suppl 3, 6-9	16
1302	Molecular mechanism of a cross-talk between oestrogen and growth factor signalling pathways. <b>2000</b> , 5, 593-601	95
1301	The conserved nuclear receptor Ftz-F1 is required for embryogenesis, moulting and reproduction in Caenorhabditis elegans. <b>2000</b> , 5, 711-23	81
1300	Structural and functional divergence of a nuclear receptor of the RXR family from the trematode parasite Schistosoma mansoni. <b>2000</b> , 267, 3208-19	31
1299	Modifying ligand specificity of gene regulatory proteins. <b>2000</b> , 4, 60-3	8

1298	The role of hepatic peroxisome proliferator-activated receptors (PPARs) in health and disease. <b>2000</b> , 20, 191-9	91
1297	Polymethylcarborane as a novel bioactive moiety: derivatives with potent retinoid antagonistic activity. <b>2000</b> , 10, 1733-6	30
1296	Improved synthesis of the iodine-free thyromimetic GC-1. <b>2000</b> , 10, 2607-11	32
1295	Strain differences in binding properties of estrogen receptors in immature and adult BALB/c and MRL/MP-lpr/lpr mice, a model of systemic lupus erythematosus. <b>2000</b> , 22, 247-54	23
1294	A temperature-regulated replicon-based DNA expression system. <b>2000</b> , 18, 429-32	81
1293	The two thyroid hormone receptor genes have opposite effects on estrogen-stimulated sex behaviors. <b>2000</b> , 3, 472-5	63
1292	The impact of differential binding of wild-type RARalpha, PML-, PLZF- and NPM-RARalpha fusion proteins towards transcriptional co-activator, RIP-140, on retinoic acid responses in acute promyelocytic leukemia. <b>2000</b> , 14, 77-83	29
1291	Demonstration of the mineralocorticoid hormone receptor and action in human leukemic cell lines. <b>2000</b> , 14, 1097-104	13
1290	pRb and Cdk regulation by N-(4-hydroxyphenyl)retinamide. <b>2000</b> , 19, 4035-41	27
1289	Ductal growth is impeded in mammary glands of C-neu transgenic mice. <b>2000</b> , 19, 5982-7	18
1288	Geldanamycin, an inhibitor of heat shock protein 90 (Hsp90) mediated signal transduction has anti-inflammatory effects and interacts with glucocorticoid receptor in vivo. <b>2000</b> , 131, 13-6	57
1287	Modulation of retinoid signalling through NGF-induced nuclear export of NGFI-B. <b>2000</b> , 2, 435-40	158
1286	Skin abnormalities generated by temporally controlled RXRalpha mutations in mouse epidermis. <b>2000</b> , 407, 633-6	273
1285	Memory B-cell persistence is independent of persisting immunizing antigen. <b>2000</b> , 407, 636-42	265
1284	Gene regulation. One man's food. <b>2000</b> , 407, 852-3	6
1283	Carboxylic ester antagonists of 1alpha,25-dihydroxyvitamin D(3) show cell-specific actions. <b>2000</b> , 7, 885-94	53
1282	The corticosteroid receptor hypothesis of depression. <b>2000</b> , 23, 477-501	1591
1281	Combined corticosteroid/granulocyte colony-stimulating factor (G-CSF) therapy in the treatment of severe congenital neutropenia unresponsive to G-CSF: Activated glucocorticoid receptors synergize with G-CSF signals. <b>2000</b> , 28, 1381-9	32

1280	Potentiation of calcium levels by extracellular arachidonic acid in nuclei isolated from macrophages stimulated with receptor-recognized forms of alpha(2)-macroglobulin. <b>2000</b> , 12, 99-104	6
1279	FXR, a bile acid receptor and biological sensor. <b>2000</b> , 10, 30-5	90
1278	Prostaglandins and fatty acids regulate transcriptional signaling via the peroxisome proliferator activated receptor nuclear receptors. <b>2000</b> , 62, 1-13	44
1277	Sex in the wormcounting and compensating X-chromosome dose. <b>2000</b> , 16, 247-53	97
1276	Differential binding and transcriptional behaviour of two highly related orphan receptors, ROR alpha(4) and ROR beta(1). <b>2000</b> , 1494, 236-41	9
1275	Primary structure, chromosomal mapping, expression and transcriptional activity of murine hepatocyte nuclear factor 4gamma. <b>2000</b> , 1490, 21-32	25
1274	Nuclear receptor binding factor-2 (NRBF-2), a possible gene activator protein interacting with nuclear hormone receptors. <b>2000</b> , 1490, 189-97	24
1273	Organizational and activational effects of hormones on insect behavior. <b>2000</b> , 46, 1509-1515	39
1272	Peroxisome proliferator-activated receptors: insight into multiple cellular functions. <b>2000</b> , 448, 121-38	357
1271	Central role of PPARalpha in the mechanism of action of hepatocarcinogenic peroxisome proliferators. <b>2000</b> , 448, 139-51	81
1270	Differential effects of retinoic acid on growth and apoptosis in human colon cancer cell lines associated with the induction of retinoic acid receptor beta. <b>2000</b> , 59, 485-96	48
1269	Differential patterns of induction of NGFI-B, Nor1 and c-fos mRNAs in striatal subregions by haloperidol and clozapine. <b>2000</b> , 863, 112-9	51
1268	Progesterone receptor isoforms expression pattern in human chordomas. <b>2000</b> , 49, 1-7	19
1267	Pathways through which a regimen of melatonin and retinoic acid induces apoptosis in MCF-7 human breast cancer cells. <b>2000</b> , 61, 229-39	50
1266	The role of coactivators and corepressors in the biology and mechanism of action of steroid hormone receptors. <b>2000</b> , 5, 307-24	100
1265	A reappraisal of progesterone action in the mammary gland. <b>2000</b> , 5, 325-38	32
1264	Crosstalk between the insulin-like growth factors and estrogens in breast cancer. <b>2000</b> , 5, 107-15	183
1263	Estrogen receptor alpha in human breast cancer: occurrence and significance. <b>2000</b> , 5, 271-81	212

1262	Resistance to thyroid hormone. <b>2000</b> , 1, 97-108	147
1261	Molecular mechanisms of estrogen actions on the vasculature. <b>2000</b> , 7, 500-8	28
1260	Characterization of a retinoic acid responsive element in the human ets-1 promoter. <b>2000</b> , 50, 365-70	12
1259	Crystal structure of the human RXRalpha ligand-binding domain bound to its natural ligand: 9-cis retinoic acid. <b>2000</b> , 19, 2592-601	265
1258	AHR38, a homolog of NGFI-B, inhibits formation of the functional ecdysteroid receptor in the mosquito Aedes aegypti. <b>2000</b> , 19, 253-62	62
1257	Steroid-induced androgen receptor-oestradiol receptor beta-Src complex triggers prostate cancer cell proliferation. <b>2000</b> , 19, 5406-17	511
1256	FHL2, a novel tissue-specific coactivator of the androgen receptor. <b>2000</b> , 19, 359-69	257
1255	Crystal structure of human sex hormone-binding globulin: steroid transport by a laminin G-like domain. <b>2000</b> , 19, 504-12	129
1254	Structure of the RXR-RAR DNA-binding complex on the retinoic acid response element DR1. <b>2000</b> , 19, 1045-54	150
1253	Peroxisome proliferator-activated receptors, coactivators, and downstream targets. <b>2000</b> , 32 Spring, 187-204	176
1252	Isolation and characterization of the androgen receptor mutants with divergent transcriptional activity in response to hydroxyflutamide. <b>2000</b> , 12, 69-76	7
1251	Identification of an essential cis-acting element (TR2-PACE) in the 5' promoter of human TR2 orphan receptor gene. <b>2000</b> , 12, 89-97	8
1250	c-Jun targets amino terminus of androgen receptor in regulating androgen-responsive transcription. <b>2000</b> , 13, 55-62	20
1249	The N-terminal domain of the mineralocorticoid receptor modulates both mineralocorticoid receptor- and glucocorticoid receptor-mediated transactivation from Na/K ATPase beta1 target gene promoter. <b>2000</b> , 13, 287-95	11
1248	Peroxisome proliferator-activated receptors in vascular biology and atherosclerosis: emerging insights for evolving paradigms. <b>2000</b> , 2, 327-35	67
1247	A nuclear complex containing PPARalpha/RXRalpha is markedly downregulated in the hypertrophied rat left ventricular myocardium with normal systolic function. <b>2000</b> , 15, 191-6	41
1246	The deiodinase family: selenoenzymes regulating thyroid hormone availability and action. <b>2000</b> , 57, 1853-63	154
1245	Peroxisome proliferator-activated receptors (PPARs): nuclear receptors at the crossroads between lipid metabolism and inflammation. <b>2000</b> , 49, 497-505	742

1244	Origins and evolutionary diversification of the nuclear receptor superfamily. <b>2000</b> , 57, 809-27	93
1243	Les gfies de la spermatogfiese et leur rgulation. <b>2000</b> , 10, 11-39	
1242	Structural Organization of the Atlantic Croaker Connexin 32.2 Gene and Its 5' Flanking Region. <b>2000</b> , 2, 154-160	6
1241	Amphicoup-TF, a nuclear orphan receptor of the lancelet Branchiostoma floridae, is implicated in retinoic acid signalling pathways. <b>2000</b> , 210, 471-82	18
1240	The photoreceptor cell-specific nuclear receptor gene (PNR) accounts for retinitis pigmentosa in the Crypto-Jews from Portugal (Marranos), survivors from the Spanish Inquisition. <b>2000</b> , 107, 276-84	75
1239	Association of estrogen receptor beta (ESR2) gene polymorphism with blood pressure. <b>2000</b> , 45, 327-30	77
1238	Glucocorticoids promote the proliferation and antagonize the retinoic acidfhediated growth suppression of Epstein-Barr virus[mmortalized B lymphocytes. <b>2000</b> , 96, 711-718	12
1237	Ligand-inducible interaction of the DRIP/TRAP coactivator complex with retinoid receptors in retinoic acidsensitive and Eesistant acute promyelocytic leukemia cells. <b>2000</b> , 96, 2233-2239	21
1236	Chelation of zinc amplifies induction of growth hormone mRNA levels in cultured rat pituitary tumor cells. <b>2000</b> , 130, 158-63	13
1235	Immunocytochemical localization of bovine serum albumin (BSA) in the liver and testis of rats injected with testosterone-BSA, hydrocortisone-BSA or corticosterone-BSA. <b>2000</b> , 25, 161-9	8
1234	Retinoids in embryonal development. <b>2000</b> , 80, 1021-54	694
1233	VDR-Alien: a novel, DNA-selective vitamin D3 receptor-corepressor partnership. <b>2000</b> , 14, 1455-1463	122
1232	Rifampicin is not an activator of glucocorticoid receptor. <b>2000</b> , 57, 732-7	39
1231	Regulation of glial cell line-derived neurotrophic factor responsiveness in developing rat sympathetic neurons by retinoic acid and bone morphogenetic protein-2. <b>2000</b> , 20, 2917-25	43
1230	Structure activity relationship of carboxylic ester antagonists of the vitamin D(3) receptor. <b>2000</b> , 58, 1067-74	55
1229	Redox regulation of the nuclear receptor. <b>2000</b> , 59 Suppl 1, 13-8	7
1228	Transcription factors as potential targets for therapeutic drugs. <b>2000</b> , 1, 57-61	22
1227	Inactivation of zinc finger transcription factors provides a mechanism for a gene regulatory role of nitric oxide. <b>2000</b> , 14, 166-73	97

1226	A deletion in a photoreceptor-specific nuclear receptor mRNA causes retinal degeneration in the rd7 mouse. <b>2000</b> , 97, 5551-6	186
1225	Central role of peroxisome proliferator-activated receptors in the actions of peroxisome proliferators. <b>2000</b> , 40, 491-518	285
1224	Regulation of rat cytochrome P450C24 (CYP24) gene expression. Evidence for functional cooperation of Ras-activated Ets transcription factors with the vitamin D receptor in 1,25-dihydroxyvitamin D(3)-mediated induction. <b>2000</b> , 275, 47-55	71
1223	Estrogen receptor-related receptor alpha 1 interacts with coactivator and constitutively activates the estrogen response elements of the human lactoferrin gene. <b>2000</b> , 275, 20837-46	95
1222	Glucose regulation of mouse S(14) gene expression in hepatocytes. Involvement of a novel transcription factor complex. <b>2000</b> , 275, 5200-7	65
1221	Induction of secreted type IIA phospholipase A2 gene transcription by interleukin-1beta. Role of C/EBP factors. <b>2000</b> , 275, 22686-94	47
1220	Interaction of the corepressor Alien with DAX-1 is abrogated by mutations of DAX-1 involved in adrenal hypoplasia congenita. <b>2000</b> , 275, 7662-7	81
1219	Characterization of retinoic acid receptor-deficient keratinocytes. <b>2000</b> , 275, 16497-505	25
1218	VDR-Alien: a novel, DNA-selective vitamin D(3) receptor-corepressor partnership. <b>2000</b> , 14, 1455-63	119
1217	Nongenomic actions of steroidsfrom the laboratory to clinical implications. <b>2000</b> , 13, 853-78	14
1216	Coregulator small nuclear RING finger protein (SNURF) enhances Sp1- and steroid receptor-mediated transcription by different mechanisms. <b>2000</b> , 275, 571-9	57
1215	Cloning and function of rabbit peroxisome proliferator-activated receptor delta/beta in mature osteoclasts. <b>2000</b> , 275, 8126-32	53
1214	Ligand-, cell-, and estrogen receptor subtype (alpha/beta)-dependent activation at GC-rich (Sp1) promoter elements. <b>2000</b> , 275, 5379-87	311
1213	Architectural principles for the structure and function of the glucocorticoid receptor tau 1 core activation domain. <b>2000</b> , 275, 15014-8	22
1212	Competition for p300 regulates transcription by estrogen receptors and nuclear factor-kappaB in human coronary smooth muscle cells. <b>2000</b> , 87, 1006-11	78
1211	TFIIH interacts with the retinoic acid receptor gamma and phosphorylates its AF-1-activating domain through cdk7. <b>2000</b> , 275, 21896-904	87
1210	Activation of peroxisome proliferator-activated receptor gamma does not inhibit IL-6 or TNF-alpha responses of macrophages to lipopolysaccharide in vitro or in vivo. <b>2000</b> , 164, 1046-54	178
1209	Farnesoid X receptor responds to bile acids and represses cholesterol 7alpha-hydroxylase gene (CYP7A1) transcription. <b>2000</b> , 275, 10918-24	222

1208	Stress pathway activation induces phosphorylation of retinoid X receptor. <b>2000</b> , 275, 32193-9	77
1207	Isolation and characterization of peroxisome proliferator-activated receptor (PPAR) interacting protein (PRIP) as a coactivator for PPAR. <b>2000</b> , 275, 13510-6	151
1206	Role of FXR and FTF in bile acid-mediated suppression of cholesterol 7alpha-hydroxylase transcription. <b>2000</b> , 28, 3587-93	65
1205	An element in the region responsible for premature termination of transcription mediates repression of c-myc gene expression by thyroid hormone in neuroblastoma cells. <b>2000</b> , 275, 1307-14	60
1204	Transcription activation by the orphan nuclear receptor, chicken ovalbumin upstream promoter-transcription factor I (COUP-TFI). Definition of the domain involved in the glucocorticoid response of the phosphoenolpyruvate carboxykinase gene. <b>2000</b> , 275, 3446-54	37
1203	A naturally occurring steroidogenic factor-1 mutation exhibits differential binding and activation of target genes. <b>2000</b> , 275, 31708-14	64
1202	Specific recognition of androgens by their nuclear receptor. A structure-function study. <b>2000</b> , 275, 24022-31	87
1201	Differential mechanisms of nuclear receptor regulation by receptor-associated coactivator 3. <b>2000</b> , 275, 5976-82	28
1200	The acute phase response is associated with retinoid X receptor repression in rodent liver. <b>2000</b> , 275, 16390-9	186
1199	Dimerization with retinoid X receptors and phosphorylation modulate the retinoic acid-induced degradation of retinoic acid receptors alpha and gamma through the ubiquitin-proteasome pathway. <b>2000</b> , 275, 33280-8	115
1198	Tumor selective G2/M cell cycle arrest and apoptosis of epithelial and hematological malignancies by BBL22, a benzazepine. <b>2000</b> , 97, 7494-9	66
1197	Targeted chromatin binding and histone acetylation in vivo by thyroid hormone receptor during amphibian development. <b>2000</b> , 97, 13138-43	107
1196	Extended Abstracts. <b>2000</b> , 28, 870-884	
1195	Adenovirus-mediated inducible gene expression in vivo by a hybrid ecdysone receptor. <b>2000</b> , 1, 159-64	74
1194	An efficient procedure for cloning hormone-responsive genes from a specific tissue. <b>2000</b> , 19, 499-506	12
1193	Lack of significant estrogenic or antiestrogenic activity of pyrethroid insecticides in three in vitro assays based on classic estrogen receptor alpha-mediated mechanisms. <b>2000</b> , 57, 54-60	56
1192	A New Method to Localize and Test the Significance of Incongruence: Detecting Domain Shuffling in the Nuclear Receptor Superfamily. <b>2000</b> , 49, 183-201	42
1191	A New Method to Localize and Test the Significance of Incongruence: Detecting Domain Shuffling in the Nuclear Receptor Superfamily. <b>2000</b> , 49, 183-201	40

1190	site-directed mutagenesis. Gln-642 plays an important role in steroid recognition and binding. <b>2000</b> , 275, 19041-9	26
1189	Activation of the estrogen-signaling pathway by p21(WAF1/CIP1) in estrogen receptor-negative breast cancer cells. <b>2000</b> , 92, 1403-13	33
1188	Structure of HAP1-PC7 bound to DNA: implications for DNA recognition and allosteric effects of DNA-binding on transcriptional activation. <b>2000</b> , 28, 3853-63	9
1187	Activation of peroxisome proliferator-activated receptors (PPARs) by their ligands and protein kinase A activators. <b>2000</b> , 14, 1962-75	180
1186	Troglitazone improves psoriasis and normalizes models of proliferative skin disease: ligands for peroxisome proliferator-activated receptor-gamma inhibit keratinocyte proliferation. <b>2000</b> , 136, 609-16	159
1185	MAP kinases and the regulation of nuclear receptors. <b>2000</b> , 2000, pe1	11
1184	Differential expression and regulation of estrogen receptors (ERs) in rat pituitary and cell lines: estrogen decreases ERalpha protein and estrogen responsiveness. <b>2000</b> , 141, 2174-84	104
1183	Clinical significance of expression of estrogen receptor alpha and beta mRNAs in ovarian cancers. <b>2000</b> , 58, 334-41	27
1182	Temporal formation of distinct thyroid hormone receptor coactivator complexes in HeLa cells. <b>2000</b> , 14, 2001-9	32
1181	Prolactin enhances CCAAT enhancer-binding protein-beta (C/EBP beta) and peroxisome proliferator-activated receptor gamma (PPAR gamma) messenger RNA expression and stimulates adipogenic conversion of NIH-3T3 cells. <b>2000</b> , 14, 307-16	70
1180	The AF-1 and AF-2 activating domains of retinoic acid receptor-alpha (RARalpha) and their phosphorylation are differentially involved in parietal endodermal differentiation of F9 cells and retinoid-induced expression of target genes. <b>2000</b> , 14, 1398-410	31
1179	Structure-function analysis of the Rev-erbA and RVR ligand-binding domains reveals a large hydrophobic surface that mediates corepressor binding and a ligand cavity occupied by side chains. <b>2000</b> , 14, 700-17	56
1178	Selection of estrogen receptor beta- and thyroid hormone receptor beta-specific coactivator-mimetic peptides using recombinant peptide libraries. <b>2000</b> , 14, 605-22	40
1177	Thyroid hormone receptor beta-deficient mice show complete loss of the normal cholesterol 7alpha-hydroxylase (CYP7A) response to thyroid hormone but display enhanced resistance to dietary cholesterol. <b>2000</b> , 14, 1739-49	99
1176	Role of hormones in pilosebaceous unit development. <b>2000</b> , 21, 363-92	299
1175	COUP-TFI (chicken ovalbumin upstream promoter-transcription factor I) regulates cell migration and axogenesis in differentiating P19 embryonal carcinoma cells. <b>2000</b> , 14, 1918-33	30
1174	A sweetheart deal for thyroid hormone. <b>2000</b> , 141, 3055-6	7
1173	Dissecting the molecular mechanism of nuclear receptor action: transcription coactivators and corepressors. <b>2000</b> , 32, 53-60	4

1172	Circadian and glucocorticoid regulation of Rev-erbalpha expression in liver. 2000, 141, 3799-806	138
1171	Characterization of transactivational property and coactivator mediation of rat mineralocorticoid receptor activation function-1 (AF-1). <b>2000</b> , 14, 889-99	63
1170	Silencing subdomains of v-ErbA interact cooperatively with corepressors: involvement of helices 5/6. <b>2000</b> , 14, 201-11	11
1169	Subnuclear trafficking of estrogen receptor-alpha and steroid receptor coactivator-1. <b>2000</b> , 14, 518-34	205
1168	Thyroid receptor activator molecule, TRAM-1, is an androgen receptor coactivator. <b>2000</b> , 141, 3440-50	47
1167	Characterization of the promoter region of the rat CCAAT/enhancer-binding protein alpha gene and regulation by thyroid hormone in rat immortalized brown adipocytes. <b>2000</b> , 141, 4164-70	26
1166	The nuclear corepressors recognize distinct nuclear receptor complexes. <b>2000</b> , 14, 900-14	84
1165	Peroxisome proliferator-activated receptor gamma-dependent repression of the inducible nitric oxide synthase gene. <b>2000</b> , 20, 4699-707	334
1164	Synergistic activation of the inhibin alpha-promoter by steroidogenic factor-1 and cyclic adenosine 3',5'-monophosphate. <b>2000</b> , 14, 66-81	105
1163	Steroid receptor and molecular chaperone encounters in the nucleus. <b>2000</b> , 2000, pe1	13
1162	Estrogen receptor beta (ERbeta) messenger ribonucleic acid (mRNA) expression within the human forebrain: distinct distribution pattern to ERalpha mRNA. <b>2000</b> , 85, 3840-6	205
1161	Human ERRgamma, a third member of the estrogen receptor-related receptor (ERR) subfamily of orphan nuclear receptors: tissue-specific isoforms are expressed during development and in the adult. <b>2000</b> , 14, 382-92	150
1160	Identification of wild-type and exon 5 deletion variants of estrogen receptor beta in normal human mammary gland. <b>2000</b> , 85, 1601-5	47
1159	Crucial role of the H11-H12 loop in stabilizing the active conformation of the human mineralocorticoid receptor. <b>2000</b> , 14, 1210-21	43
1158	The SMRT corepressor is regulated by a MEK-1 kinase pathway: inhibition of corepressor function is associated with SMRT phosphorylation and nuclear export. <b>2000</b> , 20, 6612-25	161
1157	Unliganded and liganded estrogen receptors protect against cancer invasion via different mechanisms. <b>2000</b> , 14, 999-1009	59
1156	Endocrine Oncology. <b>2000</b> ,	
1155	Ecdysone receptors and their biological actions. <b>2000</b> , 60, 1-73	392

1154	receptor. <b>2000</b> , 275, 33522-6	10
1153	Regulation of estrogen receptor-alpha gene expression by epidermal growth factor. <b>2000</b> , 165, 371-8	68
1152	Constitutive activation of retinoic acid receptor beta2 promoter by orphan nuclear receptor TR2. <b>2000</b> , 275, 11907-14	19
1151	A tissue-specific coactivator of steroid receptors, identified in a functional genetic screen. <b>2000</b> , 20, 2411-22	250
1150	Inhibition of p160-mediated coactivation with increasing androgen receptor polyglutamine length. <b>2000</b> , 9, 267-74	188
1149	Alpha 1-fetoprotein transcription factor is required for the expression of sterol 12alpha -hydroxylase, the specific enzyme for cholic acid synthesis. Potential role in the bile acid-mediated regulation of gene transcription. <b>2000</b> , 275, 17793-9	104
1148	The orphan nuclear receptor SHP inhibits hepatocyte nuclear factor 4 and retinoid X receptor transactivation: two mechanisms for repression. <b>2000</b> , 20, 187-95	273
1147	Steroid hormone receptors: an update. <b>2000</b> , 6, 225-36	440
1146	Effect of long-term ovariectomy and estrogen replacement on the expression of estrogen receptor gene in female rats. <b>2000</b> , 142, 307-14	93
1145	Cloning and characterization of RAP250, a novel nuclear receptor coactivator. <b>2000</b> , 275, 5308-17	110
1144	Specific structural motifs determine TRAP220 interactions with nuclear hormone receptors. <b>2000</b> , 20, 5433-46	101
1143	A pure estrogen antagonist inhibits cyclin E-Cdk2 activity in MCF-7 breast cancer cells and induces accumulation of p130-E2F4 complexes characteristic of quiescence. <b>2000</b> , 275, 38221-9	112
1142	Bcar1/p130Cas protein and primary breast cancer: prognosis and response to tamoxifen treatment. <b>2000</b> , 92, 120-7	98
1141	Quantitative characterization of the interaction between purified human estrogen receptor alpha and DNA using fluorescence anisotropy. <b>2000</b> , 28, 2494-502	70
1140	CLA-1/SR-BI is expressed in atherosclerotic lesion macrophages and regulated by activators of peroxisome proliferator-activated receptors. <b>2000</b> , 101, 2411-7	374
1139	A role for the Hsp40 Ydj1 in repression of basal steroid receptor activity in yeast. <b>2000</b> , 20, 3027-36	51
1138	Selective stimulation by ceramide of the expression of the alpha isoform of retinoic acid and retinoid X receptors in osteoblastic cells. A role of sphingosine 1-phosphate-mediated AP-1 in the ligand-dependent transcriptional activity of these receptors. <b>2000</b> , 275, 32220-6	17
1137	Association with Ets-1 causes ligand- and AF2-independent activation of nuclear receptors. <b>2000</b> , 20, 8793-802	44

1136	Impaired estrogen sensitivity in bone by inhibiting both estrogen receptor alpha and beta pathways. <b>2000</b> , 275, 21372-9	15
1135	Effects of long-term administration of vitamin D3 analogs to mice. <b>2000</b> , 165, 163-72	33
1134	Analysis of estrogen receptor interaction with a repressor of estrogen receptor activity (REA) and the regulation of estrogen receptor transcriptional activity by REA. <b>2000</b> , 275, 35848-56	105
1133	Molecular determinants of differential ligand sensitivities of insect ecdysteroid receptors. <b>2000</b> , 20, 3870-9	51
1132	Antagonistic action of a 25-carboxylic ester analogue of 1alpha, 25-dihydroxyvitamin D3 is mediated by a lack of ligand-induced vitamin D receptor interaction with coactivators. <b>2000</b> , 275, 16506-12	59
1131	Meiosis-activating sterol-mediated resumption of meiosis in mouse oocytes in vitro is influenced by protein synthesis inhibition and cholera toxin. <b>2000</b> , 62, 775-80	36
1130	Cytoplasmic catalytic subunit of protein kinase A mediates cross-repression by NF-kappa B and the glucocorticoid receptor. <b>2000</b> , 97, 11893-8	108
1129	Expression of estrogen receptor coactivators in the rat uterus. <b>2000</b> , 63, 361-7	40
1128	Ligand-dependent interactions of coactivators steroid receptor coactivator-1 and peroxisome proliferator-activated receptor binding protein with nuclear hormone receptors can be imaged in live cells and are required for transcription. <b>2000</b> , 97, 4363-8	133
1127	Co-гергеssors 2000. <b>2000</b> , 14, 1876-88	179
1127	Mutational analysis of the androgen receptor AF-2 (activation function 2) core domain reveals	179 37
1126	Mutational analysis of the androgen receptor AF-2 (activation function 2) core domain reveals functional and mechanistic differences of conserved residues compared with other nuclear	
1126	Mutational analysis of the androgen receptor AF-2 (activation function 2) core domain reveals functional and mechanistic differences of conserved residues compared with other nuclear receptors. 2000, 14, 1603-17  Retinoids and demethylating agents- looking for partners. 2000, 92, 780-1	37
1126 1125	Mutational analysis of the androgen receptor AF-2 (activation function 2) core domain reveals functional and mechanistic differences of conserved residues compared with other nuclear receptors. <b>2000</b> , 14, 1603-17  Retinoids and demethylating agents- looking for partners. <b>2000</b> , 92, 780-1	37 15
1126 1125 1124	Mutational analysis of the androgen receptor AF-2 (activation function 2) core domain reveals functional and mechanistic differences of conserved residues compared with other nuclear receptors. 2000, 14, 1603-17  Retinoids and demethylating agents- looking for partners. 2000, 92, 780-1  Feedback control of cyclooxygenase-2 expression through PPARgamma. 2000, 275, 28028-32  Effects of T3R alpha 1 and T3R alpha 2 gene deletion on T and B lymphocyte development. 2000,	37 15 223
1126 1125 1124 1123	Mutational analysis of the androgen receptor AF-2 (activation function 2) core domain reveals functional and mechanistic differences of conserved residues compared with other nuclear receptors. 2000, 14, 1603-17  Retinoids and demethylating agents- looking for partners. 2000, 92, 780-1  Feedback control of cyclooxygenase-2 expression through PPARgamma. 2000, 275, 28028-32  Effects of T3R alpha 1 and T3R alpha 2 gene deletion on T and B lymphocyte development. 2000, 164, 152-60  Regulation of CYP26 (cytochrome P450RAI) mRNA expression and retinoic acid metabolism by	37 15 223 61
1126 1125 1124 1123	Mutational analysis of the androgen receptor AF-2 (activation function 2) core domain reveals functional and mechanistic differences of conserved residues compared with other nuclear receptors. 2000, 14, 1603-17  Retinoids and demethylating agents- looking for partners. 2000, 92, 780-1  Feedback control of cyclooxygenase-2 expression through PPARgamma. 2000, 275, 28028-32  Effects of T3R alpha 1 and T3R alpha 2 gene deletion on T and B lymphocyte development. 2000, 164, 152-60  Regulation of CYP26 (cytochrome P450RAI) mRNA expression and retinoic acid metabolism by retinoids and dietary vitamin A in liver of mice and rats. 2000, 14, 2119-27  A zebrafish ftz-F1 (Fushi tarazu factor 1) homologue requires multiple subdomains in the D and E	37 15 223 61 62

Orphan receptor DAX-1 is a shuttling RNA binding protein associated with polyribosomes via mRNA. <b>2000</b> , 20, 4910-21	103
Thyroid hormone regulation of apoptotic tissue remodeling: implications from molecular analysis of amphibian metamorphosis. <b>2001</b> , 65, 53-100	58
Truncated estrogen receptor product-1 suppresses estrogen receptor transactivation by dimerization with estrogen receptors alpha and beta. <b>2000</b> , 275, 7158-66	46
Enantiomer discrimination illustrated by high-resolution crystal structures of the human nuclear receptor hRARgamma. <b>2000</b> , 97, 6322-7	72
3',4'-dimethoxyflavone as an aryl hydrocarbon receptor antagonist in human breast cancer cells. <b>2000</b> , 58, 235-42	56
Change of specificity mutations in androgen-selective enhancers. Evidence for a role of differential DNA binding by the androgen receptor. <b>2000</b> , 275, 12298-305	80
Identification of the DNA binding specificity and potential target genes for the farnesoid X-activated receptor. <b>2000</b> , 275, 10638-47	212
Immunocytochemical localization of lipocalin-type prostaglandin D synthase in the bull testis and epididymis and on ejaculated sperm. <b>2000</b> , 62, 547-56	37
Selective activation of the glucocorticoid receptor by steroid antagonists in human breast cancer and osteosarcoma cells. <b>2000</b> , 275, 17771-7	48
Prothymosin alpha selectively enhances estrogen receptor transcriptional activity by interacting with a repressor of estrogen receptor activity. <b>2000</b> , 20, 6224-32	82
An aryl hydrocarbon receptor conformation acts as the functional core of nuclear dioxin signaling. <b>2000</b> , 28, 2286-91	34
Expression of estrogen receptor beta is developmentally regulated in reproductive tissues of male and female mice. <b>2000</b> , 62, 310-7	186
AIB1 is a conduit for kinase-mediated growth factor signaling to the estrogen receptor. <b>2000</b> , 20, 5041-7	383
Cell-type-specific regulation of the retinoic acid receptor mediated by the orphan nuclear receptor TLX. <b>2000</b> , 20, 8731-9	20
Localization of oestrogen receptor alpha, oestrogen receptor beta and androgen receptors in the rat reproductive organs. <b>2000</b> , 165, 359-70	360
Peroxisome proliferator-activated receptors and skin development. <b>2000</b> , 54, 269-74	38
Retinoic acid stimulation of the human surfactant protein B promoter is thyroid transcription factor 1 site-dependent. <b>2000</b> , 275, 56-62	48
Mutations in the estrogen receptor ligand binding domain discriminate between hormone-dependent transactivation and transrepression. <b>2000</b> , 275, 25322-9	82
	Thyroid hormone regulation of apoptotic tissue remodeling: implications from molecular analysis of amphibian metamorphosis. 2001, 65, 53-100  Truncated estrogen receptor product-1 suppresses estrogen receptor transactivation by dimerization with estrogen receptors alpha and beta. 2000, 275, 7158-66  Enantiomer discrimination illustrated by high-resolution crystal structures of the human nuclear receptor hRARgamma. 2000, 97, 6322-7  3',4'-dimethoxyflavone as an aryl hydrocarbon receptor antagonist in human breast cancer cells. 2000, 58, 235-42  Change of specificity mutations in androgen-selective enhancers. Evidence for a role of differential DNA binding by the androgen receptor. 2000, 275, 12298-305  Identification of the DNA binding specificity and potential target genes for the farnesoid X-activated receptor. 2000, 275, 10638-47  Immunocytochemical localization of lipocalin-type prostaglandin D synthase in the bull testis and epididymis and on ejaculated sperm. 2000, 62, 547-56  Selective activation of the glucocorticoid receptor by steroid antagonists in human breast cancer and osteosarcoma cells. 2000, 275, 17771-7  Prothymosin alpha selectively enhances estrogen receptor transcriptional activity by interacting with a repressor of estrogen receptor activity. 2000, 20, 6224-32  An aryl hydrocarbon receptor conformation acts as the functional core of nuclear dioxin signaling. 2000, 28, 2286-91  Expression of estrogen receptor beta is developmentally regulated in reproductive tissues of male and female mice. 2000, 62, 310-7  AIB1 is a conduit for kinase-mediated growth factor signaling to the estrogen receptor. 2000, 20, 5041-7  Cell-type-specific regulation of the retinoic acid receptor mediated by the orphan nuclear receptor TLX. 2000, 20, 8731-9  Localization of oestrogen receptor alpha, oestrogen receptor beta and androgen receptors in the rat reproductive organs. 2000, 165, 359-70  Peroxisome proliferator-activated receptors and skin development. 2000, 54, 269-74  Mutations in the estrogen receptor ligan

1100	The p53/retinoblastoma-mediated repression of testicular orphan receptor-2 in the rhesus monkey with cryptorchidism. <b>2000</b> , 275, 23877-83	25
1099	BCAR1, a human homologue of the adapter protein p130Cas, and antiestrogen resistance in breast cancer cells. <b>2000</b> , 92, 112-20	121
1098	Transcriptional interference between glucocorticoid receptor and estradiol receptor mediates the inhibitory effect of cortisol on fish vitellogenesis. <b>2000</b> , 62, 1763-71	58
1097	The aryl hydrocarbon receptor interacts with estrogen receptor alpha and orphan receptors COUP-TFI and ERRalpha1. <b>2000</b> , 373, 163-74	107
1096	Antagonistic action of novel 1alpha,25-dihydroxyvitamin D(3)-26, 23-lactone analogs on 25-hydroxyvitamin-D(3)-24-hydroxylase gene expression induced by 1alpha,25-dihydroxy-vitamin D(3) in human promyelocytic leukemia (HL-60) cells. <b>2000</b> , 380, 92-102	20
1095	Interaction of tetrahydrocrysene ketone with estrogen receptors alpha and beta indicates conformational differences in the receptor subtypes. <b>2000</b> , 381, 135-42	21
1094	Activation of PPARalpha or gamma reduces secretion of matrix metalloproteinase 9 but not interleukin 8 from human monocytic THP-1 cells. <b>2000</b> , 267, 345-9	203
1093	The flavonoid apigenin suppresses vitamin D receptor expression and vitamin D responsiveness in normal human keratinocytes. <b>2000</b> , 268, 237-41	14
1092	Estrogen receptors: how do they control reproductive and nonreproductive functions?. <b>2000</b> , 270, 1-10	174
1091	Association of estrogen receptor beta gene polymorphism with bone mineral density. <b>2000</b> , 269, 537-41	113
1090	Identification of cDNAs encoding two subtypes of vitamin D receptor in flounder, Paralichthys olivaceus. <b>2000</b> , 270, 40-5	38
1089	Inhibition of human lung cancer cell growth by the peroxisome proliferator-activated receptor-gamma agonists through induction of apoptosis. <b>2000</b> , 270, 400-5	290
1088	Paradoxical effects of mineralocorticoids on the ion gated sodium channel in embryologically diverse cells. <b>2000</b> , 270, 811-5	9
1087	Differential regulation of the carbonic anhydrase II gene expression by hormonal nuclear receptors in monocytic cells: identification of the retinoic acid response element. <b>2000</b> , 271, 481-91	11
1086	Molecular evidence of complex tissue- and sex-specific mRNA expression of the rat alpha(2u)-globulin multigene family. <b>2000</b> , 272, 337-44	12
1085	Differential expression and regulation by 20-hydroxyecdysone of mosquito ultraspiracle isoforms. <b>2000</b> , 218, 99-113	86
1084	Sequential programs of retinoic acid synthesis in the myocardial and epicardial layers of the developing avian heart. <b>2000</b> , 219, 129-41	90
1083	Identification of endogenous retinoids, enzymes, binding proteins, and receptors during early postimplantation development in mouse: important role of retinal dehydrogenase type 2 in synthesis of all-trans-retinoic acid. <b>2000</b> , 220, 379-91	98

1082	Krippel-homolog, a stage-specific modulator of the prepupal ecdysone response, is essential for Drosophila metamorphosis. <b>2000</b> , 221, 53-67	90
1081	Retinoic acid and its receptors repress the expression and transactivation functions of Nur77: a possible mechanism for the inhibition of apoptosis by retinoic acid. <b>2000</b> , 256, 545-54	41
1080	Effects of antiandrogens on chromatin remodeling and transcription of the integrated mouse mammary tumor virus promoter. <b>2000</b> , 260, 160-5	12
1079	Visually induced changes in components of the retinoic acid system in fundal layers of the chick. <b>2000</b> , 70, 97-106	63
1078	Structural basis of RXR-DNA interactions. <b>2000</b> , 296, 509-20	103
1077	Ligand-triggered stabilization of vitamin D receptor/retinoid X receptor heterodimer conformations on DR4-type response elements. <b>2000</b> , 296, 743-56	54
1076	Ligand-induced stabilization of PPARgamma monitored by NMR spectroscopy: implications for nuclear receptor activation. <b>2000</b> , 298, 187-94	140
1075	Analysis of protein dimerization and ligand binding of orphan receptor HNF4alpha. <b>2000</b> , 302, 831-51	97
1074	Chaperones in progesterone receptor complexes. <b>2000</b> , 11, 45-52	38
1073	Hyperproliferative hepatocellular alterations after intraportal transplantation of thyroid follicles. <b>2000</b> , 156, 99-113	12
1072	Hepatocellular alterations after intraportal transplantation of ovarian tissue in ovariectomized rats. <b>2000</b> , 156, 1613-26	4
1071	The SRC family of nuclear receptor coactivators. <b>2000</b> , 245, 1-11	442
1070	Mechanisms of gene regulation by vitamin D(3) receptor: a network of coactivator interactions. <b>2000</b> , 246, 9-21	261
1069	Dual functions of thyroid hormone receptors during Xenopus development. <b>2000</b> , 126, 199-211	99
1068	Cloning of the Atlantic salmon (Salmo salar) estrogen receptor-alpha gene. <b>2000</b> , 125, 379-85	19
1067	Expression of peptides and other neurochemical markers in hypothalamus and olfactory bulb of mice devoid of all known thyroid hormone receptors. <b>2000</b> , 101, 1001-12	36
1066	Expression of the orphan receptor TR4 during brain development of the rat. <b>2000</b> , 77, 104-10	20
1065	NGFI-B and nor1 mRNAs are upregulated in brain reward pathways by drugs of abuse: different effects in Fischer and Lewis rats. <b>2000</b> , 76, 18-24	46

1064	A PPARgamma mutant serves as a dominant negative inhibitor of PPAR signaling and is localized in the nucleus. <b>2000</b> , 162, 57-67	34
1063	Early induction of the orphan nuclear receptor NOR-1 during cell death of the human breast cancer cell line MCF-7. <b>2000</b> , 162, 151-6	27
1062	A putative white adipose tissue specific nuclear orphan receptor that interacts with the cAMP-response element of the human beta3-adrenergic receptor gene. <b>2000</b> , 165, 85-95	4
1061	Apparent coactivation due to interference of expression constructs with nuclear receptor expression. <b>2000</b> , 168, 21-9	19
1060	An androgen response element mediates LNCaP cell dependent androgen induction of the hK2 gene. <b>2000</b> , 168, 89-99	40
1059	Resistance to thyroid hormone (RTH) syndrome reveals novel determinants regulating interaction of T3 receptor with corepressor. <b>2000</b> , 159, 109-24	29
1058	Expression of the early-late gene encoding the nuclear receptor HR3 suggests its involvement in regulating the vitellogenic response to ecdysone in the adult mosquito. <b>2000</b> , 160, 25-37	43
1057	Ligand structure-dependent differences in activation of estrogen receptor alpha in human HepG2 liver and U2 osteogenic cancer cell lines. <b>2000</b> , 162, 211-20	48
1056	Chemoprevention of cancer. <b>2000</b> , 21, 525-30	375
1055	The murine cone photoreceptor: a single cone type expresses both S and M opsins with retinal spatial patterning. <b>2000</b> , 27, 513-23	426
1054	Activation of Estrogen Receptor By S118 Phosphorylation Involves a Ligand-Dependent Interaction with TFIIH and Participation of CDK7. <b>2000</b> , 6, 127-137	248
1053	Transcriptional regulation of inflammatory secreted phospholipases A(2). <b>2000</b> , 1488, 149-58	51
1052	Peroxisomal protein targeting and identification of peroxisomal targeting signals in cholesterol biosynthetic enzymes. <b>2000</b> , 1529, 89-102	54
1051	Regulation of gene expression by SREBP and SCAP. <b>2000</b> , 1529, 103-13	217
1050	Characterization of vitamin D receptor immunoreactivity in human bone cells. <b>2000</b> , 27, 383-7	41
1049	Molecular mechanisms of estrogen action: selective ligands and receptor pharmacology. <b>2000</b> , 74, 279-85	227
1048	Receptor null mice reveal contrasting roles for estrogen receptor alpha and beta in reproductive tissues. <b>2000</b> , 74, 287-96	122
1047	Gene regulation by thyroid hormone. <b>2000</b> , 11, 207-11	178

1046	Steroid regulation of postembryonic development and reproduction in Drosophila. 2000, 11, 276-80		120
1045	Transcriptional repression by nuclear hormone receptors. <b>2000</b> , 11, 6-10		242
1044	Dynamic stabilization of nuclear receptor ligand binding domains by hormone or corepressor binding. <b>2000</b> , 6, 245-53		86
1043	Transcriptional control: rheostat converted to on/off switch. <b>2000</b> , 6, 723-8		120
1042	ATP-driven chromatin remodeling activity and histone acetyltransferases act sequentially during transactivation by RAR/RXR In vitro. <b>2000</b> , 6, 1049-58		167
1041	The crystal structure of the nuclear receptor for vitamin D bound to its natural ligand. <b>2000</b> , 5, 173-9		695
1040	Retinoid signalling and hindbrain patterning. <b>2000</b> , 10, 380-6		165
1039	Expression of the glucocorticoid receptor in early and late passage C-6 glioma cells and in normal astrocytes derived from aged mouse cerebral hemispheres. <b>2000</b> , 18, 329-35		11
1038	Progesterone receptors in reproduction: functional impact of the A and B isoforms. <b>2000</b> , 65, 571-7		170
1037	Targeted disruption of the nuclear receptor FXR/BAR impairs bile acid and lipid homeostasis. <i>Cell</i> , <b>2000</b> , 102, 731-44	56.2	1383
1036	Molecular chaperones activate the Drosophila ecdysone receptor, an RXR heterodimer. <i>Cell</i> , <b>2000</b> , 101, 67-77	56.2	136
1035	Signaling2000 and beyond. <i>Cell</i> , <b>2000</b> , 100, 113-27	56.2	2225
1034	Cloning of a mouse glucocorticoid modulatory element binding protein, a new member of the KDWK family. <b>2000</b> , 468, 203-10		14
1033	Retinoic acid stimulates HIV-1 transcription in human neuroblastoma SH-SY5Y cells. <b>2000</b> , 469, 118-22		6
1032	Ligand-protein interactions in nuclear receptors of hormones. <b>2000</b> , 476, 62-7		74
1031	Cross-talk between signal transducer and activator of transcription 3 and estrogen receptor signaling. <b>2000</b> , 486, 143-8		69
1030	Peroxisome proliferator-activated receptor gamma activators inhibit interleukin-12 production in murine dendritic cells. <b>2000</b> , 486, 261-6		129
1029	Characterization of a testicular 17alpha, 20beta-dihydroxy-4-pregnen-3-one (a spermiation-inducing steroid in fish) receptor from a teleost, Japanese eel (Anguilla japonica). <b>2000</b> , 465, 12-7		54

1028 Synthetic ligands for PPARII review of patent literature 1994 - 1999. <b>2000</b> , 10, 623-634	14
1027 The role of orphan nuclear receptors in the regulation of cholesterol homeostasis. <b>2000</b> , 16, 459-81	595
1026 Functions of thyroid hormone receptors in mice. <b>2000</b> , 10, 41-52	253
Characterization of the regulatory elements controlling neuronal expression of the A-isoform of the ecdysone receptor gene of Drosophila melanogaster. <b>2000</b> , 91, 237-48	13
Docosahexaenoic acid, a ligand for the retinoid X receptor in mouse brain. <b>2000</b> , 290, 2140-4	644
1023 Estrogen receptor transcription and transactivation: Basic aspects of estrogen action. <b>2000</b> , 2, 360-6	102
1022 Novel mutual prodrug of retinoic and butyric acids with enhanced anticancer activity. <b>2000</b> , 43, 2962-6	38
1021 Obesity: Pathology and Therapy. <b>2000</b> ,	
1020 Cell biology of peroxisomes and their characteristics in aquatic organisms. <b>2000</b> , 199, 201-93	36
Modulation of the far-upstream enhancer of the rat alpha-fetoprotein gene by members of the ROR alpha, Rev-erb alpha, and Rev-erb beta groups of monomeric orphan nuclear receptors. <b>2000</b> , 19, 589-99	35
1018 Ligand selectivity by nuclear hormone receptors. <b>2000</b> , 17 Suppl 1, 17-21	1
The N-terminal domain of thyroid hormone receptor-alpha is required for its biological activities.  2000, 19, 389-99	3
1016 Changes in dynamical behavior of the retinoid X receptor DNA-binding domain upon binding to a 14 base-pair DNA half site. <b>2000</b> , 39, 8747-57	15
CXR, a chicken xenobiotic-sensing orphan nuclear receptor, is related to both mammalian pregnane X receptor (PXR) and constitutive androstane receptor (CAR). <b>2000</b> , 97, 10769-74	103
Androgen induction of cyclin-dependent kinase inhibitor p21 gene: role of androgen receptor and transcription factor Sp1 complex. <b>2000</b> , 14, 753-60	138
Synthesis of vitamin D(3) and calcitriol dimers as potential chemical inducers of vitamin D receptor dimerization. <b>2000</b> , 65, 8290-6	7
Cross-talk between signal transducer and activator of transcription (Stat5) and thyroid hormone receptor-beta 1 (TRbeta1) signaling pathways. <b>2000</b> , 14, 1411-24	25
1011 Is estradiol a genotoxic mutagenic carcinogen?. <b>2000</b> , 21, 40-54	345

# (2001-2000)

	1010	Structural essentials of xenoestrogen dialkyl phthalates to bind to the estrogen receptors. <b>2000</b> , 118, 1-8	22
	1009	The mechanism of action of thyroid hormones. <b>2000</b> , 62, 439-66	552
	1008	Steroid/nuclear receptor coactivators. <b>2000</b> , 58, 391-448	44
	1007	Regulation of human profilaggrin promoter activity in cultured epithelial cells by retinoic acid and glucocorticoids. <b>2001</b> , 27, 192-205	21
;	1006	Tamoxifen resistance in breast cancer: elucidating mechanisms. <b>2001</b> , 61, 1721-33	72
	1005	An open-label trial of the PPARIligand rosiglitazone for active ulcerative colitis. 2001, 96, 3323-3328	13
	1004	Transcriptional activation of genes by 17 beta-estradiol through estrogen receptor-Sp1 interactions. <b>2001</b> , 62, 231-52	328
	1003	An open-label trial of the PPAR-gamma ligand rosiglitazone for active ulcerative colitis. <b>2001</b> , 96, 3323-8	153
	1002	Genomic structure of the gene for mouse germ-cell nuclear factor (GCNF). II. Comparison with the genomic structure of the human GCNF gene. <b>2001</b> , 2, RESEARCH0017	
:	1001	Swelling of mitochondria induced by juvenile hormone in larval salivary glands of Drosophila melanogaster. <b>2001</b> , 79, 755-64	10
	1000	Peroxisome proliferator-activated receptors (PPARs): nuclear receptors with functions in the vascular wall. <b>2001</b> , 90 Suppl 3, 125-32	38
	999	Differential interaction of estrogen receptor and thyroid hormone receptor isoforms on the rat oxytocin receptor promoter leads to differences in transcriptional regulation. <b>2001</b> , 74, 309-24	54
	998	Peroxisome proliferator-activated receptor gamma and metabolic disease. <b>2001</b> , 70, 341-67	515
	997	Estrogen receptors alpha and beta exhibit different estradiol and estrogen response element binding in the presence of nonspecific DNA. <b>2001</b> , 390, 253-64	12
	996	Identification of nucleolin as a glucocorticoid receptor interacting protein. 2001, 280, 476-80	22
	995	Amphiregulin is a vitamin D3 target gene in squamous cell and breast carcinoma. <b>2001</b> , 281, 1051-6	17
	994	Feedback control of the arachidonate cascade in rheumatoid synoviocytes by 15-deoxy-Delta(12,14)-prostaglandin J2. <b>2001</b> , 283, 750-5	79
	993	TR4 orphan receptor represses the human steroid 21-hydroxylase gene expression through the monomeric AGGTCA motif. <b>2001</b> , 285, 1361-8	16

992	Stabilization of peroxisome proliferator-activated receptor alpha by the ligand. 2001, 288, 106-10	29
991	N-terminal activation function is dominant in ligand-dependent transactivation of medaka estrogen receptor alpha in human cells. <b>2001</b> , 289, 763-8	2
990	Members of the nuclear factor 1 family reduce the transcriptional potential of the nuclear receptor LXRalpha promoter. <b>2001</b> , 289, 1262-7	10
989	Regulation of transcription factors MHR4 and betaFTZ-F1 by 20-hydroxyecdysone during a larval molt in the tobacco hornworm, Manduca sexta. <b>2001</b> , 232, 265-74	55
988	Retinoic acid promotes differentiation of trophoblast stem cells to a giant cell fate. 2001, 235, 422-32	77
987	RARgamma and Cdx1 interactions in vertebral patterning. <b>2001</b> , 240, 46-60	43
986	Effects of ligand binding on the association properties and conformation in solution of retinoic acid receptors RXR and RAR. <b>2001</b> , 307, 557-76	83
985	The human estrogen receptor alpha dimer binds a single SRC-1 coactivator molecule with an affinity dictated by agonist structure. <b>2001</b> , 306, 433-42	65
984	Orphan nuclear receptor Nurr1 is essential for Ret expression in midbrain dopamine neurons and in the brain stem. <b>2001</b> , 18, 649-63	109
983	Use of homogeneous time-resolved fluorescence energy transfer in the measurement of nuclear receptor activation. <b>2001</b> , 25, 54-61	33
982	A novel inborn error in the ligand-binding domain of the vitamin D receptor causes hereditary vitamin D-resistant rickets. <b>2001</b> , 73, 138-48	48
981	DNA deformability as a recognition feature in the reverb response element. <b>2001</b> , 40, 12833-43	29
980	The Drosophila homolog of human AF10/AF17 leukemia fusion genes (Dalf) encodes a zinc finger/leucine zipper nuclear protein required in the nervous system for maintaining EVE expression and normal growth. <b>2001</b> , 100, 291-301	14
979	The nuclear receptor Ftz-F1 and homeodomain protein Ftz interact through evolutionarily conserved protein domains. <b>2001</b> , 107, 39-53	47
978	Promoter characteristics of two cyp19 genes differentially expressed in the brain and ovary of teleost fish. <b>2001</b> , 78, 427-39	144
977	BRI1 is a critical component of a plasma-membrane receptor for plant steroids. <b>2001</b> , 410, 380-3	635
976	Desmoid tumours. <b>2001</b> , 27, 701-6	179
975	Can melatonin regulate the expression of prohormone convertase 1 and 2 genes via monomeric and dimeric forms of RZR/ROR nuclear receptor, and can melatonin influence the processes of embryogenesis or carcinogenesis by disturbing the proportion of cAMP and cGMP concentrations?	7

# (2001-2001)

974	Peroxisome proliferator-activated receptor- gamma expression in human malignant and normal brain, breast and prostate-derived cells. <b>2001</b> , 64, 241-5	48
973	Isotretinoin: A state-of-the-art conference. <b>2001</b> , 45, S125-S128	12
972	Glucocorticoid receptor homodimers and glucocorticoid-mineralocorticoid receptor heterodimers form in the cytoplasm through alternative dimerization interfaces. <b>2001</b> , 21, 781-93	120
971	Progesterone receptor isoforms expression pattern in human astrocytomas. <b>2001</b> , 56, 43-8	56
970	Regulation of cholesterol 7alpha-hydroxylase gene (CYP7A1) transcription by the liver orphan receptor (LXRalpha). <b>2001</b> , 262, 257-65	311
969	Estrogen receptors in the human forebrain and the relation to neuropsychiatric disorders. <b>2001</b> , 64, 251-67	196
968	Estrogen receptor alpha and estrogen receptor-related receptor alpha1 compete for binding and coactivator. <b>2001</b> , 172, 223-33	55
967	Transcriptional activation of cathepsin D gene expression by 17beta-estradiol: mechanism of aryl hydrocarbon receptor-mediated inhibition. <b>2001</b> , 172, 91-103	70
966	Cell type-specific roles of histone deacetylase in TR ligand-independent transcriptional repression. <b>2001</b> , 172, 13-20	10
965	GRKO mice express an aberrant dexamethasone-binding glucocorticoid receptor, but are profoundly glucocorticoid resistant. <b>2001</b> , 173, 193-202	79
964	Dehydroepiandrosterone stimulates proliferation and gene expression in MCF-7 cells after conversion to estradiol. <b>2001</b> , 173, 1-13	36
963	Estrogen response element sequence impacts the conformation and transcriptional activity of estrogen receptor alpha. <b>2001</b> , 174, 151-66	72
962	Tissue-specific expression of human ERalpha and ERbeta in the male. <b>2001</b> , 178, 155-60	36
961	Interaction of estrogen receptors alpha and beta with estrogen response elements. 2001, 181, 151-63	95
960	A mathematical approach to predict the affinity of estrogen receptors alpha and beta binding to DNA. <b>2001</b> , 182, 109-19	17
959	Estradiol-induced IP(3) mediates the estrogen receptor activity expressed in human cells. <b>2001</b> , 182, 19-26	33
958	Repression of androgen-regulated gene expression by dominant negative androgen receptors. <b>2001</b> , 183, 19-28	16
957	Induction of granulin precursor gene expression by estrogen treatment in neonatal rat hypothalamus. <b>2001</b> , 297, 199-202	35

956	Intracellular dynamics of steroid hormone receptor. <b>2001</b> , 40, 197-203	22
955	Differential crosstalk between estrogen receptor (ER)alpha and ERbeta and the thyroid hormone receptor isoforms results in flexible regulation of the consensus ERE. <b>2001</b> , 95, 9-17	46
954	Peroxisome proliferator-activated receptor (PPAR) gamma agonists for diabetes. <b>2001</b> , 56, 181-212	31
953	Prospects for prevention and treatment of cancer with selective PPARgamma modulators (SPARMs). <b>2001</b> , 7, 395-400	126
952	Thyroid hormones in growth and development of fish. <b>2001</b> , 130, 447-59	305
951	Inhibition of the transcription factors AP-1 and NF-kappaB in CD4 T cells by peroxisome proliferator-activated receptor gamma ligands. <b>2001</b> , 1, 803-12	88
950	Estrogen and progesterone receptors in murine models of systemic lupus erythematosus. <b>2001</b> , 1, 1025-35	17
949	Membrane estrogen and glucocorticoid receptorsimplications for hormonal control of immune function and autoimmunity. <b>2001</b> , 1, 1049-63	38
948	Androgen induced cell death in SHSY5Y neuroblastoma cells expressing wild-type and spinal bulbar muscular atrophy mutant androgen receptors. <b>2001</b> , 1536, 13-20	7
947	Germ cell nuclear factor. <b>2001</b> , 33, 1141-6	16
946	In vivo modulation of nonylphenol-induced zonagenesis and vitellogenesis by the antiestrogen, 3,3'4,4'-tetrachlorobiphenyl (PCB-77) in juvenile fish. <b>2001</b> , 10, 5-15	46
945	The androgen receptor (AR) in syndromes of androgen insensitivity and in prostate cancer. <b>2001</b> , 76, 135-42	43
944	Estradiol inhibits glucocorticoid receptor expression and induces glucocorticoid resistance in MCF-7 human breast cancer cells. <b>2001</b> , 77, 29-37	41
943	Contribution of steroid receptor coactivator-1 and CREB binding protein in ligand-independent activity of estrogen receptor beta. <b>2001</b> , 77, 19-27	60
942	Differential activation of wild-type and variant forms of estrogen receptor alpha by synthetic and natural estrogenic compounds using a promoter containing three estrogen-responsive elements. <b>2001</b> , 78, 25-32	43
941	Effects of the heterogeneous nuclear ribonucleoprotein U (hnRNP U/SAF-A) on glucocorticoid-dependent transcription in vivo. <b>2001</b> , 78, 59-65	24
940	BAG-1 family of cochaperones in the modulation of nuclear receptor action. <b>2001</b> , 78, 379-88	44
	DAG Frankly of cochaperones in the modulation of flucteal receptor action. 2001, 70, 375-00	44

938	Regulation of aromatase by nuclear receptors. <b>2001</b> , 79, 187-92	29
937	Role reversal: new insights from new ligands for the xenobiotic receptor CAR. <b>2001</b> , 12, 7-10	61
936	The TRAP/SMCC/Mediator complex and thyroid hormone receptor function. <b>2001</b> , 12, 127-34	226
935	Physiological function of the orphans GCNF and COUP-TF. <b>2001</b> , 12, 247-51	42
934	Pathophysiological effects of aldosterone in cardiovascular tissues. <b>2001</b> , 12, 308-14	178
933	Two subtypes of androgen and progestogen receptors in fish testes. <b>2001</b> , 129, 449-55	56
932	Bonus, a Drosophila homolog of TIF1 proteins, interacts with nuclear receptors and can inhibit betaFTZ-F1-dependent transcription. <b>2001</b> , 7, 753-65	77
931	Progesterone receptor contains a proline-rich motif that directly interacts with SH3 domains and activates c-Src family tyrosine kinases. <b>2001</b> , 8, 269-80	492
930	Antisense inhibition of a BRI1 receptor reveals additional protein kinase signaling components downstream to the perception of brassinosteroids in rice. <b>2001</b> , 507, 346-50	18
929	Estrogen receptor antibodies: specificity and utility in detection, localization and analyses of estrogen receptor alpha and beta. <b>2001</b> , 66, 1-16	75
928	Three-dimensional structure-function relationship of vitamin D and vitamin D receptor model. <b>2001</b> , 66, 177-87	14
927	Central role of VDR conformations for understanding selective actions of vitamin D(3) analogues. <b>2001</b> , 66, 213-21	53
926	Glucocorticoid and mineralocorticoid resistance/hypersensitivity syndromes. 2001, 169, 437-45	87
925	Phosphatidylinositol 3-kinase/AKT-mediated activation of estrogen receptor alpha: a new model for anti-estrogen resistance. <b>2001</b> , 276, 9817-24	707
924	Estrogen and spermatogenesis. <b>2001</b> , 22, 289-318	535
923	Lupus: why women?. <b>2001</b> , 10, 233-9	16
922	The multifaceted mechanisms of estradiol and estrogen receptor signaling. 2001, 276, 36869-72	869
921	Production of matrix metalloproteinase-9 in CaCO-2 cells in response to inflammatory stimuli. <b>2001</b> , 21, 93-8	53

920	Cdc25B functions as a novel coactivator for the steroid receptors. <b>2001</b> , 21, 8056-67	51
919	Thyroid hormone response element sequence and the recruitment of retinoid X receptors for thyroid hormone responsiveness. <b>2001</b> , 276, 3929-36	43
918	c-Src tyrosine phosphorylation of epidermal growth factor receptor, P190 RhoGAP, and focal adhesion kinase regulates diverse cellular processes. <b>2001</b> , 101, 2425-40	52
917	Participation of critical residues from the extreme C-terminal end of the human androgen receptor in the ligand binding function. <b>2001</b> , 40, 8431-7	20
916	Nonsteroidal selective glucocorticoid modulators: the effect of C-5 alkyl substitution on the transcriptional activation/repression profile of 2,5-dihydro-10-methoxy-2,2,4-trimethyl-1H-[1]benzopyrano[3,4-f]quinolines. <b>2001</b> , 44, 4481-91	104
915	Pharmacophore analysis of the nuclear oxysterol receptor LXRalpha. <b>2001</b> , 44, 886-97	109
914	Estrogen receptor interaction with estrogen response elements. <b>2001</b> , 29, 2905-19	731
913	Arsenic alters the function of the glucocorticoid receptor as a transcription factor. <b>2001</b> , 109, 245-51	184
912	Transcription. <b>2001</b> , 233-251	
911	Transcriptional regulation of the 11p15 mucin genes. Towards new biological tools in human therapy, in inflammatory diseases and cancer?. <b>2001</b> , 6, D1216-34	66
910	Neuronal expression of synaptotagmin-related gene 1 is regulated by thyroid hormone during cerebellar development. <b>2001</b> , 21, 4373-80	29
909	Mechanisms of estrogen action. <b>2001</b> , 81, 1535-65	1475
908	Cell localization, physiology, and nongenomic actions of estrogen receptors. <b>2001</b> , 91, 1860-7	244
907	Regulation of microglial development: a novel role for thyroid hormone. <b>2001</b> , 21, 2028-38	101
906	Transcriptional regulation of the 11p15 mucin genes towards new biological tools in human therapy in inflammatory diseases and cancer. <b>2001</b> , 6, d1216-1234	10
905	Multiple aspects of mineralocorticoid selectivity. <b>2001</b> , 280, F181-92	180
904	Effect of long-term treatment with the antiestrogen EM-652.HCl on pituitary estrogen receptor alpha and prolactin mRNA expression in intact, ovariectomized and gonadotropin-releasing hormone-treated female rats. <b>2001</b> , 74, 367-74	6
903	Different molecular mechanisms of vitamin D(3) receptor antagonists. <b>2001</b> , 59, 1478-85	68

902	Vitamin D. <b>2001</b> , 257-303	20
901	Cellular Responses to Hormones. <b>2001</b> , 191-206	
900	Peroxisome proliferator-activated receptors: roles in tumorigenesis and chemoprevention in human cancer. <b>2001</b> , 13, 78-83	32
899	Peroxisome proliferator-activated receptors in endothelial cell biology. <b>2001</b> , 12, 511-8	40
898	Retinoic acids repress the expression of ETS-1 in endothelial cells. <b>2001</b> , 194, 35-43	8
897	Microbe-Based Screening Systems. <b>2001</b> ,	
896	Retinoic acid synthesis and breakdown in the developing mouse retina. <b>2001</b> , 131, 579-87	12
895	Dual DNA-binding specificity of peroxisome-proliferator-activated receptor gamma controlled by heterodimer formation with retinoid X receptor alpha. <b>2001</b> , 353, 193-8	25
894	Fatty-acyl-CoA thioesters inhibit recruitment of steroid receptor co-activator 1 to alpha and gamma isoforms of peroxisome-proliferator-activated receptors by competing with agonists. <b>2001</b> , 353, 231-8	29
893	Single thyroid hormone receptor monomers are competent for co-activator-mediated transactivation. <b>2001</b> , 360, 387-93	5
892	Dual DNA-binding specificity of peroxisome-proliferator-activated receptor ©controlled by heterodimer formation with retinoid X receptor <b>2001</b> , 353, 193-198	28
891	Fatty-acyl-CoA thioesters inhibit recruitment of steroid receptor co-activator 1 to ⊞and Isoforms of peroxisome-proliferator-activated receptors by competing with agonists. <b>2001</b> , 353, 231-238	35
890	Regulation of mucin gene expression in human tracheobronchial epithelial cells by thyroid hormone. <b>2001</b> , 353, 727-734	18
889	Single thyroid hormone receptor monomers are competent for co-activator-mediated transactivation. <b>2001</b> , 360, 387-393	5
888	Existence of retinoic acid-receptor-independent retinoid X-receptor-dependent pathway in myeloid cell function. <b>2001</b> , 85, 60-9	7
887	Subcellular steroid/nuclear receptor dynamics. <b>2001</b> , 64, 353-68	34
886	Signaling by Nuclear Receptors. 148-172	2
885	Increased sensitivity to thyroid hormone in mice with complete deficiency of thyroid hormone receptor alpha. <b>2001</b> , 98, 349-54	48

884	Uptake and protection against oxidative stress by estrogen esters in THP-1 human macrophage cell lines. <b>2001</b> , 51, 81-4	8
883	Effects of mycoplasmal LAMPs on receptor responses to steroid hormones in mammalian cells. <b>2001</b> , 43, 163-9	8
882	The pleiotropic functions of peroxisome proliferator-activated receptor gamma. 2001, 79, 30-47	175
881	Estrogen receptor-mediated cross-talk with growth factor signaling pathways. <b>2001</b> , 8, 3-9	74
880	Effects of vitamin D on the growth of normal and malignant B-cell progenitors. <b>2001</b> , 126, 214-9	14
879	Molecular evaluation of vitamin D3 receptor agonists designed for topical treatment of skin diseases. <b>2001</b> , 116, 785-92	29
878	Peroxisome proliferator-activated receptor-gamma agonist troglitazone protects against nondiabetic glomerulosclerosis in rats. <b>2001</b> , 59, 1899-910	157
877	Functional and structural characterization of the insertion region in the ligand binding domain of the vitamin D nuclear receptor. <b>2001</b> , 268, 971-9	65
876	Hormonal regulation of multiple promoters of the rat mitochondrial glycerol-3-phosphate dehydrogenase gene: identification of a complex hormone-response element in the ubiquitous promoter B. <b>2001</b> , 268, 4095-103	33
875	Metabolic conversion as a pre-receptor control mechanism for lipophilic hormones. <b>2001</b> , 268, 4113-25	62
874	All-trans-retinoic acid and polyriboinosinic: polyribocytidylic acid in combination potentiate specific antibody production and cell-mediated immunity. <b>2001</b> , 104, 341-8	27
873	Nuclear receptor coactivators in neuroendocrine function. <b>2000</b> , 12, 927-32	30
872	Crosstalk between oestrogen receptors and thyroid hormone receptor isoforms results in differential regulation of the preproenkephalin gene. <b>2001</b> , 13, 779-90	35
871	Structure-Activity study of retinoid agonists bearing substituted dicarba-closo-dodecaborane. Relation between retinoidal activity and conformation of two aromatic nuclei. <b>2001</b> , 11, 1307-11	44
870	A designed antagonist of the thyroid hormone receptor. <b>2001</b> , 11, 2821-5	34
869	Ligand recognition by the vitamin D receptor. <b>2001</b> , 9, 1721-30	37
868	A novel fatty acid response element controls the expression of the flight muscle FABP gene of the desert locust, Schistocerca gregaria. <b>2001</b> , 268, 5894-900	14
867	Expression studies of key adipogenic transcriptional factors reveal that the anti-adipogenic properties of retinol in primary cultured human preadipocytes are due to retinol per se. <b>2001</b> , 23, 299-308	7

# (2001-2001)

Use of Saccharomyces cerevisiae in the identification of novel transcription factor DNA binding specificities. <b>2001</b> , 18, 445-54	1
The evolution of nuclear receptors: evidence from the coral Acropora. <b>2001</b> , 21, 93-102	44
A nuclear receptor screening method using a steroid receptor coactivator-1 fragment in a yeast two-hybrid system. <b>2001</b> , 289, 295-7	1
Generation of a mammalian cell line stably expressing a tetracycline-regulated epitope-tagged human androgen receptor: implications for steroid hormone receptor research. <b>2001</b> , 289, 217-30	10
Maltose-binding protein as a fusion tag for the localization and purification of cloned proteins in Dictyostelium. <b>2001</b> , 289, 297-300	8
Quantitative assessment of retinoid signaling pathways in the developing eye and retina of the chicken embryo. <b>2001</b> , 436, 324-335	17
Co-expression of estrogen and thyroid hormone receptors in individual hypothalamic neurons. <b>2001</b> , 437, 286-95	20
Quantitative axial profiles of retinoic acid in the embryonic mouse spinal cord: 9-cis retinoic acid only detected after all-trans-retinoic acid levels are super-elevated experimentally. <b>2001</b> , 222, 341-53	43
Ligands for peroxisome proliferator-activated receptor gamma inhibit growth of pancreatic cancers both in vitro and in vivo. <b>2001</b> , 94, 370-6	56
Localization of estradiol-responsive region in the phenobarbital-responsive enhancer module of mouse Cyp2b-10 gene. <b>2001</b> , 15, 76-82	6
Transcriptional suppression of Sox9 expression in chondrocytes by retinoic acid. <b>2001</b> , Suppl 36, 71-8	29
Gene regulatory potential of 1alpha,25-dihydroxyvitamin D(3) analogues with two side chains. <b>2001</b> , Suppl 36, 179-90	24
Monitoring of endocrine disruptors in surface waters by the yeast recombinant assay. <b>2001</b> , 20, 1152-1158	125
DNA-binding properties of the ecdysteroid receptor-complex (EcR/USP) of the epithelial cell line from Chironomus tentans. <b>2001</b> , 46, 1-10	
Hindbrain patterning revisited: timing and effects of retinoic acid signalling. 2001, 23, 981-6	52
Reporter cell lines are useful tools for monitoring biological activity of nuclear receptor ligands. <b>2001</b> , 16, 153-8	75
Peroxisome proliferator-activated receptor gamma activators affect the maturation of human monocyte-derived dendritic cells. <b>2001</b> , 31, 2857-65	196
Activation-induced apoptosis and cell surface expression of Fas (CD95) ligand are reciprocally regulated by retinoic acid receptor alpha and gamma and involve nur77 in T cells. <b>2001</b> , 31, 1382-91	27
	The evolution of nuclear receptors: evidence from the coral Acropora. 2001, 21, 93-102  A nuclear receptor screening method using a steroid receptor coactivator-1 fragment in a yeast two-hybrid system. 2001, 289, 295-7  Generation of a mammalian cell line stably expressing a tetracycline-regulated epitope-tagged human androgen receptor: implications for steroid hormone receptor research. 2001, 289, 217-30  Maltose-binding protein as a fusion tag for the localization and purification of cloned proteins in Dictyostellum. 2001, 289, 297-300  Quantitative assessment of retinoid signaling pathways in the developing eye and retina of the chicken embryo. 2001, 436, 324-335  Co-expression of estrogen and thyroid hormone receptors in individual hypothalamic neurons. 2001, 437, 286-95  Quantitative axial profiles of retinoic acid in the embryonic mouse spinal cord: 9-cis retinoic acid only detected after all-trans-retinoic acid levels are super-elevated experimentally. 2001, 222, 341-53  Ligands for peroxisome proliferator-activated receptor gamma inhibit growth of pancreatic cancers both in vitro and in vivo. 2001, 94, 370-6  Localization of estradiol-responsive region in the phenobarbital-responsive enhancer module of mouse Cyp2b-10 gene. 2001, 15, 76-82  Transcriptional suppression of Sox9 expression in chondrocytes by retinoic acid. 2001, Suppl 36, 71-8  Gene regulatory potential of Talpha, 25-dihydroxyvitamin D(3) analogues with two side chains. 2001, Suppl 36, 179-90  Monitoring of endocrine disruptors in surface waters by the yeast recombinant assay. 2001, 20, 1152-1158  DNA-binding properties of the ecdysteroid receptor-complex (EcR/USP) of the epithelial cell line from Chironomus tentans. 2001, 46, 1-10  Hindbrain patterning revisited: timing and effects of retinoic acid signalling. 2001, 23, 981-6  Reporter cell lines are useful tools for monitoring biological activity of nuclear receptor ligands. 2001, 16, 153-8

848	Expression and purification of recombinant human progesterone receptor in baculovirus and bacterial systems. <b>2001</b> , 176, 39-54	8
847	Progesterone receptors as neuroendocrine integrators. <b>2001</b> , 22, 69-106	74
846	Characterization of a sea bream (Sparus aurata) thyroid hormone receptor-beta clone expressed during embryonic and larval development. <b>2001</b> , 123, 80-9	37
845	Structure function studies: identification of vitamin D analogs for the ligand-binding domains of important proteins in the vitamin D-endocrine system. <b>2001</b> , 2, 229-38	17
844	A novel drug-regulated gene expression system based on the nuclear receptor constitutive androstane receptor (CAR). <b>2001</b> , 18, 146-50	41
843	The SMRT corepressor is a target of phosphorylation by protein kinase CK2 (casein kinase II). <b>2001</b> , 220, 1-13	41
842	Differential cellular compartmentalization of the nuclear receptor SpSHR2 splicing variants in early sea urchin embryos. <b>2001</b> , 60, 147-57	5
841	Peroxisome proliferator-activated receptor-alpha mice show enhanced hepatocyte proliferation in response to the hepatomitogen 1,4-bis [2-(3,5-dichloropyridyloxy)] benzene, a ligand of constitutive androstane receptor. <b>2001</b> , 34, 262-6	26
840	The orphan nuclear receptor ROR alpha is a negative regulator of the inflammatory response. <b>2001</b> , 2, 42-8	218
839	Thyroid hormone regulates the obesity gene tub. <b>2001</b> , 2, 499-504	42
838	Two molecularly distinct intracellular pathways to oligodendrocyte differentiation: role of a p53 family protein. <b>2001</b> , 20, 5261-8	67
8 <sub>3</sub> 8		6 <del>7</del> 99
	family protein. <b>2001</b> , 20, 5261-8  X-ray structure of the orphan nuclear receptor RORbeta ligand-binding domain in the active	ŕ
837	K-ray structure of the orphan nuclear receptor RORbeta ligand-binding domain in the active conformation. 2001, 20, 5822-31  PI3-kinase in concert with Src promotes the S-phase entry of oestradiol-stimulated MCF-7 cells.	99
8 <sub>37</sub> 8 <sub>36</sub>	<ul> <li>K-ray structure of the orphan nuclear receptor RORbeta ligand-binding domain in the active conformation. 2001, 20, 5822-31</li> <li>PI3-kinase in concert with Src promotes the S-phase entry of oestradiol-stimulated MCF-7 cells. 2001, 20, 6050-9</li> <li>A role for coactivators and histone acetylation in estrogen receptor alpha-mediated transcription</li> </ul>	99 358
8 <sub>37</sub> 8 <sub>36</sub> 8 <sub>35</sub>	X-ray structure of the orphan nuclear receptor RORbeta ligand-binding domain in the active conformation. 2001, 20, 5822-31  Pl3-kinase in concert with Src promotes the S-phase entry of oestradiol-stimulated MCF-7 cells. 2001, 20, 6050-9  A role for coactivators and histone acetylation in estrogen receptor alpha-mediated transcription initiation. 2001, 20, 6084-94  A subfamily of RNA-binding DEAD-box proteins acts as an estrogen receptor alpha coactivator	99 358 86
837 836 835 834	X-ray structure of the orphan nuclear receptor RORbeta ligand-binding domain in the active conformation. 2001, 20, 5822-31  PI3-kinase in concert with Src promotes the S-phase entry of oestradiol-stimulated MCF-7 cells. 2001, 20, 6050-9  A role for coactivators and histone acetylation in estrogen receptor alpha-mediated transcription initiation. 2001, 20, 6084-94  A subfamily of RNA-binding DEAD-box proteins acts as an estrogen receptor alpha coactivator through the N-terminal activation domain (AF-1) with an RNA coactivator, SRA. 2001, 20, 1341-52	99 358 86

# (2001-2001)

830	Selective enhancement of gene transfer by steroid-mediated gene delivery. <b>2001</b> , 19, 1155-61	74
829	Involvement of chromatin and histone acetylation in the regulation of HIV-LTR by thyroid hormone receptor. <b>2001</b> , 11, 8-16	27
828	Thyroid hormone regulation of apoptotic tissue remodeling during anuran metamorphosis. <b>2001</b> , 11, 245-52	43
827	Transcription factors and translocations in lymphoid and myeloid leukemia. <b>2001</b> , 15, 313-31	42
826	Glucocorticoid receptor-mediated chromatin remodeling in vivo. <b>2001</b> , 20, 3039-46	70
825	Cross-talk between glucocorticoid receptor and AP-1. <b>2001</b> , 20, 2465-75	184
824	FRAP reveals that mobility of oestrogen receptor-alpha is ligand- and proteasome-dependent. <b>2001</b> , 3, 15-23	348
823	Regulation of CD40 and CD40 ligand by the AT-hook transcription factor AKNA. <b>2001</b> , 410, 383-7	67
822	Erratum: Drought-induced guard cell signal transduction involves sphingosine-1-phosphate. <b>2001</b> , 411, 219-219	3
821	Erratum: BRI1 is a critical component of a plasma-membrane receptor for plant steroids. <b>2001</b> , 411, 219-219	5
821	Erratum: BRI1 is a critical component of a plasma-membrane receptor for plant steroids. <b>2001</b> , 411, 219-219  The impact of mammalian gene regulation concepts on functional genomic research, metabolic engineering, and advanced gene therapies. <b>2001</b> , 17, 1-51	5
	The impact of mammalian gene regulation concepts on functional genomic research, metabolic	
820	The impact of mammalian gene regulation concepts on functional genomic research, metabolic engineering, and advanced gene therapies. <b>2001</b> , 17, 1-51  A Retinoic Acid Receptor Antagonist Suppresses Brain Retinoic Acid Receptor Overexpression and	140
820	The impact of mammalian gene regulation concepts on functional genomic research, metabolic engineering, and advanced gene therapies. <b>2001</b> , 17, 1-51  A Retinoic Acid Receptor Antagonist Suppresses Brain Retinoic Acid Receptor Overexpression and Reverses a Working Memory Deficit Induced by Chronic Ethanol Consumption in Mice. <b>2001</b> , 25, 1506-1514  Peroxisome Proliferator-Activated Receptors (PPAR) and the Mitochondrial Aldehyde	140
820 819 818	The impact of mammalian gene regulation concepts on functional genomic research, metabolic engineering, and advanced gene therapies. 2001, 17, 1-51  A Retinoic Acid Receptor Antagonist Suppresses Brain Retinoic Acid Receptor Overexpression and Reverses a Working Memory Deficit Induced by Chronic Ethanol Consumption in Mice. 2001, 25, 1506-1514  Peroxisome Proliferator-Activated Receptors (PPAR) and the Mitochondrial Aldehyde Dehydrogenase (ALDH2) Promoter In Vitro and In Vivo. 2001, 25, 945-952	140 26 18
820 819 818	The impact of mammalian gene regulation concepts on functional genomic research, metabolic engineering, and advanced gene therapies. 2001, 17, 1-51  A Retinoic Acid Receptor Antagonist Suppresses Brain Retinoic Acid Receptor Overexpression and Reverses a Working Memory Deficit Induced by Chronic Ethanol Consumption in Mice. 2001, 25, 1506-1514  Peroxisome Proliferator-Activated Receptors (PPAR) and the Mitochondrial Aldehyde Dehydrogenase (ALDH2) Promoter In Vitro and In Vivo. 2001, 25, 945-952  Inflammatory pathways in atherosclerosis and acute coronary syndromes. 2001, 88, 10K-15K  Amelioration of experimental autoimmune encephalomyelitis in C57BL/6 mice by an agonist of	140 26 18
820 819 818 817	The impact of mammalian gene regulation concepts on functional genomic research, metabolic engineering, and advanced gene therapies. 2001, 17, 1-51  A Retinoic Acid Receptor Antagonist Suppresses Brain Retinoic Acid Receptor Overexpression and Reverses a Working Memory Deficit Induced by Chronic Ethanol Consumption in Mice. 2001, 25, 1506-1514  Peroxisome Proliferator-Activated Receptors (PPAR) and the Mitochondrial Aldehyde Dehydrogenase (ALDH2) Promoter In Vitro and In Vivo. 2001, 25, 945-952  Inflammatory pathways in atherosclerosis and acute coronary syndromes. 2001, 88, 10K-15K  Amelioration of experimental autoimmune encephalomyelitis in C57BL/6 mice by an agonist of peroxisome proliferator-activated receptor-gamma. 2001, 116, 40-8	140 26 18 181

812	Localization of nuclear coactivators p300 and steroid receptor coactivator 1 in the rat hippocampus. <b>2001</b> , 890, 197-202	54
811	DNA binding domains in diverse nuclear receptors function as nuclear export signals. <b>2001</b> , 11, 1749-58	140
810	Nuclear-receptor interactions on DNA-response elements. <b>2001</b> , 26, 384-90	223
809	Transcription factors: bound to activate or repress. <b>2001</b> , 26, 211-3	48
808	Retinoid X receptor and its partners in the nuclear receptor family. <b>2001</b> , 11, 33-8	133
807	Diethylstilbestrol regulates trophoblast stem cell differentiation as a ligand of orphan nuclear receptor ERR beta. <b>2001</b> , 15, 833-8	197
806	Retinoic acid receptor alpha1 variants, RARalpha1DeltaB and RARalpha1DeltaBC, define a new class of nuclear receptor isoforms. <b>2001</b> , 29, 4901-8	17
805	Two thyroid hormone-mediated gene expression patterns in vivo identified by cDNA expression arrays in rat. <b>2001</b> , 29, 5148-55	75
804	Selective ablation of retinoid X receptor alpha in hepatocytes impairs their lifespan and regenerative capacity. <b>2001</b> , 98, 4581-6	83
803	Nuclear hormone receptor CHR3 is a critical regulator of all four larval molts of the nematode Caenorhabditis elegans. <b>2001</b> , 98, 7360-5	99
802	Impaired adipogenesis and lipolysis in the mouse upon selective ablation of the retinoid X receptor ´mediated by a tamoxifen-inducible chimeric Cre recombinase (Cre-ERT2) in adipocytes. <b>2001</b> , 98, 224-228	158
801	Peroxisome proliferator-activated receptor gamma-mediated transcriptional up-regulation of the hepatocyte growth factor gene promoter via a novel composite cis-acting element. <b>2001</b> , 276, 25049-56	39
800	DJ-1 positively regulates the androgen receptor by impairing the binding of PIASx alpha to the receptor. <b>2001</b> , 276, 37556-63	263
799	The orphan nuclear receptor small heterodimer partner as a novel coregulator of nuclear factor-kappa b in oxidized low density lipoprotein-treated macrophage cell line RAW 264.7. <b>2001</b> , 276, 33736-40	42
798	Tip60 is a co-activator specific for class I nuclear hormone receptors. <b>2001</b> , 276, 46841-8	74
797	Definition of a dioxin receptor mutant that is a constitutive activator of transcription: delineation of overlapping repression and ligand binding functions within the PAS domain. <b>2001</b> , 276, 41841-9	77
796	Up-regulation of prosaposin by the retinoid HPR and its effect on ceramide production and integrin receptors. <b>2001</b> , 15, 1475-7	14
795	Retinoic acid synthesis for the developing telencephalon. <b>2001</b> , 11, 894-905	67

## (2020-2001)

794	Peroxisome proliferator-activated receptor-gamma-independent inhibition of macrophage activation by the non-thiazolidinedione agonist L-796,449. Comparison with the effects of 15-deoxy-delta(12,14)-prostaglandin J(2). <b>2001</b> , 276, 34082-8	39
793	Forkhead homologue in rhabdomyosarcoma functions as a bifunctional nuclear receptor-interacting protein with both coactivator and corepressor functions. <b>2001</b> , 276, 27907-12	130
792	Expression of the human androgen receptor in eukaryotic cells using a recombinant adenovirus vector yields high levels of the soluble, functional receptor protein. <b>2001</b> , 27, 321-8	
791	CIA, a novel estrogen receptor coactivator with a bifunctional nuclear receptor interacting determinant. <b>2001</b> , 21, 343-53	57
790	Arsenic trioxide is a potent inhibitor of the interaction of SMRT corepressor with Its transcription factor partners, including the PML-retinoic acid receptor alpha oncoprotein found in human acute promyelocytic leukemia. <b>2001</b> , 21, 7172-82	54
789	Domain structure of the NRIF3 family of coregulators suggests potential dual roles in transcriptional regulation. <b>2001</b> , 21, 8371-84	23
788	Effects of estrogen on the vascular injury response in estrogen receptor alpha, beta (double) knockout mice. <b>2001</b> , 89, 534-9	141
787	Genome wide analysis of gene expression changes in skin from patients with type 2 diabetes. <b>2020</b> , 15, e0225267	11
786	An overview of spirooxindole as a promising scaffold for novel drug discovery. <b>2020</b> , 15, 603-625	67
785	Scaffold attachment factor B: distribution and interaction with ERHn the rat brain. <b>2020</b> , 153, 323-338	2
784	Dynamics of ACTH and Cortisol Secretion and Implications for Disease. <b>2020</b> , 41,	44
783	Computational Insight into the Allosteric Activation Mechanism of Farnesoid X Receptor. <b>2020</b> , 60, 1540-1550	1
782	Temporal and bidirectional influences of estradiol on voluntary wheel running in adult female and male rats. <b>2020</b> , 120, 104694	7
781	In vitro effects of androgen on testicular development by the AR-foxl3-rec8/fbxo47 axis in orange-spotted grouper (Epinephelus coioides). <b>2020</b> , 292, 113435	1
7 <sup>8</sup> 0	Advances of Zinc Signaling Studies in Prostate Cancer. <b>2020</b> , 21,	14
779	Genetic Landscape of Nonobstructive Azoospermia and New Perspectives for the Clinic. <b>2020</b> , 9,	22
778	Epigenetic changes associated with increased estrogen receptor alpha mRNA transcript abundance during reproductive maturation in chicken ovaries. <b>2020</b> , 214, 106287	5
777	Sex differences in neurodevelopmental abnormalities caused by early-life anaesthesia exposure: a narrative review. <b>2020</b> , 124, e81-e91	15

776	Unraveling the Hierarchy of and Factors That Determine the DNA Binding by Peroxisome Proliferator-Activated Receptor [ <b>2020</b> , 40,	3
775	New Insights into the Binding Mechanism of Co-regulator BUD31 to AR AF2 Site: Structural Determination and Analysis of the Mutation Effect. <b>2020</b> , 16, 45-53	O
774	Signals, epigenetics, regulation of gene expression. <b>2020</b> , 109-138	
773	Hepatic Nuclear Receptors. <b>2020</b> , 337-350	О
77²	The Effect of Resampling on Data-imbalanced Conditions for Prediction towards Nuclear Receptor Profiling Using Deep Learning. <b>2020</b> , 39, e1900131	3
771	Effect of ovariectomy on maxilla and mandible dimensions of female rats. <b>2020</b> , 23, 342-350	6
770	Circadian Clock-Controlled Drug Metabolism: Implications for Chronotherapeutics. 2020, 48, 395-406	19
769	Cloning and molecular characterization of estrogen-related receptor (ERR) and vitellogenin genes in the brackish water flea Diaphanosoma celebensis exposed to bisphenol A and its structural analogues. <b>2020</b> , 154, 111063	8
768	Identification of genetic effects and potential causal polymorphisms of CPM gene impacting milk fatty acid traits in Chinese Holstein. <b>2020</b> , 51, 491-501	2
767	ESR1 Mutations Associated With Estrogen Insensitivity Syndrome Change Conformation of Ligand-Receptor Complex and Altered Transcriptome Profile. <b>2020</b> , 161,	4
766	Reactivation of NR4A1 Restrains Chondrocyte Inflammation and Ameliorates Osteoarthritis in Rats. <b>2020</b> , 8, 158	13
765	Peroxisome proliferator-activated receptor activity correlates with poor survival in patients resected for hepatocellular carcinoma. <b>2021</b> , 28, 327-335	3
764	Special features of neuroendocrine interactions between stress and reproduction in teleosts. <b>2021</b> , 300, 113634	6
763	Zinc homeostasis and signaling in the roundworm C. elegans. <b>2021</b> , 1868, 118882	1
762	Nuclear-mitochondrial crosstalk: On the role of the nuclear receptor liver receptor homolog-1 (NR5A2) in the regulation of mitochondrial metabolism, cell survival, and cancer. <b>2021</b> , 73, 592-610	3
761	Nuclear receptors: Key regulators of somatic cell functions in the ovulatory process. <b>2021</b> , 78, 100937	2
760	Citrus flavonoids and the intestinal barrier: Interactions and effects. <b>2021</b> , 20, 225-251	12
759	A seven-nuclear receptor-based prognostic signature in breast cancer. <b>2021</b> , 23, 1292-1303	3

## (2021-2021)

758	CEPT1-Mediated Phospholipogenesis Regulates Endothelial Cell Function and Ischemia-Induced Angiogenesis Through PPAR <b>2021</b> , 70, 549-561	1
757	Fluorescence properties of retinoid X receptor antagonist NEt-SB. <b>2021</b> , 31, 127666	1
756	Cardiac transmembrane ion channels and action potentials: cellular physiology and arrhythmogenic behavior. <b>2021</b> , 101, 1083-1176	19
755	Detection and identification of ACP-105 and its metabolites in equine urine using LC/MS/MS after oral administration. <b>2021</b> , 13, 299-317	2
754	Probiotics: Emerging functional ingredients for healthy aging and age-related diseases. <b>2021</b> , 175-212	1
753	Synthesis and Structure-Activity Relationship Study of 1,12-Dicarba-closo-dodecaborane-based Triol Derivatives as Nonsecosteroidal Vitamin D Analogs. <b>2021</b> , 103, 444	
752	Nuclear Receptors in Asthma: Empowering Classical Molecules Against a Contemporary Ailment. <b>2020</b> , 11, 594433	1
751	Developing Inhibitors to the Amino-Terminus Domains of Steroid Hormone Receptors. <b>2021</b> , 613-642	
750	Potent synthetic and endogenous ligands for the adopted orphan nuclear receptor Nurr1. <b>2021</b> , 53, 19-29	8
749	gene polymorphisms and susceptibility to type 2 diabetes: evidence from a meta-regression and meta-analysis based on 47 studies. <b>2021</b> , 20, 845-867	1
748	A decade with the juvenile hormone receptor. <b>2021</b> , 60, 37-85	5
747	Endocrine disrupting chemicals (EDCs) and sex steroid receptors. <b>2021</b> , 92, 191-235	O
746	Nuclear receptors linking physiology and germline stem cells in Drosophila. 2021, 116, 327-362	3
745	Transcriptional Regulation of Metabolic Pathways via Lipid-Sensing Nuclear Receptors PPARs, FXR, and LXR in NASH. <b>2021</b> , 11, 1519-1539	14
744	Corticosteroids. <b>2021</b> , 931-933	
743	Nexus between PI3K/AKT and Estrogen Receptor Signaling in Breast Cancer. <b>2021</b> , 13,	13
742	Estrogen receptors in pain modulation: cellular signaling. <b>2021</b> , 12, 22	8
741	Life Without Thyroid Hormone Receptor. <b>2021</b> , 162,	7

740	SMYD3: a regulator of epigenetic and signaling pathways in cancer. <b>2021</b> , 13, 45	1
739	Identification of Novel C-Terminally Truncated Estrogen Receptor <b>W</b> ariant Transcripts and Their Distribution in Humans. <b>2021</b> , 88, 54-62	1
738	ROR Regulates Odontoblastic Differentiation and Mediates the Pro-Odontogenic Effect of Melatonin on Dental Papilla Cells. <b>2021</b> , 26,	2
737	Emerging roles of steroid receptor coactivators in stromal cell responses. <b>2021</b> , 248, R41-R50	3
736	Another One Bites the Gut: Nuclear Receptor LRH-1 in Intestinal Regeneration and Cancer. <b>2021</b> , 13,	0
735	The Associations Between Vitamin D Receptor Bsml and Apal Polymorphisms and Obesity in Korean Patients with Type 2 Diabetes Mellitus. <b>2021</b> , 14, 557-564	2
734	Bisphenol-C is the strongest bifunctional ER曲gonist and ERthatagonist due to magnified halogen bonding. <b>2021</b> , 16, e0246583	3
733	Nuclear Receptors in the Control of the NLRP3 Inflammasome Pathway. <b>2021</b> , 12, 630536	11
732	The Link Between Sex Hormones and Susceptibility to Cardiac Arrhythmias: From Molecular Basis to Clinical Implications. <b>2021</b> , 8, 644279	3
731	Application of a Battery of Sex Steroid-Responsive Reporter Yeasts for the Detection of Sex Hormone-Disrupting Chemicals. <b>2021</b> , 7, 14-23	O
730	Vitamin A5/X, a New Food to Lipid Hormone Concept for a Nutritional Ligand to Control RXR-Mediated Signaling. <b>2021</b> , 13,	1
729	Heterogeneity in Signaling Pathway Activity within Primary and between Primary and Metastatic Breast Cancer. <b>2021</b> , 13,	1
728	Exposure of androgen mimicking environmental chemicals enhances proliferation of prostate cancer (LNCaP) cells by inducing AR expression and epigenetic modifications. <b>2021</b> , 272, 116397	5
7 <del>2</del> 7	Evaluation of Vitamin D3 metabolite (25-OH Vit D3), Neurotransmitter (ACh), and the Expression of Proinflammatory Cytokines (IL-6 and TNF-Hin Tissue Homogenate after Administration of Biofield Energy Healing-based Novel Proprietary Test Formulation and Biofield Treatment per se to the	O
726	Downregulation of Prolactin-Induced Protein Promotes Osteogenic Differentiation of Periodontal Ligament Stem Cells. <b>2021</b> , 27, e930610	1
725	The Emerging Role of Extracellular Vesicles in Endocrine Resistant Breast Cancer. <b>2021</b> , 13,	4
724	Molecular identification of an androgen receptor and the influence of long-term aggressive interaction on hypothalamic genes expression in black rockfish (Sebastes schlegelii). <b>2021</b> , 207, 401-413	О
723	Nuclear receptors, the aryl hydrocarbon receptor, and macrophage function. <b>2021</b> , 78, 100942	2

## (2021-2021)

722	Specific non-genetic IAP-based protein erasers (SNIPERs) as a potential therapeutic strategy. <b>2021</b> , 216, 113247	9
721	Uncovering Evidence for Endocrine-Disrupting Chemicals That Elicit Differential Susceptibility through Gene-Environment Interactions. <b>2021</b> , 9,	1
720	Type II nuclear receptors with potential role in Alzheimer disease. <b>2021</b> , 78, 100940	2
719	Molecular modeling and molecular dynamics simulation studies on thyroid hormone receptor from Rattus norvegicus: role of conserved water molecules. <b>2021</b> , 27, 126	1
718	Stability of the Retinoid X Receptor-Homodimer in the Presence and Absence of Rexinoid and Coactivator Peptide. <b>2021</b> , 60, 1165-1177	2
717	Illuminating the "Black Box" of Progesterone-Dependent Embryo Implantation Using Engineered Mice. <b>2021</b> , 9, 640907	4
716	How protein methylation regulates steroid receptor function. 2021,	1
715	Stress hormones mediate developmental plasticity in vertebrates with complex life cycles. <b>2021</b> , 14, 100301	8
714	The chemical defensome of five model teleost fish. <b>2021</b> , 11, 10546	4
713	Creation of Fluorescent RXR Antagonists Based on CBTF-EE and Application to a Fluorescence Polarization Binding Assay. <b>2021</b> , 12, 1024-1029	1
712	Genomic analysis of nuclear receptors and miRNAs identifies a role for the NR3C1/miR-200 axis in colon cancer. <b>2021</b> , 43, 913-920	1
711	Impaired Vitamin D Signaling in T Cells From a Family With Hereditary Vitamin D Resistant Rickets. <b>2021</b> , 12, 684015	3
710	Treatment and trials in non-metastatic castration-resistant prostate cancer. 2021, 18, 433-442	5
709	The physiological role of estrogen receptor functional domains. <b>2021</b> , 65, 867-875	5
708	The role of sex chromosomes and sex hormones in vocal learning systems. <b>2021</b> , 132, 104978	3
707	Steroid receptor-coregulator transcriptional complexes: new insights from CryoEM. <b>2021</b> , 65, 857-866	5
706	Identification of juvenile hormone-induced posttranslational modifications of methoprene tolerant and Krppel homolog 1 in the yellow fever mosquito, Aedes aegypti. <b>2021</b> , 242, 104257	5
705	Endocrine Disrupting Chemicals, Hormone Receptors, and Acne Vulgaris: A Connecting Hypothesis. <b>2021</b> , 10,	4

704	TRIMming Down Hormone-Driven Cancers: The Biological Impact of TRIM Proteins on Tumor Development, Progression and Prognostication. <b>2021</b> , 10,	3
703	Pyridine moiety: An insight into recent advances in treatment of cancer. <b>2021</b> ,	1
702	Estrogen receptor-Bignaling in post-natal mammary development and breast cancers. <b>2021</b> , 78, 5681-5705	3
701	Progesterone receptors in normal breast development and breast cancer. <b>2021</b> , 65, 951-969	4
700	Acquired ABC-transporter overexpression in cancer cells: transcriptional induction or Darwinian selection?. <b>2021</b> , 394, 1621-1632	3
699	Androgen-dependent and DNA-binding-independent association of androgen receptor with chromatic regions coding androgen-induced noncoding RNAs. <b>2021</b> , 85, 2121-2130	3
698	Steroid receptor coactivator-1: the central intermediator linking multiple signals and functions in the brain and spinal cord. <b>2021</b> ,	О
697	Roles of Estrogens in the Healthy and Diseased Oviparous Vertebrate Liver. <b>2021</b> , 11,	O
696	Benzosuberene-sulfone analogues synthesis from Cedrus deodara oil and their therapeutic evaluation by computational analysis to treat type 2 diabetes. <b>2021</b> , 112, 104860	2
695	Effects of Androgen Receptor Overexpression on Chondrogenic Ability of Rabbit Articular Chondrocytes. <b>2021</b> , 18, 641-650	1
694	Targeted protein degradation: A promise for undruggable proteins. <b>2021</b> , 28, 934-951	27
693	Nuclear receptors NHR-49 and NHR-79 promote peroxisome proliferation to compensate for aldehyde dehydrogenase deficiency in C. elegans. <b>2021</b> , 17, e1009635	1
692	The antiandrogen enzalutamide downregulates TMPRSS2 and reduces cellular entry of SARS-CoV-2 in human lung cells. <b>2021</b> , 12, 4068	21
691	Untangling the Cooperative Role of Nuclear Receptors in Cardiovascular Physiology and Disease. <b>2021</b> , 22,	1
690	A study of a hierarchical structure of proteins and ligand binding sites of receptors using the triangular spatial relationship-based structure comparison method and development of a size-filtering feature designed for comparing different sizes of protein structures. <b>2021</b> ,	O
689	The Role of Thyroid Hormone in the Regulation of Cerebellar Development. <b>2021</b> , 36, 703-716	1
688	TLX, an Orphan Nuclear Receptor With Emerging Roles in Physiology and Disease. 2021, 162,	1
687	The Role of Histone Deacetylase 3 Complex in Nuclear Hormone Receptor Action. <b>2021</b> , 22,	3

686	Overview of all-trans-retinoic acid (ATRA) and its analogues: Structures, activities, and mechanisms in acute promyelocytic leukaemia. <b>2021</b> , 220, 113451	4
685	A New Old Target: Androgen Receptor Signaling and Advanced Prostate Cancer. 2021,	3
684	IFN-land PPARlinfluence the efficacy and retention of multipotent adult progenitor cells in graft vs host disease. <b>2021</b> , 10, 1561-1574	1
683	Gene therapy with AR isoform 2 rescues spinal and bulbar muscular atrophy phenotype by modulating AR transcriptional activity. <b>2021</b> , 7,	4
682	Retinoic Acid Signaling in Vertebrate Hindbrain Segmentation: Evolution and Diversification. <b>2021</b> , 13, 398	2
681	Utilizing a Biology-Driven Approach to Map the Exposome in Health and Disease: An Essential Investment to Drive the Next Generation of Environmental Discovery. <b>2021</b> , 129, 85001	6
680	The ERECXCL19/CXCR4-NFB pathway is critical in mediating the E2-induced inflammation response in the orange-spotted grouper (Epinephelus coioides). <b>2021</b> , 212, 105926	3
679	Perinatal dietary protein deficiency alters ovarian genes critical to reproductive health from one generation to another in female rat models. <b>2021</b> , 24, 101225	1
678	Helix 12 stabilization contributes to basal transcriptional activity of PXR. <b>2021</b> , 297, 100978	2
677	Estrogen receptor gets a grip on RNA. <i>Cell</i> , <b>2021</b> , 184, 5086-5088	56.2 0
677 676	Estrogen receptor gets a grip on RNA. <i>Cell</i> , <b>2021</b> , 184, 5086-5088  Genome-wide crosstalk between steroid receptors in breast and prostate cancers. <b>2021</b> , 28, R231-R250	56.2 0
676	Genome-wide crosstalk between steroid receptors in breast and prostate cancers. <b>2021</b> , 28, R231-R250	1
676 675	Genome-wide crosstalk between steroid receptors in breast and prostate cancers. <b>2021</b> , 28, R231-R250  Nuclear Receptors and Clock Components in Cardiovascular Diseases. <b>2021</b> , 22,  Xenoextracellular matrix-rosiglitazone complex-mediated immune evasion promotes xenogenic	1 0
676 675 674	Genome-wide crosstalk between steroid receptors in breast and prostate cancers. 2021, 28, R231-R250  Nuclear Receptors and Clock Components in Cardiovascular Diseases. 2021, 22,  Xenoextracellular matrix-rosiglitazone complex-mediated immune evasion promotes xenogenic bioengineered root regeneration by altering M1/M2 macrophage polarization. 2021, 276, 121066  Lobeglitazone attenuates fibrosis in corneal fibroblasts by interrupting TGF-beta-mediated Smad	1 0 2
676 675 674	Genome-wide crosstalk between steroid receptors in breast and prostate cancers. 2021, 28, R231-R250  Nuclear Receptors and Clock Components in Cardiovascular Diseases. 2021, 22,  Xenoextracellular matrix-rosiglitazone complex-mediated immune evasion promotes xenogenic bioengineered root regeneration by altering M1/M2 macrophage polarization. 2021, 276, 121066  Lobeglitazone attenuates fibrosis in corneal fibroblasts by interrupting TGF-beta-mediated Smad signaling. 2021, 1	1 0 2
676 675 674 673	Genome-wide crosstalk between steroid receptors in breast and prostate cancers. 2021, 28, R231-R250  Nuclear Receptors and Clock Components in Cardiovascular Diseases. 2021, 22,  Xenoextracellular matrix-rosiglitazone complex-mediated immune evasion promotes xenogenic bioengineered root regeneration by altering M1/M2 macrophage polarization. 2021, 276, 121066  Lobeglitazone attenuates fibrosis in corneal fibroblasts by interrupting TGF-beta-mediated Smad signaling. 2021, 1  Vitamin D and Its Relationship with the Pathways Related to Thrombosis and Various Diseases.	1 0 2 0

668	Identification and Functional Characterization of a Novel Androgen Receptor Coregulator, EAP1. <b>2021</b> , 5, bvab150	О
667	Liver-specific Deletion Of Small Heterodimer Partner Alters Enterohepatic Bile Acid Levels And Promotes Bile Acid-Mediated Proliferation In Male Mice.	
666	Arsenic exposure induces a bimodal toxicity response in zebrafish. <b>2021</b> , 287, 117637	4
665	Sex differences feed into nuclear receptor signaling along the digestive tract. <b>2021</b> , 1867, 166211	
664	Vitamin A5/X controls stress-adaptation and prevents depressive-like behaviors in a mouse model of chronic stress. <b>2021</b> , 15, 100375	0
663	Membrane-initiated actions of sex steroids and reproductive behavior: A historical account. <b>2021</b> , 538, 111463	3
662	Nuclear receptors in liver fibrosis. <b>2021</b> , 1867, 166235	4
661	The development of adult intestinal stem cells: Insights from studies on thyroid hormone-dependent anuran metamorphosis. <b>2021</b> , 116, 269-293	O
660	Corticosteroid (Glucocorticoid) Receptor.	1
659	Thyroid Hormones and Thyromimetics. <b>2003</b> , 563-592	3
658	Retinoid Receptors RAR and RXR: Structure and Function. 191	1
657	Molecular Mechanisms of Estrogen Action in Target Tissues. <b>2006</b> , 2-47	Ο
656	Estrogens and spermatogenesis. <b>2008</b> , 636, 42-64	13
655	The Role of Bile Acids in Gut-Hormone-Induced Weight Loss After Bariatric Surgery: Implications for Appetite Control and Diabetes. <b>2011</b> , 1317-1330	2
654	Sex steroid hormone receptors in fish ovaries. <b>2007</b> , 203-233	7
653	Resistance to Thyroid Hormone in the Absence of Mutations in the Thyroid Hormone Receptor Genes. <b>2004</b> , 89-107	1
652	Role of intestinal nuclear bile acid receptor FXR in the gut[Iver axis. 2009, 135-142	1
651	Microenvironmental control of glucocorticoid functions in immune regulation. <b>1997</b> , 101-133	3

### (2004-1998)

650	Structure and Function of the Steroid and Nuclear Receptor DNA Binding Domain. 1998, 105-131	8
649	Molecular Mechanisms of Nuclear Receptor-Mediated Transcriptional Activation and Basal Repression. <b>1998</b> , 159-189	3
648	Transcriptional Cross-Talk by Steroid Hormone Receptors. <b>1998</b> , 191-207	2
647	Chromatin and Steroid-Receptor-Mediated Transcription. <b>1998</b> , 209-235	3
646	Expression of Steroid Hormone Receptors in the Pregnant Uterus. <b>1998</b> , 177-197	4
645	Cellular and Molecular Aspects of the A-Type Natriuretic Peptide. <b>1997</b> , 71-94	1
644	TRIM involvement in transcriptional regulation. <b>2012</b> , 770, 59-76	15
643	The Role of PPARlin Stroke. <b>2014,</b> 301-320	2
642	Oxidation-Sensitive Transcription and Gene Expression in Atherosclerosis. 2000, 135-154	3
641	Activity of the human aldehyde dehydrogenase 2 promoter is influenced by the balance between activation by hepatocyte nuclear factor 4 and repression by perosixome proliferator activated receptor delta, chicken ovalbumin upstream promoter-transcription factor, and apolipoprotein	5
640	Complexity, retinoid-responsive gene networks, and bladder carcinogenesis. <b>1999</b> , 462, 449-67	10
639	Fetal and perinatal influence of xenoestrogens on testis gene expression. <b>1997</b> , 424, 99-110	46
638	Emergence and Characterization of the p23 Molecular Chaperone. <b>2014</b> , 207-232	1
637	Analysis of histone posttranslational modifications in the control of chromatin plasticity observed at estrogen-responsive sites in human breast cancer cells. <b>2014</b> , 1204, 59-69	1
636	Estrogen Receptor-Eknockout Mice. <b>2016</b> , 1366, 425-430	2
635	Proteomics to Predict Loss of RXR-During Progression of Epithelial Ovarian Cancer. <b>2019</b> , 2019, 1-14	2
634	The Progesterone Receptor Knockout Mouse Model. <b>2001</b> , 173-204	1
633	Molecular Regulation of Ketogenesis. <b>2004</b> , 201-215	2

632	Resistance to Antiestrogens. <b>2006</b> , 413-433	1
631	The Use of Retinoids as Differentiation Agents Against Medulloblastoma. <b>2009</b> , 1077-1104	1
630	Role of HSP60 in Steroidogenesis and Reproduction. <b>2019</b> , 317-346	1
629	Oxysterols and Bile Acid Act as Signaling Molecules That Regulate Cholesterol Homeostasis: Nuclear Receptors LXR, FXR, and Fibroblast Growth Factor 15/19. <b>2020</b> , 117-143	1
628	The Vitamin D Receptor as Tumor Suppressor in Skin. <b>2020</b> , 1268, 285-306	8
627	Current status of estrogen receptors. <b>2002</b> , 59, 201-32	4
626	The glucocorticoid receptor: expression, function, and regulation of glucocorticoid responsiveness. <b>2001</b> , 55-80	6
625	Prostate cancer and the androgen receptor: strategies for the development of novel therapeutics. <b>2000</b> , 55, 213-33	13
624	Retinoic acid receptors in normal and neoplastic haematopoietic cells. <b>2000</b> , 129-139	1
623	Synergistic activation of mouse metallothionein-I gene by interleukin-6 and glucocorticoid. <b>1999</b> , 267-272	2
622	Stimulation of liver cell growth by direct mitogens. <b>1998</b> , 213-225	1
621	Part III: Steroid Hormone Receptors and Signal Transduction Processes. <b>2016</b> , 1-47	1
620	High-Fat Diet and Maternal Obesity-Associated Epigenetic Regulation of Bone Development. 2017, 1-17	1
619	Androgen Receptor. <b>2017</b> , 395-416	2
618	Contribution of targeted conditional somatic mutagenesis to deciphering retinoid X receptor functions and to generating mouse models of human diseases. <b>2007</b> , 511-24	7
617	Genetic interactions during hindbrain segmentation in the mouse embryo. <b>2000</b> , 30, 51-89	18
616	Biochemical and physiological aspects of endogenous androgens. <b>2010</b> , 25-64	12
615	Avian Embryo as Model for Retinoid Function in Early Development. <b>1999</b> , 443-464	4

### (2008-1999)

614	Retinoid Receptor-Selective Agonists and Their Action in Skin. <b>1999</b> , 539-559	3
613	RXR-Specific Agonists and Modulators: A New Retinoid Pharmacology. <b>1999</b> , 215-235	4
612	Structure and Function of the Estrogen Receptor. <b>1999</b> , 111-126	9
611	Imaginal Discs and Tissue Cultures as Targets for Insecticide Action. <b>2001</b> , 133-150	5
610	Physiology of Testicular Function. <b>1997</b> , 23-57	7
609	Genetic Control of Carbon Utilization During Hibernation: Mechanistic Considerations. 2000, 325-337	1
608	Physiology of Testicular Function. <b>2001</b> , 23-61	6
607	DNA-dependent cofactor selectivity of the glucocorticoid receptor. <b>2002</b> , 279-95	2
606	Glucocorticoid receptor antagonism of AP-1 activity by inhibition of MAPK family. 2002, 131-52	2
605	Physiologie der Hodenfunktion. <b>2000</b> , 27-67	1
605	Physiologie der Hodenfunktion. 2000, 27-67  Corepressors and nuclear hormone receptor function. 2001, 254, 101-16	65
604	Corepressors and nuclear hormone receptor function. <b>2001</b> , 254, 101-16  Long Noncoding RNA Functions as a Regulator for Steroid Hormone Receptor-Related Breast and	65
604	Corepressors and nuclear hormone receptor function. <b>2001</b> , 254, 101-16  Long Noncoding RNA Functions as a Regulator for Steroid Hormone Receptor-Related Breast and Prostate Cancers. <b>2015</b> , 231-249  Estrogen-Mediated Neuroprotection: Hope to Combat Neuronal Degeneration and Synaptic	65 1
604	Corepressors and nuclear hormone receptor function. 2001, 254, 101-16  Long Noncoding RNA Functions as a Regulator for Steroid Hormone Receptor-Related Breast and Prostate Cancers. 2015, 231-249  Estrogen-Mediated Neuroprotection: Hope to Combat Neuronal Degeneration and Synaptic Plasticity Post-menopause. 2012, 203-217	65 1
604 603 602	Corepressors and nuclear hormone receptor function. 2001, 254, 101-16  Long Noncoding RNA Functions as a Regulator for Steroid Hormone Receptor-Related Breast and Prostate Cancers. 2015, 231-249  Estrogen-Mediated Neuroprotection: Hope to Combat Neuronal Degeneration and Synaptic Plasticity Post-menopause. 2012, 203-217  The role of nuclear receptors in embryonic stem cells. 2013, 786, 287-306	65 1 1
604 603 602 600	Corepressors and nuclear hormone receptor function. 2001, 254, 101-16  Long Noncoding RNA Functions as a Regulator for Steroid Hormone Receptor-Related Breast and Prostate Cancers. 2015, 231-249  Estrogen-Mediated Neuroprotection: Hope to Combat Neuronal Degeneration and Synaptic Plasticity Post-menopause. 2012, 203-217  The role of nuclear receptors in embryonic stem cells. 2013, 786, 287-306  Complexity of the RAR-mediated transcriptional regulatory programs. 2014, 70, 203-25	65 1 1 5 8

596	The Vitamin D Hormone and its Nuclear Receptor: Mechanisms Involved in Bone Biology. <b>2006</b> , 307-325	2
595	Androgens. <b>2002</b> , 757-772	1
594	The Vitamin D Receptor. <b>2005</b> , 167-191	22
593	Vitamin D and Hematological Malignancy. <b>2005</b> , 1727-1740	3
592	Characteristics and Function of the Novel Estrogen Receptor #1998, 89-112	9
591	Nuclear Orphan Receptors: The Search for Novel Ligands and Signaling Pathways. <b>1998</b> , 307-358	19
590	The MLC-2 Paradigm for Ventricular Heart Chamber Specification, Maturation, and Morphogenesis. <b>1999</b> , 255-272	6
589	Developments and applications of ABINIT-MP software based on the fragment molecular orbital method. <b>2006</b> , 39-52	33
588	Hormones. <b>2012</b> , 837-849	1
587	Digestion and Absorption of Nutrients and Vitamins. <b>2010</b> , 1695-1733.e8	6
586	Antihypertensive Drugs. 2012, 1824-1878	1
585	A Hox gene regulatory network for hindbrain segmentation. <b>2020</b> , 139, 169-203	14
584	Changes in the immunohistochemical localization of estrogen receptor alpha and in the stereological parameters of the testes of mature and aged chickens (Gallus domesticus). <b>2019</b> , 510, 309-314	2
583	Functional characterization of retinoid X receptor with an emphasis on the mediation of organotin poisoning in the Pacific oyster (Crassostrea gigas). <b>2020</b> , 753, 144780	6
582	The regulation of corticosteroid receptors in response to chronic social defeat. <b>2017</b> , 108, 397-409	6
581	Low vitamin D levels predict left atrial thrombus in nonvalvular atrial fibrillation. <b>2020</b> , 30, 1152-1160	4
580	Assignment of interchain disulfide bonds in platelet-derived growth factor (PDGF) and evidence for agonist activity of monomeric PDGF <b>1992</b> , 267, 11260-11266	40
579	BAREing it all: the adoption of LXR and FXR and their roles in lipid homeostasis. <b>2002</b> , 43, 2-12	269

# (2020-2001)

578	Induction of acyl-coenzyme A:cholesterol acyltransferase-1 by 1,25-dihydroxyvitamin D3 or 9-cis-retinoic acid in undifferentiated THP-1 cells. <b>2001</b> , 42, 181-187	23
577	Lecithin:retinol acyltransferase from mouse and rat liver: cDNA cloning and liver-specific regulation by dietary vitamin A and retinoic acid. <b>2000</b> , 41, 2024-2034	71
576	Transgenic studies of fatty acid oxidation gene expression in nonobese diabetic mice. <b>2000</b> , 41, 2063-2070	16
575	Role of the peroxisome proliferator-activated receptor (PPAR) in mediating the effects of fibrates and fatty acids on gene expression. <b>1996</b> , 37, 907-925	879
574	Transcription factors in cardiogenesis: the combinations that unlock the mysteries of the heart. <b>2002</b> , 214, 1-62	26
573	Prevention of Nonmelanoma Skin Cancer. <b>1997</b> , 24, 663-671	1
572	Discovery of a "Gatekeeper" Antagonist that Blocks Entry Pathway to Retinoid X Receptors (RXRs) without Allosteric Ligand Inhibition in Permissive RXR Heterodimers. <b>2021</b> , 64, 430-439	6
571	PGE1 and PGA1 bind to Nurr1 and activate its transcriptional function. <b>2020</b> , 16, 876-886	23
570	Ligand activation of peroxisome proliferator-activated receptor Induces apoptosis of leukemia cells by down-regulating the c-myc gene expression via blockade of the Tcf-4 activity.	5
569	Regulation of mucin gene expression in human tracheobronchial epithelial cells by thyroid hormone. <b>2001</b> , 353, 727-34	12
568	Pathophysiology of adrenal hypertension. <b>2002</b> , 22, 44-53	19
567	The structure of the ultraspiracle ligand-binding domain reveals a nuclear receptor locked in an inactive conformation. <b>2001</b> , 98, 1549-54	59
566	Lack of adipocyte purinergic P2Y receptor greatly improves whole body glucose homeostasis. <b>2020</b> , 117, 30763-30774	16
565	SMRT isoforms mediate repression and anti-repression of nuclear receptor heterodimers. <b>1996</b> , 93, 7567-71	195
564	RAC3, a steroid/nuclear receptor-associated coactivator that is related to SRC-1 and TIF2. <b>1997</b> , 94, 8479-84	458
563	Retinoic acid-responsive enhancers located 3' of the Hox A and Hox B homeobox gene clusters. Functional analysis. <b>1997</b> , 272, 2167-75	124
562	Functional interaction between Oct-1 and retinoid X receptor. <b>1999</b> , 274, 19103-8	31
561	Anti-diabetic and hypolipidemic effects of bark extracts: an , , and approach. <b>2020</b> , 1-11	6

560	Cyclin E as a coactivator of the androgen receptor. <b>2000</b> , 150, 873-80	85
559	Genetic analysis of the Drosophila 63F early puff. Characterization of mutations in E63-1 and maggie, a putative Tom22. <b>2000</b> , 156, 229-44	13
558	Genetic architecture of testis and seminal vesicle weights in mice. <b>2001</b> , 158, 333-40	25
557	The divergent orphan nuclear receptor ODR-7 regulates olfactory neuron gene expression via multiple mechanisms in Caenorhabditis elegans. <b>2003</b> , 165, 1779-91	17
556	Cellular and molecular biology of the liver. <b>1999</b> , 15, 184-91	2
555	The human peroxisome proliferator-activated receptor alpha gene: identification and functional characterization of two natural allelic variants. <b>2000</b> , 10, 321-33	121
554	Two 7 alpha-hydroxylase enzymes in bile acid biosynthesis. <b>1998</b> , 9, 113-8	89
553	Molecular and cellular determinants of mineralocorticoid selectivity. <b>1999</b> , 8, 45-51	21
552	DAX-1 and the adrenal cortex. <b>1999</b> , 6, 185	10
551	Vitamin D and regulation of gene expression. <b>1998</b> , 1, 347-54	44
550	Vitamin D and regulation of gene expression. <b>1998</b> , 1, 347-54  Lack of Adipocyte Purinergic P2Y6 Receptor Greatly Improves Whole Body Glucose Homeostasis.	1
550	Lack of Adipocyte Purinergic P2Y6 Receptor Greatly Improves Whole Body Glucose Homeostasis.  Nuclear receptor NHR-49 promotes peroxisome proliferation to compensate for aldehyde	1
550 549	Lack of Adipocyte Purinergic P2Y6 Receptor Greatly Improves Whole Body Glucose Homeostasis.  Nuclear receptor NHR-49 promotes peroxisome proliferation to compensate for aldehyde dehydrogenase deficiency inC. elegans.  p300 and estrogen receptor cooperatively activate transcription via differential enhancement of	1
550 549 548	Lack of Adipocyte Purinergic P2Y6 Receptor Greatly Improves Whole Body Glucose Homeostasis.  Nuclear receptor NHR-49 promotes peroxisome proliferation to compensate for aldehyde dehydrogenase deficiency inC. elegans.  p300 and estrogen receptor cooperatively activate transcription via differential enhancement of initiation and reinitiation. 1998, 12, 331-42  The yeast Ada complex mediates the ligand-dependent activation function AF-2 of retinoid X and	1 1 269
<ul><li>550</li><li>549</li><li>548</li><li>547</li></ul>	Lack of Adipocyte Purinergic P2Y6 Receptor Greatly Improves Whole Body Glucose Homeostasis.  Nuclear receptor NHR-49 promotes peroxisome proliferation to compensate for aldehyde dehydrogenase deficiency inC. elegans.  p300 and estrogen receptor cooperatively activate transcription via differential enhancement of initiation and reinitiation. 1998, 12, 331-42  The yeast Ada complex mediates the ligand-dependent activation function AF-2 of retinoid X and estrogen receptors. 1998, 12, 1278-89	1 1 269 55
550 549 548 547 546	Lack of Adipocyte Purinergic P2Y6 Receptor Greatly Improves Whole Body Glucose Homeostasis.  Nuclear receptor NHR-49 promotes peroxisome proliferation to compensate for aldehyde dehydrogenase deficiency inC. elegans.  p300 and estrogen receptor cooperatively activate transcription via differential enhancement of initiation and reinitiation. 1998, 12, 331-42  The yeast Ada complex mediates the ligand-dependent activation function AF-2 of retinoid X and estrogen receptors. 1998, 12, 1278-89  Molecular determinants of nuclear receptor-corepressor interaction. 1999, 13, 3198-208	1 1 269 55 403

542	The Nuclear Receptor Superfamily Has Undergone Extensive Proliferation and Diversification in Nematodes. <b>1999</b> , 9, 103-120	71
541	What do warming waters mean for fish physiology and fisheries?. <b>2020</b> , 97, 328-340	31
540	Investigation of Interactions between DNA and Nuclear Receptors: A Review of the Most Used Methods. <b>2014</b> , 1, 1-20	1
539	Pan-cancer analyses of the nuclear receptor superfamily. <b>2015</b> , 2,	31
538	MUTATIONS IN LIVER X RECEPTOR ALPHA THAT IMPAIR DIMERIZATION AND LIGAND DEPENDENT TRANSACTIVATION. <b>2017</b> , 4,	4
537	CONSERVED AND EXAPTED FUNCTIONS OF NUCLEAR RECEPTORS IN ANIMAL DEVELOPMENT. <b>2017</b> , 4,	14
536	A Comprehensive Analysis and Prediction of Sub-Cellular Localization of Human Nuclear Receptors. <b>2018</b> , 5,	2
535	Non-nuclear actions of estrogen: new targets for prevention and treatment of cardiovascular disease. <b>2002</b> , 2, 219-28	25
534	Rapid Actions of Steroid Receptors in Cellular Signaling Pathways. <b>2002</b> , 2002, re9-re9	21
533	Direct modulation of simian virus 40 late gene expression by thyroid hormone and its receptor. <b>1997</b> , 71, 427-36	20
532	Differential regulation of the pre-C and pregenomic promoters of human hepatitis B virus by members of the nuclear receptor superfamily. <b>1997</b> , 71, 9366-74	78
531	Hormone-Targeted Therapy and Resistance. <b>2018</b> , 2, 291-312	5
530	The impact of sex and sex hormones on lung physiology and disease: lessons from animal studies. <b>2007</b> , 293, L272-8	149
529	Compartment-selective sensitivity of cardiovascular morphogenesis to combinations of retinoic acid receptor gene mutations. <b>1997</b> , 80, 757-64	65
528	Normal myelopoiesis but abnormal T lymphocyte responses in vitamin D receptor knockout mice. <b>2002</b> , 109, 1091-1099	96
527	Estrogen receptor alpha is a major mediator of 17beta-estradiol's atheroprotective effects on lesion size in Apoe-/- mice. <b>2001</b> , 107, 333-40	159
526	Thioredoxin: a redox-regulating cellular cofactor for glucocorticoid hormone action. Cross talk between endocrine control of stress response and cellular antioxidant defense system. <b>1996</b> , 98, 2469-77	140
525	Vitamin D and gonadal steroid-resistant New World primate cells express an intracellular protein which competes with the estrogen receptor for binding to the estrogen response element. <b>1997</b> , 99, 669-75	24

524	Activators of the nuclear hormone receptors PPARalpha and FXR accelerate the development of the fetal epidermal permeability barrier. <b>1997</b> , 100, 705-12	129
523	Pancreatic beta cells are important targets for the diabetogenic effects of glucocorticoids. <b>1997</b> , 100, 2094-8	229
522	Normal myelopoiesis but abnormal T lymphocyte responses in vitamin D receptor knockout mice. <b>2002</b> , 109, 1091-9	61
521	Thyroid hormone action: a binding contract. <b>2003</b> , 112, 497-9	96
520	Identification and characterization of noncalcemic, tissue-selective, nonsecosteroidal vitamin D receptor modulators. <b>2006</b> , 116, 892-904	89
519	Going nuclear in metabolic and cardiovascular disease. <b>2006</b> , 116, 556-60	74
518	NR4A nuclear receptors support memory enhancement by histone deacetylase inhibitors. <b>2012</b> , 122, 3593-602	97
517	A nonclassical vitamin D receptor pathway suppresses renal fibrosis. <b>2013</b> , 123, 4579-94	97
516	Modulating nuclear receptor function: may the phos be with you. <b>1999</b> , 103, 1617-8	88
515	Elevated copper impairs hepatic nuclear receptor function in Wilson's disease. <b>2015</b> , 125, 3449-60	48
514	Sterol upregulation of human CETP expression in vitro and in transgenic mice by an LXR element. <b>2000</b> , 105, 513-20	259
513	Brain nuclear receptors and body weight regulation. <b>2017</b> , 127, 1172-1180	13
512	Maturing of the nuclear receptor family. <b>2017</b> , 127, 1123-1125	42
511	15-deoxy-delta(12,14)-PGJ(2) induces synoviocyte apoptosis and suppresses adjuvant-induced arthritis in rats. <b>2000</b> , 106, 189-97	311
510	Downregulation of RARਜn Mice by Antisense Transgene Leads to a Compensatory Increase in RARmand RARmand Development of Lymphoma. <b>1997</b> , 89, 2507-2515	21
509	Combined Arsenic and Retinoic Acid Treatment Enhances Differentiation and Apoptosis in Arsenic-Resistant NB4 Cells. <b>1998</b> , 91, 4300-4310	17
508	Retinoic Acid Prevents Phosphorylation of pRB in Normal Human B Lymphocytes: Regulation of Cyclin E, Cyclin A, and p21Cip1. <b>1999</b> , 94, 1348-1358	2
507	Glucocorticoids promote the proliferation and antagonize the retinoic acidfhediated growth suppression of Epstein-Barr virus[mmortalized B lymphocytes. 2000, 96, 711-718	3

# (2001-2000)

506	Ligand-inducible interaction of the DRIP/TRAP coactivator complex with retinoid receptors in retinoic acidBensitive and Besistant acute promyelocytic leukemia cells. <b>2000</b> , 96, 2233-2239	1
505	Differential effects of 15-deoxy-[12,14-prostaglandin J 2 and a peroxisome proliferator-activated receptor [agonist on macrophage activation. <b>2001</b> , 69, 631-638	7
504	The role of PPARs in inflammation and immunity. <b>2002</b> , 71, 388-400	63
503	Vitamin D. <b>2007</b> ,	1
502	Application of the FMO Method to Specific Molecular Recognition of Biomacromolecules. 2009, 133-170	3
501	Ligand-bound RXR can mediate retinoid signal transduction during embryogenesis. <b>1997</b> , 124, 195-203	37
500	Genetic evidence that the retinoid signal is transduced by heterodimeric RXR/RAR functional units during mouse development. <b>1997</b> , 124, 313-326	314
499	Coordination of larval and prepupal gene expression by the DHR3 orphan receptor during Drosophila metamorphosis. <b>1997</b> , 124, 1757-1769	133
498	Ecdysteroids govern two phases of eye development during metamorphosis of the moth, Manduca sexta. <b>1998</b> , 125, 2009-2018	86
497	The RXRalpha ligand-dependent activation function 2 (AF-2) is important for mouse development. <b>1998</b> , 125, 4691-4707	106
496	Energy deprivation and a deficiency in downstream metabolic target genes during the onset of embryonic heart failure in RXRalpha/Dembryos. <b>1998</b> , 125, 533-544	49
495	Genetic interactions between Hoxa1 and Hoxb1 reveal new roles in regulation of early hindbrain patterning. <b>1998</b> , 125, 1025-1036	245
494	CHR3: a Caenorhabditis elegans orphan nuclear hormone receptor required for proper epidermal development and molting. <b>1998</b> , 125, 1617-1626	83
493	Ecdysteroid coordinates optic lobe neurogenesis via a nitric oxide signaling pathway. <b>2000</b> , 127, 3543-3551	38
492	The fax-1 nuclear hormone receptor regulates axon pathfinding and neurotransmitter expression. <b>2000</b> , 127, 703-712	46
491	Increased cell death and delayed development in the cerebellum of mice lacking the rev-erbA(alpha) orphan receptor. <b>2000</b> , 127, 1489-1498	77
490	Differential contributions of AF-1 and AF-2 activities to the developmental functions of RXR <b>\(\text{2001}\)</b> , 128, 2049-2062	39
489	The zebrafishnecklessmutation reveals a requirement forraldh2in mesodermal signals that pattern the hindbrain. <b>2001</b> , 128, 3081-3094	280

488	Downregulation of the tissue-specific transcription factor Fork head by Broad-Complex mediates a stage-specific hormone response. <b>2001</b> , 128, 3729-3737	30
487	RXR-alpha ablation in skin keratinocytes results in alopecia and epidermal alterations. <b>2001</b> , 128, 675-688	150
486	Embryonic and post-embryonic utilization and subcellular localization of the nuclear receptor SpSHR2 in the sea urchin. <b>1998</b> , 111, 2159-2169	7
485	The conserved amphipatic alpha-helical core motif of RARgamma and RARalpha activating domains is indispensable for RA-induced differentiation of F9 cells. <b>2000</b> , 113, 2887-2895	10
484	Expression of the Estrogen and Progesterone Receptors and Insulin-like Growth Factor-I Genes in the Porcine Myometrium during Early Pregnancy <b>1998</b> , 44, 229-236	1
483	Expression of mRNAs for the Estrogen and Progesterone Receptors, Insulin-like Growth Factor-I and Thioredoxin in the Porcine Cervix <b>1999</b> , 45, 143-150	1
482	Effects of in utero exposure to bisphenol A on expression of RARalpha and RXRalpha mRNAs in murine embryos. <b>2003</b> , 49, 539-45	25
481	The Caenorhabditis elegans HNF4alpha Homolog, NHR-31, mediates excretory tube growth and function through coordinate regulation of the vacuolar ATPase. <b>2009</b> , 5, e1000553	35
480	Genetic Evidence for Function of the bHLH-PAS Protein Gce/Met As a Juvenile Hormone Receptor. <b>2015</b> , 11, e1005394	128
479	The Promyelocytic Leukemia Zinc Finger Transcription Factor Is Critical for Human Endometrial Stromal Cell Decidualization. <b>2016</b> , 12, e1005937	34
478	Differential impact of tetratricopeptide repeat proteins on the steroid hormone receptors. <b>2010</b> , 5, e11717	78
477	3, 3'5 Triiodo L thyronine induces apoptosis in human breast cancer MCF-7 cells, repressing SMP30 expression through negative thyroid response elements. <b>2011</b> , 6, e20861	28
476	NR-2L: a two-level predictor for identifying nuclear receptor subfamilies based on sequence-derived features. <b>2011</b> , 6, e23505	68
475	Distinct roles for aryl hydrocarbon receptor nuclear translocator and ah receptor in estrogen-mediated signaling in human cancer cell lines. <b>2012</b> , 7, e29545	33
474	iNR-PhysChem: a sequence-based predictor for identifying nuclear receptors and their subfamilies via physical-chemical property matrix. <b>2012</b> , 7, e30869	66
473	A replication study of GWAS-derived lipid genes in Asian Indians: the chromosomal region 11q23.3 harbors loci contributing to triglycerides. <b>2012</b> , 7, e37056	56
472	Differential regulation of breast cancer-associated genes by progesterone receptor isoforms PRA and PRB in a new bi-inducible breast cancer cell line. <b>2012</b> , 7, e45993	30
47 <sup>1</sup>	Regulation of retinoid-mediated signaling involved in skin homeostasis by RAR and RXR agonists/antagonists in mouse skin. <b>2013</b> , 8, e62643	32

# (2020-2013)

470	Deletion of mesenchymal glucocorticoid receptor attenuates embryonic lung development and abdominal wall closure. <b>2013</b> , 8, e63578	24
469	The crystal structure of the orphan nuclear receptor NR2E3/PNR ligand binding domain reveals a dimeric auto-repressed conformation. <b>2013</b> , 8, e74359	26
468	Analysis of RXR/THR and RXR/PPARG2 heterodimerization by bioluminescence resonance energy transfer (BRET). <b>2013</b> , 8, e84569	9
467	aP2-Cre-mediated inactivation of estrogen receptor alpha causes hydrometra. <b>2014</b> , 9, e85581	11
466	Nur77 decreases atherosclerosis progression in apoE(-/-) mice fed a high-fat/high-cholesterol diet. <b>2014</b> , 9, e87313	26
465	Clustering nuclear receptors in liver regeneration identifies candidate modulators of hepatocyte proliferation and hepatocarcinoma. <b>2014</b> , 9, e104449	20
464	Hippocampal Fast Glutamatergic Transmission Is Transiently Regulated by Corticosterone Pulsatility. <b>2016</b> , 11, e0145858	21
463	Genome-Wide Association Studies for Comb Traits in Chickens. <b>2016</b> , 11, e0159081	16
462	Exploring Flexibility of Progesterone Receptor Ligand Binding Domain Using Molecular Dynamics. <b>2016</b> , 11, e0165824	11
461	Transcriptomic Analysis Shows Decreased Cortical Expression of NR4A1, NR4A2 and RXRB in Schizophrenia and Provides Evidence for Nuclear Receptor Dysregulation. <b>2016</b> , 11, e0166944	19
460	An extract from date palm fruit (Phoenix dactylifera) acts as a co-agonist ligand for the nuclear receptor FXR and differentially modulates FXR target-gene expression in vitro. <b>2018</b> , 13, e0190210	13
459	Polymorphisms in the Egl nine homolog 3 (EGLN3) and Peroxisome proliferator activated receptor-alpha (PPAR∄genes and their correlation with hypoxia adaptation in Tibetan chickens. <b>2018</b> , 13, e0194156	4
458	CCAAT-enhancer binding protein-﴿EC/EBP﴾and hepatocyte nuclear factor 4﴿HNF4﴾regulate expression of the human fructose-1,6-bisphosphatase 1 (FBP1) gene in human hepatocellular carcinoma HepG2 cells. <b>2018</b> , 13, e0194252	9
457	Role of Peroxisome Proliferator-Activated Receptor (PPAR) In Embryonic Stem Cell Proliferation. <b>2009</b> , 2, 28-34	5
456	Humulus japonicus stimulates thermogenesis and ameliorates oxidative stress in mouse adipocytes. <b>2019</b> , 63, 1-9	5
455	Indazole-Cl inhibits hypoxia-induced cyclooxygenase-2 expression in vascular smooth muscle cells. <b>2019</b> , 63, 27-38	3
454	90 YEARS OF PROGESTERONE: New insights into progesterone receptor signaling in the endometrium required for embryo implantation. <b>2020</b> , 65, T1-T14	16
453	90 YEARS OF PROGESTERONE: Progesterone and progesterone receptors in breast cancer: past, present, future. <b>2020</b> , 65, T49-T63	13

452	Looking ahead: some genetic issues of the future. <b>1997</b> , 20, 107-118	1
451	Molecular mechanisms underlying resistance to androgen deprivation therapy in prostate cancer. <b>2016</b> , 7, 64447-64470	95
450	Positive feedback loop of IL-1¶Akt/RAR¶Akt signaling mediates oncogenic property of RAR¶n gastric carcinoma. <b>2017</b> , 8, 6718-6729	5
449	Low concentration of BPA induces mice spermatocytes apoptosis via GPR30. <b>2017</b> , 8, 49005-49015	40
448	Lemur Tyrosine Kinase 2, a novel target in prostate cancer therapy. <b>2015</b> , 6, 14233-46	21
447	Integrative transcriptomics-based identification of cryptic drivers of taxol-resistance genes in ovarian carcinoma cells: Analysis of the androgen receptor. <b>2015</b> , 6, 27065-82	14
446	Molecular mechanisms contributing to glucocorticoid resistance in lymphoid malignancies <b>2019</b> , 2, 647-664	1
445	Molecular mechanisms regulating chondroblast differentiation. 2003, 85-A Suppl 2, 124-32	40
444	The vitamin D receptor: a tumor suppressor in skin. <b>2014</b> , 810, 282-302	11
443	Vitamin D receptor signaling and pancreatic cancer cell EMT. <b>2015</b> , 21, 1262-7	8
442	Vitamin D: A Micronutrient Regulating Genes. <b>2019</b> , 25, 1740-1746	16
441	Ginger: A Novel Strategy to Battle Cancer through Modulating Cell Signalling Pathways: A Review. <b>2019</b> , 20, 5-16	16
440	Endocrine Disruption in the Omics Era: New Views, New Hazards, New Approaches. <b>2016</b> , 10, 20-35	7
439	Involvement of ubiquitous and tale transcription factors, as well as liganded RXR‡in the regulation of human SOX2 gene expression in the NT2/D1 embryonal carcinoma cell line. <b>2010</b> , 62, 199-210	3
438	Effect of Androgen Receptor on Bone Sialoprotein Gene Transcription. <b>2007</b> , 49, 27-36	2
437	Thyroid hormone activates MBD3 gene via an intronic TRE. <b>2020</b> , 25, 437-451	1
436	Estradiol and raloxifene induce the proliferation of osteoblasts through G-protein-coupled receptor GPR30. <b>2013</b> , 36, 21-7	8
435	The multifaceted role of curcumin in cancer prevention and treatment. <b>2015</b> , 20, 2728-69	283

# (2010-2008)

434	Troglitazone, a peroxisome proliferator-activated receptor gamma ligand, induces growth inhibition and apoptosis of HepG2 human liver cancer cells. <b>2008</b> , 14, 2168-73	19
433	Endocrine and paracrine role of bile acids. <b>2008</b> , 14, 5620-9	93
432	Pioglitazone, a specific ligand of peroxisome proliferator-activated receptor-gamma, protects pancreas against acute cerulein-induced pancreatitis. <b>2005</b> , 11, 6322-9	28
431	Pioglitazone attenuates the severity of sodium taurocholate-induced severe acute pancreatitis. <b>2007</b> , 13, 1983-8	19
430	Nur-related receptor 1 gene polymorphisms and alcohol dependence in Mexican Americans. <b>2012</b> , 18, 5276-82	5
429	Expression and role of nuclear receptor coregulators in colorectal cancer. <b>2017</b> , 23, 4480-4490	9
428	Peroxisome proliferator-activated receptor gamma ligands inhibit cell growth and induce apoptosis in human liver cancer BEL-7402 cells. <b>2003</b> , 9, 1683-8	28
427	Endocrinotherapy resistance of prostate and breast cancer: Importance of the NF- <b>B</b> pathway (Review). <b>2020</b> , 56, 1064-1074	3
426	Vitamin A: A Review. <b>2008</b> , 1, 65-82	30
425	Liver Functional Behavior During Thyrotoxicosis: A Review. <b>2013</b> , 13, 665-678	3
425 424	Liver Functional Behavior During Thyrotoxicosis: A Review. <b>2013</b> , 13, 665-678  A literature review on the adverse effects of hypothyroidism on kidney function. <b>2012</b> , 15, 709-19	10
424	A literature review on the adverse effects of hypothyroidism on kidney function. <b>2012</b> , 15, 709-19  A review of literatures on the adverse effects of thyroid abnormalities and liver disorders: an	
424	A literature review on the adverse effects of hypothyroidism on kidney function. 2012, 15, 709-19  A review of literatures on the adverse effects of thyroid abnormalities and liver disorders: an overview on liver dysfunction and hypothyroidism. 2013, 16, 1641-52  Synthesis and Preliminary Biological Evaluation of	10 7
424 423 422	A literature review on the adverse effects of hypothyroidism on kidney function. 2012, 15, 709-19  A review of literatures on the adverse effects of thyroid abnormalities and liver disorders: an overview on liver dysfunction and hypothyroidism. 2013, 16, 1641-52  Synthesis and Preliminary Biological Evaluation of 2-[3-(Tetrazolyl)propyl]-1⊉5-dihydroxy-19-norvitamin D3. 2015, 90, 1274  Serum sex hormone and growth arrest-specific protein 6 levels in male patients with coronary heart	10 7 6
424 423 422 421	A literature review on the adverse effects of hypothyroidism on kidney function. 2012, 15, 709-19  A review of literatures on the adverse effects of thyroid abnormalities and liver disorders: an overview on liver dysfunction and hypothyroidism. 2013, 16, 1641-52  Synthesis and Preliminary Biological Evaluation of 2-[3-(Tetrazolyl)propyl]-1₱5-dihydroxy-19-norvitamin D3. 2015, 90, 1274  Serum sex hormone and growth arrest-specific protein 6 levels in male patients with coronary heart disease. 2016, 18, 644-9  Microcantilever-based Nanomechanical Studies of the Orphan Nuclear Receptor Pregnane X	10 7 6
424 423 422 421 420	A literature review on the adverse effects of hypothyroidism on kidney function. 2012, 15, 709-19  A review of literatures on the adverse effects of thyroid abnormalities and liver disorders: an overview on liver dysfunction and hypothyroidism. 2013, 16, 1641-52  Synthesis and Preliminary Biological Evaluation of 2-[3-(Tetrazolyl)propyl]-1½5-dihydroxy-19-norvitamin D3. 2015, 90, 1274  Serum sex hormone and growth arrest-specific protein 6 levels in male patients with coronary heart disease. 2016, 18, 644-9  Microcantilever-based Nanomechanical Studies of the Orphan Nuclear Receptor Pregnane X Receptor-Ligand Interactions. 2011, 02, 133-142  The Transactivating Function 2 (AF-2) of Estrogen Receptor (ER) Hs Indispensable for	10 7 6 7

416	Association of Vitamin D deficiency and Vitamin D Receptor Gene Polymorphisms with Type 2 diabetes mellitus Saudi patients. <b>2019</b> , 19, 2812-2818	2
415	Solution Structure of LXXLL-related Cofactor Peptide of Orphan Nuclear Receptor FTZ-F1. <b>2012</b> , 33, 583-588	1
414	Role of Fat-Soluble Vitamins A and D in the Pathogenesis of Influenza: A New Perspective. <b>2013</b> , 2013, 1-26	6
413	Essential vitamins for an effective T cell response. <b>2016</b> , 6, 39	4
412	Antidiabetic Effects of Corni Fructus Extract on Blood Glucose and Insulin Resistance in db/db Mice. <b>2009</b> , 25, 93-99	1
411	Retinoids, rexinoids and their cognate nuclear receptors: character and their role in chemoprevention of selected malignant diseases. <b>2007</b> , 151, 187-94	22
410	Formononetin inhibits lipopolysaccharide-induced release of high mobility group box 1 by upregulating SIRT1 in a PPAREdependent manner. <b>2018</b> , 6, e4208	13
409	Androgen up-regulation of Twist1 gene expression is mediated by ETV1. <b>2020</b> , 8, e8921	5
408	Progesterone Receptor Signaling in the Breast Tumor Microenvironment. <b>2021</b> , 1329, 443-474	O
407	High-fat diet-associated cognitive decline: Is zinc finger protein 1 (ZPR1) the molecular connection?. <b>2021</b> , 4, 223-228	
406	Influence of the Bioactive Diet Components on the Gene Expression Regulation. 2021, 13,	2
405	Dietary Conjugated Linoleic Acid Modulates the Hepatic Circadian Clock Program PPAR#REV-ERBEMediated Chromatin Modification in Mice. <b>2021</b> , 8, 711398	1
404	Association of Estrogen Receptor Genes Polymorphisms With Polycystic Ovary Syndrome: A Systematic Review and Meta-Analysis Based on Observational Studies. <b>2021</b> , 12, 726184	2
403	Type 1 Nuclear Receptor Activity in Breast Cancer: Translating Preclinical Insights to the Clinic. <b>2021</b> , 13,	2
402	Mechanisms Involved in the Relationship between Vitamin D and Insulin Resistance: Impact on Clinical Practice. <b>2021</b> , 13,	7
401	Steroid Receptor Actions. <b>2000</b> , 407-426	
400	Thyroid Diseases. <b>2000</b> , 655-673	
399	SF-1 and DAX-1. <b>2000</b> , 153-166	

# (2001-2000)

398	Thyroid Hormone Receptor Family Members. <b>2000</b> , 135-151
397	Recruitment of p160 Coactivators to Androgen Receptors. <b>2000</b> , 165-172
396	Subnuclear Trafficking of Glucocorticoid Receptors. <b>2000</b> , 87-97
395	Progesterone Receptors in Normal and Neoplastic Breast. <b>2000</b> , 35-47
394	The Androgen Receptor, Androgen Insensitivity, and Prostate Cancer. <b>2000</b> , 339-372
393	Recent Advances in Steroid Receptor Research: Focusing on Estrogen Receptors. <b>2000</b> , 43-62
392	Modulation of nuclear vitamin D signalling by retinoids. <b>2000</b> , 141-149
391	Transcriptional Coactivators in Cancer. <b>2000</b> , 373-381
390	The role and evolutionary development of retinoic-acid signalling in the eye. <b>2000</b> , 73-82
389	Insulin Sensitization. <b>2000</b> , 369-400
388	Glycoprotein Hormones. <b>2001</b> , 261-295
387	Thyroid Hormone Receptors. <b>2001</b> , 59-96
386	Peroxisome Proliferator-Activated Receptors. 2001, 363-388
385	??????????? <mark>\</mark> \\\\\\\\\\\\\\\\\\\\\\\\\
384	References. <b>2001</b> , 192-224
383	DAX1 and Related Orphan Receptors. <b>2001</b> , 179-196
382	Mouse Models to Study the Pituitary-Testis Interplay Leading to Regulated Gene Expression. <b>2001</b> , 91-114
381	Hormonal Regulation of Gonadal Angiogenesis. <b>2001</b> , 167-186

380	Mineralocorticoid and Glucocorticoid Receptors. 2001, 297-307
379	Skeletal Biology of Androgens. <b>2001</b> , 339-359
378	The Androgen Receptor. <b>2001</b> , 137-177
377	Steroidhormonrezeptordefekte. <b>2001</b> , 189-221
376	Vitamin D and Gene Expression. 2001, 349-392
375	Molecular Mechanisms of Glucocorticoid Action. <b>2001</b> , 167-194
374	Molecular Genetic Screen Design for Agricultural and Pharmaceutical Product Discovery. 2001,
373	Thyroid Hormones.
372	Peroxisome Proliferator-Activated Receptors (PPARs).
371	Crosstalk Between Estrogen Receptors and Growth Factor Signaling. 2002, 77-95
370	Gene Expression. <b>2002</b> , 45-57
369	Steroid Hormones.
368	Hormone Response Elements.
367	1 <del>[</del> 25(OH) 2 Vitamin D 3. <b>2002</b> , 545-XXX
366	mRNA of GPRC5B/Raig2, a Novel Orphan Receptor, Expresses in Murine Placentae <b>2002</b> , 48, 627-632
365	Gynkologische Endokrinologie. <b>2002</b> , 185-236
364	Glucocorticoid Response Element.
363	Steroid Hormone Receptors.

## (2003-2002)

362	muscle FABP gene. <b>2002</b> , 173-180	
361	DAX-1.	
360	Receptors, Hormonal.	
359	Transcription Factors.	
358	Vesicles in the subacrosomal space and partial diaphragms in the subacrosomal nuclear envelope of round spermatids of a rat injected intravenously with gold labeled-testosterone-bovine serum albumin conjugate: vesicular trafficking from acrosome to nucleus. <b>2002</b> , 79, 15-23	
357	Molekulare Grundlagen des Prostatakarzinoms. <b>2002</b> , 329-361	
356	Hormone Response Elements.	
355	Hormones.	
354	Glucocorticoid Response Element.	
353	Retinoic Acid Receptors.	
352	Reduced Adrenal Activation in a Rat Line Selected for High Alcohol Sensitivity. <b>2002</b> , 26, 1344-1349	
351	Chemical genomics of orphan nuclear receptors. <b>2003</b> , 29-42	4
350	Alterations of Androgen Action Caused by Mutation of the Human Androgen Receptor. <b>2003</b> , 103-122	
349	Androgen Signaling in Prostatic Neoplasia and Hyperplasia. <b>2003</b> , 157-189	
348	Cholesterol Signaling. <b>2003</b> , 287-290	1
347	Vitamin D: Nuclear Receptor for 1,25(OH)2D3. <b>2003</b> , 650-656	
346	Ontogeny of the pituitary corticotroph system. <b>2003</b> , 1-27	
345	Prinzipien der Signaltransduktion. <b>2003</b> , 502-538	

344	Evidence Supporting a Role for Gpr30, an Orphan Member of the G-Protein-Coupled Receptor Superfamily, in Rapid Estrogen Signaling. <b>2003</b> , 139-146	2
343	The Normal Human Ovary Part II: How Steroid Hormones Work. <b>2003</b> , 33-50	
342	Orphan Receptor COUP-TFII and Vascular Development. 2003, 57-59	
341	Human Progesterone Receptor Crosstalk with Cytoplasmic Signaling Molecules Through Direct SH3 Domain Interaction. <b>2003</b> , 85-91	
340	The role of peroxisome proliferator-activated receptor gamma in colon cancer and inflammatory bowel disease. <b>2003</b> , 127, 1121-3	29
339	CYP Gene Induction by Xenobiotics and Drugs. 2003, 337-374	
338	Mechanisms that Regulate Hair Cell Differentiation and Regeneration. 2003,	
337	Nuclear Receptor Superfamily. <b>2004</b> , 195-208	1
336	Estrogens: from classical endocrine action to tissue selective action. <b>2004</b> , 1-21	
335	Acquired Alterations of Transporter Expression and Function in Cholestasis. 2004, 266-288	1
334	Steroid Receptors, Evolution of. <b>2004</b> , 312-319	O
334	Steroid Receptors, Evolution of. <b>2004</b> , 312-319  Prostacyclin and Lung Cancer Chemoprevention. <b>2004</b> , 177-191	0
		0
333	Prostacyclin and Lung Cancer Chemoprevention. <b>2004</b> , 177-191	O
333 332	Prostacyclin and Lung Cancer Chemoprevention. 2004, 177-191  Retinoids and Their Mechanisms of Toxicity. 2004, 419-438	O
333 332 331	Prostacyclin and Lung Cancer Chemoprevention. 2004, 177-191  Retinoids and Their Mechanisms of Toxicity. 2004, 419-438  Signal Transduction Pathways in the Skin. 2004, 415-438	0
333 332 331 330	Prostacyclin and Lung Cancer Chemoprevention. 2004, 177-191  Retinoids and Their Mechanisms of Toxicity. 2004, 419-438  Signal Transduction Pathways in the Skin. 2004, 415-438  Molecular Basis for Differential Action of Vitamin D Analogs. 2005, 1471-1488	0

326	Vitamin D3: Synthesis, Actions, and Mechanisms in the Intestine and Colon. <b>2006</b> , 1753-1771	
325	Nuclear vitamin D receptor regulates antithrombogenicity in vivo. <b>2006</b> , 17, 38-46	
324	Primary aldosteronism. <b>2006</b> , 128-137	
323	Vitamin D Analogs and Their Role in Prostate Cancer. <b>2006</b> , 257-279	
322	Novel Approaches to Androgen Receptor Blockade. <b>2006</b> , 163-178	
321	Binding Site For Glucocorticoid Receptor On DNA And Structural Variants Of Glucocorticoid Responsive Elements: Analysis Of GR-TRRd. <b>2006</b> , 4, 20-31	
320	Steroid Hormone Receptors. <b>2007</b> , 568-581	
319	APL: A Classic Tale of Bench to Bedside. <b>2007</b> , 193-228	
318	Renal Structure Proteins and Sodium Transport. <b>2007</b> , 101-120	
317	Triterpenoids, Vitamin D, and TGF-#Smad Signaling in Inflammation and Cancer. <b>2008</b> , 525-547	
316	Feedback Control of the Arachidonate Cascade in Osteoblastic Cells by 15-deoxy-Delta-Prostaglandin J(2). <b>2008</b> , 42, 64-9	О
315	Nuclear Receptors in the Control of Lipid Metabolism. <b>2008</b> , 96-122	
314	Reelin and Thyroid Hormone. 2008, 227-235	
313	Transcription Factors. 1	
312	Mapping the Androgen Receptor Cistrome. <b>2009</b> , 663-680	
311	Retinoic acid-induced SoX3 gene expression in NT2/D1 cells is RXR homodimer-independent. <b>2009</b> , 61, 631-638	1
310	Primary Liver Cancer: Chemical Carcinogenesis. <b>2009</b> , 55-107	
309	New Molecular Therapeutic Interventions: The Case of Breast Cancers. <b>2010</b> , 571-611	

308	Androgen Action in Bone: Basic Cellular and Molecular Aspects. <b>2010</b> , 359-383	
307	Androgens and Skeletal Biology: Basic Mechanisms. <b>2010</b> , 387-411	
306	Cancer Biology and Nutrigenomics. <b>2010</b> , 25-43	
305	Aldosterone: Secretion and Action. <b>2010</b> , 1831-1838	
304	Calcitriol and Vitamin D Analogs. <b>2010</b> , 287-302	
303	Retinoids in the Management of Non-Melanoma Skin Cancer. <b>2010</b> , 187-195	1
302	Corepressors in Mediating Repression by Nuclear Receptors. <b>2010</b> , 2005-2014	
301	Nuclear Receptor-Mediated Gene Regulation in Drug Metabolism. 1	
300	Vitamin D and Hematologic Malignancies. <b>2011</b> , 251-278	
	Handin India in (Danas Fraincis Initia) 2014 207 440	
299	Hepatic Ischemia/Reperfusion Injury. <b>2011</b> , 397-410	1
299	References. <b>2011</b> , 249-347	1
		1 2
298	References. <b>2011</b> , 249-347  The Effect of IGFBP-3 on Adipokines and Gene Expression in Differentiated 3T3-L1 Adipocytes.	
298 297	References. 2011, 249-347  The Effect of IGFBP-3 on Adipokines and Gene Expression in Differentiated 3T3-L1 Adipocytes. 2011, 16, 24  Insulin-Like Growth Factor-I Induces Androgen Receptor Coactivator Expression in Skeletal Muscle	
298 297 296	References. 2011, 249-347  The Effect of IGFBP-3 on Adipokines and Gene Expression in Differentiated 3T3-L1 Adipocytes. 2011, 16, 24  Insulin-Like Growth Factor-I Induces Androgen Receptor Coactivator Expression in Skeletal Muscle Cells through the p38 MAPK and ERK1/2 Pathways. 2011, 21, 242-250  Cross Talk Between ERand Src Signaling and Its Relevance to ER Status and Hormone	
298 297 296 295	References. 2011, 249-347  The Effect of IGFBP-3 on Adipokines and Gene Expression in Differentiated 3T3-L1 Adipocytes. 2011, 16, 24  Insulin-Like Growth Factor-I Induces Androgen Receptor Coactivator Expression in Skeletal Muscle Cells through the p38 MAPK and ERK1/2 Pathways. 2011, 21, 242-250  Cross Talk Between ERland Src Signaling and Its Relevance to ER Status and Hormone Responsiveness. 2012, 61-78  Recombinant Expression, Isotope Labeling and Purification of the Vitamin D Receptor Binding	
298 297 296 295	References. 2011, 249-347  The Effect of IGFBP-3 on Adipokines and Gene Expression in Differentiated 3T3-L1 Adipocytes. 2011, 16, 24  Insulin-Like Growth Factor-I Induces Androgen Receptor Coactivator Expression in Skeletal Muscle Cells through the p38 MAPK and ERK1/2 Pathways. 2011, 21, 242-250  Cross Talk Between EREand Src Signaling and Its Relevance to ER Status and Hormone Responsiveness. 2012, 61-78  Recombinant Expression, Isotope Labeling and Purification of the Vitamin D Receptor Binding Peptide. 2011, 32, 4337-4340  Nongenomic Mechanism-Mediated Renal Fibrosis-Decreasing Activity of a Series of PPAR-II	

290	//////////////////////////////////////	
289	The v-erbA Oncogene. <b>1997</b> , 117-163	
288	Activation of Matrix Metalloproteinase Genes during Thyroid Hormone-Induced Apoptotic Tissue Remodeling. <b>1997</b> , 13-26	
287	Allgemeine Pharmakologie. <b>1997</b> , 1-71	
286	Patenting transcription factors for drug discovery and therapeutics. <b>1997</b> , 7, 225-231	
285	Hormonale Steuerung. <b>1998</b> , 209-239	
284	Nuclear Receptors as Targets for Drug Design: New Options and Old Challenges. <b>1998</b> , 1-41	
283	A Structural View of the Retinoid Nuclear Receptors. <b>1998</b> , 141-160	
282	Regulation of Reproduction. <b>1998</b> , 519-525	
281	The NGFI-B Family: Orphan Nuclear Receptors of the Steroid/Thyroid Receptor Superfamily <b>1998</b> , 44, 321-335	
280	Role of Thyroid Hormone on the Oligodendrocyte Type 2-Astrocyte Lineage. <b>1998</b> , 111-129	
279	Orphan Nuclear Receptors and Their Ligands. <b>1998</b> , 281-305	1
278	Mechanisms of Hormone Action. <b>1998</b> , 419-431	2
277	Monomeric Nuclear Receptors. <b>1998</b> , 261-279	1
276	Vitamin D3 and Retinoid-Mediated Inhibition of Leukemic Cells. <b>1998</b> , 281-301	
275	Induction of Differentiation in Acute Promyelocytic Leukemia Cells by 9-cis Retinoic Acid ⊞ocopherol Ester (9-cisTretinoin Tocoferil). <b>1998</b> , 91, 4715-4726	
274	Effect of Steroid Hormones and Retinoids on the Formation of Capillary-Like Tubular Structures of Human Microvascular Endothelial Cells in Fibrin Matrices Is Related to Urokinase Expression. <b>1998</b> , 92, 927-938	1
273	Molecular Aspects of Pituitary Development. <b>1999</b> , 231-251	

272	Receptor Toxicology. <b>1999</b> , 231-243	
271	Steroidogenic Factor 1 Plays Key Roles in Adrenal and Gonadal Development and in Endocrine Function. <b>1999</b> , 67-74	
270	Allgemeine Pharmakologie. <b>1999</b> , 1-71	
269	Genetic Alterations of Androgen Receptor Function. <b>1999</b> , 209-232	
268	Cytochrome P450, peroxisome proliferation, and cytoplasmic fatty acid-binding protein content in liver, heart and kidney of the diabetic rat. <b>1999</b> , 53-61	
267	Estrogen-Regulated Genes. <b>1999</b> , 127-151	
266	ROLE OF ESTROGEN RECEPTOR BETA IN THE DEVELOPMENT AND TREATMENT OF BREAST CANCER. <b>2015</b> , 14, 39-46	
265	Ligand-Appended Liposomes: Targeted Breast Cancer Therapy. 4316-4327	
264	Innate Lymphoid Cells Type 3. <b>2016</b> , 156-168	
263	Encyclopedia of Signaling Molecules. <b>2016</b> , 1-14	
262	Transcription Factors Synergistically Activated at the Crossing of the Restriction Point between G1 and S Cell Cycle Phases. Pathologic Gate Opening during Multi-Hit Malignant Transformation. <b>2016</b> , 3,	
261	Osteoporosis. <b>2016</b> , 569-578	
260	Androgen Receptor. <b>2016</b> , 1-22	
259	3. Effect of diet-induced maternal obesity on fetal skeletal development. <b>2016</b> , 67-80	
258	Modeling and Analysis of Hormone and Mitogenic Signal Integration in Prostate Cancer.	
257	Hormonal Regulation of Cerebellar Development and Its Disorders. <b>2017</b> , 219-235	
256	A FAIR-Based Approach to Enhancing the Discovery and Re-Use of Transcriptomic Data Assets for Nuclear Receptor Signaling Pathways. <b>2017</b> , 16,	
255	A FAIR-Based Approach to Enhancing the Discovery and Re-Use of Transcriptomic Data Assets for Nuclear Receptor Signaling Pathways. <b>2017</b> , 16,	

Activation of the Androgen Receptor gene by BORIS/CTCFL in prostate cancer cells. 254 Obesogens and Nuclear Receptors. 2017, 4, 253 Encyclopedia of Signaling Molecules. 2018, 3895-3908 252 Molecular mechanisms affecting estrogen receptor levels in breast cancer. 251 Systematically improved in vitro culture conditions reveal new insights into the reproductive 250 biology of the human parasite Schistosoma mansoni. Low vitamin D is associated with coronary atherosclerosis in women with HIV. 2019, 24, 505-512 249 Design and Synthesis of Cyclohexenyl-p-carborane Derivatives as a New Class of Progesterone 248 Receptor Antagonists. 2019, 99, 425 Encyclopedia of Animal Cognition and Behavior. 2019, 1-5 247 Differentiation (Retinoic Acid) Syndrome in Critically Ill Cancer Patients. 2020, 593-605 246 Glucocorticoid receptors function in the pathophysiology of brain hypoxia. 2019, 73, 838-849 245 Nr2e3 functional domain ablation by CRISPR-Cas9D10A identifies a new isoform and generates 244 Retinitis Pigmentosa and Enhanced S-cone Syndrome models. Heterogeneity in signaling pathway activity within primary and between primary and metastatic 243 breast cancer. 'Psoriasis'1' reduces T-lymphocyte-mediated inflammation in patients with psoriasis by inhibiting 242 1 vitamin D receptor-mediated STAT4 inactivation. 2020, 46, 1538-1550 The Role and Mechanism of Oxidative Stress and Nuclear Receptors in the Development of NAFLD. 6 241 **2021**, 2021, 6889533 Identification of the ROR#Transcriptional Network Contributes to the Search for Therapeutic 240 1 Targets in Atherosclerosis. 2021, 44, 1607-1616 Mechanisms of Osteoprotective Actions of Estrogens. 2020, 503-523 239 Segregation of nuclear and membrane-initiated actions of estrogen receptor using genetically 238 O modified animals and pharmacological tools. 2022, 539, 111467 Hormones and Cerebellar Development. 2020, 1-25 237

236	Chapter 5:The Interaction of Nutrition with Nuclear Receptors in Obesity and Diabetes. 2020, 94-163	
235	Genetic exploration of a nuclear receptor transcriptional regulatory complex.	
234	Cross-validation of genes potentially associated with neoadjuvant chemotherapy and platinum-based chemoresistance in epithelial ovarian carcinoma. <b>2020</b> , 44, 909-926	О
233	Chemoprevention of Lung Cancer. <b>2006</b> , 609-626	
232	Prinzipien der Signaltransduktion. <b>2005</b> , 499-537	
231	Steroid Receptor and Molecular Chaperone Encounters in the Nucleus. <b>2000</b> , 2000, pe1-pe1	Ο
230	Metamorphosis as Midlife Crisis. <b>1999</b> , 135-151	
229	Nongenomic Mechanisms of Sex Hormones. <b>1999</b> , 47-51	
228	Bile acid-like hormones function as ligands for the nematode orphan nuclear receptor DAF-12 and govern dauer formation, reproduction and lifespan. 99-108	
227	New mechanisms of action of 5-aminosalicylic acid: PPAR[]how it decreases inflammation and cancer. 217-225	
226	Mechanisms of Hormone Action. <b>2006</b> , 291-307	
225	Estrogen Action in Normal Prostate Epithelium and in Prostate Cancer. <b>2008</b> , 181-207	
224	Kommunikation zwischen Zellen: Extrazellulfe Signalmolekle, Rezeptoren und Signaltransduktion. <b>2007</b> , 755-808	
223	Exploring the effects of genetic variation on gene regulation in cancer in the context of 3D genome structure.	
222	Stability of the Retinoid X Receptor-alpha Homodimer in the Presence and Absence of Rexinoid and Coactivator Peptide.	
221	The roles of testicular orphan nuclear receptor 4 (TR4) in cerebellar development. 2008, 7, 1-9	1
220	Isolation of a novel histone deacetylase reveals that class I and class II deacetylases promote SMRT-mediated repression. <b>2000</b> , 14, 55-66	154
219	The p23 molecular chaperones act at a late step in intracellular receptor action to differentially affect ligand efficacies. <b>2000</b> , 14, 422-34	55

## (2006-2000)

218	daf-12 encodes a nuclear receptor that regulates the dauer diapause and developmental age in C. elegans. <b>2000</b> , 14, 1512-27	297
217	TIF2, a 160 kDa transcriptional mediator for the ligand-dependent activation function AF-2 of nuclear receptors. <b>1996</b> , 15, 3667-75	259
216	The fork head product directly specifies the tissue-specific hormone responsiveness of the Drosophila Sgs-4 gene. <b>1996</b> , 15, 4825-34	21
215	A possible involvement of TIF1 alpha and TIF1 beta in the epigenetic control of transcription by nuclear receptors. <b>1996</b> , 15, 6701-15	192
214	Role of retinoid receptors in the regulation of mucin gene expression by retinoic acid in human tracheobronchial epithelial cells. <b>1999</b> , 338 ( Pt 2), 351-7	17
213	Functional divergence between the half-sites of the DNA-binding sequence for the yeast transcriptional regulator Rap1p. <b>1999</b> , 341 ( Pt 3), 477-82	8
212	A natural sequence consisting of overlapping glucocorticoid-responsive elements mediates glucocorticoid, but not androgen, regulation of gene expression. <b>2000</b> , 350 Pt 1, 123-9	7
211	All natural DR3-type vitamin D response elements show a similar functionality in vitro. <b>2000</b> , 352 Pt 2, 301-9	28
210	Molecular analysis of the fusion of EWS to an orphan nuclear receptor gene in extraskeletal myxoid chondrosarcoma. <b>1997</b> , 150, 1049-58	63
209	Androgen receptor gene and hormonal therapy failure of prostate cancer. <b>1998</b> , 152, 1-9	108
209	Androgen receptor gene and hormonal therapy failure of prostate cancer. <b>1998</b> , 152, 1-9  Analysis of estrogen receptor messenger RNA in breast carcinomas from archival specimens is predictive of tumor biology. <b>1997</b> , 150, 1563-70	108
	Analysis of estrogen receptor messenger RNA in breast carcinomas from archival specimens is	
208	Analysis of estrogen receptor messenger RNA in breast carcinomas from archival specimens is predictive of tumor biology. <b>1997</b> , 150, 1563-70  A two-stage differential hydrogen deuterium exchange method for the rapid characterization of	16
208	Analysis of estrogen receptor messenger RNA in breast carcinomas from archival specimens is predictive of tumor biology. <b>1997</b> , 150, 1563-70  A two-stage differential hydrogen deuterium exchange method for the rapid characterization of protein/ligand interactions. <b>2007</b> , 18, 194-204  The potential role of transcription factor aryl hydrocarbon receptor in downregulation of hepatic	16 43
208 207 206	Analysis of estrogen receptor messenger RNA in breast carcinomas from archival specimens is predictive of tumor biology. 1997, 150, 1563-70  A two-stage differential hydrogen deuterium exchange method for the rapid characterization of protein/ligand interactions. 2007, 18, 194-204  The potential role of transcription factor aryl hydrocarbon receptor in downregulation of hepatic cytochrome P-450 during sepsis. 2008, 21, 423-8	16 43 21
208 207 206 205	Analysis of estrogen receptor messenger RNA in breast carcinomas from archival specimens is predictive of tumor biology. 1997, 150, 1563-70  A two-stage differential hydrogen deuterium exchange method for the rapid characterization of protein/ligand interactions. 2007, 18, 194-204  The potential role of transcription factor aryl hydrocarbon receptor in downregulation of hepatic cytochrome P-450 during sepsis. 2008, 21, 423-8  Androgen resistance in squirrel monkeys (Saimiri spp.). 2008, 58, 381-8  DNA recognition by the aberrant retinoic acid receptors implicated in human acute promyelocytic	16 43 21 6
208 207 206 205 204	Analysis of estrogen receptor messenger RNA in breast carcinomas from archival specimens is predictive of tumor biology. 1997, 150, 1563-70  A two-stage differential hydrogen deuterium exchange method for the rapid characterization of protein/ligand interactions. 2007, 18, 194-204  The potential role of transcription factor aryl hydrocarbon receptor in downregulation of hepatic cytochrome P-450 during sepsis. 2008, 21, 423-8  Androgen resistance in squirrel monkeys (Saimiri spp.). 2008, 58, 381-8  DNA recognition by the aberrant retinoic acid receptors implicated in human acute promyelocytic leukemia. 2001, 12, 85-98	16 43 21 6

200	Peroxisome proliferator activated receptor-land traumatic brain injury. 2010, 3, 283-92	21
199	Dynamic nature of transcriptional regulation of nuclear receptor target genes in the context of chromatin organization. <b>2011</b> , 3, 125-9	1
198	Prediction of interactions between HIV-1 and human proteins by information integration. <b>2009</b> , 516-27	45
197	MicroRNAs and Androgen Receptor 3' Untranslated Region: A Missing Link in Castration-resistant Prostate Cancer?. <b>2011</b> , 3, 107-113	8
196	Expressions of cellular retinoic acid binding proteins I and retinoic acid receptor-In the guinea pig eyes with experimental myopia. <b>2011</b> , 4, 131-6	9
195	Glucocorticoid receptor: implications for rheumatic diseases. <b>2011</b> , 29, S32-41	12
194	Spironolactone inhibits NADPH oxidase-induced oxidative stress and enhances eNOS in human endothelial cells. <b>2011</b> , 10, 329-37	18
193	Estradiol in females may negate skeletal muscle myostatin mRNA expression and serum myostatin propeptide levels after eccentric muscle contractions. <b>2006</b> , 5, 672-81	6
192	Chemerin regulation and role in host defense. <b>2014</b> , 3, 1-19	54
191	Characterization of 2-amino-1-methyl-6-phenylimidazo[4,5b]pyridine at androgen receptor: mechanistic support for its role in prostate cancer. <b>2015</b> , 5, 191-200	7
190	The Effect of Baicalin as A PPAR Activator on Erythroid Differentiation of CD133(+)Hematopoietic Stem Cells in Umbilical Cord Blood. <b>2015</b> , 17, 15-26	7
189	Association of NCOA2 gene polymorphisms with obesity and dyslipidemia in the Chinese Han population. <b>2015</b> , 8, 7341-9	4
188	Nuclear receptor agonists as potential differentiation therapy agents for human osteosarcoma. <b>2002</b> , 8, 1288-94	67
187	Assessment of Neuroprotective Effects of Local Administration of 17- Beta- Estradiol on Peripheral Nerve Regeneration in Ovariectomized Female Rats. <b>2016</b> , 4, 141-9	4
186	Estrogen Receptor ⊞and ⊞nteracting Proteins Contain Consensus Secondary Structures: An Insilico Study. <b>2018</b> , 25, 1-10	2
185	Nuclear hormone receptors inhibit matrix metalloproteinase (MMP) gene expression through diverse mechanisms. <b>1996</b> , 6, 197-207	61
184	A divergent role of COOH-terminal domains in Nurr1 and Nur77 transactivation. <b>1998</b> , 7, 1-12	11
183	Cloning and expression of the mouse deoxyuridine triphosphate nucleotidohydrolase gene: differs from the rat enzyme in that it lacks nuclear receptor interacting LXXLL motif. <b>1999</b> , 8, 231-46	2

182	Isolation of a novel histone deacetylase reveals that class I and class II deacetylases promote SMRT-mediated repression. <b>2000</b> , 14, 55-66	302
181	The p23 molecular chaperones act at a late step in intracellular receptor action to differentially affect ligand efficacies. <b>2000</b> , 14, 422-434	126
180	Molecular dynamics simulations reveal the plausible agonism/antagonism mechanism by steroids on androgen receptor mutations. <b>2021</b> , 111, 108081	0
179	Role of Peroxisome Proliferator-Activated Receptors (PPARs) in Energy Homeostasis of Dairy Animals: Exploiting Their Modulation through Nutrigenomic Interventions. <b>2021</b> , 22,	1
178	Nuclear receptors: from molecular mechanisms to therapeutics. <b>2021</b> , 65, 847-856	3
177	New Approaches to Assess Mechanisms of Action of Selective Vitamin D Analogues. <b>2021</b> , 22,	O
176	The aryl hydrocarbon receptor as a model PAS sensor <b>2022</b> , 9, 1-11	2
175	Hormones and Cerebellar Development. <b>2022</b> , 353-377	
174	Transcriptional Regulation and Implications for Controlling Gene Expression 2022, 10,	1
173	Antiandrogenic activity of Riboflavin 5'-phosphate (FMN) in 22Rv1 and LNCaP human prostate cancer cell lines <b>2022</b> , 917, 174743	
172	Small-molecule profiling for steroid receptor activity using a universal steroid receptor reporter assay <b>2021</b> , 217, 106043	О
171	Leukotriene C synthase is a novel PPARItarget gene, and leukotriene C and D activate adipogenesis through cysteinyl LT1 receptors in adipocytes <b>2021</b> , 1869, 119203	1
170	Decreased Expression of Estrogen Receptors Is Associated with Tumorigenesis in Papillary Thyroid Carcinoma <b>2022</b> , 23,	O
169	Nuclear receptor-mediated hepatomegaly and liver regeneration: an update 2022,	O
168	Rapid Assessment of Insect Steroid Hormone Entry Into Cultured Cells <b>2021</b> , 12, 816058	1
167	Skeletal and gene-regulatory functions of nuclear sex steroid hormone receptors 2022, 1	1
166	The Androgen Hormone-Induced Increase in Androgen Receptor Protein Expression Is Caused by the Autoinduction of the Androgen Receptor Translational Activity. <b>2022</b> , 44, 597-608	О
165	Virtual screening, molecular dynamics and binding energy-MM-PBSA studies of natural compounds to identify potential EcR inhibitors against Bemisia tabaci Gennadius <b>2022</b> , 17, e0261545	3

164	Depression, Estrogens, and Neuroinflammation: A Preclinical Review of Ketamine Treatment for Mood Disorders in Women <b>2021</b> , 12, 797577	1
163	Phenolic Lipids Derived from Cashew Nut Shell Liquid to Treat Metabolic Diseases 2022,	0
162	Nuclear receptors in renal health and disease <b>2022</b> , 76, 103855	2
161	Evidence that nuclear receptors are related to terpene synthases 2022,	
160	Estrogen modulation of the pronociceptive effects of serotonin on female rat trigeminal sensory neurons is timing- and dosage-dependent and requires estrogen receptor alpha <b>2022</b> ,	О
159	The Molecular Mechanisms of Intestinal Inflammation and Fibrosis in Crohn's Disease <b>2022</b> , 13, 845078	1
158	Ezh2 promotes TR‡ysine methylation-mediated degradation in hepatocellular carcinoma. <b>2021</b> , 44, 369	2
157	Cytochrome P450, peroxisome proliferation, and cytoplasmic fatty acid-binding protein content in liver, heart and kidney of the diabetic rat. <b>1999</b> , 192, 53-61	8
156	Characterization of a new fatty acid response element that controls the expression of the locust muscle FABP gene. <b>2002</b> , 239, 173-80	2
155	Development of novel Gemini-cholesterol analogues for retinoid-related orphan receptors. <b>2022</b> , 9, 1522-	<b>1530</b> o
154	Proliferative signaling pathways in hepatocellular carcinoma. <b>2022</b> , 255-271	
153	The power of the (imperfect) palindrome: Sequence-specific roles of palindromic motifs in gene regulation <b>2022</b> , e2100191	1
152	FXR: structures, biology, and drug development for NASH and fibrosis diseases 2022,	0
151	Exploring the effects of genetic variation on gene regulation in cancer in the context of 3D genome structure <b>2022</b> , 23, 13	О
150	Role of Nuclear Receptors in Controlling Erythropoiesis <b>2022</b> , 23,	1
149	Aldosterone-Induced Sarco/Endoplasmic Reticulum Ca Pump Upregulation Counterbalances Ca1.2-Mediated Ca Influx in Mesenteric Arteries <b>2022</b> , 13, 834220	1
148	Do axis gut-breast microbiota orchestrate cancer progression?. <b>2022</b> ,	0

146	Isoform-specific functions of PPARIIn gene regulation and metabolism 2022,	2
145	Intraperitoneal injection of 17testradiol increases ovarian smad2/3 expression in Yangtze sturgeon Acipenser dabryanus.	
144	Androgen Receptor-Mediated Transcription in Prostate Cancer 2022, 11,	1
143	Analyzing the Androgen Receptor Interactome in Prostate Cancer: Implications for Therapeutic Intervention <b>2022</b> , 11,	1
142	The synergistic effect of eucalyptus oil and retinoic acid on human esophagus cancer cell line SK-GT-4. <b>2022</b> , 23,	
141	Estrogen Biosynthesis and Signal Transduction in Ovarian Disease <b>2022</b> , 13, 827032	1
140	Molecular modeling, mutational analysis and steroid specificity of the ligand binding pocket of mPRE(PAQR7): Shared ligand binding with AdipoR1 and its structural basis 2022, 219, 106082	2
139	Discovery of farnesoid X receptor and its role in bile acid metabolism <b>2022</b> , 548, 111618	1
138	A nuclear receptor heterodimer, CgPPAR2-CgRXR, acts as a regulator of carotenoid metabolism in Crassostrea gigas <b>2022</b> , 827, 146473	0
137	In vivo and in vitro evolution of the effects of cypermethrin on turbot (Scophthalmus maximus, Linnaeus, 1758) spermatozoa <b>2022</b> , 109298	1
136	Estrogen receptor beta promotes endometriosis progression by upregulating CD47 expression in ectopic endometrial stromal cells <b>2022</b> , 151, 103513	
135	Recent advances in nuclear receptors-mediated health benefits of blueberry <b>2022</b> , 100, 154063	О
134	Nuclear receptors in oral cancer-emerging players in tumorigenesis 2022, 215666	2
133	The Schistosoma mansoni nuclear receptor FTZ-F1 maintains esophageal gland function via transcriptional regulation of meg-8.3 <b>2021</b> , 17, e1010140	o
132	AR imposes different effects on ZFHX3 transcription depending on androgen status in prostate cancer cells <b>2021</b> ,	2
131	Is Required for Molting and Ovulation of the Oriental River Prawn <b>2021</b> , 12, 798577	1
130	Homeostatic Regulation of Glucocorticoid Receptor Activity by Hypoxia-Inducible Factor 1: From Physiology to Clinic <b>2021</b> , 10,	О
129	The ecdysteroid receptor regulates salivary gland degeneration through apoptosis in Rhipicephalus haemaphysaloides <b>2021</b> , 14, 612	

128 The role of resveratrol, Sirtuin1 and RXR prognostic markers in ovarian cancer. 2021, 1

127	Nuclear receptors modulate inflammasomes in the pathophysiology and treatment of major depressive disorder <b>2021</b> , 11, 1191-1205	O
126	Parsing the Role of PPARs in Macrophage Processes <b>2021</b> , 12, 783780	4
125	Metabolic Alteration Analysis of Steroid Hormones in Niemann-Pick Disease Type C Model Cell Using Liquid Chromatography/Tandem Mass Spectrometry <b>2022</b> , 23,	2
124	The function of nuclear hormone receptor 4A signaling in the human reproductive system: A review <b>2022</b> ,	
123	Steroid-induced fibroblast growth factors drive an epithelial-mesenchymal inflammatory axis in severe asthma <b>2022</b> , 14, eabl8146	1
122	1,5-Disubstituted Acylated 2-Amino-4,5-dihydroimidazoles as a New Class of Retinoic Acid Receptor-Related Orphan Receptor (ROR) Inhibitors <b>2022</b> , 23,	1
121	Cortisol resistance in the degu (Octodon degus) <b>2022</b> , 184, 109037	
120	Data_Sheet_1.PDF. <b>2019</b> ,	
119	Data_Sheet_1.PDF. <b>2019</b> ,	
118	Data_Sheet_1.ZIP. <b>2020</b> ,	
117	Image_1.TIF. <b>2020</b> ,	
116	Table_1.docx. <b>2020</b> ,	
115	presentation_1.PDF. <b>2018</b> ,	
114	table_1.docx. <b>2018</b> ,	
113	table_2.docx. <b>2018</b> ,	
112	Data_Sheet_1.PDF. <b>2019</b> ,	
111	Table1_v2.docx. <b>2020</b> ,	

110 Data\_Sheet\_1.PDF. **2018**,

109	Synergistic gene regulation by thyroid hormone and glucocorticoid in the hippocampus 2022, 118, 35-81	1
108	Estrogen Receptor Bio-Activities Determine Clinical Endocrine Treatment Options in Estrogen Receptor-Positive Breast Cancer <b>2022</b> , 21, 15330338221090351	1
107	Loss Of Hepatic Small Heterodimer Partner Elevates Ileal Bile Acids And Alters Cell Cycle Related Genes In Male Mice <b>2022</b> ,	O
106	Psychosocial Stress, Glucocorticoid Signaling, and Prostate Cancer Health Disparities in African American Men <b>2020</b> , 4,	
105	RXREagonist bexarotene attenuates radiation-induced skin injury by relieving oxidative stress. <b>2022</b> ,	
104	Nuclear Receptor Coregulators in Hormone-Dependent Cancers. <b>2022</b> , 14, 2402	О
103	COUP-TFII in Kidneys, from Embryos to Sick Adults. <b>2022</b> , 12, 1181	
102	Thyroid and Corticosteroid Signaling in Amphibian Metamorphosis. <b>2022</b> , 11, 1595	1
101	Functional roles of miR-625-5p and miR-874-3p in the progression of castration resistant prostate cancer <b>2022</b> , 120603	1
100	Antagonistic action of a synthetic androgen ligand mediated by chromatin remodeling in a human prostate cancer cell line <b>2022</b> , 612, 110-118	O
99	Role of Bile Acids and Nuclear Receptors in Acupuncture in Improving Crohn Disease. 2022, 2022, 1-11	
98	Comprehensive Interactome Mapping of Nuclear Receptors Using Proximity Biotinylation. <b>2022</b> , 223-240	
97	Androgens. <b>2022</b> , 255-259	
96	Cholecystectomy promotes colon carcinogenesis by activating the Wnt signaling pathway by increasing the deoxycholic acid level. <b>2022</b> , 20,	0
95	The Pathogenesis of Cardiac Arrhythmias in Vitamin D Deficiency. <b>2022</b> , 10, 1239	2
94	IRF2BP2 is a novel HNF4&o-repressor: Its role in gluconeogenic gene regulation via biochemically labile interaction. <b>2022</b> , 615, 81-87	
93	Nuclear hormone receptors in demyelinating diseases.	O

92	Targeting Nuclear Receptors in Lung CancerNovel Therapeutic Prospects. <b>2022</b> , 15, 624	1
91	Ligand-induced shifts in conformational ensembles that predict transcriptional activation.	
90	Significance of the Vitamin D Receptor on Crosstalk with Nuclear Receptors and Regulation of Enzymes and Transporters. <b>2022</b> , 24,	О
89	Cellular Responses to Hormones. <b>2001</b> , 191-206	O
88	Pituitary corticotroph identity and receptor-mediated signaling: a transcriptomics perspective. <b>2022</b> , 100364	1
87	Potential Therapeutic Effect of All-Trans Retinoic Acid on Atherosclerosis. <b>2022</b> , 12, 869	
86	Modification of ER UFM1 Increases Its Stability and Transactivity for Breast Cancer Development. <b>2022</b> , 45, 425-434	О
85	Nutrigenomics and Transcriptomics for a Personalized Nutrition. <b>2022</b> , 131-150	
84	Role of PPAR Receptor and Ligands in the Pathogenesis and Therapy of Hematologic Malignancies. <b>2022</b> , 3, 422-433	
83	LRH -1/ NR5A2 interacts with the glucocorticoid receptor to regulate glucocorticoid resistance.	1
82	A Novel Mechanism of Coactivator Recruitment by the Nurr1 Nuclear Receptor. <b>2022</b> , 434, 167718	
81	Calcitriol in cancer treatment: From the lab to the clinic. <b>2004</b> , 3, 373-381	42
80		42 32
	Calcitriol in cancer treatment: From the lab to the clinic. <b>2004</b> , 3, 373-381  Low-Dose Dietary Phytoestrogen Abrogates Tamoxifen-Associated Mammary Tumor Prevention.	
80	Calcitriol in cancer treatment: From the lab to the clinic. <b>2004</b> , 3, 373-381  Low-Dose Dietary Phytoestrogen Abrogates Tamoxifen-Associated Mammary Tumor Prevention. <b>2005</b> , 65, 879-886  Peroxisome proliferator-activated receptor Land retinoid X receptor ligands are potent inducers of	32
80 79	Calcitriol in cancer treatment: From the lab to the clinic. 2004, 3, 373-381  Low-Dose Dietary Phytoestrogen Abrogates Tamoxifen-Associated Mammary Tumor Prevention. 2005, 65, 879-886  Peroxisome proliferator-activated receptor and retinoid X receptor ligands are potent inducers of differentiation and apoptosis in leukemias. 2004, 3, 1249-1262  Temporal Variation and Identification of Factors Associated with Endogenous Retinoic Acid Isomers	32 25
80 79 78	Calcitriol in cancer treatment: From the lab to the clinic. 2004, 3, 373-381  Low-Dose Dietary Phytoestrogen Abrogates Tamoxifen-Associated Mammary Tumor Prevention. 2005, 65, 879-886  Peroxisome proliferator-activated receptor land retinoid X receptor ligands are potent inducers of differentiation and apoptosis in leukemias. 2004, 3, 1249-1262  Temporal Variation and Identification of Factors Associated with Endogenous Retinoic Acid Isomers in Serum from Brazilian Women. 2004, 13, 1693-1703  Identification of Potential Dual Farnesol X Receptor/Retinoid X Receptor lagonists Based on	32 25 1

 $_{74}$   $\,\,$  KLF5 governs sphingolipid metabolism and barrier function of the skin.

73	Nuclear receptors as potential therapeutic targets in peripheral arterial disease and related myopathy.	1
72	Transcriptional coregulator Ess2 controls survival of post-thymic CD4+ T cells through the Myc and IL-7 signaling pathways. <b>2022</b> , 298, 102342	
71	The nuclear receptor TLX (NR2E1) inhibits growth and progression of triple- negative breast cancer. <b>2022</b> , 1868, 166515	Ο
70	An overview on Estrogen receptors signaling and its ligands in breast cancer. <b>2022</b> , 241, 114658	O
69	Potentiation of interferon-Estimulated nitric oxide production by retinoic acid in RAW 264.7 cells. <b>2001</b> , 70, 121-129	6
68	Drugging the Undruggable: Targeting the N-Terminal Domain of Nuclear Hormone Receptors. <b>2022</b> , 311-326	1
67	Protein Condensation in the Nuclear Receptor Family; Implications for Transcriptional Output. <b>2022</b> , 243-253	O
66	Differences in SUV39H1 and androgen receptor distribution in adenomyomatous hyperplasia and prostatic adenocarcinoma. <b>2022</b> , 25, 1387	О
65	Drug-metabolizing enzymes and inflammatory responses. <b>2022</b> , 323-345	Ο
64	Female Reproductive Systems: Hormone Dependence and Receptor Expression. 2022, 21-39	0
63	Functions of Membrane Progesterone Receptors (mPRs, PAQRs) in Nonreproductive Tissues.	1
62	Study for the binding affinity of thyroid hormone receptors based on machine learning algorithm. <b>2022</b> , 33, 601-620	О
61	Ligand-induced shifts in conformational ensembles that describe transcriptional activation. 11,	1
60	Recognition of fold- and function-specific sites in the ligand-binding domain of the thyroid hormone receptor-like family. 13,	0
59	Visualization of protein <b>p</b> rotein interactions of hormone receptors in hormone-dependent cancer research. <b>2022</b> ,	O
58	Progestins. <b>2022</b> , 179-185	О
57	Prinzipien zellulter Kommunikation. <b>2022</b> , 513-526	O

56	The evolution and polymorphism of mono-amino acid repeats in androgen receptor and their regulatory role in health and disease. 9,	O
55	PROTAC Degrader of Estrogen Receptor Hargeting DNA-Binding Domain in Breast Cancer.	2
54	The Crucial Role of AR-V7 in Enzalutamide-Resistance of Castration-Resistant Prostate Cancer. <b>2022</b> , 14, 4877	0
53	Drug transporters OAT1 and OAT3 have specific effects on multiple organs and gut microbiome as revealed by contextualized metabolic network reconstructions. <b>2022</b> , 12,	1
52	NRPreTo: A Machine Learning Based Nuclear Receptor and Subfamily Prediction Tool.	O
51	Carotenoid Metabolites, their Tissue and Blood Concentrations in Humans and further Bioactivity via Retinoid Receptor-Mediated Signalling. 1-42	O
50	Estrogen-Inducible LncRNA BNAT1 Functions as a Modulator for Estrogen Receptor Signaling in Endocrine-Resistant Breast Cancer Cells. <b>2022</b> , 11, 3610	O
49	Impact of hypovitaminosis D on body weight, food intake parameters and hematological alterations in albino mice Mus musculus. <b>2022</b> , 36, 100465	O
48	Epigenetic Regulation of Drug-Metabolizing Enzymes in Cancer. <b>2022</b> , 553-571	О
47	Xenobiotic Receptor-Mediated Gene Regulation in Drug Metabolism and Disposition. <b>2022</b> , 427-464	О
46	PROTACS: A technology with a gold rush-like atmosphere. <b>2023</b> , 247, 115037	0
45	Peroxisome Proliferator-Activated Receptor EAttenuates Hypertensive Vascular Remodeling by Protecting Vascular Smooth Muscle Cells from Angiotensin II-Induced ROS Production. <b>2022</b> , 11, 2378	O
44	Procyanidins regulate colonic metabolome, inflammatory response and antioxidant capacity in lambs fed a high-concentrate diet.	1
43	Genome-wide identification and expression of the peroxisome proliferator-activated receptor gene family in the Tibetan highland fish Gymnocypris przewalskii. <b>2022</b> , 48, 1685-1699	O
42	Next-generation retinoid X receptor agonists increase ATRA signaling in organotypic epithelium cultures and have distinct effects on receptor dynamics. <b>2022</b> , 102746	0
41	Case report: Clinical characteristics and treatment of secondary osteoporosis induced by X-linked congenital adrenal dysplasia. 13,	O
40	Drug discovery inspired by bioactive small molecules from nature. 1-12	1
39	The testosterone paradox of advanced prostate cancer: mechanistic insights and clinical implications.	1

38	Regulation of Chromatin Accessibility by the Farnesoid X Receptor Is Essential for Circadian and Bile Acid Homeostasis In Vivo. <b>2022</b> , 14, 6191	1
37	Interactions governing transcriptional activity of nuclear receptors. <b>2022</b> , 50, 1941-1952	Ο
36	Localisation of oestrogen receptors in stem cells and in stem cell-derived neurons of the mouse.	О
35	Identification of the Rare Ala871Glu Mutation in the Androgen Receptor Gene Leading to Complete Androgen Insensitivity Syndrome in an Adolescent Girl with Primary Amenorrhea. <b>2022</b> , 9, 1900	O
34	Molecular Cloning and Characterization of a Fasciola gigantica Nuclear Receptor Subfamily 1 (FgNR1). <b>2022</b> , 11, 1458	2
33	Intrauterine androgen exposure impairs gonadal adipose tissue functions of adult female rats. <b>2022</b> ,	Ο
32	Nuclear Factor of Activated T Cells (NFAT) as a Molecular Target for 1⊉5-Dihydroxyvitamin D3-Mediated Effects. <b>1998</b> , 160, 209-218	13
31	Identification of Target Genes for Retinoid-related Orphan Receptors Involved in the Suppression of Atherosclerosis. <b>2023</b> , 143, 27-36	Ο
30	Heterogeneity in hormone-dependent breast cancer and therapy: Steroid hormones, HER2, melanoma antigens, and cannabinoid receptors. <b>2023</b> , 100086	О
29	Molecular Mechanisms of Noncoding RNA in the Occurrence of Castration-Resistant Prostate Cancer. <b>2023</b> , 24, 1305	O
28	Endocrine Disruptor Chemicals and Children⊠ Health. <b>2023</b> , 24, 2671	O
27	Essential and subtype-dependent function of thyroid hormone receptors during Xenopus metamorphosis. <b>2023</b> ,	O
26	Multitask Learning for Quantitative StructureActivity Relationships: A Tutorial. 2023, 199-220	O
25	Taspase1 Facilitates Topoisomerase II Mediated DNA Double-Strand Breaks Driving Estrogen-Induced Transcription. <b>2023</b> , 12, 363	O
24	Allelic Discrimination of Vitamin D Receptor Polymorphisms and Risk of Type 2 Diabetes Mellitus: A Case-Controlled Study. <b>2023</b> , 11, 485	О
23	Vitamin D. <b>2018</b> , 352-371	O
22	Nanoliposomal System for Breast Cancer Therapy. <b>2022</b> , 199-218	O
21	Next-Generation Estrogen Receptor Targeted Therapeutics. <b>2023</b> , 7, 313-330	Ο

20	Nuclear receptor co-repressor NCOR2 and its relation to GPER with prognostic impact in ovarian cancer.	O
19	Unraveling corticotropin-releasing factor family-orchestrated signaling and function in both sexes. <b>2023</b> ,	O
18	Sexually Dimorphic Regulation of Gonadotrope Cell Hyperplasia in Medaka Pituitary via Mitosis and Transdifferentiation. <b>2023</b> , 164,	O
17	Hormonal Regulation of Cerebellar Development and Its Disorders. 2023, 297-314	O
16	Concomitant inhibition of PPARIand mTORC1 induces the differentiation of human monocytes into highly immunogenic dendritic cells. <b>2023</b> , 42, 112156	O
15	N⊠leer Resept⊞er.	O
14	Nur77 and PPARIregulate transcription and polarization in distinct subsets of M2-like reparative macrophages during regenerative inflammation. 14,	O
13	Estrogen Receptor Knockout Mice and Their Effects on Fertility. <b>2023</b> , 2, 116-126	O
12	Pregnancy Is Associated with Impaired Transcription of Human Endogenous Retroviruses and of TRIM28 and SETDB1, Particularly in Mothers Affected by Multiple Sclerosis. <b>2023</b> , 15, 710	О
11	Hyperbaric Oxygen Therapy Attenuated the Motor Coordination and Cognitive Impairment of Polyglutamine Spinocerebellar Ataxia SCA17 Mice.	O
10	The epigenetic function of androgen receptor in prostate cancer progression. 11,	O
9	Essential and subtype-dependent function of thyroid hormone receptors during Xenopus metamorphosis. <b>2023</b> ,	O
8	Androgen Receptor Upregulates Mucosa-Associated Lymphoid Tissue 1 to Induce NF- <b>B</b> Activity via Androgen-Dependent and -Independent Pathways in Prostate Carcinoma Cells. <b>2023</b> , 24, 6245	O
7	Unraveling the Role of Peroxisome Proliferator-Activated Receptor 紅PPAR 和in Angiogenesis Associated with Multiple Myeloma. <b>2023</b> , 12, 1011	O
6	A genome-wide CRISPR screen maps endogenous regulators of PPARG gene expression in bladder cancer. <b>2023</b> , 26, 106525	О
5	White Rhino Diet-Induced Infertility. <b>2023</b> , 621-626	O
4	Drosophila melanogaster as a model to study age and sex differences in brain injury and neurodegeneration after mild head trauma. 17,	O
3	Bisphenol A prevents MCF-7 breast cell apoptosis via the inhibition of progesterone receptor transactivation.	O

From Ligands to Behavioral Outcomes: Understanding the Role of Mineralocorticoid Receptors in Brain Function. 1-53

О

The role of androgens and estrogens in social interactions and social cognition. 2023,

О