

CITATION REPORT

List of articles citing

Body mass index reference curves for the UK, 1990

DOI: 10.1136/adc.73.1.25

Archives of Disease in Childhood, 1995, 73, 25-9.

Source: <https://exaly.com/paper-pdf/26492063/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1576	Growth monitoring: the next five years. 1995 , 2, 174-8		1
1575	Maternal HIV infection, drug use, and growth of uninfected children in their first 3 years. <i>Archives of Disease in Childhood</i> , 1995 , 73, 490-5	2.2	11
1574	A new stress-related syndrome of growth failure and hyperphagia in children, associated with reversibility of growth-hormone insufficiency. 1996 , 348, 353-8		99
1573	Growth charts for ethnic populations in UK. 1996 , 347, 839-40		21
1572	Evidence for senescent convergence during human aging. 1996 , 91, 185-94		1
1571	New growth charts. 1996 , 6, 262-265		1
1570	Abstracts of Communications. 1996 , 55, 213A-232A		
1569	Short stature--the role of intelligence in psychosocial adjustment. <i>Archives of Disease in Childhood</i> , 1996 , 75, 25-31	2.2	36
1568	Height and weight in cystic fibrosis: a cross sectional study. UK Cystic Fibrosis Survey Management Committee. <i>Archives of Disease in Childhood</i> , 1997 , 77, 497-500	2.2	85
1567	Relationship between cardiopulmonary response to exercise and adiposity in survivors of childhood malignancy. <i>Archives of Disease in Childhood</i> , 1997 , 76, 298-303	2.2	71
1566	Relation between insulin-like growth factor-I, body mass index, and clinical status in cystic fibrosis. <i>Archives of Disease in Childhood</i> , 1997 , 76, 304-9	2.2	48
1565	Disordered eating behavior and microvascular complications in young women with insulin-dependent diabetes mellitus. 1997 , 336, 1849-54		379
1564	Growth monitoring with the British 1990 growth reference. <i>Archives of Disease in Childhood</i> , 1997 , 76, 47-9	2.2	97
1563	Growth of Pakistani children in relation to the 1990 growth standards. <i>Archives of Disease in Childhood</i> , 1997 , 77, 401-5	2.2	25
1562	Childhood Obesity. 1997 , 2, 283-295		8
1561	Long-term change in exercise capacity, body mass, and pulmonary function in adults with cystic fibrosis. 1997 , 111, 338-43		43
1560	Key issues in the prevention of obesity. 1997 , 53, 359-88		47

1559	The validity of body mass index for the assessment of adiposity in children with disease states. 1997 , 24, 209-15		61
1558	Inflammatory bowel disease and predisposition to osteopenia. <i>Archives of Disease in Childhood</i> , 1997 , 76, 325-9	2.2	94
1557	Birthweight for length: ponderal index, body mass index or Benn index?. 1997 , 24, 289-98		56
1556	Use of body mass index to monitor treatment of obese adolescents. 1997 , 20, 466-9		9
1555	Body mass index and height from childhood to adulthood in the 1958 British born cohort. <i>American Journal of Clinical Nutrition</i> , 1997 , 66, 1094-101	7	258
1554	How do they grow? A study of south-eastern Nigerian adolescent girls. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1997 , 86, 1114-20	3.1	18
1553	Nutrition et insuffisance rñale chronique de l'enfant. 1997 , 11, 511-520		1
1552	Social class and obesity in 12-year-old children in Brussels: influence of gender and ethnic origin. 1998 , 157, 432-5		20
1551	A community based study of vitamin A and vitamin E status of adolescent girls living in the Shire Valley, Southern Malawi. <i>European Journal of Clinical Nutrition</i> , 1998 , 52, 637-42	5.2	26
1550	Body mass index and percentage fat mass in healthy German schoolchildren and adolescents. 1998 , 22, 461-9		98
1549	Treatment of child obesity. 1998 , 2, 37-47		
1548	Changes in serum IGF-I and IGFBP-3 concentrations during the IGF-I generation test performed prospectively in children with short stature. 1998 , 48, 719-24		36
1547	Effect of long-term growth hormone treatment on carbohydrate metabolism in children with growth hormone deficiency. 1998 , 49, 125-30		24
1546	Body mass index reference curves for Chinese children. 1998 , 25, 169-74		124
1545	Pulmonary function, exercise performance, and growth in survivors of congenital diaphragmatic hernia. <i>Archives of Disease in Childhood</i> , 1998 , 78, 137-42	2.2	48
1544	Linear growth in prepubertal children with atopic dermatitis. <i>Archives of Disease in Childhood</i> , 1998 , 79, 169-72	2.2	33
1543	Obesity in 21-hydroxylase deficient patients. <i>Archives of Disease in Childhood</i> , 1998 , 78, 261-3	2.2	101
1542	Smoking and pursuit of thinness in schoolgirls in London and Ottawa. 1998 , 74, 473-9		22

1541	Methods for the analysis of feeding behaviour in infancy: Weanlings. 1998 , 16, 27-44		7
1540	No evidence for an effect of nutritional status at diagnosis on prognosis in children with acute lymphoblastic leukemia. 1998 , 20, 534-8		43
1539	Reducing iron deficiency anaemia due to heavy menstrual blood loss in Nigerian rural adolescents. 1998 , 1, 249-57		34
1538	Abstracts of Communications. 1998 , 57, 129A-140A		
1537	Body mass index standards for children. Are useful for clinicians but not yet for epidemiologists. 1998 , 317, 1401-2		44
1536	Childhood obesity and adult cardiovascular mortality: a 57-y follow-up study based on the Boyd Orr cohort. <i>American Journal of Clinical Nutrition</i> , 1998 , 67, 1111-8	7	404
1535	Birth weight influences the initial response to growth hormone treatment in growth hormone-insufficient children. 1998 , 102, 342-5		16
1534	Comparison of weight and height relations in boys from 4 countries. <i>American Journal of Clinical Nutrition</i> , 1999 , 70, 157S-62S	7	67
1533	Monitoring childhood obesity: assessment of the weight/height index. 1999 , 150, 939-46		142
1532	Prevalence of overweight and obesity in British children: cohort study. 1999 , 319, 1039		134
1531	Adequacy of clinical formulae for estimation of energy requirements in children with cystic fibrosis. <i>Archives of Disease in Childhood</i> , 1999 , 81, 120-4	2.2	11
1530	Body mass index is different in normal Chinese and Caucasian infants. 1999 , 12, 507-17		13
1529	Sexually dimorphic and radiation dose dependent effect of cranial irradiation on body mass index. <i>Archives of Disease in Childhood</i> , 1999 , 81, 500-4	2.2	50
1528	Adequacy of standards for assessment of growth and nutritional status in infancy and early childhood. <i>Archives of Disease in Childhood</i> , 1999 , 80, 121-4	2.2	21
1527	Metabolic effects of discontinuing growth hormone treatment. <i>Archives of Disease in Childhood</i> , 1999 , 80, 517-23	2.2	26
1526	Relationship between serum and urinary insulin-like growth factor-I through childhood and adolescence: their use in the assessment of disordered growth. 1999 , 50, 611-8		12
1525	Constitutional delay in growth and puberty (CDGP) is associated with hypoleptinaemia. 1999 , 50, 721-6		36
1524	The relationship between insulin, IGF-I and weight gain in cystic fibrosis. 1999 , 51, 659-65		29

1523	SHORT REPORT: Suitability of revised UK reference data for the assessment of nutritional status in 7-year-old children. 1999 , 12, 529-531		1
1522	Leptin concentrations in maternal serum and cord blood: relationship to maternal anthropometry and fetal growth. 1999 , 106, 1054-60		61
1521	Peak and trough growth hormone (GH) concentrations influence growth and serum insulin like growth factor-1 (IGF-1) concentrations in short children. 1999 , 50, 301-8		14
1520	Blood pressure during adolescence: a study among Belgian adolescents selected from a high cardiovascular risk population. 1999 , 15, 783-90		9
1519	Microalbuminuria in diabetic adolescents and children--feasibility phase of a national cross-sectional study. MIDAC Research Group. 1999 , 13, 122-8		1
1518	Body mass index reference curves for Iran. 1999 , 26, 527-35		12
1517	Weight-for-height of children in Iran. 1999 , 26, 537-47		3
1516	Child obesity and body-mass index. 1999 , 353, 1188		8
1515	Too short or too fat: should we be monitoring weight?. 1999 , 353, 413-4		5
1514	Child obesity and body-mass index. 1999 , 353, 2070		2
1513	Cognitive function and mood after profound nocturnal hypoglycaemia in prepubertal children with conventional insulin treatment for diabetes. <i>Archives of Disease in Childhood</i> , 1999 , 81, 138-42	2.2	70
1512	Behavior and personality characteristics of children and young adults with Prader-Willi syndrome: a controlled study. 1999 , 38, 761-9		52
1511	Defining obesity in childhood: current practice2. <i>American Journal of Clinical Nutrition</i> , 1999 , 70, 126S-130S		84
1510	Four-component model of body composition in children: density and hydration of fat-free mass and comparison with simpler models. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 904-12	7	252
1509	Eating disorders in children and adolescents. 1999 , 5, 241-249		3
1508	New understanding in obesity research. 1999 , 58, 385-93		33
1507	Reproducibility of resting metabolic rate measurement in children. 1999 , 81, 435-7		32
1506	Childhood leukaemia: a model of pre-obesity. 1999 , 58, 277-81		16

1505	Centiles of body mass index for Dutch children aged 0-20 years in 1980—baseline to assess recent trends in obesity. 1999 , 26, 303-308		79
1504	Tracking of body mass index from childhood to adolescence: a 6-y follow-up study in China. <i>American Journal of Clinical Nutrition</i> , 2000 , 72, 1018-24	7	125
1503	Methylxanthines and sensorineural outcome at 14 years in children 2000 , 36, 47-50		18
1502	Type 2 diabetes mellitus in UK children—an emerging problem. 2000 , 17, 867-71		180
1501	Mucosal healing and a fall in mucosal pro-inflammatory cytokine mRNA induced by a specific oral polymeric diet in paediatric Crohn's disease. 2000 , 14, 281-9		297
1500	Monitoring serum insulin-like growth factor-I (IGF-I), IGF binding protein-3 (IGFBP-3), IGF-I/IGFBP-3 molar ratio and leptin during growth hormone treatment for disordered growth. 2000 , 53, 329-36		42
1499	Body mass index (BMI) in Turner Syndrome before and during growth hormone (GH) therapy. 2000 , 24, 232-5		17
1498	A Hattori chart analysis of body mass index in infants and children. 2000 , 24, 325-9		174
1497	Risk factors for excess weight gain in children treated for acute lymphoblastic leukaemia. 2000 , 24, 1537-41	60	
1496	Identification of the obese child: adequacy of the body mass index for clinical practice and epidemiology. 2000 , 24, 1623-7		183
1495	Assessment of abdominal fat development in young adolescents using magnetic resonance imaging. 2000 , 24, 1653-9		40
1494	Body mass index in aboriginal Australians in remote communities. 2000 , 24, 570-5		13
1493	The outcome of 72 pregnancies in 55 women with cystic fibrosis in the United Kingdom 1977-1996. 2000 , 107, 254-61		76
1492	The Body Beautiful—English Adolescents' Images of Ideal Bodies. 2000 , 42, 887-915		21
1491	Assessment of body composition in children with chronic renal failure. 2000 , 14, 673-8		64
1490	Factors affecting survival in White and Asian children with acute lymphoblastic leukaemia. 2000 , 82, 1568-70	10	
1489	Body index measurements in 1996-7 compared with 1980. <i>Archives of Disease in Childhood</i> , 2000 , 82, 107-12	2.2	403
1488	Diagnosis of an ectopic ureter in a girl by differential urine collection after administration of desmopressin acetate. <i>Archives of Disease in Childhood</i> , 2000 , 83, 274-5	2.2	

1487	Prevalence of abnormal urinary albumin excretion in adolescents and children with insulin dependent diabetes: the MIDAC study. Microalbuminuria in Diabetic Adolescents and Children (MIDAC) research group. <i>Archives of Disease in Childhood</i> , 2000 , 83, 239-43	2.2	17
1486	Linear growth and final height after treatment for Cushing's disease in childhood. 2000 , 85, 3262-5		61
1485	Growth of primary school children: a validation of the 1990 references and their use in growth monitoring. <i>Archives of Disease in Childhood</i> , 2000 , 83, 298-301	2.2	9
1484	Factors associated with early adiposity rebound. ALSPAC Study Team. 2000 , 105, 1115-8		132
1483	Maternity advice survey: sleeping position in Eastern Europe. MAS Study Group for WHO EURO region. <i>Archives of Disease in Childhood</i> , 2000 , 83, 304-6	2.2	6
1482	Growth hormone response to a growth hormone-releasing hormone stimulation test in a population-based study following cranial irradiation of childhood brain tumors. 2000 , 54, 53-9		28
1481	Oxalate and calcium excretion in cystic fibrosis. <i>Archives of Disease in Childhood</i> , 2000 , 83, 244-7	2.2	24
1480	Anthropometric indices of failure to thrive. <i>Archives of Disease in Childhood</i> , 2000 , 82, 364-5	2.2	37
1479	Leptin and metabolic hormones in infants of diabetic mothers. 2000 , 83, F193-7		13
1478	Deprivation and childhood obesity: a cross sectional study of 20,973 children in Plymouth, United Kingdom. 2000 , 54, 456-60		117
1477	Osteoporosis and osteopenia in adults and adolescents with cystic fibrosis: prevalence and associated factors. 2000 , 55, 798-804		142
1476	Eating disorders in childhood and adolescence. 2000 , 10, 254-258		5
1475	Short-term changes in growth and urinary growth hormone, insulin-like growth factor-I and markers of bone turnover excretion in healthy prepubertal children. 2000 , 10, 28-36		24
1474	Resting energy expenditure in disorders of propionate metabolism. 2000 , 136, 659-63		32
1473	Epidemiology of childhood obesity in Europe. 2000 , 159 Suppl 1, S14-34		152
1472	Electrocardiographic findings in adolescents with eating disorders. 2000 , 105, 1100-5		81
1471	Establishing a standard definition for child overweight and obesity worldwide: international survey. 2000 , 320, 1240-3		10036
1470	Recent advances in the genetics of severe childhood obesity. <i>Archives of Disease in Childhood</i> , 2000 , 83, 31-4	2.2	78

1469	Body composition and growth in asthmatic children treated with inhaled steroids. 2000 , 85, 221-6		12
1468	No association between body mass index and beta(3)-adrenergic receptor variant (W64R) in children with premature pubarche and adolescent girls with hyperandrogenism. 2000 , 73, 509-15		13
1467	Inconsistent effects of the proline12 --> alanine variant of the peroxisome proliferator-activated receptor-gamma2 gene on body mass index in children and adolescent girls. 2001 , 76, 741-7		16
1466	Smoothing Centile Curves of Height of Basque Boys and Girls by the Application of the LMS-Method. 2001 , 33-43		
1465	A 51-year retrospective study of the trends of height, weight and body mass index at the time of death in those aged 16-103. 2001 , 8, 66-73		7
1464	Cardiovascular risk factors after Kawasaki disease: a case-control study. 2001 , 138, 400-5		62
1463	Effect of glucocorticoid therapy on energy intake in children treated for acute lymphoblastic leukemia. 2001 , 86, 3742-5		104
1462	Methicillin resistant Staphylococcus aureus (MRSA) infection in cystic fibrosis. <i>Archives of Disease in Childhood</i> , 2001 , 84, 160-2	2.2	59
1461	The Child with Cystic Fibrosis who Fails to Gain Weight. <i>Journal of the Royal Society of Medicine</i> , 2001 , 94, 25-28	2.3	1
1460	Guidelines by An AD HOC European Committee on the Assessment of Growth and Nutrition Status in Children on Chronic Peritoneal Dialysis. 2001 , 21, 1-9		2
1459	Anorexia nervosa in children and adolescents. 2001 , 111-122		0
1458	Immune function in rural Gambian children is not related to season of birth, birth size, or maternal supplementation status. <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 840-7	7	41
1457	Energy intake by multiple pass 24 h recall and total energy expenditure: a comparison in a representative sample of 3-4-year-olds. 2001 , 86, 601-5		40
1456	Childhood obesity in Europe: a growing concern. 2001 , 4, 109-16		107
1455	Abstracts of Original Communications. 2001 , 60, 81A-123A		
1454	Abstracts of Original Communications. 2001 , 60, 1A-80A		
1453	Abstracts of Original Communications. 2001 , 60, 146A-170A		
1452	Total energy expenditure in children with obstructive sleep apnoea syndrome. 2001 , 18, 164-9		31

1451	Prevalence and trends in overweight and obesity in three cross sectional studies of British Children, 1974-94. 2001 , 322, 24-6		325
1450	A health and nutritional profile of rural school children in KwaZulu-Natal, South Africa. 2001 , 21, 50-58		13
1449	Increased insulin sensitivity in young, growth hormone deficient children. 2001 , 55, 87-92		21
1448	Nutrition en cancérologie : aspects pédiatriques. 2001 , 15, 325-334		1
1447	Physical activity at 9-12 months and fatness at 2 years of age. 2001 , 13, 384-9		22
1446	Paternal transmission of the very common class I INS VNTR alleles predisposes to childhood obesity. 2001 , 29, 96-9		80
1445	Does fat intake predict adiposity in healthy children and adolescents aged 2--15 y? A longitudinal analysis. <i>European Journal of Clinical Nutrition</i> , 2001 , 55, 471-81	5.2	61
1444	The development of waist circumference percentiles in British children aged 5.0-16.9 y. <i>European Journal of Clinical Nutrition</i> , 2001 , 55, 902-7	5.2	518
1443	Overweight at age 21: the association with body mass index in childhood and adolescence and parents' body mass index. A cohort study of New Zealanders born in 1972-1973. 2001 , 25, 158-63		56
1442	Body mass index of 0 to 45-y-old Danes: reference values and comparison with published European reference values. 2001 , 25, 177-84		171
1441	Obesity in Auckland school children: a comparison of the body mass index and percentage body fat as the diagnostic criterion. 2001 , 25, 164-9		34
1440	Precision of measurement and body size in whole-body air-displacement plethysmography. 2001 , 25, 1161-7		50
1439	Celiac disease in children and adolescents with type I diabetes: importance of hypoglycemia. 2001 , 32, 37-40		99
1438	Commentary: getting ahead of the childhood obesity curve. 2001 , 30, 999-1000		3
1437	Increasing prevalence of obesity in primary school children: cohort study. 2001 , 322, 1094-5		82
1436	Elevated leptin levels are associated with excess gains in fat mass in girls, but not boys, with type 1 diabetes: longitudinal study during adolescence. 2001 , 86, 1188-93		68
1435	Overweight, obesity and skinfold thicknesses of children of African or Indian descent in Trinidad and Tobago. 2001 , 30, 989-98		37
1434	Implications of childhood obesity for adult health: findings from thousand families cohort study. 2001 , 323, 1280-4		232

1433	Clinical and psychological course of diabetes from adolescence to young adulthood: a longitudinal cohort study. 2001 , 24, 1536-40		321
1432	Can the increase in body mass index explain the rising trend in asthma in children?. 2001 , 56, 845-50		135
1431	A critique of the expression of paediatric body composition data. <i>Archives of Disease in Childhood</i> , 2001 , 85, 67-72	2.2	185
1430	Reply to Carole M. Lannon and the task force on circumcision. 2001 , 108, 211		3
1429	Prevalence of overweight and obese children between 1989 and 1998: population based series of cross sectional studies. 2001 , 322, 326-8		240
1428	Occurrence of celiac disease after onset of type 1 diabetes: a 6-year prospective longitudinal study. 2002 , 109, 833-8		188
1427	Results of 2 years of treatment with protease-inhibitor--containing antiretroviral therapy in dutch children infected with human immunodeficiency virus type 1. 2002 , 34, 1008-16		34
1426	Body mass index in male and female children with infantile autism. 2002 , 6, 197-205		35
1425	Leptin, malnutrition, and immune response in rural Gambian children. <i>Archives of Disease in Childhood</i> , 2002 , 87, 192-7	2.2	33
1424	[Problems in defining obesity in prepubescent children: consequences for assessing the requirements for medical rehabilitation]. 2002 , 64, 139-44		2
1423	Parent-reported health status of overweight and obese Australian primary school children: a cross-sectional population survey. 2002 , 26, 717-24		127
1422	Body mass index and age at menarche in an adolescent clinic population. 2002 , 41, 501-7		14
1421	Abstracts of Original Communications. 2002 , 61, 98A-152A		
1420	Free school meals and children's social and nutritional status in Trinidad and Tobago. 2002 , 5, 625-30		5
1419	Obesity and health risks. 2002 , 21, 134S-139S		17
1418	Recommendations for the use of body mass index for the classification of overweight and obese children and adolescents. 2002 , 23, 262-6		5
1417	Anthropometric indices of school children and familiar risk factors. 2002 , 35, 492-8		27
1416	Assessment of growth. 2002 , 16, 383-98		12

1415	A randomized crossover trial of combination pharmacologic therapy in children with familial hyperlipidemia. 2002 , 51, 715-21	56
1414	Nutrition in patients with cystic fibrosis: a European Consensus. 2002 , 1, 51-75	309
1413	Growth References and Standards. 2002 , 383-413	2
1412	Energy Requirements and Body Composition in Stable Pediatric Intensive Care Patients Receiving Ventilatory Support. 2002 , 23, 95-98	36
1411	Growth in Infancy and Childhood. 2002 , 21-44	4
1410	Body composition of long-term survivors of acute lymphoblastic leukaemia. 2002 , 38, 165-72	67
1409	Dietary restraint in relation to nutrient intake, physical activity and iron status in adolescent females. 2002 , 15, 19-31	13
1408	Early growth, pubertal development, body mass index and final height of patients with congenital adrenal hyperplasia: factors influencing the outcome. 2002 , 57, 669-76	53
1407	Childhood obesity: a challenge for the anaesthetist?. 2002 , 12, 750-61	44
1406	The effect of subclinical hypothyroidism on metabolic control in children and adolescents with Type 1 diabetes mellitus. 2002 , 19, 70-3	93
1405	Nutrition, health and schoolchildren. 2002 , 27, 275-316	30
1404	Approaching healthy body mass index norms for children and adolescents from health-related physical fitness. 2002 , 3, 225-32	50
1403	Alcaligenes infection in cystic fibrosis. 2002 , 34, 101-4	62
1402	Body composition in early onset eating disorders. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 857-65.2	28
1401	A chart to link child centiles of body mass index, weight and height. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 1194-9	5.2 97
1400	Adjustment of fat-free mass and fat mass for height in children aged 8 y. 2002 , 26, 947-52	204
1399	Possible risk factors in the development of eating disorders in overweight pre-adolescent girls. 2002 , 26, 1268-73	80
1398	The contribution of fat and fat-free tissue to body mass index in contemporary children and the reference child. 2002 , 26, 1323-8	99

1397	Insulin injection regimens and metabolic control in an international survey of adolescents with type 1 diabetes over 3 years: results from the Hvidore study group. 2003 , 162, 22-9	120
1396	Ethnic differences in weight loss behavior among secondary school students in Beirut: the role of weight perception. 2003 , 48, 234-41	11
1395	Childhood overweight problem in a selected school district in Hawaii. 2003 , 15, 164-77	12
1394	Criteria for medical intervention in obese children: a new definition of 'obesity disease' in Japanese children. 2003 , 45, 642-6	67
1393	Leptin measurement in urine in children and its relationship to other growth peptides in serum and urine. 2003 , 58, 78-85	9
1392	Ghrelin concentrations in healthy children and adolescents. 2003 , 59, 649-54	116
1391	Fasting insulin sensitivity and post-oral glucose hyperinsulinaemia related to cardiovascular risk factors in adolescents with precocious pubarche. 2003 , 59, 756-62	11
1390	Validity of six field and laboratory methods for measurement of body composition in boys. 2003 , 11, 852-8	62
1389	Predicting obesity in early adulthood from childhood and parental obesity. 2003 , 27, 505-13	332
1388	Obesity and blood pressure--results from the examination of 2365 schoolchildren in Germany. 2003 , 27, 1459-64	65
1387	Parent-offspring conflict theory, signaling of need, and weight gain in early life. 2003 , 78, 169-202	107
1386	Assessment of bone quality by quantitative ultrasound of proximal phalanges of the hand and fracture rate in children and adolescents with bone and mineral disorders. 2003 , 54, 125-36	87
1385	Evaluation of a new definition for chronic <i>Pseudomonas aeruginosa</i> infection in cystic fibrosis patients. 2003 , 2, 29-34	459
1384	Use of supermarket receipts to estimate energy and fat content of food purchased by lean and overweight families. 2003 , 41, 141-8	66
1383	Clinical spectrum of obesity and mutations in the melanocortin 4 receptor gene. 2003 , 348, 1085-95	1227
1382	Testing the accelerator hypothesis: the relationship between body mass and age at diagnosis of type 1 diabetes. 2003 , 26, 2865-70	136
1381	Central overweight and obesity in British youth aged 11-16 years: cross sectional surveys of waist circumference. 2003 , 326, 624	266
1380	Adult height and weight of breast-fed and bottle-fed Israeli infants. 2003 , 37, 462-7	5

1379	Breast feeding and obesity in childhood: cross sectional study. 2003 , 327, 904-5		73
1378	Evaluation of air-displacement plethysmography in children aged 5-7 years using a three-component model of body composition. 2003 , 90, 699-707		39
1377	Comparison of body mass index values proposed by Cole et al. (2000) and Must et al. (1991) for identifying obese children with weight-for-height index recommended by the World Health Organization. 2003 , 6, 307-11		26
1376	Endocrinologic and immunologic factors associated with recovery of growth in children with human immunodeficiency virus type 1 infection treated with protease inhibitors. 2003 , 22, 70-6		27
1375	The prevalence of obesity and undernutrition in Scottish children: growth monitoring within the Child Health Surveillance Programme. 2003 , 48, 32-7		17
1374	Abstracts of Original Communications. 2003 , 62, 35A-93A		1
1373	. 2004 ,		1
1372	Relation between physical activity and energy expenditure in a representative sample of young children. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 591-6	7	101
1371	Adjusting body cell mass for size in women of differing nutritional status. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 333-6	7	11
1370	Bone Turnover and Growth during and after Chemotherapy in Children with Solid Tumors. 2004 , 55, 224-30		18
1369	Bone mineral assessment by dual energy X-ray absorptiometry in children with inflammatory bowel disease: evaluation by age or bone area. 2004 , 38, 276-80		60
1368	Childhood predictors of self reported chronic fatigue syndrome/myalgic encephalomyelitis in adults: national birth cohort study. 2004 , 329, 941		67
1367	Is there an advantage in normalising the results of the Helicobacter pylori [¹³ C]urea breath test for CO ₂ production rate in children?. 2004 , 40, 89-98		17
1366	Differential impact of simple childhood obesity on the components of the growth hormone-insulin-like growth factor (IGF)-IGF binding proteins axis. 2004 , 17, 749-57		56
1365	Prevalence and regional differences in overweight in 2001 and trends in BMI distribution in Swedish children from 1987 to 2001. 2004 , 32, 257-63		55
1364	Preventing childhood obesity by reducing consumption of carbonated drinks: cluster randomised controlled trial. 2004 , 328, 1237		509
1363	Body mass index of children from the United Kingdom diagnosed with pervasive developmental disorders. 2004 , 46, 531-3		35
1362	Height-specific body mass index reference curves for Japanese children and adolescents 5-17 years of age. 2004 , 46, 525-30		8

1361	Appendix 1. Reported prevalence of child and adolescent overweight and obesity. 2004 , 5, 86-97	7
1360	Discrepancies between classification systems of childhood obesity. 2004 , 5, 105-14	54
1359	Osteopenia, excess adiposity and hyperleptinaemia during 2 years of treatment for childhood acute lymphoblastic leukaemia without cranial irradiation. 2004 , 60, 358-65	44
1358	Children with congenital hypothyroidism are at risk of adult obesity due to early adiposity rebound. 2004 , 61, 441-6	18
1357	Auxological outcome and time to menarche following long-acting goserelin therapy in girls with central precocious or early puberty. 2004 , 61, 626-34	50
1356	Ethnic differences in the relationship between fasting leptin and BMI in children. 2004 , 28, 17-21	12
1355	Epidemiology of childhood obesity--methodological aspects and guidelines: what is new?. 2004 , 28 Suppl 3, S21-8	81
1354	Cognitive change in obese adolescents losing weight. 2004 , 12, 313-9	38
1353	Children grow and horses race: is the adiposity rebound a critical period for later obesity?. 2004 , 4, 6	155
1352	Optimising nutrition in chronic renal insufficiency--growth. 2004 , 19, 1245-52	29
1351	Bone mineral density in children with familial Mediterranean fever. 2004 , 23, 230-4	14
1350	Prevalence and clinical manifestations of eating disorders in Austrian adolescents with type-1 diabetes. 2004 , 116, 230-4	30
1349	Braking the accelerator hypothesis?. 2004 , 47, 352-3	32
1348	Longitudinal changes of lumbar bone mineral density (BMD) in patients with GH deficiency after discontinuation of treatment at final height; timing and peak values for lumbar BMD. 2004 , 60, 175-84	41
1347	Standard and low-dose IGF-I generation tests and spontaneous growth hormone secretion in children with idiopathic short stature. 2004 , 60, 163-8; discussion 161-2	35
1346	Premature birth and later insulin resistance. 2004 , 351, 2179-86	469
1345	Genotyping of <i>Pseudomonas aeruginosa</i> in cystic fibrosis suggests need for segregation. 2004 , 3, 37-44	23
1344	BMI-referenced standards for recommended pedometer-determined steps/day in children. 2004 , 38, 857-64	270

1343	The impact of pregnancy weight and glucose on the metabolic health of mother and child in the south west of the UK. 2004 , 20, 281-9	6
1342	The rare HLA-DQA1*03-DQB1*02 haplotype confers susceptibility to type 1 diabetes in whites and is preferentially associated with early clinical disease onset in male subjects. 2004 , 65, 729-36	17
1341	Effect of television advertisements for foods on food consumption in children. 2004 , 42, 221-5	347
1340	Changes over 20 years in macronutrient intake and body mass index in 11- to 12-year-old adolescents living in Northumberland. 2004 , 92, 321-33	34
1339	Assessment of obesity and fear of fatness among inner-city Dublin schoolchildren in a one-year follow-up study. 2004 , 7, 729-35	4
1338	Role of the physician in childhood obesity. 2004 , 14, 161-8	14
1337	Validation of energy intake by 24-hour multiple pass recall: comparison with total energy expenditure in children aged 5-7 years. 2005 , 93, 671-6	41
1336	Reducing iron deficiency anaemia due to heavy menstrual blood loss in Nigerian rural adolescents. Reprinted from Public Health Nutrition Volume 1 (4), 249-257, 1998. 2005 , 8, 451-460	
1335	Definition, Anthropometric und deutsche Referenzwerte für BMI. 2005 , 3-15	10
1334	Understanding affective and cognitive self-evaluations about the body for adolescent girls. 2005 , 10, 485-503	7
1333	Reduced bone mineral density in adults treated with high-dose corticosteroids for childhood nephrotic syndrome. 2005 , 68, 2304-9	29
1332	Increasing body weight predicts the earlier onset of insulin-dependant diabetes in childhood: testing the 'accelerator hypothesis' (2). 2005 , 22, 144-51	118
1331	Physical activity and energy intake in adolescent girls with Type 1 diabetes. 2005 , 22, 893-9	46
1330	Changes in body composition between 1997 and 2002 among South Australian children: influences of socio-economic status and location of residence. 2005 , 29, 166-70	24
1329	Can Australian general practitioners tackle childhood overweight/obesity? Methods and processes from the LEAP (Live, Eat and Play) randomized controlled trial. 2005 , 41, 488-94	36
1328	Overweight and obesity in Irish primary schools: retrospective cohort study. 2005 , 31, 499-506	12
1327	Final adult height and body mass index after cure of paediatric Cushing's disease. 2005 , 62, 466-72	64
1326	Body mass index cutoffs for underweight, overweight, and obesity in South Korean schoolgirls. 2005 , 13, 1510-4	21

1325	Nutritional status and energy expenditure in children pre-bone-marrow-transplant. 2005 , 35, 775-9		29
1324	Reliability of calculating body mass index centile. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 717-9	5.2	3
1323	Differences between recumbent length and stature measurement in groups of 2- and 3-y-old children and its relevance for the use of European body mass index references. 2005 , 29, 24-8		9
1322	Composition of the fat-free mass in obese and nonobese children: matched case-control analyses. 2005 , 29, 29-36		38
1321	Trends in waist circumferences in young British children: a comparative study. 2005 , 29, 157-62		76
1320	Parental perceptions of overweight in 3-5 y olds. 2005 , 29, 353-5		197
1319	Fetal, infant and childhood growth: relationships with body composition in Brazilian boys aged 9 years. 2005 , 29, 1192-8		128
1318	Childhood obesity and socioeconomic status: a novel role for height growth limitation. 2005 , 29, 1199-203		32
1317	Protocol for: Sheffield Obesity Trial (SHOT): a randomised controlled trial of exercise therapy and mental health outcomes in obese adolescents [ISRCNT83888112]. <i>BMC Public Health</i> , 2005 , 5, 113	4.1	6
1316	The 'accelerator hypothesis': relationship between weight, height, body mass index and age at diagnosis in a large cohort of 9,248 German and Austrian children with type 1 diabetes mellitus. 2005 , 48, 2501-4		128
1315	Combined positivity for HLA DQ2/DQ8 and IA-2 antibodies defines population at high risk of developing type 1 diabetes. 2005 , 48, 687-94		36
1314	The Pro12Ala and C-681G variants of the PPARG locus are associated with opposing growth phenotypes in young schoolchildren. 2005 , 48, 1496-502		35
1313	Metabolic control and educational status in children with type 1 diabetes: effects of a summer camp and intensive insulin treatment. 2005 , 42, 156-61		23
1312	Implication of the Pro12Ala polymorphism of the PPAR-gamma 2 gene in type 2 diabetes and obesity in the French population. 2005 , 6, 11		84
1311	Developmental changes in leptin as a measure of energy status in human infants in a natural ecologic setting. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 488-94	7	14
1310	How to identify obesity in children—and when. 2005 , 16, 25-29		1
1309	Anthropometry. 2005 ,		
1308	Childhood obesity. 2005 , 15, 84, 86-90		

1307	Are ethnic differences in lung function explained by chest size?. 2005 , 90, F423-8		41
1306	Parents' perceptions of health professionals' responses when seeking help for their overweight children. 2005 , 22, 287-92		97
1305	Endocrine control of body composition in infancy, childhood, and puberty. 2005 , 26, 114-46		293
1304	Prediction of total body water in infants and children. <i>Archives of Disease in Childhood</i> , 2005 , 90, 965-71	2.2	59
1303	Growth hormone treatment and quality of life among survivors of childhood cancer. 2005 , 63, 300-4		8
1302	Obesity and bullying: different effects for boys and girls. <i>Archives of Disease in Childhood</i> , 2006 , 91, 121-5.	2	207
1301	Exercise capacity in apparently healthy survivors of cancer. <i>Archives of Disease in Childhood</i> , 2006 , 91, 47-51	2.2	43
1300	Body composition measurements: From the past to the future. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 8-13	3.1	29
1299	Parents' awareness of overweight in themselves and their children: cross sectional study within a cohort (EarlyBird 21). 2005 , 330, 23-4		182
1298	Early life risk factors for obesity in childhood: cohort study. 2005 , 330, 1357		1087
1297	Psychosocial correlates of adolescent obesity, 'slimming down' and 'becoming obese'. 2005 , 37, 409		66
1296	Adult socioeconomic, educational, social, and psychological outcomes of childhood obesity: a national birth cohort study. 2005 , 330, 1354		124
1295	Children with acute Perthes' disease have asymmetrical lower leg growth and abnormal collagen turnover. 2005 , 76, 841-7		4
1294	Measuring body composition. <i>Archives of Disease in Childhood</i> , 2006 , 91, 612-7	2.2	457
1293	Permanent neonatal diabetes in an Asian infant. 2005 , 146, 131-3		48
1292	Television viewing in early childhood predicts adult body mass index. 2005 , 147, 429-35		147
1291	Descriptive epidemiology and health consequences of childhood obesity. 2005 , 19, 327-41		136
1290	Effect of body mass on exercise-induced bronchospasm and atopy in African children. 2005 , 116, 773-9		44

1289	Asians with cystic fibrosis in the UK have worse disease outcomes than clinic matched white homozygous delta F508 controls. 2005 , 4, 53-8	18
1288	Prevalence of the insulin resistance syndrome in obesity. <i>Archives of Disease in Childhood</i> , 2005 , 90, 10-4 2.2	235
1287	Epidemic of childhood obesity: implications for kidney disease. 2006 , 13, 336-51	38
1286	Body mass, weight control behaviours, weight perception and emotional well being in a multiethnic sample of early adolescents. 2006 , 30, 1514-21	109
1285	Exercise therapy as a treatment for psychopathologic conditions in obese and morbidly obese adolescents: a randomized, controlled trial. 2006 , 118, 2126-34	110
1284	Syndromic obesity and diabetes: changes in body composition with age and mutation analysis of ALMS1 in 12 United Kingdom kindreds with Alstrom syndrome. 2006 , 91, 3110-6	64
1283	Body fat reference curves for children. 2006 , 30, 598-602	493
1282	Prediction of the clearance of eleven drugs and associated variability in neonates, infants and children. 2006 , 45, 931-56	363
1281	Development of adiposity in adolescence: five year longitudinal study of an ethnically and socioeconomically diverse sample of young people in Britain. 2006 , 332, 1130-5	175
1280	Physical activity to prevent obesity in young children: cluster randomised controlled trial. 2006 , 333, 1041	263
1279	Italian cross-sectional growth charts for height, weight and BMI (2 to 20 yr). 2006 , 29, 581-93	559
1278	[A nutrition survey among schoolchildren in Brazzaville, Congo]. 2006 , 13, 1022-8	4
1277	A POMC variant implicates beta-melanocyte-stimulating hormone in the control of human energy balance. 2006 , 3, 135-40	179
1276	Comparison of breakfast and bedtime administration of insulin glargine in children and adolescents with Type 1 diabetes. 2006 , 74, 15-20	7
1275	MICA is associated with type 1 diabetes in the Belgian population, independent of HLA-DQ. 2006 , 67, 94-101	12
1274	High prevalence of overweight and obesity in 11-15-year-old children from Sicily. 2006 , 16, 249-55	24
1273	Childhood Obesity and Type 2 Diabetes. 2006 , 233-259	
1272	Evaluation of Lunar Prodigy dual-energy X-ray absorptiometry for assessing body composition in healthy persons and patients by comparison with the criterion 4-component model. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 1047-54	7 141

1271	Can Sports Physicians Play a Role in Controlling the Obesity Epidemic?. 2006 , 2006, xix-xxxv		
1270	Limitations of the current world health organization growth references for children and adolescents. 2006 , 27, S175-88		43
1269	Acetate correction for postabsorption metabolism does not improve the [13C]mixed triacylglycerol breath test. 2006 , 43, 666-72		4
1268	Body fat measurements in children as predictors for the metabolic syndrome: focus on waist circumference. 2006 , 65, 385-92		56
1267	Abstracts of Original Communications 14-16 June 2006. 2006 , 65, 28A-45A		
1266	Conditional growth charts. 2006 , 34, 2069		88
1265	The evolution of human fatness and susceptibility to obesity: an ethological approach. 2006 , 81, 183-205		177
1264	Haemoglobin A1c is not a surrogate for glucose and insulin measures for investigating the early life and childhood determinants of insulin resistance and Type 2 diabetes in healthy children. An analysis from the Avon Longitudinal Study of Parents and Children (ALSPAC). 2006 , 23, 1357-63		9
1263	Stark reality & statistics on childhood obesity. 2006 , 31, 175-177		2
1262	Recent Developments in Anorexia Nervosa. 2006 , 11, 76-81		10
1261	Pattern of growth and adiposity from infancy to adulthood in atopic dermatitis. 2006 , 155, 532-8		13
1260	Measuring the prevalence of childhood obesity: a minimalist approach may be the best option. 2006 , 32, 247-52		1
1259	Effect of month of vaccine administration on antibody responses in The Gambia and Pakistan. 2006 , 11, 1529-41		38
1258	Tracking of overweight status from childhood to young adulthood: the Bogalusa Heart Study. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 48-57	5.2	261
1257	Comparison of accuracy and precision of heart rate calibration methods to estimate total carbon dioxide production during 13C-breath tests. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 69-76	5.2	10
1256	Family-based behavioural treatment of obesity: acceptability and effectiveness in the UK. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 587-92	5.2	44
1255	Definitions of childhood obesity: current practice. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 1189-94	5.2	34
1254	Improving the specificity of the [13C]mixed triacylglycerol breath test by estimating carbon dioxide production from heart rate. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 1245-52	5.2	3

1253	Differences in weaning practice, food and nutrient intake between breast- and formula-fed 4-month-old infants in England. 2006 , 19, 303-13	49
1252	Body composition and nutritional intake in children with chronic kidney disease. 2006 , 21, 1730-8	40
1251	BMI values and other anthropometric and functional measurements as predictors of obesity in a selected group of adolescents. 2006 , 45, 136-43	21
1250	Sex- and season-dependent differences in C-peptide levels at diagnosis of immune-mediated type 1 diabetes. 2006 , 49, 1158-62	14
1249	Biological effects of a dietary omega-3 polyunsaturated fatty acids supplementation in cystic fibrosis patients: a randomized, crossover placebo-controlled trial. 2006 , 25, 418-27	67
1248	Assessment of obesity status in outpatients from three disease states. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006 , 95, 970-4	3.1 3
1247	Obesity-linked insulin resistance in children – an emerging problem. 2006 , 3, 41-45	
1246	The use of target weights in the inpatient treatment of adolescent anorexia nervosa. 2006 , 14, 323-328	14
1245	Relation of isolated tonsillar hypertrophy with body mass index. 2006 , 68, 228-31	5
1244	Comparison of metabolic syndrome prevalence using six different definitions in overweight pre-pubertal children enrolled in a weight management study. 2006 , 30, 853-60	80
1243	Little evidence for early programming of weight and insulin resistance for contemporary children: EarlyBird Diabetes Study report 19. 2006 , 118, 1118-23	28
1242	Body composition in normal weight, overweight and obese children: matched case-control analyses of total and regional tissue masses, and body composition trends in relation to relative weight. 2006 , 30, 1506-13	85
1241	Habitual physical activity and sedentary behaviour in a clinical sample of obese children. 2006 , 30, 1494-500	31
1240	Body fat changes and lipodystrophy in HIV-infected children: impact of highly active antiretroviral therapy. 2006 , 43, 121-3	27
1239	Body mass index of Kuwaiti children aged 3-9 years: reference percentiles and curves. 2006 , 126, 41-6	5
1238	Body fat measurements in children as predictors for the metabolic syndrome: focus on waist circumference. 2006 , 65, 385-392	95
1237	The effects of growth hormone treatment on health-related quality of life in children. 2006 , 65, 243-9	15
1236	The Effect of Growth Hormone (GH) Treatment on Forearm Muscle in GH-Deficient Children: Evidence Based on Peripheral Quantitative Computed Tomography Measurements. 2006 , 66, 85-88	

1235	Obesity among children and adolescents with classic congenital adrenal hyperplasia due to 21-hydroxylase deficiency. 2006 , 117, e98-105		111
1234	Changing prevalences of overweight and obesity in primary school children--a glimmer of hope?. 2006 , 51, 34-6		3
1233	Decreasing prevalence of obesity in primary schoolchildren. <i>Archives of Disease in Childhood</i> , 2007 , 92, 153-4	2.2	23
1232	Body mass index references for Turkish children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006 , 95, 194-8	3.1	175
1231	Heterozygosity for a POMC-null mutation and increased obesity risk in humans. 2006 , 55, 2549-53		176
1230	Body mass index in children and adolescents: considerations for population-based applications. 2006 , 30, 590-4		291
1229	Neurodevelopmental and respiratory follow-up results at 7 years for children from the United Kingdom and Ireland enrolled in a randomized trial of early and late postnatal corticosteroid treatment, systemic and inhaled (the Open Study of Early Corticosteroid Treatment). 2006 , 117, 2196-205		31
1228	Standardized centile curves of body mass index for Japanese children and adolescents based on the 1978-1981 national survey data. 2006 , 33, 444-53		64
1227	Evaluation of arm anthropometry for assessing pediatric body composition: evidence from healthy and sick children. 2006 , 59, 860-5		74
1226	Clinical and radiological recurrence after childhood arterial ischemic stroke. 2006 , 114, 2170-7		139
1225	Failure to thrive: the prevalence and concurrence of anthropometric criteria in a general infant population. <i>Archives of Disease in Childhood</i> , 2007 , 92, 109-14	2.2	87
1224	What use is the BMI?. <i>Archives of Disease in Childhood</i> , 2006 , 91, 283-6	2.2	104
1223	Familial Mediterranean fever and growth: effect of disease severity and colchicine treatment. 2006 , 19, 155-60		13
1222	The effects of recombinant human growth hormone on linear growth in children with Crohn's disease and short stature. 2007 , 20, 1315-24		11
1221	Rising incidence of type 2 diabetes in children in the U.K. 2007 , 30, 1097-101		174
1220	Central adiposity in Brazilian schoolchildren aged 7-10 years. 2007 , 97, 799-805		19
1219	Body mass index cut offs to define thinness in children and adolescents: international survey. 2007 , 335, 194		1625
1218	New height, weight and head circumference charts for British children with Williams syndrome. <i>Archives of Disease in Childhood</i> , 2007 , 92, 598-601	2.2	56

1217	Objective measurement of levels and patterns of physical activity. <i>Archives of Disease in Childhood</i> , 2007 , 92, 963-9	2.2	381
1216	Clinical measures of adiposity and percentage fat loss: which measure most accurately reflects fat loss and what should we aim for?. <i>Archives of Disease in Childhood</i> , 2007 , 92, 399-403	2.2	50
1215	Nutritional intake and status in children with cystic fibrosis: does age matter?. 2007 , 44, 116-23		14
1214	A randomized control trial investigating the effect of presurgical orthopedics on feeding in infants with cleft lip and/or palate. 2007 , 44, 182-93		42
1213	Epidemiological and physiological approaches to understanding the etiology of pediatric obesity: finding the needle in the haystack. 2007 , 61, 646-52		40
1212	Hyperphagia and early-onset obesity due to a novel homozygous missense mutation in prohormone convertase 1/3. 2007 , 92, 3369-73		166
1211	Determinants of early atherosclerosis in obese children and adolescents. 2007 , 92, 3025-32		152
1210	Preventing childhood obesity: two year follow-up results from the Christchurch obesity prevention programme in schools (CHOPPS). 2007 , 335, 762		91
1209	Clinical and molecular genetic spectrum of congenital deficiency of the leptin receptor. 2007 , 356, 237-47		503
1208	Obesity and cardiometabolic syndrome in children. 2007 , 1, 61-81		12
1207	Twelve-month effectiveness of a parent-led, family-focused weight-management program for prepubertal children: a randomized, controlled trial. 2007 , 119, 517-25		179
1206	UK reference data for the Hologic QDR Discovery dual-energy x ray absorptiometry scanner in healthy children and young adults aged 6-17 years. <i>Archives of Disease in Childhood</i> , 2007 , 92, 53-9	2.2	97
1205	Body fat estimation using bioelectrical impedance. 2007 , 68, 8-10		15
1204	Non-synonymous polymorphisms in melanocortin-4 receptor protect against obesity: the two facets of a Janus obesity gene. 2007 , 16, 1837-44		157
1203	Efficacy of a monthly compared to 3-monthly depot GnRH analogue (goserelin) in the treatment of children with central precocious puberty. 2007 , 68, 157-63		11
1202	Ethnic and gender differences in body fat in British schoolchildren as measured by DXA. <i>Archives of Disease in Childhood</i> , 2007 , 92, 872-5	2.2	93
1201	Behavior of insulin resistance and its metabolic correlates in prepubertal children: a longitudinal study (EarlyBird 32). 2007 , 30, 2962-4		12
1200	The B'Active programme for overweight primary school children in Glasgow: determining the prevalence of overweight and obesity and piloting an activity intervention. 2007 , 97, 204-9		4

1199	Abstracts of Original Communications. 2007 , 66, 32A-114A		
1198	Growth and body composition in children with chronic kidney disease. 2007 , 97, 232-8		10
1197	Beyond-brand effect of television (TV) food advertisements/commercials on caloric intake and food choice of 5-7-year-old children. 2007 , 49, 263-7		195
1196	Reduced final height outcome in congenital adrenal hyperplasia under prednisone treatment: deceleration of growth velocity during puberty. 2007 , 92, 1635-9		105
1195	Measurement and definitions of obesity in childhood and adolescence: a field guide for the uninitiated. 2007 , 6, 32		112
1194	Approaches to tackling obesity in children. 2007 , 5, 14-19		1
1193	Prevalence of overweight and obesity in Irish school children, using four different definitions. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 743-51	5.2	49
1192	Quality of life in a clinical sample of obese children. 2007 , 31, 39-44		88
1191	Body mass index has risen more steeply in tall than in short 3-year olds: serial cross-sectional surveys 1988-2003. 2007 , 31, 23-9		36
1190	Metabolic risk-factor clustering estimation in children: to draw a line across pediatric metabolic syndrome. 2007 , 31, 591-600		88
1189	Clinical efficacy of group-based treatment for childhood obesity compared with routinely given individual counseling. 2007 , 31, 1500-8		101
1188	School-based physical activity and changes in adiposity. 2007 , 31, 1464-8		17
1187	Associations between multiple measures of parental feeding and children's adiposity in United Kingdom preschoolers. 2007 , 15, 137-44		106
1186	Prevalence of obesity among schoolchildren in Iran. 2007 , 8, 289-91		24
1185	Surveillance and monitoring. 2007 , 8 Suppl 1, 23-9		11
1184	Metabolic syndrome in youths. 2007 , 8 Suppl 9, 48-54		28
1183	Major increase in Type 1 diabetes: no support for the Accelerator Hypothesis. 2007 , 24, 920-3		40
1182	Predicting obesity in early adulthood in Japanese women. 2008 , 44, 33-7		4

1181	Which factors are associated with a successful outcome in a weight management programme for obese children?. 2007 , 13, 364-8		74
1180	Abnormal puberty in paediatric Cushing's disease: relationship with adrenal androgen, sex hormone binding globulin and gonadotrophin concentrations. 2007 , 66, 838-43		38
1179	Psychological symptoms and physical health and health behaviours in adolescents: a prospective 2-year study in East London. 2007 , 102, 126-35		42
1178	Does smoking in adolescence affect body mass index, waist or height? Findings from a longitudinal study. 2007 , 102, 1493-501		15
1177	Serum leptin concentrations and fat redistribution in HIV-1-infected children on highly active antiretroviral therapy. 2007 , 8, 433-8		7
1176	Explanations for female excess psychosomatic symptoms in adolescence: evidence from a school-based cohort in the West of Scotland. <i>BMC Public Health</i> , 2007 , 7, 298	4.1	21
1175	Mental health and psychosocial characteristics in adolescent obesity: a population-based case-control study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 88, 998-1003	3.1	34
1174	Body mass index and child obesity: are we nearing a definition?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 89, 507-509	3.1	25
1173	Population-based body mass index reference values from GÖteborg, Sweden: birth to 18 years of age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 89, 582-592	3.1	72
1172	Prevalence and awareness of excess weight in 13 and 14 year olds in Northern Ireland using recent international guidelines. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 90, 1435-1439	3.1	7
1171	Prevalence of overweight and obesity in children and adolescents in a county in Sweden. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 90, 671-676	3.1	4
1170	Impact of nutritional status on antibody responses to different vaccines in undernourished Gambian children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2003 , 92, 170-6	3.1	50
1169	Body mass index for Saudi children with Down's syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 92, 1482-1485	3.1	9
1168	Reduced gains in fat and fat-free mass, and elevated leptin levels in children and adolescents with cystic fibrosis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 93, 1185-1191	3.1	16
1167	Body composition measurements: from the past to the future. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 8-13	3.1	15
1166	Body mass index references for Turkish children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 95, 194-198	3.1	2
1165	Nutritional state of Polish prepubertal children assessed by population-specific and international standards. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 96, 276-80	3.1	14
1164	Parental feeding practices and children's weight. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007 , 96, 5-11	3.1	74

1163	[The prevalence of overweight and obese children and adolescents living in Germany. Results of the German Health Interview and Examination Survey for Children and Adolescents (KiGGS)]. 2007 , 50, 736-43	339
1162	Methodological considerations for childhood surveillance systems: the case of obesity. 2007 , 15, 147-153	6
1161	Clinical and genetic features of childhood-onset Type 2 diabetes in Japan. 2007 , 44, 181-5	5
1160	Growth parameters in maternal uniparental disomy 7 and 14. 2007 , 166, 1143-9	8
1159	Improved body mass index after mesenterico-portal bypass. 2007 , 23, 539-43	22
1158	Die Verbreitung von Bergewicht und Adipositas bei Kindern und Jugendlichen in Deutschland. 2007 , 1, 213-219	5
1157	Childhood autism, feeding problems and failure to thrive in early infancy. Seven case studies. 2008 , 17, 209-16	56
1156	Cardiovascular risk factors in overweight and obese Chinese children: a comparison of weight-for-height index and BMI as the screening criterion. 2008 , 47, 244-50	17
1155	Prevalence and risk factors of metabolic syndrome in obese children and adolescents: the role of the severity of obesity. 2008 , 167, 1183-9	48
1154	No evidence for association between BMI and 10 candidate genes at ages 4, 7 and 10 in a large UK sample of twins. 2008 , 9, 12	6
1153	Do adolescents with eating disorder not otherwise specified or full-syndrome bulimia nervosa differ in clinical severity, comorbidity, risk factors, treatment outcome or cost?. 2008 , 41, 498-504	54
1152	The Italian National Survey for Prader-Willi syndrome: an epidemiologic study. 2008 , 146A, 861-72	65
1151	The Children's Body Image Scale: reliability and use with international standards for body mass index. 2008 , 47, 119-24	47
1150	Adiposity and 'eating in the absence of hunger' in children. 2008 , 32, 1499-505	100
1149	Childhood obesity: genetic and environmental overlap with normal-range BMI. 2008 , 16, 1585-90	43
1148	Waist circumference cutoff points in school-aged Chinese Han and Uygur children. 2008 , 16, 1687-92	20
1147	Increasing heritability of BMI and stronger associations with the FTO gene over childhood. 2008 , 16, 2663-8	130
1146	The impact of weight-related victimization on peer relationships: the female adolescent perspective. 2008 , 16 Suppl 2, S39-45	55

1145	Correlates of objectively measured physical activity in obese children. 2008 , 16, 2634-41	57
1144	Magnetic resonance imaging of abdominal adiposity in a large cohort of British children. 2008 , 32, 91-9	52
1143	Micro-level analysis of childhood obesity, diet, physical activity, residential socioeconomic and social capital variables: where are the obesogenic environments in Leeds?. 2008 , 40, 323-340	52
1142	Are C-reactive protein and homocysteine cardiovascular risk factors in obese children and adolescents?. 2008 , 50, 419-23	16
1141	Body mass index in male and female children with pervasive developmental disorders. 2008 , 50, 569-71	17
1140	Tracking of childhood overweight into adulthood: a systematic review of the literature. 2008 , 9, 474-88	1618
1139	Glycaemic control and body mass index in late-adolescents and young adults with Type 1 diabetes mellitus: a population-based study. 2008 , 25, 360-4	6
1138	Childhood body mass index (BMI), breastfeeding and risk of Type 1 diabetes: findings from a longitudinal national birth cohort. 2008 , 25, 1056-61	25
1137	Prolonged honeymoon phase in an adolescent with diabetes and thyrotoxicosis provides support for the accelerator hypothesis. 2008 , 9, 417-419	3
1136	Trends, associations and predictions of insulin resistance in prepubertal children (EarlyBird 29). 2008 , 9, 214-20	13
1135	Prevalence of overweight and obesity in urban and semi-urban Jordanian children aged 3-6 years. 2008 , 34, 464-9	3
1134	Homozygosity of the d3-growth hormone receptor polymorphism is associated with a high total effect of GH on growth and a low BMI in girls with Turner syndrome. 2008 , 68, 567-72	39
1133	The impact of fasting and treatment omission on susceptibility to hypoglycaemia in children and adolescents with GH and cortisol insufficiency. 2008 , 69, 436-42	2
1132	Obesity among Scottish 15 year olds 1987-2006: prevalence and associations with socio-economic status, well-being and worries about weight. <i>BMC Public Health</i> , 2008 , 8, 404	4.1 23
1131	Hypoechoic thyroid nodules on ultrasound 4 years after prenatal exposure to radioiodine: resolution with thyroxine therapy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 509-12 ^{3.1}	4
1130	Human body shape index based on an experimentally derived model of human growth. 2008 , 152, 45-9, 49.e1-2	7
1129	Measuring the school impact on child obesity. 2008 , 67, 341-9	23
1128	Obesity associated genetic variation in FTO is associated with diminished satiety. 2008 , 93, 3640-3	389

1127	Linear growth in relation to the circulating concentrations of insulin-like growth factor I, parathyroid hormone, and 25-hydroxy vitamin D in children with nutritional rickets before and after treatment: endocrine adaptation to vitamin D deficiency. 2008 , 57, 95-102		65
1126	Gendered dimensions of obesity in childhood and adolescence. 2008 , 7, 1		158
1125	Soft drinks and 'desire to drink' in preschoolers. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008 , 5, 60	8.4	36
1124	Differences in physical activity and sedentary time in relation to weight in 8-9 year old children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008 , 5, 67	8.4	46
1123	Introducci3n, definici3n y medida del exceso de peso en adolescentes. 2008 , 55, 1-10		0
1122	Disease Management Programs Targeting Obesity in Children. 2008 , 16, 255-266		5
1121	Energy intake and appetite following exercise in lean and overweight girls. 2008 , 51, 482-8		34
1120	Monitoring trends in childhood obesity: a simple school-based model. 2008 , 122, 255-60		6
1119	Teesside Schools Health Study: body mass index surveillance in special needs and mainstream school children. 2008 , 122, 251-4		11
1118	Which obese children should have a sleep study?. 2008 , 102, 1581-5		13
1117	Inflammatory cytokines in juvenile idiopathic arthritis: effects on physical growth and the insulin-like-growth factor axis. 2008 , 18, 369-378		23
1116	In-school and out-of-school physical activity in primary and secondary school children. <i>Journal of Sports Sciences</i> , 2008 , 26, 1411-9	3.6	61
1115	Economic evaluation of a primary care trial to reduce weight gain in overweight/obese children: the LEAP trial. 2008 , 8, 336-41		25
1114	Prevalence of low birth weight and obesity in Central Iran. 2008 , 178, 655-658		1
1113	An ecological systems approach to examining risk factors for early childhood overweight: findings from the UK Millennium Cohort Study. 2009 , 63, 147-55		135
1112	Diurnal cortisol levels and cortisol response in youths with obsessive-compulsive disorder. 2008 , 57, 14-21		53
1111	Randomized, controlled trial of a best-practice individualized behavioral program for treatment of childhood overweight: Scottish Childhood Overweight Treatment Trial (SCOTT). 2008 , 121, e539-46		111
1110	Overweight status and psychological well-being in adolescent boys and girls: a multilevel analysis. 2008 , 18, 616-21		19

1109	Growth of children on classical and medium-chain triglyceride ketogenic diets. 2008 , 122, e334-40		58
1108	Reassessment of the optimal growth hormone cut-off level in insulin tolerance testing for growth hormone secretion in patients with childhood-onset growth hormone deficiency during transition to adulthood. 2008 , 21, 1049-56		16
1107	Eating rate is a heritable phenotype related to weight in children. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1560-6	7	150
1106	Randomised controlled trial adapting US school obesity prevention to England. <i>Archives of Disease in Childhood</i> , 2008 , 93, 469-73	2.2	55
1105	Telling parents their child's weight status: psychological impact of a weight-screening program. 2008 , 122, e682-8		76
1104	'I can actually exercise if I want to; it isn't as hard as I thought': a qualitative study of the experiences and views of obese adolescents participating in an exercise therapy intervention. 2008 , 13, 810-9		27
1103	Tracking and prediction of arterial blood pressure from childhood to young adulthood in 868 patients with type 1 diabetes: a multicenter longitudinal survey in Germany and Austria. 2008 , 31, 726-7		25
1102	Influence of pancreatic status and sex on polyunsaturated fatty acid profiles in cystic fibrosis. 2008 , 54, 388-95		26
1101	Ethnic differences in overweight and obesity in early adolescence in the MRC DASH study: the role of adolescent and parental lifestyle. 2008 , 37, 162-72		81
1100	Constitutional delay of growth and puberty is not commonly associated with mutations in the acid labile subunit gene. 2008 , 158, 473-7		12
1099	Mutations in the amino-terminal region of proopiomelanocortin (POMC) in patients with early-onset obesity impair POMC sorting to the regulated secretory pathway. 2008 , 93, 4494-9		38
1098	Ethnic differences in adolescent lung function: anthropometric, socioeconomic, and psychosocial factors. 2008 , 177, 1262-7		55
1097	Androgen receptor gene CAG repeat polymorphism and X-chromosome inactivation in children with premature adrenarche. 2008 , 93, 1304-9		32
1096	Prevalence of obesity in Irish adolescents. 2008 , 67,		1
1095	Beyond-brand effect of television food advertisements on food choice in children: the effects of weight status. 2008 , 11, 897-904		150
1094	National growth charts for the United Arab Emirates. 2008 , 18, 295-303		7
1093	Infant growth and later body composition: evidence from the 4-component model. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1776-84	7	154
1092	Appetite and adiposity in children: evidence for a behavioral susceptibility theory of obesity. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 22-9	7	249

1091	Associations between birth weight and later body composition: evidence from the 4-component model. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1040-8	7	44
1090	Evidence for a strong genetic influence on childhood adiposity despite the force of the obesogenic environment. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 398-404	7	500
1089	Effects of early growth on blood pressure of infants of British European and South Asian origin at one year of age: the Manchester children's growth and vascular health study. 2008 , 26, 412-8		52
1088	Recognizing childhood obesity: The role of the school nurse. 2008 , 3, 323-326		3
1087	Energy density of the diet and change in body fatness from childhood to adolescence; is there a relation?. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1230-7	7	57
1086	Avaliaç�o nutricional do rec�m-nascido: limita�es dos m�todos atuais e novas perspectivas. 2008 , 26, 70-76		4
1085	Diets and behaviours to prevent child obesity. 2009 , 20, 172-179		1
1084	The prevalence of underweight in 9-10-year-old schoolchildren in Liverpool: 1998-2006. 2009 , 12, 953-6		16
1083	The relative reinforcing value of food predicts weight gain in a longitudinal study of 7-10-y-old children. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 276-81	7	86
1082	Child obesity: a manageable condition. 2009 , 7, 14-18		1
1081	Heritability of childhood weight gain from birth and risk markers for adult metabolic disease in prepubertal twins. 2009 , 94, 3708-13		40
1080	Body composition and bone mineral density in children with premature adrenarche and the association of LRP5 gene polymorphisms with bone mineral density. 2009 , 94, 4144-51		20
1079	Growth charts in the globalizing world: a new challenge for anthropologists and paediatricians?. 2009 , 16, 76-82		1
1078	Child body mass index in four cities of East China compared to Western references. 2009 , 36, 98-109		22
1077	Functional characterization and structural modeling of obesity associated mutations in the melanocortin 4 receptor. 2009 , 150, 114-25		65
1076	Is it possible to assess free-living physical activity and energy expenditure in young people by self-report?. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 862-70	7	159
1075	Aggregate predictions improve accuracy when calculating metabolic variables used to guide treatment. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 491-9	7	31
1074	Continuum of phenotypes and sympathoadrenal function in premature adrenarche. 2009 , 160, 657-65		34

1073	Increased television viewing is associated with elevated body fatness but not with lower total energy expenditure in children. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1031-6	7	116
1072	Insulin sensitivity decreases in short children born small for gestational age treated with growth hormone. 2009 , 154, 509-13		5
1071	Girls with premature adrenarche have accelerated early childhood growth. 2009 , 154, 882-7		49
1070	The design and validation of a spatial microsimulation model of obesogenic environments for children in Leeds, UK: SimObesity. 2009 , 69, 1127-34		54
1069	High prevalence of obesity in ambulatory children and adolescents with intellectual disability. 2009 , 53, 882-6		46
1068	Well-nourished cystic fibrosis patients have normal mineral density, but reduced cortical thickness at the forearm. 2009 , 20, 309-14		14
1067	A reference database for the Stratec XCT-2000 peripheral quantitative computed tomography (pQCT) scanner in healthy children and young adults aged 6-19 years. 2009 , 20, 1337-46		48
1066	FTO gene variation and measures of body mass in an African population. 2009 , 10, 21		77
1065	Objectively measured habitual physical activity in a highly obesogenic environment. 2009 , 35, 369-75		20
1064	Initial growth deceleration during GnRH analogue therapy for precocious puberty. 2009 , 70, 751-6		6
1063	Meal and snacking patterns of school-aged children in Scotland. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 1297-304	5.2	55
1062	The FTO gene and measured food intake in children. 2009 , 33, 42-5		225
1061	Eating behaviour and weight in children. 2009 , 33, 21-8		299
1060	BMI peak in infancy as a predictor for later BMI in the Uppsala Family Study. 2009 , 33, 929-37		66
1059	Assortative weight gain in mother-daughter and father-son pairs: an emerging source of childhood obesity. Longitudinal study of trios (EarlyBird 43). 2009 , 33, 727-35		84
1058	Development of overweight in children in relation to parental weight and socioeconomic status. 2009 , 17, 814-20		76
1057	Perceived stress and weight gain in adolescence: a longitudinal analysis. 2009 , 17, 2155-61		66
1056	Validation of BIA in obese children and adolescents and re-evaluation in a longitudinal study. 2009 , 17, 2245-50		59

1055	Efficacy and safety of anti-obesity drugs in children and adolescents: systematic review and meta-analysis. 2010 , 11, 593-602		72
1054	Screening for body-weight disorders in Nigerian children using contrasting definitions. 2010 , 11, 508-15		10
1053	Growth dependence on insulin-like growth factor-1 during the ketogenic diet. 2009 , 50, 297-303		36
1052	Motor coordination difficulties and physical fitness of extremely-low-birthweight children. 2009 , 51, 136-42		53
1051	Biological maturity status, body size, and exercise behaviour in British youth: a pilot study. <i>Journal of Sports Sciences</i> , 2009 , 27, 677-86	3.6	20
1050	Insulin treatment in IA-2A-positive relatives of type 1 diabetic patients. 2009 , 35, 319-27		27
1049	Real life evaluation of intravenous antibiotic treatment in a paediatric cystic fibrosis centre: outcome of home therapy is not inferior. 2009 , 103, 244-50		16
1048	Validity and prognostic value of parental ratings of children's activity. 2009 , 49, 28-31		7
1047	Characteristics of the activity pattern in normal weight and overweight boys. 2009 , 49, 205-8		24
1046	IFIH1 gene polymorphisms in type 1 diabetes: genetic association analysis and genotype-phenotype correlation in the Belgian population. 2009 , 70, 706-10		16
1045	Adiposity is not associated with children's reported liking for selected foods. 2009 , 52, 603-608		27
1044	Urinary incontinence in 9-16 year olds with cystic fibrosis compared to other respiratory conditions and a normal group. 2009 , 8, 50-7		14
1043	Hydrocortisone dosing during puberty in patients with classical congenital adrenal hyperplasia: an evidence-based recommendation. 2009 , 94, 3882-8		74
1042	Effect of a school-based intervention to promote healthy lifestyles in 7-11 year old children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 5	8.4	73
1041	Epidemiology and Social Impact of Obesity. 21-41		
1040	References for growth and pubertal development from birth to 21 years in Flanders, Belgium. 2009 , 36, 680-94		238
1039	The recognition and treatment of growth disorders - a 50-year retrospective. 2009 , 36, 496-510		3
1038	Contribution of early weight gain to childhood overweight and metabolic health: a longitudinal study (EarlyBird 36). 2009 , 123, e67-73		168

1037	Centiles of anthropometric measures of adiposity for 14- to 18-year-old urban Asian Indian adolescents. 2009 , 7, 133-41	15
1036	Inflammatory markers and growth in South Asian and European origin infants in Britain: the Manchester Children's Growth and Vascular Health Study. 2009 , 207, 227-31	11
1035	Absence of association between the INSIG2 gene polymorphism (rs7566605) and obesity in the European Youth Heart Study (EYHS). 2009 , 17, 1453-7	12
1034	Birth size, infant weight gain, and motor development influence adult physical performance. 2009 , 41, 1212-21	41
1033	BMI report cards: will they pass or fail in the fight against pediatric obesity?. 2009 , 21, 431-6	31
1032	Prevalence and potential determinants of obesity in Northern Irish schoolchildren, using geographical information systems (GIS). 2009 , 68,	
1031	An evaluation of the body composition, behaviours and attitudes of adolescent male sports-players to nutrition. 2009 , 68,	
1030	Body composition by 2H dilution in Gambian infants: comparison with UK infants and evaluation of simple prediction methods. 2009 , 102, 1776-82	16
1029	Age- and sex-standardised lean and fat indices derived from bioelectrical impedance analysis for ages 7-11 years: functional associations with cardio-respiratory fitness and grip strength. 2009 , 101, 1753-60	21
1028	The new UK body-fat references expose the overfat children classified as normal weight by the BMI. 2010 , 69,	1
1027	Influence of different BMI classification systems on ethnic-specific variation in prevalence of overweight and obesity. 2010 , 69,	
1026	Early-for-age height attainment is associated with higher body fat levels and a more abdominal distribution of body fat in children. 2010 , 69,	
1025	Endotoxin and plasminogen activator inhibitor-1 serum levels associated with nonalcoholic steatohepatitis in children. 2010 , 50, 645-9	105
1024	Slipped capital femoral epiphysis in children aged less than 10 years. 2010 , 19, 13-8	22
1023	Aerobic fitness and mode of travel to school in English schoolchildren. 2010 , 42, 281-7	75
1022	Fat and bone in children: differential effects of obesity on bone size and mass according to fracture history. 2010 , 25, 527-36	101
1021	Pediatric reference data for lean tissue properties: density and hydration from age 5 to 20 y. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 610-8	7 96
1020	Cardiorespiratory fitness is a marker of cardiovascular health in renal transplanted children. 2010 , 25, 2343-50	17

1019	Physical activity, quality of life, weight status and diet in adolescents. 2010 , 19, 943-54		53
1018	Enhanced insulin sensitivity in prepubertal children with constitutional delay of growth and development. 2010 , 156, 308-12		10
1017	Multi-site randomized controlled trial of a child-centered physical activity program, a parent-centered dietary-modification program, or both in overweight children: the HIKCUPS study. 2010 , 157, 388-94, 394.e1		76
1016	Can we explain increases in young people's psychological distress over time?. 2010 , 71, 1819-30		67
1015	Parent and child physical activity and sedentary time: do active parents foster active children?. <i>BMC Public Health</i> , 2010 , 10, 194	4.1	136
1014	Obesity and diabetes genes are associated with being born small for gestational age: results from the Auckland Birthweight Collaborative study. 2010 , 11, 125		47
1013	Bowel habit, diet and body weight in preadolescent children. 2010 , 23, 511-9		9
1012	Assessment of obesity in children and adolescents: synthesis of recent systematic reviews and clinical guidelines. 2010 , 23, 205-11		40
1011	Evaluation of pituitary function after traumatic brain injury in childhood. 2010 , 73, 637-43		33
1010	Validation of bioelectrical impedance analysis in adolescents across different ethnic groups. 2010 , 18, 1252-9		76
1009	Randomized controlled trial of the MEND program: a family-based community intervention for childhood obesity. 2010 , 18 Suppl 1, S62-8		204
1008	Lack of association between PCK1 polymorphisms and obesity, physical activity, and fitness in European Youth Heart Study (EYHS). 2010 , 18, 1975-80		5
1007	Associations between child weight and maternal feeding styles are mediated by maternal perceptions and concerns. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 259-65	5.2	153
1006	Associations between habitual school-day breakfast consumption, body mass index, physical activity and cardiorespiratory fitness in English schoolchildren. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 1086-92	5.2	95
1005	Physical activity and dietary intake of children aged 9-11 years and the influence of peers on these behaviours: a 1-year follow-up. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 776-81	5.2	30
1004	Body mass index percentiles for children and adolescents in Germany based on a nationally representative sample (KiGGS 2003-2006). <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 341-9	5.2	129
1003	Gestational weight gain in relation to offspring body mass index and obesity from infancy through adulthood. 2010 , 34, 67-74		199
1002	Trends in the prevalence of childhood overweight and obesity in Australia between 1985 and 2008. 2010 , 34, 57-66		204

1001	Evaluation of DXA against the four-component model of body composition in obese children and adolescents aged 5-21 years. 2010 , 34, 649-55		43
1000	Risk factors for rapid weight gain in preschool children: findings from a UK-wide prospective study. 2010 , 34, 624-32		65
999	Correlates of changes in BMI of children from the Azores islands. 2010 , 34, 1487-93		31
998	Day type and the relationship between weight status and sleep duration in children and adolescents. 2010 , 34, 165-71		16
997	Circulating TNF-Alpha and IL-6 Concentrations and TNF-Alpha -308 G > A Polymorphism in Children with Premature Adrenarche. <i>Frontiers in Endocrinology</i> , 2010 , 1, 6	5-7	5
996	Bone mineral density, bone turnover markers, lean mass, and fat mass in Egyptian children with congenital adrenal hyperplasia. 2010 , 6, 104-10		5
995	[Overweight and obesity in childhood and adolescence]. 2010 , 59, 831-51		3
994	Comparing maternal and paternal intergenerational transmission of obesity risk in a large population-based sample. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1560-7	7	187
993	Dietary patterns of school-age children in Scotland: association with socio-economic indicators, physical activity and obesity. 2010 , 103, 319-34		99
992	Emergence of ethnic differences in blood pressure in adolescence: the determinants of adolescent social well-being and health study. 2010 , 55, 1063-9		44
991	Auxology: an update. 2010 , 74, 153-64		15
990	Pubertal pathways in girls enrolled in a contemporary british cohort. 2010 , 2010, 329261		13
989	Effects of peer influence on dietary intake and physical activity in schoolchildren. 2010 , 13, 376-83		49
988	Sugar and fat intake among children in Scotland: what is needed to reach the dietary targets?. 2010 , 13, 1286-94		9
987	Infant weight gain, duration of exclusive breast-feeding and childhood BMI - two similar follow-up cohorts. 2010 , 13, 201-7		29
986	Effects of current size, postnatal growth, and birth size on blood pressure in early childhood. 2010 , 126, e1507-13		26
985	Trends in prevalence of childhood and parental asthma in Merseyside, 1991-2006. 2010 , 32, 488-95		10
984	Body composition assessed by the 4-component model and association with lung function in 6-12-y-old children with cystic fibrosis. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1332-43	7	20

983	Association of leg length with overweight and obesity in children aged 5-15 years: A cross-sectional study. 2010 , 37, 10-22		7
982	Nutritional status and growth in pediatric Crohn's disease: a population-based study. 2010 , 105, 1893-900		106
981	Pituitary function at long-term follow-up of childhood traumatic brain injury. 2010 , 27, 1827-35		31
980	Children's screen viewing is related to psychological difficulties irrespective of physical activity. 2010 , 126, e1011-7		114
979	Sugar intake and dental decay: results from a national survey of children in Scotland. 2010 , 104, 1555-64		17
978	Umbilical waist-to-height ratio and trunk fat mass index (DXA) as markers of central adiposity and insulin resistance in Argentinean children with a family history of metabolic syndrome. 2010 , 23, 245-56		19
977	Soy-derived isoflavones treatment in children with hypercholesterolemia: a pilot study. 2010 , 23, 133-41		9
976	A four-stage evaluation of the Paediatric Yorkhill Malnutrition Score in a tertiary paediatric hospital and a district general hospital. 2010 , 104, 751-6		116
975	Treatment with recombinant human insulin-like growth factor (rhIGF)-I/rhIGF binding protein-3 complex improves metabolic control in subjects with severe insulin resistance. 2010 , 95, 2113-22		43
974	Genetic markers of adult obesity risk are associated with greater early infancy weight gain and growth. 2010 , 7, e1000284		142
973	Late introduction of complementary feeding, rather than duration of breastfeeding, may protect against adult overweight. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 619-27	7	120
972	Obesity indicators and cardiometabolic status in 4-y-old children. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 166-74	7	58
971	Metody oceny stanu odżywienia dzieci i młodzieży. 2010 , 85, 394-398		1
970	Ascaris, atopy, and exercise-induced bronchoconstriction in rural and urban South African children. 2010 , 125, 100-5.e1-5		39
969	Health-related quality of life in a clinical sample of obese children and adolescents. 2010 , 8, 134		50
968	Physical activity and sedentary behaviour typologies of 10-11 year olds. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 59	8.4	62
967	Association of IL-2RA/CD25 with type 1 diabetes in the Belgian population. 2010 , 71, 1233-7		5
966	Progression through puberty in girls enrolled in a contemporary British cohort. 2010 , 47, 282-9		27

965	The contribution of active play to the physical activity of primary school children. 2010 , 51, 144-7	59
964	Sex and ethnic differences in the waist circumference of 5-year-old children: findings from the Millennium Cohort Study. 2011 , 6, e196-8	7
963	Growth patterns in the first three years of life in children with classical congenital adrenal hyperplasia diagnosed by newborn screening and treated with low doses of hydrocortisone. 2011 , 75, 32-7	25
962	Relationship between self-reported dietary intake and physical activity levels among adolescents: the HELENA study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 8	8.4 31
961	The impact of ultrasonographic placental architecture on antenatal course, labor and delivery in a low-risk primigravid population. 2011 , 24, 493-7	23
960	UAE population reference standard charts for body mass index and skinfold thickness, at ages 0-18 years. 2011 , 62, 692-702	13
959	Appetitive behaviours of children attending obesity treatment. 2011 , 57, 525-9	55
958	Motivation and body-related factors as discriminators of change in adolescents' exercise behavior profiles. 2011 , 48, 44-51	40
957	Parenting styles, parenting practices, and physical activity in 10- to 11-year olds. 2011 , 52, 44-7	119
956	The Cubic Functions for Spline Smoothed L, S and M Values for BMI Reference Data of Japanese Children. 2011 , 20, 47-9	56
955	Genetics of childhood obesity. 2011 , 2011, 845148	38
954	Utility of accelerometers to measure physical activity in children attending an obesity treatment intervention. 2011 , 2011,	39
953	Movement skills and physical activity in obese children: randomized controlled trial. 2011 , 43, 90-100	52
952	Better with a buddy: influence of best friends on children's physical activity. 2011 , 43, 259-65	49
951	Cardiovascular consequences of extreme prematurity: the EPICure study. 2011 , 29, 1367-73	43
950	Collective Health Intelligence: A Tool for Public Health. 2011 , 21-41	1
949	Sleep duration and body composition in adolescents. 2011 , 70,	
948	Sleep duration or bedtime? Exploring the relationship between sleep habits and weight status and activity patterns. 2011 , 34, 1299-307	174

947	Association between childhood obesity and subsequent Type 1 diabetes: a systematic review and meta-analysis. 2011 , 28, 10-8		79
946	Comparison of cardiorespiratory fitness and body mass index between rural and urban youth: findings from the East of England Healthy Hearts Study. 2011 , 53, 718-724		10
945	Nutrition, health and schoolchildren. 2011 , 36, 295-355		12
944	No compelling evidence--the systematic review of Reilly et al. 2011 , 12, 301; author reply 302		
943	The impact of school-day variation in weight and height on National Child Measurement Programme body mass index-determined weight category in Year 6 children. 2011 , 37, 360-7		7
942	Body mass index in young children and allergic disease: gender differences in a longitudinal study. 2011 , 41, 78-85		56
941	A preliminary trial of the effect of recombinant human growth hormone on short-term linear growth and glucose homeostasis in children with Crohn's disease. 2011 , 74, 599-607		23
940	Association between timing of introducing solid foods and obesity in infancy and childhood: a systematic review. 2011 , 7, 3-26		95
939	Childhood obesity: a ticking time bomb for cardiovascular disease?. 2011 , 90, 174-8		11
938	Variation in childhood and adolescent obesity prevalence defined by international and country-specific criteria in England and the United States. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 143-50	5.2	24
937	Family-based behavioural management of childhood obesity: service evaluation of a group programme run in a community setting in the United Kingdom. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 764-7	5.2	12
936	Effectiveness of a multi-disciplinary family-based programme for treating childhood obesity (the Family Project). <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 903-9	5.2	20
935	Evaluation of lean tissue density for use in air displacement plethysmography in obese children and adolescents. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1094-101	5.2	9
934	Comparison of children's body fatness between two contrasting income groups: contribution of height difference. 2011 , 35, 128-33		15
933	The 'Healthy Dads, Healthy Kids' randomized controlled trial: efficacy of a healthy lifestyle program for overweight fathers and their children. 2011 , 35, 436-47		126
932	BMI was right all along: taller children really are fatter (implications of making childhood BMI independent of height) <i>EarlyBird</i> 48. 2011 , 35, 541-7		42
931	When do mothers think their child is overweight?. 2011 , 35, 510-6		26
930	Long-term efficacy of group-based treatment for childhood obesity compared with routinely given individual counselling. 2011 , 35, 530-3		23

929	The impact of school-time activity on total physical activity: the activitystat hypothesis (EarlyBird 46). 2011 , 35, 1277-83	64
928	Prenatal and postnatal programming of body composition in obese children and adolescents: evidence from anthropometry, DXA and the 4-component model. 2011 , 35, 534-40	20
927	Assessing the efficacy of the Healthy Eating and Lifestyle Programme (HELP) compared with enhanced standard care of the obese adolescent in the community: study protocol for a randomized controlled trial. 2011 , 12, 242	22
926	Progression from childhood overweight to adolescent obesity in a large contemporary cohort. 2011 , 6, e138-43	28
925	Medial midfoot fat pad thickness and plantar pressures: are these related in children?. 2011 , 6, 261-6	20
924	The relationship of height and body fat to gender-assortative weight gain in children. A longitudinal cohort study (EarlyBird 44). 2011 , 6, 223-8	9
923	Children's food and activity patterns following a six-month child weight management program. 2011 , 6, 409-14	18
922	Evidence that the prevalence of childhood overweight is plateauing: data from nine countries. 2011 , 6, 342-60	429
921	Variations in data collection can influence outcome measures of BMI measuring programmes. 2011 , 6, 491-8	6
920	Effect of stride frequency on the energy cost of walking in obese teenagers. 2011 , 30, 115-24	12
919	Kidney transplantation in childhood: mental health and quality of life of children and caregivers. 2011 , 26, 1881-92	50
918	Growth diagrams for individual finger strength in children measured with the RIHM. 2011 , 469, 868-76	13
917	Review of Nancy Howell's Life Histories of the Dobe !Kung: Food, Fatness, and Well-Being over the Life-Span (Berkeley: University of California Press, 2010). 2011 , 22, 370-375	
916	Are extremity musculoskeletal injuries in children related to obesity and social status? A prospective observational study in a district general hospital. 2011 , 5, 97-100	7
915	Body image, body dissatisfaction and weight status in South Asian children: a cross-sectional study. <i>BMC Public Health</i> , 2011 , 11, 21	4.1 37
914	The 'Healthy Dads, Healthy Kids' community effectiveness trial: study protocol of a community-based healthy lifestyle program for fathers and their children. <i>BMC Public Health</i> , 2011 , 11, 876	4.1 31
913	Physical activity and body composition outcomes of the GreatFun2Run intervention at 20 month follow-up. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 74	8.4 11
912	Lung function and overweight in school aged children after early childhood wheezing. 2011 , 46, 435-41	12

911	A whole family approach to childhood obesity management (GOALS): relationship between adult and child BMI change. 2011 , 38, 445-52		26
910	Childhood obesity: are we all speaking the same language?. 2011 , 2, 159S-66S		132
909	Longitudinal study of physical activity and sedentary behavior in children. 2011 , 127, e24-30		150
908	Prospective associations between appetitive traits and weight gain in infancy. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1562-7	7	91
907	The Bristol Online Obesity Screening Tool: experience of using a screening tool for assessing obese children in primary care. 2011 , 12, 293-300		7
906	Food commercials increase preference for energy-dense foods, particularly in children who watch more television. 2011 , 128, e93-100		82
905	Growth pattern of untreated boys with simple virilizing congenital adrenal hyperplasia indicates relative androgen insensitivity during the first six months of life. 2011 , 75, 264-8		7
904	A parent-led family-focused treatment program for overweight children aged 5 to 9 years: the PEACH RCT. 2011 , 127, 214-22		97
903	Serial cross-sectional analysis of prevalence of overweight and obese children between 1998 and 2003 in Leeds, UK, using routinely measured data. 2011 , 14, 56-61		6
902	The impact of umbilical and uterine artery Doppler indices on antenatal course, labor and delivery in a low-risk primigravid population. 2011 , 39, 143-9		16
901	Nuclear damage in peripheral lymphocytes of obese and overweight Italian children as evaluated by the gamma-H2AX focus assay and micronucleus test. 2011 , 25, 685-93		64
900	Results of a feasibility randomised controlled trial (RCT) for WATCH IT: a programme for obese children and adolescents. 2011 , 8, 755-64		11
899	Improvement in growth of children with Crohn disease following anti-TNF- α therapy can be independent of pubertal progress and glucocorticoid reduction. 2011 , 52, 31-7		55
898	Scores on the dietary guideline index for children and adolescents are associated with nutrient intake and socio-economic position but not adiposity. 2011 , 141, 1340-7		98
897	The development, feasibility and acceptability of a school-based obesity prevention programme: results from three phases of piloting. <i>BMJ Open</i> , 2011 , 1, e000026	3	13
896	Timing of excess weight gain in the Avon Longitudinal Study of Parents and Children (ALSPAC). 2011 , 127, e730-6		26
895	Body size at birth and cardiovascular response to and recovery from mental stress in children. 2011 , 25, 231-40		16
894	Reply to Ortega et al.. 2011 , 35, 1332-1333		

893	Effect of GnRH analogue on height potential in patients with severe growth hormone insensitivity syndrome treated with IGF-I. 2011 , 24, 983-8	4	
892	Childhood eating disorders: British national surveillance study. 2011 , 198, 295-301	190	
891	Recreational cycling and cardiorespiratory fitness in English youth. 2012 , 44, 474-80	4	
890	Prevalence of high screen time in English youth: association with deprivation and physical activity. 2012 , 34, 46-53	30	
889	Friends and physical activity during the transition from primary to secondary school. 2012 , 44, 111-7	43	
888	Seasonal and annual variation in young children's physical activity. 2012 , 44, 1318-24	21	
887	Maternal concentrations of polyfluoroalkyl compounds during pregnancy and fetal and postnatal growth in British girls. 2012 , 120, 1432-7	162	
886	The prevalence of upright non-stepping time in comparison to stepping time in 11-13 year old school children across seasons. 2012 , 33, 1901-12	1	
885	Interpretation of body mass index in children with CKD. 2012 , 7, 558-64	21	
884	A school-based obesity control programme: Project Energize. Two-year outcomes. 2012 , 107, 581-7	58	
883	Dietary fatty acid intake, its food sources and determinants in European adolescents: the HELENA (Healthy Lifestyle in Europe by Nutrition in Adolescence) Study. 2012 , 108, 2261-73	21	
882	Ponderal index (PI) vs birth weight centiles in the low-risk primigravid population: which is the better predictor of fetal wellbeing?. 2012 , 32, 439-43	6	
881	Dietary factors associated with overweight and body adiposity in Finnish children aged 6-8 years: the PANIC Study. 2012 , 36, 950-5	68	
880	Age differences in the association of childhood obesity with area-level and school-level deprivation: cross-classified multilevel analysis of cross-sectional data. 2012 , 36, 45-52	19	
879	Family-based behavioural treatment of childhood obesity in a UK National Health Service setting: randomized controlled trial. 2012 , 36, 16-26	62	
878	The Human Body Shape Index (HBSI): An Anthropometric Measure Based on an Age-Related Model of Human Growth. 2012 , 139-150		
877	Consumption of takeaway and fast food in a deprived inner London Borough: are they associated with childhood obesity?. <i>BMJ Open</i> , 2012 , 2,	3	40
876	Inherited behavioral susceptibility to adiposity in infancy: a multivariate genetic analysis of appetite and weight in the Gemini birth cohort. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 633-9	7	53

875	Attitudes to childhood overweight and obesity: The limits of cultural explanations. 2012 , 71, 670-677		1
874	Change in body fat during a family-based treatment of obesity in children: the relative importance of energy intake and physical activity. 2012 , 5, 515-26		4
873	Socioeconomic inequalities in childhood obesity in the United Kingdom: a systematic review of the literature. 2012 , 5, 671-92		57
872	Is childhood obesity influenced by dog ownership? No cross-sectional or longitudinal evidence. 2012 , 5, 833-44		15
871	Behavioural and weight status outcomes from an exploratory trial of the Healthy Lifestyles Programme (HeLP): a novel school-based obesity prevention programme. <i>BMJ Open</i> , 2012 , 2,	3	30
870	Cardiorespiratory fitness and dietary intake in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence study. 2012 , 107, 1850-9		34
869	European adolescents' level of perceived stress and its relationship with body adiposity--the HELENA Study. 2012 , 22, 519-24		17
868	Validity, practical utility, and reliability of the activPAL [®] in preschool children. 2012 , 44, 761-8		70
867	Response to Comment on: Jeffery et al. Age Before Stage: Insulin Resistance Rises Before the Onset of Puberty: A 9-Year Longitudinal Study (EarlyBird 26). <i>Diabetes Care</i> 2012;35:536-541. 2012 , 35, e69-e69		78
866	Infant feeding in relation to eating patterns in the second year of life and weight status in the fourth year. 2012 , 15, 1705-14		25
865	Child undernutrition in affluent societies: what are we talking about?. 2012 , 71, 545-55		13
864	Inequalities in diet, obesity, physical activity and physical inactivity in children in Scotland in 2010. 2012 , 71,		
863	Managing and preventing obesity in infants. 2012 , 23, 200-203		
862	Childhood obesity. 2012 , 126, 1770-9		212
861	Patients with organic acidaemias have an altered thiol status. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, e505-8	3.1	21
860	Bioelectrical impedance for measuring percentage body fat in young persons with Down syndrome: validation with dual-energy absorptiometry. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, e491-5	3.1	29
859	Cortisol response to synacthen stimulation is attenuated following abusive head trauma. 2012 , 77, 357-62		6
858	How does physical activity and fitness influence glycaemic control in young people with Type 1 diabetes?. 2012 , 29, e369-76		34

857	Obesity and oral disease - a challenge for dentistry. 2012 , 213, 453-6		33
856	Growth References and Standards. 2012 , 537-566		5
855	Proficiency deficiency: mastery of fundamental movement skills and skill components in overweight and obese children. 2012 , 20, 1024-33		52
854	Evaluation of a multicomponent intervention to improve weight status and fitness in children: Upstarts. 2012 , 54, 911-7		4
853	Associations between cardiorespiratory fitness, physical activity and clustered cardiometabolic risk in children and adolescents: the HAPPY study. 2012 , 171, 1317-23		59
852	Craniofacial morphology but not excess body fat is associated with risk of having sleep-disordered breathing--the PANIC Study (a questionnaire-based inquiry in 6-8-year-olds). 2012 , 171, 1747-52		26
851	Plasma thiol status is altered in children with mitochondrial diseases. 2012 , 72, 152-7		14
850	Baby knows best? The impact of weaning style on food preferences and body mass index in early childhood in a case-controlled sample. <i>BMJ Open</i> , 2012 , 2, e000298	3	77
849	Body-composition reference data for simple and reference techniques and a 4-component model: a new UK reference child. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 1316-26	7	117
848	Earlier predictors of eating disorder symptoms in 9-year-old children. A longitudinal study. 2012 , 59, 161-7		20
847	School day segmented physical activity patterns of high and low active children. <i>BMC Public Health</i> , 2012 , 12, 406	4.1	87
846	Body mass index and height over three generations: evidence from the Lifeways cross-generational cohort study. <i>BMC Public Health</i> , 2012 , 12, 81	4.1	77
845	Which factors predict unsuccessful outcome in a weight management intervention for obese children?. 2012 , 25, 453-9		4
844	Centile curves and normative values for the twenty metre shuttle-run test in English schoolchildren. <i>Journal of Sports Sciences</i> , 2012 , 30, 679-87	3.6	33
843	Cross-sectional comparisons of BMI and waist circumference in British children: mixed public health messages. 2012 , 20, 1258-60		22
842	Effect of choice of outcome measure on studies of the etiology of obesity in children. 2012 , 22, 888-91		20
841	Selective reduction in trabecular volumetric bone mineral density during treatment for childhood acute lymphoblastic leukemia. 2012 , 51, 765-70		17
840	The effects of anti-TNF- α treatment with adalimumab on growth in children with Crohn's disease (CD). 2012 , 6, 337-44		39

839	Ingesting breakfast meals of different glycaemic load does not alter cognition and satiety in children. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1166-71	5.2	29
838	Development and validation of a predictive equation for lean body mass in children and adolescents. 2012 , 39, 171-82		51
837	Parental weight (mis)perceptions: factors influencing parents' ability to correctly categorise their child's weight status. 2012 , 16, 1801-9		35
836	Early predictors of objectively measured physical activity and sedentary behaviour in 8-10 year old children: the Gateshead Millennium Study. <i>PLoS ONE</i> , 2012 , 7, e37975	3.7	46
835	Psyllium supplementation in adolescents improves fat distribution & lipid profile: a randomized, participant-blinded, placebo-controlled, crossover trial. <i>PLoS ONE</i> , 2012 , 7, e41735	3.7	30
834	Evaluating the transferability of a hospital-based childhood obesity clinic to primary care: a randomised controlled trial. 2012 , 62, e6-12		23
833	Managing and preventing obesity in teenagers. 2012 , 23, 252-256		
832	Evaluation of a cognitive remediation therapy group for adolescents with anorexia nervosa: pilot study. 2012 , 20, 321-5		48
831	Impaired bone health in inflammatory bowel disease: a case-control study in 80 pediatric patients. 2012 , 91, 121-30		55
830	Body mass, frequency of eating and breakfast consumption in 9-13-year-olds. 2012 , 25, 43-9		10
829	Two-year follow-up of the 'Families for Health' programme for the treatment of childhood obesity. 2012 , 38, 229-36		22
828	Identification of nutritional risk by nursing staff in secure psychiatric settings: reliability and validity of St Andrew's Nutrition Screening Instrument. 2012 , 19, 722-8		6
827	Harmonizing national growth references for multi-centre surveys, drug monitoring and international postmarketing surveillance. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, 78-84	3.1	8
826	A review of the indices and references used to assess overweight and obesity in Australian children and adolescents. 2012 , 69, 300-308		2
825	Physical activity and screen time behaviour in metropolitan, regional and rural adolescents: a -sectional study of Australians aged 9-16 years. 2012 , 15, 32-7		18
824	Screen time and passive school travel as independent predictors of cardiorespiratory fitness in youth. 2012 , 54, 319-22		24
823	The contribution of parental BMI to the metabolic health of their offspring: a longitudinal cohort study (EarlyBird 55). <i>Pediatric Obesity</i> , 2012 , 7, 143-50	4.6	5
822	Impact of childhood obesity treatment on body composition and metabolic profile. 2012 , 8, 31-7		15

821	Long-term outcome after first intestinal resection in pediatric-onset Crohn's disease: a population-based study. 2013 , 19, 7-14		33
820	Clustering of unhealthy food around German schools and its influence on dietary behavior in school children: a pilot study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 65	8.4	23
819	Health and development of ART conceived young adults: a study protocol for the follow-up of a cohort. 2013 , 10, 15		9
818	Action 3:30: protocol for a randomized feasibility trial of a teaching assistant led extracurricular physical activity intervention. 2013 , 14, 122		8
817	Evaluation of the effectiveness and cost-effectiveness of Families for Health V2 for the treatment of childhood obesity: study protocol for a randomized controlled trial. 2013 , 14, 81		6
816	Sleep duration or bedtime? Exploring the association between sleep timing behaviour, diet and BMI in children and adolescents. 2013 , 37, 546-51		183
815	Effects of birth size, post-natal growth and current size on insulin resistance in 9-year-old children: a prospective cohort study. 2013 , 172, 1207-14		9
814	What do adolescents want in order to become more active?. <i>BMC Public Health</i> , 2013 , 13, 718	4.1	32
813	Obesity in Infancy and Childhood: Diagnosis, Incidence and Strategy for Change. 2013 , 347-355		1
812	Prevalence of obesity and overweight in 48 year old children in New Zealand: Descriptive analysis of body mass index measurements from the national before school check (B4SC) programme. 2013 , 7, e93-e94		
811	A five year longitudinal study investigating the prevalence of childhood obesity: comparison of BMI and waist circumference. 2013 , 127, 1090-6		26
810	Is a single bioelectrical impedance equation valid for children of wide ranges of age, pubertal status and nutritional status? Evidence from the 4-component model. <i>European Journal of Clinical Nutrition</i> , 2013 , 67 Suppl 1, S34-9	5.2	24
809	Phenotypic differences in children conceived from fresh and thawed embryos in in vitro fertilization compared with naturally conceived children. 2013 , 99, 1898-904		28
808	Promoting healthy weight in primary school children through physical activity and nutrition education: a pragmatic evaluation of the CHANGE! randomised intervention study. <i>BMC Public Health</i> , 2013 , 13, 626	4.1	78
807	Community and child energy balance: differential associations between neighborhood environment and overweight risk by gender. 2013 , 23, 434-45		10
806	Physical activity and blood pressure in primary school children: a longitudinal study. 2013 , 61, 70-5		34
805	The Official Positions of the International Society for Clinical Densitometry: body composition analysis reporting. 2013 , 16, 508-19		88
804	Perceptions of health risk among parents of overweight children: a cross-sectional study within a cohort. 2013 , 57, 55-9		21

803	Restrictive feeding practices and adiposity are differentially related to P3b cortical responses to food stimuli in children. 2013 , 63, 7-17	14
802	Intake and serum profile of fatty acids are weakly correlated with global dietary quality in European adolescents. 2013 , 29, 411-9.e1-3	11
801	Internalizing and externalizing behaviors predict elevated inflammatory markers in childhood. 2013 , 38, 2854-62	34
800	A pilot outreach physiotherapy and dietetic quality improvement initiative reduces IV antibiotic requirements in children with moderate-severe cystic fibrosis. 2013 , 12, 766-72	6
799	Association of serum components of the GH-IGFs-IGFBPs system with GHR-exon 3 polymorphism in normal and idiopathic short stature children. 2013 , 23, 229-36	6
798	Food choice and overconsumption: effect of a premium sports celebrity endorser. 2013 , 163, 339-43	56
797	Early life growth trajectories and future risk for overweight. 2013 , 3, e60	27
796	High-mobility group protein B1: a new biomarker of metabolic syndrome in obese children. 2013 , 168, 631-8	56
795	The Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children: study protocol for a randomised controlled trial. 2013 , 14, 95	22
794	Bitter taste perception and dietary intake patterns in Irish children. 2013 , 6, 43-58	39
793	Simultaneous estimation of quantile curves using quantile sheets. 2013 , 97, 77-87	33
792	Prolactin in obese children: a bridge between inflammation and metabolic-endocrine dysfunction. 2013 , 79, 537-44	33
791	Is BMI alone a sufficient outcome to evaluate interventions for child obesity?. 2013 , 9, 350-6	36
790	Poster Sessions. 2013 , 6, 49-230	3
789	Assessing the short-term outcomes of a community-based intervention for overweight and obese children: The MEND 5-7 programme. <i>BMJ Open</i> , 2013 , 3,	3 10
788	Relative importance of individual and social factors in improving adolescent health. 2013 , 133, 122-31	6
787	The impact of hyperglycemia on risk of infection and early death during induction therapy for acute lymphoblastic leukemia (ALL). 2013 , 60, E157-9	18
786	First-born children have reduced insulin sensitivity and higher daytime blood pressure compared to later-born children. 2013 , 98, 1248-53	50

785	Homozygosity for aquaporin 7 G264V in three unrelated children with hyperglyceroluria and a mild platelet secretion defect. 2013 , 15, 55-63	32	
784	Independence of physical activity and screen time as predictors of cardiorespiratory fitness in youth. 2013 , 73, 692-7	17	
783	Dietary glycaemic index and glycaemic load in relation to food and nutrient intake and indices of body fatness in British children and adolescents. 2013 , 110, 1512-23	23	
782	Relationship between prevalence of childhood obesity in 17-year-olds and socioeconomic and environmental factors: prefecture-level analysis in Japan. 2013 , 25, 159-69	8	
781	Creation of an adiposity index for children aged 6-8 years: the Gateshead Millennium Study. 2013 , 2013, 431825		
780	Weight status of indigenous youth in Oaxaca, southern Mexico: concordance of IOTF and WHO criteria. 2013 , 40, 426-34	5	
779	Urinary metabolites of organophosphate and pyrethroid pesticides and behavioral problems in Canadian children. 2013 , 121, 1378-84	115	
778	Quantification of the relative age effect in three indices of physical performance. 2013 , 27, 3293-9	16	
777	Does the body mass index reflect cardiovascular risk factors in Brazilian children?. 2013 , 59, 43-8	4	
776	Effect of growth hormone insulin-like growth factor 1 axis on bone turnover in Egyptian adolescent girls with anorexia nervosa. 2013 , 20, 42-48		
775	The epidemiology of anemia in pediatric inflammatory bowel disease: prevalence and associated factors at diagnosis and follow-up and the impact of exclusive enteral nutrition. 2013 , 19, 2411-22	35	
774	Maternal prepregnancy BMI and child cognition: a longitudinal cohort study. 2013 , 131, 56-63	88	
773	Objectively measured patterns of physical activity in primary school children in Coventry: the influence of ethnicity. 2013 , 30, 939-45	20	
772	Beverage consumption and BMI of British schoolchildren aged 9-13 years. 2013 , 16, 1244-9	15	
771	Diet-obesity associations in children: approaches to counteract attenuation caused by misreporting. 2013 , 16, 256-66	29	
770	Evidence of early beta-cell deficiency among children who show impaired fasting glucose: 10-yr cohort study (EarlyBird 56). 2013 , 14, 481-9	10	
769	Prevalence of obesity among 10-11-year-old Maltese children using four established standards. <i>Pediatric Obesity</i> , 2013 , 8, e54-8	4.6	5
768	Prevalence of obesity among Arab school children in Nazareth, Israel: comparison with national (Jewish) and international data. <i>Pediatric Obesity</i> , 2013 , 8, 428-38	4.6	4

767	The experiences and understandings of obesity: families' decisions to attend a childhood obesity intervention. 2013 , 28, 1287-305		17
766	The impact of instrumental feeding on children's responses to taste exposure. 2013 , 26, 415-20		20
765	Infant antibiotic exposures and early-life body mass. 2013 , 37, 16-23		338
764	'Do I care?' Young adults' recalled experiences of early adolescent overweight and obesity: a qualitative study. 2013 , 37, 303-8		12
763	Area-level deprivation and adiposity in children: is the relationship linear?. 2013 , 37, 486-92		8
762	Finding the missing heritability in pediatric obesity: the contribution of genome-wide complex trait analysis. 2013 , 37, 1506-9		73
761	Growth in early life and the development of obesity by age 9 years: are there critical periods and a role for an early life stressor?. 2013 , 37, 513-9		13
760	Physical activity and 3-year BMI change in overweight and obese children. 2013 , 131, e470-7		29
759	A randomised control trial of physical activity in a perceived environment on self-esteem and mood in UK adolescents. 2013 , 23, 311-20		25
758	Effect of the Great Activity Programme on healthy lifestyle behaviours in 7-11 year olds. <i>Journal of Sports Sciences</i> , 2013 , 31, 1280-93	3.6	12
757	Growth and bone health in pediatric intestinal failure patients receiving long-term parenteral nutrition. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1260-9	7	46
756	Longitudinal analysis of growth and body composition of Japanese 21-OHD patients in childhood. 2013 , 60, 149-54		5
755	Emergence and persistence of overweight and obesity in 7- to 11-year-old children. 2013 , 6, 415-23		6
754	Evaluation of a family-centred children's weight management intervention. 2013 , 113, 88-101		4
753	Prevalence and determinants of misreporting among European children in proxy-reported 24 h dietary recalls. 2013 , 109, 1257-65		78
752	Diet, physical activity and sedentary behaviour in 11-13 year old UK adolescents: The Gateshead Millennium Study. 2013 , 72,		
751	Improving parental recognition of childhood overweight: The Map Me Study. 2013 , 72,		2
750	Use of fat mass and fat free mass standard deviation scores obtained using simple measurement methods in healthy children and patients: comparison with the reference 4-component model. <i>PLoS ONE</i> , 2013 , 8, e62139	3.7	11

749	Pursued by the fat police? Prosecuting the parents of obese children. 102-123		
748	Looking at the feasibility of using a physical activity pathway with children in school. 2013 , 8, 338-345		
747	Effects of age, gender, BMI, and anatomical site on skin thickness in children and adults with diabetes. <i>PLoS ONE</i> , 2014 , 9, e86637	3.7	58
746	A repeated measures experiment of school playing environment to increase physical activity and enhance self-esteem in UK school children. <i>PLoS ONE</i> , 2014 , 9, e108701	3.7	18
745	Defining the obesity problem. 2014 , 1-21		
744	Anthropometry. 2014 ,		
743	Trends in adiposity in Brazilian 7-10-year-old schoolchildren: evidence for increasing overweight but not obesity between 2002 and 2007. 2014 , 41, 255-62		8
742	Weekday and weekend patterns of physical activity and sedentary time among Liverpool and Madrid youth. 2014 , 14, 287-93		27
741	Randomised feasibility trial of a teaching assistant led extracurricular physical activity intervention for 9 to 11 year olds: Action 3:30. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 114	8.4	24
740	Measuring growth and obesity across childhood and adolescence. 2014 , 73, 210-7		21
739	Diet, lifestyle and body weight in Irish children: findings from Irish Universities Nutrition Alliance national surveys. 2014 , 73, 190-200		12
738	Dietary glycemic index and glycemic load in relation to changes in body composition measures during adolescence: Northern Ireland Young Hearts Study. 2014 , 38, 252-8		8
737	Is utility-based quality of life in children aged 6-7 years affected by Body Mass Index (BMI)?. 2014 , 38, 1146		6
736	Toward body composition reference data for infants, children, and adolescents. 2014 , 5, 320S-9S		87
735	From trial to population: a study of a family-based community intervention for childhood overweight implemented at scale. 2014 , 38, 1343-9		34
734	Children's body fatness and prevalence of obesity in relation to height for age. 2014 , 41, 84-90		6
733	Peritonitis incidence was correlated with duration of peritoneal dialysis rather than leptin or neutrophil to lymphocyte (n/l) ratio in peritoneal dialysis patients. 2014 , 46, 145-50		5
732	Low body mass index in adolescent idiopathic scoliosis: relationship with pre- and postsurgical factors. 2014 , 39, 140-8		14

731	Effects of BMI, fat mass, and lean mass on asthma in childhood: a Mendelian randomization study. 2014 , 11, e1001669		70
730	Do Neighborhood Parks and Playgrounds Reduce Childhood Obesity?. 2014 , 96, 26-42		24
729	Z-score reference values for height in Turkish children aged 6 to 18 years. 2014 , 6, 28-33		8
728	Can the relationship between ethnicity and obesity-related behaviours among school-aged children be explained by deprivation? A cross-sectional study. <i>BMJ Open</i> , 2014 , 4, e003949	3	19
727	Association of early childhood abdominal circumference and weight gain with blood pressure at 36 months of age: secondary analysis of data from a prospective cohort study. <i>BMJ Open</i> , 2014 , 4, e005412	3	12
726	Project Energize: whole-region primary school nutrition and physical activity programme; evaluation of body size and fitness 5 years after the randomised controlled trial. 2014 , 111, 363-71		26
725	A three-dimensional analysis of the effect of atopy on face shape. 2014 , 36, 506-11		8
724	HbA1c tracking and bio-psychosocial determinants of glycaemic control in children and adolescents with type 1 diabetes: retrospective cohort study and multilevel analysis. 2014 , 15, 372-83		35
723	Prevalence of being underweight and overweight and obesity at diagnosis in UK patients with childhood acute lymphoblastic leukaemia 1985-2002. 2014 , 27, 76-9		8
722	Further observations on the effects of long-term treatment with recombinant human insulin-like growth factor 1 in growth hormone insensitivity syndrome. 2014 , 81, 258-65		2
721	Circulating insulin-like growth factor-binding protein 3 levels, independent of insulin-like growth factor 1, associate with truncal fat and systolic blood pressure in South Asian and white European preschool children. 2014 , 81, 109-17		6
720	Factors related to patterns of body mass index in early infancy: 18 month longitudinal study. 2014 , 56, 406-10		1
719	Metabolic, cardiovascular and anthropometric differences between prepubertal girls and boys. 2014 , 81, 238-43		11
718	The triglyceride to high-density lipoprotein ratio identifies children who may be at risk of developing cardiometabolic disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014 , 103, e349-53	3.1	8
717	Diet, nutrition and schoolchildren: An update. 2014 , 39, 9-73		23
716	Divergence between HbA1c and fasting glucose through childhood: implications for diagnosis of impaired fasting glucose (Early Bird 52). 2014 , 15, 214-9		12
715	Assessment of biochemical liver markers, physical activity, fitness and body mass index for a cardiometabolic risk model in childhood. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014 , 103, e194-8	3.1	1
714	From modeling to measurement: developmental trends in genetic influence on adiposity in childhood. 2014 , 22, 1756-61		28

713	An investigation into the minimum accelerometry wear time for reliable estimates of habitual physical activity and definition of a standard measurement day in pre-school children. 2014 , 35, 2213-28		22
712	Satiety mechanisms in genetic risk of obesity. 2014 , 168, 338-344		110
711	Associations of eating frequency with adiposity measures, blood lipid profiles and blood pressure in British children and adolescents. 2014 , 111, 2176-83		21
710	A cross sectional study investigating the association between exposure to food outlets and childhood obesity in Leeds, UK. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 138	8.4	18
709	Timing and predictors of return to short-term functional activity in adolescent idiopathic scoliosis after posterior spinal fusion: a prospective study. 2014 , 39, 1471-8		17
708	Single versus multiple-family intervention in childhood overweight--Finnmark Activity School: a randomised trial. <i>Archives of Disease in Childhood</i> , 2014 , 99, 225-31	2.2	16
707	Blood pressure, fludrocortisone dose and plasma renin activity in children with classic congenital adrenal hyperplasia due to 21-hydroxylase deficiency followed from birth to 4 years of age. 2014 , 81, 871-5		20
706	Associations between household income, height and BMI in contemporary US children: infancy through early childhood. 2014 , 41, 488-96		7
705	Is there an association between food portion size and BMI among British adolescents?. 2014 , 112, 841-51		42
704	Could parental rules play a role in the association between short sleep and obesity in young children?. 2014 , 46, 405-18		13
703	Parental perception of child weight: a concept analysis. 2014 , 70, 34-45		37
702	Impact of the 'Healthy Dads, Healthy Kids' lifestyle programme on the activity- and diet-related parenting practices of fathers and mothers. <i>Pediatric Obesity</i> , 2014 , 9, e149-55	4.6	10
701	Mood and its association with metabolic health in adolescents: a longitudinal study, <i>EarlyBird</i> 65. 2014 , 15, 599-605		12
700	Waist-to-height ratio, inflammation and CVD risk in obese children. 2014 , 17, 2378-85		29
699	A repeated cross-sectional study examining the school impact on child weight status. 2014 , 64, 103-7		3
698	Validity of 24-h recalls in (pre-)school aged children: comparison of proxy-reported energy intakes with measured energy expenditure. 2014 , 33, 79-84		45
697	Skeletal muscle mass reference curves for children and adolescents. <i>Pediatric Obesity</i> , 2014 , 9, 249-59	4.6	70
696	Improving weight status in childhood: results from the eat well be active community programs. 2014 , 59, 43-50		23

695	Anthropometric and Iron Status of Adolescents From Selected Secondary Schools in Ogun State, Nigeria. 2014 , 6, 109-118		4
694	Risk of child obesity from parental obesity: analysis of repeat national cross-sectional surveys. 2014 , 24, 186-90		15
693	PGC1 β promoter methylation in blood at 5-7 years predicts adiposity from 9 to 14 years (EarlyBird 50). 2014 , 63, 2528-37		76
692	IGFALS gene dosage effects on serum IGF-I and glucose metabolism, body composition, bone growth in length and width, and the pharmacokinetics of recombinant human IGF-I administration. 2014 , 99, E703-12		20
691	Macrosomic newborns of non-diabetic mothers: anthropometric measurements and neonatal complications. 2014 , 99, F353-8		31
690	Sleep and energy intake in early childhood. 2014 , 38, 926-9		49
689	Carotid intima media thickness and other cardiovascular risk factors in children with congenital adrenal hyperplasia. 2014 , 37, 1001-8		25
688	Respiratory compensation point during incremental test in overweight and normoweight boys: is it useful in assessing aerobic performance? A longitudinal study. 2014 , 34, 56-63		6
687	Copy number variants in short children born small for gestational age. 2014 , 82, 310-8		17
686	The phenotype of an IVF child is associated with peri-conception measures of follicular characteristics and embryo quality. 2014 , 29, 2583-91		4
685	Are school physical activity characteristics associated with weight status in primary school children? A multilevel cross-sectional analysis of routine surveillance data. <i>Archives of Disease in Childhood</i> , 2014 , 99, 135-41	2.2	13
684	Are overweight and obese youths more often bullied by their peers? A meta-analysis on the correlation between weight status and bullying. 2014 , 38, 1263-7		139
683	Studying progression from glucose intolerance to type 2 diabetes in obese children. 2014 , 8, 133-7		8
682	Prevalence of undernutrition during hospitalisation in a children's hospital: what happens during admission?. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 730-5	5.2	16
681	Dietary lipid intake only partially influences variance in serum phospholipid fatty acid composition in adolescents: impact of other dietary factors. 2014 , 49, 881-93		6
680	Associations between objectively assessed child and parental physical activity: a cross-sectional study of families with 5-6 year old children. <i>BMC Public Health</i> , 2014 , 14, 655	4.1	61
679	Child-caregivers' body weight and habitual physical activity status is associated with overweight in kindergartners. <i>BMC Public Health</i> , 2014 , 14, 822	4.1	13
678	Prediction of habitual physical activity level and weight status from fundamental movement skill level. <i>Journal of Sports Sciences</i> , 2014 , 32, 1775-82	3.6	20

677	Unplanned medication discontinuation as a potential pharmacovigilance signal: a nested young person cohort study. 2014 , 15, 11		8
676	Is growth hormone treatment in children associated with weight gain?--longitudinal analysis of KIGS data. 2014 , 81, 721-6		11
675	Relationship among explosive power, body fat, fat free mass and pubertal development in youth soccer players: a preliminary study. 2014 , 10, 67-73		9
674	School travel mode, parenting practices and physical activity among UK Year 5 and 6 children. <i>BMC Public Health</i> , 2014 , 14, 370	4.1	6
673	Levels and patterns of objectively-measured physical activity volume and intensity distribution in UK adolescents: the ROOTS study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 23	8.4	70
672	Cross-sectional associations between the screen-time of parents and young children: differences by parent and child gender and day of the week. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 54	8.4	85
671	Association between habitual school travel and muscular fitness in youth. 2014 , 67, 216-20		10
670	Body mass index in childhood and adult risk of primary liver cancer. 2014 , 60, 325-30		84
669	Genetic and environmental influences on liking and reported intakes of vegetables in Irish children. 2014 , 32, 253-263		38
668	Children with nephrotic syndrome have greater bone area but similar volumetric bone mineral density to healthy controls. 2014 , 58, 108-13		7
667	A biological, latent variable model of health (EarlyBird 68). 2014 , 40, 104-9		9
666	Body mass index as a determinant of brown adipose tissue function in healthy children. 2014 , 164, 318-22.e1		40
665	The 'Healthy Dads, Healthy Kids' community randomized controlled trial: a community-based healthy lifestyle program for fathers and their children. 2014 , 61, 90-9		108
664	Bilateral absence of fifth ray in feet, cleft palate, malformed ears, and corneal opacity in a patient with Miller syndrome. 2014 , 15, 199-202		
663	The four-compartment model of body composition in obese Chilean schoolchildren, by pubertal stage: comparison with simpler models. 2014 , 30, 305-12		2
662	Cumulative adversity in childhood and emergent risk factors for long-term health. 2014 , 164, 631-8.e1-2		81
661	Trajectories of lung function during childhood. 2014 , 189, 1101-9		123
660	Obesity Prevention for Children with Developmental Disabilities. 2014 , 3, 156-70		50

659	Maternal and paternal parenting practices and their influence on children's adiposity, screen-time, diet and physical activity. 2014 , 79, 149-57		96
658	Coach autonomy support predicts autonomous motivation and daily moderate-to-vigorous physical activity and sedentary time in youth sport participants. 2014 , 15, 453-463		47
657	Predictors of health-related behaviour change in parents of overweight children in England. 2014 , 62, 20-4		28
656	Preventing childhood obesity, phase II feasibility study focusing on South Asians: BEACHeS. <i>BMJ Open</i> , 2014 , 4, e004579	3	21
655	'Is it worth it?' A qualitative study of the beliefs of overweight and obese physically active children. 2014 , 11, 1219-24		6
654	Differing associations of BMI and body fat with asthma and lung function in children. 2014 , 49, 1049-57		24
653	Breastfeeding shows a protective trend toward adolescents with higher abdominal adiposity. 2014 , 7, 289-301		4
652	Acute effects of active gaming on ad libitum energy intake and appetite sensations of 8-11-year-old boys. 2015 , 114, 2148-55		3
651	Diet, growth, and obesity development throughout childhood in the Avon Longitudinal Study of Parents and Children. 2015 , 73 Suppl 3, 175-206		102
650	An aid to drug dosing safety in obese children: development of a new nomogram and comparison with existing methods for estimation of ideal body weight and lean body mass. 2015 , 70, 176-82		34
649	Systematic review of the use of data from national childhood obesity surveillance programmes in primary care: a conceptual synthesis. 2015 , 16, 962-71		9
648	Growth and hormone profiling in children with congenital melanocytic naevi. 2015 , 173, 1471-8		20
647	Nutrition and childhood. 2015 , 150-188		
646	Infants born large-for-gestational-age display slower growth in early infancy, but no epigenetic changes at birth. 2015 , 5, 14540		10
645	Initial step-up treatment changes in asthmatic children already prescribed inhaled corticosteroids: a historical cohort study. 2015 , 25, 15041		8
644	Magnitude and determinants of change in objectively-measured physical activity, sedentary time and sleep duration from ages 15 to 17.5y in UK adolescents: the ROOTS study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 61	8.4	32
643	Effect and cost of an after-school dance programme on the physical activity of 11-12 year old girls: The Bristol Girls Dance Project, a school-based cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 128	8.4	53
642	Evaluation of the hypothalamic-pituitary-adrenal axis and its relationship with central respiratory dysfunction in children with Prader-Willi syndrome. 2015 , 10, 106		15

641	Revising on the run or studying on the sofa: prospective associations between physical activity, sedentary behaviour, and exam results in British adolescents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 106	8.4	41
640	Is utility-based quality of life associated with overweight in children? Evidence from the UK WAVES randomised controlled study. 2015 , 15, 211		18
639	Food and drink purchasing habits out of school at lunchtime: a national survey of secondary school pupils in Scotland. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 98	8.4	17
638	Evaluation of recruitment methods for a trial targeting childhood obesity: Families for Health randomised controlled trial. 2015 , 16, 535		18
637	Awareness of body weight by mothers and their children: repeated measures in a single cohort (EarlyBird 64). 2015 , 41, 434-42		12
636	Increasing maternal prepregnancy body mass index is associated with reduced insulin sensitivity and increased blood pressure in their children. 2015 , 83, 352-6		15
635	Adolescent experiences of anti-obesity drugs. 2015 , 5, 116-26		8
634	Long-Term Outcomes following the MEND 7-13 Child Weight Management Program. 2015 , 11, 325-30		26
633	Resonant cavity perturbation: a promising new method for the assessment of total body water in children. 2015 , 36, 2503-17		3
632	Reference values of body composition indices: the Korean National Health and Nutrition Examination Surveys. 2015 , 56, 95-102		15
631	Exploring the Potential of a School Impact on Pupil Weight Status: Exploratory Factor Analysis and Repeat Cross-Sectional Study of the National Child Measurement Programme. <i>PLoS ONE</i> , 2015 , 10, e0145128	13.7	2
630	The Relationship between Habitual Breakfast Consumption Frequency and Academic Performance in British Adolescents. 2015 , 3, 68		7
629	Green Space and Child Weight Status: Does Outcome Measurement Matter? Evidence from an Australian Longitudinal Study. 2015 , 2015, 194838		22
628	Body mass index and body composition scaling to height in children and adolescent. 2015 , 20, 125-9		28
627	Higher glucose concentrations following protein- and fat-rich meals - the Tuebingen Grill Study: a pilot study in adolescents with type 1 diabetes. 2015 , 16, 587-91		26
626	Effects of pediatric cancer and its treatment on nutritional status: a systematic review. 2015 , 73, 276-95		36
625	The role of infant appetite in extended formula feeding. <i>Archives of Disease in Childhood</i> , 2015 , 100, 758-62		3
624	Growth trajectories in early childhood, their relationship with antenatal and postnatal factors, and development of obesity by age 9 years: results from an Australian birth cohort study. 2015 , 39, 1049-56		61

623	A cluster randomised trial testing an intervention to improve parents' recognition of their child's weight status: study protocol. <i>BMC Public Health</i> , 2015 , 15, 549	4.1	8
622	Service evaluation of the GOALS family-based childhood obesity treatment intervention during the first 3 years of implementation. <i>BMJ Open</i> , 2015 , 5, e006519	3	20
621	Development and evaluation of an online tool for management of overweight children in primary care: a pilot study. <i>BMJ Open</i> , 2015 , 5, e007326	3	4
620	The association between retinal microvascular changes, metabolic risk factors, and liver histology in pediatric patients with non-alcoholic fatty liver disease (NAFLD). 2015 , 50, 903-12		13
619	Leptin may play a role in bone microstructural alterations in obese children. 2015 , 100, 594-602		52
618	Childhood obesity trends from primary care electronic health records in England between 1994 and 2013: population-based cohort study. <i>Archives of Disease in Childhood</i> , 2015 , 100, 214-9	2.2	83
617	Longitudinal changes of cycling peak power in overweight and normal weight boys. 2015 , 30, 89-95		
616	Trajectories of body mass index amongst children who develop type 2 diabetes as adults. 2015 , 278, 219-26		37
615	Physical education or playtime: which is more effective at promoting physical activity in primary school children?. 2015 , 8, 12		14
614	Association of serum hs-CRP and lipids with obesity in school children in a 12-month follow-up study in Japan. 2015 , 20, 116-22		16
613	Adipose tissue dysregulation and metabolic consequences in childhood and adolescent obesity: potential impact of dietary fat quality. 2015 , 74, 67-82		29
612	Change in objectively measured physical activity during the transition to adolescence. 2015 , 49, 730-6		145
611	Health in overweight children: 2-year follow-up of Finnmark Activity School--a randomised trial. <i>Archives of Disease in Childhood</i> , 2015 , 100, 441-8	2.2	15
610	Impact of obesity on the risk of wound infection following surgery: results from a nationwide prospective multicentre cohort study in England. 2015 , 21, 1008.e1-8		69
609	Differences in childhood adiposity influence upper limb fracture site. 2015 , 79, 88-93		11
608	Greener neighbourhoods, slimmer children? Evidence from 4423 participants aged 6 to 13 years in the Longitudinal Study of Australian children. 2015 , 39, 1224-9		48
607	High salt intake: independent risk factor for obesity?. 2015 , 66, 843-9		151
606	Body composition in young female eating-disorder patients with severe weight loss and controls: evidence from the four-component model and evaluation of DXA. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 1330-5	5.2	9

605	'Why don't you try it again?' A comparison of parent led, home based interventions aimed at increasing children's consumption of a disliked vegetable. 2015 , 87, 215-22	94
604	After the RCT: who comes to a family-based intervention for childhood overweight or obesity when it is implemented at scale in the community?. 2015 , 69, 142-8	27
603	Short communication: Patterns of dairy consumption in free-living children and adolescents. 2015 , 98, 3701-5	14
602	European adolescent ready-to-eat-cereal (RTEC) consumers have a healthier dietary intake and body composition compared with non-RTEC consumers. 2015 , 54, 653-64	20
601	Physical activity and play behaviours in children and young people with intellectual disabilities: A cross-sectional observational study. 2015 , 36, 154-171	26
600	Predictors of Change in BMI From the Age of 4 to 8. 2015 , 40, 1056-64	36
599	Variability in eating frequency in relation to adiposity measures and blood lipid profiles in British children and adolescents: findings from the National Diet and Nutrition Survey. 2015 , 39, 608-13	7
598	A nomogram to calculate the maximum dose of local anaesthetic in a paediatric dental setting. 2015 , 218, 469-71	3
597	Virtual field trips as physically active lessons for children: a pilot study. <i>BMC Public Health</i> , 2015 , 15, 366 4.1	19
596	Maternal body size prior to pregnancy, gestational diabetes and weight gain: associations with insulin resistance in children at 9-10 years. 2015 , 32, 174-80	21
595	Weekday and weekend sedentary time and physical activity in differentially active children. 2015 , 18, 444-9	44
594	Child obesity cut-offs as derived from parental perceptions: cross-sectional questionnaire. 2015 , 65, e234-9	30
593	Lower activity levels are related to higher plantar pressures in overweight children. 2015 , 47, 357-62	16
592	Consumption Of Specific Foods And Beverages And Excess Weight Gain Among Children And Adolescents. 2015 , 34, 1940-8	34
591	Elevated ratio of acylated to unacylated ghrelin in children and young adults with Prader-Willi syndrome. 2015 , 50, 633-42	50
590	A cluster randomised controlled trial to investigate the effectiveness and cost effectiveness of the 'Girls Active' intervention: a study protocol. <i>BMC Public Health</i> , 2015 , 15, 526	4.1 25
589	Body Composition Assessment. 2015 , 1-24	
588	Changes in whole-body fat distribution, intrahepatic lipids, and insulin resistance of obese adolescents during a low-level lifestyle intervention. 2015 , 174, 1603-12	5

587	Improvements in the data quality of a national BMI measuring programme. 2015 , 39, 1429-31		1
586	Short Children with CHARGE Syndrome: Do They Benefit from Growth Hormone Therapy?. 2015 , 84, 49-53		6
585	Objective measurement of sedentary behavior: impact of non-wear time rules on changes in sedentary time. <i>BMC Public Health</i> , 2015 , 15, 504	4.1	34
584	Six-year changes in body mass index and cardiorespiratory fitness of English schoolchildren from an affluent area. 2015 , 39, 1504-7		18
583	Weight perceptions in a population sample of English adolescents: cause for celebration or concern?. 2015 , 39, 1488-93		30
582	Response to IGF-1 Generation Test in Short Prepubertal Children Born Very Preterm or at Term. 2015 , 84, 298-304		3
581	Nighttime sleep duration and hedonic eating in childhood. 2015 , 39, 1463-6		23
580	Effects on childhood body habitus of feeding large volumes of cow or formula milk compared with breastfeeding in the latter part of infancy. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1096-103	7	20
579	A cluster-randomised controlled trial to assess the effectiveness and cost-effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6-7 year old children: the WAVES study protocol. <i>BMC Public Health</i> , 2015 , 15, 488	4.1	26
578	Anthropometric characteristics, high prevalence of undernutrition and weight loss: impact on outcomes in patients with adolescent idiopathic scoliosis after spinal fusion. 2015 , 24, 281-9		16
577	Inflammation profile in overweight/obese adolescents in Europe: an analysis in relation to iron status. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 247-55	5.2	25
576	Longitudinal associations between sports participation, body composition and physical activity from childhood to adolescence. 2015 , 18, 178-82		46
575	The effect of chromium supplementation on polycystic ovary syndrome in adolescents. 2015 , 28, 114-8		23
574	Does the FTO gene interact with the socioeconomic status on the obesity development among young European children? Results from the IDEFICS study. 2015 , 39, 1-6		36
573	Overweight and obesity in 4-5-year-old children in New Zealand: results from the first 4 years (2009-2012) of the B4School Check programme. 2015 , 51, 334-43		18
572	Physical activity patterns of ethnic children from low socio-economic environments within the UK. <i>Journal of Sports Sciences</i> , 2015 , 33, 232-42	3.6	12
571	Methodologies to assess paediatric adiposity. 2015 , 184, 53-68		41
570	The effect of playground- and nature-based playtime interventions on physical activity and self-esteem in UK school children. 2015 , 25, 196-206		31

569	Delayed bedtime due to screen time in schoolchildren: importance of area deprivation. 2015 , 57, 137-42		9
568	A Systematised Review of Primary School Whole Class Child Obesity Interventions: Effectiveness, Characteristics, and Strategies. 2016 , 2016, 4902714		17
567	Independent effect of type of breastfeeding on overweight and obesity in children aged 12-24 months. 2016 , 32, e00119015		4
566	Can Fundamental Movement Skill Mastery Be Increased via a Six Week Physical Activity Intervention to Have Positive Effects on Physical Activity and Physical Self-Perception?. 2016 , 4,		21
565	Parental response to a letter reporting child overweight measured as part of a routine national programme in England: results from interviews with parents. <i>BMC Public Health</i> , 2016 , 16, 846	4.1	19
564	Design programmes to maximise participant engagement: a predictive study of programme and participant characteristics associated with engagement in paediatric weight management. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 76	8.4	18
563	Relationship between Parental Feeding Practices and Neural Responses to Food Cues in Adolescents. <i>PLoS ONE</i> , 2016 , 11, e0157037	3.7	6
562	HLA-DQ genotypes - but not immune markers - differ by ethnicity in patients with childhood onset type 1 diabetes residing in Belgium. 2016 , 17, 342-50		2
561	Childhood risk factors for lifetime bulimic or compulsive eating by age 30 years in a British national birth cohort. 2016 , 105, 266-73		13
560	Wear Compliance and Activity in Children Wearing Wrist- and Hip-Mounted Accelerometers. 2016 , 48, 245-53		164
559	Predicting adult obesity from childhood obesity: a systematic review and meta-analysis. 2016 , 17, 95-107		630
558	Appetitive traits and food intake patterns in early life. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 231-5	7	38
557	Does parenting help to explain socioeconomic inequalities in children's body mass index trajectories? Longitudinal analysis using the Growing Up in Scotland study. 2016 , 70, 868-73		10
556	Can't play, won't play: longitudinal changes in perceived barriers to participation in sports clubs across the child-adolescent transition. 2016 , 2, e000079		16
555	NAP SACC UK: protocol for a feasibility cluster randomised controlled trial in nurseries and at home to increase physical activity and healthy eating in children aged 2-4 years. <i>BMJ Open</i> , 2016 , 6, e010622	3	13
554	Protocol for the 'Virtual Traveller' cluster-randomised controlled trial: a behaviour change intervention to increase physical activity in primary-school Maths and English lessons. <i>BMJ Open</i> , 2016 , 6, e011982	3	7
553	Is Olympic inspiration associated with fitness and physical activity in English schoolchildren? A repeated cross-sectional comparison before and 18 months after London 2012. <i>BMJ Open</i> , 2016 , 6, e011670	1	5
552	Drug interventions for the treatment of obesity in children and adolescents. 2016 , 11, CD012436		42

551	Assessment and management of severely obese children and adolescents. <i>Archives of Disease in Childhood</i> , 2016 , 101, 1161-1167	2.2	14
550	Positive influences of home food environment on primary-school children's diet and weight status: a structural equation model approach. 2016 , 19, 2525-34		5
549	5-Hydroxyvitamin D concentration in paediatric cancer patients from Scotland: a prospective cohort study. 2016 , 116, 1926-1934		8
548	Different repair kinetic of DSBs induced by mitomycin C in peripheral lymphocytes of obese and normal weight adolescents. 2016 , 789, 9-14		15
547	The independent prospective associations of activity intensity and dietary energy density with adiposity in young adolescents. 2016 , 115, 921-9		19
546	Comparison of short-term energy intake and appetite responses to active and seated video gaming, in 8-11-year-old boys. 2016 , 115, 1117-25		7
545	Energy and nutrient intakes of young children in the UK: findings from the Gemini twin cohort. 2016 , 115, 1843-50		17
544	The timing of the evening meal: how is this associated with weight status in UK children?. 2016 , 115, 1616-22		14
543	Decreasing the number of small eating occasions (. 2016 , 115, 332-41		18
542	Validation, Optimal Threshold Determination, and Clinical Utility of the Infant Risk of Overweight Checklist for Early Prevention of Child Overweight. 2016 , 12, 202-9		28
541	Agreement of the activPAL3 and activPAL for characterising posture and stepping in adults and children. 2016 , 48, 209-214		11
540	Psychosocial Interventions in the Treatment of Severe Adolescent Obesity: The SHINE Program. 2016 , 59, 523-529		11
539	Bioelectrical impedance in young patients with cystic fibrosis: Validation of a specific equation and clinical relevance. 2016 , 15, 825-833		16
538	The between-day reproducibility of fasting, satiety-related analytes, in 8 to 11year-old boys. 2016 , 164, 207-13		2
537	Disentangling the associations between parental BMI and offspring body composition using the four-component model. 2016 , 28, 524-33		8
536	Prevalence and socio-economic distribution of eating, physical activity and sedentary behaviour among South Australian children in urban and rural communities: baseline findings from the OPAL evaluation. 2016 , 140, 196-205		15
535	Maternal feeding practices and fussy eating in toddlerhood: a discordant twin analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 81	8.4	40
534	Associations between energy density of meals and snacks and overall diet quality and adiposity measures in British children and adolescents: the National Diet and Nutrition Survey. 2016 , 116, 1633-1645		9

533	Meal size is a critical driver of weight gain in early childhood. 2016 , 6, 28368		23
532	'Now I care': a qualitative study of how overweight adolescents managed their weight in the transition to adulthood. <i>BMJ Open</i> , 2016 , 6, e010774	3	14
531	Adiposity and response to an obesity prevention intervention in Pakistani and Bangladeshi primary school boys and girls: a secondary analysis using the BEACHes feasibility study. <i>BMJ Open</i> , 2016 , 6, e007907	3	3
530	A non-equivalent group pilot trial of a school-based physical activity and fitness intervention for 10-11 year old english children: born to move. <i>BMC Public Health</i> , 2016 , 16, 861	4.1	22
529	How has child growth around adiposity rebound altered in Scotland since 1990 and what are the risk factors for weight gain using the Growing Up in Scotland birth cohort 1?. <i>BMC Public Health</i> , 2016 , 16, 1081	4.1	8
528	Detailed statistical analysis plan for a cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children. 2016 , 17, 599		5
527	What change in body mass index is needed to improve metabolic health status in childhood obesity: protocol for a systematic review. 2016 , 5, 120		3
526	Cultural adaptation of a children's weight management programme for Bangladeshi and Pakistani families in the UK: a cluster-randomised feasibility study protocol. 2016 , 2, 48		3
525	Investigating the role of parent and child characteristics in healthy eating intervention outcomes. 2016 , 105, 291-7		14
524	Tracking of overweight and obesity from early childhood to adolescence in a population-based cohort - the Tromsø Study, Fit Futures. 2016 , 16, 64		84
523	Minimal change in children's lifestyle behaviours and adiposity following a home-based obesity intervention: results from a pilot study. 2016 , 9, 26		5
522	Associations between showering behaviours following physical education, physical activity and fitness in English schoolchildren. 2016 , 16, 128-34		2
521	Cross-sectional associations between high-deprivation home and neighbourhood environments, and health-related variables among Liverpool children. <i>BMJ Open</i> , 2016 , 6, e008693	3	31
520	Addressing childhood obesity at school entry: Qualitative experiences of school health professionals. 2016 , 20, 304-13		19
519	Associations between obesity and cognition in the pre-school years. 2016 , 24, 207-14		19
518	Effect of summer daylight exposure and genetic background on growth in growth hormone-deficient children. 2016 , 16, 540-550		16
517	The impact of body fat on three dimensional motion of the paediatric foot during walking. 2016 , 44, 155-60		16
516	Fit to WHO weight standard of European infants over time. <i>Archives of Disease in Childhood</i> , 2016 , 101, 455-60	2.2	3

515	Polygenic Risk, Appetite Traits, and Weight Gain in Middle Childhood: A Longitudinal Study. 2016 , 170, e154472	26
514	Body Composition Assessment. 2016 , 579-599	
513	Exploring overweight and obesity in pre-school children using routinely collected data: a case study of Halton, Northwest England. 2016 , 38, e240-e246	2
512	Rates of weight gain during specialised inpatient treatment for anorexia nervosa. 2016 , 4, 156-166	6
511	Predicting future weight status from measurements made in early childhood: a novel longitudinal approach applied to Millennium Cohort Study data. 2016 , 6, e200	13
510	Refeeding Low Weight Hospitalized Adolescents With Anorexia Nervosa: A Multicenter Randomized Controlled Trial. 2016 , 31, 681-9	35
509	Examining a conceptual model of parental nurturance, parenting practices and physical activity among 5-6 year olds. 2016 , 148, 18-24	19
508	Modelling the association between weight status and social deprivation in English school children: Can physical activity and fitness affect the relationship?. 2016 , 43, 497-504	9
507	An integrated curriculum approach to increasing habitual physical activity in deprived South Asian children. 2016 , 16, 381-90	6
506	Schoolchildren born VLBW or VLGA show height-related changes in body composition and muscle function but no evidence of metabolic syndrome risk factors. Results from the NEOLONG study. 2016 , 29, 163-72	11
505	Does participation in a physical activity program impact upon the feet of overweight and obese children?. 2016 , 19, 51-5	9
504	Parental perceptions on childrens out-of-school physical activity and family-based physical activity. 2017 , 187, 1909-1924	10
503	DEPTOR promoter genetic variants and insulin resistance in obese children and adolescents. 2017 , 18, 152-158	5
502	Folate and vitamin B12 concentrations are associated with plasma DHA and EPA fatty acids in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. 2017 , 117, 124-133	15
501	Utility of Body Mass Index, Waist-to-Height-Ratio and cardiorespiratory fitness thresholds for identifying cardiometabolic risk in 10.4-17.6-year-old children. 2017 , 11, 567-575	9
500	An update on the assessment and management of metabolic syndrome, a growing medical emergency in paediatric populations. 2017 , 119, 99-117	35
499	Sedentary time, physical activity and compliance with IOM recommendations in young children at childcare. 2017 , 7, 221-226	44
498	Prevalence of food addiction and its relationship to body mass index. 2017 , 18, 257-260	9

497	Cardiorespiratory fitness and activity explains the obesity-deprivation relationship in children. 2018 , 33, 479-487		6
496	Comparison of definitions for the metabolic syndrome in adolescents. The HELENA study. 2017 , 176, 241-252		39
495	The neuroendocrine sequelae of paediatric craniopharyngioma: a 40-year meta-data analysis of 185 cases from three UK centres. 2017 , 176, 359-369		33
494	Determinants of chronic otitis media with effusion in preschool children: a case-control study. 2017 , 17, 4		14
493	Associations of parental food-choice control and use of food to soothe with adiposity in childhood and adolescence. 2017 , 113, 71-77		8
492	Differences in bone mineral density between normal-weight children and children with overweight and obesity: a systematic review and meta-analysis. 2017 , 18, 526-546		45
491	Suprathreshold measures of taste perception in children - Association with dietary quality and body weight. 2017 , 113, 116-123		16
490	Reduced hair cortisol after maltreatment mediates externalizing symptoms in middle childhood and adolescence. 2017 , 58, 998-1007		60
489	Mothers' perceptions of child weight status and the subsequent weight gain of their children: a population-based longitudinal study. 2017 , 41, 801-806		22
488	International normative 20 m shuttle run values from 1 142 026 children and youth representing 50 countries. 2017 , 51, 1545-1554		118
487	Caloric compensation in preschool children: Relationships with body mass and differences by food category. 2017 , 116, 82-89		23
486	Maternal rates of lipolysis and glucose production in late pregnancy are independently related to foetal weight. 2017 , 87, 272-278		6
485	Randomised controlled trial and economic evaluation of the 'Families for Health' programme to reduce obesity in children. <i>Archives of Disease in Childhood</i> , 2017 , 102, 416-426	2.2	15
484	The Effect of Whole Body Vibration Training on Bone and Muscle Function in Children With Osteogenesis Imperfecta. 2017 , 102, 2734-2743		18
483	Arterial stiffening, insulin resistance and acanthosis nigricans in a community sample of adolescents with obesity. 2017 , 41, 1454-1456		6
482	The Limitations of Transforming Very High Body Mass Indexes into z-Scores among 8.7 Million 2- to 4-Year-Old Children. 2017 , 188, 50-56.e1		42
481	Body Mass Index and Incident Type 1 and Type 2 Diabetes in Children and Young Adults: A Retrospective Cohort Study. 2017 , 1, 524-537		62
480	Physical Activity and Pediatric Obesity: A Quantile Regression Analysis. 2017 , 49, 466-473		24

479	Change in children's physical activity and sedentary time between Year 1 and Year 4 of primary school in the B-PROACT1V cohort. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 33	8.4	50
478	Generational change in fasting glucose and insulin among children at ages 5-16y: Modelled on the EarlyBird study (2015) and UK growth standards (1990) (EarlyBird 69). 2017 , 123, 18-23		4
477	Disease Status and Pubertal Stage Predict Improved Growth in Antitumor Necrosis Factor Therapy for Pediatric Inflammatory Bowel Disease. 2017 , 64, 47-55		14
476	Childhood predictors of cardiovascular disease in adulthood. A systematic review and meta-analysis. 2017 , 18, 1061-1070		44
475	Body mass index adjustments to increase the validity of body fatness assessment in UK Black African and South Asian children. 2017 , 41, 1048-1055		33
474	Childhood obesity classification systems and cardiometabolic risk factors: a comparison of the Italian, World Health Organization and International Obesity Task Force references. 2017 , 43, 19		26
473	Exploring childhood obesity prevention among diverse ethnic groups in schools and places of worship: Recruitment, acceptability and feasibility of data collection and intervention components. 2017 , 6, 130-136		12
472	Obesity, physical activity and traumatic dental injuries in adolescents from East London. 2017 , 33, 137-142		3
471	Associations between participation in organised physical activity in the school or community outside school hours and neighbourhood play with child physical activity and sedentary time: a cross-sectional analysis of primary school-aged children from the UK. <i>BMJ Open</i> , 2017 , 7, e017588	3	22
470	Agreement between Weight Status and Perceived Body Size and the Association with Body Size Satisfaction in Children. 2017 , 25, 1956-1964		4
469	Obesity anthropometric indicators associated with cardiometabolic risk in Portuguese children and adolescents. 2017 , 8, 158-162		6
468	Breakfast consumption and nutrient intakes in 4-18-year-olds: UK National Diet and Nutrition Survey Rolling Programme (2008-2012). 2017 , 118, 280-290		36
467	Effect of breakfast omission and consumption on energy intake and physical activity in adolescent girls: a randomised controlled trial. 2017 , 118, 392-400		8
466	Why consistent completion criterion are required in childhood weight management programmes. 2017 , 152, 79-85		4
465	Prevalence and characteristics of paediatric Type 2 diabetes in the Republic of Ireland. 2017 , 34, 1603-1607		7
464	Development and refinement of the WAItE: a new obesity-specific quality of life measure for adolescents. 2017 , 26, 2025-2039		10
463	Microstructural abnormalities in white and gray matter in obese adolescents with and without type 2 diabetes. 2017 , 16, 43-51		37
462	Differences in Body Mass Index between Siblings Who Are Discordant for Exposure to Antenatal Maternal Smoking. 2017 , 31, 402-408		10

461	Socioeconomic Position Is Associated With Carotid Intima-Media Thickness in Mid-Childhood: The Longitudinal Study of Australian Children. 2017 , 6,		10
460	Outcomes of 50 patients entering an adolescent bariatric surgery programme. <i>Archives of Disease in Childhood</i> , 2017 ,	2.2	1
459	The relationship between maternal 25-hydroxyvitamin D status in pregnancy and childhood adiposity and allergy: an observational study. 2017 , 41, 1755-1760		15
458	Association between the number of fungiform papillae on the tip of the tongue and sensory taste perception in children. 2017 , 61, 1348865		7
457	Introduction. 2017 , 1-37		
456	Study design and protocol for a mixed methods evaluation of an intervention to reduce and break up sitting time in primary school classrooms in the UK: The CLASS PAL (Physically Active Learning) Programme. <i>BMJ Open</i> , 2017 , 7, e019428	3	6
455	The adaptation and translation of the PEACHIRCT intervention: the process and outcomes of the PEACHin the community trial. 2017 , 153, 154-162		3
454	Physical Activity, Sedentary Time, and Fatness in a Biethnic Sample of Young Children. 2017 , 49, 930-938		27
453	Assessing the impact of adjusting for maturity in weight status classification in a cross-sectional sample of UK children. <i>BMJ Open</i> , 2017 , 7, e015769	3	13
452	Context matters! sources of variability in weekend physical activity among families: a repeated measures study. <i>BMC Public Health</i> , 2017 , 17, 330	4.1	12
451	Screening for pickiness - a validation study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 2	8.4	16
450	Fitness, fatness and the reallocation of time between children's daily movement behaviours: an analysis of compositional data. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 64	8.4	67
449	Predictors of Postpartum Depression in Partnered Mothers and Fathers from a Longitudinal Cohort. 2017 , 53, 420-431		35
448	Diagnostic performance of Body Mass Index, Waist Circumference and the Waist-to-Height Ratio for identifying cardiometabolic risk in Scottish pre-adolescents. 2017 , 44, 297-302		8
447	Intra-gastric balloon as an adjunct to lifestyle support in severely obese adolescents; impact on weight, physical activity, cardiorespiratory fitness and psychosocial well-being. 2017 , 41, 591-597		13
446	Muscle strength is associated with lower diastolic blood pressure in schoolchildren. 2017 , 95, 1-6		19
445	Utility of three anthropometric indices in assessing the cardiometabolic risk profile in children. 2017 , 29, e22934		2
444	Applying an extended theory of planned behaviour to predict breakfast consumption in adolescents. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 607-613	5.2	4

443	Amalgamated Reference Data for Size-Adjusted Bone Densitometry Measurements in 3598 Children and Young Adults-the ALPHABET Study. 2017 , 32, 172-180		68
442	Early mortality in children with acute lymphoblastic leukemia in a developing country: the role of malnutrition at diagnosis. A multicenter cohort MIGICCL study. 2017 , 58, 898-908		16
441	Can food addiction replace binge eating assessment in obesity clinics?. 2017 , 18, 181-185		8
440	Risk factors for eating disorder symptoms at 12 years of age: A 6-year longitudinal cohort study. 2017 , 108, 12-20		27
439	Cross-Sectional Associations of Objectively-Measured Physical Activity and Sedentary Time with Body Composition and Cardiorespiratory Fitness in Mid-Childhood: The PANIC Study. 2017 , 47, 769-780		47
438	Pediatric obesity is associated with an altered gut microbiota and discordant shifts in Firmicutes populations. 2017 , 19, 95-105		213
437	Associations between prolonged sedentary time and breaks in sedentary time with cardiometabolic risk in 10-14-year-old children: The HAPPY study. <i>Journal of Sports Sciences</i> , 2017 , 35, 2164-2171	3.6	26
436	A criterion-referenced assessment is needed for measuring child obesity. 2017 , 25, 108-110		1
435	Is arterial stiffening associated with adiposity, severity of obesity and other contemporary cardiometabolic markers in a community sample of adolescents with obesity in the UK?. 2017 , 1, e000061		8
434	Survey of antiobesity drug prescribing for obese children and young people in UK primary care. 2017 , 1, e000104		3
433	Sleep Duration and Adiposity in Early Childhood: Evidence for Bidirectional Associations from the Born in Bradford Study. 2017 , 40,		26
432	Body Size Estimation from Early to Middle Childhood: Stability of Underestimation, BMI, and Gender Effects. <i>Frontiers in Psychology</i> , 2017 , 8, 2038	3.4	11
431	South Asian Children Have Increased Body Fat in Comparison to White Children at the Same Body Mass Index. 2017 , 4,		8
430	Predictors of Segmented School Day Physical Activity and Sedentary Time in Children from a Northwest England Low-Income Community. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	19
429	Fitness, Fatness and Active School Commuting among Liverpool Schoolchildren. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	17
428	Association of parents' and children's physical activity and sedentary time in Year 4 (8-9) and change between Year 1 (5-6) and Year 4: a longitudinal study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 110	8.4	13
427	Clinical review of 24-35 year olds conceived with and without in vitro fertilization: study protocol. 2017 , 14, 117		9
426	The impact of active stakeholder involvement on recruitment, retention and engagement of schools, children and their families in the cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP): a school-based intervention to prevent obesity. 2017 , 18, 378		13

425	Action 3:30R: protocol for a cluster randomised feasibility study of a revised teaching assistant-led extracurricular physical activity intervention for 8- to 10-year-olds. 2017 , 3, 69		5
424	Continuing rise of Type 2 diabetes incidence in children and young people in the UK. 2018 , 35, 737-744		61
423	Perceived rather than actual overweight is associated with mental health problems in adolescence. 2018 , 72, 89-96		7
422	Associations between nutritional quality of meals and snacks assessed by the Food Standards Agency nutrient profiling system and overall diet quality and adiposity measures in British children and adolescents. 2018 , 49, 57-65		5
421	Prevalence of pica and rumination behaviors in German children aged 7-14 and their associations with feeding, eating, and general psychopathology: a population-based study. 2018 , 27, 1499-1508		12
420	Personalized Cardio-Metabolic Responses to an Anti-Inflammatory Nutrition Intervention in Obese Adolescents: A Randomized Controlled Crossover Trial. 2018 , 62, e1701008		16
419	Exposure to liquid sweetness in early childhood: artificially-sweetened and sugar-sweetened beverage consumption at 4-5 years and risk of overweight and obesity at 7-8 years. <i>Pediatric Obesity</i> , 2018 , 13, 755-765	4.6	6
418	Biomechanical characteristics of lower limb gait waveforms: Associations with body fat in children. 2018 , 61, 220-225		6
417	How does age affect the relationship between weight and health utility during the middle years of childhood?. 2018 , 27, 1455-1462		6
416	Utility values for childhood obesity interventions: a systematic review and meta-analysis of the evidence for use in economic evaluation. 2018 , 19, 905-916		15
415	Beyond Cut Points: Accelerometer Metrics that Capture the Physical Activity Profile. 2018 , 50, 1323-1332		57
414	Parental population exposure to historical socioeconomic and political periods and grand-child's birth weight in the Lifeways Cross-Generation Cohort Study in the Republic of Ireland. 2018 , 4, 100-116		
413	Examining the challenges posed to parents by the contemporary screen environments of children: a qualitative investigation. 2018 , 18, 129		13
412	Associations within school-based same-sex friendship networks of children's physical activity and sedentary behaviours: a cross-sectional social network analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 18	8.4	17
411	Effectiveness of the 'Girls Active' school-based physical activity programme: A cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 40	8.4	29
410	Effectiveness of a childhood obesity prevention programme delivered through schools, targeting 6 and 7 year olds: cluster randomised controlled trial (WAVES study). 2018 , 360, k211		71
409	How Is Adolescent Bone Mass and Density Influenced by Early Life Body Size and Growth? The Tromsø Study: Fit Futures-A Longitudinal Cohort Study From Norway. <i>JBMR Plus</i> , 2018 , 2, 268-280	3.9	9
408	Reassessing Ethnic Differences in Mean BMI and Changes Between 2007 and 2013 in English Children. 2018 , 26, 412-419		6

407	Factors Predictive of Healing in Large Rotator Cuff Tears: Is It Possible to Predict Retear Preoperatively?. 2018 , 46, 1693-1700		49
406	Assessing the Associations of Blood Metabolites With Osteoporosis: A Mendelian Randomization Study. 2018 , 103, 1850-1855		11
405	Smoking habit from the paternal line and grand-child's overweight or obesity status in early childhood: prospective findings from the lifeways cross-generation cohort study. 2018 , 42, 1853-1870		11
404	Physically Active Lessons Improve Lesson Activity and On-Task Behavior: A Cluster-Randomized Controlled Trial of the "Virtual Traveller" Intervention. 2018 , 45, 945-956		17
403	Reliability of anthropometric measurements in children with special needs. <i>Archives of Disease in Childhood</i> , 2018 , 103, 757-762	2.2	8
402	Prevalence of obesity in Italian adolescents: does the use of different growth charts make the difference?. 2018 , 14, 168-175		5
401	Statistical methods for body mass index: A selective review. 2018 , 27, 798-811		4
400	FKBP5 polymorphism is associated with insulin resistance in children and adolescents with obesity. 2018 , 12, 62-70		12
399	Mediation of psychosocial determinants in the relation between socio-economic status and adolescents' diet quality. 2018 , 57, 951-963		25
398	Timing of the decline in physical activity in childhood and adolescence: Gateshead Millennium Cohort Study. 2018 , 52, 1002-1006		173
397	Food intake and appetite following school-based high-intensity interval training in 9-11-year-old children. <i>Journal of Sports Sciences</i> , 2018 , 36, 286-292	3.6	5
396	Gene-by-Activity Interactions on Obesity Traits of 6-Year-Old New Zealand European Children: A Children of SCOPE Study. 2018 , 30, 69-80		4
395	Insulin resistance is higher in prepubertal girls but switches to become higher in boys at age 16: A Cohort Study (EarlyBird 57). 2018 , 19, 223-230		15
394	DIFFERENCES IN THE PREVALENCE OF OVERWEIGHT AND OBESITY IN 5- to 14-YEAR-OLD CHILDREN IN KRAKÓW, POLAND, USING THREE NATIONAL BMI CUT-OFFS. 2018 , 50, 365-379		3
393	Individual calibration of accelerometers in children and their health-related implications. <i>Journal of Sports Sciences</i> , 2018 , 36, 1340-1345	3.6	4
392	Effectiveness of the Healthy Lifestyles Programme (HeLP) to prevent obesity in UK primary-school children: a cluster randomised controlled trial. 2018 , 2, 35-45		50
391	Naturalistic Outcome of Family-Based Inpatient Treatment for Adolescents with Anorexia Nervosa. 2018 , 26, 141-145		19
390	European normative values for physical fitness in children and adolescents aged 9-17 years: results from 2 779 165 Eurofit performances representing 30 countries. 2018 , 52, 1445-14563		127

389	Patterns of childhood body mass index (BMI), overweight and obesity in South Asian and black participants in the English National child measurement programme: effect of applying BMI adjustments standardising for ethnic differences in BMI-body fatness associations. 2018 , 42, 662-670		17
388	Adapting the ToyBox obesity prevention intervention for use in Scottish preschools: protocol for a feasibility cluster randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e023707	3	6
387	Prediction Models for Early Childhood Obesity: Applicability and Existing Issues. 2018 , 90, 358-367		19
386	Compliance of Adolescent Girls to Repeated Deployments of Wrist-Worn Accelerometers. 2018 , 50, 1508-1517	15	
385	Development of the MapMe intervention body image scales of known weight status for 4-5 and 10-11 year old children. 2018 , 40, 582-590		4
384	"In my day" Parents' Views on Children's Physical Activity and Screen Viewing in Relation to Their Own Childhood. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
383	Prevalence of Childhood Overweight and Obesity in Liverpool between 2006 and 2012: Evidence of Widening Socioeconomic Inequalities. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	8
382	Evidence for gene-environment correlation in child feeding: Links between common genetic variation for BMI in children and parental feeding practices. 2018 , 14, e1007757		36
381	An exploration of the longitudinal relation between parental feeding practices and child anthropometric adiposity measures from the West Midlands Active Lifestyle and Healthy Eating in Schoolchildren (WAVES) Study. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1316-1323	7	1
380	Persistence of Muscle-bone Deficits Following Anti-tumour Necrosis Factor Therapy in Adolescents With Crohn Disease. 2018 , 67, 738-744		6
379	A cluster-randomised feasibility trial of a children's weight management programme: the Child weight mANaGement for Ethnically diverse communities (CHANGE) study. 2018 , 4, 175		3
378	Maternal protein intake during pregnancy is associated with child growth up to 5 years of age, but not through insulin-like growth factor-1: findings from the ROLO study. 2018 , 120, 1252-1261		6
377	Association of diet in nurseries and physical activity with zBMI in 2-4-year olds in England: a cross-sectional study. <i>BMC Public Health</i> , 2018 , 18, 1262	4.1	3
376	Bidirectional Associations Between Adiposity, Sedentary Behavior, and Physical Activity: A Longitudinal Study in Children. 2018 , 1-9		6
375	Epidemiologische Aspekte zum skularen Trend bei Übergewicht und Adipositas bei Kindern und Jugendlichen. 2018 , 12, 4-9		0
374	Associations of TV Viewing Duration, Meals and Snacks Eaten When Watching TV, and a TV in the Bedroom with Child Adiposity. 2018 , 26, 1619-1628		17
373	Body mass index reference curves for Tunisian children. 2018 , 25, 459-463		4
372	Profiles of children's physical activity and sedentary behaviour between age 6 and 9: a latent profile and transition analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 103	8.4	17

371	Childhood Obesity and Slipped Capital Femoral Epiphysis. 2018 , 142,		25
370	Autism spectrum disorder and food neophobia: clinical and subclinical links. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 701-707	7	18
369	Exploring Gender Differences within Forest Schools as a Physical Activity Intervention. 2018 , 5,		7
368	Impact of a 6-month family-based weight management programme on child food and activity behaviours: short-term and long-term outcomes of the PEACH intervention. <i>Pediatric Obesity</i> , 2018 , 13, 744-751	4.6	3
367	Treatment adherence and BMI reduction are key predictors of HbA1c 1 year after diagnosis of childhood type 2 diabetes in the United Kingdom. 2018 , 19, 1393-1399		6
366	Marathon Kids UK: study design and protocol for a mixed methods evaluation of a school-based running programme. <i>BMJ Open</i> , 2018 , 8, e022176	3	8
365	Same Phenotype in Children with Growth Hormone Deficiency and Resistance. 2018 , 2018, 5902835		3
364	Outcomes of using flash glucose monitoring technology by children and young people with type 1 diabetes in a single arm study. 2018 , 19, 1294-1301		56
363	Do mothers accurately identify their child's overweight/obesity status during early childhood? Evidence from a nationally representative cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 56	8.4	13
362	Stand Out in Class: restructuring the classroom environment to reduce sedentary behaviour in 9-10-year-olds - study protocol for a pilot cluster randomised controlled trial. 2018 , 4, 103		8
361	How does the UK childcare energy-balance environment influence anthropometry of children aged 3-4 years? A cross-sectional exploration. <i>BMJ Open</i> , 2018 , 8, e021520	3	2
360	Evaluation of a Pilot School-Based Physical Activity Clustered Randomised Controlled Trial-Active Schools: Skelmersdale. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	22
359	Social Gradients and Physical Activity Trends in an Obesogenic Dietary Pattern: Cross-Sectional Analysis of the UK National Diet and Nutrition Survey 2008-2014. 2018 , 10,		14
358	Is neuromuscular inhibition detectable in elite footballers during the Nordic hamstring exercise?. 2018 , 58, 39-43		6
357	Is adolescent body mass index and waist circumference associated with the food environments surrounding schools and homes? A longitudinal analysis. <i>BMC Public Health</i> , 2018 , 18, 482	4.1	17
356	Repeatedly measured predictors: a comparison of methods for prediction modeling. 2018 , 2, 5		12
355	A cluster randomised controlled trial evaluating the effectiveness and cost-effectiveness of the daily mile on childhood obesity and wellbeing; the Birmingham daily mile protocol. <i>BMC Public Health</i> , 2018 , 18, 126	4.1	13
354	Child- and Parent-Related Correlates of Total and Prolonged Sedentary Time in 5- to 6-Year-Old Children. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	

353	A novel IGSF1 mutation in a large Irish kindred highlights the need for familial screening in the IGSF1 deficiency syndrome. 2018 , 89, 813-823		11
352	Adiposity, fitness, health-related quality of life and the reallocation of time between children's school day activity behaviours: A compositional data analysis. 2018 , 11, 254-261		21
351	What is the point when you only lose a pound? Reasons for attrition from a multi-component childhood obesity treatment intervention: a qualitative inquiry. 2019 , 11, 382-397		2
350	Utility of international normative 20 m shuttle run values for identifying youth at increased cardiometabolic risk. <i>Journal of Sports Sciences</i> , 2019 , 37, 507-514	3.6	11
349	Predisposing, reinforcing and enabling factors for physical activity in boys and girls from socially disadvantaged communities. 2019 , 78, 149-162		1
348	A feasibility study with process evaluation of a teacher led resource to improve measures of child health. <i>PLoS ONE</i> , 2019 , 14, e0218243	3.7	
347	Contribution of Physical Education to the Daily Physical Activity of Schoolchildren in Saudi Arabia. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	7
346	Associations of age and body mass index with hydration and density of fat-free mass from 4 to 22 years. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1422-1430	5.2	9
345	Genetic predisposition to higher body fat yet lower cardiometabolic risk in children and adolescents. 2019 , 43, 2007-2016		5
344	Economic evaluation of a childhood obesity prevention programme for children: Results from the WAVES cluster randomised controlled trial conducted in schools. <i>PLoS ONE</i> , 2019 , 14, e0219500	3.7	10
343	Insulin Resistance during normal child growth and development is associated with a distinct blood metabolic phenotype (Earlybird 72). 2019 , 20, 832-841		9
342	Cultural adaptation of a children's weight management programme: Child weight management for Ethnically diverse communities (CHANGE) study. <i>BMC Public Health</i> , 2019 , 19, 848	4.1	3
341	The Predictive Relationship of Health Related Quality of Life on Objectively-Measured Sleep in Children: A Comparison Across BMI Ranges. 2019 , 13, 1003		1
340	Striking a Balance: Physical Activity, Screen-Viewing and Homework during the Transition to Secondary School. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
339	Substituting prolonged sedentary time and cardiovascular risk in children and youth: a meta-analysis within the International Children's Accelerometry database (ICAD). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 96	8.4	16
338	The association of school-related active travel and active after-school clubs with children's physical activity: a cross-sectional study in 11-year-old UK children. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 72	8.4	6
337	A Longitudinal Study of the Associations of Family Structure with Physical Activity across the Week in Boys and Girls. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
336	Changes in weight status, quality of life and behaviours of South Australian primary school children: results from the Obesity Prevention and Lifestyle (OPAL) community intervention program. <i>BMC Public Health</i> , 2019 , 19, 1338	4.1	2

335	Accuracy of Body Weight Estimation Among Palestinian Refugee Adolescents Living in Jordan: A Cross-Sectional Study. 2019 , 51, 642-650		5
334	Abdominal adiposity and cardiometabolic risk factors in children and adolescents: a Mendelian randomization analysis. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1079-1087	7	16
333	The Relationship Between Electronic Gaming and Health, Social Relationships, and Physical Activity Among Males in Saudi Arabia. 2019 , 13, 1557988319873512		8
332	The use of the intensity gradient and average acceleration metrics to explore associations with BMI z-score in children. <i>Journal of Sports Sciences</i> , 2019 , 37, 2751-2758	3.6	10
331	The Daily Mile Initiative: Exploring physical activity and the acute effects on executive function and academic performance in primary school children. 2019 , 45, 101583		13
330	The impact of maternal employment on children's weight: Evidence from the UK. 2019 , 7, 100333		10
329	Exploring the use of adjusted body mass index thresholds based on equivalent insulin resistance for defining overweight and obesity in UK South Asian children. 2019 , 43, 1440-1443		0
328	Are children with clinical obesity at increased risk of inpatient hospital admissions? An analysis using linked electronic health records in the UK millennium cohort study. <i>Pediatric Obesity</i> , 2019 , 14, e12505	4.6	2
327	A Preliminary Study of Physical Fitness in 8- to 10-Year-Old Primary School Children From North East England in Comparison With National and International Data. 2019 , 31, 229-237		5
326	Associations between physical activity and asthma, eczema and obesity in children aged 12-16: an observational cohort study. <i>BMJ Open</i> , 2019 , 9, e024858	3	9
325	Fundamental Movement Skill Proficiency and Health Among a Cohort of Irish Primary School Children. 2019 , 90, 24-35		8
324	Consumption of free sugars and excess weight in infants. A longitudinal study. 2019 , 90, 165-172		0
323	Project Spraoi: a two-year longitudinal study on the effectiveness of a school-based nutrition and physical activity intervention on dietary intake, nutritional knowledge and markers of health of Irish schoolchildren. 2019 , 22, 2489-2499		2
322	Maternal, but not paternal or grandparental, caffeine intake is associated with childhood obesity and adiposity: The Lifeways Cross-Generation Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1648-1655	7	9
321	Preconception health in England: a proposal for annual reporting with core metrics. 2019 , 393, 2262-2271		25
320	Are active children and young people at increased risk of injuries resulting in hospital admission or accident and emergency department attendance? Analysis of linked cohort and electronic hospital records in Wales and Scotland. <i>PLoS ONE</i> , 2019 , 14, e0213435	3.7	1
319	Average acceleration and intensity gradient of primary school children and associations with indicators of health and well-being. <i>Journal of Sports Sciences</i> , 2019 , 37, 2159-2167	3.6	19
318	Engaging parents using web-based feedback on child growth to reduce childhood obesity: a mixed methods study. <i>BMC Public Health</i> , 2019 , 19, 300	4.1	3

317	Nutritional status of children and adolescents with cancer in Scotland: A prospective cohort study. 2019 , 32, 96-106		20
316	Accelerometer and self-reported measures of sedentary behaviour and associations with adiposity in UK youth. <i>Journal of Sports Sciences</i> , 2019 , 37, 1919-1925	3.6	4
315	Maternal Dietary Glycemic and Insulinemic Indexes Are Not Associated with Birth Outcomes or Childhood Adiposity at 5 Years of Age in an Irish Cohort Study. 2019 , 149, 1037-1046		5
314	Cognitive functions in children with congenital adrenal hyperplasia. 2019 , 63, 113-120		1
313	Diabetic ketoacidosis in children newly diagnosed with type 1 diabetes mellitus: Role of demographic, clinical, and biochemical features along with genetic and immunological markers as risk factors. A 20-year experience in a tertiary Belgian center. 2019 , 20, 584-593		11
312	Observational analysis of disparities in obesity in children in the UK: Has Leeds bucked the trend?. <i>Pediatric Obesity</i> , 2019 , 14, e12529	4.6	14
311	Prospective Study of Physical Activity of Preterm Born Children from Age 5 to 14 Years. 2019 , 208, 66-73.e7		9
310	[Consumption of free sugars and excess weight in infants. A longitudinal study]. 2019 , 90, 165-172		4
309	Idiopathic short stature and growth hormone sensitivity in prepubertal children. 2019 , 91, 110-117		5
308	Ethnic differences in sedentary behaviour in 6-8-year-old children during school terms and school holidays: a mixed methods study. <i>BMC Public Health</i> , 2019 , 19, 152	4.1	4
307	Project Spraoi: two year outcomes of a whole school physical activity and nutrition intervention using the RE-AIM framework. 2019 , 38, 219-243		3
306	Measuring Weight-Specific Quality of Life in Adolescents: An Examination of the Concurrent Validity and Test-Retest Reliability of the WAiTE. 2019 , 22, 348-354		4
305	Evaluation of a School-Community Linked Physical Activity Intervention Targeting 7- to 12-Year-Olds: A Sociocultural Perspective. 2019 , 50, 112-126		4
304	Post-2000 growth trajectories in children aged 4-11 years: A review and quantitative analysis. 2019 , 14, 100834		6
303	Understanding engagement in a family-focused, multicomponent, childhood weight management programme delivered in the community setting. 2019 , 22, 1471-1482		3
302	Infant Growth and Long-term Cardiometabolic Health: a Review of Recent Findings. 2019 , 8, 29-41		10
301	Trajectories of body mass index among active-duty U.S. Army soldiers, 2011-2014. 2019 , 14, 100818		3
300	Associations between socioeconomic position and changes in children's screen-viewing between ages 6 and 9: a longitudinal study. <i>BMJ Open</i> , 2019 , 9, e027481	3	5

299	Factors associated with accelerometer measured movement behaviours among White British and South Asian children aged 6-8 years during school terms and school holidays. <i>BMJ Open</i> , 2019 , 9, e025073		6
298	Does parental concern about their child's future risk of overweight vary by their ethnic background? Cross-sectional analysis of a national cohort study. <i>BMJ Open</i> , 2019 , 9, e027226	3	1
297	What change in body mass index is associated with improvement in percentage body fat in childhood obesity? A meta-regression. <i>BMJ Open</i> , 2019 , 9, e028231	3	13
296	Cardiovascular risk factors from diagnosis in children with type 1 diabetes mellitus: a longitudinal cohort study. 2019 , 7, e000625		7
295	Associations Between Habitual School-Day Breakfast Consumption Frequency and Academic Performance in British Adolescents. 2019 , 7, 283		6
294	Understanding local ethnic inequalities in childhood BMI through cross-sectional analysis of routinely collected local data. <i>BMC Public Health</i> , 2019 , 19, 1585	4.1	
293	Effects of preemptive intravenous paracetamol and ibuprofen on headache and myalgia in patients after electroconvulsive therapy: A placebo-controlled, double-blind, randomized clinical trial. 2019 , 98, e18473		1
292	A Multilevel Analysis of Neighbourhood, School, Friend and Individual-Level Variation in Primary School Children's Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
291	Change and Stability in Sibling Resemblance in Obesity Markers: The Portuguese Sibling Study on Growth, Fitness, Lifestyle, and Health. 2019 , 2019, 2432131		0
290	Activity Intensity, Volume, and Norms: Utility and Interpretation of Accelerometer Metrics. 2019 , 51, 2410-2422		19
289	Absolute and Allometrically Scaled Lower-Limb Strength Differences Between Children With Overweight/Obesity and Typical Weight Children. 2019 , 33, 3276-3283		5
288	Unpacking the paradox: testing for mechanisms in the food insecurity and BMI association. 2019 , 14, 683-697		7
287	Bio-electrical impedance vector analysis: testing Piccoli's model against objective body composition data in children and adolescents. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 887-895	5.2	7
286	Incidence and trend of type 1 diabetes and the underlying environmental determinants. 2019 , 35, e3075		45
285	The weight-specific adolescent instrument for economic evaluation (WAItE): psychometric evaluation using a Rasch model approach. 2019 , 28, 969-977		1
284	Cross-sectional associations between Ideal Cardiovascular Health scores and vascular phenotypes in 11- to 12-year-olds and their parents: The Longitudinal Study of Australian Children. 2019 , 277, 258-265		3
283	Multiple measures of impulsivity, eating behaviours and adiposity in 7-11-year-olds. 2019 , 133, 217-222		4
282	A Pedometer-Based Physically Active Learning Intervention: The Importance of Using Preintervention Physical Activity Categories to Assess Effectiveness. 2019 , 31, 356-362		4

281	Birth weight and adolescent blood pressure measured at age 12 years in the Gateshead Millennium Study. 2019 , 10, 621-626		1
280	Action 3:30R: Results of a Cluster Randomised Feasibility Study of a Revised Teaching Assistant-Led Extracurricular Physical Activity Intervention for 8 to 10 Year Olds. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	8
279	Comparing physical activity estimates in children from hip-worn Actigraph GT3X+ accelerometers using raw and counts based processing methods. <i>Journal of Sports Sciences</i> , 2019 , 37, 779-787	3.6	8
278	Health Technology Use: Implications for Physical Activity Behaviors Among College Students. 2019 , 3, 23-34		2
277	Management of Obesity in Children and Adolescents: Lifestyle and Exercise Options. 2019 , 274-284		
276	Evaluation of Teen BodyWise: A pilot study of a body image group adapted for adolescent inpatients with anorexia nervosa. 2020 , 25, 609-615		2
275	Segmented sedentary time and physical activity patterns throughout the week from wrist-worn ActiGraph GT3X+ accelerometers among children 7-12 years old. 2020 , 9, 179-188		10
274	Body composition reference charts for UK infants and children aged 6 weeks to 5 years based on measurement of total body water by isotope dilution. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 141-148	5.2	20
273	Modeling the dose-response rate/associations between VO and self-reported Physical Activity Questionnaire in children and adolescents. 2020 , 9, 90-95		5
272	One-year surveillance of body mass index and cardiorespiratory fitness in UK primary school children in North West England and the impact of school deprivation level. <i>Archives of Disease in Childhood</i> , 2020 , 105, 999-1003	2.2	1
271	Polyphenol intake and metabolic syndrome risk in European adolescents: the HELENA study. 2020 , 59, 801-812		10
270	Normative Data for Lean Mass and Fat Mass in Healthy Predominantly Breast-Fed Term Infants From 1 Month to 1 Year of Age. 2020 , 23, 264-270		3
269	Physical-activity trajectories during childhood and lung function at 15 years: findings from the ALSPAC cohort. 2020 , 49, 131-141		7
268	Predictors of the dietary inflammatory index in children and associations with childhood weight status: A longitudinal analysis in the Lifeways Cross-Generation Cohort Study. 2020 , 39, 2169-2179		14
267	Association of BMI category with change in children's physical activity between ages 6 and 11 years: a longitudinal study. 2020 , 44, 104-113		33
266	No additional long-term effect of group vs individual family intervention in the treatment of childhood obesity-A randomised trial. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 183-192	3.1	2
265	A cross-sectional study on the deprivation and sex differences in health-related fitness measures in school children. <i>Journal of Sports Sciences</i> , 2020 , 38, 70-78	3.6	0
264	Genetic Susceptibility Determines ECell Function and Fasting Glycemia Trajectories Throughout Childhood: A 12-Year Cohort Study (EarlyBird 76). 2020 , 43, 653-660		12

263	Body composition-derived BMI cut-offs for overweight and obesity in ethnic Indian and Creole urban children of Mauritius. 2020 , 124, 481-492	1
262	Prevalence of severe childhood obesity in Wales UK. 2020 , 42, e435-e439	0
261	Unpacking the relationships between positive feeding practices and children's eating behaviours: The moderating role of child temperament. 2020 , 147, 104548	9
260	Association of sport participation in preterm and full term born children and body and fat mass indices from age 3 to 14 years. 2020 , 23, 493-497	1
259	Glycated haemoglobin as a screening test for abnormal glucose homeostasis in childhood obesity. 2020 , 37, 356-361	
258	Weight gain in early years and subsequent body mass index trajectories across birth weight groups: a prospective longitudinal study. 2020 , 30, 316-322	7
257	Intermittently scanned continuous glucose monitoring is associated with high satisfaction but increased HbA1c and weight in well-controlled youth with type 1 diabetes. 2020 , 21, 1465-1474	4
256	Identifying dietary patterns in Irish schoolchildren and their association with nutritional knowledge and markers of health before and after intervention. 2021 , 126, 383-391	2
255	Combined resistance and aerobic exercise intervention improves fitness, insulin resistance and quality of life in survivors of childhood haemopoietic stem cell transplantation with total body irradiation. 2020 , 67, e28687	5
254	Obesity is associated with reduced orbitofrontal cortex volume: A coordinate-based meta-analysis. 2020 , 28, 102420	6
253	Health and fertility of ICSI-conceived young men: study protocol. 2020 , 2020, hoaa042	0
252	Epigenetic Patterns in Five-Year-Old Children Exposed to a Low Glycemic Index Dietary Intervention during Pregnancy: Results from the ROLO Kids Study. 2020 , 12,	4
251	Variation in the Socioeconomic Gradient of Obesity by Ethnicity - England's National Child Measurement Programme. 2020 , 28, 1951-1963	3
250	Relationship Between Parent and Child Physical Activity Using Novel Acceleration Metrics. 2020 , 1-9	1
249	Contributions of Fat and Carbohydrate Metabolism to Glucose Homeostasis in Childhood Change With Age and Puberty: A 12-Years Cohort Study (EARLYBIRD 77). 2020 , 7, 139	2
248	Associations between a maternal healthy lifestyle score and adverse offspring birth outcomes and childhood obesity in the Lifeways Cross-Generation Cohort Study. 2020 , 44, 2213-2224	2
247	What Change in Body Mass Index Is Required to Improve Cardiovascular Outcomes in Childhood and Adolescent Obesity through Lifestyle Interventions: A Meta-Regression. 2020 , 16, 449-478	4
246	Controlling and less controlling feeding practices are differentially associated with child food intake and appetitive behaviors assessed in a school environment. <i>Pediatric Obesity</i> , 2020 , 15, e12714	4.6 3

245	Parental beliefs about returns to child health investments. 2020,		3
244	Growth, Body Composition, and Lung Function in Prepubertal Children with Cystic Fibrosis Diagnosed by Newborn Screening. 2021, 36, 1240-1246		2
243	RefCurv: A software for the construction of pediatric reference curves. 2020, 6, 100040		5
242	Is conception by in vitro fertilization associated with altered antenatal and postnatal growth trajectories?. 2020, 114, 1216-1224		1
241	Effect of acute psychosocial stress on the brain-derived neurotrophic factor in humans - a randomized cross within trial. 2021, 24, 442-449		0
240	A longitudinal study investigating change in BMI z-score in primary school-aged children and the association of child BMI z-score with parent BMI. <i>BMC Public Health,</i> 2020, 20, 1902	4.1	5
239	Change in decision-making skills and risk for eating disorders in adolescence: A population-based study. 2020, 63, e93		2
238	Active travelling to school is not associated with increased total daily physical activity levels, or reduced obesity and cardiovascular/pulmonary health parameters in 10-12-year olds: a cross-sectional cohort study. 2020, 44, 1452-1466		3
237	Physical Activity, Sleep, Body Mass Index, and Associated Risk of Behavioral and Emotional Problems in Childhood. <i>Journal of Developmental and Behavioral Pediatrics,</i> 2020, 41, 187-194	2.4	1
236	Dynamic prediction model to identify young children at high risk of future overweight: Development and internal validation in a cohort study. <i>Pediatric Obesity,</i> 2020, 15, e12647	4.6	3
235	CATS II Long-term Anthropometric and Metabolic Effects of Maternal Sub-optimal Thyroid Function in Offspring and Mothers. 2020, 105,		3
234	The prevalence of overweight and obesity in Irish children between 1990 and 2019. 2020, 23, 2512-2520		4
233	Time-varying Effects of Screen Media Exposure in the Relationship Between Socioeconomic Background and Childhood Obesity. 2020, 31, 578-586		2
232	Use of standardized body composition measurements and malnutrition screening tools to detect malnutrition risk and predict clinical outcomes in children with chronic conditions. <i>American Journal of Clinical Nutrition,</i> 2020, 112, 1456-1467	7	10
231	Differences in Compositions of Gut Bacterial Populations and Bacteriophages in 5-11 Year-Olds Born Preterm Compared to Full Term. 2020, 10, 276		6
230	Neighbourhood greenspace influences on childhood obesity in Sheffield, UK. <i>Pediatric Obesity,</i> 2020, 15, e12629	4.6	7
229	Bone mineral density in Anorexia Nervosa versus Avoidant Restrictive Food Intake Disorder. 2020, 134, 115307		3
228	Age-wise trends in alkaline phosphatase activity in 167,625 Chinese children aged 0-18 years. 2020, 79, 34-40		1

227	Young adulthood body mass index, adult weight gain and breast cancer risk: the PROCAS Study (United Kingdom). 2020 , 122, 1552-1561		7
226	Cohort study of high maternal body mass index and the risk of adverse pregnancy and delivery outcomes in Scotland. <i>BMJ Open</i> , 2020 , 10, e026168	3	4
225	The Association of Parental Genetic, Lifestyle, and Social Determinants of Health with Offspring Overweight. 2020 , 13, 99-106		1
224	Beyond BMI: waist circumference and social environment is associated with motor performance ability in kindergartners. 2020 , 20, 4		1
223	Effectiveness and cost-effectiveness of The Daily Mile on childhood weight outcomes and wellbeing: a cluster randomised controlled trial. 2020 , 44, 812-822		11
222	Is child weight status correctly reported to parents? Cross-sectional analysis of National Child Measurement Programme data using ethnic-specific BMI adjustments. 2020 , 42, e541-e550		3
221	Waist circumference centiles for UK South Asian children. <i>Archives of Disease in Childhood</i> , 2020 , 105, 80-85	2.2	2
220	Objectively-measured sedentary time and physical activity in a bi-ethnic sample of young children: variation by socio-demographic, temporal and perinatal factors. <i>BMC Public Health</i> , 2020 , 20, 109	4.1	5
219	Associations of body mass index, physical activity and sedentary time with blood pressure in primary school children from south-west England: A prospective study. <i>PLoS ONE</i> , 2020 , 15, e0232333	3.7	3
218	Evaluation of neck circumference as a predictor of elevated cardiometabolic risk outcomes in 58-year-old Brazilian children. 2020 , 3, 1-19		0
217	A study protocol for a clustered randomised controlled trial to evaluate the effectiveness of a peer-led school-based walking intervention on adolescent girls' physical activity: the Walking In Schools (WISH) study. <i>BMC Public Health</i> , 2020 , 20, 541	4.1	4
216	Are we overdiagnosing obesity in preschool children?. <i>Archives of Disease in Childhood</i> , 2021 , 106, 212-214	2.2	1
215	Application of the LMS method of constructing fetal reference charts: comparison with the original method. 2021 , 34, 395-402		0
214	Early intervention in child and adolescent eating disorders: The role of a parenting group. 2021 , 29, 519-526		6
213	Distinguishing factors that influence attendance and behaviour change in family-based treatment of childhood obesity: A qualitative study. 2021 , 26, 67-89		0
212	Breastfeeding and maternal eating behaviours are associated with child eating behaviours: findings from the ROLO Kids Study. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 670-679	5.2	9
211	Validity and reliability of the Iranian version of the Yale Food Addiction Scale for obese women. 2021 , 24, 2512-2520		0
210	Studying bone mineral density in young people: The complexity of choosing a pQCT reference database. 2021 , 143, 115713		2

209	Lower insulin sensitivity remains a feature of children born very preterm. 2021 , 22, 161-167		2
208	The acceptability and feasibility of using a 3D body size scale to initiate conversations about weight in toddlerhood: a mixed-methods study. <i>Pediatric Obesity</i> , 2021 , 16, e12715	4.6	
207	The Biological and Social Determinants of Childhood Obesity: Comparison of 2 Cohorts 50 Years Apart. 2021 , 228, 138-146.e5		1
206	Effect of long-term glucocorticoid therapy on cardiac functions in children with congenital adrenal hyperplasia. 2021 , 94, 210-218		2
205	Childhood DNA methylation as a marker of early life rapid weight gain and subsequent overweight. 2021 , 13, 8		5
204	Moderate-to-Vigorous Physical Activity in Primary School Children: Inactive Lessons Are Dominated by Maths and English. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
203	Underweight and Associated Factors Among Teenage Adolescent Girls in Resource-poor Settings: A Cross-sectional Study. 2021 , 14, 9-19		4
202	Independent associations of sleep timing, duration and quality with adiposity and weight status in a national sample of adolescents: the UK Millennium Cohort Study.		
201	Worse glycemic control, higher rates of diabetic ketoacidosis, and more hospitalizations in children, adolescents, and young adults with type 1 diabetes and anxiety disorders. 2021 , 22, 519-528		9
200	Longitudinal associations of total and trunk fat in childhood and adolescence and risk of hepatic steatosis at 24 years. <i>Pediatric Obesity</i> , 2021 , 16, e12773	4.6	0
199	Income-based inequalities in self-reported moderate-to-vigorous physical activity among adolescents in England and the USA: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e040540	3	1
198	How does rerupture affect sleep and quality of life in patients undergoing arthroscopic rotator cuff repair?. 2021 , 51, 181-187		0
197	Short-term outcomes of pubertal suppression in a selected cohort of 12 to 15 year old young people with persistent gender dysphoria in the UK. <i>PLoS ONE</i> , 2021 , 16, e0243894	3.7	20
196	Ready-to-eat cereal and milk for breakfast compared with no breakfast has a positive acute effect on cognitive function and subjective state in 11-13-year-olds: a school-based, randomised, controlled, parallel groups trial. 2021 , 60, 3325-3342		2
195	Trends in socioeconomic inequalities in underweight and obesity in 5-year-old children, 2011-2018: a population-based, repeated cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e042023	3	1
194	Pre-pregnancy maternal BMI classification is associated with preschool childhood diet quality and childhood obesity in the Avon Longitudinal Study of Parents and Children. 2021 , 24, 6137-6144		0
193	Dietary intake and growth in children with Prader-Willi syndrome. 2021 , 34, 784-791		2
192	Adolescents' dietary polyphenol intake in relation to serum total antioxidant capacity: the HELENA study. 2021 , 1-11		0

191	Does Sleep Position Influence Sleep-Disordered Breathing in Infants With Cleft Palate: A Feasibility Study?. 2021 , 10556656211003459		1
190	Growth and Body Composition in PKU Children-A Three-Year Prospective Study Comparing the Effects of L-Amino Acid to Glycomacropeptide Protein Substitutes. 2021 , 13,		3
189	Successful outcomes in childrens specialist weight management: Impact assessment of a novel early years weight management programme. 2021 , 34, 819-826		
188	Association between mode of delivery and body mass index at 4-5 years in White British and Pakistani children: the Born in Bradford birth cohort. <i>BMC Public Health</i> , 2021 , 21, 987	4.1	1
187	Does severity of intellectual disability affect the nutritional status of intellectually disabled children and adolescents?. 1-8		
186	Associations of diarised sleep onset time, period and duration with total and central adiposity in a biethnic sample of young children: the Born in Bradford observational cohort study. <i>BMJ Open</i> , 2021 , 11, e044769	3	0
185	Modeling the impact of calorie-reduction interventions on population prevalence and inequalities in childhood obesity in the Southampton Women's Survey. 2021 , 7, 545-554		0
184	Cost-effectiveness of specialist eating disorders services for children and adolescents with anorexia nervosa: a national surveillance study. 2021 , 9, 76		
183	Antenatal Fetal Size and Obesity in Five-Year-Old Children in a Large Cohort Created by Data Linkage. 2021 , 17, 272-280		0
182	The association of a low glycaemic index diet in pregnancy with child body composition at 5 years of age: A secondary analysis of the ROLO study. <i>Pediatric Obesity</i> , 2021 , 16, e12820	4.6	1
181	Psychological Outcomes and Predictors of Weight Loss in Adolescents With Severe Obesity Following a Reversible Endoscopic Bariatric Procedure. 2021 , 9, 688287		1
180	Moderate-To-Vigorous Intensity Physical Activity and Sedentary Behaviour across Childhood and Adolescence, and Their Combined Relationship with Obesity Risk: A Multi-Trajectory Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	0
179	Independent associations of sleep timing, duration and quality with adiposity and weight status in a national sample of adolescents: The UK Millennium Cohort Study. 2021 , e13436		4
178	Oral administration of maternal vaginal microbes at birth to restore gut microbiome development in infants born by caesarean section: A pilot randomised placebo-controlled trial. 2021 , 69, 103443		12
177	Development of Children's Actual and Perceived Motor Competence, Cardiorespiratory Fitness, Physical Activity, and BMI. 2021 , 53, 2653-2660		1
176	Predicting Overweight and Obesity in Later Life from Childhood Data: A Review of Predictive Modeling Approaches. 2022 , 203-220		1
175	Area-level and family-level socioeconomic position and body composition trajectories: longitudinal analysis of the UK Millennium Cohort Study. 2021 , 6, e598-e607		1
174	Physical activity and fat-free mass during growth and in later life. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1583-1589	7	3

173	Predictive value of WHO vs. IAP BMI charts for identification of metabolic risk in Indian children and adolescents. 2021 , 34, 1605-1610	0
172	The food environment in schools and their immediate vicinities associated with excess weight in adolescence: A systematic review and meta-analysis. 2021 , 71, 102664	1
171	Dietary Outcomes of the 'Healthy Youngsters, Healthy Dads' Randomised Controlled Trial. 2021 , 13,	0
170	Development of muscle mass and body fat reference curves for white male UK firefighters. 2021 , 1	
169	The association between physical fitness, sports club participation and body mass index on health-related quality of life in primary school children from a socioeconomically deprived area of England.. 2021 , 24, 101557	3
168	Completeness and representativeness of body mass index in children's electronic general practice records: Linked cross-sectional study in an ethnically-diverse urban population in the United Kingdom. <i>Pediatric Obesity</i> , 2021 , 16, e12772	4.6
167	The epidemiology of obesity. 1996 , 201, 1-11; discussion 11-6, 32-6	8
166	The Childhood Obesity Epidemic. 3-14	7
165	Methodological Aspects for Childhood and Adolescence Obesity Epidemiology. 2011 , 21-40	5
164	Influence of breastfeeding and iron status on mental and psychomotor development during the first year of life. 2018 , 50, 300-310	8
163	Socio-economic differences in diet, physical activity and leisure-time screen use among Scottish children in 2006 and 2010: are we closing the gap?. 2017 , 20, 951-958	10
162	Excess nutritional risk in infants and toddlers in a Spanish city. 2019 , 89, 210-220	2
161	Cross-sectional associations between 24-hour activity behaviours and mental health indicators in children and adolescents: A compositional data analysis. <i>Journal of Sports Sciences</i> , 2021 , 39, 1602-1614	3.6 6
160	The prevalence of underweight, overweight and obesity in a multiracial group of urban adolescent schoolchildren in the Cape Metropole area of Cape Town. 2014 , 27, 18-24	5
159	How accurately are height, weight and leg length reported by the elderly, and how closely are they related to measurements recorded in childhood?. 2000 , 29, 456-464	56
158	Prevalence of protein-energy malnutrition at diagnosis in children with acute lymphoblastic leukemia. 1999 , 29, 194-7	46
157	Associations of diarised sleep onset time, period and duration with total and central adiposity in a biethnic sample of young children: the Born in Bradford study.	0
156	Associations of Sitting Behavior Patterns With Cardiometabolic Risk in Children: The Sit Less for Health Cross-Sectional Study. 2019 , 12, 856-842	1

155	Monitoring children's growth. Relation between height and weight centiles may be more useful. 1996 , 312, 122		6
154	Relationship between primary school healthy eating and physical activity promoting environments and children's dietary intake, physical activity and weight status: a longitudinal study in the West Midlands, UK. <i>BMJ Open</i> , 2020 , 10, e040833	3	3
153	Obesity and Type 2 Diabetes. 2007 , 139-154		2
152	Neonatal cord blood leptin: its relationship to birth weight, body mass index, maternal diabetes, and steroids. 1998 , 43, 338-43		121
151	Gentamicin Pharmacokinetics in Preterm Infants with a Patent Ductus Arteriosus (PDA) 353. 1998 , 43, 63-63		1
150	Daily energy expenditure and physical activity in survivors of childhood malignancy. 1998 , 43, 607-13		121
149	Reduced energy expenditure in preobese children treated for acute lymphoblastic leukemia. 1998 , 44, 557-62		90
148	The relationship between stature, growth, and short-term changes in height and weight in normal prepubertal children. 1998 , 44, 882-6		39
147	Addressing overweight and obesity in babies and infants. 2012 , 2012,		2
146	Environmental influences on children's physical activity: quantitative estimates using a twin design. <i>PLoS ONE</i> , 2010 , 5, e10110	3-7	42
145	MVPA is associated with lower weight gain in 8-10 year old children: a prospective study with 1 year follow-up. <i>PLoS ONE</i> , 2011 , 6, e18576	3-7	31
144	Choice of activity-intensity classification thresholds impacts upon accelerometer-assessed physical activity-health relationships in children. <i>PLoS ONE</i> , 2013 , 8, e57101	3-7	9
143	cardiorespiratory fitness is associated with hard and light intensity physical activity but not time spent sedentary in 10-14 year old schoolchildren: the HAPPY study. <i>PLoS ONE</i> , 2013 , 8, e61073	3-7	32
142	Pre-pubertal children born post-term have reduced insulin sensitivity and other markers of the metabolic syndrome. <i>PLoS ONE</i> , 2013 , 8, e67966	3-7	17
141	The influence of minimum sitting period of the ActivPAL on the measurement of breaks in sitting in young children. <i>PLoS ONE</i> , 2013 , 8, e71854	3-7	17
140	Trends in Socioeconomic Inequalities in Body Mass Index, Underweight and Obesity among English Children, 2007-2008 to 2011-2012. <i>PLoS ONE</i> , 2016 , 11, e0147614	3-7	21
139	A longitudinal study of the associations of children's body mass index and physical activity with blood pressure. <i>PLoS ONE</i> , 2017 , 12, e0188618	3-7	11
138	Ten-Year Secular Changes in Selected Health and Fitness Parameters of 10-11 Years Old Swansea School Children 2003-2013. 2015 , 3,		4

137	Treatment with highly active antiretroviral therapy in human immunodeficiency virus type 1-infected children is associated with a sustained effect on growth. 2002 , 109, E25	121
136	The use of measures of obesity in childhood for predicting obesity and the development of obesity-related diseases in adulthood: a systematic review and meta-analysis. 2015 , 19, 1-336	179
135	Randomised controlled trial evaluating the effectiveness and cost-effectiveness of 'Families for Health', a family-based childhood obesity treatment intervention delivered in a community setting for ages 6 to 11 years. 2017 , 21, 1-180	20
134	The West Midlands ActiVe lifestyle and healthy Eating in School children (WAVES) study: a cluster randomised controlled trial testing the clinical effectiveness and cost-effectiveness of a multifaceted obesity prevention intervention programme targeted at children aged 6-7 years. 2018 , 22, 1-608	10
133	Cultural adaptation of an existing children's weight management programme: the CHANGE intervention and feasibility RCT. 2019 , 23, 1-166	4
132	A pragmatic evaluation of a family-based intervention for childhood overweight and obesity. 2014 , 2, 1-184	12
131	Bristol Girls Dance Project: a cluster randomised controlled trial of an after-school dance programme to increase physical activity among 11- to 12-year-old girls. 2016 , 4, 1-176	7
130	A school-based intervention (Girls Active) to increase physical activity levels among 11- to 14-year-old girls: cluster RCT. 2019 , 7, 1-162	9
129	Child-care self-assessment to improve physical activity, oral health and nutrition for 2- to 4-year-olds: a feasibility cluster RCT. 2019 , 7, 1-164	2
128	A revised teaching assistant-led extracurricular physical activity programme for 8- to 10-year-olds: the Action 3:30R feasibility cluster RCT. 2019 , 7, 1-128	3
127	Stand desks to reduce sedentary behaviour in 9- to 10-year-olds: the Stand Out in Class pilot cluster RCT. 2020 , 8, 1-126	5
126	A randomized clinical trial comparing breakfast and bedtime administration of insulin glargine in children and adolescents with type 1 diabetes. 2008 , 1, 15-20	3
125	[The development of BMI in 4-year-olds in Tromsø 1980 to 2005]. 2009 , 129, 13-6	4
124	Premature birth and insulin resistance in infancy: A prospective cohort study. <i>Indian Journal of Endocrinology and Metabolism</i> , 2016 , 20, 497-505	1.7 5
123	Growth standards for children's weight of 12 ethnic groups in Myanmar and Thailand. 2011 , 2011, 51_46-51_563	
122	Association of change in the school travel mode with changes in different physical activity intensities and sedentary time: A International Children's Accelerometry Database Study. 2021 , 153, 106862	1
121	Physiologie und Pathophysiologie. 2004 , 17-38	
120	What'S It like Being the Parent of An Overweight Child?. 2005 , 65-78	

- 119 Energy Expenditure and Body Composition Techniques. **2005**, 97-117
- 118 Body mass index and body composition during growth stages. **2006**, 51, 435-446 5
- 117 Growth in infancy and childhood. **2007**, 154-171
- 116 Childhood Obesity. 95-99
- 115 Empowering Children, Young People and Their Families. 107-130 0
- 114 References. 194-223
- 113 Decrease of total subcutaneous adipose tissue from infancy to childhood. **2011**, 53, 553-60 3
- 112 Nutrition: Alcohol and Anorectic and Bulimic Adolescents. **2013**, 383-395
- 111 Nutritional Education of Secondary Education Students and Diet Quality. **2013**, 207-218
- 110 Genetics of Childhood Obesity. **2013**, 1-21
- 109 References. **2014**, e1-e37
- 108 Monitoring children's growth. **1995**, 311, 583-4 6
- 107 Nosologische, metabolische und endokrinologische Aspekte der Adipositas. **1997**, 480-490
- 106 Untersuchungsmethoden in der pädiatrischen Endokrinologie. **1997**, 12-23
- 105 Silent Thyroiditis Presenting as Fever of Unknown (FUO) Etiology in a 12 Year Old Girl 429. **1998**, 43, 76-76
- 104 Obesity-Relationship with Vascular Dysfunction. **2014**, 1,
- 103 The Role of the Paediatric Team in the Management of Young People with Severe AN. **2015**, 41-66
- 102 Perinatal outcomes in a large fetus born to nondiabetic patients. **2015**, 15, 64 1

- 101 The changes in running economy during puberty in overweight and normal weight boys. **2015**, 7,
- 100 Paediatric Nutrition. 420-476
- 99 The Relationship of Psychological Symptoms among Mothers of Children in Different Body Mass Index Categories. **2016**, 06, 149-157
- 98 Development and evaluation of an intervention for the prevention of childhood obesity in a multiethnic population: the Born in Bradford applied research programme. **2016**, 4, 1-164 4
- 97 Scottish Primary School Children Who Consume Greater Levels of Fruit and Vegetables Have Improved Health Markers. **2017**, 08, 485-511 0
- 96 Cluster randomised controlled trial and economic and process evaluation to determine the effectiveness and cost-effectiveness of a novel intervention [Healthy Lifestyles Programme (HeLP)] to prevent obesity in school children. **2018**, 6, 1-204 2
- 95 Reduced gray matter volume in the orbitofrontal cortex is associated with greater body mass index: a coordinate-based meta-analysis.
- 94 Evidence for gene-environment correlation in child feeding: Links between common genetic variation for BMI in children and parental feeding practices. 2
- 93 Biological Samples Standard Operating Procedures for Collection, Shipment, Storage and Documentation. **2019**, 57-76 1
- 92 A data-driven, meaningful, easy to interpret, population-independent accelerometer outcome variable for global surveillance. 0
- 91 BMIMatic: Body mass index derivation from captured images. **2019**,
- 90 Bioimpedance, Total Body Water and Phase Angle of Preschool Czech Children: Preliminary Study. **2020**, 761-767
- 89 Income-based inequalities in self-reported moderate-to-vigorous physical activity among adolescents in England and the United States: a cross-sectional study.
- 88 The Effects of Socioeconomic Status on Parent and Child Moderate-to-Vigorous Physical Activity and Body Mass Index. **2021**, 1-11 0
- 87 A Natural Experiment Comparing the Effectiveness of the "Healthy Eagles" Child Weight Management Intervention in School Versus Community Settings. **2021**, 13,
- 86 Empowering Children, Young People and their Families. **2020**, 121-143
- 85 Short-term outcomes of pubertal suppression in a selected cohort of 12 to 15 year old young people with persistent gender dysphoria in the UK.
- 84 Improving the assessment and management of obesity in UK children and adolescents: the PROMISE research programme including a RCT. **2020**, 8, 1-264 1

83	Feasibility and Acceptability of a Classroom-based Active Breaks Intervention for 8-12-Year Old Children. 2021 , 1-12		0
82	Does adjusting for biological maturity when calculating child weight status improve the accuracy of predicting future health risk?. <i>BMC Public Health</i> , 2021 , 21, 1979	4.1	1
81	Associations of device-measured sedentary time, mentally-passive and mentally-active sedentary behaviors with self-concept in adolescents. 2021 , 22, 100430		0
80	Serum Dipeptidyl peptidase-4 level is related to adiposity in type 1 diabetic adolescents. 2020 , 14, 609-614		0
79	Prolonged honeymoon phase in an adolescent with diabetes and thyrotoxicosis provides support for the accelerator hypothesis. 2008 , 9, 417-9		
78	What is the Minimum Step Rate Required to Achieve Moderate-Intensity Walking Overground in Adolescent Girls?. 2020 , 32, 197-203		
77	Standard definition of child overweight and obesity worldwide. Authors' standard compares well with WHO standard. 2000 , 321, 1158		1
76	Liver transplantation for hepatic cirrhosis in cystic fibrosis. <i>Journal of the Royal Society of Medicine</i> , 1996 , 89 Suppl 27, 31-7	2.3	9
75	Validity of foot-to-foot bio-electrical impedance analysis body composition estimates in overweight and obese children. <i>International Journal of Body Composition Research</i> , 2009 , 7, 15-20		15
74	Childhood obesity. <i>Indian Journal of Endocrinology and Metabolism</i> , 2010 , 14, 19-25	1.7	23
73	Prevalence of Overweight and Obesity among Iranian School Children in Different Ethnicities. <i>Iranian Journal of Pediatrics</i> , 2011 , 21, 514-20	1	22
72	Body mass index reference curves for children aged 0-18 years in shaanxi, china. <i>International Journal of Biomedical Science</i> , 2005 , 1, 57-66		2
71	Energy regulation in young people. <i>Journal of Sports Science and Medicine</i> , 2007 , 6, 327-36	2.7	6
70	Validation of simple epidemiological or clinical methods for the measurement of body composition in young children. <i>Iranian Journal of Pediatrics</i> , 2014 , 24, 685-91	1	2
69	Familial resemblance of body composition, physical activity, and resting metabolic rate in pre-school children. <i>Reports of Biochemistry and Molecular Biology</i> , 2013 , 2, 1-15	1.3	1
68	Establishing cross-sectional curves for height, weight, body mass index and waist circumference for 4- to 18-year-old Greek children, using the Lambda Mu and Sigma (LMS) statistical method. <i>Hippokratia</i> , 2015 , 19, 239-48	0.4	4
67	Longitudinal study of cardiometabolic risk from early adolescence to early adulthood in an ethnically diverse cohort. <i>BMJ Open</i> , 2016 , 6, e013221	3	6
66	Growth references and standards. 2022 , 391-422		

65 Prenatal and infant growth. **2022**, 23-72

64 Birth weight and breastfeeding are differentially associated with physical fitness components. *European Journal of Clinical Nutrition*, **2021**, 5.2 1

63 Effect of azithromycin on incidence of acute respiratory exacerbations in children with HIV taking antiretroviral therapy and co-morbid chronic lung disease: a secondary analysis of the BREATHE trial. *EClinicalMedicine*, **2021**, 42, 101195 11.3

62 Cross-sectional and prospective associations of sleep duration and bedtimes with adiposity and obesity risk in 15 810 youth from 11 international cohorts. *Pediatric Obesity*, **2021**, e12873 4.6 0

61 Parental Beliefs About Returns to Child Health Investments. *SSRN Electronic Journal*, 1 1

60 Is it possible to model the impact of calorie-reduction interventions on childhood obesity at a population level and across the range of deprivation: Evidence from the Avon Longitudinal Study of Parents and Children (ALSPAC).. *PLoS ONE*, **2022**, 17, e0263043 3.7

59 Decision-making difficulties mediate the association between poor emotion regulation and eating disorder symptoms in adolescence.. *Psychological Medicine*, **2022**, 1-10 6.9

58 Types of Eating Disorder Prodrome in Adolescence: The Role of Decision Making in Childhood.. *Frontiers in Psychology*, **2022**, 13, 743947 3.4 0

57 Association of caffeine and caffeine metabolites with obesity among children and adolescents: National Health and Nutrition Examination Survey (NHANES) 2009-2014.. *Environmental Science and Pollution Research*, **2022**, 1 5.1

56 Changes in children's physical fitness, BMI and health-related quality of life after the first 2020 COVID-19 lockdown in England: A longitudinal study.. *Journal of Sports Sciences*, **2022**, 1-9 3.6 4

55 Decision-Making in Childhood Predicts Prodromal Eating Pathology in Adolescence.. *Journal of Developmental and Behavioral Pediatrics*, **2022**, 2.4 0

54 Going universal. The impact of free school lunches on child body weight outcomes. **2022**, 100016 2

53 Age, income and sleep-duration were associated with outcomes in children participating in weight management.. *Acta Paediatrica, International Journal of Paediatrics*, **2022**, 3.1 0

52 Body composition data show that high body mass index centiles over-diagnose obesity in children aged under 6 years.. *American Journal of Clinical Nutrition*, **2021**, 7 2

51 Associations between swimming & cycling abilities and fitness in 9-11 year old boys and girls.. *Journal of Sports Sciences*, **2021**, 1-9 3.6

50 Data_Sheet_1.PDF. **2020**,

49 Table_1.DOCX. **2020**,

48 Image_1.tif. **2020**,

47 Image_2.tif. **2020**,

46 Image_3.tif. **2020**,

45 Image_4.tif. **2020**,

44 Image_5.tif. **2020**,

43 Table_1.DOCX. **2020**,

42 Characterization and assessment of endothelial dysfunction in adolescents with obesity and vitamin D deficiency. *Pediatric Consilium Medicum*, **2022**, 46-52 1.3

41 Accelerometer-measured physical activity and sedentary time among children and their parents in the UK before and after COVID-19 lockdowns: a natural experiment.. *International Journal of Behavioral Nutrition and Physical Activity*, **2022**, 19, 51 8.4 1

40 Pregnancy vitamin D supplementation and childhood bone mass at age 4 years: Findings from the MAVIDOS Randomised Controlled Trial. *JBMR Plus*, 3.9 0

39 Definition, Anthropometrie und deutsche Referenzwerte für BMI, Körperumfänge, Hautfalten und Fettmasse. **2022**, 3-24

38 Impact of the Healthy Youngsters, Healthy Dads program on physical activity and other health behaviours: a randomised controlled trial involving fathers and their preschool-aged children. *BMC Public Health*, **2022**, 22, 4.1

37 Specific miRNAs Change After 3 Months of GH treatment and Contribute to Explain the Growth Response After 12 Months. *Frontiers in Endocrinology*, 13, 5.7

36 Association between maternal and paternal employment and their children's weight status and unhealthy behaviours: does it matter who the working parent is?. *BMC Public Health*, **2022**, 22, 4.1 0

35 The Physical Behaviour Intensity Spectrum and Body Mass Index in School-Aged Youth: A Compositional Analysis of Pooled Individual Participant Data. *International Journal of Environmental Research and Public Health*, **2022**, 19, 8778 4.6 0

34 Changes in body mass index during treatment of childhood acute lymphoblastic leukemia with the Nordic ALL2008 protocol.

33 Mediators of socioeconomic differences in overweight and obesity among youth in Ireland and the UK (2011-2021): a systematic review. **2022**, 22,

32 Effect of 5-weeks participation in The Daily Mile on cognitive function, physical fitness, and body composition in children. **2022**, 12, 0

31 Association of body composition in early pregnancy with gestational diabetes mellitus: A meta-analysis. **2022**, 17, e0271068 0

30 Does decision-making at age 11 predict prodromal eating pathology at ages 14 and 17? A prospective, observational, UK population-based cohort study. **2022**, 12, e051351 0

- 29 Neural structural abnormalities behind altered brain activation in obesity: Evidence from meta-analyses of brain activation and morphometric data. **2022**, 36, 103179 0
- 28 Molecular mediators of the association between child obesity and mental health. 13, 0
- 27 Cross-sectional associations between 24-hour activity behaviours and motor competence in youth: a compositional data analysis. **2022**, 1, 0
- 26 Safety and Efficacy of Pediatric Growth Hormone Therapy: Results From the Full KIGS Cohort. 1
- 25 Associations between trajectories of obesity prevalence in English primary school children and the UK soft drink industry levy: an interrupted time series analysis of surveillance data. 0
- 24 Identification of Factors Associated With the Development of Optic Disc Edema During Spaceflight. 2
- 23 Adolescent overweight and obesity in Ireland—trends and sociodemographic associations between 1990 and 2020. 0
- 22 Physical Activity and Sedentary Behaviors in Primary School Children in Saudi Arabia during the COVID-19 Pandemic: Association with Parents' Behaviors. **2022**, 19, 13304 0
- 21 Association between free sugars intake and early psychopathological problems. 136749352211351 0
- 20 Cross-sectional and longitudinal relationships between cardiorespiratory fitness and health-related quality of life in primary school children in England: the mediating role of psychological correlates of physical activity. 175791392211187 0
- 19 Preschool Children's Physical Activity and Community Environment: A Cross-Sectional Study of Two Cities in China. **2022**, 19, 14797 0
- 18 Characteristics of paediatric foot arches according to body mass among primary school students in Wrocław, Poland. **2022**, 22, 0
- 17 Food for thought: Children's views on the psychological aspects of childhood obesity. **2011**, 28, 23-36 0
- 16 Early Years Physical Activity and Motor Skills Intervention—Feasibility Study to Evaluate an Existing Training Programme for Early Years Educators. **2023**, 10, 145 0
- 15 Associations between trajectories of obesity prevalence in English primary school children and the UK soft drinks industry levy: An interrupted time series analysis of surveillance data. **2023**, 20, e1004160 2
- 14 Endocrine Abnormalities in Children With Traumatic Brain Injury at a Tertiary Care Center. **2023**, 0
- 13 Associations between air pollutants and blood pressure in an ethnically diverse cohort of adolescents in London, England. **2023**, 18, e0279719 0
- 12 Influence of mild cognitive impairment and body mass index on white matter integrity assessed by diffusion tensor imaging. 0

- 11 The 2022 Pakistani references from birth to 60 months for length/height, weight and body mass index. ○
- 10 The effects of weight change from childhood to adulthood on depression and anxiety risk in adulthood: A systematic review. ○
- 9 Shorter sleep among adolescents is associated with lower fruit and vegetable consumption the following day. **2023**, 20, ○
- 8 Obese destinations. ○
- 7 Associations between the built environment, policies and curriculum in schools and primary school children's physical activity. 8, 85 ○
- 6 Characteristics of 24-hour movement behaviours and their associations with mental health in children and adolescents. ○
- 5 The clinical presentation of avoidant restrictive food intake disorder is largely independent of sex, autism spectrum disorder and anxiety traits. ○
- 4 Mediators of the association between childhood body mass index and educational attainment: Analysis of a UK prospective cohort study. **2023**, 18, ○
- 3 Time spent on social media use and BMI z-score: A cross-sectional explanatory pathway analysis of 10798 14-year-old boys and girls. **2023**, 18, ○
- 2 Ivacaftor: Five-year outcomes in the West of Scotland cystic fibrosis population. ○
- 1 Reference values for wrist-worn accelerometer physical activity metrics in England children and adolescents. **2023**, 20, ○