

Adequacy of Conization Margins in Adenocarcinoma in Residual Disease

Gynecologic Oncology

59, 179-182

DOI: [10.1006/gyno.1995.0003](https://doi.org/10.1006/gyno.1995.0003)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Conization of the uterine cervix: two different surgical techniques. <i>Journal of Chemotherapy</i> , 1997, 9, 133-134.	0.7	1
2	Endocervical curettage, cone margins, and residual adenocarcinoma in situ of the cervix. <i>Obstetrics and Gynecology</i> , 1997, 90, 1-6.	1.2	117
3	Cervical adenocarcinoma in situ: a persistent clinical dilemma. <i>Lancet, The</i> , 1997, 350, 1337-1338.	6.3	3
4	Sentinel lymph-node biopsy in melanoma: is less surgery better?. <i>Lancet, The</i> , 1997, 350, 1336-1337.	6.3	25
5	The Status and Distance of Cone Biopsy Margins as a Predictor of Excision Adequacy for Endocervical Adenocarcinoma In Situ. <i>American Journal of Clinical Pathology</i> , 1998, 109, 727-732.	0.4	72
6	Relation of cervical glandular intraepithelial neoplasia to microinvasive and invasive adenocarcinoma of the uterine cervix: a study of 121 cases. <i>Journal of Clinical Pathology</i> , 1999, 52, 112-117.	1.0	53
7	A Study of Diagnostic Failure of Loop Conization in Microinvasive Carcinoma of the Cervix. <i>Gynecologic Oncology</i> , 1999, 73, 91-95.	0.6	27
8	Adenocarcinoma in Situ of the Cervix: Management and Outcome. <i>Gynecologic Oncology</i> , 1999, 73, 348-353.	0.6	101
9	Estimation of the Duration of the Preclinical Phase of Cervical Adenocarcinoma Suggests That There Is Ample Opportunity for Screening. <i>Gynecologic Oncology</i> , 1999, 75, 55-61.	0.6	85
11	Guidelines on Adenocarcinoma in situ of the Cervix: Clinical Features and Review of Management. <i>Journal of Obstetrics and Gynaecology Canada</i> , 1999, 21, 699-706.	0.1	4
12	Early invasive adenocarcinoma of the cervix. <i>Cancer</i> , 2000, 89, 1048-1055.	2.0	81
13	Conservative Management of Adenocarcinoma in Situ of the Cervix. <i>Gynecologic Oncology</i> , 2000, 79, 6-10.	0.6	76
14	Adenocarcinoma in Situ of the Uterine Cervix: An Experience with 100 Cases. <i>Gynecologic Oncology</i> , 2000, 79, 207-210.	0.6	115
15	Is conservative treatment for adenocarcinoma in situ of the cervix safe?. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 1184-1189.	0.9	39
16	Fertility sparing treatment for in situ and early invasive adenocarcinoma of the cervix. <i>Obstetrics and Gynecology</i> , 2001, 98, 726-731.	1.2	54
17	Fertility Sparing Treatment for In Situ and Early Invasive Adenocarcinoma of the Cervix. <i>Obstetrics and Gynecology</i> , 2001, 98, 726-731.	1.2	21
18	Cervical Adenocarcinoma in Situ: A Systematic Review of Therapeutic Options and Predictors of Persistent or Recurrent Disease. <i>Obstetrical and Gynecological Survey</i> , 2001, 56, 567-575.	0.2	30
19	Adenocarcinoma in situ and early invasive adenocarcinoma of the uterine cervix. <i>Current Opinion in Oncology</i> , 2001, 13, 394-398.	1.1	15

#	ARTICLE	IF	CITATIONS
20	Adenocarcinoma In Situ of the Cervix—Controversies in Diagnosis and Treatment. <i>Journal of Lower Genital Tract Disease</i> , 2001, 5, 94-98.	0.9	0
21	Is conservative treatment for adenocarcinoma in situ of the cervix safe?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 1184-1189.	1.1	22
22	Adenocarcinoma In Situ of the Cervix-Controversies in Diagnosis and Treatment. <i>Journal of Lower Genital Tract Disease</i> , 2001, 5, 94-98.	0.9	11
23	Symposium Part I: Adenocarcinoma In Situ, Glandular Dysplasia, and Early Invasive Adenocarcinoma of the Uterine Cervix. <i>International Journal of Gynecological Pathology</i> , 2002, 21, 314-326.	0.9	115
24	Cytometric features of cell nuclei of adenocarcinoma in situ and invasive adenocarcinoma of the cervix. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 1566-1573.	0.7	7
25	Is There a Difference in Survival for IA1 and IA2 Adenocarcinoma of the Uterine Cervix?. <i>Gynecologic Oncology</i> , 2002, 85, 229-241.	0.6	50
26	Adenocarcinoma in Situ of the Cervix: A Prospective Study of Conization as Definitive Treatment. <i>Gynecologic Oncology</i> , 2002, 86, 365-369.	0.6	41
28	Use of Nuclear Morphometry Characteristics to Distinguish between Normal and Abnormal Cervical Glandular Histologies. <i>Analytical Cellular Pathology</i> , 2003, 25, 193-200.	2.1	10
30	An Investigation of the Mechanisms Underlying the Disparity Between Rate of Residual Endocervical Adenocarcinoma In Situ (AIS) in Hysterectomy Specimens and Clinical Failure Rate Following Conservatively Treated AIS. <i>American Journal of Clinical Pathology</i> , 2004, 122, 540-545.	0.4	1
31	Recent advances in the diagnosis and classification of endocervical glandular lesions. <i>Current Diagnostic Pathology</i> , 2004, 10, 404-412.	0.4	3
32	Long-Term Surveillance Is Required for All Women Treated for Cervical Adenocarcinoma In Situ. <i>Journal of Lower Genital Tract Disease</i> , 2004, 8, 125-131.	0.9	16
33	Is laser conization adequate for therapeutic excision of adenocarcinoma in situ of the uterine cervix?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2005, 31, 252-256.	0.6	10
34	Pelvic sidewall adenocarcinoma after definitive therapy for cervical adenocarcinoma in situ. <i>Gynecologic Oncology</i> , 2005, 99, 489-492.	0.6	5
35	Atypical Papanicolaou Smear in Pregnancy. <i>Clinical Medicine and Research</i> , 2005, 3, 13-18.	0.4	12
37	Update on the Diagnosis of Noninvasive Endocervical Glandular Neoplasia. , 2006, 11, 112-116.		0
38	Clinicopathologic features of early adenocarcinoma of the cervix initially managed with cervical conization. <i>Gynecologic Oncology</i> , 2006, 103, 960-965.	0.6	54
39	Human papillomavirus (HPV) test and PAP smear as predictors of outcome in conservatively treated adenocarcinoma in situ (AIS) of the uterine cervix. <i>Gynecologic Oncology</i> , 2007, 106, 170-176.	0.6	59
40	Cervical adenocarcinoma in situ: the predictive value of conization margin status. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 195.e1-195.e8.	0.7	20

#	ARTICLE	IF	CITATIONS
41	Cold knife versus laser cone biopsy for adenocarcinomain situof the cervix-a comparison of management and outcome. International Journal of Gynecological Cancer, 2008, 18, 116-120.	1.2	16
43	Adenocarcinoma in situ of the uterine cervix: a metaanalysis of 1278 patients evaluating the predictive value of conization margin status. American Journal of Obstetrics and Gynecology, 2009, 200, 182.e1-182.e5.	0.7	79
44	Neoplastic Lesions of the Cervix. Surgical Pathology Clinics, 2011, 4, 17-86.	0.7	2
45	Clinical Approach to Diagnosis and Management of Cancer of the Cervix and Vulva. Surgical Pathology Clinics, 2011, 4, 1-16.	0.7	1
46	Conization of the Uterine Cervix. International Journal of Gynecological Pathology, 2012, 31, 382-386.	0.9	14
47	Predictive value of negative cone margin status for risk of residual disease among women with cervical adenocarcinoma in situ. International Journal of Gynecology and Obstetrics, 2012, 119, 266-269.	1.0	6
48	Metastatic adenocarcinoma found in inguinal, pelvic and para-aortic lymph nodes 14years following hysterectomy for adenocarcinoma in situ of the cervix. Gynecologic Oncology Case Reports, 2012, 2, 97-99.	0.9	2
49	Cytology of Cervical Intraepithelial Glandular Lesions. , 0, , .		1
50	Fertility-sparing treatment in younger women with adenocarcinoma in situ of the cervix. Gynecologic Oncology, 2012, 124, 72-77.	0.6	33
51	Factors predicting the outcome of conservatively treated adenocarcinoma in situ of the uterine cervix: An analysis of 166 cases. Gynecologic Oncology, 2012, 124, 490-495.	0.6	47
52	Risk of residual disease and invasive carcinoma in women treated for adenocarcinoma in situ of the cervix. Gynecologic Oncology, 2013, 129, 513-516.	0.6	30
53	Long-Term Follow-Up Results From Women With Cervical Adenocarcinoma In Situ Treated by Conization. Journal of Lower Genital Tract Disease, 2013, 17, 452-458.	0.9	4
54	Adenocarcinoma in Situ of the Uterine Cervixâ€”A Systematic Review. International Journal of Gynecological Cancer, 2014, 24, 1543-1548.	1.2	31
55	Cervical conization of adenocarcinoma in situ: a predicting model of residual disease. American Journal of Obstetrics and Gynecology, 2014, 210, 366.e1-366.e5.	0.7	24
56	Predictors of residual carcinoma or carcinoma-in-situ at hysterectomy following cervical conization with positive margins. Gynecologic Oncology, 2014, 132, 76-80.	0.6	34
57	Isolated Ovarian Recurrence of Endocervical Adenocarcinoma <i>In Situ</i>. Journal of Gynecologic Surgery, 2016, 32, 189-192.	0.0	1
58	Clinical Management of Selected Precancerous Lesions in the Lower Genital Tract. , 2016, , 285-307.		0
59	Precancerous Lesions of the Gynecologic Tract. , 2016, , .		2

#	ARTICLE	IF	CITATIONS
60	Influence of training level on cervical cone size and resection margin status at conization: a retrospective study. Archives of Gynecology and Obstetrics, 2018, 297, 1517-1523.	0.8	8
61	Oncologic and obstetric outcomes after conization for adenocarcinoma in situ or stage IA1 cervical cancer. Scientific Reports, 2020, 10, 19920.	1.6	5
62	Controversies in Managing Early Cervical Cancer. Indian Journal of Gynecologic Oncology, 2021, 19, 1.	0.1	0
63	Management of Superficially Invasive Carcinoma of the Cervix" "This chapter is dedicated to the memory of our friend and colleague Professor Andrew Ā-stĀr, who died in January 2003, in recognition of his contribution to our knowledge of microinvasive cancer of the cervix and particularly its conservative management. This was his life's work, and countless women are the beneficiaries of his legacy.. , 2004, , 133-147.		2
64	Glandular Neoplasia of the Cervix. , 2011, , 328-378.		9
65	The management and follow-up of patients with high-grade cervical glandular intraepithelial neoplasia. International Journal of Gynecological Cancer, 1998, 8, 287-291.	1.2	13
66	Margin Status and Excision of Cervical Intraepithelial Neoplasia: A Review. Obstetrical and Gynecological Survey, 2000, 55, 520-527.	0.2	40
67	Cervical squamous and glandular intraepithelial neoplasia: identification and current management approaches. Salud Publica De Mexico, 2003, 45, 417-429.	0.1	6
68	Margin Status Post Cervical Conization Predicts Residual Adenocarcinoma In Situ (AIS) and Occult Adenocarcinoma in a Predominantly Hispanic Population. Diagnostics, 2021, 11, 1889.	1.3	0
69	Tricks of Laser Surgery for Cervical Intraepithelial Neoplasia (CIN). Nippon Laser Igakkaishi, 2000, 21, 63-71.	0.0	0
70	Adenocarcinoma of the Cervix. , 2004, , 149-160.		0
71	Cuello uterino. , 2007, , 1-159.		0
73	Intraepithelial Neoplasia of the Female Reproductive Tract. , 2009, , 273-340.		0
74	An investigation of the mechanisms underlying the disparity between rate of residual endocervical adenocarcinoma in situ (AIS) in hysterectomy specimens and clinical failure rate following conservatively treated AIS. American Journal of Clinical Pathology, 2004, 122, 540-5.	0.4	1
75	The uterine cervix. , 0, , 2539-2609.		1