

CITATION REPORT

List of articles citing

Echocardiographic automatic boundary detection to measure left atrial function after the maze procedure

DOI: 10.1016/s0894-7317(05)80403-1

Journal of the American Society of Echocardiography,
1995, 8, 139-48.

Source: <https://exaly.com/paper-pdf/26570207/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
32	Cox maze operation without cryoablation for the treatment of chronic atrial fibrillation. <i>Annals of Thoracic Surgery</i> , 1995 , 60, 361-3; discussion 364	2.7	39
31	Atrial fibrillation: restoration and maintenance of sinus rhythm and indications for anticoagulation therapy. <i>Annals of Internal Medicine</i> , 1996 , 125, 311-23	8	61
30	Nonpharmacologic treatment of atrial fibrillation: current and evolving strategies. <i>Chest</i> , 1997 , 112, 1079-90	9.9	9
29	Restoration of atrial function after the maze procedure. <i>European Heart Journal</i> , 1997 , 18, 360-1	9.5	6
28	Predictors of sinus rhythm restoration after Cox maze procedure concomitant with other cardiac operations. <i>Annals of Thoracic Surgery</i> , 1997 , 64, 394-8	2.7	98
27	The outcome and indications of the Cox maze III procedure for chronic atrial fibrillation with mitral valve disease. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1998 , 116, 220-7	1.5	73
26	Transesophageal echocardiography in the perioperative assessment of intravascular volume. <i>Seminars in Anesthesia</i> , 1998 , 17, 252-266		
25	Comparative efficacy of the maze procedure for restoration of atrial contraction in patients with and without giant left atrium associated with mitral valve disease. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1097-102	15.1	43
24	Age dependency of left atrial and left ventricular acoustic quantification waveforms for the evaluation of diastolic performance in left ventricular hypertrophy. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 1027-35	5.8	14
23	Restoration of atrial mechanical function after maze operation in patients with structural heart disease. <i>American Heart Journal</i> , 1998 , 136, 1070-4	4.9	38
22	Evaluation of regional differences in right ventricular systolic function by acoustic quantification echocardiography and cine magnetic resonance imaging. <i>Circulation</i> , 1998 , 98, 339-45	16.7	188
21	Comparison of automatic boundary detection and manual tracing technique in echocardiographic determination of left atrial volume. <i>Japanese Circulation Journal</i> , 1998 , 62, 755-9		4
20	Surgery for atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 1999 , 7, 39-44	5.1	
19	The Cox maze iii procedure: parallel normalization of sinus node dysfunction, improvement of atrial function, and recovery of the cardiac autonomic nervous system. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999 , 118, 287-95	1.5	27
18	Determinants of forward pulmonary vein flow: an open pericardium pig model. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1947-59	15.1	21
17	Effects of aging on left atrial reservoir, conduit, and booster pump function: a multi-institution acoustic quantification study. <i>British Heart Journal</i> , 2001 , 85, 272-7		147
16	A clinical appraisal of left atrial function. <i>European Heart Journal</i> , 2001 , 22, 22-36	9.5	194

15	Atrial size and transport function after the Maze III procedure for paroxysmal atrial fibrillation. <i>Annals of Thoracic Surgery</i> , 2002 , 73, 107-11	2.7	29
14	Left atrial maximum volume is a recurrence predictor in lone atrial fibrillation: an acoustic quantification study. <i>International Heart Journal</i> , 2002 , 43, 241-8		17
13	Preserved atrial response to dobutamine stress after the modified maze procedure for chronic atrial fibrillation: echocardiographic assessment of atrial function. <i>Journal of Cardiac Surgery</i> , 2002 , 17, 148-54	1.3	5
12	Atrial pacemaker complex preserved radiofrequency maze procedure reducing the incidence of sick sinus syndrome in patients with atrial fibrillation. <i>Chest</i> , 2005 , 128, 2571-5	5.3	6
11	Strain rate imaging for noninvasive functional quantification of the left atrium: comparative studies in controls and patients with atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 729-36	5.8	142
10	The effects of the Cox maze procedure on atrial function. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 136, 1257-64, 1264.e1-3	1.5	24
9	Evolution of left atrial systolic and diastolic functions in different stages of hypertension: distinct effects of blood pressure control. <i>Cardiology</i> , 2008 , 109, 180-7	1.6	8
8	Strain rate evaluation of phasic atrial function in hypertension. <i>Heart</i> , 2009 , 95, 1184-91	5.1	44
7	Feasibility of two-dimensional global longitudinal strain and strain rate imaging for the assessment of left atrial function: a study in subjects with a low probability of cardiovascular disease and normal exercise capacity. <i>Echocardiography</i> , 2009 , 26, 1179-87	1.5	93
6	Left atrial contractile function following a successful modified Maze procedure at surgery and the risk for subsequent thromboembolic stroke. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 1614-21	15.1	61
5	Disturbed Left Atrial Function is Associated with Paroxysmal Atrial Fibrillation in Hypertension. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 102, 253-62	1.2	4
4	Efficacy of Oral Anticoagulation in Stroke Prevention among Sinus-Rhythm Patients Who Lack Left Atrial Mechanical Contraction after Cryoablation. <i>Texas Heart Institute Journal</i> , 2015 , 42, 430-7	0.8	4
3	Evaluation of Left Atrial Two-Dimensional Strain in Patients with Systolic Heart Failure using Velocity Vector Imaging. <i>Archives of Cardiovascular Imaging</i> , 2013 , 1, 51-57		3
2	Left Atrial Function: Indirect Hemodynamic Assessment Using Acoustic Quantification. <i>Developments in Cardiovascular Medicine</i> , 1997 , 123-139		
1	Non-contact cardiac activity monitoring using optical speckle-tolerant pulsed laser vibrometer. 2023 ,		0