

CITATION REPORT

List of articles citing

Myocardial contrast echocardiography in experimental coronary artery occlusion with a new intravenously administered contrast agent

DOI: 10.1016/s0894-7317(05)80333-5

Journal of the American Society of Echocardiography, 1995, 8, 465-74.

Source: <https://exaly.com/paper-pdf/26571514/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
69	Second harmonic imaging of an intravenously administered echocardiographic contrast agent: Visualization of coronary arteries and measurement of coronary blood flow. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 1519-25	15.1	121
68	Improved myocardial contrast with second harmonic transient ultrasound response imaging in humans using intravenous perfluorocarbon-exposed sonicated dextrose albumin. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 1497-501	15.1	168
67	Myocardial imaging with a new transpulmonary lipid-fluorocarbon echo contrast agent: experimental studies in pigs. <i>American Heart Journal</i> , 1996 , 132, 938-45	4.9	27
66	Myocardial contrast echocardiography: reliable, safe, and efficacious myocardial perfusion assessment after intravenous injections of a new echocardiographic contrast agent. <i>American Heart Journal</i> , 1996 , 132, 871-81	4.9	62
65	New contrast agents and technologies for myocardial contrast echocardiography. <i>Heart</i> , 1997 , 78 Suppl 1, 7-11	5.1	1
64	Echo-enhancing agents: their physics and pharmacology. 1997 , 85-113		4
63	Microbubble fluid dynamics of echocontrast. 1997 , 11-38		3
62	Echo enhancers and ultrasound imaging. <i>European Journal of Radiology</i> , 1997 , 26, 64-76	4.7	20
61	Detection of myocardial perfusion in multiple echocardiographic windows with one intravenous injection of microbubbles using transient response second harmonic imaging. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 791-9	15.1	153
60	Extension of hemorrhage after reperfusion of occluded coronary artery: contrast echocardiographic assessment in dogs. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 585-91	15.1	10
59	Identification of Perfusion Abnormalities Using FSO69, a Novel Contrast Agent, in Conscious Dogs. <i>Echocardiography</i> , 1997 , 14, 337-344	1.5	3
58	Assessment of Renal Perfusion in a Canine Model Using FS069, A New Transpulmonary Echocontrast Agent. <i>Echocardiography</i> , 1997 , 14, 447-454	1.5	1
57	Current role of contrast echocardiography in the diagnosis of cardiovascular diseases. <i>Clinical Cardiology</i> , 1997 , 20, 131-8	3.3	6
56	[New developments in parameter-oriented roentgen densitometry perfusion analysis within the scope of heart catheter studies]. <i>Herz</i> , 1997 , 22, 72-86	2.6	1
55	Contrast ultrasonography for 2-D opacification of heart cavities, peripheral vessels, kidney and muscle. <i>Ultrasound in Medicine and Biology</i> , 1997 , 23, 975-82	3.5	10
54	Assessment of Left Ventricular Area at Risk by Myocardial Contrast Two-Dimensional Echocardiography: An Evaluation of a New Animal Model. <i>Echocardiography</i> , 1998 , 15, 563-574	1.5	1
53	Myocardial Perfusion Abnormalities by Intravenous Administration of the Contrast Agent NC100100 in an Experimental Model of Coronary Artery Thrombosis and Reperfusion. <i>Echocardiography</i> , 1998 , 15, 731-740	1.5	5

52	Imaging of the distal left anterior descending coronary artery by transthoracic color-Doppler echocardiography. <i>American Journal of Cardiology</i> , 1998 , 81, 74G-78G	3	43
51	[Noninvasive determination of coronary flow reserve with signal enhanced high resolution transthoracic Doppler color echocardiography]. <i>Herz</i> , 1998 , 23, 516-25	2.6	2
50	Ultrasound contrast agents: basic principles. <i>European Journal of Radiology</i> , 1998 , 27 Suppl 2, S157-60	4.7	221
49	Detection of perfusion defects during coronary occlusion and myocardial reperfusion after thrombolysis by intravenous administration of the echo-enhancing agent BR1. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 169-80	5.8	27
48	Detection of myocardial perfusion defects by contrast echocardiography in the setting of acute myocardial ischemia with residual antegrade flow. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 228-35	5.8	21
47	Nonclinical Safety Assessment of Intravenous Optison [®] : A Perfluoropropane (PFP)-Filled Albumin Microspheres Contrast Agent for Ultrasonography. <i>International Journal of Toxicology</i> , 1998 , 17, 631-662	2.4	5
46	Assessment of Myocardial "Reperfusion" by Contrast Echocardiography. <i>American Journal of the Medical Sciences</i> , 1998 , 315, 124-132	2.2	
45	Added value of contrast echocardiography in assessing myocardial viability. <i>Heart</i> , 1999 , 82 Suppl 3, III225-6	2.5	2
44	Trends in Contrast Media. <i>Medical Radiology</i> , 1999 ,	0.2	5
43	Persistent opacification of the left ventricle and myocardium with a new echo contrast agent. <i>Ultrasound in Medicine and Biology</i> , 1999 , 25, 763-9	3.5	13
42	Noninvasive assessment of coronary flow reserve with transthoracic signal-enhanced Doppler echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 186-95	5.8	81
41	Clinical applications of transpulmonary contrast echocardiography. <i>American Heart Journal</i> , 1999 , 137, 144-53	4.9	56
40	Section 6--mechanical bioeffects in the presence of gas-carrier ultrasound contrast agents. American Institute of Ultrasound in Medicine. <i>Journal of Ultrasound in Medicine</i> , 2000 , 19, 120-42, 154-68	2.9	28
39	Myocardial perfusion by contrast echocardiography: diagnosis of coronary artery disease using contrast-enhanced stress echocardiography and assessment of coronary anatomy and flow reserve. <i>Coronary Artery Disease</i> , 2000 , 11, 243-51	1.4	7
38	Clinical experience with SonoVue in myocardial perfusion imaging. <i>Echocardiography</i> , 2000 , 17, S17-23	1.5	7
37	Section 8--clinical relevance. American Institute of Ultrasound in Medicine. <i>Journal of Ultrasound in Medicine</i> , 2000 , 19, 149-68	2.9	14
36	Section 4--bioeffects in tissues with gas bodies. American Institute of Ultrasound in Medicine. <i>Journal of Ultrasound in Medicine</i> , 2000 , 19, 97-108, 154-68	2.9	32
35	Section 7--discussion of the mechanical index and other exposure parameters. American Institute of Ultrasound in Medicine. <i>Journal of Ultrasound in Medicine</i> , 2000 , 19, 143-8, 154-68	2.9	21

34	Contrast echocardiography: current and future applications. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 331-42	5.8	253
33	Radiofrequency spectral analysis of attenuated ultrasound signals in experiments with echo contrast microbubbles. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 789-97	5.8	8
32	A comparison of the hemolytic potential of Optison and Albunex in whole human blood in vitro: acoustic pressure, ultrasound frequency, donor and passive cavitation detection considerations. <i>Ultrasound in Medicine and Biology</i> , 2001 , 27, 709-21	3.5	50
31	The impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging. <i>Ultrasound in Medicine and Biology</i> , 2001 , 27, 1525-33	3.5	26
30	Continuous-infusion contrast-enhanced US: in vitro studies of infusion techniques with different contrast agents. <i>Radiology</i> , 2001 , 220, 647-54	20.5	7
29	Diagnostic impact of contrast echocardiography for assessment of left ventricular function and myocardial perfusion in patients with coronary artery disease. <i>European Heart Journal Supplements</i> , 2002 , 4, C12-C21	1.5	2
28	Ultrasound propagation model for attenuation reduction and cardiac contrast perfusion visualization.		1
27	Study of coronary flow reserve with intravenous use of microbubbles (contrast echocardiography) and adenosine: protocol for clinical application in patients suspected of having coronary heart disease. <i>Arquivos Brasileiros De Cardiologia</i> , 2002 , 78, 281-98	1.2	6
26	Contrast echocardiography. <i>Current Problems in Cardiology</i> , 2002 , 27, 454-519	17.1	29
25	Myocardial perfusion imaging using contrast echocardiography. <i>Herz</i> , 2002 , 27, 217-26	2.6	3
24	Gray-scale liver enhancement with Sonazoid (NC100100), a novel ultrasound contrast agent; detection of hepatic tumors in a rabbit model. <i>Biological and Pharmaceutical Bulletin</i> , 2003 , 26, 1272-7	2.3	49
23	Spectral normalization for ultrasonic contrast microbubble detection. <i>Ultrasonic Imaging</i> , 2004 , 26, 150-62		4
22	Fluorous Materials for Biomedical Uses. 2004 , 521-573		14
21	Advances in myocardial contrast echocardiography and the role of adenosine stress. <i>American Journal of Cardiology</i> , 2004 , 94, 12D-17D; discussion 17D-18D	3	11
20	Assessment of Myocardial Blood Volume. 2005 , 277-291		
19	Comparison of the veracity of real-time perfusion, harmonic angio, and ultraharmonic myocardial contrast imaging modes in evaluation of acute myocardial infarction area. <i>Chinese Medical Journal</i> , 2006 , 119, 179-184	2.9	
18	Characterization of malignant focal liver lesions with contrast-enhanced 40 MHz ultrasound imaging in hepatitis B virus X transgenic mice: a feasibility study. <i>Ultrasonic Imaging</i> , 2008 , 30, 203-16	1.9	9
17	The Role of High Frequency Ultrasound in Multimodality Small Animal Imaging for Cancer Research. <i>Journal of Medical Ultrasound</i> , 2009 , 17, 86-97	0.8	2

16	Adverse bioeffects of ultrasound contrast agents used in echocardiography: true safety issue or "much ado about nothing"?. <i>Current Vascular Pharmacology</i> , 2009 , 7, 338-46	3.3	4
15	Ultrasound Contrast Agents: The Advantage of Albumin Microsphere Technology. 1998 , 15-22		4
14	Ultrasound Contrast Agents. 2003 , 21-26		4
13	Newer imaging techniques in contrast echocardiography. <i>Developments in Cardiovascular Medicine</i> , 1996 , 473-484		1
12	Harmonic imaging during contrast echocardiography: basic principles and potential clinical value. 1997 , 433-450		2
11	Contrast Ultrasound Imaging: Methods, Analysis, and Applications. 2007 , 62-85		1
10	Assessment of myocardial "reperfusion" by contrast echocardiography. <i>American Journal of the Medical Sciences</i> , 1998 , 315, 124-32	2.2	1
9	Assessment of myocardial perfusion by intermittent harmonic power Doppler using SonoVue, a new ultrasound contrast agent. <i>Investigative Radiology</i> , 1998 , 33, 209-15	10.1	57
8	Effects of inhaled gases on the ultrasound contrast produced by microspheres containing air or perfluoropropane in anesthetized dogs. <i>Investigative Radiology</i> , 1998 , 33, 871-9	10.1	8
7	Visualization of intramyocardial vasculature by contrast echocardiography. 1997 , 637-647		
6	Assessment of myocardial perfusion with various intravenous echo-enhancing agents. 1997 , 371-385		
5	Contrast echo-enhancement during transesophageal echocardiography: indications and clinical benefits. 1997 , 289-308		
4	Cardiac Applications. <i>Medical Radiology</i> , 1999 , 393-403	0.2	
3	Potential for Quantification. <i>Medical Radiology</i> , 1999 , 343-353	0.2	
2	Contrast Media for Clinical Magnetic Resonance Imaging and Ultrasound. 1999 , 276-297		
1	Contrast echocardiography 1996. A review. <i>Texas Heart Institute Journal</i> , 1996 , 23, 90-7	0.8	9