## Pathogenesis of porcine circovirus; experimental infect and examination of pig foetal material

Veterinary Microbiology 44, 49-64 DOI: 10.1016/0378-1135(94)00136-k

**Citation Report** 

#	Article	IF	CITATIONS
1	Effect of porcine circovirus infection on porcine alveolar macrophage function. Veterinary Immunology and Immunopathology, 1996, 49, 295-306.	1.2	31
2	Isolation of Porcine Circovirus-like Viruses from Pigs with a Wasting Disease in the USA and Europe. Journal of Veterinary Diagnostic Investigation, 1998, 10, 3-10.	1.1	484
3	Circovirus-like Viral Associated Disease in Weaned Pigs in Indiana. Veterinary Pathology, 1998, 35, 303-307.	1.7	101
4	Identification and incidence of porcine circovirus in routine field cases in Québec as determined by PCR. Veterinary Record, 1999, 145, 140-142.	0.3	64
5	Development of a Polyclonal-Antibody-Based Immunohistochemical Method for the Detection of Type 2 Porcine Circovirus in Formalin-Fixed, Paraffin-Embedded Tissue. Journal of Veterinary Diagnostic Investigation, 1999, 11, 528-530.	1.1	134
6	Reproduction of Lesions of Postweaning Multisystemic Wasting Syndrome in Gnotobiotic Piglets. Journal of Veterinary Diagnostic Investigation, 1999, 11, 3-14.	1.1	248
7	Ultrastructure of Porcine Circovirus in Persistently Infected PK-15 Cells. Veterinary Pathology, 1999, 36, 368-378.	1.7	25
8	Typing of porcine circovirus in clinical specimens by multiplex PCR. Journal of Virological Methods, 1999, 80, 69-75.	2.1	105
9	Isolation and characterisation of circoviruses from pigs with wasting syndromes in Spain, Denmark and Northern Ireland. Veterinary Microbiology, 1999, 66, 115-123.	1.9	176
10	Pathological, Immunohistochemical, and In-situ Hybridization Studies of Natural Cases of Postweaning Multisystemic Wasting Syndrome (PMWS) in Pigs. Journal of Comparative Pathology, 1999, 120, 59-78.	0.4	351
11	Experimental Reproduction of Severe Wasting Disease by Co-infection of Pigs with Porcine Circovirus and Porcine Parvovirus. Journal of Comparative Pathology, 1999, 121, 1-11.	0.4	371
12	Experimental Inoculation of Conventional Pigs with Tissue Homogenates from Pigs with Post-weaning Multisystemic Wasting Syndrome. Journal of Comparative Pathology, 1999, 121, 139-148.	0.4	89
13	In-situ Hybridization for the Detection of Porcine Circovirus in Pigs with Postweaning Multisystemic Wasting Syndrome. Journal of Comparative Pathology, 1999, 121, 265-270.	0.4	73
14	Myocarditis and Abortion Associated with Intrauterine Infection of Sows with Porcine Circovirus 2. Journal of Veterinary Diagnostic Investigation, 1999, 11, 530-532.	1.1	219
15	Evidence of Porcine Circovirus Infection in Pigs with Wasting Disease Syndrome from 1985 to 1999 in Hokkaido, Japan Journal of Veterinary Medical Science, 2000, 62, 627-633.	0.9	38
16	A Sequential Study of Experimental Infection of Pigs with Porcine Circovirus and Porcine Parvovirus: Immunostaining of Cryostat Sections and Virus Isolation. Zoonoses and Public Health, 2000, 47, 81-94.	1.4	44
17	Reproduction of Lesions of Postweaning Multisystemic Wasting Syndrome by Infection of Conventional Pigs with Porcine Circovirus Type 2 Alone or in Combination with Porcine Parvovirus. Journal of Comparative Pathology, 2000, 122, 9-24.	0.4	252
18	Experimental Transmission of Porcine Circovirus Type 2 (PCV2) in Weaned Pigs:a Sequential Study. Journal of Comparative Pathology, 2000, 123, 258-269.	0.4	106

ARTICLE IF CITATIONS Development of probes to differentiate porcine circovirus types 1 and 2 in vitro by in situ 1.9 12 19 hybridization. Veterinary Microbiology, 2000, 75, 83-89. Cloning and sequencing of columbid circovirus (CoCV), a new circovirus from pigeons. Archives of 2.1 119 Virology, 2000, 145, 2469-2479. Viral Wasting Syndrome of Swine: Experimental Reproduction of Postweaning Multisystemic Wasting 23 Syndrome in Gnotobiotic Swine by Coinfection with Porcine Circovirus 2 and Porcine Parvovirus. 270 1.7 Veterinary Pathology, 2000, 37, 254-263. Open reading frame 2 of porcine circovirus type 2 encodes a major capsid protein. Journal of General 24 428 Virology, 2000, 81, 2281-2287. Differential recognition of ORF2 protein from type 1 and type 2 porcine circoviruses and identification 26 199 1.8 of immunorelevant epitopes. Microbiology (United Kingdom), 2000, 81, 1815-1824. Representational Differential Analysis Detects Amplification of Satellite Sequences in Postweaning Multisystemic Wasting Syndrome of Pigs. Journal of Veterinary Diagnostic Investigation, 2000, 12, 1.1 328-331. Circoviruses: Immunosuppressive threats to avian species: A review. Avian Pathology, 2000, 29, 373-394. 28 2.0 258 Identification of porcine circovirus in tissues of pigs with porcine dermatitis and nephropathy 20 0.3 177 syndrome. Veterinary Record, 2000, 146, 40-43. 30 Porcine Circoviruses: A Review. Journal of Veterinary Diagnostic Investigation, 2000, 12, 3-14. 1.1 691 Development and Application of a Competitive Enzyme-Linked Immunosorbent Assay for the Detection of Serum Antibodies to Porcine Circovirus Type 2. Journal of Veterinary Diagnostic Investigation, 1.1 2000, 12, 400-405. Coinfection by Porcine Circoviruses and Porcine Parvovirus in Pigs with Naturally Acquired Postweaning Multisystemic Wasting Syndrome. Journal of Veterinary Diagnostic Investigation, 2000, 32 1.1 154 12, 21-27. Serum antibodies to porcine circovirus type 1 and type 2Åin pigs with and without PMWS. Veterinary Record, 2000, 146, 762-764. Utilization of a Rate Enhancement Hybridization Buffer System for Rapid in Situ Hybridization for the 34 Detection of Porcine Circovirus in Cell Culture and in Tissues of Pigs with Postweaning 1.1 17 Multisystemic Wasting Syndrome. Journal of Veterinary Diagnostic Investigation, 2000, 12, 562-565. Characterisation of PCV-2 isolates from Spain, Germany and France. Virus Research, 2000, 66, 65-77. 2.2 164 Characterization of Immune Response of Young Pigs to Porcine Circovirus Type 2 Infection. Viral 153 36 1.3 Immunology, 2000, 13, 143-153. Animal circoviruses. Advances in Virus Research, 2001, 57, 1-70. Bacterial Expression of an Immunologically Reactive PCV2 ORF2 Fusion Protein. Protein Expression 38 1.338 and Purification, 2001, 21, 115-120. Differentiation of porcine circovirus 1 and 2 in formalin-fixed, paraffin-wax-embedded tissues from pigs with postweaning multisystemic wasting syndrome by in-situ hybridisation. Research in Veterinary Science, 2001, 70, 265-269.

#	Article	IF	CITATIONS
40	Identification of an immunorelevant ORF2 epitope from porcine circovirus type 2 as a serological marker for experimental and natural infection. Archives of Virology, 2001, 146, 1197-1211.	2.1	55
41	Production, characterisation and applications of monoclonal antibodies to porcine circovirus 2. Archives of Virology, 2001, 146, 909-922.	2.1	107
42	Nuclear Localization of the ORF2 Protein Encoded by Porcine Circovirus Type 2. Virology, 2001, 285, 91-99.	2.4	133
43	Porcine circovirus 2 infection in swine foetuses inoculated at different stages of gestation. Veterinary Microbiology, 2001, 83, 169-176.	1.9	84
44	Immunology of the Porcine Respiratory Disease Complex. Veterinary Clinics of North America - Food Animal Practice, 2001, 17, 551-565.	1.2	95
45	Experimental Reproduction of Severe Disease in CD/CD Pigs Concurrently Infected with Type 2 Porcine Circovirus and Porcine Reproductive and Respiratory Syndrome Virus. Veterinary Pathology, 2001, 38, 528-539.	1.7	272
46	Postweaning Multisystemic Wasting Syndrome Induced after Experimental Inoculation of Cesarean-Derived, Colostrum-Deprived Piglets with Type 2 Porcine Circovirus. Journal of Veterinary Diagnostic Investigation, 2001, 13, 185-194.	1.1	177
47	Dual infection with PCVâ€2 and porcine epidemic diarrhoea virus in neonatal piglets. Veterinary Record, 2001, 148, 482-484.	0.3	17
48	Viral Replication and Lesions in BALB/c Mice Experimentally Inoculated with Porcine Circovirus Isolated from a Pig with Postweaning Multisystemic Wasting Disease. Veterinary Pathology, 2001, 38, 74-82.	1.7	84
49	Modified Indirect Porcine Circovirus (PCV) Type 2-Based and Recombinant Capsid Protein (ORF2)-Based Enzyme-Linked Immunosorbent Assays for Detection of Antibodies to PCV. Vaccine Journal, 2002, 9, 33-40.	3.1	87
50	Immunologic Features of Porcine Circovirus Type 2 Infection. Viral Immunology, 2002, 15, 567-582.	1.3	74
51	Cloned Genomic DNA of Type 2 Porcine Circovirus Is Infectious When Injected Directly into the Liver and Lymph Nodes of Pigs: Characterization of Clinical Disease, Virus Distribution, and Pathologic Lesions. Journal of Virology, 2002, 76, 541-551.	3.4	200
52	Experimental in Utero Inoculation of Late-Term Swine Fetuses with Porcine Circovirus Type 2. Journal of Veterinary Diagnostic Investigation, 2002, 14, 507-512.	1.1	42
53	Case–Control Study on the Association of Porcine Circovirus Type 2 and Other Swine Viral Pathogens with Postweaning Multisystemic Wasting Syndrome. Journal of Veterinary Diagnostic Investigation, 2002, 14, 449-456.	1.1	88
54	Experimental inoculation of porcine circoviruses type 1 (PCV1) and type 2 (PCV2) in rabbits and mice. Veterinary Research, 2002, 33, 229-237.	3.0	84
55	Reproduction of postweaning multisystemic wasting syndrome (PMWS) in immunostimulated and non-immunostimulated 3-week-old piglets experimentally infected with porcine circovirus type 2 (PCV2). Veterinary Microbiology, 2002, 89, 97-114.	1.9	155
56	Kinetics of porcine circovirus type 2 replication. Archives of Virology, 2002, 147, 43-58.	2.1	71
57	An ORF2 protein-based ELISA for porcine circovirus type 2 antibodies in post-weaning multisystemic wasting syndrome. Veterinary Microbiology, 2003, 94, 183-194.	1.9	81

#	Article	IF	CITATIONS
58	Immunogenicity and Pathogenicity of Chimeric Infectious DNA Clones of Pathogenic Porcine Circovirus Type 2 (PCV2) and Nonpathogenic PCV1 in Weanling Pigs. Journal of Virology, 2003, 77, 11232-11243.	3.4	129
59	Identification of a sequence from the genome of porcine circovirus type 2 with an inhibitory effect on IFN-α production by porcine PBMCs. Journal of General Virology, 2003, 84, 2937-2945.	2.9	55
60	Absence of Evidence of Porcine Circovirus Infection in Piglets with Congenital Tremors. Journal of Veterinary Diagnostic Investigation, 2003, 15, 151-156.	1.1	34
61	Experimental Reproduction of Postweaning Multisystemic Wasting Syndrome in Cesarean-Derived, Colostrum-Deprived Piglets Inoculated with Porcine Circovirus Type 2 (PCV2): Investigation of Quantitative PCV2 Distribution and Antibody Responses. Journal of Veterinary Diagnostic Investigation, 2003, 15, 107-114.	1.1	44
62	Effect of Vaccination with Selective Bacterins on Conventional Pigs Infected with Type 2 Porcine Circovirus. Veterinary Pathology, 2003, 40, 521-529.	1.7	172
63	Detection of Porcine Circovirus Type 2 in Feces of Pigs with or without Enteric Disease by Polymerase Chain Reaction. Journal of Veterinary Diagnostic Investigation, 2003, 15, 369-373.	1.1	28
64	Characterisation of Hungarian porcine circovirus 2 genomes associated with PMWS and PDNS cases. Acta Veterinaria Hungarica, 2003, 51, 551-562.	0.5	28
65	Detection and in vitro and in vivo characterization of porcine circovirus DNA from a porcine-derived commercial pepsin product. Journal of General Virology, 2004, 85, 3377-3382.	2.9	31
66	Two Amino Acid Mutations in the Capsid Protein of Type 2 Porcine Circovirus (PCV2) Enhanced PCV2 Replication In Vitro and Attenuated the Virus In Vivo. Journal of Virology, 2004, 78, 13440-13446.	3.4	103
67	In vitro and in vivo characterization of an infectious clone of a European strain of porcine circovirus type 2. Journal of General Virology, 2004, 85, 1259-1266.	2.9	30
68	Detection and differentiation of porcine circoviruses in Brazilian pigs. Veterinary Record, 2004, 154, 728-729.	0.3	6
69	Epitope Mapping of the Major Capsid Protein of Type 2 Porcine Circovirus (PCV2) by Using Chimeric PCV1 and PCV2. Journal of Virology, 2004, 78, 8135-8145.	3.4	181
70	Prevalence of porcine circovirus type 2Âin aborted fetuses and stillborn piglets. Veterinary Record, 2004, 155, 489-492.	0.3	50
71	Infection studies on human cell lines with porcine circovirus type 1 and porcine circovirus type 2. Xenotransplantation, 2004, 11, 284-294.	2.8	58
72	A Chimeric Porcine Circovirus (PCV) with the Immunogenic Capsid Gene of the Pathogenic PCV Type 2 (PCV2) Cloned into the Genomic Backbone of the Nonpathogenic PCV1 Induces Protective Immunity against PCV2 Infection in Pigs. Journal of Virology, 2004, 78, 6297-6303.	3.4	169
73	Postweaning multisystemic wasting syndrome: a review of aetiology, diagnosis and pathology. Veterinary Journal, 2004, 168, 41-49.	1.7	130
74	A novel approach to intrauterine viral inoculation of swine using PCV type 2 as a model. Theriogenology, 2004, 61, 1025-1037.	2.1	22
75	Characterization of Porcine Circovirus Type 2 in Taiwan. Journal of Veterinary Medical Science, 2004, 66, 469-475.	0.9	23

#	Article	IF	CITATIONS
76	Birth Abnormalities in Pregnant Sows Infected Intranasally with Porcine Circovirus 2. Journal of Comparative Pathology, 2005, 132, 139-144.	0.4	82
77	A review of porcine circovirus 2-associated syndromes and diseases. Veterinary Journal, 2005, 169, 326-336.	1.7	312
78	Replication kinetics of different porcine circovirus 2 strains in PK-15 cells, fetal cardiomyocytes and macrophages. Archives of Virology, 2005, 150, 427-441.	2.1	79
79	Porcine circovirus type 2 (PCV2) causes apoptosis in experimentally inoculated BALB/c mice. BMC Veterinary Research, 2005, 1, 7.	1.9	57
80	Circovirose suÃna. Pesquisa Veterinaria Brasileira, 2005, 25, 59-72.	0.5	1
81	Effects of Porcine Circovirus Type 2 (PCV2) Maternal Antibodies on Experimental Infection of Piglets with PCV2. Vaccine Journal, 2005, 12, 1347-1351.	3.1	74
82	Porcine circovirus diseases. Animal Health Research Reviews, 2005, 6, 119-142.	3.1	473
83	Characterization of a Previously Unidentified Viral Protein in Porcine Circovirus Type 2-Infected Cells and Its Role in Virus-Induced Apoptosis. Journal of Virology, 2005, 79, 8262-8274.	3.4	269
84	In vitro expression, monoclonal antibody and bioactivity for capsid protein of porcine circovirus type Il without nuclear localization signal. Journal of Biotechnology, 2005, 118, 201-211.	3.8	71
85	Infectivity of Porcine Circovirus 1 and Circovirus 2 in Primary Porcine Hepatocyte and Kidney Cell Cultures. Journal of Veterinary Medical Science, 2006, 68, 179-182.	0.9	11
86	Serological Investigation and Genomic Characterization of PCV2 Isolates from Different Geographic Regions of Zhejiang Province in China. Veterinary Research Communications, 2006, 30, 205-220.	1.6	59
87	Inhibition of porcine circovirus type 2 replication in mice by RNA interference. Virology, 2006, 347, 422-433.	2.4	17
88	Detection of porcine circovirus type 1 in commercial pig vaccines using polymerase chain reaction. Veterinary Journal, 2006, 171, 570-573.	1.7	21
89	Demonstration of Nicking/Joining Activity at the Origin of DNA Replication Associated with the Rep and Rep′ Proteins of Porcine Circovirus Type 1. Journal of Virology, 2006, 80, 6225-6234.	3.4	60
90	The ORF3 Protein of Porcine Circovirus Type 2 Is Involved in Viral Pathogenesis In Vivo. Journal of Virology, 2006, 80, 5065-5073.	3.4	138
91	Porcine Circovirus Type 2–Associated Disease: Update on Current Terminology, Clinical Manifestations, Pathogenesis, Diagnosis, and Intervention Strategies. Journal of Veterinary Diagnostic Investigation, 2007, 19, 591-615.	1.1	520
92	Association of Myocarditis with High Viral Load of Porcine Circovirus Type 2 in Several Tissues in Cases of Fetal Death and High Mortality in Piglets. A Case Study. Journal of Veterinary Diagnostic Investigation, 2007, 19, 368-375.	1.1	51
93	Porcine circovirus type 2 (PCV2) distribution and replication in tissues and immune cells in early infected pigs. Veterinary Immunology and Immunopathology, 2007, 115, 261-272.	1.2	65

#	Article	IF	CITATIONS
94	Effect of a porcine circovirus type 2 infection on embryos during early pregnancy. Theriogenology, 2007, 68, 896-901.	2.1	43
95	Porcine Circovirus 2 Replication in Colostrum-deprived Piglets Following Experimental Infection and Immune Stimulation Using A Modified Live Vaccine against Porcine Respiratory and Reproductive Syndrome Virus. Zoonoses and Public Health, 2007, 54, 214-222.	2.2	27
96	Co-infection by porcine circovirus type 2 and porcine parvovirus in aborted fetuses and stillborn piglets in southern Brazil. Pesquisa Veterinaria Brasileira, 2007, 27, 425-429.	0.5	17
97	Silencing of natural interferon producing cell activation by porcine circovirus type 2 DNA. Immunology, 2007, 120, 47-56.	4.4	73
98	Quantification of PCV2 capsid transcript in peripheral blood mononuclear cells (PBMCs) in vitro. Veterinary Microbiology, 2007, 123, 34-42.	1.9	33
99	Inhibition of porcine circovirus type 1 and type 2 production in PK-15 cells by small interfering RNAs targeting the Rep gene. Veterinary Microbiology, 2007, 123, 203-209.	1.9	14
100	Molecular evolution of porcine circovirus type 2 genomes: Phylogeny and clonality. Virology, 2007, 357, 175-185.	2.4	302
101	Detection of PCV2 DNA by SYBR Green I-based quantitative PCR. Journal of Zhejiang University: Science B, 2007, 8, 162-169.	2.8	35
102	Genetic characterization of porcine circovirus type 2 (PCV2) from pigs in high-seroprevalence areas in southeastern China. Virus Genes, 2007, 35, 619-627.	1.6	38
103	Complete nucleotide sequence of a novel porcine circovirus-like agent and its infectivity in vitro. Science in China Series C: Life Sciences, 2008, 51, 453-458.	1.3	23
104	A meta-analysis on experimental infections with porcine circovirus type 2 (PCV2). Veterinary Microbiology, 2008, 132, 260-273.	1.9	63
105	Porcine circovirus type 2 induces the activation of nuclear factor kappa B by ll̂ºBα degradation. Virology, 2008, 378, 177-184.	2.4	59
106	Rolling-circle amplification for the detection of active porcine circovirus type 2 DNA replication in vitro. Journal of Virological Methods, 2008, 152, 112-116.	2.1	6
107	Virucidal efficacy of nine commercial disinfectants against porcine circovirus type 2. Veterinary Journal, 2008, 177, 388-393.	1.7	30
108	A survey on porcine circovirus type 2 infection and phylogenetic analysis of its ORF2 gene in Hangzhou, Zhejiang Province, China. Journal of Zhejiang University: Science B, 2008, 9, 148-153.	2.8	3
109	A genetically engineered chimeric vaccine against porcine circovirus type 2 (PCV2) is genetically stable in vitro and in vivo. Vaccine, 2008, 26, 4231-4236.	3.8	23
110	Expression of the porcine circovirus type 2 capsid protein subunits and application to an indirect ELISA. Journal of Biotechnology, 2008, 133, 58-64.	3.8	32
111	Antigenic differences among porcine circovirus type 2 strains, as demonstrated by the use of monoclonal antibodies. Journal of General Virology, 2008, 89, 177-187.	2.9	74

#	Article	IF	CITATIONS
112	Comparison of Three Enzyme-Linked Immunosorbent Assays to Detect <i>Porcine Circovirus-2</i> (PCV-2)—Specific Antibodies after Vaccination or Inoculation of Pigs with Distinct PCV-1 or PCV-2 Isolates. Journal of Veterinary Diagnostic Investigation, 2008, 20, 744-751.	1.1	22
113	JNK and p38 Mitogen-Activated Protein Kinase Pathways Contribute to Porcine Circovirus Type 2 Infection. Journal of Virology, 2009, 83, 6039-6047.	3.4	69
114	Porcine circovirus type 2 replication is impaired by inhibition of the extracellular signal-regulated kinase (ERK) signaling pathway. Virology, 2009, 386, 203-209.	2.4	33
115	Interference of porcine circovirus type 2 ORF2 immunogenicity by ORF1 and ORF3 mixed DNA immunizations in mice. Virology, 2009, 393, 104-111.	2.4	12
116	A DNA miniarray system for simultaneous visual detection of porcine circovirus type 1 (PCV1) and 2 (PCV2) in pigs. Veterinary Research Communications, 2009, 33, 139-147.	1.6	5
117	Detection of porcine Circovirus type 2 (PCV2) variants PCV2-1 and PCV2-2 in Brazilian pig population. Research in Veterinary Science, 2009, 87, 157-160.	1.9	16
118	Fine mapping of antigenic epitopes on capsid proteins of porcine circovirus, and antigenic phenotype of porcine circovirus Type 2. Molecular Immunology, 2009, 46, 327-334.	2.2	107
119	Porcine Circovirus Type 2 and Porcine Circovirusâ€Associated Disease. Journal of Veterinary Internal Medicine, 2009, 23, 1151-1163.	1.6	215
120	Genetic Diversity of Porcine Circovirus Type 2 in Korean Pigs with Postweaning Multisystemic Wasting Syndrome during 2005-2007. Journal of Veterinary Medical Science, 2009, 71, 349-353.	0.9	20
121	The Porcine Circovirus Type 1 in Porcine Kidney 15 Cell Line is Not Transferred to Mice Lymphoid Cells after Xenoimplantation into the Peritoneal Cavity. Cell Transplantation, 2010, 19, 1209-1213.	2.5	5
122	Spread of porcine circovirus associated disease (PCVAD) in Ontario (Canada) swine herds: Part I. Exploratory spatial analysis. BMC Veterinary Research, 2010, 6, 59.	1.9	10
123	Emergence of a new type of porcine circovirus in swine (PCV): A type 1 and type 2 PCV recombinant. Veterinary Microbiology, 2010, 144, 18-23.	1.9	53
124	Porcine circovirus type 2 ORF3 protein competes with p53 in binding to Pirh2 and mediates the deregulation of p53 homeostasis. Virology, 2010, 398, 1-11.	2.4	32
125	Development and validation of an ELISA using a protein encoded by ORF2 antigenic domain of porcine circovirus type 2. Virology Journal, 2010, 7, 274.	3.4	20
126	Detection and genotyping of porcine circovirus in naturally infected pigs by oligo-microarray. Research in Veterinary Science, 2010, 89, 133-139.	1.9	13
127	Genetic characterization and phylogenetic analysis of porcine circovirus type 2 strains present in Cuban swine herds. Research in Veterinary Science, 2010, 89, 301-305.	1.9	12
128	Analysis of porcine circovirus type 1 detected in Rotarix vaccine. Vaccine, 2011, 29, 690-697.	3.8	56
129	Molecular and infectivity studies of porcine circovirus in vaccines. Vaccine, 2011, 29, 4745-4753.	3.8	65

#	Article	IF	CITATIONS
130	Productive infection of human hepatocellular carcinoma cells by porcine circovirus type 1. Vaccine, 2011, 29, 7303-7306.	3.8	23
131	Porcine circovirus type 2 (PCV2) vaccination is effective in reducing disease and PCV2 shedding in semen of boars concurrently infected with PCV2 and Mycoplasma hyopneumoniae. Theriogenology, 2011, 76, 351-360.	2.1	32
132	An experimental live chimeric porcine circovirus 1-2a vaccine decreases porcine circovirus 2b viremia when administered intramuscularly or orally in a porcine circovirus 2b and porcine reproductive and respiratory syndrome virus dual-challenge model. Microbiology and Immunology, 2011, 55, 863-873.	1.4	11
133	Porcine Circovirus Type 2 Morphogenesis in a Clone Derived from the L35 Lymphoblastoid Cell Line. Journal of Comparative Pathology, 2011, 144, 91-102.	0.4	28
134	Modification of PCV-2 virulence by substitution of the genogroup motif of the capsid protein. Veterinary Research, 2011, 42, 54.	3.0	12
135	Detection of porcine circovirus type 1 in commercial porcine vaccines by loop-mediated isothermal amplification. Folia Microbiologica, 2011, 56, 483-489.	2.3	6
136	Outcome of experimental porcine circovirus type 1 infections in mid-gestational porcine foetuses. BMC Veterinary Research, 2011, 7, 64.	1.9	26
137	Vaccination of Dams Increases Antibody Titer and Improves Growth Parameters in Finisher Pigs Subclinically Infected with Porcine Circovirus Type 2. Vaccine Journal, 2011, 18, 1644-1649.	3.1	46
138	Effect of vaccination of boars against porcine circovirus type 2 on ejaculate characteristics, serum antibody titers, viremia, and semen virus shedding1. Journal of Animal Science, 2011, 89, 1581-1587.	0.5	12
139	Activation of the Phosphatidylinositol 3-Kinase/Akt Signaling Pathway during Porcine Circovirus Type 2 Infection Facilitates Cell Survival and Viral Replication. Journal of Virology, 2012, 86, 13589-13597.	3.4	43
140	Analysis of Putative ORF3 Gene Within Porcine Circovirus Type 2. Hybridoma, 2012, 31, 180-187.	0.4	6
141	Discovery and evolving history of two genetically related but phenotypically different viruses, porcine circoviruses 1 and 2. Virus Research, 2012, 164, 4-9.	2.2	65
142	Concurrent infections are important for expression of porcine circovirus associated disease. Virus Research, 2012, 164, 20-32.	2.2	141
143	Efficacy and future prospects of commercially available and experimental vaccines against porcine circovirus type 2 (PCV2). Virus Research, 2012, 164, 33-42.	2.2	155
144	Porcine circovirus type 2 (PCV2) infections: Clinical signs, pathology and laboratory diagnosis. Virus Research, 2012, 164, 10-19.	2.2	466
145	Genetic variation of porcine circovirus type 2 (PCV2) and its relevance to vaccination, pathogenesis and diagnosis. Virus Research, 2012, 164, 68-77.	2.2	72
146	Investigation of porcine circovirus contamination in human vaccines. Biologicals, 2012, 40, 270-277.	1.4	38
147	Characterization of porcine circovirus type 2 (PCV2) capsid particle assembly and its application to virus-like particle vaccine development. Applied Microbiology and Biotechnology, 2012, 95, 1501-1507.	3.6	58

#	Article	IF	CITATIONS
148	Identification of three new type-specific antigen epitopes in the capsid protein of porcine circovirus type 1. Archives of Virology, 2012, 157, 1339-1344.	2.1	9
149	Emerging and Re-emerging Swine Viruses. Transboundary and Emerging Diseases, 2012, 59, 85-102.	3.0	89
150	Use of PCR-based assays for the detection of the adventitious agent porcine circovirus type 1 (PCV1) in vaccines, and for confirming the identity of cell substrates and viruses used in vaccine production. Journal of Virological Methods, 2012, 179, 201-211.	2.1	7
151	Antigenic subtyping and epitopes' competition analysis of porcine circovirus type 2 using monoclonal antibodies. Veterinary Microbiology, 2012, 157, 13-22.	1.9	59
152	Low levels of diversity among genomes of Porcine circovirus type 1 (PCV1) points to differential adaptive selection between Porcine circoviruses. Virology, 2012, 422, 161-164.	2.4	13
153	Reactive oxygen species regulate the replication of porcine circovirus type 2 via NF-κB pathway. Virology, 2012, 426, 66-72.	2.4	59
154	Correlation of the cyclin A expression level with porcine circovirus type 2 propagation efficiency. Archives of Virology, 2013, 158, 2553-2560.	2.1	13
155	Attenuation of porcine circovirus type-2b by replacement with the Rep gene of porcine circovirus type-1. Virus Research, 2013, 173, 270-279.	2.2	4
156	Comparative evaluation of conventional polymerase chain reaction (PCR), with loop-mediated isothermal amplification and SYBR green I-based real-time PCR for the quantitation of porcine circovirus-1 DNA in contaminated samples destined for vaccine production. Journal of Virological Methods, 2013, 191, 1-8.	2.1	11
157	Porcine Circovirus Type 2 (PCV2): Pathogenesis and Interaction with the Immune System. Annual Review of Animal Biosciences, 2013, 1, 43-64.	7.4	207
158	Porcine Respiratory Disease Complex. , 0, , 231-258.		62
159	Infection of Porcine Circovirus 2 (PCV2) in Intestinal Porcine Epithelial Cell Line (IPEC-J2) and Interaction between PCV2 and IPEC-J2 Microfilaments. Virology Journal, 2014, 11, 193.	3.4	25
160	Porcine Circovirus. Veterinary Pathology, 2014, 51, 315-327.	1.7	73
161	Assessing PCV2 antibodies in field pigs vaccinated with different porcine circovirus 2 vaccines using two commercial ELISA systems. Journal of Veterinary Science, 2015, 16, 25.	1.3	10
162	Identification of Putative ORF5 Protein of Porcine Circovirus Type 2 and Functional Analysis of GFP-Fused ORF5 Protein. PLoS ONE, 2015, 10, e0127859.	2.5	42
163	Recombinant Flagellin-Porcine Circovirus Type 2 Cap Fusion Protein Promotes Protective Immune Responses in Mice. PLoS ONE, 2015, 10, e0129617.	2.5	11
164	Changes in cellular microRNA expression induced by porcine circovirus type 2-encoded proteins. Veterinary Research, 2015, 46, 39.	3.0	18
165	Ochratoxin A promotes porcine circovirus type 2 replication in vitro and in vivo. Free Radical Biology and Medicine, 2015, 80, 33-47.	2.9	47

		CITATION REPORT		
#	Article		IF	Citations
166	Adapting the Stress Response: Viral Subversion of the mTOR Signaling Pathway. Viruse	s, 2016, 8, 152.	3.3	98
167	The expression level of gC1qR is down regulated at the early time of infection with por of type 2 (PCV-2) and gC1qR interacts differently with the Cap proteins of porcine circ Research, 2016, 220, 21-32.	cine circovirus oviruses. Virus	2.2	14
168	Evaluation of the use of non-pathogenic porcine circovirus type 1 as a vaccine delivery express antigenic epitopes of porcine reproductive and respiratory syndrome virus. Viru 2016, 213, 100-108.	virus vector to ıs Research,	2.2	9
169	Role of canine circovirus in dogs with acute haemorrhagic diarrhoea. Veterinary Record 542-542.	, 2017, 180,	0.3	60
170	Porcine Circovirus Type 2 (PCV2) Vaccines in the Context of Current Molecular Epidem 2017, 9, 99.	iology. Viruses,	3.3	115
171	Global Status of <i>Porcine circovirus</i> Type 2 and Its Associated Diseases in Sub-Sah Advances in Virology, 2017, 2017, 1-16.	aran Africa.	1.1	37
172	Porcine circovirus type 2 associated reproductive failure in a specific pathogen free (SF producing herd in Norway: a case report. Porcine Health Management, 2017, 3, 25.	'F) piglet	2.6	10
173	Retrospective detection of <i>Porcine circovirus 3</i> (PCV-3) in pig serum samples fro Transboundary and Emerging Diseases, 2018, 65, 1290-1296.	om Spain.	3.0	52
174	PCV2 infection aggravates ochratoxin A-induced nephrotoxicity via autophagy involvin pathway inÂvivo and inÂvitro. Environmental Pollution, 2018, 238, 656-662.	g p38 signaling	7.5	17
175	Nuclear localization signal regulates porcine circovirus type 2 capsid protein nuclear ex through phosphorylation. Virus Research, 2018, 246, 12-22.	port	2.2	17
176	Successful removal of porcine circovirus-1 from immunoglobulin G formulated in glycir using nanofiltration. Biologicals, 2018, 51, 32-36.	e solution	1.4	6
177	Possible risks posed by singleâ€stranded <scp>DNA</scp> viruses of pigs associated w xenotransplantation. Xenotransplantation, 2018, 25, e12453.	ith	2.8	15
178	Porcine circovirus type 2 induces a strong cytopathic effect in the serum-free culture c CPK-NS. Journal of Virological Methods, 2019, 273, 113706.	ell line	2.1	3
179	The first reptilian circovirus identified infects gut and liver tissues of black-headed pyth Veterinary Research, 2019, 50, 35.	ons.	3.0	14
180	Infection dynamics of porcine circovirus type 3 in longitudinally sampled pigs from four farms. Veterinary Record, 2019, 184, 619-619.	r Spanish	0.3	22
181	Novel circovirus species identified in farmed pigs designated as <i>Porcine circovirus province, China. Transboundary and Emerging Diseases, 2020, 67, 1057-1061.</i>	i> 4, Hunan	3.0	172
182	Genetic diversity and prevalence of porcine circovirus type 3 (PCV3) and type 2 (PCV2) of the USA during 2016–2018. Transboundary and Emerging Diseases, 2020, 67, 12	in the Midwest 84-1294.	3.0	84
183	Frequency of Detection and Phylogenetic Analysis of Porcine circovirus 3 (PCV-3) in He Primiparous and Multiparous Sows and Their Mummified Fetuses and Stillborn. Pathog	althy ens, 2020, 9, 533.	2.8	17

#	Article	IF	CITATIONS
184	A molecular survey and phylogenetic analysis of porcine circovirus type 3 using oral fluid, faeces and serum. BMC Veterinary Research, 2020, 16, 281.	1.9	6
185	Porcine circoviruses: current status, knowledge gaps and challenges. Virus Research, 2020, 286, 198044.	2.2	105
186	Overview of the Development, Impacts, and Challenges of Live-Attenuated Oral Rotavirus Vaccines. Vaccines, 2020, 8, 341.	4.4	24
187	Histological Lesions and Replication Sites of PCV3 in Naturally Infected Pigs. Animals, 2021, 11, 1520.	2.3	13
188	Phylogenetic analysis of porcine circovirus 4 in Henan Province of China: A retrospective study from 2011 to 2021. Transboundary and Emerging Diseases, 2022, 69, 1890-1901.	3.0	27
189	The seroprevalence of the newly identified porcine circovirus type 4 in China investigated by an enzymedâ€linked immunosorbent assay. Transboundary and Emerging Diseases, 2021, 68, 2910-2914.	3.0	14
190	Simultaneous detection and differentiation of porcine circovirus 3 and 4 using a SYBR Green І-based duplex quantitative PCR assay. Journal of Virological Methods, 2021, 293, 114152.	2.1	14
191	Exogenous Porcine Viruses. Current Topics in Microbiology and Immunology, 2003, 278, 125-183.	1.1	20
192	Postweaning multisystemic wasting syndrome: a review of aetiology, diagnosis and pathology. Veterinary Journal, 2004, 168, 41-49.	1.7	124
193	Characterization of novel circovirus DNAs associated with wasting syndromes in pigs Journal of General Virology, 1998, 79, 2171-2179.	2.9	425
195	Detection of a Novel Strain of Porcine Circovirus in Pigs with Postweaning Multisystemic Wasting Syndrome. Journal of Clinical Microbiology, 1998, 36, 2535-2541.	3.9	236
196	Multiplex PCR for Detection and Typing of Porcine Circoviruses. Journal of Clinical Microbiology, 1999, 37, 3917-3924.	3.9	76
197	PCR Detection and Evidence of Shedding of Porcine Circovirus Type 2 in Boar Semen. Journal of Clinical Microbiology, 2000, 38, 4629-4632.	3.9	119
198	Genetic Characterization of Type 2 Porcine Circovirus (PCV-2) from Pigs with Postweaning Multisystemic Wasting Syndrome in Different Geographic Regions of North America and Development of a Differential PCR-Restriction Fragment Length Polymorphism Assay To Detect and Differentiate between Infections with PCV-1 and PCV-2 Journal of Clinical Microbiology, 2000, 38, 2494-2503	3.9	203
199	A Novel Porcine Circovirus-Like Agent P1 Is Associated with Wasting Syndromes in Pigs. PLoS ONE, 2012, 7, e41565.	2.5	28
200	The Porcine Circovirus Type 2 Nonstructural Protein ORF3 Induces Apoptosis in Porcine Peripheral Blood Mononuclear Cells. The Open Virology Journal, 2011, 5, 148-153.	1.8	19
201	A Slaughterhouse Survey for Porcine Circovirus Type 2 in Commercial Pigs in Ibadan, Southwest Nigeria. Folia Veterinaria, 2018, 62, 30-34.	0.1	8
202	Porcine Circovirus Infection in Pigs. Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association, 2000, 53, 53-58.	0.1	0

ARTICLE IF CITATIONS Circovirus Infection in Underdeveloped Pigs. Nippon Juishikai Zasshi Journal of the Japan Veterinary 203 0.1 0 Medical Association, 2000, 53, 144-147. Immune responses of pigs inoculated with a recombinant fowlpox virus coexpressing ORF2/ORF1 of PCV2 and P1 2A of FMDV. African Journal of Biotechnology, 2012, 11, . 208 Immune Response and Production Perfomance in Piglets Vaccinated at 15 and 21 Days Old Against 209 0 0.1 Circovirus Infection. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2014, , . Pathogens of Swine., 0,, 281-339. Prevalence and Expression Pattern of Cytokines in Porcine Respiratory Disease Complex (PRDC). 211 0.2 0 Journal of Life Science, 2014, 24, 1118-1124. Update on syndromes and clinical problems associated with porcine circovirus type 2 infection. 0.3 Journal of the Hellenic Veterinary Medical Society, 2017, 56, 256. Simultaneous detection and genetic characterization of porcine circovirus 2 and 4 in Henan province 213 2.2 29 of China. Gene, 2022, 808, 145991. Sequence analysis of old and new strains of porcine circovirus associated with congenital tremors 219 in pigs and their comparison with strains involved with postweaning multisystemic wasting 1.1 syndrome. Canadian Journal of Veterinary Research, 2002, 66, 217-24. Seroprevalence of porcine circovirus type 2 in swine populations in Canada and Costa Rica. Canadian 220 22 1.1 Journal of Veterinary Research, 2002, 66, 225-31. Multiplex nested PCR compared with in situ hybridization for the differentiation of porcine circoviruses and porcine parvovirus from pigs with postweaning multisystemic wasting syndrome. Canadian Journal of Veterinary Research, 2003, 67, 133-7. 1.1 Enteritis associated with porcine circovirus 2 in pigs. Canadian Journal of Veterinary Research, 2004, 222 1.1 47 68, 218-21. Retrospective serological survey of antibodies to porcine circovirus type 1 and type 2. Canadian 1.1 64 Journal of Veterinary Research, 2000, 64, 184-6. Xenotransplantation and the potential risk of xenogeneic transmission of porcine viruses. Canadian 224 1.1 32 Journal of Veterinary Research, 2000, 64, 193-203. Association of porcine circovirus 2 with reproductive failure in pigs: a retrospective study, 1995-1998. Canadian Veterinary Journal, 2001, 42, 548-50. Multiple porcine circovirus 2-associated abortions and reproductive failure in a multisite swine 226 0.0 91 production unit. Canadian Veterinary Journal, 2001, 42, 551-3. Isolation of circovirus from lesions of pigs with postweaning multisystemic wasting syndrome. Canadian Veterinary Journal, 1998, 39, 44-51. 227 382 Detection and characterization of porcine circovirus associated with postweaning multisystemic 228 0.029 wasting syndrome in pigs. Canadian Veterinary Journal, 1997, 38, 385-6. Exploratory Study of the Frequency of Detection and Tissue Distribution of Porcine Circovirus 3 229 2.8 (PCV-3) in Pig Fetuses at Different Gestational Ages. Pathogens, 2022, 11, 118.

#	Article	IF	CITATIONS
230	Comprehensive Analysis of Codon Usage Patterns in Chinese Porcine Circoviruses Based on Their Major Protein-Coding Sequences. Viruses, 2022, 14, 81.	3.3	8
231	Genetic Diversity of Porcine Circovirus Types 2 and 3 in Wild Boar in Italy. Animals, 2022, 12, 953.	2.3	9
232	Five years of porcine circovirus 3: What have we learned about the clinical disease, immune pathogenesis, and diagnosis. Virus Research, 2022, 314, 198764.	2.2	10
240	Reconstruction of the Evolutionary Origin, Phylodynamics, and Phylogeography of the Porcine Circovirus Type 3. Frontiers in Microbiology, 2022, 13, .	3.5	5
241	Cross-species transmission of an emerging porcine circovirus (PCV4): First molecular detection and retrospective investigation in dairy cows. Veterinary Microbiology, 2022, 273, 109528.	1.9	11
242	First molecular detection and genetic analysis of porcine circovirus 4 in the Southwest of China during 2021–2022. Frontiers in Microbiology, 0, 13, .	3.5	7
243	First Molecular Detection and Genetic Analysis of a Novel Porcine Circovirus (Porcine Circovirus 4) in Dogs in the World. Microbiology Spectrum, 2023, 11, .	3.0	5
244	The first dog-origin porcine circovirus type 4 complete genomic sequence have high homology with that of pig-derived strains. Frontiers in Microbiology, 0, 14, .	3.5	1
245	Vertical transmission of porcine circovirus-like virus P1 in BALB/c mice. BMC Veterinary Research, 2023, 19, .	1.9	0
247	First report on identification and genomic analysis of a novel porcine circovirus (porcine circovirus) Tj ETQq1 1 0.	784314 rg	gBT /Overlo <mark>c</mark> i
248	Evidence of Porcine Circovirus Type 2 (PCV2) Genetic Shift from PCV2b to PCV2d Genotype in Sardinia, Italy. Viruses, 2023, 15, 2157.	3.3	0
249	Detection of Porcine Circovirus Type 3 in Serum, Semen, Oral Fluid, and Preputial Fluid Samples of Boars. Veterinary Sciences, 2023, 10, 689.	1.7	1
250	Preparation of Monoclonal Antibodies against the Capsid Protein and Development of an Epitope-Blocking Enzyme-Linked Immunosorbent Assay for Detection of the Antibody against Porcine Circovirus 3. Animals, 2024, 14, 235.	2.3	0
251	First molecular detection and genetic characterization of porcine circovirus 4 in the Gansu Province of China. PLoS ONE, 2024, 19, e0293135.	2.5	1
252	Generation of porcine circovirus type 4 virus-like particles and their use to detect serum antibodies. Archives of Virology, 2024, 169, .	2.1	0
253	Emergence of novel circoviruses in humans and pigs and their possible importance for xenotransplantation and blood transfusions. Xenotransplantation, 2024, 31, .	2.8	0