

CITATION REPORT

List of articles citing

Imprint of sub-25 nm vias and trenches in polymers

DOI: 10.1063/1.114851

Applied Physics Letters, 1995, 67, 3114-3116.

Source: <https://exaly.com/paper-pdf/26631779/citation-report.pdf>

Version: 2024-04-05

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2321	Imprinted silicon-based nanophotonics. 2007 , 15, 1261		
2320	Fabrication of nanodevices using sub-25 nm imprint lithography.		1
2319	Fabrication of three-dimensional micro-structures: Microtransfer molding. 1996 , 8, 837-840		297
2318	Nanoscale silicon field effect transistors fabricated using imprint lithography. <i>Applied Physics Letters</i> , 1997 , 71, 1881-1883	3.4	114
2317	Nanoscale spatial switching of magnetic anisotropy in pseudomorphic Fe(110) on W(110). 1997 , 55, 14121-14128		38
2316	Nanofabrication for Electronics. 1997 , 87-185		5
2315	Sub-10 nm imprint lithography and applications.		
2314	Extending Microcontact Printing as a Microlithographic Technique. 1997 , 13, 2059-2067		187
2313	. 1997 , 85, 652-671		342
2312	Nano-compact disks with 400 Gbit/in ² storage density fabricated using nanoimprint lithography and read with proximal probe. <i>Applied Physics Letters</i> , 1997 , 71, 3174-3176	3.4	158
2311	Imprint lithography with sub-10 nm feature size and high throughput. 1997 , 35, 237-240		303
2310	Replication techniques for diffractive optical elements. 1997 , 34, 321-339		140
2309	Replica molding using polymeric materials: A practical step toward nanomanufacturing. 1997 , 9, 147-149		251
2308	Solvent-assisted microcontact molding: A convenient method for fabricating three-dimensional structures on surfaces of polymers. 1997 , 9, 651-654		235
2307	Softlithographie. 1998 , 110, 568-594		236
2306	Periodically structured metallic substrates for SERS. 1998 , 51, 285-291		243
2305	Multistep replication processes. 1998 , 3, 160-165		2

2304	Temperature evolution of nanostructures induced by Ar ⁺ sputtering on Ag(001). 1998 , 416, 245-254	50
2303	SOFT LITHOGRAPHY. 1998 , 28, 153-184	3912
2302	Fabrication, Writing, and Reading of 10 Gbits/in ² Longitudinal Quantized Magnetic Disks with a Switching Field over 1000 Oe. 1998 , 37, 5973-5975	10
2301	Using printing and molding techniques to produce distributed feedback and Bragg reflector resonators for plastic lasers. <i>Applied Physics Letters</i> , 1998 , 73, 1766-1768	3-4 63
2300	Microfabrication, Microstructures and Microsystems. 1998 , 1-20	84
2299	Printing Sub-100 Nanometer Features Near-Field Photolithography. 1998 ,	
2298	Novel Mold Fabrication for Nano-Imprint Lithography to Fabricate Single-Electron Tunneling Devices. 1999 , 38, 7272-7275	11
2297	Distributed feedback ridge waveguide lasers fabricated by nanoscale printing and molding on nonplanar substrates. <i>Applied Physics Letters</i> , 1999 , 74, 3257-3259	3-4 74
2296	Wafer-scale sub-micron lithography. <i>Applied Physics Letters</i> , 1999 , 75, 2599-2601	3-4 22
2295	Positioning of self-assembled, single-crystal, germanium islands by silicon nanoimprinting. <i>Applied Physics Letters</i> , 1999 , 74, 1773-1775	3-4 53
2294	Perpendicular quantized magnetic disks with 45 Gbits on a 48 cm ² area. 1999 , 85, 5534-5536	39
2293	Lithographically induced self-assembly of periodic polymer micropillar arrays. 1999 , 17, 3197	225
2292	Polymer issues in nanoimprinting technique. 1999 , 43, 1079-1083	42
2291	Effects of synthetic micro- and nano-structured surfaces on cell behavior. 1999 , 20, 573-88	1239
2290	Mold-assisted near-field optical lithography. 1999 , 46, 69-72	20
2289	Nanolithography using optical contact exposure in the evanescent near field. 1999 , 46, 85-88	27
2288	Nanostructuring of polymers and fabrication of interdigitated electrodes by hot embossing lithography. 1999 , 46, 121-124	67
2287	Nanoscale embossing of polymers using a thermoplastic die. 1999 , 46, 125-128	34

2286	Nanoimprint lithography for a large area pattern replication. 1999 , 46, 319-322		61
2285	Suitability of new polymer materials with adjustable glass temperature for nano-imprinting. 1999 , 46, 431-434		28
2284	Sub-diffraction-limited patterning using evanescent near-field optical lithography. <i>Applied Physics Letters</i> , 1999 , 75, 3560-3562	3-4	166
2283	Electron beam patterning on permeable polymer membranes for nanolithography and microfluidic applications.		
2282	Nano-imprint lithography for single electron tunneling devices using novel mold.		
2281	Lithographically induced self-construction of polymer microstructures for resistless patterning. <i>Applied Physics Letters</i> , 1999 , 75, 1004-1006	3-4	186
2280	Large scale nanolithography using nanoimprint lithography. 1999 , 17, 2961		64
2279	Applications of control and signal processing to the microlithographic process.		
2278	Control systems for the nanolithography process.		4
2277	Nanoimprint and micro-contact printing tri-layer processes. 2000 , 12, 223-229		19
2276	Deep-ultraviolet contact photolithography. 2000 , 53, 95-99		9
2275	Tri-layer systems for nanoimprint lithography with an improved process latitude. 2000 , 53, 175-178		35
2274	Fabrication of nanostructures using a UV-based imprint technique. 2000 , 53, 233-236		105
2273	70 nm Features on 140 nm period using evanescent near field optical lithography. 2000 , 53, 237-240		21
2272	Nanoimprint- and UV-lithography: Mix&Match process for fabrication of interdigitated nanobiosensors. 2000 , 53, 521-524		51
2271	Advanced mesoscopic device concepts and technology. 2000 , 53, 29-36		1
2270	High density fluorocarbon plasma etching of new resists suitable for nano-imprint lithography. 2000 , 53, 501-505		16
2269	Flow behaviour of thin polymer films used for hot embossing lithography. 2000 , 54, 229-245		306

2268	Microfabricating conjugated polymer actuators. 2000 , 290, 1540-5		733
2267	Comparison of infrared frequency selective surfaces fabricated by direct-write electron-beam and bilayer nanoimprint lithographies. 2000 , 18, 3578		18
2266	Preparation of Diamond Mold Using Electron Beam Lithography for Application to Nanoimprint Lithography. 2000 , 39, 7070-7074		21
2265	Fabrication of quantum point contacts by imprint lithography and transport studies. 2000 , 18, 3561		29
2264	Imprint Lithography Using Triple-Layer-Resist and Its Application to Metal-Oxide-Silicon Field-Effect-Transistor Fabrication. 2000 , 39, 7080-7085		7
2263	Quantum point contacts fabricated by nanoimprint lithography. <i>Applied Physics Letters</i> , 2000 , 77, 2237-2239		14
2262	Parallel nanolithography in carbon layers with conductive imprint stamps. <i>Applied Physics Letters</i> , 2000 , 76, 786-788	3-4	32
2261	New polymer materials for nanoimprinting. 2000 , 18, 1861		63
2260	Fabrication of circular optical structures with a 20 nm minimum feature size using nanoimprint lithography. <i>Applied Physics Letters</i> , 2000 , 76, 673-675	3-4	124
2259	Imprinting characteristics by photo-induced solidification of liquid polymer.		
2258	Imprint Characteristics by Photo-Induced Solidification of Liquid Polymer. 2000 , 39, 7075-7079		94
2257	Contrast in the evanescent near field of lambda/20 period gratings for photolithography. 2000 , 39, 20-5		29
2256	Printing, molding, and near-field photolithographic methods for patterning organic lasers, smart pixels and simple circuits. 2000 , 115, 5-11		65
2255	A nanoplotter with both parallel and serial writing capabilities. 2000 , 288, 1808-11		308
2254	Room-temperature imprint lithography by solvent vapor treatment. <i>Applied Physics Letters</i> , 2000 , 76, 870-872	3-4	80
2253	Patterning 100 nm features using deep-ultraviolet contact photolithography. <i>Applied Physics Letters</i> , 2000 , 76, 667-669	3-4	65
2252	Imprint lithography using triple-layer-resist and its application to MOSFET fabrication.		
2251	Apodized surface-corrugated gratings with varying duty cycles. 2000 , 12, 639-641		53

2250	Polymer bonding process for nanolithography. <i>Applied Physics Letters</i> , 2001 , 79, 2246-2248	3-4	50
2249	Embossed Polymeric Relief Structures as a Template for the Growth of Periodic Inorganic Microstructures. 2001 , 1, 71-73		32
2248	Size and thickness dependencies of magnetization reversal in Co dot arrays. 2001 , 89, 3892-3896		72
2247	Improvement of imprinted pattern uniformity using sapphire mold.		
2246	Near-infrared transmission and emission characteristics of frequency selective surfaces and its nano-fabrication issues. 2001 ,		
2245	Easy removal of mold for imprint lithography by ion beam modification of photoresist surface.		
2244	Nanofabrication: conventional and nonconventional methods. 2001 , 22, 187-207		233
2243	Incorporation of Metal Nanoparticles in Photopolymerized Organic Conducting Polymers: A Mechanistic Insight. 2001 , 1, 305-308		113
2242	Imprint with sharp tip stamps. 2001 , 57-58, 389-396		8
2241	Fabrication of quantum point contacts and quantum dots by imprint lithography. 2001 , 57-58, 397-403		11
2240	Nanoimprint fabrication of micro-rings for magnetization reversal studies. 2001 , 57-58, 405-410		20
2239	Nanoimprint lithography with a commercial 4-in. bond system for hot embossing. 2001 , 4343, 427		27
2238	A new two-dimensional subwavelength resonant grating filter fabricated by nanoimprint lithography.		2
2237	Imprinted electrically conductive patterns from a polyaniline blend. 2001 , 19, 487		25
2236	Nanoimprint Lithography and Lithographically Induced Self-Assembly. 2001 , 26, 512-517		90
2235	Nanoimprint lithography: challenges and prospects. 2001 , 12, 91-95		170
2234	Room temperature replication in spin on glass by nanoimprint technology. 2001 , 19, 2801		78
2233	Evaluation of press-uniformity using a pressure sensitive film and calculation of wafer distortions caused by mold press in imprint lithography.		0

2232	Multilevel nanoimprint lithography with submicron alignment over 4 in. Si wafers. <i>Applied Physics Letters</i> , 2001 , 79, 845-847	3-4	67
2231	Study of the resist deformation in nanoimprint lithography. 2001 , 19, 2811		124
2230	Microstamping of freestanding bipolymer features. <i>Applied Physics Letters</i> , 2001 , 78, 3741-3743	3-4	5
2229	Direct three-dimensional patterning using nanoimprint lithography. <i>Applied Physics Letters</i> , 2001 , 78, 3322-3324	3-4	100
2228	Fabrication of three-dimensional microstructures by soft molding. <i>Applied Physics Letters</i> , 2001 , 79, 2285-2287	3-4	132
2227	Nanoembossing of thermoplastic polymers for microfluidic applications. <i>Applied Physics Letters</i> , 2002 , 80, 3614-3616	3-4	65
2226	Technology trends and challenges for CMOS/system LSIs for the next 10-15 years.		
2225	Optical properties of a light-emitting polymer directly patterned by soft lithography. <i>Applied Physics Letters</i> , 2002 , 81, 1955-1957	3-4	32
2224	Fabrication of 10 nm enclosed nanofluidic channels. <i>Applied Physics Letters</i> , 2002 , 81, 174-176	3-4	286
2223	Colored ink dip-pen nanolithography. <i>Applied Physics Letters</i> , 2002 , 80, 4434-4436	3-4	55
2222	Patterning Sub-50 nm features with near-field embedded-amplitude masks. <i>Applied Physics Letters</i> , 2002 , 81, 1315-1317	3-4	77
2221	Magnetism of Co nanocluster films. 2002 , 66,		63
2220	Nanoscale patterning of magnetic islands by imprint lithography using a flexible mold. <i>Applied Physics Letters</i> , 2002 , 81, 1483-1485	3-4	135
2219	Ancillary Technologies. 2002 , 680-701		
2218	Nanoimprint techniques. 2002 , 1-60		12
2217	Control and signal processing for photoresist processing in microlithography.		1
2216	Imprint lithography for curved cross-sectional structure using replicated Ni mold. 2002 , 20, 2867		48
2215	Investigation of polymethylmethacrylate resist residues using photoelectron microscopy. 2002 , 20, 1139		5

2214	Submicron pattern transfer to binary semiconductors via micromolding in capillaries. 2002 , 20, 2248	5
2213	Diamond nanoimprint lithography. 2002 , 13, 592-596	54
2212	Fabrication of GHz-range surface-acoustic-wave transducers on LiNbO ₃ using imprint lithography. 2002 , 13, 15-17	76
2211	Optical Nanolithography Using Evanescent Fields. 2002 , 739, 241	
2210	Investigations of Mesoscopic Ferroelectric Structures Prepared by Imprint Lithography. 2002 , 748, 1	1
2209	Layered Manufacturing: Challenges and Opportunities. 2002 , 758, 141	4
2208	Subwavelength optical elements (SOEs) and nanofabrications - a path to integrate optical communication components on a chip.	1
2207	A novel, simple and low-cost external cavity laser using subwavelength resonant grating filter.	
2206	A tunable subwavelength resonant grating optical filter.	3
2205	Applications of nanoimprinting technique in photonic devices.	
2204	High aspect pattern fabrication by nano imprint lithography using fine diamond mold.	1
2203	Evaluation of line edge roughness in nanoimprint using photo-curable polymer.	
2202	Three-dimensional pattern transfer and nanolithography: modified soft molding. <i>Applied Physics Letters</i> , 2002 , 81, 1011-1013	3-4 35
2201	Polymers in nanotechnology. 2002 , 6, 3-8	44
2200	Multiple imprinting in UV-based nanoimprint lithography: related material issues. 2002 , 61-62, 407-413	59
2199	Room-temperature and low-pressure nanoimprint lithography. 2002 , 61-62, 371-377	40
2198	Nanoimprint lithography for the fabrication of DNA electrophoresis chips. 2002 , 61-62, 927-932	44
2197	Broadband Antireflection Subwavelength Gratings for Polymethyl Methacrylate Fabricated with Molding Technique. 2002 , 9, 183-185	22

2196	GaAs field effect transistors fabricated by imprint lithography. 2002 , 60, 451-455	12
2195	Self-organization of nanostructures in semiconductor heteroepitaxy. 2002 , 365, 335-432	396
2194	CMR manganites: physics, thin films and devices. 2003 , 36, R127-R150	672
2193	Ultraviolet embossing for patterning high aspect ratio polymeric microstructures. 2003 , 9, 501-506	25
2192	Lift-off process for nanoimprint lithography. 2003 , 67-68, 203-207	42
2191	Fine pattern fabrication on glass surface by imprint lithography. 2003 , 67-68, 237-244	58
2190	Fluorescence microscopy for quality control in nanoimprint lithography. 2003 , 67-68, 623-628	12
2189	Pattern formation in polymer films under the mask. 2003 , 44, 2379-2384	15
2188	Nanotextures fabricated by microwave plasma CVD: application to ultra water-repellent surface. 2003 , 174-175, 867-871	18
2187	Study of PMMA recoveries on micrometric patterns replicated by nano-imprint lithography. 2003 , 17, 523-525	26
2186	Nanoimprint lithography: an alternative nanofabrication approach. 2003 , 23, 23-31	137
2185	A soft-imprint technique for direct fabrication of submicron scale patterns using a surface-modified PDMS mold. 2003 , 70, 131-136	49
2184	A polymer-based microfluidic device for immunosensing biochips. 2003 , 3, 106-13	95
2183	Defect analysis in thermal nanoimprint lithography. 2003 , 21, 2765	145
2182	Surface characterization of nickel alloy plasma-treated by O ₂ /CF ₄ mixture. 2003 , 17, 1979-2004	8
2181	One-, two-and three-dimensional nanostructures with atom lithography. 2003 , 15, R233-R255	52
2180	Nanoimprint mold repair by Ga/sup +/- focused-ion-beam.	
2179	Ultrafast patterning of nanostructures in polymers using laser assisted nanoimprint lithography. <i>Applied Physics Letters</i> , 2003 , 83, 4417-4419	3-4 57

2178	Pattern Transfer using Step&Stamp Imprint Lithography. 2003 , 67, 357-360		17
2177	Nanostructuring poly-[2-methoxy-5-(2-ethyl-hexyloxy)-p-phenylenevinylene] thin films by high-temperature soft lithography. 2003 , 139, 679-681		
2176	Lithographic fabrication technology. 2003 , 33-76		1
2175	Sacrificial polymers for nanofluidic channels in biological applications. 2003 , 14, 578-583		95
2174	Demonstration of nano-structures using wedge-molding process.		
2173	Viscoelastic Properties of Polymers. 2003 , 25-45		3
2172	Nanofabrication. 2003 , 21, S207-S215		128
2171	Mesoscopic ferroelectric cell arrays prepared by imprint lithography. <i>Applied Physics Letters</i> , 2003 , 83, 1827-1829	3-4	69
2170	High-contrast optical modulation by surface acoustic waves. <i>Applied Physics Letters</i> , 2003 , 83, 2548-2550	3-4	6
2169	Fabrication of 60-nm transistors on 4-in. wafer using nanoimprint at all lithography levels. <i>Applied Physics Letters</i> , 2003 , 83, 1632-1634	3-4	99
2168	Oligomer-based organic distributed feedback lasers by room-temperature nanoimprint lithography. <i>Applied Physics Letters</i> , 2003 , 83, 2545-2547	3-4	62
2167	Pattern uniformity control in room-temperature imprint lithography. <i>Applied Physics Letters</i> , 2003 , 83, 2441-2443	3-4	18
2166	Pillar-lattice-assisted stress-free silicon-on-insulator. <i>Applied Physics Letters</i> , 2003 , 83, 3323-3325	3-4	4
2165	Fabrication of an integrated nanofluidic chip using interferometric lithography. 2003 , 21, 2941		51
2164	Electrically tunable free-space sub-wavelength grating filters with 30nm tuning range.		1
2163	Embossing of polymers using a thermosetting polymer mold made by soft lithography. 2003 , 21, 1318		15
2162	Microreplication technologies for polymer-based ETAS applications. 2003 , 21-35		2
2161	Current Issues and Advances in Dissociated Cell Culturing on Nano-and Microfabricated Substrates. 2003 , 251-318		3

2160	Fabrication of High Aspect Ratio Poly(ethylene glycol)-Containing Microstructures by UV Embossing. 2003 , 19, 4371-4380	80
2159	APPLICATION OF MICRO HOT EMBOSsing FOR MEMS STRUCTURES. 2003 , 04, 617-620	4
2158	Multi-scale analysis and design of nano imprint process.	
2157	Nanofluidic Channel Fabrication and Characterization by Micromachining. 2003 , 841	
2156	Near-field elastomeric mask photolithography fabrication of high-frequency surface acoustic wave transducers. 2003 , 14, 91-94	7
2155	Cost-effective production of highly regular nanostructured metallization layers. 2003 , 14, 1019-1022	11
2154	Pattern transfer fidelity of nanoimprint lithography on six-inch wafers. 2003 , 14, 33-36	39
2153	Large area direct nanoimprinting of SiO ₂ /TiO ₂ gel gratings for optical applications. 2003 , 21, 660	72
2152	Fabrication of sawtooth diffraction gratings using nanoimprint lithography. 2003 , 21, 2755	32
2151	Large scale ultraviolet-based nanoimprint lithography. 2003 , 21, 2760	57
2150	Room-temperature nanoimprint and nanotransfer printing using hydrogen silsequioxane. 2003 , 21, 688	76
2149	Hybrid optical modulator based on surface acoustic waves fabricated using imprint lithography and the epitaxial lift-off technique. 2003 , 18, 807-811	5
2148	Hot embossing characteristics of PEEK compared to PC and PMMA.	
2147	Polymer Micromachining. 169-181	
2146	Mechanical Properties of Poly-methyl methacrylate (PMMA) for Nano Imprint Lithography. 2003 , 16, 615-620	43
2145	Recent Progress on Polymer Waveguide Materials.. 2003 , 16, 639-648	22
2144	?????????. 2004 , 55, 805-810	
2143	Imprint/Photo Hybrid Lithography Using Conventional Contact Aligner. 2004 , 43, 4027-4030	2

2142	Nanoimprint Lithography Using Novolak-Type Photoresist and Soft Mold at Room Temperature. 2004 , 43, L794-L796	2
2141	Bilayer Resist Method for Room-Temperature Nanoimprint Lithography. 2004 , 43, 4050-4053	32
2140	Bilayer reversal imprint lithography: direct metal/polymer transfer. 2004 , 15, 1103-1107	19
2139	The fabrication of submicron patterns on curved substrates using a polydimethylsiloxane film mould. 2004 , 15, 1767-1770	42
2138	Effect of fluoroalkyl substituents on the reactions of alkylchlorosilanes with mold surfaces for nanoimprint lithography. 2004 , 22, 3233	39
2137	Room-temperature nanoimprinting on metallo-organic complexes. 2004 , 22, 981	3
2136	Interferometric in situ alignment for UV-based nanoimprint. 2004 , 22, 3242	27
2135	Nanoimprint lithography for high aspect ratio patterns. 2004 ,	
2134	Study on polymer deformation for novel cross-sectional patterns in nanoimprint lithography. 2004 ,	
2133	Nanoimprint using three-dimensional microlens mold made by focused-ion-beam chemical vapor deposition. 2004 , 22, 22	36
2132	Nanoimprint lithography of chromophore molecules under high-vacuum conditions. 2004 , 22, 185	10
2131	Rigid organic molds for nanoimprint lithography by replica molding of high glass transition temperature polymers. 2004 , 22, 1759	7
2130	Nanoimprint lithography in the cyclic olefin copolymer, Topas [®] , a highly ultraviolet-transparent and chemically resistant thermoplast. 2004 , 22, 1770	61
2129	Fabrication of masters for nanoimprint, step and flash, and soft lithography using hydrogen silsesquioxane and x-ray lithography. 2004 , 22, 2685	15
2128	High fidelity blazed grating replication using nanoimprint lithography. 2004 , 22, 3260	24
2127	DNA nanopatterning with self-organization by using nanoimprint. 2004 , 22, 3275	17
2126	Process development and characterization of antisticking layers on nickel-based stamps designed for nanoimprint lithography. 2004 , 22, 3283	17
2125	High resolution lithography with PDMS molds. 2004 , 22, 3229	87

2124	Direct imprint of sub-10nm features into metal using diamond and SiC stamps. 2004 , 22, 3257		39
2123	Direct printing of nanoparticles and spin-on-glasses by offset liquid embossing. <i>Applied Physics Letters</i> , 2004 , 84, 3507-3509	3-4	8
2122	Fabrication of high aspect ratio 100nm metallic stamps for nanoimprint lithography using proton beam writing. <i>Applied Physics Letters</i> , 2004 , 85, 476-478	3-4	100
2121	Magnetization reversal of submicrometer Co rings with uniaxial anisotropy via scanning magnetoresistance microscopy. 2004 , 70,		8
2120	Nanotransfer printing by use of noncovalent surface forces: Applications to thin-film transistors that use single-walled carbon nanotube networks and semiconducting polymers. <i>Applied Physics Letters</i> , 2004 , 85, 5730-5732	3-4	169
2119	Laser-assisted photothermal imprinting of nanocomposite. <i>Applied Physics Letters</i> , 2004 , 85, 1604-1606	3-4	9
2118	Simulation and experimental study of polymer deformation in nanoimprint lithography. 2004 , 22, 3288		156
2117	Soft molding lithography of conjugated polymers. <i>Applied Physics Letters</i> , 2004 , 84, 1365-1367	3-4	37
2116	Soft-imprint technique for multilevel microstructures using poly(dimethylsiloxane) mold combined with a screen mask. <i>Applied Physics Letters</i> , 2004 , 85, 3310-3312	3-4	3
2115	Parallel writing on zirconium nitride thin films by local oxidation nanolithography. <i>Applied Physics Letters</i> , 2004 , 85, 5691-5693	3-4	20
2114	Rapid flash patterning of nanostructures. <i>Applied Physics Letters</i> , 2004 , 85, 1793-1795	3-4	20
2113	Solid state microcavity dye lasers fabricated by nanoimprint lithography. 2004 , 75, 4481-4486		33
2112	ECPR (electrochemical pattern replication): metal printing for advanced packaging applications.		
2111	Disjoining pressure measurements using a microfabricated groove for a molecularly thin polymer liquid film on a solid surface. 2004 , 121, 4358-63		11
2110	Finite Element Analysis of Nano/Micro Pit Array Fabrication by Nanoindentation Process. 2004 , 274-276, 319-324		1
2109	Replication Technology for Micro/Nano Optical Components. 2004 , 43, 5706-5716		31
2108	Nanoscale flow deformation of silicate glass ultrathin films for development of nano-patterned glass surfaces. 2004 , 19, 2683-2686		1
2107	Measurement of disjoining pressure of a molecularly thin lubricant film by using a microfabricated groove. 2004 , 40, 3183-3185		4

2106	High aspect ratio pattern transfer in imprint lithography using a hybrid mold. 2004 , 22, 2764	10
2105	Chapter 6 Polymeric membranes. 2004 , 10, 133-167	
2104	Step-and-Repeat Photo-Nanoimprint System Using Active Orientation Head. 2004 , 43, 4012-4016	13
2103	Maskless pattern fabrication on Si(1 0 0) surface by using nanoindenter with KOH wet etching. 2004 , 50, 105-109	16
2102	Micro and nano-fabrication of biodegradable polymers for drug delivery. 2004 , 56, 1621-33	257
2101	SEMICONDUCTOR NANOWIRES AND NANOTUBES. 2004 , 34, 83-122	1210
2100	Rapid evaluation of imprint quality using optical scatterometry. 2004 , 71, 190-196	10
2099	Atomic force microscopy study of micrometric pattern replica by hot embossing lithography. 2004 , 71, 272-276	19
2098	Imprint lithography for flexible transparent plastic substrates. 2004 , 75, 145-148	11
2097	Novel nanofabrication techniques of organic optical cavities. 2004 , 1, 531-534	
2096	Large area ordered lateral patterns in confined polymer thin films. 2004 , 40, 981-986	18
2095	Elaboration of 1 μ m square arrays of octadecyltrimethoxysilane monolayers on SiO ₂ /Si by combining chemical vapour deposition and nano-imprint lithography. 2004 , 36, 227-233	4
2094	Patterning of sub-micrometric Co/NiO dots by hot embossing lithography and study of their magnetic properties. 2004 , 272-276, E1293-E1295	2
2093	Tunable ordered droplets induced by convection in phase-separating P2VP/PS blend film. 2004 , 45, 8139-8146	32
2092	A combined-nanoimprint-and-photolithography patterning technique. 2004 , 71, 277-282	90
2091	One-step lithography for various size patterns with a hybrid mask-mold. 2004 , 71, 288-293	97
2090	Direct patterning of rhodamine 6G molecules on mica by dip-pen nanolithography. 2004 , 236, 18-24	14
2089	Multilevel nanoimprint lithography. 2004 , 4, 111-114	23

2088	3D imprint technology using substrate voltage change. 2004 , 238, 324-330	24
2087	Stacked polymer patterns imprinted using a soft inks pad. 2004 , 22, 1873-1878	7
2086	Large area nanolithographic templates by selective etching of chemically stained block copolymer thin films. 2004 , 14, 2729	80
2085	Low-Pressure Nanoimprint Lithography. 2004 , 4, 633-637	104
2084	Uniform Nanoscopic Polystyrene Patterns Produced from a Microscopic Mold. 2004 , 4, 1513-1519	34
2083	Review on micro molding of thermoplastic polymers. 2004 , 14, R1-R14	688
2082	Optical modulation in photonic band gap structures by surface acoustic waves. 2004 , 96, 1803-1810	10
2081	Recent progress in nanoimprint technology and its applications. 2004 , 37, R123-R141	565
2080	Sub-100 nm patterning with an amorphous fluoropolymer mold. 2004 , 20, 2445-8	83
2079	Guided self-assembly of metallic nanowires and channels. <i>Applied Physics Letters</i> , 2004 , 84, 4669-4671	34 55
2078	Pattern transfer of a 23 nm-period grating and sub-15 nm dots into CVD diamond. 2004 , 73-74, 319-322	36
2077	Liquid-Phase Infiltration (LPI) Process for the Fabrication of Highly Nano-Ordered Materials. 2004 , 16, 1747-1750	54
2076	Direct Drawing of Suspended Filamentary Micro- and Nanostructures from Liquid Polymers. 2004 , 4, 1931-1937	151
2075	UNCONVENTIONAL NANOFABRICATION. 2004 , 34, 339-372	310
2074	Polymer-based lab-on-a-chip lasers. 2004 ,	2
2073	Micro hot embossing for high-aspect-ratio structure with materials flow enhancement by polymer sheet. 2004 ,	1
2072	Advances in reflection grating technology for Constellation-X. 2004 ,	3
2071	Patterning of polymers: precise channel stamping by optimizing wetting properties. 2004 , 6, 111-111	18

2070	GalnAs/InP nanopillar arrays for long wavelength infrared detection. 2005 , 5732, 350	1
2069	Mask fabrication towards sub-10 nm imprint lithography. 2005 ,	
2068	Nanoimprint Technology and Applications. 2005 , 18, 523-524	2
2067	Fidelity of Photo-nanoimprint. 2005 , 18, 537-542	1
2066	Investigation of Application Availability of UV-NIL by Using Several Types of Photo-curable Resin. 2005 , 18, 531-536	27
2065	Fabrication of sub-100nm Patterns using Near-field Mask Lithography with Ultra-thin Resist Process. 2005 , 18, 435-441	17
2064	Study on Polymer Materials Evaluation System for Nano-Imprint Lithography. 2005 , 18, 543-549	10
2063	Polymer Science in Nanoimprint Lithography. 2005 , 18, 551-558	10
2062	Evaluation of novel tooling for nanoscale injection molding. 2005 ,	7
2061	Nanostructuring. 2005 , 143-199	
2060	Optically variable imaging using nanoimprint technique. 2005 , 245, 234-239	7
2059	Fabrication of structures with tunable morphologies and sizes by soft molding. 2005 , 252, 1947-1953	13
2058	Area selective formation of magnetic nanodot arrays on Si wafer by electroless deposition. 2005 , 287, 245-249	13
2057	New directions in mechanics. 2005 , 37, 231-259	104
2056	Full wafer scale near zero residual nano-imprinting lithography using UV curable monomer solution. 2005 , 77, 42-47	63
2055	Fabrication of subwavelength aluminum wire grating using nanoimprint lithography and reactive ion etching. 2005 , 78-79, 314-318	60
2054	Fine pattern transfer by nanocasting lithography. 2005 , 78-79, 641-646	19
2053	Replication of sub-40 nm gap nanoelectrodes over an 8-in. substrate by nanoimprint lithography. 2005 , 78-79, 676-681	13

2052	Simultaneous UV embossing method for fabricating two parallel organic layers with different hydrophilicity. 2005 , 82, 1-11	1
2051	Optimization and experimentation of nanoimprint lithography based on FIB fabricated stamp. 2005 , 82, 175-179	24
2050	FEA study on nanodeformation behaviors of amorphous silicon and borosilicate considering tip geometry for pit array fabrication. 2005 , 390, 233-239	38
2049	Proton beam fabrication of nickel stamps for nanoimprint lithography. 2005 , 231, 407-412	26
2048	Topographic processing of silicone surfaces. 2005 , 200, 1097-1100	11
2047	Retention of microbial cells in substratum surface features of micrometer and sub-micrometer dimensions. 2005 , 41, 129-38	236
2046	Statics and dynamics of single DNA molecules confined in nanochannels. 2005 , 94, 196101	451
2045	Maskless pattern fabrication on Pyrex 7740 glass surface by using nano-scratch with HF wet etching. 2005 , 52, 117-122	18
2044	Innovative high-performance nanowire-grid polarizers and integrated isolators. 2005 , 11, 241-253	26
2043	Free-space nano-optical devices and integration: Design, fabrication, and manufacturing. 2005 , 10, 107-127	2
2042	Low-Duty-Ratio Patterning on a Heterogeneous Surface. 2005 , 15, 1445-1450	19
2041	Room-Temperature, Low-Pressure Nanoimprinting Based on Cationic Photopolymerization of Novel Epoxysilicone Monomers. 2005 , 17, 1419-1424	83
2040	Rigiflex Lithography for Nanostructure Transfer. 2005 , 17, 1554-1560	96
2039	Patterning of Conducting Polymers Based on a Random Copolymer Strategy: Toward the Facile Fabrication of Nanosensors Exclusively Based on Polymers. 2005 , 17, 2736-2741	85
2038	Issues on nanoimprint lithography with a single-layer resist structure. 2005 , 81, 1331-1335	14
2037	Antireflection sub-wavelength gratings fabricated by spin-coating replication. 2005 , 78-79, 287-293	86
2036	Semiconductor and insulator nanostructures: challenges and opportunities. 2005 , 80, 448-456	11
2035	Selective etching of CoFeNiCu/Cu multilayers. 2005 , 35, 1127-1132	7

2034	Fabrication of platinum nanoparticles and nanowires by electron beam lithography (EBL) and nanoimprint lithography (NIL): comparison of ethylene hydrogenation kinetics. 2005 , 100, 115-124	46
2033	Alignment and assembly of adsorbed collagen molecules induced by anisotropic chemical nanopatterns. 2005 , 1, 984-91	71
2032	Non-Conventional Micro- and Nanopatterning Techniques for Electroceramics. 2005 , 361-385	1
2031	Microreplication in a silicon processing compatible polymer material. 2005 , 15, S116-S121	7
2030	Defect control in nanoimprint lithography. 2005 , 23, 2933	30
2029	Alignment of Nematic Liquid Crystal Molecules Using Nanometer-Sized Ultrafine Patterns By Electron Beam Exposure Method. 2005 , 44, 578-581	27
2028	Imprint Materials for Nanoscale Devices. 2005 , 30, 947-951	52
2027	PHYSICAL AND CHEMICAL NANOLITHOGRAPHY TECHNIQUES: CHALLENGES AND PROSPECTS. 2005 , 04, 575-585	1
2026	Design and fabrication of a hybrid nanofluidic channel. 2005 , 4, 013009	8
2025	Fabrication of Au nanowires on hydrogen silsesquioxane by nanoimprint transfer. 2005 , 16, 2913-2918	8
2024	Guiding Molecular Motors with Nano-Imprinted Structures. 2005 , 44, 3337-3340	19
2023	Cell Culture on Nanopillar Sheet: Study of HeLa Cells on Nanopillar Sheet. 2005 , 44, L1184-L1186	47
2022	Nanostructuring polymers by soft lithography templates realized via ion sputtering. 2005 , 16, 2714-2717	5
2021	Technology for Fabrication of Nanostructures by Standard Cleanroom Processing and Nanoimprint Lithography. 2005 , 44, 5606-5608	10
2020	Fabrication of silicon-based multilevel nanostructures via scanning probe oxidation and anisotropic wet etching. 2005 , 16, 422-428	69
2019	Combined capillary force and step and flash lithography. 2005 , 16, 391-395	6
2018	Uniformity across 200 mm silicon wafers printed by nanoimprint lithography. 2005 , 38, 70-73	37
2017	Nanoscale silicon structures by using carbon nanotubes as reactive ion etch masks. 2005 , 16, 750-753	12

2016	Solvent-assisted polymer-bonding lithography. 2005 , 23, 236		2
2015	Three-dimensional multilayered microstructure fabricated by imprint lithography. 2005 , 23, 375		24
2014	Nanoimprint and nanocontact technologies using hydrogen silsesquioxane. 2005 , 23, 507		24
2013	Fabrication of 1 μ m wave plate by nanocasting lithography. 2005 , 23, 2939		37
2012	4 inch lift-off process by trilayer nanoimprint lithography. 2005 , 23, 2914		11
2011	Acidic acrylic polymers for nanoimprint lithography on flexible substrates. 2005 , 23, 2518		3
2010	Ultraviolet-based nanoimprint at reduced environmental pressure. 2005 , 23, 2925		35
2009	Effect of imprinting pressure on residual layer thickness in ultraviolet nanoimprint lithography. 2005 , 23, 1102		32
2008	Nanometre resolution metrology with the Molecular Measuring Machine. 2005 , 16, 2121-2128		58
2007	Micro- and nanostructuring of poly(ethylene-2,6-naphthalate) surfaces, for biomedical applications, using polymer replication techniques. 2005 , 16, 369-375		26
2006	Efficient aminosilane adhesion promoter for soft nanoimprint on GaAs. <i>Applied Physics Letters</i> , 2005 , 87, 183111	3-4	4
2005	Nanoimprint process using epoxy-siloxane low-viscosity prepolymer. 2005 , 23, 72		12
2004	Suspended glass nanochannels coupled with microstructures for single molecule detection. 2005 , 97, 124317		39
2003	Direct imprinting using soft mold and gas pressure for large area and curved surfaces. 2005 , 23, 1687-1690		40
2002	Direct Fabrication of 2D Glass Photonic Crystals by Nanoimprint Lithography.		
2001	Flexible stamp for nanoimprint lithography.		1
2000	Optical fabrication of three-dimensional polymeric microstructures. <i>Applied Physics Letters</i> , 2005 , 87, 164104	3-4	4
1999	Development and characterization of silane antisticking layers on nickel-based stamps designed for nanoimprint lithography. 2005 , 23, 575		15

1998	Hot Embossing Lithography: Release Layer Characterization by Chemical Force Microscopy. 2005 , 872, 1		1
1997	Fabrication of nanosize patterned substrates using nano imprinting lithography.		
1996	New approaches to nanofabrication: molding, printing, and other techniques. 2005 , 105, 1171-96		1680
1995	Shape and Size Control of Regularly Arrayed Nanodots Fabricated Using Ultrathin Alumina Masks. 2005 , 17, 580-585		99
1994	SPM oxidation and parallel writing on zirconium nitride thin films. 2005 , 23, 846-850		4
1993	Polymer nanofibers by soft lithography. <i>Applied Physics Letters</i> , 2005 , 87, 123109	3-4	31
1992	Nanopatterning of photonic crystals with a photocurable silica/titania organic/inorganic hybrid material by a UV-based nanoimprint technique. 2005 , 15, 4535		53
1991	Simulation and investigation of factors affecting high aspect ratio UV embossing. 2005 , 21, 2000-7		28
1990	Nanoimprint and Lift-Off Process Using Poly(vinyl alcohol). 2005 , 44, 8186-8188		25
1989	Encapsulating Nanoparticle Arrays into Layer-by-layer Multilayers by Capillary Transfer Lithography. 2005 , 17, 5489-5497		59
1988	Electrochemical fabrication of nanodimensional multilayer films. 2005 , 5, 1899-904		10
1987	Fabrication of 3D polymer microstructures using electron beam lithography and nanoimprinting technologies. 2005 , 15, 1894-1903		34
1986	Wafer-based nanostructure manufacturing for integrated nanooptic devices. 2005 , 23, 474-485		26
1985	First-order imprinted organic distributed feedback lasers. 2005 , 153, 237-240		19
1984	Fabrication of a 50 nm half-pitch wire grid polarizer using nanoimprint lithography. 2005 , 16, 1874-1877		245
1983	Organic semiconductor distributed feedback lasers. 2005 ,		5
1982	Fluorinated organic-inorganic hybrid mold as a new stamp for nanoimprint and soft lithography. 2005 , 21, 9390-2		59
1981	A microfluidic dye laser fabricated by nanoimprint lithography in a highly transparent and chemically resistant cyclo-olefin copolymer (COC). 2005 , 15, 296-300		40

1980	Shaping biodegradable polymers as nanostructures: Fabrication and applications. 2005 , 2, 97-102		5
1979	Infrared detection from GaInAs/InP nanopillar arrays. 2005 , 16, 1814-1820		12
1978	Cross-linked polymer replica of a nanoimprint mold at 30 nm half-pitch. 2005 , 5, 179-82		64
1977	Fully integrated optical systems for lab-on-a-chip applications. 2005 , 5730, 211		9
1976	Electrostatic force-assisted nanoimprint lithography (EFAN). 2005 , 5, 527-30		44
1975	Formation and characterization of nanometer scale metal-oxide-semiconductor structures on GaAs using low-temperature atomic layer deposition. <i>Applied Physics Letters</i> , 2005 , 87, 013501	3-4	16
1974	Electric lithography by electrochemical polymerization. <i>Applied Physics Letters</i> , 2005 , 87, 124106	3-4	4
1973	. 2006 ,		
1972	High fidelity, high yield production of microfluidic devices by hot embossing lithography: rheology and stiction. 2006 , 6, 936-41		41
1971	Optical characterisation of photonic wire and photonic crystal waveguides fabricated using nanoimprint lithography. 2006 ,		
1970	A Systematic Approach to Process Selection in MEMS. 2006 , 15, 1039-1050		18
1969	Chemical force microscopy for hot-embossing lithography release layer characterization. 2006 , 2, 553-557		11
1968	Investigation of field emission properties of carbon nanotube arrays defined using nanoimprint lithography. <i>Applied Physics Letters</i> , 2006 , 89, 022111	3-4	38
1967	Two-Photon Photopolymerization and 3D Lithographic Microfabrication. 2006 , 169-273		202
1966	Nanostenciling of Functional Materials by Room Temperature Pulsed Laser Deposition. 2006 , 5, 470-477		15
1965	Development of New Localized Surface Plasmon Resonance Sensor with Nanoimprinting Technique. 2006 ,		3
1964	Rapid Prototyping and Rapid Tooling Techniques for the Manufacturing of Silicon, Polymer, Metal and Ceramic Microdevices. 2006 , 801-869		7
1963	Elastic Contact Induced Self-Organized Patterning of Hydrogel Films. 2006 , 39, 3365-3368		35

1962	Combinatorial-mold imprint lithography: A versatile technique for fabrication of three-dimensional polymer structures. <i>Applied Physics Letters</i> , 2006 , 89, 023109	3-4	9
1961	Controlled strain on a double-templated textured polymer film: a new approach to patterned surfaces with bravais lattices and chains. 2006 , 22, 7248-53		10
1960	Air cushion press for excellent uniformity, high yield, and fast nanoimprint across a 100 mm field. 2006 , 6, 2438-41		80
1959	Using imprinting technology to fabricate three-dimensional devices from moulds of thermosetting polymer patterns. 2006 , 21, 1213-1220		6
1958	Cross-linked and chemically functionalized polymer supports by reactive reversal nanoimprint lithography. 2006 , 22, 5520-4		8
1957	A Novel Nano-Grating Structure of Polarizing Beam Splitters. 2006 , 23, 1820-1822		4
1956	Fabrication of fluorine-doped diamond-like carbon stamps for UV nanoimprint lithography. 2006 , 17, 4659-63		12
1955	Contact optical nanolithography using nanoscale C-shaped apertures. 2006 , 14, 9902-8		27
1954	Fine embossing of chalcogenide glasses by a new fabrication route for photonic integrated circuits. 2006 , 352, 2515-2520		38
1953	Micro- and nanolithography for photonic meta-materials and photonic nanostructures. 2006 ,		
1952	Parametric Investigation of Laser-Assisted Direct Imprint (LADI) Technique. 2006 , 505-507, 307-312		1
1951	P-191: Out Coupling Efficiency Enhancement of Organic Light Emitting Devices with Novel Periodic Nanostructures using Nanoimprint Lithography. 2006 , 37, 946		2
1950	Reproduction of anti-reflection structures by nano casting method. 2006 ,		1
1949	Multi-scale modelling of nano-imprint lithography. 2006 ,		6
1948	Fabrication of polymeric nanostructures: techniques and stability Issues. 2006 ,		
1947	UV curing imprint lithography for micro-structure in MEMS manufacturing. 2006 , 34, 506-510		2
1946	27.4: Nanoimprinting Lithography as Novel Tool Inducing Self-Aligned Liquid Crystals For Alignment Layer. 2006 , 37, 1265		
1945	Imprint Lithography with Pressing at Room Temperature. 2006 , 153, G203		1

1944	Room-Temperature Nanoimprint Lithography Using Photosensitive Dry Film. 2006 , 19, 389-392	1
1943	Fabrication of SiC-Based Ceramic Microstructures from Preceramic Polymers with Sacrificial Templates and Lithographic Techniques-A Review. 2006 , 114, 473-479	36
1942	Organic-Inorganic Hybrid Materials for UV-Nanoimprint Lithography. 2006 , 19, 397-402	7
1941	Wafer-scale Ni imprint stamps for porous alumina membranes based on interference lithography. 2006 , 2, 978-82	126
1940	Cicada wings: a stamp from nature for nanoimprint lithography. 2006 , 2, 1440-3	220
1939	Polymer chemistry in flow: New polymers, beads, capsules, and fibers. 2006 , 44, 6505-6533	102
1938	Distortion reduction by load release for imprint lithography. 2006 , 83, 485-491	11
1937	AFM characterization of anti-sticking layers used in nanoimprint. 2006 , 83, 851-854	40
1936	Novel hybrid mask mold for combined nanoimprint and photolithography technique. 2006 , 83, 889-892	3
1935	Metal printing of copper interconnects down to 500nm using ECPR Electrochemical pattern replication. 2006 , 83, 1410-1413	6
1934	Compressed-carbon dioxide (CO ₂) assisted nanoimprint lithography using polymeric mold. 2006 , 83, 1957-1960	6
1933	Analyses of mechanical failure in nanoimprint processes. 2006 , 433, 316-322	35
1932	Fabrication of multi-dimensional colloid crystals on raised surfaces via reversal nanoimprint lithography. 2006 , 83, 404-408	8
1931	Characterization of imprinting polymeric temperature variation with fluorescent Rhodamine B molecule. 2006 , 83, 864-868	16
1930	Multi-layered resist process in nanoimprint lithography for high aspect ratio pattern. 2006 , 83, 869-872	19
1929	Rapid and three-dimensional nanoimprint template fabrication technology using focused ion beam lithography. 2006 , 83, 940-943	46
1928	Status and prospects of UV-Nanoimprint technology. 2006 , 83, 827-830	57
1927	Implementation of a submicrometer patterning technique in azopolymer films towards optimization of photovoltaic solar cells efficiency. 2006 , 511-512, 517-522	17

1926	Nanostructures prepared on polyimide films by nanoimprinting with the assistance of residual solvent. 2006 , 16, 2192-2196	6
1925	Development of precision transfer technology of atmospheric hot embossing by ultrasonic vibration. 2006 , 13, 385-391	37
1924	Fabrication of Small Fluorescence Scale Patterns by Electron Beam Drawing Using Polymer Film Containing Fluorescence Dye. 2006 , 13, 24-28	1
1923	Nanopillar sheets as a new type of cell culture dish: detailed study of HeLa cells cultured on nanopillar sheets. 2006 , 9, 90-6	32
1922	Nanoimprint technology for nano-structured optical devices. 2006 , 6, e149-e153	11
1921	Fabrication of nano-sized resist patterns on flexible plastic film using thermal curing nano-imprint lithography. 2006 , 83, 323-327	52
1920	Nickel stamp fabrication using step & stamp imprint lithography. 2006 , 83, 948-950	38
1919	Super-resolution near-field lithography using planar silver lenses: A review of recent developments. 2006 , 83, 723-729	39
1918	Fabrication of multi-layered nano-channels by reversal imprint lithography. 2006 , 83, 876-879	33
1917	Profile evolution during thermal nanoimprint. 2006 , 83, 843-846	16
1916	Nanopositioning and Nonlinearity Compensation for Step Imprint Lithography Tool. 2006 , 1, 6-13	
1915	A nano-scale alignment method for imprint lithography. 2006 , 1, 157-161	
1914	A wideband planar monopole microstrip antenna with coupled parasitic lines. 2006 , 48, 1507-1509	1
1913	The design, fabrication, and low-cost replication of a new type of micro-nano grating for DWDM. 2006 , 48, 1504-1507	
1912	Patterning Layered Polymeric Multilayer Films by Room-Temperature Nanoimprint Lithography. 2006 , 27, 505-510	20
1911	Fabrication of High-Density, Large-Area Conducting-Polymer Nanostructures. 2006 , 16, 1937-1942	76
1910	Patterning of Poly(acrylic acid) by Ionic Exchange Reactions in Microfluidic Channels. 2006 , 18, 3174-3178	12
1909	Critical factors for nanoscale injection molding. 2006 ,	5

1908	Stamps for nanoimprint lithography fabricated by proton beam writing and nickel electroplating. 2006 , 16, 1967-1974	39
1907	A two-step dewetting method for large-scale patterning. 2006 , 16, 1700-1704	4
1906	Controlled direct patterning of V ₂ O ₅ nanowires onto SiO ₂ substrates by a microcontact printing technique. 2006 , 17, 1375-1379	20
1905	A hybrid mask-mould lithography scheme and its application in nanoscale organic thin film transistors. 2006 , 17, 927-32	19
1904	Scanning probe lithography for nanoimprinting mould fabrication. 2006 , 17, 3018-3022	15
1903	Influence of the molecular weight and imprint conditions on the formation of capillary bridges in nanoimprint lithography. 2006 , 17, 4082-7	26
1902	Ordered three-dimensional hierarchical nanostructures by nanoimprint lithography. 2006 , 17, 1884-1890	45
1901	Formation of a nanogroove-striped NiO surface using atomic steps. 2006 , 17, 4053-6	15
1900	Effect of Oxygen Plasma Irradiation on Hydrogen Silsesquioxane Nanopatterns Replicated by Room-Temperature Nanoimprinting. 2006 , 45, 8994-8996	21
1899	Nonlinear optical polymer patterned by nanoimprint lithography as a photonic crystal waveguide structure. 2006 , 24, 271	7
1898	Quantifying release in step-and-flash imprint lithography. 2006 , 24, 2716	16
1897	Fabrication of Organic Light-Emitting Diode Arrays on Flexible Plastic Substrates by Imprint Lithography. 2006 , 45, 8915-8919	14
1896	Room-temperature nanocontact printing using soft template. 2006 , 24, 195	10
1895	Fabrication of hybrid bilayer nanostructure by duo-mold imprinting. 2006 , 24, 255	4
1894	Morphology control of silicon nanotips fabricated by electron cyclotron resonance plasma etching. 2006 , 24, 308	17
1893	Polymer to polymer to polymer pattern transfer: Multiple molding for 100nm scale lithography. 2006 , 24, 807	10
1892	Ultraviolet curing imprint lithography on flexible indium tin oxide substrates. 2006 , 24, 1377	8
1891	Direct nanoimprint of inorganic-organic hybrid glass. 2006 , 24, 1402	13

1890	Soft mold and gasbag pressure mechanism for patterning submicron patterns onto a large concave substrate. 2006 , 24, 1724		19
1889	Layer thickness-induced lens distortions during thermal nanoimprint. 2006 , 24, 3016		2
1888	Influence of mold depth on capillary bridges in nanoimprint lithography. 2006 , 24, 3011		7
1887	Micron and submicron patterning of polydimethylsiloxane resists on electronic materials by decal transfer lithography and reactive ion-beam etching: Application to the fabrication of high-mobility, thin-film transistors. 2006 , 100, 084907		13
1886	Unconventional methods for forming nanopatterns. 2006 , 220, 81-138		4
1885	Morpho -blue reproduced by nanocasting lithography. 2006 ,		11
1884	Control of Micro Press Using Magnetic Actuating Platform. 2006 , 505-507, 1189-1194		
1883	Numerical analysis of effects of mold features and contact friction on cavity filling in the nanoimprinting process. 2006 , 5, 011004		9
1882	Chapter 1 Nanotechnology and nanomaterials. 2006 , 1-69		15
1881	Room-Temperature Nanoimprint Lithography. 2006 , 961, 1		
1880	Developing a Moving-Coil Actuator for Nano-Imprint Lithography System. 2006 , 505-507, 1027-1032		
1879	Impact of Planarization Sheet Addition on Full Wafer Printing Uniformity. 2006 , 961, 1		1
1878	Conjugated Polymer-Based Flexible Photovoltaic Cells with Controlled Nanostructures. 2006 , 974, 1		0
1877	Comparison of high resolution negative electron beam resists. 2006 , 24, 1776		29
1876	Fabrication of half-pitch 32nm resist patterns using near-field lithography with a-Si mask. <i>Applied Physics Letters</i> , 2006 , 89, 033113	3-4	21
1875	Contrast modified room-temperature imprint lithography. <i>Applied Physics Letters</i> , 2006 , 88, 173105	3-4	4
1874	Ultrafast-laser-induced parallel phase-change nanolithography. <i>Applied Physics Letters</i> , 2006 , 89, 041108	3-4	49
1873	Realization of conducting polymer actuators using a controlled volume microsyringe system. 2006 , 15, 279-287		17

1872	The effect of transfer printing on pentacene thin-film crystal structure. 2006 , 100, 044512		14
1871	Nano metamaterials and photonic gratings by nanoimprint and hot embossing. 2006 ,		1
1870	Fabrication of 100nm metal lines on flexible plastic substrate using ultraviolet curing nanoimprint lithography. <i>Applied Physics Letters</i> , 2006 , 88, 143112	3-4	55
1869	The production of nanostructures by mechanical forming. 2006 , 39, R363-R386		43
1868	Nanoimprinting-lithography-induced self-aligned liquid crystals for novel multifunctional optical films. <i>Applied Physics Letters</i> , 2006 , 88, 073509	3-4	41
1867	Transfer fabrication technique for embedded and inverted micro/nanostructures. <i>Applied Physics Letters</i> , 2006 , 88, 023118	3-4	6
1866	In situ real time monitoring of nanosecond imprint process. <i>Applied Physics Letters</i> , 2006 , 89, 073107	3-4	8
1865	.		
1864	Patterning the organic electrodes of all-organic thin film transistors with a simple spray printing technique. <i>Applied Physics Letters</i> , 2006 , 89, 183501	3-4	20
1863	Reproduction of the Morpho blue by nanocasting lithography). 2006 , 24, 3248		42
1862	3D Micro- and Nanofabrication and Their Medical Application. 2006 , 97-143		
1861	Wafer-scale fabrication of polymer distributed feedback lasers. 2006 , 24, 3252		8
1860	Advances in Nanoimprint Lithography. 2007 ,		6
1859	Soft imprint lithography for pixel array manufacturing in OLED. 2007 ,		
1858	Fabrication of Multilayer Interconnection Using Ultraviolet Nanoimprint Lithography. 2007 ,		1
1857	Development of a step micro-imprint lithography tool. 2007 , 17, 2039-2048		7
1856	A novel liquid thermal polymerization resist for nanoimprint lithography with low shrinkage and high flowability. 2007 , 18, 065303		18
1855	Electrostatically actuated bilayer polyimide-based microresonators. 2007 , 17, 797-803		13

1854	Combined nano-imprint and photolithography (CNP) of integrated polymer optics. 2007 , 6462, 170	2
1853	Simple Solvent-Free Method for preparing Teflon nanostructures and molds. 2007 , 25, 1412	6
1852	Control of micro- and nanopatterns of octadecyltrimethoxysilane monolayers using nanoimprint lithography and atmospheric chemical vapor deposition. 2007 , 25, 17	12
1851	Position measurement method for alignment in UV imprint using a high index mold and Electronic Moiré technique. 2007 , 25, 853	7
1850	Benchmarking of 50nm features in thermal nanoimprint. 2007 , 25, 2373	8
1849	Ultrastiff stage for imprint lithography. 2007 , 25, 2317	
1848	Surface characterization of imprinted resist above glass transition temperature. 2007 , 25, 2365	3
1847	Nonresidual layer imprinting and new replication capabilities demonstrated for fast thermal curable polydimethylsiloxanes. 2007 , 25, 2402	1
1846	UV-nanoimprint with the assistance of gas condensation at atmospheric environmental pressure. 2007 , 25, 2333	51
1845	Micro-nano mixture patterning by thermal-UV novel nanoimprint). 2007 , 25, 2370	22
1844	A poly(dimethylsiloxane)-coated flexible mold for nanoimprint lithography. 2007 , 18, 415303	14
1843	Time dependent analysis of the resist deformation in thermal nanoimprint). 2007 , 25, 2341	20
1842	Defect-free two-dimensional-photon crystal structures on a nonlinear optical polymer patterned by nanoimprint lithography. 2007 , 25, 899	2
1841	Nano Molding Technology for Optical Storage Media with Large-Area Nano-Pattern. 2007 , 364-366, 925-930	
1840	Transformation from ordered islands to holes in phase-separating P2VP/PS blend films by adding Triton X-100. 2007 , 23, 3349-54	18
1839	Surface Evaluation of Fluorinated Diamond-Like Carbon Thin Film as an Antisticking Layer of Nanoimprint Mold. 2007 , 46, 6373-6374	11
1838	Atomically Stepped Glass Surface Formed by Nanoimprint. 2007 , 46, L342-L344	27
1837	Room-Temperature Nanoimprinting Using Ladder Hydrogen Silsesquioxane. 2007 , 46, 5388-5390	6

1836	Boron nitride stamp for ultra-violet nanoimprinting lithography fabricated by focused ion beam lithography. 2007 , 18, 465302	10
1835	Nanoimprint Lithography Combined with Ultrasonic Vibration on Polycarbonate. 2007 , 46, 6355-6362	17
1834	Fabrication of Nano-Porous Structure on Silicon Substrate Using Nanoimprint Lithography with an Anodic Aluminum Oxide Nano-Template. 2007 , 46, 6375-6377	9
1833	Precise patterning of SiO ₂ -based glass by low-temperature nanoimprint lithography assisted by UV irradiation on both faces using Glasia [®] as a precursor. 2007 , 25, 1393	4
1832	High aspect ratio silicon nanomoulds for UV embossing fabricated by directional thermal oxidation using an oxidation mask. 2007 , 18, 355307	9
1831	Atomic-Scale Friction in Direct Imprinting Process: Molecular Dynamics Simulation. 2007 , 46, 6387-6390	6
1830	Fabrication of Nanoimprint Stamp Using Interference Lithography. 2007 , 24, 2830-2832	7
1829	Functional patterns obtained by nanoimprinting lithography and subsequent growth of polymer brushes. 2007 , 18, 215301	18
1828	Effects of mold geometries and imprinted polymer resist thickness on ultrasonic nanoimprint lithography. 2007 , 17, 1220-1231	19
1827	Novel fabrication of micro-nano mixed 3D-structure by advanced hybrid nanoimprint lithography. 2007 ,	
1826	Glass nanoimprint using amorphous NiP mold etched by focused-ion beam. 2007 , 25, 1025-1028	6
1825	Emission characteristics of a surface-emitting organic photonic crystal laser. 2007 ,	
1824	Nanoimprinted circular grating distributed feedback dye laser. <i>Applied Physics Letters</i> , 2007 , 91, 051109	3,4 37
1823	Study of nanopattern forming with chemical coatings for silicon-based stamp in nanoimprint process. 2007 ,	
1822	Soft-mold-induced self-construction of polymer patterns under microwave irradiation. <i>Applied Physics Letters</i> , 2007 , 90, 191901	3-4 4
1821	Fundamental investigation on transparent replicated mold using an organic-inorganic hybrid material. 2007 ,	
1820	High Quality Film Nanoimprint Technology for Blu-Ray Disc (BD) Media. 2007 , 43, 836-839	5
1819	Nanopatterned Electrochromic Conjugated Poly(terthiophene)s via Thermal Nanoimprint Lithography of Precursor Polymer. 2007 , 44, 1305-1309	13

1818	Fabrication of complex nanoscale structures on various substrates. <i>Applied Physics Letters</i> , 2007 , 91, 123118	3-4	21
1817	Large flexible nanowire grid visible polarizer made by nanoimprint lithography. <i>Applied Physics Letters</i> , 2007 , 90, 063111	3-4	55
1816	Density variation of nanoscale patterns in thermal nanoimprint lithography. <i>Applied Physics Letters</i> , 2007 , 91, 253111	3-4	10
1815	Spontaneous emission control of colloidal nanocrystals using nanoimprinted photonic crystals. <i>Applied Physics Letters</i> , 2007 , 90, 011115	3-4	21
1814	Nanoimprint (Technology, Tools, Applications and Commercialization) And New Technologies Beyond. 2007 ,		1
1813	Nanoimprint of gratings on a bulk metallic glass. <i>Applied Physics Letters</i> , 2007 , 90, 034101	3-4	100
1812	A single-molecule barcoding system using nanoslits for DNA analysis. 2007 , 104, 2673-8		265
1811	Advanced nanoimprint lithography using a graded functional imprinting material tailored for liquid crystal alignment. 2007 , 102, 063501		16
1810	Alignment of liquid crystals by topographically patterned polymer films prepared by nanoimprint lithography. <i>Applied Physics Letters</i> , 2007 , 90, 163510	3-4	49
1809	Microimprinting and ferroelectric properties of poly(vinylidene fluoride-trifluoroethylene) copolymer films. <i>Applied Physics Letters</i> , 2007 , 91, 172906	3-4	53
1808	Conductive Blended Polymer MEMS Microresonators. 2007 , 16, 329-335		6
1807	Technology Challenges for Silicon Nanophotonics and Beyond. 2007 ,		1
1806	Evaluation of UV-Nanoimprinted Surface Roughness Using Si Mold with Atomically Flat Terraces. 2007 , 46, L1083-L1085		5
1805	FABRICATION OF SILICON NANOARRAYS BY DIRECT NANOSPHERE LITHOGRAPHY. 2007 , 14, 709-712		2
1804	Characterization and Fabrication of Nano-Sized Patterns and Microfluidic Channels Derived from Polyvinylsilazane via Soft Lithographic Technique. 2007 , 544-545, 677-680		3
1803	Fabrication of Large-Area Imprint Mold with High-Aspect-Ratio Nanotip Arrays of Sub-Micron Diameter. 2007 , 364-366, 607-612		1
1802	Approximate Solutions of Perturbed Nonlinear Schrödinger Equations. 2007 , 48, 227-231		3
1801	The Effect of Metal-Film Thickness on Pattern Formation by Using Direct Imprint. 2007 , 46, 6382-6386		8

1800	Pattern Transfer Process Using Innovative Polymers in Combined Thermal and UV Nanoimprint Lithography (TUV-NIL). 2007 , 1002, 1	1
1799	Room-Temperature Nanoimprinting Using Ladder Hydrogen Silsesquioxane (HSQ). 2007 , 20, 555-558	1
1798	Micro Patterning Using UV-Nanoimprint Process. 2007 , 20, 559-562	9
1797	Status and Challenges of Template Fabrication Process for UV Nanoimprint Lithography. 2007 , 20, 563-567	5
1796	UV Nanoimprint Lithography and Its Application for Nanodevices. 2007 , 20, 549-554	12
1795	Simulation of the Time Evolution Profiles in Nanoimprint Lithography. 2007 , 20, 573-576	2
1794	Molecular Design of o-Nitrobenzyl Phenol Ether for Photo-deprotection Resist; Challenge to half-pitch 22nm using Near-field Lithography. 2007 , 20, 591-598	6
1793	Shadow Edge Lithography for Wafer-Scale Nanofabrication. 2007 , 341	
1792	Complex and useful polymer micro- and nanostructures via nanoimprint lithography. 2007 , 4, 389	1
1791	Surface Molecular Aggregation Structure and Surface Properties of Poly (fluoroalkyl acrylate) Thin Films. 2007 , 64, 181-190	11
1790	Nanoimprint lithography processes on 200mm Si wafer for optical application: Residual thickness etching anisotropy. 2007 , 25, 2346	15
1789	Hybrid nanoimprint for micro-nano mixture structure. 2007 ,	2
1788	Concentrating light into nanometer domain using nanoscale ridge apertures and its application in laser-based nanomanufacturing. 2007 , 59, 273-278	3
1787	Sub-100 nm photolithography using TE-polarized waves in transparent nanostructures. 2007 , 32, 71-3	7
1786	Organic light-emitting diodes with photonic crystals on glass substrate fabricated by nanoimprint lithography. <i>Applied Physics Letters</i> , 2007 , 90, 111114	3-4 134
1785	Imprinted silicon-based nanophotonics. 2007 , 15, 1261-6	35
1784	Integration of active and passive polymer optics. 2007 , 15, 3931-9	52
1783	Direct bonding and beyond. 2007 , 46, 6793-803	19

1782	Fine embossing of chalcogenide glasses: First time submicron definition of surface embossed features. 2007 , 353, 1302-1306	14
1781	Air bubble formation and dissolution in dispensing nanoimprint lithography. 2007 , 18, 025303	66
1780	58nm half-pitch plastic wire-grid polarizer by nanoimprint lithography. 2007 , 25, 2654	8
1779	Flexible conjugated polymer photovoltaic cells with controlled heterojunctions fabricated using nanoimprint lithography. <i>Applied Physics Letters</i> , 2007 , 90, 123113	3-4 157
1778	Nanoscience. 2007 ,	22
1777	Nanoimprinted SERS-Active Substrates with Tunable Surface Plasmon Resonances. 2007 , 111, 6720-6723	163
1776	Fabrication of photonic crystal structures on light emitting diodes by nanoimprint lithography. 2007 , 18, 055306	100
1775	Shadow edge lithography for nanoscale patterning and manufacturing. 2007 , 18, 405307	18
1774	Patterning polymeric structures with 2 nm resolution at 3 nm half pitch in ambient conditions. 2007 , 7, 1846-50	74
1773	Subwavelength Optical Elements and Nanoimprint Technology for Optical System on Chip. 2007 ,	
1772	Polymer Surface Morphology Control for Microfluidic Devices. 2007 ,	
1771	Bilayer metal wire-grid polarizer fabricated by roll-to-roll nanoimprint lithography on flexible plastic substrate. 2007 , 25, 2388	97
1770	Electrostatically actuated conducting polymer microbridges. 2007 , 101, 064507	9
1769	Effect of Back Mold Grooves on Improving Uniformity in Nanoimprint Lithography. 2007 , 46, 6370-6372	3
1768	Materials for step and flash imprint lithography (S-FIL [®]). 2007 , 17, 3575	66
1767	Micropatterning of Electrodes by Microcontact Printing Method and Application to Thin Film Transistor Devices. 2007 , 46, 5960-5963	31
1766	Polybenzoxazine as a mold-release agent for nanoimprint lithography. 2007 , 23, 5868-71	60
1765	Predicting Polymer Flow during High-Temperature Atomic Force Microscope Nanoindentation. 2007 , 40, 8096-8103	7

1764	Reactive microCP on ultrathin block copolymer films: investigation of the microCP mechanism and application to sub-microm (bio)molecular patterning. 2007 , 23, 1131-40	10
1763	Fabrication of subwavelength metallic structures by using a metal direct imprinting process. 2007 , 40, 3440-3447	9
1762	Relaxation behavior of polymer structures fabricated by nanoimprint lithography. 2007 , 1, 84-92	51
1761	Nano-fabrication with metallic glass-an exotic material for nano-electromechanical systems. 2007 , 18, 035302	112
1760	Tunable External Cavity Laser With a Liquid-Crystal Subwavelength Resonant Grating Filter as Wavelength-Selective Mirror. 2007 , 19, 1099-1101	17
1759	Improvement of Light Extraction From Patterned Polymer Encapsulated GaN-Based Flip-Chip Light-Emitting Diodes by Imprinting. 2007 , 19, 1840-1842	28
1758	Light output enhancement of a GaN-based light emitting diode by polymer film imprinting. 2007 , 22, 279-282	6
1757	Patterning biomolecules with a water-soluble release and protection interlayer. 2007 , 23, 11377-80	14
1756	Self-Assembling Systems on Scales from Nanometers to Millimeters: Design and Discovery. 2007 , 1-46	15
1755	Anisotropic wettability on imprinted hierarchical structures. 2007 , 23, 7793-8	109
1754	Manufacturing High Aspect Ratio Microstructures. 2007 , 99-142	
1753	Focused ion beam systems as a multifunctional tool for nanotechnology. 355-390	2
1752	Nanoimprinted Circular Grating Distributed Feedback Dye Laser. 2007 ,	
1751	Siloxane Copolymers for Nanoimprint Lithography. 2007 , 17, 65-70	27
1750	High-Resolution Nanoimprinting with a Robust and Reusable Polymer Mold. 2007 , 17, 2419-2425	78
1749	Nanoimprint Lithography: Methods and Material Requirements. 2007 , 19, 495-513	1395
1748	Solvent-Vapor-Assisted Imprint Lithography. 2007 , 19, 757-761	46
1747	High-Throughput and Etch-Selective Nanoimprinting and Stamping Based on Fast- Thermal-Curing Poly(dimethylsiloxane)s. 2007 , 19, 1222-1227	46

1746	Multicolor Emission on Prepatterned Substrates Using a Single Dye Species. 2007 , 19, 2119-2123	32
1745	Vapor-Assisted Micropatterning in Replica Structures: A Solventless Approach towards Topologically and Chemically Designable Surfaces. 2007 , 19, 3801-3808	58
1744	The Direct Patterning of Nanoporous Interlayer Dielectric Insulator Films by Nanoimprint Lithography. 2007 , 19, 2919-2924	27
1743	Generation of Various Complex Patterned Structures From a Single Ellipsoidal Dot Prepattern by Capillary Force Lithography. 2007 , 19, 4392-4398	23
1742	A Simple Imprint Method for Multi-Tiered Polymer Nanopatterning on Large Flexible Substrates Employing a Flexible Mold and Hemispherical PDMS Elastomer. 2007 , 28, 1995-2000	9
1741	Nanohot embossing using curved stage to replicate antireflection nanostructures onto light guide. 2007 , 8, 208-213	2
1740	Chemical patterns of octadecyltrimethoxysilane monolayers for the selective deposition of nanoparticles on silicon substrate. 2007 , 107, 980-4	7
1739	Realization of various sub-micron metal patterns using room temperature nanoimprint lithography. 2007 , 515, 5153-5157	4
1738	Surface modification of silicate glasses by nanoimprint using nanostrided NiO thin film molds. 2007 , 253, 4512-4514	16
1737	Molecular dynamics analysis of nanoimprinted CuNi alloys. 2007 , 253, 6963-6968	22
1736	Indentation across size scales and disciplines: Recent developments in experimentation and modeling. 2007 , 55, 4015-4039	348
1735	Silated acidic copolymers for nanoimprint lithography on flexible plastic substrates. 2007 , 84, 129-135	6
1734	Flow property measurements for nanoimprint simulation. 2007 , 84, 928-931	12
1733	Fabrication of 50nm patterned nickel stamp with hot embossing and electroforming process. 2007 , 84, 977-979	42
1732	Review of the wafer stage for nanoimprint lithography. 2007 , 84, 684-688	54
1731	Optimization of demolding temperature for throughput improvement of nanoimprint lithography. 2007 , 84, 953-957	23
1730	Development of ultrasonic micro hot embossing technology. 2007 , 84, 1282-1287	77
1729	Recent progress of nano-technology with NSOM. 2007 , 38, 409-26	71

1728	The effects of thin-film thickness on the formaton of metallic patterns by direct nanoimprint. 2007 , 191, 326-330	8
1727	Hybrid laser micro/nanofabrication of phase change materials with combination of chemical processing. 2007 , 192-193, 340-345	7
1726	Nonadiabatic photochemical reaction and application to photolithography. 2007 , 122-123, 230-233	30
1725	Fabrication of metallic nanopatterns using the vacuum type UV-NIL equipment. 2007 , 2, 307-312	8
1724	Fabrication of optical waveguide devices using gas-assisted UV micro/nanoimprinting with soft mold. 2007 , 18, 876-882	23
1723	Room-temperature imprinting poly(acrylic acid)/poly(allylamine hydrochloride) multilayer films by using polymer molds. 2007 , 23, 3254-9	44
1722	Mechanical properties of polymer nanostructures: measurements based on deformation in response to capillary forces. 2007 , 90, 277-283	19
1721	Molecular dynamics study of pattern transfer in nanoimprint lithography. 2007 , 25, 93-102	47
1720	Anti-adhesive effects of diverse self-assembled monolayers in nanoimprint lithography. 2007 , 139, 145-151	21
1719	Direct stamp fabrication for NIL and hot embossing using HSQ. 2007 , 84, 2785-2789	21
1718	Fabrication of three-dimensional nanoimprint mold using inorganic resist in low accelerating voltage electron beam lithography. 2007 , 84, 912-915	34
1717	Characterization and fabrication of polyvinylsilazane glass microfluidic channels via soft lithographic technique. 2008 , 14, 45-51	4
1716	Room temperature crystallization by RF plasma. 2008 , 516, 4490-4494	11
1715	Pushing the boundaries of local oxidation nanolithography: short timescales and high speeds. 2008 , 108, 1120-3	19
1714	Nanolithography using high transmission nanoscale ridge aperture probe. 2008 , 93, 881-884	20
1713	Micromachining of electroformed nickel mold using thick photoresist microstructure for imprint technology. 2008 , 14, 1359-1365	11
1712	Effect of applying ultrasonic vibration in thermal nanoimprint lithography. 2008 , 14, 1325-1333	21
1711	Replication technologies for HARM devices: status and perspectives. 2008 , 14, 1599-1605	26

1710	Fabrication of silicon nanopillar teradot arrays by electron-beam patterning for nanoimprint molds. 2008 , 4, 2118-22	27
1709	Direct magnetic patterning due to the generation of ferromagnetism by selective ion irradiation of paramagnetic FeAl alloys. 2009 , 5, 229-34	63
1708	Synthesis and characterization of hyperbranched polymers with increased chemical versatility for imprint lithographic resists. 2008 , 46, 6238-6254	34
1707	Study on the formation defect of nano imprinted optical waveguide devices and nano-indentation detection. 2008 , 19, 1704-1709	8
1706	Invisible Silver Tracks Produced by Combining Hot-Embossing and Inkjet Printing. 2008 , 18, 1031-1038	58
1705	Sub-20 nm Magnetic Dots with Perpendicular Magnetic Anisotropy. 2008 , 18, 76-81	9
1704	Nanoimprint Lithography and the Role of Viscoelasticity in the Generation of Residual Stress in Model Polystyrene Patterns. 2008 , 18, 1854-1862	28
1703	Development of Novel Carbon Nanotube/Photopolymer Nanocomposites with High Conductivity and their Application to Nanoimprint Photolithography. 2008 , 20, 2151-2155	46
1702	High-Speed Roll-to-Roll Nanoimprint Lithography on Flexible Plastic Substrates. 2008 , 20, 2044-2049	513
1701	Photo-embossed Surface Relief Structures with an Increased Aspect Ratios by Addition of a Reversible Addition-Fragmentation Chain Transfer Agent. 2008 , 20, 3117-3121	10
1700	A novel overlay process for imprint lithography using load release and alignment error pre-compensation method. 2008 , 85, 168-174	9
1699	Direct soft UV-NIL with resist incorporating carbon nanotubes. 2008 , 85, 195-201	11
1698	Improvement of UV-moulding accuracy by heat and solvent assisted process. 2008 , 85, 263-270	12
1697	Fabrication of 70nm narrow metal nanowire structure on flexible PET film by nanoimprint lithography. 2008 , 85, 710-713	24
1696	Micro lens imprinted on Pyrex glass by using amorphous NiP alloy mold. 2008 , 85, 873-876	12
1695	Stamp deformation and its influence on residual layer homogeneity in thermal nanoimprint lithography. 2008 , 85, 877-880	20
1694	Polymers below the critical molecular weight for thermal imprint lithography. 2008 , 85, 825-829	12
1693	Fabrication of nanoimprint template in Si with high etch rate by non-switch DRIE process. 2008 , 85, 1015-1017	12

1692	A 4-in.-based single-step UV-NIL tool using a low vacuum environment and additive air pressure. 2008 , 85, 2304-2308	4
1691	Development of new single-mode waveguide surface plasmon resonance sensor using a polymer imprint process for high-throughput fabrication and improved design flexibility. 2008 , 129, 881-887	15
1690	Polymer surface morphology control by reactive ion etching for microfluidic devices. 2008 , 132, 637-643	25
1689	Effects of thin film properties on metallic pattern formation by direct nanoimprint. 2008 , 201, 765-769	7
1688	Nano-sized patterns derived from a SiCN preceramic polymer: Fabrication and their characterization. 2008 , 69, 2131-2136	5
1687	Anti-sticking treatment for a nanoimprint stamp. 2008 , 254, 2955-2959	23
1686	Lithography potentials of UV-nanoimprint. 2008 , 8, 669-674	12
1685	Performance and characteristics of SiO ₂ imprint mould fabricated by liquid-phase deposition. 2008 , 44, 520-527	3
1684	Nano- and microstructured polymer LB layers: A combined AFM/SIMS study. 2008 , 255, 1006-1010	9
1683	Fabrication of photonic crystals for infrared applications. 2008 , 313-314, 497-499	1
1682	Determination of stress build-up during nanoimprint process in triangular polymer structures. 2008 , 85, 838-841	4
1681	Nano-scale metallization of Au on flexible polyimide substrate by reversal imprint and lift-off process. 2008 , 85, 1561-1567	11
1680	Focused ion beam/scanning electron microscopy characterization of cell behavior on polymer micro-/nanopatterned substrates: a study of cell-substrate interactions. 2008 , 39, 111-6	56
1679	On pattern transfer in replica molding. 2008 , 24, 6636-9	27
1678	A hierarchical structure through imprinting of a polyimide precursor without residual layers. 2008 , 18, 105005	3
1677	External cavity wavelength tunable semiconductor lasers - a review. 2008 , 16,	46
1676	Numerical study of optical nanolithography using nanoscale bow-tie-shaped nano-apertures. 2008 , 229, 483-9	22
1675	. 2008 , 96, 248-270	240

1674	Ordering of silver flowerlike nanosheet structures on an aluminium substrate. 2008 , 62, 3588-3590	1
1673	Nanogap detector inside nanofluidic channel for fast real-time label-free DNA analysis. 2008 , 8, 1472-6	170
1672	An assessment of the process capabilities of nanoimprint lithography. 2008 , 41, 174001	28
1671	Patterning photo-curable light-emitting organic composites by vertical and horizontal capillarity: a general route to photonic nanostructures. 2008 , 19, 335301	5
1670	Facile transfer of thickness controllable poly(methyl methacrylate) patterns on a nanometer scale onto SiO ₂ substrates via microcontact printing combined with simplified Langmuir-Schaefer technique. 2008 , 24, 14289-95	8
1669	Wetting and Dewetting of Complex Surface Geometries. 2008 , 38, 101-121	149
1668	Nanotechnology-Enabled Sensors. 2008 ,	51
1667	The effect of temperature on the nanoscale adhesion and friction behaviors of thermoplastic polymer films. 2008 , 19, 105701	15
1666	Introduction. 2008 , 1-6	2
1665	Nanofabrication by Replication. 2008 , 161-209	1
1664	Survey on Roller-type Nanoimprint Lithography (RNIL) Process. 2008 ,	7
1663	Pinched flow fractionation devices for detection of single nucleotide polymorphisms. 2008 , 8, 818-21	30
1662	BioNanoFluidic MEMS. 2008 ,	3
1661	Direct patterning of micro-optical structures by combined nanoimprinting and lithography. 2008 ,	1
1660	Color filter incorporating a subwavelength patterned grating in poly silicon. 2008 , 16, 2374-80	79
1659	Nanopatterning using NSOM probes integrated with high transmission nanoscale bowtie aperture. 2008 , 16, 2584-9	47
1658	Melt-processed all-polymer distributed Bragg reflector laser. 2008 , 16, 10358-63	57
1657	Wafer-scale patterning of sub-40 nm diameter and high aspect ratio (>50:1) silicon pillar arrays by nanoimprint and etching. 2008 , 19, 345301	172

1656	Nanoimprinted semiconducting polymer films with 50 nm features and their application to organic heterojunction solar cells. 2008 , 19, 424016	86
1655	Fabrication approaches for generating complex micro- and nanopatterns on polymeric surfaces. 2008 , 108, 911-45	372
1654	Room-temperature fabrication of nanotexture in crystalline poly(fluoroalkyl acrylate) thin film. 2008 , 4, 1400-1402	18
1653	Room Temperature Nanoimprint Lithography Using Molds Fabricated by Molecular Beam Epitaxy. 2008 , 7, 363-370	24
1652	Deposition of PdAu Thin Films Sectioned by Sub-15-Nm Gaps on Silicon Using Direct Nanotransfer Printing. 2008 ,	
1651	Fabrication of Ultrasmooth Mirrors by UV-Nanoimprint. 2008 , 47, 5156-5159	2
1650	Imprinted large-scale high density polymer nanopillars for organic solar cells. 2008 , 26, 2562-2566	85
1649	Systematic investigation of localized surface plasmon resonance of long-range ordered Au nanodisk arrays. 2008 , 103, 014308	101
1648	Cell adhesion properties of patterned poly(acrylic acid)/poly(allylamine hydrochloride) multilayer films created by room-temperature imprinting technique. 2008 , 24, 8050-5	33
1647	Influence of drying time of polyelectrolyte multilayers on the compression-induced pattern formation. 2008 , 24, 13925-33	13
1646	Regular Undulation Morphology Observed on Fracture and Film Surfaces of Chiral SC* Polymer. 2008 , 41, 5361-5364	6
1645	On the mechanism of low-pressure imprint lithography: capillarity vs viscous flow. 2008 , 24, 5459-63	7
1644	Fabrication of multicolor patterns with a single dye species on a polymer surface. 2008 , 24, 12745-7	6
1643	Sub-10 nm self-enclosed self-limited nanofluidic channel arrays. 2008 , 8, 3830-3	79
1642	Measuring glassy and viscoelastic polymer flow in molecular-scale gaps using a flat punch mechanical probe. 2008 , 2, 419-28	20
1641	Complex pattern formation by adhesion-controlled anisotropic wrinkling. 2008 , 24, 6897-902	62
1640	Nanoimprint lithography: An old story in modern times? A review. 2008 , 26, 458	556
1639	High-resolution poly(ethylene terephthalate) (PET) hot embossing at low temperature: thermal, mechanical, and optical analysis of nanopatterned films. 2008 , 24, 12581-6	27

1638	Fabrication Technologies. 2008 , 79-134	1
1637	A molecular dynamics study of nanoindentation on a methyl methacrylate ultrathin film on a Au(111) substrate: interface and thickness effects. 2008 , 24, 13440-9	21
1636	Laser Nano-Patterning for Large Area Nanostructure Fabrication. 2008 , 2, 382-389	4
1635	NpNdependence of empirical formula for the lowest excitation energy of the 2+states in evenEven nuclei. 2008 , 35, 035105	2
1634	A flexure-based electromagnetic linear actuator. 2008 , 19, 315501	35
1633	Fabrication of metallic micropatterns using table top extreme ultraviolet laser interferometric lithography. 2008 , 17, 024019	6
1632	Fabrication of High-Intensity Light-Emitting Diodes Using Nanostructures by Ultraviolet Nanoimprint Lithography and Electrodeposition. 2008 , 47, 933-935	23
1631	Development of novel SU-8 based nanoimprint lithography. 2008 ,	
1630	Effect of Cu+2 Doping on the Nano-Scale Surface Roughness of Polyacrylamide Thin Replicas. 2008 , 57, 396-403	1
1629	TiN coating/glass substrate system fabricated for hot-embossing stamp at multi-scale. 2008 ,	
1628	Fabrication of Tunable Duty Cycle Metal Wire Nanograting by Oblique Sputtering. 2008 ,	
1627	Easy duplication of stamps using UV-cured fluoro-silsesquioxane for nanoimprint lithography. 2008 , 26, 2426-2429	17
1626	Polymeric Optical Films as Patterned Retarders and Alignment Layers for Transflective Liquid Crystal Displays. 2008 , 489, 183/[509]-193/[519]	3
1625	Temperature Dependence of Release Effect for Antisticking Layer in Nanoimprint Characterized by Scanning Probe Microscopy. 2008 , 47, 7467-7469	
1624	Nano Fabrication and Patterning Techniques. 2008 , 135-210	
1623	Fluorinated diamondlike carbon templates for high resolution nanoimprint lithography. 2008 , 26, 2394-2398	17
1622	Alignment measurement method for imprint lithography using moiréfringe pattern. 2008 , 47, 113604	11
1621	Self-similarity and finite-size effects in nano-indentation of highly cross-linked polymers. 2008 , 19, 475301	12

1620	Fabrication of quartz mold with submicrometer features based on laser-assisted contact transfer method. 2008 , 7, 033006	1
1619	A Zero Residual Layer Process for Microimprint Lithography Using a Soft Mold. 2008 , 155, J157	1
1618	Quantitative characterizations of a nanopatterned bonded wafer: force determination for nanoimprint lithography stamp removal. 2008 , 19, 125305	26
1617	Fundamental Research on Generation of Nanostructure by Means of Local Anodic Oxidation. 2008 , 389-390, 424-429	1
1616	Low cost fabrication of the large-area anti-reflection films from polymer by nanoimprint/hot-embossing technology. 2008 , 19, 205301	99
1615	Novel Use of Columnar Porous Silicon Carbide Structures as Nanoimprint Lithography Stamps. 2008 , 600-603, 871-874	2
1614	Flash imprint lithography using a mask aligner: a method for printing nanostructures in photosensitive hydrogels. 2008 , 19, 215303	10
1613	Fabrication of sub-25 nm diameter pillar nanoimprint molds with smooth sidewalls using self-perfection by liquefaction and reactive ion etching. 2008 , 19, 455301	14
1612	Sub-wavelength optical diffraction and photoacoustic metrologies for the characterisation of nanoimprinted structures. 2008 ,	2
1611	Novel hydrostatic pressuring mechanism for soft UV-imprinting processes. 2008 , 26, 132	10
1610	Simulation study on stress and deformation of polymeric patterns during the demolding process in thermal imprint lithography. 2008 , 26, 598	36
1609	Comparison of monomer and polymer resists in thermal nanoimprint lithography. 2008 , 26, 2430-2433	9
1608	Plasma fluorination of carbon-based materials for imprint and molding lithographic applications. <i>Applied Physics Letters</i> , 2008 , 93, 153105	3.4 19
1607	High-aspect-ratio nanopillar structures fabricated by nanoimprinting with elongation phenomenon. 2008 , 26, 582	9
1606	Fabrication of Sub-100 nm Sized Patterns on Curved Acryl Substrate Using a Flexible Stamp. 2008 , 47, 3699-3701	19
1605	Quick Cavity Filling in UV Nanoimprint Using Pentafluoropropane. 2008 , 47, 5151-5155	35
1604	Examination of Focused-Ion-Beam Repair Resolution for UV-Nanoimprint Templates. 2008 , 47, 5160-5163	4
1603	Lithographical Method by Oxidation through a Conductive Template in Contact with a Silicon Substrate Mediated by a Thin Water Layer. 2008 , 47, 2456-2459	1

1602	Glass Imprinting Process for Fabrication of Sub-Wavelength Periodic Structures. 2008 , 47, 4746-4750	20
1601	Ultrasonic Nanoimprint on Poly(ethylene terephthalate) at Room Temperature. 2008 , 47, 5178-5184	21
1600	Grain Size Effect on Nanopattern Formability in Direct Imprint. 2008 , 47, 5185-5188	4
1599	Fabrication of a silicon oxide stamp by edge lithography reinforced with silicon nitride for nanoimprint lithography. 2008 , 18, 064013	24
1598	Molecular Dynamics Study of Yield Stress of Si Mold for Nanoimprint Lithography. 2008 , 47, 2320-2323	8
1597	Impacts of Mold Geometries and Imprinted Resist Thickness on Velocity Fields for Nanoimprint Lithography. 2008 , 47, 5197-5203	3
1596	A functionally separated nanoimprinting material tailored for homeotropic liquid crystal alignment. 2008 , 19, 395301	14
1595	A compact system for large-area thermal nanoimprint lithography using smart stamps. 2008 , 18, 055018	9
1594	Nanoimprint Applications for Liquid Crystal Displays. 2008 ,	
1593	Enhancement of fluorescence intensity from an immunoassay chip using high-aspect-ratio nanopillars fabricated by nanoimprinting. <i>Applied Physics Letters</i> , 2008 , 93, 033904	3-4 21
1592	Variable temperature thin film indentation with a flat punch. 2008 , 79, 013904	17
1591	Novel photocurable epoxy siloxane polymers for photolithography and imprint lithography applications. 2008 , 26, 244	14
1590	Organization of liquid crystals on submicron scale topographic patterns with fourfold symmetry prepared by thiolene photopolymerization-based nanoimprint lithography. 2008 , 103, 093518	25
1589	Surface molecular aggregation structure and surface physicochemical properties of poly(fluoroalkyl acrylate) thin films. 2008 , 100, 012035	10
1588	Improvement of light extraction from micro-pattern encapsulated GaN-based LED by imprinting. 2008 ,	2
1587	Tunable Liquid Crystal Laser Using Distributed Feedback Cavity Fabricated by Nanoimprint Lithography. 2008 , 1, 012003	30
1586	UV-Curable Resins Appropriate for UV Nanoimprint. 2008 , 21, 573-581	10
1585	Study on Polymer and Process Design in Thermal Nanoimprint Lithography. 2008 , 21, 601-606	2

1584	Patterning Based on External Force: Nanoimprint Lithography. 129-166	
1583	Optical Nanoimprint using Plastic Template and Visible Light-Curable Resin. 2008 , 21, 583-586	
1582	Effect of UV Irradiation on Microlens Arrays and Line-and-Spacing Grating Fabricated by Room-Temperature Nanoimprinting Using Organic Spin on Glass. 2008 , 21, 587-590	
1581	Evaluation of Fluorinated Diamond Like Carbon as Antisticking Layer by Scanning Probe Microscopy. 2008 , 21, 597-599	1
1580	Fabrication of nanophotonic circuit components by thermal nano imprint lithography. 2008 ,	0
1579	Iterative imprint for multilayered nanostructures by feeding, vacuum forming, and bonding of sheets. 2008 , 26, 1753	1
1578	Porosity characteristics of ultra-low dielectric insulator films directly patterned by nano-imprint lithography. 2008 ,	1
1577	Double-Layered Metal Mesh Film With Limited Viewing Angle Prepared by Electroless Plating of Self-Organized Honeycomb Film. 2008 , 267, 100-104	4
1576	Preparation of Metal Microdots and Microdiscs by Using Honeycomb Template Prepared by Self-organization. 2008 , 267, 95-99	3
1575	A Rigiflex Mold and its Applications. 539-564	
1574	. 2008 ,	26
1573	Polymer-ridge Waveguide Fabrication by Gas-assisted UV Embossing with a Soft Mold. 2008 , 23, 312-316	
1572	?????????????. 2008 , 59, 648-653	
1571	?????????????????????????????????. 2008 , 59, 430-436	
1570	Materials. 7-25	
1569	Observation of Filling Behavior in UV-nanoimprinting Using a Mold with Hollow Grid Structure. 2009 , 21, 346-350	1
1568	Advanced Nanosensors for Environmental Monitoring. 2009 , 391-415	1
1567	Direct indium tin oxide patterning using thermal nanoimprint lithography for highly efficient optoelectronic devices. 2009 , 27, 2786	28

1566 Fabrication of micro gear with new technologies. **2009**,

1565 Optical Properties of Nanoimprinted Grating with Nematic Liquid Crystal. **2009**, 507, 234-244 4

1564 Three dimensional microstructuring of biopolymers by femtosecond laser irradiation. *Applied Physics Letters*, **2009**, 95, 263703 3-4 26

1563 Contact Guidance Based on the Nanostructures Fabricated by Nanoimprint Lithography. **2009**,

1562 Replication Processes. **2009**, 13-55

1561 UV irradiation effect on sol-gel indium tin oxide nanopatterns replicated by room-temperature nanoimprint. **2009**, 27, 2805 6

1560 Soft UV-nanoimprint lithography for the fabrication of frequency selective components. **2009**,

1559 Accurate and diverse recommendations via eliminating redundant correlations. **2009**, 11, 123008 88

1558 Soft imprint lithography using swelling/deswelling characteristics of a polymer mold and a resist induced by a poor solvent. **2009**, 19, 037001 4

1557 Molecular Dynamics Study on Resolution in Nanoimprint Lithography for Glass Material. **2009**, 1179, 22 1

1556 Massively parallel fabrication of repetitive nanostructures: nanolithography for nanoarrays. **2009**, 42, 123001 28

1555 Microcup Array Fabricated by Thermal Imprint Lithography for E-Paper Application. **2009**, 514, 219/[549]-227/[557]

1554 Precise Design of Surface Nano-texture and Surface Chemistry of Polymeric Solids. **2009**, 16, 519-533 4

1553 Thermal Nanoimprint of a Polystyrene and Poly(4-vinylpyridine) Double-Layer Thin Film and Visualization Determination of Its Internal Structure by Transmission Electron Microscopy. **2009**, 48, 06FH12 1

1552 APPLICATIONS OF NANOIMPRINT LITHOGRAPHY FOR BIOCHEMICAL AND NANOPHOTONIC STRUCTURES USING SU-8. **2009**, 08, 151-155 3

1551 Chemical degradation of fluorinated antisticking treatments in UV nanoimprint lithography. *Applied Physics Letters*, **2009**, 94, 044110 3-4 34

1550 Recovery prevention via pressure control in thermal nanoimprint lithography. **2009**, 27, 2882 5

1549 Fast patterning and dry-etch of SiN_x for high resolution nanoimprint templates. **2009**, 30, 066001

1548	Transfer of optically active polyelectrolyte multilayers by micro-contact printing. 2009 , 11, 065601	11
1547	Buckling Analysis of Soft Nanostructure in Nanoimprinting. 2009 , 26, 126202	5
1546	Frequency and amplitude dependences of molding accuracy in ultrasonic nanoimprint technology. 2009 , 19, 125026	17
1545	Probing the temperature dependence of the mechanical properties of polymers at the nanoscale with band excitation thermal scanning probe microscopy. 2009 , 20, 395709	40
1544	Simulation Analysis on Characteristics of a Planar Capacitive Sensor for Large Scale Measurement. 2009 ,	1
1543	Thermal roller imprint on surface of Teflon perfluoroalkoxy inlet tube. 2009 , 27, 2814	9
1542	Design and fabrication of organic solar cells structured via nanoimprint lithography. 2009 , 193, 012115	1
1541	Duplication of nanoimprint templates by a novel SU-8/SiO ₂ /PMMA trilayer technique. 2009 , 27, 19	6
1540	Sub-15nm nanoimprint molds and pattern transfer. 2009 , 27, 2837	40
1539	Impact of slip and contact angle on imprinting pressure in nanoimprint lithography. 2009 , 27, 590	5
1538	Lift-off process using bilayer ultraviolet nanoimprint lithography and methacryloxypropyl-terminated-polydimethylsiloxane-based imprint resin. 2009 , 27, 1861	10
1537	Self-aligned fabrication of 10 nm wide asymmetric trenches for Si/SiGe heterojunction tunneling field effect transistors using nanoimprint lithography, shadow evaporation, and etching. 2009 , 27, 2790	12
1536	Evaluation of nanoimprint lithography as a fabrication process of phase-shifted diffraction gratings of distributed feedback laser diodes. 2009 , 27, 2776	5
1535	Ultrathin fluorinated diamondlike carbon coating for nanoimprint lithography imprinters. 2009 , 27, 2869	6
1534	Hierarchical structure formation induced by dewetting in an imprinting process. 2009 , 27, 2858	1
1533	Nanoimprint lithography stamp modification utilizing focused ion beams. 2009 , 27, 2679	11
1532	Electrical characterization of GeSbTe phase change nano-pillars using conductive atomic force microscopy. 2009 , 24, 075016	18
1531	Quantized patterning using nanoimprinted blanks. 2009 , 20, 155303	3

1530	Reverse pattern duplication utilizing a two-step metal lift-off process via nanoimprint lithography. 2009 , 19, 105022	7
1529	Self-limited self-perfection by liquefaction for sub-20 nm trench/line fabrication. 2009 , 20, 465305	7
1528	Nanostructured Co film on ordered polymer nanohills: a base for novel magnetic nanostructures. 2009 , 20, 075301	10
1527	Application of Nanoimprint Lithography to Fabrication of Distributed Feedback Laser Diodes. 2009 , 48, 06FH11	9
1526	Seamless Pattern Fabrication of Large-Area Nanostructures Using Ultraviolet Nanoimprint Lithography. 2009 , 48, 06FH21	8
1525	Thermal Imprint Lithography onto Filler Incorporated Composite Resin. 2009 , 48, 06FH16	
1524	Development of NiB-Plated Inconel Alloy Mold for Imprinting on Pyrex Glass. 2009 , 48, 06FH06	8
1523	Direct surface structuring of organometallic resists using nanoimprint lithography. 2009 , 20, 135304	14
1522	The fabrication scheme of a high resolution and high aspect ratio UV-nanoimprint mold. 2009 , 20, 495303	5
1521	Deformation Mechanisms of Bilayer Structures for Reducing Imprinting Force. 2009 , 48, 06FH14	
1520	The fabrication of periodic metal nanodot arrays through pulsed laser melting induced fragmentation of metal nanogratings. 2009 , 20, 285310	25
1519	Design and Fabrication of Structural Color Filters with Polymer-Based Guided-Mode Resonant Gratings by Nanoimprint Lithography. 2009 , 48, 06FH04	20
1518	Molecular Dynamics Study of Nanoimprint Lithography for Glass Materials. 2009 , 48, 06FH13	5
1517	Thermal imprinting on quartz fiber using glasslike carbon mold. 2009 , 27, 2820	6
1516	Fine Pattern Fabrication by the Molded Mask Method (Nanoimprint Lithography) in the 1970s. 2009 , 48, 06FH01	19
1515	Characteristics of Antisticking Layer Formed by CHF ₃ Plasma Irradiation for Nanoimprint Molds. 2009 , 48, 06FH15	3
1514	Micro Pattern Roll Mold for Large Area Display by Electroforming and Wrapping Method. 2009 , 48, 050211	11
1513	Double-anchoring fluorinated molecules for antiadhesion mold treatment in UV nanoimprint lithography. 2009 , 27, 2873	20

1512	Direct fabrication of integrated 3D Au nanobox arrays by sidewall deposition with controllable heights and thicknesses. 2009 , 20, 395301		12
1511	Micro-pixel array of organic light-emitting diodes applying imprinting technique with a polymer replica. <i>Applied Physics Letters</i> , 2009 , 95, 093301	3-4	7
1510	Strategy for a loading force induced overlay position shift in step imprint lithography. 2009 , 223, 9-17		7
1509	PROTOTYPING OF DIFFRACTIVE GRATING OPTICS FOR SENSOR APPLICATION BY AN INTEGRATED PROBE-BASED SYSTEM. 2009 , 06, 1-12		
1508	Nanostructured biomimetic moth-eye arrays in silicon by nanoimprint lithography. 2009 ,		12
1507	Soft stamp ultraviolet-nanoimprint lithography for fabrication of laser diodes. 2009 , 8, 033004		4
1506	Nanoimprinted Glass Substrates for Nanoscale Growth Control of Transparent Conducting Oxide Films. 2009 , 1228, 111601		
1505	Low Thresholds in Polymer Lasers on Conductive Substrates by Distributed Feedback Nanoimprinting: Progress Toward Electrically Pumped Plastic Lasers. 2009 , 21, 799-802		128
1504	Low-Cost Fabrication of Transparent Hard Replica Molds for Imprinting Lithography. 2009 , 21, 4050-4053		19
1503	Creating In-Plane Metallic-Nanowire Arrays by Corner-Mediated Electrodeposition. 2009 , 21, 3576-3580		23
1502	Photo-curable resins and evaluation methods for UV-nanoimprint lithography. 2009 , 92, 51-56		3
1501	Molecular Dynamic Studies on Deformation of Polymer Resist During Thermal Nano Imprint Lithographic Process. 2009 , 36, 209-222		13
1500	Fabrication of metal suspending nanostructures by nanoimprint lithography (NIL) and isotropic reactive ion etching (RIE). 2009 , 52, 1181-1186		3
1499	Solvent-assisted polymer micro-molding. 2009 , 54, 2193-2204		9
1498	Molecular Dynamics Simulations of the Roller Nanoimprint Process: Adhesion and Other Mechanical Characteristics. 2009 , 4, 913-920		11
1497	Imprinting a needle array on a polycarbonate substrate. 2009 , 10, 79-83		5
1496	Preparation of a superhydrophobic film with UV imprinting technology. 2009 , 17, 821-824		14
1495	Control of microstructure shape and morphology in femtosecond laser ablation of imprint rollers. 2009 , 41, 504-512		31

1494	Fabrication of Step-and-Flash Imprint Lithography (S-FIL) templates using XeF ₂ enhanced focused ion-beam etching. 2009 , 96, 819-825	5
1493	Optimum design of processing condition and experimental investigation of grating fabrication with hot embossing lithography. 2009 , 22, 665-671	4
1492	Hot embossing of pyramidal micro-structures in PMMA for cell culture. 2009 , 206, 501-507	19
1491	A strategy for patterning conducting polymers using nanoimprint lithography and isotropic plasma etching. 2009 , 5, 583-6	36
1490	Fabrication of polymeric nanorods using bilayer nanoimprint lithography. 2009 , 5, 1632-6	36
1489	Effect of fluorosurfactant on capillary instabilities in nanoimprinted polymer patterns. 2009 , 47, 2591-2600	9
1488	Durability of antisticking layer against heat in nanoimprinting evaluated using scanning probe microscopy. 2009 , 86, 657-660	11
1487	Development of a very large-area ultraviolet imprint lithography process. 2009 , 86, 1983-1988	9
1486	High flowability monomer resists for thermal nanoimprint lithography. 2009 , 86, 779-782	5
1485	Mold cleaning and fluorinated anti-sticking treatments in nanoimprint lithography. 2009 , 86, 669-672	28
1484	A parameter study on the micro hot-embossing process of glassy polymer for pattern replication. 2009 , 86, 2369-2374	25
1483	Porous alumina nano-membranes: Soft replica molding for large area UV-nanoimprint lithography. 2009 , 86, 2375-2380	17
1482	Effect of surface treatments on interfacial adhesion energy between UV-curable resist and glass wafer. 2009 , 29, 662-669	19
1481	Micropatterning of emitting layers by microcontact printing and application to organic light-emitting diodes. 2009 , 518, 555-558	15
1480	Magnetic properties of the integrated (Fe, M)3O4 (M=Mn and Zn) nano-array structures in large area prepared by Nanoimprint lithography with Mo lift-off technique. 2009 , 149, 729-733	4
1479	UV nanoimprint using flexible polymer template and substrate. 2009 , 86, 295-298	20
1478	Research on the cast molding process for high quality PDMS molds. 2009 , 86, 310-313	56
1477	A photo-polymerization resist for UV nanoimprint lithography. 2009 , 86, 325-329	13

1476	Influences of process parameters and mold geometry on direct nanoimprint. 2009 , 86, 665-668	13
1475	Sub-10nm silicon ridge nanofabrication by advanced edge lithography for NIL applications. 2009 , 86, 832-835	36
1474	UV nanoimprint lithography with rigid polymer molds. 2009 , 86, 661-664	45
1473	Fabrication of organic flexible electrodes using transfer stamping process. 2009 , 86, 586-589	17
1472	Nanoimprinting using release-agent-coated resins. 2009 , 86, 673-675	6
1471	Stamp replication for thermal and UV nanoimprint lithography using a UV-sensitive silsesquioxane resist. 2009 , 86, 776-778	12
1470	Imprinted polymer stamps for UV-NIL. 2009 , 86, 2293-2296	13
1469	Replication of high ordered nano-sphere array by nanoimprint lithography. 2009 , 86, 2423-2426	6
1468	Replication of DNA submicron patterns by combining nanoimprint lithography and contact printing. 2009 , 333, 188-94	19
1467	Spontaneous dewetting-induced residue-free patterning at room temperature. 2009 , 340, 74-81	9
1466	Experimental and numerical study on the viscoelastic property of polycarbonate near glass transition temperature for micro thermal imprint process. 2009 , 30, 3879-3884	36
1465	Morphology control and electron field emission properties of high-ordered Si nanoarrays fabricated by modified nanosphere lithography. 2009 , 255, 5414-5417	7
1464	Patterning of layer-by-layer assembled organic-inorganic hybrid films: imprinting versus lift-off. 2009 , 25, 3316-20	22
1463	Replica mold for nanoimprint lithography from a novel hybrid resin. 2009 , 25, 11768-76	30
1462	Nanoscale patterns of dendrimers obtained by soft lithography using elastomeric stamps spontaneously structured by plasma treatment. 2009 , 25, 7752-8	6
1461	Fabrication of sub-50 nm Au nanowires using thermally curing nanoimprint lithography. 2009 , 5, 139-143	14
1460	Effects of artificial micro- and nano-structured surfaces on cell behaviour. 2009 , 191, 126-35	322
1459	Micro- and nanotechnologies for intelligent and responsive biomaterial-based medical systems. 2009 , 61, 1391-401	180

1458	Topographic-pattern-induced homeotropic alignment of liquid crystals. 2009 , 79, 041701	43
1457	Alkanethiolate Self-Assembled Monolayers As a Negative or Positive Resist for Electron Lithography. 2009 , 113, 4543-4548	5
1456	Nanoscale patterning by UV nanoimprint lithography using an organometallic resist. 2009 , 1, 2645-50	12
1455	Replication of cicada wing's nano-patterns by hot embossing and UV nanoimprinting. 2009 , 20, 385303	55
1454	Robust pattern transfer of nanoimprinted features for sub-5-nm fabrication. 2009 , 9, 3629-34	43
1453	Arrays of ferromagnetic nanorings with variable thickness fabricated by capillary force lithography. 2009 , 25, 12535-40	12
1452	Electrochemical deposition of silver nanoparticle arrays with tunable density. 2009 , 25, 55-8	30
1451	Highly Ordered Magnetic Ceramic Nanorod Arrays from a Polyferrocenylsilane by Nanoimprint Lithography with Anodic Aluminum Oxide Templates. 2009 , 21, 1781-1783	35
1450	Pattern size reduction effect via a "mix and match" sequential imprinting technique. 2009 , 25, 6559-64	4
1449	Molecular dynamics simulations of nanoimprinting lithography. 2009 , 25, 13244-9	15
1448	Nanotechnology. 2009 ,	
1447	Plasmonic nanoholes in a multichannel microarray format for parallel kinetic assays and differential sensing. 2009 , 81, 2854-9	90
1446	Laser direct writing of nanoreliefs in Sn nanofilms. 2009 , 34, 2820-2	20
1445	Fabrication of optical waveguides by imprinting: usage of positive tone resist as a mould for UV-curable polymer. 2009 , 17, 22813-22	19
1444	Memristor-CMOS hybrid integrated circuits for reconfigurable logic. 2009 , 9, 3640-5	507
1443	Metal Grating Patterning on Fiber Facets by UV-Based Nano Imprint and Transfer Lithography Using Optical Alignment. 2009 , 27, 1415-1420	36
1442	Templated assembly of metal nanoparticles in nanoimprinted patterns for metal nanowire fabrication. 2009 , 20, 355302	19
1441	Large-area roll-to-roll and roll-to-plate nanoimprint lithography: a step toward high-throughput application of continuous nanoimprinting. 2009 , 3, 2304-10	493

1440	Solvent Vapor-Assisted Imprinting of Polymer Films Coated on Curved Surfaces with Flexible PVA Stamps. 2009 , 48, 8812-8818		29
1439	Self-assembled microarray of organic light-emitting diodes using a self-assembled monolayer by microcontact printing. <i>Applied Physics Letters</i> , 2009 , 95, 113310	3-4	4
1438	Photopatternable source/drain electrodes using multiwalled carbon nanotube/polymer nanocomposites for organic field-effect transistors. 2009 , 1, 2332-7		15
1437	Large area interference lithography using a table-top extreme ultraviolet laser: a systematic study of the degree of mutual coherence. 2009 , 20, 115303		16
1436	Sub-micron resolution surface plasmon resonance imaging enabled by nanohole arrays with surrounding Bragg mirrors for enhanced sensitivity and isolation. 2009 , 9, 382-7		112
1435	Tipping the balance of deterministic lateral displacement devices using dielectrophoresis. 2009 , 9, 2698-706		80
1434	Nanoimprint lithography for complex 3D micro-nano structures replication under low temperature. 2009 ,		2
1433	A Simplified Method to Produce a Functional Test Stamp for Nanoimprint Lithography (NIL). 2009 , 9, 233-234		1
1432	Flow field plate of micro fuel cell fabrication in UV-nanoimprint lithography. 2009 ,		
1431	The align-and-shine technique for series production of photolithography patterns on optical fibres. 2009 , 19, 047001		18
1430	A UV curable resin with reworkable properties: application to imprint lithography. 2009 , 19, 4085		16
1429	Cell Growth Orientated in Substrate Fabricated by Holographic Lithography and Nanoimprint Lithography. 2009 ,		
1428	Ultrasonic nanoimprint on engineering plastics. 2009 , 27, 785-792		17
1427	Roll-to-roll manufacturing of electronics on flexible substrates using self-aligned imprint lithography (SAIL). 2009 , 17, 963		46
1426	Nanoimprint Lithography Materials Development for Semiconductor Device Fabrication. 2009 , 39, 155-180		117
1425	Development of a Digital-Convolution-Based Process Emulator for Three-Dimensional Microstructure Fabrication Using Electron-Beam Lithography. 2009 , 56, 926-936		6
1424	Technology Assessment of a Novel High-Yield Lithographic Technique for Sub-15-nm Direct Nanotransfer Printing of Nanogap Electrodes. 2009 , 8, 662-670		8
1423	Physical properties of thin nanoimprint polymer films measured by photo-acoustic metrology. 2009 ,		1

1422	Room-Temperature Nanoimprint using Sol-Gel ITO Film. 2009 , 22, 189-192	1
1421	Room-Temperature Nanoimprint using Liquid-Phase Hydrogen Silsesquioxane with PDMS mold. 2009 , 22, 193-194	3
1420	Photo-curable Resin for UV-Nanoimprint Technology. 2009 , 22, 133-145	16
1419	Characterization of Nanoimprint Resin and Antisticking Layer by Scanning Probe Microscopy. 2009 , 22, 167-169	3
1418	Effect of thermal imprinting conditions on fabricated micro/nano patterns in tin phosphate glass. 2009 , 117, 783-785	2
1417	Optical Monitoring of a Poly(styrene) Residual Layer on a Photocrosslinkable Monolayer in Thermal Nanoimprint Lithography. 2009 , 22, 201-204	2
1416	Dewetting Photocontrol of Poly(styrene) Thin Films by a Photocrosslinkable Monolayer in Thermal Nanoimprint Lithography. 2009 , 22, 195-199	7
1415	Photo-induced Graft Reactions of 4-Methoxybenzophenone with Thermoplastic Polymers Designed for Reactive-Monolayer-Assisted Thermal Nanoimprint Lithography. 2009 , 22, 205-211	5
1414	Photo-embossed Surface Relief Structures with an Increased Aspect Ratio by Addition of Kinetic Interfering Compounds. 2009 , 22, 667-670	4
1413	Evaluation of nanoimprint lithography as a fabrication method of distributed feedback laser diodes. 2009 , 191, 012007	4
1412	Fabrication of the finestructured alumina materials with nanoimprint method. 2009 , 117, 534-536	4
1411	Photo-curable Resins for UV Nanoimprint and their Evaluation Methods. 2009 , 66, 88-96	4
1410	Preparation of Poly(vinylidene fluoride-co-trifluoroethylene) Film with a Hydrophilic Surface by Direct Surface-initiated Atom Transfer Radical Polymerization without Pretreatment. 2009 , 38, 446-447	22
1409	Novel resist for replica preparation of mold for imprint lithography. 2009 ,	1
1408	Soft stamp UV-nanoimprint lithography for fabrication of laser diodes. 2009 ,	6
1407	Generating integrated-circuit patterns via cutting and stitching of gratings. 2009 , 27, 2750	2
1406	Residual-free imprint for sensor definition. 2009 ,	1
1405	Simulation on nanoimprint of grating structures. 2010 ,	

1404	Nano-scale effects on Young's modulus of nanoimprint polymers measured by photoacoustic metrology. 2010 , 214, 012049	5
1403	Coextruded Multilayer All-Polymer Dye Lasers. 2010 , 171-184	2
1402	Ultraviolet Nano Imprint Lithography Using Fluorinated Silicon-Based Resist Materials. 2010 , 3, 025203	16
1401	A Novel Meshfree Method for Large Deformation Analysis of Elastic and Viscoelastic Bodies without Using Background Cells. 2010 , 4, 1673-1686	3
1400	Surface Modification by Nanoimprint Lithography for Improvement of the Joint Strength of Composites. 2010 , 4, 963-973	7
1399	The Photopolymer Science and Technology Award. 2010 , 23, 5-6	4
1398	Metal Liftoff Process using Solvent Soluble Resist by UV-NIL. 2010 , 23, 87-90	12
1397	Evaluation of Heat Durability of Fluorinated Antisticking Layers. 2010 , 23, 55-58	6
1396	Reactive-monolayer-assisted Thermal Nanoimprint Lithography with a Benzophenone-containing Trimethoxysilane Derivative for patterning Thin Chromium and Copper Films. 2010 , 23, 83-86	11
1395	Fabrication of Replica Mold by Room Temperature Nanoimprinting using Organic Spin-on-glass. 2010 , 23, 65-68	
1394	Pillars and Pillar Arrays Integrated in Microfluidic Channels: Fabrication Methods and Applications in Molecular and Cell Biology. 2010 , 255-279	
1393	UV Irradiation Effect on Pattern Size Shrinkage of Sol-gel Indium Tin Oxide Replicated by Nanoimprint Lithography. 2010 , 23, 39-43	4
1392	Large Area Nanoimprint Mold Fabricated by Electron Beam Stepper. 2010 , 23, 75-78	
1391	Fine-structured ZnO patterns with sub-micrometer on the ceramic surface fabricated by a replication method. 2010 , 118, 1140-1143	4
1390	Anodized Aluminum Oxide. 2010 , 207	
1389	Rapid Replication of High-Aspect-Ratio Nanostructures by Heat-Assisted Injection Molding(The 1st Symposium on Micro-Nano Engineering). 2010 , 76, 1908-1910	
1388	Synthesis of Photo-curable Borosilicate Thin-film Material and Fabrication of Microstructure. 2010 , 57, 537-541	0
1387	Molecular dynamics simulation based evaluation of glass transition temperatures of polystyrene in the presence of carbon dioxide. 2010 , 18, 065003	11

1386	Applications of excimer laser in nanofabrication. 2010 , 98, 9-59	18
1385	Fabrication of Au/PEDOT stacked electrodes for organic thin film transistors by imprinting technology. 2010 , 50, 717-721	3
1384	Collective buckling of nonuniform nanobeams interacting through an elastic substrate. 2010 , 209, 285-293	3
1383	Collective buckling of an elastic beam array on an elastic substrate for applications in soft lithography. 2010 , 215, 235-240	5
1382	Resist-less patterning on SiO ₂ by combination of X-ray exposure and vapor HF etching. 2010 , 16, 1339-1346	2
1381	Inclination of mold pattern sidewalls by combined technique with photolithography at defocus-positions and electroforming. 2010 , 16, 1323-1330	12
1380	Tribology issues in nanoimprint lithography. 2010 , 24, 5-12	26
1379	Large area mold fabrication for the nanoimprint lithography using electron beam lithography. 2010 , 53, 248-252	2
1378	Study on electrothermally actuated cantilever array for nanolithography. 2010 , 53, 1184-1189	3
1377	DFB LD manufactured by nanoimprint lithography. 2010 , 3, 194-197	
1376	Effects of Temperature on the Microscale Adhesion Behavior of Thermoplastic Polymer Film. 2010 , 38, 97-106	13
1375	Self-assembly of block copolymers on flexible substrates. 2010 , 22, 1882-4	22
1374	Rapid nanoimprinting of silk fibroin films for biophotonic applications. 2010 , 22, 1746-9	119
1373	Nanoimprint lithography for functional three-dimensional patterns. 2010 , 22, 3608-14	60
1372	Large laterally ordered nanochannel arrays from DNA combing and imprinting. 2010 , 22, 3997-4001	32
1371	Ultrafine and smooth full metal nanostructures for plasmonics. 2010 , 22, 4345-9	50
1370	Fine-structured patterns of porous alumina material fabricated by a replication method. 2010 , 30, 2735-2739	10
1369	Fabrication of low-cost mold and nanoimprint lithography using polystyrene nanosphere. 2010 , 87, 51-55	23

1368	Fabrication of sub-micron 3-D structure using duo-mold UV-RIL process. 2010 , 87, 610-613	6
1367	A novel printing technique for highly integrated organic devices. 2010 , 87, 614-619	3
1366	Molecular dynamics study on compressive strength of monocrystalline, nanocrystalline and amorphous Si mold for nanoimprint lithography. 2010 , 87, 1816-1820	6
1365	Rapid injection molding of high-aspect-ratio nanostructures. 2010 , 87, 1546-1549	26
1364	Degradation and surfactant-aided regeneration of fluorinated anti-sticking mold treatments in UV nanoimprint lithography. 2010 , 87, 1029-1032	20
1363	Soft UV-NIL at 20nm scale using flexible bi-layer stamp casted on HSQ master mold. 2010 , 87, 1015-1018	39
1362	Fabrication of a 3D stamp with the micro- and nano-scale patterns through combined NIL and optical lithography processes. 2010 , 87, 968-971	10
1361	Electron beam lithography on cylindrical roller. 2010 , 87, 943-946	14
1360	Pattern definition through guided self-assembly in thermal nanoimprint. 2010 , 87, 907-909	2
1359	Fabrication and characterization of CoPt nanodot arrays by nanoimprint lithography and electrodeposition. 2010 , 87, 2085-2090	2
1358	Finite element method investigation into nanoimprinting of aluminum/polyimide bi-layer substrates. 2010 , 87, 2361-2367	10
1357	Continuous roll-to-flat thermal imprinting process for large-area micro-pattern replication on polymer substrate. 2010 , 87, 2596-2601	37
1356	Surface nano-functionalization of biomaterials. 2010 , 70, 275-302	213
1355	Growth of nanostructured Cu-Al-O film deposited on porous aluminium oxide. 2010 , 42, 1302-1306	1
1354	XPS study of the degradation mechanism of fluorinated anti-sticking treatments used in UV nanoimprint lithography. 2010 , 87, 122-124	36
1353	Iterative roller imprint of multilayered nanostructures. 2010 , 87, 1543-1545	18
1352	UV enhanced substrate conformal imprint lithography (UV-SCIL) technique for photonic crystals patterning in LED manufacturing. 2010 , 87, 963-967	108
1351	Guide structure with pole arrays imprinted on nylon fiber. 2010 , 87, 922-926	8

1350	Fabricating metallic wire grating inside a polymeric substrate by insertion nanoimprint. 2010 , 87, 872-875	9
1349	Effects of mold shape and sidewall roughness on nanoimprint by molecular dynamics simulation. 2010 , 87, 864-868	15
1348	Light output enhancement for nitride-based light emitting diodes via imprinting lithography using spin-on glass. 2010 , 87, 2211-2217	3
1347	Making modified fluoropolymer molds for ultraviolet nanoimprint lithography. 2010 , 518, 6933-6937	6
1346	Enhancement of the light conversion efficiency of silicon solar cells by using nanoimprint anti-reflection layer. 2010 , 94, 629-633	111
1345	Enhanced transmittance of glass plates for solar cells using nano-imprint lithography. 2010 , 94, 583-587	66
1344	Fast cure kinetics of a UV-curable resin for UV nano-imprint lithography: Phenomenological model determination based on differential photocalorimetry results. 2010 , 498, 117-123	9
1343	Molecular dynamics study on the effects of stamp shape, adhesive energy, and temperature on the nanoimprint lithography process. 2010 , 257, 1562-1572	42
1342	Nanoscale surfacing for regenerative medicine. 2010 , 2, 478-95	56
1341	Three-dimensional fabrication at small size scales. 2010 , 6, 792-806	212
1340	. 2010 ,	2
1339	Fabrication Technique of Nanoimprint Mold. 2010 , 76, 152-155	
1338	Process Physics in Thermal Nanoimprint. 2010 , 76, 143-147	1
1337	Development of Thermoplastic Polymers for Thermal Nanoimprint Process. 2010 , 76, 156-160	
1336	Nanoimprint Lithography. 2010 ,	19
1335	Nanoimprint Lithography - Next Generation Nanopatterning Methods for Nanophotonics Fabrication. 2010 ,	4
1334	Effect of Applying Ultrasonic Vibration in Hot Embossing and Nanoimprint. 2010 ,	2
1333	ZnO QUANTUM DOT HYBRID LUMINESCENT RESISTS FOR NANOIMPRINT LITHOGRAPHY. 2010 , 17, 457-461	

1332	Effects of Environmental Gas in UV Nanoimprint on the Characteristics of UV-Curable Resin. 2010 , 49, 06GL04	26
1331	Focused ion beamBased nanoimprint stamp for replicating micro/nanostructures under low temperature. 2010 , 9, 033005	1
1330	Mold Fabricated by Nanoscratching for Nanoimprint Lithography. 2010 , 126-128, 843-848	
1329	On a conjecture of Ciliberto. 2010 , 201, 1069-1090	2
1328	Fabrication of a flexible metal/polymer mold with liquid crystal polymer material. 2010 ,	
1327	. 2010 ,	
1326	Liquid crystal device with 50 nm nanogroove structure fabricated by nanoimprint lithography. 2010 , 108, 113529	21
1325	Newly developed electron beam stepper for nanoimprint mold fabrication. 2010 , 28, 740-743	4
1324	Rapid patterning of spin-on-glass using ultrasonic nanoimprint. 2010 , 28, C6M114-C6M121	1
1323	Direct thermal-UV nanoimprint of an iron-containing organometallic hybrid film. 2010 , 28, 78-81	4
1322	Making high-fidelity imprint template by resist patterns over a flexible conductive polymer substrate. 2010 , 28, 86-89	2
1321	Aspects of hybrid pattern definition while combining thermal nanoimprint with optical lithography. 2010 , 28, C6M1-C6M6	6
1320	Thin polymer films viscosity measurements from nanopatterning method. 2010 , 28, 1251-1258	6
1319	An innovative monitoring of residual layer thickness and uniformity in nanoimprint. 2010 ,	0
1318	Impact of substrate deformation on demolding force for thermal imprint process. 2010 , 28, C6M77-C6M82	6
1317	Mechanism for spontaneous growth of nanopillar arrays in ultrathin films subject to a thermal gradient. 2010 , 108, 074308	31
1316	Rapid thermal imprinting of high-aspect-ratio nanostructures with dynamic heating of mold surface. 2010 , 28, C6M122-C6M124	6
1315	Room-temperature capillary-imprint lithography for making micro-/nanostructures in large areas. 2010 , 28, 138-142	12

1314	Evaluation of oxygen inhibition for UV-curable resins by adhesion force measurement using scanning probe microscope. 2010 , 28, C6M17-C6M22	2
1313	Impact of the resist properties on the antisticking layer degradation in UV nanoimprint lithography. 2010 , 28, C6M72-C6M76	9
1312	Imprinting of guide structure to weave nylon fibers. 2010 , 28, 706-712	8
1311	Enhanced efficiency of light emitting diodes with a nano-patterned gallium nitride surface realized by soft UV nanoimprint lithography. 2010 , 21, 205304	48
1310	Patterning of Polyimide/Single-Walled Carbon Nanotube Composite and Its Electrical Properties. 2010 , 49, 01AH01	3
1309	IMPRINT-MOLD-CLEANING BY VACUUM ULTRAVIOLET LIGHT. 2010 , 19, 773-779	7
1308	Fabrication of a high density, high aspect ration and flexible metal/polymer mold with flexible polymer material. 2010 ,	
1307	Fabrication of SAW resonators on Quartz and Langasite using Nano-Imprint Lithography. 2010 ,	3
1306	Simple Nanoimprint Lithography with 50 nm Resolution Using Vacuum Packing. 2010 , 459, 111-115	1
1305	Resin Elongation Phenomenon of Polystyrene Nanopillars in Nanoimprint Lithography. 2010 , 49, 106505	
1304	Three-dimensional nanoimprint lithography using photocurable resins. 2010 , 39, 327-331	4
1303	Direct Patterning on Sol-Gel Low-k Porous Silica by Thermal Nanoimprinting. 2010 , 49, 06GL08	1
1302	Nanoimprint Lithography Patterning of Resists Using Molding. 2010 , 271-312	23
1301	Theoretical Models, Fabrications and Applications of Localized Surface Plasmon Resonance Sensors. 2010 ,	1
1300	Integrated Two-Photon Polymerization With Nanoimprinting for Direct Digital Nanomanufacturing. 2010 , 132,	12
1299	Design, fabrication, and control of scanning plasmonic probe for near-field photolithographic applications. 2010 ,	0
1298	Ultrasonic Nanoimprinting in Organic Spin-on-Glass-Coated Si Substrates. 2010 , 49, 06GL09	4
1297	Chronological Investigations of Raman Light Diffraction Grating Inscribed by Direct Laser Writing in Photoreactive Monomer Base Mixtures. 2010 , 49, 122502	3

1296	Effects of Mold Side Wall Profile on Demolding Characteristics. 2010 , 49, 06GL15	19
1295	Growth Behavior of an Adsorbed Monolayer from a Benzophenone-Containing Trimethoxysilane Derivative on a Fused Silica Surface for Nanoimprint Molds by Chemical Vapor Surface Modification. 2010 , 49, 06GL03	9
1294	Step and Flash Imprint of Fluorinated Silicon-Containing Resist Materials for Three-Dimensional Nanofabrication. 2010 , 49, 071602	5
1293	Probing polymer deformation profiles at varying depths in nanoimprint lithography. 2010 , 21, 105301	4
1292	Self-organized nanodot pattern fabrication using the reverse sputtering method. 2010 , 21, 365301	1
1291	Fabrication of sub-20 nm nanostructures by combination of nano plastic forming and etching (NPFE). 2010 , 20, 095003	4
1290	Resist Properties of Thin Poly(methyl methacrylate) and Polystyrene Films Patterned by Thermal Nanoimprint Lithography for Au Electrodeposition. 2010 , 49, 06GL05	10
1289	Room-Temperature Nanoimprinting Using Liquid-Phase Hydrogen Silsesquioxane with Hard Poly(dimethylsiloxane) Mold. 2010 , 49, 06GL13	15
1288	UV Nanoimprint in Pentafluoropropane at a Minimal Imprint Pressure. 2010 , 49, 06GL01	12
1287	Numerical Simulation of Glass Imprinting for Molding Temperature Prediction. 2010 , 49, 06GL11	4
1286	Fabrication of high-compact nanowires using alternating photoresist ashing and spacer technology. 2010 , 20, 085029	2
1285	Thermal Nanoimprinting on Prealigned Photoreactive Polymer Liquid Crystal for Molecular Reorientation. 2010 , 49, 128004	5
1284	Nanopattern insert molding. 2010 , 21, 205302	14
1283	Flexible poly(amic acid) conducting polymers: effect of chemical composition on structural, electrochemical, and mechanical properties. 2010 , 26, 14194-202	25
1282	High-resolution functional epoxysilsesquioxane-based patterning layers for large-area nanoimprinting. 2010 , 4, 4776-84	53
1281	Deformation of nanostructures on polymer molds during soft UV nanoimprint lithography. 2010 , 21, 245307	19
1280	Preparation of Epoxy/Silica and Epoxy/Titania Hybrid Resists via a Sol-Gel Process for Nanoimprint Lithography. 2010 , 114, 2179-2183	31
1279	Hybrid strategies in nanolithography. 2010 , 73, 036501	144

1278	Nanoimprint Lithography with UV-Curable Hyperbranched Polymer Nanocomposites. 2010 , 296, 144-153	10
1277	Use of folded micromachined pillar array column with low-dispersion turns for pressure-driven liquid chromatography. 2010 , 82, 1420-6	48
1276	Relaxation Kinetics of Nanostructures on Polymer Surface: Effect of Stress, Chain Mobility, and Spatial Confinement. 2010 , 43, 409-417	25
1275	Fabrication of complex patterns with a wide range of feature sizes from a single line prepattern by successive application of capillary force lithography. 2010 , 26, 14359-63	16
1274	Photocurable silsesquioxane-based formulations as versatile resins for nanoimprint lithography. 2010 , 26, 14915-22	30
1273	Nanoimprint-induced molecular stacking and pattern stabilization in a solution-processed subphthalocyanine film. 2010 , 4, 2627-34	13
1272	Colloidal crystal thin films grown into corrugated surface templates. 2010 , 26, 4559-62	12
1271	VLSI Photonics: How Can We Approach Using Micro/Nano-Materials?. 2010 , 522, 159/[459]-171/[471]	
1270	Surface-Enhanced Raman Spectroscopy on Two-Dimensional Networks of Gold Nanoparticle-Nanocavity Dual Structures Supported on Dielectric Nanosieves. 2010 , 114, 10463-10477	19
1269	Highly ordered TiO ₂ nano-pore arrays fabricated from a novel polymethylmethacrylate/polydimethylsiloxane soft template. 2010 , 2, 1-5	16
1268	Prototyping of Beam Shaping Diffraction Gratings by AFM Nanoscale Patterning. 2010 , 7, 49-57	2
1267	Form birefringence in intrinsic birefringent media possessing a subwavelength structure. 2010 , 49, 4355-61	20
1266	Formation of bandgap and subbands in graphene nanomeshes with sub-10 nm ribbon width fabricated via nanoimprint lithography. 2010 , 10, 2454-60	267
1265	Fabrication of diffractive optical elements on 3-D curved surfaces by capillary force lithography. 2010 , 18, 15009-16	10
1264	Photonic crystal enhanced fluorescence using a quartz substrate to reduce limits of detection. 2010 , 18, 24793-808	64
1263	Glassy alloy composites for information technology applications. 2010 , 18, 1983-1987	25
1262	Thermal stability, mechanical properties and nano-imprint ability of Pd-Cu-Ni-P glassy alloy thin film. 2010 , 18, 1969-1972	14
1261	Perspectives of Micro and Nanofabrication of Carbon for Electrochemical and Microfluidic Applications. 2010 , 181-263	7

1260	Impact of molecular size on resist filling process in nanoimprint lithography: Molecular dynamics study. 2010 , 28, C6M68-C6M71	16
1259	MEMS fabricated liquid chromatography microchip for practical uses. 2010 ,	0
1258	3D ordered nanostructures fabricated by nanosphere lithography using an organometallic etch mask. 2010 , 2, 1455-60	17
1257	DNA manipulation, sorting, and mapping in nanofluidic systems. 2010 , 39, 1133-52	142
1256	Nanoscale porosity in polymer films: fabrication and therapeutic applications. 2010 , 6, 1621-1631	50
1255	Control of crystal orientation in soft nanostructures by nanoimprint lithography. 2010 , 6, 21-28	56
1254	Patterned metallic honeycomb films prepared by photo-patterning and electroless plating. 2010 , 20, 6741	19
1253	Room-temperature nanoimprint lithography for crystalline poly(fluoroalkyl acrylate) thin films. 2010 , 6, 870	33
1252	High-density gold nanowire arrays by lithographically patterned nanowire electrodeposition. 2011 , 3, 2697-9	12
1251	The Influence of Nanoimprinting Surface Structures on the Optical Efficiency of GaN-Based LEDs. 2011 , 10, 587-593	9
1250	Nanotechnology. 2011 , 91-146	2
1249	Modulus- and surface energy-tunable ultraviolet-curable polyurethane acrylate: properties and applications. 2011 , 21, 14325	113
1248	High-precision interferometric monitoring of polymer swelling in an one-dollar optofluidic sensor. 2011 ,	
1247	. 2011 ,	
1246	Reworkable dimethacrylates with low shrinkage and their application to UV nanoimprint lithography. 2011 , 21, 10407	16
1245	Field enhancement in polymer waveguides fabricated by UV imprinting. 2011 ,	
1244	Direct fabrication of multi-tier structures in dielectric materials for dual damascene processing. 2011 ,	
1243	UV-based nanoimprinting lithography with a fluorinated flexible stamp. 2011 , 29, 021015	5

1242	Collective buckling of line arrays created by soft lithography. 2011 , 29, 021001	3
1241	Nanoimprint Lithography: A Processing Technique for Nanofabrication Advancement. 2011 , 3, 135-140	30
1240	Direct metal contact printing lithography for patterning sub-micrometer surface structures on a sapphire substrate. 2011 , 21, 015001	11
1239	Fe Nano-Films Processed by Ammonia for the Catalyzed Growth of Aligned Carbon Nanotube Arrays. 2011 , 332-334, 1967-1973	
1238	Fabrication and selective functionalization of amine-reactive polymer multilayers on topographically patterned microwell cell culture arrays. 2011 , 12, 1998-2007	44
1237	D4(H)/D4(V) silicone: a replica material with several advantages for nanoimprint lithography and capillary force lithography. 2011 , 27, 7976-9	16
1236	Organization of Block Copolymers using NanoImprint Lithography: Comparison of Theory and Experiments. 2011 , 44, 2206-2211	17
1235	Scanning thermal lithography of tailored tert-butyl ester protected carboxylic acid functionalized (meth)acrylate polymer platforms. 2011 , 3, 3855-65	7
1234	Nanolithographic control of the spatial organization of cellular adhesion receptors at the single-molecule level. 2011 , 11, 1306-12	194
1233	Monolithic integration of continuously tunable plasmonic nanostructures. 2011 , 11, 3526-30	54
1232	Double-layer imprint lithography on wafers and foils from the submicrometer to the millimeter scale. 2011 , 3, 1041-8	4
1231	Pressure/electric-field-assisted micro/nanocasting method for replicating a lotus leaf. 2011 , 27, 828-34	17
1230	Biomimetic antireflective hierarchical arrays. 2011 , 27, 4963-7	50
1229	Patterning Poly(3-Hexylthiophene) in the Sub-50-nm Region by Nanoimprint Lithography. 2011 , 10, 482-488	8
1228	Preparation and surface properties of novel low surface free energy fluorinated silane-functional polybenzoxazine films. 2011 , 27, 8365-70	71
1227	Thermal nanoimprint (T-NIL) with photoresists for hybrid lithography. 2011 ,	
1226	Effect of Dropping Hydrofluoroether in Thermal Nanoimprint on Polycarbonate. 2011 , 50, 06GK05	2
1225	Inherently reproducible fabrication of plasmonic nanoparticle arrays for SERS by combining nanoimprint and copolymer lithography. 2011 , 3, 1033-40	53

1224	Flexible fabrication and applications of polymer nanochannels and nanoslits. 2011 , 40, 3677-702	87
1223	Electrochemical Detection of the Neurotransmitter Dopamine by Nanoimprinted Interdigitated Electrodes and a CMOS Circuit With Enhanced Collection Efficiency. 2011 , 11, 1826-1831	10
1222	Efficient methods of nanoimprint stamp cleaning based on imprint self-cleaning effect. 2011 , 22, 185301	5
1221	Initial cellular response to laser surface engineered biomaterials. 2011 , 36, 1034-1042	4
1220	Structured Organic Non-Linear Optics. 2011 , 143-187	7
1219	Rapid, wafer-scale laser nanoprinting of polymer surfaces. 2011 , 5, 690-2	8
1218	GaN-Based LEDs on Nano-Patterned Sapphire Substrates. 2011 , 415-417, 656-659	
1217	Analytical Microsystems for Biomedical and Environmental Applications. 2011 , 31, 3-16	6
1216	Patterning by Photolithography. 2011 , 475-499	2
1215	Technology review and assessment of nanoimprint lithography for semiconductor and patterned media manufacturing. 2011 , 10, 032001	58
1214	Surface adhesion and demolding force dependence on resist composition in ultraviolet nanoimprint lithography. 2011 , 258, 1272-1278	33
1213	Nanoimprint Lithography for Honeycomb Texturing of Multicrystalline Silicon. 2011 , 8, 648-653	23
1212	Three-dimensional cavity nanoantenna coupled plasmonic nanodots for ultrahigh and uniform surface-enhanced Raman scattering over large area. 2011 , 19, 3925-36	142
1211	Displacement Talbot lithography: a new method for high-resolution patterning of large areas. 2011 , 19, 10686-91	101
1210	Extraordinary light transmission through opaque thin metal film with subwavelength holes blocked by metal disks. 2011 , 19, 21098-108	52
1209	Spatially selective photonic crystal enhanced fluorescence and application to background reduction for biomolecule detection assays. 2011 , 19, 23327-40	12
1208	Glassy alloy composites for bit-patterned-media. 2011 , 509, S145-S147	9
1207	Fabrication of two-dimensional lattices by using photosensitive sol-gel and four-beam laser interference. 2011 , 357, 1223-1227	8

1206	Robust neural logic block (NLB) based on memristor crossbar array. 2011 ,	54
1205	Anti-reflective coatings: A critical, in-depth review. 2011 , 4, 3779	805
1204	MEMS Lithography and Micromachining Techniques. 2011 , 667-753	3
1203	Two- and Three-Terminal Resistive Switches: Nanometer-Scale Memristors and Memistors. 2011 , 21, 2660-2665	64
1202	Structured Organic Non-Linear Optics. 2011 , 261-296	0
1201	Soft UV Nanoimprint Lithography: A Versatile Tool for Nanostructuration at the 20nm Scale. 2011 ,	6
1200	Electroplated Nanocomposites of High Wear Resistance for Advanced Systems Application. 2011 ,	1
1199	Highly Sensitive SPR Biosensor Based on Nanoimprinting Technology. 2011 ,	
1198	Characterization of Surface Microstructures on Bio-based Polymer Film Fabricated with Nano-imprint Lithography by Synchrotron Radiation Small Angle X-ray Scattering. 2011 , 24, 012004	2
1197	Exploration of the Direct Use of Anodized Alumina as a Mold for Nanoimprint Lithography to Fabricate Magnetic Nanostructure over Large Area. 2011 , 2011, 1-5	2
1196	???????????????????????????? ~????????????~. 2011 , 62, 92-97	1
1195	Alignment film abrasion caused by rubbing. 2011 , 12, 173-177	2
1194	Ink Jet Printed Silver Lines Formed in Microchannels Exhibit Lower Resistance Than Their Unstructured Counterparts. 2011 , 55, 040302	4
1193	Fine-structured TiO ₂ ceramic patterns on the ceramic surface fabricated by replication. 2011 , 20, 012003	
1192	High quality Bragg gratings fabricated by Nanoimprint Lithography. 2011 , 276, 012104	
1191	Engineering the Biophysical Properties of Basement Membranes into Biomaterials: Fabrication and Effects on Cell Behavior. 2011 , 527-546	1
1190	Roll-to-Roll Nanoimprint Lithography and Dynamic Nano-Inscription. 2011 , 27-41	
1189	UV-imprinting of single-mode polymeric waveguides. 2011 ,	0

- 1188 Gold Nanofilms: Synthesis, Characterization, and Potential Biomedical Applications. **2011**,
- 1187 Micro- and Nano-fabrication of Stimulus-responsive Polymer using Nanoimprint Lithography. **2011**, 24, 63-70 12
- 1186 A Study on Micro-scale Flow Behavior of Thermoplastic Polymeric Material. **2011**, 24, 83-88
- 1185 Removal of Polymer for Nano-imprint Lithography using Atomic Hydrogen Generated by the Hot-wire Catalyzer. **2011**, 24, 383-388 3
- 1184 Anti-Sticking Curing of Fluorinated Polymers for Improvement of Mold Releasability. **2011**, 24, 89-93 5
- 1183 Precipitation of Nano-/Micro-Rod Shaped Carbide on Alloy Steel by Plasma Discharge. **2011**, 75, 705-707
- 1182 On-Chip Integration of Functional Hybrid Materials and Components in Nanophotonics and Optoelectronics. **2011**, 339-391
- 1181 Materials and Processes in UV-Assisted Nanoimprint Lithography. **2011**, 1-26 1
- 1180 Solvent-Assisted Molding. **2011**, 43-56
- 1179 Fabrication of Micropatterns on Silica Glass by a Room-Temperature Imprinting Method. **2011**, 94, 2319-2322 10
- 1178 Organized porous alumina membranes for high density silicon nanowires growth. **2011**, 88, 2844-2847 3
- 1177 High-precision interferometric monitoring of polymer swelling using a simple optofluidic sensor. **2011**, 159, 39-43 19
- 1176 Rapid ultraviolet-curing of epoxy siloxane films. **2011**, 129, 678-682 6
- 1175 Study of fluorinated silicon-based resist material and photoreactive underlayer for defect reduction in step and repeat ultraviolet nanoimprint lithography. **2011**, 6, 422 10
- 1174 Patterned Media and Energy Assisted Recording Study by Drag Tester. **2011**, 47, 1981-1987 3
- 1173 Fabrication of flexible UV nanoimprint mold with fluorinated polymer-coated PET film. **2011**, 6, 458 13
- 1172 Polymers in conventional and alternative lithography for the fabrication of nanostructures. **2011**, 47, 2033-2052 127
- 1171 Replication of micro and nano surface geometries. **2011**, 60, 695-714 137

1170	Single and multilayer metamaterials fabricated by nanoimprint lithography. 2011 , 22, 325301	59
1169	Formation of hierarchical silica nanochannels through nanoimprint lithography. 2011 , 21, 14213	7
1168	Photopatternable poly(4-styrene sulfonic acid)-wrapped MWNT thin-film source/drain electrodes for use in organic field-effect transistors. 2011 , 3, 74-9	27
1167	A common gate thin film transistor on poly(ethylene naphthalate) foil using step-and-flash imprint lithography. 2011 , 12, 2207-2214	12
1166	Controlling the synthesis and assembly of silver nanostructures for plasmonic applications. 2011 , 111, 3669-712	2056
1165	Materials and Techniques. 2011 , 57-78	
1164	Effect of solvents on the dynamic viscoelastic behavior of poly(methyl methacrylate) film prepared by solvent casting. 2011 , 46, 5044-5049	24
1163	Nanoimprint glass-like carbon molds fabricated with ECR oxygen ion beams using polysiloxane oxide mask. 2011 , 22, 183-188	2
1162	Hybrid organic/inorganic sol-gel materials for micro and nanofabrication. 2011 , 60, 299-314	14
1161	Roll-to-roll large-format slot die coating of photosensitive resin for UV embossing. 2011 , 17, 1703-1711	9
1160	Prototyping of microfluidic systems using a commercial thermoplastic elastomer. 2011 , 11, 235-244	37
1159	Nanoscale resistive switches: devices, fabrication and integration. 2011 , 102, 955-965	17
1158	Nanomanufacturing of densely packed ultra-fine nanostructures by nano plastic forming and etching (NPFE). 2011 , 57, 605-615	3
1157	One-dimensional ZnO nanostructures: Solution growth and functional properties. 2011 , 4, 1013-1098	1049
1156	Micropatterning on roll surface using photo-lithography processes. 2011 , 12, 763-768	15
1155	Surface Nanoengineering Inspired by Evolution. 2011 , 1, 63-77	13
1154	Photonic integrated technology for multi-wavelength laser emission. 2011 , 56, 3064-3071	15
1153	Plasmonic Nanolithography: A Review. 2011 , 6, 565-580	70

1152	Fabrication of ordered nanoporous anodic alumina prepatterned by mold-assisted chemical etching. 2011 , 6, 157	10
1151	Selective patterning of ZnO nanorods on silicon substrates using nanoimprint lithography. 2011 , 6, 159	34
1150	Fabrication of photonic crystal structure on indium tin oxide electrode of GaN-based light-emitting diodes. 2011 , 208, 480-483	14
1149	Anti-reflection and hydrophobic characteristics of M-PDMS based moth-eye nano-patterns on protection glass of photovoltaic systems. 2011 , 19, 339-344	45
1148	Easy fabrication of electrically insulating nanogaps by transfer printing. 2011 , 7, 2533-8	5
1147	Silsesquioxanes in nanoscale patterning applications. 2011 , 14, 20-33	30
1146	Cubic silsesquioxanes as a green, high-performance mold material for nanoimprint lithography. 2011 , 23, 414-20	36
1145	A versatile nanopatterning technique based on controlled undercutting and liftoff. 2011 , 23, 5039-44	11
1144	Nanoimprinting by melt processing: an easy technique to fabricate versatile nanostructures. 2011 , 23, 4782-7	19
1143	Solvent effects on the thermal and mechanical properties of poly(methyl methacrylate) casted from concentrated solutions. 2011 , 30, 12-20	32
1142	Alignment of a nematic liquid crystal on nano-grooved material. 2011 , 119, 325-329	7
1141	Der Einsatz von Nanoskiving zur Fertigung von Nanostrukturen für elektronische und optische Anwendungen. 2011 , 123, 8720-8740	2
1140	Use of thin sectioning (nanoskiving) to fabricate nanostructures for electronic and optical applications. 2011 , 50, 8566-83	46
1139	Molecular dynamics study of void effect on nanoimprint of single crystal aluminum. 2011 , 257, 7140-7144	15
1138	Characterization of adhesion property between fused silica and thermoplastic polymer film in thermal nanoimprint lithography using a novel pull-off test. 2011 , 88, 855-860	3
1137	Long range surface plasmon interference lithography. 2011 , 88, 2184-2187	3
1136	Computational study on polymer filling process in nanoimprint lithography. 2011 , 88, 2188-2191	24
1135	Transfer imprint lithography using a soft mold. 2011 , 88, 2632-2635	6

1134	Press and release imprint: Control of the flexible mold deformation and the local variation of residual layer thickness in soft UV-NIL. 2011 , 88, 1033-1036	10
1133	Reflow of supported sub-100 nm polymer films as a characterization process for NanoImprint lithography. 2011 , 88, 1867-1870	9
1132	High aspect ratio nano mold fabrication by advanced edge lithography without CVD. 2011 , 88, 1992-1996	10
1131	Direct patterning on side chain crystalline polymer by thermal nanoimprinting using mold without antisticking layer. 2011 , 88, 2084-2087	1
1130	Fabricating insertion structures for metallic wire grid polarizers by nanoimprint and CMP process. 2011 , 88, 2135-2140	6
1129	Characterization of surface properties of ordered nanostructures using SEM stereoscopic technique. 2011 , 88, 2687-2690	2
1128	High density phase change data on flexible substrates by thermal curing type nanoimprint lithography. 2011 , 88, 2013-2016	9
1127	UV-nanoimprinting using non-transparent molds and non-transparent substrates. 2011 , 88, 2004-2008	5
1126	Roller nanoimprint lithography for flexible electronic devices of a sub-micron scale. 2011 , 88, 2017-2020	18
1125	Low temperature direct imprint of polyhedral oligomeric silsesquioxane (POSS) resist. 2011 , 88, 1997-1999	3
1124	Evaluation of imprinting characteristics of photoinduced liquid crystalline polymer. 2011 , 88, 2079-2083	
1123	Fabrication of split-ring resonators by tilted nanoimprint lithography. 2011 , 360, 320-3	9
1122	Nanoimprint lithography patterned GaAs templates for site-controlled InAs quantum dots. 2011 , 323, 183-186	30
1121	Fabrication of densely packed arrays of GaN nanostructures on nano-imprinted substrates. 2011 , 319, 102-105	1
1120	Improvement of thermal stability of poly(methyl methacrylate) by incorporation of colloidal TiO ₂ nanorods. 2011 , 96, 1377-1381	24
1119	Enhanced performance of solar cells with anti-reflection layer fabricated by nano-imprint lithography. 2011 , 95, 288-291	103
1118	High fidelity transfer of nanometric random textures by UV embossing for thin film solar cells applications. 2011 , 95, 881-886	51
1117	Nanostructured thin films for anti-reflection applications. 2011 , 519, 5194-5198	16

1116	Durability of nitrided fluorocarbon polymer films for nanoimprint lithography. 2011 , 519, 5490-5493	3
1115	Resist Pattern Inspection Using Fluorescent Dye-Doped Polystyrene Thin Films in Reactive-Monolayer-Assisted Thermal Nanoimprint Lithography. 2011 , 50, 06GK10	4
1114	Experimental analysis for process control in hybrid lithography. 2011 , 29, 06FC14	4
1113	Development of Ultraviolet Crosslinking Glucose-Based Resist Materials for Advanced Electronic Device Applications Using Nanoimprint Lithography. 2011 , 50, 01BA02	3
1112	Effects of Resist Thickness and Viscoelasticity on the Cavity Filling Capability in Bilayer Thermal Embossing. 2011 , 50, 06GK11	5
1111	Nanoimprint Molds with Circumferentially Aligned Patterns Fabricated by Liftoff Process. 2011 , 50, 126502	3
1110	Nanoimprint Fabrication and Thermal Behavior of Atomically Ultrasoother Glass Substrates with 0.2-nm-Height Steps. 2011 , 50, 078002	3
1109	Highly Uniform Fabrication of Diffraction Gratings for Distributed Feedback Laser Diodes by Nanoimprint Lithography. 2011 , 50, 06GK06	1
1108	Impact of geometry on the performance of memristive nanodevices. 2011 , 22, 254026	22
1107	Evaluation of the curing process of UV resins in a 1,1,1,3,3-pentafluoropropane gas environment by photo differential scanning calorimetry and Fourier transform infrared spectroscopy. 2011 , 29, 06FC05	
1106	Evaluation of fluorine additive effect on cationic UV-nanoimprint resin. 2011 , 29, 06FC04	4
1105	Fabrication of ultra-high-density nanodot array patterns (~3 Tbits/in. ²) using electron-beam lithography. 2011 , 29, 061602	3
1104	Macro-optical inspection method for deterioration evaluation of release-coated mold surfaces for nanoimprint lithography. 2011 , 29, 06FC02	
1103	Suitability of thin poly(dimethylsiloxane) as an antisticking layer for UV nanoimprinting. 2011 , 29, 06FC09	7
1102	Development of an experimental technique for testing rheological properties of ultrathin polymer films used in nanoimprint lithography. 2011 , 29, 061603	7
1101	Atomic step patterning in nanoimprint lithography: Molecular dynamics study. 2011 , 29, 06FC11	5
1100	Fabrication of silicon template with smooth tapered sidewall for nanoimprint lithography. 2011 , 29, 06FC16	4
1099	Injection compression molding of high-aspect-ratio nanostructures. 2011 , 29, 06FG10	10

1098	Viscosity measurements of thin polymer films from reflow of spatially modulated nanoimprinted patterns. 2011 , 84, 041805	16
1097	Nanoimprint replication of nonplanar nanostructure fabricated by focused-ion-beam chemical vapor deposition. 2011 , 29, 011005	4
1096	Confinement and flow dynamics in thin polymer films for nanoimprint lithography. <i>Applied Physics Letters</i> , 2011 , 98, 013106	3-4 27
1095	Recessed area patterning via nanoimprint lithography. 2011 , 29, 060602	3
1094	Cooperative liquid-crystal alignment generated by overlaid topography. 2011 , 83, 051708	9
1093	Replication of polyethylene terephthalate (PET) nano/micro structures using ultrasonic nanoimprint. 2011 ,	4
1092	Integrated nanohole array surface plasmon resonance sensing device using a dual-wavelength source. 2011 , 21, 115001	38
1091	Residual-layer-free printing by selective filling of self-assembled monolayer-treated mold. 2011 , 29, 041601	1
1090	Glassy Alloy Composite and Non-equilibrium Crystalline Alloy for Information Technology Applications. 2011 , 1300, 1	
1089	A Hexagonal Pillar Array of Thermo-responsive Soft Actuators Prepared by Nanoimprinting. 2011 , 1312, 1	
1088	Nanoimprint Lithography of Multistep Loading. 2011 , 383-390, 7214-7219	2
1087	A New Moir'Grating Fabrication Technique Using Hot Embossing Lithography. 2011 , 83, 7-12	3
1086	Diamond Nanopit Arrays Fabricated by Room-Temperature Nanoimprinting using Diamond Molds. 2011 , 1282, 117	0
1085	Nanoimprint lithography (NIL) and related techniques for electronics applications. 2011 , 280-329	2
1084	Fabrication of high-aspect-ratio microstructures using dielectrophoresis-electrocapillary force-driven UV-imprinting. 2011 , 21, 065010	30
1083	Soft UV-Imprinting Using Gasbag Pressure Mechanism for Side-Direction and Non-Planar Substrate. 2011 , 189-193, 4068-4072	1
1082	Study on Change in UV Nanoimprint Pattern by Altering Shrinkage of UV Curable Resin. 2011 , 50, 06GK09	10
1081	Residual-layer-free direct printing by selective filling of a mould. 2011 , 21, 025026	4

1080	Superconducting properties of Pb82Bi18films controlled by ferromagnetic nanowire arrays. 2011 , 24, 024019	5
1079	Charmed Meson Production in Deep Inelastic e + A Scattering at Small- x. 2011 , 56, 307-311	2
1078	Patterned self-assembly of gold nanoparticles on chemical templates fabricated by soft UV nanoimprint lithography. 2011 , 22, 295301	30
1077	DWDM DFB LD fabricated by nanoimprint process. 2011 ,	
1076	Analysis of viscoelastic flow in tin phosphate glass. 2011 , 18, 112014	1
1075	Regeneration of imprint molds using vacuum ultraviolet light. 2011 ,	
1074	Fabrication and nano-imprintabilities of Zr-, Pd- and Cu-based glassy alloy thin films. 2011 , 22, 105302	15
1073	Rapid fabrication of an ordered nano-dot array by the combination of nano-plastic forming and annealing methods. 2011 , 21, 125017	28
1072	Nanosized Structural Anti-Reflection Layer for Thin Film Solar Cells. 2011 , 50, 020207	3
1071	GUIDED NANOSTRUCTURES USING ANODIZED ALUMINUM OXIDE TEMPLATES. 2011 , 06, 541-555	16
1070	Rapid nano impact printing of silk biopolymer thin films. 2011 , 21, 115014	7
1069	Photonic Structures Inspired by Nature. 2011 ,	26
1068	Nanofabricated plasmonic nano-bio hybrid structures in biomedical detection. 2012 , 1, 213-233	18
1067	Hydrogen silsesquioxane resist stamp for replication of nanophotonic components in polymers. 2012 , 11, 013007	9
1066	Long single-mode waveguides made by imprint patterning for optical interconnects and sensors. 2012 ,	
1065	Pattern definition by nanoimprint. 2012 ,	1
1064	Role of group velocity delay in Faraday rotation in a multilayer polymer lattice. 2012 , 29, 1038	4
1063	Parallel optical trap assisted nanopatterning on rough surfaces. 2012 , 23, 165304	11

1062	Silica/Ultraviolet-Cured Resin Nanocomposites for Replica Molds in Ultraviolet Nanoimprinting. 2012 , 51, 06FJ04	1
1061	Fabrication of Large-Area CoNi Mold for Nanoimprint Lithography. 2012 , 51, 026503	1
1060	Throughput of Ultraviolet Nanoimprint in Pentafluoropropane Using Spin Coat Films under Thin Residual Layer Conditions. 2012 , 51, 06FJ10	8
1059	Large-area 2D periodic crystalline silicon nanodome arrays on nanoimprinted glass exhibiting photonic band structure effects. 2012 , 23, 135302	16
1058	In-situ Evaluation of Air/Oxygen Percentage Variation by Introducing 1,1,1,3,3-Pentafluoropropane in Ultraviolet Nanoimprint Lithography. 2012 , 51, 118002	4
1057	Adhesion and frictional force measurements employing scanning probe microscopy in a pentafluoropropane gas atmosphere. 2012 , 30, 011601	2
1056	Fabrication of Au nanorod and nanogap split-ring structures by reactive-monolayer-assisted thermal nanoimprint lithography involving electrodeposition. 2012 , 30, 06FB02	3
1055	Fabrication of nanodot array mold with 2 Tdot/in.2 for nanoimprint using metallic glass. 2012 , 30, 061602	11
1054	Study of moiré grating fabrication on metal samples using nanoimprint lithography. 2012 , 20, 2942-55	38
1053	Plasmonic V-groove waveguides with Bragg grating filters via nanoimprint lithography. 2012 , 20, 5696-706	40
1052	Highly flexible near-infrared metamaterials. 2012 , 20, 397-402	20
1051	Fabrication of nanobeads from nanocups by controlling scission/crosslinking in organic polymer materials. 2012 , 23, 495307	6
1050	Fluidic simulation and realization for inkjet nano SFIL. 2012 ,	1
1049	Patterning of multi-leveled microstructures on flexible polymer substrate using roll-to-roll ultraviolet nanoimprint lithography. 2012 ,	1
1048	Fabrication of nano-patterns using quick gel-nanoimprint process. 2012 ,	5
1047	Angle-Scanning Photonic Crystal Enhanced Fluorescence Microscopy. 2012 , 12, 1272-1279	10
1046	Semiconductor heterostructures and optimization of light-trapping structures for efficient thin-film solar cells. 2012 , 14, 024007	9
1045	UV capillary force lithography for multiscale structures. 2012 , 30, 031601	8

1044	Application of multi-mask layers for high aspect ratio soft mold imprint. 2012 , 22, 125025	3
1043	Fabrication of semiconductor-polymer compound nonlinear photonic crystal slab with highly uniform infiltration based on nano-imprint lithography technique. 2012 , 20, 13091-9	25
1042	Viscoelastic properties measurements of thin polymer films from reflow of nanoimprinted patterns. 2012 , 30, 011602	10
1041	Influence of Rapid Thermal Annealing and Substrate Terrace Width on Self-Organizing Formation of Periodic Straight Nanogroove Array on NiO(111) Epitaxial Thin Film. 2012 , 51, 06FF16	1
1040	Correlative Microscopy Study of FIB Patterned Stainless Steel Surfaces as Novel Nano-Structured Stents for Cardiovascular Applications. 2012 , 1466, 26	1
1039	Laterally-coupled high power GaSb distributed feedback lasers fabricated by nanoimprint lithography at 2 μ m wavelength. 2012 ,	
1038	Collective constructions with micro-bricks. Application to the fabrication of liquid crystal micro-cells. 2012 , 22, 125009	1
1037	High Throughput Method to Fabricate Ordered Nano Dot Array on Various Plastic Films. 2012 , 523-524, 633-638	6
1036	Layered polymer: inorganic composite waveguides for biosensor applications. 2012 ,	
1035	Lithographed nanostructures as nanosensors. 2012 , 6, 064506-1	43
1034	Micromanufacturing. 2012 , 3-37	1
1033	Polymer inverted-rib optical waveguide interferometric sensor for optoacoustic imaging. 2012 ,	4
1032	Fabrication of Thin Metallic-film Subwavelength-Grating Polarizers for Terahertz Region by the Imprinting Method. 2012 ,	
1031	Fabrication and characterization of Si/SiO ₂ high contrast grating using nanoimprint lithography. 2012 ,	2
1030	FIB Patterning of Stainless Steel for the Development of Nano-Structured Stent Surfaces for Cardiovascular Applications. 2012 , 371, 012065	5
1029	Recent progress in direct patterning technologies based on nano-imprint lithography. 2012 , 59, 10001	32
1028	Study on Curing Characteristic of UV Nanoimprint Resist. 2012 , 25, 211-216	4
1027	A Consideration of Important Factor on Demolding Force for Various Molds. 2012 , 25, 223-226	4

1026	Large Area Nano Pattern Fabrication Using Improved Step and Repeat UV Nanoimprint. 2012 , 25, 235-238	2
1025	Lithographic Resists. 2012 ,	1
1024	Ambient Electronics. 2012 , 51, 100001	14
1023	Application of Polymers to Photoresist Materials. 2012 , 85, 33-39	3
1022	Reactive-monolayer-assisted Thermal Nanoimprint Lithography. 2012 , 25, 189-196	3
1021	A Consideration of Important Factor on Demolding Force for Various Molds P223-6. 2012 , 25, 747-750	3
1020	Pattern Size Effects on Demolding Force for Imprint Process. 2012 , 25, 245-248	1
1019	Photoacid- and Photobase-Generating Monomers for Surface Modification of Cured Resin: Application to Novel Resin Mold for UV Imprint. 2012 , 25, 735-740	
1018	Quantitative characterisation of nanoimprinted structures using metrological large range AFM and CDAFM. 2012 , 8, 372	4
1017	Optical Lithography Patrick Naulleau. 2012 , 143-156	4
1016	Gold Mesh Structures with Controlled Aperture Ratios Fabricated by Reactive-monolayer-assisted Thermal Nanoimprint Lithography. 2012 , 41, 1291-1293	4
1015	Evaluation of the Nanoimprinting Process Using Scanning Probe Microscopy (SPM). 2012 , 529-550	
1014	Encyclopedia of Nanotechnology. 2012 , 1644-1644	
1013	Nanoimprinted ultrafine line and space nanogratings for liquid crystal alignment. 2012 , 23, 465302	11
1012	Surface and cross sectional nano-structure of prototype BPM prepared using imprinted glassy alloy thin film. 2012 , 30, 48-50	1
1011	The electromagnetic effect in surface enhanced Raman scattering: Enhancement optimization using precisely controlled nanostructures. 2012 , 113, 2321-2333	83
1010	Integration of rotated 3-D structures into pre-patterned PMMA substrate using step & stamp nanoimprint lithography. 2012 , 98, 180-183	5
1009	Geometrical properties of multilayer nano-imprint-lithography molds for optical applications. 2012 , 98, 284-287	14

1008	Fabrication of organic thin film transistors with the nano-groove al gate electrodes by using UV nano imprint technology. 2012 , 98, 155-158	3
1007	Impacts of mold material and pattern size for ultrasonic nanoimprint lithography. 2012 , 98, 112-116	6
1006	Fabrication of roll mold using electron-beam direct writing and metal lift-off process. 2012 , 97, 113-116	10
1005	Immersion nanoimprint lithography using perfluoroalkyl liquid. 2012 , 97, 43-47	1
1004	Giant and uniform fluorescence enhancement over large areas using plasmonic nanodots in 3D resonant cavity nanoantenna by nanoimprinting. 2012 , 23, 225301	7 ¹
1003	Real-time full-area monitoring of the filling process in molds for UV nanoimprint lithography using dark field illumination. 2012 , 30, 06FB13	3
1002	Study of controlled quantum dot formation on focused ion beam patterned GaAs substrates. 2012 ,	
1001	Morphology of nanoimprinted polyimide films fabricated via a controlled thermal history. 2012 , 44, 1036-1041	5
1000	Influence of Template Geometry on Polymer Micro-Structure Duplication in Electrohydrodynamics Patterning Process. 2012 , 51, 1537-1547	
999	A facile nanowire fabrication approach based on edge lithography. 2012 ,	
998	A simulation study on the effect of cross-linking agent concentration for defect tolerant demolding in UV nanoimprint lithography. 2012 , 28, 11546-54	21
997	Fabrication of carbon nanostructures using photo-nanoimprint lithography and pyrolysis. 2012 , 22, 045024	30
996	Molecular scale modeling of polymer imprint nanolithography. 2012 , 28, 1049-55	7
995	Rigid, vapor-permeable poly(4-methyl-2-pentyne) templates for high resolution patterning of nanoparticles and polymers. 2012 , 6, 6890-6	25
994	Wafer-scale fabrication of high-aspect ratio nanochannels based on edge-lithography technique. 2012 , 6, 16502-165028	8
993	Controlling mold releasing propensity--the role of surface energy and a multiple chain transfer agent. 2012 , 4, 3465-70	6
992	Enhanced Wet-Chemical Etching To Prepare Patterned Silicon Mask with Controlled Depths by Combining Photolithography with Galvanic Reaction. 2012 , 51, 788-794	4
991	Creation of Self-Organized Complex Meso Patterns in Solid Thin Films by Confined Capillary Dynamics. 2012 , 51, 9546-9553	16

990	Wafer-scale fabrication of nanofluidic arrays and networks using nanoimprint lithography and lithographically patterned nanowire electrodeposition gold nanowire masters. 2012 , 84, 5053-8	7
989	3D nanomolding for lab-on-a-chip applications. 2012 , 12, 4764-71	17
988	Prediction of surface and adhesion energies of nanoimprint lithography materials and anti-sticking layers by molecular dynamics simulation. 2012 , 258, 5438-5442	9
987	Scalable patterning on shape memory alloy by laser shock assisted direct imprinting. 2012 , 258, 10042-10046	24
986	A simple and novel method for the evaluation of adhesion properties between UV curable resin and stamp in UV-nanoimprint lithography (UV-NIL). 2012 , 98, 64-69	2
985	Formulation and screen printing of water based conductive flake silver pastes onto green ceramic tapes for electronic applications. 2012 , 177, 1053-1066	109
984	Critical size, recovery, and mechanical property of nanoimprinted NiAl alloys investigation using molecular dynamics simulation. 2012 , 53, 321-328	27
983	Electroactive subwavelength gratings (ESWGs) from conjugated polymers for color and intensity modulation. 2012 , 4, 3679-86	15
982	Fabrication of transistors on flexible substrates: from mass-printing to high-resolution alternative lithography strategies. 2012 , 24, 5526-41	215
981	A fast thermal-curing nanoimprint resist based on cationic polymerizable epoxysiloxane. 2012 , 7, 380	4
980	Key process study in nanoimprint lithography. 2012 , 33, 106002	
979	Nanoimprint Technologies. 2012 , 117-140	
978	Nanometer-scale infrared spectroscopy of heterogeneous polymer nanostructures fabricated by tip-based nanofabrication. 2012 , 6, 8015-21	64
977	Nanoscale Control of Cell Behavior on Biointerfaces. 2012 , 213-236	1
976	Encyclopedia of Nanotechnology. 2012 ,	55
975	Encyclopedia of Nanotechnology. 2012 , 1790-1803	
974	Nanoimprint Lithography of Polymers. 2012 , 251-274	6
973	Efficiency-improved organic solar cells based on plasticizer assisted soft embossed PEDOT:PSS layers. 2012 , 14, 15088-98	32

972	Soft Lithographic Approaches to Nanofabrication. 2012 , 211-231	36
971	Cost-effective fabrication of submicron patterns under low pressure over a large area. 2012 , 61, 1088-1092	
970	Direct Nanoimprinting for Micro- and Nanosystems. 2012 , 209-242	
969	Transport characteristics of multichannel transistors made from densely aligned sub-10 nm half-pitch graphene nanoribbons. 2012 , 6, 9700-10	72
968	Integration of Metallic Nanostructures in Fluidic Channels for Fluorescence and Raman Enhancement by Nanoimprint Lithography and Lift-off on Compositional Resist Stack. 2012 , 98, 693-697	6
967	Self-folding polymeric containers for encapsulation and delivery of drugs. 2012 , 64, 1579-89	201
966	Initial catalyzation analysis of electroless NiP nanoimprinting mold replicated from self-assembled monolayer modified nanopatterns. 2012 , 82, 75-81	6
965	Flexible thin-film transistors using multistep UV nanoimprint lithography. 2012 , 13, 3004-3013	18
964	Numerical Simulation and Experimental Study on Resist Filling Behavior in UV-nanoimprint Lithography. 2012 , 3, 203-208	
963	Fabrication of ZnO nano-structures using UV nanoimprint lithography of a ZnO nano-particle dispersion resin. 2012 , 22, 20742	23
962	Interferometric polymer optical sensor for intravascular optoacoustic imaging. 2012 ,	
961	Photochemically grafted polystyrene layer assisting selective Au electrodeposition. 2012 , 28, 11646-53	9
960	Fabrication of three-dimensional ordered nanodot array structures by a thermal dewetting method. 2012 , 23, 485303	14
959	DNA confinement in nanochannels: physics and biological applications. 2012 , 75, 106601	260
958	Novel gold-capped nanopillars imprinted on a polymer film for highly sensitive plasmonic biosensing. 2012 , 84, 5494-500	30
957	Microstructure formation via roll-to-roll UV embossing using a flexible mould made from a laminated polymerdopper film. 2012 , 22, 085010	29
956	Surface plasmon-assisted nanolithography with nanometric accuracy. 2012 ,	1
955	Fabrication of periodic nanostructures by single-point diamond turning with focused ion beam built tool tips. 2012 , 22, 115014	32

954	Creating self-organized submicrometer contact instability patterns in soft elastic bilayers with a topographically patterned stamp. 2012 , 4, 355-62	33
953	Encyclopedia of Nanotechnology. 2012 , 1543-1543	
952	Nanoimprinted Step-Edge Vertical-Channel Organic Transistors. 2012 , 51, 11PD05	6
951	Nano- and microstructuring of graphene using UV-NIL. 2012 , 23, 335301	8
950	A study of contact angles according to the resist thickness and imprint time effects during NIL. 2012 , 98, 210-213	3
949	Large-Scale Atmospheric Step-and-Repeat UV Nanoimprinting. 2012 , 2012, 1-9	1
948	Application of Polymers to Photoresist Materials. 2012 , 39, 47-54	2
947	Developments and Recent Patents on Nano-Imprint Lithography Techniques. 2012 , 6, 37-47	
946	Impact of chain architecture (branching) on the thermal and mechanical behavior of polystyrene thin films. 2012 , 50, 370-377	35
945	In situ film characterization of thermally treated microstructured conducting polymer films. 2012 , 50, 631-641	23
944	Fabrication of nanofluidic biochips with nanochannels for applications in DNA analysis. 2012 , 8, 2787-801	84
943	Control of cell adhesion and neurite outgrowth by patterned gold nanoparticles with tunable attractive or repulsive surface properties. 2012 , 8, 3357-67	27
942	Oxide nanowires for spintronics: materials and devices. 2012 , 4, 1529-40	70
941	Nanotechnology for Diagnostic and Sensing: Soft and Advanced Imaging/Sensing Approaches to Analyze Biomolecules. 2012 , 83-99	1
940	Enhancement of immunoassay's fluorescence and detection sensitivity using three-dimensional plasmonic nano-antenna-dots array. 2012 , 84, 4489-95	116
939	Simultaneous enhanced photon capture and carrier generation in Si solar cells using Ge quantum dot photonic nanocrystals. 2012 , 23, 185401	28
938	Triangular Elastomeric Stamps for Optical Applications: Near-Field Phase Shift Photolithography, 3D Proximity Field Patterning, Embossed Antireflective Coatings, and SERS Sensing. 2012 , 22, 2927-2938	41
937	Tailoring nanostructures using copolymer nanoimprint lithography. 2012 , 24, 1952-5	23

936	Engineering metallic nanostructures for plasmonics and nanophotonics. 2012 , 75, 036501	366
935	Preparation of Refined SiC Patterns from Imprinting of Partially Cross-Linked Solid Polycarbosilane. 2012 , 95, 1530-1535	0
934	Fabrication of SiC Ceramics with Micropatterns from a Facile Replication Process. 2012 , 9, 304-312	
933	DFB LDs at DWDM wavelengths fabricated by a novel nanoimprint process for mass production and tolerance simulation. 2012 , 93, 43-49	10
932	Enhanced photo-patterning of polymer dielectrics via imprint lithography. 2012 , 93, 19-26	3
931	Subtractive offset printing for fabrication of sub micrometer scale electrodes with gold nanoparticles. 2012 , 95, 14-20	12
930	Glass carbon surface modified by the fluorine ion irradiation. 2012 , 272, 458-461	1
929	Super-resolution microscope using a two-color phase plate for generating quasi-Laguerre-Gaussian beam. 2012 , 285, 3798-3804	5
928	Digital moiré fringe measurement method for alignment in imprint lithography. 2012 , 44, 446-451	28
927	Read/write characteristics of a new type of bit-patterned-media using nano-patterned glassy alloy. 2012 , 324, 1444-1448	6
926	Anisotropic wetting surfaces with one-dimensional and directional structures: fabrication approaches, wetting properties and potential applications. 2012 , 24, 1287-302	230
925	Experimental investigation of new manufacturing process chains to create micro-metal structures on polymer substrates for lab-on-chip sensors. 2012 , 59, 101-109	5
924	Efficient prototyping of large-scale pdms and silicon nanofluidic devices using pdms-based phase-shift lithography. 2012 , 12, 465-473	12
923	Hot embossing at viscous state to enhance filling process for complex polymer structures. 2012 , 18, 257-265	17
922	Nanofabrication of arbitrary patterns by nano plastic forming and etching (NPFE). 2013 , 66, 461-468	1
921	Nano-Imprinted Ferroelectric Polymer Nanodot Arrays for High Density Data Storage. 2013 , 23, 3124-3129	71
920	Lasing in nanoimprinted two-dimensional photonic crystal band-edge lasers. <i>Applied Physics Letters</i> , 2013 , 102, 073101	3-4 28
919	Fabrication of 2D polymer nanochannels by sidewall lithography and hot embossing. 2013 , 23, 075022	22

918	Large-Area Organic Electronics: Inkjet Printing and Spray Coating Techniques. 2013 , 319-339	4
917	Reversible recovery of nanoimprinted polymer structures. 2013 , 29, 10498-504	15
916	Cell-material interactions revealed via material techniques of surface patterning. 2013 , 25, 5257-86	370
915	Split-ring resonators interacting with a magnetic field at visible frequencies. <i>Applied Physics Letters</i> , 2013 , 103, 071104	3-4 12
914	Hybrid Solar Cells from Ordered Nanostructures. 2013 , 385-417	
913	Wafer level silicon mould fabrication and imprinting of high density microstructures. 2013 , 104, 64-68	2
912	Ultrathin, high-efficiency, broad-band, omni-acceptance, organic solar cells enhanced by plasmonic cavity with subwavelength hole array. 2013 , 21 Suppl 1, A60-76	97
911	Micro-Engineered Membranes. 2013 , 1	
910	Single Layer Broadband Anti-Reflective Coatings for Plastic Substrates Produced by Full Wafer and Roll-to-Roll Step-and-Flash Nano-Imprint Lithography. 2013 , 6, 3710-3726	42
909	Integrated blue-sensitive polarization-dependent photodetector. 2013 , 12, 033005	9
908	Nanoimprint Lithography: An Enabling Process for Nanofabrication. 2013 ,	17
907	Roll-to-Roll Microimprinting Process for Indium Tin Oxide Layer Patterning. 2013 , 52, 05DB09	1
906	A study on the fabrication of main scale of linear encoder using continuous roller imprint method. 2013 ,	3
905	Nanostructured surfaces and detection instrumentation for photonic crystal enhanced fluorescence. 2013 , 13, 5561-84	31
904	Elongated nanostructures for radial junction solar cells. 2013 , 76, 106502	33
903	Solvent-Assistant Room Temperature Nanoimprinting-Induced Molecular Orientation in Poly(3-hexylthiophene) Nanopillars. 2013 , 46, 8638-8643	30
902	Continuous adsorption in highly ordered porous matrices made by nanolithography. 2013 , 4, 2966	25
901	The next generation microelectronics craft technique: Nanoimprint lithography. 2013 ,	

900	Surface plasmon resonance as an innovative method for filling defects monitoring in nanoimprint lithography. 2013 , 275, 94-101	1
899	Fabrication of high-resolution conductive lines by combining inkjet printing with soft lithography. 2013 , 110, 219-223	10
898	Double patterning in nanoimprint lithography. 2013 , 112, 139-142	6
897	Fabrication of Gold Nanodot Array on Plastic Films for Bio-sensing Applications. 2013 , 5, 47-52	9
896	Fabrication and Encapsulation of a Short-Period Wire Grid Polarizer with Improved Viewing Angle by the Angled-Evaporation Method. 2013 , 1, 863-868	15
895	Crack growth analysis of a composite/adhesive interface toughened by in-mold surface preparation. 2013 , 42, 36-43	13
894	Comparison of Reactive Inkjet Printing and Reactive Sintering to Fabricate Metal Conductive Patterns. 2013 , 52, 05DB14	9
893	Structuring of titania thin films on different length scales via combining block copolymer assisted sol-gel templating with wet-imprinting. 2013 , 1, 13399	13
892	Nanomagnet Fabrication Using Nanoimprint Lithography and Electrodeposition. 2013 , 12, 547-552	6
891	Exciton diffusion in near-infrared absorbing solution-processed organic thin films. 2013 , 15, 2867-72	16
890	Probing substrate effects on relaxation dynamics of ultrathin poly(vinyl acetate) films by dynamic wetting of water droplets on their surfaces. 2013 , 9, 11680	16
889	UV-Imprinted Single-Mode Waveguides With Low Loss at Visible Wavelength. 2013 , 25, 996-998	13
888	A sandwiched flexible polymer mold for control of particle-induced defects in nanoimprint lithography. 2013 , 110, 123-128	12
887	Molecular Dynamic Simulation on the Effect of Polymer Molecular Size in Thermal Nanoimprint Lithographic (T-NIL) Process. 2013 , 49, 421-430	14
886	A novel texturing of micro injection moulding tools by applying an amorphous hydrogenated carbon coating. 2013 , 235, 1-9	15
885	Control of self-assembly defects in thermal nanoimprint. 2013 , 110, 80-84	2
884	Nanoimprint Lithography for Photovoltaic Applications. 2013 , 185-201	
883	Low temperature fabrication of conductive silver lines and dots via transfer-printing and nanoimprinting lithography techniques. 2013 , 23, 085026	2

882	Buckling load and critical length of nanowires on an elastic substrate. 2013 , 341, 636-645	3
881	Facile preparation of ordered convex and concave metallic layers molded from air pocket arrays. 2013 , 96, 218-220	
880	Polymer shrinkage of hot embossed microstructures for higher aspect ratio and smaller size. 2013 , 195, 21-26	11
879	NanoImprint Lithography. 2013 , 87-168	1
878	Lithography Techniques Using Scanning Probe Microscopy. 2013 , 169-206	2
877	Fabrication of 3D nano-structures using reverse imprint lithography. 2013 , 24, 045304	24
876	Printed sub-100 nm polymer-derived ceramic structures. 2013 , 5, 3894-9	19
875	Ultrasensitive non-chemically amplified low-contrast negative electron beam lithography resist with dual-tone behaviour. 2013 , 1, 1392	22
874	Highly ordered MnO ₂ nanopyllars for enhanced supercapacitor performance. 2013 , 25, 3302-6	401
873	On-chip nanohole array based sensing: a review. 2013 , 13, 2445-63	135
872	Photonic Crystals: Manipulating Light with Periodic Structures. 2013 , 39-65	0
871	A method for in situ measurement of residual layer thickness in nano-imprint lithography. 2013 , 110, 132-140	3
870	Green Nanofabrication: Unconventional Approaches for the Conservative Use of Energy. 2013 , 355-405	
869	Microfluidic Cell Culture Platforms with Embedded Nanoscale Features. 2013 , 3-26	2
868	Introduction. 2013 , 1-4	
867	Low-Threshold Nanoimprinted Lasers Using Substructured Gratings for Control of Distributed Feedback. 2013 , 1, 563-566	25
866	Effect of mold geometry on nanoformed aluminum films investigated using molecular dynamics simulations. 2013 , 74, 17-22	8
865	Orientation and alignment control of microphase-separated PS-b-PDMS substrate patterns via polymer brush chemistry. 2013 , 5, 88-97	35

864	A fast process for imprinting micro and nano patterns on electrospun fiber meshes at physiological temperatures. 2013 , 9, 3405-9	39
863	Titanium nanofeaturing for enhanced bioactivity of implanted orthopedic and dental devices. 2013 , 8, 89-104	35
862	Fabricating bi-layered metallic wire-grid polarizers by nanoimprint and O2 plasma etching. 2013 , 102, 53-59	6
861	Large area assembly of zinc oxide nanowire arrays by surface energy contrast template. 2013 , 102, 48-52	0
860	Optimization of micro and nanoimprint de-embossing by elastic fracture modelling. 2013 , 103, 49-56	1
859	Novel Heterostructured Organic Photovoltaics Formed by Multilayered Direct Nanoimprinting. 2013 , 52, 06GJ03	2
858	Concealing surface topography by attachment of nanometer-thick film. 2013 , 29, 2906-11	4
857	Tuning PDMS brush chemistry by UV-O3 exposure for PS-b-PDMS microphase separation and directed self-assembly. 2013 , 29, 8959-68	12
856	Size-dependent adhesion of nanopatterns for nanoimprint applications. 2013 , 9, 845-850	1
855	Effect of anti-reflective nano-patterns on LED package. 2013 , 13, S93-S97	10
854	Free carrier plasma optical response and dynamics in strongly pumped silicon nanopillars. 2013 , 113, 143101	8
853	Study of Demolding Characteristics in Step-and-Repeat Ultraviolet Nanoimprinting. 2013 , 52, 06GJ04	2
852	Simulation and Experimental Study of the Effects of Process Factors on the Uniformity of the Residual Layer Thickness in Hot Embossing. 2013 , 1,	2
851	Emissivity of Wavelength-Selective Radiator With Periodic Microcavities. 2013 ,	
850	Low-pressure plasma-etching of bulk polymer materials using gas mixture of CF4 and O2. 2013 , 3, 112105	15
849	Fabrication of resonant patterns using thermal nano-imprint lithography for thin-film photovoltaic applications. 2013 , 21 Suppl 4, A631-41	18
848	Reorientation of photoreactive liquid crystalline polymer pattern fabricated by hybrid nanoimprinting. 2013 , 31, 06FB04	
847	Controlled Quantum Dot Formation on Focused Ion Beam-Patterned GaAs Substrates. 2013 , 299-314	

846	Development of Functional Metallic Glassy Materials by FIB and Nanoimprint Technologies. 2013 , 315-340	
845	FIB Patterning of Stainless Steel for the Development of Nano-structured Stent Surfaces for Cardiovascular Applications. 2013 , 391-416	
844	Deterministic Fabrication of Micro- and Nanostructures by Focused Ion Beam. 2013 , 161-204	4
843	Size Control in ZnO Nanopillar Fabrication Using a Gel-Nanoimprint Process. 2013 , 372, 149-152	
842	Enhancement of interfacial fracture toughness of carbon/epoxy composite adhesive joints by in-mold surface preparation. 2013 , 7, 293-303	11
841	Gallium Nitride Crystals Grown by Hydride Vapor Phase Epitaxy with Dislocation Reduction Mechanism. 2013 , 2, N3045-N3050	12
840	On using the levelling of the free surface of a Newtonian fluid to measure viscosity and Navier slip length. 2013 , 469, 20130457	3
839	Fabrication of Zinc Oxide Nanopatterns by Quick Gel-Nanoimprint Process toward Optical Switching Devices. 2013 , 52, 03BA02	6
838	Study on Organic Light-Emitting Diode Based Photonic Crystal Substrate Fabricated by Nanoimprint Lithography Technology. 2013 , 785-786, 400-405	
837	Design and fabrication of tunable laser with digital concatenated grating. 2013 , 28, 035001	3
836	Fabrication of Polymer-Based Transistors with Carbon Nanotube Source Drain Electrodes Using Softlithography Techniques. 2013 , 52, 05DB13	3
835	A Multiple Phase-Shifted Distributed Feedback (DFB) Laser Fabricated by Nanoimprint Lithography. 2013 , 30, 054205	1
834	Fabrication of 200-nm Dot Pattern on 15-m-Long Polymer Sheet Using Sheet Nanoimprint Method. 2013 , 52, 035201	7
833	Nanoindentation Analysis for Mechanical Properties of Electroless NiP Imprinting Mold Replicated from Self-Assembled-Monolayer Modified Master Mold. 2013 , 52, 110126	0
832	The spin-one Duffin-Kemmer-Petiau equation in the presence of pseudo-harmonic oscillatory ring-shaped potential. 2013 , 22, 100304	3
831	Study of Organic Thin Film Transistors on Ultraviolet-Curable Dielectrics with Periodic Patterns Fabricated by Nano Imprint Technology. 2013 , 52, 06GJ08	2
830	Nanoimprint lithography for microfluidics manufacturing. 2013 ,	
829	Resolution Limits of Nanoimprinted Patterns by Fluorescence Microscopy. 2013 , 52, 06GJ01	7

828	Computational Study on Polymer Filling Process in Nanoimprint Lithography for Bi-Layered Resist. 2013 , 1499, 1		
827	Nanofabrication, effects and sensors based on micro-electro-mechanical systems technology. 2013 , 371, 20120315		6
826	Nanoimprint Lithography of 20-nm-Pitch Dot Array Pattern Using Tone Reversal Process. 2013 , 52, 105201		1
825	Micro/nanofabrication of poly(L-lactic acid) using focused ion beam direct etching. <i>Applied Physics Letters</i> , 2013 , 103, 163105	3-4	10
824	Nanomagnetic logic devices fabrication using nanoimprint lithography. 2013 ,		
823	An efficient non-Lambertian organic light-emitting diode using imprinted submicron-size zinc oxide pillar arrays. <i>Applied Physics Letters</i> , 2013 , 102, 053305	3-4	15
822	Effect of water separation layer on metal nanoforming process investigated using molecular dynamics simulations. 2013 , 114, 174303		4
821	Nano-Sized Surface Patterns on Electrospun Microfibers Fabricated Using a Modified Plasma Process for Enhancing Initial Cellular Activities. 2014 , 11, 142-148		8
820	Advanced fabrication of Si nanowire FET structures by means of a parallel approach. 2014 , 25, 275302		9
819	Epitaxial patterning of thin-films: conventional lithographies and beyond. 2014 , 24, 093001		12
818	Nanopattern formation in UV laser treated a-AlOx and nc-Al/AlOx layers. 2014 , 109, 200-205		3
817	A review of roll-to-roll nanoimprint lithography. 2014 , 9, 320		225
816	A mini-review: Cell response to microscale, nanoscale, and hierarchical patterning of surface structure. 2014 , 102, 1580-94		134
815	Fluorinated silsesquioxane-based photoresist as an ideal high-performance material for ultraviolet nanoimprinting. 2014 , 4, 44073-44081		10
814	Fabrication of micro-structures of poly [(R)-3-hydroxybutyric acid] by electro-spraying/-spinning: understanding the influence of polymer concentration and solvent type. 2014 , 49, 4246-4260		9
813	Fabrication of nano-structures on glass substrate by modified nano-imprint patterning with a plasma-induced surface-oxidized Cr mask. 2014 , 10, 351-355		2
812	Fundamentals of Nano/Microfabrication and Effect of Scaling. 2014 , 43-101		1
811	Nanoimprinting of topographical and 3D cell culture scaffolds. 2014 , 9, 349-66		16

810	Photo-curable resists for inkjet dispensing applied in large area and high throughput roll-to-roll nanoimprint processes. 2014 , 123, 121-125	4
809	Fabricating a Silver Soft Mold on a Flexible Substrate for Roll-to-Roll Nanoimprinting. 2014 , 13, 80-84	6
808	Photocrosslinkable polymers with degradable properties. 2014 , 46, 859-865	25
807	Geometric phase analysis based on the windowed Fourier transform for the deformation field measurement. 2014 , 58, 119-127	29
806	Mode II interfacial fracture toughness of composite/adhesive interfaces obtained by in-mold surface modification. 2014 , 50, 191-198	11
805	Fabrication and characterization of combined metallic nanogratings and ITO electrodes for organic photovoltaic cells. 2014 , 119, 122-126	14
804	Hot embossing holographic images in BOPP shrink films through large-area roll-to-roll nanoimprint lithography. 2014 , 311, 101-106	13
803	Polymer filling behaviors with various levels of imprinting velocity in nanoimprint lithography. 2014 , 117, 67-71	4
802	A large deflection and high payload flexure-based parallel manipulator for UV nanoimprint lithography: Part II. Stiffness modeling and performance evaluation. 2014 , 38, 872-884	25
801	Study on applying a flexibility-assisted array air bag imprinting processing technology in the development of linear gradient imprinting and simulating an asymmetric imprinting plane. 2014 , 122, 64-69	2
800	Flexible organic light-emitting diodes with enhanced light out-coupling efficiency fabricated on a double-sided nanotextured substrate. 2014 , 6, 10213-9	25
799	Laser-assisted replication of large-area nanostructures. 2014 , 214, 2444-2449	8
798	Fabrication of high temperature moiré grating and its application. 2014 , 54, 255-262	9
797	Fabrication of polymer-based transistors with source-drain electrodes made of carbon nanotubes and silver nanoparticles by soft lithography techniques. 2014 , 554, 127-131	5
796	Effect of Fluorosurfactant contained in Resin for Anti-sticking Layer Free UV Nanoimprinting. 2014 , 27, 117-120	
795	Preparation of Nanopatterned Polyimide by Imprinting and Curing Phenylethynyl- terminated Imide Oligomer. 2014 , 27, 155-160	1
794	Breakthrough Achievement In Nanoimprint Lithography Using PFP Condensable Gas. 2014 , 27, 61-72	5
793	Nanostructure transfer using cyclic olefin copolymer templates fabricated by thermal nanoimprint lithography. 2014 , 32, 06FI02	12

792	Release Property of HSQ Replica Mold Fabricated by Room Temperature Nanoimprinting with PDMS soft mold. 2014 , 27, 81-84	3
791	Chemical Patterns Fabricated by Nanoimprinting for Block Copolymer Directed Self-Assembly. 2014 , 27, 99-102	0
790	Characterization of Polymer Blends Using SIMS and NanoSIMS. 2014 , 579-608	
789	Computational study of the demolding process in nanoimprint lithography. 2014 , 32, 06FG02	11
788	Microfabrication Techniques in Scaffold Development. 2014 , 103-142	2
787	Fabrication of a roll imprint stamp using zirconia for the UV roll imprinting process. 2014 , 4, 52620-52623	3
786	Polymer filling behaviors and imprinting velocities with pressure variation rates in nanoimprint lithography. 2015 , 140, 67-71	3
785	Near-zero-residual layer nanoimprint based on hybrid nanoimprint soft lithography. 2015 , 121, 371-375	3
784	Micropillars Fabricated on Poly(methyl methacrylate) Substrates for Separation of Microscale Objects. 2015 , 31, 1197-200	1
783	A New Strategy of Lithography Based on Phase Separation of Polymer Blends. 2015 , 5, 15947	26
782	Flexure-based Roll-to-roll Platform: A Practical Solution for Realizing Large-area Microcontact Printing. 2015 , 5, 10402	31
781	References. 572-624	
780	High Selective Plasma Etching of PMMA to PS. 2015 , 28, 569-572	1
779	Research on three-dimensional microfabrication using photocatalytic reaction at the vicinity of beam waist. 2015 , 81, 15-00309-15-00309	1
778	Surface Evaluation of HSQ Containing PDMS Additive after Room-temperature Nanoimprinting. 2015 , 28, 551-556	1
777	The Photopolymer Science and Technology Award. 2015 , 28, 9-11	
776	Foreword. 2015 , 121, 317-318	4
775	Formation of self-organized surface structures on poly(methyl methacrylate) films: effect of two contacting metallic wires. 2015 , 22, 1	1

774	Fabrication of Fine Copper Structure on Both Sides by Thermal Nanoimprint. 2015 , 66, 425-430	1
773	Replication of Surface Structure by Nanoimprint Technology and Biomimetics. 2015 , 81, 393-395	
772	Grazing incidence X-ray fluorescence analysis of buried interfaces in periodically structured crystalline silicon thin-film solar cells. 2015 , 212, 529-534	8
771	A simple and residual-layer-free solute-solvent separation soft lithography method. 2015 , 25, 095013	10
770	Evaluation of Fluorinated Self-Assembled Monolayer by Photoelectron and Near Edge X-Ray Absorption Fine Structure Spectroscopy. 2015 , 98, 35-40	
769	Enhanced Wettability Changes by Synergistic Effect of Micro/Nanoimprinted Substrates and Grafted Thermoresponsive Polymer Brushes. 2015 , 36, 1965-70	19
768	Three-dimensional hydrogen silsesquioxane nanostructure fabrication by reversal room-temperature nanoimprint using poly(dimethylsiloxane) mold. 2015 , 54, 06FM05	3
767	Symmetry plays a key role in the erasing of patterned surface features. <i>Applied Physics Letters</i> , 2015 , 107, 053103	3-4 7
766	Large-Area Resonance-Tuned Metasurfaces for On-Demand Enhanced Spectroscopy. 2015 , 2015, 1-7	11
765	Physical Properties of Semiconducting/Magnetic Nanocomposites. 2015 , 2,	1
764	Hierarchical patterning by multi-step micro-imprinting with layered materials. 2015 , 2, 10	10
763	Formation of ceramic micro-channel by combination of laser beam machining and micro powder imprinting. 2015 , 54, 06FM03	6
762	Honeycomb Structure on Multi-crystalline Silicon Al-BSF Solar Cell With 17.8% Efficiency. 2015 , 5, 1027-1033	23
761	Optimized Rear-Electrode Grating Structures in Organic Solar Cells. 2015 , 5, 1113-1117	
760	Room temperature direct imprinting of porous glass prepared from phase-separated glass. 2015 , 26, 255304	4
759	Fluorescent switch based on the oxidation of tetrathiafulvalene. 2015 , 72, 2527-2536	2
758	Ordered arrays of pumpkin-shaped Janus particles with tailored surface morphologies via microcontact hot embossing. 2015 , 293, 2181-2189	2
757	On-Chip Universal Supervised Learning Methods for Neuro-Inspired Block of Memristive Nanodevices. 2015 , 11, 1-20	6

756	Electrically Controllable Liquid Crystal Component for Efficient Light Steering. 2015 , 7, 1-13	16
755	Direct metal transfer printing on flexible substrate for fabricating optics functional devices. 2015 ,	
754	Fabrication of hybrid soft-nanoimprint mold in benign ambient based on thiol-ene. 2015 , 126, 4123-4126	2
753	Momentary Local Laser Heating in Thermal Roll-to-Plate Nanoimprinting; Node Decoupling with Axiomatic Design. 2015 , 34, 212-216	1
752	Residual layer-free Reverse Nanoimprint Lithography on silicon and metal-coated substrates. 2015 , 141, 56-61	12
751	Low-cost fabrication technologies for nanostructures: state-of-the-art and potential. 2015 , 26, 042001	54
750	Effect of twin boundary on nanoimprint process of bicrystal Al thin film studied by molecular dynamics simulation. 2015 , 24, 026201	
749	Precursor strategies for metallic nano- and micropatterns using soft lithography. 2015 , 3, 2717-2731	47
748	Liquid crystal quenched orientational disorder at an AFM-scribed alignment surface. 2015 , 11, 2220-7	
747	Innovative UV nanoimprint lithography using a condensable alternative chlorofluorocarbon atmosphere. 2015 , 133, 134-155	38
746	Evaluation of ultraviolet-nanoimprint-lithography release agent properties by using TriboIndenter. 2015 , 141, 150-154	
745	Nanoimprint combination techniques. 2015 , 141, 92-101	4
744	Recent progress in low temperature nanoimprint lithography. 2015 , 21, 1-7	28
743	Nanoimprint lithography enables memristor crossbars and hybrid circuits. 2015 , 121, 467-479	7
742	Research on hot embossing process of high fill factor microlens array. 2015 , 21, 2109-2114	3
741	Parallelized label-free detection of protein interactions using a hyper-spectral imaging system. 2015 , 7, 5157-5161	13
740	Applications of nanoimprint lithography/hot embossing: a review. 2015 , 121, 451-465	27
739	High-speed replication of light-extraction structure with thermal roller nanoimprinting. 2015 , 141, 285-288	4

738	The ascent of high resolution and high volume 3D replication. 2015 , 141, 243-244	5
737	Inhomogeneity of photoacid generators in methacrylate-type EUV resist film studied by molecular dynamics simulations. 2015 , 54, 06FE02	9
736	Ultraviolet-nanoimprinted packaged metasurface thermal emitters for infrared CO sensing. 2015 , 16, 035005	15
735	Au-modified three-dimensional In ₂ O ₃ inverse opals: synthesis and improved performance for acetone sensing toward diagnosis of diabetes. 2015 , 7, 13051-60	105
734	Temperature-independent polymer optical fiber evanescent wave sensor. 2015 , 5, 11508	45
733	High process yield rates of thermoplastic nanofluidic devices using a hybrid thermal assembly technique. 2015 , 15, 1038-49	27
732	An academic, clinical and industrial update on electrospun, additive manufactured and imprinted medical devices. 2015 , 12, 601-12	24
731	Selection of di(meth)acrylate monomers for low pollution of fluorinated mold surfaces in ultraviolet nanoimprint lithography. 2015 , 31, 4188-95	21
730	One-step nanopatterning of conjugated polymers by electron-beam-assisted electropolymerization. 2015 , 64, 205-12	6
729	Prediction of the macroscopic fracture toughness of a composite/adhesive interface with periodic surface microstructures. 2015 , 60, 16-22	10
728	Self-aligned flexible organic thin-film transistors with gates patterned by nano-imprint lithography. 2015 , 22, 140-146	28
727	Atomistic simulation of nanoformed metallic glass. 2015 , 343, 153-159	14
726	Nanoimprint lithography of plasmonic platforms for SERS applications. 2015 , 121, 443-449	12
725	Evaluation of the fluorinated antisticking layer by using photoemission and NEXAFS spectroscopies. 2015 , 121, 437-441	
724	Nanoimprint lithography: 2D or not 2D? A review. 2015 , 121, 415-435	73
723	Fabrication of metallic crescent-shaped nanohole arrays by combination of nanoimprint lithography and nanotransfer printing. 2015 , 31, 171-174	2
722	InGaAs ridge-waveguide distributed Bragg reflector laser with first-order grating fabricated by nanoimprint lithography. 2015 , 54, 058002	
721	Crystallographic orientation-dependent pattern replication in direct imprint of aluminum nanostructures. 2015 , 10, 96	6

720	Improvement in the optical and electrical properties of Ga-doped zinc-oxide films by using nano-imprinted pattern arrays and post-annealing. 2015 , 66, 246-251	2
719	Nanoimprint lithography 20 years on. 2015 , 26, 182501	8
718	Integrated polarization-dependent sensor for autonomous navigation. 2015 , 14, 015001	18
717	Nanobiosensors and Nanobioanalyses. 2015 ,	7
716	Fabrication of Patterned Concave Microstructures by Inkjet Imprinting. 2015 , 25, 3286-3294	53
715	Fabrication of Nanopatterns in a-ALOX Thin Films by a Single Laser Pulse. 2015 , 812, 259-264	
714	Smart plastic functionalization by nanoimprint and injection molding. 2015 ,	9
713	Self-Aligned Megahertz Organic Transistors Solution-Processed on Plastic. 2015 , 1, 1500024	19
712	Refractive Index Variation of Fe3O4 Thin Film According to Deposition Rate. 2015 , 749, 106-110	1
711	Resin filling of UV-cured nanoimprints using pentafluoropropane to fabricate large patterns with a thin residual layer. 2015 , 136, 81-84	1
710	In situ UV nano-imprint lithography alignment using high contrast mark. 2015 , 23, 18518-24	2
709	Nanoimprinted superlattice metallic photonic crystal as ultraselective solar absorber. 2015 , 2, 743	28
708	Spectrum-Integral Talbot Effect for UV Photolithography With Extended DOF. 2015 , 27, 2201-2204	5
707	Metal-film subwavelength-grating polarizer with low insertion losses and high extinction ratios in the terahertz region. 2015 , 23, 16676-81	11
706	Soft mold-based hot embossing process for precision imprinting of optical components on non-planar surfaces. 2015 , 23, 20977-85	19
705	Simple process for single-layer nanowire gratings. 2015 , 10, 272-275	3
704	Poly(ferrocenylsilanes) with Controlled Macromolecular Architecture by Anionic Polymerization: Applications in Patterning and Lithography. 2015 , 387-427	
703	Design, fabrication and characterisation of nano-imprinted single mode waveguide structures for intra-chip optical communications. 2015 ,	

702	Triple Metal-Film Subwavelength Gratings on Both Sides of a Silicon Substrate for Mid-Infrared polarizers. 2015 ,	0
701	Large-Scale Plasmonic nanoCones Array For Spectroscopy Detection. 2015 , 7, 23597-604	28
700	Polymer microring resonators for biosensing applications by nanoimprint lithography. 2015 ,	4
699	Atomic step patterning on quartz glass via thermal nanoimprinting. 2015 , 54, 098001	4
698	High contrast mark used for in-situ UV nano-imprint lithography alignment. 2015 ,	
697	Fabrication of Ni mold for nanoimprint lithography by combining two supercritical fluid-based deposition technologies. 2015 , 54, 076501	1
696	Self-assembled binary colloidal crystal monolayers as cell culture substrates. 2015 , 3, 2545-2552	41
695	A fair comparison between ultrathin crystalline-silicon solar cells with either periodic or correlated disorder inverted pyramid textures. 2015 , 23, A657-70	18
694	Nanoimprint Lithography on curved surfaces prepared by fused deposition modelling. 2015 , 3, 024003	15
693	Nanoimprint-Assisted Shear Exfoliation (NASE) for Producing Multilayer MoS ₂ Structures as Field-Effect Transistor Channel Arrays. 2015 , 9, 8773-85	36
692	Optimized absorption of solar radiations in nano-structured thin films of crystalline silicon via a genetic algorithm. 2015 ,	1
691	Nanoimprint lithography: an enabling technology for nanophotonics. 2015 , 121, 327-333	24
690	Influence of thermal diffusion and shear thinning during the leveling of nanoimprinted patterns in a polystyrene thin film. 2015 , 121, 387-397	4
689	Effect of an elastic substrate on buckling of free-standing nanocolumns. 2015 , 95, 396-405	4
688	Methods for Nano/Micropatterning of Substrates: Toward Stem Cells Differentiation. 2015 , 64, 338-353	8
687	Experimental demonstration of monolithically integrated 16 channel DFB laser array fabricated by nanoimprint lithography with AWG multiplexer and SOA for WDM-PON application. 2015 , 339, 78-85	5
686	Effects of mixed-mode ratio and step-shaped micro pattern surface on crack-propagation resistance of carbon-fiber-reinforced plastic/adhesive interface. 2015 , 69, 139-149	9
685	Polymer filling ratio with various pressure variation rates in nanoimprint lithography. 2015 , 131, 24-28	3

684	Nanoimprint technology for patterning functional materials and its applications. 2015 , 132, 98-119	50
683	Surface charge, electroosmotic flow and DNA extension in chemically modified thermoplastic nanoslits and nanochannels. 2015 , 140, 113-26	46
682	Surface modification-assisted bonding of 2D polymer-based nanofluidic devices. 2015 , 18, 527-535	9
681	Monolithically integrated distributed feedback laser array wavelength-selectable light sources for WDM-PON application. 2015 , 334, 1-7	3
680	Organic nanowire fabrication and device applications. 2015 , 11, 45-62	85
679	The Molded Mask Method: The Origin of Nanoimprint Lithography. 2016 , 29, 849-858	1
678	Recent Advances in Unconventional Lithography for Challenging 3D Hierarchical Structures and Their Applications. 2016 , 2016, 1-17	13
677	Basic technologies for microsystems. 2016 , 11-54	0
676	Crystallization of Poly(3-hexylthiophene) Nanofiber in a Narrow Groove. 2016 , 8,	4
675	Disposable photonic integrated circuits for evanescent wave sensors by ultra-high volume roll-to-roll method. 2016 , 24, 2527-41	24
674	Next generation lithography: the rise of unconventional methods?. 2016 , 11, 479-495	3
673	Nanohole and dot patterning processes on quartz substrate by electron beam lithography and nanoimprinting. 2016 , 55, 06GM03	3
672	Fabrication of Cu/Polyimide Multilayer Interconnections by Low Temperature Nanoimprint in Polyimide. 2016 , 19, 46-50	
671	High-Performance Flexible Transparent Electrode with an Embedded Metal Mesh Fabricated by Cost-Effective Solution Process. 2016 , 12, 3021-30	140
670	Progress in Silicon Nanowire-Based Field-Effect Transistor Biosensors for Label-Free Detection of DNA. 2016 , 34, 308-316	10
669	Direct Imprinting of Porous Silicon via Metal-Assisted Chemical Etching. 2016 , 26, 2929-2939	53
668	Athermal Azobenzene-Based Nanoimprint Lithography. 2016 , 28, 2624-8	38
667	Direct Laser Interference Patterning of Nickel Molds for Hot Embossing of Polymers . 2016 , 18, 1280-1288	8

666	Effect of elastic modulus of UV cured resist on demolding force. 2016 , 34, 06KG01	
665	Comparative study of resists and lithographic tools using the Lumped Parameter Model. 2016 , 34, 06K702	5
664	Atomic step-and-terrace surface of polyimide sheet for advanced polymer substrate engineering. 2016 , 27, 295603	6
663	Fabrication of organic FETs based on printing techniques and the improvement of FET properties by the insertion of solution-processable buffer layers. 2016 , 55, 04EL06	2
662	Development of optical biosensor based on photonic crystal made of TiO ₂ using liquid phase deposition. 2016 , 55, 08RE01	8
661	Impact of Wafer Deformation on Pattern Fabrication for Thermal Nanoimprint Lithography. 2016 , 29, 215-219	
660	Controlled Array of Gold Nanoparticles by Combination of Nano Imprint and Self-assembly. 2016 , 29, 765-768	
659	Encyclopedia of Nanotechnology. 2016 , 2659-2666	
658	Encyclopedia of Nanotechnology. 2016 , 2369-2379	
657	Effects of Adhesion Force of Mold Surface on Imprinted Polymer Deformation. 2016 , 29, 195-200	6
656	Geometry- and Length Scale-Dependent Deformation and Recovery on Micro- and Nanopatterned Shape Memory Polymer Surfaces. 2016 , 6, 23686	15
655	High-resolution, high-aspect-ratio iridium/nickel composite nanoimprint molds. 2016 , 34, 061804	4
654	Well-defined silicon patterns by imprinting of liquid silicon. 2016 , 4, 3385-3395	10
653	Characterizing macroscopic lateral distortion in nanoimprint lithography using moiré interferometry. <i>Applied Physics Letters</i> , 2016 , 108, 053109	3-4 3
652	Remoldable Thiol-Ene Vitrimers for Photopatterning and Nanoimprint Lithography. 2016 , 49, 8905-8913	61
651	Effects of contact states on polymer pattern deformation during demolding process in nanoimprint lithography. 2016 , 34, 06K409	6
650	Resist Materials for UV Nanoimprint Lithography: Approaches to Rapid Resist Spreading on Dispensing Based UV-NIL. 2016 , 29, 45-51	4
649	Roll-to-roll hot embossing system with shape preserving mechanism for the large-area fabrication of microstructures. 2016 , 87, 105120	13

648	Evaluation of the properties of the permeability film material using cellulose nanofibers. 2016,	
647	Induction-heated nanoimprint on soda-lime glass using sapphire molds. 2016, 34, 06K408	6
646	Using low-contrast negative-tone PMMA at cryogenic temperatures for 3D electron beam lithography. 2016, 27, 195301	19
645	Thermo-Electrohydrodynamic Patterning in Nanofilms. 2016, 32, 5776-86	15
644	Patterning of diamond like carbon films for sensor applications using silicon containing thermoplastic resist (SiPol) as a hard mask. 2016, 385, 145-152	5
643	Real-time measurement of replication degree in thermal roller nanoimprinting. 2016, 153, 117-120	
642	Antireflective Coatings for Glass and Transparent Polymers. 2016, 32, 6781-93	72
641	Defectivity prediction for droplet-dispensed UV nanoimprint lithography, enabled by fast simulation of resin flow at feature, droplet, and template scales. 2016,	3
640	Laser-induced backward transfer of nanoimprinted polymer elements. 2016, 122, 1	17
639	Fabrication and Characterization of High-Optical-Quality-Factor Hybrid Polymer Microring Resonators Operating at Very Near Infrared Wavelengths. 2016, 8, 1-9	14
638	Direct Imprinting of Liquid Silicon. 2016, 8, 9969-76	15
637	"Sketch and Peel" Lithography for High-Resolution Multiscale Patterning. 2016, 16, 3253-9	51
636	Stimulation of Early Osteochondral Differentiation of Human Mesenchymal Stem Cells Using Binary Colloidal Crystals (BCCs). 2016, 8, 4477-88	30
635	Molecular dynamics study on polymer filling into nano-cavity by injection molding. 2016, 120, 36-42	20
634	Fabrication of polymer lenses and microlens array for lab-on-a-chip devices. 2016, 55, 081319	7
633	Printed photonic elements: nanoimprinting and beyond. 2016, 4, 5133-5153	58
632	Challenges in fabrication towards realization of practical metamaterials. 2016, 163, 7-20	40
631	Large area patterning using interference and nanoimprint lithography. 2016,	6

630	High-resolution conductive patterns fabricated by inkjet printing and spin coating on wettability-controlled surfaces. 2016 , 616, 238-246	16
629	Simultaneous topographic and chemical patterning via imprinting defined nano-reactors. 2016 , 6, 96538-96544	2
628	Low auto-fluorescence fabrication methods for plastic nanoslits. 2016 , 10, 75-80	3
627	Large area graphene nanomesh: an artificial platform for edge-electrochemical biosensing at the sub-attomolar level. 2016 , 8, 15479-85	27
626	Simple integration process of single-layer nanowire gratings for polarization navigation sensor. 2016 , 15, 034501	2
625	Microscopic properties of a nanocrystal aluminum thin film during nanoimprint using quasi-continuous method. 2016 , 612, 237-242	6
624	Nanocontact printing of Au nanoarray onto atomically stepped ultrasmooth polymer sheets. 2016 , 55, 098002	2
623	Nanoscale Printing Technique and its Applications in Nanophotonics. 2016 , 11, 1630002	2
622	Nanoimprint lithography for nanodevice fabrication. 2016 , 3, 21	34
621	High-periodicity nanostructures on a thermally cross-linkable copolymer. 2016 , 122, 1	
620	Temperature effects on DLC coated micro moulds. 2016 , 307, 28-37	11
619	Self-Assemblage and Patterning of Thin-Film Ferroic Nanostructures. 2016 , 118-146	1
618	Fabrication of ordered micro- and nano-scale patterns based on optical discs and nanoimprint. 2016 , 12, 241-244	4
617	Fabrication of Diamond-Like Carbon Emitter Patterns by Room-Temperature Curing Nanoimprint Lithography with PDMS Molds Using Polysiloxane. 2016 , 1, 1075-1080	1
616	Selective nucleation and self-organized crystallization. 2016 , 62, 252-272	2
615	UV spectrum-integral Talbot lithography for amplitude periodic micro-grating fabrication. 2016 ,	
614	Toward Scalable Flexible Nanomanufacturing for Photonic Structures and Devices. 2016 , 28, 10353-10380	54
613	The polarization modulation and fabrication method of two dimensional silica photonic crystals based on UV nanoimprint lithography and hot imprint. 2016 , 6, 34495	9

612	Wavy Micro Channels in Micropatterned Ceramic Sheet Formed by Combined Process of Laser Beam Machining and Imprinting. 2016 , 63, 511-518	12
611	Depth-of-Focus Determination for Talbot Lithography of Large-Scale Free-Standing Periodic Features. 2016 , 28, 2491-2494	2
610	Fabrication of free-standing subwavelength metal-insulator-metal gratings using high-aspect-ratio nanoimprint techniques. 2016 , 55, 06GP20	2
609	Chlorine-based inductively coupled plasma etching of GaAs wafer using tripodal paraffinic triptycene as an etching resist mask. 2016 , 55, 06GL01	6
608	Discharge of viscous UV-curable resin droplets by screen printing for UV nanoimprint lithography. 2016 , 55, 06GM01	9
607	Surface force measurement of ultraviolet nanoimprint lithography materials. 2016 , 55, 028001	3
606	Disposable gold coated pyramidal SERS sensor on the plastic platform. 2016 , 24, 724-31	11
605	Nano/microcomposite surface fabricated by chemical treatment/microembossing for control of bubbles in boiling heat transfer. 2016 , 65, 511-514	6
604	Nanopatterned L10-FePt nanoparticles from single-source metallopolymer precursors for potential application in ferromagnetic bit-patterned media magnetic recording. 2016 , 7, 4467-4475	31
603	Printed polymer photonic devices for optical interconnect systems. 2016 ,	1
602	Fine-structured oxide ceramics from a novel replication method. 2016 , 42, 10872-10878	4
601	Large-area nanoimprint and application to cell cultivation. 2016 , 122, 1	7
600	Rheology printing of an ultra-fine conductive Ru/Au line. 2016 , 42, 7730-7741	9
599	Precision design and control of a flexure-based roll-to-roll printing system. 2016 , 45, 332-341	18
598	Advances in Nanoimprint Lithography. 2016 , 7, 583-604	103
597	Single-Layer Nanowire Polarizer Integrated With Photodetector and Its Application for Polarization Navigation. 2016 , 16, 6579-6585	9
596	Realizing ordered arrays of nanostructures: A versatile platform for converting and storing energy efficiently. 2016 , 19, 328-362	56
595	Electrophoretic Separation of Single Particles Using Nanoscale Thermoplastic Columns. 2016 , 88, 3569-77	9

594	Nanometers to centimeters: novel optical nano-antennas, with an eye to scaled production. 2016 ,	
593	Precision UV imprinting system for parallel fabrication of large-area micro-lens arrays on non-planar surfaces. 2016 , 44, 70-74	18
592	Nanomanufacturing: A Perspective. 2016 , 10, 2995-3014	126
591	Fabrication of flexible oriented magnetic thin films with large in-plane uniaxial anisotropy by roll-to-roll nanoimprint lithography. 2016 , 407, 273-278	8
590	Nanofabrication of Polymer Biosensor Structures for Biomedical Applications. 2016 , 826, 155-159	1
589	Nanopositioning for Lithography and Data Storage. 2016 , 381-409	3
588	Nanopositioning Technologies. 2016 ,	29
587	Durable and scalable icephobic surfaces: similarities and distinctions from superhydrophobic surfaces. 2016 , 12, 1938-63	207
586	Engineered Stem Cell-Based Scaffolds and Patches for Heart Disorders. 2016 , 93-112	0
585	Atomic-scale thermal behavior of nanoimprinted 0.3-nm-high step patterns on PMMA polymer sheets. 2016 , 48, 225-227	4
584	Embossing Process. 2016 , 279-291	
583	Surface patterning of protein matrix basement by thermal imprinting. 2017 , 23, 1309-1318	
582	Contact electrification induced interfacial reactions and direct electrochemical nanoimprint lithography in n-type gallium arsenate wafer. 2017 , 8, 2407-2412	24
581	A review of the scalable nano-manufacturing technology for flexible devices. 2017 , 12, 99-109	18
580	Direct Fabrication of Micro/Nano-Patterned Surfaces by Vertical-Directional Photofluidization of Azobenzene Materials. 2017 , 11, 1320-1327	44
579	Design of Hierarchical Surfaces for Tuning Wetting Characteristics. 2017 , 9, 7701-7709	33
578	Volume-expansion polymerization for UV-curable nanoimprinting. 2017 , 35, 011604	2
577	Improved transfer process for fabrication of cantilever with precise air-gap formation. 2017 , 56, 05EB01	2

576	Numerical analysis of monocrystalline silicon solar cells with fine nanoimprinted textured surface. 2017 , 56, 022301	4
575	Interference and nanoimprint lithography for the patterning of large areas. 2017 ,	
574	Depth analysis of molecular orientation induced by nanoimprint graphoepitaxy. 2017 , 56, 040302	1
573	Fast fabrication of TiO ₂ hard stamps for nanoimprint lithography. 2017 , 90, 253-259	17
572	Electrochemical micro/nano-machining: principles and practices. 2017 , 46, 1526-1544	43
571	Lithographically Defined Graphene Patterns. 2017 , 2, 1600237	17
570	Nanoelectronics. 2017 , 35-69	
569	A technique for nanopatterning diverse materials. 2017 , 313, 115-120	2
568	Development of flexible plasmonic plastic sensor using nanograting textured laminating film. 2017 , 4, 025008	11
567	Geometry-dependent compressive responses in nanoimprinted submicron-structured shape memory polyurethane. 2017 , 13, 3314-3327	5
566	All-polymeric planar waveguide devices based on a gas-assisted thermal imprinting technique. 2017 , 23, 5271-5279	3
565	Hot-embossing fabrication of chalcogenide glasses rib waveguide for mid-infrared molecular sensing. 2017 , 26, 024213	3
564	Electrochemical nanoimprint lithography: when nanoimprint lithography meets metal assisted chemical etching. 2017 , 9, 7476-7482	26
563	Mechanical property of PEG hydrogel and the 3D red blood cell microstructures fabricated by two-photon polymerization. 2017 , 416, 273-280	26
562	Simple and scalable preparation of master mold for nanoimprint lithography. 2017 , 28, 205303	4
561	Thermal dissipation performance of metal-polymer composite heat exchanger with V-shape microgrooves: A numerical and experimental study. 2017 , 121, 492-500	31
560	Synthesis of Metal Nanoparticles and Patterning in Polymeric Films Induced by Electron Nanobeam. 2017 , 121, 5335-5340	2
559	Growth of Hierarchically 3D Silver/Silica Hybrid Nanostructures by Metastable State Assisted Atomic Layer Deposition (MS-ALD). 2017 , 2, 1700015	10

558	Design and vibration analysis of a self-adaptive piston in a novel nanoimprint system. 2017 , 69, 591-597		
557	Analysis of long-term monitoring data of PV module with SiO _x -based anti-reflective patterned protective glass. 2017 , 170, 33-38		14
556	Micro/nano-imprinted substrates grafted with a thermoresponsive polymer for thermally modulated cell separation. 2017 , 5, 5924-5930		29
555	Patterned Plasmonic Surfaces-Theory, Fabrication, and Applications in Biosensing. 2017 , 26, 718-739		14
554	Bending properties of two- and three-dimensional-shaped nanoparticles fabricated via substrate conformal imprint lithography. 2017 , 19, 1		5
553	High-Speed Roll-to-Roll Hot Embossing of Micrometer and Sub Micrometer Structures Using Seamless Direct Laser Interference Patterning Treated Sleeves . 2017 , 19, 1700201		20
552	Dual Imprinted Polymer Thin Films via Pattern Directed Self-Organization. 2017 , 9, 20928-20937		2
551	A review of thin-film transistors/circuits fabrication with 3D self-aligned imprint lithography. 2017 , 2, 013002		6
550	Fabrication of a cost-effective polymer nanograting as a disposable plasmonic biosensor using nanoimprint lithography. 2017 , 4, 076202		7
549	Nanoimprint Lithography for the Fabrication of Metallic Metasurfaces. 2017 , 269-290		1
548	Fabrication of contact lens containing high-performance wire grid polarizer. 2017 , 66, 1269-1274		2
547	150 mW deep-ultraviolet light-emitting diodes with large-area AlN nanophotonic light-extraction structure emitting at 265 nm. <i>Applied Physics Letters</i> , 2017 , 110, 141106	3-4	119
546	Fabrication of single-layer metallic nano-gratings as polarisers by the combination of nanoimprint lithography and lift-off method. 2017 , 12, 267-270		1
545	Facile patterning and transfer printing of ferroelectric P (VDF-TrFE) microstructures by topographic dewetting and Rayleigh-Plateau instability. 2017 , 134, 45028		1
544	Hierarchical surfaces for enhanced self-cleaning applications. 2017 , 27, 045020		19
543	Thermoplastic nanofluidic devices for biomedical applications. 2017 , 17, 362-381		38
542	New methods of fabricating gratings for deformation measurements: A review. 2017 , 92, 48-56		9
541	Soft nanoimprint mold with rigid relief features for improved pattern transfer. 2017 , 35, 010602		2

540	Electrochemical nanoimprint lithography directly on n-type crystalline silicon (111) wafer. 2017 , 75, 1-4	21
539	Sub-50-nm structure patterning by combining nanoimprint lithography and anisotropic wet etching without considering original mold resolution. 2017 , 169, 39-42	10
538	Patterning of L1 FePt nanoparticles with ultra-high coercivity for bit-patterned media. 2017 , 9, 731-738	39
537	Raman spectroscopy mapping of Si (001) surface strain induced by Ni patterned micro arrays. 2017 , 122, 125703	
536	Formation of complex molecular orientation patterns in nanostructures via double nanoimprint graphoepitaxy. 2017 , 10, 105201	1
535	Conductive polymer nanowire gas sensor fabricated by nanoscale soft lithography. 2017 , 28, 485301	33
534	Measuring and Understanding Contact Area at the Nanoscale: A Review. 2017 , 69,	45
533	High-Precision Temperature-Controllable Metal-Coated Polymeric Molds for Programmable, Hierarchical Patterning. 2017 , 27, 1702993	4
532	Scalable Solution-processed Fabrication Strategy for High-performance, Flexible, Transparent Electrodes with Embedded Metal Mesh. 2017 ,	1
531	Ordered and Atomically Perfect Fragmentation of Layered Transition Metal Dichalcogenides via Mechanical Instabilities. 2017 , 11, 9191-9199	39
530	Nanoimprint lithography tone reversal process using poly(methyl methacrylate) and hydrogen silsesquioxane. 2017 , 35, 041603	
529	The development of 8 inch roll-to-plate nanoimprint lithography (8-R2P-NIL) system. 2017 ,	2
528	Nanostructures induced light harvesting enhancement in organic photovoltaics. 2017 , 7, 371-391	22
527	Fabrication of polygonal nanoholes by localized mask-free wet anisotropic etching. 2017 , 7, 105115	1
526	Nanoimprint Lithography. 2017 , 113-142	6
525	Nanopatterned Optical Fiber Tip for Guided Mode Resonance and Application to Gas Sensing. 2017 , 17, 7262-7272	22
524	Inkjet for Nanoimprint Lithography. 2017 , 851-868	
523	A high-performance and low cost SERS substrate of plasmonic nanopillars on plastic film fabricated by nanoimprint lithography with AAO template. 2017 , 7, 065205	14

522	Wafer-scale fabrication of metal nanoring and nanocrescent arrays from nanoimprinted nanopillar arrays. 2017 , 16, 033501	6
521	Pushing the plasmonic imaging nanolithography to nano-manufacturing. 2017 , 404, 62-72	16
520	A modified squeeze equation for predicting the filling ratio of nanoimprint lithography. 2017 , 4, 14	
519	Fabrication of optically-functionalized colorless polyimide patterns with high durability. 2017 , 423, 881-886	7
518	Pressure free nanoimprinting lithography using ladder-type HSQ material for LSPR biosensor chip. 2017 , 242, 47-55	14
517	All-solution-printed oxide thin-film transistors by direct thermal nanoimprinting for use in active-matrix arrays. 2017 , 214, 1600397	4
516	Nanofabrication. 2017 ,	12
515	Comparative evaluation of detachable mold fixing methods aimed at low energy loss for ultrasonic nanoimprint lithography. 2017 , 23, 2707-2717	3
514	Recent Progress in the Development of Printed Thin-Film Transistors and Circuits with High-Resolution Printing Technology. 2017 , 29, 1602736	191
513	Soft nanoimprint lithography on SiO ₂ sol-gel to elaborate sensitive substrates for SERS detection. 2017 , 7, 125125	5
512	Scalable simple liquid deposition techniques for the enhancement of light absorption in thin films: Distributed Bragg reflectors coupled to 1D nanoimprinted textures. 2017 , 7, 085215	1
511	Stochastic simulation of the UV curing process in nanoimprint lithography: Pattern size and shape effects in sub-50 nm lithography. 2017 , 35, 06G307	4
510	Nanoimprint Graphoepitaxy for Molecularly Oriented Nanofabrication. 2017 , 30, 519-525	0
509	Two-dimensional Moiré phase analysis for accurate strain distribution measurement and application in crack prediction. 2017 , 25, 13465-13480	27
508	Tip-Based Nanofabrication for Scalable Manufacturing. 2017 , 8, 90	28
507	Fabrication of Micro-Scale Gratings by Nanosecond Laser and Its Applications for Deformation Measurements. 2017 , 8, 136	2
506	Characterization of Gas Permeable Template Material for Nanoimprinting. 2017 , 30, 275-280	4
505	Micro- and nano-surface structures based on vapor-deposited polymers. 2017 , 8, 1366-1374	7

504	4.22 Engineering the Biophysical Properties of Basement Membranes Into Biomaterials: Fabrication and Effects on Cell Behavior. 2017 , 404-429	0
503	A nanofluidics study on nanoscale gas bubble defects in dispensing-based nanoimprint lithography. 2017 ,	
502	Computational study on UV curing characteristics in nanoimprint lithography: Stochastic simulation. 2017 , 56, 06GL03	5
501	Nanolithography Based on Surface Plasmon. 2017 , 573-588	
500	Conventional and Un-Conventional Lithography for Fabricating Thin Film Functional Devices. 2017 ,	2
499	Study on Resist Performance of Noria Derivatives Modified with Various Protection Ratios of Acetal Moieties by means of Extreme Ultraviolet Irradiation. 2017 , 30, 627-631	0
498	One-step nanoimprinted hybrid micro-/nano-structure for in situ protein detection of isolated cell array via localized surface plasmon resonance. 2018 , 57, 03EC03	6
497	Advances in Nanowire Transistor-Based Biosensors. 2018 , 2, 1700263	33
496	Puncture performance of sharpen microneedles by using inclined contact UV lithography. 2018 , 24, 3589-3599	8
495	Moisture Insensitive PMMA Coated Pt-AlGa _N /Ga _N Diode Hydrogen Sensor and Its Thermal Stability. 2018 , 7, Q3009-Q3013	7
494	Development Of Flexible Plasmonic Sensor Based On Imprinted Nanostructure Array On Plastics. 2018 , 5, 2216-2221	2
493	Diffraction grating strain gauge method: error analysis and its application for the residual stress measurement in thermal barrier coatings. 2018 , 29, 035602	1
492	Biomimetic Moth-eye Nanofabrication: Enhanced Antireflection with Superior Self-cleaning Characteristic. 2018 , 8, 5438	68
491	Molecular dynamics simulation and experimental investigation of the geometrical morphology development of injection-molded nanopillars on polymethylmethacrylate surface. 2018 , 149, 208-216	16
490	Anodized Aluminum Oxide/Polydimethylsiloxane Hybrid Mold for Roll-to-Roll Nanoimprinting. 2018 , 28, 1800197	14
489	Nanostructure and Microstructure Fabrication: From Desired Properties to Suitable Processes. 2018 , 14, e1703401	40
488	Electron-Beam Machining. 2018 , 1-21	
487	Plasmonic direct writing lithography with a macroscopical contact probe. 2018 , 441, 99-104	5

486	Looking into the Future: Toward Advanced 3D Biomaterials for Stem-Cell-Based Regenerative Medicine. 2018 , 30, e1705388	79
485	Diffraction-Grated Perovskite Induced Highly Efficient Solar Cells through Nanophotonic Light Trapping. 2018 , 8, 1702960	82
484	Fabrications of Noncoated Superhydrophobic Surfaces and Interfaces. 2018 , 85-115	
483	Proposal of laser assisted hot embossing technology for glass. 2018 , 254, 248-253	14
482	Refined grating fabrication using Displacement Talbot Lithography. 2018 , 189, 74-77	9
481	Molecular dynamics analysis of plastic deformation and mechanics of imprinted metallic glass films. 2018 , 144, 248-255	17
480	Fabrication of Pyrrole-Based Electrochemical Biosensor Platform Using Nanoimprint Lithography. 2018 , 5, 1701593	10
479	Nanoimprint stamps with ultra-high resolution: Optimal fabrication techniques. 2018 , 190, 73-78	3
478	Development of a polymer/TiO ₂ hybrid two-dimensional photonic crystal for highly sensitive fluorescence-based ion sensing applications. 2018 , 269, 257-263	9
477	Graphene Oxide-Doped Conducting Polymer Nanowires Fabricated by Soft Lithography for Gas Sensing Applications. 2018 , 18, 7765-7771	11
476	Fabrication of arrays of tapered silicon micro-/nano-pillars by metal-assisted chemical etching and anisotropic wet etching. 2018 , 29, 28LT01	14
475	Fabrication of n-type Si nanostructures by direct nanoimprinting with liquid-Si ink. 2018 , 8, 015214	4
474	Picosecond laser treatment production of hierarchical structured stainless steel to reduce bacterial fouling. 2018 , 109, 29-40	28
473	Exploring the effect of nanoholes on arsenene: a density functional theory study. 2018 , 30, 195305	2
472	Multiphase model for nanoimprint lithography. 2018 , 104, 9-19	1
471	Vertically Aligned Silicon Nanowire Array Decorated by Ag or Au Nanoparticles as SERS Substrate for Bio-molecular Detection. 2018 , 13, 1057-1080	14
470	Review in manufacturing methods of nanochannels of bio-nanofluidic chips. 2018 , 254, 648-659	54
469	Nanostructuring of polymer surfaces by magnetron plasma treatment. 2018 , 336, 72-79	4

- 468 Hot roller embossing of multi-dimensional microstructures using elastomeric molds. **2018**, 24, 1443-1452 6
- 467 Formation of high aspect ratio fused silica nanowalls by fluorine-based deep reactive ion etching. **2018**, 15, 212-215 3
- 466 Fabrication of optical gratings through surface patterning of zirconium-based metallic glass by laser irradiation. **2018**, 93, 377-382 5
- 465 Fabrication of 3D SiO_x structures using patterned PMMA sacrificial layer. **2018**, 28, 024005 1
- 464 Soft thermal nanoimprint of PMMA doped with upconverter nanoparticles. **2018**, 187-188, 154-159 4
- 463 Interfacial pattern changes of imprinted multilayered material in milli- and microscales. **2018**, 57, 06HG05 6
- 462 Reduction of Defect for Imprinted UV Curable Resin including Volatile Solvents using Gas Permeable Mold Derived from Cellulose. **2018**, 31, 289-294 4
- 461 Gas Permeability Characterization of a Metal Plate for Photo-imprint Lithography. **2018**, 31, 575-580
- 460 Electron-Beam Machining. **2018**, 1-21
- 459 Transfer Printing by use of Delayed UV Cure Resin for Fabricating Multilayer Structures. **2018**, 31, 657-662 1
- 458 . **2018**, 1
- 457 Fabrication of Complex 3D Nanoimprint Mold by Using Acceleration Voltage Electron Beam Lithography. **2018**, 31, 271-276 4
- 456 Self-assembly on optical fibers: a powerful nanofabrication tool for next generation "lab-on-fiber" optrodes. **2018**, 10, 22673-22700 39
- 455 Design of a Vacuum-Assisted Soft UV-Imprint System for Micro-Nano Structures Patterning on Nonplanar Surfaces. **2018**,
- 454 Computational Study of Pattern Formation in UV Nanoimprint Lithography. **2018**, 31, 189-192 4
- 453 Self-organized wrinkling of liquid crystalline polymer with plasma treatment. **2018**, 33, 4092-4100 2
- 452 Evaluation of replicas manufactured in a 3D-printed nanoimprint unit. **2018**, 9, 1573-1581 1
- 451 Wafer-Scale Fabrication of V-Shaped Silicon Nano-Slit Arrays. **2018**,

450	Fabrication of the electric double layer transistor with (La,Pr,Ca)MnO ₃ nanowall wire channel. 2018 , 32, 1840058	2
449	Study of the Antifouling Polymer Sheet which used Biomimetics Technique. 2018 , 31, 121-128	10
448	Numerical analysis of anisotropic wetting of chemically striped surfaces.. 2018 , 8, 31735-31744	11
447	Integrated 3D Hydrogel Waveguide Out-Coupler by Step-and-Repeat Thermal Nanoimprint Lithography: A Promising Sensor Device for Water and pH. 2018 , 18,	8
446	Meniscus behavior under helium exposure for rapid resist spreading during nanoimprint lithography. 2018 , 57, 106507	1
445	Surface Treatment of Mold Tools in Micro Injection Molding. 2018 , 169-189	1
444	Rapid Nanofabrication of Nanostructured Interdigitated Electrodes (nIDEs) for Long-Term In Vitro Analysis of Human Induced Pluripotent Stem Cell Differentiated Cardiomyocytes. 2018 , 8,	7
443	Study on the light extraction mechanism of organic light-emitting diodes with corrugated Ag cathode made by soft nanoimprint. 2018 , 57, 080306	2
442	Surface Charge Density-Dependent DNA Capture through Polymer Planar Nanopores. 2018 , 10, 40927-40937	6
441	Fluorinated polybenzoxazines as advanced phenolic resins for leading-edge applications. 2018 , 133, 71-92	19
440	Fabrication and Replication of Periodic Nanopyramid Structures by Laser Interference Lithography and UV Nanoimprint Lithography for Solar Cells Applications. 2018 ,	2
439	Micro Lasers by Scalable Lithography of Metal-Halide Perovskites. 2018 , 3, 1800212	24
438	Lead Zirconium Titanate Films and Devices Made by a Low- Temperature Solution-Based Process. 2018 ,	
437	Template-Assisted Fabrication of Nanostructured Arrays for Sensing Applications. 2018 , 83, 741-755	13
436	Chip-scale pattern modification method for equalizing residual layer thickness in nanoimprint lithography. 2018 , 57, 06HG03	3
435	Multiphysics modelling of manufacturing processes: A review. 2018 , 10, 168781401876618	15
434	Review on flexible photonics/electronics integrated devices and fabrication strategy. 2018 , 61, 1	57
433	Nanoimprint lithography and transdermal drug-delivery devices. 2018 , 141-175	2

432	Selection of UV-resins for nanostructured molds for thermal-NIL. 2018 , 29, 365302	9
431	Wafer-Scale Nanoimprint Lithography Process Towards Complementary Silicon Nanowire Field-Effect Transistors for Biosensor Applications. 2018 , 215, 1800234	6
430	Three-Dimensional in Situ Electron-Beam Lithography Using Water Ice. 2018 , 18, 5036-5041	27
429	Recent Advances in Resonant Waveguide Gratings. 2018 , 12, 1800017	129
428	Gas-permeable templates using cellulose derivatives with acrylate and methacrylate groups for reducing in void defect density in ultraviolet nanoimprint lithography. 2018 , 57, 086503	8
427	Site-Controlled Epitaxy of InAs Quantum Dots on Nanoimprint Lithography Patterns. 2018 , 277-292	1
426	Top-down fabrication of shape-controlled, monodisperse nanoparticles for biomedical applications. 2018 , 132, 169-187	68
425	Pathogen-Imprinted Organosiloxane Polymers as Selective Biosensors for the Detection of Targeted. 2018 , 4, 29	6
424	Recent Progress of Imprinted Polymer Photonic Waveguide Devices and Applications. 2018 , 10,	12
423	Electron-Beam Machining. 2018 , 555-575	
422	Perfluoropolyether (PFPE) Intermediate Molds for High-Resolution Thermal Nanoimprint Lithography. 2018 , 8,	6
421	Nanoimprint Lithography for Nanomanufacturing. 2019 , 357-386	3
420	Fabrication of Flexible Polymer Molds for Polymer Microstructuring by Roll-to-Roll Hot Embossing. 2019 , 4, 12480-12488	9
419	Residual layer assisted demolding in roll-to-roll UV imprint lithography. 2019 , 217, 111110	1
418	Elastohydrodynamics of Roll-to-Roll UV-Cure Imprint Lithography. 2019 , 58, 17424-17432	0
417	Direct metallic nanostructures transfer by flexible contact UV-curable nano-imprint lithography. 2019 , 12, 095004	5
416	Residual stress and elastic recovery of imprinted Cu-Zr metallic glass films using molecular dynamic simulation. 2019 , 170, 109162	31
415	Effect of Grain Size on Formability and Deformation Mechanism of High-Purity Aluminum during Micro-Embossing Process at Elevated Temperature. 2019 , 21, 1900690	6

414	Effects of mold pattern characteristics on nanoimprinted aluminum investigated using quasi-continuum simulations. 2019 , 1, 015016	0
413	Matching Atomistic Simulations and In Situ Experiments to Investigate the Mechanics of Nanoscale Contact. 2019 , 67, 1	9
412	Multidirectional monolayer metal nano-grating micro polarizer array based on nanoimprint lithography and plasma ashing process. 2019 , 29, 125003	2
411	Fabrication on bioinspired surfaces. 2019 , 99-146	10
410	Effect of nanoimprint on the elastic modulus of polymer microstructure. 2019 , 255, 126545	1
409	17.2: Invited Paper: Design of laboratory and production machinery for thermal and UV Nanoimprint for R2R and R2P applications. 2019 , 50, 175-178	
408	A review of 2D and 3D plasmonic nanostructure array patterns: fabrication, light management and sensing applications. 2019 , 8, 2065-2089	113
407	Reviews in Plasmonics 2017. 2019 ,	2
406	Gold Nanopost-Shell Arrays Fabricated by Nanoimprint Lithography as a Flexible Plasmonic Sensing Platform. 2019 , 9,	13
405	Direct Resistless Soft Nanopatterning of Freeform Surfaces. 2019 , 11, 43494-43499	4
404	Experimental and Numerical Study on the Characteristics of the Thermal Design of a Large-Area Hot Plate for Nanoimprint Equipment. 2019 , 11, 4795	1
403	Design and Manufacture of a Novel Sunlight Guiding Panel. 2019 , 9, 562	1
402	Fluorinated low-viscosity copolymer with enhanced release property for roll-to-plate UV nanoimprint lithography. 2019 , 30, 505301	4
401	Numerical Study on Thermal Design of a Large-Area Hot Plate with Heating and Cooling Capability for Thermal Nanoimprint Lithography. 2019 , 9, 3100	
400	Single molecule analysis in nanofluidic devices. 2019 , 335-377	1
399	Impact Study of Temperature on Residual Layer Thickness in Thermal Nanoimprint Lithography. 2019 ,	
398	Flexible distributed feedback lasers based on nanoimprinted cellulose diacetate with efficient multiple wavelength lasing. 2019 , 3,	16
397	Comparison of gas permeable mold with acryl substituents for silver nano-paste imprint patterning. 2019 , 216, 111085	3

396	Fabrication of flexible and economical plasmonic biosensor using gold nanograting imprinted on hot-melt adhesive film for label-free sensing of immunoglobulin proteins. 2019 , 301, 127070	7
395	Three-Dimensional Nanomolds Fabrication for Nanoimprint Lithography. 2019 , 34, 228-232	3
394	Molecular orientation and stability of poly(3-hexylthiophene) nanogratings affected by the fabricated solvent vapor.. 2019 , 9, 28648-28656	2
393	Embedding topography enables fracture guidance in soft solids. 2019 , 9, 13493	0
392	Nanoimprint lithography for the manufacturing of flexible electronics. 2019 , 62, 175-198	59
391	Guided assembly, nanostructuring and functionalization with brushes of microscale polymer cubes for tailored 3-D cell microenvironments. 2019 , 113, 47-51	4
390	Nanohole array plasmonic biosensors: Emerging point-of-care applications. 2019 , 130, 185-203	49
389	30 years of microfluidics. 2019 , 2, 76-91	209
388	Thermally imprinted microcone structure-assisted lateral-flow immunoassay platforms for detecting disease marker proteins. 2019 , 144, 1519-1526	12
387	A Rapid Thermal Nanoimprint Apparatus through Induction Heating of Nickel Mold. 2019 , 10,	5
386	One-pod preparation of anodic porous alumina molds with tapered holes for moth-eye structures by nanoimprinting. 2019 , 58, 068005	2
385	Direct Production of Silicon Nanostructures with Electrochemical Nanoimprinting. 2019 , 1, 1070-1075	5
384	Far-Field Superoscillatory Metamaterial Superlens. 2019 , 11,	48
383	A review on the fabrication and applications of sub-wavelength anti-reflective surfaces based on biomimetics. 2019 , 54, 719-735	8
382	Recent progress in near-field nanolithography using light interactions with colloidal particles: from nanospheres to three-dimensional nanostructures. 2019 , 30, 352002	30
381	Electrochemical nanoimprinting of silicon. 2019 , 116, 10264-10269	14
380	Photoelectric effect accelerated electrochemical corrosion and nanoimprint processes on gallium arsenide wafers. 2019 , 10, 5893-5897	6
379	Facile and precise fabrication of 10-nm nanostructures on soft and hard substrates. 2019 , 484, 317-325	8

- 378 In-Plane Nanowires with Arbitrary Shapes on Amorphous Substrates by Artificial Epitaxy. **2019**, 13, 5572-5582 11
- 377 Roadmap on superoscillations. **2019**, 21, 053002 59
- 376 Sintered Ag nanoparticle ink achieves 50% higher conductivity than bulk Ag in interconnections by doping with In. **2019**, 12, 055004 1
- 375 Towards High-Order Diffraction Suppression Using Two-Dimensional Quasi-Periodic Gratings. **2019**, 31-53 2
- 374 Fundamentals of nano/microfabrication and scale effect. **2019**, 43-111 2
- 373 Soft thermal nanoimprint with a 10 nm feature size. **2019**, 15, 2897-2904 21
- 372 Laser-Assisted Thermal Imprinting of Microlens Arrays-Effects of Pressing Pressure and Pattern Size. **2019**, 12, 4
- 371 Optimization of Process Parameters for Anti-Glare Spray Coating by Pressure-Feed Type Automatic Air Spray Gun Using Response Surface Methodology. **2019**, 12, 6
- 370 Large area patterning of residue-free metal oxide nanostructures by liquid transfer imprint lithography. **2019**, 30, 235301 2
- 369 Fabrication of moth-eye gold nanostructures by nanoimprint lithography using solvent-permeable porous cross-link molds derived from hydroxypropyl-cyclodextrin. **2019**, 12, 046501 3
- 368 Review on Fabrication Technologies for Optical Mold Inserts. **2019**, 10, 28
- 367 Enhanced Thermal Stability of Thermoplastic Polymer Nanostructures for Nanoimprint Lithography. **2019**, 12, 10
- 366 Multifunctional Nanostructures and Nanopocket Particles Fabricated by Nanoimprint Lithography. **2019**, 9, 5
- 365 Fabrication of Self-standing Polystyrene Thin Films with Fine Through Holes by use of Water Soluble Resin Sacrificial Layer. **2019**, 32, 137-141
- 364 Advances in hydrogel photonics and their applications. **2019**, 4, 120901 16
- 363 Development of Cellulose Derivative Mold for Imprint Lithography. **2019**, 32, 131-136
- 362 Flexible Information and Sensing Devices Fabricated by Printing Process. **2019**, 1
- 361 The fabrication and molecular alignment of poly(ethylene oxide) grating film based on hot embossing technology. **2019**, 43, 16604-16611 0

360	Molecular Dynamics Study of Poly(dimethylsiloxane) Nanostructure Distortion in a Soft Lithography Demolding Process. 2019 , 4, 20257-20264	2
359	Fabrication of bio-inspired 3D nanoimprint mold using acceleration-voltage-modulation electron-beam lithography. 2019 , 8, 289-297	2
358	Micro-to-nanometer patterning of solution-based materials for electronics and optoelectronics.. 2019 , 9, 38085-38104	6
357	The realization of isotropic multiplexing diffraction patterns and polarization property by two-dimensional imprinting silica periodic photonic crystals. 2019 , 105, 202-206	1
356	Microfluidic platforms with nanoscale features. 2019 , 65-90	3
355	Flexible devices fabricated by a plate-to-roll nanoimprint lithography system. 2019 , 30, 075301	3
354	UV-curable nanoimprint resist with liquid volume-expanding monomers. 2019 , 205, 32-36	18
353	Fabrication and testing of metal/polymer microstructure heat exchangers based on micro embossed molding method. 2019 , 25, 381-388	19
352	Mechanically Tunable Bilayer Composite Grating for Unique Light Manipulation and Information Storage. 2019 , 7, 1801017	10
351	Embossing Reactive Mesogens: A Facile Approach to Polarization-Independent Liquid Crystal Devices. 2019 , 7, 1801261	14
350	Design of seal ring with rectangular grooves for gas isolation in Nanoimprint Lithography. 2019 , 233, 1079-1086	
349	High-refractive index acrylate polymers for applications in nanoimprint lithography. 2020 , 31, 256-260	6
348	Evaluation of Polymethylmethacrylate Cohesion Behavior with a Gas-Assisted Thermal Bonding Method. 2020 , 60, 161-167	
347	Tuning of particle indentation by surface modification of polymer particles and substrates. 2020 , 588, 124380	2
346	Mass printing of colored natural patterns on Al plate by roll imprinting and thin film deposition. 2020 , 278, 116502	3
345	Nanoimprint lithography: Emergent materials and methods of actuation. 2020 , 31, 100838	28
344	Controlled Fragmentation of Single-Atom-Thick Polycrystalline Graphene. 2020 , 2, 666-679	30
343	Athermal and Soft Multi-Nanopatterning of Azopolymers: Phototunable Mechanical Properties. 2020 , 59, 4035-4042	27

- 342 Athermal and Soft Multi-Nanopatterning of Azopolymers: Phototunable Mechanical Properties. **2020**, 132, 4064-4071 5
- 341 Roller-Assisted Adhesion Imprinting for High-Throughput Manufacturing of Wearable and Stretchable Organic Light-Emitting Devices. **2020**, 8, 1901525 11
- 340 Aerodynamic efficiency and performance enhancement of fixed-wing UAVs. **2020**, 99, 105575 24
- 339 P-57: Preparation of Patternable High Resolution and High Refractive Index Materials for AR/VR. **2020**, 51, 1555-1557
- 338 Surface Patterning of Hydrogel Biomaterials to Probe and Direct Cell-Matrix Interactions. **2020**, 7, 2001198 15
- 337 Research Progress in Rare Earth-Doped Perovskite Manganite Oxide Nanostructures. **2020**, 15, 9 31
- 336 Far-field unlabeled super-resolution imaging with superoscillatory illumination. **2020**, 5, 066107 14
- 335 Replicability of process conditions of ultrasonic hot embossing for micropattern fabrication on thermoplastic substrates. **2020**, 60, 283-291 3
- 334 Atomistic Investigation of Material Deformation Behavior of Polystyrene in Nanoimprint Lithography. **2020**, 3, 649-663 2
- 333 Scalable and High-Throughput Top-Down Manufacturing of Optical Metasurfaces. **2020**, 20, 8
- 332 Solvo-selective imprinting of a thin polymer blend film for creating multi-length scale patterns. **2020**, 43, 1 3
- 331 Progress and prospects for ultrathin solar cells. **2020**, 5, 959-972 59
- 330 Molecular dynamics investigation of material deformation behavior of PMMA in nanoimprint lithography. **2020**, 10, 095102 4
- 329 Effects of cavity shapes and rounded corners of mold on polymer filling process in nanoimprint lithography. **2020**, 38, 062802 1
- 328 High-throughput roll-to-roll production of polymer biochips for multiplexed DNA detection in point-of-care diagnostics. **2020**, 20, 4106-4117 11
- 327 Plasmonic color pixels fabricated by nanoimprint process. **2020**, 27, 427-431 1
- 326 Recent Technological Advances in Fabrication and Application of Organic Electrochemical Transistors. **2020**, 5, 2000523 16
- 325 Azopolymer-Based Nanoimprint Lithography: Recent Developments in Methodology and Applications. **2020**, 85, 2166-2176 12

324	Adaptive Simultaneous Topography and Broadband Nanomechanical Mapping of Heterogeneous Materials on Atomic Force Microscope. 2020 , 19, 689-698	2
323	Low Loss Polymer Wavelength (De)multiplexer Interposing Si Waveguide and Single-mode Fiber Using Topology Optimization. 2020 ,	
322	Application of Nanotechnology to Optical Fibre Sensors. 2020 , 289-329	1
321	Quasi-3D Plasmonic Nanowell Array for Molecular Enrichment and SERS-Based Detection. 2020 , 10,	2
320	Thermal degradation behavior of self-assembled monolayer surfactant on silicon substrate. 2020 , 38, 032602	8
319	Demolding improvement for multidirectional nanostructures by nanoimprint lithography. 2020 , 38, 032603	
318	Magnetic force assisted thermal nanoimprint lithography (MF-TNIL) for cost-effective fabrication of 2D nanosquare array. 2020 , 1, 010039	
317	Fabrication of microplastic parts with a hydrophobic surface by micro ultrasonic powder moulding. 2020 , 56, 180-188	7
316	Tailor-engineered plasmonic single-lattices: harnessing localized surface plasmon resonances for visible-NIR light-enhanced photocatalysis. 2020 , 10, 3195-3211	3
315	UV-Nanoimprinting Lithography Photoresists with No Photoinitiator and Low Polymerization Shrinkage. 2020 , 59, 7564-7574	3
314	Study on vibration-assisted thermal nanoimprint lithography. 2020 , 10, 3315-3324	2
313	Parametric investigation of flexographic printing processes for R2R printed electronics. 2020 , 35, 564-571	12
312	Direct nanoimprinting of nanoporous organosilica films consisting of covalently crosslinked photofunctional frameworks. 2020 , 12, 21146-21154	6
311	Patterning and applications of nanoporous structures in organic electronics. 2020 , 31, 100843	12
310	In-plane switching liquid crystal cells using patterned printing electrodes and fine groove structures. 2020 , 47, 1735-1743	1
309	Combining multi-step imprinting with the in-plane compression method. 2020 , 59, SIIJ07	7
308	Effects of alloy composition, cavity aspect ratio, and temperature of imprinted ZrCu metallic glass films: a molecular dynamics study. 2020 , 126, 1	4
307	Novel Embedded Metal-mesh Transparent Electrodes. 2020 ,	1

- 306 Fabrication of high-resolution conductive patterns on a thermally imprinted polyetherimide film by the capillary flow of conductive ink. **2020**, 26, 1981-1986
- 305 Symmetrical Wrinkles in Single-Component Elastomers with Fingerprint-Inspired Robust Isotropic Dry Adhesive Capabilities. **2020**, 12, 22365-22377 9
- 304 Nanoindentation behavior of UV-curable resist and its correlation with patterning defect in nanoimprint lithography. **2020**, 30, 065010 7
- 303 Simulation and optimization of roll to roll hot embossing based on viscoelastic material PMMA. **2020**, 768, 042024
- 302 Well-Defined Nanostructures for Electrochemical Energy Conversion and Storage. **2021**, 11, 2001537 47
- 301 Porous polymeric membranes: fabrication techniques and biomedical applications. **2021**, 9, 2129-2154 14
- 300 Mechanochromism in Structurally Colored Polymeric Materials. **2021**, 42, e2000528 23
- 299 Beam steering device based on blue phase liquid crystal. **2021**, 481, 126525 3
- 298 Applications of Nanomaterials in Biomedical Engineering. **2021**, 51-86
- 297 Multifunctional Structured Platforms: From Patterning of Polymer-Based Films to Their Subsequent Filling with Various Nanomaterials. **2021**, 13, 6
- 296 Optical Improvements of Plastic Scintillators by Nanophotonics. **2021**, 287-307 0
- 295 Thermoplastic nanofluidic devices for identifying abasic sites in single DNA molecules. **2021**, 21, 1579-1589 2
- 294 Lithography Technology for Micro- and Nanofabrication. **2021**, 1309, 217-233 0
- 293 Non-equilibrium thermal annealing of a polymer blend in bilayer settings for complex micro/nano-patterning.. **2021**, 11, 10183-10193 2
- 292 Top-down nanofabrication approaches toward single-digit-nanometer scale structures. **2021**, 35, 837-859 9
- 291 Laser-Induced NanoKneading (LINK): Deformation of Patterned Azopolymer Nanopillar Arrays via Photo-Fluidization. **2021**, 42, e2000723 2
- 290 Nanofabrication and Physical Properties Investigation on the Three-dimensional Surfaces =Diversity and Inclusion in Surface Science=. **2021**, 64, 126-133 1
- 289 Guiding Chart for Initial Layer Choice with Nanoimprint Lithography. **2021**, 11, 0

288	Hyperbranched Polymer-based Nanocomposites: Synthesis, Progress, and Applications. 2021 , 147, 110301	11
287	Interfacial Interactions during Demolding in Nanoimprint Lithography. 2021 , 12,	13
286	A High-Accuracy Capacitive Absolute Time-Grating Linear Displacement Sensor Based on a Multi-Stage Composite Method. 2021 , 21, 8969-8978	4
285	AlGaN-based UV-B laser diode with a wavelength of 290 nm on 1 th periodic concavo-convex pattern AlN on a sapphire substrate. 2021 , 14, 055505	7
284	Extreme-Pressure Imprint Lithography for Heat and Ultraviolet-Free Direct Patterning of Rigid Nanoscale Features. 2021 , 15, 10464-10471	2
283	AFM-Based nanofabrication and quality inspection of three-dimensional nanotemplates for soft lithography. 2021 , 66, 565-573	2
282	Ultra-Compact Low Loss Polymer Wavelength (De)Multiplexer With Spot-Size Convertor Using Topology Optimization. 2021 , 13, 1-9	0
281	Nanoplasmonic biosensors: Theory, structure, design, and review of recent applications. 2021 , 1185, 338842	11
280	Large-Area Periodic Organic-Inorganic Hybrid Perovskite Nanopyramid Arrays for High-Performance Photodetector and Image Sensor Applications. 2021 , 3, 1189-1196	9
279	Microstructure and composition dependence of mechanical characteristics of nanoimprinted AlCoCrFeNi high-entropy alloys. 2021 , 11, 13680	3
278	Tuning Laser Threshold within the Large Optical Gain Bandwidth of Halide Perovskite Thin Films. 2021 , 8, 2548-2554	1
277	A Study on the Dynamic Forming Mechanism Development of the Negative Poisson's Ratio Elastomer Molds-Plate to Plate (P2P) Forming Process. 2021 , 13,	1
276	Solvent-free, transparent, high-refractive index ZrO ₂ nanoparticle composite resin for scalable roll to roll UV-nanoimprint lithography. 2021 , 141, 107101	1
275	Nanofabrication Techniques: Challenges and Future Prospects. 2021 , 21, 4981-5013	1
274	Nanofabrications of T shape gates for high electron mobility transistors in microwaves and THz waves, a review. 2021 , 13, 100091	1
273	Enhanced crystallization by the virtue of the complete confinement of a ultrathin poly(3-hexylthiophene) film during the patterning process. 2021 , 45, 12219-12226	
272	Surface Energy-Driven Preferential Grain Growth of Metal Halide Perovskites: Effects of Nanoimprint Lithography Beyond Direct Patterning. 2021 , 13, 5368-5378	9
271	Nanopattern Transfer Technology of Thermoplastic Materials. 17-50	1

270	Inkjet Printing of Interconnects and Contacts Based on Inorganic Nanoparticles for Printed Electronic Applications. 347-364	5
269	Micro- and Nanomanufacturing via Molding. 2008 , 131-151	3
268	Alternative Lithography. 2003 , 1-14	6
267	Soft Lithography and Imprint-Based Techniques for Microfluidics and Biological Analysis. 2003 , 305-330	4
266	Nanorheology. 2003 , 47-76	7
265	Using PDMS as a thermocurable resist for a mold assisted imprint process. 2003 , 139-165	2
264	Printing Technology. 2014 , 23-48	6
263	Progress report on microstructured surfaces based on chemical vapor deposition. 2011 , 671, 261-79	1
262	Nanofabrication by Replication. 2017 , 209-266	1
261	Nanopatterning of Functional Metallopolymers via Top-Down Approach. 2017 , 51-70	2
260	Nanoimprint Lithography. 2007 , 239-278	10
259	Nanoscale Friction of Self-assembled Monolayers. 2007 , 619-645	1
258	Nanobiotechnology: soft lithography. 2009 , 47, 341-58	9
257	Development of the Roll Type Incremental Micro Pattern Imprint System for Large Area Pattern Replication. 2010 , 97-104	4
256	Stamp Surface Treatment. 2013 , 75-98	1
255	New Directions in Nanotechnology [Imprint Techniques. 2000 , 319-330	2
254	Vapor-assisted room temperature nanoimprinting-induced molecular alignment in patterned poly(3-hexylthiophene) nanogratings and its stability during thermal annealing. 2017 , 7, 40208-40217	2
253	Usage of Janus green B for the improvement of the filling effect during replication process of nanoimprint nickel stamp. 2018 , 13, 24-26	3

252	Graphene-assisted preparation of large-scale single-crystal Ag(111) nanoparticle arrays for surface-enhanced Raman scattering. 2021 , 32, 025301	1
251	High resolution patterning of ultraviolet cross-linked resins using gas permeable mold derived from cellulose in nanoimprint lithography. 2017 ,	1
250	Effect of UV Irradiation on Microlens Arrays Fabricated by Room Temperature Nanoimprinting Using Organic Spin-on-Glass. 1, 067002	5
249	Organic Light-Emitting Microdevices Fabricated by Nanoimprinting Technology Using Diamond Molds. 2005 , 44, 3686-3690	7
248	Effects of Substratum Topography on Cell Behavior. 2002 ,	5
247	Room-Temperature Nanoimprint and Nanocontact Technologies. 2006 , 161-181	1
246	Microfabrication Techniques in Scaffold Development. 2008 , 87-119	2
245	Full Field Nanoimprint on Mask Aligners Using Substrate Conformal Imprint Lithography Technique. 2009 , 116, S-187-S-189	7
244	Misalignment measurement with dual-frequency moiré fringe in nanoimprint lithography. 2020 , 28, 6755-6765	4
243	Emerging micro-additive manufacturing technologies enabled by novel optical methods. 2020 , 8, 1827	9
242	Nanofabrication by shadow deposition through nanostencils. 2005 , 218-237	1
241	Fabrication of Gold Nanoparticles Assembled Nanovaleley for Surface Enhanced Raman Scattering. 2010 , 130, 1806-1810	2
240	Evaluation of Fluorinated Self-assembled Monolayer by Using Photoelectron and Near Edge X-ray Absorption Fine Structure Spectroscopies. 2014 , 134, 468-472	1
239	The Dependence of Demolding Characteristics on Side Wall Roughness of Mold in Thermal Imprint. 2008 , 128, 325-330	1
238	Fabrication Process for Large Size Mold and Alignment Method for Nanoimprint System. 2010 , 130, 363-368	4
237	A Uniform Pressure Apparatus for Micro/Nanoimprint Lithography Equipment. 2009 , 3, 84-88	3
236	Effects of Morphology of Nanodots on Localized Surface Plasmon Resonance Property. 2014 , 8, 74-82	7
235	Imprint Process with In-plane Compression Method for Bio-functional Surface. 2019 , 32, 315-319	6

234	Development of a Novel Transcription Molding Process to Fabricate Sophisticated Polymer Products with Precise Microstructure and High Transparency Applicable to Display Devices and Bio-chips. 2007 , 22, 155-165	11
233	Nanoimprint Lithography: A Processing Technique for Nanofabrication Advancement. 2011 , 3, 135	1
232	Roof-Collapsed PDMS Mask for Nanochannel Fabrication. 2011 , 32, 33-34	3
231	Nonvolatile Polycrystalline-Silicon Thin-Film-Transistor Silicon Oxide/Nitride/Oxide/Silicon Memory with Periodical Finlike Channels Fabricated Using Nanoimprint Technology. 2013 , 6, 024201	2
230	Development of Ultraviolet Crosslinking Glucose-Based Resist Materials for Advanced Electronic Device Applications Using Nanoimprint Lithography. 2011 , 50, 01BA02	1
229	Nanosized Structural Anti-Reflection Layer for Thin Film Solar Cells. 2011 , 50, 020207	5
228	Highly Uniform Fabrication of Diffraction Gratings for Distributed Feedback Laser Diodes by Nanoimprint Lithography. 2011 , 50, 06GK06	4
227	Study on Change in UV Nanoimprint Pattern by Altering Shrinkage of UV Curable Resin. 2011 , 50, 06GK09	14
226	Resist Pattern Inspection Using Fluorescent Dye-Doped Polystyrene Thin Films in Reactive-Monolayer-Assisted Thermal Nanoimprint Lithography. 2011 , 50, 06GK10	1
225	Effects of Resist Thickness and Viscoelasticity on the Cavity Filling Capability in Bilayer Thermal Embossing. 2011 , 50, 06GK11	13
224	Nanoimprint Fabrication and Thermal Behavior of Atomically UltrasMOOTH Glass Substrates with 0.2-nm-Height Steps. 2011 , 50, 078002	8
223	Nanoimprint Molds with Circumferentially Aligned Patterns Fabricated by Liftoff Process. 2011 , 50, 126502	2
222	Fabrication of Large-Area CoNi Mold for Nanoimprint Lithography. 2012 , 51, 026503	1
221	Electron Beam Lithography of 15×5 nm ² Pitched Nanodot Arrays with a Size of Less than 10 nm Using High Development Contrast Salty Developer. 2012 , 51, 06FB02	2
220	Influence of Rapid Thermal Annealing and Substrate Terrace Width on Self-Organizing Formation of Periodic Straight Nanogroove Array on NiO(111) Epitaxial Thin Film. 2012 , 51, 06FF16	4
219	Impact of Resist Shrinkage and Its Correction in Nanoimprint Lithography. 2012 , 51, 06FJ06	12
218	Step and Repeat Ultraviolet Nanoimprinting under Pentafluoropropane Gas Ambient. 2012 , 51, 06FJ08	4
217	Throughput of Ultraviolet Nanoimprint in Pentafluoropropane Using Spin Coat Films under Thin Residual Layer Conditions. 2012 , 51, 06FJ10	4

216	Ambient Electronics. 2012 , 51, 100001	31
215	In-situ Evaluation of Air/Oxygen Percentage Variation by Introducing 1,1,1,3,3-Pentafluoropropane in Ultraviolet Nanoimprint Lithography. 2012 , 51, 118002	6
214	Nanoimprinted Step-Edge Vertical-Channel Organic Transistors. 2012 , 51, 11PD05	13
213	Microfluidics: Recent Advances Toward Lab-on-Chip Applications in Bioanalysis. 2100738	5
212	Anti-Reflection Coating. 2021 , 323-352	
211	Tip-Based Nanofabrication for NEMS Devices. 2022 , 1-18	0
210	Uniform Pressing Mechanism in Large-Area Roll-to-Roll Nanoimprint Lithography Process. 2021 , 11, 9571	0
209	Physical De-Icing Techniques for Wind Turbine Blades. 2021 , 14, 6750	3
208	Superplastic Nanomolding of Highly Ordered Metallic Sub-Micrometer Pillars Arrays for Surface Enhanced Raman Scattering. 2100891	2
207	Impact of surface topography on the bacterial attachment to micro- and nano-patterned polymer films.. 2021 , 27, 101494	2
206	Optical near-field lithography. 2002 ,	
205	Combined Approaches for Nanoelectronic Device Fabrication. 2003 , 235-248	
204	A path to integrate optical communication components on a chip. 2003 ,	
203	Nanostructure fabrication using electron and ion beams. 2003 , 3-20	1
202	Application of Nanoimprint Lithography in Magnetism. 2003 , 249-270	
201	Application of Microcontact Printing and Nanoimprint Lithography. 2003 , 271-285	
200	Optical Applications of Nanoimprint Lithography. 2003 , 287-296	
199	Fine Pattern Fabrication by Nano Imprint Lithography. 2003 , 52, 568-568	

- 198 Subwavelength Optical Elements (SOEs) and Nanofabrications A path to integrate optical communication components on a chip. **2003**, 1
- 197 Maskless Pattern Fabrication on Si (100) Surface by Using Nano Indenter with KOH Wet Etching. **2003**, 12, 640-646
- 196 Nanoimprint Technology. **2004**, 25, 628-634 3
- 195 ??????????????????????. **2004**, 16, 561-566
- 194 Nanoimprint lithography. **2004**,
- 193 ??????????????????. **2005**, 17, 358-363
- 192 Analysis of Nonuniformity of Residual Layer Thickness on UV-Nanoimprint Using an EPS(Elementwise Patterned Stamp). **2005**, 29, 1169-1174
- 191 Fabrication of Hot Embossing Plastic Stamps for Microstructures. **2005**, 15, 589-593
- 190 Etching, Machining, and Molding High-Aspect Ratio Microstructures. **2005**, 59-85
- 189 Optimizing the Plasma Deposition Process Parameters of Antistiction Layers Using a DOE (Design of Experiment). **2005**, 15, 705-710
- 188 Nanomechanical and nanotribological properties of polymeric ultrathin films for nanoimprint lithography. **2005**, 96, 1287-1291
- 187 Fabrication of PMMA Micro CE Chip Using IPA Assisted Low-temperature Bonding. **2006**, 16, 99-105
- 186 Fabrication and Characterization of an Antistiction Layer by PECVD (plasma enhanced chemical vapor deposition) for Metal Stamps. **2006**, 16, 225-230
- 185 Development of the Technology for Mass Production of Morpho-blue by Nanoimprint Lithography. **2007**, 28, 414-420 1
- 184 Photo-curable Resins and the Evaluation Methods for UV-Nanoimprint Lithography. **2007**, 127, 174-178 2
- 183 ?????????? UV ?????. **2007**, 19, 75-80
- 182 Multiscale Processing of Polymers and Nanocomposites. **2007**, 30-1-30-32
- 181 ??????????????????. **2007**, 19, 254-258

180 Nanoengineering of Biomaterial Surfaces.

179 Micro/Nanoimprinting of PP/VGCF Nanocomposite Films with Highly Orientated Vapor Grown Carbon Nanofiber. **2008**, 74, 960-964

178 ??????????????????. **2008**, 59, 642-647

1

177 Early Study on Nanoimprint Lithography in the 1970s. **2008**, 74, 565-570

176 ?????????????????? □???????????????????? □**2008**, 1, 24-30

2

175 Photocurable Resin for UV-nanoimprint Lithography. **2008**, 20, 680-684

1

174 A challenge to the low-cost production of highly functional optical elements. **2008**, 1, 24-30

1

173 MEMS for Nanotechnology: Top-down Perspective. **2008**, 107-167

172 Fabrication of Periodic Sub-wavelength Structures by Glass Imprinting Process. **2008**, 74, 785-788

171 Color Filter Based on a Subwavelength Silicon Grating. **2008**,

170 Research, Patent, and Industrialization in Nanoimprint Technology. **2008**, 74, 558-564

169 Development of Fabrication Process of Light Guiding Plate with Nanometer-Sized-Cylindrical Pattern Using Nano Imprint Lithography Method. **2008**, 14, 332-335

168 ??????????????????????. **2009**, 12, 43-45

167 Adhesion Effects between a Molten Polymer and a Stamper in a Transcription Process for Fine Patterns. **2009**, 21, 499-509

166 Box 12: Stamps for Nanoimprint Lithography. **2009**, 319-322

165 Microfabrication of Transparent Thermoplastic Resin Plates by Dry Etching. **2009**, 52, 138-140

164 The Current State-of-the-Art Fabrication Methods of Electroformed Molds for Imprint Technology. **2009**, 21, 178-182

163 Analysis of the Evaporation Behavior of Resin Droplets in UV-Nanoimprint Process. **2009**, 18, 268-273

162 Nanoimprint Lithography and Device Applications. **2009**, 127-149

161 Replication Technology of Micro-Nano Scale Pattern on Polymer Processing. **2010**, 51, 395-399

160 Nanoimprint Technology with New Feature Creation—General Statement and Future View—**2010**, 76, 137-142

159 Basics of Nanoimprint Technology and its Application for Nano Optics. **2010**, 83, 139-145

158 Deliberation of Effect to Glass Imprinting Analysis by Williams-Landel-Ferry Equation. **2010**, 130, 484-488

157 Compound Nanoimprint Processes and Their Applications for Devices. **2010**, 130, 343-346

156 Experimental Analysis and Characterization on Thermal Imprint Process via In-situ Observation. **2010**, 130, 356-362

1

155 UV Nanoimprint Technology. **2010**, 76, 148-151

154 The Review for Various Mold Fabrication toward Economical Imprint Lithography. **2010**, 19, 96-104

2

153 Non-Optical Lithography. 209

152 Charged-Particle Lithography. 135

151 Advances in Nanoimprint Lithography: 2-D and 3-D Nanopatterning of Surfaces by Nanoimprint Lithography, Morphological Characterization, and Photonic Applications. 165

150 Effects of surface deformation on the collective buckling of an array of rigid beams on an elastic substrate. **2010**, 5, 495-506

1

149 Polymer Micro-and Nano-Molding. **2011**, 52, 1143-1147

148 Fabrication of Smart Devices with Nanoimprint Method Using Nano Carbon Mold. **2011**, 52, 1153-1157

147 Development of Functional Surface/Material by Nano/Micro Plastic Forming. **2011**, 52, 1163-1167

146 Effect of Dropping Hydrofluoroether in Thermal Nanoimprint on Polycarbonate. **2011**, 50, 06GK05

1

145 Advancement of Laser-Assisted and Roller-Based Nanoimprinting Technology. **2012**, 449-493

- 144 HIGH RESOLUTION SILICA IMPRINTING MOLD FABRICATED FROM A PHOTOCURABLE PERHYDROPOLYSILAZANE. **2012**, 012, 56-62 1
- 143 Introduction. **2012**, 1-11
- 142 The Relationship between the Surface Glass Transition Temperature of Polymer and Moldability of Nano-pattern In/Upon Thermal Nano-imprinting. **2012**, 33, 100-105
- 141 Organic Electronic Devices Based on Molecular Technology and Printing Technology. **2012**, 132, 1392-1397
- 140 Nanoimprint Lithography. **2012**, 203-222
- 139 Patterning Technology for Micro/Nanomold Fabrication. 22-58
- 138 Silica/Ultraviolet-Cured Resin Nanocomposites for Replica Molds in Ultraviolet Nanoimprinting. **2012**, 51, 06FJ04 2
- 137 Nanoimprint Lithography Process. **2013**, 111-146
- 136 Principles and Status of Nanoimprint Lithography. **2013**, 5-32 1
- 135 Application of Nanoimprint Lithography in Fabrication of Semiconductor Laser. **2013**,
- 134 Analysis of gas isolation by prominent O-ring on the mold in compressional gas cushion press nanoimprint lithography. **2013**, 62, 068103 5
- 133 Application and Processing Method of Amorphous Materials to Molds for Thermal Imprinting. **2013**, 79, 292-296
- 132 Process Physics of De-Molding Process in Fine Pattern Transfer Molding. **2013**, 25, 165-170
- 131 Micro/Nano Patterning using Nanoimprinting Lithography. **2013**, 25, 161-164
- 130 Nanopatterning for Bioapplications. **2013**, 1013-1067
- 129 Mold Fabrication Process. 51-90
- 128 What is a Nanoimprint?. 1-7
- 127 Super-Resolution Laser Direct Writing and Its Applications. **2014**, 5-41

126 Biomedical Applications: Novel Materials and Devices. **2014**, 368-381

125 Adhesion Force Measurements of Nano-Imprint Materials Using Atomic Force Microscope. **2014**, 38, 358-363

124 Nano-Electro-Mechanical Systems: Processes and Devices. **2014**, 13-30

123 Multiphoton Absorption: Three-Dimensional Nanofabrication. 2821-2830

122 Nanoscale Friction of Self-assembled Monolayers. **2015**, 489-514

121 Micro Pattern Forming on Polymeric Circular Tubes by Hydrostatic Pressing. **2014**, 23, 507-512

120 Nanoimprint of Metallic Glass. **2015**, 56, 855-860

119 Micro-patterning on Thin Ceramic Sheet by Micro Powder Imprinting Process. **2015**, 56, 265-269

2

118 Polymer Replication Techniques. **2015**, 123-155

117 NANOELETRÔNICA. **2015**, 41-82

116 3.?????????????????. **2015**, 83, 1012-1015

115 Nanoimprinted Plasmonic Biosensors and Biochips. **2015**, 71-80

114 4.???. **2015**, 83, 1016-1020

113 Proto-Model Systems for Nanoimprint Biosensor. **2015**, 221-252

112 References. 257-276

111 Overview of the Field. **2016**, 23-93

110 Efficient Fabrication Process of Metal Nanodot Arrays Using Direct Nanoimprinting Method with a Polymer Mold. **2015**, 9, 629-635

4

109 Design and Fabrication of Micro Patterns on Flexible Copper Clad Laminate (FCCL) Using Imprinting Process. **2015**, 28, 771-775

108 2D Nanowire Synthesis: Invention of Coaxial Lithography. **2016**, 43-61

107 The Latest Trend of Nanoimprint Technology. **2016**, 49, 367-371

106 Encyclopedia of Nanotechnology. **2016**, 1-9

105 Nano/Micro-Molding. **2016**, 57, 340-344

104 Encyclopedia of Nanotechnology. **2016**, 2415-2423

103 Basic Mechanism and Application of Nanoimprint Lithography. **2016**, 49, 664-669

102 Nanostrukturierung. **2017**, 167-242

101 Chapter 1 Introduction. **2016**, 1-74

100 Soft-substrate rigid-feature (SSRF) mold for nanoimprint lithography. **2016**,

99 Stamp stress analysis with low temperature nanoimprint lithography. **2016**, 23, 517-520

98 Facile Fabrication Process for Graphene Nanoribbon Using Nano-Imprint Lithography(NIL) and Application of Graphene Pattern on Flexible Substrate by Transfer Printing of Silicon Membrane. **2016**, 26, 635-643

97 Temperature dependence of viscoelasticity of crystalline cellulose with different molecular weights added to silicone elastomer. **2017**,

96 Single Longitudinal Mode Laser Diodes. **2017**, 109-152

95 Room-Temperature Nanoimprint and Nanocontact Technologies. **2017**, 161-180

94 Gas permeable template derived from cellulose in ultraviolet nanoimprint. **2018**,

93 Scalable patterning using laser-induced shock waves. **2018**, 57, 1

92 Utilization of gas permeable metal plate for the purpose of reduction of transfer defect in MEMS electronic device. **2018**,

91 Internal structure of metal material with gas permeability function related to MEMS devices. **2018**,

- 90 Surface Enhanced Raman Spectroscopy-Based Bio-molecular Detectors. **2019**, 229-251
- 89 CHAPTER 14:Nanoimprinted Immunosensors. **2019**, 332-358
- 88 UV-Nanoimprinted Metasurface Thermal Emitters for Infrared CO2 Sensing. **2019**, 71-86
- 87 Nano-pattern Formation Using Liquid Silicon. **2019**, 137-170
- 86 Progress of Nanoimprint Technology. **2019**, 22, 140-145
- 85 Large Area Nanoimprinting and Its Applications. **2019**, 22, 153-157
- 84 The Photopolymer Science and Technology Award. **2019**, 32, 11-13
- 83 Oil Repellent Evaluation Using Resonance Principle. **2019**, 32, 661-664 5
- 82 Practical Nanoimprint Technology. **2019**, 85, 699-702 1
- 81 Introduction to Vacuum-free Fabrication Strategies for Embedded Metal-mesh Transparent Electrodes. **2020**, 9-30
- 80 Research on Hot Pressing Technology of Cylinder Lens Grating Microstructure. **2020**, 10, 619-624
- 79 Organic Resist Contrast Determination in Ion Beam Lithography. **2020**, 54, 1854-1857
- 78 Self-Assembly of Nanoalloys. **2020**, 451-487
- 77 Current Status and Future Prospects of Nanoimprint Technology. **2020**, 86, 243-246
- 76 Dimension Change during Multi-step Imprint Process and In-plane Compression. **2020**, 33, 199-204 4
- 75 Fabrication of Nickel Plasma Etching Mask by Nano-Imprint Lithography and Electroless Plating. **2020**, 33, 551-556 1
- 74 Nanolithography in the Evanescent Near Field. **2006**, 397-424
- 73 Overviews and Outlook of Functional Surface Fabrication by Nanoimprint Technology. **2020**, 63, 566-573

72	Nanofabrication through molding. 2022 , 125, 100891	4
71	Molecular Dynamics Simulation of the Resist Filling Process in UV-nanoimprint Lithography. 2021 , 34, 139-144	0
70	Proposal of hybrid deep learning systems for process and material design in thermal nanoimprint lithography. 2021 , 34, 145-148	0
69	Plasmonic Photochemical Water Splitting for Efficient Solar Energy Conversion. 2021 , 71-101	
68	Finite Element Analysis of Advanced Imprint Process to Multilayered Material. 2021 , 34, 411-415	1
67	Design and fabrication of micro/nanofluidics devices and systems.. 2022 , 186, 15-58	
66	Bioinspired NEMS Prospective of Collaboration with Nature. 2022 , 12, 905	1
65	Reversible Photo-Induced Reshaping of Imprinted Microstructures Using a Low Molecular Azo Dye.. 2022 , 14,	
64	Metamaterial Electromagnetic Wave Absorbers. 2022 , 3, 1-199	
63	Fabrication and oxidation of amorphous Zr-based alloy for imprint lithography. 2022 , 256, 111722	1
62	Manufacturing of nanostructures with high aspect ratios using soft UV-nanoimprint lithography with bi- and trilayer resist systems. 2022 , 14, 100106	2
61	Nanomechanical and nanotribological properties of polymeric ultrathin films for nanoimprint lithography. 2022 , 96, 1287-1291	
60	Nanoimprinting of Biomimetic Nanostructures. 2022 , 2, 17-40	1
59	Fabrication of sub-50 nm nanochannel array by an angle forming lift-off method. 2022 , 75, 584-592	
58	Introducing surface functionality on thermoformed polymeric films. 2022 , 14, 100112	0
57	Biomechanical fracture mechanics of composite layered skin-like materials.. 2022 ,	
56	Fabrication of Solid-State Nanopores.. 2022 ,	
55	Simulating the Residual Layer Thickness in Roll-to-Plate Nanoimprinting with Tensioned Webs.. 2022 , 13,	

- 54 Tuning the feature size of nanoimprinting stamps: A method to enhance the flexibility of nanoimprint lithography. **2022**, 131, 124301
- 53 Spatially-separated and photo-enhanced semiconductor corrosion processes for high-efficient and contamination-free electrochemical nanoimprint lithography. **2022**, 65, 810-820 1
- 52 U(rano)topia: spectral skies and rainbow holograms for silica aerogel artworks.. **2022**, 1-12 0
- 51 High-Uniformity Submicron Gratings with Tunable Periods Fabricated through Femtosecond Laser-Assisted Molding Technology for Deformation Detection.. **2022**, 2
- 50 A Review of Cyclic Olefin Copolymer Applications in Microfluidics and Microdevices. 2200053 0
- 49 Comparison of UV-curable materials for high-resolution polymer nanoimprint stamps. **2022**, 14, 100118 0
- 48 Submicron imprint patterning of compound sheet with ceramic nanopowder. **2022**, 61, SD1011
- 47 Improved PDMS mold fabrication by direct etch with nanosphere self-assembly mask for Soft UV-NIL subwavelength metasurfaces fabrication. **2022**, 258, 111755 1
- 46 The study of polydimethylsiloxane nanocone distortion in the demolding process using molecular dynamics method. **2022**, 12, 045011 1
- 45 Stimuli-Responsive Photonic Hydrogels. **2022**,
- 44 Direct patterning of methylammonium lead bromide perovskites by thermal imprint. **2022**, 128, 1 1
- 43 Micro-print and nano-imprint methods combining laser-drilled screen printing and ultraviolet nanoimprint lithography: a review. 0
- 42 Self-nucleation of Patterned Polymer Thin Films Defined by Soft Lithography. 0
- 41 Development of a Novel Transcription Molding Process to Fabricate Sophisticated Polymer Products with Precise Microstructure and High Transparency Applicable to Display Devices and Bio-chips. **2022**, 22, 155-165
- 40 A High-Efficient and Low-Consumption Nanoimprint Method to Prepare Large-Area and High-Quality Nafion Array for the Ordered Mea of Fuel Cell.
- 39 Scalable, Nanometer-Accurate Fabrication of All-Dielectric Metasurfaces with Narrow Resonances Tunable from Near Infrared to Visible Wavelengths. 2200014 0
- 38 Fabrication of Metamaterial Perfect Absorbers. **2022**, 93-123 0
- 37 Impact of winding on nanoimprinted surfaces in roll-to-roll nanoimprint lithography.

36	Stretching and Bending of Azopolymer Nanorod Arrays via Laser-Induced Photo-Fluidization.	1
35	Fabrication of High Precision Silicon Spherical Microlens Arrays by Hot Embossing Process. 2022 , 13, 899	1
34	Review of Metasurfaces and Metadevices: Advantages of Different Materials and Fabrications. 2022 , 12, 1973	3
33	Straightforward fabrication of sub-10 nm nanogap electrode pairs by electron beam lithography. 2022 , 77, 275-280	1
32	Micro-nano hierarchical pillar array structures prepared on curved surfaces by nanoimprinting using flexible molds from anodic porous alumina and their application to superhydrophobic surfaces. 2022 , 12, 20340-20347	1
31	Quantitative and high-resolution mechanical pressure sensing functions of mechanochromic fluorenylidene-acridane.	0
30	Fluidic operation of a polymer-based nanosensor chip for analysing single molecules. 2022 , 2,	
29	The Development Progress of Surface Structure Diffraction Gratings: From Manufacturing Technology to Spectroscopic Applications. 2022 , 12, 6503	
28	Femtosecond Laser Fabrication of Noble Metal Plasma Nanostructures and Its Application-A Mini Review. 10,	
27	Large-area patterning for broadband, quasi-omnidirectional low-reflectance glass. 2022 , 32, 085009	
26	Molecular Dynamics Study on Behavior of Resist Molecules in UV-Nanoimprint Lithography Filling Process. 2022 , 12, 2554	0
25	Smart Systems for Material and Process Designing in Direct Nanoimprint Lithography Using Hybrid Deep Learning. 2022 , 12, 2571	
24	Versatile Surface Patterning with Low Molecular Weight Photoswitches. 2203245	1
23	Advanced impedance modeling for micropatterned polymer electrolyte membrane fuel cells. 2022 , 545, 231937	
22	Thickness-dependent physical and nanomechanical properties of Al _x Ga _{1-x} . 2022 , 151, 107023	2
21	A high-efficient and low-consumption nanoimprint method to prepare large-area and high-quality Nafion array for the ordered MEA of fuel cell. 2023 , 451, 138722	2
20	Fabrication of Nanostructures on a Large-Area Substrate with a Minimized Stitch Error Using the Step-and-Repeat Nanoimprint Process. 2022 , 15, 6036	0
19	Overview of Advanced Micro-Nano Manufacturing Technologies for Triboelectric Nanogenerators. 2022 , 2, 316-343	0

- 18 Quasi-seamless stitching for large-area micropatterned surfaces enabled by Fourier spectral analysis of moiré patterns. ○
- 17 Fabrication Techniques. **2023**, 31-96 ○
- 16 Selecting adhesive molecular layers with matched surface free energy and chemisorption for shape-fixed UV-cured thin films fabricated by laser-drilled screen printing and UV nanoimprinting. ○
- 15 One-dimensional flat bands and Dirac cones in narrow zigzag dice lattice ribbons. **2023**, 293, 116486 ○
- 14 Cu(In,Ga)Se₂ based ultrathin solar cells the pathway from lab rigid to large scale flexible technology. **2023**, 7, ○
- 13 Nanoimprinted arrays of glassy carbon nanoelectrodes for improved electrochemistry of enzymatic redox-mediators. **2023**, 932, 117240 1
- 12 Metallic Plasmonic Nanostructure Arrays for Enhanced Solar Photocatalysis. 2200700 ○
- 11 Ag/ZIF-8 Substrate with Enhanced SERS via the Plasmonic Nanogap and MOF-Enabled Molecular Preconcentration Effect. **2023**, 127, 3542-3550 ○
- 10 The Nanofabrication Challenges in Realizing Quantum Effect Integrated Circuits. **1997**, ○
- 9 Printed Electronics Technologies for Additive Manufacturing of Hybrid Electronic Sensor Systems. 2200073 ○
- 8 Direct Imprinting of Large-Area Metallic Photonic Lattices for Infrared Polarization Filters with Broadband Tunability. **2023**, 13, 1022 ○
- 7 Development of high-refractive index materials including nanofiller with Nanoimprint and gapfill property expected to be applied to AR. **2023**, ○
- 6 Scalable patterning modules for diffractive optics on 300mm substrates. **2023**, ○
- 5 Perspective on Organic Photocurrent Multiplication. **2023**, 191-200 ○
- 4 Photocurrent Multiplication in Organic Single CrystalsMolecular Blind Alleys. **2023**, 73-96 ○
- 3 Multiplied Photocurrent Oscillation with Negative Resistance. **2023**, 143-161 ○
- 2 Quasi-seamless stitching for large-area micropatterned surfaces enabled by Fourier spectral analysis of moiré patterns. **2023**, 14, ○
- 1 Fabrication technologies. **2023**, 223-274 ○

