

CITATION REPORT

List of articles citing

Relationship between left ventricular wall thickness and left atrial size: comparison with other measures of diastolic function

DOI: 10.1016/s0894-7317(05)80356-6

Journal of the American Society of Echocardiography, 1995, 8, 37-47.

Source: <https://exaly.com/paper-pdf/26656450/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
209	Role of echocardiography in the evaluation and management of atrial fibrillation. 1996 , 14, 543-53		3
208	Left ventricular Doppler filling pattern in dilated cardiomyopathy: relation to hemodynamics and left atrial function. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 518-25	5.8	37
207	Contraction-excitation feedback in human atrial fibrillation. 1997 , 20, 473-6		12
206	Association Between Left Atrial Enlargement and Target Organ Damage in Essential Hypertension. 1998 , 11, 732-733		2
205	[Left ventricular diastolic function: physiology, physiopathology, evaluation, therapy, consequences of anesthesia]. 1998 , 17, 319-39		5
204	Left atrioventricular plane displacement is related to both systolic and diastolic left ventricular performance in patients with chronic heart failure. 1999 , 20, 612-8		61
203	Association between salt sensitivity and target organ damage in essential hypertension. 2000 , 13, 864-72		62
202	Dimensions of the left ventricle, atrium, and aortic root in pregnancy-induced hypertension. 2001 , 14, 390-2		8
201	Cardiovascular effects of aging. Interrelationships of aortic, left ventricular, and left atrial function. 2001 , 26, 129-39		16
200	Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy. 2002 , 40, 1425		273
199	Left atrial volume determination by three-dimensional echocardiography reconstruction: validation and application of a simplified technique. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 1051-6	5.8	47
198	Left atrial volume as a morphophysiologic expression of left ventricular diastolic dysfunction and relation to cardiovascular risk burden. 2002 , 90, 1284-9		870
197	. 2003 ,		
196	Left atrial volume: a powerful predictor of survival after acute myocardial infarction. 2003 , 107, 2207-12		534
195	Impaired left ventricular diastolic function in children with chronic renal failure. 2004 , 65, 1461-6		104
194	Usefulness of left atrial volume as a predictor of mortality in patients with ischemic cardiomyopathy. 2004 , 94, 760-3		73
193	Effect of preload reduction by hemodialysis on left atrial volume and echocardiographic Doppler parameters in patients with end-stage renal disease. 2004 , 94, 1208-10		57

192	Atrial fibrillation: guiding lessons from epidemiology. 2004 , 22, 1-8		6
191	Determinant of left atrial dilation in patients with hypertrophic cardiomyopathy: a real-time 3-dimensional echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 968-75	5.8	37
190	How should left atrial size be reported? Comparative assessment with use of multiple echocardiographic methods. 2004 , 147, 369-74		84
189	Relationship between left ventricular geometry and left atrial size and function in patients with systemic hypertension. 2004 , 22, 1589-96		81
188	Usefulness of left atrial emptying fraction to predict exercise capacity in patients with normal systolic left ventricular function and without myocardial ischemia. 2005 , 95, 1014-7		7
187	Usefulness of atrial size inequality as an indicator of abnormal left ventricular filling. 2005 , 95, 1448-52		14
186	Assessment of atrial regional and global electromechanical function by tissue velocity echocardiography: a feasibility study on healthy individuals. 2005 , 3, 4		38
185	Assessment of Factors Influencing Plasma BNP Level in Patients with Chronic Atrial Fibrillation and Preserved Left Ventricular Systolic Function. 2005 , 35, 605		2
184	Influence of regression of left ventricular hypertrophy on left atrial size and function in patients with moderate hypertension. 2005 , 14, 273-8		37
183	Left atrial volume predicts cardiovascular events in patients originally diagnosed with lone atrial fibrillation: three-decade follow-up. 2005 , 26, 2556-61		164
182	Left atrial index is a predictor of exercise capacity in patients with hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1373-80	5.8	34
181	Left atrial volumetric remodeling is predictive of functional capacity in nonobstructive hypertrophic cardiomyopathy. 2005 , 149, 730-6		63
180	Recommendations for chamber quantification: a report from the American Society of Echocardiography@ Guidelines and Standards Committee and the Chamber Quantification Writing Group, developed in conjunction with the European Association of Echocardiography, a branch of the European Society of Cardiology. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1440-63	5.8	8967
179	Two-Dimensional Echocardiographic Assessment of the Feline Left Atrium. 2006 , 20, 111-119		113
178	Predictive value of normal left atrial volume in stress echocardiography. 2006 , 47, 1024-8		39
177	Left atrial size: physiologic determinants and clinical applications. 2006 , 47, 2357-63		793
176	Left atrial volume predicts the risk of atrial fibrillation after cardiac surgery: a prospective study. 2006 , 48, 779-86		140
175	Left atrial diameter as an independent predictor of first clinical cardiovascular events in middle-aged and elderly adults: the Strong Heart Study (SHS). 2006 , 151, 412-8		284

174	Chronic heart failure with preserved left ventricular ejection fraction: diagnostic and prognostic value of left atrial size. 2006 , 110, 386-92	52
173	Comparison of usefulness of echocardiographic Doppler variables to left ventricular end-diastolic pressure in predicting future heart failure events. 2006 , 97, 866-71	68
172	Relation of left atrial volume to B-type natriuretic peptide levels in patients with stable chronic heart failure. 2006 , 98, 98-101	25
171	Determinants of pulmonary artery hypertension at rest and during exercise in patients with heart failure. 2007 , 28, 569-74	80
170	Increased left atrial volume index is an independent predictor of raised serum natriuretic peptide in patients with suspected heart failure but normal left ventricular ejection fraction: Implication for diagnosis of diastolic heart failure. 2006 , 8, 38-45	81
169	Recommendations for chamber quantification. 2006 , 7, 79-108	2545
168	Right atrial size and function in patients with pulmonary hypertension associated with disorders of respiratory system or hypoxemia. 2007 , 8, 322-31	73
167	Increased left ventricular mass and diastolic dysfunction are associated with endothelial dysfunction in normotensive offspring of subjects with essential hypertension. 2007 , 16, 36-44	14
166	Left atrial anatomy and function after conversion from atrial fibrillation in hypertrophic hearts. 2006 , 57, 717-23	2
165	Tissue Doppler in critical illness: a retrospective cohort study. 2007 , 11, R97	20
164	Relationships of the appropriateness of left ventricular mass to left atrial size and function in arterial hypertension. 2007 , 8, 445-52	12
163	Assessment of factors affecting plasma BNP levels in patients with chronic atrial fibrillation and preserved left ventricular systolic function. 2007 , 118, 145-50	24
162	Prognostic value of left atrial volume index in hemodialysis patients. 2007 , 88, 643-50	20
161	Left atrial volume is associated with inflammation and atherosclerosis in patients with kidney disease. 2008 , 25, 264-9	20
160	Independent value of echocardiography and N-terminal pro-natriuretic Peptide for the prediction of major outcomes in patients with suspected heart failure. 2007 , 100, 870-5	13
159	The correlation of left atrial volume index to the level of N-terminal pro-BNP in heart failure with a preserved ejection fraction. 2008 , 25, 961-7	27
158	Factors determining early left atrial reverse remodeling after mitral valve surgery. 2008 , 101, 374-7	20
157	Left atrial reservoir function as a potent marker for first atrial fibrillation or flutter in persons > or = 65 years of age. 2008 , 101, 1626-9	159

156	Significance of left atrial volume in patients 2008, 102, 1390-3	26
155	Diastolic Heart Failure. 2008,	3
154	Left atrial remodelling in patients with myocardial infarction complicated by heart failure, left ventricular dysfunction, or both: the VALIANT Echo study. 2009, 30, 56-65	94
153	Assessment of Left Atrial Size and Function. 2008, 163-170	
152	Invasive Physiology: Clinical Cardiovascular Pathophysiology and Diastolic Dysfunction. 2008, 73-91	
151	Hypertension and Valvular Heart Disease. 2008, 233-246	
150	Matrix metalloproteinases and their tissue inhibitors in cardiac amyloidosis: relationship to structural, functional myocardial changes and to light chain amyloid deposition. 2008, 1, 249-57	40
149	Is Peri-Operative Isolated Systolic Hypertension (ISH) a Cardiac Risk Factor?. 2008, 4, 22-33	6
148	Serum carbohydrate antigen 125 levels in advanced heart failure: relation to B-type natriuretic peptide and left atrial volume. 2008, 10, 556-9	25
147	The left atrium and diastolic dysfunction in hypertensive left ventricular hypertrophy: a consideration of size and function?. 2008, 26, 1310-2	2
146	Echocardiographic assessments of left atrial strain and volume in healthy patients and patients with mitral valvular heart disease by tissue Doppler imaging and 3-dimensional echocardiography. 2009, 39, 280-7	13
145	Pathological and physiological left ventricular hypertrophy: echocardiography for differentiation. 2009, 5, 495-502	6
144	Prognostic implications of left atrial dilation evaluated by echocardiographic volume in patients with normal left atrial antero-posterior dimensions. 2009, 7, 63	1
143	Left atrial shortening fraction in fetuses with and without myocardial hypertrophy in diabetic pregnancies. 2009, 33, 182-7	12
142	Diastolic dysfunction and left atrial enlargement as contributing factors to functional mitral regurgitation in dilated cardiomyopathy: data from the Acorn trial. 2009, 157, 762.e3-10	31
141	Real-Time Three-Dimensional Echocardiography in the Evaluation of Left Atrial Structure and Function in Normal, Aging, Hypertensive and Heart Failure Patients: New Insights into Left Atrial Adaptation and Remodeling. 2009, 3, 53-65	3
140	Three-dimensional echocardiographic assessment of left atrial size and function and the normal range of asynchrony in healthy individuals. 2009, 62, 816-9	3
139	Independent value of left atrial volume index for the prediction of mortality in patients with suspected heart failure referred from the community. 2009, 95, 1172-8	44

138	Onward and upward! From ventricle to atria, volumetric measurements for chamber quantification. 2009 , 3, 88-9	2
137	Evaluaci3n de tama3o, funci3n y rangos de normalidad de la asincroni3a de la aur3cula izquierda en sujetos sanos mediante ecocardiografi3a tridimensional. 2009 , 62, 816-819	11
136	How to detect early left atrial remodelling and dysfunction in mild-to-moderate hypertension. 2009 , 27, 2086-93	23
135	Tissue Doppler echocardiography for predicting arterial stiffness assessed by cardio-ankle vascular index. 2009 , 217, 139-46	15
134	Left atrial size: a structural expression of abnormal left ventricular segmental relaxation evaluated by strain echocardiography. 2009 , 10, 865-71	10
133	Atrioventricular reverse remodeling after valve repair for chronic severe mitral regurgitation: 1-year follow-up. 2010 , 33, 630-637	16
132	Association of left atrial volume with mortality among ESRD patients with left ventricular hypertrophy referred for kidney transplantation. 2010 , 55, 1088-96	50
131	Left atrial distensibility and left ventricular filling pressure in acute versus chronic severe mitral regurgitation. 2010 , 105, 709-15	27
130	Reference left atrial dimensions and volumes by steady state free precession cardiovascular magnetic resonance. 2010 , 12, 65	167
129	Does left atrial size predict mortality in asymptomatic patients with severe aortic stenosis?. 2010 , 27, 105-9	26
128	Indexed left atrial volume is a more sensitive indicator of filling pressures and left heart function than is anteroposterior left atrial diameter. 2010 , 27, 1049-55	22
127	Long-term prognostic significance of three-dimensional echocardiographic parameters of the left ventricle and left atrium. 2010 , 11, 250-6	63
126	Impact of left ventricular diastolic dysfunction on left atrial volume and function: a volumetric analysis. 2010 , 11, 38-43	63
125	Impact of diastolic dysfunction grade on left atrial mechanics assessed by two-dimensional speckle tracking echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 961-7	5.8 50
124	Assessment of left atrial volume and mechanical function in ischemic heart disease: a multi slice computed tomography study. 2010 , 145, 197-202	19
123	Left atrial volume predicts mortality in low-risk dialysis population on long-term low-salt diet. 2010 , 159, 1089-94	38
122	Left atrial size: when an imperfect measurement may be close enough. 2010 , 4, 55-7	
121	Left atrial function and mortality in patients with NSTEMI an MDCT study. 2011 , 4, 1080-7	36

120	Increased left atrial volume index predicts a poor prognosis in patients with heart failure. 2011 , 17, 210-6	43
119	Impact of left atrial volume in prediction of outcome after cardiac resynchronization therapy. 2011 , 152, 13-7	12
118	A new baseline scoring system may help to predict response to cardiac resynchronization therapy. 2011 , 7, 627-33	3
117	Is diastolic dysfunction associated with atrial electrocardiographic parameters in Behçet disease?. 2011 , 66, 607-12	6
116	A patient selection score for cardiac resynchronization therapy. 2011 , 28, 188-95	4
115	Left atrial parameters in the estimation of left ventricular filling pressure and prognosis in patients with acute coronary syndrome. 2011 , 107, 1117-24	23
114	Left atrial volume is an independent predictor of mortality in CAPD patients. 2011 , 26, 3732-9	41
113	Left atrial and ventricular function during dobutamine and glycopyrrolate stress in healthy young and elderly as evaluated by cardiac magnetic resonance. 2012 , 303, H1469-73	21
112	Left atrial remodelling in competitive adolescent soccer players. 2012 , 33, 795-801	37
111	Exercise hemodynamics in patients with and without diastolic dysfunction and preserved ejection fraction after myocardial infarction. 2012 , 5, 444-51	40
110	Left atrial minimum volume and reservoir function as correlates of left ventricular diastolic function: impact of left ventricular systolic function. 2012 , 98, 813-20	145
109	Effect of preload on left atrial function: evaluated by tissue Doppler and strain imaging. 2012 , 13, 938-47	21
108	Left atrial volume is an independent predictor of all-cause mortality in chronic hemodialysis patients. 2012 , 51, 1479-85	14
107	Prognostic value of low left atrial appendage wall velocity in patients with ischemic stroke and atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 576-83	5.8 21
106	Evaluation of atrial electromechanical delay and left atrial mechanical function in patients with obstructive sleep apnea : Cardiac involvement in patients with OSA. 2012 , 124, 444-52	1
105	Left atrial enlargement is associated with a rapid decline in residual renal function in ESRD patients on peritoneal dialysis. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 421-7	5.8 9
104	Vitamin D reduces left atrial volume in patients with left ventricular hypertrophy and chronic kidney disease. 2012 , 164, 902-9.e2	95
103	Correction. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 427	5.8

102	Left atrial dilatation and ST-T changes predict cardiovascular outcome in chronic hemodialysis patients. 2012 , 27, 610-7	6
101	Left Atrial Volume Index as Indicator of Left Ventricular Diastolic Dysfunction: Comparison between Left Atrial Volume Index and Tissue Myocardial Performance Index. 2012 , 20, 25-9	19
100	Assessment of left atrial volume and function: a comparative study between echocardiography, magnetic resonance imaging and multi slice computed tomography. 2012 , 28, 1061-71	67
99	Subclinical anthracycline cardiotoxicity in patients with acute promyelocytic leukemia in long-term remission after the AIDA protocol. 2012 , 18, 217-21	30
98	Preoperative left atrial dysfunction and risk of postoperative atrial fibrillation complicating thoracic surgery. 2012 , 143, 482-7	35
97	How should we measure left atrium size and function?. 2012 , 40, 155-66	22
96	Preoperative left atrial volume index predicts postoperative atrial fibrillation in patients with severe aortic valve stenosis. 2013 , 27, 699-704	8
95	Cardiac Valvular Medicine. 2013 ,	3
94	Indexed maximal left atrial volume predicts response to cardiac resynchronization therapy. 2013 , 168, 3629-33	11
93	Prognostic value of LA volumes assessed by transthoracic 3D echocardiography: comparison with 2D echocardiography. 2013 , 6, 1025-1035	70
92	Depressed myocardial blood flow reserve in nonischemic dilated cardiomyopathy: findings and explanations. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 288-9	5.8 1
91	Left atrial eccentricity in chronic mitral regurgitation: relation to left atrial function. 2013 , 14, 110-7	6
90	Left atrial volume and function in patients following ST elevation myocardial infarction and the association with clinical outcome: a cardiovascular magnetic resonance study. 2013 , 14, 118-27	55
89	Brachial-ankle pulse wave velocity is the only index of arterial stiffness that correlates with a mitral valve indices of diastolic dysfunction, but no index correlates with left atrial size. 2013 , 2013, 986847	12
88	The effects of a single dialysis session on atrial electromechanical conduction times and functions. 2013 , 37, 622-30	4
87	Left ventricular mass predicts left atrial appendage thrombus in persistent atrial fibrillation. 2013 , 14, 269-75	28
86	Quantitative and Semiquantitative Echocardiography. 2014 , 72-89	
85	Left atrial volume predicts abnormal exercise left ventricular filling pressure. 2014 , 16, 1089-95	15

84	Inflammation and echocardiographic parameters of ventricular hypertrophy in a cohort with preserved cardiac function. 2014 , 1, e000004		10
83	Left atrial remodeling and recurrence of congestive heart failure in patients initially diagnosed with heart failure. 2014 , 31, 936-40		2
82	Perioperative Diastolic Dysfunction: A Comprehensive Approach to Assessment by Transesophageal Echocardiography. 2014 , 18, 218-36		15
81	Left atrial passive emptying function is preserved in patients with permanent atrial fibrillation--a 320-slice multidetector computed tomography study. 2014 , 129, 144-52		
80	Predictors and prognostic value of left atrial remodelling after acute myocardial infarction. 2015 , 2, e000223		14
79	Diastolic dysfunction is an independent predictor of cardiovascular events in incident dialysis patients with preserved systolic function. 2015 , 10, e0118694		29
78	Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. 2015 , 16, 233-70		3615
77	Prediction of All-Cause Mortality by the Left Atrial Volume Index in Patients With Normal Left Ventricular Filling Pressure and Preserved Ejection Fraction. 2015 , 90, 1499-505		28
76	Relationship between cognitive impairment and echocardiographic parameters: a review. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 264-74	5.8	11
75	Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 1-39.e14	5.8	6118
74	Left atrial volume index is an independent predictor of hypertensive response to exercise in patients with hypertension. <i>Hypertension Research</i> , 2015 , 38, 137-42	4.7	10
73	Echocardiographic assessment of maximum and minimum left atrial volumes: a population-based study of middle-aged and older subjects without apparent cardiovascular disease. 2015 , 31, 57-64		8
72	Changes in echocardiographic parameters according to the rate of residual renal function decline in incident peritoneal dialysis patients. 2015 , 94, e427		6
71	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: definition, characterization, and clinical implication. 2016 , 18, 1455-1490		268
70	Aortic stiffening and its impact on left atrial volumes and function in patients after successful coarctation repair: a multiparametric cardiovascular magnetic resonance study. 2016 , 18, 56		23
69	Left atrial dimension is related to blood pressure variability in newly diagnosed untreated hypertensive patients. <i>Hypertension Research</i> , 2016 , 39, 583-7	4.7	14
68	A simple, fast and reproducible echocardiographic approach to grade left ventricular diastolic function. 2016 , 32, 743-52		14
67	Association diastolic function by echo and infarct size by magnetic resonance imaging after STEMI. 2016 , 50, 172-9		3

66	Differences in Characteristics, Left Atrial Reverse Remodeling, and Functional Outcomes after Mitral Valve Replacement in Patients with Low-Gradient Very Severe Mitral Stenosis. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 759-767	5.8	13
65	Does left atrial appendage (LAA) occlusion device alter the echocardiography and electrocardiogram parameters in patients with atrial fibrillation?. 2016 , 215, 494-501		2
64	EHRA/HRS/APHRS/SOLAECE expert consensus on Atrial cardiomyopathies: Definition, characterisation, and clinical implication. 2016 , 32, 247-78		59
63	Early changes in left atrial volume after acute myocardial infarction. Relation to invasive hemodynamics at rest and during exercise. 2016 , 223, 717-722		5
62	Association Between Left Atrial Dilatation and Invasive Hemodynamics at Rest and During Exercise in Asymptomatic Aortic Stenosis. 2016 , 9,		23
61	Factors influencing left atrial volume in a population with preserved ejection fraction: Left ventricular diastolic dysfunction or clinical factors?. 2016 , 68, 275-81		6
60	Cardiovascular alterations do exist in children with stage-2 chronic kidney disease. 2016 , 20, 926-933		7
59	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: Definition, characterization, and clinical implication. 2017 , 14, e3-e40		138
58	Left Atrial Structure in Relationship to Age, Sex, Ethnicity, and Cardiovascular Risk Factors: MESA (Multi-Ethnic Study of Atherosclerosis). 2017 , 10,		27
57	Should pre-operative left atrial volume receive more consideration in patients with degenerative mitral valve disease undergoing mitral valve surgery?. 2017 , 227, 106-113		5
56	Left atrium in cardiac resynchronization therapy: Active participant or innocent bystander. 2017 , 29, 259-269		3
55	Relation of Left Atrial Size, Cardiac Morphology, and Clinical Outcome in Asymptomatic Aortic Stenosis. 2017 , 120, 1877-1883		15
54	Echocardiographic estimation of left ventricular and pulmonary pressures in patients with heart failure and preserved ejection fraction: a study utilizing simultaneous echocardiography and invasive measurements. 2017 , 19, 1651-1660		59
53	Left atrial remodeling, hypertrophy, and fibrosis in mouse models of heart failure. 2017 , 30, 27-37		33
52	The Role of Left Atrial Volume Index in Patients with a First-ever Acute Ischemic Stroke. 2017 , 26, 321-326		8
51	Cardiac magnetic resonance assessment of diastolic dysfunction in acute coronary syndrome. 2017 , 45, 1680-1692		3
50	Association of left atrial pressure with left atrial volume and N-terminal prohormone brain natriuretic peptide in children with cardiomyopathy. 2018 , 28, 1333-1337		0
49	Incremental Prognostic Value of Right Ventricular Strain in Patients With Acute Decompensated Heart Failure. 2018 , 11, e007249		45

48	Progression of Functional Tricuspid Regurgitation With Aortic Valve Stenosis After Intervention. 2018 , 82, 944-945	1
47	Echocardiographic parameters to identify sickle cell patients with cardio-pathology. 2018 , 35, 1271-1276	4
46	Incremental prognostic value of left atrial function indices in the prediction of incident atrial fibrillation in patients with ST-elevation myocardial infarction. 2018 , 263, 7-8	2
45	Measures of left atrial function predict incident atrial fibrillation in STEMI patients treated with primary percutaneous coronary intervention. 2018 , 263, 1-6	14
44	Improving the Prediction of Mortality in the High Model for End-Stage Liver Disease Score Liver Transplant Recipient: A Role for the Left Atrial Volume Index. 2018 , 50, 1407-1412	2
43	Textbook of Three-Dimensional Echocardiography. 2019 ,	
42	Tissue Doppler-derived atrial dyssynchrony predicts new-onset atrial fibrillation during hospitalization for ST-elevation myocardial infarction. 2019 , 36, 1799-1805	1
41	Prognostic implications of small left atria on hospitalized patients. 2019 , 20, 1051-1058	4
40	Compromised left atrial function and increased size predict raised cavity pressure: a systematic review and meta-analysis. 2019 , 39, 297-307	12
39	Mechanisms of Left Atrial Enlargement in Obesity. 2019 , 124, 442-447	7
38	Investigation of arterial-cardiac-pulmonary interaction. 2019 , 34, 1325-1331	
37	Left Atrial Function Predicts Cardiovascular Events in Patients With Chronic Heart Failure With Reduced Ejection Fraction. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 248-256	5.8 39
36	Correlation of Arterial Stiffness With Left Atrial Volume Index and Left Ventricular Mass Index in Young Adults: Evaluation by Coronary Computed Tomography Angiography. 2019 , 28, 932-938	6
35	Changes of echocardiographic parameters in primary mitral regurgitation and determinants of symptom: an assessment from the Asian Valve Registry data. 2020 , 35, 555-563	1
34	Left Atrial Function Determined by Echocardiography Predicts Incident Heart Failure in Patients With STEMI treated by Primary Percutaneous Coronary Intervention. 2020 , 26, 35-42	4
33	Association with left atrial volume index and long-term prognosis in patients without systolic dysfunction nor atrial fibrillation: an observational study. 2020 , 35, 223-231	6
32	Left atrial volume index to predict long-term recovery of the left ventricular ejection fraction in patients with heart failure and reduced ejection fraction. 2021 , 7, 92	
31	Assessment of Left Atrial Size and Function. 2021 , 157-168	

30	Global longitudinal strain by feature-tracking cardiovascular magnetic resonance imaging predicts mortality in patients with end-stage kidney disease. 2021 , 14, 2187-2196	0
29	Prognostic importance of left atrial size measured by non-contrast cardiac computed tomography - A DANCAVAS study. 2021 , 328, 220-226	2
28	Yüksek sol atriyal hacim indeksi ve diyastolik disfonksiyonunda sol atriyum fonksiyonel parametrelerindeki değişiklikler. 11-11	
27	NR3C2 genotype is associated with response to spironolactone in diastolic heart failure patients from the Aldo-DHF trial. 2021 ,	3
26	Echocardiographic, electrocardiographic, and clinical correlates of recurrent transient ischemic attacks: a follow-up study. 2008 , 101, 246-51	4
25	Prognostic Impact of Tricuspid Regurgitation in Patients Undergoing Aortic Valve Surgery for Aortic Stenosis. 2015 , 10, e0136024	20
24	Evaluation of the P Wave Axis in Patients With Systemic Lupus Erythematosus. 2015 , 7, 154-7	2
23	Value of the Measurements of Left Atrial Geometry in Patients With Normalized or Restrictive Mitral Flow Velocity Pattern. 2005 , 3, 109-117	4
22	Association of new arterial stiffness parameter, the cardio-ankle vascular index, with left ventricular diastolic function. 2008 , 15, 261-8	45
21	Evaluation of left atrial mechanical function and atrial conduction abnormalities in Maras powder (smokeless tobacco) users and smokers. 2015 , 26, 114-9	5
20	Assessment of left atrial function in patients with type 2 diabetes mellitus with a disease duration of six months. 2018 , 29, 82-87	4
19	Assessment of Left Atrial Volume Measurements in Normal Young Adult Population. 2006 , 33, 647-653	
18	Left Atrial Dyssynchrony in Patients With Nonobstructive Hypertrophic Cardiomyopathy Evaluated by Myocardial Strain Imaging. 2008 , 6, 46-53	
17	The Electrocardiogram as a Risk Predictor in Asymptomatic Aortic Stenosis. 2013 , 35-45	
16	Left Atrium. 2019 , 221-232	
15	Assessment of Left Atrial Volume Index in the Patients with ACS in Adults. 2020 , 3, 23-26	
14	Echocardiographic Evaluation of Left Atrial Volume Index in Patients with Chronic Kidney Disease. 2020 , 31, 750-758	1
13	Hypertrophic Cardiomyopathy. 2008 , 285-310	

12	Influence of age on the relationship between left atrial performance and left ventricular systolic and diastolic function in systemic arterial hypertension. 2006 , 11, 305-10	7
11	The effects of short time right ventricular pacing on left atrial mechanical functions. 2009 , 9, 151-7	3
10	Left atrial size and force in patients with systolic chronic heart failure: Comparison with healthy controls and different cardiac diseases. 2010 , 15, e45-51	13
9	The Relationship between Left Atrial Volume and Ventricular Arrhythmias in the Patients with Dilated Cardiomyopathy. 2014 , 8, 18-23	3
8	The application of vWF/ADAMTS13 in essential hypertension. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 5636-42	3
7	Atrial cardiomyopathy markers and new-onset atrial fibrillation risk in patients with acute myocardial infarction.. <i>European Journal of Internal Medicine</i> , 2022 ,	3-9 ○
6	ECG and CT for the detection of left atrial enlargement in hypertensive individuals-a population-based study.. <i>Hypertension Research</i> , 2022 ,	4-7
5	Left Atrial Function and Arrhythmias in Relation to Small Vessel Disease on Brain MRI: The Multi-Ethnic Study of Atherosclerosis. 2022 , 11,	1
4	Preoperative left atrial volume index may be associated with postoperative atrial fibrillation in non-cardiac surgery. 9,	○
3	Atrial cardiomyopathy markers predict ischemic cerebrovascular events independent of atrial fibrillation in patients with acute myocardial infarction. 9,	○
2	Comparison of Left Ventricular Diastolic Function Parameters between Patients with Unplanned and Planned Hemodialysis Initiation: A Cross-Sectional Study. 2023 , 3, 163-170	○
1	Imaging in Heart Failure with Preserved Ejection Fraction: A Multimodality Imaging Point of View. 9,	○