Technical guidelines for performing automated border detection studies

DOI: 10.1016/s0894-7317(05)80040-9
Journal of the American Society of Echocardiography, 1995, 8, 293-305.

#	Paper	IF	Citations
81	Spectral analysis of beat-to-beat fluctuations in left ventricular area signals obtained using acoustic quantification.		0
80	Automatic border detection and three-dimensional reconstruction with echocardiography. *Critical Care Clinics*, **1996**, 12, 471-96	4.5	6
79	Transesophageal Echocardiography. *Anesthesia and Analgesia*, **1996**, 83, 1149-1153	3.9	61
78	Assessment of right ventricular function in patients with congestive heart failure by echocardiographic automated boundary detection. *American Journal of Cardiology*, **1996**, 78, 1317-21	3	19
77	Transesophageal echocardiography: an objective tool in defining maximum ventricular response to intravenous fluid therapy. *Anesthesia and Analgesia*, **1996**, 83, 1149-53	3.9	53
76	Validity of acoustic quantification colour kinesis for detection of left ventricular regional wall motion abnormalities: a transoesophageal echocardiographic study. *British Journal of Anaesthesia*, **1997**, 79, 482-7	5.4	9
75	Detection of cardiac boundaries in echocardiographic images using a customized order statistics filter. *Ultrasonic Imaging*, **1997**, 19, 127-37	1.9	9
74	Computerized quantification analysis of left ventricular wall motion from echocardiograms. *Ultrasonic Imaging*, **1997**, 19, 138-44	1.9	1
73	Evaluation of respiratory influences on left ventricular function by means of echocardiographic approach.		2
72	Transnasal transesophageal echocardiography. *Journal of the American Society of Echocardiography*, **1997**, 10, 728-37	5.8	36
71	Echocardiography and Cardiovascular Function: Tools for the Next Decade. *Developments in Cardiovascular Medicine*, **1997**,		
70	Echocardiographic estimation of left ventricular cavity area with a newly developed automated contour tracking method. *Journal of the American Society of Echocardiography*, **1997**, 10, 822-9	5.8	24
69	Three-dimensional echocardiography. *Journal of Cardiothoracic and Vascular Anesthesia*, **1997**, 11, 506-16	2.1	10
68	Sensitivity and specificity of left ventricular ejection fraction by echocardiographic automated border detection: comparison with radionuclide ventriculography. *Clinical Cardiology*, **1997**, 20, 943-8	3.3	12
67	Color Kinesis: Principles of Operation and Technical Guidelines. *Echocardiography*, **1998**, 15, 21-34	1.5	20
66	Use of harmonic imaging without echocardiographic contrast to improve two-dimensional image quality. *American Journal of Cardiology*, **1998**, 82, 794-9	3	151
65	Usefulness of color kinesis imaging for evaluation of regional right ventricular wall motion in patients with surgically repaired tetralogy of Fallot. *American Journal of Cardiology*, **1998**, 82, 1224-9	3	10

64	Effects of amrinone, a phosphodiesterase inhibitor, on right ventricular/arterial coupling immediately after cardiac operations. *Journal of Thoracic and Cardiovascular Surgery*, **1998**, 116, 139-47	1.5	4
63	4 Non-invasive assessment of left ventricular contractility by means of transoesophageal echocardiography. *Baillieres Clinical Anaesthesiology*, **1998**, 12, 577-594		1
62	Transesophageal echocardiography in the perioperative assessment of intravascular volume. *Seminars in Anesthesia*, **1998**, 17, 252-266		
61	Use of color kinesis for evaluation of left ventricular filling in patients with dilated cardiomyopathy and mitral regurgitation. *Journal of the American College of Cardiology*, **1998**, 31, 1598-606	15.1	31
60	Acoustic quantification indexes of left ventricular size and function: effects of signal averaging. *Journal of the American Society of Echocardiography*, **1998**, 11, 792-802	5.8	15
59	Age dependency of left atrial and left ventricular acoustic quantification waveforms for the evaluation of diastolic performance in left ventricular hypertrophy. *Journal of the American Society of Echocardiography*, **1998**, 11, 1027-35	5.8	14
58	Evaluation of regional differences in right ventricular systolic function by acoustic quantification echocardiography and cine magnetic resonance imaging. *Circulation*, **1998**, 98, 339-45	16.7	188
57	Quantitative assessment of regional right ventricular function with color kinesis. *American Journal of Respiratory and Critical Care Medicine*, **1999**, 159, 1949-59	10.2	23
56	Online Quantification of Left Ventricular Function: Correlation with Various Imaging Modalities. *Echocardiography*, **1999**, 16, 43-49	1.5	2
55	Evaluation of Left Ventricular Diastolic Performance Using Automated Border Detection. *Echocardiography*, **1999**, 16, 51-62	1.5	5
54	Acoustic Quantification Today and Its Future Horizons. *Echocardiography*, **1999**, 16, 85-94	1.5	6
53	Evaluation of Global and Regional Right Ventricular Function Using Automated Border Detection Techniques. *Echocardiography*, **1999**, 16, 105-116	1.5	7
52	Exercise echocardiography. Principles, methods, and clinical use. *Cardiology Clinics*, **1999**, 17, 447-60, vii	2.5	10
51	Noninvasive monitoring of peak filling rate with acoustic quantification echocardiography accurately detects acute cardiac allograft rejection. *Journal of Heart and Lung Transplantation*, **1999** , 18, 194-201	5.8	24
50	Impact of on-line endocardial border detection on determination of left ventricular volume and ejection fraction by transthoracic 3-dimensional echocardiography. *Journal of the American Society of Echocardiography*, **1999**, 12, 551-8	5.8	12
49	Objective evaluation of regional left ventricular wall motion during dobutamine stress echocardiographic studies using segmental analysis of color kinesis images. *Journal of the American College of Cardiology*, **1999**, 34, 409-19	15.1	71
48	Impairment of cardiac performance by laparoscopy in patients receiving positive end-expiratory pressure. *Archives of Surgery*, **1999**, 134, 76-80		46
47	Assessment of left ventricular regional wall motion by color kinesis technique: comparison with angiographic findings. *Echocardiography*, **2000**, 17, 521-7	1.5	13

46	Echocardiographic quantification of regional left ventricular wall motion with color kinesis. *American Journal of Cardiology*, **2000**, 85, 245-50	3	11
45	Normal values of regional left ventricular endocardial motion: multicenter color kinesis study. *American Journal of Physiology - Heart and Circulatory Physiology*, **2000**, 279, H2464-76	5.2	26
44	Evaluation of respiratory influences on left ventricular function parameters extracted from echocardiographic acoustic quantification. *Physiological Measurement*, **2000**, 21, 175-86	2.9	22
43	Spectral analysis of left ventricular area variability as a tool to improve the understanding of cardiac autonomic control. *Physiological Measurement*, **2000**, 21, 319-31	2.9	10
42	Analysis of left ventricular wall motion using dynamic alignment.		
41	Left ventricular pressure-area relations as assessed by transoesophageal echocardiographic automated border detection: comparison with conductance catheter technique in cardiac surgical patients. *British Journal of Anaesthesia*, **2000**, 85, 379-88	5.4	7
40	New method of on-line quantification of regional wall motion with automated segmental motion analysis. *Journal of the American Society of Echocardiography*, **2001**, 14, 892-901	5.8	10
39	Detection of regional temporal abnormalities in left ventricular function during acute myocardial ischemia. *American Journal of Physiology - Heart and Circulatory Physiology*, **2001**, 280, H1770-81	5.2	39
38	Electroconvulsive therapy impairs systolic performance of the left ventricle. *Canadian Journal of Anaesthesia*, **2001**, 48, 405-8	3	19
37	Effects of aging on left atrial reservoir, conduit, and booster pump function: a multi-institution acoustic quantification study. *British Heart Journal*, **2001**, 85, 272-7		147
36	Noninvasive quantification of respiratory modulation on left ventricular size and stroke volume. *Physiological Measurement*, **2002**, 23, 567-80	2.9	5
35	Left ventricular diastolic dysfunction in congenital chronic anaemias during childhood as determined by comprehensive echocardiographic imaging including acoustic quantification. *European Journal of Echocardiography*, **2002**, 3, 103-10		19
34	Automated endocardial border detection and evaluation of left ventricular function from contrast-enhanced images using modified acoustic quantification. *Journal of the American Society of Echocardiography*, **2002**, 15, 777-81	5.8	26
33	Automated calculation of the Tei index from signal averaged left ventricular acoustic quantification wave forms. *Journal of the American Society of Echocardiography*, **2002**, 15, 1485-9	5.8	6
32	Left atrial maximum volume is a recurrence predictor in lone atrial fibrillation: an acoustic quantification study. *International Heart Journal*, **2002**, 43, 241-8		17
31	Analysis of cardiac left-ventricular volume based on time warping averaging. *Medical and Biological Engineering and Computing*, **2002**, 40, 225-33	3.1	10
30	Echocardiographic assessment of left ventricular size and function in normal children from infancy to adolescence: acoustic quantification in comparison with traditional echocardiographic techniques. *Pediatric Cardiology*, **2002**, 23, 394-402	2.1	7
29	Usefulness of contrast echocardiography to improve the feasibility and accuracy of automated measurements of left ventricular volume and ejection fraction in patients with coronary artery disease. *American Journal of Cardiology*, **2003**, 92, 71-4	3	5

28	Automated quantification of left ventricular function by the automated contour tracking method. *Echocardiography*, **2003**, 20, 313-8	1.5	10
27	Interpretation of left ventricular wall motion during stress testing. *Echocardiography*, **2003**, 20, 643-58	1.5	2
26	Assessment of global and regional left ventricular diastolic function in hypertensive heart disease using automated border detection techniques. *Echocardiography*, **2003**, 20, 673-81	1.5	9
25	Normal values of left ventricular systolic and diastolic function derived from signal-averaged acoustic quantification waveforms: a multicenter study. *Journal of the American Society of Echocardiography*, **2003**, 16, 1244-51	5.8	7
24	Simultaneous real-time echocardiographic imaging of myocardial perfusion and regional function using color-encoded, contrast-enhanced power modulation. *Journal of the American Society of Echocardiography*, **2003**, 16, 1258-66	5.8	8
23	Rapid and accurate noninvasive assessment of global left ventricular systolic function using biplane advanced automated contour tracking method. *Journal of the American Society of Echocardiography* , **2003**, 16, 1237-43	5.8	8
22	Evaluation of regional aortic distensibility using color kinesis. *Angiology*, **2003**, 54, 345-51	2.1	
21	Simultaneous quantitative assessment of myocardial perfusion and function using analysis of color-encoded contrast-enhanced images. **2003**,		
20	Quantitative echocardiographic assessment of regional wall motion and left ventricular asynchrony with color kinesis in cardiac surgery patients. *Anesthesia and Analgesia*, **2003**, 96, 1294-1300	3.9	4
19	Characterization of Hydrogen-Treated Pentacene Organic Thin Film Transistors. *Japanese Journal of Applied Physics*, **2004**, 43, 2366-2369	1.4	2
18	Age dependency of the Tei index of myocardial performance. *Journal of the American Society of Echocardiography*, **2004**, 17, 350-2	5.8	29
17	Comparison of heart rate variability and stroke volume variability. *Autonomic Neuroscience: Basic and Clinical*, **2004**, 116, 69-75	2.4	17
16	Changes in metalloproteinase and tissue inhibitor of metalloproteinase during tachycardia-induced cardiomyopathy by rapid atrial pacing in dogs. *Cardiology*, **2006**, 106, 22-8	1.6	5
15	Changes in connexin 43, metalloproteinase and tissue inhibitor of metalloproteinase during tachycardia-induced cardiomyopathy in dogs. *European Journal of Heart Failure*, **2007**, 9, 23-9	12.3	15
14	Doppler echocardiography and tissue Doppler imaging in the healthy rabbit: differences of cardiac function during awake and anaesthetised examination. *International Journal of Cardiology*, **2007**, 115, 164-70	3.2	41
13	Global Left Ventricular Systolic Function. **2008**, 47-79		
12	Milrinone improves diastolic function in coronary artery bypass surgery as assessed by acoustic quantification and peak filling rate: a prospective randomized study. *Journal of Cardiothoracic and Vascular Anesthesia*, **2010**, 24, 244-9	2.1	13
11	Right ventricular volumes overestimate left ventricular preload in critically ill patients. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **1997**, 42, 839-45; discussion 845-6	9.4	16

10	Echocardiographic quantification of regional left ventricular wall motion with color kinesis. *Circulation*, **1996**, 93, 1877-85	16.7	134
9	Segmental analysis of color kinesis images: new method for quantification of the magnitude and timing of endocardial motion during left ventricular systole and diastole. *Circulation*, **1997**, 95, 2082-97	16.7	105
8	Katecholamin-maskierte Hypovolämie – ein Grundproblem der Intensivmedizin. **2001**, 179-189		
7	New Technologies in Stress Testing: Acoustic Quantification and Color Kinesis. **2003**, 275-290		
6	Transösophageale Echokardiographie. **2008**, 133-166		
5	A utilização da ecocardiografia na avaliação da cardiotoxicidade por adriamicina. *Experts in Ultrasound Reviews and Perspectives*, **2010**, 2, 102-108		
4	Comparative and Validation Studies of Echocardiographic On-line Quantification of Left Ventricular Dimensions and Systolic Function. *Developments in Cardiovascular Medicine*, **1997**, 29-63		
3	Modern Treatment and Monitoring of Haemorrhagic Shock. **1997**, 539-548		
2	Noninvasive Evaluation of Aortic Elastic Properties. *Developments in Cardiovascular Medicine*, **1997**, 99-122		
1	Automated Assessment of Left Ventricular Function with Acoustic Quantification: Signal Averaging Revisited. *Developments in Cardiovascular Medicine*, **1997**, 65-79		