

CITATION REPORT

List of articles citing

Measurement of fractional flow reserve to assess the functional severity of coronary-artery stenoses

DOI: 10.1056/nejm199606273342604

New England Journal of Medicine, 1996, 334, 1703-8.

Source: <https://exaly.com/paper-pdf/26745349/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1858	Book Review: Christian Leadership. 1935 , 32, 104-104		
1857	The New Paradigm for Coronary Artery Disease: Altering Risk Factors, Atherosclerotic Plaques, and Clinical Prognosis. 1996 , 71, 957-965		4
1856	A signal processing system for the analysis of coronary hemodynamics based on guidewire measurements.		
1855	The New Paradigm for Coronary Artery Disease: Altering Risk Factors, Atherosclerotic Plaques, and Clinical Prognosis. 1996 , 71, 957-965		25
1854	Comparison of intravenous adenosine to intracoronary papaverine for calculation of pressure-derived fractional flow reserve. 1996 , 39, 120-5		54
1853	Validation of noninvasive studies for detecting coronary artery disease: beauty versus blood flow. 1996 , 3, S1-9		0
1852	Assessing the severity of coronary-artery stenoses. <i>New England Journal of Medicine</i> , 1996 , 334, 1735-7	59.2	54
1851	Functional severity of coronary-artery stenoses. <i>New England Journal of Medicine</i> , 1996 , 335, 1687-8	59.2	0
1850	Hemodynamic changes in the lower limbs during treadmill walking in normal subjects and in patients with arteriosclerosis obliterans. 1997 , 48, 795-803		8
1849	Management of stable angina pectoris. Recommendations of the Task Force of the European Society of Cardiology. 1997 , 18, 394-413		229
1848	Smoking cessation as a rigorous primary intervention for coronary events in middle-aged men. A commentary based on the WOSCOP findings. <i>West of Scotland Coronary Prevention Study</i> . 1997 , 18, 1187-9		1
1847	Interventional cardiology: present and future. 1997 , 11, 211-9		1
1846	Clinical assessment of functional stenosis severity: use of coronary pressure measurements for the decision to bypass a lesion. 1997 , 63, S6-11		12
1845	From research to clinical practice: current role of intracoronary physiologically based decision making in the cardiac catheterization laboratory. 1997 , 30, 613-20		148
1844	Moving beyond lumenology. 1997 , 18, 1189		
1843	Coronary Stenting: Current State of the Art. 1997 , 10, 137-144		1
1842	Fractional Flow Reserve. 1997 , 6, 34-35		2

1841	Clinical methods to determine coronary flow and myocardial perfusion. 1997 , 13, 79-94; discussion 95-7	5
1840	Evaluation of a pressure-recording guidewire in patients with coronary arterial disease. 1997 , 41, 200-7	2
1839	Measurement of myocardial fractional flow reserve during coronary angioplasty in patients with old myocardial infarction. 1997 , 42, 19-25	5
1838	How to standardize vasomotor tone in serial studies based on quantitation of coronary dimensions?. 1998 , 14, 357-72	11
1837	Does coronary stenting following balloon angioplasty improve myocardial fractional flow reserve?. 1998 , 21, 459-63	1
1836	[Relevance and methods for determining coronary flow reserve]. 1998 , 87 Suppl 2, 74-9	0
1835	Physiological Assessment of A Coronary Artery Bifurcation Lesion After Non-Q-Wave Myocardial Infarction. 1998 , 11, 117-122	
1834	Update of Coronary Doppler Flow Measurements. 1998 , 11, S120-S124	
1833	First-line testing. 1998 , 5, 86-9	
1832	Twelve-year outcome of patients with an abnormal exercise radionuclide left ventricular angiogram and angiographically insignificant coronary artery disease. 1998 , 82, 418-22	6
1831	Coronary arteriography and lipid lowering: limitations, new concepts, and new paradigms in cardiovascular medicine. 1998 , 82, 12M-21M	4
1830	Measurements of Coronary Flow Reserve in Clinically Problematic Coronary Stenoses. 1998 , 7, 37-41	2
1829	Comparison of coronary flow velocity and regional myocardial perfusion for functional evaluation of coronary artery disease in the setting of angioplasty. 1998 , 45, 16-24	5
1828	Can digital subtraction myocardial perfusion imaging studies offer information for postangioplasty lesion assessment?. 1998 , 45, 25-6	
1827	Hemodynamic rounds series II: Coronary hemodynamics for angioplasty and stenting after myocardial infarction: use of absolute, relative coronary velocity and fractional flow reserve. 1998 , 45, 174-82	9
1826	Measurement of coronary flow reserve and its role in patient care. 1998 , 93, 339-53	25
1825	[Methods for coronary functional assessment]. 1998 , 23, 78-96	0
1824	Bedeutung nichtinvasiver Perfusions- und Funktionsuntersuchungen ff.Diagnose und Prognose der KHK. 1998 , 39, 684-696	1

1823	Long-term follow-up after deferral of percutaneous transluminal coronary angioplasty of intermediate stenosis on the basis of coronary pressure measurement. 1998 , 31, 841-7	156
1822	Familial dilated cardiomyopathy. 1998 , 32, 1135-6	3
1821	Functional assessment of coronary stenoses. 1998 , 32, 1134-5	1
1820	Correspondence. 1998 , 32, 1134	3
1819	Correspondence. 1998 , 32, 1133-1134	1
1818	Coronary collateral quantitation in patients with coronary artery disease using intravascular flow velocity or pressure measurements. 1998 , 32, 1272-9	203
1817	Relation between single tomographic intravascular ultrasound image parameters and intracoronary Doppler flow velocity in patients with intermediately severe coronary stenoses. 1998 , 135, 988-94	13
1816	Current concepts of coronary flow reserve for clinical decision making during cardiac catheterization. 1998 , 136, 136-49	86
1815	Improved assessment of coronary stenosis severity using the relative flow velocity reserve. 1998 , 98, 40-6	96
1814	Coronary pressure measurement and fractional flow reserve. 1998 , 80, 539-42	79
1813	Assessing the coronary circulation in hypertension. 1998 , 16, 1221-33	38
1812	Hotline sessions at the 20th European Congress of Cardiology. 1999 , 20, 7-10	3
1811	Clinical potential of intravascular ultrasound for physiological assessment of coronary stenosis: relationship between quantitative ultrasound tomography and pressure-derived fractional flow reserve. 1999 , 100, 250-5	212
1810	Abnormal coronary flow velocity reserve after coronary artery stenting in patients: role of relative coronary reserve to assess potential mechanisms. 1999 , 100, 2491-8	76
1809	Usefulness of fractional flow reserve to predict clinical outcome after balloon angioplasty. 1999 , 99, 883-8	122
1808	Long-term follow-up after percutaneous transluminal coronary angioplasty was not performed based on intravascular ultrasound findings: importance of lumen dimensions. 1999 , 100, 256-61	183
1807	Comparison of quantitative coronary angiography, intravascular ultrasound, and coronary pressure measurement to assess optimum stent deployment. 1999 , 99, 1015-21	124
1806	Considerations for the Multimodality Invasive Evaluation of the Cleft-Like Coronary Arterial Lesion: Results from Intravascular Ultrasound Imaging, Flow, and Pressure. 1999 , 12, 199-204	

1805	Coronary Flow Reserve Versus Geometric Measurements of Coronary Dimensions: Advantages and Limitations of the Functional Stenosis Assessment. 1999 , 12, 411-424	5
1804	Fractional Flow Reserve: Who Needs the Pressure Wire?. 1999 , 12, 425-430	1
1803	Ultrasound logic: the value of intracoronary imaging for the interventionist. 1999 , 47, 475-90	8
1802	Guidelines for indications for coronary revascularization in The Netherlands. 1999 , 2, 153-162	
1801	Pressure-wire guided balloon angioplasty in allograft coronary vasculopathy. 1999 , 18, 1143-6	2
1800	Dobutamine stress echocardiography for the detection of significant coronary artery disease in renal transplant candidates. 1999 , 33, 1080-90	123
1799	Safety of deferring angioplasty in patients with normal coronary flow velocity reserve. 1999 , 33, 82-7	67
1798	Intravascular imaging and physiologic lesion assessment to define critical coronary stenoses. 1999 , 68, 1547-51	0
1797	Clinical validation of intravascular ultrasound imaging for assessment of coronary stenosis severity: comparison with stress myocardial perfusion imaging. 1999 , 33, 1870-8	140
1796	ACC/AHA guidelines for coronary angiography. A report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on Coronary Angiography). Developed in collaboration with the Society for Cardiac Angiography and Interventions. 1999 , 33, 1756-824	794
1795	Relation between exercise and dobutamine stress-induced wall motion abnormalities and severity and location of stenosis in single-vessel coronary artery disease. 1999 , 138, 873-9	9
1794	Significance of coronary flow reserve. 1999 , 137, 766-8	1
1793	Practice and potential pitfalls of coronary pressure measurement. 2000 , 49, 1-16	135
1792	To measure pressure for pleasure--or is intracoronary pressure gauging pressing?. 2000 , 49, 17-8	1
1791	Pressure wire kinking, entanglement, and entrapment during intravascular ultrasound studies: a potentially dangerous complication. 2000 , 50, 221-5	14
1790	Guidelines for ad-hoc coronary intervention: role of physiologic justification. 2000 , 50, 267-8	
1789	Guidewire-induced coronary pseudostenosis as a source of error during physiological guidance of stent deployment. 2000 , 51, 91-4	6
1788	Intracoronary measurement of pulsus alternans. 2000 , 51, 335-8	3

1787	Experimental validation of a new coronary guide wire labeled with rubidium 81/krypton 81m for continuous assessment of myocardial blood flow. 2000 , 7, 255-62	1
1786	Does the lack of hyperkinesis during dobutamine stress echocardiography predict the functional significance of coronary arterial stenosis?. 2000 , 17, 229-39	2
1785	Simultaneous Assessment of Coronary Flow Reserve and Fractional Flow Reserve with a Novel Pressure-Based Method. 2000 , 13, 323-330	4
1784	Focus for the new millennium: diffuse coronary artery disease and physiologic measurements of severity. 2000 , 9, 13-19	2
1783	Use of fractional myocardial flow reserve to assess the functional significance of intermediate coronary stenoses. 2000 , 86, 1013-4, A10	40
1782	[Fractional flow reserve as a deciding criterion for intervention in patients with 50% coronary stenoses and impaired myocardial perfusion]. 2000 , 89, 307-15	1
1781	X-ray densitometry for the measurement of regional myocardial perfusion. 2000 , 95, 261-70	9
1780	Clinical evidence for myocardial derecruitment downstream from severe stenosis: pressure-flow control interaction. 2000 , 279, H2641-8	9
1779	Randomized comparison of elective stent implantation and coronary balloon angioplasty guided by online quantitative angiography and intracoronary Doppler. DESTINI Study Group (Doppler Endpoint Stenting International Investigation). 2000 , 102, 2938-44	70
1778	Cardiac rehabilitation. 2000 , 21, 860-1	1
1777	Collateral flow and restenosis: appreciating hydraulics and outcomes of percutaneous coronary intervention. 2000 , 21, 1730-2	1
1776	Angiographical and Doppler flow-derived parameters for assessment of coronary lesion severity and its relation to the result of exercise electrocardiography. DEBATE study group. Doppler Endpoints Balloon Angioplasty Trial Europe. 2000 , 21, 466-74	36
1775	Stress echo training - need for a better gold standard: the invasive viewpoint. 2000 , 21, 859-60	1
1774	Normalisation of abnormal coronary fractional flow reserve associated with myocardial bridging using an intracoronary stent. 2000 , 83, 705-7	22
1773	Effects of intravenous and intracoronary adenosine 5'-triphosphate as compared with adenosine on coronary flow and pressure dynamics. 2000 , 101, 318-23	92
1772	Diastolic fractional flow reserve to assess the functional severity of moderate coronary artery stenoses: comparison with fractional flow reserve and coronary flow velocity reserve. 2000 , 102, 2365-70	72
1771	Intracoronary infusions and the assessment of coronary blood flow in clinical studies. 2000 , 84, 118-20	8
1770	Frequency and clinical implications of fluid dynamically significant diffuse coronary artery disease manifest as graded, longitudinal, base-to-apex myocardial perfusion abnormalities by noninvasive positron emission tomography. 2000 , 101, 1931-9	138

1769	Coronary pressure measurement to assess the hemodynamic significance of serial stenoses within one coronary artery: validation in humans. 2000 , 102, 2371-7	213
1768	Pressure-derived fractional flow reserve to assess serial epicardial stenoses: theoretical basis and animal validation. 2000 , 101, 1840-7	183
1767	Functional assessment of coronary arteries by poststenotic intravascular Doppler ultrasound. 2000 , 37, 594-602	3
1766	Coronary physiology revisited : practical insights from the cardiac catheterization laboratory. 2000 , 101, 1344-51	194
1765	Beyond TIMI III flow. 2000 , 101, 2332-4	13
1764	Assessment of myocardial perfusion by harmonic power Doppler imaging at rest and during adenosine stress: comparison with (99m)Tc-sestamibi SPECT imaging. 2000 , 102, 55-60	159
1763	Adequacy of intracoronary versus intravenous adenosine-induced maximal coronary hyperemia for fractional flow reserve measurements. 2000 , 140, 651-7	110
1762	Intermediate coronary artery stenosis: evidence-based decisions in interventions to avoid the oculostenotic reflex. 2000 , 3, 195-206	9
1761	[The practical clinical guidelines of the Sociedad Española de Cardiología on interventional cardiology: coronary angioplasty and other technics]. 2000 , 53, 218-40	16
1760	Coronary microcirculatory vasoconstriction during ischemia in patients with unstable angina. 2000 , 35, 327-34	61
1759	Fractional flow reserve, absolute and relative coronary blood flow velocity reserve in relation to the results of technetium-99m sestamibi single-photon emission computed tomography in patients with two-vessel coronary artery disease. 2001 , 37, 1316-22	98
1758	ACC/AHA guidelines for percutaneous coronary intervention (revision of the 1993 PTCA guidelines) ³¹ This document was approved by the American College of Cardiology Board of Trustees in April 2001 and by the American Heart Association Science Advisory and Coordinating Committee in March 2001. It is being distributed to the American College of Cardiology and the American Heart Association in May 2001.	86
1757	Value of coronary stenotic flow velocity acceleration on the prediction of long-term improvement in functional status after angioplasty. 2001 , 142, 81-6 ntz. 2001 , 37, 2239	1
1756	Coronary pressure and FFR predict long-term outcome after PTCA. 2001 , 4, 67-76	10
1755	Non-invasive diagnostic and prognostic assessment of single-vessel coronary artery disease: focus on stress echocardiography. 2001 , 2, 40-5	2
1754	Looks aren't everything. FFR B4 U PTCA. 2001 , 103, 2873-5	6
1753	Feasibility of percutaneous transluminal coronary angioplasty to patients with Kawasaki Disease as an early management strategy. 2001 , 22, 183-7	10
1752	Has the time arrived for PTCA in CAD following Kawasaki disease?. 2001 , 22, 187-8	

1751	Agreement between coronary flow velocity reserve and stress echocardiography in intermediate-severity coronary stenoses. 2001 , 53, 29-38	10
1750	Prediction of the physiologic severity of coronary lesions using 3D IVUS: validation by direct coronary pressure measurements. 2001 , 53, 48-55	39
1749	Use of fractional flow reserve in the treatment of a calcific bifurcation left anterior descending coronary stenosis with rotational atherectomy. 2001 , 53, 64-7	1
1748	Comparison of relative coronary Doppler flow velocity reserve to stress myocardial perfusion imaging in patients with coronary artery disease. 2001 , 53, 193-201	14
1747	Reproducibility of intravascular ultrasound and intracoronary Doppler measurements. 2001 , 53, 449-58	14
1746	In vitro study of FFR, QCA, and IVUS for the assessment of optimal stent deployment. 2001 , 54, 363-75	12
1745	Curriculum in interventional cardiology: coronary pressure and flow measurements in the cardiac catheterization laboratory. 2001 , 54, 378-400	17
1744	FFR for all. 2001 , 54, 435-6	2
1743	Reliability of fractional flow reserve measurements in patients with associated microvascular dysfunction: importance of flow on translesional pressure gradient. 2001 , 54, 427-34	34
1742	Measurement of fractional flow reserve to assess moderately severe coronary lesions: correlation with dobutamine stress echocardiography. 2001 , 14, 499-504	30
1741	Intravascular ultrasound criteria for the assessment of the functional significance of intermediate coronary artery stenoses and comparison with fractional flow reserve. 2001 , 87, 136-41	173
1740	Physiologic assessment of coronary artery stenoses. 2001 , 26, 423-92	3
1739	Intracoronary Doppler- and quantitative coronary angiography-derived predictors of major adverse cardiac events after stent implantation. 2001 , 103, 1212-7	30
1738	Fractional flow reserve compared with intravascular ultrasound guidance for optimizing stent deployment. 2001 , 104, 1917-22	55
1737	An introduction to provisional stenting. 2001 , 4, 59-65	1
1736	Value of fractional flow reserve in making decisions about bypass surgery for equivocal left main coronary artery disease. 2001 , 86, 547-52	132
1735	Evaluation of the culprit plaque and the physiological significance of coronary atherosclerotic narrowings. 2001 , 103, 3142-9	45
1734	Fractional flow reserve to determine the appropriateness of angioplasty in moderate coronary stenosis: a randomized trial. 2001 , 103, 2928-34	651

1733	Role of variability in microvascular resistance on fractional flow reserve and coronary blood flow velocity reserve in intermediate coronary lesions. 2001 , 103, 184-7	211
1732	Paradoxical increase in microvascular resistance during tachycardia downstream from a severe stenosis in patients with coronary artery disease : reversal by angioplasty. 2001 , 103, 2352-60	64
1731	Microvascular dysfunction in chronic total coronary occlusions. 2001 , 104, 1129-34	35
1730	Fractional flow reserve in patients with prior myocardial infarction. 2001 , 104, 157-62	288
1729	Coronary Circulation and Hemodynamics. 2001 , 19-44	2
1728	Abnormal epicardial coronary resistance in patients with diffuse atherosclerosis but "Normal" coronary angiography. 2001 , 104, 2401-6	338
1727	Evaluation of patients with chest pain and normal coronary angiograms. 2001 , 161, 1825-33	19
1726	[Intracoronary pressure measurement: importance in the functional assessment of coronary stenosis]. 2001 , 126, 370-3	0
1725	Assessment of internal mammary artery and saphenous vein graft patency and flow reserve using transthoracic Doppler echocardiography. 2001 , 86, 424-31	26
1724	Flow velocity and predictors of a suboptimal coronary flow velocity reserve after coronary balloon angioplasty. 2002 , 23, 133-8	4
1723	Coronary microcirculation in essential hypertension: a quantitative myocardial contrast echocardiographic approach. 2002 , 3, 117-27	14
1722	Validation of collateral fractional flow reserve by myocardial perfusion imaging. 2002 , 105, 1060-5	67
1721	Coronary thermodilution to assess flow reserve: validation in humans. 2002 , 105, 2482-6	225
1720	Magnetic resonance imaging versus Doppler guide wire in the assessment of coronary flow reserve in patients with coronary artery disease. 2002 , 13, 365-72	10
1719	Correlation between thallium-201 myocardial perfusion defects and the functional severity of coronary artery stenosis as assessed by pressure-derived myocardial fractional flow reserve. 2002 , 66, 1105-9	50
1718	Medium-term follow-up of intermediate coronary stenoses left unrevascularized based on myocardial fractional flow reserve findings. 2002 , 57, 335-40	7
1717	Coronary pressure measurement after stenting predicts adverse events at follow-up: a multicenter registry. 2002 , 105, 2950-4	232
1716	Coronary flow studies for risk stratification in multivessel disease. A physiologic bridge too far?. 2002 , 39, 859-63	7

1715	Prognostic value of coronary blood flow velocity and myocardial perfusion in intermediate coronary narrowings and multivessel disease. 2002 , 39, 852-8	72
1714	Pulse transmission coefficient: a novel nonhyperemic parameter for assessing the physiological significance of coronary artery stenoses. 2002 , 39, 1012-9	9
1713	[Physiology is back in the Cath Lab! Should we abandon angiography in the assessment of intermediate coronary stenosis?]. 2002 , 55, 215-8	
1712	[Physiologic evaluation of coronary circulation. Role of invasive and non invasive techniques]. 2002 , 55, 271-91	7
1711	The role of quantitative myocardial contrast echocardiography in the study of coronary microcirculation in athlete's heart. 2002 , 15, 678-85	3
1710	Stress echocardiography for risk stratification of patients with chest pain and normal or slightly narrowed coronary arteries. 2002 , 15, 1285-9	9
1709	[Clinical utilization of the coronary pressure wire]. 2002 , 55, 251-7	7
1708	The area of the pressure-flow loop for assessment of arterial stenosis: A new index. 2002 , 10, 39-56	1
1707	Influence of hemodynamic conditions on fractional flow reserve: parametric analysis of underlying model. 2002 , 283, H1462-70	67
1706	Usefulness of fractional flow reserve for risk stratification of patients with multivessel coronary artery disease and an intermediate stenosis. 2002 , 89, 377-80	97
1705	Comparison between visual assessment and quantitative angiography versus fractional flow reserve for native coronary narrowings of moderate severity. 2002 , 90, 210-5	159
1704	Simultaneous intracoronary pressure and Doppler guidewires to assess coronary stenosis: if one is enough, are two too much?. 2002 , 55, 255-9	3
1703	Effects of microvascular dysfunction on myocardial fractional flow reserve after percutaneous coronary intervention in patients with acute myocardial infarction. 2002 , 57, 452-9	57
1702	Early invasive strategies for acute coronary syndromes. 2002 , 4, 334-40	
1701	[Standards in interventional therapy of coronary artery disease]. 2002 , 27, 481-501	0
1700	The role of decision-analytic models in the prevention, diagnosis and treatment of coronary heart disease. 2002 , 91 Suppl 3, 144-51	8
1699	Rationale and methods for assessment of coronary flow prior to coronary intervention: where are we headed?. 2002 , 15, 335-41	
1698	Adequate patient selection for coronary revascularization: an overview of current methods used in daily clinical practice. 2002 , 18, 5-15	3

1697	How good are experienced cardiologists at predicting the hemodynamic severity of coronary stenoses when taking fractional flow reserve as the gold standard. 2002 , 18, 73-6	18
1696	The role of intravascular ultrasound in the diagnosis and treatment of patients with coronary artery disease. 2003 , 29, 54-65	
1695	A randomized comparison of 4 doses of intracoronary adenosine in the assessment of fractional flow reserve. 2003 , 92, 627-32	7
1694	Myocardial contrast echocardiography, single-photon emission computed tomography, and regional function analysis for coronary stenosis description during vasodilator stress. 2003 , 91, 445-8	10
1693	Reliability of pressure-derived myocardial fractional flow reserve in assessing coronary artery stenosis in patients with previous myocardial infarction. 2003 , 92, 699-702	28
1692	Utility of a 0.014" pressure-sensing guidewire to assess renal artery translesional systolic pressure gradients. 2003 , 59, 372-7	48
1691	Conflicting functional assessment of stenoses in patients with previous myocardial infarction. 2003 , 59, 489-95	6
1690	Complex decision-making for percutaneous coronary intervention in a patient with coronary artery bypass grafting: use of FFR in multivessel lesion selection. 2003 , 59, 468-70	1
1689	Myocardial perfusion during transient slow-flow in the patient with old vein graft intervention: assessment by serial measurement of pressure-derived fractional flow reserve and thermodilution-derived coronary flow reserve. 2003 , 60, 392-8	2
1688	Characterization of arterial stenosis and elasticity by analysis of high-frequency pressure wave components. 2003 , 33, 375-93	2
1687	Clinical benefits of using second generation ultrasound contrast agents in stress echocardiography. 2003 , 20 Suppl 1, S11-8	
1686	Coronary microcirculation into different models of left ventricular hypertrophy-hypertensive and athlete's heart: a contrast echocardiographic study. 2003 , 17, 253-63	8
1685	Imaging of myocardial microvasculature using fast computed tomography and three-dimensional microscopic computed tomography. 2003 , 21, 587-605, ix	4
1684	[Assessment and therapeutic guideline of intermediate coronary lesions in the catheterization laboratory]. 2003 , 56, 1218-30	2
1683	Is it time to measure fractional flow reserve in all patients?. 2003 , 41, 1122-4	18
1682	Use of fractional flow reserve versus stress perfusion scintigraphy after unstable angina. Effect on duration of hospitalization, cost, procedural characteristics, and clinical outcome. 2003 , 41, 1115-21	88
1681	Assessment of coronary flow reserve by coronary pressure measurement: comparison with flow- or velocity-derived coronary flow reserve. 2003 , 41, 1554-60	28
1680	Quantitative assessment of coronary stenosis by harmonic power Doppler with a simple pulsing sequence and vasodilator stress in patients. 2003 , 41, 2060-7	8

1679	Importance of diastolic fractional flow reserve and dobutamine challenge in physiologic assessment of myocardial bridging. 2003 , 42, 226-33	110
1678	Cost-effectiveness of measuring fractional flow reserve to guide coronary interventions. 2003 , 145, 882-7	35
1677	Role of incremental doses of intracoronary adenosine for fractional flow reserve assessment. 2003 , 146, 99-105	55
1676	[Could fractional flow reserve guide therapeutic strategy in acute coronary syndrome?]. 2003 , 56, 315-7	2
1675	Evaluation of intracoronary pressure and blood flow velocity for the assessment of coronary stenoses severity. 2003 ,	
1674	False-negative myocardial scintigraphy in balanced three-vessel disease, revealed by coronary pressure measurement. 2003 , 5, 67-71	44
1673	Invasive assessment of myocardial bridges. 2003 , 89, 699-700	10
1672	Simultaneous assessment of fractional and coronary flow reserves in cardiac transplant recipients: Physiologic Investigation for Transplant Arteriopathy (PITA Study). 2003 , 108, 1605-10	84
1671	Current concepts in coronary physiology for the interventionalist. 2003 , 5, 109-31	0
1670	Intracoronary pressure and flow velocity for hemodynamic evaluation of coronary stenoses. 2003 , 1, 471-9	17
1669	Comparison of coronary thermodilution and Doppler velocity for assessing coronary flow reserve. 2003 , 108, 2198-200	90
1668	Angiographic assessment of coronary stenoses: a review of the techniques. 2003 , 111, 77-158	1
1667	Relative coronary flow velocity reserve improves correlation with stress myocardial perfusion imaging in assessment of coronary artery stenoses. 2003 , 124, 1266-74	8
1666	How to prevent unnecessary coronary interventions: identifying lesions responsible for ischemia in the cath lab. 2003 , 18, 394-9	12
1665	Relation of the Lesion Length and Eccentricity to the Fractional Flow Reserve. 2003 , 33, 762	
1664	The Changes of Fractional Flow Reserve after Intracoronary Nitrate and Nicorandil Injection in Coronary Artery Ectasia. 2003 , 33, 37	2
1663	Mismatch between results of myocardial fractional flow reserve (FFR) measurements and myocardial perfusion SPECT for identification of the severity of ischemia: pitfall of FFR in patients with prior myocardial infarction. 2004 , 45, 867-72	6
1662	The interventionalist's dilemma: innocent intimal hyperplasia or in-stent restenosis?. 2004 , 25, 1970-1	

1661	Recovery of impaired microvascular function in collateral dependent myocardium after recanalisation of a chronic total coronary occlusion. 2004 , 90, 1303-9	23
1660	Coronary hyperemic dose responses of intracoronary sodium nitroprusside. 2004 , 109, 1236-43	56
1659	Myocardial ischemia, fluorodeoxyglucose, and severity of coronary artery stenosis: the complexities of metabolic remodeling in hibernating myocardium. 2004 , 109, e167-70; author reply e167-70	10
1658	Adequate intracoronary adenosine doses to achieve maximum hyperaemia in coronary functional studies by pressure derived fractional flow reserve: a dose response study. 2004 , 90, 95-6	36
1657	Optimum guidance of complex PCI by coronary pressure measurement. 2004 , 90, 1085-93	56
1656	Percutaneous sealing of coronary aneurysm by grafted stent implantation. 2004 , 90, 1309	3
1655	Validation of coronary flow reserve measurements by thermodilution in clinical practice. 2004 , 25, 219-23	95
1654	Coronary collateral perfusion in patients with coronary artery disease: effect of metoprolol. 2004 , 25, 565-70	13
1653	Fractional flow reserve and complex coronary pathologic conditions. 2004 , 25, 723-7	17
1652	Alpha-adrenergic receptor blockade and hyperaemic response in patients with intermediate coronary stenoses. 2004 , 25, 2034-9	19
1651	Coronary Flow Reserve and Myocardial Contrast Echocardiography. 2004 , 117-140	
1650	Web Top 10. 2004 , 90, 96-96	2
1649	Relation between coronary pressure derived collateral flow, myocardial perfusion grade, and outcome in left ventricular function after rescue percutaneous coronary intervention. 2004 , 90, 1450-4	15
1648	Normalization of coronary fractional flow reserve with successful intracoronary stent placement to a myocardial bridge. 2004 , 17, 33-6	8
1647	Effect of acute myocardial infarction on the utility of fractional flow reserve for the physiologic assessment of the severity of coronary artery narrowing. 2004 , 93, 1102-6	22
1646	Lack of relation between imaging and physiology in ostial coronary artery narrowings. 2004 , 93, 1404-7, A9	44
1645	[How to assess coronary lesion, reperfusion quality, and PCI result?]. 2004 , 53, 222-8	
1644	Influence of zero flow pressure on fractional flow reserve. 2004 , 3, 48-55	5

1643	A first trial in the clinical application of photodynamic therapy for the prevention of restenosis after coronary-stent placement. 2004 , 34, 235-41	7
1642	Pulse transmission coefficient: a nonhyperemic index for physiologic assessment of procedural success following percutaneous coronary interventions. 2004 , 61, 95-102	2
1641	Multiple plaque morphologies in a single coronary artery: insights from volumetric intravascular ultrasound. 2004 , 61, 376-80	8
1640	Physiological and intravascular ultrasound assessment of an ambiguous left main coronary artery stenosis. 2004 , 62, 349-57	29
1639	Percutaneous coronary intervention or bypass surgery in multivessel disease? A tailored approach based on coronary pressure measurement. 2004 , 63, 184-91	68
1638	The clinical assessment of coronary flow reserve in patients with coronary artery disease. 2004 , 11, 651-5	3
1637	The pathophysiology of myocardial ischaemia. 2004 , 90, 576-80	39
1636	Comment ?valuer le retentissement fonctionnel d'une l?sion coronaire, la qualit? de la reperfusion coronaire et le r?sultat d'une angioplastieB?. 2004 ,	
1635	Early impairment of myocardial blood flow reserve in men with essential hypertension: a quantitative myocardial contrast echocardiography study. 2004 , 17, 1037-43	8
1634	Estimation of myocardial hemodynamics before and after intervention in children with Kawasaki disease. 2004 , 43, 653-61	41
1633	Do we have a gold standard yet?. 2004 , 43, 662-4	3
1632	Routine intravascular ultrasound guidance of percutaneous coronary intervention: a critical reappraisal. 2004 , 43, 1335-42	28
1631	Fractional flow reserve: critical review of an important physiologic adjunct to angiography. 2004 , 147, 792-802	50
1630	Are high doses of intracoronary adenosine an alternative to standard intravenous adenosine for the assessment of fractional flow reserve?. 2004 , 148, 590-5	85
1629	Utility of the fractional flow reserve in the evaluation of angiographically moderate in-stent restenosis. 2004 , 25, 2040-7	38
1628	Application of pressure-derived myocardial fractional flow reserve in assessing the functional severity of coronary artery stenosis in patients with diabetes mellitus. 2004 , 68, 993-8	35
1627	Resistance to flow of arterial Y-grafts 6 months after coronary artery bypass surgery. 2005 , 112, 1281-5	26
1626	Radionuclide-based insights into the pathophysiology of ischemic heart disease: beyond diagnosis. 2005 , 53, 176-91	5

1625	Long-term follow-up after deferral of coronary intervention based on myocardial fractional flow reserve measurement. 2005 , 16, 169-74	11
1624	Imaging Intramyocardial Microcirculatory Function Using Fast Computed Tomography. 2005 , 195-206	3
1623	Intracoronary continuous adenosine infusion. 2005 , 69, 908-12	21
1622	Comparison of Tc-99m sestamibi SPECT with fractional flow reserve in patients with intermediate coronary artery stenoses. 2005 , 12, 645-54	29
1621	Use of pro-atrial natriuretic peptide in the detection of myocardial ischaemia. 2005 , 35, 450-6	3
1620	Artificial neural network modeling of stress single-photon emission computed tomographic imaging for detecting extensive coronary artery disease. 2005 , 95, 178-81	25
1619	Thirty-month outcome after fractional flow reserve-guided versus conventional multivessel percutaneous coronary intervention. 2005 , 96, 877-84	66
1618	Relation of myocardial perfusion defects and nonsignificant coronary lesions by angiography with insights from intravascular ultrasound and coronary pressure measurements. 2005 , 96, 1621-6	23
1617	Optimizing revascularization strategies in patients with multivessel coronary disease: impact of intracoronary pressure measurements. 2005 , 129, 897-903	10
1616	Magnetic resonance phase velocity mapping through NiTi stents in a flow phantom model. 2005 , 21, 59-65	15
1615	Angiographic views used for percutaneous coronary interventions: a three-dimensional analysis of physician-determined vs. computer-generated views. 2005 , 64, 451-9	82
1614	Impact of different definitions on the interpretation of coronary remodeling determined by intravascular ultrasound. 2005 , 65, 233-9	22
1613	Usefulness of fractional flow reserve in determining the indication of target lesion revascularization. 2005 , 65, 355-60	14
1612	Utility of coronary physiologic hemodynamics for bifurcation, aorto-ostial, and ostial branch stenoses to guide treatment decisions. 2005 , 65, 461-8	11
1611	Coronary pressure measurement to determine treatment strategy for equivocal left main coronary artery lesions. 2005 , 20, 271-7	26
1610	Prognostic value of noninvasive stressing modalities in patients with chest pain and normal coronary angiogram. 2005 , 30, 61-6	3
1609	[Normal coronary angiography with myocardial bridging: a variant possibly relevant for ischemia]. 2005 , 30, 37-47	11
1608	Cardiac hemodynamics, coronary circulation and interventional cardiology. 2005 , 33, 1728-34	4

1607	Coronary circulation and interventional cardiology. 2005 , 33, 1735-42	9
1606	Coronary artery anomalies Part II: recent insights from clinical investigations. 2005 , 94, 1-13	23
1605	The validation of fractional flow reserve in patients with coronary multivessel disease: a comparison with SPECT and contrast-enhanced dobutamine stress echocardiography. 2005 , 94, 321-7	13
1604	Current understanding of coronary in-stent restenosis. Pathophysiology, clinical presentation, diagnostic work-up, and management. 2005 , 94, 772-90	18
1603	[Diffuse atherosclerotic disease unmasked by invasive physiologic assessment of coronary flow]. 2005 , 85, 135-7	1
1602	Effects of Microvascular Integrity on the Evaluation of Fractional Flow Reserve and Epicardial Stenosis Resistance Index. 2005 , 35, 742	
1601	Delineating the guide-wire flow obstruction effect in assessment of fractional flow reserve and coronary flow reserve measurements. 2005 , 289, H392-7	27
1600	Diastolic time fraction as a determinant of subendocardial perfusion. 2005 , 288, H2450-6	73
1599	Current clinical applications of stress wall motion analysis with cardiac magnetic resonance imaging. 2005 , 6, 317-26	15
1598	Guidelines for percutaneous coronary interventions. The Task Force for Percutaneous Coronary Interventions of the European Society of Cardiology. 2005 , 26, 804-47	1159
1597	Clinical significance of fractional flow reserve for evaluation of functional lesion severity in stent restenosis and native coronary arteries. 2005 , 128, 1645-9	9
1596	One-year outcome of patients submitted to routine fractional flow reserve assessment to determine the need for angioplasty. 2005 , 26, 2623-9	89
1595	Angina estable. 2005 , 9, 2580-2588	
1594	Evaluation of left anterior descending coronary artery stenosis of intermediate severity using transthoracic coronary flow reserve and dobutamine stress echocardiography. 2005 , 18, 1233-40	25
1593	Correlation between the tissue Doppler, strain rate, strain imaging during the dobutamine infusion and coronary fractional flow reserve during catheterization: a comparative study. 2005 , 102, 127-36	11
1592	Effect of lesion length on fractional flow reserve in intermediate coronary lesions. 2005 , 150, 338-43	51
1591	Which role for multislice computed tomography in clinical cardiology?. 2005 , 149, 960-1	11
1590	Use of N-terminal pro-B-type natriuretic peptide to detect myocardial ischemia. 2005 , 118, 1287	45

1589	[Guidelines for percutaneous coronary interventions]. 2005 , 58, 679-728	19
1588	Long-term clinical outcome after fractional flow reserve-guided percutaneous coronary intervention in patients with multivessel disease. 2005 , 46, 438-42	144
1587	Physiologic assessment of jailed side branch lesions using fractional flow reserve. 2005 , 46, 633-7	242
1586	Measurement of myocardial fractional flow reserve is a cost-effective way to identify coronary artery lesions of indeterminate severity that warrant revascularisation. 2005 , 14, 239-41	9
1585	Coronary pressure measurements in post-myocardial infarction patients. 2006 , 8, 7-12	
1584	Intravascular ultrasound in the current percutaneous coronary intervention era. 2006 , 24, 163-73, v	7
1583	Automated technique for angiographic determination of coronary blood flow and lumen volume. 2006 , 13, 186-94	6
1582	Transient integral boundary layer method to calculate the translesional pressure drop and the fractional flow reserve in myocardial bridges. 2006 , 5, 42	14
1581	Coronary angiography, lesion classification and severity assessment. 2006 , 24, 153-62, v	26
1580	Reply. 2006 , 47, 890-891	3
1579	Quantification of coronary lesions by 64-slice computed tomography compared with quantitative coronary angiography and intravascular ultrasound. 2006 , 47, 891; author reply 891-2	4
1578	Reply. 2006 , 47, 891-892	1
1577	ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update the 2001 Guidelines for Percutaneous Coronary Intervention). 2006 , 47, e1-121	372
1576	Fractional flow reserve of infarct-related arteries identifies reversible defects on noninvasive myocardial perfusion imaging early after myocardial infarction. 2006 , 47, 2187-93	68
1575	Drug-eluting stents in the treatment of intermediate lesions: pooled analysis from four randomized trials. 2006 , 47, 2164-71	56
1574	Physiologic assessment of renal artery stenosis: will history repeat itself?. 2006 , 48, 1856-8	3
1573	Long-term outcome after surgical left main coronary angioplasty. 2006 , 81, 828-34	4
1572	Follow-up of patients operated on with arterial patch angioplasty of the left main coronary artery. 2006 , 81, 1249-55	10

1571	Handgrip-enhanced myocardial fractional flow reserve for assessment of coronary artery stenoses. 2006 , 151, 1107.e1-7	5
1570	Clinical outcome in patients with intermediate or equivocal left main coronary artery disease after deferral of surgical revascularization on the basis of fractional flow reserve measurements. 2006 , 152, 156.e1-9	52
1569	Discordant changes in epicardial and microvascular coronary physiology after cardiac transplantation: Physiologic Investigation for Transplant Arteriopathy II (PITA II) study. 2006 , 25, 765-71	69
1568	The changes of fractional flow reserve after intracoronary nitrate and Nicorandil injection in coronary artery ectasia. 2006 , 113, 250-1	7
1567	Coronary Angioplasty and Guidewire Diagnostics. 2006 ,	
1566	Should fractional flow reserve be used to decide whether to perform percutaneous coronary intervention?. 2006 , 3, 132-133	
1565	Coronary pressure measurement to identify the lesion requiring percutaneous coronary intervention in equivocal tandem lesions. 2006 , 17, 181-6	12
1564	Performing versus deferring coronary angioplasty based on functional evaluation of vessel stenosis by pressure measurements: a clinical outcome study. 2006 , 7, 169-75	10
1563	Adenosine concentration in the porcine coronary artery wall and A2A receptor involvement in hypoxia-induced vasodilatation. 2006 , 570, 375-84	25
1562	Atherosclerotic coronary plaque in a patient with the metabolic syndrome: assessment by lesion physiology and intravascular ultrasound virtual histology. 2006 , 1, 225-7	2
1561	Usefulness of fractional flow reserve measurements to defer revascularization in patients with stable or unstable angina pectoris, non-ST-elevation and ST-elevation acute myocardial infarction, or atypical chest pain. 2006 , 98, 289-97	53
1560	Coronary pathophysiology in the cardiac catheterization laboratory. 2006 , 31, 493-550	14
1559	Usefulness of translesional pressure gradient and pharmacological provocation for the assessment of intermediate renal artery disease. 2006 , 68, 429-34	22
1558	Outcome of patients with acute coronary syndromes and moderate coronary lesions undergoing deferral of revascularization based on fractional flow reserve assessment. 2006 , 68, 544-8	31
1557	Determination of interobserver variability for identifying inducible left ventricular wall motion abnormalities during dobutamine stress magnetic resonance imaging. 2006 , 27, 1459-64	80
1556	Haemodynamic findings after drug-eluting stenting: expected, provocative, or challenging?. 2006 , 27, 1764-6	0
1555	Evaluation of the haemodynamic characteristics of drug-eluting stents at implantation and at follow-up. 2006 , 27, 1811-7	17
1554	The functional reserve of collaterals supplying long-term chronic total coronary occlusions in patients without prior myocardial infarction. 2006 , 27, 2406-12	132

1553	[Angiographic assessment of functionally insignificant left main coronary artery stenoses: reliability compared to intracoronary pressure measurement]. 2006 , 131, 2134-8	3
1552	Assessment of the collateral circulation of the heart. 2006 , 27, 123-4	4
1551	The diastolic flow velocity-pressure gradient relation and dpv50 to assess the hemodynamic significance of coronary stenoses. 2006 , 291, H2630-5	24
1550	Physiological assessment of coronary artery disease in the cardiac catheterization laboratory: a scientific statement from the American Heart Association Committee on Diagnostic and Interventional Cardiac Catheterization, Council on Clinical Cardiology. 2006 , 114, 1321-41	388
1549	ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (ACC/AHA/SCAI Writing Committee to Update 2001 Guidelines for Percutaneous Coronary Intervention). 2006 , 113, e166-286	468
1548	Assessment of the contractile reserve in patients with intermediate coronary lesions: a strain rate imaging study validated by invasive myocardial fractional flow reserve. 2007 , 28, 1425-32	35
1547	Functional assessment of bypass grafts by fractional flow reserve. 2007 , 31, 381-2	4
1546	Influence of orientation of bi-leaflet valve prostheses on coronary perfusion pressure in humans. 2007 , 6, 588-92	6
1545	Recruitable collateral blood flow index predicts coronary in-stent restenosis after percutaneous coronary intervention. 2007 , 28, 1820-6	14
1544	In Vitro Quantification of Guidewire Flow-Obstruction Effect in Model Coronary Stenoses for Interventional Diagnostic Procedure. 2007 , 1, 185	13
1543	Microvascular function in viable myocardium after chronic infarction does not influence fractional flow reserve measurements. 2007 , 48, 1987-92	23
1542	Fractional flow reserve of pedicled internal thoracic artery and saphenous vein grafts 6 months after bypass surgery. 2007 , 31, 376-81	25
1541	The pressure wire in practice. 2007 , 93, 419-22	18
1540	Understanding the heart: CT and MRI for coronary heart disease. 2007 , 22, 107-13	5
1539	Clinical Presentation, Diagnostic Work-Up, and Treatment of Coronary In-Stent Restenosis. 2007 , 4, 281-295	
1538	Anatomical and physiologic assessments in patients with small coronary artery disease: final results of the Physiologic and Anatomical Evaluation Prior to and After Stent Implantation in Small Coronary Vessels (PHANTOM) trial. 2007 , 153, 296.e1-7	45
1537	Five-year follow-up in patients after therapy stratification based on intracoronary pressure measurement. 2007 , 153, 403-9	12
1536	Evaluation of cardiac magnetic resonance imaging parameters to detect anatomically and hemodynamically significant coronary artery disease. 2007 , 154, 298-305	34

1535	Rationale and design of the Fractional Flow Reserve versus Angiography for Multivessel Evaluation (FAME) study. 2007 , 154, 632-6	73
1534	Value of magnetic resonance imaging, angiography, and fractional flow reserve to evaluate the left main coronary artery after direct surgical angioplasty. 2007 , 83, 490-4	2
1533	Does stenosis severity of native vessels influence bypass graft patency? A prospective fractional flow reserve-guided study. 2007 , 83, 2093-7	170
1532	Alterations of pressure waveforms along the coronary arteries and the effect of microcirculatory vasodilation. 2007 , 117, 254-9	4
1531	How good are experienced interventional cardiologists at predicting the functional significance of intermediate or equivocal left main coronary artery stenoses?. 2007 , 120, 254-61	76
1530	Fractional flow reserve after previous myocardial infarction. 2007 , 28, 2301-2	9
1529	Assessment of intermediate severity coronary lesions in the catheterization laboratory. 2007 , 49, 839-48	162
1528	Percutaneous coronary intervention of functionally nonsignificant stenosis: 5-year follow-up of the DEFER Study. 2007 , 49, 2105-11	1096
1527	Percutaneous coronary revascularization reduces plasma N-terminal pro-B-type natriuretic peptide concentration in stable coronary artery disease. 2007 , 49, 2394-7	9
1526	Quantitative magnetic resonance perfusion imaging detects anatomic and physiologic coronary artery disease as measured by coronary angiography and fractional flow reserve. 2007 , 50, 514-22	125
1525	Direct volumetric blood flow measurement in coronary arteries by thermodilution. 2007 , 50, 2294-304	98
1524	Metoprolol does not effect myocardial fractional flow reserve in patients with intermediate coronary stenoses. 2007 , 48, 477-83	7
1523	Angiografia versus fluxo fracionado de reserva na avaliaçã do grau de importãncia das estenoses coronãrias. 2007 , 15, 119-124	
1522	The role of coronary angioplasty in the management of patients with stable coronary artery disease. 2007 , 7, 15-20	
1521	. 2007 ,	3
1520	Imaging of vulnerable coronary artery plaques. 2007 , 70, 65-74	28
1519	The effect of drug eluting stents on cardiovascular events in patients with intermediate lesions and borderline fractional flow reserve. 2007 , 70, 525-31	22
1518	Hemodynamic and intravascular ultrasound assessment of an ambiguous left main coronary artery stenosis. 2007 , 70, 721-30	9

1517	Characterizing momentum change and viscous loss of a hemodynamic endpoint in assessment of coronary lesions. 2007 , 40, 652-62	30
1516	Meta-analysis of fractional flow reserve versus quantitative coronary angiography and noninvasive imaging for evaluation of myocardial ischemia. 2007 , 99, 450-6	142
1515	Influence of routine assessment of fractional flow reserve on decision making during coronary interventions. 2007 , 99, 504-8	39
1514	Comparison between angiography and fractional flow reserve versus single-photon emission computed tomographic myocardial perfusion imaging for determining lesion significance in patients with multivessel coronary disease. 2007 , 99, 896-902	107
1513	Changes in coronary anatomy and physiology after heart transplantation. 2007 , 99, 1603-7	40
1512	Improvement of flow capacity of the left internal thoracic artery graft assessed by using a pressure wire. 2007 , 134, 1012-6	0
1511	Long-term prognostic value of CFVR and FFR versus perfusion scintigraphy in patients with multivessel disease. 2007 , 15, 369-74	19
1510	Postprocedural resistance of the target lesion is a strong predictor of subsequent revascularization: assessment by a novel lesion-specific physiological parameter, the epicardial resistance index. 2007 , 22, 139-45	2
1509	Chronische koronare Herzkrankheit. 2007 , 2, 155-174	
1508	Impact of irrigated energy application on the right coronary artery hemodynamics: FFR measurement in patients who underwent ablation of common type atrial flutter. 2008 , 21, 35-42	2
1507	Comparison of quantitative coronary angiography and first-pass perfusion magnetic resonance imaging for the detection of an impaired coronary perfusion in nonsevere coronary stenosis. 2008 , 27, 1005-11	7
1506	The prognostic value of combined intracoronary pressure and blood flow velocity measurements after deferral of percutaneous coronary intervention. 2008 , 71, 291-7	72
1505	Comparison of medical treatment and coronary revascularization in patients with moderate coronary lesions and borderline fractional flow reserve measurements. 2008 , 71, 541-8	43
1504	Recent advances in hemodynamics: noncoronary applications of a pressure sensor angioplasty guidewire. 2008 , 71, 748-58	11
1503	Coronary pressure never lies. 2008 , 72, 248-56	22
1502	Should we revascularize patients with moderate coronary lesions and borderline fractional flow reserve measurements?. 2008 , 71, 549-50	
1501	Hemodynamic evaluation of coronary artery bypass graft lesions using fractional flow reserve. 2008 , 72, 479-85	28
1500	Is the coronary physiology of bypass grafts different from that of the native coronary artery? Comment on the "Hemodynamic evaluation of coronary artery bypass graft lesions using fractional flow reserve". 2008 , 72, 486-7	3

1499	Invasive assessment of coronary flow reserve. 2008 , 15, 276-81	4
1498	Impact of fractional flow reserve measurement on the clinical management of patients with coronary artery disease evaluated with noninvasive stress tests prior to cardiac catheterization. 2008 , 9, 229-34	10
1497	Reserva fraccional de flujo en diabéticos. ¿Tiene fecha de caducidad?. 2008 , 61, 343-345	1
1496	Pronóstico a largo plazo de diferir la intervención coronaria en diabéticos sobre la base de la reserva fraccional de flujo. 2008 , 61, 352-359	16
1495	Hemodynamic diagnostics of epicardial coronary stenoses: in-vitro experimental and computational study. 2008 , 7, 24	37
1494	Fractional Flow Reserve in Diabetics: Does It Have an Expiry Date?. 2008 , 61, 343-345	
1493	Long-Term Prognosis in Diabetic Patients in Whom Revascularization Is Deferred Following Fractional Flow Reserve Assessment. 2008 , 61, 352-359	2
1492	Limitations of angiographic predictors of bypass graft patency. 2008 , 52, 886-7; author reply 887-8	5
1491	Acute heart failure syndromes and coronary perfusion. 2008 , 52, 13-6	42
1490	Comprehensive assessment of coronary artery stenoses: computed tomography coronary angiography versus conventional coronary angiography and correlation with fractional flow reserve in patients with stable angina. 2008 , 52, 636-43	494
1489	Reply. 2008 , 52, 887-888	
1488	Percutaneous coronary intervention for stable coronary artery disease. 2008 , 52, 889-93	13
1487	Angiographic and physiologic assessment of coronary flow and myocardial perfusion in the cardiac catheterization laboratory. 2008 , 10, 69-78	3
1486	Functional result following direct coronary artery stenting with drug eluting stents in chronic stable angina is similar to stenting after balloon predilatation. 2008 , 128, 374-7	1
1485	Patient stratification in left main coronary artery disease--rationale from a contemporary perspective. 2008 , 130, 326-34	9
1484	Effect of rapamycin therapy on coronary artery physiology early after cardiac transplantation. 2008 , 155, 889.e1-6	26
1483	The value of fractional and coronary flow reserve in predicting myocardial recovery in patients with previous myocardial infarction. 2008 , 29, 2617-24	24
1482	Quantitative measures of coronary stenosis severity by 64-Slice CT angiography and relation to physiologic significance of perfusion in nonobese patients: comparison with stress myocardial perfusion imaging. 2008 , 49, 564-72	76

1481	The contrast media iohexol causes vasoconstriction of the proximal left anterior descending coronary artery: implications for appropriate stent sizing. 2008 , 59, 574-80	4
1480	Treatment of coronary bifurcations: might less be more?. 2008 , 29, 704-6	1
1479	Effect of contrast application on interpretability and diagnostic value of dobutamine stress echocardiography in patients with intermediate coronary lesions: comparison with myocardial fractional flow reserve. 2008 , 29, 2536-43	24
1478	Impact of in-stent minimal lumen area at 9 months poststent implantation on 3-year target lesion revascularization-free survival: a serial intravascular ultrasound analysis from the TAXUS IV, V, and VI trials. 2008 , 1, 111-8	14
1477	Determination of fractional flow reserve (FFR) based on scaling laws: a simulation study. 2008 , 53, 3995-4011	10
1476	Physiological evaluation of the provisional side-branch intervention strategy for bifurcation lesions using fractional flow reserve. 2008 , 29, 726-32	185
1475	What is the angiography error when defining myocardial ischemia during percutaneous coronary interventions?. 2008 , 91, 162-7, 179-84	1
1474	Pressure wire and related technologies. 2008 , 119-130	
1473	Assessment of Intermediate Coronary Stenosis in Koreans Using the Fractional Flow Reserve. 2008 , 38, 468	3
1472	Impact of the lesion location on fractional flow reserve. 2009 , 64, 761-5	
1471	Is computed tomography coronary angiography the most accurate and effective noninvasive imaging tool to evaluate patients with acute chest pain in the emergency department? CT coronary angiography is the most accurate and effective noninvasive imaging tool for evaluating patients presenting with chest pain to the emergency department: antagonist viewpoint. 2009 , 2, 264-75;	10
1470	Role of fractional and coronary flow reserve in clinical decision making in intermediate coronary lesions. 2009 , 1, 237-255	21
1469	2009 Focused Updates: ACC/AHA Guidelines for the Management of Patients With ST-Elevation Myocardial Infarction (updating the 2004 Guideline and 2007 Focused Update) and ACC/AHA/SCAI Guidelines on Percutaneous Coronary Intervention (updating the 2005 Guideline and 2007 Focused Update): a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2009 , 120, 2271-306	820
1468	Left Main Coronary Artery Disease. 2009 ,	
1467	Refining the art and science of coronary stenting. <i>New England Journal of Medicine</i> , 2009 , 360, 292-4	59.2 5
1466	Expanding role of fractional flow reserve in the cardiac catheterization laboratory. 2009 , 7, 447-9	
1465	Leitfaden Herzkatheter. 2009 ,	2
1464	Current issues in coronary stent technology. 2009 , 223, 515-24	18

1463	Echocardiography in Acute Coronary Syndrome. 2009 ,	1
1462	Adenosine stress 64- and 256-row detector computed tomography angiography and perfusion imaging: a pilot study evaluating the transmural extent of perfusion abnormalities to predict atherosclerosis causing myocardial ischemia. 2009 , 2, 174-82	258
1461	Validation of magnetic resonance myocardial perfusion imaging with fractional flow reserve for the detection of significant coronary heart disease. 2009 , 120, 2207-13	159
1460	Hemodynamic effect of myocardial bridging. 2009 , 2, 361-2	4
1459	Long-term clinical outcome after fractional flow reserve-guided treatment in patients with angiographically equivocal left main coronary artery stenosis. 2009 , 120, 1505-12	277
1458	Coronary computed tomography and magnetic resonance imaging. 2009 , 34, 145-217	8
1457	Usefulness of coronary fractional flow reserve measurements in guiding clinical decisions in intermediate or equivocal left main coronary stenoses. 2009 , 103, 943-9	63
1456	Comparison of non-invasive multi-slice computed tomography coronary angiography versus invasive coronary angiography and fractional flow reserve for the evaluation of men with known coronary artery disease. 2009 , 104, 653-6	15
1455	Evaluation of intermediate coronary stenosis with intravascular ultrasound and fractional flow reserve: Its use and abuse. 2009 , 73, 441-8	24
1454	2009 focused updates: ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction (updating the 2004 guideline and 2007 focused update) and ACC/AHA/SCAI guidelines on percutaneous coronary intervention (updating the 2005 guideline and 2007 focused update). American College of Cardiology Foundation/American Heart Association	46
1453	Adenosine-induced maximal coronary hyperemia for myocardial fractional flow reserve measurements: comparison of administration by femoral venous versus antecubital venous access. 2009 , 98, 717-23	21
1452	Quantitative evaluation of collateral circulation in patients with previous myocardial infarction: relation to myocardial ischemia, angiographic appearance and functional improvement of myocardium. 2009 , 25, 353-61	3
1451	Cardiac hybrid imaging: state-of-the-art. 2009 , 23, 325-31	20
1450	Growing evidence that radionuclide imaging identifies management strategies that improve outcome. 2009 , 16, 844-5	1
1449	Regional myocardial perfusion abnormalities: Fractional flow reserve versus cardiac magnetic resonance first-pass perfusion imaging. 2009 , 2, 124-129	
1448	Improvement of fractional flow reserve and collateral flow by treatment with external counterpulsation (Art.Net.-2 Trial). 2009 , 39, 866-75	49
1447	Physiologic evaluation of bifurcation lesions using fractional flow reserve. 2009 , 22, 110-3	16
1446	On the inappropriateness of noninvasive multidetector computed tomography coronary angiography to trigger coronary revascularization: a comparison with invasive angiography. 2009 , 2, 550-7	54

1445	Use of copeptin in the detection of myocardial ischemia. 2009 , 399, 69-73	33
1444	Fractional flow reserve--the influence of the collateral circulation. 2009 , 132, e109-10	25
1443	Use of changes in B-type natriuretic peptides to detect ischemia in selected patients. 2009 , 136, 40-6	8
1442	Comparison of the intracoronary continuous infusion method using a microcatheter and the intravenous continuous adenosine infusion method for inducing maximal hyperemia for fractional flow reserve measurement. 2009 , 157, 1050-6	29
1441	Fractional flow reserve versus angiography for guiding percutaneous coronary intervention. <i>New England Journal of Medicine</i> , 2009 , 360, 213-24	59.2 2615
1440	Anatomical and Functional Targets of Stress Testing. 2009 , 19-29	
1439	Rotational coronary angiography. 2009 , 27, 395-405	12
1438	Implantation of paclitaxel-eluting stent impairs the vascular compliance of arteries in porcine coronary stenting model. 2009 , 202, 144-51	13
1437	The delta fractional flow reserve can predict lesion severity and long-term prognosis. 2009 , 203, 178-84	19
1436	Human coronary atherosclerosis modulates cardiac natriuretic peptide release. 2009 , 206, 258-64	23
1435	2009 focused updates: ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction (updating the 2004 guideline and 2007 focused update) and ACC/AHA/SCAI guidelines on percutaneous coronary intervention (updating the 2005 guideline and 2007 focused update) a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2009 , 54, 2205-41	1029
1434	The ischemic cascade. 2009 , 149-160	
1433	Flat panel volume computed tomography of the coronary arteries. 2009 , 16, 1251-62	3
1432	The reliability of fractional flow reserve measurement in patients with diabetes mellitus. 2009 , 20, 317-21	21
1431	Relationship between functional exercise capacity and functional stenosis in patients with stable angina and intermediate coronary stenosis. 2009 , 73, 2308-14	5
1430	Percutaneous coronary intervention for unprotected left main coronary artery stenosis. 2009 , 1, 93-106	
1429	Coronary pressure measurement based decision making for percutaneous coronary intervention. 2009 , 5, 323-33	2
1428	Comparing MIDCAB surgery and stenting for isolated proximal left anterior descending stenosis. 2010 , 2, 199-208	1

1427	Validation of a new micro-manometer pressure sensor for cardiovascular measurements in mice. 2010 , 44, 75-83	3
1426	Patients with coronary stenosis and a fractional flow reserve of ≤ 0.75 measured in daily practice at the VU University Medical Center. 2010 , 18, 402-7	5
1425	Clinical outcome following conservative vs revascularization therapy in patients with stable coronary artery disease and borderline fractional flow reserve measurements. 2010 , 33, 77-83	26
1424	Efficacy of fractional flow reserve measurements at side branch vessels treated with the crush stenting technique in true coronary bifurcation lesions. 2010 , 33, 490-4	4
1423	Fractional flow reserve and myocardial perfusion imaging in patients with angiographic multivessel coronary artery disease. 2010 , 3, 307-14	177
1422	Outcomes of percutaneous coronary intervention in intermediate coronary artery disease: fractional flow reserve-guided versus intravascular ultrasound-guided. 2010 , 3, 812-7	62
1421	Adenosine and maximum coronary vasodilation in humans: myth and misconceptions in the assessment of coronary reserve. 2010 , 105, 1-5	89
1420	Coronary flow reserve by CT perfusion. 2010 , 17, 540-3	1
1419	Fractional Flow Reserve: A Practical Update. 2010 , 3, 215-221	
1418	Patient-specific computational fluid dynamics: structured mesh generation from coronary angiography. 2010 , 48, 371-80	56
1417	Accurate measurement of pulsatile flow velocity in a small tube phantom: comparison of phase-contrast cine magnetic resonance imaging and intraluminal Doppler guidewire. 2010 , 28, 571-7	6
1416	Tc-99m sestamibi single photon emission computed tomography for guiding percutaneous coronary intervention in patients with multivessel disease: a comparison with quantitative coronary angiography and fractional flow reserve. 2010 , 26, 203-13	23
1415	The relationship between myocardial SPECT and fractional flow reserve: is it drifting apart?. 2010 , 26, 215-6	1
1414	Relation between functional stenosis and tissue characterization of intermediate coronary plaques in patients with stable coronary heart disease. 2010 , 55, 296-302	9
1413	A flow-limiting stenosis is the major determinant of exercise-induced myocardial stunning in patients with coronary artery disease. 2010 , 55, 337-44	5
1412	Comparison of fractional flow reserve of composite Y-grafts with saphenous vein or right internal thoracic arteries. 2010 , 140, 639-45	21
1411	New set of intravascular ultrasound-derived anatomic criteria for defining functionally significant stenoses in small coronary arteries (results from Intravascular Ultrasound Diagnostic Evaluation of Atherosclerosis in Singapore [IDEAS] study). 2010 , 105, 1378-84	58
1410	Safety of diagnostic balloon occlusion in normal coronary arteries. 2010 , 105, 1716-22	12

1409	Functional impact of coronary stenosis observed on coronary computed tomography angiography: Comparison with ^{15}O -ammonia PET. 2010 , 41, 642-8	7
1408	Hemodynamic and intravascular ultrasound assessment of myocardial bridging: fractional flow reserve paradox with dobutamine versus adenosine. 2010 , 75, 229-36	31
1407	Practical tips and tricks for the measurement of fractional flow reserve. 2010 , 76, 978-85	10
1406	Bifurcation lesions: Functional assessment by fractional flow reserve vs. anatomical assessment using conventional and dedicated bifurcation quantitative coronary angiogram. 2010 , 76, 817-23	16
1405	Decision making in multivessel coronary disease: the need for physiological lesion assessment. 2010 , 3, 315-7	26
1404	The prognostic value of combined fractional flow reserve and TIMI frame count measurements in patients with stable angina pectoris and acute coronary syndrome. 2010 , 23, 421-8	9
1403	Elective coronary stenting increases fractional flow reserve in other arteries due to an increase in microvascular resistance: clinical implications for assessment of multivessel disease. 2010 , 23, 520-7	6
1402	Myocardial Perfusion Imaging Theory. 2010 , 57-68	2
1401	Comparison of Perfusion and Wall Motion Cardiovascular Magnetic Resonance Imaging. 2010 , 229-240	
1400	Reduction in myocardial perfusion territory and its effect on the physiological severity of a coronary stenosis. 2010 , 3, 89-90	43
1399	Local hemodynamic changes caused by main branch stent implantation and subsequent virtual side branch balloon angioplasty in a representative coronary bifurcation. 2010 , 109, 532-40	65
1398	Three-vessel coronary disease in diabetics: personalized versus evidence-based revascularization strategy. 2010 , 6, 797-809	2
1397	Percutaneous coronary intervention for unprotected left main coronary artery stenosis. 2010 , 28, 81-95	7
1396	Physiologic lesion assessment during percutaneous coronary intervention. 2010 , 28, 31-54	9
1395	Current concepts of integrated coronary physiology in the catheterization laboratory. 2010 , 55, 173-85	217
1394	Angiographic versus functional severity of coronary artery stenoses in the FAME study fractional flow reserve versus angiography in multivessel evaluation. 2010 , 55, 2816-21	837
1393	Assessment of advanced coronary artery disease: advantages of quantitative cardiac magnetic resonance perfusion analysis. 2010 , 56, 561-9	124
1392	Fractional flow reserve versus angiography for guiding percutaneous coronary intervention in patients with multivessel coronary artery disease: 2-year follow-up of the FAME (Fractional Flow Reserve Versus Angiography for Multivessel Evaluation) study. 2010 , 56, 177-84	796

1391	Fractional flow reserve: concepts, applications and use in France in 2010. 2010 , 103, 615-22	18
1390	Usefulness of the fractional flow reserve derived by intracoronary pressure wire for evaluating angiographically intermediate lesions in acute coronary syndrome. 2010 , 63, 686-94	3
1389	Cardiac positron emission tomography/computed tomography imaging accurately detects anatomically and functionally significant coronary artery disease. 2010 , 122, 603-13	248
1388	Assessment and treatment of dynamic obstruction in anomalous right coronary artery using dynamic diastolic pressure gradient change during dobutamine challenge with rapid atrial pacing. 2010 , 142, e11-4	1
1387	Correlation between coronary computed tomographic angiography and fractional flow reserve. 2010 , 144, 200-5	43
1386	Assessment of the effect of external counterpulsation on myocardial adaptive arteriogenesis by invasive functional measurements--design of the arteriogenesis network trial 2. 2010 , 145, 432-7	9
1385	Utilidad de la reserva fraccional de flujo obtenida mediante guñ intracoronaria de presiñ en la valoraciñ de lesiones angiogrñicamente moderadas en el sñndrome coronario agudo. 2010 , 63, 686-694	17
1384	Coronary physiology in the cath lab: beyond the basics. 2011 , 29, 237-67	4
1383	Comparison between non-invasive coronary flow reserve and fractional flow reserve to assess the functional significance of left anterior descending artery stenosis of intermediate severity. 2011 , 24, 374-81	29
1382	High-resolution magnetic resonance myocardial perfusion imaging at 3.0-Tesla to detect hemodynamically significant coronary stenoses as determined by fractional flow reserve. 2011 , 57, 70-5	160
1381	Bringing it all together: integration of physiology with anatomy during cardiac catheterization. 2011 , 58, 1219-21	33
1380	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2011 , 58, 2550-2583	99
1379	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2011 , 58, e44-122	1703
1378	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: Executive Summary. 2011 , 58, 2584-2614	59
1377	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. Developed in collaboration with the American Association for Thoracic Surgery, Society of Cardiovascular Anesthesiologists, and Society of Thoracic Surgeons. 2011 , 58, e123-210	531
1376	Detection of myocardial perfusion abnormalities using ultra-low radiation dose regadenoson stress multidetector computed tomography. 2011 , 5, 247-54	32
1375	Clinical utility of regadenoson for assessing fractional flow reserve. 2011 , 4, 1085-92	51
1374	Effects of increasing doses of intracoronary adenosine on the assessment of fractional flow reserve. 2011 , 4, 1079-84	72

1373	The crux of maximum hyperemia: the last remaining barrier for routine use of fractional flow reserve. 2011 , 4, 1093-5	44
1372	Fractional flow reserve in unstable angina and non-ST-segment elevation myocardial infarction experience from the FAME (Fractional flow reserve versus Angiography for Multivessel Evaluation) study. 2011 , 4, 1183-9	126
1371	Intravascular ultrasound-derived predictors for fractional flow reserve in intermediate left main disease. 2011 , 4, 1168-74	103
1370	Comprehensive Cardiovascular Medicine in the Primary Care Setting. 2011 ,	
1369	3D imaging of myocardial perfusion and coronary tree morphology from a single rotational angiogram. 2011 ,	
1368	Physiologic evaluation of myocardial bridging: a new analysis for an old disease. 2011 , 27, 596-600	7
1367	Integrated coronary physiology in percutaneous intervention: a new paradigm in interventional cardiology. 2011 , 20, 641-6	3
1366	Comparison of adenosine magnetic resonance perfusion imaging with invasive coronary flow reserve and fractional flow reserve in patients with suspected coronary artery disease. 2011 , 147, 184-6	12
1365	Fractional flow reserve-guided "pot stenting" in intermediate coronary stenosis—a case report. 2011 , 1, 147-150	
1364	The role of plasma aminothiols in the prediction of coronary microvascular dysfunction and plaque vulnerability. 2011 , 219, 266-72	29
1363	A new algorithm for the management of stable coronary artery disease incorporating CT coronary angiography and fractional flow reserve: how we can improve outcomes and reduce costs. 2011 , 194, 186-9	10
1362	Evaluation of local flow conditions in jailed side branch lesions using computational fluid dynamics. 2011 , 41, 91-6	8
1361	CURRENT APPROACHES TO EVALUATION OF THE MULTIVESSEL CORONARY ATHEROSCLEROSIS IN PATIENTS WITH CHRONIC ISCHEMIC HEART DISEASE. 2011 , 7, 744-751	1
1360	Optimizing revascularization strategies in coronary artery disease for optimal benefit to patients. 2011 , 90, 630-3	2
1359	Coronary pressure measurement identifies patients with diffuse coronary artery disease who benefit from coronary revascularization. 2011 , 22, 81-6	6
1358	From SYNTAX to FAME, a paradigm shift in revascularization strategies: the key role of fractional flow reserve in guiding myocardial revascularization. 2011 , 12, 538-42	17
1357	Fractional Flow Reserve: A Review for Cardiac Catheterization Lab Personnel. 2011 , 1, 79-81	1
1356	Recent developments in cardiac CT. 2011 , 3, 167-192	2

1355	Controversies surrounding renal artery intervention: making sense of the confusion. 2011 , 3, 569-579	1
1354	Test of a novel miniature blood pressure sensor in the coronary arteries of a swine model. 2011 ,	1
1353	Angiography is the gold standard and objective evidence of myocardial ischemia is mandatory if lesion severity is questionable. - Indication of PCI for angiographically significant coronary artery stenosis without objective evidence of myocardial ischemia (Pro)-. 2011 , 75, 204-10; discussion 217	12
1352	Non-invasive diagnostic workup of patients with suspected stable angina by combined computed tomography coronary angiography and magnetic resonance perfusion imaging. 2011 , 75, 1678-84	7
1351	Physiological and metabolic effects of grafts in coronary artery bypass surgery. 2011 , 75, 766-72	29
1350	A pitfall of fractional flow reserve associated with the presence of collateral circulation. 2011 , 50, 2811-3	7
1349	What can we expect in PCI in patients with chronic coronary artery disease. - Indication of PCI for angiographically significant coronary artery stenosis without objective evidence of myocardial ischemia (Con)-. 2011 , 75, 211-7; discussion 210	7
1348	Cardiac allograft vasculopathy: current knowledge and future direction. 2011 , 25, 175-84	76
1347	Long-term clinical outcomes after deferral of percutaneous coronary intervention of intermediate coronary stenoses based on coronary pressure-derived fractional flow reserve. 2011 , 58, 32-7	11
1346	Preintervention angiographic and intravascular ultrasound predictors for side branch compromise after a single-stent crossover technique. 2011 , 107, 1787-93	38
1345	Usefulness of coronary pressure measurement for functional evaluation of drug-eluting stent restenosis. 2011 , 107, 1783-6	26
1344	Relation of fractional flow reserve after drug-eluting stent implantation to one-year outcomes. 2011 , 107, 1763-7	60
1343	[Intermediate lesion and multivessels disease: Interest of fractional flow reserve (FFR) to determine the strategy of revascularization]. 2011 , 60, 148-53	1
1342	Are noninvasive tests enough to decide upon a hybrid coronary artery revascularization strategy?. 2011 , 91, 1306; author reply 1306-7	0
1341	The value of using fractional flow reserve measurements in helping to diagnose acute left ventricular failure in the presence of normal left ventricular systolic function. 2011 , 12, 181-183	
1340	2011 ACCF/AHA/SCAI guideline for percutaneous coronary intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2013 , 82, E266-355	81
1339	Functional assessment of coronary artery flow using adenosine stress dual-energy CT: a preliminary study. 2011 , 27, 471-81	32
1338	[Progress in diagnostics is the driving force for developing interventional methods]. 2011 , 36, 383-5	

1337	Myocardial fractional flow reserve. Its role in guiding PCI in stable coronary artery disease. 2011 , 36, 410-6	4
1336	The impact of pravastatin pre-treatment on periprocedural microcirculatory damage in patients undergoing percutaneous coronary intervention. 2011 , 4, 513-20	34
1335	Use of coronary physiology in the catheterization laboratory to guide treatment in patients with coronary artery disease. 2011 , 13, 35-45	5
1334	Techniques for phenotyping coronary artery disease in the cardiac catheterization laboratory for applications in translational research. 2011 , 4, 385-92	6
1333	Assessment of coronary endothelial function using PET. 2011 , 18, 486-500	38
1332	Accelerated, high spatial resolution cardiovascular magnetic resonance myocardial perfusion imaging. 2011 , 18, 952-8	5
1331	FFR-Guided Percutaneous Intervention in Multivessel Coronary Artery Disease: A Real Game Changer. 2011 , 4, 263-265	
1330	Importance of measuring the fractional flow reserve in patients receiving hemodialysis. 2011 , 26, 215-21	8
1329	Correlation of Fractional Flow Reserve with non-invasive tests for the detection of ischaemia due to intermediate coronary artery stenosis. 2011 , 13,	78
1328	Thermal anemometric assessment of coronary flow reserve with a pressure-sensing guide wire: an in vitro evaluation. 2011 , 33, 684-91	7
1327	Optimal intravascular ultrasound criteria and their accuracy for defining the functional significance of intermediate coronary stenoses of different locations. 2011 , 4, 803-11	118
1326	Functional versus anatomical stenosis evaluation: fractional flow reserve defeats intravascular ultrasound. 2011 , 4, 812-3	2
1325	Non-invasive imaging in coronary artery disease including anatomical and functional evaluation of ischaemia and viability assessment. 2011 , 84 Spec No 3, S280-95	19
1324	Anomalous origination of a coronary artery from the opposite sinus. 2011 , 8, 706-19	46
1323	Intrapericardial, but not extrapericardial, fat is an independent predictor of impaired hyperemic coronary perfusion in coronary artery disease. 2011 , 31, 211-8	26
1322	Detection of hemodynamically significant coronary artery stenosis: incremental diagnostic value of dynamic CT-based myocardial perfusion imaging. 2011 , 260, 689-98	216
1321	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2011 , 124, e652-735	487
1320	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2011 , 124, 2574-608	389

1319	Validation of intravascular ultrasound-derived parameters with fractional flow reserve for assessment of coronary stenosis severity. 2011 , 4, 65-71	148
1318	Comparison of short- and long-term results of drug-eluting vs. bare metal stenting in the porcine internal carotid artery. 2011 , 18, 547-58	6
1317	The pressure wire as a diagnostic tool in patients with congenital cardiac disease. 2011 , 21, 317-20	2
1316	Atherosclerotic renal artery stenosis and renal artery stenting: an evolving therapeutic option. 2011 , 9, 1347-60	1
1315	Role of the functional SYNTAX score in evaluating multivessel coronary artery disease. 2011 , 3, 695-704	2
1314	Three-dimensional and two-dimensional quantitative coronary angiography, and their prediction of reduced fractional flow reserve. 2011 , 32, 345-53	100
1313	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2011 , 124, e574-651	1039
1312	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2011 , 124, 2610-42	345
1311	A 10-year angiographic follow-up of competitive flow in sequential and composite arterial grafts. 2011 , 40, 399-404	14
1310	Increased basal coronary blood flow as a cause of reduced coronary flow reserve in diabetic patients. 2011 , 301, H2279-84	34
1309	Quantification of absolute coronary flow reserve and relative fractional flow reserve in a swine animal model using angiographic image data. 2012 , 303, H401-10	9
1308	Revascularization in multivessel CAD: a functional approach. 2012 , 9, 243-52	5
1307	Comparison of hyperemic efficacy between central and peripheral venous adenosine infusion for fractional flow reserve measurement. 2012 , 5, 401-5	52
1306	A validated predictive model of coronary fractional flow reserve. 2012 , 9, 1325-38	54
1305	Should we be using fractional flow reserve more routinely to select stable coronary patients for percutaneous coronary intervention?. 2012 , 27, 675-81	10
1304	Computed tomography stress myocardial perfusion imaging in patients considered for revascularization: a comparison with fractional flow reserve. 2012 , 33, 67-77	171
1303	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: executive summary: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive	268
1302	Myocardial perfusion reserve assessed by T2-prepared steady-state free precession blood oxygen level-dependent magnetic resonance imaging in comparison to fractional flow reserve. 2012 , 5, 580-6	27

1301	Basal stenosis resistance: another adenosine-free contender for the lesion assessment crown? 2012 , 5, 456-8	6
1300	Long-term clinical outcome after fractional flow reserve-guided percutaneous coronary revascularization in patients with small-vessel disease. 2012 , 5, 62-8	64
1299	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. 2012 , 5, 1-41	537
1298	Fractional flow reserve evaluation in patients considered for transfemoral transcatheter aortic valve implantation: a case series. 2012 , 123, 234-9	11
1297	Fractional Flow in Cerebrovascular Disorders. 2013 , 1, 87-99	26
1296	Diagnostic accuracy of combined intracoronary pressure and flow velocity information during baseline conditions: adenosine-free assessment of functional coronary lesion severity. 2012 , 5, 508-14	75
1295	Whole-heart dynamic three-dimensional magnetic resonance perfusion imaging for the detection of coronary artery disease defined by fractional flow reserve: determination of volumetric myocardial ischaemic burden and coronary lesion location. 2012 , 33, 2016-24	64
1294	Myocardial microvascular disease and major adverse cardiovascular events in patients with end-stage renal disease: rationale and design of the MICROCARD study. 2012 , 27, 2886-91	10
1293	Special Articles: 2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2012 , 114, 11-45	30
1292	Development and validation of the fractional flow reserve (FFR) angiographic scoring tool (FAST) to improve the angiographic grading and selection of intermediate lesions that require FFR assessment. 2012 , 23, 45-50	10
1291	Quantitative three-dimensional evaluation of myocardial perfusion during regadenoson stress using multidetector computed tomography. 2012 , 36, 443-9	15
1290	High cholesterol levels are associated with coronary microvascular dysfunction. 2012 , 13, 439-42	14
1289	Changing of SYNTAX score performing fractional flow reserve in multivessel coronary artery disease. 2012 , 13, 368-75	15
1288	An introduction to fractional flow reserve. 2012 , 7, 316-321	
1287	Relationship between anatomical and functional assessments of coronary artery stenosis. 2012 , 76, 2092-3	1
1286	Papaverine-induced polymorphic ventricular tachycardia in relation to QTU and giant T-U waves in four cases. 2012 , 51, 351-6	8
1285	Optical coherence tomography-derived anatomical criteria for functionally significant coronary stenosis assessed by fractional flow reserve. 2012 , 76, 2218-25	63
1284	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the Diagnosis and Management of Patients With Stable Ischemic Heart Disease: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. 2012 , 60, 2564-603	139

1283	2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, Society for Interventional Cardiology, and Society for Clinical Cardiology. 2012 , 6, e118-e210	1138
1282	Measurement of fractional flow reserve in a patient with combined myocardial bridging and a coronary fixed stenosis. 2012 , 6, e163-e165	0
1281	Fractional flow reserve for guidance in intervention of multiple sequential lesions. 2012 , 6, e183-e184	
1280	Fractional flow reserve-guided PCI versus medical therapy in stable coronary disease. <i>New England Journal of Medicine</i> , 2012 , 367, 991-1001	59.2 1655
1279	Plaque volume derived from three-dimensional reconstruction of coronary angiography predicts the fractional flow reserve. 2012 , 160, 140-4	8
1278	Angiographic versus functional assessment of coronary artery disease: a "proof of concept" case report. 2012 , 156, e30-2	
1277	Early triage of emergency department patients with acute coronary syndrome: contribution of 64-slice computed tomography angiography. 2012 , 105, 338-46	5
1276	Functional measurement of coronary stenosis. 2012 , 59, 1045-57	203
1275	Morphometric assessment of coronary stenosis relevance with optical coherence tomography: a comparison with fractional flow reserve and intravascular ultrasound. 2012 , 59, 1080-9	160
1274	An adenosine-independent index of stenosis severity from coronary wave-intensity analysis: a new paradigm in coronary physiology for the cath lab?. 2012 , 59, 1403-5	14
1273	Diagnostic performance of noninvasive myocardial perfusion imaging using single-photon emission computed tomography, cardiac magnetic resonance, and positron emission tomography imaging for the detection of obstructive coronary artery disease: a meta-analysis. 2012 , 59, 1719-28	325
1272	Rethinking stable ischemic heart disease: is this the beginning of a new era?. 2012 , 60, 957-9	17
1271	Functional assessment of jailed side branches in coronary bifurcation lesions using fractional flow reserve. 2012 , 5, 155-61	61
1270	Maximal hyperemia in the assessment of fractional flow reserve: intracoronary adenosine versus intracoronary sodium nitroprusside versus intravenous adenosine: the NASCI (Nitroprussiato versus Adenosina nelle Stenosi Coronariche Intermedie) study. 2012 , 5, 402-8	72
1269	Relationship between fractional flow reserve and angiographic and intravascular ultrasound parameters in ostial lesions: major epicardial vessel versus side branch ostial lesions. 2012 , 5, 409-15	38
1268	Clinical and physiological outcomes of fractional flow reserve-guided percutaneous coronary intervention in patients with serial stenoses within one coronary artery. 2012 , 5, 1013-8	68
1267	The impact of downstream coronary stenoses on fractional flow reserve assessment of intermediate left main disease. 2012 , 5, 1021-5	50
1266	Visual-functional mismatch between coronary angiography and fractional flow reserve. 2012 , 5, 1029-36	193

1265	More than addition: the use of fractional flow reserve in serial stenoses. 2012 , 5, 1019-20	4
1264	Validation of functional state of coronary tandem lesions using computational flow dynamics. 2012 , 110, 1578-84	37
1263	The concept of functional revascularization. 2012 , 54, e162-e166	
1262	Physiology and Pathophysiology of Coronary Circulation. 2012 , 7-14	
1261	Coronary Artery Stenosis on Cardiac CT. 2012 , 139-146	
1260	CT fractional flow reserve: the next level in non-invasive cardiac imaging. 2012 , 20, 410-8	14
1259	Fractional flow reserve is not associated with inflammatory markers in patients with stable coronary artery disease. 2012 , 7, e46356	5
1258	Fractional flow reserve: the past, present and future. 2012 , 42, 441-6	8
1257	Coronary pressure-derived fractional flow reserve measurements: recommendations for standardization, recording, and reporting as a core laboratory technique. Proposals for integration in clinical trials. 2012 , 5, 312-7	40
1256	Percutaneous revascularization of left main: role of imaging, techniques, and adjunct pharmacology. 2012 , 79, 990-9	2
1255	Repeat percutaneous coronary revascularization: indications and outcomes in a "real world" cohort. 2012 , 80, 539-45	4
1254	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. 2012 , 79, 453-95	121
1253	[Arterial hypertension in patients with coronary artery disease]. 2012 , 37, 191-7; quiz 198-9	2
1252	Morphology of coronary artery lesions assessed by virtual histology intravascular ultrasound tissue characterization and fractional flow reserve. 2012 , 28, 221-8	16
1251	PET measurement of adenosine stimulated absolute myocardial blood flow for physiological assessment of the coronary circulation. 2012 , 19, 347-54	16
1250	Virtual Interventions for Image-based Blood Flow Computation. 2012 , 44, 3-14	9
1249	Usefulness of minimal luminal coronary area determined by intravascular ultrasound to predict functional significance in stable and unstable angina pectoris. 2012 , 109, 947-53	61
1248	Comparison of two- and three-dimensional quantitative coronary angiography to intravascular ultrasound in the assessment of intermediate left main stenosis. 2012 , 109, 1600-7	13

1247	2011 ACCF/AHA guideline for coronary artery bypass graft surgery: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2012 , 143, 4-34	187
1246	Coronary risk factors and myocardial blood flow in patients evaluated for coronary artery disease: a quantitative [¹⁵ O]H ₂ O PET/CT study. 2012 , 39, 102-12	53
1245	Estimation of coronary artery hyperemic blood flow based on arterial lumen volume using angiographic images. 2012 , 28, 1-11	13
1244	Quantification of fractional flow reserve based on angiographic image data. 2012 , 28, 13-22	15
1243	Assessment of coronary microvascular resistance in the chronic infarcted pig heart. 2013 , 17, 1128-35	15
1242	The adequacy of myocardial revascularization in patients with multivessel coronary artery disease. 2013 , 168, 1748-57	28
1241	Possible further reduction in coronary flow velocity reserve in angina pectoris patients after oral glucose loading. 2013 , 11, 59-65	
1240	Clinical implications of coronary pressure measurement after stent implantation. 2013 , 28, 170-7	13
1239	Chest Pain with Normal Coronary Arteries. 2013 ,	2
1238	Comparison of MR and CT for the Assessment of the Significance of Coronary Artery Disease: a Review. 2013 , 6, 102-116	2
1237	A Critical Review of Different Imaging Methods for the Assessment of Myocardial Ischemia. 2013 , 6, 117-127	3
1236	Modeling of fractional flow reserve based on coronary CT angiography. 2013 , 15, 336	22
1235	Diagnosing coronary artery disease with hybrid PET/CT: it takes two to tango. 2013 , 20, 874-90	38
1234	Left ventricular end-diastolic pressure affects measurement of fractional flow reserve. 2013 , 14, 218-22	30
1233	VERIFY (VERification of Instantaneous Wave-Free Ratio and Fractional Flow Reserve for the Assessment of Coronary Artery Stenosis Severity in EverydaY Practice): a multicenter study in consecutive patients. 2013 , 61, 1421-7	160
1232	Long-term clinical outcome after fractional flow reserve- versus angio-guided percutaneous coronary intervention in patients with intermediate stenosis of coronary artery bypass grafts. 2013 , 166, 110-8	41
1231	Fractional flow reserve-guided revascularization: practical implications of a diagnostic gray zone and measurement variability on clinical decisions. 2013 , 6, 222-5	109
1230	Evaluation of functional severity of coronary artery disease and fluid dynamics' influence on hemodynamic parameters: A review. 2013 , 29, 225-32	19

1229	Recent insights into the treatment of stable CAD : FFR-guided PCI vs. medical therapy. 2013 , 38, 376-81	2
1228	Cardiovascular Hemodynamics. 2013 ,	
1227	Hemodynamic impact of changes in bifurcation geometry after single-stent cross-over technique assessed by intravascular ultrasound and fractional flow reserve. 2013 , 82, 1075-82	26
1226	Les techniques invasives d'valuation d'une stnose coronaire. 2013 , 2013, 16-22	
1225	Assessment of coronary artery stenosis severity and location: quantitative analysis of transmural perfusion gradients by high-resolution MRI versus FFR. 2013 , 6, 600-9	59
1224	Fractional flow reserve versus angiography in guiding management to optimize outcomes in non-ST-elevation myocardial infarction (FAMOUS-NSTEMI): rationale and design of a randomized controlled clinical trial. 2013 , 166, 662-668.e3	10
1223	Evaluacin funcional de la revascularizacin con arteria mamaria sobre la descendente anterior mediante el estudio de la reserva coronaria con ecocardiografa transtortica. 2013 , 20, 194-199	
1222	Quantitative angiography and optical coherence tomography for the functional assessment of nonobstructive coronary stenoses: comparison with fractional flow reserve. 2013 , 166, 1010-1018.e1	29
1221	Rationale and design of the HeartFlowNXT (HeartFlow analysis of coronary blood flow using CT angiography: NeXt sTeps) study. 2013 , 7, 279-88	47
1220	Computational fluid dynamics applied to cardiac computed tomography for noninvasive quantification of fractional flow reserve: scientific basis. 2013 , 61, 2233-41	695
1219	FIRST: Fractional Flow Reserve and Intravascular Ultrasound Relationship Study. 2013 , 61, 917-23	164
1218	Fractional flow reserve as a surrogate for inducible myocardial ischaemia. 2013 , 10, 439-52	111
1217	Virtual fractional flow reserve from coronary angiography: modeling the significance of coronary lesions: results from the VIRTU-1 (VIRTUal Fractional Flow Reserve From Coronary Angiography) study. 2013 , 6, 149-57	172
1216	Calculation of the index of microcirculatory resistance without coronary wedge pressure measurement in the presence of epicardial stenosis. 2013 , 6, 53-8	91
1215	Sex differences in the visual-functional mismatch between coronary angiography or intravascular ultrasound versus fractional flow reserve. 2013 , 6, 562-8	49
1214	Diagnostic classification of the instantaneous wave-free ratio is equivalent to fractional flow reserve and is not improved with adenosine administration. Results of CLARIFY (Classification Accuracy of Pressure-Only Ratios Against Indices Using Flow Study). 2013 , 61, 1409-20	175
1213	Coronary pressure-derived fractional flow reserve in the assessment of coronary artery stenoses. 2013 , 23, 958-67	18
1212	Long-term follow-up of patients with deferred coronary intervention guided by measurement of fractional flow reserve. 2013 , 32, 885-91	2

1211	Risk assessment of atherosclerotic plaques based on global biomechanics. 2013 , 35, 1290-7; discussion 1290	6
1210	Long-term follow-up of patients with deferred coronary intervention guided by measurement of fractional flow reserve. 2013 , 32, 885-891	2
1209	Diagnostic accuracy of quantitative angiographic and intravascular ultrasound parameters predicting the functional significance of single de novo lesions. 2013 , 168, 1364-9	23
1208	A miniature fiber optic blood pressure sensor and its application in in vivo blood pressure measurements of a swine model. 2013 , 181, 172-178	25
1207	Intravascular ultrasound and fractional flow reserve in assessment of the intermediate coronary stenosis: what you see is not what you get. 2013 , 61, 924-5	2
1206	Clinical validation of the resting pressure parameters in the assessment of functionally significant coronary stenosis; results of an independent, blinded comparison with fractional flow reserve. 2013 , 168, 4070-5	42
1205	Effect of lesion length on functional significance of intermediate long coronary lesions. 2013 , 81, E186-94	26
1204	Transluminal attenuation gradient in coronary computed tomography angiography is a novel noninvasive approach to the identification of functionally significant coronary artery stenosis: a comparison with fractional flow reserve. 2013 , 61, 1271-9	124
1203	Intracoronary Hemodynamic Assessment: Coronary Flow Reserve (CFR) and Fractional Flow Reserve (FFR). 2013 , 319-331	
1202	Stable Angina. 2013 , 419-438	
1201	Association of biomarkers of lipid modification with functional and morphological indices of coronary stenosis severity in stable coronary artery disease. 2013 , 6, 536-44	7
1200	Can anatomy be used as a surrogate for physiology? The IVUS conundrum. 2013 , 168, 631-2	1
1199	Long-term outcomes of fractional flow reserve-guided vs. angiography-guided percutaneous coronary intervention in contemporary practice. 2013 , 34, 1375-83	121
1198	Angiography and fractional flow reserve in daily practice: why not (finally) use the right tools for decision-making?. 2013 , 34, 1321-2	2
1197	Trends in the outcomes of percutaneous coronary intervention with the routine incorporation of fractional flow reserve in real practice. 2013 , 34, 3353-61	71
1196	Caracterizaci3n cl3nica y hemodin3mica de pacientes sometidos a medici3n de la reserva de flujo fraccional en la Fundaci3n Abood Shaio entre 2010-2011. Primera experiencia en Colombia. 2013 , 20, 355-362	
1195	Usefulness of coronary calcium scoring to myocardial perfusion SPECT in the diagnosis of coronary artery disease in a predominantly high risk population. 2013 , 29, 677-84	2
1194	An angiographic technique for coronary fractional flow reserve measurement: in vivo validation. 2013 , 29, 535-44	10

1193	Noninvasive fractional flow reserve derived from computed tomography angiography for coronary lesions of intermediate stenosis severity: results from the DeFACTO study. 2013 , 6, 881-9	168
1192	Combined non-invasive functional and anatomical diagnostic work-up in clinical practice: the magnetic resonance and computed tomography in suspected coronary artery disease (MARCC) study. 2013 , 34, 1990-8	32
1191	Incremental diagnostic accuracy of hybrid SPECT/CT coronary angiography in a population with an intermediate to high pre-test likelihood of coronary artery disease. 2013 , 14, 642-9	41
1190	Safety and efficacy of a novel hyperaemic agent, intracoronary nicorandil, for invasive physiological assessments in the cardiac catheterization laboratory. 2013 , 34, 2055-62	72
1189	Myocardium: dynamic versus single-shot CT perfusion imaging. 2013 , 269, 378-86	87
1188	Coronary stenosis: Morphologic index characterized by using CT angiography correlates with fractional flow reserve and is associated with hemodynamic status. 2013 , 269, 713-21	17
1187	Diagnostic performance of cardiac stress perfusion MRI in the detection of coronary artery disease using fractional flow reserve as the reference standard: a meta-analysis. 2013 , 201, W245-52	30
1186	Functional assessment of coronary stenoses: can we live without it?. 2013 , 34, 1335-44	66
1185	A framework for hybrid parallel flow simulations with a trillion cells in complex geometries. 2013 ,	33
1184	Sex-related differences in fractional flow reserve-guided treatment. 2013 , 6, 662-70	29
1183	Relationship between optical coherence tomography derived intraluminal and intramural criteria and haemodynamic relevance as determined by fractional flow reserve in intermediate coronary stenoses of patients with type 2 diabetes. 2013 , 99, 700-7	32
1182	Fractional flow reserve-guided versus angiography-guided coronary artery bypass graft surgery. 2013 , 128, 1405-11	126
1181	Fractional flow-guided coronary artery bypass grafting: a word of caution. 2013 , 128, 1393-5	4
1180	Disturbed coronary hemodynamics in vessels with intermediate stenoses evaluated with fractional flow reserve: a combined analysis of epicardial and microcirculatory involvement in ischemic heart disease. 2013 , 128, 2557-66	110
1179	Advances in Coronary Revascularization. 2013 , 214-239	
1178	Adenosine-stress low-dose single-scan CT myocardial perfusion imaging using a 128-slice dual-source CT: a comparison with fractional flow reserve. 2013 , 54, 389-95	23
1177	Fractional flow reserve as the reference standard for myocardial perfusion studies: fool's gold?. 2013 , 14, 1211-3	22
1176	Hybrid imaging using quantitative H215O PET and CT-based coronary angiography for the detection of coronary artery disease. 2013 , 54, 55-63	91

1175	Fractional flow reserve assessment of left main stenosis in the presence of downstream coronary stenoses. 2013 , 6, 161-5	63
1174	Flex-to-Rigid (F2R): A Generic Platform for the Fabrication and Assembly of Flexible Sensors for Minimally Invasive Instruments. 2013 , 13, 3873-3882	25
1173	Impact of expeditious management of perioperative myocardial ischemia in patients undergoing isolated coronary artery bypass surgery. 2013 , 128, S226-34	30
1172	The future of ischemic stroke: flow from prehospital neuroprotection to definitive reperfusion. 2014 , 2, 105-17	13
1171	Noninvasive fractional flow reserve derived from coronary computed tomography angiography: integrated anatomical and functional assessment. 2013 , 9, 243-51	4
1170	Dynamic, Time-Resolved CT Imaging of Myocardial Perfusion: 320-Slice CT. 2013 , 133-143	
1169	Impact of lesion length on functional significance in intermediate coronary lesions. 2013 , 36, 172-7	46
1168	Use of Myocardial Fractional Flow Reserve to Identify Predictors of Poor Prognosis after Percutaneous Coronary Interventions. 2013 , 21, 367-372	
1167	Comparison of efficacy and safety of intracoronary sodium nitroprusside and intravenous adenosine for assessing fractional flow reserve. 2013 , 81, 540-4	21
1166	Myocardial perfusion pressure in patients with hypertension and coronary artery disease: implications for DBP targets in hypertension management. 2013 , 31, 975-82	26
1165	Fractional Flow Reserve - A Review. 2013 , 5, 190-200	2
1164	Coronary computed tomography angiography in planning of percutaneous coronary interventions in bifurcation lesions - study design and rationale. 2013 , 9, 155-9	3
1163	Evaluation of myocardial infarction patients after coronary revascularization by dual-phase multi-detector computed tomography: Now and in future. 2013 , 5, 115-8	3
1162	Invasive and non-invasive fractional flow reserve index in validation of hemodynamic severity of intracoronary lesions. 2013 , 9, 160-9	4
1161	Numerical investigation of the effect of stenosis geometry on the coronary diagnostic parameters. 2014 , 2014, 354946	15
1160	Characteristics of function-anatomy mismatch in patients with coronary artery disease. 2014 , 44, 394-9	12
1159	Nitroprusiato: una droga confiable para la estimaci3n de la reserva de flujo fraccional coronario. 2014 , 33, 20-26	1
1158	The value of assessing myocardial deformation at recovery after dobutamine stress echocardiography. 2014 , 22, 127-33	10

1157	Determinants of human coronary collaterals. 2014 , 10, 24-8	11
1156	Computed Tomography Imaging of the Coronary Arteries: State of the Art Applications and Recent Patents. 2014 , 4, 22-30	
1155	Clinical Outcomes in Patients with Intermediate Coronary Stenoses: MINIATURE Investigators (Korea Multicenter Trial on Long-Term Clinical Outcome According to the Plaque Burden and Treatment Strategy in Lesions with Minimum Lumen Area Less Than 4 mm ²) Using Intravascular Ultrasound. 2014 , 44, 148-55	2
1154	Diagnostic value of coronary CT angiography in comparison with invasive coronary angiography and intravascular ultrasound in patients with intermediate coronary artery stenosis: results from the prospective multicentre FIGURE-OUT (Functional Imaging criteria for GUIDing REview of invasive Coronary Intervention) study. 2014 , 44, 148-55	36
1153	Measurement of the blood flow rate and velocity in coronary artery stenosis using intracoronary frequency domain optical coherence tomography: Validation against fractional flow reserve. 2014 , 5, 68-71	16
1152	Fractional flow reserve is a useful reference standard for myocardial perfusion studies with limitations: reply. 2014 , 15, 474-5	3
1151	Use of the Miniature Pressure-Wire Manometric System in Congenital and Acquired Structural Heart Diseases. 2014 , 22, 48-55	1
1150	Current use of fractional flow reserve: a nationwide survey. 2014 , 41, 579-84	22
1149	Baseline instantaneous wave-free ratio as a pressure-only estimation of underlying coronary flow reserve: results of the JUSTIFY-CFR Study (Joined Coronary Pressure and Flow Analysis to Determine Diagnostic Characteristics of Basal and Hyperemic Indices of Functional Lesion Severity-Coronary Flow Reserve). 2014 , 7, 492-502	124
1148	Fractional flow reserve is a useful reference standard for myocardial perfusion studies with limitations. 2014 , 15, 473-4	3
1147	Transthoracic echocardiography for non-invasive assessment of coronary vasodilator function after DES implantation. 2014 , 15, 1029-34	5
1146	Computed tomography angiography and perfusion to assess coronary artery stenosis causing perfusion defects by single photon emission computed tomography: the CORE320 study. 2014 , 35, 1120-30	310
1145	Non-invasive assessment of functionally significant coronary stenoses through mathematical analysis of spectral ECG components. 2014 , 1, e000144	4
1144	Comparison of frequency domain optical coherence tomography and quantitative coronary angiography for the assessment of coronary lesions. 2014 ,	
1143	Influence of the length of coronary artery lesions on fractional flow reserve across intermediate coronary obstruction. 2014 , 16, B76-B79	2
1142	Fractional flow reserve and appropriate use criteria. 2014 , 6, 159-165	
1141	Quantification of myocardial blood flow using PET to improve the management of patients with stable ischemic coronary artery disease. 2014 , 10, 611-31	11
1140	Sequential moderate coronary artery fistula and moderate coronary artery stenosis causing ischemia demonstrated by fractional flow reserve and relieved following percutaneous coronary intervention. 2014 , 83, 443-7	6

1139	Stress myocardial perfusion: imaging with multidetector CT. 2014 , 270, 25-46	131
1138	Fractional flow reserve: an updated review. 2014 , 37, 371-80	34
1137	Variations of coronary hemodynamic responses to intravenous adenosine infusion: implications for fractional flow reserve measurements. 2014 , 84, 416-25	26
1136	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 130, e278-333	272
1135	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 130, 2215-45	426
1134	Chronische koronare Herzkrankheit. 2014 , 9, 53-72	
1133	Low coronary microcirculatory resistance associated with profound hypotension during intravenous adenosine infusion: implications for the functional assessment of coronary stenoses. 2014 , 7, 35-42	30
1132	Coronary flow velocity reserve in three major coronary arteries by transthoracic echocardiography for the functional assessment of coronary artery disease: a comparison with fractional flow reserve. 2014 , 15, 399-408	20
1131	Real-time use of instantaneous wave-free ratio: results of the ADVISE in-practice: an international, multicenter evaluation of instantaneous wave-free ratio in clinical practice. 2014 , 168, 739-48	60
1130	Computed tomography assessment of hemodynamic significance of coronary artery disease: CT perfusion, contrast gradients by coronary CTA, and fractional flow reserve review. 2014 , 29, 163-72	10
1129	Nonangiographic assessment of coronary artery disease: a practical approach to optical coherence tomography and fractional flow reserve. 2014 , 25, 608-18	3
1128	Magnetic resonance stress imaging of myocardial perfusion and wall motion. 2014 , 29, 30-7	4
1127	Commentary: endovascular hemodynamic pressure wire assessment in lower extremities: has the time come?. 2014 , 21, 633-4	2
1126	End-diastolic fractional flow reserve: comparison with conventional full-cardiac cycle fractional flow reserve. 2014 , 7, 28-34	9
1125	ST elevation after intracoronary administration of Papaverine for fractional flow reserve estimation. 2014 , 66, 289-93	3
1124	Reply: fractional flow reserve: a good or a gold standard?. 2014 , 7, 228-229	2
1123	Impact of accuracy of fractional flow reserve to reduction of microvascular resistance after intracoronary adenosine in patients with angina pectoris or non-ST-segment elevation myocardial infarction. 2014 , 113, 1461-7	12
1122	The severity of coronary artery disease and reversible ischemia revealed by N-terminal pro-brain natriuretic peptide in patients with unstable angina and preserved left ventricular function. 2014 , 52, 143-8	2

1121	Outcomes of coronary stenoses deferred revascularization for borderline versus nonborderline fractional flow reserve values. 2014 , 113, 1788-93	21
1120	Functional diagnosis of coronary stenoses using pressure drop coefficient: a pilot study in humans. 2014 , 83, 377-85	13
1119	Expert consensus statement on the use of fractional flow reserve, intravascular ultrasound, and optical coherence tomography: a consensus statement of the Society of Cardiovascular Angiography and Interventions. 2014 , 83, 509-18	114
1118	Effect of porous media of the stenosed artery wall to the coronary physiological diagnostic parameter: a computational fluid dynamic analysis. 2014 , 233, 630-635	21
1117	Impact of type 2 diabetes mellitus and glucose control on fractional flow reserve measurements in intermediate grade coronary lesions. 2014 , 103, 191-201	23
1116	Monocyte-platelets aggregates as cellular biomarker of endothelium-dependent coronary vasomotor dysfunction in patients with coronary artery disease. 2014 , 7, 1-8	7
1115	Additional value of transluminal attenuation gradient in CT angiography to predict hemodynamic significance of coronary artery stenosis. 2014 , 7, 374-86	57
1114	Geometry-based pressure drop prediction in mildly diseased human coronary arteries. 2014 , 47, 1810-5	17
1113	Myocardial perfusion imaging with a cadmium zinc telluride-based gamma camera versus invasive fractional flow reserve. 2014 , 41, 956-62	29
1112	Percutaneous coronary intervention should be guided by fractional flow reserve measurement. 2014 , 129, 1860-70	25
1111	Adenosine: physiology, pharmacology, and clinical applications. 2014 , 7, 581-91	155
1110	Multicenter core laboratory comparison of the instantaneous wave-free ratio and resting Pd/Pa with fractional flow reserve: the RESOLVE study. 2014 , 63, 1253-1261	229
1109	Incremental value of coronary flow velocity reserve, measured by transthoracic echocardiography, compared with computed tomography angiography alone, for detecting flow-limiting coronary stenoses. 2014 , 27, 1230-7	4
1108	The dawn of perfusion CMR: taking over from FFR in suspected coronary artery disease?. 2014 , 7, 1106-7	
1107	Functional and morphological assessment of side branch after left main coronary artery bifurcation stenting with cross-over technique. 2014 , 83, 545-52	37
1106	Added value of hybrid myocardial perfusion SPECT and CT coronary angiography in the diagnosis of coronary artery disease. 2014 , 15, 1281-8	23
1105	The impact of age on fractional flow reserve-guided percutaneous coronary intervention: a FAME (Fractional Flow Reserve versus Angiography for Multivessel Evaluation) trial substudy. 2014 , 177, 66-70	38
1104	Impact of myocardial supply area on the transstenotic hemodynamics as determined by fractional flow reserve. 2014 , 84, 406-13	18

1103	Prognostic value of fractional flow reserve: linking physiologic severity to clinical outcomes. 2014 , 64, 1641-54	361
1102	What part of the FFR link don't we understand?. 2014 , 64, 1655-7	2
1101	Reconciling poststenotic pressure with hyperemic flow: comparing coronary flow reserve, instantaneous wave-free ratio, and fractional flow reserve. 2014 , 7, 432-4	3
1100	Relationship between fractional flow reserve and residual plaque volume and clinical outcomes after optimal drug-eluting stent implantation: insight from intravascular ultrasound volumetric analysis. 2014 , 176, 399-404	31
1099	2014 ACC/AHA Guideline on Perioperative Cardiovascular Evaluation and Management of Patients Undergoing Noncardiac Surgery: Executive Summary. 2014 , 64, 2373-2405	64
1098	2014 ESC/EACTS Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS) Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (APCI). 2014 , 35, 2511-618	3467
1097	Impact of anatomical and functional severity of coronary atherosclerotic plaques on the transmural perfusion gradient: a [15O]H ₂ O PET study. 2014 , 35, 2094-105	47
1096	Evolving concepts of angiogram: fractional flow reserve discordances in 4000 coronary stenoses. 2014 , 35, 2831-8	183
1095	Quantitative assessment of myocardial perfusion in the detection of significant coronary artery disease: cutoff values and diagnostic accuracy of quantitative [(15O)H ₂ O] PET imaging. 2014 , 64, 1464-75	165
1094	Noninvasive imaging in coronary artery disease. 2014 , 44, 398-409	23
1093	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines. 2014 , 64, e77-137	855
1092	Fractional flow reserve-guided PCI for stable coronary artery disease. <i>New England Journal of Medicine</i> , 2014 , 371, 1208-17	59.2 672
1091	Moving beyond coronary stenosis: has the time arrived to address important physiological questions not answered by fractional flow reserve alone?. 2014 , 7, 282-4	12
1090	Fractional flow reserve-guided percutaneous coronary intervention: does coronary pressure never lie?. 2014 , 16, 294	6
1089	Prevalence, location, and extent of significant coronary artery disease in patients with normal myocardial perfusion imaging. 2014 , 21, 284-90	12
1088	Fractional flow reserve or optical coherence tomography guidance to revascularize intermediate coronary stenosis using angioplasty (FORZA) trial: study protocol for a randomized controlled trial. 2014 , 15, 140	12
1087	Assessment of coronary blood flow in the cardiac catheterization laboratory. 2014 , 39, 159-84	1
1086	Advanced computed tomographic anatomical and morphometric plaque analysis for prediction of fractional flow reserve in intermediate coronary lesions. 2014 , 83, 135-41	9

1085	Lifetime cumulative exposure to waterpipe smoking is associated with coronary artery disease. 2014 , 234, 454-60	57
1084	Impact of coronary lesion complexity on drug-eluting stent outcomes in patients with and without diabetes mellitus: analysis from 18 pooled randomized trials. 2014 , 63, 2111-2118	64
1083	Fractional flow reserve for all coronary lesions with intermediate stenosis, a step towards optimal PCI – Single centre experience in India. 2014 , 4, 101-104	
1082	The role of intravascular ultrasound and quantitative angiography in the functional assessment of intermediate coronary lesions: correlation with fractional flow reserve. 2014 , 15, 3-7	16
1081	Canadian Cardiovascular Society guidelines for the diagnosis and management of stable ischemic heart disease. 2014 , 30, 837-49	97
1080	Periodontitis in patients with coronary artery disease: an 8-year follow-up. 2014 , 85, 417-25	8
1079	Fractional flow reserve-guided endovascular therapy for common iliac artery stenosis; a comparison with the exercise ankle brachial index: A case report. 2014 , 4, 208-210	1
1078	Does optical coherence tomography optimize results of stenting? Rationale and study design. 2014 , 168, 175-81.e1-2	16
1077	Rationale and design of J-ACCESS 4: prognostic impact of reducing myocardial ischemia identified using ECG-gated myocardial perfusion SPECT in Japanese patients with coronary artery disease. 2014 , 63, 159-64	11
1076	Evaluation of hemodynamically severe coronary stenosis as determined by fractional flow reserve with frequency domain optical coherence tomography measured anatomical parameters. 2014 , 64, 19-24	30
1075	Long-term outcome after deferral of revascularization in patients with intermediate coronary stenosis and gray-zone fractional flow reserve. 2015 , 79, 91-5	26
1074	Optimal intravascular ultrasound criteria for defining the functional significance of intermediate coronary stenosis: an international multicenter study. 2014 , 127, 256-62	22
1073	Cardiac magnetic resonance performs better in the detection of functionally significant coronary artery stenosis compared to single-photon emission computed tomography and dobutamine stress echocardiography. 2014 , 78, 2468-76	19
1072	The present and future of fractional flow reserve. 2014 , 78, 1048-54	21
1071	Diagnostic performance of a novel cadmium-zinc-telluride gamma camera system assessed using fractional flow reserve. 2014 , 78, 2727-34	23
1070	Evaluating intracranial atherosclerosis rather than intracranial stenosis. 2014 , 45, 645-51	67
1069	Role of fractional flow reserve in guiding intervention for borderline coronary lesions. 2014 , 2, 18-25	
1068	Coronary computed tomography angiography for the assessment of acute chest pain in the emergency department: evidence, guidelines, and tips for implementation. 2015 , 30, 169-75	13

1067	Usefulness and safety of intracoronary administration of nicorandil for evaluating fractional flow reserve in Japanese patients. 2015 , 38, 20-4	7
1066	Coronary functional tests in the catheterization laboratory - pathophysiological and clinical relevance. 2015 , 79, 676-84	6
1065	How can we predict reduced fractional flow reserve using coronary lesion characteristics?. 2015 , 79, 751-3	
1064	Microvascular resistance in response to iodinated contrast media in normal and functionally impaired kidneys. 2015 , 42, 1245-50	6
1063	Risk model for estimating the 1-year risk of deferred lesion intervention following deferred revascularization after fractional flow reserve assessment. 2015 , 36, 509-15	27
1062	Cost-effectiveness of fractional flow reserve-guided percutaneous coronary intervention. 2015 , 7, 389-394	
1061	Fractional flow reserve (FFR) versus angiography in guiding management to optimise outcomes in non-ST segment elevation myocardial infarction (FAMOUS-NSTEMI) developmental trial: cost-effectiveness using a mixed trial- and model-based methods. 2015 , 13, 19	10
1060	Stop invasive coronary angiography as the gold standard for the diagnosis of stable angina!. 2015 , 7, 415-418	4
1059	The Diagnostic Performance of Multifunction Cardiogram (MCG) in Functional Myocardial Ischemia. 2015 , 20, 508-10	2
1058	Use of fractional flow reserve in different anatomical subsets. 2015 , 26 Suppl 1, e2-7	2
1057	Influence of microvascular resistance on fractional flow reserve after successful percutaneous coronary intervention. 2015 , 85, 585-92	13
1056	Noninvasive mathematical analysis of spectral electrocardiographic components for coronary lesions of intermediate to obstructive stenosis severity-relationship with classic and functional SYNTAX score. 2015 , 86, 21-9	1
1055	Importance of guiding catheter disengagement during measurement of fractional flow reserve in patients with an isolated proximal left anterior descending artery stenosis. 2015 , 85, 595-601	13
1054	Predictive value of endothelial function by noninvasive peripheral arterial tonometry for coronary artery disease. 2015 , 26, 231-8	26
1053	Physiological assessment of coronary lesion severity: fractional flow reserve versus nonhyperaemic indices. 2015 , 26 Suppl 1, e8-14	2
1052	Current developments and future applications of intracoronary hemodynamics. 2015 , 26, 448-58	1
1051	The Potential Safety of Deferring Percutaneous Coronary Intervention Based on Fractional Flow Reserve in The Ischemia-Induced Intermediate Lesions Defined by Intravascular Ultrasound. 2015 , 03,	
1050	Three dimensional quantitative coronary angiography can detect reliably ischemic coronary lesions based on fractional flow reserve. 2015 , 30, 716-24	12

1049	Comprehensive assessment of coronary fractional flow reserve. 2015 , 11, 483-93	1
1048	A Case of Successful Percutaneous Coronary Intervention by Fractional Flow Reserve and 13N-Ammonia Positron Emission Tomography. 2015 , 4, 39	
1047	Fractional flow reserve-guided percutaneous coronary intervention: where to after FAME 2?. 2015 , 11, 613-22	5
1046	May Distal Coronary Pressure Measurement taken from Anastomosed Radial Artery Grafts Predict Early-Term Graft Patency?. 2015 , 03,	
1045	Clinical and Angiographic Predictors of Microvascular Dysfunction in ST-Segment Elevation Myocardial Infarction. 2015 , 56, 1235-43	7
1044	Integrative Cardiac Reserve. 2015 , 1, 162-169	2
1043	The Value of Pre- and Post-Stenting Fractional Flow Reserve for Predicting Mid-Term Stent Restenosis Following Percutaneous Coronary Intervention (PCI). 2015 , 8, 240-44	4
1042	Noninvasive physiologic assessment of coronary stenoses using cardiac CT. 2015 , 2015, 435737	7
1041	Microvascular angina: angina that predominantly affects women. 2015 , 30, 140-7	8
1040	Sudden Death Due to Atherosclerotic Coronary Artery Disease: A Review of Commonly Accepted Practices. 2015 , 5, 2-9	3
1039	How changes to the Medicare Benefits Schedule could improve the practice of cardiology and save taxpayer money. 2015 , 203, 256-8.e1	4
1038	Clinical Relevance of Coronary Fractional Flow Reserve: Art-of-state. 2015 , 128, 1399-406	7
1037	Coronary CT Angiography and the Napkin-ring Sign Indicates High-Risk Atherosclerotic Lesions. 2015 ,	
1036	Fractional Flow Reserve Guided Percutaneous Coronary Intervention Improves Clinical Outcome with Reduced Cost in Contemporary Clinical Practice. 2015 , 128, 2000-5	4
1035	Fractional flow reserve-guided management in stable coronary disease and acute myocardial infarction: recent developments. 2015 , 36, 3155-64	45
1034	Coronary Angiography. 2015 , 69-144	
1033	Comparison of intracoronary versus intravenous administration of adenosine for measurement of coronary fractional flow reserve. 2015 , 8,	38
1032	Change in coronary blood flow after percutaneous coronary intervention in relation to baseline lesion physiology: results of the JUSTIFY-PCI study. 2015 , 8, e001715	27

1031	Computational and Experimental Biomedical Sciences: Methods and Applications. 2015,	1
1030	Evaluation of left ventricular function by three-dimensional speckle-tracking echocardiography in patients with myocardial bridging of the left anterior descending coronary artery. 2015, 28, 674-82	12
1029	Fractional flow reserve modeled from resting coronary CT angiography: state of the science. 2015, 204, W243-8	9
1028	Long-Term Clinical Outcomes of Fractional Flow Reserve-Guided Versus Routine Drug-Eluting Stent Implantation in Patients With Intermediate Coronary Stenosis: Five-Year Clinical Outcomes of DEFER-DES Trial. 2015, 8, e002442	20
1027	Association of Lower Fractional Flow Reserve Values With Higher Risk of Adverse Cardiac Events for Lesions Deferred Revascularization Among Patients With Acute Coronary Syndrome. 2015, 4, e002172	32
1026	Diagnostic and Prognostic Implications of Coronary Flow Capacity: A Comprehensive Cross-Modality Physiological Concept in Ischemic Heart Disease. 2015, 8, 1670-80	59
1025	Noninvasive hemodynamic assessment using coronary computed tomography angiography: the present and future. 2015, 7, 77-88	1
1024	Physiological assessment of coronary stenosis: a view from the coronary microcirculation. 2015, 7, 403-416	3
1023	Fractional flow reserve: conundrums, controversies and challenges. 2015, 7, 543-552	3
1022	Utility of Coronary CT Angiography in the Assessment of Acute Chest Pain in the Emergency Department: Current Perspectives. 2015, 3, 1	
1021	Guía de práctica clínica de la ESC sobre revascularización miocárdica, 2014. 2015, 68, 144.e1-144.e95	1
1020	Seven-year clinical outcomes of patients with moderate coronary artery stenosis after deferral of revascularization based on gray-zone fractional flow reserve. 2015, 30, 209-15	15
1019	Severity of morphological lesion complexity affects fractional flow reserve in intermediate coronary stenosis. 2015, 66, 239-45	14
1018	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines. Developed in collaboration with the American College of Surgeons, American Society of Anesthesiologists, American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Rhythm Society, Society for Cardiovascular Angiography and Intervention. 2015, 22, 102-215	123
1017	Invasive coronary physiology for assessing intermediate lesions. 2015, 8, e001942	20
1016	Meta-analysis of deferral versus performance of coronary intervention based on coronary pressure-derived fractional flow reserve. 2015, 115, 385-91	11
1015	Diagnostic accuracy of stress myocardial perfusion imaging compared to invasive coronary angiography with fractional flow reserve meta-analysis. 2015, 8,	211
1014	Diagnosis of functionally significant coronary stenosis with exercise CT myocardial perfusion imaging. 2015, 274, 684-92	2

1013	Fractional flow reserve computed from noninvasive CT angiography data: diagnostic performance of an on-site clinician-operated computational fluid dynamics algorithm. 2015 , 274, 674-83	173
1012	Cardiac MR perfusion imaging: where we are. 2015 , 120, 190-205	5
1011	Comparison of instantaneous wave-free ratio (iFR) and fractional flow reserve (FFR)--first real world experience. 2015 , 199, 1-7	33
1010	The haemodynamic effects of collateral donation to a chronic total occlusion: Implications for patient management. 2015 , 198, 159-66	6
1009	Myocardial perfusion analysis in cardiac computed tomography angiographic images at rest. 2015 , 24, 77-89	33
1008	How to differentiate the etiology of LV dysfunction as to whether it is "ischemic cardiomyopathy" or "dilated non-ischemic cardiomyopathy"? Invasive coronary and myocardial assessment is the approach of first choice. 2015 , 22, 953-6	1
1007	Molecular and Multimodality Imaging in Cardiovascular Disease. 2015 ,	
1006	What is ischemia and how should this be defined based on modern imaging?. 2015 , 57, 537-54	5
1005	Fractional Flow Reserve. 2015 , 107-120	1
1004	Interventional Cardiology Imaging. 2015 ,	
1003	Fractional flow-guided management in patients with acute coronary syndromes: A systematic review and meta-analysis. 2015 , 187, 334-7	5
1002	Correlation between optical coherence tomography-derived intraluminal parameters and fractional flow reserve measurements in intermediate grade coronary lesions: a comparison between diabetic and non-diabetic patients. 2015 , 104, 59-70	23
1001	Comparison of the Diagnostic Accuracy of PET and SPECT for Coronary Artery Disease. 2015 , 8, 1	1
1000	Incremental Value of Hybrid PET/CT in Patients with Coronary Artery Disease. 2015 , 8, 1	1
999	Randomized Comparison of FFR-Guided and Angiography-Guided Provisional Stenting of True Coronary Bifurcation Lesions: The DKCRUSH-VI Trial (Double Kissing Crush Versus Provisional Stenting Technique for Treatment of Coronary Bifurcation Lesions VI). 2015 , 8, 536-46	57
998	Angiographic characteristics of intermediate stenosis of the left anterior descending artery for determination of lesion significance as identified by fractional flow reserve. 2015 , 115, 1475-80	16
997	Multi-dimensional flow-preserving compressed sensing (MuFloCoS) for time-resolved velocity-encoded phase contrast MRI. 2015 , 34, 400-14	13
996	Relative flow reserve derived from quantitative perfusion imaging may not outperform stress myocardial blood flow for identification of hemodynamically significant coronary artery disease. 2015 , 8,	50

995	One-Dimensional Modelling of the Coronary Circulation. Application to Noninvasive Quantification of Fractional Flow Reserve (FFR). 2015 , 137-155	8
994	Left main coronary artery disease: importance, diagnosis, assessment, and management. 2015 , 40, 93-126	16
993	Value of FFR in clinical practice. 2015 , 67, 77-80	3
992	Multicenter evaluation of dynamic three-dimensional magnetic resonance myocardial perfusion imaging for the detection of coronary artery disease defined by fractional flow reserve. 2015 , 8,	43
991	Role of coronary physiology in the contemporary management of coronary artery disease. 2015 , 3, 148-55	2
990	Clinical usefulness of nonhyperemic baseline Pd/Pa as a hybrid baseline Pd/Pa-fractional flow reserve strategy. 2015 , 26, 49-55	8
989	Coronary fractional flow reserve. 2015 , 204, W261-5	8
988	A novel coronary angiography index (DILEMMA score) for prediction of functionally significant coronary artery stenoses assessed by fractional flow reserve: A novel coronary angiography index. 2015 , 169, 564-71.e4	16
987	Comparing stress testing and fractional flow reserve to evaluate presence, location and extent of ischemia in coronary artery disease. 2015 , 67, 50-5	1
986	Dynamic CT perfusion measurement in a cardiac phantom. 2015 , 31, 1451-9	12
985	Pooled comparison of regadenoson versus adenosine for measuring fractional flow reserve and coronary flow in the catheterization laboratory. 2015 , 16, 266-71	12
984	Intracoronary Adenosine for Maximal Hyperemia: Less Is More—More or Less?. 2015 , 8, 1431-1432	1
983	Intracoronary Adenosine: Dose-Response Relationship With Hyperemia. 2015 , 8, 1422-1430	81
982	Landmark Fractional Flow Reserve Trials. 2015 , 4, 435-441	1
981	Can Resting Indices Obviate the Need for Hyperemia and Promote the Routine Use of Physiologically Guided Revascularization?. 2015 , 4, 459-469	1
980	Noninvasive Fractional Flow Reserve Derived from Coronary Computed Tomography Angiography for the Diagnosis of Lesion-specific Ischemia. 2015 , 4, 481-489	
979	Computed tomography: The optimal imaging method for differentiation of ischemic vs non-ischemic cardiomyopathy. 2015 , 22, 961-7	1
978	Presence of Ischemia by FFR Without Significant Anatomic Stenosis Is Likely due to Concomitant Diffuse Disease and Not due to Impaired Vasodilation From Pharmacological Stress. 2015 , 8, 1232-1233	1

977	A novel CT-FFR method for the coronary artery based on 4D-CT image analysis and structural and fluid analysis. 2015,	5
976	Revascularization options in stable coronary artery disease: it is not how to revascularize, it is whether and when to revascularize. 2015, 4, 505-14	1
975	Effect of postprandial hyperglycaemia on coronary flow reserve in patients with impaired glucose tolerance and type 2 diabetes mellitus. 2015, 12, 405-10	2
974	Influence of plaque characteristics on fractional flow reserve for coronary lesions with intermediate to obstructive stenosis: insights from integrated-backscatter intravascular ultrasound analysis. 2015, 31, 1295-301	6
973	Coronary artery disease in the military patient. 2015, 161, 211-22	5
972	A Full 3D CFD Model Coupled with an Outflow Lumped Boundary and Inflow Total Pressure Formulation to Estimate Human Cardiac Perfusion. 2015, 1695-1698	
971	Fractional flow reserve, maximum hyperemia, adenosine, and regadenoson. 2015, 16, 263-5	10
970	Impact of geometric uncertainty on hemodynamic simulations using machine learning. 2015, 297, 167-190	32
969	Physiologic severity of diffuse coronary artery disease: hidden high risk. 2015, 131, 4-6	16
968	Coronary CT angiography-derived fractional flow reserve correlated with invasive fractional flow reserve measurements--initial experience with a novel physician-driven algorithm. 2015, 25, 1201-7	54
967	Noninvasive fractional flow on MRA predicts stroke risk of intracranial stenosis. 2015, 25, 87-91	43
966	Invasive assessment modalities of unprotected left main stenosis. 2015, 27, 109-17	6
965	Fractional flow reserve vs. angiography in guiding management to optimize outcomes in non-ST-segment elevation myocardial infarction: the British Heart Foundation FAMOUS-NSTEMI randomized trial. 2015, 36, 100-11	174
964	Fast and accurate pressure-drop prediction in straightened atherosclerotic coronary arteries. 2015, 43, 59-67	11
963	Potential influence of invisible coronary collateral circulation on fractional flow reserve of donor artery in the presence of severe stenosis of receiving artery. 2015, 30, 266-9	1
962	Feasibility and safety of intracoronary nicorandil infusion as a novel hyperemic agent for fractional flow reserve measurements. 2015, 30, 477-83	19
961	Diagnostic performance of non-invasive fractional flow reserve derived from coronary computed tomography angiography: current perspectives. 2016, 1	
960	Measuring Procedure and Maximal Hyperemia in the Assessment of Fractional Flow Reserve for Superficial Femoral Artery Disease. 2016, 23, 56-66	7

959	The fractional flow reserve gray zone has never been so narrow. 2016 , 8, E1537-E1539	1
958	Flow-Based Functional Assessment of Coronary Artery Disease by Myocardial Perfusion Positron Emission Tomography in the Era of Fractional Flow Reserve. 2016 , 2, 99-105	2
957	Physiologic Assessment of Coronary Artery Disease: Focus on Fractional Flow Reserve. 2016 , 17, 307-20	7
956	Three-dimensional modeling and numerical analysis of fractional flow reserve in human coronary arteries. 2016 , 12, 25-31	6
955	Influence of segmented vessel size due to limited imaging resolution on coronary hyperemic flow prediction from arterial crown volume. 2016 , 310, H839-46	3
954	Novel Approaches for the Use of Cardiac/Coronary Computed Tomography Angiography. 2016 , 2, 111-123	1
953	Shedding light on the gray zone. 2016 , 8, 1421-4	2
952	Fractional Flow Reserve Assessment of Coronary Artery Stenosis. 2016 , 11, 77-82	4
951	Clinical Outcomes in Patients with Deferred Coronary Lesions according to Disease Severity Assessed by Fractional Flow Reserve. 2016 , 31, 1929-1936	1
950	Diagnostic Performance of Intravascular Ultrasound-Derived Minimal Lumen Area to Predict Functionally Significant Non-Left Main Coronary Artery Disease: a Meta-Analysis. 2016 , 46, 622-631	9
949	Fractional Flow Reserve-guided Percutaneous Coronary Intervention: Standing the Test of Time. 2016 , 1, 225-232	
948	A machine-learning approach for computation of fractional flow reserve from coronary computed tomography. 2016 , 121, 42-52	192
947	Severity assessment of intracranial large artery stenosis by pressure gradient measurements: A feasibility study. 2016 , 88, 255-61	17
946	New Invasive Assessment Measures of Coronary Artery Disease Severity. 2016 , 24, 131-5	
945	Comparison of standard- and high-dose intracoronary adenosine for the measurement of coronary fractional flow reserve (FFR). 2016 , 105, 1003-1010	12
944	Interventional cardiology, where real life and science do not necessarily meet. 2016 , 37, 2014-9	7
943	The use of the acute Pd/Pa drop after intracoronary nitroglycerin infusion to rule out significant FFR: CANICA (Can intracoronary nitroglycerin predict fractional flow reserve without adenosine?) multicenter study. 2016 , 87, 262-9	8
942	Effect of Varying Hemodynamic and Vascular Conditions on Fractional Flow Reserve: An In Vitro Study. 2016 , 5,	14

941	Enhanced diagnostic utility achieved by myocardial blood analysis: A meta-analysis of noninvasive cardiac imaging in the detection of functional coronary artery disease. 2016 , 221, 665-73	19
940	REvascularization with paclitaxEL-coated balloon angioplasty versus drug-eluting stenting in acute myocardial infarction-A randomized controlled trial: Rationale and design of the REVELATION trial. 2016 , 87, 1213-21	9
939	Contemporary assessment of coronary hemodynamics in the catheter laboratory. 2016 , 12, 601-604	
938	Physiologic Assessment in the Cardiac Catheterization Laboratory. 2016 , 59-70	1
937	Prevalence and Clinical Significance of Discordant Changes in Fractional and Coronary Flow Reserve After Elective Percutaneous Coronary Intervention. 2016 , 5,	17
936	New MEMS Pressure Sensor Element and Concept for Coronary Catheter. 2016 , 168, 76-79	2
935	Coronary CT Angiography-Derived Fractional Flow Reserve. 2016 , 4, 1	1
934	Fractional flow reserve to guide and to assess coronary artery bypass grafting. 2017 , 38, 1959-1968	15
933	Coronary hemodynamics. 2016 , 277-287	
932	Fractional flow reserve. 2016 , 288-297	
931	Atlas of FFR-Guided Percutaneous Coronary Interventions. 2016 ,	1
930	Perfusion cardiovascular magnetic resonance and fractional flow reserve in patients with angiographic multi-vessel coronary artery disease. 2016 , 18, 44	14
929	The present day potential role of fractional flow reserve-guided coronary artery bypass graft surgery. 2016 , 151, 926-32	6
928	Does Physiology Trump Anatomy as the "Best Course" to Guide PCI Decision Making and Outcomes?. 2016 , 67, 1712-4	2
927	FFR and iFR guided percutaneous coronary intervention. 2016 , 31, 183-95	13
926	Can We Just Rely on Contrast?. 2016 , 32, 717-9	
925	Resting multilayer 2D speckle-tracking transthoracic echocardiography for the detection of clinically stable myocardial ischemic segments confirmed by invasive fractional flow reserve. Part 1: Vessel-by-vessel analysis. 2016 , 218, 324-332	13
924	Ultrasonic Transducer-Guided Electrochemical Impedance Spectroscopy to Assess Lipid-Laden Plaques. 2016 , 235, 154-161	6

923	Diagnostic Performance and Clinical Utility of Myocardial Perfusion MRI for Coronary Artery Disease with Fractional Flow Reserve as the Standard Reference: A Meta-analysis. 2016 , 25, 1031-8	6
922	Efficacy of combined administration of intracoronary papaverine plus intravenous adenosine 5'-triphosphate in assessment of fractional flow reserve. 2016 , 68, 512-516	11
921	Comprehensive assessment of microcirculation after primary percutaneous intervention in ST-segment elevation myocardial infarction: insight from thermodilution-derived index of microcirculatory resistance and coronary flow reserve. 2016 , 27, 34-9	16
920	The diagnosis of intermediate coronary artery stenosis by myocardial perfusion imaging using an ultrafast cardiac gamma camera: Comparison with fractional flow reserve. 2016 , 210, 66-7	1
919	Better Diagnosis of Functionally Significant Intermediate Sized Narrowings Using Intravascular Ultrasound-Minimal Lumen Area and Coronary Computed Tomographic Angiography-Based Myocardial Segmentation. 2016 , 117, 1282-8	14
918	Determining the haemodynamic significance of arterial stenosis: the relationship between CT angiography, computational fluid dynamics, and non-invasive fractional flow reserve. 2016 , 71, 750-7	7
917	The influence of artery wall curvature on the anatomical assessment of stenosis severity derived from fractional flow reserve: a computational fluid dynamics study. 2016 , 19, 1541-9	11
916	Revascularization for Silent Myocardial Ischemia. 2016 , 111-124	
915	Coronary Artery Bypass Grafting Following Stent Restenosis. 2016 , 689-701	
914	"Just Puff": The Continued Quest to Simplify Physiological Lesion Assessment. 2016 , 9, 768-770	
913	Fractional flow reserve based on computed tomography: an overview. 2016 , 18, E49-E56	8
912	Diagnostic performance of cardiac imaging methods to diagnose ischaemia-causing coronary artery disease when directly compared with fractional flow reserve as a reference standard: a meta-analysis. 2017 , 38, 991-998	134
911	The impact of left ventricular ejection fraction on fractional flow reserve: Insights from the FAME (Fractional flow reserve versus Angiography for Multivessel Evaluation) trial. 2016 , 204, 206-10	13
910	Continuum of Vasodilator Stress From Rest to Contrast Medium to Adenosine Hyperemia for Fractional Flow Reserve Assessment. 2016 , 9, 757-767	96
909	Resting Indices of Coronary Lesion Severity: Not Always as Simple as It Seems. 2016 , 9, e003747	3
908	Integrated Myocardial Perfusion Imaging Diagnostics Improve Detection of Functionally Significant Coronary Artery Stenosis by ¹³ N-ammonia Positron Emission Tomography. 2016 , 9,	58
907	Fractional flow reserve in France: Free access at last?. 2016 , 109, 514-516	
906	Concordance between myocardial perfusion scan assessed by SPECT and fractional flow reserve findings for detection of significant ischemia. 2016 , 68, 193-195	2

905	Pulling the RIPCORD: FFR to Improve Interpretation of Coronary CT Angiography. 2016 , 9, 1195-1197	2
904	Comparison of fractional flow reserve measurements using intracoronary adenosine versus intracoronary sodium nitroprusside infusions in moderately stenotic coronary artery lesions. 2016 , 17, 441-443	1
903	Determination of best post-systolic shortening parameters on resting TTE for detection of left ventricular ischemic segments quantitatively confirmed by invasive fractional flow reserve. 2016 , 222, 27-30	2
902	Heart transplant coronary artery disease: Multimodality approach in percutaneous intervention. 2016 , 35, 377.e1-5	4
901	Differentiation of infarcted, ischemic, and non-ischemic LV myocardium using post-systolic strain index assessed by resting two-dimensional speckle tracking transthoracic echocardiography. 2016 , 219, 308-11	3
900	Novel three dimensional myocardial strain parameter thresholds on resting transthoracic echocardiography for detection of left ventricular ischemic segments determined by invasive fractional flow reserve. 2016 , 220, 871-5	2
899	[Measurement of fractional flow reserve in patients with severe aortic stenosis: A valid test?]. 2016 , 65, 366-369	
898	Noninvasive assessment of myocardial bridging by coronary flow velocity reserve with transthoracic Doppler echocardiography: vasodilator vs. inotropic stimulation. 2016 , 225, 37-45	6
897	Non-invasive assessment of the haemodynamic significance of coronary stenosis using fusion of cardiac computed tomography and 3D echocardiography. 2017 , 18, 670-680	17
896	Standardization of Fractional Flow Reserve Measurements. 2016 , 68, 742-53	106
895	The influence of downstream branching arteries on upstream haemodynamics. 2016 , 49, 3090-3096	8
894	Fractional Flow Reserve and Coronary Computed Tomographic Angiography: A Review and Critical Analysis. 2016 , 119, 300-16	23
893	FFR prediction model based on conventional quantitative coronary angiography and the amount of myocardium subtended by an intermediate coronary artery stenosis. 2016 , 223, 340-344	7
892	Diminished Signal Intensities Distal to Intracranial Arterial Stenosis on Time-of-Flight MR Angiography Might Indicate Delayed Cerebral Perfusion. 2016 , 42, 232-9	11
891	Fractional Flow Reserve, Coronary Pressure Wires, and Drift. 2016 , 80, 1704-6	14
890	A Prospective Natural History Study of Coronary Atherosclerosis Using Fractional Flow Reserve. 2016 , 68, 2247-2255	73
889	Impact of Pressure Signal Drift on Fractional Flow Reserve-Based Decision-Making for Patients With Intermediate Coronary Artery Stenosis. 2016 , 80, 1812-9	14
888	Impact of Age on the Functional Significance of Intermediate Epicardial Artery Disease. 2016 , 80, 1583-9	12

887	Ability of Fractional Flow Reserve to Predict Restenosis After Superficial Femoral Artery Stenting. 2016 , 23, 896-902	5
886	Watertight modeling and segmentation of bifurcated Coronary arteries for blood flow simulation using CT imaging. 2016 , 53, 43-53	2
885	Impact of functional focal versus diffuse coronary artery disease on bypass graft patency. 2016 , 222, 16-21	18
884	The Virtual Physiological Human: Ten Years After. 2016 , 18, 103-23	37
883	Prognostic Determinants of Coronary Atherosclerosis in Stable Ischemic Heart Disease: Anatomy, Physiology, or Morphology?. 2016 , 119, 317-29	24
882	Impact of Routine Fractional Flow Reserve Evaluation During Coronary Angiography on Management Strategy and Clinical Outcome: One-Year Results of the POST-IT. 2016 , 9,	27
881	Impact of lesion characteristics on the prediction of optimal poststent fractional flow reserve. 2016 , 182, 119-124	6
880	Heart transplant coronary artery disease: Multimodality approach in percutaneous intervention. 2016 , 35, 377.e1-377.e5	
879	The Influence of Lesion Location on the Diagnostic Accuracy of Adenosine-Free Coronary Pressure Wire Measurements. 2016 , 9, 2390-2399	54
878	Diagnostic performance of noninvasive fractional flow reserve derived from coronary computed tomography angiography in ischemia-causing coronary stenosis: a meta-analysis. 2016 , 34, 795-808	5
877	Comparing the adverse clinical outcomes associated with fraction flow reserve-guided versus angiography-guided percutaneous coronary intervention: a systematic review and meta-analysis of randomized controlled trials. 2016 , 16, 249	4
876	Current and Future Applications of Coronary CT Angiography with and Without FFR in the Emergency Room. 2016 , 9, 1	
875	Angiographic underestimation of disease severity in the left anterior descending artery: a fractional flow reserve analysis. 2016 , 27, 556-60	2
874	Normal stress-only myocardial single photon emission computed tomography predicts good outcome in patients with coronary artery stenoses between 40 and 70. 2016 , 37, 899-903	2
873	Prognostic role of multiple biomarkers in stable patients undergoing fractional flow reserve-guided coronary angioplasty. 2016 , 17, 687-93	0
872	Fraktionelle Flussreserve in der Diagnostik der koronaren Herzerkrankung. 2016 , 10, 88-105	1
871	Invasive FFR and Noninvasive CFR in the Evaluation of Ischemia: What Is the Future?. 2016 , 67, 2772-2788	55
870	Fractional Flow Reserve in Serial Coronary Artery Stenoses. 2016 , 1, 359-60	7

869	Long-term outcome of intravascular ultrasound application in patients with moderate coronary lesions and grey-zone fractional flow reserve. 2016 , 27, 221-6	6
868	The Impact of Left Ventricular Mass on Diastolic Blood Pressure Targets for Patients With Coronary Artery Disease. 2016 , 29, 1085-93	8
867	Resting multilayer 2D speckle-tracking TTE for detection of ischemic segments confirmed by invasive FFR part-2, using post-systolic-strain-index and time from aortic-valve-closure to regional peak longitudinal-strain. 2016 , 217, 149-55	7
866	Comparison Between Non-invasive (Coronary Computed Tomography Angiography Derived) and Invasive-Fractional Flow Reserve in Patients with Serial Stenoses Within One Coronary Artery: A NXT Trial substudy. 2016 , 44, 580-9	17
865	Technical Aspects of CCTA. 2016 , 4, 1	
864	Mathematically Derived Criteria for Detecting Functionally Significant Stenoses Using Coronary Computed Tomographic Angiography-Based Myocardial Segmentation and Intravascular Ultrasound-Measured Minimal Lumen Area. 2016 , 118, 170-6	15
863	Segmental assessments of coronary plaque morphology and composition by virtual histology intravascular ultrasound and fractional flow reserve. 2016 , 32, 373-80	3
862	Fractional flow reserve-guided percutaneous coronary intervention for an intermediate stenosis complicated by a coronary-to-pulmonary artery fistula. 2016 , 31, 816-8	4
861	Significance of Intermediate Values of Fractional Flow Reserve in Patients With Coronary Artery Disease. 2016 , 133, 502-8	87
860	Developments in surgical revascularization to achieve improved morbidity and mortality. 2016 , 14, 367-79	2
859	Distinction of non-ischemia inducing versus ischemia inducing coronary stenosis by fluorescent cardiac imaging. 2016 , 32, 363-371	6
858	Clinical Application of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention for Stable Coronary Artery Disease. 2016 , 18, 32	0
857	Impact of Right Atrial Pressure on Fractional Flow Reserve Measurements: Comparison of Fractional Flow Reserve and Myocardial Fractional Flow Reserve in 1,600 Coronary Stenoses. 2016 , 9, 453-9	36
856	Almanac 2015: coronary artery disease. 2016 , 102, 492-9	7
855	Functional Versus Anatomic Imaging of CAD: Lessons Learned from Recent Clinical Trials. 2016 , 18, 4	4
854	Cardiac CT Imaging of Plaque Vulnerability: Hype or Hope?. 2016 , 18, 37	4
853	New horizons in cardiac CT. 2016 , 71, 758-67	26
852	Functional and anatomical measures for outflow boundary conditions in atherosclerotic coronary bifurcations. 2016 , 49, 2127-2134	12

851	Coronary CT angiography derived fractional flow reserve: Methodology and evaluation of a point of care algorithm. 2016 , 10, 105-13	38
850	Perfusion dyssynchrony analysis. 2016 , 17, 1414-1423	6
849	Software-based on-site estimation of fractional flow reserve using standard coronary CT angiography data. 2016 , 57, 1186-92	34
848	Comparison of Ticagrelor Versus Thienopyridine Loading Effect on Fractional Flow Reserve in Patients With Coronary Artery Disease. 2016 , 117, 22-8	2
847	Comparison of Fractional Flow Reserve Based on Computational Fluid Dynamics Modeling Using Coronary Angiographic Vessel Morphology Versus Invasively Measured Fractional Flow Reserve. 2016 , 117, 29-35	46
846	Myocardial Fractional Flow Reserve Measurement Using Contrast Media as a First-Line Assessment of Coronary Lesions in Current Practice. 2016 , 32, 739-46	14
845	Radionuclide Tracers for Myocardial Perfusion Imaging and Blood Flow Quantification. 2016 , 34, 37-46	12
844	Differences between automatically detected and steady-state fractional flow reserve. 2016 , 105, 127-34	7
843	Imaging of atherosclerosis. 2016 , 32, 5-12	14
842	Accuracy and usefulness of noninvasive fractional flow reserve from computed tomographic coronary angiography: comparison with myocardial perfusion imaging, echocardiographic coronary flow reserve, and invasive fractional flow reserve. 2017 , 32, 66-71	1
841	Lesion characteristics of coronary arteries associated with a mismatch between angiographic severity of stenosis and fractional flow reserve. 2017 , 32, 120-126	8
840	Impact of additional intracoronary nicorandil administration during fractional flow reserve measurement with intravenous adenosine 5'-triphosphate infusion. 2017 , 69, 119-124	8
839	[Fractional flow reserve and instantaneous wave-free ratio for the physiological assessment of coronary artery stenosis in the catheterization laboratory: Practical tips]. 2017 , 66, 32-41	1
838	The value of local normal limits in quantitative Thallium-201 CZT MPI SPECT. 2017 , 24, 672-682	2
837	Comprehensive Modeling and Visualization of Cardiac Anatomy and Physiology from CT Imaging and Computer Simulations. 2017 , 23, 1014-1028	8
836	Clinical PET Flow Reserve Imaging: Is There Precision to Treat Patients or Populations?. 2017 , 10, 578-581	2
835	Clinical Outcomes of patients with coronary artery disease who underwent FFR evaluation of intermediate coronary lesionS- COFFRS study. 2017 , 69, 499-504	3
834	Outcome of coronary lesions with deferred revascularization due to negative fractional flow reserve in subjects with acute coronary syndrome. 2017 , 230, 335-338	8

833	Design and rationale of the COMPARE-ACUTE trial: Fractional flow reserve-guided primary multivessel percutaneous coronary intervention to improve guideline indexed actual standard of care for treatment of ST-elevation myocardial infarction in patients with multivessel coronary disease. 2017 , 186, 21-28	9
832	Fractional flow reserve and resting indices for coronary physiologic assessment: Practical guide, tips, and tricks. 2017 , 90, 598-611	3
831	Integrating CT Myocardial Perfusion and CT-FFR in the Work-Up of Coronary Artery Disease. 2017 , 10, 760-770	89
830	Classification of hemodynamically significant stenoses from dynamic CT perfusion and CTA myocardial territories. 2017 , 44, 1347-1358	2
829	Assessing MICRO-vascular resistances via IMR to predict outcome in STEMI patients with multivessel disease undergoing primary PCI (AMICRO): Rationale and design of a prospective multicenter clinical trial. 2017 , 187, 37-44	0
828	Response by Meneveau and Ecarnot to Letter Regarding Article, "Optical Coherence Tomography to Optimize Results of Percutaneous Coronary Intervention in Patients With Non-ST-Elevation Acute Coronary Syndrome: Results of the Multicenter, Randomized DOCTORS Study (Does Optical	4
827	Letter by Nadir Regarding Article, "Optical Coherence Tomography to Optimize Results of Percutaneous Coronary Intervention in Patients With Non-ST-Elevation Acute Coronary Syndrome: Results of the Multicenter, Randomized DOCTORS Study (Does Optical Coherence Tomography Optimize Results of Stenting)". 2017 , 135, e138-e139	
826	Intracoronary pressure measurement differences between anterior and posterior coronary territories. 2017 , 42, 395-402	9
825	The effect of negative remodeling on fractional flow reserve after cardiac transplantation. 2017 , 241, 283-287	2
824	Cardiac Imaging in the Diagnosis of Coronary Artery Disease. 2017 , 42, 316-366	23
823	Discordance Between Fractional Flow Reserve and Coronary Flow Reserve: Insights From Intracoronary Imaging and Physiological Assessment. 2017 , 10, 999-1007	20
822	Physiome approach for the analysis of vascular flow reserve in the heart and brain. 2017 , 469, 613-628	4
821	Detection of Hemodynamically Significant Coronary Artery Stenosis With CT Enhancement Ratio: A Validation Study in a Porcine Model. 2017 , 209, 103-109	2
820	Functional Cardiac CT Angiography. 2017 , 777-803	
819	Fractional flow reserve and pressure-bounded coronary flow reserve to predict outcomes in coronary artery disease. 2017 , 38, 1980-1989	16
818	Physiology of Angina and Its Alleviation With Nitroglycerin: Insights From Invasive Catheter Laboratory Measurements During Exercise. 2017 , 136, 24-34	13
817	Der invasive Ischämienachweis â€“ Fraktionelle Flussreserve (FFR) und Instantaneous Wave Free Ratio (iFR). 2017 , 40, 24-29	
816	Design and Applications of Nanoparticles in Biomedical Imaging. 2017 ,	9

815	Diagnostic Performance of a Novel Method for Fractional Flow Reserve Computed from Noninvasive Computed Tomography Angiography (NOVEL-FLOW Study). 2017 , 120, 362-368	16
814	Additive value of nicorandil on ATP for further inducing hyperemia in patients with an intermediate coronary artery stenosis. 2017 , 28, 104-109	5
813	Fractional flow reserve: a clinical perspective. 2017 , 33, 961-974	12
812	Competitive flow in coronary bypass surgery: The roles of fractional flow reserve and arterial graft configuration. 2017 , 154, 1570-1575	6
811	Significance of Microvascular Function in Visual-Functional Mismatch Between Invasive Coronary Angiography and Fractional Flow Reserve. 2017 , 6,	16
810	Diagnostic accuracy of a hybrid approach of instantaneous wave-free ratio and fractional flow reserve using high-dose intracoronary adenosine to characterize intermediate coronary lesions: Results of the PALS (Practical Assessment of Lesion Severity) prospective study. 2017 , 90, 1070-1076	6
809	A Test in Context: Fractional Flow Reserve: Accuracy, Prognostic Implications, and Limitations. 2017 , 69, 2748-2758	25
808	Non-invasive fractional flow reserve using computed tomographic angiography: where are we now and where are we going?. 2017 , 103, 1216-1222	7
807	Patient-specific Hemodynamic Computations: Application to Personalized Diagnosis of Cardiovascular Pathologies. 2017 ,	7
806	What can intracoronary pressure measurements tell us about flow reserve? Pressure-Bounded coronary flow reserve and example application to the randomized DEFER trial. 2017 , 90, 917-925	10
805	Navvus FFR to reduce CONTRAst, Cost and radiaTion (CONTRACT); insights from a single-centre clinical and economical evaluation with the RXi Rapid-Exchange FFR device. 2017 , 233, 80-84	4
804	Coronary artery stenoses more often overestimated in older patients: Angiographic stenosis overestimation in elderly. 2017 , 241, 46-49	5
803	Practical Considerations of Fractional Flow Reserve Utilization to Guide Revascularization. 2017 , 19, 13	
802	Diagnostic Performance of Resting and Hyperemic Invasive Physiological Indices to Define Myocardial Ischemia: Validation With N-Ammonia Positron Emission Tomography. 2017 , 10, 751-760	63
801	Fractional Flow Reserve and Cardiac Events in Coronary Artery Disease: Data From a Prospective IRIS-FFR Registry (Interventional Cardiology Research Incooperation Society Fractional Flow Reserve). 2017 , 135, 2241-2251	96
800	CT myocardial perfusion imaging: current status and future perspectives. 2017 , 33, 1009-1020	13
799	Prognostic Value of Combined CT Angiography and Myocardial Perfusion Imaging versus Invasive Coronary Angiography and Nuclear Stress Perfusion Imaging in the Prediction of Major Adverse Cardiovascular Events: The CORE320 Multicenter Study. 2017 , 284, 55-65	52
798	Inverse prognostic value of post-percutaneous coronary intervention fractional flow reserve in patients with non-ST segment elevation myocardial infarction. 2017 , 103, 564	

797	Fractional Flow Reserve-Guided Multivessel Angioplasty in Myocardial Infarction. <i>New England Journal of Medicine</i> , 2017 , 376, 1234-1244	59.2	371
796	Instantaneous Wave-free Ratio versus Fractional Flow Reserve to Guide PCI. <i>New England Journal of Medicine</i> , 2017 , 376, 1813-1823	59.2	459
795	Clinical and angiographic predictors of persistently ischemic fractional flow reserve after percutaneous revascularization. 2017 , 184, 10-16		14
794	Nanoparticles for Cardiovascular Imaging with CT. 2017 , 357-384		
793	Efficacy and safety of instantaneous wave-free ratio in patients undergoing coronary revascularisation: protocol for a systematic review. 2017 , 7, e017868		
792	Assessment of coronary artery disease with fractional flow reserve in patients with aortic stenosis undergoing transcatheter aortic valve implantation. 2017 , 7, 139-142		
791	Agreement of the Resting Distal to 'Aortic' Coronary Pressure With the 'Instantaneous Wave-Free Ratio. 2017 , 70, 2105-2113		29
790	Agreement and Differences Among Resting Coronary Physiological Indices: Are All Things Equal?. 2017 , 70, 2124-2127		4
789	Influence of Contrast Media Dose and Osmolality on the Diagnostic Performance of Contrast Fractional Flow Reserve. 2017 , 10,		7
788	Comprehensive Assessment of the Coronary Circulation Using Pressure and Flow Measurements. 2017 , 251-260		
787	Exploring Coronary Circulatory Response to Stenosis and Its Association With Invasive Physiologic Indexes Using Absolute Myocardial Blood Flow and Coronary Pressure. 2017 , 136, 1798-1808		33
786	Diagnostic accuracy of instantaneous wave free-ratio in clinical practice. 2017 , 30, 564-569		3
785	Functional assessment of lesion severity without using the pressure wire: coronary imaging and blood flow simulation. 2017 , 15, 863-877		2
784	Validation Study of Image-Based Fractional Flow Reserve During Coronary Angiography. 2017 , 10,		52
783	Appropriateness of percutaneous Coronary interventions in patients with ischaemic HEart disease in Italy: the APACHE pilot study. 2017 , 7, e016909		11
782	Coronary CT Angiography-derived Fractional Flow Reserve. 2017 , 285, 17-33		95
781	THE MECHANICAL FACTORS INFLUENCING THE ASSESSMENT OF INTERMEDIATE STENOSIS SEVERITY EXPLAINED THROUGH FRACTIONAL FLOW RESERVE. 2017 , 17, 1730001		
780	The Evolving Future of Instantaneous 'Wave-Free Ratio and Fractional Flow 'Reserve. 2017 , 70, 1379-1402		95

779	Correlation of Fractional Flow Reserve With Ischemic Burden Measured by Cardiovascular Magnetic Resonance Perfusion Imaging. 2017 , 120, 1913-1919	5
778	How to define the hemodynamic significance of an equivocal iliofemoral artery stenosis: Review of literature and outcomes of an international questionnaire. 2017 , 25, 598-608	7
777	Multi-centre study of whole-heart dynamic 3D cardiac magnetic resonance perfusion imaging for the detection of coronary artery disease defined by fractional flow reserve: gender based analysis of diagnostic performance. 2017 , 18, 1099-1106	6
776	Fractional Flow Reserve: A Powerful and Simple, Yet Nuanced, Tool. 2017 , 10, 1402-1404	2
775	The relationship between the basal coronary translesional pressure ratio and fractional flow reserve. 2017 , 90, 745-753	2
774	Nicorandil for maximal hyperemia: a theoretical advantage awaiting clinical significance. 2017 , 28, 95-97	
773	Reply: Hydrostatic Forces: Don't Let the Pressure Get to Your Head!. 2017 , 10, 1597-1598	
772	Coronary Artery Plaque Imaging. 2017 , 19, 37	6
771	Harmonizing the Paradigm With the Data in Stable Coronary Artery Disease: A Review and Viewpoint. 2017 , 6,	8
770	Should fraction flow reserve be considered an important decision-making tool to stratify patients with stable coronary artery disease for percutaneous coronary intervention?: A meta-analysis. 2017 , 96, e8748	2
769	Nonculprit Stenosis Evaluation Using Instantaneous Wave-Free Ratio in Patients With ST-Segment Elevation Myocardial Infarction. 2017 , 10, 2528-2535	35
768	Impact of spatial characteristics in the left stenotic coronary artery on the hemodynamics and visualization of 3D replica models. 2017 , 7, 15452	22
767	Visual and Quantitative Assessment of Coronary Stenoses at Angiography Versus Fractional Flow Reserve: The Impact of Risk Factors. 2017 , 10,	25
766	Optimizing Coronary Angioplasty with FFR and Intravascular Imaging. 2017 , 11, 1	
765	A vessel length-based method to compute coronary fractional flow reserve from optical coherence tomography images. 2017 , 16, 83	12
764	Assessment of increasing intravenous adenosine dose in fractional flow reserve. 2017 , 17, 60	4
763	Diabetes does not impact the diagnostic performance of contrast-based fractional flow reserve: insights from the CONTRAST study. 2017 , 16, 7	4
762	A study of noninvasive fractional flow reserve derived from a simplified method based on coronary computed tomography angiography in suspected coronary artery disease. 2017 , 16, 43	24

761	Real-Life Fractional Flow Reserve. 2017 , 135, 2252-2254	2
760	Cardiology Procedures. 2017 ,	
759	Anatomical and functional assessment of Tryton bifurcation stent before and after final kissing balloon dilatation: Evaluations by three-dimensional coronary angiography, optical coherence tomography imaging and fractional flow reserve. 2017 , 90, E1-E10	3
758	Functional assessment of anomalous right coronary artery using fractional flow reserve: An Innovative Modality to Guide Patient Management. 2017 , 89, 316-320	5
757	Angiographic severity does not correlate with fractional flow reserve in heavily calcified coronary arteries. 2017 , 89, 226-232	7
756	Use of fractional flow reserve in patients with coronary artery disease: The right choice for the right outcome. 2017 , 27, 106-120	3
755	The effect of blood pressure on non-invasive fractional flow reserve derived from coronary computed tomography angiography. 2017 , 27, 1416-1423	10
754	A comparison of hemodynamic metrics and intraluminal thrombus burden in a common iliac artery aneurysm. 2017 , 33, e2821	26
753	Computed Tomography Fractional Flow Reserve Can Identify Culprit Lesions in Aortoiliac Occlusive Disease Using Minimally Invasive Techniques. 2017 , 38, 151-157	4
752	Catheter-based functional metrics of the coronary circulation. 2017 , 24, 1178-1189	3
751	Editorial commentary: Fractional flow reserve-A diagnostic tool, a prognostic index. 2017 , 27, 121-122	
750	Coronary lesion characteristics with mismatch between fractional flow reserve derived from CT and invasive catheterization in clinical practice. 2017 , 32, 390-398	9
749	Comparison of Different Diastolic Resting Indexes to iFR: Are They All Equal?. 2017 , 70, 3088-3096	101
748	Intracranial artery stenosis: Current status of evaluation and treatment in China. 2017 , 3, 197-206	4
747	Hemodynamics analysis of the serial stenotic coronary arteries. 2017 , 16, 127	18
746	Diagnostic value of thallium-201 myocardial perfusion IQ-SPECT without and with computed tomography-based attenuation correction to predict clinically significant and insignificant fractional flow reserve: A single-center prospective study. 2017 , 96, e9275	0
745	Cardiovascular System: Structure, Assessment, and Diseases. 2017 , 103-132	1
744	FFR and iFR. 2017 , 3, 53-60	5

743	Cardiovascular Screening for the Asymptomatic Patient with Diabetes: More Cons Than Pros. 2017 , 2017, 8927473	11
742	Positron Emission Tomography-Determined Hyperemic Flow, Myocardial Flow Reserve, and Flow Gradient-Quo Vadis?. 2017 , 4, 46	4
741	Diagnostic performance of semi-quantitative and quantitative stress CMR perfusion analysis: a meta-analysis. 2017 , 19, 92	19
740	A comparison of cardiovascular magnetic resonance and single photon emission computed tomography (SPECT) perfusion imaging in left main stem or equivalent coronary artery disease: a CE-MARC substudy. 2017 , 19, 84	10
739	Diagnostic accuracy of coronary opacification derived from coronary computed tomography angiography to detect ischemia: first validation versus single-photon emission computed tomography. 2017 , 7, 92	3
738	Pressure Wire Assessment in Patients with An Acute Coronary Syndrome. 2017 , 03,	
737	Identification of the State of Maximal Hyperemia in the Assessment of Coronary Fractional Flow Reserve Using Non-Invasive Electrical Velocimetry. 2017 , 58, 365-370	1
736	A Comparison between the Instantaneous Wave-free Ratio and Resting Distal Coronary Artery Pressure/Aortic Pressure and the Fractional Flow Reserve: The Diagnostic Accuracy Can Be Improved by the Use of both Indices. 2017 , 56, 749-753	8
735	Do we need invasive confirmation of cardiac magnetic resonance results?. 2017 , 13, 26-31	
734	Performing and Interpreting Fractional Flow Reserve Measurements in Clinical Practice: An Expert Consensus Document. 2017 , 12, 97-109	20
733	. 2017 ,	3
732	Advances in Cardiac Computed Tomography. 2017 ,	
731	Fractional flow reserve computed tomography in the evaluation of coronary artery disease. 2017 , 7, 463-474	6
730	Fractional flow reserve to guide surgical coronary revascularization. 2017 , 9, S317-S326	12
729	Contrast-induced Hyperemia as an Alternative to Drug-induced Hyperemia in the Evaluation of the Fractional Flow Reserve in Coronary Lesions. 2017 , 56, 253-257	5
728	Stenotic flow reserve derived from quantitative coronary angiography has modest but incremental value in predicting functionally significant coronary stenosis as evaluated by fractional flow reserve. 2017 , 7, 52-59	1
727	Reasons and implications of agreements and disagreements between coronary flow reserve, fractional flow reserve, and myocardial perfusion imaging. 2018 , 25, 104-119	13
726	The COFFEE Trial (Comparison of Fractional Flow Reserve Measurements through 4 FrEnch versus 6 FrEnch Diagnostic Catheter). 2018 , 11, 414-416	3

725	Diagnostic coronary angiography: past, present and future. 2018 , 79, 66-67	1
724	Deferred vs. performed revascularization for coronary stenosis with grey-zone fractional flow reserve values: data from the IRIS-FFR registry. 2018 , 39, 1610-1619	28
723	Relationship of the Duke jeopardy score combined with minimal lumen diameter as assessed by computed tomography angiography to the hemodynamic relevance of coronary artery stenosis. 2018 , 12, 247-254	5
722	Coronary Hemodynamics. 2018 , 309-348	
721	Diagnostic Accuracy of Quantitative Flow Ratio for Assessing Myocardial Ischemia in Prior Myocardial Infarction. 2018 , 82, 807-814	22
720	Coronary microvascular dysfunction in patients with stable coronary artery disease: The CE-MARC 2 coronary physiology sub-study. 2018 , 266, 7-14	22
719	Técnicas de imagen híbridas en cardiopatía isquémica. 2018 , 71, 382-390	2
718	Influence of visual-functional mismatch on coronary flow profiles after percutaneous coronary intervention: a propensity score-matched analysis. 2018 , 33, 1129-1138	4
717	Yellow traffic lights and grey zone fractional flow reserve values: stop or go?. 2018 , 39, 1620-1622	3
716	Design and Rationale of the RIPCORD 2 Trial (Does Routine Pressure Wire Assessment Influence Management Strategy at Coronary Angiography for Diagnosis of Chest Pain?): A Randomized Controlled Trial to Compare Routine Pressure Wire Assessment With Conventional Angiography in the Management of Patients With Coronary Artery Disease. 2018 , 11, e004191	5
715	Prognostic value of the index of microcirculatory resistance after percutaneous coronary intervention in patients with non-ST-segment elevation acute coronary syndrome. 2018 , 92, 1063-1074	11
714	Effect of Plaque Burden and Morphology on Myocardial Blood Flow and Fractional Flow Reserve. 2018 , 71, 499-509	82
713	Comparison of invasively measured FFR with FFR derived from coronary CT angiography for detection of lesion-specific ischemia: Results from a PC-based prototype algorithm. 2018 , 12, 101-107	21
712	Safety and efficacy of intracoronary sodium nitroprusside for the assessment of coronary fractional flow reserve. 2018 , 70 Suppl 3, S245-S249	
711	Clinical Quantification of Myocardial Blood Flow Using PET: Joint Position Paper of the SNMMI Cardiovascular Council and the ASNC. 2018 , 25, 269-297	83
710	Impact of fractional flow reserve on decision-making in daily clinical practice: A single center experience in Egypt. 2018 , 70, 161-165	1
709	Hybrid Imaging in Ischemic Heart Disease. 2018 , 71, 382-390	1
708	Effects of disease severity distribution on the performance of quantitative diagnostic methods and proposal of a novel 'V-plot' methodology to display accuracy values. 2018 , 5, e000663	1

707	Evaluation of the risk factors for ventricular arrhythmias secondary to QT prolongation induced by papaverine injection during coronary flow reserve studies using a 4Fr angio-catheter. 2018 , 33, 1358-1364	8
706	Revascularization Strategies in Multivessel Coronary Artery Disease. 2018 , 881-900	0
705	'Faith Healing' and 'Subtraction Anxiety' in Unblinded Trials of Procedures: Lessons from DEFER and FAME-2 for End Points in the ISCHEMIA Trial. 2018 , 11, e004665	20
704	Fusion of Three-Dimensional Echocardiographic Regional Myocardial Strain with Cardiac Computed Tomography for Noninvasive Evaluation of the Hemodynamic Impact of Coronary Stenosis in Patients with Chest Pain. 2018 , 31, 664-673	19
703	Intracoronary versus intravenous adenosine to assess fractional flow reserve: a systematic review and meta-analysis. 2018 , 19, 274-283	4
702	Past, Present and Future of Coronary Physiology. 2018 , 71, 656-667	2
701	Absolute quantification of myocardial blood flow. 2018 , 25, 635-651	18
700	A digital tool for incorporating right atrial pressure into fractional flow reserve determination. 2018 , 92, E204-E205	
699	Effects of caffeine on fractional flow reserve values measured using intravenous adenosine triphosphate. 2018 , 33, 116-124	7
698	Estimating the accuracy of a reduced-order model for the calculation of fractional flow reserve (FFR). 2018 , 34, e2908	38
697	Visualization of the improvement of myocardial perfusion after coronary intervention using motorized fractional flow reserve pullback curve. 2018 , 33, 99-108	8
696	The Utility of Contrast Medium Fractional Flow Reserve in Functional Assessment Of Coronary Disease in Daily Practice. 2018 , 27, 212-218	5
695	What is needed to make cardiovascular models suitable for clinical decision support? A viewpoint paper. 2018 , 24, 68-84	21
694	The impact of tissue Doppler index E/e' ratio on instantaneous wave-free ratio. 2018 , 71, 237-243	5
693	Diagnostic efficacy of fractional flow reserve with coronary angiography in dual-source computed tomography scanner. 2018 , 73, 76-83	1
692	Concept of Invasive Coronary Physiology: Focus on FFR. 2018 , 203-212	
691	Setup for Fractional Flow Reserve and Hyperemia. 2018 , 213-221	
690	Validation of Fractional Flow Reserve. 2018 , 223-231	

689 Fractional Flow Reserve in Intermediate or Ambiguous Lesion. **2018**, 259-268

688 Fractional Flow Reserve in Specific Lesion Subsets. **2018**, 293-301

687 An Outflow Boundary Condition Model for Noninvasive Prediction of Fractional Flow Reserve in Diseased Coronary Arteries. **2018**, 140, 2

686 In-stent fractional flow reserve variations and related optical coherence tomography findings: the FFR-OCT co-registration study. **2018**, 34, 495-502 3

685 Resting Pd/Pa and haemodynamic relevance of coronary stenosis as evaluated by fractional flow reserve. **2018**, 29, 138-144 5

684 [Instantaneous wave-free ratio (iFR₀) in patients with coronary artery disease]. **2018**, 43, 621-627 0

683 Coronary and Peripheral Artery Hemodynamics. **2018**, 270-301

682 Intravascular Lesion Assessment. **2018**, 107-158

681 Deep learning analysis of the myocardium in coronary CT angiography for identification of patients with functionally significant coronary artery stenosis. **2018**, 44, 72-85 103

680 Clinical Quantification of Myocardial Blood Flow Using PET: Joint Position Paper of the SNMMI Cardiovascular Council and the ASNC. **2018**, 59, 273-293 75

679 Application of pressure-derived myocardial fractional flow reserve in chronic hemodialysis patients. **2018**, 71, 52-58 8

678 Relationship between optical coherence tomography-derived morphological criteria and functional relevance as determined by fractional flow reserve. **2018**, 71, 359-366 5

677 Angiography Versus Hemodynamics to Predict the Natural History of Coronary Stenoses: Fractional Flow Reserve Versus Angiography in Multivessel Evaluation 2 Substudy. **2018**, 137, 1475-1485 33

676 Atherosclerotic Plaque Imaging. **2018**, 261-300

675 Qualitative angiographic and quantitative myocardial perfusion assessment using fluorescent cardiac imaging during graded coronary artery bypass stenosis. **2018**, 34, 159-167 5

674 Relationship between instantaneous wave-free ratio and fractional flow reserve in patients receiving hemodialysis. **2018**, 33, 256-263 7

673 Myocardial Mass Contributes to the Discrepancy Between Anatomic Stenosis Severity Assessed by Intravascular Ultrasound and Fractional Flow Reserve in Intermediate Lesions of the Coronary Artery. **2018**, 91, 182-191 4

672 Fractional flow reserve in below the knee arteries with critical limb ischemia and validation against gold-standard morphologic, functional measures and long term clinical outcomes. **2018**, 19, 175-181 5

671	Fractional flow reserve versus optical coherence tomography for percutaneous revascularization of a non-culprit coronary stenosis: A diagnostic dilemma?. 2018 , 2, S106-S108	
670	Instantaneous wave-free ratio (iFR) to determine hemodynamically significant coronary stenosis: A comprehensive review. 2018 , 10, 267-277	6
669	Intravascular ultrasound characteristics in patients with intermediate coronary lesions and borderline fractional flow reserve measurements. 2018 , 97, e11901	1
668	Fractional flow reserve at the crossroad between revascularization and medical therapy. 2018 , 8, 556-558	1
667	Three-vessel fractional flow reserve measurement for predicting clinical prognosis in patients with coronary artery disease. 2018 , 10, S3115-S3120	1
666	Angiographically insignificant yet ischemia-causing coronary lesions: a case for routine use of invasive physiologic testing during diagnostic cardiac catheterization. 2018 , 10, S3088-S3091	0
665	Borderline multivessel coronary artery disease assessed by fractional flow reserve-affecting practice?. 2018 , 10, S3078-S3080	2
664	Invasive Testing. 2018 , 194-203	0
663	Putting It All Together: Which Test for Which Patient?. 2018 , 204-225	1
662	A physiological approach to refine appropriateness of revascularization, clinical decision making and prognosis in patients with multi vessel coronary artery disease. 2018 , 10, 5661-5665	
661	A Fast-Fractional Flow Reserve Simulation Method in A Patient with Coronary Stenosis Based on Resistance Boundary Conditions. 2018 , 116, 163-173	1
660	OBSOLETE: STEMI: Diagnosis. 2018 ,	
659	Coronary Artery Bypass Graft Surgery Guided by FFR: Fraction of the Final Response. 2018 , 72, 2744-2746	2
658	Fractional Flow Reserve Versus Angiographically-Guided Coronary Artery Bypass Grafting. 2018 , 72, 2732-2743 ₄₇	
657	Comparison of 1D and 3D Models for the Estimation of Fractional Flow Reserve. 2018 , 8, 17275	23
656	Machine learning assessment of myocardial ischemia using angiography: Development and retrospective validation. 2018 , 15, e1002693	20
655	Intravascular Imaging and Computer Assisted Stenting and Large-Scale Annotation of Biomedical Data and Expert Label Synthesis. 2018 ,	
654	Revisiting the Optimal Fractional Flow Reserve and Instantaneous Wave-Free Ratio Thresholds for Predicting the Physiological Significance of Coronary Artery Disease. 2018 , 11, e007041	10

653	Cost utility of fractional flow reserve-guided percutaneous coronary intervention in multivessel coronary artery disease in Brazil. 2019 , 31, 676-681	1
652	Circulus vitiosus of validation. 2018 , 39, 4082-4085	4
651	Fractional flow reserve, instantaneous wave-free ratio, and resting Pd/Pa compared with [15O]H2O positron emission tomography myocardial perfusion imaging: a PACIFIC trial sub-study. 2018 , 39, 4072-4081	21
650	Anatomically and functionally relevant coronary stenoses in patients with normal single-photon emission computed tomography but persistent stable angina. 2018 , 19, 1327-1333	1
649	Going Against the Flow: Assessing Coronary Hemodynamics Combining Invasive and Noninvasive Physiology. 2018 , 11, e007010	
648	Functional assessment of coronary stenosis: an overview of available techniques. Is quantitative flow ratio a step to the future?. 2018 , 16, 951-962	15
647	Interventionelle Behandlung der Hauptstammstenose. 2018 , 12, 435-452	1
646	FFR derived from computed tomography angiography: the experience in the UK. 2018 , 16, 919-929	3
645	Optical Coherence Tomography-Defined Plaque Vulnerability in Relation to Functional Stenosis Severity and Microvascular Dysfunction. 2018 , 11, 2058-2068	20
644	Retrospective Comparison of Long-Term Clinical Outcomes Between Percutaneous Coronary Intervention and Medical Therapy in Stable Coronary Artery Disease With Gray Zone Fractional Flow Reserve - COMFORTABLE Retrospective Study. 2018 , 82, 3044-3051	13
643	. 2018 , 6, 53330-53341	6
642	Prediction of FFR from IVUS Images Using Machine Learning. 2018 , 73-81	
641	Optimal Application of Fractional Flow Reserve to Assess Serial Coronary Artery Disease: A 3D-Printed Experimental Study With Clinical Validation. 2018 , 7, e010279	14
640	Should functional assessment of lesion severity be used to guide coronary bypass?. 2018 , 33, 565-570	
639	Computed Tomography Fractional Flow Reserve to Guide Coronary Angiography and Intervention. 2018 , 7, 345-354	9
638	Focused update of expert consensus statement: Use of invasive assessments of coronary physiology and structure: A position statement of the society of cardiac angiography and interventions. 2018 , 92, 336-347	6
637	STEMI: Diagnosis. 2018 , 465-473	
636	Fractional flow reserve (FFR) as a guide to treat coronary artery disease. 2018 , 16, 465-477	8

635	The Significance of Thallium-201-Chloride SPECT Myocardial Perfusion Imaging in the Management of Patients With Stable Chronic Coronary Artery Disease. 2018 , 12, 1179546818790562	1
634	Value of Different Physiological Indexes to Defer Coronary Revascularization. 2018 , 11, 1450-1453	2
633	New Volumetric Analysis Method for Stent Expansion and its Correlation With Final Fractional Flow Reserve and Clinical Outcome: An ILUMIEN I Substudy. 2018 , 11, 1467-1478	23
632	Fractional Flow Reserve or Coronary Flow Reserve for the Assessment of Myocardial Perfusion : Implications of FFR as an Imperfect Reference Standard for Myocardial Ischemia. 2018 , 20, 77	11
631	Assessment of boundary conditions for CFD simulation in human carotid artery. 2018 , 17, 1581-1597	27
630	Fractional Flow Reserve. 2018 , 313-328	
629	Carotid DSA based CFD simulation in assessing the patient with asymptomatic carotid stenosis: a preliminary study. 2018 , 17, 31	12
628	Cardiognometry Compared to Fractional Flow Reserve at Identifying Physiologically Significant Coronary Stenosis: The CARDIOFLOW Study. 2018 , 9, 439-446	1
627	Performance of computed tomography-derived fractional flow reserve using reduced-order modelling and static computed tomography stress myocardial perfusion imaging for detection of haemodynamically significant coronary stenosis. 2018 , 19, 1234-1243	22
626	Comparison of sodium nitroprusside and adenosine for fractional flow reserve assessment: a systematic review and meta-analysis. 2018 , 16, 765-770	1
625	Myocardial perfusion SPECT and SPECT/CT in interventional cardiology. 2018 , 4, 45-50	1
624	Coronary Hemodynamics in Patients With Severe Aortic Stenosis and Coronary Artery Disease Undergoing Transcatheter Aortic Valve Replacement: Implications for Clinical Indices of Coronary Stenosis Severity. 2018 , 11, 2019-2031	37
623	Instantaneous Wave-Free Ratio for the Assessment of Intermediate Coronary Artery Stenosis in Patients With Severe Aortic Valve Stenosis: Comparison With Myocardial Perfusion Scintigraphy. 2018 , 11, 2032-2040	31
622	Intravenous regadenoson with aminophylline reversal is safe and equivalent to intravenous adenosine infusion for fractional flow reserve measurements. 2018 , 41, 1348-1352	4
621	Unmasking Myocardial Bridge-Related Ischemia by Intracoronary Functional Evaluation. 2018 , 11, e006247	28
620	Impact of Coronary Lesion Geometry on Fractional Flow Reserve: Data From Interventional Cardiology Research In-Cooperation Society-Fractional Flow Reserve and Intravascular Ultrasound Registry. 2018 , 11, e007087	15
619	Outcomes of Fractional Flow Reserve-Based Deferral in Saphenous Vein Graft Narrowing. 2018 , 122, 723-728	4
618	Validity of inducible ischaemia as a surrogate for adverse outcomes in stable coronary artery disease. 2018 , 104, 1733-1738	6

617	CT morphological index provides incremental value to machine learning based CT-FFR for predicting hemodynamically significant coronary stenosis. 2018 , 265, 256-261	16
616	Pasado, presente y futuro de la fisiología coronaria. 2018 , 71, 656-667	11
615	2018 ESC/EACTS Guidelines on myocardial revascularization. 2019 , 40, 87-165	2408
614	Discordance between pressure drift after wire pullback and intracoronary distal pressure offset affects stenosis physiology appraisal. 2019 , 277, 29-34	1
613	2018 ESC/EACTS Guidelines on myocardial revascularization. 2019 , 55, 4-90	251
612	Comparison between minimum lumen cross-sectional area and intraluminal ultrasonic intensity analysis using integrated backscatter intravascular ultrasound for prediction of functionally significant coronary artery stenosis. 2019 , 34, 208-217	3
611	Impact of baseline coronary flow and its distribution on fractional flow reserve prediction. 2021 , 37, e3246	9
610	Non-invasive coronary CT angiography-derived fractional flow reserve: A benchmark study comparing the diagnostic performance of four different computational methodologies. 2019 , 35, e3235	20
609	Comparison of diagnostic accuracy of stress myocardial perfusion imaging for detecting hemodynamically significant coronary artery disease between cardiac magnetic resonance and nuclear medical imaging: A meta-analysis. 2019 , 293, 278-285	8
608	Thermal-induced microstructural evolution and defect distribution of wire-arc additive manufacturing 2Cr13 part: Numerical simulation and experimental characterization. 2019 , 163, 114335	12
607	Blinded Physiological Assessment of Residual Ischemia After Successful Angiographic Percutaneous Coronary Intervention: The DEFINE PCI Study. 2019 , 12, 1991-2001	65
606	Incremental Prognostic Value of Post-Intervention Pd/Pa in Patients Undergoing Ischemia-Driven Percutaneous Coronary Intervention. 2019 , 12, 2002-2014	12
605	Computational instantaneous wave-free ratio (IFR) for patient-specific coronary artery stenoses using 1D network models. 2019 , 35, e3255	10
604	Fractional Flow Reserve (FFR) guided Percutaneous Coronary Intervention (PCI) to Avoid Inappropriate Stenting in Patient with Angiographically Significant Stenotic Coronary Artery Lesion—Our Experiences at Apollo Hospitals Dhaka. 2019 , 34, 37-43	
603	Model-based analysis of the sensitivities and diagnostic implications of FFR and CFR under various pathological conditions. 2021 , 37, e3257	11
602	Dobutamine Stress Echocardiography Ischemia as a Predictor of the Placebo-Controlled Efficacy of Percutaneous Coronary Intervention in Stable Coronary Artery Disease: The Stress Echocardiography-Stratified Analysis of ORBITA. 2019 , 140, 1971-1980	21
601	Fractional Flow Reserve: Does Sex Matter?. 2019 , 12, 2047-2049	
600	Fractional flow reserve-based 4D hemodynamic simulation of time-resolved blood flow in left anterior descending coronary artery. 2019 , 70, 164-169	5

599	Numerical study of multivessel coronary plaque hemodynamics. 2019 , 20, 548-559	1
598	Error Analysis in Patient-Specific Blood Flow Modeling of Coronary Artery Disease. 2019 ,	
597	'Acute micro-coronary syndrome': detailed coronary physiology in a patient with Takotsubo cardiomyopathy. 2019 , 12,	2
596	Flujo de reserva fraccional, relación de la presión instantánea en el periodo libre de ondas, y angiogramografía de arterias coronarias. 2019 , 26, 190-197	
595	Detection of Hemodynamically Significant Coronary Stenosis: CT Myocardial Perfusion versus Machine Learning CT Fractional Flow Reserve. 2019 , 293, 305-314	24
594	The assessment of coronary artery disease in patients with end-stage renal disease. 2019 , 12, 721-734	7
593	Preoperative coronary angiography in vascular surgery patients with asymptomatic elevated high-sensitivity troponin T: a case series. 2019 , 123, 565-569	2
592	Measurement of Hyperemic Pullback Pressure Gradients to Characterize Patterns of Coronary Atherosclerosis. 2019 , 74, 1772-1784	36
591	Angiogram based fractional flow reserve in patients with dual/triple vessel coronary artery disease. 2019 , 283, 17-22	11
590	Quantified dual energy computed tomography perfusion imaging using myocardial iodine concentration: Validation using CT derived myocardial blood flow and invasive fractional flow reserve in a porcine model. 2019 , 13, 86-91	5
589	Comparison of hyperemic efficacy between femoral and antecubital fossa vein adenosine infusion for fractional flow reserve assessment. 2019 , 15, 52-58	2
588	On-Site Computed Tomography-Derived Fractional Flow Reserve Using a Machine-Learning Algorithm - Clinical Effectiveness in a Retrospective Multicenter Cohort. 2019 , 83, 1563-1571	8
587	Coronary Angiography With Pressure Wire and Fractional Flow Reserve. 2019 , 116, 205-211	7
586	Impact of preoperative fractional flow reserve on arterial bypass graft anastomotic function: the IMPAG trial. 2019 , 40, 2421-2428	39
585	New pressure sensing elements for FFR coronary catheter. 2019 , 43, 100-110	
584	Effect of Tube Voltage on Diagnostic Performance of Fractional Flow Reserve Derived From Coronary CT Angiography With Machine Learning: Results From the MACHINE Registry. 2019 , 213, 325-331	4
583	Full Issue PDF. 2019 , 12, I-CLXXXVII	
582	Comparison of intracoronary versus intravenous adenosine-induced maximal hyperemia for fractional flow reserve measurement: A systematic review and meta-analysis. 2019 , 94, 714-721	1

581	Atherosclerosis. 2019 , 195-233	1
580	Paclitaxel-Coated Balloon Angioplasty Versus Drug-Eluting Stent in Acute Myocardial Infarction: The REVELATION Randomized Trial. 2019 , 12, 1691-1699	58
579	Hemodynamic impact of coronary stenosis using computed tomography: comparison between noninvasive fractional flow reserve and 3D fusion of coronary angiography with stress myocardial perfusion. 2019 , 35, 1733-1743	3
578	One-dimensional modeling of fractional flow reserve in coronary artery disease: Uncertainty quantification and Bayesian optimization. 2019 , 353, 66-85	14
577	The Authors' Reply. 2019 , 12, 943-944	
576	Clinical Impact of Coronary Computed Tomography Angiography-Derived Fractional Flow Reserve on Japanese Population in the ADVANCE Registry. 2019 , 83, 1293-1301	5
575	Novel Approaches to Define Outcomes in Coronary Revascularization. 2019 , 35, 967-982	1
574	2018 ESC/EACTS Guidelines on myocardial revascularization. 2019 , 72, 73.e1-73.e76	1
573	Diastolic pressure ratio: new approach and validation vs. the instantaneous wave-free ratio. 2019 , 40, 2585-2594	21
572	Computational fluid dynamics: can computed tomography imaging compete with cath-lab physiology?. 2019 , 115, e41-e43	2
571	Diastolic-systolic velocity ratio to detect coronary stenoses under physiological resting conditions: a mechanistic study. 2019 , 6, e000968	0
570	In vitro test-retest repeatability of invasive physiological indices to assess coronary flow. 2019 , 94, 677-683	0
569	One-year clinical outcome of angiography, fractional flow reserve and instantaneous wave-free ratio guided percutaneous coronary intervention: A PRISMA-compliant meta-analysis. 2019 , 17, 1939-1951	2
568	Fractional flow reserve-guided complete revascularization versus culprit-only revascularization in acute ST-segment elevation myocardial infarction and multi-vessel disease patients: a meta-analysis and systematic review. 2019 , 19, 49	1
567	The best predictor of ischemic coronary stenosis: subtended myocardial volume, machine learning-based FFR, or high-risk plaque features?. 2019 , 29, 3647-3657	16
566	Utility of Invasive and Non-invasive Cardiovascular Research Methodologies in Drug Development for Diabetes, Obesity and NAFLD/NASH. 2019 , 275-308	
565	Clinical significance of chronic myocardial ischemia in coronary artery disease patients. 2019 , 11, 1005-1015	20
564	Comparison of clinical outcomes following percutaneous coronary intervention versus optimal medical therapy based on gray-zone fractional flow reserve in stable angina patients with intermediate coronary artery stenosis (COMFORTABLE prospective study): Study protocol for a multicenter randomized controlled trial. 2019 , 20, 81	2

563	Feasibility and safety of jailed-pressure wire technique using durable optical fiber pressure wire for intervention of coronary bifurcation lesions. 2019 , 94, E61-E66	2
562	Angiography-Based Machine Learning for Predicting Fractional Flow Reserve in Intermediate Coronary Artery Lesions. 2019 , 8, e011685	24
561	Predicting the Physiological Effect of Revascularization in Serially Diseased Coronary Arteries. 2019 , 12, e007577	30
560	Influence of coronary calcification on hyperemic response during fractional flow reserve measurements. 2019 , 285, 93-96	
559	Diseases of the Chest, Breast, Heart and Vessels 2019-2022. 2019 ,	3
558	Coronary Physiology in the Cardiac Catheterization Laboratory. 2019 , 8,	4
557	Prognostic value of CT myocardial perfusion imaging and CT-derived fractional flow reserve for major adverse cardiac events in patients with coronary artery disease. 2019 , 13, 26-33	25
556	Outcomes of Deferred Revascularization Following Physiological Coronary Assessment Using Fractional Flow Reserve. 2019 , 04, 190-194	
555	Changes in Index of Microcirculatory Resistance during PCI in the Left Anterior Descending Coronary Artery in Relation to Total Length of Implanted Stents. 2019 , 2019, 1397895	1
554	Physiological Versus Angiographic Guidance for Myocardial Revascularization in Patients Undergoing Transcatheter Aortic Valve Implantation. 2019 , 8, e012618	15
553	The Role of Fractional Flow Reserve and Instantaneous Wave-Free Ratio Measurements in Patients with Acute Coronary Syndrome. 2019 , 21, 159	4
552	26 Spezielle Untersuchungsmethoden. 2019 ,	
551	Anatomical and Functional Computed Tomography for Diagnosing Hemodynamically Significant Coronary Artery Disease: A Meta-Analysis. 2019 , 12, 1316-1325	55
550	Treatment strategy modification and its implication on the medical cost of fractional flow reserve-guided percutaneous coronary intervention in Japan. 2019 , 73, 38-44	8
549	Clinical feasibility of catheter-directed selective intracoronary computed tomography angiography using an extremely low dose of iodine in patients with coronary artery disease. 2019 , 29, 2218-2225	
548	Clinical use of physiological lesion assessment using pressure guidewires: an expert consensus document of the Japanese Association of Cardiovascular Intervention and Therapeutics. 2019 , 34, 85-96	25
547	Optimal Revascularization Threshold of Fractional Flow Reserve and its Effect on Outcomes: Perspectives From a High-Volume Center in China. 2019 , 70, 423-430	4
546	Comparison between instantaneous wave-free ratio versus morphometric assessments by intracoronary imaging. 2019 , 34, 926-935	6

545	Impact of Subtended Myocardial Mass Assessed by Coronary Computed Tomographic Angiography-Based Myocardial Segmentation. 2019 , 123, 757-763	9
544	Coronary Artery Stenting. 2019 , 273-290	
543	Impact of increasing dose of intracoronary adenosine on peak hyperemia duration during fractional flow reserve assessment. 2019 , 284, 16-21	5
542	Let's Join Them!. 2019 , 12, 873-874	
541	Technical aspects and limitations of fractional flow reserve measurement. 2019 , 74, 9-16	1
540	Recent paradigm shifts in molecular cardiac imaging-Establishing precision cardiology through novel F-labeled PET radiotracers. 2020 , 30, 11-19	9
539	Putting machine learning into motion: applications in cardiovascular imaging. 2020 , 75, 33-37	12
538	Use and Value of Fractional Flow Reserve in Coronary Arteriography. 2020 , 71, 5-9	1
537	Optimal Treatment Strategy for Coronary Artery Stenoses with Grey Zone Fractional Flow Reserve Values. A Systematic Review and Meta-Analysis. 2020 , 21, 392-397	1
536	Intravascular modality-guided versus angiography-guided percutaneous coronary intervention in acute myocardial infarction. 2020 , 95, 696-703	13
535	Design and rationale of ischaemia-driven complete revascularisation versus usual care in patients with non-ST-elevation myocardial infarction and multivessel coronary disease: the South Limburg Myocardial Infarction (SLIM) trial. 2020 , 28, 75-80	2
534	Make Life Visible. 2020 ,	
533	A head-to-head comparison of three coronary fractional flow reserve measurement technologies: The fractional flow reserve-device study. 2020 , 95, 1094-1101	3
532	Cardiovascular OCT Imaging. 2020 ,	2
531	Effect of a calcium deblooming algorithm on accuracy of coronary computed tomography angiography. 2020 , 14, 131-136	2
530	Fractional flow reserve in patients with reduced ejection fraction. 2020 , 41, 1665-1672	10
529	Deferral Versus Performance of Revascularization for Coronary Stenosis With Grey Zone Fractional Flow Reserve Values: A Systematic Review and Meta-Analysis. 2020 , 71, 48-55	1
528	Fractional flow reserve as the standard of reference: All that glistens is not gold. 2020 , 27, 1314-1316	2

527	Diagnostic performance of perivascular fat attenuation index to predict hemodynamic significance of coronary stenosis: a preliminary coronary computed tomography angiography study. 2020 , 30, 673-681	17
526	Optical coherence tomography enables more accurate detection of functionally significant intermediate non-left main coronary artery stenoses than intravascular ultrasound: A meta-analysis of 6919 patients and 7537 lesions. 2020 , 301, 226-234	9
525	Validation of post-stenting fractional flow reserve with intravascular ultrasound parameters for optimal stent deployment. 2020 , 36, 197-203	1
524	Accuracy of computational pressure-fluid dynamics applied to coronary angiography to derive fractional flow reserve: FLASH FFR. 2020 , 116, 1349-1356	24
523	Intravascular sensors to assess unstable plaques and their compositions: a review. 2020 , 2, 012001	
522	On-site evaluation of CT-based fractional flow reserve using simple boundary conditions for computational fluid dynamics. 2020 , 36, 337-346	6
521	FFR or OCT or FFR and OCT. 2020 , 13, 59-61	0
520	Clinical Outcomes of Dynamic Computed Tomography Myocardial Perfusion Imaging Combined With Coronary Computed Tomography Angiography Versus Coronary Computed Tomography Angiography-Guided Strategy. 2020 , 13, e009775	12
519	Two-Year Outcomes After Deferral of Revascularization Based on Fractional Flow Reserve: The J-CONFIRM Registry. 2020 , 13, e008355	12
518	Human Microcirculation in Ischemic Heart Disease. 2020 , 40, 11-13	2
517	Rationale and design of the Flow Evaluation to Guide Revascularization in Multivessel ST-Elevation Myocardial Infarction (FLOWER-MI) trial. 2020 , 222, 1-7	10
516	The Fallacies of fractional flow reserve. 2020 , 302, 34-35	4
515	Intravascular ultrasound-based machine learning for predicting fractional flow reserve in intermediate coronary artery lesions. 2020 , 292, 171-177	10
514	Deep Learning Analysis of Coronary Arteries in Cardiac CT Angiography for Detection of Patients Requiring Invasive Coronary Angiography. 2020 , 39, 1545-1557	18
513	Simultaneous Morphological and Flow Imaging Enabled by Megahertz Intravascular Doppler Optical Coherence Tomography. 2020 , 39, 1535-1544	7
512	Clinical Outcomes of Deferred Revascularisation Using Fractional Flow Reserve in Diabetic Patients. 2020 , 21, 897-902	2
511	Risk stratification of coronary plaques using physiologic characteristics by CCTA: Focus on shear stress. 2020 , 14, 386-393	5
510	Coronary artery bypass vs percutaneous coronary intervention in under 50s. 2020 , 35, 320-327	4

509	Comparison of quantitative flow ratio and fractional flow reserve with myocardial perfusion scintigraphy and cardiovascular magnetic resonance as reference standard. A Dan-NICAD substudy. 2020 , 36, 395-402	8
508	Data-driven reduction of cardiac models. 2020 , 117-160	
507	Bibliography. 2020 , 211-233	
506	Individual Lesion-Level Meta-Analysis Comparing Various Doses of Intracoronary Bolus Injection of Adenosine With Intravenous Administration of Adenosine for Fractional Flow Reserve Assessment. 2020 , 13, e007893	4
505	Non-hyperaemic pressure ratios to guide percutaneous coronary intervention. 2020 , 7,	3
504	Physiology over Angiography to Determine Lesion Severity: the FAME Trials. 2020 , 9, 409-418	
503	Coronary Physiology Assessment for the Diagnosis and Treatment of Coronary Artery Disease. 2020 , 38, 575-588	4
502	Quantification of effects of mean blood pressure and left ventricular mass on noninvasive fast fractional flow reserve. 2020 , 319, H360-H369	3
501	Comparative Analysis of the Effect of Renal Function on the Spectrum of Coronary Artery Disease. 2020 , 133, e631-e640	3
500	Slender PCI. 2020 ,	
499	Association Between Adherence to Fractional Flow Reserve Treatment Thresholds and Major Adverse Cardiac Events in Patients With Coronary Artery Disease. 2020 , 324, 2406-2414	7
498	Physiology-Based Revascularization Decisions and Improved Clinical Outcomes Following Percutaneous Coronary Interventions. 2020 , 324, 2377-2380	1
497	Physiology and coronary artery disease: emerging insights from computed tomography imaging based computational modeling. 2020 , 36, 2319-2333	2
496	The Impact of Coronary Physiology on Contemporary Clinical Decision Making. 2020 , 13, 1617-1638	19
495	FFR-guided versus coronary angiogram-guided CABG: A review and meta-analysis of prospective randomized controlled trials. 2020 , 35, 2785-2793	6
494	Updates on Fractional Flow Reserve Derived by CT (FFRCT). 2020 , 22, 1	
493	Effect of random deferral of percutaneous coronary intervention in patients with diabetes and stable ischaemic heart disease. 2020 , 106, 1651-1657	1
492	Comparison of diagnostic performance between quantitative flow ratio, non-hyperemic pressure indices and fractional flow reserve. 2020 , 10, 442-452	0

491	Functional cardiac CT-Going beyond Anatomical Evaluation of Coronary Artery Disease with Cine CT, CT-FFR, CT Perfusion and Machine Learning. 2020 , 93, 20200349	4
490	A novel fiber-optic based 0.014? pressure wire: Designs of the OptoWireâdevelopment phases, and the O first-in-man results. 2020 ,	3
489	Artificial intelligence approaches to predict coronary stenosis severity using non-invasive fractional flow reserve. 2020 , 234, 1337-1350	4
488	Invasive coronary physiology: a Dutch tradition. 2020 , 28, 99-107	1
487	Funktionelle Diagnostik zur Detektion myokardialer Ischämie. 2020 , 9, 260-267	
486	Comparison of three-dimensional quantitative coronary angiography and intravascular ultrasound for detecting functionally significant coronary lesions. 2020 , 10, 1256-1263	2
485	Prognostic Value of Resting Distal-to-Aortic Coronary Pressure in Clinical Practice. 2020 , 13, e007868	1
484	Feasibility of intracoronary nicorandil for inducing hyperemia on fractional flow reserve measurement: Comparison with intracoronary papaverine. 2020 , 314, 1-6	4
483	Relation between quantity and quality of peri-coronary epicardial adipose tissue and its underlying hemodynamically significant coronary stenosis. 2020 , 20, 226	3
482	Computerised Methodologies for Non-Invasive Angiography-Derived Fractional Flow Reserve Assessment: A Critical Review. 2020 , 2020, 6381637	5
481	Utility of Imaging Modalities in Coronary Lesions With Borderline Fractional Flow Reserve. 2020 , 21, 1405-1410	
480	Non-hyperaemic coronary pressure measurements to guide coronary interventions. 2020 , 17, 629-640	8
479	Angiography-based quantitative coronary contrast-flow ratio measurements correlate with myocardial ischemia assessed by stress MRI. 2020 , 36, 1407-1416	3
478	Clinical feasibility of resting full-cycle ratio as a unique non-hyperemic index of invasive functional lesion assessment. 2020 , 35, 1518-1526	1
477	Contrast Fractional Flow Reserve (cFFR) and Computed Tomography Fractional Flow Reserve (CT-FFR) Guidance for Percutaneous Coronary Intervention (PCI). 2020 , 13, 1	1
476	Opportunities and challenges of implementing computed tomography fractional flow reserve into clinical practice. 2020 , 106, 1387-1393	4
475	After ISCHEMIA: is invasive physiology the only remaining gatekeeper for myocardial revascularization in chronic coronary syndromes?. 2020 , 45, 453-457	1
474	Quantification of the temperature gradient through a catheter in continuous infusion thermodilution for coronary flow measurements. 2020 , 41, 075006	

473	Evidence-based Positron Emission Tomography. 2020,	1
472	Cardiac ImagingâPhysiologic Assessment of Coronary Artery Lesion. 2020, 5, 65-75	
471	Determining the Significance of Coronary Plaque Lesions: Physiological Stenosis Severity and Plaque Characteristics. 2020, 9,	2
470	The impact of iterative reconstruction algorithms on machine learning-based coronary CT angiography-derived fractional flow reserve (CT-FFR) values. 2020, 36, 1177-1185	2
469	Coronary computed tomography angiography derived flow fractional reserve: the state of the art. 2020, 3, 84-93	
468	WOMEN WITH PRE-EXISTING DIABETES - ENABLERS AND BARRIERS TO ACCESSING PRECONCEPTION CARE. 2020, 50, 29-30	
467	Objective Identification of Intermediate Lesions Inducing Myocardial Ischemia Using Sequential Intracoronary Pressure and Flow Measurements. 2020, 9, e015559	3
466	Multivessel Versus Culprit-Only Revascularization in STEMI and Multivessel Coronary Artery Disease: Meta-Analysis of Randomized Trials. 2020, 13, 1571-1582	20
465	Instantaneous wave-free ratio cutoff values for nonculprit stenosis classification in patients with ST-segment elevation myocardial infarction (an iSTEMI substudy). 2020, 31, 411-416	1
464	A randomized controlled trial of a physiology-guided percutaneous coronary intervention optimization strategy: Rationale and design of the TARGET FFR study. 2020, 43, 414-422	7
463	Ischemic Heart Disease: An Update. 2020, 50, 195-207	11
462	Endovascular Pressure Measurements to Assess the Functional Severity of Mesenteric Arterial Stenoses. 2020, 31, 430-437	3
461	How Do PET Myocardial Blood Flow Reserve and FFR Differ?. 2020, 22, 20	4
460	Physiological Assessment of Coronary Lesions in 2020. 2020, 22, 2	7
459	Utilization and Outcomes of Measuring Fractional Flow Reserve in Patients With Stable Ischemic Heart Disease. 2020, 75, 409-419	41
458	Diagnostic Performance of Angiogram-Derived Fractional Flow Reserve: A Pooled Analysis of 5 Prospective Cohort Studies. 2020, 13, 488-497	9
457	The fractional flow reserve grey zone: a blueprint for the future of coronary revascularisation. 2020, 106, 714-715	3
456	Correlation between fractional flow reserve and instantaneous wave-free ratio with morphometric assessment by optical coherence tomography in diabetic patients. 2020, 36, 1193-1201	1

455	Stress Echocardiography in the Era of Fractional Flow Reserve. 2020 , 13, 1	
454	Future Directions in Coronary CT Angiography: CT-Fractional Flow Reserve, Plaque Vulnerability, and Quantitative Plaque Assessment. 2020 , 50, 185-202	5
453	Percutaneous coronary intervention versus medical therapy in patients with angina and grey-zone fractional flow reserve values: a randomised clinical trial. 2020 , 106, 758-764	4
452	Quantitative flow ratio-Meta-analysis and systematic review. 2021 , 97, 807-814	12
451 ¹	Cardiac Computed Tomography Perfusion: Contrast Agents, Challenges and Emerging Methodologies from Preclinical Research to the Clinics. 2021 , 28, e1-e13	1
450 ^o	Long-term outcome after deferred revascularization due to negative fractional flow reserve in intermediate coronary lesions. 2021 , 97, 247-256	1
449	[Coronary physiology in the catheter laboratory]. 2021 , 46, 15-23	1
448	Can Computed Fractional Flow Reserve Coronary CT Angiography (FFRCT) Offer an Accurate Noninvasive Comparison to Invasive Coronary Angiography (ICA)? "The Noninvasive CATH." A Comprehensive Review. 2021 , 46, 100642	1
447	Absolute myocardial blood flows derived by dynamic CZT scan vs invasive fractional flow reserve: Correlation and accuracy. 2021 , 28, 249-259	25
446	Diagnostic performance of quantitative, semi-quantitative, and visual analysis of dynamic CT myocardial perfusion imaging: a validation study with invasive fractional flow reserve. 2021 , 31, 525-534	9
445	Prospective validation and comparison of new indexes for the assessment of coronary stenosis: resting full-cycle and quantitative flow ratio. 2021 , 74, 94-97	1
444	A novel method for measuring absolute coronary blood flow and microvascular resistance in patients with ischaemic heart disease. 2021 , 117, 1567-1577	8
443	CT Angiographic and Plaque Predictors of Functionally Significant Coronary Disease and Outcome Using Machine Learning. 2021 , 14, 629-641	5
442	Impact of malondialdehyde-modified low-density lipoprotein on clinical outcomes after fractional flow reserve-guided deferral of revascularization. 2021 , 36, 605-614	1
441 ¹	What should be the role of fractional flow reserve measurement in patients undergoing coronary artery bypass grafting?. 2021 , 5, 74-79	
440 ^o	Commentary: Fractional flow reserve for coronary artery bypass graft surgeryâNot yet ready for prime time. 2021 , 5, 80-82	
439	Early Feasibility of Automated Artificial Intelligence Angiography Based Fractional Flow Reserve Estimation. 2021 , 139, 8-14	7
438	Cost-effectiveness of stress CTP versus CTA in detecting obstructive CAD or in-stent restenosis in stented patients. 2021 , 31, 1443-1450	0

437	The impact of hydrostatic pressure on the result of physiological measurements in various coronary segments. 2021 , 37, 5-14	2
436	Coronary intravascular ultrasound and optical coherence tomography imaging and clinical contexts in coronary hemodynamics. 2021 , 149-170	
435	Hemodynamic disturbance due to serial stenosis in human coronary bifurcations: a computational fluid dynamics study. 2021 , 225-250	
434	Prognostic Impacts of Comorbid Significant Coronary Stenosis and Coronary Artery Spasm in Patients With Stable Coronary Artery Disease. 2021 , e017831	4
433	How to select patients requiring coronary revascularisation using coronary physiology. 2021 , 10, 2048004020979476	
432	Relationship between Whole Blood Viscosity and Lesion Severity in Coronary Artery Disease. 2021 , 30, 117-121	
431	Prediction of 3D Cardiovascular hemodynamics before and after coronary artery bypass surgery via deep learning. 2021 , 4, 99	6
430	Impact of aging on the effects of intracoronary adenosine, peak hyperemia and its duration during fractional flow reserve assessment. 2021 , 32, 625-631	2
429	Independent predictors of discordance between the resting full-cycle ratio and fractional flow reserve. 2021 , 36, 790-798	2
428	Stenosis Assessment via Volumetric Flow Rate Calculation. 2021 , 707-718	
427	Effect of Elevated Left Ventricular End Diastolic Pressure on Instantaneous Wave-Free Ratio and Fractional Flow Reserve Discordance. 2021 , 12, 117-125	0
426	Functional assessment of myocardial ischaemia by intracoronary ECG. 2021 , 8,	2
425	[Echocardiography in the Assessment of Postsystolic Shortening of the Left Ventricle Myocardium of the Heart]. 2021 , 60, 110-116	
424	CT Assessment of Myocardial Perfusion and Fractional Flow Reserve in Coronary Artery Disease: A Review of Current Clinical Evidence and Recent Developments. 2021 , 22, 1749-1763	0
423	Validación prospectiva y comparación de los nuevos índices de evaluación de las estenosis coronarias: resting full-cycle y quantitative flow ratio. 2021 , 74, 94-97	1
422	Progressive Collateral Stenosis Leading to Symptomatic Chronic Total Occlusion. 2021 , 13, e12524	
421	Coronary Physiology: From Basic Concepts to FFR and iFR. 2021 , 183-202	
420	Influence of different physiological hemodynamics on fractional flow reserve values in the left coronary artery and right coronary artery. 2021 , 36, 1125-1131	0

419	Functional Assessment of Coronary Artery Lesions-Old and New Kids on the Block. 2021 , 30, 40-47	
418	Coronary angiography-derived contrast fractional flow reserve. 2021 ,	1
417	The Hemodynamic Mechanism of FFR-Guided Coronary Artery Bypass Grafting. 2021 , 12, 503687	1
416	From anatomy to function and then back to anatomy: invasive assessment of myocardial ischemia in the catheterization laboratory based on anatomy-derived indices of coronary physiology. 2021 , 69, 626-640	1
415	Quantitative flow ratio as a new tool for angiography-based physiological evaluation of coronary artery disease: a review. 2021 , 17, 1435-1452	1
414	Rationale and design of the precise percutaneous coronary intervention plan (P3) study: Prospective evaluation of a virtual computed tomography-based percutaneous intervention planner. 2021 , 44, 446-454	3
413	Usefulness of the Hybrid RFR-FFR Approach: Results of a Prospective and Multicenter Analysis of Diagnostic Agreement between RFR and FFR-The RECOPA (REsting Full-Cycle Ratio Comparison versus Fractional Flow Reserve (A Prospective Validation)) Study. 2021 , 2021, 5522707	0
412	Impact of Poststenting Fractional Flow Reserve on Long-Term Clinical Outcomes: The FFR-SEARCH Study. 2021 , 14, e009681	8
411	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. 2021 , 85, 402-572	11
410	Relationship between fractional flow reserve and graft patency after coronary artery bypass grafting. 2021 , 69, 1453-1459	
409	Model-based aortic power transfer: A potential measure for quantifying aortic stenosis severity based on measured data. 2021 , 90, 66-81	1
408	A Computational Analysis of the Influence of a Pressure Wire in Evaluating Coronary Stenosis. 2021 , 6, 165	2
407	The Evolution of Virtual Physiologic Assessments and Virtual Coronary Intervention to Optimize Revascularization. 2021 , 14, 1	
406	Onsite Computed Tomography Fractional Flow Reserve in Patients with Suspected Stable Coronary Artery Disease Initial Experience. 2021 , 31, 291-296	1
405	Anatomical-functional discordance between quantitative coronary angiography and diastolic pressure ratio during wave-free period. 2021 ,	
404	Quantitative Flow Ratio to Predict Nontarget Vessel-Related Events at 5 Years in Patients With ST-Segment-Elevation Myocardial Infarction Undergoing Angiography-Guided Revascularization. 2021 , 10, e019052	2
403	Agreement of Angiography-Derived and Wire-Based Fractional Flow Reserves in Percutaneous Coronary Intervention. 2021 , 8, 654392	0
402	Image-derived mean velocity measurement for prediction of coronary flow reserve in a canonical stenosis phantom using magnetic particle imaging. 2021 , 16, e0249697	

401	Optimising physiological endpoints of percutaneous coronary intervention. 2021 , 16, e1470-e1483	2
400	Deep learning for prediction of fractional flow reserve from resting coronary pressure curves. 2021 , 17, 51-58	
399	Quantitative flow ratio for evaluation of borderline coronary lesions in patients with severe aortic stenosis. 2021 ,	
398	Non-invasive fractional flow reserve (FFR) in the evaluation of acute chest pain - Concepts and first experiences. 2021 , 138, 109633	3
397	The central role of invasive functional coronary assessment for patients with ischemic heart disease. 2021 , 331, 17-25	2
396	Invasive coronary physiology assessment for patients with stable coronary disease. 2021 ,	1
395	Diagnostic Performance of CMR, SPECT, and PET Imaging for the Identification of Coronary Artery Disease: A Meta-Analysis. 2021 , 8, 621389	4
394	Usefulness of Tolvaptan for the Postoperative Control After Kidney Transplantation in a Patient With Cardiac Hypofunction: A Case Report. 2021 , 53, 1288-1291	0
393	Coronary Assessment and Revascularization Before Transcatheter Aortic Valve Implantation: An Update on Current Knowledge. 2021 , 8, 654892	2
392	Derivation and validation of Pd/Pa in the assessment of residual ischemia post-intervention: A prospective all-comer registry. 2021 ,	0
391	Physiologic Assessment of Coronary Stenosis: Current Status and Future Directions. 2021 , 23, 88	2
390	Functional assessment of coronary plaques using CT based hemodynamic simulations: Current status, technical principles and clinical value. 2021 , 13, 37-48	
389	Characterizing and Optimizing Piezoelectric Response of ZnO Nanowire/PMMA Composite-Based Sensor. 2021 , 11,	3
388	Relief of Ischemia in Ischemic Cardiomyopathy. 2021 , 23, 80	2
387	Impact of Arterial Remodeling of Intermediate Coronary Lesions on Long-Term Clinical Outcomes in Patients with Stable Coronary Artery Disease: An Intravascular Ultrasound Study. 2021 , 2021, 9915759	0
386	Health-Related Quality of Life and Angina in Fractional Flow Reserve- Versus Angiography-Guided Coronary Artery Bypass Grafting: FARGO Trial (Fractional Flow Reserve Versus Angiography Randomization for Graft Optimization). 2021 , 14, e007302	0
385	El cociente de flujo cuantitativo en pacientes con estenosis aórtica grave y lesiones coronarias intermedias. 2021 ,	
384	A fast algebraic approach for noninvasive prediction of fractional flow reserve in coronary arteries. 2021 , 24, 1761-1793	

383	Multivessel PCI Guided by FFR or Angiography for Myocardial Infarction. <i>New England Journal of Medicine</i> , 2021 , 385, 297-308	59.2	41
382	Quantitative flow ratio-guided residual functional SYNTAX score for risk assessment in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention. 2021 , 17, e287-e293		5
381	Functional Assessment of Myocardial Bridging With Conventional and Diastolic Fractional Flow Reserve: Vasodilator Versus Inotropic Provocation. 2021 , 10, e020597		6
380	Comparison Between 5- and 1-Year Outcomes Using Cutoff Values of Pressure Drop Coefficient and Fractional Flow Reserve for Diagnosing Coronary Artery Diseases. 2021 , 12, 689517		0
379	Effect of the ratio of vessel-specific volume to fractional myocardial mass on fractional flow reserve. 2021 , 15353702211027119		
378	Understanding the predictive value and methods of risk assessment based on coronary computed tomographic angiography in populations with coronary artery disease: a review. 2021 , 4, 192-203		
377	FFR pressure wire comparative study: piezoresistive versus optical sensor. 2021 , 1-6		
376	Structuring BaTiO ₃ /PDMS Nanocomposite via Dielectrophoresis for Fractional Flow Reserve Measurement. 2100341		6
375	Sex Differences in Intracoronary Imaging and Functional Evaluation of Coronary Arteries. 2021 , 14, 1		1
374	Intraoperative coronary angiography and fractional flow reserve measurement with dobutamine infusion in supra-arterial myotomy for a myocardial bridge: a case report. 2021 , 5, ytab268		1
373	The relationship between coronary stenosis morphology and fractional flow reserve: a computational fluid dynamics modelling study.		0
372	Diagnostic accuracy of coronary computed tomography angiography-derived fractional flow reserve. 2021 , 20, 77		2
371	Automated fractional flow reserve assessment - artificial intelligence in the catheterization laboratory. 2021 , 38, 127-127		0
370	Compared Outcomes of ST-Segment-Elevation Myocardial Infarction Patients With Multivessel Disease Treated With Primary Percutaneous Coronary Intervention and Preserved Fractional Flow Reserve of Nonculprit Lesions Treated Conservatively and of Those With Low Fractional Flow Reserve Managed Invasively: Insights From the FLOWER MI Trial. 2021 , 14, e011914		8
369	Fractional Flow Reserve Value of Reverse Redistribution in 201-Thallium Stress Scintigraphy. 2021 , 4, 46-53		
368	Computed Tomography Coronary Angiography and Computational Fluid Dynamics Based Fractional Flow Reserve Before and After Percutaneous Coronary Intervention. 2021 , 9, 739667		2
367	Effect of guidewire insertion in fractional flow reserve procedure for real geometry using computational fluid dynamics. 2021 , 20, 95		2
366	St-Elevation Myocardial Infarction Patients with Hyperglycemia: Effects of Intravenous Adenosine. 2021 ,		2

365	Instantaneous wave-free ratio compared with fractional flow reserve in PCI: A cost-minimization analysis. 2021 , 344, 54-59	1
364	Diagnostic Accuracy of Diastolic Fractional Flow Reserve for Functional Evaluation of Coronary Stenosis: DIASTOLE Study. 2021 , 1, 230-241	0
363	Contrast FFR plus intracoronary injection of nitro-glycerine accurately predicts FFR for coronary stenosis functional assessment. 2021 , 69, 449-457	1
362	Quantifying tissue perfusion after peripheral endovascular procedures: Novel tissue perfusion endpoints to improve outcomes. 2021 , 13, 381-398	0
361	Head to head comparison of quantitative flow ratio using 4-French and 6-French catheters versus fractional flow reserve. 2021 ,	
360	The role of coronary physiology in contemporary percutaneous coronary interventions. 2021 ,	1
359	Sex-based difference in fractional flow reserve and its impact on clinical outcomes. 2021 , 242, 24-32	
358	Forward-viewing estimation of 3D blood flow velocity fields by intravascular ultrasound: Influence of the catheter on velocity estimation in stenoses. 2021 , 117, 106558	0
357	Coronary Guidewire Complications. 2005 , 35-55	1
356	Anatomie und Pathologie der Koronararterien. 2000 , 209-553	2
355	Fractional Flow Reserve. 1997 , 49-79	1
354	Practical Set-up of Coronary Pressure Measurement. 1997 , 81-120	4
353	Practical Set-Up of Coronary Pressure Measurement. 2000 , 83-114	1
352	Computed tomographic evaluation of myocardial ischemia. 2020 , 38, 411-433	9
351	Coronary Artery Disease Detection. 2010 , 244-266	1
350	Nonangiographic Coronary Lesion Assessment. 2013 , 244-289	1
349	Myocardial Perfusion Imaging Theory. 2019 , 40-50.e2	1
348	Coronary Hemodynamics. 2008 , 199-218	2

347	Coronary physiology in patients with severe aortic stenosis: Comparison between fractional flow reserve and instantaneous wave-free ratio. 2017 , 243, 40-46	27
346	Survival of Patients With Angina Pectoris Undergoing Percutaneous Coronary Intervention With Intracoronary Pressure Wire Guidance. 2020 , 75, 2785-2799	10
345	Invasive Imaging and Haemodynamics. 2009 , 237-280	2
344	Chronic Ischaemic Heart Disease. 2009 , 597-664	5
343	Coincidental coronary artery disease impairs outcome in patients with takotsubo cardiomyopathy. 2017 , 110, 483-488	11
342	A Metamodeling Approach for Instant Severity Assessment and Uncertainty Quantification of Iliac Artery Stenoses. 2020 , 142,	1
341	Comparison of Instantaneous Wave-Free Ratio (iFR) and Fractional Flow Reserve (FFR) with respect to Their Sensitivities to Cardiovascular Factors: A Computational Model-Based Study. 2020 , 2020, 4094121	7
340	Intracoronary Doppler assessment of moderate coronary artery disease: comparison with 201Tl imaging and coronary angiography. FACTS Study Group. 1997 , 96, 484-90	101
339	Detection of Coronary Artery Disease With Myocardial Contrast Echocardiography. 1997 , 96, 785-792	227
338	Increase in ultrasonic intensity of blood speckle across moderate coronary artery stenosis is an independent predictor of functional coronary artery stenosis measured by fractional flow reserve: pilot study. 2015 , 10, e0116727	5
337	Frontal QRS-T angle is related with hemodynamic significance of coronary artery stenosis in patients with single vessel disease. 2019 , 22, 194-201	6
336	CT Determination of Fractional Flow Reserve in Coronary Lesions. 2016 , 1, 237-241	3
335	Feasibility of intracoronary frequency domain optical coherence tomography derived fractional flow reserve for the assessment of coronary artery stenosis. 2014 , 55, 307-11	14
334	Impaired exercise-related myocardial uptake of technetium-99m-tetrofosmin in relation to coronary narrowing and diabetic state: assessment with quantitative single photon emission computed tomography. 2001 , 42, 29-42	1
333	Assessing the Haemodynamic Impact of Coronary Artery Stenoses: Intracoronary Flow Versus Pressure Measurements. 2018 , 13, 46-53	6
332	The FAME Trials: Impact on Clinical Decision Making. 2016 , 11, 116-119	5
331	Fractional Flow Reserve Measurement by Computed Tomography: An Alternative to the Stress Test. 2016 , 11, 105-109	5
330	Fractional Flow Reserve: Does a Cut-off Value add Value?. 2016 , 11, 17-26	2

329	Overview of Quantitative Flow Ratio and Optical Flow Ratio in the Assessment of Intermediate Coronary Lesions. 14,	1
328	Fractional flow reserve: physiological basis, advantages and limitations, and potential gender differences. 2015 , 11, 209-19	14
327	Assessing Coronary Blood Flow Physiology in the Cardiac Catheterisation Laboratory. 2017 , 13, 232-243	10
326	Outcomes following successful recanalization of chronic total coronary occlusions. 2011 , 3, 391-405	1
325	Fractional flow reserve: a new paradigm for diagnosis and management of coronary artery disease. 2012 , 4, 61-71	2
324	Renal dysfunction is associated with lower incidence of positive fractional flow reserve values in patients with severe hypertension. 2020 , 68, 261-267	2
323	The role of FFR in clinical decision making in patients with moderate coronary lesions: a pilot study. 2018 , 89, 378-381	3
322	Percutaneous Coronary Intervention in Stable Coronary Heart Disease -Is Less More?. 2020 , 117, 137-144	7
321	Pressure- and Velocity-Based Physiological Assessment of Stenotic Lesions at Hyperemia in Superficial Femoral Artery Disease: Importance of Hyperemic Stenosis Resistance. 2019 , 12, 362-366	1
320	Clinical applications of fractional flow reserve in bifurcation lesions. 2012 , 9, 278-84	9
319	Early dipyridamole stress myocardial SPECT to detect residual stenosis of infarct related artery: comparison with coronary angiography and fractional flow reserve. 2002 , 17, 7-13	10
318	Physiologic approach for coronary intervention. 2013 , 28, 1-7	4
317	Detection of Functionally Significant Coronary Artery Disease: Role of Regional Post Systolic Shortening. 2020 , 30, 131-139	3
316	In vivo validation of mathematically derived fractional flow reserve for assessing haemodynamics of coronary tandem lesions. 2016 , 12, e1375-e1384	7
315	cFFR as an alternative to FFR: does the contrast still need to be contrasted?. 2017 , 12, e2278-e2279	2
314	Physiological assessment of left main coronary artery disease. 2017 , 13, 820-827	17
313	Clinical significance of concordance or discordance between fractional flow reserve and coronary flow reserve for coronary physiological indices, microvascular resistance, and prognosis after elective percutaneous coronary intervention. 2018 , 14, 798-805	9
312	State of the art: pressure wire and coronary functional assessment. 2017 , 13, 666-679	10

311	Association between fractional flow reserve, instantaneous wave-free ratio and dobutamine stress echocardiography in patients with stable coronary artery disease. 2018 , 13, 1959-1966	4
310	The impact of Objective Mathematical Analysis during Fractional Flow Reserve measurement: results from the OMA-FFR study. 2018 , 14, 935-941	1
309	Prognostic value of post-intervention fractional flow reserve after intravascular ultrasound-guided second-generation drug-eluting coronary stenting. 2019 , 15, e779-e787	4
308	The SYNTAX score on its way out or ãllowards artificial intelligence: part I. 2020 , 16, 44-59	15
307	Long-term outcome of FFR-guided PCI for stable coronary artery disease in daily clinical practice: a propensity score-matched landmark analysis. 2016 , 11, e1257-66	12
306	STENTYS Self-Apposing sirolimus-eluting stent in ST-segment elevation myocardial infarction: results from the randomised APPOSITION IV trial. 2016 , 11, e1267-74	20
305	Assessment of coronary fractional flow reserve using a monorail pressure catheter: the first-in-human ACCESS-NZ trial. 2015 , 11, 257-63	23
304	Three-dimensional quantitative coronary angiography and quantification of jeopardised myocardium to predict functional significance of intermediate coronary artery stenosis. 2015 , 11, 308-18	1
303	Coronary fractional flow reserve in bifurcation stenoses: what have we learned?. 2015 , 11 Suppl V, V59-63	6
302	Basal stenosis resistance index derived from simultaneous pressure and flow velocity measurements. 2016 , 12, e199-207	13
301	Impact of dye injection on intracoronary pressure. 2009 , 5, 272-6	3
300	Determination of haemodynamic significance of intermediate coronary lesions using three-dimensional coronary reconstruction. 2009 , 5, 573-9	14
299	Quantitative assessment of coronary microvascular function in patients with and without epicardial atherosclerosis. 2010 , 5, 939-945	72
298	FFR in bifurcation stenting: what have we learned?. 2010 , 6 Suppl J, J94-8	9
297	Side branch fractional flow reserve measurements after main vessel stenting: a Nordic-Baltic Bifurcation Study III substudy. 2012 , 7, 1155-61	41
296	Correlation between fractional flow reserve and intravascular ultrasound lumen area in intermediate coronary artery stenosis. 2011 , 7, 225-33	59
295	Volumetric assessment of lesion severity with optical coherence tomography: relationship with fractional flow. 2013 , 8, 1172-81	23
294	Influence of high-dose lipid lowering treatment compared to low-dose lipid lowering treatment on plaque composition assessed by intravascular ultrasound virtual histology in patients with ST-segment elevation acute myocardial infarction: the VIRHISTAMI trial. 2013 , 8, 1182-9	13

293	The great iFR vs. FFR debate: why sometimes "the wait and see approach" is the best tactic as the best pragmatic solution will always emerge and become established. 2013 , 9, 11-3	5
292	Classification performance of instantaneous wave-free ratio (iFR) and fractional flow reserve in a clinical population of intermediate coronary stenoses: results of the ADVISE registry. 2013 , 9, 91-101	134
291	Virtual fractional flow reserve by coronary computed tomography - hope or hype?. 2013 , 9, 277-84	10
290	The impact of gender on fractional flow reserve measurements. 2013 , 9, 360-6	25
289	Mislabelled table entries in ADVISE Registry by Petraco and colleagues. 2013 , 9, 769-70	1
288	Influence of epicardial stenosis severity and central venous pressure on the index of microcirculatory resistance in a follow-up study. 2014 , 9, 1063-8	6
287	Single bolus intravenous regadenoson injection versus central venous infusion of adenosine for maximum coronary hyperaemia in fractional flow reserve measurement. 2015 , 11, 905-13	18
286	Head-to-head comparison of basal stenosis resistance index, instantaneous wave-free ratio, and fractional flow reserve: diagnostic accuracy for stenosis-specific myocardial ischaemia. 2015 , 11, 914-25	52
285	2014 ESC/EACTS guidelines on myocardial revascularization. 2015 , 10, 1024-94	195
284	Additive diagnostic value of atherosclerotic plaque characteristics to non-invasive FFR for identification of lesions causing ischaemia: results from a prospective international multicentre trial. 2016 , 12, 473-81	19
283	2018 ESC/EACTS Guidelines on myocardial revascularization. 2019 , 14, 1435-1534	180
282	Percutaneous coronary intervention for unprotected left main coronary artery stenosis. 2010 , 2, 78-88	3
281	Myocardial ischemia is a key factor in the management of stable coronary artery disease. 2014 , 6, 130-9	17
280	The use of adenosine in the assessment of stable coronary heart disease. 2019 , 49, 182-184	1
279	Incidence of acute bronchospasm during systemic adenosine administration for coronary angiography. 2019 , 49, 204-206	5
278	Relationship between reversibility score on corresponding left ventricular segments and fractional flow reserve in coronary artery disease. 2015 , 15, 469-74	2
277	Neutrophil-to-lymphocyte ratio predicts hemodynamic significance of coronary artery stenosis. 2015 , 15, 1002-7	17
276	A Personalized Pulmonary Circulation Model to Non-Invasively Calculate Fractional Flow Reserve for Artery Stenosis Detection. 2021 , PP,	0

- 275 Diagnostic performance of AccuFFRangio in the functional assessment of coronary stenosis compared with pressure wire-derived fractional flow reserve.. **2022**, 12, 949-958 1
- 274 Predictors of fractional flow reserve/instantaneous wave-free ratio discordance: impact of tailored diagnostic cut-offs on clinical outcomes of deferred lesions.. **2022**, 23, 106-115
- 273 Coronary Revascularization in Patients Undergoing Aortic Valve Replacement for Severe Aortic Stenosis. **2021**, 14, 2083-2096 4
- 272 Fractional Flow Reserve to Assess Intermediate Stenosis. **2000**, 231-245
- 271 Fractional Flow Reserve and Clinical Outcome. **2000**, 307-326
- 270 Fractional Flow Reserve. **2000**, 51-82
- 269 Fractional Flow Reserve for Evaluation of Coronary Interventions. **2000**, 271-306
- 268 Ballon-Dilatation (PTCA). **2000**, 399-423
- 267 Coronary Artery Revascularization: Percutaneous Approach. **2002**, 820-840
- 266 Coronary Atherosclerosis: Chronic Coronary Syndromes. **2002**, 779-820
- 265 Functional Coronary Artery Diagnostic Evaluations. **2002**, 701-713
- 264 Does the Angiogram Still Qualify as the Gold Standard for Evaluation of Noninvasive Tests?. **2002**, 7-13
- 263 Lesion Assessment. **2003**, 7-26
- 262 Anatomical and Functional Targets of Stress Testing. **2003**, 17-26
- 261 Accuracy of Stress Echocardiography. **2003**, 65-104
- 260 ???(4.????????????????????)(?67?????????????). **2003**, 11, 267-272
- 259 Perkutane koronare Intervention. **2004**, 971-995
- 258 NONANGIOGRAPHIC CORONARY LESION ASSESSMENT. **2004**, 343-385

- 257 Physiologic Significance of the Simultaneous Measurement of Coronary Flow Reserve (CFR) and Fractional Flow Reserve (FFR) During Complex Stenting of the Left Anterior Descending (LAD) Artery. **2004**, 195-200
- 256 Intermediate Lesions Analysis in Three-Vessel Disease (3VD) to Allow 2VD Percutaneous Coronary Intervention (PCI). **2004**, 201-205
- 255 Antianginal Drugs. **2005**, 145-164
- 254 Principles of Pathophysiology Related to Noninvasive Cardiac Imaging. **2006**, 1-15
- 253 Coronariografã diagnosticã. **2006**, 53-63
- 252 Mechanical Approaches to Percutaneous Coronary Intervention. **2007**, 121-134
- 251 Coronary Angiography. **2007**, 745-810
- 250 23 Percutane coronaire interventies. **2008**, 197-202
- 249 Cocaine. **2008**, 1-208 1
- 248 Ischemic Heart Disease. **2009**, 209-241
- 247 Functional measurement in the catheterization lab-or is coronary angiography always flawless?. **2009**, 51, 26-30 1
- 246 Stable Coronary Artery Disease: Exercise-Based Cardiac Rehabilitation Reduces the Risk of Recurrent Angina after PCI in the Case of Arterial Hypertension. **2010**, 163-173
- 245 Percutaneous Coronary and Structural Heart Disease Interventional Techniques. **2010**, 363-393
- 244 Diagnostic Coronary Angiography. **2010**, 71-77
- 243 Stressechokardiographie. **2010**, 121-140
- 242 ISCHEMIC HEART DISEASE: CORONARY PHYSIOLOGY AND MANIFESTATIONS OF CORONARY ATHEROSCLEROSIS. **2010**, 108-122
- 241 Magnetic Resonance for Functional Testing and Interventional Guidance. 178-194
- 240 Coronary Artery Stenting. **2011**, 243-261

- 239 Percutaneous Coronary Intervention in Multivessel Disease. 387-399
- 238 Application of intracoronary physiology. **2010**, 341-354
- 237 Angiographic Data. **2011**, 145-218 1
- 236 How to Assess Lesions of Intermediate Severity. **2011**, 202-205
- 235 Physiologic Assessment in the Cardiac Catheterization Laboratory. 74-89
- 234 Intracoronary Pressure and Flow Measurement. **2012**, 776-792
- 233 Fractional Flow Reserve. **2013**, 349-361
- 232 Invasive assessment and management of intermediate coronary narrowings. **2012**, 302-311
- 231 Fractional flow reserve: Role in guiding clinical decision making. **2012**, 140-151
- 230 Fractional flow reserve. **2012**, 140-151
- 229 Invasive assessment and management of intermediate coronary narrowings. **2012**, 302-311
- 228 New Techniques for the Assessment of Coronary Microvascular Abnormalities. **2013**, 253-263
- 227 Myocardial bridges: From incidental findings to myocardial ischemia. **2013**, 32, 110-120
- 226 The Anatomic-Functional Duality of So-called 'Significant' Atherosclerotic Stenosis - Update on Invasive Diagnostic Strategies in Coronaropathy. **2013**, 8, 112-117
- 225 Coronary CT angiography: Beyond morphological stenosis analysis. **2013**, 5, 444-52 3
- 224 Coronary Pressure and Flow for the Assessment of Coronary Artery Disease. **2013**, 1-33
- 223 Usefulness of Coronary Fractional Flow Reserve Measurement Using the Diagnostic Catheter. **2013**, 5, 92-98 1
- 222 Chronic Coronary Artery Disease. **2014**, 67-85

- 221 Patient Selection for Coronary Intervention. **2014**, 41-51
- 220 Physiologic Evaluation of Patients with Ischemic Heart Disease. **2014**, 193-205
- 219 Fractional Flow Reserve Method in Cardiac Catheterization Laboratory without Cardiosurgical Backup: Initial Experiences. **2013**, 1, 50-53
- 218 Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. **2014**, 1-43
- 217 Reduction of Motion Disturbances in Coronary Cineangiograms through Template Matching. **2014**, 267-273 o
- 216 Functional significance of the intermediate lesion in a single coronary artery assessed by fractional flow reserve. **2014**, 29, 822-4
- 215 Ischemia-guided Revascularization for Stable Ischemic Heart Disease. **2014**, 87, 675
- 214 Conclusions and Perspectives for the Future. **1997**, 333-339
- 213 Myocardial Fractional Flow Reserve and Clinical Outcome. **1997**, 273-285
- 212 Comparison of Fractional Flow Reserve to Non-Invasive Tests to Detect Reversible Ischemia. **1997**, 221-235
- 211 Acute Myocardial Infarction. **1998**, 143-197
- 210 ?????????(????1997????). **1998**, 6, 105-111
- 209 Stable coronary artery disease - opportunities of non-invasive visualization. **2014**, 5, 20-26 1
- 208 Combining CT Coronary Angiography and Myocardial Flow Reserve: Is It the Future?. **2015**, 207-224
- 207 [Harmony of medical care and radiological technology for ischemic heart disease -sharing knowledge and technique for safe examination and treatment-]. **2015**, 71, 249-70
- 206 Integrating Physiology into the DNA of Coronary Revascularisation - A Historical Perspective, Contemporary Review and Blueprint for the Future of Coronary Physiology. **2015**, 10, 79-84
- 205 Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. **2015**, 2071-2107
- 204 Anatomical and Functional Targets of Stress Testing. **2015**, 19-36

- 203 Coronary Pressure and Flow for the Assessment of Coronary Artery Disease. **2015**, 1431-1457
- 202 Clinical Applications of Intracoronary OCT (Invited Paper). **2015**, 26, 1-8
- 201 Setting the Stage: How to Perform Intracoronary Pressure Measurements. **2016**, 3-14
- 200 Invasive Diagnostic Assessment of Coronary Artery Disease. **2016**, 159-165
- 199 Noninvasive PET Flow Reserve Imaging to Direct Optimal Therapies for Myocardial Ischemia. **2016**, 153-170
- 198 Recent clinical role of nuclear cardiology for coronary artery disease. **2016**, 22, 99-105
- 197 Comparative Study between Perfusion Changes and Positive Findings on Coronary Flow Reserve. **2017**, 108, 38-46 0
- 196 Long-Term Repeatability of FFR: Twin Measurements with Two Years In-Between. **2016**, 57-59
- 195 Starting Easy: FFR in a High-Grade Stenosis. **2016**, 17-20
- 194 Non-Invasive Fractional Flow Reserve Estimation with Coronary Computed Tomography Angiography. **2016**, 2, 1
- 193 Noninvasive Assessment of Coronary Artery Disease: Fractional Flow Reserved Derived from Coronary Computed Tomography Angiography (FFRCT). **2016**, 1, 137-141
- 192 Coronary Blood Flow Measurements. **2017**, 249-261
- 191 Understanding Fractional Flow Reserve. **2017**, 195-208
- 190 Cath Report. **2017**, 395-400
- 189 Atherosclerosis. **2017**, 285-306
- 188 Validation of iFR: Clinical Registries. **2017**, 225-231
- 187 Practical Aspects of Intracoronary Pressure and Flow Measurements. **2017**, 137-156
- 186 Patient-Specific Modeling of the Coronary Circulation. **2017**, 61-88

- 185 Complex Coronary Hemodynamics - Simple Analog Modelling as an Educational Tool. **2017**, 11, 12-19
- 184 Functional Significance of Coronary Stenoses Identified by CT. **2018**, 165-175
- 183 Safety and Efficacy of Adenosine 5â€¢Triphosphate as a Hyperemic Agent for the Assessment of Peripheral Fractional Flow Reserve. **2018**, 30, 151-158 0
- 182 Physiologic Lesion Assessment: Fractional Flow Reserve. **2018**, 211-227
- 181 Comparison of Fractional Flow Reserve-Guided Revascularization Strategies in Isolated Proximal Left Anterior Descending Coronary Artery Disease. **2018**, 08, 167-176
- 180 Adenosine in cardiac catheterization suite: Complication re-visited!. **2019**, 22, 456-457
- 179 Intracoronary Hemodynamics. **2019**, 351-362
- 178 Significant Residual Ischemia on Myocardial Perfusion Imaging after Optimal Medical Therapy with or without Coronary Revascularization Predicts a Worse Prognosis. **2019**, 5, 28-34
- 177 CT and MRI in Suspected Ischemic Heart Disease. **2019**, 179-187 1
- 176 A simplified formula to calculate fractional flow reserve in sequential lesions circumventing the measurement of coronary wedge pressure: The APIS-S pilot study. **2019**, 26, 310-321 2
- 175 Future Development. **2020**, 175-191 0
- 174 Modern strategy of treating patients with coronary artery disease: complementarity principle in therapy and new ideas about its role and components. **2019**, 112-121 0
- 173 Role of stress in dynamic single-photon emission computed tomography with myocardial perfusion reserve determination in assessing the severity of coronary artery stenosis. **2019**, 40-46
- 172 Fractional Flow Reserve. **2020**, 15-21
- 171 Nuclear investigative techniques and their interpretation in the heart and vascular disease. **2020**, 23, 262-271 1
- 170 Cardiac risk stratification in stable coronary artery disease. **2020**, 14, 24-33
- 169 Two-Year Outcomes of Asymptomatic vs. Symptomatic Patients After Deferral of Revascularization Based on Fractional Flow Reserve - Insights From the J-CONFIRM Registry. **2020**, 2, 744-752 1
- 168 The use of lesion-specific calcium morphology to guide the appropriate use of dynamic CT myocardial perfusion imaging and CT fractional flow reserve.. **2022**, 12, 1257-1269 0

- 167 Coronary Heart Disease Diagnosis by FFRCT: Engineering Triumphs and Value Chain Analysis. **2020**, 249-260
- 166 Evidence-Based PET for Cardiac Diseases. **2020**, 99-108
- 165 Usefulness of Fractional Flow Reserve Measurement with the Four French Diagnostic Catheter (FFRFFR). **2020**, 113-125
- 164 Relation between quantity and quality of peri-coronary epicardial adipose tissue and its underlying hemodynamically significant coronary stenosis.
- 163 Numerical evaluation of the effectiveness of coronary revascularization. **2021**, 36, 303-312 2
- 162 Influence of reconstruction kernels on the accuracy of CT-derived fractional flow reserve. **2021**, 1 1
- 161 Clinical application of results of the ISCHEMIA trial. **2021**, 2
- 160 CT and CT Nuclear Imaging of the Heart. **2007**, 154-157
- 159 Stable Angina. **2005**, 451-470
- 158 The Use of Pressure Gradient in the Diagnosis of Restenosis. **2007**, 247-256
- 157 Stable Ischemic Heart Disease. **2021**, 125-154
- 156 Efficacy of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention for Patients with Angina Pectoris. **2020**, 61, 1097-1106 0
- 155 Exercise Training as a Mediator for Enhancing Coronary Collateral Circulation: A Review of the Evidence. **2020**, 16, 212-220 1
- 154 Discordance between anatomical and functional coronary stenosis severity. **2007**, 15, 5-11 13
- 153 ACS, myocardial bridging, Tako-tsubo syndrome and mitral regurgitation. **2005**, 13, 57-61 3
- 152 Residual angina pectoris after percutaneous coronary intervention for acute coronary syndrome. **2005**, 13, 315-317
- 151 The comparative efficacy of percutaneous and surgical coronary revascularization in 2009: a review. **2009**, 36, 375-86 2
- 150 Treating stable ischemic heart disease with percutaneous coronary intervention - The debate continues. **2012**, 2, 264-7 2

149	Fractional flow reserve application in everyday practice: adherence to clinical recommendations. 2013 , 3, 137-45	6
148	Left ventricular dyssynchrony in patients with moderate coronary stenosis and border line fractional flow reserve. 2015 , 77, 155-66	2
147	Factors influencing the functional significance in intermediate coronary stenosis. 2015 , 12, 107-12	3
146	Critical analysis of the correlation between optical coherence tomography versus intravascular ultrasound and fractional flow reserve in the management of intermediate coronary artery lesion. 2015 , 8, 6658-67	4
145	Evaluating the impact of fractional flow reserve-guided percutaneous coronary intervention in intermediate coronary artery lesions on the mode of treatment and their outcomes: An Iranian experience. 2015 , 11, 153-9	3
144	Long-term outcomes after fractional flow reserve-guided percutaneous coronary intervention in patients with severe coronary stenosis. 2019 , 16, 329-337	1
143	Use of a pressure-sensing wire to detect sequential pressure gradients for ipsilateral vertebral and subclavian artery stenoses. 2005 , 26, 1810-2	5
142	Value of Delta Fractional Flow Reserve (FFR) For Predicting Coronary Ischemic Lesions. 2020 , 9, e1528	
141	Long-Term Changes in Invasive Physiological Pressure Indices of Stenosis Severity Following Transcatheter Aortic Valve Implantation. 2021 , CIRCINTERVENTIONS121011331	1
140	Predicting haemodynamic significance of coronary stenosis with radiomics-based pericoronary adipose tissue characteristics. 2021 ,	2
139	Agreement between single plane and biplane derived angiographic fractional flow reserve in patients with intermediate coronary artery stenosis. 2021 , 37, 549	0
138	On the issue of critical arterial stenosis. 2021 , 28, 9-16	1
137	The Critical Role of Lumped Parameter Models in Patient-Specific Cardiovascular Simulations. 1	1
136	Usefulness of Fractional Flow Reserve during Routine Clinical Procedures in All-Coroner Coronary Artery Disease Patients. 2021 , 11, 509-522	
135	Diastolic versus systolic coronary computed tomography angiography derived fractional flow reserve for the identification of lesion-specific ischemia.. 2021 , 147, 110098	
134	Value of Delta Fractional Flow Reserve (FFR) For Predicting Coronary Ischemic Lesions. 2020 , 9, e1528	
133	1-Year Outcomes of Blinded Physiological Assessment of Residual Ischemia After Successful PCI: DEFINE PCI Trial.. 2022 , 15, 52-61	6
132	JCS 2018 Guideline on Revascularization of Stable Coronary Artery Disease.. 2022 , 86,	3

- 131 Static CT myocardial perfusion imaging: image quality, artifacts including distribution and diagnostic performance compared to Rb PET.. **2022**, 6, 1
- 130 Beyond Coronary CT Angiography: CT Fractional Flow Reserve and Perfusion. **2022**, 83, 3
- 129 Intracoronary pressures to predict myocardial viability in patients with ischemic left ventricular dysfunction.. **2022**,
- 128 Artificial neural networks in cardiology: analysis of graphic data. **2022**, 20, 193-204
- 127 Impact of coronary bifurcated vessels flow-diameter scaling laws on fractional flow reserve based on computed tomography images (FFRCT).. **2022**, 19, 3127-3146
- 126 Physiologic Guidance for Percutaneous Coronary Intervention: State of the Evidence.. **2022**, 0
- 125 Fractional Flow Reserve and Instantaneous Wave-Free Ratio Predict Pathological Wall Shear Stress in Coronary Arteries: Implications for Understanding the Pathophysiological Impact of Functionally Significant Coronary Stenoses.. **2022**, e023502 1
- 124 Association of Guideline-Directed Medical Therapy Adherence with Outcomes After Fractional Flow Reserve-Based Deferral of Revascularization.. **2022**, 0
- 123 Real time reduced order model for angiography fractional flow reserve.. **2022**, 216, 106674 0
- 122 Contemporary Management of Stable Coronary Artery Disease.. **2022**, 1 0
- 121 Computed Tomography-Derived Fractional Flow Reserve: An Invitation to Learn More.. **2022**, 15, 296-298
- 120 Fractional Flow Reserve in End-Stage Liver Disease.. **2021**, 1
- 119 1. Comprehensive Assessment of Ischemic Heart Disease. **2021**, 110, 196-203
- 118 Prevalence of myocardial perfusion scintigraphy derived ischemia in coronary lesions with discordant fractional flow reserve and non-hyperemic pressure ratios.. **2022**, 0
- 117 Artificial Intelligence-A Good Assistant to Multi-Modality Imaging in Managing Acute Coronary Syndrome.. **2021**, 8, 782971 1
- 116 JCS 2022 Guideline Focused Update on Diagnosis and Treatment in Patients With Stable Coronary Artery Disease.. **2022**, 2
- 115 Pathophysiologic Basis and Diagnostic Approaches for Ischemia With Non-obstructive Coronary Arteries: A Literature Review.. **2022**, 9, 731059 1
- 114 Diagnostic Performance of CT FFR With a New Parameter Optimized Computational Fluid Dynamics Algorithm From the CT-FFR-CHINA Trial: Characteristic Analysis of Gray Zone Lesions and Misdiagnosed Lesions.. **2022**, 9, 819460 0

113	Calculation of Intracoronary Pressure-Based Indexes with JLabChart. 2022 , 12, 3448	1
112	Challenges in Diagnosis and Functional Assessment of Coronary Artery Disease in Patients With Severe Aortic Stenosis.. 2022 , 9, 849032	0
111	Prognostic Value of Coronary Angiography-Derived Fractional Flow Reserve Immediately After Stenting.. 2022 , 9, 834553	0
110	Comparison of efficacy and safety of intracoronary nicardipine and adenosine for fractional flow reserve assessment of coronary stenosis.. 2022 ,	0
109	When coronary imaging and physiology are discordant, how best to manage coronary lesions? An appraisal of the clinical evidence.. 2022 ,	0
108	The association between provider characteristics and post-catheterization interventions.. 2022 , 17, e0266544	
107	Quantitative Flow Ratio or Angiography for the Assessment of Non-culprit Lesions in Acute Coronary Syndromes: Protocol of the Randomized Trial QUOMODO.. 2022 , 9, 815434	0
106	Comparison of Resting Full-Cycle Ratio and Fractional Flow Reserve in a German Real-World Cohort.. 2021 , 8, 744181	0
105	Measure Twice, Cut Once: Adjunctive Physiology and Imaging in Left Main PCI. 2021 , 14, 1	
104	Instantaneous wave-free ratio for guiding treatment of nonculprit lesions in patients with acute coronary syndrome: A retrospective study. 2021 ,	2
103	Management of Coronary Artery Disease. 2022 ,	0
102	Feasibility and Comparison of Resting Full-Cycle Ratio and Computed Tomography Fractional Flow Reserve in Patients with Severe Aortic Valve Stenosis.. 2022 , 9,	
101	Prognostic value of microvascular resistance and its association to fractional flow reserve: a DEFINE-FLOW substudy.. 2022 , 9,	0
100	Non-Invasive Quantification of Fraction Flow Reserve Based on Steady-State Geometric Multiscale Models.. 2022 , 13, 881826	0
99	Accurate Calculation of FFR Based on a Physics-Driven Fluid-Structure Interaction Model.. 2022 , 13, 861446	0
98	The Role of Intravascular Ultrasound in the Diagnosis and Treatment of Patients with Coronary Artery Disease. 2003 , 29, 54-65	
97	Coronary Flow Variations Following Percutaneous Coronary Intervention Affect Diastolic Nonhyperemic Pressure Ratios More Than the Whole Cycle Ratios.. 2022 , e023554	
96	The Pivotal Role of Invasive Functional Assessment in Patients With Myocardial Infarction With Non-Obstructive Coronary Arteries (MINOCA). 2021 , 8, 781485	1

95 FFR pressure wire comparative study for drift: piezo resistive versus optical sensor.. **2022**, 12, 42-52

94 Effect of the Coronary Arterial Diameter Derived From Coronary Computed Tomography Angiography on Fractional Flow Reserve.. **2022**, 46,

93 FFR-guided PCI vs CABG: Analysis of New Data. **2022**,

92 Paradigm Shift in Ischemia Evaluation and Accumulating Evidence of Safety of Deferred Coronary Revascularization on the Basis of Invasive Fractional Flow Reserve Measurement.. **2022**,

91 Physiologic Assessment and Guidance in the Cardiac Catheterization Laboratory. **2022**, 75-92

90 Clinical use of physiological lesion assessment using pressure guidewires: an expert consensus document of the Japanese association of cardiovascular intervention and therapeutics-update 2022.. **2022**,

1

89 A new noninvasive and patient-specific hemodynamic index for the severity of renal stenosis and outcome of interventional treatment.. **2022**, e3611

1

88 Clinical impact of FFR-guided PCI compared to angio-guided PCI from the France PCI registry.. **2022**,

0

87 [Myocardial revascularization : Controversy over noninvasive and invasive detection of ischemia].. **2022**, 1

86 Letter: ORBITA-2 trial design and rationale: what causes angina after PCI?. **2022**, 18, 94-95

1

85 On inlet pressure boundary conditions for CT-based computation of fractional flow reserve: clinical measurement of aortic pressure.. **2022**, 1-10

1

84 Effects of hemodialysis and reduced estimated glomerular filtration rate in nonhemodialysis on clinical outcomes after fractional flow reserve-guided deferral of revascularization. **2022**, 101, e29256

0

83 Diagnostic performance of quantitative flow ratio versus fractional flow reserve and resting full-cycle ratio in intermediate coronary lesions. **2022**,

0

82 A modified method of noninvasive computed tomography derived fractional flow reserve based on the microvascular growth space. **2022**, 106926

0

81 What makes an ideal hyperemic drug?. **2022**,

80 The quantitative relationship between coronary microcirculatory resistance and myocardial ischemia in patients with coronary artery disease. **2022**, 140, 111166

0

79 Cardiovascular testing in patient with cancer. **2023**, 205-218

78 Stress imaging versus fractional flow reserve: what comes first—the chicken or the egg?.

0

- 77 Functional stress imaging to predict abnormal coronary fractional flow reserve: the PACIFIC 2 study. ○
- 76 Computational Fractional Flow Reserve From Coronary Computed Tomography Angiography&Optical Coherence Tomography Fusion Images in Assessing Functionally Significant Coronary Stenosis. 9, ○
- 75 Functional evaluation of intermediate coronary lesions with integrated computed tomography angiography and invasive angiography in patients with stable coronary artery disease. **2022,**
- 74 The Continuum of Invasive Techniques for the Assessment of Intermediate Coronary Lesions. **2022,** 12, 1492
- 73 Diagnostic accuracy of coronary computed tomography angiography-derived fractional flow reserve (CT-FFR) in patients before liver transplantation using CT-FFR machine learning algorithm. ○
- 72 Revascularization in stable coronary artery disease. e067085 ○
- 71 Improved Functional Assessment of Ischemic Severity Using 3D Printed Models. 9,
- 70 Towards a Deep-Learning Approach for Prediction of Fractional Flow Reserve from Optical Coherence Tomography. **2022,** 12, 6964
- 69 Reclassification of Treatment Strategy with Fractional Flow Reserve in Cancer Patients with Coronary Artery Disease. **2022,** 58, 884
- 68 The role of cardiac computed tomography in predicting adverse coronary events. 9, ○
- 67 Long-term Outcomes of Medical Therapy Versus Coronary Revascularisation in Patients with Intermediate Stenoses Guided by Pressure Wire. **2015,** 44, 157-163
- 66 Three-Dimensional Angiographic Characteristics versus Functional Stenosis Severity in Fractional and Coronary Flow Reserve Discordance: A DEFINE FLOW Sub Study. **2022,** 12, 1770
- 65 Angiography derived assessment of the coronary microcirculation: is it ready for prime time?. ○
- 64 Prognosis and Medical Cost of Measuring Fractional Flow Reserve in Percutaneous Coronary Intervention. **2022,** 1
- 63 Noninvasive computed tomography derived fractional flow reserve simulation based on microvascular tree model reconstruction.
- 62 Differential Impact of Renal Function on the Diagnostic Performance of Resting Full-Cycle Ratio in Patients With Renal Dysfunction. **2022,**
- 61 An inline deep learning based free-breathing ECG-free cine for exercise cardiovascular magnetic resonance. **2022,** 24, ○
- 60 Prediction of fractional flow reserve based on reduced-order cardiovascular model. **2022,** 400, 115473 ○

59	Feasibility of Quantitative Flow Ratio Virtual Stenting for Guidance of Serial Coronary Lesions Intervention.	1
58	The risk of myocardial ischemia in patients with Kawasaki Disease: Insights from patient-specific simulations of coronary hemodynamics.	0
57	Noninvasive diagnostic modalities for the diagnosis of coronary artery disease. 2022 , 47, 27-36	0
56	Factors Associated With Discrepancy of FFR-Based Lesion Classification Between Intracoronary Bolus and Intravenous Infusion of Adenosine. 2022 , 1, 158	0
55	Factors Predicting 150 and 200 Microgram Adenosine Requirement during Four Increasing Doses of Intracoronary Adenosine Bolus Fractional Flow Reserve Assessment. 2022 , 12, 2076	0
54	The guiding value of hybrid resting full-cycle ratio and fractional flow reserve strategy for percutaneous coronary intervention in a Chinese real-world cohort with non-ST elevation acute coronary syndrome. 9,	0
53	Clinical Relevance of Impaired Physiological Assessment After Percutaneous Coronary Intervention: A Meta-analysis. 2022 , 100448	0
52	Using artificial intelligence in the development of diagnostic models of coronary artery disease with imaging markers: A scoping review. 9,	0
51	Uric Acid to High-Density Lipoprotein Cholesterol Ratio is a Novel Marker to Predict Functionally Significant Coronary Artery Stenosis. 2022 , 2022, 1-8	0
50	Physiologic Assessment After Percutaneous Coronary Interventions and Functionally Optimized Revascularization. 2022 ,	0
49	Coronary angiography- or fractional flow reserve-guided complete revascularization in multivessel disease STEMI: A Bayesian hierarchical network meta-analysis. 2022 ,	0
48	   2022, 30-41	0
47	Impact of intracoronary assessments on revascularization decisions: A contemporary evaluation.	0
46	Radiomics features of pericoronary adipose tissue improve CT-FFR performance in predicting hemodynamically significant coronary artery stenosis.	0
45	Prediction of functional results of percutaneous coronary interventions with virtual stenting and quantitative flow ratio.	0
44	Fractional Flow Reserve-Guided Coronary Revascularization: Evidence from Randomized and Non-Randomized Studies. 2022 , 12, 2659	0
43	Hauptstammintervention – Ist ein Stent doch besser als zwei?.	0
42	Routine revascularization with percutaneous coronary intervention in patients with coronary artery disease undergoing transcatheter aortic valve implantation – the third nordic aortic valve intervention trial – NOTION-3. 2023 , 255, 39-51	0

- 41 Understanding the Basis for Hyperemic and Nonhyperemic Coronary Pressure Assessment. **2023**, 12, 1-12
- 40 Nonhyperemic Pressure Ratios—All the Same or Nuanced Differences?. **2023**, 12, 13-19
- 39 Using Physiology Pullback for Percutaneous Coronary Intervention Guidance. **2023**, 12, 41-53
- 38 Coronary physiology in the catheterisation laboratory: an A to Z practical guide. **2022**, 8, 86-109
- 37 Personalized computational estimation of relative change in coronary blood flow after percutaneous coronary intervention in short-term and long-term perspectives. **2022**, 37, 279-291
- 36 Performance and 12-month Outcomes of a Wire-free Fractional Flow Reserve System for Assessment of Coronary Artery Disease.
- 35 Machine Learning Identification Framework of Hemodynamics of Blood Flow in Patient-Specific Coronary Arteries with Abnormality.
- 34 Impact of Pressure Wire on Fractional Flow Reserve and Hemodynamics of the Coronary Arteries: A Computational and Clinical Study. **2022**, 1-9
- 33 Numerical vs analytical comparison with experimental fractional flow reserve values of right coronary artery stenosis. **2022**, 1-14
- 32 The effect of subbranch for the quantification of local hemodynamic environment in the coronary artery: a computed tomography angiography-based computational fluid dynamic analysis. **2022**, 2, 181-190
- 31 Novel Method to Detect Pitfalls of Intracoronary Pressure Measurements by Pressure Waveform Analysis. **2022**, 12, 2035
- 30 Detecting lesion-specific ischemia in patients with coronary artery disease with computed tomography fractional flow reserve measured at different sites.
- 29 Continuous extraction of coronary artery centerline from cardiac CTA images using a regression-based method. **2023**, 20, 4988-5003
- 28 Impact of core laboratory assessment on treatment decisions and clinical outcomes using combined fractional flow reserve and coronary flow reserve measurements —DEFINE-FLOW core laboratory sub-study. **2023**,
- 27 Does the intracoronary pressure differ according to two types (diffuse or focal) of coronary spasm?. 15, 1-12
- 26 Left and right coronary artery blood flow distribution method based on dominant type.
- 25 Clinical Implications of Fractional Flow Reserve Measured Immediately after Percutaneous Coronary Intervention.
- 24 The prognostic value of CT-derived fractional flow reserve in coronary artery bypass graft: a retrospective multicenter study.

- 23 Coronary physiology assessment: a routine method in a modern catheterization center. **2022**, 21, 229-239 ○
- 22 Sex differences in computed tomography angiography-derived coronary plaque burden in relation to invasive fractional flow reserve. **2023**, ○
- 21 Coronary Angiography. **2013**, 37-59 ○
- 20 A novel method for calculating CTFFR based on the flow ratio between stenotic coronary and healthy coronary. **2023**, 233, 107469 ○
- 19 Physiologic Assessment of Coronary Artery Disease: Past, Present and Future. **2023**, 2, 66 ○
- 18 Integration of fractional flow reserve derived from CT into clinical practice. **2023**, 81, 577-585 ○
- 17 Clinical Implications of Fractional Flow Reserve Measured Immediately After Percutaneous Coronary Intervention. ○
- 16 Microvascular Resistance Reserve to Assess Microvascular Dysfunction in ANOCA Patients. **2023**, 16, 470-481 ○
- 15 Microvascular resistance reserve in the presence of functionally significant epicardial stenosis and changes after revascularization. **2023**, 11, ○
- 14 Computational Analysis of Hemodynamic Indices Based on Personalized Identification of Aortic Pulse Wave Velocity by a Neural Network. **2023**, 11, 1358 ○
- 13 Clinical Implications of Non-Hyperemic Pressure Ratios. 2, ○
- 12 Predictors of Myocardial Ischemia in Patients with Kawasaki Disease: Insights from Patient-Specific Simulations of Coronary Hemodynamics. ○
- 11 Evaluating the Arteriotomy Size of a New Sutureless Coronary Anastomosis Using a Finite Volume Approach. ○
- 10 Invasive Coronary Physiology in Heart Transplant Recipients: State-of-the-Art Review. **2023**, 100627 ○
- 9 Interventional treatment of atherosclerotic heart disease. **2023**, 459-468 ○
- 8 Evolving Diagnostic and Management Advances in Coronary Heart Disease. **2023**, 13, 951 ○
- 7 Revascularization and Medical Therapy for Chronic Coronary Syndromes: Lessons Learnt from Recent Trials, a Literature Review. **2023**, 12, 2833 ○
- 6 Computed Tomography Cardiac Imaging: Coronary Artery Disease and Ischemia. **2023**, 267-283 ○

- 5 Cardiac Catheterization and Coronary Arteriography. **2023**, 237-266
- 4 A Multi-stage Neural Network Approach for Coronary 3D Reconstruction from Uncalibrated X-ray Angiography Images.
- 3 Best Practices for Physiologic Assessment of Coronary Stenosis.
- 2 State of the art mathematical methods of the coronary blood flow modelling: background and clinical value. **2023**, 63, 77-84
- 1 Defining Hemodynamic Significance of Renal Artery Stenosis: Insights From a Porcine Model of Graded Renal Artery Stenosis. **2023**,