

# CITATION REPORT

List of articles citing

Patent foramen ovale: association between the degree of shunt by contrast transesophageal echocardiography and the risk of future ischemic neurologic events

DOI: 10.1016/s0002-8703(96)90065-4  
American Heart Journal, 1996, 131, 158-61.

**Source:** <https://exaly.com/paper-pdf/26749567/citation-report.pdf>

**Version:** 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
160	Transesophageal echocardiography. <b>1996</b> , 12, 875-918		13
159	Echocardiography in stroke and transient ischaemic attack. <b>1997</b> , 78 Suppl 1, 2-6		12
158	Systematic surgical closure of patent foramen ovale in selected patients with cerebrovascular events due to paradoxical embolism. Early results of a preliminary study. <b>1997</b> , 11, 824-7		47
157	Patent foramen ovale in patients with cerebral infarction. A transesophageal echocardiographic study. <b>1997</b> , 54, 819-22		62
156	Status of patent foramen ovale, atrial septal aneurysm, atrial septal defect and aortic arch atheroma as risk factors for stroke. <b>1997</b> , 16, 217-23		9
155	Emerging risk factors for stroke: patent foramen ovale, proximal aortic atherosclerosis, antiphospholipid antibodies, and activated protein C resistance. <b>1997</b> , 6, 167-72		10
154	Role of transesophageal echocardiography in the management of thromboembolic stroke. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 19D-28D; discussion 35D-39D	3	32
153	Frequency of deep vein thrombosis in patients with patent foramen ovale and ischemic stroke or transient ischemic attack. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 1066-9	3	138
152	Prevention of stroke recurrence with presumed paradoxical embolism. <b>1997</b> , 244, 71-5		27
151	The ASDOS Device: Technique and Guidelines for Clinical Use. <i>Journal of Interventional Cardiology</i> , <b>1998</b> , 11, 485-494	1.8	3
150	Multiplane transesophageal echocardiography and stroke. <i>American Journal of Cardiology</i> , <b>1998</b> , 81, 79G-81G		8
149	Transcatheter closure of atrial septal defect and patent foramen ovale with ASDOS device (a multi-institutional European trial). <i>American Journal of Cardiology</i> , <b>1998</b> , 82, 1405-13	3	136
148	Ischemic Attacks and Patent Foramen Ovale: Transcatheter Closure of Patent Foramen Ovale in Adults with Cryptogenic Systemic Embolism. <i>Journal of Interventional Cardiology</i> , <b>1999</b> , 12, 59-64	1.8	3
147	Transesophageal echocardiography for the evaluation and management of patients with cerebral ischemia. <b>1999</b> , 22, 391-6		17
146	Détection de shunt droit-gauche par échocardiographie transœsophagienne et Doppler transcrânien. <b>1999</b> , 8, 195-199		0
145	Transthoracic echocardiography using second harmonic imaging: diagnostic alternative to transesophageal echocardiography for the detection of atrial right to left shunt in patients with cerebral embolic events. <b>1999</b> , 34, 1823-30		85
144	Transcatheter closure of atrial-septal defects and patent foramen ovale in adults: optimal anatomic adaptation of occlusion device. <i>American Heart Journal</i> , <b>1999</b> , 138, 941-9	4.9	6

143	Morphological and functional characteristics of patent foramen ovale and their embolic implications. <b>2000</b> , 31, 2407-13		301
142	[Patent foramen ovale: conservative or surgical therapy?]. <b>2000</b> , 89, 63-71		9
141	Interatrial septal abnormalities and stroke: a meta-analysis of case-control studies. <b>2000</b> , 55, 1172-9		730
140	Percutaneous closure of patent foramen ovale in patients with paradoxical embolism: long-term risk of recurrent thromboembolic events. <b>2000</b> , 101, 893-8		365
139	Stroke prevention: cardiac and carotid-related stroke. <b>2000</b> , 18, 321-41		21
138	Transmitral Doppler: a new transthoracic contrast method for patent foramen ovale detection and quantification. <b>2000</b> , 36, 1959-66		44
137	Patent foramen ovale: a review of associated conditions and the impact of physiological size. <b>2001</b> , 38, 613-23		321
136	Recurrent cerebrovascular events associated with patent foramen ovale, atrial septal aneurysm, or both. <b>2001</b> , 345, 1740-6		1082
135	Intra-atrial thrombus after surgical closure of patent foramen ovale. <i>Journal of the American Society of Echocardiography</i> , <b>2001</b> , 14, 63-6	5.8	23
134	Atrial septal aneurysm as a cardioembolic source in adult patients with stroke and normal carotid arteries. A multicentre study. <i>European Heart Journal</i> , <b>2001</b> , 22, 261-8	9.5	69
133	Should one use echocardiography or contrast transcranial Doppler ultrasound for the detection of a patent foramen ovale after an ischemic cerebrovascular accident?. <i>Cerebrovascular Diseases</i> , <b>2001</b> , 12, 318-24	3.2	10
132	Frequency of atrial septal aneurysm in patients with recent stroke: preliminary results from a multicenter study. <b>2001</b> , 24, 297-300		7
131	Catheter closure of atrial septal defects and patent foramen ovale in patients with an atrial septal aneurysm using different devices. <i>Journal of Interventional Cardiology</i> , <b>2001</b> , 14, 49-55	1.8	46
130	Neurological aspects of patent foramen ovale: in search of the optimal treatment. <i>Journal of Interventional Cardiology</i> , <b>2001</b> , 14, 197-201	1.8	2
129	Catheter closure of the persistent foramen ovale: mid-term results in 162 patients. <i>Journal of Interventional Cardiology</i> , <b>2001</b> , 14, 223-9	1.8	25
128	Patent foramen ovale closure in patients with transient ischemia attack/stroke. <i>Journal of Interventional Cardiology</i> , <b>2001</b> , 14, 261-6	1.8	86
127	Bed tilt as an effort-independent maneuver to improve patent foramen ovale assessment by transthoracic contrast echocardiography. <i>American Journal of Cardiology</i> , <b>2001</b> , 88, A8, 94-8	3	8
126	Comparison of frequency of patent foramen ovale by transesophageal echocardiography in patients with cerebral ischemic events versus in subjects in the general population. <i>American Journal of Cardiology</i> , <b>2001</b> , 88, 330-2	3	41

125	The role of atrial septal abnormalities in cryptogenic stroke - still questionable?. <i>European Heart Journal</i> , <b>2001</b> , 22, 198-200	9.5	11
124	How should patients with patent foramen ovale be managed?. <b>2001</b> , 85, 242-4		18
123	Die kontrastmittelverstärkte transkranielle Doppler-Sonographie in der Diagnostik von Rechts-links-Shunts. <b>2002</b> , 33, 70-75		
122	Transcatheter closure of interatrial communications for secondary prevention of paradoxical embolism: single-center experience. <b>2002</b> , 105, 2845-8		132
121	Neurologic manifestations of cardiogenic embolism: an update. <b>2002</b> , 20, 179-93, vii		36
120	Interobserver and intraobserver variability in detection of patent foramen ovale and atrial septal aneurysm with transesophageal echocardiography. <i>Journal of the American Society of Echocardiography</i> , <b>2002</b> , 15, 441-6	5.8	64
119	The role of the atria in congenital heart disease. <i>Cardiology Clinics</i> , <b>2002</b> , 20, 351-66, v	2.5	2
118	Transoesophageal echocardiography in patients without arterial and major cardiac sources of embolism: difference between stroke subtypes. <i>Cerebrovascular Diseases</i> , <b>2002</b> , 13, 174-83	3.2	26
117	Transcatheter closure of patent foramen ovale in patients with paradoxical embolism: intermediate-term risk of recurrent neurological events. <b>2002</b> , 55, 189-94		25
116	Factor V Leiden mutation and patent foramen ovale in ischemic stroke. <i>Neurological Sciences</i> , <b>2002</b> , 23, 229-31	3.5	2
115	Clinical impact of patent foramen ovale diagnosis with transcranial Doppler. <b>2002</b> , 16, 11-20		37
114	Stroke in a scuba diver with patent foramen ovale. <b>2002</b> , 9, 89-91		4
113	Transcatheter closure of patent foramen ovale associated with paradoxical embolism using the amplatzer PFO occluder: initial and intermediate-term results of the U.S. multicenter clinical trial. <b>2003</b> , 60, 524-8		40
112	Transcranial Doppler and risk of recurrence in patients with stroke and patent foramen ovale. <b>2003</b> , 10, 129-35		72
111	Transthoracic echocardiography using second harmonic imaging with Valsalva manoeuvre for the detection of right to left shunts. <i>European Journal of Echocardiography</i> , <b>2004</b> , 5, 176-81		99
110	Practice parameter: recurrent stroke with patent foramen ovale and atrial septal aneurysm: report of the Quality Standards Subcommittee of the American Academy of Neurology. <b>2004</b> , 62, 1042-50		249
109	Patent foramen ovale in cryptogenic stroke: current understanding and management options. <b>2004</b> , 164, 950-6		109
108	Controlled contrast transcranial Doppler and arterial blood gas analysis to quantify shunt through patent foramen ovale. <b>2004</b> , 35, 859-63		36

107	Practice Parameter: Recurrent stroke with patent foramen ovale and atrial septal aneurysm: Report of the Quality Standards Subcommittee of the American Academy of Neurology. <b>2004</b> , 63, 2198-2199		5
106	Percutaneous closure of interatrial communications in adults - prospective embolism prevention study with two- and three-dimensional echocardiography. <b>2004</b> , 2, 5		10
105	Evaluation and treatment of abnormalities of the interatrial septum. <b>2004</b> , 63, 94-103		8
104	Comparison of medical treatment with percutaneous closure of patent foramen ovale in patients with cryptogenic stroke. <b>2004</b> , 44, 750-8		248
103	Agitated saline versus polygelatine for the echocardiographic assessment of patent foramen ovale. <i>Journal of the American Society of Echocardiography</i> , <b>2004</b> , 17, 1059-65	5.8	22
102	Transcatheter closure of patent foramen ovale (PFO) in patients with paradoxical embolism. Peri-procedural safety and mid-term follow-up results of three different device occluder systems. <i>European Heart Journal</i> , <b>2004</b> , 25, 424-30	9.5	139
101	Primary malignant brain tumor incidence and Medicaid enrollment. <b>2004</b> , 63, 2197; author reply 2197		4
100	Impending paradoxical cerebral embolism in a patient with atrial septal aneurysm. <i>Circulation Journal</i> , <b>2005</b> , 69, 246-8	2.9	6
99	Cerebral infarction and patent foramen ovale (PFO) in the elderly: is PFO the culprit or not?. <b>2005</b> , 44, 401-2		1
98	Characteristics of the interatrial communication in patients undergoing transcatheter device closure of atrial septal defects for cryptogenic stroke. <i>Echocardiography</i> , <b>2005</b> , 22, 814-7	1.5	6
97	Commonly used respiratory and pharmacologic interventions in the echocardiography laboratory. <i>Echocardiography</i> , <b>2005</b> , 22, 455-60	1.5	5
96	Atrial and ventricular septal defects can safely be closed by percutaneous intervention. <i>Journal of Interventional Cardiology</i> , <b>2005</b> , 18, 515-22	1.8	32
95	Approaches to correct device malposition in percutaneous PFO closure: anatomical and technical implications. <b>2005</b> , 64, 338-44		3
94	[Patent foramen ovale, atrial septum aneurysm, and stroke. An examination of the status of recent evidence]. <b>2005</b> , 76, 935-42		13
93	Percutaneous Closure of Patent Foramen Ovale with the Amplatzer PFO Occluder. <b>2005</b> , 143-160		1
92	Patent foramen ovale and stroke risk: incidental finding or causal culprit?. <b>2005</b> , 25, 371-5		8
91	Diagnosis of patent foramen ovale using contrast-enhanced dynamic MRI: a pilot study. <b>2005</b> , 184, 234-40		49
90	Multifocal right atrial thrombus without any cardiac disease in patient with thalassaemia major. <b>2005</b> , 91, 440		

89	When and how to diagnose patent foramen ovale. <b>2005</b> , 91, 438-40		66
88	Patent foramen ovale. <i>Expert Review of Cardiovascular Therapy</i> , <b>2005</b> , 3, 875-8	2.5	1
87	Persistence of iatrogenic atrial septal defect after pulmonary vein isolation--an underestimated risk?. <i>American Heart Journal</i> , <b>2006</b> , 152, 362.e1-5	4.9	64
86	[Prevalence of aneurysm of the interatrial septum in the general population and in patients with a recent episode of cryptogenetic ischemic stroke: a tissue harmonic imaging transthoracic echocardiography study in 5.631 patients]. <b>2006</b> , 66, 264-9		5
85	Almost perfect concordance between simultaneous transcranial Doppler and transesophageal echocardiography in the quantification of right-to-left shunts. <b>2006</b> , 16, 133-8		81
84	Diagnosis of an anatomically and physiologically significant patent foramen ovale. <i>Echocardiography</i> , <b>2006</b> , 23, 810-5	1.5	13
83	Recurrent cerebrovascular ischaemic events in patients with interatrial septal abnormalities: a follow-up study. <i>Neurological Sciences</i> , <b>2006</b> , 26, 411-8	3.5	24
82	Patent foramen ovale and cerebrovascular diseases. <b>2006</b> , 3, 446-55		28
81	Migraine and patent foramen ovale: A residual coincidence or a pathophysiological intrigue?. <i>Cerebrovascular Diseases</i> , <b>2006</b> , 22, 91-100	3.2	8
80	Patent foramen ovale and cryptogenic stroke in older patients. <b>2007</b> , 357, 2262-8		441
79	Patent foramen ovale and cryptogenic stroke. A critical review. <b>2007</b> , 8, 34-8		13
78	Patent foramen ovale and prothrombotic markers in young stroke patients. <b>2007</b> , 18, 537-42		20
77	Recurrent stroke/TIA in cryptogenic stroke patients with patent foramen ovale. <b>2007</b> , 34, 74-80		42
76	Patent foramen ovale and ischemic stroke in young people: statistical association or causal relation?. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2007</b> , 88, 514-20	1.2	7
75	Praktische Aspekte. <b>2007</b> ,		
74	Exclusion of patients with arteriosclerosis reduces long-term recurrence rate of presumed arterial embolism after PFO closure. <i>Journal of Interventional Cardiology</i> , <b>2007</b> , 20, 275-81	1.8	8
73	Clinical evaluation of a novel occluder device (Occlutech) for percutaneous transcatheter closure of patent foramen ovale (PFO). <i>Clinical Research in Cardiology</i> , <b>2008</b> , 97, 872-7	6.1	23
72	Transcatheter closure of patent foramen ovale in patients with paradoxical embolism. Procedural and follow-up results after implantation of the Starflex occluder device with conjunctive intensified anticoagulation regimen. <i>Journal of Interventional Cardiology</i> , <b>2008</b> , 21, 183-9	1.8	15

71	Principles of Clinical Medicine for Space Flight. <b>2008</b> ,		59
70	Patent foramen ovale and ventricular septal defect closure. <b>2009</b> , 95, 70-82		17
69	Transvenous closure of patent foramen ovale: preliminary results with a new self-expanding nitinol wire mesh in a Swine model. <b>2009</b> , 2009, 943453		5
68	Contrast transcranial Doppler can diagnose large patent foramen ovale. <i>Cerebrovascular Diseases</i> , <b>2009</b> , 27, 230-4	3.2	18
67	Maximal potential patent foramen diameter does not correlate with the type or frequency of the neurologic event prior to closure. <b>2009</b> , 113, 111-5		9
66	[Do results of transoesophageal echocardiography during closure of patent foramen ovale influence interventional therapy?]. <b>2009</b> , 30, 64-70		2
65	Patent foramen ovale and neurosurgery in sitting position: a systematic review. <b>2009</b> , 102, 588-96		97
64	Morphology of the patent foramen ovale in asymptomatic versus symptomatic (stroke or transient ischemic attack) patients. <i>American Journal of Cardiology</i> , <b>2009</b> , 103, 124-9	3	89
63	Characteristics of adult patients with atrial septal defects presenting with paradoxical embolism. <b>2009</b> , 74, 1066-9		33
62	Impact of occluder device type on success of percutaneous closure of atrial septal defects--a medium-term follow-up study. <i>Journal of Interventional Cardiology</i> , <b>2009</b> , 22, 503-10	1.8	9
61	[Disseminated arterial occlusions revealing bilateral venous thrombosis with paradoxical embolisms]. <b>2009</b> , 30, 528-32		1
60	The significance of patent foramen ovale: a current review of associated conditions and treatment. <i>International Journal of Cardiology</i> , <b>2009</b> , 134, 17-24	3.2	36
59	[Cryptogenic cerebral infarction: from classification to concept]. <i>Presse Medicale</i> , <b>2009</b> , 38, 1832-42	2.2	3
58	Migraine and patent foramen ovale: state of the science. <i>Critical Care Nursing Clinics of North America</i> , <b>2009</b> , 21, 471-91	1.5	6
57	Paradoxical brain embolism caused by an arterial-venous fistula: a diagnostic pitfall. <i>Neurological Sciences</i> , <b>2010</b> , 31, 341-3	3.5	1
56	Decrease in shunt volume in patients with cryptogenic stroke and patent foramen ovale. <i>BMC Neurology</i> , <b>2010</b> , 10, 123	3.1	5
55	Association between anatomic features of atrial septal abnormalities obtained by omni-plane transesophageal echocardiography and stroke recurrence in cryptogenic stroke patients with patent foramen ovale. <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 129-34	3	60
54	Characteristics of exercise-induced intrapulmonary arteriovenous fistula in patients with unexplained exertional dyspnea. <i>Echocardiography</i> , <b>2010</b> , 27, 908-13	1.5	4

53	Patent foramen ovale with atrial septal aneurysm may contribute to white matter lesions in stroke patients. <i>Cerebrovascular Diseases</i> , <b>2010</b> , 30, 15-22	3.2	24
52	Transthoracic second harmonic two- and three-dimensional echocardiography for detection of patent foramen ovale. <i>European Journal of Echocardiography</i> , <b>2010</b> , 11, 57-63		33
51	The role of echocardiography in diagnosis, monitoring closure and post-procedural assessment of patent foramen ovale. <i>European Journal of Echocardiography</i> , <b>2010</b> , 11, i27-34		23
50	Transcatheter closure of patent foramen ovale (PFO) in patients with paradoxical embolism: procedural and follow-up results after implantation of the Amplatzer <sup>®</sup> -occluder device. <i>Journal of Interventional Cardiology</i> , <b>2011</b> , 24, 85-91	1.8	11
49	Toward understanding the atrial septum in cryptogenic stroke. <i>International Journal of Stroke</i> , <b>2011</b> , 6, 445-53	6.3	4
48	Prominence of the Eustachian valve in paradoxical embolism. <i>European Journal of Echocardiography</i> , <b>2011</b> , 12, 33-6		30
47	Secondary stroke prevention: patent foramen ovale, aortic plaque, and carotid stenosis. <i>European Heart Journal</i> , <b>2012</b> , 33, 705-13, 713a, 713b	9.5	31
46	Sustained risk of recurrent thromboembolic events in patients with patent foramen ovale and paradoxical embolism: long-term follow-up over more than 15 years. <i>Clinical Research in Cardiology</i> , <b>2012</b> , 101, 297-303	6.1	12
45	Importance of adequately performed Valsalva maneuver to detect patent foramen ovale during transesophageal echocardiography. <i>Journal of the American Society of Echocardiography</i> , <b>2013</b> , 26, 1337-43	5.8	54
44	Seven-year follow-up of percutaneous closure of patent foramen ovale. <i>International Journal of Cardiology Heart &amp; Vessels</i> , <b>2013</b> , 1, 32-36		5
43	The new patent foramen ovale occluder FIGULLA in complex septal anatomy: a case series. <i>Therapeutic Advances in Cardiovascular Disease</i> , <b>2013</b> , 7, 21-6	3.4	3
42	Stroke and patent foramen ovale in young individuals. <i>European Neurology</i> , <b>2013</b> , 69, 108-17	2.1	10
41	Shunt volume dynamics in stroke patients with patent foramen ovale. <i>Journal of Applied Physiology</i> , <b>2013</b> , 115, 704-7	3.7	
40	Patent foramen ovale and stroke in intermediate-risk pulmonary embolism. <i>Chest</i> , <b>2014</b> , 146, 967-973	5.3	34
39	Echocardiographic Detection and Transcranial Doppler Quantification of Right-to-Left Shunting. <b>2015</b> , 33-47		2
38	Patent Foramen Ovale Closure and Stroke. <b>2015</b> , 69-79		
37	Controversies in Cardiology. <b>2015</b> ,		
36	Right-to-left shunt detection. 206-214		1



35	Patent Foramen Ovale: Stroke and Device Closure. <i>Cardiology Clinics</i> , <b>2016</b> , 34, 231-40	2.5	5
34	Long-Term Contrast Echocardiography and Clinical Follow-Up after Percutaneous Closure of Patent Foramen Ovale Using Two Different Atrial Septal Occluder Devices. <i>Journal of Interventional Cardiology</i> , <b>2016</b> , 29, 406-13	1.8	2
33	Patent foramen ovale and cryptogenic stroke: from studies to clinical practice: Position paper of the Italian Chapter, International Society Cardiovascular Ultrasound. <i>International Journal of Clinical Practice</i> , <b>2016</b> , 70, 641-8	2.9	4
32	Cryptogenic Stroke: Making the Management Less Cryptic. <i>Cardiology in Review</i> , <b>2016</b> , 24, 153-7	3.2	4
31	Right-to-left shunt detection using contrast-enhanced transcranial Doppler: A comparison of provocation maneuvers between coughing and a modified Valsalva maneuver. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173049	3.7	3
30	Epidemiology of Myocardial Infarction Caused by Presumed Paradoxical Embolism via a Patent Foramen Ovale. <i>Circulation Journal</i> , <b>2017</b> , 81, 1484-1489	2.9	16
29	Closure of patent foramen ovale for secondary prevention of cerebrovascular events. <i>SA Heart Journal</i> , <b>2017</b> , 11,	0.5	
28	Transorbital Doppler with carotid siphon monitoring detects right-to-left shunt effectively. <i>Neurological Research</i> , <b>2018</b> , 40, 197-203	2.7	1
27	Identification of candidates for PFO closure in the echocardiography laboratory. <i>Echocardiography</i> , <b>2018</b> , 35, 1860-1867	1.5	4
26	Cerebral White Matter Hyperintensities and Microbleeds in Acute Ischemic Stroke: Impact on Recanalization Therapies. A Review of the Literature. <i>Neuroscience Letters</i> , <b>2018</b> , 687, 55-64	3.3	3
25	A novel probe attached to the neck can accurately detect a large patent foramen ovale. <i>Journal of the Neurological Sciences</i> , <b>2018</b> , 392, 122-125	3.2	3
24	Point-of-care echocardiography for the evaluation of right-to-left cardiopulmonary shunts: a narrative review. <i>Canadian Journal of Anaesthesia</i> , <b>2020</b> , 67, 1824-1838	3	4
23	Prognosis of Cryptogenic Stroke With Patent Foramen Ovale at Older Ages and Implications for Trials: A Population-Based Study and Systematic Review. <i>JAMA Neurology</i> , <b>2020</b> , 77, 1279-1287	17.2	10
22	Efficacy of Saline Contrast Transthoracic Echocardiography for Identifying High-Risk Patent Foramen Ovale. <i>Journal of the American Society of Echocardiography</i> , <b>2021</b> , 34, 97-98	5.8	1
21	Patent foramen ovale closure in the management of cryptogenic stroke: a review of current literature and guideline statements. <i>Current Medical Research and Opinion</i> , <b>2021</b> , 37, 377-384	2.5	4
20	Patent foramen ovale closure for secondary prevention of cryptogenic stroke. <i>Expert Review of Cardiovascular Therapy</i> , <b>2021</b> , 19, 211-220	2.5	0
19	Impact of Echocardiographic Parameters on Recurrent Stroke in the Randomized REDUCE PFO Cryptogenic Stroke Trial. <i>Structural Heart</i> , <b>2021</b> , 5, 367-375	0.6	0
18	Importance of saline contrast transthoracic echocardiography for evaluating large right-to-left shunt in patent foramen ovale associated with cryptogenic stroke. <i>International Journal of Cardiovascular Imaging</i> , <b>2021</b> , 1	2.5	

17	Transcranial Doppler in the Detection and Quantitation of Patent Foramen Ovale and Other Right-to-Left Circulatory Shunts. 187-197		1
16	Decompression-Related Disorders: Decompression Sickness, Arterial Gas Embolism, and Ebullism Syndrome. <b>2008</b> , 223-246		5
15	Decompression Sickness in Extravehicular Activities. <i>Lung Biology in Health and Disease</i> , <b>2001</b> , 289-333		4
14	Follow-up of patients after patent foramen ovale closure with the Amplatz occluder. <i>Cor Et Vasa</i> , <b>2009</b> , 51, 195-201	0.3	1
13	The Evolving Role and Use of Echocardiography in the Evaluation of Cardiac Source of Embolism. <i>Journal of Cardiovascular Echography</i> , <b>2017</b> , 27, 33-44	0.6	18
12	Statement on Antiplatelet Agents and Anticoagulants in Cardiology - 2019. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2019</b> , 113, 111-134	1.2	2
11	Cardioembolic Stroke. <b>2001</b> , 123-135		
10	The patent foramen ovale. <b>2006</b> , 31-42		
9	Importance of a Patent Foramen Ovale. <b>2007</b> , 79-89		
8	Patent foramen ovale and hypercoagulable state in the pathogenesis of acute thrombotic myocardial infarction. <i>BMJ Case Reports</i> , <b>2009</b> , 2009,	0.9	
7	Catheter Closure of Patent Foramen Ovale. 50-61		
6	Patent Foramen Ovale. <b>2011</b> , 149-156		
5	Importance of Persistent Right-to-Left Shunt After Patent Foramen Ovale Closure in Cryptogenic Stroke Patients. <i>Texas Heart Institute Journal</i> , <b>2020</b> , 47, 244-249	0.8	
4	Patent foramen ovale in an old patient with ischemic stroke following carotid surgery. <i>Journal of Geriatric Cardiology</i> , <b>2018</b> , 15, 551-553	1.7	
3	Importance of direct right-to-left shunt as high-risk patent foramen ovale associated with cryptogenic stroke. <i>Echocardiography</i> , <b>2021</b> , 38, 1887-1892	1.5	
2	Advances in the management of cardioembolic stroke associated with patent foramen ovale.. <i>BMJ, The</i> , <b>2022</b> , 376, e063161	5.9	1
1	Interatrial Communications. <b>2022</b> , 266-319		