## CITATION REPORT List of articles citing

Assessment of mitral annular dynamics during diastole by Doppler tissue imaging: comparison with mitral Doppler inflow in subjects without heart disease and in patients with left ventricular hypertrophy

DOI: 10.1016/s0002-8703(96)90183-0 American Heart Journal, 1996, 131, 982-7.

Source: https://exaly.com/paper-pdf/26749648/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
263	Bibliography Current World Literature. <b>1996</b> , 3, 473-482		
262	Doppler tissue imaging: a noninvasive technique for evaluation of left ventricular relaxation and estimation of filling pressures. <b>1997</b> , 30, 1527-33		2398
261	Right and left ventricular wall motion velocities as diagnostic indicators of constrictive pericarditis. <b>1998</b> , 81, 465-70		38
260	Estimation of left and right ventricular filling pressures after heart transplantation by tissue Doppler imaging. <b>1998</b> , 82, 352-7		180
259	Evaluation of left ventricular early diastolic performance by color tissue Doppler imaging of the mitral annulus. <b>1998</b> , 82, 1414-7		53
258	5 Left ventricular diastolic function. <b>1998</b> , 12, 595-618		
257	New Doppler echocardiographic applications for the study of diastolic function. <b>1998</b> , 32, 865-75		820
256	Regional left ventricular wall motion abnormalities in myocardial infarction and mitral annular descent velocities studied with pulsed tissue Doppler imaging. <b>1998</b> , 11, 841-8		82
255	Comparison of regional myocardial velocities assessed by quantitative 2-dimensional and M-mode color Doppler tissue imaging: influence of the signal-to-noise ratio of color Doppler myocardial images on velocity estimators of the Doppler tissue imaging system. <b>1998</b> , 11, 1093-105		17
254	Regional mean systolic myocardial velocity estimation by real-time color Doppler myocardial imaging: a new technique for quantifying regional systolic function. <b>1998</b> , 11, 683-92		149
253	Assessment of left ventricular systolic wall motion velocity with pulsed tissue Doppler imaging: comparison with peak dP/dt of the left ventricular pressure curve. <b>1998</b> , 11, 442-9		134
252	Doppler estimation of left ventricular filling pressure in sinus tachycardia. A new application of tissue doppler imaging. <i>Circulation</i> , <b>1998</b> , 98, 1644-50	16.7	487
251	Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculographyan in vitro and in vivo study. <i>American Heart Journal</i> , <b>1998</b> , 135, 970-9	4.9	10
250	Doppler tissue imaging quantitates regional wall motion during myocardial ischemia and reperfusion. <i>Circulation</i> , <b>1998</b> , 97, 1970-7	16.7	261
249	Doppler estimation of left ventricular filling pressures in patients with hypertrophic cardiomyopathy. <i>Circulation</i> , <b>1999</b> , 99, 254-61	16.7	413
248	Long axis function in disease. <b>1999</b> , 81, 229-31		148
247	Pulsed tissue Doppler evaluation of mitral annulus motion: a new window to assessment of diastolic function. <b>1999</b> , 19, 1-10		54

246	Quantitative Analysis of Tissue Doppler Data. <i>Echocardiography</i> , <b>1999</b> , 16, 473-480	1.5	7
245	Tissue Doppler to Assess Diastolic Left Ventricular Function. <i>Echocardiography</i> , <b>1999</b> , 16, 501-508	1.5	27
244	Assessment of the Systolic Left Ventricular Myocardial Velocity Profile and Gradient Using Tissue Doppler Imaging in Patients with Hypertrophic Cardiomyopathy. <i>Echocardiography</i> , <b>1999</b> , 16, 775-783	1.5	17
243	[Analysis of mitral annulus excursion with tissue Doppler echocardiography (tissue Doppler echocardiography = TDE). Noninvasive assessment of left ventricular, diastolic dysfunction]. <b>1999</b> , 88, 353-62		10
242	M-mode analysis of mitral annulus motion for detection of pseudonormalization of the mitral inflow pattern. <b>1999</b> , 84, 692-7		10
241	Estimation of mean right atrial pressure using tissue Doppler imaging. <b>1999</b> , 84, 1448-51, A8		130
240	Evaluation of left ventricular contraction abnormalities in patients with dilated cardiomyopathy with the use of pulsed tissue Doppler imaging. <b>1999</b> , 12, 913-20		65
239	Difference in the diastolic left ventricular wall motion velocities between aortic and mitral regurgitation by pulsed tissue Doppler imaging. <b>1999</b> , 12, 15-21		13
238	Tissue Doppler imaging in the normal fetus. <b>1999</b> , 71, 227-34		107
237	Usefulness of pulsed Doppler tissue imaging for noninvasive detection of cardiac rejection after heart transplantation. <b>1999</b> , 31, 2545-7		19
236	Effect of aging on diastolic left ventricular myocardial velocities measured by pulsed tissue Doppler imaging in healthy subjects. <b>1999</b> , 12, 574-81		103
235	Differentiation of abnormal relaxation pattern with aging from abnormal relaxation pattern with coronary artery disease in transmitral flow with the use of tissue Doppler imaging of the mitral annulus. <b>1999</b> , 12, 629-35		31
234	Assessment of diastolic function by tissue Doppler echocardiography: comparison with standard transmitral and pulmonary venous flow. <b>1999</b> , 12, 609-17		171
233	Mitral annulus velocity in the evaluation of left ventricular diastolic function in atrial fibrillation. <b>1999</b> , 12, 927-31		217
232	Reproducibility of pulsed wave tissue Doppler echocardiography. <b>1999</b> , 12, 492-9		112
231	Pulsed Doppler tissue imaging of mitral annular motion: a new technique in the non-invasive assessment of diastolic function. <b>1999</b> , 10, 75-82		6
230	New approaches to the Doppler echocardiographic assessment of diastolic function: from research laboratory to clinical practice. <b>1999</b> , 10, 105-12		2
229	Evaluation of the potential role of color-coded tissue Doppler echocardiography in the detection of allograft rejection in heart transplant recipients. <i>American Heart Journal</i> , <b>1999</b> , 138, 721-30	4.9	54

228	Evaluation of the hemodynamic relationship between the left atrium and left ventricle during atrial systole by pulsed tissue Doppler imaging in patients with left heart failure. <b>1999</b> , 63, 763-9		19
227	Right ventricular diastolic filling assessed by conventional doppler and tissue Doppler imaging in normal children. <b>1999</b> , 189, 283-94		13
226	Tissue doppler imaging of left and right ventricles in normal children. <b>2000</b> , 191, 21-9		57
225	Influence of age and cardiovascular factors on regional pulsed wave Doppler myocardial imaging indices. <i>European Journal of Echocardiography</i> , <b>2000</b> , 1, 87-95		22
224	Noninvasive imaging in congenital heart disease. <b>2000</b> , 15, 224-37		6
223	Tissue Doppler echocardiography. <b>2000</b> , 15, 323-9		40
222	Tissue Doppler imaging: a new technique for assessment of pseudonormalization of the mitral inflow pattern. <i>Echocardiography</i> , <b>2000</b> , 17, 539-46	1.5	47
221	Tissue Doppler imaging of the fetal heart. <b>2000</b> , 16, 530-5		57
220	Enhanced echocardiographic techniques for imaging tissue. <b>2000</b> , 86, 25G-27G		5
219	Assessment of regional left ventricular function during exercise test with pulsed tissue Doppler imaging. <b>2000</b> , 86, 30G-32G		140
218	Left ventricular diastolic dysfunction in lone atrial fibrillation determined by Doppler tissue imaging of mitral annular motion. <b>2000</b> , 86, 1026-9, A10		15
217	Comparison of effectiveness of an 8-mm versus a 4-mm tip electrode catheter for radiofrequency ablation of typical atrial flutter. <b>2000</b> , 86, 1029-32, A10		34
216	[New techniques for the quantification of myocardial function: acoustic quantification, color kinesis, tissue Doppler and "strain rate imaging"]. <b>2000</b> , 89 Suppl 1, 97-103		5
215	Assessment of Diastolic Function using Mitral Annulus Velocity by Doppler Tissue Velocity in the Patients with Hypertension. <b>2000</b> , 30, 1117		
214	Regional myocardial functiona new approach. <b>2000</b> , 21, 1337-57		116
213	Pulsed doppler myocardial imaging. A new approach to regional longitudinal function?. <i>European Journal of Echocardiography</i> , <b>2000</b> , 1, 81-3		10
212	Mitral annulus velocity in the estimation of left ventricular filling pressure: prospective study in 200 patients. <b>2000</b> , 13, 980-5		98
211	The echo-Doppler evaluation of left ventricular diastolic function. A current perspective. <b>2000</b> , 18, 513-46, ix		127

## (2001-2000)

210	Physiology of diastolic function and transmitral pressure-flow relations. <b>2000</b> , 18, 411-33, vii	41
209	[Doppler tissue imaging of the mitral annulus in patients with left ventricular systolic dysfunction. Assessment of diastolic function]. <b>2000</b> , 53, 1195-200	6
208	Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate. <b>2000</b> , 13, 1002-11	72
207	Acute regional myocardial ischemia identified by 2-dimensional multiregion tissue Doppler imaging technique. <b>2000</b> , 13, 986-94	47
206	Mean myocardial velocity mapping in quantifying regional myocardial contractile reserve in patients with impaired left ventricular systolic function: Doppler myocardial imaging study. <b>2000</b> , 13, 96-107	4
205	Subendocardial motion in hypertrophic cardiomyopathy: assessment from long- and short-axis views by pulsed tissue Doppler imaging. <b>2000</b> , 13, 108-15	29
204	Myocardial longitudinal motion by tissue velocity imaging in the evaluation of patients with myocardial infarction. <b>2000</b> , 13, 818-26	38
203	Regional diastolic function by pulsed Doppler myocardial mapping for the detection of left ventricular ischemia during pharmacologic stress testing: a comparison with stress echocardiography and perfusion scintigraphy. <b>2000</b> , 36, 444-52	85
202	Hemodynamic determinants of the mitral annulus diastolic velocities by tissue Doppler. 2001, 37, 278-85	451
201	Myocardial Doppler tissue imaging: findings in inferior myocardial infarction and left ventricular hypertrophywall motion assessment. <b>2001</b> , 14, 867-73	7
200	Detection of early abnormalities of left ventricular function by hemodynamic, echo-tissue Doppler imaging, and mitral Doppler flow techniques in patients with coronary artery disease and normal ejection fraction. <b>2001</b> , 14, 764-72	62
199	Tissue Doppler imaging: a useful echocardiographic method for the cardiac sonographer to assess systolic and diastolic ventricular function. <b>2001</b> , 14, 1143-52	168
198	Comparison of myocardial tissue Doppler with transmitral flow Doppler in left ventricular hypertrophy. <b>2001</b> , 14, 1153-60	44
197	Strain rate imaging in normal and reduced diastolic function: comparison with pulsed Doppler tissue imaging of the mitral annulus. <b>2001</b> , 14, 264-74	69
196	Age-dependent changes in regional diastolic function evaluated by color Doppler myocardial imaging: a comparison with pulsed Doppler indexes of global function. <b>2001</b> , 14, 959-69	28
195	Does atrioventricular ring motion always distinguish constriction from restriction? A Doppler myocardial imaging study. <b>2001</b> , 14, 391-5	19
194	A comparison of tissue Doppler imaging and velocities of transmitral flow in children with elevated left ventricular preload. <b>2001</b> , 11, 261-8	42
193	Age-related changes in diastolic atrioventricular annular velocity: Studies using pulsed Doppler tissue imaging. <b>2001</b> , 28, 97-101	2

192	The relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function. <b>2001</b> , 27, 499-507		46
191	Effect of cibenzoline, a class ia antiarrhythmic agent, on left ventricular diastolic function in hypertrophic cardiomyopathy. <b>2001</b> , 15, 459-65		6
190	Mitral annulus motion as determined by M-mode echocardiography in normal dogs and dogs with cardiac disease. <b>2001</b> , 42, 52-61		23
189	The normal sequence of right and left atrial contraction. <b>2001</b> , 6, 222-8		5
188	Mitral annulus velocity in the noninvasive estimation of left ventricular peak dP/dt. 2001, 87, 933-6		17
187	Doppler tissue imaging for assessing left ventricular diastolic dysfunction in heart transplant rejection. <b>2001</b> , 86, 432-7		58
186	Left ventricular wall motion during diastolic filling in endurance-trained athletes. <b>2001</b> , 33, 189-95		23
185	Mitral inflow and mitral annular motion velocities in patients with mitral annular calcification: evaluation by pulsed Doppler echocardiography and pulsed Doppler tissue imaging. <i>European Journal of Echocardiography</i> , <b>2002</b> , 3, 128-34		33
184	Progression of systolic abnormalities in patients with "isolated" diastolic heart failure and diastolic dysfunction. <i>Circulation</i> , <b>2002</b> , 105, 1195-201	6.7	439
183	Tissue Doppler echocardiographic evidence of reverse remodeling and improved synchronicity by simultaneously delaying regional contraction after biventricular pacing therapy in heart failure.  Circulation, 2002, 105, 438-45	6.7	1291
183 182	simultaneously delaying regional contraction after biventricular pacing therapy in heart failure.	6.7	1291 57
	simultaneously delaying regional contraction after biventricular pacing therapy in heart failure. 10 <i>Circulation</i> , <b>2002</b> , 105, 438-45	6.7	
182	simultaneously delaying regional contraction after biventricular pacing therapy in heart failure.  Circulation, 2002, 105, 438-45  Is Doppler tissue velocity during early left ventricular filling preload independent?. 2002, 87, 336-9	6.7	57
182	simultaneously delaying regional contraction after biventricular pacing therapy in heart failure.  Circulation, 2002, 105, 438-45  Is Doppler tissue velocity during early left ventricular filling preload independent?. 2002, 87, 336-9  Alternative Echocardiographic Methods to Assess Left Ventricular Diastolic Function. 2002, 18, 218-230  Striking effect of left ventricular high filling pressure with mitral regurgitation on mitral annular velocity during early diastole. A study using colour M-mode tissue Doppler imaging. European	6.7	57
182 181 180	simultaneously delaying regional contraction after biventricular pacing therapy in heart failure.  Circulation, 2002, 105, 438-45  Is Doppler tissue velocity during early left ventricular filling preload independent?. 2002, 87, 336-9  Alternative Echocardiographic Methods to Assess Left Ventricular Diastolic Function. 2002, 18, 218-230  Striking effect of left ventricular high filling pressure with mitral regurgitation on mitral annular velocity during early diastole. A study using colour M-mode tissue Doppler imaging. European Journal of Echocardiography, 2002, 3, 52-8	6.7	57 2 8
182 181 180	simultaneously delaying regional contraction after biventricular pacing therapy in heart failure.  Circulation, 2002, 105, 438-45  Is Doppler tissue velocity during early left ventricular filling preload independent?. 2002, 87, 336-9  Alternative Echocardiographic Methods to Assess Left Ventricular Diastolic Function. 2002, 18, 218-230  Striking effect of left ventricular high filling pressure with mitral regurgitation on mitral annular velocity during early diastole. A study using colour M-mode tissue Doppler imaging. European Journal of Echocardiography, 2002, 3, 52-8  Covered stent for iatrogenic coronary arteriovenous fistula in heart transplant recipient. 2002, 87, 339  Left ventricular long-axis changes in early diastole and systole: impact of systolic function on	6.7	57 2 8
182 181 180 179	simultaneously delaying regional contraction after biventricular pacing therapy in heart failure.  Circulation, 2002, 105, 438-45  Is Doppler tissue velocity during early left ventricular filling preload independent?. 2002, 87, 336-9  Alternative Echocardiographic Methods to Assess Left Ventricular Diastolic Function. 2002, 18, 218-230  Striking effect of left ventricular high filling pressure with mitral regurgitation on mitral annular velocity during early diastole. A study using colour M-mode tissue Doppler imaging. European Journal of Echocardiography, 2002, 3, 52-8  Covered stent for iatrogenic coronary arteriovenous fistula in heart transplant recipient. 2002, 87, 339  Left ventricular long-axis changes in early diastole and systole: impact of systolic function on diastole. 2002, 102, 515-522	6.7	57 2 8 5 79

174	Analysis of the myocardial velocities in patients with mitral stenosis. <b>2002</b> , 15, 1472-8	34
173	Doppler tissue echocardiographic features of cardiac amyloidosis. <b>2002</b> , 15, 1353-60	36
172	Pulsed Doppler tissue imaging in dystrophinopathic cardiomyopathy. <b>2002</b> , 15, 891-9	33
171	The role of short- and long-axis function in determining late diastolic left ventricular filling in patients with hypertension: assessment by pulsed Doppler tissue imaging. <b>2002</b> , 15, 1211-7	9
170	Effect of Vigorous Preload Reduction on Mitral Annulus Velocity in Chronic Renal Failure. <b>2002</b> , 32, 807	
169	Usefulness of Doppler tissue imaging analysis of tricuspid annular motion for determination of right ventricular function in normal infants and children. <b>2002</b> , 89, 610-3	68
168	Comparison of left ventricular systolic and diastolic function in patients with idiopathic dilated cardiomyopathy and mild heart failure versus those with severe heart failure. <b>2002</b> , 90, 390-4	24
167	The strain of resynchronizing the failing heart. <b>2002</b> , 13, 1209-10	
166	Estimation of global left ventricular function from the velocity of longitudinal shortening.  Echocardiography, <b>2002</b> , 19, 177-85	41
165	Acromegaly: evidence for a direct relation between disease activity and cardiac dysfunction in patients without ventricular hypertrophy. <b>2002</b> , 56, 595-602	29
164	The wall-thinning to transmitral flow-velocity relation: derivation with in vivo validation. 2002, 28, 745-55	5
163	Pulsed Doppler tissue imaging and myocardial function in thalassemia major. <i>Heart and Vessels</i> , 2.1	33
162	Effect of catheter device closure of atrial septal defect on diastolic mitral annular motion. 2003, 91, 104-8	19
161	Association of diabetes mellitus with abnormal heart rate recovery in patients without known coronary artery disease. <b>2003</b> , 91, 108-11	29
160	Influence of age on assessment of diastolic function by Doppler tissue imaging. 2003, 91, 254-7	60
159	Predictors of left ventricular reverse remodeling after cardiac resynchronization therapy for heart failure secondary to idiopathic dilated or ischemic cardiomyopathy. <b>2003</b> , 91, 684-8	513
158	Comparison of left ventricular diastolic function in obstructive hypertrophic cardiomyopathy in patients undergoing percutaneous septal alcohol ablation versus surgical myotomy/myectomy. <b>2003</b> , 91, 817-21	46
157	Is left ventricular postsystolic long-axis shortening a marker for severity of hypertensive heart disease?. <b>2003</b> , 91, 1490-3, A8	13

156	Early diastolic filling dynamics in diastolic dysfunction. Cardiovascular Ultrasound, 2003, 1, 9	2.4	3
155	Regional left ventricle mechanical asynchrony in patients with heart disease and normal QRS duration: implication for biventricular pacing therapy. <b>2003</b> , 26, 562-70		71
154	Longitudinal ventricular function: normal values of atrioventricular annular and myocardial velocities measured with quantitative two-dimensional color Doppler tissue imaging. <b>2003</b> , 16, 906-21		199
153	Diastolic dysfunction in an unusual case of cardiomyopathy in a child: insights from Doppler and Doppler tissue imaging analysis. <b>2003</b> , 16, 176-81		12
152	Doppler tissue analysis of mitral annular velocities: evidence for systolic abnormalities in patients with diastolic heart failure. <b>2003</b> , 16, 1031-6		92
151	Association of newer diastolic function parameters with age in healthy subjects: a population-based study. <b>2003</b> , 16, 1049-56		143
150	Patients with early diabetic heart disease demonstrate a normal myocardial response to dobutamine. <b>2003</b> , 42, 446-53		89
149	A clinical approach to the assessment of left ventricular diastolic function by Doppler echocardiography: update 2003. <b>2003</b> , 89 Suppl 3, iii18-23		77
148	Spectral pulsed tissue Doppler imaging in diastole: a tool to increase our insight in and assessment of diastolic relaxation of the left ventricle. <i>American Heart Journal</i> , <b>2003</b> , 146, 411-9	4.9	76
147	Cardiovascular aging and heart failure. <b>2003</b> , 5, 427-34		89
146	Left ventricular mechanics during exercise: a Doppler and tissue Doppler study. <i>European Journal of Echocardiography</i> , <b>2003</b> , 4, 286-91		29
145	Effect of preload reduction by haemodialysis on new indices of diastolic function. <b>2003</b> , 105, 499-506		61
144	Comparison of early diastolic mitral annular velocity and flow propagation velocity in detection of mild to moderate left ventricular diastolic dysfunction. <i>European Journal of Echocardiography</i> , <b>2004</b> , 5, 196-204		15
143	Application of tissue Doppler imaging in cardiology. <b>2004</b> , 101, 170-84		95
142	A novel method to estimate pulmonary artery wedge pressure using the downslope of the Doppler mitral regurgitant velocity profile. <i>Echocardiography</i> , <b>2004</b> , 21, 673-9	1.5	3
141	Differentiation of constrictive pericarditis from restrictive cardiomyopathy using mitral annular velocity by tissue Doppler echocardiography. <b>2004</b> , 94, 316-9		135
140	Stroke volume and mitral annular velocities. Insights from tissue Doppler imaging. <b>2004</b> , 93, 799-806		6
139	Comparison of efficacy of reverse remodeling and clinical improvement for relatively narrow and wide QRS complexes after cardiac resynchronization therapy for heart failure. <b>2004</b> , 15, 1058-65		69

138	Factors associated with mitral annular systolic and diastolic velocities in healthy adults. <b>2004</b> , 17, 1146-54	32
137	Alterations in left ventricular structure and function in young healthy obese women: assessment by echocardiography and tissue Doppler imaging. <b>2004</b> , 43, 1399-404	358
136	Tissue Doppler-derived myocardial acceleration for evaluation of left ventricular diastolic function. <b>2004</b> , 44, 1459-66	21
135	Tissue Doppler imaging in patients with moderate to severe aortic valve stenosis: clinical usefulness and diagnostic accuracy. <i>American Heart Journal</i> , <b>2004</b> , 148, 696-702	103
134	Influence of alterations in loading on mitral annular velocity by tissue Doppler echocardiography and its associated ability to predict filling pressures. <b>2004</b> , 126, 1910-8	86
133	Tissue Doppler imaging provides incremental prognostic value in patients with systemic hypertension and left ventricular hypertrophy. <b>2005</b> , 23, 183-91	155
132	Assessment of left ventricular function using pulsed tissue Doppler imaging in healthy dogs and dogs with spontaneous mitral regurgitation. <b>2005</b> , 67, 1207-15	35
131	Evaluation of cardiac function by tissue Doppler echocardiography: hemodynamic determinants and clinical application. <b>2005</b> , 31, 23-30	14
130	Early detection of diabetic cardiomyopathy: usefulness of tissue Doppler imaging. 2005, 22, 1720-5	93
129	Assessment of diastolic function. <b>2005</b> , 47, 340-55	50
129	Assessment of diastolic function. <b>2005</b> , 47, 340-55  Impact of stroke volume on mitral annular velocities derived from tissue Doppler imaging. <b>2005</b> , 91, 243-4	50
128	Impact of stroke volume on mitral annular velocities derived from tissue Doppler imaging. <b>2005</b> , 91, 243-4  Tissue Doppler is a More Reliable Method in Early Detection of Cardiac Dysfunction in Patients with	10
128	Impact of stroke volume on mitral annular velocities derived from tissue Doppler imaging. 2005, 91, 243-4  Tissue Doppler is a More Reliable Method in Early Detection of Cardiac Dysfunction in Patients with AA Amyloidosis. 2005, 27, 415-420  Functional diagnosis of coronary stenosis using tissue tracking provides best sensitivity and specificity for left circumflex disease: experience from the MYDISE (myocardial Doppler in stress	10
128 127 126	Impact of stroke volume on mitral annular velocities derived from tissue Doppler imaging. 2005, 91, 243-4  Tissue Doppler is a More Reliable Method in Early Detection of Cardiac Dysfunction in Patients with AA Amyloidosis. 2005, 27, 415-420  Functional diagnosis of coronary stenosis using tissue tracking provides best sensitivity and specificity for left circumflex disease: experience from the MYDISE (myocardial Doppler in stress echocardiography) study. <i>European Journal of Echocardiography</i> , 2005, 6, 54-63	10 4
128 127 126	Impact of stroke volume on mitral annular velocities derived from tissue Doppler imaging. 2005, 91, 243-4  Tissue Doppler is a More Reliable Method in Early Detection of Cardiac Dysfunction in Patients with AA Amyloidosis. 2005, 27, 415-420  Functional diagnosis of coronary stenosis using tissue tracking provides best sensitivity and specificity for left circumflex disease: experience from the MYDISE (myocardial Doppler in stress echocardiography) study. European Journal of Echocardiography, 2005, 6, 54-63  Molecular and functional signature of heart hypertrophy during pregnancy. 2005, 96, 1208-16  Percutaneous closure of ruptured sinus of Valsalva aneurysm using an Amplatzer occluder device.	10 4 6 149
128 127 126 125	Impact of stroke volume on mitral annular velocities derived from tissue Doppler imaging. 2005, 91, 243-4  Tissue Doppler is a More Reliable Method in Early Detection of Cardiac Dysfunction in Patients with AA Amyloidosis. 2005, 27, 415-420  Functional diagnosis of coronary stenosis using tissue tracking provides best sensitivity and specificity for left circumflex disease: experience from the MYDISE (myocardial Doppler in stress echocardiography) study. European Journal of Echocardiography, 2005, 6, 54-63  Molecular and functional signature of heart hypertrophy during pregnancy. 2005, 96, 1208-16  Percutaneous closure of ruptured sinus of Valsalva aneurysm using an Amplatzer occluder device. 2005, 91, 244  Pulmonary venous flow reversal and its relationship to atrial mechanical function in normal	10 4 6 149 21

120	Tissue Doppler is a more reliable method in early detection of cardiac dysfunction in patients with AA amyloidosis. <b>2005</b> , 27, 415-20		7
119	Assessment of left ventricular function by Doppler tissue imaging in patients with atrial fibrillation following acute myocardial infarction. <b>2005</b> , 102, 79-85		14
118	Opposite effects of coronary artery disease and hypertrophic cardiomyopathy on left ventricular long axis function during dobutamine stress. <b>2005</b> , 101, 123-8		3
117	Tissue Doppler echocardiographic evidence of atrial mechanical dysfunction in coronary artery disease. <b>2005</b> , 105, 178-85		52
116	Relationships among exercise capacity, hypertrophy, and left ventricular diastolic function in nonobstructive hypertrophic cardiomyopathy. <i>American Heart Journal</i> , <b>2005</b> , 150, 144-9	4.9	17
115	Oxygen pulse during exercise is related to resting systolic and diastolic left ventricular function in older persons with mild hypertension. <i>American Heart Journal</i> , <b>2005</b> , 150, 941-6	4.9	16
114	Sex differences in left ventricular function in older persons with mild hypertension. <i>American Heart Journal</i> , <b>2005</b> , 150, 934-40	4.9	11
113	Tissue Doppler Imaging and Gradient Echo Cardiac Magnetic Resonance Imaging in Normal Cats and Cats with Hypertrophic Cardiomyopathy. <b>2006</b> , 20, 627-634		30
112	QRS duration alone misses cardiac dyssynchrony in a substantial proportion of patients with chronic heart failure. <b>2006</b> , 19, 1257-63		24
111	Myocardial adaptation to short-term high-intensity exercise in highly trained athletes. <b>2006</b> , 19, 1280-5		55
110	Tissue velocity echocardiography shows early improvement in diastolic function with irbesartan and atenolol therapy in patients with hypertensive left ventricular hypertrophy. Results form the Swedish Irbesartan Left Ventricular Hypertrophy Investigation vs Atenolol (SILVHIA). <b>2006</b> , 19, 927-36		35
109	Rationale and design: the VALsartan In Diastolic Dysfunction (VALIDD) Trial: evolving the management of diastolic dysfunction in hypertension. <i>American Heart Journal</i> , <b>2006</b> , 152, 246-52	4.9	21
108	Reduced systolic performance by tissue Doppler in patients with preserved and abnormal ejection fraction: new insights in chronic heart failure. <b>2006</b> , 108, 181-8		66
107	The Difference of Left Ventricular Hypertrophy and the Diastolic Function between Prehypertensives and Normotensives. <i>Korean Circulation Journal</i> , <b>2006</b> , 36, 437	2.2	3
106	Quantitation of mitral annular oscillations and longitudinal "ringing" of the left ventricle: a new window into longitudinal diastolic function. <i>Journal of Applied Physiology</i> , <b>2006</b> , 100, 112-9	3.7	22
105	Myocardial stiffness and the timing difference between tissue Doppler imaging Ea and peak mitral valve opening can distinguish physiological hypertrophy in athletes from hypertrophic cardiomyopathy. <i>European Journal of Echocardiography</i> , <b>2006</b> , 7, 423-9		10
104	Left ventricular diastolic function during normal pregnancy: assessment by spectral tissue Doppler imaging. <b>2006</b> , 28, 789-93		54
103	Early diastolic mitral annular velocity and color M-mode flow propagation velocity in the evaluation of left ventricular diastolic function in patients with Fabry disease. <i>Heart and Vessels</i> , <b>2006</b> , 21, 13-9	2.1	13

Evaluation of normal fetal left cardiac function by tissue Doppler imaging. **2006**, 26, 251-3

101	Echocardiographic findings in patients with Behlet Q disease. <b>2006</b> , 97, 710-5	24
100	Tissue Doppler imaging in the evaluation of left ventricular function in young adults with autosomal dominant polycystic kidney disease. <b>2006</b> , 47, 587-92	15
99	Detailed analysis of myocardial motion in volunteers and patients using high-temporal-resolution MR tissue phase mapping. <b>2006</b> , 24, 1033-9	85
98	Triphasic mitral inflow velocity with mid-diastolic flow: the presence of mid-diastolic mitral annular velocity indicates advanced diastolic dysfunction. <i>European Journal of Echocardiography</i> , <b>2006</b> , 7, 16-21	24
97	Left ventricular function in patients with chronic kidney disease evaluated by colour tissue Doppler velocity imaging. <b>2006</b> , 21, 125-32	86
96	Longitudinal mitral annulus velocities are reduced in hypertensive subjects with or without left ventricle hypertrophy. <b>2006</b> , 47, 854-60	33
95	The impact of aging on left ventricular longitudinal function in healthy subjects: a pulsed tissue Doppler study. <i>European Journal of Echocardiography</i> , <b>2008</b> , 9, 241-9	69
94	Right and left ventricular adaptation to training determined by conventional echocardiography and tissue Doppler imaging in young endurance athletes. <b>2007</b> , 62, 13-8	10
93	Depressed myocardial contractile reserve in patients with obstructive sleep apnea assessed by tissue Doppler imaging with dobutamine stress echocardiography. <b>2007</b> , 131, 1082-9	19
92	Procollagen type I carboxy-terminal peptide shows left ventricular hypertrophy and diastolic dysfunction in hypertensive patients. <b>2007</b> , 16, 69-74	12
91	Cardiac tissue Doppler imaging in sports medicine. <b>2007</b> , 37, 15-30	25
90	Right ventricular myocardial isovolumic relaxation time as novel method for evaluation of pulmonary hypertension: correlation with endothelin-1 levels. <b>2007</b> , 20, 462-9	17
89	Acoustic videodensitometric parameters correlate with abnormalities of left ventricular filling in hypertensive patients assessed via Doppler Tissue Imaging. <b>2007</b> , 35, 430-6	
88	New echocardiographic applications for assessing global left ventricular diastolic function. <b>2007</b> , 33, 823-41	19
87	Late cardiac effects of anthracycline containing therapy for childhood acute lymphoblastic leukemia. <b>2007</b> , 48, 663-7	32
86	Reliability of Doppler methods in the evaluation of the left ventricular systolic function in patients with idiopathic dilated cardiomyopathy. <i>Echocardiography</i> , <b>2007</b> , 24, 1023-8	4
85	Isolated diastolic dysfunctiondiagnostic value of tissue Doppler imaging, colour M-mode and N-terminal pro B-type natriuretic peptide. <b>2007</b> , 96, 874-82	8

84	Myocardial and aortic stiffening in the early course of primary aldosteronism. 2008, 31, 431-6		27
83	The influence of ambulatory blood pressure profile on global and regional functions of the left and the right ventricles in orderly treated hypertensive patients. <i>Echocardiography</i> , <b>2008</b> , 25, 465-72	1.5	10
82	Impact of obstructive sleep apnea on left ventricular diastolic function. 2008, 101, 1663-8		57
81	Tricuspid annular systolic velocity predicts maximal oxygen consumption during exercise in adult patients with repaired tetralogy of Fallot. <b>2008</b> , 21, 342-6		9
80	Left ventricular torsion by two-dimensional speckle tracking echocardiography in patients with diastolic dysfunction and normal ejection fraction. <b>2008</b> , 21, 1129-37		173
79	Clinical usefulness of tissue Doppler imaging in patients with mild to moderate aortic stenosis: a substudy of the aortic stenosis progression observation measuring effects of rosuvastatin study. <b>2008</b> , 21, 1023-7		14
78	Clinical use of Doppler echocardiography and Doppler tissue imaging in the estimation of myocardial ischemia during dobutamine stress echocardiography. <b>2008</b> , 21, 331-6		7
77	Evaluation of Intracardiac Filling Pressures. <b>2008</b> , 181-192		1
76	Congenital Heart Disease. <b>2008</b> , 313-331		2
75	Noninvasive Estimation of Left Ventricular Filling Pressures. <b>2008</b> , 187-202		
75 74	Noninvasive Estimation of Left Ventricular Filling Pressures. 2008, 187-202  Age dependency in the timing of mitral annular motion in relation to ventricular filling in healthy subjects: Umea General Population Heart Study. European Journal of Echocardiography, 2008, 9, 522-9		6
	Age dependency in the timing of mitral annular motion in relation to ventricular filling in healthy		6
74	Age dependency in the timing of mitral annular motion in relation to ventricular filling in healthy subjects: Umea General Population Heart Study. <i>European Journal of Echocardiography</i> , <b>2008</b> , 9, 522-9 Evidence for no global effect of metabolic syndrome per se on early hypertensive sequelae. <b>2008</b> ,		
74 73	Age dependency in the timing of mitral annular motion in relation to ventricular filling in healthy subjects: Umea General Population Heart Study. <i>European Journal of Echocardiography</i> , <b>2008</b> , 9, 522-9  Evidence for no global effect of metabolic syndrome per se on early hypertensive sequelae. <b>2008</b> , 26, 773-9  Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular		12
74 73 72	Age dependency in the timing of mitral annular motion in relation to ventricular filling in healthy subjects: Umea General Population Heart Study. <i>European Journal of Echocardiography</i> , <b>2008</b> , 9, 522-9  Evidence for no global effect of metabolic syndrome per se on early hypertensive sequelae. <b>2008</b> , 26, 773-9  Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular Filling Including Pulmonary Venous Flow. <b>2008</b> , 115-143  Left ventricular long axis dysfunction in adults with "corrected" aortic coarctation is related to an	2.1	2
74 73 72 71	Age dependency in the timing of mitral annular motion in relation to ventricular filling in healthy subjects: Umea General Population Heart Study. <i>European Journal of Echocardiography</i> , <b>2008</b> , 9, 522-9  Evidence for no global effect of metabolic syndrome per se on early hypertensive sequelae. <b>2008</b> , 26, 773-9  Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular Filling Including Pulmonary Venous Flow. <b>2008</b> , 115-143  Left ventricular long axis dysfunction in adults with "corrected" aortic coarctation is related to an older age at intervention and increased aortic stiffness. <b>2009</b> , 95, 733-9  Olmesartan ameliorates myocardial function independent of blood pressure control in patients	2.1	12 2 30
74 73 72 71 70	Age dependency in the timing of mitral annular motion in relation to ventricular filling in healthy subjects: Umea General Population Heart Study. <i>European Journal of Echocardiography</i> , <b>2008</b> , 9, 522-9  Evidence for no global effect of metabolic syndrome per se on early hypertensive sequelae. <b>2008</b> , 26, 773-9  Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular Filling Including Pulmonary Venous Flow. <b>2008</b> , 115-143  Left ventricular long axis dysfunction in adults with "corrected" aortic coarctation is related to an older age at intervention and increased aortic stiffness. <b>2009</b> , 95, 733-9  Olmesartan ameliorates myocardial function independent of blood pressure control in patients with mild-to-moderate hypertension. <i>Heart and Vessels</i> , <b>2009</b> , 24, 294-300  Noninvasive evaluation of left ventricular noncompaction: what@new in 2009? <i>Pediatric Cardiology</i>		12 2 30 10

## (2011-2009)

66	Diastolic function study with conventional and pulsed tissue Doppler echocardiography imaging in acromegalic patients. <i>Echocardiography</i> , <b>2009</b> , 26, 651-6	1.5	6
65	Alteration of myocardial characteristics and function in patients with obstructive sleep apnea. <b>2009</b> , 133, 129-31		9
64	Tissue Doppler echocardiography in children with acquired or congenital heart disease. <b>2009</b> , 19, S98-S	105	2
63	Is the aging heart similar to the diabetic heart? Evaluation of LV function of the aging heart with Tissue Doppler Imaging. <i>Aging Clinical and Experimental Research</i> , <b>2009</b> , 21, 22-6	4.8	8
62	Diastolic Ventricular Function Assessment. 95-116		2
61	Intraoperative Doppler tissue imaging is a valuable addition to cardiac anesthesiologistsQ armamentarium: a core review. <i>Anesthesia and Analgesia</i> , <b>2009</b> , 108, 48-66	3.9	33
60	Upright bicycle exercise echocardiography in patients with myocardial infarction shows lack of diastolic, but not systolic, reserve: a tissue Doppler study. <i>European Journal of Echocardiography</i> , <b>2009</b> , 10, 503-8		9
59	Echocardiographic evaluation of diastolic heart failure. <i>Australasian Journal of Ultrasound in Medicine</i> , <b>2010</b> , 13, 14-26	0.6	3
58	Transmitral E/A ratio decreases in association with abdominal fat accumulation in patients with impaired glucose tolerance or mild diabetes without left ventricular hypertrophy. <i>Heart and Vessels</i> , <b>2010</b> , 25, 45-50	2.1	4
57	Comparison of tissue Doppler velocities obtained by different types of echocardiography systems: are they compatible?. <i>Echocardiography</i> , <b>2010</b> , 27, 230-5	1.5	18
56	Evaluation of the impact of treatment on endothelial function and cardiac performance in acromegaly. <i>Echocardiography</i> , <b>2010</b> , 27, 990-6	1.5	18
55	Hemodynamic assessment. 205-222		
54	Subclinical regional left ventricular dysfunction in obese patients with and without hypertension or hypertrophy. <i>Obesity</i> , <b>2011</b> , 19, 1296-303	8	9
53	Evaluation of Left Ventricular Diastolic Function by Echocardiography. 2011,		O
52	Determination of diastolic dysfunction cut-off value by tissue Doppler imaging in adults 70 years of age or older: a comparative analysis of pulsed-wave and color-coded tissue Doppler imaging. <i>Korean Circulation Journal</i> , <b>2011</b> , 41, 137-42	2.2	3
51	The association of serum potassium level with left ventricular mass in patients with primary aldosteronism. <i>European Journal of Clinical Investigation</i> , <b>2011</b> , 41, 743-50	4.6	31
50	Assessment of the left ventricular chamber stiffness in athletes. <i>Echocardiography</i> , <b>2011</b> , 28, 276-87	1.5	7
49	Tissue Doppler derived mechanical dyssynchrony does not change after cardiac resynchronization therapy. <i>Echocardiography</i> , <b>2011</b> , 28, 961-7	1.5	3

48	Evaluating the effectiveness of rosuvastatin in preventing the progression of diastolic dysfunction in aortic stenosis: A substudy of the aortic stenosis progression observation measuring effects of rosuvastatin (ASTRONOMER) study. <i>Cardiovascular Ultrasound</i> , <b>2011</b> , 9, 5	2.4	8
47	Early cardiac abnormalities and increased C-reactive protein levels in a cohort of children with sleep disordered breathing. <i>Sleep and Breathing</i> , <b>2012</b> , 16, 101-10	3.1	27
46	Early subclinical left-ventricular dysfunction in obese nonhypertensive children: a tissue Doppler imaging study. <i>Pediatric Cardiology</i> , <b>2013</b> , 34, 1482-90	2.1	20
45	Hypertrophic Cardiomyopathy. <b>2013</b> , 101-175		1
44	Frequency, time course, and possible causes of right ventricular systolic dysfunction after cardiac transplantation: a single center experience. <i>Echocardiography</i> , <b>2013</b> , 30, 9-16	1.5	16
43	Obesity cardiomyopathy and systolic function: obesity is not independently associated with dilated cardiomyopathy. <i>Heart Failure Reviews</i> , <b>2013</b> , 18, 207-17	5	25
42	Myocardial function in premature infants: a longitudinal observational study. <i>BMJ Open</i> , <b>2013</b> , 3,	3	11
41	WITHDRAWN: Association between the levels of carboxy-terminal propeptide of type I procollagen and aldosterone in patients with primary aldosteronism and essential hypertension. <i>Clinical Biochemistry</i> , <b>2013</b> ,	3.5	
40	Cardiac mechanics are impaired during fatiguing exercise and cold pressor test in healthy older adults. <i>Journal of Applied Physiology</i> , <b>2013</b> , 114, 186-94	3.7	11
39	Left Ventricular Diastolic Function Assessment Using the Timing of Mitral Annular and Transmitral Flow Velocities. <i>Proceedings of Singapore Healthcare</i> , <b>2013</b> , 22, 114-119	0.5	O
38	Cardiovascular involvement in patients with pseudoexfoliation syndrome. <i>Journal of Cardiovascular Medicine</i> , <b>2013</b> , 14, 587-92	1.9	14
37	Determinants of preserved diastolic function at the lateral annulus in patients with isolated diastolic dysfunction. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2013</b> , 14, 443-8	4.1	3
36	The Impact of Moderate Intensity Physical Activity on Cardiac Structure and Performance in Older Sedentary Adults. <i>International Journal of Cardiology Heart &amp; Vessels</i> , <b>2014</b> , 4, 19-24		7
35	Impaired resting myocardial annular velocities are independently associated with mental stress-induced ischemia in coronary heart disease. <i>JACC: Cardiovascular Imaging</i> , <b>2014</b> , 7, 351-61	8.4	12
34	The Association between Glomerular Hyperfiltration and Left Ventricular Structure and Function in Patients with Primary Aldosteronism. <i>International Journal of Medical Sciences</i> , <b>2015</b> , 12, 369-77	3.7	5
33	Cardiovascular Involvement in Beh⊟tQ Disease. <i>Archives of Rheumatology</i> , <b>2015</b> , 30, 109-115	0.9	1
32	Early detection of myocardial deformation by 2D speckle tracking echocardiography in normotensive obese children and adolescents. <i>Anatolian Journal of Cardiology</i> , <b>2015</b> , 15, 151-7		11
31	Effect of percutaneous mitral balloon valvuloplasty on right ventricular functions in mitral stenosis: short- and mid-term results. <i>Anatolian Journal of Cardiology</i> , <b>2015</b> , 15, 289-96	0.8	9

## (2015-2015)

30	Left ventricular diastolic function assessment using time differences between mitral annular velocities and transmitral inflow velocities in patients with heart failure. <i>Heart Lung and Circulation</i> , <b>2015</b> , 24, 257-63	1.8	1
29	High-resolution tissue Doppler imaging of the zebrafish heart during its regeneration. <i>Zebrafish</i> , <b>2015</b> , 12, 48-57	2	22
28	Ia diastolic dysfunction: an echocardiographic grade. <i>Echocardiography</i> , <b>2015</b> , 32, 56-63	1.5	5
27	Left Ventricle Tissue Doppler Imaging Predicts Disease Severity in Septic Patients Newly Admitted in an Emergency Unit. <i>Journal of Emergency Medicine</i> , <b>2015</b> , 49, 907-15	1.5	5
26	Assessing ventricular function in preterm infants using tissue Doppler imaging. <i>Expert Review of Medical Devices</i> , <b>2016</b> , 13, 325-38	3.5	8
25	Comparison of left ventricular structure and function in primary aldosteronism and essential hypertension by echocardiography. <i>Hypertension Research</i> , <b>2017</b> , 40, 243-250	4.7	21
24	Preclinical cardiovascular changes in children with obesity: A real-time 3-dimensional speckle tracking imaging study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0205177	3.7	6
23	Left ventricular dysfunction by conventional and tissue Doppler echocardiography in pediatric hemodialysis patients: relation with plasma brain natriuretic peptide levels. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , <b>2018</b> , 3, e18-e28	0.9	3
22	Quantitative Assessment of the Effect of the Out-of-Plane Movement of the Homogenous Ellipsoidal Model of the Left Ventricle on the Deformation Measures Estimated Using 2-D Speckle Tracking-An In-Silico Study. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> ,	3.2	2
21	Aging and the relationships between long-axis systolic and early diastolic excursion, isovolumic relaxation time and left ventricular length-Implications for the interpretation of aging effects on ell <i>PLoS ONE</i> , <b>2019</b> , 14, e0210277	3.7	9
20	Diastolic Function in Children and in Children With Congenital Heart Disease. 2021, 349-374		
19	Two-Dimensional and Doppler Evaluation of Left Ventricular Filling, Including Pulmonary Venous Flow Velocity. <b>2021</b> , 106-136		O
18	Intensive Care Echocardiography. Yearbook of Intensive Care and Emergency Medicine, 2006, 131-141		6
17	Assessment of Diastolic Function by Echocardiography. <b>2007</b> , 237-261		1
16	Quantitative assessment of alterations in regional left ventricular contractility with color-coded tissue Doppler echocardiography. Comparison with sonomicrometry and pressure-volume relations. <i>Circulation</i> , <b>1997</b> , 95, 2423-33	16.7	226
15	Repair of an infrarenal abdominal aortic aneurysm is associated with persistent left ventricular diastolic dysfunction. <i>Journal of Nippon Medical School</i> , <b>2007</b> , 74, 393-401	1.3	4
14	Sensitivity analysis of left ventricle with dilated cardiomyopathy in fluid structure simulation. <i>PLoS ONE</i> , <b>2013</b> , 8, e67097	3.7	7
13	Diagnostic performance of echocardiography for the detection of acute cardiac allograft rejection: a systematic review and meta-analysis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0121228	3.7	12

12	Possible Mechanisms Underlying Aging-Related Changes in Early Diastolic Filling and Long Axis Motion-Left Ventricular Length and Blood Pressure. <i>PLoS ONE</i> , <b>2016</b> , 11, e0158302	3.7	9
11	The Role of Tissue Doppler Imaging as a New Diagnostic Option in Evaluating Left Ventricular Function. <i>Journal of Echocardiography</i> , <b>2003</b> , 1, 29-42	1.6	9
10	Cirrhotic cardiomyopathy. World Journal of Gastroenterology, 2015, 21, 11502-21	5.6	83
9	Left ventricular diastolic dysfunction in asymptomatic type 2 diabetic patients: detection and evaluation by tissue Doppler imaging. <i>Acta Informatica Medica</i> , <b>2013</b> , 21, 120-3	1.9	7
8	Automatische Konturerkennung, Color Kinese und Myokard-Doppler. <b>2000</b> , 1-10		
7	Left Ventricular Diastolic Function. 80-102		
6	Tissue Doppler Imaging. Journal of Cardiology & Current Research, 2015, 3,	0.1	
5	Intensive Care Echocardiography. <b>2006</b> , 131-141		
4	Myocardial Velocities as Markers of Diastolic Function. 2008, 99-117		
3	Relationship of PON1 192 and 55 gene polymorphisms to calcific valvular aortic stenosis. <i>American Journal of Cardiovascular Disease</i> , <b>2012</b> , 2, 123-32	0.9	2
2	Doppler tissue imaging: a non-invasive technique for estimation of left ventricular end diastolic pressure in severe mitral regurgitation. <i>The Journal of Tehran Heart Center</i> , <b>2010</b> , 5, 122-7	0.3	
1	The role of microRNAs in the pathophysiology, diagnosis, and treatment of diabetic cardiomyopathy.		1