CITATION REPORT List of articles citing

Secular trends in the prevalence of atrial fibrillation: The Framingham Study

DOI: 10.1016/s0002-8703(96)90288-4 American Heart Journal, 1996, 131, 790-5.

Source: https://exaly.com/paper-pdf/26749719/citation-report.pdf

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF	Citations
366	Atrial fibrillation: understanding the serious consequences and learning about the causes. 1997 , 45, 1404-5	
365	The medical management of atrial fibrillation. 1997 , 15, 689-719	12
364	Arrhythmias, Sudden Death and Syncope in Elders. 1997 , 1, 283-286	
363	Prevalence, incidence, prognosis, and predisposing conditions for atrial fibrillation: population-based estimates. 1998 , 82, 2N-9N	1541
362	Ist der atriale Defibrillator schon eine sinnvolle Alternative fl die Behandlung von Vorhofflimmern?. 1998 , 9, S44-S51	
361	Impact of atrial fibrillation on the risk of death: the Framingham Heart Study. 1998 , 98, 946-52	3408
360	Impact of atrial fibrillation on mortality, stroke, and medical costs. 1998 , 158, 229-34	501
359	Temporal trends in the use of anticoagulants among older adults with atrial fibrillation. 1999 , 159, 1574-8	85
358	Decrease in mortality in patients with a hospital diagnosis of atrial fibrillation in Denmark during the period 1980-1993. 1999 , 20, 1592-9	39
357	Pharmacotherapy of atrial fibrillation. 1999 , 1, 81-96	4
356	Antithrombotic therapy in nonrheumatic/nonvalvular atrial fibrillation. 1999 , 10, 461-71	3
355	Epidemiology and significance of atrial fibrillation. 1999 , 84, 131R-138R	177
354	Atrial fibrillation in the older adult. Presentation and management issues. 1999 , 20, 188-93; quiz 194	5
353	[The etiology and associated risk factors in a sample of 300 patients with atrial fibrillation]. 1999 , 52, 403-14	7
352	Lone atrial fibrillation: epidemiology and natural history. <i>American Heart Journal</i> , 1999 , 137, 592-5 4.9	20
351	Stroke incidence and case fatality in southern Greece: the Arcadia stroke registry. <i>Stroke</i> , 1999 , 30, 363-707	117
350	International trends in mortality from stroke, 1968 to 1994. <i>Stroke</i> , 2000 , 31, 1588-601 6.7	269

(2001-2000)

349	Association between blood pressure, the treatment of hypertension, and cardiovascular risk factors in women. 2000 , 18, 833-41	20
348	Therapy of atrial fibrillation: rhythm control versus rate control. 2000 , 23, 891-903	18
347	Increased variance of P wave duration on the electrocardiogram distinguishes patients with idiopathic paroxysmal atrial fibrillation. 2000 , 23, 1127-32	80
346	Role of transthoracic echocardiography in atrial fibrillation. 2000 , 17, 357-64	17
345	[Socioeconomic aspects of the treatment of arrhythmias]. 2000 , 25, 526-37	
344	Atrial fibrillation: a growth industry in the 21st century. 2000 , 21, 1207-8	14
343	The Athens stroke registry: results of a five-year hospital-based study. 2000, 10, 133-41	159
342	Prognosis of stroke in the south of Greece: 1 year mortality, functional outcome and its determinants: the Arcadia Stroke Registry. 2000 , 69, 595-600	66
341	Long-term prevention of ischaemic stroke and stroke recurrence. 2000 , 98, 83-96	8
340	Transesophageal echocardiography (TEE) in atrial fibrillation. 2000 , 18, 819-31	6
339	Cost effectiveness of therapies for atrial fibrillation. A review. 2000 , 18, 317-33	7
338	Epidemiology and natural history of atrial fibrillation: clinical implications. 2001 , 37, 371-8	575
337	Stroke in Indonesia: a first large prospective hospital-based study of acute stroke in 28 hospitals in Indonesia. 2001 , 8, 245-9	21
336	Antithrombotic therapy in atrial fibrillation. 2001 , 17, 131-47	13
335	Stroke prophylaxis in nonvalvular atrial fibrillation. 2001 , 14, 59-65	1
334	Anticoagulation in the elderly. 2001 , 7, 365-70	10
333	Race-ethnic disparities in the impact of stroke risk factors: the northern Manhattan stroke study. Stroke, 2001 , 32, 1725-31	309
332	Report of the NASPE/NHLBI round table on future research directions in atrial fibrillation. 2001 , 24, 1435-51	6

331	Hospitalizations for atrial fibrillation in the general male population: morbidity and risk factors. 2001 , 250, 382-9		136
330	Clinical trends in atrial fibrillation at the turn of the millenium. 2001 , 250, 369-72		23
329	Report of the NASPE/NHLBI Round Table on Future Research Directions in Atrial Fibrillation. North American Society of Pacing and Electrophysiology. 2001 , 5, 345-64		1
328	A computer model of human atria with reasonable computation load and realistic anatomical properties. 2001 , 48, 1229-37		33
327	Impact of radiofrequency catheter ablation of accessory pathways on the frequency of atrial fibrillation during long-term follow-up; high recurrence rate of atrial fibrillation in patients older than 50 years of age. 2001 , 22, 423-7		52
326	Trends in hospital activity, morbidity and case fatality related to atrial fibrillation in Scotland, 19861996. 2001 , 22, 693-701		108
325	Quality of life in patients with paroxysmal atrial fibrillation and its predictors: importance of the autonomic nervous system. 2001 , 22, 247-53		82
324	Population prevalence, incidence, and predictors of atrial fibrillation in the Renfrew/Paisley study. 2001 , 86, 516-21		410
323	Ventricular rate control in the elderly: is digoxin enough?. 2002, 11, 353-6		7
322	Percutaneous left atrial appendage transcatheter occlusion to prevent stroke in high-risk patients with atrial fibrillation: early clinical experience. 2002 , 105, 1887-9		334
321	Percutaneous left atrial appendage occlusion (PLAATO) for preventing cardioembolism: first experience in canine model. 2002 , 105, 2217-22		113
320	Seasonal variation in hospital discharge diagnosis of atrial fibrillation: a population-based study. 2002 , 13, 211-5		54
319	A population-based study of the long-term risks associated with atrial fibrillation: 20-year follow-up of the Renfrew/Paisley study. 2002 , 113, 359-64		1087
318	Atrial fibrillation: an old disease, a new epidemic. 2002 , 113, 432-5		70
317	Anterior-posterior versus anterior-lateral electrode positions for external cardioversion of atrial fibrillation: a randomised trial. 2002 , 360, 1275-9		164
316	Baseline characteristics of patients with atrial fibrillation: the AFFIRM Study. <i>American Heart Journal</i> , 2002 , 143, 991-1001	4.9	120
315	Trends in case-fatality in 22968 patients admitted for the first time with atrial fibrillation in Scotland, 1986-1995. 2002 , 82, 229-36		31
314	La fibrilaciñ auricular permanente en las enfermedades cardiovasculares en Espa â . Estudio CARDIOTENS 1999. 2002 , 55, 943-952		45

(2004-2002)

313	Stroke: diagnostic and therapeutic pathways. Abstracts of the 11th National Congress of the Italian Interdisciplinary Neurovascular Society (SINV). Florence, Italy, 6-7 December 2002. 2002 , 14 Suppl 1, 1-43	30
312	[Mechanisms of initiation in atrial fibrillation]. 2002 , 91, 24-32	4
311	Secular trends in cardiovascular disease. 2002 , 16, 663-6	5
310	Monitoring of atrial tachyarrhythmias. 2002 , 6, 225-32	2
309	Ethnicity and arrhythmias. 2003, 7, 92-5	5
308	Effect of electrode position on the outcome of cardioversion. 2003 , 7, 292-6	6
307	Sex-specific increase in the prevalence of atrial fibrillation (The Copenhagen City Heart Study). 2003 , 92, 1419-23	124
306	Duration of warfarin sodium therapy prior to electrical cardioversion of atrial fibrillation. 2003, 253, 76-80	11
305	Percutaneous closure of the left atrial appendage. 2003 , 16, 553-6	18
304	[Consensus document for the management of patients with atrial fibrillation in hospital emergency departments]. 2003 , 56, 801-16	7
303	The prevalence of atrial fibrillation in incident stroke cases and matched population controls in Rochester, Minnesota: changes over three decades. 2003 , 42, 93-100	190
302	Rising rates of hospital admissions for atrial fibrillation. 2003 , 14, 666-72	214
301	Atrial fibrillation: epidemiologic considerations and rationale for conversion and maintenance of sinus rhythm. 2003 , 8 Suppl 1, S13-26	22
300	Cryoablation of the left posterior atrial wall: 95 patients and 3 years of mean follow-up. 2003 , 24, 731-40	18
299	Association of atrial fibrillation and obstructive sleep apnea. 2004 , 110, 364-7	818
298	Hyperthyroidism and risk of atrial fibrillation or flutter: a population-based study. 2004, 164, 1675-8	157
297	Percutaneous left atrial appendage transcatheter occlusion for patients with atrial fibrillation unable to take warfarin. 2004 , 2, 93-6	1
296	Genome-wide linkage scan identifies a novel genetic locus on chromosome 5p13 for neonatal atrial fibrillation associated with sudden death and variable cardiomyopathy. 2004 , 110, 3753-9	97

295	Permanent left atrial pacing: a 2-year follow-up of coronary sinus leads. 2004 , 27, 314-7	4
294	Atrial tachyarrhythmia recurrence temporal patterns in bradycardia patients implanted with antitachycardia pacemakers. 2004 , 15, 44-51	22
293	Lifetime risk for development of atrial fibrillation: the Framingham Heart Study. 2004 , 110, 1042-6	1483
292	Postoperative atrial fibrillation and mortality: do the risks merit changes in clinical practice?. 2004 , 43, 749-51	33
291	A community education program on atrial fibrillation: implications of pulse self-examination on awareness and behavior. 2004 , 13, 208-13	22
290	A prospective multicenter trial of bipolar radiofrequency ablation for atrial fibrillation: early results. 2004 , 78, 1665-70	73
289	A new solution for an old problem? Effects of a nurse-led, multidisciplinary, home-based intervention on readmission and mortality in patients with chronic atrial fibrillation. 2004 , 19, 118-27	33
288	Epidemiology and economic impact of atrial fibrillation. 2004 , 19, 94-102	15
287	Rapid increase in estimated number of persons with atrial fibrillation in Japan: an analysis from national surveys on cardiovascular diseases in 1980, 1990 and 2000. 2005 , 15, 194-6	96
286	Prognostic risk of atrial fibrillation in acute myocardial infarction complicated by left ventricular dysfunction: the OPTIMAAL experience. 2005 , 26, 350-6	146
285	Satisfaction with treatment and prevalence of discomfort after external electrical cardioversion. 2005 , 20, 49-55	5
284	Medicare costs and health resource utilisation associated with atrial fibrillation in the elderly. 2005 , 8, 55-65	3
283	Epidemiological profile of atrial fibrillation: a contemporary perspective. 2005, 48, 1-8	75
282	Atrial fibrillation: now one of the most common causes for hospitalization. 2005 , 7, 149-50	2
281	[Arrhythmias in the elderly population and their management]. 2005, 42, 261-70	0
280	Minimally invasive off-pump pulmonary vein isolation to treat paroxysmal atrial fibrillation. 2005 , 53, 176-8	8
279	The prevalence of atrial fibrillation among acute medical admissions in Kuwait. 2005, 14, 136-9	6
278	Temporal variability of atrial tachyarrhythmia burden in bradycardia-tachycardia syndrome patients. 2005 , 26, 165-72	27

(2007-2005)

277	The changing epidemiology of non-valvular atrial fibrillation: the role of novel risk factors. 2005, 7, C5-C11	20
276	[Age, an independent risk factor for thrombosis. Epidemiologic data]. 2005 , 34, 878-86	4
275	Long-term reduction of atrial tachyarrhythmia recurrences in patients paced for bradycardia-tachycardia syndrome. 2005 , 2, 1047-57	8
274	Transcatheter occlusion of the left atrial appendage for stroke prevention. 2005 , 3, 1003-8	22
273	Trends in incidence and mortality in the hospital diagnosis of atrial fibrillation or flutter in Denmark, 1980-1999. 2005 , 103, 78-84	50
272	Percutaneous left atrial appendage transcatheter occlusion (PLAATO system) to prevent stroke in high-risk patients with non-rheumatic atrial fibrillation: results from the international multi-center feasibility trials. 2005 , 46, 9-14	370
271	Prevalence, incidence and lifetime risk of atrial fibrillation: the Rotterdam study. 2006 , 27, 949-53	1299
270	Atrial fibrillation and stroke prevention. 2006 , 6, 1523-30	3
269	Secular trends in incidence of atrial fibrillation in Olmsted County, Minnesota, 1980 to 2000, and implications on the projections for future prevalence. 2006 , 114, 119-25	1817
268	Totally endoscopic ablation of lone atrial fibrillation: initial clinical experience. 2006 , 81, 1325-30; discussion 1330-1	82
267	Coronary surgery in patients with preexisting chronic atrial fibrillation: early and midterm clinical outcome. 2006 , 81, 1676-82	39
266	Assessing the direct costs of treating nonvalvular atrial fibrillation in the United States. 2006 , 9, 348-56	292
265	Evidence for increased atrial sympathetic innervation in persistent human atrial fibrillation. 2006 , 29, 821-9	77
264	Atrial fibrillation. 2006 , 24, 509-22	4
263	Ethnic disparities in incidence of stroke subtypes: Auckland Regional Community Stroke Study, 2002-2003. 2006 , 5, 130-9	101
262	Incidence and mortality risk of congestive heart failure in atrial fibrillation patients: a community-based study over two decades. 2006 , 27, 936-41	118
261	Trends in the prevalence of diagnosed atrial fibrillation, its treatment with anticoagulation and predictors of such treatment in UK primary care. 2006 , 92, 1064-70	123
260	The increasing incidence of anticoagulant-associated intracerebral hemorrhage. 2007 , 68, 116-21	375

259	A comprehensive view of sex-specific issues related to cardiovascular disease. 2007 , 176, S1-44	280
258	Nonembolic, hemodynamic blood flow disturbances in the middle cerebral arteries in patients with paroxysmal atrial fibrillation without significant carotid stenosis. 2007 , 109, 753-7	10
257	Epidemiology of atrial fibrillation: a current perspective. 2007 , 4, S1-6	97
256	[Prevention of atrial fibrillation in hypertensive patients]. 2007, 128, 148-54	5
255	[Prevalence of atrial fibrillation in the Spanish population aged 60 years or more. The PREV-ICTUS study]. 2007 , 60, 616-24	85
254	Initial worldwide experience with the WATCHMAN left atrial appendage system for stroke prevention in atrial fibrillation. 2007 , 49, 1490-5	265
253	Pyrano-[2,3b]-pyridines as potassium channel antagonists. 2008 , 18, 2714-8	13
252	Low prevalence of atrial fibrillation in community-dwelling Chinese aged 55 years or older in Singapore: a population-based study. 2008 , 41, 94-8	63
251	Body mass index is an independent determinant of left atrial size. 2008 , 17, 19-24	34
250	Epidemiology of Atrial Fibrillation The Rising Prevalence. 2008, 3-11	1
249	Atrial Fibrillation. 2008,	6
248	Cost-Effectiveness of Catheter Ablation for Atrial Fibrillation. 2008, 27-33	
247	A randomized comparison of amiodarone and class IC antiarrhythmic drugs to treat atrial fibrillation in patients paced for sinus node disease: the Prevention Investigation and Treatment: A Group for Observation and Research on Atrial arrhythmias (PITAGORA) trial. American Heart	23
246	Journal, 2008, 155, 100-7, 107.e1 Hemodynamic blood flow disturbances in the middle cerebral arteries in patients with atrial fibrillation during acute ischemic stroke. 2008, 110, 434-40	3
245	Atrial fibrillation: goals of therapy and management strategies to achieve the goals. 2008 , 92, 217-35, xii-xiii	4
244	Status of the epidemiology of atrial fibrillation. 2008 , 92, 17-40, ix	230
243	Prevalence of sleep disordered breathing in paroxysmal and persistent atrial fibrillation patients with normal left ventricular function. 2008 , 29, 1662-9	147
242	Obesity as a risk factor for the progression of paroxysmal to permanent atrial fibrillation: a longitudinal cohort study of 21 years. 2008 , 29, 2227-33	195

(2009-2008)

241	Atrial fibrillation and antithrombotic therapy in a 75-year-old population. 2008 , 109, 258-62	32
240	Biphasic versus monophasic shock for external cardioversion of atrial flutter: a prospective, randomized trial. 2008 , 111, 57-62	7
239	Endurance sport practice as a risk factor for atrial fibrillation and atrial flutter. 2009, 11, 11-7	160
238	Pharmacotherapy of atrial fibrillation: an old option with new possibilities. 2008 , 9, 913-25	4
237	An epidemiological study on the prevalence of atrial fibrillation in the Chinese population of mainland China. 2008 , 18, 209-16	193
236	Prevalence of atrial fibrillation in community-dwelling Japanese aged 40 years or older in Japan: analysis of 41,436 non-employee residents in Kurashiki-city. 2008 , 72, 909-13	104
235	Direct treatment cost of atrial fibrillation in the elderly American population: a Medicare perspective. 2008 , 11, 281-98	90
234	Racial differences in the prevalence of atrial fibrillation among males. 2008 , 100, 237-45	88
233	Clinical epidemiology of atrial fibrillation and related cerebrovascular events in the United States. 2008 , 14, 143-50	36
232	Influence of systolic and diastolic blood pressure on the risk of incident atrial fibrillation in women. 2009 , 119, 2146-52	213
231	Independent contribution of diabetes to increased prevalence and incidence of atrial fibrillation. 2009 , 32, 1851-6	127
230	Big men and atrial fibrillation: effects of body size and weight gain on risk of atrial fibrillation in men. 2009 , 30, 1113-20	139
229	Postprocedural care in patients undergoing catheter ablation for the treatment of atrial fibrillation. 2009 , 5, 367-74	
228	Prevention of atrial fibrillation: report from a national heart, lung, and blood institute workshop. 2009 , 119, 606-18	378
227	Randomized study of surgical isolation of the pulmonary veins for correction of permanent atrial fibrillation associated with mitral valve disease. 2009 , 138, 454-9	31
226	Prevalence, functional impact, and mortality of atrial fibrillation in an older Italian population (from the Pro.V.A. study). 2009 , 104, 1092-7	52
	Comparison of antero-lateral versus antero-posterior electrode position for biphasic external	10
225	cardioversion of atrial flutter. 2009 , 104, 1547-50	10

223	Initial experience with the high-density mesh ablation catheter for pulmonary vein isolation. 2009 , 32, 1286-93		4
222	Safe and rapid isolation of pulmonary veins using a novel circular ablation catheter and duty-cycled RF generator. 2009 , 20, 1097-101		51
221	Long-term incidence of atrial fibrillation and flutter after transcatheter atrial septal defect closure in adults. 2009 , 134, 47-51		45
220	Incidence of atrial fibrillation in whites and African-Americans: the Atherosclerosis Risk in Communities (ARIC) study. <i>American Heart Journal</i> , 2009 , 158, 111-7	4.9	378
219	The patient with atrial fibrillation. 2009 , 122, 415-8		7
218	The surgical treatment of atrial fibrillation. 2009 , 89, 1001-20, x-xi		27
217	Effects of alcohol on atrial fibrillation: myths and truths. 2009 , 3, 53-63		26
216	Pathophysiology of concomitant atrial fibrillation and heart failure: implications for management. 2009 , 6, 46-56		30
215	Current perceptions of the epidemiology of atrial fibrillation. 2009, 27, 13-24, vii		86
214	Milestones in the management of atrial fibrillation. 2009 , 6, S62-7		32
213	Atrial fibrillation: goals of therapy and management strategies to achieve the goals. 2009 , 27, 189-200, x		15
212	The current role of anticoagulants in cardiovascular medicine. 2009 , 10, 595-604		13
211	Racial/ethnic differences in the prevalence of atrial fibrillation among older adultsa cross-sectional study. 2010 , 102, 906-13		73
210	Body size and atrial fibrillation in Japanese outpatients. 2010 , 74, 66-70		21
209	Effect of mitral isthmus block on development of atrial tachycardia following ablation for atrial fibrillation. 2010 , 33, 460-8		53
208	Challenges in the classification of atrial fibrillation. 2010 , 7, 451-60		30
207	Prevalence of atrial fibrillation and its predictors in nondialysis patients with chronic kidney disease. 2010 , 5, 173-81		110
206	Caffeine consumption and incident atrial fibrillation in women. 2010 , 92, 509-14		54

(2011-2010)

205	Mortality predictors and effects of antithrombotic therapies in atrial fibrillation: insights from ACTIVE-W. 2010 , 31, 2133-40		26
204	A multimarker approach to assess the influence of inflammation on the incidence of atrial fibrillation in women. 2010 , 31, 1730-6		104
203	Atrial fibrillation: is the prevalence rising?. 2010 , 12, 451-2		23
202	Long-term use of anti-inflammatory drugs and risk of atrial fibrillation. 2010 , 170, 1450-5		44
201	Relations of biomarkers of distinct pathophysiological pathways and atrial fibrillation incidence in the community. 2010 , 121, 200-7		211
200	Stroke prevention in atrial fibrillation patients. 2010 , 11, 2331-50		4
199	Androgens and atrial fibrillation: friends or foes?. 2010 , 145, 365-367		11
198	Low energy biphasic cardioversion of atrial flutter: results from a pilot trial. 2010 , 145, 368-370		1
197	Accuracy of Doppler-derived pulmonary artery hypertension to predict heart failure with normal ejection fraction. 2010 , 145, 370-372		
196	Cost of illness and drivers of cost in atrial fibrillation in Sweden and Germany. 2010 , 8, 317-25		13
195	Atrial Fibrillation in Singapore and Malaysia: Current Trends and Future Prospects. 2011 , 27, 171-185		3
194	The epidemiology of atrial fibrillation in adults depends on locale of diagnosis. <i>American Heart Journal</i> , 2011 , 161, 986-992.e1	4.9	29
193	Atrial fibrillation and obesity among older Chinese: the Guangzhou Biobank Cohort Study. 2011 , 148, 48-52		42
192	Prognostic impact of atrial fibrillation progression in a community study: AFBAR Study (Atrial Fibrillation in the Barbanza Area Study). 2011 , 153, 68-73		22
191	[Antiplatelet and anticoagulant therapy for stroke prevention in patients with non-valvular atrial fibrillation: evidence based strategies and new developments]. 2011 , 64, 260-8		13
190	Antiplatelet and Anticoagulant Therapy for Stroke Prevention in Patients With Non-Valvular Atrial Fibrillation: Evidence Based Strategies and New Developments. 2011 , 64, 260-268		
189	A comparison of outcome in patients with preoperative atrial fibrillation and patients in sinus rhythm. 2011 , 92, 1391-5		23
188	Inflammation-sensitive proteins and risk of atrial fibrillation: a population-based cohort study. 2011 , 26, 449-55		28

187	Predictive value of B-type natriuretic peptide levels in patients with paroxysmal and persistent atrial fibrillation undergoing pulmonary vein isolation. 2011 , 30, 217-25	14
186	Catheter ablation of atrial fibrillation: randomized controlled trials and registries, a look back and the view forward. 2011 , 31, 69-80	11
185	Changing anticoagulant paradigms for atrial fibrillation: dabigatran, apixaban and rivaroxaban. 2011 , 12, 567-77	9
184	Trends in the incidence and prevalence of atrial fibrillation in Iceland and future projections. 2011 , 13, 1110-7	125
183	Risk stratification schemes, anticoagulation use and outcomes: the risktreatment paradox in patients with newly diagnosed non-valvular atrial fibrillation. 2011 , 97, 2046-50	62
182	Evaluation of pulmonary vein stenosis after pulmonary vein isolation using a novel circular mapping and ablation catheter (PVAC). 2011 , 4, 630-6	23
181	Risk of death and cardiovascular events in initially healthy women with new-onset atrial fibrillation. 2011 , 305, 2080-7	237
180	Predictors of costs related to cardiovascular disease among patients with atrial fibrillation in five European countries. 2011 , 13, 23-30	35
179	What are the costs of atrial fibrillation?. 2011 , 13 Suppl 2, ii9-12	22
178	Twenty-five years in the making: flecainide is safe and effective for the management of atrial fibrillation. 2011 , 13, 161-73	119
177	The increasing prevalence of atrial fibrillation among hemodialysis patients. 2011 , 22, 349-57	187
176	Comparing the outcome of on-pump versus off-pump coronary artery bypass grafting in patients with preoperative atrial fibrillation. 2011 , 13, 288-92	7
175	Effect of prophylactic amiodarone in patients with rheumatic valve disease undergoing valve replacement surgery. 2011 , 14, 176-82	12
174	Symptoms and functional status of patients with atrial fibrillation: state of the art and future research opportunities. 2012 , 125, 2933-43	118
173	Outcomes of Medicare beneficiaries undergoing catheter ablation for atrial fibrillation. 2012 , 126, 2200-7	115
172	Dominant frequency and organization index maps in a realistic three-dimensional computational model of atrial fibrillation. 2012 , 14 Suppl 5, v25-v32	13
171	Left atrial appendage occlusion for the reduction of stroke and embolism in patients with atrial fibrillation. 2012 , 13, 131-7	3
170	Cost-effectiveness of pharmacologic and invasive therapies for stroke prophylaxis in atrial fibrillation. 2012 , 13, 86-96	8

(2013-2012)

169	Association between KCNE1 (G38S) genetic polymorphism and non-valvular atrial fibrillation in an Uygur population. 2012 , 124, 737-41		2
168	Pharmacotherapy in Medicare beneficiaries with atrial fibrillation. 2012 , 9, 1403-8		24
167	Epidemiology of arrhythmias and conduction disorders in older adults. 2012 , 28, 539-53		95
166	Factors associated with the epidemic of hospitalizations due to atrial fibrillation. 2012 , 110, 1496-9		37
165	Atrial remodeling in varying clinical substrates within beating human hearts: relevance to atrial fibrillation. 2012 , 110, 278-94		34
164	Prevalence of atrial fibrillation in Asia and the world. 2012 , 28, 330-337		24
163	Rivaroxaban in atrial fibrillation. Vascular Health and Risk Management, 2012, 8, 525-31	4.4	3
162	The prevalence of atrial fibrillation in a geographically well-defined population in northern Sweden: implications for anticoagulation prophylaxis. 2012 , 272, 170-6		28
161	Oral anticoagulant therapy in Italian patients 80 yr of age or older with atrial fibrillation: a pilot study of low vs. standard PT/INR targets. 2012 , 89, 81-6		5
160	Gender and the risk of stroke in atrial fibrillation: impact of old and new anticoagulation regimens. 2013 , 8, 38-45		1
159	Trends in mortality after first hospitalization with atrial fibrillation diagnosis in Sweden 1987 to 2006. 2013 , 170, 75-80		8
158	Prevalence of undiagnosed atrial fibrillation and of that not being treated with anticoagulant drugs: the AFABE study. 2013 , 66, 545-52		17
157	The change in the atrial fibrillation type as a prognosis marker in a community study: long-term data from AFBAR (Atrial Fibrillation in the BARbanza) study. 2013 , 168, 2146-52		13
156	Prevalencia de la fibrilaciñ auricular desconocida y la no tratada con anticoagulantes. Estudio AFABE. 2013 , 66, 545-552		51
155	Trends in clinical profile and medical treatments of atrial fibrillation patients over the last 10 years. 2013 , 32, 103-109		8
154	Temporal trends in medication use and outcomes in atrial fibrillation. 2013 , 29, 1241-8		30
153	Atrial fibrillation: profile and burden of an evolving epidemic in the 21st century. 2013, 167, 1807-24		374
152	The prevalence, impact and economic implications of atrial fibrillation in stroke: what progress has been made?. 2013 , 40, 227-39		36

151	Trends in clinical profile and medical treatments of atrial fibrillation patients over the last 10 years. 2013 , 32, 103-9		6
150	Projections on the number of individuals with atrial fibrillation in the European Union, from 2000 to 2060. 2013 , 34, 2746-51		638
149	A three-dimensional human atrial model with fiber orientation. Electrograms and arrhythmic activation patterns relationship. <i>PLoS ONE</i> , 2013 , 8, e50883	3.7	60
148	Screening to identify unknown atrial fibrillation. A systematic review. 2013 , 110, 213-22		207
147	Supraventricular Arrhythmias in a Realistic 3D Model of the Human Atria. 2014, 351-359		
146	Fibrillazione Atriale e Malattia Renale Cronica. 2014 , 26, 69-74		
145	Factors influencing the decline in stroke mortality: a statement from the American Heart Association/American Stroke Association. <i>Stroke</i> , 2014 , 45, 315-53	6.7	496
144	Smoking is a negative predictor of arteriovenous malformation posttreatment obliteration: analysis of vascular risk factors in 774 patients. 2014 , 37, E3		1
143	Trends in the prevalence of type 2 diabetes and prediabetes in community-dwelling Japanese subjects: The Hisayama Study. 2014 , 5, 162-9		40
142	Atrial fibrillation and stroke - Coexistence and attitude to preventive therapy on the basis of Szczecin and Szczecin region patients. 2014 , 48, 410-5		3
141	Relation of red cell distribution width with CHA2DS2-VASc score in patients with nonvalvular atrial fibrillation. 2014 , 20, 687-92		19
140	2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines and the Heart Rhythm Society. 2014 , 130, e199-267		1016
139	Profile of CZECH AF 2012. Profile of atrial fibrillation patients receiving antithrombotic therapy. <i>Cor Et Vasa</i> , 2014 , 56, e207-e216	0.3	3
138	2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the Heart Rhythm Society. 2014 , 64, e1-76		2768
137	Percutaneous left atrial appendage occlusion for stroke prevention in atrial fibrillation: an update. 2014 , 1, e000020		46
136	Left atrial appendage exclusion for prevention of stroke in atrial fibrillation: review of minimally invasive approaches. 2014 , 16, 448		8
135	Atrial Fibrillation: Prevalence and Scope of the Problem. 2014 , 6, 1-4		8
134	[The management of atrial fibrillation and characteristics of its current care in outpatients. AFABE observational study]. 2014 , 46, 58-67		5

133	Meta-analysis of gender differences in residual stroke risk and major bleeding in patients with nonvalvular atrial fibrillation treated with oral anticoagulants. 2014 , 113, 485-90	137
132	Worldwide epidemiology of atrial fibrillation: a Global Burden of Disease 2010 Study. 2014 , 129, 837-47	2509
131	Current status of atrial pacing algorithms for the prevention of atrial fibrillation: Should algorithms be used?. 2014 , 30, 77-81	1
130	Descriptive epidemiology of diabetes prevalence and HbA1c distributions based on a self-reported questionnaire and a health checkup in the JPHC diabetes study. 2014 , 24, 460-8	9
129	A review of novel oral anticoagulants in the prevention of stroke for non-valvular atrial fibrillation. 2015 , 11, 279-285	
128	[Programs for Continuing Medical Education: B session; 1. Current therapeutic opinion or atrial fibrillation]. 2015 , 104, 532-9	
127	Estimating the current and future prevalence of atrial fibrillation in the Australian adult population. 2015 , 202, 32-5	56
126	Surgical and concomitant epicardial-endocardial (hybrid) ablation of persistent and long-standing persistent atrial fibrillation. 2015 , 40, 245-67	6
125	Associations of electrocardiographic P-wave characteristics with left atrial function, and diffuse left ventricular fibrosis defined by cardiac magnetic resonance: The PRIMERI Study. 2015 , 12, 155-62	61
124	Atrial fibrillation and long-term sports practice: epidemiology and mechanisms. 2015 , 104, 369-79	12
123	Effectiveness and safety of therapy with vitamin K antagonists in Italian patients aged 80 years or older: a multicentre retrospective study comparing the Zeus algorithm with the PARMA algorithm or manual therapy. 2015 , 32, 235-41	
122	Trends in hospitalization for atrial fibrillation: epidemiology, cost, and implications for the future. 2015 , 58, 105-16	56
121	Percutaneous left atrial appendage occlusion for stroke prevention in patients with atrial fibrillation and contraindication for anticoagulation. 2015 , 171, 426-32	2
120	Inflammation, a link between obesity and atrial fibrillation. 2015 , 64, 383-93	32
119	Estimation of the cost-effectiveness of apixaban versus vitamin K antagonists in the management of atrial fibrillation in Argentina. 2015 , 5, 52	5
118	Cardiac computed tomography in current cardiology guidelines. 2015 , 9, 514-23	64
117	Medication persistence and discontinuation of rivaroxaban and dabigatran etexilate among patients with non-valvular atrial fibrillation. 2015 , 31, 1831-40	21
116	Evaluating the benefits of home-based management of atrial fibrillation: current perspectives. 2016 , 7, 41-53	

115	Study Design and Baseline Characteristics of the EXPAND Study: Evaluation of Effectiveness and Safety of Xa Inhibitor, Rivaroxaban for the Prevention of Stroke and Systemic Embolism in a Nationwide Cohort of Japanese Patients Diagnosed as Non-Valvular Atrial Fibrillation. 2016 , 240, 259-268	9
114	Prevalence of atrial fibrillation in the Malaysian communities. 2016 , 8, 62-66	19
113	Several insights into the preprocessing of electrograms in atrial fibrillation for dominant frequency analysis. 2016 , 15, 38	5
112	An Unusual Cause of Altered Mental Status: Recurrent Cerebral Air Embolism. 2016 , 43, 350-2	2
111	Trends in incidence and prevalence of hospitalization for atrial fibrillation and associated mortality in Western Australia, 1995-2010. 2016 , 208, 19-25	26
110	Factors impacting complication rates for catheter ablation of atrial fibrillation from 2003 to 2015. 2017 , 19, 241-249	32
109	Pulmonary vein triggers, focal sources, rotors and atrial cardiomyopathy: implications for the choice of the most effective ablation therapy. 2016 , 279, 449-56	11
108	Gender differences in management and clinical outcomes of atrial fibrillation patients. 2017 , 69, 195-200	15
107	Revised Framingham Stroke Risk Profile to Reflect Temporal Trends. 2017 , 135, 1145-1159	77
106	Percutaneous Interventions for Structural Heart Disease. 2017,	
105	Normalization of Testosterone Levels After Testosterone Replacement Therapy Is Associated With Decreased Incidence of Atrial Fibrillation. 2017 , 6,	30
104	Epidemiology of Atrial Fibrillation: The Australian and Asia-Pacific Perspective. 2017 , 26, 870-879	38
103	Genetic Obesity and the Risk of Atrial Fibrillation: Causal Estimates from Mendelian Randomization. 2017 , 135, 741-754	62
102	Cardiovascular Catheter With an Expandable Origami Structure. 2017 , 11,	6
101	Interventional left atrial appendage closure vs novel anticoagulation agents in patients with atrial fibrillation indicated for long-term anticoagulation (PRAGUE-17 study). <i>American Heart Journal</i> , 4.9 2017 , 183, 108-114	32
100	Recent advances in rhythm control for atrial fibrillation. 2017 , 6, 1796	8
99	Complexity of Atrial Fibrillation Electrograms Through Nonlinear Signal Analysis: In Silico Approach. 2017 ,	2

97	Review of screening studies for atrial fibrillation in rural populations of 11 countries. 2017 , 30, 280-285	3
96	Individualized ablation strategy guided by live simultaneous global mapping to treat persistent atrial fibrillation. 2018 , 14, 237-249	12
95	Medical and Interventional Outcomes in Pediatric Lone Atrial Fibrillation. 2018, 4, 638-648	6
94	Utility and limitations of long-term monitoring of atrial fibrillation using an implantable loop recorder. 2018 , 15, 287-295	28
93	The stress kinase JNK regulates gap junction Cx43 gene expression and promotes atrial fibrillation in the aged heart. 2018 , 114, 105-115	33
92	Lamin A mutation impairs interaction with nucleoporin NUP155 and disrupts nucleocytoplasmic transport in atrial fibrillation. 2019 , 40, 310-325	10
91	A Clinical Perspective on Atrial Fibrillation. 2018 , 1-24	2
90	Convergent ablation for persistent atrial fibrillation: Single center experience. 2019 , 34, 1037-1043	4
89	Trends in the Prevalence of Myopia and Myopic Maculopathy in a Japanese Population: The Hisayama Study. 2019 , 60, 2781-2786	24
88	The prevalence of sleep breathing disorders in patients with atrial fibrillation undergoing catheter treatment. 2019 , 15, 36-42	1
87	Childhood Tobacco Smoke Exposure and Risk of Atrial Fibrillation in Adulthood. 2019 , 74, 1658-1664	11
86	The diagnostic efficacy of cardiac CTA combined with D-dimer assay for the detection of left atrial thrombus in patients with atrial fibrillation. 2019 , 37, 1922-1926	8
85	Anticoagulation in atrial fibrillation. 2019 , 12, 211-217	
84	Rivaroxaban e malattia renale cronica: evidenze dal presente e prospettive future. 2019 , 31, 30-36	
83	The Effect of Positive Airway Pressure Treatment of Obstructive and Central Sleep Apnea on the Recurrence of Atrial Fibrillation/Flutter Postintervention. 2019 , 15, 1459-1468	3
82	An overview of current and emerging devices for percutaneous left atrial appendage closure. 2019 , 29, 228-236	8
81	Classical and Modern Features for Interpretation of ECG Signal. 2019 , 1-28	4
80	Trends in the prevalence of type 2 diabetes and prediabetes in a Japanese community, 1988-2012: the Hisayama Study. 2019 , 10, 198-205	9

79	Consumption of fried foods and risk of atrial fibrillation in the PhysiciansRHealth Study. 2020 , 59, 935-94	0	1
78	C-reactive protein for prediction of atrial fibrillation recurrence after catheter ablation. 2020 , 20, 427		4
77	Cerebrovascular Dysfunction in Atrial Fibrillation. 2020 , 11, 1066		6
76	Significant functional tricuspid regurgitation portends poor outcomes in patients with atrial fibrillation and preserved left ventricular ejection fraction. 2020 , 20, 433		2
75	Female Sex as a Thromboembolic Risk Factor in the Era of Nonvitamin K Antagonist Oral Anticoagulants. 2020 , 2020, 1743927		5
74	Accuracy of implantable loop recorders for detecting atrial tachyarrhythmias after atrial fibrillation catheter ablation. 2020 , 21,		O
73	Risk of fracture in patients with non-valvular atrial fibrillation initiating direct oral anticoagulants vs. vitamin K antagonists. 2021 , 7, 389-397		3
72	Sex Differences in Oral Anticoagulation and Outcomes of Stroke and Intracranial Bleeding in Newly Diagnosed Atrial Fibrillation. 2020 , 9, e015689		15
71	Drivers of hospitalization in atrial fibrillation: A contemporary review. 2020 , 17, 1991-1999		4
70	Global research productions pertaining to atrial fibrillation from 2004 to 2018: A bibliometric analysis. 2020 , 99, e18971		3
69	Comparison and Combination of Single-Lead ECG and Photoplethysmography Algorithms for Wearable-Based Atrial Fibrillation Screening. 2021 , 27, 296-302		2
68	Bioinformatics analysis on lncRNA and mRNA expression profiles for novel biological features of valvular heart disease with atrial fibrillation. 2021 , 19, 100058		
67	Acupuncture for persistent atrial fibrillation after catheter ablation: study protocol for a pilot randomized controlled trial. 2021 , 22, 35		1
66	Schlaganfall âlÞrvalenz, Bedeutung und Implikationen fil die Prvention und Gesundheitsfilderung. <i>The Springer Reference Pflegerapie, Gesundheit</i> , 2021 , 751-762	0.2	
65	Racial/Ethnic and Socioeconomic Disparities in Management of Incident Paroxysmal Atrial Fibrillation. <i>JAMA Network Open</i> , 2021 , 4, e210247	10.4	8
64	Left atrial appendage morphology and the risk of stroke. <i>Revista Romana De Cardiologie</i> , 2021 , 31, 46-516	0.1	
63	The Long-Term Impact of Bariatric Surgery on Development of Atrial Fibrillation and Cardiovascular Events in Obese Patients: An Historical Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 64711	5 ₈ 4	5
62	Design and Rationale of the Swiss-Apero Randomized Clinical Trial: Comparison of Amplatzer Amulet vs Watchman Device in Patients Undergoing Left Atrial Appendage Closure. <i>Journal of Cardiovascular Translational Research</i> , 2021 , 14, 930-940	3.3	4

61	P Wave Duration/P Wave Voltage Ratio Plays a Promising Role in the Prediction of Atrial Fibrillation: A New Player in the Game. <i>Cardiology Research and Practice</i> , 2021 , 2021, 8876704	1.9	1
60	Epidemiologie von Vorhofflimmern. 2006 , 13-22		О
59	Vaskulte Erkrankungen. 1999 , 954-1093		1
58	NHG-Standaard Atriumfibrilleren. 2011 , 313-339		О
57	Atrial Fibrillation. 2004 , 512-522		3
56	Fibrillation atriale : prvalence, facteurs de risque et mortalit dans une vaste population frantise suivie 15 ans. <i>Bulletin De LlAcademie Nationale De Medecine</i> , 2007 , 191, 791-805	0.1	3
55	Les troubles du rythme cardiaque du sujet ট্র. Bulletin De LlAcademie Nationale De Medecine, 2006 , 190, 827-841	0.1	2
54	American Heart Association Prevention Conference. IV. Prevention and Rehabilitation of Stroke. Risk factors. <i>Stroke</i> , 1997 , 28, 1507-17	6.7	377
53	The end of the long-term decline in stroke mortality in the United States?. Stroke, 1997, 28, 1527-9	6.7	32
52	Shensongyangxin Capsules for Paroxysmal Atrial Fibrillation: A Systematic Review of Randomized Clinical Trials. <i>PLoS ONE</i> , 2016 , 11, e0151880	3.7	8
51	Novel Biomarkers in Cardiovascular Disease: A Review. <i>Indonesian Biomedical Journal</i> , 2010 , 2, 66	2.6	1
50	A novel mutation associated with early-onset lone atrial fibrillation. <i>Oncotarget</i> , 2017 , 8, 115503-11551	23.3	9
49	Catheter Ablation of Atrial Fibrillation: A Review of the Current Status and Future Directions. Journal of Innovations in Cardiac Rhythm Management, 2017 , 8, 2907-2917	1.1	4
48	Biomarkers Associated with Stroke Risk in Atrial Fibrillation. Current Medicinal Chemistry, 2019 , 26, 803-	-823	9
47	Understanding Atrial Fibrillation: The Signal Processing Contribution, Part I. <i>Synthesis Lectures on Biomedical Engineering</i> , 2008 , 3, 1-129	0.3	5
46	Normal Aging of the Cardiovascular System. Fundamental and Clinical Cardiology, 2008, 1-44		3
45	Analysis of costs of treatment of patients with atrial fibrillation in the Czech Republic. <i>Cor Et Vasa</i> , 2008 , 50, 23-27	0.3	4
44	Management Of Atrial Fibrillation In Patients With Heart Failure. <i>Journal of Atrial Fibrillation</i> , 2014 , 7, 1105	0.8	1

43	Atrial fibrillation in obstructive sleep apnea. World Journal of Cardiology, 2013, 5, 157-63	2.1	31
42	Atrial Fibrillation. 2000 , 657-685		
41	Atrial Fibrillation: Practical Approaches. 2001 , 427-439		
40	Current Approach and Treatment in Acute Atrial Fibrillation. 2003, 293-304		
39	Ablation of Atrial Fibrillation: Is a Cure at Hand?. 2004 , 159-166		
38	Surgical Treatment of Arrhythmias. 2007 , 2163-2174		
37	Surgical Treatment of Arrhythmias. 2010 , 1345-1365		
36	Vaskulte Erkrankungen. 2011 , 1055-1195		
35	Surgical Ablation of Atrial Fibrillation. 2012 , 1415-1423		
34	Atrial Fibrillation: Current and Forthcoming Antithrombotic Therapies. 285-305		
33	Image-Guided Cardiac Electrophysiology Procedures Focusing on MRI Guidance. 2014 , 701-724		
32	Use of Mechanical Devices to Reduce Stroke in Atrial Fibrillation. 2015 , 1081-1099		
31	Patients with a Sudden Increase in Heart Rate. 2015 , 162-165		
30	PRIEĪRDĪĪVIRPĪIMU SERGAN Ī IPACIENTĪŠU SVEIKATA SUSIJUSI GYVENIMO KOKYBĪ TIRIANT LIGAI SPECIFINIU AF-QoL KLAUSIMYNU. <i>Medicinos Teorija Ir Praktika</i> , 2015 , 21, 778-785		
29	The usefulness of newly developed R2CHA2DS2-VASc score and comparison with CHADS2 and CHA2DS2-VASc scores in atrial fibrillation patients. <i>Yeungnam University Journal of Medicine</i> , 2016 , 33, 8	1.3	
28	Anticoagulation in Cardiovascular Diseases. 2016 , 195-214		
27	The Role of Antiarrhythmics in Atrial Fibrillation. Korean Journal of Medicine, 2016, 90, 198-205	0.5	
26	Cost-Effectiveness of Cardiac Radiosurgery for Atrial Fibrillation: Implications for Reducing Health Care Morbidity, Utilization, and Costs. <i>Cureus</i> , 2016 , 8, e720	1.2	5

25	The Role of Multimodality Cardiac Imaging in the Management of Patients with Atrial Fibrillation. <i>Cardiovascular Imaging Asia</i> , 2017 , 1, 177	0.2	
24	Difficult Cases and Complications from the Catheterization Laboratory: Left Atrial Appendage Perforation During Percutaneous Closure. 2017 , 223-229		
23	Primfprüention und Sekundfprüention des Hirninfarkts. Springer Reference Medizin, 2018 , 1-31	O	
22	Schlaganfall âlÞrlalenz, Bedeutung und Implikationen fildie Prlention und Gesundheitsfilderung. <i>The Springer Reference Pflegerapie, Gesundheit</i> , 2019 , 1-12	0.2	
21	PrimfiprDention und SekundfiprDention des Hirninfarkts. Springer Reference Medizin, 2019 , 1-31	O	
20	A Modified Beagle Model of Inducible Atrial Fibrillation Using a Right Atrium Pacemaker. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2020 , 35, 713-721	1.1	
19	Primfiprüention und Sekundfiprüention des Hirninfarkts. Springer Reference Medizin, 2020 , 883-913	Ο	
18	Vaskulte Erkrankungen. 2006 , 941-1073		
17	Supraventricular Dysrhythmias. 2007 , 74-99		
16	Management of atrial fibrillation. Vascular Health and Risk Management, 2007, 3, 109-16	4.4	9
16 15	Management of atrial fibrillation. Vascular Health and Risk Management, 2007, 3, 109-16 The changing epidemiology and natural history of nonvalvular atrial fibrillation: clinical implications. Transactions of the American Clinical and Climatological Association, 2004, 115, 149-59; disc		
	The changing epidemiology and natural history of nonvalvular atrial fibrillation: clinical		
15	The changing epidemiology and natural history of nonvalvular atrial fibrillation: clinical implications. <i>Transactions of the American Clinical and Climatological Association</i> , 2004 , 115, 149-59; disciplation, frequency, etiologic factors, evolution and treatment in a cardiology department	cnzsiou	n1 ² 59-60
15 14	The changing epidemiology and natural history of nonvalvular atrial fibrillation: clinical implications. <i>Transactions of the American Clinical and Climatological Association</i> , 2004 , 115, 149-59; disconnected in Jackar, Senegal]. <i>Pan African Medical Journal</i> , 2010 , 6, 16 The Relationship Between Atrial Fibrillation and Chronic Kidney Disease: Epidemiologic and	O.Q. Cussior 1.2	11 ² 59-60
15 14 13	The changing epidemiology and natural history of nonvalvular atrial fibrillation: clinical implications. <i>Transactions of the American Clinical and Climatological Association</i> , 2004 , 115, 149-59; discomplication, frequency, etiologic factors, evolution and treatment in a cardiology department in Dakar, Senegal]. <i>Pan African Medical Journal</i> , 2010 , 6, 16 The Relationship Between Atrial Fibrillation and Chronic Kidney Disease: Epidemiologic and Pathophysiologic Considerations for a Dual Epidemic. <i>Journal of Atrial Fibrillation</i> , 2012 , 5, 442	1.2 0.8	11 ² 59-60
15 14 13	The changing epidemiology and natural history of nonvalvular atrial fibrillation: clinical implications. <i>Transactions of the American Clinical and Climatological Association</i> , 2004 , 115, 149-59; disciplination, frequency, etiologic factors, evolution and treatment in a cardiology department in Dakar, Senegal]. <i>Pan African Medical Journal</i> , 2010 , 6, 16 The Relationship Between Atrial Fibrillation and Chronic Kidney Disease: Epidemiologic and Pathophysiologic Considerations for a Dual Epidemic. <i>Journal of Atrial Fibrillation</i> , 2012 , 5, 442 Prediction of Atrial Fibrillation by B-type Natriuretic Peptide. <i>Journal of Atrial Fibrillation</i> , 2013 , 5, 674 Meta-Analysis of Catheter Ablation Compared with Drug Therapy as First Line Treatment Strategy	0.8 0.8	11 ²⁵ 9-60
15 14 13 12	The changing epidemiology and natural history of nonvalvular atrial fibrillation: clinical implications. <i>Transactions of the American Clinical and Climatological Association</i> , 2004 , 115, 149-59; disc. [Atrial fibrillation, frequency, etiologic factors, evolution and treatment in a cardiology department in Dakar, Senegal]. <i>Pan African Medical Journal</i> , 2010 , 6, 16 The Relationship Between Atrial Fibrillation and Chronic Kidney Disease: Epidemiologic and Pathophysiologic Considerations for a Dual Epidemic. <i>Journal of Atrial Fibrillation</i> , 2012 , 5, 442 Prediction of Atrial Fibrillation by B-type Natriuretic Peptide. <i>Journal of Atrial Fibrillation</i> , 2013 , 5, 674 Meta-Analysis of Catheter Ablation Compared with Drug Therapy as First Line Treatment Strategy of Paroxysmal Atrial-Fibrillation <i>Journal of Atrial Fibrillation</i> , 2021 , 13, 2464	0.9 cussion 1.2 0.8	11 ²⁵ 9-60

О

Video-Assisted Thoracoscopic Surgical Ablation: Study Protocol for a Double-Blind Randomized Controlled Trial.

Effect of perioperative intravenous amiodarone on cardioversion of atrial fibrillation early after video-assisted thoracoscopic surgical ablation: Study protocol for a double-blind randomized controlled trial. 2022, 30, 101010

Aging Changes in Cardiovascular Structure and Function. 2022, 127-162

Introduction to Atrial Fibrillation. 2008, 3-32

Machine learning for atrial fibrillation risk prediction in patients with sleep apnea and coronary artery disease. 9,

Anticoagulation for Atrial Fibrillation. Publish Ahead of Print,

O

Effect of Perioperative Intravenous Amiodarone on Cardioversion of Atrial Fibrillation Early after

Stacked machine learning models to classify atrial disorders based on clinical ECG features: a

method to predict early atrial fibrillation. 2023,

1