

CITATION REPORT

List of articles citing

Effects of cardiac rehabilitation and exercise training programs on depression in patients after major coronary events

DOI: 10.1016/s0002-8703(96)90304-x
American Heart Journal, 1996, 132, 726-32.

Source: <https://exaly.com/paper-pdf/26749735/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
192	Impact of coronary artery bypass grafting on various aspects of quality of life. 1997 , 12, 612-9		38
191	Effects of high-intensity strength training on quality-of-life parameters in cardiac rehabilitation patients. <i>American Journal of Cardiology</i> , 1997 , 80, 841-6	3	90
190	Prevalence and effects of cardiac rehabilitation on depression in the elderly with coronary heart disease. <i>American Journal of Cardiology</i> , 1998 , 81, 1233-6	3	108
189	Emotional distress before coronary bypass grafting limits the benefits of surgery. <i>American Heart Journal</i> , 1998 , 136, 510-7	4.9	64
188	Predictors of referral to cardiac rehabilitation and cardiac exercise self-efficacy. 1998 , 7, 147-63		38
187	Functional status and depression among men and women with congestive heart failure. 1998 , 28, 273-91		71
186	Physical and psychological improvements after phase II cardiac rehabilitation in patients with myocardial infarction. 1999 , 1, 163-70		32
185	Intensive rehabilitation of emotionally distressed patients after coronary by-pass grafting. 1999 , 246, 253-63		24
184	Effects of cardiac rehabilitation and exercise training programs in women with depression. <i>American Journal of Cardiology</i> , 1999 , 83, 1480-3, A7	3	110
183	Effects of cardiac rehabilitation and exercise training programs on coronary patients with high levels of hostility. <i>Mayo Clinic Proceedings</i> , 1999 , 74, 959-66	6.4	21
182	Cardiac rehabilitation and preventive cardiology in the elderly. 1999 , 17, 233-42		11
181	Effects of Cardiac Rehabilitation and Exercise Training Programs on Coronary Patients With High Levels of Hostility. <i>Mayo Clinic Proceedings</i> , 1999 , 74, 959-966	6.4	45
180	Anxiety, Depression and Sleep in Male Patients Undergoing Coronary Artery Bypass Surgery. 1999 , 13, 137-143		2
179	Determinants of exercise tolerance after acute myocardial infarction in older persons. 2000 , 48, 146-53		26
178	Hostility and Cardiac Rehabilitation: In reply. <i>Mayo Clinic Proceedings</i> , 2000 , 75, 315-316	6.4	
177	Depression: the sleeping giant. 2000 , 21, 427-9		6
176	Chest pain and the treatment of psychosocial/emotional distress in CAD patients. 2000 , 23, 437-50		13

175	Comparison between the GHQ-28 and SF-36 (MH 1-5) for the assessment of the mental health in patients with ischaemic heart disease. 2000 , 16, 311-6		32
174	Benefits of cardiac rehabilitation and exercise training. 2000 , 117, 5-7		224
173	Predictors of distress following an acute stroke: Disability, control cognitions, and satisfaction with care. 2000 , 15, 395-407		22
172	The influence of anxiety and depression on outcomes of patients with coronary artery disease. 2000 , 160, 1913-21		201
171	Cardiac rehabilitation: a review of current developments. 2000 , 20, 923-43		36
170	The psychosocial and physical impact of exercise rehabilitation following coronary artery bypass surgery. 2000 , 4, 63-70		11
169	The acute mood effects of a single rehabilitation exercise session on cardiac patients. 2000 , 4, 71-75		1
168	Gender and psychosomatic aspects of ischemic heart disease. <i>Journal of Psychosomatic Research</i> , 2000 , 48, 417-23	4.1	51
167	Effects of exercise and cardiac rehabilitation on cardiovascular outcomes. 2000 , 84, 251-65, x-xi		37
166	Hostility and Cardiac Rehabilitation: In reply. <i>Mayo Clinic Proceedings</i> , 2000 , 75, 315-316	6.4	
165	Physical activity and quality of life in older adults. 2001 , 56 Spec No 2, 23-35		454
164	Cardiac rehabilitation in the elderly. <i>American Heart Journal</i> , 2001 , 142, 748-55	4.9	77
163	Psychosocial characteristics after acute myocardial infarction: the ENRICHD pilot study. Enhancing Recovery in Coronary Heart Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2001 , 21, 353-62		60
162	Effects of a two-week, hospitalized phase II cardiac rehabilitation program on physical capacity, lipid profiles and psychological variables in patients with acute myocardial infarction. 2001 , 65, 87-93		22
161	Transforming exercise-based cardiac rehabilitation programs into secondary prevention centers: a national imperative. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2001 , 21, 263-72		40
160	Predictors of favorable outcome in elderly stroke patients two years after discharge from geriatric rehabilitation. 2001 , 34, 395-400		6
159	Predictive factors of mental disorders in patients with suspected ischaemic cardiopathy. 2001 , 17, 835-40		2
158	Persistent impaired emotional functioning in survivors of a myocardial infarction?. 2001 , 10, 123-32		19

157	Return to work after myocardial infarction/coronary artery bypass grafting: patients' and physicians' initial viewpoints and outcome 12 months later. 2001 , 52, 1441-50		89
156	Depression in patients recovering from a myocardial infarction. 2001 , 286, 1621-7		124
155	Benefits of cardiac rehabilitation and exercise training programs in elderly coronary patients. 2001 , 10, 323-7		29
154	Depression and the heart: a systematic overview of definition, measurement, consequences and treatment of depression in cardiovascular disease. 2002 , 1, 45-55		23
153	Congenital bilateral coronary fistulae. 2002 , 88, 75		2
152	Quality of life in adults with congenital heart disease. 2002 , 88, 71-5		126
151	Patient characteristics and outcomes of cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2002 , 22, 253-60		50
150	Psychological predictors of adherence and outcomes among patients in cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2002 , 22, 40-6		159
149	Self-efficacy and mood in cardiac rehabilitation: should gender be considered?. 2002 , 27, 149-60		47
148	Exercise and the treatment of clinical depression in adults: recent findings and future directions. 2002 , 32, 741-60		289
147	Depression as a risk factor for cardiac mortality and morbidity: a review of potential mechanisms. <i>Journal of Psychosomatic Research</i> , 2002 , 53, 897-902	4.1	540
146	Improvements in blood rheology after cardiac rehabilitation and exercise training in patients with coronary heart disease. <i>American Heart Journal</i> , 2002 , 143, 349-55	4.9	56
145	Effects of cardiac rehabilitation and exercise training on autonomic regulation in patients with coronary artery disease. <i>American Heart Journal</i> , 2002 , 143, 977-83	4.9	128
144	Perceptions of Exercise Among Participants in a Cardiac Rehabilitation Program: Expected Versus Achieved Outcomes. 2002 , 13, 3-7		0
143	Factors influencing health-related quality of life in cardiac rehabilitation patients. 2002 , 17, 124-31, 154		18
142	Prevalence and profile of metabolic syndrome in patients following acute coronary events and effects of therapeutic lifestyle change with cardiac rehabilitation. <i>American Journal of Cardiology</i> , 2003 , 92, 50-4	3	111
141	Effects of exercise and cardiac rehabilitation on cardiovascular outcomes. 2003 , 21, 435-48, viii		25
140	Psychological assessments for cardiac rehabilitation patients. <i>International Journal of Cardiology</i> , 2003 , 92, 201-7	3.2	10

139	Effects of treating depression and low perceived social support on clinical events after myocardial infarction: the Enhancing Recovery in Coronary Heart Disease Patients (ENRICH) Randomized Trial. 2003 , 289, 3106-16		1270
138	Are psychosocial factors associated with the pathogenesis and consequences of cardiovascular disease in the elderly?. 2003 , 18, 169-83		8
137	Body image and depressive symptoms as correlates of self-reported versus clinician-reported physiologic function. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2003 , 23, 53-9		13
136	A Comprehensive Cardiac Rehabilitation Program in Post-CABG Patients. 2003 , 2, 20-33		
135	A comprehensive cardiac rehabilitation program in post-CABG patients: a rationale and critical pathway. 2003 , 2, 20-33		3
134	Prevalence and correlates of depression symptoms at 10 years after heart transplantation: continuous attention required. <i>Transplant International</i> , 2004 , 17, 424-431	3	38
133	Prevalence of anxiety in coronary patients with improvement following cardiac rehabilitation and exercise training. <i>American Journal of Cardiology</i> , 2004 , 93, 336-9	3	105
132	Effect of preintervention remodeling type on subsequent coronary artery behavior after directional atherectomy. <i>American Journal of Cardiology</i> , 2004 , 93, 339-43	3	
131	Cardiac rehabilitation and depression. <i>American Journal of Cardiology</i> , 2004 , 93, 1080	3	5
130	Reduction in C-reactive protein through cardiac rehabilitation and exercise training. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1056-61	15.1	241
129	The benefits of exercise training for quality of life in HIV/AIDS in the post-HAART era. 2004 , 34, 487-99		68
128	A Comparison of the 6-Minute Walk Test and Symptom Limited Graded Exercise Test for Phase II Cardiac Rehabilitation of Older Adults. 2004 , 27, 65-68		13
127	Depression as a Risk Factor for Coronary Artery Disease: Evidence, Mechanisms, and Treatment. 2004 , 66, 305-315		21
126	Pre-coronary artery bypass graft measures and enrollment in cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005 , 25, 343-9		13
125	Nonpharmacologic treatments for depression in patients with coronary heart disease. 2005 , 67 Suppl 1, S58-62		36
124	Longitudinal course of depressive symptomatology after a cardiac event: effects of gender and cardiac rehabilitation. 2005 , 67, 52-8		69
123	Effects of horticultural therapy on mood and heart rate in patients participating in an inpatient cardiopulmonary rehabilitation program. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005 , 25, 270-4		82
122	Cardiac rehabilitation and exercise training programs in metabolic syndrome and diabetes. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005 , 25, 59-66		61

121	Depression screening in cardiac rehabilitation: AACVPR Task Force Report. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005 , 25, 11-3		22
120	Assessment of quality of life with 5 different scales in patients participating in comprehensive cardiac rehabilitation after acute myocardial infarction. <i>Circulation Journal</i> , 2005 , 69, 1527-34	2.9	23
119	Depressive Symptoms and Health Among Cardiovascular Disease Patients in Cardiac Rehabilitation Programs ¹ . 2005 , 35, 2620-2642		2
118	Prevalence of hostility in young coronary artery disease patients and effects of cardiac rehabilitation and exercise training. <i>Mayo Clinic Proceedings</i> , 2005 , 80, 335-42	6.4	47
117	Exercise training and depression in older adults. 2005 , 26 Suppl 1, 119-23		125
116	Women in cardiac rehabilitation: outcomes and identifying risk for dropout. <i>American Heart Journal</i> , 2005 , 150, 1052-8	4.9	72
115	Integrating complementary medicine into cardiovascular medicine. A report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents (Writing Committee to Develop an Expert Consensus Document on Complementary and Integrative Medicine). <i>Journal of the American College of Cardiology</i> , 2005 , 46, 184-221	15.1	104
114	Psychological interventions for depression in heart failure. 2005 , CD003329		28
113	Cardiac rehabilitation, exercise training, and psychosocial risk factors. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 212; author reply 212-3	15.1	10
112	The effect of cardiac rehabilitation exercise programs on feelings of energy and fatigue: a meta-analysis of research from 1945 to 2005. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 886-93		36
111	Improved atrial mechanical efficiency during alternate- and multiple-site atrial pacing compared with conventional right atrial appendage pacing: implications for selective site pacing to prevent atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 209-12	15.1	10
110	Cardiac Rehabilitation, Exercise Training, and Psychosocial Risk Factors: Reply. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 212-213	15.1	6
109	Depression and prognosis in cardiac patients. 87-108		6
108	Gender and depression symptoms in cardiac rehabilitation: women initially exhibit higher depression scores but experience more improvement. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2006 , 26, 160-3		21
107	The effect of cardiopulmonary resuscitation training on psychological variables of cardiac rehabilitation patients. 2006 , 71, 89-96		10
106	Gender differences in effects of physical activity on quality of life and resource utilization. 2006 , 15, 537-46		49
105	Adverse psychological and coronary risk profiles in young patients with coronary artery disease and benefits of formal cardiac rehabilitation. 2006 , 166, 1878-83		125
104	Effect of intense lifestyle modification and cardiac rehabilitation on psychosocial cardiovascular disease risk factors and quality of life. 2006 , 30, 507-25		24

85	Exercise training and cardiac rehabilitation in primary and secondary prevention of coronary heart disease. <i>Mayo Clinic Proceedings</i> , 2009 , 84, 373-83	6.4	205
84	Broken-hearted women: the complex relationship between depression and cardiovascular disease. <i>Women's Health</i> , 2009 , 5, 709-25	3	11
83	Gender differences in cardiac patients: a longitudinal investigation of exercise, autonomic anxiety, negative affect and depression. <i>Psychology, Health and Medicine</i> , 2009 , 14, 375-85	2.1	18
82	Reducing psychosocial stress: a novel mechanism of improving survival from exercise training. <i>American Journal of Medicine</i> , 2009 , 122, 931-8	2.4	86
81	ACCF/AHA/ACP 2009 competence and training statement: a curriculum on prevention of cardiovascular disease: a report of the American College of Cardiology Foundation/American Heart Association/American College of Physicians Task Force on Competence and Training (Writing Committee to Develop a Competence and Training Statement on Prevention of Cardiovascular Exercise Training and Cardiac Rehabilitation in Primary and Secondary Prevention of Coronary Heart Disease). <i>Mayo Clinic Proceedings</i> , 2009 , 84, 373-383	15.1	44
80	Exercise Training and Cardiac Rehabilitation in Primary and Secondary Prevention of Coronary Heart Disease. <i>Mayo Clinic Proceedings</i> , 2009 , 84, 373-383; <i>American Journal of the American College of Cardiology</i> , 2009 , 54, 1336-63	6.4	150
79	Effects of depression and anxiety on adherence to cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009 , 29, 358-64	3.6	124
78	Association between obesity and health-related quality of life in patients with coronary artery disease. <i>International Journal of Obesity</i> , 2010 , 34, 1434-41	5.5	32
77	Surgical Intensive Care Unit Mobility is Increased after Institution of a Computerized Mobility Order Set and Intensive Care Unit Mobility Protocol: A Prospective Cohort Analysis. <i>American Surgeon</i> , 2010 , 76, 818-822	0.8	29
76	Relationship between hair cortisol concentrations and depressive symptoms in patients with coronary artery disease. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 393	3.1	7
75	Short-term effects of a multi-disciplinary cardiac rehabilitation programme on psychological well-being, exercise capacity and weight in a sample of obese in-patients with coronary heart disease: a practice-level study. <i>Psychology, Health and Medicine</i> , 2011 , 16, 178-89	2.1	34
74	Vitamin D and cardiovascular disease will it live up to its hype?. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 1547-56	15.1	141
73	Cardiac rehabilitation and exercise training in secondary coronary heart disease prevention. <i>Progress in Cardiovascular Diseases</i> , 2011 , 53, 397-403	8.5	107
72	Impact of exercise training on psychological risk factors. <i>Progress in Cardiovascular Diseases</i> , 2011 , 53, 464-70	8.5	80
71	The effects of a tailored cardiac rehabilitation program on depressive symptoms in women: A randomized clinical trial. <i>International Journal of Nursing Studies</i> , 2011 , 48, 3-12	5.8	53
70	Impact of exercise training and depression on survival in heart failure due to coronary heart disease. <i>American Journal of Cardiology</i> , 2011 , 107, 64-8	3	81
69	Effects of exercise and physical activity on depression. <i>Irish Journal of Medical Science</i> , 2011 , 180, 319-25	1.9	191
68	Quality of life in medically ill persons with comorbid mental disorders: a systematic review and meta-analysis. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 275-86	9.4	115

67	Depression, autonomic function, and cardiorespiratory fitness: comment on Hughes, et al. (2010). <i>Perceptual and Motor Skills</i> , 2011 , 112, 319-21	2.2	6
66	Triggers of acute cardiovascular events and potential preventive strategies: prophylactic role of regular exercise. <i>Physician and Sportsmedicine</i> , 2011 , 39, 11-21	2.4	12
65	Importance of characteristics and modalities of physical activity and exercise in the management of cardiovascular health in individuals with cardiovascular risk factors: recommendations from the EACPR. Part II. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 1005-33	3.9	177
64	Exercise training for refractory angina: why does it work?. <i>Cardiology</i> , 2012 , 122, 167-9	1.6	1
63	References. 2012 , 163-167		
62	Physical Activity Across the Lifespan. <i>Issues in Children's and Families' Lives</i> , 2012 ,		7
61	Eliminating untimely deaths of women from heart disease: highlights from the Minnesota Women's Heart Summit. <i>American Heart Journal</i> , 2012 , 163, 39-48.e1	4.9	10
60	The effect of cardiac rehabilitation on anxiety and depression in patients undergoing cardiac bypass graft surgery in Iran. <i>BMC Cardiovascular Disorders</i> , 2012 , 12, 40	2.3	41
59	Exercise and pharmacological treatment of depressive symptoms in patients with coronary heart disease: results from the UPBEAT (Understanding the Prognostic Benefits of Exercise and Antidepressant Therapy) study. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 1053-63	15.1	159
58	Stress and Cardiovascular Disease. 2012 ,		10
57	Quality of life and baseline characteristics associated with depressive symptoms among patients with heart disease. <i>Clinical Epidemiology</i> , 2012 , 4, 181-6	5.9	4
56	Obesity, health status, and 7-year mortality in percutaneous coronary intervention: in search of an explanation for the obesity paradox. <i>International Journal of Cardiology</i> , 2013 , 167, 1154-8	3.2	23
55	Psychosocial outcomes of an exercise maintenance intervention after phase II cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013 , 33, 91-8	3.6	14
54	The Relationship Between Coronary Heart Disease (CHD) and Major Depressive Disorder (MDD): Key Mechanisms and the Role of Quality of Life. <i>European Journal of Psychology</i> , 2013 , 9, 163-184	1.3	4
53	Infarto-reinfarto: estudio comparativo clínico-funcional en un programa de rehabilitación cardíaca. <i>Rehabilitacion</i> , 2014 , 48, 9-16	1	
52	Guidelines for rehabilitation in patients with cardiovascular disease (JCS 2012). <i>Circulation Journal</i> , 2014 , 78, 2022-93	2.9	157
51	Factorial validity and gender invariance of the center for epidemiological studies depression in cardiac rehabilitation patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2015 , 35, 320-7	3.6	3
50	Exercise-based oncology rehabilitation: leveraging the cardiac rehabilitation model. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2015 , 35, 130-9	3.6	45

49	Depression and the Link with Cardiovascular Disease. <i>Frontiers in Psychiatry</i> , 2016 , 7, 33	5	165
48	Impact of exercise-based cardiac rehabilitation on long-term clinical outcomes in patients with left main coronary artery stenosis. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1804-1813	3.9	14
47	Significance of Comorbid Psychological Stress and Depression on Outcomes After Cardiac Rehabilitation. <i>American Journal of Medicine</i> , 2016 , 129, 1316-1321	2.4	31
46	Depressive Symptoms, Cardiac Disease Severity, and Functional Status in Patients With Coronary Artery Disease (from the Heart and Soul Study). <i>American Journal of Cardiology</i> , 2016 , 118, 1287-1292	3	6
45	The role of cardiac rehabilitation in patients with heart disease. <i>Trends in Cardiovascular Medicine</i> , 2017 , 27, 420-425	6.9	79
44	Influence of Depression on Utilization of Cardiac Rehabilitation Postmyocardial Infarction: A STUDY OF 158 991 MEDICARE BENEFICIARIES. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2017 , 37, 22-29	3.6	13
43	Knowing is Half the Battle: the Association Between Leisure-Time Physical Activity and Quality of Life Among Four Groups with Different Self-Perceived Health Status in Taiwan. <i>Applied Research in Quality of Life</i> , 2017 , 12, 799-812	2.3	12
42	Symptoms of depression and anxiety and 11-year all-cause mortality in men and women undergoing coronary artery bypass graft (CABG) surgery. <i>Journal of Psychosomatic Research</i> , 2018 , 105, 106-114	4.1	20
41	Cardiac Rehabilitation Participation Rates and Outcomes for Patients With Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018 , 38, 38-42	3.6	11
40	Mental Distress Factors and Exercise Capacity in Patients with Coronary Artery Disease Attending Cardiac Rehabilitation Program. <i>International Journal of Behavioral Medicine</i> , 2018 , 25, 38-48	2.6	13
39	Real-Time Pervasive Monitoring System for Ambulatory Patients. 2018 ,		
38	Thiamine deficiency and cardiovascular disorders. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 965-972	4.5	37
37	The association of depression following percutaneous coronary intervention with adverse cardiovascular events: Protocol for a systematic review and meta-analysis. <i>Medicine (United States)</i> , 2019 , 98, e13952	1.8	4
36	Exercise Counteracts the Cardiotoxicity of Psychosocial Stress. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 1852-1864	10.4	18
35	Cardiac Rehabilitation: An Underutilized Class I Treatment for Cardiovascular Disease. <i>American Journal of Medicine</i> , 2020 , 133, 1005-1006	2.4	3
34	KellnerB Symptom Questionnaire, a Highly Sensitive Patient-Reported Outcome Measure: Systematic Review of Clinimetric Properties. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 74-89	9.4	15
33	Evidence-based review for cardiac rehabilitation program development status and necessity in India. <i>Heart and Mind (Mumbai, India)</i> , 2021 , 5, 27	0.6	0
32	Symptoms of Depression and Anxiety in Patients With Type 2 Diabetes in a Canadian Outpatient Cardiac Rehabilitation Program. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2021 , 41, 328-335	3.6	1

31	Physical Activity for the Prevention of Depression. <i>Issues in Children's and Families Lives</i> , 2012 , 97-119		3
30	Comparison of intensive outpatient cardiac rehabilitation to standard outpatient care in veterans: effects on quality of life. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2000 , 20, 383-8		15
29	Cardiac rehabilitation programs markedly improve high-risk profiles in coronary patients with high psychological distress. <i>Southern Medical Journal</i> , 2008 , 101, 262-7	0.6	31
28	Anxiety and Depression After a Cardiac Event: Prevalence and Predictors. <i>Frontiers in Psychology</i> , 2019 , 10, 3010	3.4	27
27	Benefits of cardiac rehabilitation on lipid profile in patients with coronary artery disease. <i>Pakistan Journal of Biological Sciences</i> , 2009 , 12, 1307-13	0.8	6
26	New frontiers in cardiovascular behavioral medicine: comparative effectiveness of exercise and medication in treating depression. <i>Cleveland Clinic Journal of Medicine</i> , 2011 , 78 Suppl 1, S35-43	2.8	15
25	Cardiac rehabilitation past, present and future: an overview. <i>Cardiovascular Diagnosis and Therapy</i> , 2012 , 2, 38-49	2.6	121
24	Hearts Sing the Blues Too: Depression in Elderly Cardiac Patients. <i>Developments in Cardiovascular Medicine</i> , 2004 , 27-67		
23	Aa. 2004 , 1-23		
22	Assessment and Management of Depression in Cardiac Rehabilitation Patients. 2007 , 45-52		
21	Chronic Medical Illness and Rehabilitation. 2010 , 397-404		
20	Exercise to Reduce Distress and Improve Cardiac Function: Moving on and Finding the Pace. 2011 , 317-332		
19	Correlates of Age at Initial Diagnosis of Chronic Lymphocytic Leukemia: Exercise, ASA & Emotional Distress. <i>Open Journal of Medical Psychology</i> , 2012 , 01, 9-14	0.4	
18	Secondary Prevention Within the Community. 205-225		
17	Methodological recommendations: "Current opportunities and prospects of complex physical activity of patients with cardiovascular pathology". <i>Profilakticheskaya Meditsina</i> , 2020 , 23, 61	0.5	
16	Cardiac Rehabilitation and Survival for Ischemic Heart Disease. <i>Current Cardiology Reports</i> , 2021 , 23, 184	4.2	0
15	Prevalence and correlates of depression symptoms at 10 years after heart transplantation: continuous attention required. <i>Transplant International</i> , 2004 , 17, 424-31	3	12
14	Post Cardiac Surgery Rehabilitation. 2021 , 687-696		

13	Relationship between hair cortisol concentrations and depressive symptoms in patients with coronary artery disease. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 393-400	3.1	58
12	The russert impact: a golden opportunity to promote primary coronary prevention. <i>Ochsner Journal</i> , 2008 , 8, 108-13	1.5	2
11	Psychological factors and cardiac risk and impact of exercise training programs-a review of ochsner studies. <i>Ochsner Journal</i> , 2007 , 7, 167-72	1.5	13
10	Preventive cardiology and non-invasive cardiology research at the ochsner clinic foundation. <i>Ochsner Journal</i> , 2006 , 6, 31-5	1.5	1
9	Cardiopulmonary Rehabilitation, Exercise Training, and Preventive Cardiology: An Overview of a Decade of Research at the Ochsner Heart and Vascular Institute: Presented in part at Grand Rounds, Research Series, Ochsner Medical Institutions, May 17, 1999. <i>Ochsner Journal</i> , 1999 , 1, 177-86	1.5	4
8	Multifactorial approach to the primary and secondary prevention of atherosclerosis. <i>Ochsner Journal</i> , 2003 , 5, 12-7	1.5	1
7	Benchmarking Depressive Symptoms in Cardiac Rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2021 ,	3.6	0
6	A Quality Improvement Initiative for Increasing Cardiac Rehabilitation Referrals Using Plan-Do-Study-Act (PDSA) Methodology. <i>American Journal of Medicine</i> , 2021 ,	2.4	1
5	Vasculome. 2022 , 441-451		
4	Demographics and risk factors that influence the prevalence of depression in patients attending cardiac rehabilitation. 2022 , 101, e30470		0
3	Cardiac Rehabilitation Programs: Content, Effectiveness, Limitations, and Gaps in Knowledge. Publish Ahead of Print,		0
2	Exercise as a therapeutic modality for the prevention and treatment of depression. 2023 ,		0
1	Phase I cardiac rehabilitation with 5-phase music after emergency percutaneous coronary intervention for acute myocardial infarction: A prospective randomized study. 2023 , 102, e33183		0