

CITATION REPORT

List of articles citing

Impaired endothelial function with essential hypertension assessed by ultrasonography

DOI: 10.1016/s0002-8703(96)90311-7
American Heart Journal, 1996, 132, 779-82.

Source: <https://exaly.com/paper-pdf/26749742/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
145	Converting enzyme inhibitor improves forearm reactive hyperemia in essential hypertension. <i>Hypertension</i> , 1997 , 29, 286-90	8.5	96
144	Non-invasive detection of endothelial dysfunction in patients with essential hypertension. 1997 , 61, 165-9		74
143	The detection of endothelial dysfunction in patients with essential hypertension. 1997 , 61, 171-4		4
142	Non-invasive ultrasound detection of endothelial dysfunction. 1998 , 7, 37-45		8
141	Special article: non-invasive measurement of endothelial function. 1998 , 25, 640-3		36
140	Comparison of peripheral endothelial dysfunction and intimal media thickness in patients with suspected coronary artery disease. 1998 , 80, 349-54		62
139	The correlation between coronary stenosis index and flow-mediated dilation of the brachial artery. 1998 , 62, 425-30		31
138	Endothelial cell dysfunction and arterial wall hypertrophy are associated with disturbed carbohydrate metabolism in patients at risk for cardiovascular disease. 1999 , 19, 1173-9		19
137	Effect of treatment on flow-dependent vasodilation of the brachial artery in essential hypertension. <i>Hypertension</i> , 1999 , 33, 575-80	8.5	86
136	Endothelial dysfunction in hypertension. <i>Clinical and Experimental Hypertension</i> , 1999 , 21, 635-46	2.2	9
135	Flow-mediated vasodilation and distensibility of the brachial artery in renal allograft recipients. 1999 , 55, 1104-10		64
134	Evaluation of endothelial function in hypertensive elderly patients by high-resolution ultrasonography. 1999 , 22, 705-10		23
133	Endothelium-dependent vasodilatation in treated and untreated hypertensive subjects. <i>Blood Pressure</i> , 1999 , 8, 158-64	1.7	13
132	Flow-mediated vasodilation and distensibility in relation to intima-media thickness of large arteries in mild essential hypertension. <i>American Journal of Hypertension</i> , 1999 , 12, 973-9	2.3	33
131	Effect of angiotensin-converting enzyme inhibition and angiotensin II type 1 receptor antagonism on postprandial endothelial function. 1999 , 34, 140-5		76
130	Endothelium-dependent Vasodilation in Hypertension: A Review. <i>Blood Pressure</i> , 2000 , 9, 4-15	1.7	54
129	Testing for endothelial dysfunction. <i>Annals of Medicine</i> , 2000 , 32, 293-304	1.5	97

128	Ultrasound measurement of brachial flow-mediated vasodilator response. 2000 , 19, 621-31		17
127	Lipoprotein (a) is associated with endothelial function in healthy postmenopausal women. <i>Atherosclerosis</i> , 2000 , 153, 249-54	3.1	22
126	Endothelium-dependent and -independent functions are impaired in patients with coronary heart disease. <i>Atherosclerosis</i> , 2000 , 149, 19-24	3.1	85
125	Evaluation of endothelium-dependent vasodilation in humans. <i>Blood Pressure</i> , 2001 , 10, 124-30	1.7	5
124	Heart failure etiology affects peripheral vascular endothelial function after cardiac transplantation. 2001 , 37, 195-200		45
123	Tamoxifen is not detrimental to endothelial function in postmenopausal women with breast cancer. <i>American Heart Journal</i> , 2001 , 142, E6	4.9	7
122	Pediatric hypertension. <i>American Heart Journal</i> , 2001 , 142, 422-32	4.9	34
121	Endothelial dysfunction in hypertensive patients and in normotensive offspring of subjects with essential hypertension. <i>British Heart Journal</i> , 2001 , 85, 215-7		28
120	Non-invasive evaluation of endothelial function with B-mode ultrasound imaging of flow-induced brachial artery reactivity. 2001 , 162-172		
119	Hypertension Status Is the Major Determinant of Carotid Atherosclerosis. 2001 , 32, 2265-2271		105
118	Effect of ascorbic acid treatment on conduit vessel endothelial dysfunction in patients with hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 280, H528-34	5.2	89
117	The relationship of left ventricular mass to endothelium-dependent vasodilation of the brachial artery in patients with hypertension. 2001 , 96, 7-15		10
116	Flow-mediated dilatation of the brachial artery and left ventricular geometry in hypertensive patients. <i>Journal of Hypertension</i> , 2001 , 19, 641-7	1.9	30
115	Effect of acute blood pressure reduction on endothelial function in the brachial artery of patients with essential hypertension. <i>Journal of Hypertension</i> , 2001 , 19, 547-51	1.9	66
114	Impairment of vascular endothelial function and left ventricular filling : association with the severity of apnea-induced hypoxemia during sleep. 2001 , 119, 1085-91		209
113	Evaluation of the severity of chronic heart failure by the reactivity of peripheral vessels. 2001 , 195, 1-10		3
112	Effects of digoxin, furosemide, enalaprilat and metoprolol on endothelial function in young normotensive subjects. 2001 , 28, 381-5		12
111	Insulin resistance adds to endothelial dysfunction in hypertensive patients and in normotensive offspring of subjects with essential hypertension. 2001 , 249, 189-97		17

110	Gender difference in age-related changes in vascular function. 2001 , 250, 29-36		80
109	Effects of race and hypertension on flow-mediated and nitroglycerin-mediated dilation of the brachial artery. <i>Hypertension</i> , 2001 , 38, 1349-54	8.5	93
108	Endothelial dysfunction and inflammation-is there a link?. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 1968-71	4.3	94
107	Does an impaired flow mediated vasodilatation predict hypertension in offspring hypertensive parents?. <i>British Heart Journal</i> , 2001 , 85, 131-2		1
106	Elevated urinary albumin excretion is associated with impaired arterial dilatory capacity in clinically healthy subjects. <i>Circulation</i> , 2001 , 103, 1869-74	16.7	183
105	Vascular function in women with previous gestational diabetes mellitus. 2002 , 39, 311-9		45
104	N-acetylcysteine potentiates the antihypertensive effect of ACE inhibitors in hypertensive patients. <i>Blood Pressure</i> , 2002 , 11, 235-9	1.7	27
103	Soluble Fas ligand and atherosclerosis in hypertensive patients. <i>Journal of Hypertension</i> , 2002 , 20, 895-8	1.9	29
102	Evaluation of four different methods to measure endothelium-dependent vasodilation in the human peripheral circulation. 2002 , 102, 561-567		38
101	Evaluation of four different methods to measure endothelium-dependent vasodilation in the human peripheral circulation. 2002 , 102, 561		17
100	Prognostic role of reversible endothelial dysfunction in hypertensive postmenopausal women. 2002 , 40, 505-10		475
99	Reduced endothelium-dependent and -independent dilation of conductance arteries in African Americans. 2002 , 40, 754-60		111
98	Correlation of habitual physical activity levels with flow-mediated dilation of the brachial artery in 5-10 year old children. <i>Atherosclerosis</i> , 2002 , 160, 233-9	3.1	72
97	Endothelial function in sustained and white coat hypertension. <i>American Journal of Hypertension</i> , 2002 , 15, 946-52	2.3	32
96	Impairment of vascular responses to reactive hyperemia and nitric oxide in chronic renal failure. 2002 , 92, 529-35		15
95	Noninvasive Studies of Coronary and Peripheral Arterial Blood-flow. 2002 , 4, 381-5		1
94	A comparison of brachial artery reactivity measured by external and intravascular ultrasound. 2002 , 28, 911-6		1
93	Reversible suppression of nitric oxide system in essential hypertension. 2003 , 18, 150-3		4

92	Vascular function in children after renal transplantation. 2003 , 41, 684-91		31
91	Relation of thrombogenesis in systemic hypertension to angiogenesis and endothelial damage/dysfunction (a substudy of the Anglo-Scandinavian Cardiac Outcomes Trial [ASCOT]). 2003 , 92, 400-5		85
90	Relation of albumin/creatinine ratio to C-reactive protein and to the metabolic syndrome. 2003 , 92, 610-2		18
89	The effect of calcineurin inhibitors on endothelial function in renal transplant recipients. 2003 , 17, 212-6		47
88	Inflammation, endothelial dysfunction, and the risk of high blood pressure: epidemiologic and biological evidence. <i>Journal of Human Hypertension</i> , 2003 , 17, 223-30	2.6	144
87	Effects of purified eicosapentaenoic acid and docosahexaenoic acid on platelet, fibrinolytic and vascular function in hypertensive type 2 diabetic patients. <i>Atherosclerosis</i> , 2003 , 166, 85-93	3.1	155
86	Does the beneficial effect of HRT on endothelial function depend on lipid changes. 2003 , 45, 47-54		4
85	Endothelial damage and angiogenesis in hypertensive patients: relationship to cardiovascular risk factors and risk factor management. <i>American Journal of Hypertension</i> , 2003 , 16, 11-20	2.3	102
84	Left ventricular hypertrophy and endothelial functions in patients with essential hypertension. 2003 , 14, 541-4		8
83	A comparison of flow-mediated dilatation and von Willebrand factor as markers of endothelial cell function in health and in hypertension: relationship to cardiovascular risk and effects of treatment: a substudy of the Anglo-Scandinavian Cardiac Outcomes Trial. 2003 , 14, 425-31		46
82	Noninvasive assessment of vascular function in the posterior tibial artery of healthy humans. 2003 , 2, 1		27
81	Relationship between blood velocity and conduit artery diameter and the effects of smoking on vascular responsiveness. 2004 , 96, 2139-45		33
80	Impaired endothelium-dependent flow-mediated vasodilation in hypertensive subjects with hyperaldosteronism. <i>Circulation</i> , 2004 , 109, 2857-61	16.7	153
79	Rheumatoid arthritis increases the risk of coronary heart disease via vascular endothelial injuries. 2004 , 63, 442-442		
78	Does the endothelial function change in renal transplant patients with longer duration of exposure and with higher cumulative doses of cyclosporine?. <i>Transplantation Proceedings</i> , 2004 , 36, 1361-6	1.1	7
77	Rheumatoid arthritis increases the risk of coronary heart disease via vascular endothelial injuries. 2004 , 63, 442-5		13
76	Relationship between plasma nitric oxide concentration and insulin resistance in essential hypertension. <i>American Journal of Hypertension</i> , 2004 , 17, 549-52	2.3	8
75	Uncontrolled hypertension, uncompensated type II diabetes, and smoking have different patterns of vascular dysfunction. 2004 , 125, 823-30		43

74	Insulin-mediated regulation of the endothelial renin-angiotensin system and vascular cell growth. <i>Journal of Hypertension</i> , 2004 , 22, 121-7	1.9	28
73	Association between C-reactive protein and hypertension in healthy middle-aged men and women. 2004 , 15, 331-6		45
72	Reduction of peripheral flow reserve impairs endothelial function in conduit arteries of patients with essential hypertension. <i>Journal of Hypertension</i> , 2005 , 23, 563-9	1.9	32
71	Non-invasive evaluation of endothelial function in hypertensive elderly patients. 2005 , 40, 61-71		13
70	Clinical impact of vasomotor function assessment and the role of ACE-inhibitors and statins. 2005 , 42, 125-40		30
69	[Large artery wall properties -- what is relevant for the classic management of hypertension?]. 2005 , 130, 2657-61		1
68	Blood pressure circadian rhythm and endothelial function in heavy smokers: acute effects of transdermal nicotine. <i>Journal of Clinical Hypertension</i> , 2005 , 7, 721-8	2.3	14
67	Mechanisms, significance and treatment of vascular dysfunction in type 2 diabetes mellitus: focus on lipid-regulating therapy. 2005 , 65, 31-74		57
66	Aortic stiffness, flow-mediated dilatation and carotid intima-media thickness in obstructive sleep apnea: non-invasive indicators of atherosclerosis. 2006 , 73, 741-50		60
65	Systolic and diastolic hypertension impair endothelial vasodilatory function in different types of vessels in the elderly: the Prospective Investigation of the Vasculature in Uppsala Seniors (PIVUS) study. <i>Journal of Hypertension</i> , 2006 , 24, 1319-27	1.9	18
64	Angiotensin I-converting enzyme inhibitor improves reactive hyperemia in elderly hypertensives with arteriosclerosis obliterans. <i>Hypertension Research</i> , 2006 , 29, 655-63	4.7	5
63	Treatment of essential arterial hypertension with enalapril does not result in normalization of endothelial dysfunction of the conduit arteries. 2006 , 57, 187-92		12
62	Multiple biomarkers and the risk of incident hypertension. <i>Hypertension</i> , 2007 , 49, 432-8	8.5	138
61	AT1 receptor blockade prevents the decrease in conduit artery flow-mediated dilatation during NOS inhibition in humans. 2007 , 112, 393-401		17
60	Association of cardiovascular risk factors with microvascular and conduit artery function in hypertensive subjects. <i>American Journal of Hypertension</i> , 2007 , 20, 735-42	2.3	16
59	Therapeutic regulation of endothelial dysfunction in type 2 diabetes mellitus. 2007 , 4, 89-102		59
58	Function of dynamically stimulated endothelium and renin-angiotensin-aldosterone system in normotensive subjects with a family history of hypertension. 2008 , 13, 689-93		
57	Endothelial nitric oxide synthase gene haplotypes and circulating nitric oxide levels significantly associate with risk of essential hypertension. 2008 , 44, 1912-8		41

56	Impaired flow mediated dilatation as evidence of endothelial dysfunction in chronic atrial fibrillation: relationship to plasma von Willebrand factor and soluble E-selectin levels. 2008 , 122, 85-90		64
55	Fixed combination of perindopril and indapamide at low dose improves endothelial function in essential hypertensive patients after acute administration. <i>American Journal of Hypertension</i> , 2008 , 21, 679-84	2.3	17
54	Importance of measuring the time course of flow-mediated dilatation in humans. <i>Hypertension</i> , 2008 , 51, 203-10	8.5	296
53	Impaired flow-mediated endothelium-dependent and endothelium-independent vasodilation of the brachial artery in patients with atherosclerotic peripheral vascular disease. 2008 , 59, 52-6		16
52	Finger photoplethysmogram pulse amplitude changes induced by flow-mediated dilation. <i>Physiological Measurement</i> , 2008 , 29, 625-37	2.9	31
51	Risk factor-induced cardiovascular remodeling and the effects of angiotensin-converting enzyme inhibitors. <i>Journal of Cardiovascular Pharmacology</i> , 2008 , 51, 523-31	3.1	32
50	Endothelium-dependent vasodilation in relation to different measurements of blood pressure in the elderly: the prospective investigation of the vasculature in Uppsala Seniors study. 2008 , 13, 245-50		4
49	Monitoring of reactive hyperemia using photoplethysmographic pulse amplitude and transit time. 2009 , 23, 315-22		22
48	Cerebrovascular mental stress reactivity is impaired in hypertension. 2009 , 7, 32		14
47	Hypothyroidism is associated with signs of endothelial dysfunction despite 1-year replacement therapy with levothyroxine. 2009 , 70, 932-7		16
46	Caloric restriction alone and with exercise improves CVD risk in healthy non-obese individuals. <i>Atherosclerosis</i> , 2009 , 203, 206-13	3.1	169
45	Nitric oxide dysfunction in vascular endothelium and platelets: role in essential hypertension. <i>Journal of Hypertension</i> , 2009 , 27, 2310-20	1.9	50
44	Relationship of insulin resistance to macro- and microvasculature reactivity in hypertension. <i>American Journal of Hypertension</i> , 2010 , 23, 495-500	2.3	6
43	Effect of orlistat-assisted weight loss on endothelium-dependent vasodilation in obese Chinese subjects with hypertension. <i>Clinical and Experimental Hypertension</i> , 2010 , 32, 395-9	2.2	6
42	Association of inflammation and protein-energy wasting with endothelial dysfunction in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 1266-71	4.3	29
41	The conjoint detrimental effect of chronic periodontal disease and systemic inflammation on asymmetric dimethyl-arginine in untreated hypertensive subjects. <i>Atherosclerosis</i> , 2010 , 208, 258-63	3.1	17
40	The role of blood pressure in glaucoma. <i>Australasian journal of optometry, The</i> , 2011 , 94, 133-49	2.7	88
39	Vascular endothelial function of sirolimus maintenance regimen in renal transplant recipients. <i>Transplantation Proceedings</i> , 2011 , 43, 1616-8	1.1	1

38	Modulation of cytochrome-derived epoxyeicosatrienoic acids pathway: a promising pharmacological approach to prevent endothelial dysfunction in cardiovascular diseases?. <i>Pharmacology & Therapeutics</i> , 2011 , 131, 1-17	13.9	45
37	Vascular abnormalities in essential hypertension. <i>Current Pharmaceutical Design</i> , 2011 , 17, 3039-44	3.3	28
36	Non-dipping pattern relates to endothelial dysfunction in patients with uncontrolled resistant hypertension. <i>Journal of Human Hypertension</i> , 2011 , 25, 656-64	2.6	33
35	Effect of antihypertensive treatment on circulating endothelial progenitor cells in patients with mild essential hypertension. <i>Blood Pressure</i> , 2011 , 20, 77-83	1.7	14
34	C-reactive protein and nitric oxide level in patients with white coat hypertension. <i>Blood Pressure</i> , 2012 , 21, 281-5	1.7	8
33	Discrimination of bilateral finger photoplethysmogram responses to reactive hyperemia in diabetic and healthy subjects using a differential vascular model framework. <i>Physiological Measurement</i> , 2013 , 34, 513-25	2.9	8
32	Cyclophilin-A: a novel biomarker for untreated male essential hypertension. <i>Biomarkers</i> , 2013 , 18, 716-20	0.6	7
31	Endothelial dysfunction in diabetes: pathogenesis, significance, and treatment. <i>Review of Diabetic Studies</i> , 2013 , 10, 133-56	3.6	80
30	Diagnostic Use of Sonography in the Evaluation of Hypertension. 2013 ,		1
29	Protection from vascular endothelial dysfunction in acute glycemic load-induced primary hypertension by vitamin C and E. <i>Genetics and Molecular Research</i> , 2014 , 13, 7246-55	1.2	3
28	Endothelial Dysfunction and Dyslipidemia in Type 2 Diabetes: Pathogenesis, Significance and Therapy. <i>Contemporary Diabetes</i> , 2014 , 239-278	0	
27	Increased sympathetic drive during the onset of hypertension in conscious Cyp1a1-Ren2 rats. <i>Pflugers Archiv European Journal of Physiology</i> , 2014 , 466, 459-66	4.6	5
26	Reduction in blood pressure improves impaired nitroglycerine-induced vasodilation in patients with essential hypertension. <i>Hypertension Research</i> , 2015 , 38, 862-8	4.7	3
25	Pentraxin 3 Induces Vascular Endothelial Dysfunction Through a P-selectin/Matrix Metalloproteinase-1 Pathway. <i>Circulation</i> , 2015 , 131, 1495-505; discussion 1505	16.7	68
24	Post-resistance exercise hemodynamic and autonomic responses: Comparison between normotensive and hypertensive men. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015 , 25, 486-94	4.6	34
23	Impaired blood rheology is associated with endothelial dysfunction in patients with coronary risk factors. <i>Clinical Hemorheology and Microcirculation</i> , 2016 , 62, 139-50	2.5	21
22	Effect of antihypertensive treatment with lercanidipine on endothelial progenitor cells and inflammation in patients with mild to moderate essential hypertension. <i>Blood Pressure</i> , 2016 , 25, 337-343	1.7	10
21	Endothelial Function Is Impaired in Patients Receiving Antihypertensive Drug Treatment Regardless of Blood Pressure Level: FMD-J Study (Flow-Mediated Dilation Japan). <i>Hypertension</i> , 2017 , 70, 790-797	8.5	16

20	Menthol-Induced Cutaneous Vasodilation Is Preserved in Essential Hypertensive Men and Women. <i>American Journal of Hypertension</i> , 2017 , 30, 1156-1162	2.3	3
19	Arginine and aerobic training prevent endothelial and metabolic alterations in rats at high risk for the development of the metabolic syndrome. <i>British Journal of Nutrition</i> , 2017 , 118, 1-10	3.6	8
18	Effect of vitamin D supplementation on endothelial dysfunction in hemodialysis patients. <i>Hemodialysis International</i> , 2017 , 21, 97-106	1.7	7
17	Blood pressure predicts endothelial function and the effects of ethinyl estradiol exposure in young women. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H925-H933	5.2	5
16	Proteomic Analysis of Longitudinal Changes in Blood Pressure. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
15	Hypertension with primary aldosteronism is associated with increased carotid intima-media thickness and endothelial dysfunction. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 932-941	2.3	8
14	Relationships Between Calcium Channel Blockers and Vascular Function Tests. <i>American Journal of Hypertension</i> , 2019 , 32, 640-648	2.3	1
13	Relationship between home blood pressure and vascular function in patients receiving antihypertensive drug treatment. <i>Hypertension Research</i> , 2019 , 42, 1175-1185	4.7	4
12	Endothelial function in patients with atrial fibrillation. <i>Annals of Medicine</i> , 2020 , 52, 1-11	1.5	11
11	A greater burden of atrial fibrillation is associated with worse endothelial dysfunction in hypertension. <i>Journal of Human Hypertension</i> , 2021 , 35, 667-677	2.6	0
10	Influence of 8-Week Aerobic Training on the Skin Microcirculation in Patients with Ischaemic Heart Disease. <i>Journal of Aging Research</i> , 2020 , 2020, 4602067	2.3	3
9	The area under curve for time-course analysis parameters is associated with abdominal aortic aneurysms and the severity of peripheral artery disease in men. <i>International Journal of Cardiology: Hypertension</i> , 2021 , 8, 100080	1.6	1
8	Photoplethysmographic Pulse Amplitude Response to Flow Mediated Dilatation. <i>IFMBE Proceedings</i> , 2007 , 423-426	0.2	1
7	Torcetrapib produces endothelial dysfunction independent of cholesteryl ester transfer protein inhibition. <i>Journal of Cardiovascular Pharmacology</i> , 2010 , 55, 459-68	3.1	36
6	Quality of life in patients with silent atrial fibrillation. <i>British Heart Journal</i> , 2001 , 85, 216-7		68
5	Polymorphisms of renin-angiotensin system genes and endothelial dysfunction in young males with a history of myocardial infarction. <i>Arterial Hypertension (Russian Federation)</i> , 2008 , 14, 239-244	0.7	1
4	Isolated diastolic hypertension is not associated with endothelial dysfunction.. <i>Hypertension Research</i> , 2022 ,	4.7	
3	Poorly controlled hypertension is associated with elevated serum uric acid to HDL-cholesterol ratio: A cross-sectional cohort study.. <i>Postgraduate Medicine</i> , 2022 ,	3.7	5

- 2 Cardiovascular risk in patients receiving antihypertensive drug treatment from the perspective of endothelial function. *Hypertension Research*, 4.7 ○
- 1 Persistent vascular dysfunction following an acute nonpharmacological reduction in blood pressure in hypertensive patients. *Journal of Hypertension*, **2022**, 40, 1115-1125 1.9 ○