

CITATION REPORT

List of articles citing

Investigation of equilibria in solution. Determination of equilibrium constants with the HYPERQUAD suite of programs

DOI: 10.1016/0039-9140(96)01958-3
Talanta, 1996, 43, 1739-53.

Source: <https://exaly.com/paper-pdf/26759259/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2291	Solid State Selection between Nearly Isoenergetic Tautomeric Forms Driven by Right Hydrogen-Bonding Pairing.		
2290	Rapid Thermodynamically Stable Complex Formation of [nat/111In]In ³⁺ , [nat/90Y]Y ³⁺ , and [nat/177Lu]Lu ³⁺ with H6dappa.		
2289	Copper Exchange and Redox Activity of a Prototypical 8-Hydroxyquinoline: Implications for Therapeutic Chelation.		
2288	Synthesis and Unprecedented Complexation Properties of Cyclodextrin-Based Ligand for Lanthanide Ions.		
2287	Binding and Reactivity of Copper to R1 and R3 Fragments of tau Protein.		
2286	Insight into the Complexation of Actinides and Lanthanides with Diglycolamide Derivatives: Experimental and Density Functional Theoretical Studies.		
2285	Synthesis and Structural Characterization of a Cyclen-Derived Molecular Cage.		
2284	Cation Molecular Exchanger Based on a Conformational Hinge.		
2283	pH-Responsive Nanometric Polydiacetylenic Micelles Allow for Efficient Intracellular siRNA Delivery.		
2282	Rapid Dissolution of BaSO ₄ by Macropa an 18-Membered Macrocyclic with High Affinity for Ba ²⁺ .		
2281	Lewis Pairs as Highly Tunable Dynamic Cross-Links in Transient Polymer Networks.		
2280	Anthracene-Based Receptors with a Turn-on Fluorescence Response for Nitrate.		
2279	A Catalytic and Selective Scissoring Molecular Tool for Quadruplex Nucleic Acids.		
2278	Regulating the Structures of Self-Assembled Mechanically Interlocked Molecular Constructs via Dianion Precursor Substituent Effects.		
2277	225AcH4py4pa for Targeted Alpha Therapy.		
2276	Functionally Versatile and Highly Stable Chelator for 111In and 177Lu: Proof-of-Principle Prostate-Specific Membrane Antigen Targeting.		
2275	Engineered Recognition of Tetravalent Zirconium and Thorium by ChelatorProtein Systems: Toward Flexible Radiotherapy and Imaging Platforms.		

2274	Metal Coordination to Ligand-Modified Peptide Nucleic Acid Triplexes.		
2273	Preparative, potentiometric and NMR studies of the interaction of beryllium(II) with oxalate and malonate. X-ray structure of $K_3[Be_3(OH)_3(O_2CCH_2CO_2)_3] \cdot 6H_2O$. 1997 , 262, 187-194		39
2272	Reinforced piperazine rings containing polyamines: metal complex equilibria and structural studies. 1998 , 268, 63-68		3
2271	A large cavity reinforced cryptand for the binding of metal cations and anions. 1998 , 273, 326-333		5
2270	Binding properties and crystal structures of azamacrocycles containing nitrophenol side arms. 1998 , 275-276, 168-174		14
2269	Chiral discrimination of Dns- and unmodified d,l-amino acids by copper(II) complexes of terdentate ligands in high-performance liquid chromatography. 1998 , 829, 101-113		25
2268	Thermodynamic and Multinuclear NMR Study of Beryllium(II) Hydrolysis and Beryllium(II) Complex Formation with Oxalate, Malonate, and Succinate Anions in Aqueous Solution. 1998 , 1998, 1209-1215		14
2267	Solution Study, Crystal Structure and Relaxivity Properties of a Gd^{3+} Complex with an Uncharged Macrocyclic Ligand Bearing Four Amidic Side Arms. 1998 , 1998, 1581-1584		22
2266	Coordinating ability of the acetate ion towards cis-(1,3-diamine-2-hydroxypropane)palladium(II) chelate units in aqueous solutions. Preliminary study about the possibility of the acetato ligand to be involved in complex formation equilibria with palladium(II)-based anticancer drugs. 1998 , 36, 257-264		1
2265	New spectrophotometric evidence for the existence of $HCrO_4^-$. <i>Polyhedron</i> , 1998 , 17, 1741-1746	2.7	32
2264	New dioxocyclam ligands appended with 2-pyridylmethyl pendant(s): synthesis, properties and crystal structure of their copper(II) complexes (dioxocyclam = 1,4,8,11-tetraazacyclotetradecane-12,14-dione). 1998 , 2247		16
2263	FORMATION EQUILIBRIA OF COPPER(II) TERNARY COMPLEXES WITH (S)-LEUCINEHYDROXAMIC ACID AND (R)- OR (S)-AMINO ACIDS IN AQUEOUS SOLUTION. 1998 , 44, 225-235		6
2262	4,7,10,13-Tetrakis(carboxymethyl)-1-oxa-4,7,10,13-tetraazacyclopentadecane and properties of its metal complexes. <i>Polyhedron</i> , 1999 , 18, 3479-3489	2.7	3
2261	Complexes of beryllium(II) in aqueous solution with 3-phosphonopropionic acid. <i>Polyhedron</i> , 1999 , 18, 3253-3256	2.7	8
2260	Complex formation between copper(II) and several β -amino alcohols in aqueous solution: a potentiometric and spectrophotometric study. <i>Polyhedron</i> , 1999 , 18, 3263-3267	2.7	6
2259	The formation of mixed ligand complexes of Fe(III) with phosphoric and citric acids in 0.5 M $NaNO_3$ aqueous solutions. <i>Polyhedron</i> , 1999 , 18, 3269-3274	2.7	17
2258	A study of the complex formation between trivalent ions (Al^{3+} , Fe^{3+}) and 2-phosphonobutane-1,2,4-tricarboxylic acid and their industrial applications. <i>Polyhedron</i> , 1999 , 18, 3275-3280	2.7	10
2257	Complexes of beryllium(II) with substituted malonates. Crystal structure of $K_2[Be(C_4H_6(COO)_2)_2] \cdot 2H_2O$. <i>Polyhedron</i> , 1999 , 18, 3305-3312	2.7	12

2256	N,N?-substituted dithiooxamides derived from alkyl- α -amino acids or from glycylglycine: acid dissociation properties in aqueous solution and crystal and molecular structures of N,N?-bis(carboxymethyl) dithiooxamide (GLYDTO) and N,N?-bis(1-carboxyethyl) dithiooxamide (ALADTO). <i>Polyhedron</i> , 1999 , 18, 3313-3319	2.7	6
2255	New developments for the numerical analysis of spectrophotometric titrations. <i>Polyhedron</i> , 1999 , 18, 3227-3232	2.7	10
2254	Interaction of beryllium(II) in aqueous solution with bidentate ligands containing phosphonate groups. 1999 , 285, 39-48		26
2253	Interaction of ATP with a Gd ³⁺ complex employed as paramagnetic contrast agent in NMR imaging. 1999 , 288, 244-248		6
2252	Charge-transfer adducts between donors containing chalcogens (S and Se) and di-iodine: solution studies. 1999 , 184, 271-290		60
2251	Hyperquad simulation and speciation (HySS): a utility program for the investigation of equilibria involving soluble and partially soluble species. 1999 , 184, 311-318		1239
2250	Multiwavelength spectrophotometric determination of acid dissociation constants: Part II. First derivative vs. target factor analysis. 1999 , 16, 374-81		34
2249	Raman spectroscopic investigation of chromium(VI) equilibria - another look. 1999 , 30, 335-338		25
2248	Macrocyclic Polyamines Containing Phenanthroline Moieties - Fluorescent Chemosensors for H ⁺ and Zn ²⁺ Ions. 1999 , 1999, 1911-1918		37
2247	Selective Lithium Complexation by Photoactive Aza-Cages Bearing the Anthracene Function. 1999 , 1999, 2261-2268		13
2246	Design of Ligands That Stabilize Cu(I) and Shift the Reduction Potential of the Cu(II/I) Couple Cathodically in Aqueous Solutions. 1999 , 38, 3484-3488		42
2245	Carboxylic Groups as Cofactors in the Lanthanide-Catalyzed Hydrolysis of Phosphate Esters. Stabilities of Europium(III) Complexes with Aza-benzo-15-crown-5 Ether Derivatives and Their Catalytic Activity vs Bis(p-nitrophenyl)phosphate and DNA. 1999 , 1, 833-835		47
2244	Thermodynamics of Phosphate and Pyrophosphate Anions Binding by Polyammonium Receptors. <i>Journal of the American Chemical Society</i> , 1999 , 121, 6807-6815	16.4	119
2243	Carboxy and Diphosphate Ester Hydrolysis Promoted by Dinuclear Zinc(II) Macrocyclic Complexes. Role of Zn(II)-Bound Hydroxide as the Nucleophilic Function. 1999 , 38, 6323-6325		50
2242	Molecular Recognition of Long Dicarboxylate/Dicarboxylic Species via Supramolecular/Coordinative Interactions with Ditopic Receptors. Crystal Structure of {[Cu(2)L(H(2)O)(2)] supersetPimelate}(ClO(4))(2). 1999 , 38, 620-621		49
2241	Carboxy and Diphosphate Ester Hydrolysis by a Dizinc Complex with a New Alcohol-Pendant Macrocyclic. 1999 , 38, 4115-4122		103
2240	Synthesis and Protonation Behavior of 26-Membered Oxaaza and Polyaza Macrocycles Containing Two Heteroaromatic Units of 3,5-Disubstituted Pyrazole or 1-Benzylpyrazole. A Potentiometric and ¹ H and ¹³ C NMR Study. 1999 , 64, 6135-6146		46
2239	Hafnium Hydroxide Complexation and Solubility: the Impact of Hydrolysis Reactions on the Disposition of Weapons-Grade Plutonium. 1999 , 556, 1025		1

- 2238 Synthesis, Crystal Structures and Lithium Encapsulation by Some Phenolic Aza Cages. **2000**, 2000, 51-57 12
- 2237 Halide-Ion Encapsulation by a Flexible Dicopper(II) Bis-Tren Cryptate. **2000**, 112, 3039-3042 24
- 2236 Unprecedented Expansion of the Pore Size and Volume of Periodic Mesoporous Silica. **2000**, 112, 3042-3044 15
- 2235 Halide-Ion Encapsulation by a Flexible Dicopper(II) Bis-Tren Cryptate. **2000**, 39, 2917-2920 76
- 2234 Unprecedented Expansion of the Pore Size and Volume of Periodic Mesoporous Silica. **2000**, 39, 2920-2922 78
- 2233 Complexation Properties of Heteroditopic Cryptands towards Cu²⁺, Zn²⁺, Cd²⁺, and Pb²⁺ in Aqueous Solution: Crystal Structures of [(H₅L1)(ClO₄)₅]₄·H₂O and [(NiL2Cl)Cl]₅·5H₂O·CH₃OH. **2000**, 2000, 2111-2116 24
- 2232 New strategies in the development of polynuclear complexes. Crystal structure of the tetranuclear copper(II) complex [Cu₄(L1)₂(OH)₄Cl₂(H₂O)₂]₂(H₃O₂)(ClO₄)₂Cl·2H₂O (L1=2,5,8,11-tetraaza[12](1,4)naphthalenecyclophane). **2000**, 300-302, 970-977 5
- 2231 Stabilities of five-coordinate ternary copper(II) complexes containing 2,2'-dipicolylamine and amino acids and X-ray crystal structure of [Cu(dpa)(l-phe)]ClO₄ (dpa=2,2'-dipicolylamine, l-phe=l-phenylalaninate). **2000**, 303, 148-155 13
- 2230 Synthesis and ligational properties of a new tetra-azamacrocycle containing an anisolic function. *Polyhedron*, **2000**, 19, 2501-2505 2.7 3
- 2229 Coordination properties of a new hexaazamacrocycle containing thiophene units as pendant arms. **2000**, 300-302, 653-660 8
- 2228 Cobalt(II) dioxygen carriers based on dinucleating ligands.. *Polyhedron*, **2000**, 19, 2441-2445 2.7 8
- 2227 Copper(II) Complexes with Chiral Diaminodiamido Ligands: Solution and Structural Studies. **2000**, 51, 135-151 4
- 2226 GALLIUM(III) POLYHYDROXOCATIONS IN AQUEOUS PERCHLORATE MEDIA. **2000**, 23,
- 2225 Synthesis of a ligand based upon a new entry into the 3-hydroxy-N-alkyl-2(1H)-pyridinone ring system and thermodynamic evaluation of its gadolinium complex. **2000**, 39, 2652-60 52
- 2224 Synthesis of a Flexible Ligand for Assembling Two Metal Ions in Close Proximity. Crystal Structures of Binuclear Nickel and Copper Complexes. **2000**, 39, 4663-4665 40
- 2223 Mixed hydroxypyridinonate ligands as iron chelators. **2000**, 39, 4339-46 41
- 2222 Investigations of Polyoxometalates in Aqueous Solutions. I. The Formation of Al₁₃(OH)₇+ 31 Cation. **2000**, 51, 271-282 5
- 2221 Polyamine macrocycles incorporating a phenolic function: their synthesis, basicity, and coordination behavior toward metal cations. Crystal structure of a binuclear nickel complex. **2000**, 39, 2156-63 29

- 2220 Solution equilibria of tetrakis(ethyisocyanide)platinum(II) with tetracyanoplatinate(II): equilibria and thermodynamics of the formation of di-, tri-, and tetraplatinum species. **2000**, 39, 1878-81 3
- 2219 Design of Ligands Which Improve Cu(I) Catalysis. **2000**, 39, 3536-3540 14
- 2218 Complexation of Ni(II) and Co(II) with 1,4-Dioxo-7,10,13-triazacyclopentadecane (L). Crystal Structure of [NiLCl][NiL(H₂O)](ClO₄)₃ and Macrocyclic-Induced Dioxygen Binding. **2000**, 39, 3484-3488 1
- 2217 Dopamine interaction in the absence and in the presence of Cu²⁺ ions with macrocyclic and macrobicyclic polyamines containing pyrazole units. Crystal structures of [Cu₂(L1)(H₂O)₂](ClO₄)₄ and [Cu₂(H-1L3)](ClO₄)₃·2H₂O. *Journal of the American Chemical Society*, **2001**, 123, 10560-70 16.4 63
- 2216 REVIEW: NEW ADVANCES IN THE COORDINATION CHEMISTRY OF THE BERYLLIUM(II). **2001**, 53, 191-222 21
- 2215 Sm(III) complexation with amino acids: X-ray crystal structure of [Sm₂(Hala)₄(H₂O)₈](ClO₄)₄(Cl)₂. **2001**, 323-324, 119-124 18
- 2214 Metal Complexes of an Oxatriaza Macrocyclic Containing Pyridine: Thermodynamic Stability and Structural Studies. **2001**, 13, 333-347 5
- 2213 Photochemical- and pH-switching Properties of a New Photoelastic Ligand Based Upon Azobenzene. Basicity and Anion Binding. **2001**, 13, 277-285 12
- 2212 The Complexation Reactions of N-methylated Polyamines with Silver(I) in Dimethylsulfoxide. **2001**, 13, 455-460 8
- 2211 Solid-state and solution properties of the lanthanide complexes of a new heptadentate tripodal ligand: a route to gadolinium complexes with an improved relaxation efficiency. **2001**, 40, 6737-45 54
- 2210 A luminescent metalloreceptor exhibiting remarkably high selectivity for Mg(2+) over Ca(2+). *Journal of the American Chemical Society*, **2001**, 123, 8402-3 16.4 48
- 2209 Coordination properties of a polyamine cryptand with two different binding moieties. A case of a pH-modulated antenna device based on a new Eu(III) cryptate complex. **2001**, 40, 6172-9 14
- 2208 Exploring the photocatalytic properties and the long-lifetime chemosensor ability of Cl(2)[Ru(Bpy)(2)L] (L = 2,5,8,11,14-pentaaza[15]-2,2'-bipyridilophane). **2001**, 40, 6813-9 22
- 2207 An iron reservoir model based on ferrichrome: iron(III)-binding and metal(III)-exchange properties of tripodal monotopic and ditopic hydroxamate ligands with an L-alanyl-L-alanyl-N-hydroxy-beta-alanyl sequence. *Journal of the American Chemical Society*, **2001**, 123, 7247-56 16.4 17
- 2206 Protonation and Zn(II) coordination by dipyrindine-containing macrocycles with different molecular architecture. A case of pH-controlled metal jumping outside-inside the macrocyclic cavity. **2001**, 40, 2968-75 49
- 2205 Anion binding with two polyammonium macrocycles of different dimensionality. **2001**, 40, 4710-20 87
- 2204 Beryllium(II) complexes of the K₁i tripodal ligand cyclopentadienyltris(diethylphosphito-p)cobaltate(-). **2001**, 40, 2725-9 8
- 2203 Cd(II) and Pb(II) complexation by dipyrindine-containing macrocycles with different molecular architecture. Effect of complex protonation on metal coordination environment. **2001**, 40, 6383-9 19

2202	Speciation and structure of copper(II) complexes with (S)-phenylalanine- and (S)-tryptophanhydroxamic acids in methanol/water solution: a combined potentiometric, spectrophotometric, CD and ESI-MS study. <i>Polyhedron</i> , 2001 , 20, 2697-2704	2.7	44
2201	Formation equilibria of ternary complexes of copper(II) with (S)-tryptophanhydroxamic acid and both D- and L-amino acids in aqueous solution. <i>Polyhedron</i> , 2001 , 20, 103-109	2.7	17
2200	Solution chemistry and DNA binding properties of MEN 10755, a novel disaccharide analogue of doxorubicin. 2001 , 9, 1815-25		21
2199	Cleft-like hexaamine ligands containing large heteroaromatic moieties as receptors for both anions and metal cations. 2001 , 14, 432-443		24
2198	Synthesis and coordination properties of highly preorganised polyamine macrocycles. 2001 , 38, 1273-1279		3
2197	Open-Chain Polyamine Ligands Bearing an Anthracene Unit [Chemosensors for Logic Operations at the Molecular Level. 2001 , 2001, 405-412		71
2196	Ligational Properties of Two New Phenolic Aza Cages towards Proton and Alkali Metal Ions [Theoretical and an Experimental Approach. 2001 , 2001, 1763-1774		10
2195	The Coordination Chemistry of cis-3,4-Diaminopyrrolidine and Related Polyamines. 2001 , 2001, 2525-2542		16
2194	Thermodynamics of Complexation of Cadmium(II) by Open-Chain N-Donor Ligands in Dimethyl Sulfoxide Solution. 2001 , 2001, 3087-3094		15
2193	Multi-wavelength spectrophotometric determination of acid dissociation constants: a validation study. 2001 , 434, 157-167		134
2192	Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism. 2001 , 922, 151-63		39
2191	Binding of nucleobases to a dizinc macrocyclic complex. Supramolecular assembling of dinuclear clusters through N-H...O and C-H...O hydrogen bonding. 2001 , 317, 259-267		19
2190	Thermodynamic studies on the complexation of cobalt(II) with nitrogen donor ligands in dimethyl sulfoxide. 2001 , 321, 49-55		15
2189	Anaerobic and aerobic complexation of Co(II) by a polyamine ditopic ligand containing the phenolic moiety. 2001 , 321, 153-161		27
2188	Synthesis and characterization of a macrocycle containing different functional groups and its non-cyclic counterpart. 2001 , 318, 152-158		2
2187	Investigation of the ternary D-myoinositol 1,2,6-tris(phosphate)-spermine-Zn ²⁺ system in solution. 2001 , 84, 107-11		7
2186	A Flexible Ligand for Multipurpose Complexation. 2001 , 13, 369-377		5
2185	Holo- and hemidirected lead(II) in the polymeric [Pb(4)(μ-3,4-TDTA) ₂ (H ₂ O) ₂]*4H ₂ O complex. N,N,N',N'-tetraacetate ligands derived from o-phenylenediamines as sequestering agents for lead(II). 2002 , 41, 6048-55		40

2184	Interaction of Grepafloxacin with Large Unilamellar Liposomes: Partition and Fluorescence Studies Reveal the Importance of Charge Interactions. 2002 , 18, 10231-10236	37
2183	Lanthanide complexes of 1,3,5-triamino-1,3,5-trideoxy-cis-inositol: evidence for heterotrimeric species in aqueous solution. 2002 , 68	17
2182	'On-off-on' fluorescent indicators of pH windows based on three separated components. 2002 , 2452-3	36
2181	Different complexation properties of some hydroxy keto heterocycles toward beryllium(II) in aqueous solutions: experimental and theoretical studies. 2002 , 41, 4006-17	21
2180	Sm(III) Complexation with amino acids. Crystal structures of [Sm ₂ (Pro) ₆ (H ₂ O) ₆](ClO ₄) ₆ and [Sm(Asp)(H ₂ O) ₄]Cl ₂ . 2002 , 4035-4041	25
2179	Metal complexes of dipyridine hexaaza macrocycles. Structural differences between 18- and 20-membered macrocycles on complexation. 2002 , 3539	16
2178	Allosteric effects in norbadione A. A clue for the accumulation process of ¹³⁷ Cs in mushrooms?. 2002 , 944-5	22
2177	Signal Amplification by a Fluorescent Indicator of a pH-Driven Intramolecular Translocation of a Copper(II) Ion. 2002 , 114, 2665-2668	10
2176	Activation of Alkanes upon Reaction with PhI(OAc) ₂ . 2002 , 114, 2668-2670	23
2175	Light-emitting molecular machines: pH-induced intramolecular motions in a fluorescent nickel(II) scorpionate complex. 2002 , 8, 4965-72	43
2174	Signal amplification by a fluorescent indicator of a pH-driven intramolecular translocation of a copper(II) ion. 2002 , 41, 2553-6	59
2173	Activation of alkanes upon reaction with PhI(OAc) ₂ . 2002 , 41, 2556-8	62
2172	Cobalt(II) Complexes with Nitrogen Donors and Their Dioxygen Affinity in Dimethyl Sulfoxide. 2002 , 2002, 2194-2201	28
2171	Lipophilic Ligands Derived from 1,3,5-Triamino-1,3,5-trideoxy-cis-inositol (Taci) for Trivalent Lanthanide Complexation in Aqueous and Organic Solutions. 2002 , 2002, 2991-2998	4
2170	A polyazacyclophane containing two biphenyl subunits as a versatile cation and anion receptor. 2002 , 2, 107-114	3
2169	Iron(III) 2,3-dihydroxyterephthalamides revisited. Charge effects on highly stable ferric complexes. 2002 , 5, 395-404	5
2168	N-Carboxyalkyl derivatives of 3-hydroxy-4-pyridinones: synthesis, complexation with Fe(III), Al(III) and Ga(III) and in vivo evaluation. 2002 , 92, 43-54	48
2167	Synthesis, molecular structure, solution equilibrium, and antiproliferative activity of thioxotriazoline and thioxotriazole complexes of copper II and palladium II. 2002 , 92, 95-104	39

2166	Basicity and coordination ability of linear hexa-amines in relation to N-(CH ₂) _n -N chain-link lengths. A solution study. <i>Polyhedron</i> , 2002 , 21, 1459-1467	2.7	5
2165	Two triaza-polyamine units linked together by different aromatic spacers, coordination properties towards metal cations of a new compartmental ligand. <i>Polyhedron</i> , 2002 , 21, 1351-1356	2.7	12
2164	Affinity of lanthanide(III) ions for oxygen- and mixed oxygen–nitrogen-donor ligands in dimethylsulfoxide: a thermodynamic and spectroscopic investigation. <i>Polyhedron</i> , 2002 , 21, 1385-1391	2.7	10
2163	Cd(II) complexation in aqueous solution with dipyridine- and phenanthroline-containing polyamine macrocycles. <i>Polyhedron</i> , 2002 , 21, 1329-1335	2.7	15
2162	The influence of N-alkylation and chain length in the coordination ability of diamines towards silver(I) in dimethylsulfoxide. <i>Polyhedron</i> , 2002 , 21, 1337-1342	2.7	5
2161	Metal complexes of edta-derived macrocyclic ether bis(lactones). Hydrolysis of the macrocycles and the metal catalysis effect. <i>Polyhedron</i> , 2002 , 21, 2265-2276	2.7	10
2160	Phosphodiester cleavage by yttrium(III) peroxide complexes. 2002 , 328, 241-246		15
2159	Complexation properties of a new macrocyclic polyaminic ligand (L) containing amidic pendant arms: crystal structure of [PbL](ClO ₄) ₂ . 2002 , 329, 93-99		7
2158	Interaction of (amine)M(II) complexes (amine=dien, en; M=Pd, Pt) with purine nucleoside 2′-, 3′- and 5′-monophosphates—the role of the phosphate site for specific metal fragment–nucleotide recognition by macrochelation. 2002 , 339, 14-26		23
2157	Cation and anion recognition characteristics of open-chain polyamines containing ethylenic and propylenic chains. 2002 , 339, 307-316		36
2156	Synthesis, solution studies and structural characterisation of complexes of a mixed oxaz–za macrocycle bearing nitrile pendant arms. 2002 , 337, 59-69		15
2155	A di-copper(II) bis-tren cage with thiophene spacers as receptor for anions in aqueous solution. 2002 , 337, 70-74		19
2154	Preparation, structure and coordination properties of (15-p-cymene)ruthenium(II) sandwich complexes of catechol and 5-hydroxyindole derivatives. 2002 , 340, 35-43		30
2153	Spectrophotometric determination of acidity constants of 4-(2-pyridylazo)resorcinol in binary methanol–water mixtures. 2002 , 455, 335-342		55
2152	Switching from intramolecular energy transfer to intramolecular electron transfer by the action of pH and Zn ²⁺ co-ordination. 2002 , 353, 63-68		30
2151	A general approach toward the synthesis of C-nucleoside pyrazolo[1,5-a]-1,3,5-triazines and their 3′,5′-bisphosphate C-nucleotide analogues as the first reported in vivo stable P2Y(1)-receptor antagonists. 2002 , 67, 8063-71		46
2150	Thiacrown Ether Substituted Styryl Dyes: Synthesis, Complex Formation and Multiphotochromic Properties. 2002 , 106, 6213-6222		48
2149	Preparation, Reactivity and Peptide Labelling Properties of (15-Arene)ruthenium(II) Complexes with Pendant Carboxylate Groups. 2003 , 2003, 1873-1882		37

2148	Iron(III) Chelation: Tuning of the pH Dependence by Mixed Ligands. 2003 , 2003, 2596-2605	16
2147	Thermodynamics of Complex Formation of Silver(I), Cadmium(II) and Cobalt(II) with Open-Chain Polyamines in Dimethyl Sulfoxide and Molecular Dioxide Binding to Cobalt(II) Complexes. 2003 , 2003, 1948-1955	21
2146	Effect of Mixed Pendant Groups on the Solution Properties of 12-Membered Azapyridinomacrocycles: Evaluation of the Protonation Constants and the Stability Constants of the Europium(III) Complexes. 2003 , 2003, 2834-2838	10
2145	Modulation of the Communication between Redox Centers in a Tris(ferrocene)-tren Ligand by Complexation of Lanthanide Ions. 2003 , 2003, 3767-3773	11
2144	The Coordination Chemistry of the Pentadentate 2,2,6,6-Tetrakis(aminomethyl)-4-azaheptane (ditame). 2003 , 2003, 1340-1354	14
2143	Synthesis of mono-, di-, and trinitro tricarboxymethyl calix[6]arenes for the complexation of uranium(VI). 2003 , 44, 9061-9064	13
2142	Synthesis, characterization, solution equilibria and DNA binding of some mixed-ligand palladium(II) complexes. Thermodynamic models for carboplatin drug and analogous compounds. 2003 , 342, 77-87	31
2141	Complex formation and kinetics of phosphodiester cleavage in the hydrogen peroxide-lanthanide(III) system. 2003 , 351, 97-106	11
2140	Sm(III) complexation with small peptides. Crystal structure of [Sm2(GlyVal)4(H2O)8](ClO4)6·2H2O. 2003 , 355, 442-448	8
2139	The thermodynamics of the formation of Sm(III) mixed-ligand complexes carrying amino acids. 2003 , 355, 175-182	11
2138	Heavy metal ion complexes with a simple phenolic ligand. Solid state and solution studies. 2003 , 356, 203-209	11
2137	A thermodynamic and spectrophotometric study of anion binding with a multifunctional dipyridine-based macrobicyclic receptor. 2003 , 356, 167-178	15
2136	Tetraazamacrocycle bearing quinoline pendant arms and its complexation properties. 2003 , 356, 133-141	5
2135	Synthesis, characterization of a novel calixarene having dipyridyl pendants and study of its complexes with Cu(II) and Co(II). 2003 , 44, 5415-5418	29
2134	Pentacopper(II) 12-metallacrown-4 complexes with alpha- and beta-aminohydroxamic acids in aqueous solution: a reinvestigation. 2003 , 93, 174-80	54
2133	Synthesis, acid-base and coordination properties towards Cu(II), Zn(II), and Cd(II) ions of two new polyamino-phenolic ligands, including the crystal structure of a fully protonated ligand. <i>Polyhedron</i> , 2003 , 22, 1135-1146	2.7 10
2132	Correlation between Solution and the Solid State: The pH Dependent Composition in the Ternary System [Co(H2O)6]2+ or [Ni(H2O)6]2+/Piperazine/Phosphate. 2003 , 629, 195-201	7
2131	CORRELATION OF COMPLEXATION RATE CONSTANTS OF 1:1 IRON CHELATES WITH LIGAND DISSOCIATION CONSTANTS. FOOD CONSIDERATIONS. 2003 , 27, 321-332	2

2130	Metal chelates of 2-hydroxy-4-methylthiobutanoic acid in animal feeding: preliminary investigations on stability and bioavailability. 2003 , 95, 221-4	9
2129	Alkylaryl-amino derivatives of 3-hydroxy-4-pyridinones as aluminium chelating agents with potential clinical application. 2003 , 97, 161-72	25
2128	Iminodiacetyl-hydroxamate derivatives as metalloproteinase inhibitors: equilibrium complexation studies with Cu(II), Zn(II) and Ni(II). 2003 , 97, 345-53	11
2127	Dinuclear copper(II) complex as nitric oxide scavenger in a stimulated murine macrophage model. 2003 , 14, 1165-70	11
2126	Complex Formation of Fe(II) and Fe(III) Ions with Octafunctionalized C-Methyl-calix[4]resorcinarene Possessing $\text{-CH}_2\text{COOH}$ (K) Moieties. 2003 , 107, 4727-4731	17
2125	Europium ion catalyzed methanolysis of esters at neutral pH and ambient temperature. catalytic Involvement of $\text{Eu}^{3+}(\text{CH}_3\text{O})_x(\text{CH}_3\text{OH})_x$. 2003 , 42, 228-34	20
2124	Relations between Protonation Constants and Titration Curves in Polyprotic Acids: A Critical View. 2003 , 107, 1263-1271	83
2123	Monitoring the redox-driven assembly/disassembly of a dicopper(I) helicate with an auxiliary fluorescent probe. 2003 , 42, 1632-6	37
2122	Coordination chemistry of a new cofacial binucleating macropolycycle derived from 1,4,7-triazacyclononane. 2003 , 42, 8690-701	14
2121	The effect of ligand scaffold size on the stability of tripodal hydroxypyridonate gadolinium complexes. 2003 , 42, 2577-83	29
2120	Metal complexes with a new N(4)O(3) amine pendant-armed macrocyclic ligand: synthesis, characterization, crystal structures, and fluorescence studies. 2003 , 42, 6768-79	70
2119	Synthesis and spectroscopic and structural characterization of two novel photoactivatable Ca^{2+} compounds. 2003 , 42, 5871-9	12
2118	Ni(II), Cu(II), and Zn(II) dinuclear metal complexes with an aza-phenolic ligand: crystal structures, magnetic properties, and solution studies. 2003 , 42, 348-57	62
2117	Designing the selectivity of the fluorescent detection of amino acids: a chemosensing ensemble for histidine. <i>Journal of the American Chemical Society</i> , 2003 , 125, 20-1	16.4 212
2116	Billion-fold acceleration of the methanolysis of paraoxon promoted by $\text{La}(\text{OTf})_3$ in methanol. <i>Journal of the American Chemical Society</i> , 2003 , 125, 7602-7	16.4 73
2115	La^{3+} -catalyzed methanolysis of N-aryl-beta-lactams and nitrocefin. 2003 , 42, 8624-32	17
2114	Complexation of beryllium(II) ion by phosphinate ligands in aqueous solution. Synthesis and XRPD structure determination of $\text{Be}[(\text{PhPO}_2)_2\text{CH}_2](\text{H}_2\text{O})_2$. 2003 , 42, 2350-6	27
2113	Energetics of phosphate binding to ammonium and guanidinium containing metallo-receptors in water. <i>Journal of the American Chemical Society</i> , 2003 , 125, 14807-15	16.4 152

2112	Unusually high phosphodiesterolytic activity of La(III) hydroxide complexes stabilized by glycine derivatives. 2003 , 1968-70	14
2111	Copper(II) and Zn(II) coordination chemistry of tetraaza[n]cyclophanes. 2003 , 27, 1132-1139	14
2110	Dinuclear copper and zinc complexes of a hexaazamacrocyclic containing p-xylyl spacers and bridging anions: theoretical and spectroscopic studies. 2003 , 4261-4270	25
2109	Complex formation equilibria in the binary Zn ²⁺ +̄xalate and In ³⁺ +̄xalate systems. 2003 , 2698-2703	7
2108	Metal complexes of a tetraazacyclophane: solution and molecular modelling studies. 2003 , 1852	13
2107	Excimer emission induced by metal ion coordination in 1,8-naphthalimide-tethered iminopyridine ligands. 2003 , 4537	42
2106	Zn(II) coordination to tren-based tris-macrocycles. Activity of their trinuclear Zn(II) complexes in carboxy- and phosphate-ester hydrolysis. 2003 , 3574-3580	14
2105	Potentiometric, FTIR and NMR studies of the complexation of metals with theaflavin. 2003 , 801	18
2104	Hydrogen-ion driven molecular motions in Cu ²⁺ -complexes of a ditopic phenanthrolineophane ligand. 2003 , 3032-3	15
2103	Metal complexes of a dipyrindine octaazamacrocyclic: stability constants, structural and modelling studies. 2003 , 3172-3183	9
2102	Toward optimized high-relaxivity MRI agents: the effect of ligand basicity on the thermodynamic stability of hexadentate hydroxypyridonate/catecholate gadolinium(III) complexes. 2003 , 42, 4930-7	71
2101	Intramolecular Excimer Formation in a Tripodal Polyamine Receptor Containing Three Naphthalene Fluorophores. 2003 , 107, 6573-6578	54
2100	Protonated macrocyclic Zn(II) complexes as polyfunctional receptors for ATP. 2003 , 2564-2572	19
2099	Complex formation between uranium(VI) and ̄D-glucose 1-phosphate. 2003 , 91, 393-396	10
2098	Potentiometric titration of metal ions in methanol. 2003 , 81, 495-504	42
2097	Transition-metal-based Chemosensing Ensembles: ATP Sensing in Physiological Conditions. 2003 , 15, 617-625	49
2096	Synthesis and structure of cyclen hydroxylamine ligands and their zinc(II) complexes. 2003 , 141-145	7
2095	Bistable copper complexes of bis-thia-bis-quinoline ligands. 2003 , 42, 6056-62	15

2094	Data analysis in the determination of stoichiometries and stability constants of complexes. 2003 , 19, 1431-9	28
2093	Potentiometric Titration. 2004 , 1-5	
2092	Stability Constants: Definition and Determination. 2004 , 1360-1364	
2091	Uranium(VI) complexes with sugar phosphates in aqueous solution. 2004 , 92, 903-908	48
2090	Stability constants of , Th ⁴⁺ and Ce ³⁺ with L-asparagine and thermodynamic parameters. 2004 , 42, 569-575	2
2089	Speciation in the chromium(III)-glutathione system. 2004 , 16, 45-52	10
2088	Characterization and metal affinity of Tirofiban, a pharmaceutical compound used in acute coronary syndromes. 2004 , 17, 145-55	2
2087	¹⁵³ Sm and ¹⁶⁶ Ho complexes with tetraaza macrocycles containing pyridine and methylcarboxylate or methylphosphonate pendant arms. 2004 , 9, 859-72	23
2086	Molecular design of an acid-base cooperative catalyst for RNA cleavage based on a dizinc complex. 2004 , 9, 914-21	14
2085	Application of multivariate resolution methods to the study of biochemical and biophysical processes. 2004 , 327, 1-13	46
2084	Synthesis and iron-binding properties of quinolobactin, a siderophore from a pyoverdine-deficient <i>Pseudomonas fluorescens</i> . 2004 , 17, 691-7	15
2083	Complex Formation of 2, 6-Bis-(2'-hydroxyphenyl)pyridine with Al ^{III} , Fe ^{III} and Cu ^I . 2004 , 630, 1829-1838	24
2082	Glycosyl-Curcuminoids as Potential New Chelating Agents in Iron Overload Chelation Therapy. 2004 , 2004, 646-652	9
2081	Lanthanide Homobimetallic Triple-Stranded Helicates: Insight into the Self-Assembly Mechanism. 2004 , 2004, 51-62	65
2080	An Energy Dispersive X-ray Diffraction Study of Dioxouranium(VI) in 1 M Lithium Citrate. 2004 , 2004, 2739-2746	9
2079	Structure Comparison of Early and Late Lanthanide(III) Homodinuclear Macrocyclic Complexes with the Polyamine Polycarboxylic Ligand H8OHEC. 2004 , 2004, 3852-3864	4
2078	Dinuclear Zn ^{II} Complexes of Polydentate Polyamines as Minimalist Models of Hydrolytic Reactions. 2004 , 2004, 4061-4071	14
2077	Complex Formation of ICL670 and Related Ligands with Fe ^{III} and Fe ^{II} . 2004 , 2004, 4177-4192	128

- 2076 Protonation and Zn(II) complexation with versatile valine and glycylglycine N-pyrimidines derivatives: crystal structures of layered $\{[Zn(HL1)_2] \cdot 2H_2O\}_n$ and $[Zn(HL2)_2(H_2O)_4]$. **2004**, 357, 2007-2014 15
- 2075 Equilibrium and kinetic studies of ligand BMXD complexation with copper(II) and glycylglycine. **2004**, 357, 2261-2268 8
- 2074 Cobalt(II) and cadmium(II) chelates with nitrogen donors and O₂ bonding to Co(II) derivatives. **2004**, 357, 3473-3482 20
- 2073 Formation and phosphodiesterolytic activity of lanthanide(III) N,N-bis(2-hydroxyethyl)glycine hydroxo complexes. **2004**, 357, 3483-3492 11
- 2072 Fluorescent detection of glutamate with a dicopper(II) polyamine cage. **2004**, 60, 11159-11162 59
- 2071 Succinylhydroxamic derivatives of alpha-amino acids as MMP inhibitors. Study of complex-formation equilibria with Cu²⁺, Ni²⁺ and Zn²⁺. **2004**, 98, 209-18 28
- 2070 Iron(III) complexing ability of carbohydrate derivatives. **2004**, 98, 1002-8 18
- 2069 Nickel(II) binding to Cap43 protein fragments. **2004**, 98, 931-9 23
- 2068 A chromogenic penta-aza scorpionand for nickel(II) and copper(II) ions. *Polyhedron*, **2004**, 23, 373-378 2.7 13
- 2067 Complexation of uranium(VI) with glycerol 1-phosphate. *Polyhedron*, **2004**, 23, 1793-1797 2.7 18
- 2066 A new bis(3-hydroxy-4-pyridinone)-IDA derivative as a potential therapeutic chelating agent. Synthesis, metal-complexation and biological assays. **2004**, 3772-81 40
- 2065 Cs⁺/Na⁺ Separation by Nanofiltration-Complexation with Resorcinarene. **2004**, 39, 2577-2595 6
- 2064 Phosphodiesterolytic activity of alkaline-earth cations in aqueous DMSO. **2004**, 1228-1229 8
- 2063 Complexation of thorium(IV) with acetate at variable temperatures. **2004**, 2867-72 19
- 2062 Interactions of Cu²⁺ ions with chicken prion tandem repeats. **2004**, 2102-7 42
- 2061 Dinuclear Zn²⁺ complexes in the hydrolysis of the phosphodiester linkage in a diribonucleoside monophosphate diester. **2004**, 605-10 39
- 2060 Studies on the interaction of phosphate anions with N-functionalised polyaza[n]paracyclophanes: the role of N-methylation. **2004**, 2, 816-20 29
- 2059 Coordination features of ditopic oxa-azamacrocycles toward Ni(II) and Co(II). Dioxygen uptake by their dinuclear Co(II) complexes. **2004**, 463-9 9

2058	Synthesis and coordination properties of new macrocyclic ligands: equilibrium studies and crystal structures. 2004 , 3468-74	17
2057	Co-ordination chemistry of amino pendant arm derivatives of 1,4,7-triazacyclononane. 2004 , 1934-44	15
2056	Using micelles for a new approach to fluorescent sensors for metal cations. 2004 , 1650-1	79
2055	Unexpected formation of a copper(II) 12-metallacrown-4 with (S)-glutamic-gamma-hydroxamic acid: a thermodynamic and spectroscopic study in aqueous solution. 2004 , 1329-33	26
2054	Relative importance of hydrogen bonding and coordinating groups in modulating the zinc-water acidity. 2004 , 76-7	54
2053	Novel coordinating motifs for lanthanide(III) ions based on 5-(2-pyridyl)tetrazole and 5-(2-pyridyl-1-oxide)tetrazole. Potential new contrast agents. 2004 , 1770-1	44
2052	Quantifying the relative contribution of hydrogen bonding and hydrophobic environments, and coordinating groups, in the zinc(II)-water acidity by synthetic modelling chemistry. 2004 , 1648-55	43
2051	Stability and kinetics of the acid-promoted decomposition of Cu(II) complexes with hexaazacyclophanes: kinetic studies as a probe to detect changes in the coordination mode of the macrocycles. 2004 , 94-103	23
2050	Bis[1,1'-N,N'-(2-picolyl)aminomethyl]ferrocene as a redox sensor for transition metal ions. 2004 , 1743-51	19
2049	Bis- and tris-(methylphosphonic) acid derivatives of a 14-membered tetraazamacrocycle containing pyridine: synthesis, protonation and complexation studies. 2004 , 1812-22	30
2048	A new pyridine-based 12-membered macrocycle functionalised with different fluorescent subunits; coordination chemistry towards Cu(II), Zn(II), Cd(II), Hg(II), and Pb(II). 2004 , 2771-9	42
2047	Three-component systems for conventional and window-shaped response fluorescent pH indicators. 2004 , 2850-4	8
2046	2004 Bader Award Lecture Metal-ion-catalyzed acyl and phosphoryl transfer reactions to alcohols: La ³⁺ -promoted alcoholysis of activated amides, carboxylate esters, and neutral organophosphorus esters. 2004 , 82, 1791-1805	29
2045	Synthesis, characterization, and structures of copper(II)-thiosulfate complexes incorporating tripodal tetraamine ligands. 2004 , 43, 6568-78	26
2044	Complex formation of vanadium(IV) with 1,3,5-triamino-1,3,5-trideoxy-cis-inositol and related ligands. 2004 , 43, 3116-26	43
2043	Thermodynamics of Host-Guest Interactions in Lower Rim Functionalized Calix[4]arenes and Metal Cations: The Medium Effect. 2004 , 108, 11384-11392	22
2042	Synthesis, characterization, and X-ray crystal structures of cyclam derivatives. 5. Copper(II) binding studies of a pyridine-strapped 5,12-dioxocyclam-based macrobicycle. 2004 , 43, 5572-87	32
2041	Synthesis and H ⁺ , Cu ²⁺ , and Zn ²⁺ coordination behavior of a bis(fluorophoric) bibrachial lariat aza-crown. 2004 , 43, 6114-22	59

2040	Iron chelation properties of an extracellular siderophore exochelin MS. 2004 , 43, 6274-83		25
2039	New terpyridine-containing macrocycle for the assembly of dimeric Zn(II) and Cu(II) complexes coupled by bridging hydroxide anions and pi-stacking interactions. 2004 , 43, 5134-46		36
2038	Increased Complexation Ability of Water-Soluble Calix[4]resorcinarene Octacarboxylate toward Phenol by the Assistance of Fe(II) Ions. 2004 , 108, 15519-15522		13
2037	Complexation of Calix[4]arene Derivatives and Trivalent Cations in Dipolar Aprotic Media. 2004 , 108, 1082-1089		22
2036	Metal complexation by the peptide-bound maillard reaction products N(epsilon)-fructoselysine and N(epsilon)-carboxymethyllysine. 2004 , 52, 2347-50		35
2035	Hydrolysis of uranium(VI) at variable temperatures (10-85 degrees C). <i>Journal of the American Chemical Society</i> , 2004 , 126, 5515-22	16.4	101
2034	Cationic lanthanide complexes of neutral tripodal N,O ligands: enthalpy versus entropy-driven podate formation in water. 2004 , 2012-8		20
2033	Nature of urea-fluoride interaction: incipient and definitive proton transfer. <i>Journal of the American Chemical Society</i> , 2004 , 126, 16507-14	16.4	758
2032	New 1H-pyrazole-containing polyamine receptors able to complex L-glutamate in water at physiological pH values. <i>Journal of the American Chemical Society</i> , 2004 , 126, 823-33	16.4	92
2031	A highly efficient, preorganized macrobicyclic receptor for halides based on CH... and NH...anion interactions. <i>Journal of the American Chemical Society</i> , 2004 , 126, 12395-402	16.4	222
2030	Zn ²⁺ -catalyzed methanolysis of phosphate triesters: a process for catalytic degradation of the organophosphorus pesticides paraoxon and fenitrothion. 2004 , 43, 6752-61		42
2029	Hydrolysis of neptunium(V) at variable temperatures (10B5°C). 2004 , 68, 4821-4830		66
2028	Copper-mediated LDL oxidation by homocysteine and related compounds depends largely on copper ligation. 2004 , 1688, 33-42		21
2027	2-O-(2-Aminoethyl)-myo-inositol 1,4,5-trisphosphate as a novel ligand for conjugation: physicochemical properties and synthesis of a new Ins(1,4,5)P(3) affinity matrix. 2004 , 318, 444-52		6
2026	Spectrophotometric study of complexation equilibria with H-point standard addition and H-point curve isolation methods. <i>Talanta</i> , 2004 , 62, 151-63	6.2	14
2025	On the hydrolysis of the Dysprosium(III) ion. 2004 , 16, 71-77		5
2024	Outer-Sphere Coordination of Uranyl Carbonate by Modified Cyclodextrins: Implications for Speciation and Remediation. 2004 , 108-121		
2023	Interaction of Actinides with Carboxylates in Solution. 2005 , 6, 31-37		16

2022	Solution behaviour of myo-inositol hexakisphosphate in the presence of multivalent cations. Prediction of a neutral pentamagnesium species under cytosolic/nuclear conditions. 2005 , 99, 828-40	146
2021	Synthesis, solution equilibria and antiproliferative activity of copper(II) aminomethyltriazole and aminomethylthioxotriazoline complexes. 2005 , 99, 1573-84	26
2020	A N,N'-diacetate benzodioxotetraazamacrocycle and its transition metal complexes. <i>Polyhedron</i> , 2005 , 24, 451-461	2.7 5
2019	Structure, solution equilibria and magnetic properties of copper(II) complexes with new sulfurated triazoline derivatives of amino acids. 2005 , 358, 147-160	4
2018	Phosphodiesterolytic activity of lanthanide (III) complexes with amino acids. 2005 , 358, 3320-3328	15
2017	Host-guest interaction between water-soluble calix[6]arene hexasulfonate and p-nitrophenol. 2005 , 425, 121-126	38
2016	Interaction between quinolones antibiotics and bacterial outer membrane porin OmpF. 2005 , 113, 123-8	38
2015	A two-channel chemosensor for the optical detection of carboxylic acids, including cholic acid. 2005 , 15, 2670	47
2014	Coordination behavior toward copper(II) and zinc(II) ions of three ligands joining 3-hydroxy-2-pyridinone and polyaza fragments. 2005 , 44, 3249-60	20
2013	The effect of pyridinecarboxylate chelating groups on the stability and electronic relaxation of gadolinium complexes. 2005 , 1129-35	50
2012	Synthesis and Metal-Complexation Properties of a New Hydroxypyrimidinone-Functionalized Sepharose. 2005 , 2005, 597-605	8
2011	Electronic Interactions in Ferrocene- and Ruthenocene-Functionalized Tetraazamacrocyclic Ligand Complexes of FeII/III, CoII, NiII, CuII and ZnII. 2005 , 2005, 383-388	7
2010	CuII and ZnII Coordination Chemistry of Pyrazole-Containing Polyamine Receptors [Influence of the Hydrocarbon Side Chain Length on the Metal Coordination. 2005 , 2005, 189-208	34
2009	Mono- and Dinuclear CuII and ZnII Complexes of Cyclen-Based Bis(macrocycles) Containing Two Aminoalkyl Pendant Arms of Different Lengths. 2005 , 2005, 2044-2053	18
2008	Hexaazamacrocycle Containing Pyridine and Its Dicopper Complex as Receptors for Dicarboxylate Anions. 2005 , 2005, 4550-4561	24
2007	Adsorption of Zn ²⁺ and Cd ²⁺ from Aqueous Solution onto a Carbon Sorbent Containing a Pyrimidine-Polyamine Conjugate as Ion Receptor. 2005 , 2005, 3093-3103	26
2006	A New ZnII Tweezer Pyridine-Naphthalene System [An Off-On-Off System Working in a Biological pH Window. 2005 , 2005, 4301-4308	22
2005	Solvent Role on Cobalt(II) Dioxygen Carriers Based on Simple Polyamine Ligands. 2005 , 88, 839-853	17

2004	Self-assembly of an amphiphilic iron(III) chelator: mimicking iron acquisition in marine bacteria. 2005 , 44, 2580-2	26
2003	Optical absorption and structure of a highly symmetrical neptunium(V) diamide complex. 2005 , 44, 6200-3	67
2002	Self-Assembly of an Amphiphilic Iron(III) Chelator: Mimicking Iron Acquisition in Marine Bacteria. 2005 , 117, 2636-2638	6
2001	Optical Absorption and Structure of a Highly Symmetrical Neptunium(V) Diamide Complex. 2005 , 117, 6356-6359	9
2000	The second acidic constant of salicylic acid. 2005 , 95, 551-8	7
1999	Anion receptors containing -NH binding sites: hydrogen-bond formation or neat proton transfer?. 2004 , 11, 120-7	101
1998	Anion-induced urea deprotonation. 2005 , 11, 3097-104	240
1997	What anions do inside a receptor's cavity: a trifurcate anion receptor providing both electrostatic and hydrogen-bonding interactions. 2005 , 11, 5648-60	105
1996	N-Arylamine derivatives of 3-hydroxy-4-pyridinones: solution studies and bioevaluation in view of Al-detoxification roles. 2005 , 381, 413-9	5
1995	Metal chelates of 2-hydroxy-4-methylthiobutanoic acid in animal feeding. Part 2: Further characterizations, in vitro and in vivo investigations. 2005 , 99, 627-36	24
1994	Hg(II)-coordination by sugar-acids: role of the hydroxy groups. 2005 , 99, 2381-6	10
1993	Thermodynamic and spectroscopic studies of copper (II) complexes with three bis(amide) ligands derived from L-tartaric acid. 2005 , 99, 2423-35	14
1992	Anion binding by a copper(II) complex of a reinforced open-chain tetramine. 2005 , 8, 1519-1526	3
1991	Bifunctional 3-hydroxy-4-pyridinone derivatives as potential pharmaceuticals: synthesis, complexation with Fe(III), Al(III) and Ga(III) and in vivo evaluation with ⁶⁷ Ga. 2005 , 10, 564-80	42
1990	Copper(II) complexes with chicken prion repeats: influence of proline and tyrosine residues on the coordination features. 2005 , 10, 463-75	38
1989	Synthesis and Structural Characterisation of Two Novel Diastereoisomeric Naproxen Appended β -Cyclodextrin Derivatives. 2005 , 51, 173-180	2
1988	Self-assembly of a (benzothiazolyl)ethenylbenzocrown ether into a sandwich complex and stereoselective [2+2] photocycloaddition. 2005 , 54, 1569-1579	10
1987	Supramolecular assemblies of crown-containing 4-styrylpyridine in the presence of metal cations. 2005 , 18, 1032-1041	16

- 1986 Complexation of Actinides with Amide Derivatives of Oxydiacetic Acid. **2005**, 893, 1 3
- 1985 Metal-containing trifurcate receptor that recognizes and senses citrate in water. **2005**, 7, 2603-6 88
- 1984 Urea vs. thiourea in anion recognition. **2005**, 3, 1495-500 321
- 1983 Synthesis, complexation, and photochemistry of benzobisthiazole-based bis(crown ether). **2005**, 54, 2119-2128; 3
- 1982 Cyclen based bis-macrocyclic ligands as phosphates receptors. A potentiometric and NMR study. **2005**, 3016-24 35
- 1981 Synthesis, characterization and X-ray crystal structures of cyclam derivatives. 7. Hydrogen-bond induced allosteric effects and protonation cooperativity in a macrotricyclic bisdioxocyclam receptor. **2005**, 29, 1121 5
- 1980 Co(II) and Cd(II) complexation with two dipyrindine-containing macrocyclic polyamines in water and dimethyl sulfoxide. **2005**, 29, 805 8
- 1979 Binuclear Cu²⁺ complex mediated discrimination between L-glutamate and L-aspartate in water. **2005**, 3086-8 38
- 1978 Aluminium(III) complexes of S-histidine: synthesis, characterization and potentiometric and spectroscopic study of solution equilibria. **2005**, 58, 1615-1629 2
- 1977 Synthesis, characterization and X-ray crystal structures of cyclam derivatives. Part VI. Proton binding studies of a pyridine-strapped 5,12-dioxocyclam based macrobicycle. **2005**, 29, 99-108 18
- 1976 Structure and stability of the CuII complexes with tandem repeats of the chicken prion. **2005**, 44, 12940-54 35
- 1975 Ditopic hexaazamacrocycles containing pyridine: synthesis, protonation and complexation studies. **2005**, 82-91 16
- 1974 A yellow transient forms in the decomposition in acidic solution of the blue-violet nickel(II) complex of a trifurcated hexamine. **2005**, 2672-4
- 1973 Coordination chemistry of N-aminopropyl pendant arm derivatives of mixed N/S-, and N/S/O-donor macrocycles, and construction of selective fluorimetric chemosensors for heavy metal ions. **2005**, 2994-3004 41
- 1972 Ag(I) complexes with alkylidene-bis(2-aminopyrimidines) as building units for discrete metallomacrocyclic frames. A structural and solution study. **2005**, 3763-72 6
- 1971 Shape-complementarity in the recognition of tricarboxylic acids by a [3+3] polyazacyclophane receptor. **2005**, 70, 2042-7 28
- 1970 Solvent control on the selective, nonselective, and absent response of a partially substituted lower rim calix(4)arene derivative for soft metal cations (mercury(II) and silver(I)). Structural and thermodynamic studies. **2005**, 109, 6743-51 20
- 1969 Synthesis, characterization, and x-ray crystal structures of cyclam derivatives. 8. Thermodynamic and kinetic appraisal of lead(II) chelation by octadentate carbamoyl-armed macrocycles. **2005**, 44, 7895-910 26

1968	Electronic structure study of seven-coordinate first-row transition metal complexes derived from 1,10-diaza-15-crown-5: a successful marriage of theory with experiment. 2005 , 44, 9704-13	50
1967	Intramolecular protonation process of norbadione A: influence of the ionic environment and stereochemical consequences. <i>Journal of the American Chemical Society</i> , 2005 , 127, 1323-33	16.4 20
1966	Role of anions on the crystal structures of copper(II) and zinc(II) complexes of a tunable butterfly cyclophane macrocycle. 2005 , 44, 7503-10	7
1965	Fluorometric Detection of pH and Metal Cations by 1,4,7,10-Tetraazacyclododecane (Cyclen) Bearing Two Anthrylmethyl Groups. 2005 , 44, 847-851	13
1964	Emf(H) data analysis of weak metallic complexes using reduced formation functions. 2005 , 58, 501-512	46
1963	Unexpected effect of charge density of the aromatic guests on the stability of calix[6]arene-phenol host-guest complexes. 2005 , 109, 5237-42	31
1962	Inorganic-organic hybrids formed by P,P'-diphenylmethylenediphosphinate, pcp ²⁻ , with the Cu ²⁺ ion. X-ray crystal structures of [Cu(pcp)(H ₂ O) ₂] x H ₂ O and [Cu(pcp)(bipy)(H ₂ O)]. 2005 , 44, 4008-16	25
1961	Tren-based tris-macrocycles as anion hosts. Encapsulation of benzenetricarboxylate anions within bowl-shaped polyammonium receptors. 2005 , 70, 4257-66	32
1960	Ligand adsorption on an activated carbon for the removal of chromate ions from aqueous solutions. 2005 , 21, 6908-14	38
1959	Uranyl-peptide interactions in carbonate solution with DAHK and derivatives. 2005 , 44, 813-5	25
1958	Lateral macrobicyclic architectures: toward new lead(II) sequestering agents. 2005 , 44, 5428-36	20
1957	Dramatically enhanced carbon acidity of the nitrobenzyl fragment in a nickel(II) scorpionate complex. 2005 , 7, 3417-20	10
1956	Synthesis and multitopic complex formation of a photochromic bis(crown ether) based on benzobis(thiazole). 2005 , 109, 8653-60	19
1955	Chiral receptors for phosphate ions. 2005 , 3, 2632-9	90
1954	Polyaza metacyclophanes as ditopic anion receptors. 2005 , 3, 2935-45	26
1953	Stability of ferric complexes with 3-hydroxyflavone (flavonol), 5,7-dihydroxyflavone (chrysin), and 3',4'-dihydroxyflavone. 2005 , 53, 2953-60	93
1952	A ditopic fluorescent sensor for potassium fluoride. 2005 , 945-7	84
1951	A calix(4)arene pyridine derivative and its monomeric component: structural and thermodynamic aspects of their complexation with metal cations. 2005 , 109, 14735-41	16

1950	Proton-induced fluorescence switching in novel naphthalimide-dansylamide dyads. 2005 , 70, 10565-8	50
1949	Bis-azamacrocyclic anthracene as a fluorescent chemosensor for cations in aqueous solution. 2005 , 109, 19139-47	37
1948	Metal-enhanced H-bond donor tendencies of urea and thiourea toward anions: ditopic receptors for silver(I) salts. 2005 , 44, 8690-8	62
1947	Model-Based Analysis for Kinetic and Equilibrium Investigations. 2006 , 36, 199-209	35
1946	Synthesis of a large amino-phenolic cage. Synthesis, crystal structures, and acid-base and coordination behavior toward cations and anions. 2006 , 45, 304-14	30
1945	Potentiometric titration of metal ions in ethanol. 2006 , 45, 7891-902	24
1944	Fe(III)-coordination properties of neuromelanin components: 5,6-dihydroxyindole and 5,6-dihydroxyindole-2-carboxylic acid. 2006 , 45, 3657-64	112
1943	Bis- and tris-(3-aminopropyl) derivatives of 14-membered tetraazamacrocycles containing pyridine: synthesis, protonation and complexation studies. 2006 , 4124-33	16
1942	ReO ₂ ⁺ chelates with aliphatic diamines. Structural and proton transfer properties. 2006 , 30, 1650-1654	7
1941	A highly enantioselective abiotic receptor for malate dianion in aqueous solution. 2006 , 1227-9	32
1940	Inclusive coordination of F ⁻ , Cl ⁻ and Br ⁻ anions into macrobicyclic polyammonium receptors. 2006 , 30, 959-965	9
1939	Cu ²⁺ and AMP complexation of enlarged tripodal polyamines. 2006 , 4474-81	19
1938	Host-guest interaction between cyclen based macrotricyclic ligands and phosphate anions. A potentiometric investigation. 2006 , 3418-26	29
1937	Coordination features of a terpyridine-containing polyamine receptor. Effect of protonation on the photophysical properties of the complexes. 2006 , 5743-52	14
1936	Specific interaction of citrate with bis(fluorophoric) bibrachial lariat aza-crown in comparison with the other components of the Krebs cycle. 2006 , 3824-6	29
1935	Dioxadiaz- and trioxadiaz-macrocycles containing one dibenzofuran unit selective for cadmium. 2006 , 5396-403	15
1934	N-Methylation Effects on the Coordination Chemistry of Cyclic Triamines with Divalent Transition Metals and Their Coll Dioxygen Carriers. 2006 , 2006, 304-314	20
1933	A highly selective chromo- and fluorogenic dual responding fluoride sensor: naked-eye detection of F ⁻ ion in natural water via a test paper. 2006 , 3678-84	117

1932	Inclusion of naturally occurring amino acids in water soluble calix[4]arenes: a microcalorimetric and ¹ H NMR investigation supported by molecular modeling. 2006 , 4, 243-9		81
1931	Supramolecular assemblies of crown-containing 2-styrylbenzothiazole with amino acids. 2006 , 4, 1007-13		9
1930	Soft Matter pH Sensing: From Luminescent Lanthanide pH Switches in Solution to Sensing in Hydrogels. 2006 , 18, 4336-4343		95
1929	Bacillibactin-mediated iron transport in <i>Bacillus subtilis</i> . <i>Journal of the American Chemical Society</i> , 2006 , 128, 22-3	16.4	87
1928	Recognition of dicarboxylate anions by a ditopic hexaazamacrocycle containing bis-p-xylyl spacers. 2006 , 30, 247		30
1927	The sodium salt of diethyl 1H-pyrazole-3,5-dicarboxylate as an efficient amphiphilic receptor for dopamine and amphetamines. crystal structure and solution studies. <i>Journal of the American Chemical Society</i> , 2006 , 128, 16458-9	16.4	32
1926	Metal-controlled assembly and selectivity of a urea-based anion receptor. 2006 , 45, 6138-47		69
1925	Resorcarene-based receptor: versatile behavior in its interaction with heavy and soft metal cations. 2006 , 110, 2442-50		20
1924	Tren-based analogues of bacillibactin: structure and stability. 2006 , 45, 5465-78		22
1923	Cation/anion recognition by a partially substituted lower rim calix[4]arene hydroxyamide, a ditopic receptor. 2006 , 110, 9575-84		13
1922	CO ₂ Fixation by Cu ²⁺ and Zn ²⁺ complexes of a terpyridinophane aza receptor. Crystal structures of Cu ²⁺ complexes, pH-metric, spectroscopic, and electrochemical studies. 2006 , 45, 3803-15		42
1921	Tandem repeat-like domain of "similar to prion protein" (StPrP) of Japanese pufferfish binds Cu(II) as effectively as the mammalian protein. 2006 , 45, 12227-39		17
1920	Nitro-functionalization and luminescence quantum yield of Eu(III) and Tb(III) benzoic acid complexes. 2006 , 4093-103		81
1919	Electronic communication and negative binding cooperativity in diborylated bithiophenes. <i>Journal of the American Chemical Society</i> , 2006 , 128, 16554-65	16.4	118
1918	Eu(III) and Tb(III) luminescence sensitized by thiophenyl-derivatized nitrobenzoato antennas. 2006 , 45, 10138-46		116
1917	Complexation of thorium(IV) with malonate at variable temperatures. 2006 , 408-412, 1252-1259		7
1916	Synthesis and Protonation Constants of an Amide-Based Chelating Cyclophane. 2006 , 2006, M519		
1915	Tutorial on a chemical model building by least-squares non-linear regression of multiwavelength spectrophotometric pH-titration data. 2006 , 580, 107-21		40

1914	2,2'-Oxydiacetato-bridged complexes containing Sm(III) and bivalent cations. Synthesis, structure, magnetic properties and chemical speciation. 2006 , 825, 60-69		20
1913	Phosphodiesterolytic activity of samarium(III) mixed ligand complexes containing crown ethers and amino acids. 2006 , 359, 2107-2114		6
1912	Synthesis and Cu(II) coordination of two new hexaamines containing alternated propylenic and ethylenic chains: Kinetic studies on pH-driven metal ion slippage movements. 2006 , 359, 2004-2014		12
1911	Potentiometric, spectrophotometric, theoretical studies and binding properties of a novel tripodal polycatechol-amine ligand with lanthanide(III) ions. <i>Polyhedron</i> , 2006 , 25, 722-736	2.7	27
1910	Studies of the interaction between bis(dithiocarbamato)copper(II) complexes with nitric oxide in aqueous solution and biological applications. <i>Polyhedron</i> , 2006 , 25, 3366-3378	2.7	19
1909	Complex formation of neptunium(V) with 4-hydroxy-3-methoxybenzoic acid studied by time-resolved laser-induced fluorescence spectroscopy with ultra-short laser pulses. 2006 , 63, 603-8		8
1908	Potentiometric and spectrophotometric study of a new dipodal ligand N,N'-bis{2-[(2-hydroxybenzylidene)amino]ethyl}malonamide with Co(II), Ni(II), Cu(II) and Zn(II). 2006 , 63, 574-86		17
1907	Spectrophotometric determination of acidity constants of alizarine red S in water, water-Brij-35 and water-SDS micellar media solutions. 2006 , 64, 660-4		30
1906	Coordination abilities of piperid-1-yl-methane-1,1-diphosphonic acids towards zinc(II), magnesium(II) and calcium(II): potentiometric and NMR studies. 2006 , 100, 1155-66		21
1905	From ligand to complexes: inhibition of human immunodeficiency virus type 1 integrase by beta-diketo acid metal complexes. 2006 , 49, 4248-60		76
1904	Calix[4]azacrowns as novel molecular scaffolds for the generation of visible and near-infrared lanthanide luminescence. 2006 , 45, 2652-60		56
1903	Phosphate ester hydrolysis by hydroxo complexes of trivalent lanthanides stabilized by 4-imidazolecarboxylate. 2006 , 45, 9502-17		61
1902	Potentiometric and Multinuclear Magnetic Resonance Study of the Solution Equilibria Between Aluminium(III) Ion and L-Aspartic Acid. 2006 , 137, 717-735		1
1901	Approach to accuracy assessment of the glass-electrode potentiometric determination of acid-base properties. 2006 , 10, 494-500		3
1900	Acidity constants in different media (I=0 and I=0.1 M KCl) from the uncertainty perspective. 2006 , 385, 1124-39		3
1899	13- and 14-membered macrocyclic ligands containing methylcarboxylate or methylphosphonate pendant arms: chemical and biological evaluation of their (¹⁵³ Sm and (¹⁶⁶ Ho) complexes as potential agents for therapy or bone pain palliation. 2006 , 100, 270-80		57
1898	Micelles for the self-assembly of "off-on-off" fluorescent sensors for pH windows. 2006 , 12, 921-30		78
1897	Single and double pH-driven Cu ²⁺ translocation with molecular rearrangement in alkyne-functionalized polyamino polyamido ligands. 2006 , 12, 5535-46		23

- 1896 Lanthanide complexes of a picolinate ligand derived from 1,4,7-triazacyclononane with potential application in magnetic resonance imaging and time-resolved luminescence imaging. **2006**, 12, 7133-50 93
- 1895 Methylazacalixpyridines: remarkable bridging nitrogen-tuned conformations and cavities with unique recognition properties. **2006**, 12, 9262-75 122
- 1894 Catalytic decomposition of simulants for chemical warfare V agents: highly efficient catalysis of the methanolysis of phosphonothioate esters. **2006**, 45, 1767-70 41
- 1893 The Coordination Chemistry of 1,4-Diazepan-6-amine. **2006**, 2006, 314-328 17
- 1892 Affinity of Polypyridines Towards CdII and CoII Ions: a Thermodynamic and DFT Study. **2006**, 2006, 3738-3745 24
- 1891 Zinc(II) Complexation Behaviour of Sulfonamide-Based Enzyme Inhibitors. **2006**, 2006, 3853-3860 6
- 1890 Complexation of Uranium(VI) with Thiodiacetic Acid in Solution at 1085 °C. **2006**, 2006, 4533-4540 16
- 1889 pH-Driven Cu²⁺ Translocation in Ferrocene-Containing Ligands. **2006**, 2006, 4649-4657 8
- 1888 (Benzylideneamino)thioureas [Chromogenic Interactions with Anions and N^H Deprotonation. **2006**, 2006, 3567-3574 111
- 1887 Catalytic Decomposition of Simulants for Chemical Warfare V Agents: Highly Efficient Catalysis of the Methanolysis of Phosphonothioate Esters. **2006**, 118, 1799-1802 3
- 1886 A novel multipurpose Excel tool for equilibrium speciation based on Newton-Raphson method and on a hybrid genetic algorithm. **2006**, 96, 29-49 39
- 1885 Complex formation between Zn²⁺ ion and 1,3-bis[bis(pyridin-2-ylmethyl)amino]propan-2-ol. **2006**, 96, 317-25 4
- 1884 The Effect of the Electron Density Distribution of Guest on the Entropy Change During Complex Formation of Calix[6]arene Hexasulfonate Host with ortho- and para-cresols as Guests. **2006**, 18, 245-250 4
- 1883 Electrochemical Signature of the Coordination Mode in Metal Complexes With a tris-Ferrocenyl Derivative of the Taci Ligand. **2006**, 18, 13-21 2
- 1882 Protonation of D-gluconate and its complexation with Np(V) in acidic to nearly neutral solutions. **2006**, 94, 14
- 1881 Determination of the thermodynamic quantities of complexation between Eu(III) and carboxylic acids by microcalorimetry. **2006**, 94, 541-547 21
- 1880 Stability Constants & Their Determination Based in part on the article Stability Constants & Their Determination by Harry M. N. H. Irving which appeared in the Encyclopedia of Inorganic Chemistry, First Edition.. **2006**,
- 1879 Spectrophotometric Determination of Acidity Constants of 4-(2-Pyridylazo) Resorcinol in Various Micellar Media Solutions. **2007**, 54, 1093-1097 0

1878	Metal-catalyzed alcoholysis reactions of carboxylate and organophosphorus esters. 2007 , 271-331	22
1877	Competitive Equilibria in Atom Transfer Radical Polymerization. 2007 , 248, 60-70	68
1876	Efficient functionalizations of heteroatom-bridged calix[2]arene[2]triazines on the larger rim. 2007 , 72, 3757-63	67
1875	Complexation of gluconic acid with Nd(III) in acidic solutions: A thermodynamic study. 2007 , 444-445, 470-476	19
1874	The whole hexapeptide repeats domain from avian PrP displays untypical hallmarks in aspect of the Cu ²⁺ complexes formation. 2007 , 581, 4544-8	17
1873	Solvation effects on the stability of silver(I) complexes with pyridine-containing ligands studied by thermodynamic and DFT methods. 2007 , 46, 4683-91	46
1872	Phenanthroline-derived ratiometric chemosensor for ureas. 2007 , 72, 2318-28	31
1871	New dioxadiaz- and trioxadiaz-macrocycles containing one dibenzofuran unit with two amino pendant arms: synthesis, protonation and complexation studies. 2007 , 1316-24	6
1870	Enhanced kinetic inertness in the electrochemical interconversion of Cu(I) double helical to Cu(II) monomeric complexes. 2007 , 31, 927	14
1869	Hydrogen and copper ion-induced molecular reorganizations in scorpionand-like ligands. A potentiometric, mechanistic, and solid-state study. 2007 , 46, 5707-19	46
1868	Evaluation of the binding ability of a novel dioxatetraazamacrocyclic receptor that contains two phenanthroline units: selective uptake of carboxylate anions. 2007 , 72, 4023-34	24
1867	Synthesis, characterization, and metal coordinating ability of multifunctional carbohydrate-containing compounds for Alzheimer's therapy. <i>Journal of the American Chemical Society</i> , 2007 , 129, 7453-63	16.4 122
1866	Complexation of UVI with 1-hydroxyethane-1,1-diphosphonic acid in acidic to basic solutions. 2007 , 46, 2870-6	23
1865	Zinc(II) binding ability of tri-, tetra- and penta-peptides containing two or three histidyl residues. 2007 , 4040-7	38
1864	Adsorption of designed pyrimidine derivative ligands on an activated carbon for the removal of Cu(II) ions from aqueous solution. 2007 , 23, 5995-6003	31
1863	Synthesis and characterization of vanadium(IV) complexes with cis-inositol in aqueous solution and in the solid-state. 2007 , 46, 3903-15	27
1862	Molecular Recognition of Thymine and Uracil in Water by an Amino-, Amido-, and Carboxymethyl-functionalized Pyridinophane. 2007 , 19, 621-628	2
1861	Properties of a new 4-imidazolyl derivative of a 14-membered tetraazamacrocyclic chelating agent. 2007 , 4536-45	8

1860	Symmetry and optical spectra: a "silent" 1 : 2 Np(V)-oxydiacetate complex. 2007 , 4119-21	25
1859	Naphthalene-containing polyamines supported in nanosized boehmite particles. 2007 , 31, 44-51	18
1858	Residual and exploitable fluorescence in micellar self-assembled ON-OFF sensors for copper(II). 2007 , 5670-7	24
1857	Imidazolate bridged Cu(II)-Cu(II) and Cu(II)-Zn(II) complexes of a terpyridinophane azamacrocycle: a solution and solid state study. 2007 , 4726-37	40
1856	Complexation of the triphosphate anion: tuning the structure of cyclen based macrotricycles with 1,3-dimethylbenzene and 2,6-dimethylpyridine linkers. A potentiometric and NMR study. 2007 , 1038-46	26
1855	A chiral probe for the detection of Cu(II) by UV, CD and emission spectroscopies. 2007 , 1588-92	42
1854	Dicopper(II) complexes of a new di-para-xylyldioxatetraazamacrocycle and cascade species with dicarboxylate anions: thermodynamics and structural properties. 2007 , 2431-9	19
1853	Synthetic model of the phosphate binding protein: solid-state structure and solution-phase anion binding properties of a large oligopyrrolic macrocycle. 2007 , 72, 7244-52	71
1852	Lipophosphoramidates as lipidic part of lipospermines for gene delivery. 2007 , 18, 1575-82	36
1851	A reductionist biomimetic model system that demonstrates highly effective Zn(II)-catalyzed cleavage of an RNA model. 2007 , 46, 1778-88	19
1850	Iron chelation equilibria, redox, and siderophore activity of a saccharide platform ferrichrome analogue. 2007 , 46, 8362-71	31
1849	New fluorescent chemosensors for heavy metal ions based on functionalized pendant arm derivatives of 7-anthracenylmethyl-1,4,10-trioxa-7,13-diazacyclopentadecane. 2007 , 46, 8088-97	28
1848	1,2-hydroxypyridonates as contrast agents for magnetic resonance imaging: TREN-1,2-HOPO. 2007 , 46, 9182-91	50
1847	Copper complexes of new benzodioxotetraaza macrocycles with potential applications in nuclear medicine. 2007 , 46, 3144-53	20
1846	Effect of the solvation shell exchange on the formation of malvidin-3-O-glucoside-ellagic acid complexes. 2007 , 111, 11750-5	19
1845	Making amines strong bases: thermodynamic stabilization of protonated guests in a highly-charged supramolecular host1. <i>Journal of the American Chemical Society</i> , 2007 , 129, 11459-67	16.4 110
1844	Relating structural and thermodynamic effects of the Pb(II) lone pair: a new picolinate ligand designed to accommodate the Pb(II) lone pair leads to high stability and selectivity. 2007 , 46, 3714-25	66
1843	Modulating the M-M distance in dinuclear complexes. New ligand with a 2,2'-Biphenol fragment as key unit: synthesis, coordination behavior, and crystal structures of Cu(II) and Zn(II) dinuclear complexes. 2007 , 46, 309-20	23

- 1842 Tuning the selectivity/specificity of fluorescent metal ion sensors based on N2S2 pyridine-containing macrocyclic ligands by changing the fluorogenic subunit: spectrofluorimetric and metal ion binding studies. **2007**, 46, 4548-59 49
- 1841 Fine-tuning ligand-receptor design for selective molecular recognition of dicarboxylic acids. **2007**, 46, 10632-8 18
- 1840 Synthesis and evaluation of a pseudocyclic trithiourea-based anion host. **2007**, 72, 2289-96 42
- 1839 Tautomeric Forms of 2-Thiobarbituric Acid As Studied in the Solid, in Polar Solutions, and on Gold Nanoparticles. **2007**, 111, 3369-3383 52
- 1838 Seven-coordination versus six-coordination in divalent first-row transition-metal complexes derived from 1,10-diaza-15-crown-5. **2007**, 46, 8271-82 38
- 1837 Iron (III) hydrolysis and solubility at 25 degrees C. **2007**, 41, 6117-23 275
- 1836 Complexation of palladium(II) with chloride and hydroxide. **2007**, 60, 439-447 46
- 1835 A new branched phenanthroline derivative ligand: synthesis, solution chemistry, and crystal structures of copper(II) and zinc(II) complexes. **2007**, 46, 4737-48 11
- 1834 Supramolecular photochemical synthesis of an unsymmetrical cyclobutane. **2007**, 6, 1097-105 17
- 1833 Linear recognition of dicarboxylates by ditopic macrocyclic complexes. **2007**, 31, 352 40
- 1832 To be dinuclear or not: Z-DNA induction by nickel complexes. **2007**, 13, 6617-22 20
- 1831 Fluorescent sensors for Hg(2+) in micelles: a new approach that transforms an ON-OFF into an OFF-ON response as a function of the lipophilicity of the receptor. **2007**, 13, 178-87 49
- 1830 Synthesis, solution thermodynamics, and X-ray study of CuII [12]metallacrown-4 with GABA hydroxamic acid: an unprecedented crystal structure of a [12]MC-4 with a gamma-aminohydroxamate. **2007**, 13, 1300-8 31
- 1829 Copper(II) interaction with prion peptide fragments encompassing histidine residues within and outside the octarepeat domain: speciation, stability constants and binding details. **2007**, 13, 7129-43 101
- 1828 Homo- and hetero-dinuclear anion complexes. **2007**, 13, 3787-95 30
- 1827 Structure, stability, dynamics, high-field relaxivity and ternary-complex formation of a new tris(aquo) gadolinium complex. **2007**, 13, 8489-506 44
- 1826 Redox-driven intramolecular anion translocation between a metal centre and a hydrogen-bond-donating compartment. **2007**, 13, 4988-97 19
- 1825 Highly selective recognition of diols by a self-regulating fine-tunable methylazacalix[4]pyridine cavity: guest-dependent formation of molecular-sandwich and molecular-capsule complexes in solution and the solid state. **2007**, 13, 7791-802 63

- 1824 Equilibria involved in the diorganotin(IV) and triorganotin(IV) phosphomycin interaction in aqueous solution. **2007**, 21, 455-461 3
- 1823 Ferrocene-based derivative bearing phenol group recognitive sites: efficient H₂PO₄⁻ receptor. **2007**, 21, 821-825 4
- 1822 Orthophosphate binding to zinc(II) complexes of 1, 3-bis[bis(pyridin-2-ylmethyl)amino]propan-2-OL. **2007**, 97, 791-7
- 1821 Effect of Protonation and Interaction with Anions on a Lead(II) Complex with a Lateral Macrobicyclic Containing a Phenol Schiff-Base Spacer. **2007**, 2007, 1635-1643 15
- 1820 Receptor versus Counterion: Capability of N,N'-Bis(2-aminobenzyl)-diazacrowns for Giving Endo- and/or Exocyclic Coordination of ZnII. **2007**, 2007, 1874-1883 11
- 1819 Metal Ion Complementarity: Effect of Ring-Size Variation on the Conformation and Stability of Lead(II) and Cadmium(II) Complexes with Pendant-Armed Crowns. **2007**, 2007, 2198-2207 21
- 1818 Synthesis, Stability Constant Determination, and Structural Study of Some Complexes of a Zinc Triad Containing Pyridyl-amine-quinoline and Pyridyl-thio-quinoline. **2007**, 2007, 3669-3680 13
- 1817 Rendering a calixarene having dipyriddy pendant soluble in water results in different species with smaller binding constants. **2007**, 48, 8274-8276 17
- 1816 Sensitivity of P-glycoprotein tryptophan residues to benzodiazepines and ATP interaction. **2007**, 125, 143-50 17
- 1815 Proton-sponge behaviour of new pendant armed cross-bridged bis-cyclens: Synthesis, NMR, X-ray, and potentiometric investigations. **2007**, 10, 832-838 11
- 1814 Thermodynamic studies of actinide complexes. 1. A reappraisal of the solution equilibria between plutonium(IV) and ethylenediaminetetraacetic acid (EDTAH₄) in nitric media. **2007**, 10, 929-947 15
- 1813 Potentiometric determination of the total acidity of humic acids by constant-current coulometry. **2007**, 582, 164-73 10
- 1812 The thermodynamic dissociation constants of the anticancer drugs camptothecin, 7-ethyl-10-hydroxycamptothecin, 10-hydroxycamptothecin and 7-ethylcamptothecin by the least-squares nonlinear regression of multiwavelength spectrophotometric pH-titration data. **2007**, 584, 419-32 33
- 1811 Complexes of carboxymethylcellulose in water. Part 2. Co²⁺ and Al³⁺ remediation studies of wastewaters with Co²⁺, Al³⁺, Cu²⁺, VO₂⁺ and Mo⁶⁺. **2007**, 87, 178-189 22
- 1810 Copper(II) complexes with β-cyclodextrin homocarnosine conjugates and their antioxidant activity. **2007**, 360, 945-954 23
- 1809 Equilibrium and structural studies of copper and nickel complexes with a pentadentate ligand providing amide, amine and pyridyl nitrogen donors. Crystal structure of the dinuclear nickel(II) complex. **2007**, 360, 1702-1710 12
- 1808 Synthesis and photophysical properties of dansyl-based polyamine ligands and their Zn(II) complexes. **2007**, 360, 1200-1208 31
- 1807 Interaction of copper(II) and nickel(II) with a bis-amide ligand functionalized with pyridine moieties: Thermodynamic and spectroscopic studies in aqueous solution. **2007**, 360, 2598-2608 7

- 1806 A potentiometric and NMR investigation of triphosphate recognition by linear and bismacrocylic octaamines possessing a 1,4-xylenyl linker. **2007**, 360, 3026-3032 13
- 1805 Solution studies on binary and ternary complexes of copper(II) with some fluoroquinolones and 1,10-phenanthroline: Antimicrobial activity of ternary metalloantibiotics. **2007**, 334, 129-36 29
- 1804 Mixed 3d/4f polynuclear complexes with 2,2'-oxydiacetate as bridging ligand: Synthesis, structure and chemical speciation of La^{III} compounds (M=bivalent cation). **2007**, 829, 57-64 16
- 1803 Some new DTPA-N,N'-bis(amides) functionalized by alkyl carboxylates: Synthesis, complexation and stability properties. *Polyhedron*, **2007**, 26, 3799-3809 2.7 19
- 1802 Study of the cyclen derivative 2-[1,4,7,10-tetraazacyclododecan-1-yl]-ethanethiol and its complexation behaviour towards d-transition metal ions. *Polyhedron*, **2007**, 26, 3763-3773 2.7 14
- 1801 Coordination modes of histidine- or methioninehydroxamic acids in copper(II) mixed-ligand complexes with ethylenediamine in aqueous solution. *Polyhedron*, **2007**, 26, 4223-4227 2.7 18
- 1800 Unexpected formation of the copper(II) dinuclear mixed-ligand species in the ternary system of N,N,N',N',N'-pentamethyldiethylenetriamine with methionine- or histidinehydroxamic acids in aqueous solution. *Polyhedron*, **2007**, 26, 4345-4353 2.7 24
- 1799 Synthesis and crystal structure of manganese(II) complexes with high-denticity ligands derived from azacrowns. *Polyhedron*, **2007**, 26, 4141-4146 2.7 6
- 1798 Synthesis and characterization of new beta-diketo derivatives with iron chelating ability. **2007**, 101, 203-13 23
- 1797 Macrocyclic copper(II) complexes: superoxide scavenging activity, structural studies and cytotoxicity evaluation. **2007**, 101, 849-58 57
- 1796 Glutathione and N-acetylcysteinyglycine: protonation and Zn²⁺ complexation. **2007**, 101, 1442-56 32
- 1795 Protolytic behavior of hydroxylated Pyrex glass surfaces in NaCl media. **2007**, 310, 402-10 3
- 1794 Determination of the thermodynamic quantities of uranium(VI) carboxylate complexes by microcalorimetry. **2007**, 39, 1432-1438 19
- 1793 A novel computational strategy for the pK_a estimation of drugs by non-linear regression of multiwavelength spectrophotometric pH-titration data exhibiting small spectral changes. **2007**, 20, 690-701 18
- 1792 Photochromic crown-containing molecular switches of chemosensor activity. **2007**, 20, 917-928 24
- 1791 Toward iron sensors: bioinspired tripods based on fluorescent phenol-oxazoline coordination sites. **2007**, 46, 2485-97 63
- 1790 Influence of structural factors on the enhanced activity of moxifloxacin: a fluorescence and EPR spectroscopic study. **2007**, 387, 1543-52 19
- 1789 Synthesis, complexation, and E₂ photoisomerization of azadithiacrown-containing styryl dyes as new optical sensors for mercury cations. **2007**, 56, 513-526 13

1788	Lactonization and Protonation of Gluconic Acid: A Thermodynamic and Kinetic Study by Potentiometry, NMR and ESI-MS. 2007 , 36, 1187-1200	52
1787	Complexation of oxoanions and cationic metals by the biscatecholate siderophore azotochelin. 2007 , 12, 367-76	43
1786	Specific type of interactions in the quaternary system of Cu(II), adenosine 5'-triphosphate, 1,11-diamino-4,8-diazaundecane and uridine. 2007 , 101, 1362-9	20
1785	¹ H NMR studies of enantioselective host-guest complexation by modified β -cyclodextrins and their europium(III) complexes. 2008 , 19, 167-175	7
1784	Synthesis and characterisation of the 3-amino-derivative of β -cyclodextrin, showing receptor ability and metal ion coordination properties. 2008 , 49, 4765-4767	17
1783	An attempt to separate A- β process spectra. Separation by Minimum overLapping Method SEMILAM. 2008 , 43, 1301-1317	
1782	Simultaneous Calculation of Equilibrium Constants and Standard Formation Enthalpies from Calorimetric Data for Systems with Multiple Equilibria in Solution. 2008 , 37, 467-476	106
1781	Coordination Features of a Polyaza-Bipyridine-Macrocyclic Ligand toward Co(II) and Cd(II) in Water and Dimethylsulfoxide. 2008 , 37, 503-517	9
1780	Dioxouranium(VI) Hydrolysis at 75 and 100 °C in 3.6 mol/kg LiClO ₄ Aqueous Medium. 2008 , 37, 641-655	1
1779	Affinity of Tripodal and Linear Tetraamines for Silver(I) in Dimethyl Sulfoxide. 2008 , 37, 543-551	3
1778	Study of complexation of phenylaza-15-crown-5, 4-nitrobenzo-15-crown-5, and benzo-15-crown-5 with Ag ⁺ , Tl ⁺ and Pb ²⁺ ions in methanol by competitive potentiometry. 2008 , 60, 163-167	3
1777	DNA binding by a new metallointercalator that contains a proflavine group bearing a hanging chelating unit. 2008 , 14, 184-96	23
1776	Highly effective acyclic carbohydrate receptors consisting of aminopyridine, imidazole, and indole recognition units. 2008 , 14, 2405-19	63
1775	Protonated macrobicyclic hosts containing pyridine head units for anion recognition. 2008 , 14, 5829-38	20
1774	Recognition of ionic guests by ionic beta-cyclodextrin derivatives. 2008 , 14, 7202-11	66
1773	Squaraines as reporter units: insights into their photophysics, protonation, and metal-ion coordination behaviour. 2008 , 14, 10101-14	64
1772	Metal-controlled anion-binding tendencies of the thiourea unit of thiosemicarbazones. 2008 , 14, 9683-96	25
1771	Expanding sapphyrin: towards selective phosphate binding. 2008 , 14, 9065-73	18

1770	Micelles as containers for self-assembled nanodevices: a fluorescent sensor for lipophilicity. 2008 , 9, 1729-37		17
1769	CO ₂ Fixation and Activation by CuII Complexes of 5,5'-Terpyridinophane Macrocycles. 2008 , 2008, 84-97		17
1768	Adsorption of Metal Ions on an Activated Carbon/L-Lysine Derivative Hybrid Compound. 2008 , 2008, 1095-1106		14
1767	New Insights into the Complexation of Lead(II) by 1,4,7,10-Tetrakis(carbamoylmethyl)-1,4,7,10-tetraazacyclododecane (DOTAM): Structural, Thermodynamic, and Kinetic Studies. 2008 , 2008, 267-283		28
1766	Equilibrium and Kinetic Properties of CuII Cyclophane Complexes: The Effect of Changes in the Macrocyclic Cavity Caused by Changes in the Substitution at the Aromatic Ring. 2008 , 2008, 1497-1507		6
1765	Copper(II) Complexes with Bridging Diphosphinates [The Effect of the Elongation of the Aliphatic Chain on the Structural Arrangements Around the Metal Centres. 2008 , 2008, 3046-3055		26
1764	Halide recognition by tetraoxacalix[2]arene[2]triazine receptors: concurrent noncovalent halide-pi and lone-pair-pi interactions in host-halide-water ternary complexes. 2008 , 47, 7485-8		228
1763	Halide Recognition by Tetraoxacalix[2]arene[2]triazine Receptors: Concurrent Noncovalent Halide and Lone-pair Interactions in Host-Halide-Water Ternary Complexes. 2008 , 120, 7595-7598		63
1762	Thermodynamic study of the complexation of uranium(VI) with nitrate at variable temperatures. 2008 , 40, 1001-1006		35
1761	Cascade dicopper architectures of a dibenzodioxatetraazamacrocycle. <i>Polyhedron</i> , 2008 , 27, 679-687	2.7	8
1760	Extended structures of copper(II) complexes with 2-di(1H-2-imidazolyl)methylmalonate (DIMMAL), a versatile bis(imidazole)bis(carboxylate) ligand: Solution studies, crystal structures and spectroscopic characterization. <i>Polyhedron</i> , 2008 , 27, 633-640	2.7	11
1759	Study of protonation and Zn(II), Cd(II), Cu(II) and Mn(II) complexation with a glutamic acid N-pyrimidine derivative: Crystal structure of a neutral Cd(II) complex of the dianionic ligand. <i>Polyhedron</i> , 2008 , 27, 623-632	2.7	10
1758	Competition between the albumin and three histidine fragment of amyloid precursor protein sites to bind Cu(II). <i>Polyhedron</i> , 2008 , 27, 1511-1516	2.7	6
1757	Iron(III) complexes of the tris-(3-aminopropyl) derivative of a 14-membered tetraazamacrocycle: Potentiometric, spectroscopic and electrochemical studies. <i>Polyhedron</i> , 2008 , 27, 2265-2270	2.7	3
1756	Stabilities and coordination modes of histidine in copper(II) mixed-ligand complexes with ethylenediamine, diethylenetriamine or N,N,N',N',N'-pentamethyldiethylenetriamine in aqueous solution. <i>Polyhedron</i> , 2008 , 27, 2952-2958	2.7	15
1755	Interaction of myo-inositol hexakisphosphate with alkali and alkaline earth metal ions: Spectroscopic, potentiometric and theoretical studies. 2008 , 874, 77-88		35
1754	Multiwavelength spectrophotometric determination of acidity constants of some azo dyes. 2008 , 70, 1-6		14
1753	Spectrophotometric determination of acidity constant of some indicators in various micellar media solutions by rank annihilation factor analysis. 2008 , 70, 343-9		21

- 1752 Entropy-driven complex formation of malvidin-3-O-glucoside with common polyphenols in ethanol-water binary solutions. **2008**, 70, 860-5 18
- 1751 Spectroscopic, potentiometric and theoretical studies on the binding properties of a novel tripodal polycatechol-imine ligand towards iron(III). **2008**, 71, 1452-60 2
- 1750 Effects of proton and metal cations on the fluorescence properties of anthracene bearing macrocyclic polyether and polyamine receptors. **2008**, 195, 267-276 11
- 1749 Potentiometric, spectrophotometric and calorimetric study on iron(III) and copper(II) complexes with 1,2-dimethyl-3-hydroxy-4-pyridinone. **2008**, 102, 684-92 78
- 1748 Synthesis, siderophore activity and iron(III) chelation chemistry of a novel mono-hydroxamate, bis-catecholate siderophore mimic: N(alpha),-N(epsilon)-Bis[2,3-dihydroxybenzoyl]-l-lysyl-(gamma-N-methyl-N-hydroxyamido)-L-glutamic acid. **2008**, 102, 850-61 11
- 1747 A dicopper complex with distant metal centers. Structure, magnetic properties, electrochemistry and catecholase activity. **2008**, 102, 1227-35 47
- 1746 Towards a new attenuating compound: a potentiometric, spectrophotometric and NMR equilibrium study on Fe(III), Al(III) and a new tetradentate mixed bisphosphonate-hydroxypyridinonate ligand. **2008**, 102, 1486-94 19
- 1745 Thermodynamic and spectroscopic studies of Cu(II) and Ni(II) complexes with a new proline-threonine dipeptide ligand. **2008**, 102, 1514-22 4
- 1744 Tripodal amine catechol ligands: a fascinating class of chelators for aluminium(III). **2008**, 102, 1581-8 36
- 1743 Copper(II) binding to two novel histidine-containing model hexapeptides: evidence for a metal ion driven turn conformation. **2008**, 102, 2012-9 11
- 1742 A new, model-free calculation method to determine the coordination modes and distribution of copper(II) among the metal binding sites of multihistidine peptides using circular dichroism spectroscopy. **2008**, 102, 2184-95 9
- 1741 Synthesis, chemical and biological studies on new Fe(3+)-glycosylated beta-diketo complexes for the treatment of iron deficiency. **2008**, 43, 2549-56 14
- 1740 Synthesis, structural characterization and properties of water-soluble N-(beta-propanoyl-amino acid)-chitosans. **2008**, 71, 54-65 31
- 1739 Weak alkali and alkaline earth metal complexes of low molecular weight ligands in aqueous solution. **2008**, 252, 1093-1107 149
- 1738 Binding studies of a protonated dioxatetraazamacrocycle with carboxylate substrates. **2008**, 64, 5392-5403 18
- 1737 Synthesis and metal complexation properties of bisbenzospiropyran chelators in water. **2008**, 64, 7097-7105 18
- 1736 Interaction of polyamine macrocycles with Zn(II) and ATP in aqueous solution. Binary and ternary systems. A potentiometric, NMR and fluorescence emission study. **2008**, 361, 3410-3419 15
- 1735 Halide ion inclusion into a dicopper(II) bistren cryptate containing active 2,5-dimethylfuran spacers: The origin of the bright yellow colour. **2008**, 361, 4038-4046 14

1734	Interaction of oxovanadium(IV) with carboxylic ligands in aqueous solution: A thermodynamic and visible spectrophotometric study. 2008 , 142, 57-63	9
1733	Coordination study of chitosan and Fe ³⁺ . 2008 , 877, 89-99	96
1732	Effect of ferrous and ferric ions on copigmentation in model solutions. 2008 , 891, 471-474	14
1731	New branched macrocyclic ligand and its side-arm, two urea-based receptors for anions: synthesis, binding studies and crystal structure. 2008 , 32, 1204	36
1730	Highly selective phosphorescent chemosensor for fluoride based on an iridium(III) complex containing arylborane units. 2008 , 47, 9256-64	207
1729	Structure and metal exchange in the cadmium carbonic anhydrase of marine diatoms. 2008 , 452, 56-61	429
1728	Highly luminescent lanthanide complexes of 1-hydroxy-2-pyridinones. 2008 , 47, 3105-18	66
1727	Polyamine-polycarboxylate metal complexes with different biological effectiveness as nitric oxide scavengers. Clues for drug design. 2008 , 51, 3250-60	10
1726	Diazatetraester 1H-pyrazole crowns as fluorescent chemosensors for AMPH, METH, MDMA (ecstasy), and dopamine. 2008 , 10, 5099-102	23
1725	Metals Precipitation from Effluents: Review. 2008 , 12, 135-149	112
1724	Rapid hydrolysis of model phosphate diesters by alkaline-earth cations in aqueous DMSO: speciation and kinetics. 2008 , 6609-18	14
1723	Synthesis of large macrocyclic azacalix[n]pyridines (n = 6 - 9) and their complexation with fullerenes C(60) and C(70). 2008 , 10, 2565-8	96
1722	Simplified speciation and improved phosphodiesterolytic activity of hydroxo complexes of trivalent lanthanides in aqueous DMSO. 2008 , 47, 2514-25	36
1721	The metal loading ability of beta-amyloid N-terminus: a combined potentiometric and spectroscopic study of copper(II) complexes with beta-amyloid(1-16), its short or mutated peptide fragments, and its polyethylene glycol (PEG)-ylated analogue. 2008 , 47, 9669-83	84
1720	Modular functional integration of a two-input INH logic gate with a fluorophore-spacer-receptor1-spacer-receptor2 conjugate. 2008 , 73, 6079-85	38
1719	Synthesis and coordination properties of an azamacrocyclic Zn(II) chemosensor containing pendent methylnaphthyl groups. 2008 , 6530-8	21
1718	Calculation of equilibrium constants by matrix method for complexes of gold(III). <i>Talanta</i> , 2008 , 75, 380-4.2	12
1717	The relationship of monodentate and bidentate coordinated uranium(VI) sulfate in aqueous solution. 2008 , 96,	29

- 1716 The effect of the oxidation state of iron ions on the competitive complexation of malvidin by caffeic or ellagic acid. **2008**, 41, 693-696 13
- 1715 From ligand to complexes. Part 2. Remarks on human immunodeficiency virus type 1 integrase inhibition by beta-diketo acid metal complexes. **2008**, 51, 7253-64 49
- 1714 Stability of Cu(II), Ni(II), and U(VI) Complexes with 2-Hydroxybenzohydroxamic Acid in Aqueous Solutions. **2008**, 53, 654-658
- 1713 Molecular logic devices (half-subtractor, comparator, complementary output circuit) by controlling photoinduced charge transfer processes. **2008**, 32, 395-400 83
- 1712 Copper(ii) complexes of a polydentate imidazole-based ligand. pH effect on magnetic coupling and catecholase activity. **2008**, 1857-63 33
- 1711 Interaction of uranium(VI) with lipopolysaccharide. **2008**, 2879-86 51
- 1710 Zn(II) ions bind very efficiently to tandem repeat region of "prion related protein" (PrP-rel-2) of zebra-fish. MS and potentiometric evidence. **2008**, 6117-20 15
- 1709 Interaction of Cu(II) and Ni(II) with the 63-93 fragment of histone H2B. **2008**, 6179-87 17
- 1708 Biologically relevant O,S-donor compounds. Synthesis, molybdenum complexation and xanthine oxidase inhibition. **2008**, 1773-82 15
- 1707 Double-strand DNA cleavage by copper complexes of 2,2'-dipyridyl with guanidinium/ammonium pendants. **2008**, 3207-14 63
- 1706 Gd-complexes of DTPA-bis(amide) conjugates of tranexamic acid and its esters with high relaxivity and stability for magnetic resonance imaging. **2008**, 2199-206 12
- 1705 Copper(II) binding to Cap43 protein fragments. **2008**, 6127-34 26
- 1704 Highly effective receptors showing di- vs. monosaccharide preference. **2008**, 6, 1558-68 38
- 1703 The pH controlled uptake/release of citrate by a tri-copper(II) complex. **2008**, 32, 1839 7
- 1702 Zn(ii), Cd(ii) and Pb(ii) complexation with pyridinecarboxylate containing ligands. **2008**, 5754-65 56
- 1701 Redox active cage for the electrochemical sensing of anions. **2008**, 47, 4808-16 39
- 1700 Cyclam derivatives containing three acetate pendant arms: synthesis, acid-base, metal complexation and structural studies. **2008**, 6593-608 18
- 1699 Copper(II) 12-metallacrown-4 complexes of alpha-, beta- and gamma-amino hydroxamic acids: a comparative thermodynamic study in aqueous solution. **2008**, 2693-701 40

1698	Cyclen-based bismacrocycles for biological anion recognition. A potentiometric and NMR study of AMP, ADP and ATP nucleotide complexation. 2008 , 6, 1743-50	38
1697	Structural characterization of the intra- and inter-repeat copper binding modes within the N-terminal region of "prion related protein" (PrP-rel-2) of zebrafish. 2008 , 112, 15140-50	20
1696	A partially substituted calix[4]resorcarene receptor and its selective recognition for soft metal cations (silver and mercury). 2008 , 112, 2070-7	7
1695	Physicochemical properties of the high-field MRI-relevant [Gd(DTTA-Me)(H ₂ O) ₂] ⁻ complex. 2008 , 47, 8357-66	31
1694	Iron(III) uptake and release by chrysobactin, a siderophore of the phytopathogenic bacterium <i>Erwinia chrysanthemi</i> . 2008 , 47, 9419-30	17
1693	Unveiling the role of histidine and tyrosine residues on the conformation of the avian prion hexarepeat domain. 2008 , 112, 5182-8	17
1692	Mechanism of indium(III) exchange between NTA and transferrin: a kinetic approach. 2008 , 112, 12168-73	8
1691	Interaction of mixed-donor macrocycles containing the 1,10-phenanthroline subunit with selected transition and post-transition metal ions: metal ion recognition in competitive liquid-liquid solvent extraction of Cu(II), Zn(II), Pb(II), Cd(II), Ag(I), and Hg(II). 2008 , 47, 8391-404	33
1690	Thermodynamic and spectroscopic studies of lanthanides(III) complexation with polyamines in dimethyl sulfoxide. 2008 , 47, 1155-64	42
1689	Homo- and heterodinuclear complexes of the tris(catecholamide) derivative of a tetraazamacrocycle with Fe ³⁺ , Cu ²⁺ and Zn ²⁺ metal ions. 2008 , 539-50	12
1688	Anion binding by pyrrole-pyridine-based macrocyclic polyamides. 2008 , 20, 619-624	8
1687	Polyfunctional recognition of pyridinedicarboxylate anions with macrocyclic polyamine receptors containing heteroaromatic groups. 2008 , 73, 8286-95	11
1686	Structural determination of individual chemical species in a mixed system by iterative transformation factor analysis-based X-ray absorption spectroscopy combined with UV-visible absorption and quantum chemical calculation. 2008 , 80, 1102-10	27
1685	Thermodynamic study on the U(VI) complexation with dicarboxylates by calorimetry. 2008 , 96, 581-589	22
1684	Cu(II) and Ni(II) interactions with the terminally blocked hexapeptide Ac-Leu-Ala-His-Tyr-Asn-Lys-amide model of histone H2B (80-85). 2008 , 257038	6
1683	Quantitative physicochemical analysis of equilibria on chemically modified silica surfaces. 2008 , 80, 1561-1592	20
1682	Chemical speciation of polynuclear complexes containing [Ln ₂ M ₃ L ₆] units. 2008 , 80, 1303-1316	9
1681	Transformation of a Modest Luminescent Chemosensor into a Light-Up Probe: The Overload Displacement Approach. 2008 , 81, 1595-1598	7

- 1680 Thermodynamic stability and crystal structure of lanthanide complexes with di-2-pyridyl ketone. **2009**, 62, 108-119 6
- 1679 Beryllium binding to adenosine 5'-phosphates in aqueous solution at 25°C**View all notes. **2009**, 62, 14-22 7
- 1678 Design of protonated polyazamacrocycles based on phenanthroline motifs for selective uptake of aromatic carboxylate anions and herbicides. **2009**, 15, 3277-89 21
- 1677 Selective extraction and transport of the [PtCl₆]²⁻ anion through outer-sphere coordination chemistry. **2009**, 15, 4836-50 54
- 1676 Polyamine receptors containing dipyridine or phenanthroline units: clues for the design of fluorescent chemosensors for metal ions. **2009**, 15, 8049-63 25
- 1675 Templated synthesis of copper(II) azacyclam complexes using urea as a locking fragment and their metal-enhanced binding tendencies towards anions. **2009**, 15, 11288-97 17
- 1674 Synthesis, Protonation and CuII Complexes of Two Novel Isomeric Pentaazacyclophane Ligands: Potentiometric, DFT, Kinetic and AMP Recognition Studies. **2009**, 2009, 62-75 10
- 1673 Anion Coordination Effect on the Nuclearity of CoII, NiII, CuII, and ZnII Complexes with a Benzimidazole Pendant-Armed Crown. **2009**, 2009, 400-411 11
- 1672 Thermodynamic and Structural Investigations on the Complexation Process of Dioxo Macrocyclic Ligands: Towards Neutral Copper Complexes at Physiological pH. **2009**, 2009, 2929-2941
- 1671 A Tris-Macrocyclic with Proton Sponge Characteristics as Efficient Receptor for Inorganic Phosphate and Nucleotide Anions. **2009**, 2009, 5610-5621 21
- 1670 The anion binding properties bearing neutral cycle amine recognition sites. **2009**, 47, NA-NA
- 1669 A Ferromagnetic [Cu₃(OH)₂]⁴⁺ Cluster Formed inside a Tritopic Nonaazapyridinophane: Crystal Structure and Solution Studies. **2009**, 121, 6171-6174 9
- 1668 A ferromagnetic [Cu₃(OH)₂]⁴⁺ cluster formed inside a tritopic nonaazapyridinophane: crystal structure and solution studies. **2009**, 48, 6055-8 49
- 1667 Interaction of microcrystalline chitosan (MCCh) with Mo(VI) in aqueous solution. **2009**, 114, 1619-1625 3
- 1666 "Chelatable iron pool": inositol 1,2,3-trisphosphate fulfils the conditions required to be a safe cellular iron ligand. **2009**, 14, 51-9 25
- 1665 The behaviour of inositol 1,3,4,5,6-pentakisphosphate in the presence of the major biological metal cations. **2009**, 14, 1001-13 13
- 1664 Complexation of a tripodal amine-catechol ligand tris((2,3-dihydroxybenzylamino)ethyl)amine towards Al(III), Ga(III), and In(III). **2009**, 140, 139-145 3
- 1663 Spectrophotometric and calorimetric studies of U(VI) complexation with sulfate at (25 to 70)°C. **2009**, 41, 569-574 17

1662	Recognition of perrhenate and pertechnetate by a neutral macrocyclic receptor. 2009 , 282, 385-389	7
1661	Spectrophotometric and calorimetric studies of Np(V) complexation with sulfate at 1070°C. 2009 , 95, 409-413	7
1660	Complexation of neptunium(V) with fluoride in aqueous solutions at elevated temperatures. 2009 , 95, 415-419	9
1659	Solvent effect on the thermodynamics of Ag(I) coordination to tripodal polypyridine ligands. 2009 , 97, 845-851	6
1658	Determination of the pKa value of the hydroxyl group in the alpha-hydroxycarboxylates citrate, malate and lactate by ¹³ C NMR: implications for metal coordination in biological systems. 2009 , 22, 771-8	73
1657	Equilibrium and ¹ H NMR Kinetic Study of the Reactions of Dichlorido [S-Methyl-L-Cysteine(N,S)]Platinum(II) Complex with Some Relevant Biomolecules. 2009 , 38, 57-71	5
1656	Effectiveness of Phosphate Groups in Noncovalent Interactions in Binary Adenosine Nucleotides/Phosphoserine Aqueous Systems. 2009 , 38, 35-46	6
1655	Estimation of the Effectiveness of the Phosphate Group in Binary Phosphoserine/Biogenic Amine Systems in Aqueous Solution. 2009 , 38, 1005	
1654	Sequestering Ability of Dicarboxylic Ligands Towards Dioxouranium(VI) in NaCl and KNO ₃ Aqueous Solutions at T=298.15 K. 2009 , 38, 1343-1356	12
1653	Thermodynamic and structural characterization of the macrochelates formed in the reactions of copper(II) and zinc(II) ions with peptides of histidine. 2009 , 362, 935-945	40
1652	Complexation study of europium(III) and curium(III) with urea in aqueous solution investigated by time-resolved laser-induced fluorescence spectroscopy. 2009 , 362, 1215-1222	16
1651	Self-assembled synthesis, characterization and antimicrobial activity of zinc(II) salicylaldehyde complexes. 2009 , 362, 3127-3133	68
1650	A family of polyamino phenolic macrocyclic ligands. Acid-base and coordination properties towards Co(II), Ni(II), Cu(II), Zn(II), Cd(II) and Pb(II) ions. 2009 , 362, 3709-3714	9
1649	ATP and triphosphate anions complexation by bis-linear tetraamines: Strong interactions at neutral pH. 2009 , 362, 3829-3834	10
1648	Luminescent complexes of the zinc triad with N-substituted 8-amino-quinoline ligands: Synthesis and comparative study on the stability constants and related photophysical properties. 2009 , 362, 3925-3933	7
1647	Highly selective complexation of metal ions by the self-tuning tetraazacalixpyridine macrocycles. 2009 , 65, 87-92	38
1646	Solution interactions between the uranyl cation [UO ₂ (2+)] and histidine, N-acetyl-histidine, tyrosine, and N-acetyl-tyrosine. 2009 , 103, 58-63	6
1645	Copper(II) complexes with an avian prion N-terminal region and their potential SOD-like activity. 2009 , 103, 195-204	24

1644	Effect of substituents on complex stability aimed at designing new iron(III) and aluminum(III) chelators. 2009 , 103, 227-36		63
1643	New tripodal hydroxypyridinone based chelating agents for Fe(III), Al(III) and Ga(III): Synthesis, physico-chemical properties and bioevaluation. 2009 , 103, 262-73		44
1642	Phosphoserine and specific types of its coordination in copper(II) and adenosine nucleotides systems - Potentiometric and spectroscopic studies. 2009 , 103, 766-73		21
1641	Copper(II) complexes with peptide fragments encompassing the sequence 122-130 of human doppel protein. 2009 , 103, 758-65		23
1640	Combined chelation based on glycosyl-mono- and bis-hydroxypyridinones for aluminium mobilization: solution and biodistribution studies. 2009 , 103, 1521-9		14
1639	Enzymatic biotransformation of the azo dye Sudan Orange G with bacterial CotA-laccase. 2009 , 139, 68-77		133
1638	A sinapic acid- α -alix[4]arene hybrid selectively binds Pb ²⁺ over Hg ²⁺ and Cd ²⁺ . <i>Polyhedron</i> , 2009 , 28, 343-348	2.7	9
1637	Interaction between aspergillic acid and iron(III): A potentiometric, UV-Vis, ¹ H NMR and quantum chemical study. <i>Polyhedron</i> , 2009 , 28, 763-768	2.7	5
1636	Stabilities and coordination modes of methionine in copper(II) mixed-ligand complexes with ethylenediamine, diethylenetriamine or N, N, N', N'', N'''-pentamethyldiethylenetriamine in aqueous solution. <i>Polyhedron</i> , 2009 , 28, 2403-2410	2.7	10
1635	Solution and structural studies of the Cd(II) Δ -aconitate system. <i>Polyhedron</i> , 2009 , 28, 3227-3234	2.7	20
1634	Study of the adsorption capacity to Co ²⁺ , Ni ²⁺ and Cu ²⁺ ions of an active carbon/functionalized polyamine hybrid material. <i>Polyhedron</i> , 2009 , 28, 3781-3787	2.7	20
1633	Bismuth (III) coordination to cyclen and cyclam bearing four appended groups. <i>Polyhedron</i> , 2009 , 28, 3691-3698	2.7	15
1632	Synthesis, spectroscopic and theoretical studies of two novel tripodal imine-phenol ligands and their complexation with Fe(III). 2009 , 74, 544-52		10
1631	A new chelate ligand designed for the uranyl ion. 2009 , 253, 2049-2055		7
1630	Analysis of the factors that significantly influence the stability of fluoroquinolone-metal complexes. 2009 , 647, 54-9		33
1629	Anion binding by protonated forms of the tripodal ligand tren. 2009 , 48, 2391-8		47
1628	Estimation of composition, coordination model, and stability constant of some metal/phosphate complexes using spectral and potentiometric measurements. 2009 , 63,		5
1627	Syntheses, X-ray structures, and physicochemical properties of phenoxo-bridged dinuclear nickel(II) complexes: kinetics of transesterification of 2-hydroxypropyl-p-nitrophenylphosphate. 2009 , 48, 7544-56		47

1626	Titanium(IV) complexes with N,N'-dialkyl-2,3-dihydroxyterephthalamides and 1-hydroxy-2(1H)-pyridinone as siderophore and tunichrome analogues. 2009 , 48, 10769-79	15
1625	Polyaza cryptand receptor selective for dihydrogen phosphate. 2009 , 74, 8638-46	75
1624	Geometric isomerism in pentacoordinate Cu ²⁺ complexes: equilibrium, kinetic, and density functional theory studies reveal the existence of equilibrium between square pyramidal and trigonal bipyramidal forms for a tren-derived ligand. 2009 , 48, 902-14	14
1623	Phosphates sensing: two polyamino-phenolic zinc receptors able to discriminate and signal phosphates in water. 2009 , 48, 5901-12	80
1622	A novel manganese complex effective as superoxide anion scavenger and therapeutic agent against cell and tissue oxidative injury. 2009 , 52, 7273-83	34
1621	Polynuclear complexes: two amino-phenol macrocycles spaced by several linear polyamines; synthesis, binding properties, and crystal structure. 2009 , 48, 10424-34	19
1620	Selective chelation of Cd(II) and Pb(II) versus Ca(II) and Zn(II) by using octadentate ligands containing pyridinecarboxylate and pyridyl pendants. 2009 , 48, 10976-87	20
1619	Cu ²⁺ coordination properties of a 2-pyridine heptaamine tripod: characterization and binding mechanism. 2009 , 48, 8985-97	10
1618	Eight-coordinate Zn(II), Cd(II), and Pb(II) complexes based on a 1,7-diaza-12-crown-4 platform endowed with a remarkable selectivity over Ca(II). 2009 , 48, 11821-31	33
1617	Interaction of copper(II) with the prion peptide fragment HuPrP(76-114) encompassing four histidyl residues within and outside the octarepeat domain. 2009 , 48, 4239-50	63
1616	Comparison of two tetrapodal N,O ligands: impact of the softness of the heterocyclic N-donors pyridine and pyrazine on the selectivity for Am(III) over Eu(III). 2009 , 48, 246-56	36
1615	Synthesis of (NH)(m)(NMe)(4-m)-bridged calix[4]pyridines and the effect of NH bridge on structure and properties. 2009 , 74, 8595-603	38
1614	Effect of molecular environment on the formation kinetics of complexes of malvidin-3-O-glucoside with caffeic acid and catechin. 2009 , 113, 7468-73	15
1613	Investigation of the effect of oxy bridging groups in dinuclear Zn(II) complexes that catalyze the cleavage of a simple phosphate diester RNA analogue. 2009 , 48, 11425-33	36
1612	Complexation of Cu(II) by original tartaric acid-based ligands in nonionic micellar media: thermodynamic study and applications. 2009 , 25, 3450-8	7
1611	Synthesis and coordination properties of quinoline pendant arm derivatives of [9]aneN(3) and [9]aneN(2)S as fluorescent zinc sensors. 2009 , 48, 9236-49	66
1610	Reduction of ferricytochrome c catalyzed by optically active chromium(III) complexes. 2009 , 48, 10942-53	4
1609	The Cu(II) complex of a C-lipophilized 13aneN4 macrocycle with an additional protonable amino group as micellar anion receptor. 2009 , 6751-8	14

- 1608 Chemical evaluation of HBED/Fe(3+) and the novel HJB/Fe(3+) chelates as fertilizers to alleviate iron chlorosis. **2009**, 57, 8504-13 35
- 1607 Prediction of the acidic dissociation constant (pKa) of some organic compounds using linear and nonlinear QSPR methods. **2009**, 107, 1495-1503 17
- 1606 Hydrolytic Behavior of Th⁴⁺, UO₂²⁺, and Ce³⁺ Ions at Various Temperatures. **2009**, 54, 1183-1188 24
- 1605 pH-Controlled metal translocation outside/inside the cavity of a polyamine macrocycle. **2009**, 62, 82-91 7
- 1604 1,2-hydroxypyridonate/terephthalamide complexes of gadolinium(III): synthesis, stability, relaxivity, and water exchange properties. **2009**, 48, 277-86 36
- 1603 Smoothly shifting fluorescent windows: a tunable "off-on-off" micellar sensor for pH. **2009**, 134, 2147-52 19
- 1602 Exploring the binding ability of phenanthroline-based polyammonium receptors for anions: hints for design of selective chemosensors for nucleotides. **2009**, 74, 7349-63 48
- 1601 Selective recognition of tetrahedral dianions by a hexaaza cryptand receptor. **2009**, 7, 4661-73 58
- 1600 Novel bispidine ligands and their first-row transition metal complexes: trigonal bipyramidal and trigonal prismatic geometries. **2009**, 48, 6604-14 27
- 1599 Structural and photophysical studies of highly stable lanthanide complexes of tripodal 8-hydroxyquinolate ligands based on 1,4,7-triazacyclononane. **2009**, 48, 4207-18 76
- 1598 Speciation and structural study of U(IV) and -(VI) in perchloric and nitric acid solutions. **2009**, 48, 7201-10 72
- 1597 "Wurster-type" ureas as redox-active receptors for anions. **2009**, 74, 6637-46 33
- 1596 Metal loading capacity of Abeta N-terminus: a combined potentiometric and spectroscopic study of zinc(II) complexes with Abeta(1-16), its short or mutated peptide fragments and its polyethylene glycol-ylated analogue. **2009**, 48, 10405-15 60
- 1595 X-Ray Crystal Structure, Acid - Base Properties and Complexation Characteristics of a Methylenephosphonate Derivative of 1,4,7,10-Tetraazacyclododecane. **2009**, 62, 1583 3
- 1594 Thermodynamics, optical properties, and coordination modes of Np(V) with dipicolinic acid. **2009**, 48, 10158-64 35
- 1593 Complexation of lanthanides with nitrate at variable temperatures: thermodynamics and coordination modes. **2009**, 48, 964-70 50
- 1592 Complexation of uranium(VI) by gluconate in acidic solutions: a thermodynamic study with structural analysis. **2009**, 48, 3814-24 35
- 1591 Effect of temperature on the complexation of uranium(VI) with fluoride in aqueous solutions. **2009**, 48, 6748-54 17

1590	Complexation Constants of Procaine with β -Cyclodextrin in NaCl Media. 2009 , 54, 2103-2105	4
1589	Complexation of Cs ⁺ , K ⁺ and Na ⁺ by norbadione A triggered by the release of a strong hydrogen bond: nature and stability of the complexes. 2009 , 11, 10299-310	13
1588	Two polyaminophenolic fluorescent chemosensors for H ⁺ and Zn(II). Spectroscopic behaviour of free ligands and of their dinuclear Zn(II) complexes. 2009 , 33, 171-180	17
1587	Mechanistic aspects of the chemistry of mononuclear Cr(III) complexes with pendant-arm macrocyclic ligands and formation of discrete Cr(III)/Fe(II) and Cr(III)/Fe(II)/Co(III) cyano-bridged mixed valence compounds. 2009 , 9567-77	14
1586	The complex-formation behaviour of His residues in the fifth Cu ²⁺ binding site of human prion protein: a close look. 2009 , 33, 2300	22
1585	Protonation and lanthanide(III) complexation equilibria of a new tripodal polyaza-polycatechol-amine. 2009 , 4236-44	15
1584	Thermodynamics of the complexation of uranium(vi) with oxalate in aqueous solution at 10-70 degrees C. 2009 , 4450-7	20
1583	Cu(ii) complexation with an acridine-containing macrocycle. Assembly of water cluster chains within the cavity of tetranuclear metallomacrocycles. 2009 , 1223-30	18
1582	A bis(3-hydroxy-4-pyridinone)-EDTA derivative as a strong chelator for M ³⁺ hard metal ions: complexation ability and selectivity. 2009 , 6141-50	16
1581	Stereochemistry and thermodynamics of the inclusion of aliphatic and aromatic anionic guests in a tetracationic calix[4]arene in acidic and neutral aqueous solutions. 2009 , 33, 991	18
1580	Protonation activates anion binding and alters binding selectivity in new inherently fluorescent 2,6-bis(2-anilinoethynyl)pyridine bisureas. 2009 , 2520-2	59
1579	Complexation of uranium(VI) with peptidoglycan. 2009 , 5379-85	28
1578	Protein surface recognition by dendritic ruthenium(II) tris(bipyridine) complexes. 2009 , 6949-51	24
1577	Copper(II) coordination outside the tandem repeat region of an unstructured domain of chicken prion protein. 2009 , 5, 497-510	15
1576	Complexes of beryllium(II) with N-(2-Acetoamido) iminodiacetate and ligands containing a phosphonate group. 2009 , 62, 3-13	3
1575	A [2+3] fragment coupling approach to N,O-bridged calix[1]arene[4]pyridines and their complexation with C ₆₀ . 2009 , 50, 7209-7212	22
1574	Synthesis of new compartmental amino-phenolic ligands. Basicity, coordination properties towards Cu(II) and Zn(II) ions. A fluorescent chemosensor for H ⁺ and Zn(II). 2009 , 362, 2667-2677	12
1573	Heteronuclear and homonuclear Cu ²⁺ and Zn ²⁺ complexes with multihistidine peptides based on zebrafish prion-like protein. 2009 , 48, 7330-40	24

- 1572 Melamine-bridged bis(porphyrin-Zn(II)) receptors: molecular recognition properties. **2009**, 74, 9034-43 25
- 1571 Recognition properties of receptors based on dimesitylmethane-derived core: di- vs. monosaccharide preference. **2009**, 7, 2063-71 37
- 1570 Specific interactions of Bi(III) with the Cys-Xaa-Cys unit of a peptide sequence. **2009**, 9131-40 16
- 1569 Vibrioferrin, an unusual marine siderophore: iron binding, photochemistry, and biological implications. **2009**, 48, 11451-8 63
- 1568 Para-derivatized pybox ligands as sensitizers in highly luminescent Ln(III) complexes. **2010**, 49, 8848-61 86
- 1567 Thermodynamics of self-assembly of copper(II) 15-metallacrown-5 of Eu(III) or Gd(III) with (S)-alpha-alaninehydroxamic acid in aqueous solution. **2010**, 49, 1761-72 40
- 1566 Recognition of some lanthanides, actinides, and transition- and heavy-metal cations by N-donor ligands: thermodynamic and kinetic aspects. **2010**, 49, 1363-71 66
- 1565 An oxazoline derivatized Pybox ligand for Eu(III) and Tb(III) sensitization. **2010**, 13, 691-699 6
- 1564 Multicomponent polymeric micelles based on polyaspartamide as tunable fluorescent pH-window biosensors. **2010**, 26, 29-35 11
- 1563 Evaluation of the binding ability of a macrobicyclic receptor for anions by potentiometry and molecular dynamics simulations in solution. **2010**, 66, 8714-8721 7
- 1562 Fluorescent 3-hydroxy-4-pyridinone hexadentate iron chelators: intracellular distribution and the relevance to antimycobacterial properties. **2010**, 15, 861-77 37
- 1561 A new dioxotetraamine ligand derived from binicotinic acid: synthesis, coordination, and fluorescence behaviour towards divalent transition metal ions. **2010**, 141, 157-168 17
- 1560 Selenite and Selenate Speciation in Natural Waters: Interaction with Divalent Metal Ions. **2010**, 39, 1-10 49
- 1559 Spectrophotometric and Calorimetric Studies of Np(V) Complexation with Acetate at Various Temperatures from T=283 to 343 K. **2010**, 39, 1888-1897 9
- 1558 The environment controlled effect of thiacalix[4]arene on the transition thermodynamics and kinetics of bovine serum albumin. **2010**, 66, 147-151 2
- 1557 Stabilities and coordination modes of glycinephosphonic acid in copper(II) heteroligand complexes with ethylenediamine, diethylenetriamine or N,N,N',N',N'-pentamethyldiethylene triamine in aqueous solution. **2010**, 21, 347-355 6
- 1556 Modeling and biological investigations of an unusual behavior of novel synthesized acridine-based polyamine ligands in the binding of double helix and G-quadruplex DNA. **2010**, 5, 1995-2005 11
- 1555 Towards Fluoride Sensing with Positively Charged Lanthanide Complexes. **2010**, 2010, 2735-2745 43

1554	Macrocyclic Receptor Showing Improved PbII/ZnII and PbII/Call Selectivities. 2010 , 2010, 2495-2503	15
1553	Unusual Coordination Behaviour of a Phosphonate- and Pyridine-Containing Ligand in a Stable Lanthanide Complex. 2010 , 2010, 1696-1702	12
1552	Lead(II) Complexes of Lateral Macrobicyclic Receptors That Incorporate a Crown Moiety and a Pyridine Head Unit. 2010 , 2010, 5027-5034	10
1551	Towards Selective Recognition of Sialic Acid Through Simultaneous Binding to Its cis-Diol and Carboxylate Functions. 2010 , 2010, 3237-3248	24
1550	From Flexible to Constrained Tris(tetraamine) Ligands: Synthesis, AcidBase Properties, and Structural Effect on the Coordination Process with Nucleotides. 2010 , 2010, 5380-5390	12
1549	Heteroditopic Chiral UranylBalen Receptor for Molecular Recognition of Amino Acid Ammonium Salts. 2010 , 2010, 3806-3810	39
1548	Incorporation of 2,3-diaminopropionic acid into linear cationic amphipathic peptides produces pH-sensitive vectors. 2010 , 11, 1266-72	24
1547	A selective, nontoxic, OFF-ON fluorescent molecular sensor based on 8-hydroxyquinoline for probing Cd(2+) in living cells. 2010 , 16, 919-30	121
1546	A doppel alpha-helix peptide fragment mimics the copper(II) interactions with the whole protein. 2010 , 16, 6212-23	24
1545	A micellar multitasking device: sensing pH windows and gauging the lipophilicity of drugs with fluorescent signals. 2010 , 16, 1289-95	24
1544	Chelation versus binucleation: metal complex formation with the hexadentate all-cis-N1,N2-bis(2,4,6-trihydroxy-3,5-diaminocyclohexyl)ethane-1,2-diamine. 2010 , 16, 3326-40	6
1543	The squaramide versus urea contest for anion recognition. 2010 , 16, 4368-80	147
1542	Synthesis, structure and molecular recognition of functionalised tetraoxacalix[2]arene[2]triazines. 2010 , 16, 7265-75	55
1541	New tris(hydroxypyridinones) as iron and aluminium sequestering agents: synthesis, complexation and in vivo studies. 2010 , 16, 10535-45	36
1540	Iron(III) and aluminum(III) complexes with hydroxypyronone ligands aimed to design kojic acid derivatives with new perspectives. 2010 , 104, 560-9	45
1539	Complexation of U(VI) with highly phosphorylated protein, phosvitin A vibrational spectroscopic approach. 2010 , 104, 718-25	47
1538	Solution and biological behaviour of enrofloxacin metalloantibiotics: a route to counteract bacterial resistance?. 2010 , 104, 843-50	31
1537	The effect of spermine concentration on the solution structure of complexes formed in copper(II)/adenosine 5'-triphosphate/phosphoserine system. 2010 , 104, 868-76	6

1536	Nickel(II) complexes of the multihistidine peptide fragments of human prion protein. 2010 , 104, 885-91	30
1535	Solvent and pH effects on the redox behavior and catecholase activity of a dicopper complex with distant metal centers. 2010 , 104, 1112-8	21
1534	A nitrilo-tri-acetic-acid/acetic acid route for the deposition of epitaxial cerium oxide films as high temperature superconductor buffer layers. 2010 , 183, 2154-2160	6
1533	Synthesis, characterization and anti-diabetic effect of bis[(1-R-imidazolyl)phenolato]oxovanadium(IV) complexes. 2010 , 363, 2215-2221	13
1532	Synthesis of cobalt(III) complexes with novel open chain oxime ligands and metal-ligand coordination in aqueous solution. 2010 , 363, 2996-3003	11
1531	Interaction of oxovanadium(IV) with tricarboxylic ligands in aqueous solution: A thermodynamic and spectroscopic study. 2010 , 363, 3469-3476	6
1530	Spectrophotometric determination of formation constants for the Cu-ethylenediamine-halogen (chloride and bromide) system and their catalytic effect on the oxidative coupling of 2,6-di-tert-butyl-phenol. 2010 , 363, 3461-3468	8
1529	Protonation of kanamycin A: detailing of thermodynamics and protonation sites assignment. 2010 , 38, 173-80	13
1528	Anion sensing properties of new colorimetric chemosensors based on macrocyclic ligands bearing three nitrophenylurea groups. 2010 , 66, 9223-9230	45
1527	Thermodynamic study of complexation of Eu(III) with carboxylates by potentiometry and calorimetry. 2010 , 501, 13-18	14
1526	TETA analogue containing one methylenephosphonate pendant arm: Lanthanide complexes and biological evaluation of its ¹⁵³ Sm and ¹⁶⁶ Ho complexes. 2010 , 45, 5621-7	10
1525	Effect of Temperature on the Protonation of the TALSPEAK Ligands: Lactic and Diethylenetrinitropentaacetic Acids. 2010 , 45, 1718-1724	21
1524	Nucleotide recognition by protonated aminoglycosides. 2010 , 22, 212-220	10
1523	Algorithms for the determination of binding constants and enantiomeric excess in complex host : guest equilibria using optical measurements. 2010 , 34, 348-354	91
1522	Effect of the Introduction of Amide Oxygen into 1,10-Phenanthroline on the Extraction and Complexation of Trivalent Lanthanide in Acidic Condition. 2010 , 45, 2431-2436	29
1521	A highly pH-sensitive Zn(II) chemosensor. 2010 , 39, 7080-90	14
1520	Complexes of hydroxy(thio)pyrone and hydroxy(thio)pyridinone with Zn(II) and Mo(VI). Thermodynamic stability and insulin-mimetic activity. 2010 , 2, 220-7	24
1519	Binding of H ⁺ and Zn(II) ions with a new fluorescent macrocyclic phenanthrolinephane. 2010 , 39, 10128-36	13

1518	Synthesis and chemical characterization of the novel agronomically relevant pentadentate chelate 2-(2-((2-hydroxybenzyl)amino)ethylamino)-2-(2-hydroxyphenyl)acetic acid (DCHA). 2010 , 58, 7908-14		7
1517	Exploring the emissive properties of new azacrown compounds bearing aryl, furyl, or thienyl moieties: a special case of chelation enhancement of fluorescence upon interaction with Ca(2+), Cu(2+), or Ni(2+). 2010 , 49, 10847-57		30
1516	Water-soluble tetrapodal N,O ligands incorporating soft N-heterocycles for the selective complexation of Am(III) over Ln(III). 2010 , 34, 108-116		23
1515	Coordination abilities of a fragment containing D1 and H12 residues of neuropeptide gamma and products of metal-catalyzed oxidation. 2010 , 49, 2182-92		18
1514	Recognition of anions and neutral guests by dicationic pyridine-2,6-dicarboxamide receptors. 2010 , 75, 2259-73		60
1513	Prion proteins and copper ions. Biological and chemical controversies. 2010 , 39, 6371-85		57
1512	The thermodynamic dissociation constants of methotrexate by the nonlinear regression and factor analysis of multiwavelength spectrophotometric pH-titration data. 2010 , 8, 494-507		12
1511	Efficient fluorescent sensors based on 2,5-diphenyl[1,3,4]oxadiazole: a case of specific response to Zn(II) at physiological pH. 2010 , 49, 9940-8		42
1510	Recognition and sensing of nucleoside monophosphates by a dicopper(II) cryptate. <i>Journal of the American Chemical Society</i> , 2010 , 132, 147-56	16.4	94
1509	Binding and removal of sulfate, phosphate, arsenate, tetrachloromercurate, and chromate in aqueous solution by means of an activated carbon functionalized with a pyrimidine-based anion receptor (HL). Crystal structures of [H3L(HgCl4)]·H2O and [H3L(HgBr4)]·H2O showing anion-π interactions. 2010 , 49, 9321-32		34
1508	FerriCast: a macrocyclic photocage for Fe ³⁺ . 2010 , 49, 916-23		47
1507	External and internal guest binding of a highly charged supramolecular host in water: deconvoluting the very different thermodynamics. <i>Journal of the American Chemical Society</i> , 2010 , 132, 1005-9	16.4	75
1506	Ga(III) complexes as models for the M(III) site of purple acid phosphatase: ligand effects on the hydrolytic reactivity toward bis(2,4-dinitrophenyl) phosphate. 2010 , 49, 6725-33		14
1505	Selectivity principles in anion separation by crystallization of hydrogen-bonding capsules. <i>Journal of the American Chemical Society</i> , 2010 , 132, 7177-85	16.4	107
1504	Complexation Behavior of Guanine with Th ⁴⁺ , UO ₂ ²⁺ , and Ce ³⁺ at Various Temperatures. 2010 , 55, 2077-2083		3
1503	Thermodynamic Dissociation Constants of Rasagiline by the Nonlinear Regression and Factor Analysis of Multiwavelength Spectrophotometric pH Titration Data. 2010 , 55, 2707-2713		2
1502	The possible role of 94-125 peptide fragment of histone H2B in nickel-induced carcinogenesis. 2010 , 49, 5658-68		12
1501	Coordination of Cu ²⁺ ions to C ₂ symmetric pseudopeptides derived from valine. 2010 , 49, 7841-52		30

1500	Hydrogen and copper ion induced molecular reorganizations in two new scorpion-like ligands appended with pyridine rings. 2010 , 49, 7016-27		19
1499	Synthesis and iron sequestration equilibria of novel exocyclic 3-hydroxy-2-pyridinone donor group siderophore mimics. 2010 , 49, 8208-21		25
1498	Nitrate Encapsulation within the Cavity of Polyazapyridinophane. Considerations on Nitrate-Pyridine Interactions. 2010 , 10, 3418-3423		12
1497	Facially coordinating triamine ligands with a cyclic backbone: some structure-stability correlations. 2010 , 49, 10092-107		13
1496	Anion recognition by hydrogen bonding: urea-based receptors. 2010 , 39, 3889-915		564
1495	A new colorimetric chemodosimeter for Hg ²⁺ based on charge-transfer compound of N-methylpyrrole with TCNQ. <i>Talanta</i> , 2010 , 83, 644-50	6.2	20
1494	Tritopic phenanthroline and pyridine tail-tied aza-scorpions. 2010 , 8, 2367-76		19
1493	Copper(II) complex formation with a linear peptide encompassing the putative cell binding site of angiogenin. 2010 , 39, 10678-84		29
1492	Acid-base properties of functionalised tripodal polyamines and their interaction with nucleotides and nucleic acids. 2010 , 8, 2567-74		11
1491	Conformational analysis of the natural iron chelator myo-inositol 1,2,3-trisphosphate using a pyrene-based fluorescent mimic. 2010 , 8, 2850-8		8
1490	Mechanism of general acid-base catalysis in transesterification of an RNA model phosphodiester studied with strongly basic catalysts. 2010 , 8, 873-80		29
1489	New family of polyamine macrocycles containing 2,5-diphenyl[1,3,4]oxadiazole as a signaling unit. Synthesis, acid-base and spectrophotometric properties. 2010 , 8, 1471-8		18
1488	Molecular recognition of sialic acid by lanthanide(III) complexes through cooperative two-site binding. 2010 , 49, 4212-23		29
1487	Protonation Equilibria at Elevated Temperatures and Investigations on Thermodynamics Parameters for Ascorbic Acid at an Ionic Strength of 1.0 mol dm ⁻³ NaClO ₄ . 2010 , 55, 308-312		1
1486	Complexation of lactate with neodymium(III) and europium(III) at variable temperatures: studies by potentiometry, microcalorimetry, optical absorption, and luminescence spectroscopy. 2010 , 49, 10598-605		42
1485	Hg ²⁺ detection by new anthracene pendant-arm derivatives of mixed N/S- and N/S/O-donor macrocycles: fluorescence, matrix-assisted laser desorption/ionization time-of-flight mass spectrometry and density functional theory studies. 2010 , 49, 8276-86		39
1484	Octahedral copper(II) and tetrahedral copper(I) double-strand helicates: chiral self-recognition and redox behavior. 2010 , 49, 997-1007		34
1483	Demonstration of prominent Cu(II)-promoted leaving group stabilization of the cleavage of a homologous set of phosphate mono-, di-, and triesters in methanol. <i>Journal of the American Chemical Society</i> , 2010 , 132, 3561-73	16.4	31

1482	Complexation of Np(V) with N,N-dimethyl-3-oxa-glutaramic acid and related ligands: thermodynamics, optical properties and structural aspects. 2010 , 39, 3326-30	26
1481	Probing nitrobenzhydrol uncaging mechanisms using FerriCast. 2010 , 12, 4486-9	21
1480	Mono- and polynuclear copper(II) complexes with fragment of alloferons 1 and 2; combined potentiometric and spectroscopic studies. 2010 , 39, 4117-25	15
1479	The influence of copper(II) ions on noncovalent interactions in the systems including phosphoserine and biogenic amines. 2010 , 34, 2867	9
1478	Spectrophotometric determination of acidity constants by mean centering of ratio spectra. 2010 , 2, 1514	1
1477	Speciation of Eu(III) hydroxo complexes in aqueous DMSO studied by direct excitation luminescence spectroscopy and their catalytic activity in phosphodiester cleavage. 2010 , 39, 864-73	14
1476	Dimetallic complexes of macrocycles with two rigid dibenzofuran units as receptors for detection of anionic substrates. 2010 , 39, 9579-87	18
1475	Formation of very stable and selective Cu(II) complexes with a non-macrocyclic ligand: can basicity rival pre-organization?. 2010 , 39, 9055-62	27
1474	Sequence-specific Ni(II)-dependent peptide bond hydrolysis for protein engineering: reaction conditions and molecular mechanism. 2010 , 49, 6636-45	55
1473	Thermodynamics of core metal replacement and self-assembly of Ca(2+) 15-metallacrown-5. 2010 , 49, 5190-201	45
1472	Complexation of NpO(2)(+) with N-methyl-iminodiacetic acid: a comparison with iminodiacetic and dipicolinic acids. 2010 , 39, 9866-71	6
1471	DNA interaction with Ru(II) and Ru(II)/Cu(II) complexes containing azamacrocycle and dppz residues. A thermodynamic, kinetic and theoretical study. 2010 , 39, 9838-50	14
1470	The C terminus of HspA--a potential target for native Ni(II) and Bi(III) anti-ulcer drugs. 2010 , 39, 5814-26	35
1469	Proton and metal binding by cyclen-based highly rigid cryptands. 2010 , 39, 11643-53	12
1468	Copper complex species within a fragment of the N-terminal repeat region in opossum PrP protein. 2011 , 40, 2441-50	15
1467	Iron(III) complexation by Vanchrobactin, a siderophore of the bacterial fish pathogen <i>Vibrio anguillarum</i> . 2011 , 3, 521-8	15
1466	Colorimetric response to anions by a "robust" copper(II) complex of a [9]aneN3 pendant arm derivative: CN- and I- selective sensing. 2011 , 47, 3805-7	38
1465	Metallacrowns of Ni(II) with β -aminohydroxamic acids in aqueous solution: beyond a 12-MC-4, an unexpected (vacant?) 15-MC-5. 2011 , 40, 2491-501	24

- 1464 Metal binding to ligand-containing peptide nucleic acids. **2011**, 50, 6083-92 30
- 1463 Structural characterization of the $\{3[\text{BPMTU}]^+ \cdot 3[\text{X}] \cdot n\text{H}_2\text{O}\}$ salts (BPMTU = 1,3-bis(3-pyridylmethyl)-2-thiourea and X = Cl, Br, I). A polychlorine network based on O \cdots Cl and OH \cdots Cl interactions. **2011**, 64, 202-221
- 1462 Macrocyclic receptor showing extremely high Sr(II)/Ca(II) and Pb(II)/Ca(II) selectivities with potential application in chelation treatment of metal intoxication. **2011**, 50, 3772-84 52
- 1461 Equilibrium studies of the reactions of palladium(II) bis(imidazolin-2-imine) complexes with biologically relevant nucleophiles. The crystal structures of $[(\text{TLtBu})\text{PdCl}]\text{ClO}_4$ and $[(\text{BLiPr})\text{PdCl}_2]$. **2011**, 40, 6515-23 24
- 1460 The -Cys-Cys- motif in *Helicobacter pylori*'s Hpn and HspA proteins is an essential anchoring site for metal ions. **2011**, 40, 5604-10 46
- 1459 Indole-based chemosensor for Hg²⁺ and Cu²⁺ ions: applications in molecular switches and live cell imaging. **2011**, 40, 10818-21 41
- 1458 Manganese(II) complexes of scorpion-like azamacrocycles as MnSOD mimics. **2011**, 47, 5988-90 29
- 1457 3,4,3-LI(1,2-HOPO): in vitro formation of highly stable lanthanide complexes translates into efficacious in vivo europium decorporation. **2011**, 40, 8340-6 48
- 1456 The solution stability of copper(I) and silver(I) complexes with N-heterocyclic carbenes. **2011**, 40, 8367-76 13
- 1455 Complex Equilibria in Aqueous Solutions of Chromium(III) with Some Biological pH Buffers. **2011**, 56, 3541-3551 15
- 1454 Cooperative binding and stabilization of the medicinal pigment curcumin by diamide linked β -cyclodextrin dimers: a spectroscopic characterization. **2011**, 115, 1268-74 49
- 1453 Potentiometric characterisation of cyclodextrin inclusion complexes of local anaesthetics. **2011**, 23, 607-613 5
- 1452 Potentiometric and Spectrophotometric Studies on the Binding Ability of a Flexible Tripodal Catecholamine Ligand toward Iron(III). **2011**, 56, 2849-2855 8
- 1451 Understanding zinc quantification with existing and advanced ditopic fluorescent Zinpyr sensors. *Journal of the American Chemical Society*, **2011**, 133, 4101-14 16.4 139
- 1450 Thermodynamic Dissociation Constants of Butorphanol and Zolpidem by the Least-Squares Nonlinear Regression of Multiwavelength Spectrophotometric pH-Titration Data. **2011**, 56, 1009-1019 4
- 1449 Complex Formation of the Uranyl (UO₂²⁺) Ion with the Diethylene Triaminopentaacetate (DTPA) Ligand at 25 °C in 3 M Sodium Perchlorate. **2011**, 56, 2110-2118 7
- 1448 Eu(3+)-mediated polymerization of benzenetetracarboxylic acid studied by spectroscopy, temperature-dependent calorimetry, and density functional theory. **2011**, 50, 5451-9 14
- 1447 Spin-Delocalization in Charged States of para-Phenylene-Linked Dendritic Oligoarylamines **2011**, 23, 841-850 30

1446	Iron(III), Chromium(III), and Copper(II) Complexes of α -Norvaline and Ferulic Acid. 2011 , 56, 532-540	29
1445	Control of metal-directed self-assembly by metal-amine interactions. 2011 , 40, 2778-86	9
1444	Copper(II) complexes of rat amylin fragments. 2011 , 40, 9711-21	21
1443	Polythiol binding to biologically relevant metal ions. 2011 , 40, 10434-9	19
1442	Complexation, computational, magnetic, and structural studies of the Maillard reaction product isomaltol including investigation of an uncommon π -interaction with copper(II). 2011 , 50, 1498-505	16
1441	Anion binding in the C_{3v} -symmetric cavity of a protonated tripodal amine receptor: potentiometric and single crystal X-ray studies. 2011 , 50, 10693-702	20
1440	Exploring the binding ability of polyammonium hosts for anionic substrates: selective size-dependent recognition of different phosphate anions by bis-macrocyclic receptors. 2011 , 50, 7202-16	34
1439	Characterization of Fe(III) sequestration by an analog of the cytotoxic siderophore brasilibactin A: implications for the iron transport mechanism in mycobacteria. 2011 , 3, 464-71	7
1438	Palladium(II) Complexes of Aminopolycarboxylic Ligands in Aqueous Solution. 2011 , 56, 4759-4771	9
1437	Leucine Complexes with Cerium: Stability Constants and Thermodynamic Parameters. 2011 , 56, 978-983	5
1436	General base-guanidinium cooperation in bifunctional artificial phosphodiesterases. 2011 , 76, 5438-43	33
1435	Determination of the relative pKa's of mixtures of organic acids using NMR titration experiments based on aliased $^1H/^{13}C$ HSQC spectra. 2011 , 3, 1316	2
1434	Zn ²⁺ 's ability to alter the distribution of Cu ²⁺ among the available binding sites of A β (1-16)-polyethyleneglycol-ylated peptide: implications in Alzheimer's disease. 2011 , 50, 5342-50	41
1433	Solvent effect on keto-enol tautomerism in a new β -diketone: a comparison between experimental data and different theoretical approaches. 2011 , 35, 2840	36
1432	The effect of temperature on the complexation of Cm(III) with nitrate in aqueous solutions. 2011 , 40, 914-8	7
1431	Metal binding ability of cysteine-rich peptide domain of ZIP13 Zn ²⁺ ions transporter. 2011 , 50, 6135-45	29
1430	Ion pair receptors based on anion- π interaction. 2011 , 47, 8112-4	71
1429	Anion Sensing by Fluorescence Quenching or Revival. 2011 , 521-552	

1428	A study on the coordinative versatility of new N,S-donor macrocyclic ligands: XAFS, and Cu ²⁺ complexation thermodynamics in solution. 2011 , 40, 2764-77		33
1427	Stability Constants & Their Determination Based in part on the article Stability Constants & Their Determination by Harry M. N. H. Irving which appeared in the Encyclopedia of Inorganic Chemistry, First Edition.. 2011 ,		0
1426	Potentiometric Titration Study of the Temperature and Ionic Strength Dependence of the Acidity Constants of Nicotinic Acid (Niacin). 2011 , 56, 2964-2970		28
1425	Speciation, luminescence, and alkaline fluorescence quenching of 4-(2-methylbutyl)aminodipicolinic acid (H ₂ MEBADPA). 2011 , 115, 7912-20		7
1424	Thermodynamic Dissociation Constants of Alendronate and Ibandronate by Regression Analysis of Potentiometric Data. 2011 , 56, 3848-3854		10
1423	Coordination-driven inversion of handedness in ligand-modified PNA. 2011 , 50, 11929-37		15
1422	trans-Methylpyridine cyclen versus cross-bridged trans-methylpyridine cyclen. Synthesis, acid-base and metal complexation studies (metal = Co ²⁺ , Cu ²⁺ , and Zn ²⁺). 2011 , 40, 4514-26		22
1421	Synthesis and cation binding properties of fluorescent calix[4]arene derivatives bearing tryptophan units at the lower rim. 2011 , 23, 389-397		13
1420	Selenium chemical speciation in natural waters: Protonation and complexation behavior of selenite and selenate in the presence of environmentally relevant cations. 2011 , 288, 32-38		34
1419	Synthesis of 1,3,5-alternate azacalix[3]pyridine[3]pyrimidine and its complexation with fullerenes via multiple π - π and CH/ π interactions. 2011 , 47, 9690-2		49
1418	Complexes of amino acids with a crown-ether derivative of 4-styrylpyridine. Monotopic or ditopic?. 2011 , 10, 1954-62		7
1417	Rational design of aminoanthraquinones for colorimetric detection of heavy metal ions in aqueous solution. 2011 , 40, 10491-502		25
1416	Selective colorimetric sensing of Cu ²⁺ using triazolyl monoazo derivative. <i>Talanta</i> , 2011 , 83, 1695-700	6.2	74
1415	Construction of a new Cu ²⁺ coated wire ion selective electrode based on 2-((2-(2-(2-(2-hydroxy-5-methoxybenzylidene amino)phenyl)disufanyl)phenylimino)methyl)-4-methoxyphenol Schiff base. <i>Talanta</i> , 2011 , 84, 34-41	6.2	38
1414	Ferrocene based chemosensor for Cu ²⁺ --a dual channel signaling system. <i>Talanta</i> , 2011 , 85, 1050-5	6.2	26
1413	(Oligo)thienyl-imidazo-benzocrown ether derivatives: synthesis, photophysical studies and evaluation of their chemosensory properties. <i>Talanta</i> , 2011 , 85, 2470-8	6.2	8
1412	Naphthalene- and perylenediimides with hydroquinones, catechols, boronic esters and imines in the core. 2011 , 9, 8246-52		34
1411	Pyridinium/urea-based anion receptor: methine formation in the presence of basic anions. 2011 , 9, 8276-83		22

1410	Macrocyclic receptor for pertechnetate and perrhenate anions. 2011 , 9, 7358-64	17
1409	S-nitrosocaptopril formation in aqueous acid and basic medium. A vasodilator and angiotensin converting enzyme inhibitor. 2011 , 9, 7207-16	5
1408	8-Hydroxyquinoline as a building block for artificial receptors: binding preferences in the recognition of glycopyranosides. 2011 , 9, 2319-26	37
1407	Investigating the role of metal chelation in HIV-1 integrase strand transfer inhibitors. 2011 , 54, 8407-20	39
1406	HIV-1 IN strand transfer chelating inhibitors: a focus on metal binding. 2011 , 8, 507-19	33
1405	Hg ²⁺ recognition by triptycene-derived heterocalixarenes: selectivity tuned by bridging heteroatoms and macrocyclic cavity. 2011 , 9, 5838-44	32
1404	Complexation studies of Cm(III), Am(III), and Eu(III) with linear and cyclic carboxylates and polyaminocarboxylates. 2011 , 64, 3214-3236	17
1403	Speciation of Al ³⁺ in fairly concentrated solutions (20000 mmol L ⁻¹) at I=1 mol L ⁻¹ (NaNO ₃), in the acidic pH range, at different temperatures. 2011 , 23, 33-37	12
1402	Comparative study of nanoporous Ln ^{III} coordination polymers containing iminodiacetate as bridging ligand. 2011 , 1004, 215-221	11
1401	Analytical determination of apparent stability constants using a copper ion selective electrode. 2011 , 105, 1656-61	13
1400	Investigation of the insulin-like properties of zinc(II) complexes of 3-hydroxy-4-pyridinones: identification of a compound with glucose lowering effect in STZ-induced type I diabetic animals. 2011 , 105, 1675-82	28
1399	Study of copper(II) ternary complexes with phosphocreatine and some polyamines in aqueous solution. 2011 , 105, 1712-9	8
1398	Synthesis, X-ray structure and cytotoxic effect of nickel(II) complexes with pyrazole ligands. 2011 , 46, 5917-26	22
1397	Novel small stable gold nanoparticles bearing fluorescent cysteine-coumarin probes as new metal-modulated chemosensors. 2011 , 50, 8797-807	31
1396	Binding and recognition of AMP, ADP, ATP and related inorganic phosphate anions by a tren-based ligand containing a pyrimidine functionality. 2011 , 35, 1883	20
1395	Exploring new molecular architectures for anion recognition: synthesis and ATP binding properties of new cyclam-based ditopic polyammonium receptors. 2011 , 6, 1582-94	9
1394	VO ₂ ⁺ complexation by bioligands showing keto-enol tautomerism: a potentiometric, spectroscopic, and computational study. 2011 , 50, 10328-41	46
1393	The thermodynamic dissociation constant of naphazoline by the regression analysis of potentiometric data. 2011 , 9, 66-74	2

1392	Vesicular zinc promotes presynaptic and inhibits postsynaptic long-term potentiation of mossy fiber-CA3 synapse. 2011 , 71, 1116-26		141
1391	A fluoride selective dipyrromethane-TCNQ colorimetric sensor based on charge-transfer. <i>Talanta</i> , 2011 , 84, 947-51	6.2	20
1390	A Lewis basicity scale in dichloromethane for amines and common nonprotogenic solvents using a zinc(II) Schiff-base complex as reference Lewis acid. 2011 , 76, 8879-84		58
1389	Potentiometric Studies on the Equilibria of Flufenamic Acid in Aqueous Solutions and in Two-phase Organic Solvent + Water Systems. 2011 , 40, 198-210		4
1388	Stabilities and Coordination Modes of β -Alaninephosphonic Acid in Copper(II) Heteroligand Complexes with Ethylenediamine, Diethylenetriamine or N,N,N',N',N'-Pentamethyldiethylene Triamine in Aqueous Solution. 2011 , 40, 1041-1054		7
1387	Spectrophotometric and Potentiometric Studies on the Binding Abilities of Two Novel Tripodal Imine-Phenol Ligands Towards Al(III) and Ga(III). 2011 , 40, 1187-1199		4
1386	Complex Formation Between Ferric(III), Chromium(III), and Cupric(II) Metal Ions and (O,N) and (O,O) Donor Ligands with Biological Relevance in Aqueous Solution. 2011 , 40, 1965-1986		21
1385	Electronic absorption spectra of palladium(II) in concentrated nitric acid solutions. 2011 , 290, 475-478		17
1384	Thermodynamic study of Cd(II) complex formation with tripodal N-donor ligands in DMSO. 2011 , 103, 35-40		7
1383	Equilibrium studies on complex formation reactions of dichlorido[(R,R)-trans-1,2-diaminocyclohexane]platinum(II) complex with ligands of biological significance. 2011 , 142, 985-992		3
1382	The synthesis and development of a dual-analyte colorimetric sensor: Simultaneous estimation of Hg ²⁺ and Fe ³⁺ . 2011 , 88, 296-300		43
1381	Determination of the thermodynamic dissociation constant of capecitabine using spectrophotometric and potentiometric titration data. 2011 , 43, 930-937		17
1380	Novel versatile imine-amine chemosensor based on 6-nitro-4-oxo-4H-chromene for ion detection in solution, solid and gas-phase: synthesis, emission, computational and MALDI-TOF-MS studies. 2011 , 67, 326-333		12
1379	Imidazo-benzo-15-crown-5 ethers bearing arylthienyl and bithienyl moieties as novel fluorescent chemosensors for Pd ²⁺ and Cu ²⁺ . 2011 , 67, 7106-7113		26
1378	Luminescence Resonance Energy Transfer in Heterodinuclear Ln(III) Complexes for Sensing Biologically Relevant Anions. 2011 , 2011, 154-164		42
1377	Nickel(II) and Cobalt(II) 3-Hydroxy-4-pyridinone Complexes: Synthesis, Characterization and Speciation Studies in Aqueous Solution. 2011 , 2011, 131-140		23
1376	A New Tris(phosphonomethyl) Monoacetic Acid Cyclam Derivative: Synthesis, Acid-Base and Metal Complexation Studies. 2011 , 2011, 527-538		5
1375	An Anthracene Based Photoswitchable Dioxo-Tetraaza Ligand Selective for Cu(II) and Capable of Photochemical pK _a Modulation. 2011 , 2011, 1212-1218		5

1374	Decorating the Second Coordination Sphere in Pyrazolate-Based Dinickel(II) Complexes with H-Bond Donors. 2011 , 2011, 4161-4167	7
1373	Properties of Metal Complexes of a New Dioxadiaza Macrocyclic Containing a Dibenzofuran Unit and Acetate Pendant Arms. 2011 , 2011, 4700-4708	3
1372	Selective Binding of Glyphosate by a Ditopic Cyclic/Open-Chain Polyazaligand in Aqueous Solution. 2011 , 2011, 6965-6973	3
1371	Anion exchange in trimethyl- and triphenyltin complexes with chromogenic ligands: solution equilibria and colorimetric anion sensing. 2011 , 25, 356-365	6
1370	A macrocyclic ligand as receptor and Zn(II)-complex receptor for anions in water: binding properties and crystal structures. 2011 , 17, 1670-82	45
1369	The inorganic perspective of nerve growth factor: interactions of Cu ²⁺ and Zn ²⁺ with the N-terminus fragment of nerve growth factor encompassing the recognition domain of the TrkA receptor. 2011 , 17, 3726-38	46
1368	The influence of linker geometry in bis(3-hydroxy-N-methyl-pyridin-2-one) ligands on solution phase uranyl affinity. 2011 , 17, 1818-27	16
1367	Insights into the acid-base properties of Pt(IV)-diazidodiam(m)inedihydroxido complexes from multinuclear NMR spectroscopy. 2011 , 17, 12051-8	9
1366	Urea-, squaramide-, and sulfonamide-based anion receptors: a thermodynamic study. 2011 , 17, 5972-81	85
1365	A series of tripodal cysteine derivatives as water-soluble chelators that are highly selective for copper(I). 2011 , 17, 4418-28	37
1364	Hydrolysis of plutonium(VI) at variable temperatures (283-343 K). 2011 , 17, 10985-93	11
1363	Self-assembly of supramolecular architectures and polymers by orthogonal metal complexation and hydrogen-bonding motifs. 2011 , 17, 9478-88	45
1362	Recognition of oxalate by a copper(II) polyaza macrobicyclic complex. 2011 , 17, 7020-31	37
1361	Moderate and advanced intramolecular proton transfer in urea-anion hydrogen-bonded complexes. 2011 , 17, 9423-39	45
1360	The versatile binding mode of transition-state analogue inhibitors of tyrosinase towards dicopper(II) model complexes: experimental and theoretical investigations. 2011 , 17, 13482-94	8
1359	Anion-templated supramolecular C ₃ assembly for efficient inclusion of charge-dispersed anions into hydrogen-bonded networks. 2011 , 17, 10889-97	17
1358	A fluorescent molecular sensor for pH windows in traditional and polymeric biocompatible micelles: comicellization of anionic species to shift and reshape the ON window. 2011 , 17, 10574-82	6
1357	A trinuclear copper(II) cryptate and its β -CO ₃ cascade complex: thermodynamics, structural and magnetic properties. 2011 , 17, 11193-203	40

1356	Bulky melamine-based Zn-porphyrin tweezer as a CD probe of molecular chirality. 2011 , 23, 808-19	24
1355	Kinetic study of the oxidation of [Fe(CN) ₆] ⁴⁻ by [Co(NH ₃) ₄ pzCO ₂] ²⁺ and in the presence of the tripodal ligand Tren Aminopropil. 2011 , 505, 112-116	1
1354	Synthesis, characterization, fluorescence and computational studies of new Cu ²⁺ , Ni ²⁺ and Hg ²⁺ complexes with emissive thienylbenzoxazolyl-alanine ligands. 2011 , 366, 154-160	14
1353	Thermodynamic, spectroscopic studies and catechol oxidase activity of copper (II) complexes with amphiphilic d-galacturonic acid derived ligands. 2011 , 366, 310-319	10
1352	Co(II) complexes with tripodal N-donor ligands: Thermodynamics of formation in anaerobic conditions and oxygen binding. 2011 , 367, 120-126	10
1351	Alizarin complexone-lanthanide(III)-fluoride system: Revised speciation and the origin of the analytical signal. 2011 , 373, 226-232	4
1350	Acid-base and UV properties of some aminophenol ligands and their complexing ability towards Zn ²⁺ in aqueous solution. 2011 , 159, 146-151	26
1349	Hydroxyquinoline based binders: promising ligands for chelation therapy?. 2011 , 105, 490-6	54
1348	Copper effective binding with 32-62 and 94-125 peptide fragments of histone H2B. 2011 , 105, 102-10	23
1347	Selective peptide bond hydrolysis of cysteine peptides in the presence of Ni(II) ions. 2011 , 105, 10-6	24
1346	Cu ²⁺ and Ni ²⁺ interactions with N-terminal fragments of Hpn and Hpn-like proteins from <i>Helicobacter pylori</i> : unusual impact of poly-Gln sequence on the complex stability. 2011 , 105, 208-14	29
1345	Two macrocyclic pentaaza compounds containing pyridine evaluated as novel chelating agents in copper(II) and nickel(II) overload. 2011 , 105, 410-9	24
1344	Synthesis, structural characterization, formation constants and in vitro cytotoxicity of phenanthroline and imidazolidine-2-thione copper(II) complexes. 2011 , 105, 329-38	19
1343	DNA binding of a proflavine derivative bearing a platinum hanging residue. 2011 , 105, 558-62	6
1342	Application of principal component-wavelet neural network in spectrophotometric determination of acidity constants of 4-(2-thiazolylazo)-resorcinol. 2011 , 78, 1380-5	13
1341	Synthesis, spectral and thermal studies of some transition metal mixed ligand complexes: modeling of equilibrium composition and biological activity. 2011 , 79, 1693-703	9
1340	The synthesis, spectroscopic properties and X-ray structure of Zn(II) complexes with amino derivatives of chromone. <i>Polyhedron</i> , 2011 , 30, 1177-1184	2.7 11
1339	Thermodynamics of U(VI) and Eu(III) complexation by unsaturated carboxylates. 2011 , 518, 111-118	6

1338	Novel tetradentate chelators derived from 3-hydroxy-4-pyridinone units: synthesis, characterization and aqueous solution properties. 2011 , 67, 4009-4016	15
1337	Azonia spiro polyaza macrocycles containing biphenyl subunits as anion and cation receptors. 2011 , 67, 4655-4663	6
1336	Modulation of the Physicochemical Properties of Heteropolynuclear Assemblies Containing Lanthanide Ions and 2,2?-oxydiacetate. 2011 , 304, 72-79	2
1335	Kojic acid derivatives as powerful chelators for iron(III) and aluminium(III). 2011 , 40, 5984-98	39
1334	Effect of bath stabiliser on performance of electrodeposited Ni/W coatings. 2011 , 89, 132-136	4
1333	Thermodynamic study of Th(IV) complexes with dicarboxylates by potentiometry and calorimetry. 2011 , 99, 341-347	2
1332	Highly stable acyclic bifunctional chelator for ⁶⁴ Cu PET imaging. 2011 , 99, 663-678	13
1331	Complexation of Oxonium and Ammonium Ions by Lower-rim Calix[4]arene Amino Acid Derivatives. 2012 , 85, 541-552	8
1330	Novel chelating agents as manganese and zinc fertilisers: characterisation, theoretical speciation and stability in solution. 2012 , 24, 147-158	17
1329	Pyridine-substituted calix[4]pyrrole: a new cation receptor. 2012 , 24, 213-219	4
1328	Bacillus cereus iron uptake protein fishes out an unstable ferric citrate trimer. 2012 , 109, 16829-34	28
1327	Potentiometric and spectrophotometric characterization of the UO ₂ ²⁺ -citrate complexes in aqueous solution, at different concentrations, ionic strengths and supporting electrolytes. 2012 , 100, 13-28	17
1326	Sulphate binding by a quinolinyl-functionalised tripodal tris-urea receptor. 2012 , 24, 88-94	13
1325	New program for computation of the thermodynamic, spectral, and NMR relaxation parameters of coordination compounds in complex systems. 2012 , 394, 012031	4
1324	Modelling of the Metal Binding Sites in Proteins Involved in Neurodegeneration. 2012 , 45-92	
1323	Dicarboxylate recognition by two macrobicyclic receptors: selectivity for fumarate over maleate. 2012 , 77, 4611-21	31
1322	Selenacalix[3]triazines: synthesis and host-guest chemistry. 2012 , 48, 43-5	47
1321	Synthesis, structure and metal binding property of internally 1,3-arylene-bridged azacalix[6]aromatics. 2012 , 77, 10073-82	16

1320	Synthesis, basicity, structural characterization, and biochemical properties of two [(3-hydroxy-4-pyron-2-yl)methyl]amine derivatives showing antineoplastic features. 2012 , 77, 2207-18	20
1319	(Thio)ureido anion receptors based on a 1,3-alternate oxacalix[2]arene[2]pyrimidine scaffold. 2012 , 77, 2791-7	41
1318	Upper rim guanidinocalix[4]arenes as artificial phosphodiesterases. 2012 , 77, 3381-9	58
1317	Turn-on fluorescent sensor for selective detection of Zn(2+), Cd(2+), and Hg(2+) in water. 2012 , 77, 3670-3	156
1316	Study of the Interaction between HDEHP and CMPO and Its Effect on the Extraction of Selected Lanthanides. 2012 , 51, 10433-10444	53
1315	Solvent induced cooperativity of Zn(II) complexes cleaving a phosphate diester RNA analog in methanol. 2012 , 10, 631-9	18
1314	Bis(N-methylindolyl)methane-based chemical probes for Hg ²⁺ and Cu ²⁺ and molecular IMPLICATION gate operating in fluorescence mode. 2012 , 10, 1497-501	41
1313	Isostructural dinuclear phenoxo-/acetato-bridged manganese(II), cobalt(II), and zinc(II) complexes with labile sites: kinetics of transesterification of 2-hydroxypropyl-p-nitrophenylphosphate. 2012 , 51, 5539-53	64
1312	Water soluble extended naphthalene diimides as pH fluorescent sensors and G-quadruplex ligands. 2012 , 10, 3830-40	61
1311	Cation-cation interactions between NpO ₂ (+) and UO ₂ (2+) at different temperatures and ionic strengths. 2012 , 41, 8532-8	10
1310	Coordination effects on electron distributions for rhodium complexes of the redox-active bis(3,5-di-tert-butyl-2-phenolate)amide ligand. 2012 , 51, 12606-18	30
1309	Structure of charged cyclohexyldiamines in aqueous solution: a theoretical and experimental study. 2012 , 116, 5019-27	6
1308	Mixed-1,10-phenanthroline-Cu(II) complexes: synthesis, cytotoxic activity versus hematological and solid tumor cells and complex formation equilibria with glutathione. 2012 , 114, 28-37	35
1307	Copper, BDNF and Its N-terminal domain: inorganic features and biological perspectives. 2012 , 18, 15618-31	31
1306	Synthesis, Physicochemical Studies, Molecular Dynamics Simulations, and Metal-Ion-Dependent Antiproliferative and Antiangiogenic Properties of Cone ICL670-Substituted Calix[4]arenes. 2012 , 77, 1001-1016	8
1305	Kanamycin A: imine formation in aqueous solution. 2012 , 25, 1395-1403	4
1304	Characterization of the aqueous iron(III) chelation chemistry of a potential Trojan Horse antimicrobial agent: chelate structure, stability and pH dependent speciation. 2012 , 25, 1023-36	11
1303	Nickel and Cobalt Complexes of Non-protein L-Norvaline and Antioxidant Ferulic Acid: Potentiometric and Spectrophotometric Studies. 2012 , 41, 1156-1164	13

1302	A Comparative Study of Stabilities and Coordination Modes of α -Alaninephosphonic Acid in Copper(II) Heteroligand Complexes with Ethylenediamine, Diethylenetriamine or N,N,N',N',N'-Pentamethyldiethylene Triamine in Aqueous Solution. 2012 , 41, 1948-1964	5
1301	Spectrophotometric thermodynamic study of orientational isomers formed by inclusion of methyl orange into α -cyclodextrin nanocavity. 2012 , 118, 230-238	10
1300	Electrophilic assistance to the cleavage of an RNA model phosphodiester via specific and general base-catalyzed mechanisms. 2012 , 77, 9110-9	10
1299	Rational design of a functionalized oxacalix[2]arene[2]triazine host for selective recognition of H ₂ PO ₄ ⁻ by cooperative anion and hydrogen bond interactions. 2012 , 53, 6226-6229	23
1298	Chemical equilibria in the binary and ternary uranyl(VI)-hydroxide-peroxide systems. 2012 , 41, 3380-6	31
1297	Lanthanide-binding peptides with two pendant aminodiacetate arms: impact of the sequence on chelation. 2012 , 41, 3239-47	8
1296	Evaluation of the H ₂ dedpa scaffold and its cRGDyK conjugates for labeling with ⁶⁴ Cu. 2012 , 51, 6279-84	45
1295	Mechanistic insight on the catecholase activity of dinuclear copper complexes with distant metal centers. 2012 , 41, 4985-97	53
1294	Glyphosate and ATP binding by mononuclear Zn(II) complexes with non-symmetric ditopic polyamine ligands. 2012 , 41, 10521-32	9
1293	Insights into the uranium(VI) speciation with <i>Pseudomonas fluorescens</i> on a molecular level. 2012 , 41, 13370-8	21
1292	Anion-directed assembly of a rectangular supramolecular cage in the solid state with electron-deficient phenoxyated oxacalix[2]arene[2]triazine. 2012 , 48, 11458-60	49
1291	Grafted squaramide monoamine nanoparticles as simple systems for sulfate recognition in pure water. 2012 , 48, 2609-11	26
1290	Formation and Stability of Binary Complexes of Divalent Ecotoxic Ions (Ni, Cu, Zn, Cd, Pb) with Biodegradable Aminopolycarboxylate Chelants (dl-2-(2-Carboxymethyl)Nitrilotriacetic Acid, GLDA, and 3-Hydroxy-2,2?-Iminodisuccinic Acid, HIDS) in Aqueous Solutions. 2012 , 41, 1713-1728	37
1289	Probing the copper(II) binding features of angiogenin. Similarities and differences between a N-terminus peptide fragment and the recombinant human protein. 2012 , 51, 128-41	24
1288	Pyochelin, a siderophore of <i>Pseudomonas aeruginosa</i> : physicochemical characterization of the iron(III), copper(II) and zinc(II) complexes. 2012 , 41, 2820-34	135
1287	The Thermodynamics of Molecular Recognition. 2012 ,	
1286	Counterion exchange as a decisive factor in the formation of host:guest complexes by p-sulfonatocalix[4]arene. 2012 , 116, 5308-15	25
1285	Oxinobactin and sulfoxinobactin, abiotic siderophore analogues to enterobactin involving 8-hydroxyquinoline subunits: thermodynamic and structural studies. 2012 , 51, 12142-51	18

1284	Modulation of DNA binding by reversible metal-controlled molecular reorganizations of scorpion-like ligands. <i>Journal of the American Chemical Society</i> , 2012 , 134, 9644-56	16.4	68
1283	Artificial neural networks combined with experimental design: a "soft" approach for chemical kinetics. <i>Talanta</i> , 2012 , 93, 72-8	6.2	30
1282	Synthesis and structure of oxacalix[2]arene[2]triazines of an expanded π -electron-deficient cavity and their interactions with anions. 2012 , 77, 1860-7		48
1281	A water-soluble Pybox derivative and its highly luminescent lanthanide ion complexes. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6987-94	16.4	161
1280	Copper(II) coordination properties of the integrin ligand sequence PHSRN and its new β -cyclodextrin conjugates. 2012 , 113, 15-24		9
1279	The separation of nickel(II) from base metal ions using 1-octyl-2-(2-pyridyl)imidazole as extractant in a highly acidic sulfate medium. 2012 , 121-124, 81-89		20
1278	Thermodynamic study of Eu(III) complexation by pyridine monocarboxylates. 2012 , 55, 67-74		21
1277	Affinity of copper and zinc ions to proteins and peptides related to neurodegenerative conditions (A β , APP, τ -synuclein, PrP). 2012 , 256, 2297-2307		105
1276	Structural dependence of Mn complexation by siderophores: Donor group dependence on complex stability and reactivity. 2012 , 88, 106-119		52
1275	$^{99}\text{TcO}_4^-$ -Selective Recognition and Trapping in Aqueous Solution. 2012 , 124, 9910-9914		12
1274	$^{99}\text{TcO}_4^-$: selective recognition and trapping in aqueous solution. 2012 , 51, 9772-6		77
1273	Charge-transfer interactions in tris-donor-tris-acceptor hexaarylbenzene redox chromophores. 2012 , 18, 11937-48		49
1272	Complexation of Np(V) with oxalate at 283-343 K: spectroscopic and microcalorimetric studies. 2012 , 41, 448-52		6
1271	A comparison of sensitized Ln(III) emission using pyridine- and pyrazine-2,6-dicarboxylates. 2012 , 41, 5272-9		10
1270	Copper(II) complexes of bis(amino amide) ligands: effect of changes in the amino acid residue. 2012 , 41, 6764-76		33
1269	Thermodynamic and spectroscopic investigation on the role of Met residues in Cu(II) binding to the non-octarepeat site of the human prion protein. 2012 , 4, 794-806		17
1268	Lipophilic ternary complexes in liquid-liquid extraction of trivalent lanthanides. 2012 , 65, 741-753		12
1267	Exploiting micelle-driven coordination to evaluate the lipophilicity of molecules. 2012 , 28, 9930-43		4

1266	Design of a peptidic turn with high affinity for Hg(II). 2012 , 51, 11339-48	28
1265	Stability Constants of Fe(III) and Cr(III) Complexes with dl-2-(2-Carboxymethyl)nitrilotriacetic Acid (GLDA) and 3-Hydroxy-2,2?-iminodisuccinic acid (HIDS) in Aqueous Solution. 2012 , 57, 2723-2732	32
1264	Structural and photophysical properties of visible- and near-IR-emitting tris lanthanide(III) complexes formed with the enantiomers of N,N'-bis(1-phenylethyl)-2,6-pyridinedicarboxamide. 2012 , 51, 647-60	61
1263	Experimental and theoretical approach to aggregation behavior of new di-N-oxide surfactants in an aquatic environment. 2012 , 116, 14324-32	12
1262	Binding Constants and Their Measurement. 2012 ,	11
1261	New environmental friendly dicephalic amine dichlorides: Nonequivalent adsorption and interactions with model polyelectrolyte. 2012 , 413, 108-114	8
1260	Thermochromic cobalt(II) chloro-complexes in different media: Possible application for auto-regulated solar protection. 2012 , 105, 309-316	10
1259	Fluorescent detection of amidinium-carboxylate and amidinium formation using anthracene-based diamidine: an application for the analysis of dicarboxylic acid binding. 2012 , 68, 9973-9981	20
1258	Hydroxy(thio)pyrone and hydroxy(thio)pyridinone iron chelators: physico-chemical properties and anti-oxidant activity. 2012 , 114, 38-46	13
1257	Amino acid-based tweezers: the role of turn-like conformation in the binding of copper(II). 2012 , 116, 45-52	2
1256	Comparative solution equilibrium studies of anticancer gallium(III) complexes of 8-hydroxyquinoline and hydroxy(thio)pyrone ligands. 2012 , 117, 189-97	43
1255	Corroles as anion chemosensors: exploiting their fluorescence behaviour from solution to solid-supported devices. 2012 , 22, 13811	71
1254	Modeling solubility, acid-base properties and activity coefficients of amoxicillin, ampicillin and (+)6-aminopenicillanic acid, in NaCl(aq) at different ionic strengths and temperatures. 2012 , 47, 661-77	27
1253	Interaction of Iron(III) with 2-Hydroxybenzoic Acid in Aqueous Solutions. 2012 , 57, 195-199	15
1252	Aqueous complexation of thorium(IV), uranium(IV), neptunium(IV), plutonium(III/IV), and cerium(III/IV) with DTPA. 2012 , 51, 7741-8	36
1251	Structural basis for bifunctional zinc(II) macrocyclic complex recognition of thymine bulges in DNA. 2012 , 51, 5444-57	26
1250	Equilibrium studies between some transition metal ions and Me6[14]dieneN4 ligand. 2012 , 143, 1357-1363	1
1249	Novel emissive bio-inspired non-proteinogenic coumarin-alanine amino acid: fluorescent probe for polyfunctional systems. 2012 , 43, 1779-90	10

1248	Studies of Mg ²⁺ /Ca ²⁺ complexes of naturally occurring dinucleotides: potentiometric titrations, NMR, and molecular dynamics. 2012 , 17, 861-79	4
1247	The coordination abilities of the multiHis-cyclopeptide with two metal-binding centers--potentiometric and spectroscopic investigation. 2012 , 41, 12114-20	20
1246	Sequestering uranium from seawater: binding strength and modes of uranyl complexes with glutarimidedioxime. 2012 , 41, 11579-86	134
1245	Chemodosimeter for CN(-)--interplay between experiment and theory. 2012 , 41, 9607-10	20
1244	Aza crown ether appended hetarylazo dye-single molecular dual analyte chemosensor for Hg ²⁺ and Pb ²⁺ . 2012 , 41, 8767-9	21
1243	Monopicolinate cyclen and cyclam derivatives for stable copper(II) complexation. 2012 , 51, 6916-27	67
1242	Determination of pK _a for substituted benzoic acids in mixed solvent using density functional theory and QSPR. 2012 , 112, 683-694	7
1241	Analysis of benzodiazza-15-crown-5 ether derivative binding properties by potentiometric and optical methods. 2012 , 25, 835-839	6
1240	A synthetic hexapeptide designed to resemble a proteinaceous P-loop nest is shown to bind inorganic phosphate. 2012 , 80, 1418-24	37
1239	Thermodynamic dissociation constants of risedronate using spectrophotometric and potentiometric pH-titration. 2012 , 10, 338-353	7
1238	H ₄ octapa: an acyclic chelator for ¹¹¹ In radiopharmaceuticals. <i>Journal of the American Chemical Society</i> , 2012 , 134, 8670-83	16.4 80
1237	Chemical equilibria in the uranyl(VI)-peroxide-carbonate system; identification of precursors for the formation of poly-peroxometallates. 2012 , 41, 11635-41	18
1236	Tris(phosphonomethyl) Cyclen Derivatives: Synthesis, AcidBase Properties and Complexation Studies with Cu ²⁺ and Zn ²⁺ Ions. 2012 , 2012, 2533-2547	10
1235	Tris(phosphonomethyl)cyclen Derivatives: Thermodynamic Stability, Kinetics, Solution Structure, and Relaxivity of Ln ³⁺ Complexes. 2012 , 2012, 2548-2559	4
1234	The Solution Chemistry of Cu ²⁺ Iren Complexes Revisited: Exploring the Role of Species That Are Not Trigonal Bipyramidal. 2012 , 2012, 2514-2526	4
1233	pH-Dependent Imidazolato Bridge Formation in Dicopper Complexes: Magnetic, Electrochemical, and Catalytic Repercussions. 2012 , 2012, 4739-4749	5
1232	Effect of Ethynyl and 2-Thienyl Substituents on the Complexation of 4?-Substituted 2,2':6',2'-Terpyridines with Zn ²⁺ and Fe ²⁺ Ions, and the Spectroscopic Properties of the Ligands and Formed Complex Species. 2012 , 2012, 3866-3874	24
1231	Zinc Complexes of a Bioinspired Binucleating Ligand Platform [Equilibria in Solution and Structures in the Solid State. 2012 , 2012, 4728-4738	2

1230	Cavity Effect on Perrhenate Recognition by Polyammonium Cages. 2012 , 2012, 3410-3417	29
1229	Complexes of Di- and Triazacrown Ethers with Heavy Metal Ions in Water Solution. 2012 , 24, n/a-n/a	2
1228	An Integrated approach (thermodynamic, structural, and computational) to the study of complexation of alkali-metal cations by a lower-rim calix[4]arene amide derivative in acetonitrile. 2012 , 51, 6264-78	27
1227	Exploration of biguanido-oxovanadium complexes as potent and selective inhibitors of protein tyrosine phosphatases. 2012 , 25, 599-610	14
1226	Syntheses, equilibrium, and structural studies of copper(II) and nickel(II) complexes with a tripodal alanine-based ligand. 2012 , 65, 2442-2458	6
1225	Interaction between biimidazole complexes of ruthenium and acetate: hydrogen bonding and proton transfer. 2012 , 41, 7026-36	20
1224	Water encapsulation in a polyoxapolyaza macrobicyclic compound. 2012 , 77, 6816-24	6
1223	Copper(II) complexes of quinoline polyazamacrocyclic scorpion-type ligands: X-ray, equilibrium and kinetic studies. 2012 , 41, 5617-24	16
1222	Carbohydrate chelation in neutral aqueous solution: the threo-tetritolato-Pd(4) butterfly motif. 2012 , 18, 10571-84	7
1221	Multi-use NBD-based tetra-amino macrocycle: fluorescent probe for metals and anions and live cell marker. 2012 , 18, 4274-84	29
1220	The coordination of Ni(II) and Cu(II) ions to the polyhistidyl motif of Hpn protein: is it as strong as we think?. 2012 , 18, 11088-99	24
1219	Isoquinoline-based lanthanide complexes: bright NIR optical probes and efficient MRI agents. 2012 , 51, 2522-32	55
1218	Acid-Base equilibria of the aqua adducts of Ru(II) arene complexes with functionalised pyridines. 2012 , 9, 7-12	3
1217	Unusual Absence of Head-to-Tail Chains in the Crystal Structure of Glycyl-L-glutamyl-L-phosphoserine-L-leucine. 2012 , 42, 839-845	1
1216	Fluorescence and electrochemical recognition of nucleosides and DNA by a novel luminescent bioprobe Eu(III)-TNB. 2012 , 22, 971-92	19
1215	Addressing selectivity criteria in binding equilibria. 2012 , 256, 13-27	39
1214	Copper(II) interaction with amyloid- β Affinity and speciation. 2012 , 256, 3-12	62
1213	Remediation of toxic metal contaminated soil by washing with biodegradable aminopolycarboxylate chelants. 2012 , 87, 1161-70	152

1212	Some thermodynamic properties of dl-Tyrosine and dl-Tryptophan. Effect of the ionic medium, ionic strength and temperature on the solubility and acidBase properties. 2012 , 314, 185-197	23
1211	Novel emissive phenylurea-based macrocyclic chemosensor: Synthesis, fluorescent and complexation studies. 2012 , 381, 85-94	10
1210	New emissive dopamine derivatives as fluorescent chemosensors for metal ions: A CHEF effect for Al(III) interaction. 2012 , 381, 203-211	32
1209	From colorimetric chemosensors to metal nanoparticles using two new tyrosine Schiff-base ligands for Cu ²⁺ detection. 2012 , 380, 22-30	17
1208	Versatile Schiff-base hydrazone fluorescent receptors: Synthesis, spectroscopy and complexation studies. 2012 , 380, 40-49	4
1207	Selective binding and fluorescence sensing of ZnII with acridine-based macrocycles. 2012 , 381, 162-169	25
1206	Novel emissive podands based on 8-OH-quinoline: Synthesis, fluorescence materials, DFT and complexation studies. 2012 , 381, 218-228	11
1205	Bis(2-pyridylmethyl)alkyl(thioalkyl)diamines as promising scaffolds for the construction of fluorescent and redox chemosensors for transition and post-transition metal ions. 2012 , 381, 170-180	6
1204	Thermodynamic and fluorescence emission properties of the Zn(II), Cd(II) and Pb(II) complexes with a fluorescent chelator bearing phenanthroline and naphthalene subunits. 2012 , 381, 229-235	5
1203	Equilibrium and structural studies of copper(II) complexes with a tridentate ligand containing amide, pyrazyl and pyridyl nitrogen donors: Effect of anions coligands on crystal structures of copper(II) complexes. 2012 , 383, 267-276	14
1202	Solution and solid state study of copper(II) ternary complexes containing amino acids of interest for brain biochemistry \mathbb{D} : Homocysteine with aspartate, glutamate or methionine. 2012 , 386, 60-67	10
1201	Spectral response to oxy-anions based on ferrocenylphalene. 2012 , 385, 128-134	3
1200	Anionic RR120 dye adsorption onto raw clay: Surface properties and adsorption mechanism. 2012 , 403, 69-78	81
1199	A novel fluorescein-based dye containing a catechol chelating unit to sense iron(III). 2012 , 93, 1447-1455	43
1198	Reliability of dissociation constants and resolution capability of SQUAD(84) and SPECFIT/32 in the regression of multiwavelength spectrophotometric pH-titration data. 2012 , 86, 305-14	15
1197	Spectroscopic and pH-metric studies on the complexation of a novel tripodal amine-phenol ligand towards Al(III), Ga(III) and In(III). 2012 , 89, 322-8	3
1196	Interaction between PAMAM-NH ₂ G ₀ dendrimer and dissociated sodium chloride in aqueous solution. 2012 , 171, 54-59	3
1195	A new Hg ²⁺ fluorescent sensors based on 1,3-alternate thiocalix[4]arene (L) and the complex of [L+Hg ²⁺] as turn-on sensor for cysteine. 2012 , 68, 2409-2413	38

1194	New coumarin-urea based receptor for anions: a selective off-on fluorescence response to fluoride. 2012 , 68, 3768-3775		24
1193	Triazolopyridines. Part 28. The ring-chain isomerization strategy: triazolopyridine- and triazoloquinoline-pyridine based fluorescence ligands. 2012 , 68, 3701-3707		14
1192	Heteroditopic receptor based on crown ether and cyclen units for the recognition of zwitterionic amino acids. 2012 , 68, 4860-4868		17
1191	The study of solution equilibria in chiral capillary electrophoresis by the ligand-exchange mechanism. 2012 , 32, 133-153		17
1190	Synthesis of cobalt(III) complexes with new oxime-containing Schiff base ligands and metal-ligand coordination in solution. <i>Polyhedron</i> , 2012 , 33, 410-416	2.7	13
1189	Coordination of Ni ²⁺ and Cu ²⁺ to metal ion binding domains of E. coli SlyD protein. 2012 , 107, 73-81		23
1188	Synthesis, characterization and antibacterial studies of a copper(II) levofloxacin ternary complex. 2012 , 110, 64-71		70
1187	Mixed metal copper(II)-nickel(II) and copper(II)-zinc(II) complexes of multihistidine peptide fragments of human prion protein. 2012 , 112, 17-24		20
1186	Copper(II) complex formation processes of alloferon I with point mutation H1K; combined spectroscopic and potentiometric studies. 2012 , 111, 40-9		15
1185	Copper(II) interaction with peptide fragments of histidine-proline-rich glycoprotein: Speciation, stability and binding details. 2012 , 111, 59-69		27
1184	Glycosiderophores: synthesis of tris-hydroxamate siderophores based on a galactose or glycerol central scaffold, Fe(III) complexation studies. 2012 , 112, 59-67		5
1183	Pyridine-based lanthanide complexes combining MRI and NIR luminescence activities. 2012 , 18, 1419-31		81
1182	Trace metal complexation by the triscatecholate siderophore protochelin: structure and stability. 2012 , 25, 393-412		31
1181	Synthesis, characterization, and in vitro antitumor properties of gold(III) compounds with the traditional Chinese medicine (TCM) active ingredient liriodenine. 2012 , 17, 247-61		24
1180	Study in Aqueous Solutions of Bioactive 2-Pyridineformamide-Derived Thiosemicarbazones and Their Iron(II) and Iron(III) Complexes. 2013 , 42, 555-565		1
1179	Potentiometric Study of Lanthanide Salicylaldimine Schiff Base Complexes. 2013 , 42, 18-26		9
1178	Exploiting thermodynamic data to optimize the enantioseparation of underivatized amino acids in ligand exchange capillary electrophoresis. 2013 , 405, 951-9		12
1177	Conditions for calibration of an isothermal titration calorimeter using chemical reactions. 2013 , 405, 1085-94		36

1176	Water-soluble naphthalene diimides as singlet oxygen sensitizers. 2013 , 78, 8065-73	74
1175	Bis(o-methylserotonin)-containing iridium(III) and ruthenium(II) complexes as new cellular imaging dyes: synthesis, applications, and photophysical and computational studies. 2013 , 18, 679-92	8
1174	Iron(III) and aluminium(III) complexes with substituted salicyl-aldehydes and salicylic acids. 2013 , 128, 174-82	7
1173	Solution thermodynamic stability of complexes formed with the octadentate hydroxypyridinonate ligand 3,4,3-LI(1,2-HOPO): a critical feature for efficient chelation of lanthanide(IV) and actinide(IV) ions. 2013 , 52, 8805-11	56
1172	Supramolecular assemblies of Al ³⁺ complexes with vitamin D3 (cholecalciferol) and phenothiazine. Encapsulation and complexation studies in β -cyclodextrin. 2013 , 75, 137-145	2
1171	Thermodynamic stability and relaxation studies of small, triaza-macrocyclic Mn(II) chelates. 2013 , 42, 4522-32	25
1170	Effect of Solvation? Complexation of Neodymium(III) with Nitrate in an Ionic Liquid (BumimTf2N) in Comparison with Water. 2013 , 31, 384-400	22
1169	New cyclodextrin-bearing 8-hydroxyquinoline ligands as multifunctional molecules. 2013 , 19, 13946-55	48
1168	CPE-Scanometry as a new technique for the determination of dyes: application for the determination of fast green FCF dye and comparison with spectrophotometric results. 2013 , 5, 4824	23
1167	Anion and ion-pair binding by a G-2 poly(ethylene imine) dendrimer. 2013 , 42, 12130-8	5
1166	Tunable Zn ²⁺ and Cu ²⁺ calixarene complexes as polytopic building blocks for guest recognition. 2013 , 25, 615-625	4
1165	X-ray absorption spectroscopy proves the trigonal-planar sulfur-only coordination of copper(I) with high-affinity tripodal pseudopeptides. 2013 , 52, 9954-61	29
1164	Macroscopic and molecular approaches of enrofloxacin retention in soils in presence of Cu(II). 2013 , 408, 191-9	23
1163	NMR kinetic studies of the interactions between [Ru(terpy)(bipy)(H ₂ O)] ²⁺ and some sulfur-donor ligands. 2013 , 394, 552-557	7
1162	Solution equilibria of anticancer ruthenium(II)-(1,6-p-cymene)-hydroxy(thio)pyr(id)one complexes: impact of sulfur vs. oxygen donor systems on the speciation and bioactivity. 2013 , 127, 161-8	19
1161	Manganese and cobalt binding in a multi-histidinic fragment. 2013 , 42, 16293-301	16
1160	Configurational, LFDFT and NBO analysis of chromium(III) complexes of edta-type ligands. <i>Polyhedron</i> , 2013 , 55, 131-143	2.7 14
1159	Synthesis, acidBase and complexing properties with Cu(II), Co(II) and Zn(II) in aqueous solution of a novel 1H-benzimidazol-2-ylmethyl diethyl phosphate ligand: Comparison with other 2-substituted benzimidazole ligands. <i>Polyhedron</i> , 2013 , 53, 20-25	2.7 16

1158	Molecular structure of tetraaqua adenosine 5'-triphosphate aluminium(III) complex: a study involving Raman spectroscopy, theoretical DFT and potentiometry. 2013 , 105, 88-101	11
1157	A family of hydroxypyron ligands designed and synthesized as iron chelators. 2013 , 127, 220-31	21
1156	Spectrophotometric determination of the formation constants of the cupric halogen complexes with 1,3-propanediamine and 1,4-butanediamine in methanol solution and their activity on the oxidative coupling of the 2,6-di-tert-butylphenol. 2013 , 400, 184-190	6
1155	A Two-Scale Computational Model of H-Sensitive Expansive Porous Media. 2013 , 80, 0209031-2090314	4
1154	Characterization of complexes of nucleoside-5'-phosphorothioate analogues with zinc ions. 2013 , 52, 10886-96	9
1153	The Effects of Anionic, Cationic, and Nonionic Surfactants on Acid-Base Equilibria of ACE Inhibitors. 2013 , 58, 2567-2573	16
1152	Multifunctional iron-chelators with protective roles against neurodegenerative diseases. 2013 , 42, 6058-73	42
1151	Supramolecular assemblies based on complexes of nonionic amphiphilic cyclodextrins and a meso-tetra(4-sulfonatophenyl)porphine tributyltin(IV) derivative: potential nanotherapeutics against melanoma. 2013 , 14, 3820-9	30
1150	Binding of reactive organophosphate by oximes via hydrogen bond. 2013 , 125, 869-873	14
1149	Chemical equilibria in the $UO_2(2+)-H_2O_2-F^-/OH^-$ systems and possible solution precursors for the formation of $[Na_6(OH_2)_8]@[UO_2(O_2)F]_{24}(18^-)$ and $[Na_6(OH_2)_8]@[UO_2(O_2)OH]_{24}(18^-)$ clusters. 2013 , 42, 10129-37	11
1148	Thermodynamic studies of U(VI) complexation with glutardiamidoxime for sequestration of uranium from seawater. 2013 , 42, 5690-6	58
1147	Revised coordination model and stability constants of Cu(II) complexes of tris buffer. 2013 , 52, 13927-33	39
1146	Stability Constants for the Equilibrium Models of Iron(III) with Several Biological Buffers in Aqueous Solutions. 2013 , 42, 2296-2309	15
1145	Tuning the emission properties of fluorescent ligands by changing pH: the unusual case of an acridine-containing polyamine macrocycle. 2013 , 117, 3798-808	12
1144	Solution and solid state studies with the bis-oxalato building block $[Cr(pyim)(C_2O_4)_2]_n$ [pyim = 2-(2-pyridyl)imidazole]. 2013 , 66, 3349-3364	10
1143	Functionalized Porphyrins as Red Fluorescent Probes for Metal Cations: Spectroscopic, MALDI-TOF Spectrometry, and Doped-Polymer Studies. 2013 , 78, 1230-1243	21
1142	Complex Formation Equilibria and Molecular Structure of Divalent Metal Ions-Vitamin B3-Glycine Oligopeptides Systems. 2013 , 42, 2409-2442	15
1141	Intermolecular binding modes in a novel [1 + 1] condensation 1H-pyrazole azamacrocycle: a solution and solid state study with evidence for CO ₂ fixation. 2013 , 52, 10795-803	11

- 1140 Complex formation equilibria of Cu(II) and Zn(II) with triethylenetetramine and its mono- and di-acetyl metabolites. **2013**, 42, 6161-70 41
- 1139 Dicopper double-strand helicates held together by additional π -interactions. **2013**, 52, 10643-52 10
- 1138 An anion-modulated three-way supramolecular switch that selectively binds dihydrogen phosphate, H₂PO₄⁻. **2013**, 52, 10270-4 51
- 1137 Ionic Strength Dependence of Four Stepwise Protonation Constants for Folic Acid in Different Aqueous Solutions of Dioxane. **2013**, 58, 2219-2223 7
- 1136 Thermodynamic Properties of Dopamine in Aqueous Solution. Acid-Base Properties, Distribution, and Activity Coefficients in NaCl Aqueous Solutions at Different Ionic Strengths and Temperatures. **2013**, 58, 2835-2847 37
- 1135 Complexation of Crystal Violet, Pyronine B, and Rhodamine B by Linked β -Cyclodextrin Trimers. **2013**, 66, 1057 3
- 1134 Studies of new phosphothreonine complexes formed in binary and ternary systems including biogenic amines and copper(II). **2013**, 66, 98-113 18
- 1133 Stoichiometric diversity of Ni(II) metallacrowns with β -alaninehydroxamic acid in aqueous solution. **2013**, 42, 8018-25 11
- 1132 Cu(II) complex formation by ACES buffer. **2013**, 129, 58-61 11
- 1131 Curium(III) Speciation Studies with Cells of a Groundwater Strain of *Pseudomonas fluorescens*. **2013**, 30, 337-346 12
- 1130 Oligomers-model building in protonation equilibria of sitagliptin. **2013**, 11, 1799-1807 1
- 1129 Preorganizing binding side-arms on a cyclen scaffold: the choice of a suitable metal ion. **2013**, 42, 2902-12 10
- 1128 A new bis-tetraamine ligand with a chromophoric 4-(9-anthracenyl)-2,6-dimethylpyridinyl linker for glyphosate and ATP sensing. **2013**, 42, 4859-72 11
- 1127 Homo- and heterobinuclear Cu⁺ and Zn⁺ complexes of abiotic cyclic hexaazapyridinocyclophanes as SOD mimics. **2013**, 42, 11194-204 22
- 1126 Ratiometric fluorescence sensing and cellular imaging of Cu²⁺ by a new water soluble trehalose-naphthalimide based chemosensor. **2013**, 3, 24288 23
- 1125 Complexation and DFT studies of lower rim hexahomotrioxalix[3]arene derivatives bearing pyridyl groups with transition and heavy metal cations. Cone versus partial cone conformation. **2013**, 26, 295-305 12
- 1124 Interaction of divalent cations with peptide fragments from Parkinson's disease genes. **2013**, 42, 5964-74 28
- 1123 The U(VI) speciation influenced by a novel *Paenibacillus* isolate from Mont Terri Opalinus clay. **2013**, 42, 6979-88 14

1122	Discrimination of fluorescence light-up effects induced by pH and metal ion chelation on a spirocyclic derivative of rhodamine B. 2013 , 42, 6110-8	24
1121	Unexpected impact of the number of glutamine residues on metal complex stability. 2013 , 5, 214-21	27
1120	Remarkable inertness of copper(II) chelates of cyclen-based macrobicycles with two trans-N-acetate arms. 2013 , 52, 5138-53	26
1119	Doubly-bridged PNP-lariat ethers and their complexes with silver(I) ions in methanol solution. 2013 , 3, 25351	7
1118	Turn-on selective vitamin B6 derivative fluorescent probe for histidine detection in biological samples. 2013 , 138, 3642-5	27
1117	Zn ²⁺ /Cd ²⁺ optical discrimination by fluorescent chemosensors based on 8-hydroxyquinoline derivatives and sulfur-containing macrocyclic units. 2013 , 42, 14516-30	48
1116	Bis[zinc(II)dipicolylamino]-functionalised peptides as high affinity receptors for pyrophosphate ions in water. 2013 , 49, 4824-6	34
1115	Correlation between structure, retention, property, and activity of biologically relevant 1,7-bis(aminoalkyl)diazachrysene derivatives. 2013 , 72, 231-9	11
1114	The zinc-binding fragment of HypA from <i>Helicobacter pylori</i> : a tempting site also for nickel ions. 2013 , 42, 6012-20	18
1113	Silver-pyrazole complexes as hybrid multifunctional materials with metallomesogenic and photoluminescent behaviour. 2013 , 42, 2107-20	39
1112	Self-diffusion of water and poly(amidoamine) dendrimers in dilute aqueous solutions. 2013 , 9, 1645-1655	18
1111	Anion-π Interactions: generality, binding strength, and structure. <i>Journal of the American Chemical Society</i> , 2013 , 135, 892-7	16.4 322
1110	Coordination chemistry for antibacterial materials: a monolayer of a Cu(2+) 2,2'-bipyridine complex grafted on a glass surface. 2013 , 42, 4552-60	17
1109	Self-assembly of supramolecular tris(crown ether) hexagons with dendritic dibenzylammonium cations. 2013 , 69, 1086-1091	26
1108	Trivalent actinide and lanthanide complexation of 5,6-dialkyl-2,6-bis(1,2,4-triazin-3-yl)pyridine (RBTP; R = H, Me, Et) derivatives: a combined experimental and first-principles study. 2013 , 52, 761-76	17
1107	Study of ellagic acid electro-oxidation mechanism. 2013 , 144, 121-128	22
1106	The unusual stabilization of the Ni ²⁺ and Cu ²⁺ complexes with NSFRY. 2013 , 42, 448-58	10
1105	A quinoline-based turn-off fluorescent cation sensor. 2013 , 3, 64-67	19

1104	Harnessing the flexibility of peptidic scaffolds to control their copper(II)-coordination properties: a potentiometric and spectroscopic study. 2013 , 19, 2076-88		29
1103	A Study on Identification of Uranyl Complexes in Aqueous Solutions Containing Carbonate Ion and Hydrogen Peroxide. 2013 , 39, 81-95		9
1102	Non-toxic fluorescent alanine-fluorescein probe with green emission for dual colorimetric/fluorimetric sensing. 2013 , 269, 17-26		15
1101	Coordination abilities of three donor groups ligand, DL-2-amino-3-phosphonopropionic acid, in copper(II) heteroligand complexes with polyamines: Implications for metal ions coordination in aqueous solution. <i>Polyhedron</i> , 2013 , 54, 211-220	2.7	3
1100	Copper(II) complexes of neuropeptide gamma with point mutations (S8,16A) products of metal-catalyzed oxidation. 2013 , 129, 62-70		1
1099	Solution equilibrium studies on anticancer ruthenium(II)- η^6 -p-cymene complexes of 3-hydroxy-2(1H)-pyridones. 2013 , 734, 38-44		19
1098	The extracellular loop of IRT1 ZIP protein--the chosen one for zinc?. 2013 , 127, 246-52		16
1097	Biomass against emerging pollution in wastewater: Ability of cork for the removal of ofloxacin from aqueous solutions at different pH. 2013 , 1, 1199-1204		29
1096	Complexation of thorium with pyridine monocarboxylates: A thermodynamic study by experiment and theory. 2013 , 58, 432-439		15
1095	Understanding the solution behavior of minor actinides in the presence of EDTA ⁴⁻ , carbonate, and hydroxide ligands. 2013 , 52, 3728-37		10
1094	Solution and solid state study of copper(II) ternary complexes with some dipeptides presence in A β 42 peptide and methionine. <i>Polyhedron</i> , 2013 , 54, 34-38	2.7	2
1093	Photoprocesses in styryl dyes and their pseudorotaxane complexes with cucurbit[7]uril. 2013 , 253, 52-61		16
1092	Complexation of U(VI) with dipicolinic acid: thermodynamics and coordination modes. 2013 , 52, 2750-6		52
1091	Stability and Toxicity of Contrast Agents. 2013 , 157-208		31
1090	Isolation, structure elucidation, and iron-binding properties of lystabactins, siderophores isolated from a marine <i>Pseudoalteromonas</i> sp. 2013 , 76, 648-54		15
1089	Antitumor effects of a tetradentate amido-carboxylate ligands and corresponding square-planar palladium(II) complexes toward some cancer cells. Crystal structure, DFT modeling and ligand to DNA probe docking simulation. 2013 , 121, 134-44		29
1088	Lanthanide speciation in potential SANEX and GANEX actinide/lanthanide separations using tetra-N-donor extractants. 2013 , 52, 3429-44		78
1087	Design of a water soluble 1,8-naphthalimide/3-hydroxy-4-pyridinone conjugate: Investigation of its spectroscopic properties at variable pH and in the presence of Fe ³⁺ , Cu ²⁺ and Zn ²⁺ . 2013 , 98, 201-211		16

1086	Di-maltol-polyamine ligands to form heterotrinnuclear metal complexes: solid state, aqueous solution and magnetic characterization. 2013 , 42, 5848-59		16
1085	Methylenediphosphonotetrathioate: synthesis, characterization, and chemical properties. 2013 , 52, 3133-40		4
1084	Copper(II) coordination properties of decapeptides containing three His residues: the impact of cyclization and Asp residue coordination. 2013 , 42, 6182-92		22
1083	Equilibrium and kinetic studies on complex formation and decomposition and the movement of Cu(2+)metal ions within polytopic receptors. 2013 , 42, 6131-41		11
1082	Monopicolinate-dipicolyl derivative of triazacyclononane for stable complexation of Cu ²⁺ and 64Cu ²⁺ . 2013 , 52, 5246-59		42
1081	Selenacalix[3]triazines: Anion Versus Proton Association. 2013 , 2013, 2085-2090		15
1080	Enhancing the anion affinity of urea-based receptors with a Ru(terpy) ₂ (2+) chromophore. 2013 , 52, 5273-83		31
1079	Europium(III) complexation with salicylic acid at elevated temperatures. 2013 , 394, 535-541		19
1078	Mixed ligand Cu ²⁺ complexes of a model therapeutic with Alzheimer's amyloid- β peptide and monoamine neurotransmitters. 2013 , 52, 4303-18		51
1077	The interaction of fluoride with fluorogenic ureas: an ON1-OFF-ON2 response. <i>Journal of the American Chemical Society</i> , 2013 , 135, 6345-55	16.4	97
1076	Self-assembly of a constitutional dynamic library of Cu(II) coordination polygons and reversible sorting by crystallization. 2013 , 42, 7534-8		10
1075	Europium (III) complexes with new N-donor ligand: A comparative study in solid state and solution. <i>Polyhedron</i> , 2013 , 57, 30-38	2.7	24
1074	Studies of aqueous U(VI)thiosalicylate complex formation via UV-Vis absorption spectrophotometry, TRLFS and potentiometry. <i>Polyhedron</i> , 2013 , 55, 201-208	2.7	4
1073	Metal binding ability of curcumin derivatives: a theoretical vs. experimental approach. 2013 , 42, 5304-13		29
1072	Tuning colourimetric indicator displacement assays for naked-eye sensing of pyrophosphate in aqueous media. 2013 , 4, 1680		81
1071	Colorimetric macrocyclic anion probes bearing nitrophenylurea and nitrophenylthiourea binding groups. 2013 , 69, 4578-4585		13
1070	Multi-signalling cation sensing behaviour of a bis(pyridin-2-yl methyl)aniline based hetarylazo dye. 2013 , 778, 79-86		6
1069	In vitro studies of lanthanide complexes for the treatment of osteoporosis. 2013 , 42, 5999-6011		32

1068	Substituent effects and pH profiles for stability constants of arylboronic acid diol esters. 2013 , 78, 4674-84	62
1067	Reliability of protonation constants of vildagliptin dimers by the regression analysis of pH-titration data. 2013 , 11, 1101-1111	1
1066	Synthesis of 4-aminoquinoline-pyrimidine hybrids as potent antimalarials and their mode of action studies. 2013 , 66, 314-23	39
1065	Sensitizing curium luminescence through an antenna protein to investigate biological actinide transport mechanisms. <i>Journal of the American Chemical Society</i> , 2013 , 135, 2676-83	16.4 42
1064	Selective sensing of Hg ²⁺ by a proton-ionizable calix[4]arene fluoroionophore. 2013 , 405, 1133-7	6
1063	Steady-state and time-resolved investigations on pyrene-based chemosensors. 2013 , 52, 121-9	32
1062	Measurement and modeling of acid dissociation constants of tri-peptides containing Glu, Gly, and His using potentiometry and generalized multiplicative analysis of variance. 2013 , 42, 2940-7	8
1061	Displacement-based, chromogenic calix[4]pyrrole indicator complex for selective sensing of pyrophosphate anion. 2013 , 54, 3744-3747	14
1060	Interaction of d(10) metal ions with thioether ligands: a thermodynamic and theoretical study. 2013 , 42, 6074-82	35
1059	Mono- and polynuclear copper(II) complexes of alloferons 1 with point mutations (H6A) and (H12A): stability structure and cytotoxicity. 2013 , 52, 5951-61	18
1058	New bifunctional metalloproteinase inhibitors: an integrated approach towards biological improvements and cancer therapy. 2013 , 127, 188-202	9
1057	New biodegradable organic-soluble chelating agents for simultaneous removal of heavy metals and organic pollutants from contaminated media. 2013 , 260, 676-88	29
1056	Formation of new non-oxido vanadium(IV) species in aqueous solution and in the solid state by tridentate (O, N, O) ligands and rationalization of their EPR behavior. 2013 , 52, 8202-13	50
1055	A novel tripodal tris-hydroxypyrimidinone sequestering agent for trivalent hard metal ions: synthesis, complexation and in vivo studies. 2013 , 42, 6033-45	11
1054	New tris-3,4-HOPO lanthanide complexes as potential imaging probes: complex stability and magnetic properties. 2013 , 42, 6046-57	25
1053	Coordination diversity in mono- and oligonuclear copper(II) complexes of pyridine-2-hydroxamic and pyridine-2,6-dihydroxamic acids. 2013 , 52, 7633-44	18
1052	Influence of an Alkoxy Group on Bis-Triazinyl-Pyridines for Selective Extraction of Americium(III). 2013 , 31, 253-268	12
1051	Carbonic acid ionization and the stability of sodium bicarbonate and carbonate ion pairs to 200 °C □ A potentiometric and spectrophotometric study. 2013 , 120, 600-611	50

1050	Synthesis, solid state and solution studies of cobalt(II) complexes with 2-hydroxyiminopropanoic acid. <i>Polyhedron</i> , 2013 , 56, 144-151	2.7	4
1049	Binding Studies on an Arene-Capped Bicyclic Cyclophane with Rich Neutral Guests and Anions. 2013 , 13, 3208-3215		7
1048	Selective control of Cu(II) complex stability in histidine peptides by β -alanine. 2013 , 119, 85-9		20
1047	Metal ion binding by a G-2 poly(ethylene imine) dendrimer. Ion-directed self-assembling of hierarchical mono- and two-dimensional nanostructured materials. 2013 , 52, 2125-37		26
1046	Robust affinity standards for Cu(I) biochemistry. <i>Journal of the American Chemical Society</i> , 2013 , 135, 18549-59	16.4	49
1045	Zinc(II) interactions with brain-derived neurotrophic factor N-terminal peptide fragments: inorganic features and biological perspectives. 2013 , 52, 11075-83		22
1044	Acid-base properties of the (1-4,18-36) fragments of neuropeptide K and their mono- and polynuclear copper(II) complexes products of metal-catalyzed oxidation. 2013 , 52, 130-43		10
1043	Revision of the biodistribution of uranyl in serum: is fetuin-A the major protein target?. 2013 , 26, 645-53		45
1042	Multi-wavelength spectrophotometric determination of acidity constants of some salicylaldimine derivatives. 2013 , 178, 70-77		7
1041	Effect of D-amino acid substitutions on Ni(II)-assisted peptide bond hydrolysis. 2013 , 52, 2422-31		15
1040	Kinetics, mechanism, and equilibrium studies of the reactions between a ruthenium(II) complex and some nitrogen- and sulfur-donor nucleophiles. 2013 , 144, 1489-1498		7
1039	Corrole and corrole functionalized silica nanoparticles as new metal ion chemosensors: a case of silver satellite nanoparticles formation. 2013 , 52, 8564-72		35
1038	Complexation of glutarimidedioxime with Fe(III), Cu(II), Pb(II), and Ni(II), the competing ions for the sequestration of U(VI) from seawater. 2013 , 42, 14621-7		56
1037	An OFF-ON chemosensor for biological and environmental applications: sensing Cd ²⁺ in water using catanionic vesicles and in living cells. 2013 , 11, 7751-9		15
1036	H(4)octapa-trastuzumab: versatile acyclic chelate system for ¹¹¹ In and ¹⁷⁷ Lu imaging and therapy. <i>Journal of the American Chemical Society</i> , 2013 , 135, 12707-21	16.4	68
1035	Boehmite Supported Pyrene Polyamine Systems as Probes for Iodide Recognition. 2013 , 117, 14325-14331		25
1034	Sorption of toxic metal ions in aqueous environment using electrospun polystyrene fibres incorporating diazole ligands. 2013 , 39,		
1033	Solution thermodynamic evaluation of hydroxypyridinonate chelators 3,4,3-LI(1,2-HOPO) and 5-LIO(Me-3,2-HOPO) for UO ₂ (VI) and Th(IV) decorporation. 2013 , 101, 359-366		42

1032	Anion binding to a tetracopper resorcinarene-based complex. 2013 , 25, 158-165	2
1031	Synthesis of Azulene Derivatives That Have an Azathiacrown Ether Moiety and Their Selective Color Reaction Towards Silver Ions. 2013 , 2, 786-791	15
1030	An automatic molecular dispenser of chloride. 2013 , 19, 3729-34	8
1029	Gram-positive siderophore-shuttle with iron-exchange from Fe-siderophore to apo-siderophore by <i>Bacillus cereus</i> YxeB. 2013 , 110, 13821-6	39
1028	Separation of Copper(II) from Base Metals in an Acidic Synthetic Sulfate Leach Solution Using a Novel 1-Octylimidazole-2-Aldoxime Extractant. 2013 , 31, 61-78	6
1027	Thermodynamic and structural trends in hexavalent actinyl cations: complexation of dipicolinic acid with $\text{NpO}_2(2+)$ and $\text{PuO}_2(2+)$ in comparison with $\text{UO}_2(2+)$. 2013 , 19, 16690-8	11
1026	A Bis(η -phenoxo)-Bridged Dizinc Complex with Hydrolytic Activity. 2013 , 639, 1534-1542	8
1025	An Anion-Modulated Three-Way Supramolecular Switch that Selectively Binds Dihydrogen Phosphate, H_2PO_4^- 2013 , 125, 10460-10464	20
1024	[15]aneN4S: synthesis, thermodynamic studies and potential applications in chelation therapy. 2014 , 19, 550-67	2
1023	Mixed-ligand complexes of copper(II) ions with L-glutamic acid in the systems with triamines and non-covalent interaction between bioligands in aqueous solution. 2014 , 13,	6
1022	Stability and Solution Structure of Binary and Ternary Cu(II) Complexes with L-Glutamic Acid and Diamines as Well as Adducts in Metal-Free Systems in Aqueous Solution. 2014 , 43, 2144-2162	7
1021	Interactions of the Mont Terri Opalinus Clay Isolate <i>Sporomusa</i> sp. MT-2.99 with Curium(III) and Europium(III). 2014 , 31, 682-696	15
1020	Interaction of Molybdenum(VI) Oxyanions with +2 Metal Cations. 2014 , 43, 1687-1700	14
1019	Coordinative interaction of microcrystalline chitosan with oxovanadium (IV) ions in aqueous solution. 2014 , 8, 50	8
1018	Interactions of the G-series organophosphorus chemical warfare agent sarin and various simulants with luminescent lanthanide complexes. 2014 , 4, 55524-55528	20
1017	Determination of Acid Dissociation Constants (pK_a) of Bicyclic Thiohydantoin-Pyrrolidine Compounds in 20% Ethanol-Water Hydroorganic Solvent. 2014 , 2014, 634194	2
1016	Binding and removal of octahedral, tetrahedral, square planar and linear anions in water by means of activated carbon functionalized with a pyrimidine-based anion receptor. 2014 , 4, 58505-58513	22
1015	Arylpyrrole oligomers as tunable anion receptors. 2014 , 12, 5492-9	13

1014	Interactions of histone amino acid: lysine with copper(II) ions and adenosine 5'-triphosphate as well as in a metal-free system. 2014 , 67, 45-56		7
1013	Mechanistic studies of Gd ³⁺ -based MRI contrast agents for Zn ²⁺ detection: towards rational design. 2014 , 20, 10959-69		25
1012	Complexation of NpV Ions with 1,10-Phenanthroline-2,9-dicarboxylic Acid: Spectrophotometric and Microcalorimetric Studies. 2014 , 2014, 5561-5566		11
1011	Phosphonated chelates for nuclear imaging. 2014 , 12, 9601-20		11
1010	Highly luminescent and stable hydroxypyridinonate complexes: a step towards new curium decontamination strategies. 2014 , 20, 9962-8		27
1009	Effects of terminal dimethylation and metal coordination of proline-2-formylpyridine thiosemicarbazone hybrids on lipophilicity, antiproliferative activity, and hR2 RNR inhibition. 2014 , 53, 12595-609		22
1008	Sulfate-selective recognition by using neutral dipeptide anion receptors in aqueous solution. 2014 , 20, 7373-80		33
1007	A fluorescent probe for the detection of Hg ²⁺ : shift from "on-state A" to "on-state B". <i>Talanta</i> , 2014 , 130, 571-6	6.2	12
1006	Building-up novel coordination polymer with Zn(II) porphyrin dimer: Synthesis, structures, surface morphology and effect of axial ligands. 2014 , 126, 1451-1461		13
1005	Comparison of chelating ability of NO-, NS-, ONS-, and ONO-type Schiff base derivatives and their stability constants of Bis-complexes with copper(II). 2014 , 38, 109-120		5
1004	Investigations of ternary complexes of Co(II) and Ni(II) with thiodiacetate anion and 1,10-phenanthroline or 2,2'-bipyridine in aqueous solutions. 2014 , 13,		1
1003	Protonation equilibria of biologically active ligands in mixed aqueous organic solvents. 2014 , 2014, 626719		83
1002	Multinuclear complexes of crown-containing monostyrylphenantrolines. 2014 , 63, 2271-2280		
1001	Cyanide and fluoride colorimetric sensing by novel imidazo-anthraquinones functionalised with indole and carbazole. 2014 , 26, 71-80		30
1000	New coumarin-borrole and porphyrin conjugate multifunctional probes for anionic or cationic interactions: synthesis, spectroscopy, and solid supported studies. 2014 , 70, 3361-3370		33
999	A systematic investigation on biological activities of a novel double zwitterionic Schiff base Cu(II) complex. 2014 , 118, 120-9		21
998	Novel chromogenic macrocyclic molecular probes with logic gate function using anion/cation inputs. 2014 , 110, 143-151		9
997	Searching for new aluminium chelating agents: a family of hydroxypyronone ligands. 2014 , 130, 112-21		26

- 996 Equilibrium and kinetics studies on bibrachial lariat aza-crown/Cu(II) systems reveal different behavior associated with small changes in the structure. **2014**, 417, 246-257 3
- 995 Cinderella Elements: Strategies to increase the stability of group 1 complexes by tailoring crown macrocycles. **2014**, 417, 155-162 3
- 994 Multiple spectroscopic and magnetic techniques show that chloroquine induces formation of the Exo dimer of ferriprotoporphyrin IX. **2014**, 133, 40-9 13
- 993 Solution equilibrium studies of anticancer ruthenium(II)- π -p-cymene complexes of pyridinecarboxylic acids. *Polyhedron*, **2014**, 67, 51-58 2.7 12
- 992 Effect of acidity on the equilibria of formation of mixed Co²⁺ complexes with heparin and arginine in aqueous solutions at 37°C. **2014**, 88, 351-352 3
- 991 Guanidinium-Based Artificial Receptors for Binding Orthophosphate in Aqueous Solution. **2014**, 2014, 2747-2753 22
- 990 Fluorescent detection of amidinium-carboxylate and amidinium formation using a 1,8-diphenyl-naphthalene-based diamidine: dicarboxylic acid recognition with high fluorescence efficiency. **2014**, 70, 4049-4056 15
- 989 Acid-Base and UV behavior of 3-(3,4-dihydroxyphenyl)-propenoic acid (caffeic acid) and complexing ability towards different divalent metal cations in aqueous solution. **2014**, 195, 9-16 24
- 988 Diketoacid chelating ligands as dual inhibitors of HIV-1 integration process. **2014**, 78, 425-30 12
- 987 Molecular recognition of nucleotides in water by scorpion-type receptors based on nucleobase discrimination. **2014**, 20, 3730-41 28
- 986 From yellow to pink using a fluorimetric and colorimetric pyrene derivative and mercury (II) ions. **2014**, 110, 152-158 18
- 985 Preparation and ion recognition features of porphyrin-halcone type compounds as efficient red-fluorescent materials. **2014**, 2, 4772-4783 19
- 984 A new 3,5-bisporphyrinylpyridine derivative as a fluorescent ratiometric probe for zinc ions. **2014**, 20, 6684-92 34
- 983 A dinuclear zinc(II) complex of a new unsymmetric ligand with an N(5)O(2) donor set: a structural and functional model for the active site of zinc phosphoesterases. **2014**, 132, 6-17 23
- 982 Construction of an M3L2A6 cage with small windows from a flexible tripodal ligand and Cu(hfac)₃. **2014**, 53, 24-6 9
- 981 Excellent selectivity for actinides with a tetradentate 2,9-diamide-1,10-phenanthroline ligand in highly acidic solution: a hard-soft donor combined strategy. **2014**, 53, 1712-20 151
- 980 Cobalt complexes able to bind dioxygen: Thermodynamic studies and DFT calculations. **2014**, 417, 230-238 6
- 979 Quinoline-pyrimidine hybrids: synthesis, antiplasmodial activity, SAR, and mode of action studies. **2014**, 57, 435-48 83

978	New rhodamine dimer probes for mercury detection via color changes and enhancement of the fluorescence emission: Fast recognition in cellulose supported devices. 2014 , 101, 156-163	36
977	Formation constants of copper(II) complexes with tripeptides containing Glu, Gly, and His: potentiometric measurements and modeling by generalized multiplicative analysis of variance. 2014 , 53, 1278-87	11
976	Copper(II)-chelating homocarnosine glycoconjugate as a new multifunctional compound. 2014 , 131, 56-63	26
975	Formation of double-strand dimetallic helicates with a terpyridine-based macrocycle. 2014 , 53, 12215-24	21
974	Structural insight into the anion-water cluster: stabilised by alcohol and carboxylic acid containing tripodal ligand. 2014 , 26, 392-402	9
973	The unusual binding mechanism of Cu(II) ions to the poly-histidyl domain of a peptide found in the venom of an African viper. 2014 , 43, 16680-9	21
972	Zinc(II) complexation by some biologically relevant pH buffers. 2014 , 27, 722-6	23
971	Modeling of equilibriums of formation of polynuclear chelates of nickel(ii) with histidine. 2014 , 84, 1587-1592	3
970	A preorganized metalloreceptor for alkaline earth ions showing calcium versus magnesium selectivity in water: biological activity of selected metal complexes. 2014 , 20, 11048-57	12
969	Rhodamine-Appended Bipyridine: XOR and OR Logic Operations Integrated in an Example of Controlled Metal Migration. 2014 , 3, 190-8	6
968	Supramolecular assembler based on cucurbit[8]uril: Photodimerization of a styryl dye in water. 2014 , 48, 253-259	12
967	Anion receptors containing coordinatively unsaturated metal ions: copper(II) complexes with cyclam derivatives. 2014 , 92, 794-802	6
966	Unusual complexation of nitrate with lanthanides in a wet ionic liquid: a new approach for aqueous separation of trivalent f-elements using an ionic liquid as solvent. 2014 , 4, 37988-37991	16
965	VX and VG chemical warfare agents bidentate complexation with lanthanide ions. 2014 , 50, 195-7	28
964	Protonation Constants and Thermodynamic Properties of Amino Acid Salts for CO2 Capture at High Temperatures. 2014 , 53, 12848-12855	11
963	A proton transfer and a cobalt(II) compound including 2,6-pyridinedicarboxylate and o-phenylenediamine ions: Synthesis, characterization, crystal structure and solution study. 2014 , 17, 1221-1229	9
962	Exploring Anion-Induced Conformational Flexibility and Molecular Switching in a Series of Heteroaryl-Urea Receptors. 2014 , 5, 2899-2905	22
961	Transfer and control of molecular chirality in the 1 : 2 host-guest supramolecular complex consisting of Mg(II)bisporphyrin and chiral diols: the effect of H-bonding on the rationalization of chirality. 2014 , 50, 14037-40	27

- 960 The impact of two GlyProGly motifs on formation of di-copper complexes by His4-cyclopeptides. **2014**, 38, 5198-5206 9
- 959 Tetraphosphonated thiophene ligand: mixing the soft and the hard. **2014**, 43, 9070-80 7
- 958 A spectrophotometric study of Am(III) complexation with nitrate in aqueous solution at elevated temperatures. **2014**, 43, 14565-9 20
- 957 Self-assembly of cobalt(II) and zinc(II) tetranitrooctaethylporphyrin via bidentate axial ligands: synthesis, structure, surface morphology and effect of axial coordination. **2014**, 38, 1458 11
- 956 Protonation, coordination chemistry, cyanometallate "supercomplex" formation and fluorescence chemosensing properties of a bis(2,2'-bipyridino)cyclophane receptor. **2014**, 43, 2437-47 5
- 955 Distinctive EPR signals provide an understanding of the affinity of bis-(3-hydroxy-4-pyridinonato) copper(II) complexes for hydrophobic environments. **2014**, 43, 9722-31 12
- 954 Aqueous complexation of citrate with neodymium(III) and americium(III): a study by potentiometry, absorption spectrophotometry, microcalorimetry, and XAFS. **2014**, 43, 6446-54 23
- 953 Human annexins A1, A2, and A8 as potential molecular targets for Ni(II) ions. **2014**, 27, 1996-2009 13
- 952 Speciation of ferric phenoxide intermediates during the reduction of iron(III)-Exo dimers by hydroquinone. **2014**, 53, 11507-16 8
- 951 Quantifying the binding strength of U(VI) with phthalimidedioxime in comparison with glutarimidedioxime. **2014**, 43, 551-7 32
- 950 Mixing the spacers in azacryptands: effects on halide recognition. **2014**, 43, 11352-60 11
- 949 Metal-chelating 2-hydroxyphenyl amide pharmacophore for inhibition of influenza virus endonuclease. **2014**, 11, 304-16 30
- 948 Photoresponsive dendron-like metal complexes of the crown-containing styryl derivatives of 2,2'-bipyridine. **2014**, 43, 769-78 3
- 947 Structure-redox-relaxivity relationships for redox responsive manganese-based magnetic resonance imaging probes. **2014**, 53, 10748-61 51
- 946 Double level selection in a constitutional dynamic library of coordination driven supramolecular polygons. **2014**, 53, 7276-87 28
- 945 A benzimidazole functionalised DO3A chelator showing pH switchable coordination modes with lanthanide ions. **2014**, 43, 9567-78 17
- 944 Columnar discotic Pt(II) metallomesogens as luminescence multifunctional materials with chemo and thermosensor abilities. **2014**, 2, 9167-9181 46
- 943 Phosphate Diester Cleavage, DNA Interaction and Cytotoxic Activity of a Bimetallic Bis(1,4,7-triazacyclononane) Zinc Complex. **2014**, 2014, 4084-4092 15

942	Thiosquaramides: pH switchable anion transporters. 2014 , 5, 3617-3626		88
941	A rapid, automated gradient flow injection-spectrophotometric technique for study of metal complexation reactions. <i>Talanta</i> , 2014 , 128, 511-7	6.2	9
940	Azacalix[2]arene[2]triazine-based receptors bearing carboxymethyl pendant arms on nitrogen bridges: synthesis and evaluation of their coordination ability towards copper(II). 2014 , 12, 589-99		16
939	Thermochromism, stability and thermodynamics of cobalt(II) complexes in newly synthesized nitrate based ionic liquid and its photostability. 2014 , 43, 15515-25		30
938	Tetra-armed cyclen bearing two benzo-15-crown-5 ethers in the side arms. 2014 , 53, 10514-9		12
937	Structural and thermodynamic study of the complexes of Nd(III) with N,N,N',N'-tetramethyl-3-oxa-glutaramide and the acid analogues. 2014 , 53, 9477-85		36
936	Sequence-specific Cu(II)-dependent peptide bond hydrolysis: similarities and differences with the Ni(II)-dependent reaction. 2014 , 53, 4639-46		11
935	The Cu ⁺ binding properties of branched peptides based on L-2,3-diaminopropionic acid. 2014 , 53, 7951-9		13
934	Curcumin derivatives as metal-chelating agents with potential multifunctional activity for pharmaceutical applications. 2014 , 139, 38-48		50
933	Spectroscopic and photophysical studies of a naphthalene-based emissive probe for metal cations. 2014 , 47, 27-32		4
932	Highly enhanced bisignate circular dichroism of ferrocene-bridged Zn(II) bisporphyrin tweezer with extended chiral substrates due to well-matched host-guest system. 2014 , 53, 2381-95		44
931	Complexation of trivalent americium and lanthanides with terdentate 'N' donor ligands: the role of rigidity in the ligand structure. 2014 , 43, 12422-9		8
930	Novel copper(II) complexes as new promising antitumour agents. A crystal structure of [Cu(1,10-phenanthroline-5,6-dione) ₂ (OH ₂)(ClO ₃)](ClO ₄). 2014 , 141, 103-113		26
929	Synthesis of novel palladium(II) complexes with oxalic acid diamide derivatives and their interaction with nucleosides and proteins. Structural, solution, and computational study. 2014 , 43, 15126-37		22
928	Monopicolinate cross-bridged cyclam combining very fast complexation with very high stability and inertness of its copper(II) complex. 2014 , 53, 5269-79		40
927	A new bis-3-hydroxy-4-pyrone as a potential therapeutic iron chelating agent. Effect of connecting and side chains on the complex structures and metal ion selectivity. 2014 , 141, 132-143		25
926	The capture and stabilization of curcumin using hydrophobically modified polyacrylate aggregates and hydrogels. 2014 , 118, 9515-23		11
925	Thermodynamic study of dihydrogen phosphate dimerisation and complexation with novel urea- and thiourea-based receptors. 2014 , 20, 15863-71		28

924	Direct evidence of iron uptake by the Gram-positive siderophore-shuttle mechanism without iron reduction. 2014 , 9, 2092-100	20
923	Cooperative anion recognition in copper(II) and zinc(II) complexes with a ditopic tripodal ligand containing a urea group. 2014 , 53, 2554-68	27
922	Copper(II) and gallium(III) complexes of trans-bis(2-hydroxybenzyl) cyclen derivatives: absence of a cross-bridge proves surprisingly more favorable. 2014 , 53, 4371-86	17
921	Modular syntheses of H ₃ octapa and H ₃ edpa, and yttrium coordination chemistry relevant to β/γ radiopharmaceuticals. 2014 , 43, 7176-90	27
920	Design, structure and anion recognition of larger-rim functionalized oxacalix[2]arene[2]triazine hosts. 2014 , 55, 3172-3175	10
919	Spectral, structural and quantum chemical computational and dissociation constant studies of a novel azo-enamine tautomer. 2014 , 1074, 449-456	20
918	Heteroligand polynuclear nickel(II) complexonates in aqueous solutions of 2,2'-dipyridyl. 2014 , 59, 626-631	6
917	Synthesis of chromophoric crown-containing styryl derivative of terthiophene and its complexation with octane-1,8-diaminium diperchlorate. 2014 , 50, 552-558	5
916	Turn-on coordination based detection of Pd ²⁺ and bioimaging applications. 2014 , 4, 16104-16108	35
915	Complexation of Nickel with 2-(Aminomethyl)pyridine at High Zinc Concentrations or in a Nonaqueous Solvent Mixture. 2014 , 59, 2207-2214	7
914	Sequestering Ability of Aminopolycarboxylic (APCs) and Aminopolyphosphonic (APPs) Ligands Toward Palladium(II) in Aqueous Solution. 2014 , 59, 1970-1983	6
913	Rhodium amidinate dimers as structural and functional hubs for multimetallic assemblies. 2014 , 53, 624-36	6
912	Supramolecular stabilization of metastable tautomers in solution and the solid state. 2014 , 20, 17333-45	27
911	cis-Urocanic acid as a potential nickel(II) binding molecule in the human skin. 2014 , 43, 3196-201	15
910	Selective recognition of fluoride anion in water by a copper(II) center embedded in a hydrophobic cavity. 2014 , 5, 3897-3904	37
909	A macrocyclic chelator with unprecedented Th ^{IV} affinity. <i>Journal of the American Chemical Society</i> , 2014 , 136, 9106-15	16.4 25
908	What a difference a carbon makes: H ₃ octapa vs H ₃ octapa, ligands for In-111 and Lu-177 radiochemistry. 2014 , 53, 10412-31	32
907	Modulating the sensor response to halide using NBD-based azamacrocycles. 2014 , 53, 4560-9	31

906	Zn(II) enhances nucleotide binding and dephosphorylation in the presence of a poly(ethylene imine) dendrimer. 2014 , 417, 163-170		5
905	The copper(II) and zinc(II) coordination mode of HExxH and HxxEH motif in small peptides: the role of carboxylate location and hydrogen bonding network. 2014 , 130, 92-102		16
904	Neutral CH bond vs. electron pair of N(sp ²): A binding site effect study of macrocycle anion receptor. 2014 , 25, 1125-1131		1
903	Complexing ability of (-)-cytisine--synthesis, spectroscopy and crystal structures of the new copper and zinc complexes. 2014 , 138, 47-55		4
902	A comparative study of the speciation in methanol solution and activity in the oxidative coupling of 2,6-di-tert-butylphenol presented by the complexes: Copper(II)-N,N'-di-tert-butylethylenediamine-halogen and some copper(II)-diamine-halogen complexes. 2014 , 411, 148-157		2
901	Copper(II) complexes of neuropeptide gamma mutant (H4A) products of metal-catalyzed oxidation. <i>Polyhedron</i> , 2014 , 68, 379-389	2.7	2
900	A novel quinoline molecular probe and the derived functionalized gold nanoparticles: sensing properties and cytotoxicity studies in MCF-7 human breast cancer cells. 2014 , 137, 115-22		12
899	Synthesis, crystal structures, spectroscopic, thermal analysis, electrochemical and solution studies of two new mixed metal coordination polymers based on dipicolinic acid and 3,4-diaminopyridine. 2014 , 410, 221-229		6
898	Solvent effect on heavy metal coordination with thioether ligands: A thermodynamic and theoretical study. <i>Polyhedron</i> , 2014 , 75, 88-94	2.7	12
897	Aggregation behavior of dicephalic di-N-oxide surfactants in aqueous solution: Experimental and computational approaches. 2014 , 442, 34-41		9
896	Sorption of chrysoidine by row cork and cork entrapped in calcium alginate beads. 2014 , 7, 133-138		22
895	Synthesis, spectroscopy studies, and theoretical calculations of new fluorescent probes based on pyrazole containing porphyrins for Zn(II), Cd(II), and Hg(II) optical detection. 2014 , 53, 6149-58		50
894	Multifunctional 8-hydroxyquinoline-appended cyclodextrins as new inhibitors of metal-induced protein aggregation. 2014 , 20, 8954-64		6
893	Equilibrium Studies of Complexes between N-Acetylcysteine and Divalent Metal Ions in Aqueous Solutions. 2014 , 59, 1661-1666		11
892	Synthesis, spectroscopic studies and in vitro antibacterial activity of Ibuprofen and its derived metal complexes. 2014 , 45, 61-65		20
891	Antitumor pentamethylcyclopentadienyl rhodium complexes of maltol and allomaltol: synthesis, solution speciation and bioactivity. 2014 , 134, 57-65		64
890	Insight into the coordination and the binding sites of Cu(2+) by the histidyl-6-tag using experimental and computational tools. 2014 , 53, 6675-83		33
889	Synthesis, structure, and fullerene-complexing property of azacalix[6]aromatics. 2014 , 79, 3559-71		38

- 888 Potentiometric and spectrophotometric study of the stability of magnesium carbonate and bicarbonate ion pairs to 150 °C and aqueous inorganic carbon speciation and magnesite solubility. **2014**, 138, 21-31 31
- 887 Fluoroquinolone-metal complexes: a route to counteract bacterial resistance?. **2014**, 138, 129-143 43
- 886 Copper(II) complexes of alloferon 1 with point mutations (H1A) and (H9A) stability structure and biological activity. **2014**, 138, 99-113 12
- 885 Synthesis of novel binary and ternary Zn²⁺ complexes with putrescine and phosphocreatine and the metal complexes study in aqueous solution. **2014**, 1074, 467-474 4
- 884 The impact of synthetic analogs of histidine on copper(II) and nickel(II) coordination properties to an albumin-like peptide. Possible leads towards new metallodrugs. **2014**, 139, 1-8 4
- 883 Experimental and theoretical investigation of [Al(PCr)(H₂O)] complex in aqueous solution. **2014**, 118, 260-70 2
- 882 New gallium(III) corrole complexes as colorimetric probes for toxic cyanide anion. **2014**, 417, 148-154 30
- 881 The effect of some fluoroquinolone family members on biospeciation of copper(II), nickel(II) and zinc(II) ions in human plasma. **2014**, 19, 12194-223 12
- 880 Chemical speciation of uranium(VI) in marine environments: complexation of calcium and magnesium ions with [(UO₂)(CO₃)₃]⁴⁻ and the effect on the extraction of uranium from seawater. **2014**, 20, 14499-506 127
- 879 Interactions of bis(2,4,4-trimethylpentyl)dithiophosphinate with Nd(III) and Cm(III) in a homogeneous medium: a comparative study of thermodynamics and coordination modes. **2014**, 20, 14807-15 15
- 878 Effect of temperature on the thermodynamic and spectroscopic properties of Np(V) complexes with picolinate. **2015**, 5, 75483-75490 10
- 877 The use of organic extractants in solvent extraction processes in the partitioning of spent nuclear fuels. **2015**, 153-189 4
- 876 Study of complexation of styrylheterocycles with cavitands by spectroscopic methods. **2015**, 64, 2459-2472 3
- 875 G-quadruplex induced chirality of methylazacalix[6]pyridine via unprecedented binding stoichiometry: en route to multiplex controlled molecular switch. **2015**, 5, 10479 4
- 874 Synthesis and Molecular Recognition of Water-Soluble S₆-Corona[3]arene[3]pyridazines. **2015**, 127, 8506-8509 16
- 873 Macrocyclic Gd(3+) complexes with pendant crown ethers designed for binding zwitterionic neurotransmitters. **2015**, 21, 11226-37 16
- 872 Dinuclear Zinc and Cobalt Complexes with Imidazolyl and N-Methylimidazolyl Units and Their Solution Speciation and Redox Properties. **2015**, 2015, 2695-2706 7
- 871 A 8-Hydroxyquinoline-Cyclodextrin Conjugate as an Efficient Chelating Agent for Cobalt(II) and Nickel(II) in Neutral Aqueous Solution. **2015**, 2015, 5886-5891 21

870	Synthesis and Structural Study of Tetravalent (Zr ⁴⁺ , Hf ⁴⁺ , Ce ⁴⁺ , Th ⁴⁺ , U ⁴⁺) Metal Complexes with Cyclic Hydroxamic Acids. 2015 , 2015, 1529-1541	17
869	Effect of the Peptidic Scaffold in Copper(II) Coordination and the Redox Properties of Short Histidine-Containing Peptides. 2015 , 21, 13100-11	9
868	Crystal Structure, Antioxidant Properties and Characteristics in Aqueous Solutions of the Oxidovanadium(IV) Complex [VO(IDA)phen]·2H ₂ O. 2015 , 2015, 3343-3349	22
867	Highly Selective and Sensitive Detection of Picric Acid Explosive by a Bisporphyrin Cleft: Synergistic Effects of Encapsulation, Efficient Electron Transfer, and Hydrogen Bonding. 2015 , 2015, 4956-4964	23
866	Synthesis and Molecular Recognition of Water-Soluble S6-Corona[3]arene[3]pyridazines. 2015 , 54, 8386-9	65
865	Investigation of structural mimetics of natural phosphate ion binding motifs. 2015 , 20, 3354-70	6
864	Inorganic mercury sequestration by a poly(ethylene imine) dendrimer in aqueous solution. 2015 , 20, 3783-90	2
863	Synthesis of S-layer conjugates and evaluation of their modifiability as a tool for the functionalization and patterning of technical surfaces. 2015 , 20, 9847-61	4
862	The peculiar behavior of Picha in the formation of metallacrown complexes with Cu(II), Ni(II) and Zn(II) in aqueous solution. 2015 , 44, 3237-50	13
861	The interaction of Eu(III) with organoborates: a further approach to understand the complexation in the An/Ln(III)-borate system. 2015 , 44, 11095-108	7
860	A Pyridine-Based Ligand with Two Hydrazine Functions for Lanthanide Chelation: Remarkable Kinetic Inertness for a Linear, Bishydrated Complex. 2015 , 54, 5991-6003	17
859	Synthesis and anion recognition of three new preorganized colorimetric urea/thiourea compounds and their corresponding reference receptors. 2015 , 71, 3990-3999	6
858	Untangling interactions of a zinc(II) complex containing a coumarin-porphyrin unit with alkaloids in water solutions: a photophysical study. 2015 , 14, 757-64	8
857	Spectrophotometric pK _a determination of ionizable pharmaceuticals: Resolution of molecules with weak pH-dependent spectral shift. 2015 , 114, 88-96	15
856	pH switchable anion transport by an oxothiosquaramide. 2015 , 51, 10107-10	44
855	Naphthalene diimides as selective naked-eye chemosensor for copper(II) in aqueous solution. 2015 , 212, 137-144	17
854	Extraction and complexation of alkali and alkaline earth metal cations by lower-rim calix[4]arene diethylene glycol amide derivatives. 2015 , 39, 6099-6107	12
853	Unusual phosphine oxidation: new triazolopyridyl-quinolyl phosphine oxide fluorescent dyes. 2015 , 5, 29809-29813	2

- 852 Study of inclusion complex of β -cyclodextrin and levofloxacin and its effect on the solution equilibria between gadolinium(III) ion and levofloxacin. **2015**, 146, 1621-1630 14
- 851 A versatile salicyl hydrazonic ligand and its metal complexes as antiviral agents. **2015**, 150, 9-17 36
- 850 Thermodynamics of Zn^{2+} 2-mercaptopyridine-N-oxide and 2-hydroxypyridine-N-oxide interactions: Stability, solubility, activity coefficients and medium effects. **2015**, 211, 876-884 3
- 849 Tautomeric and Microscopic Protonation Constants of Alanine and Valine in Different Aqueous Solutions of Methanol and Tetrahydrofuran. **2015**, 44, 1655-1672 2
- 848 Influence of PNIPAm on log K(f) of a copolymerized 2,2'-bipyridine: revised bifunctional ligand design for ratiometric metal-ion sensing. **2015**, 44, 11887-92 2
- 847 Alkali-metal ion coordination in uranyl(VI) poly-peroxo complexes in solution, inorganic analogues to crown-ethers. Part 2. Complex formation in the tetramethyl ammonium-, Li(+)-, Na(+)- and K(+)-uranyl(VI)-peroxide-carbonate systems. **2015**, 44, 16565-72 7
- 846 Solid nanoarchitecture--Cu(II) solution: dynamics of the chemical communication. **2015**, 17, 6612-7 5
- 845 A novel branched TAT(47-57) peptide for selective Ni(2+) introduction into the human fibrosarcoma cell nucleus. **2015**, 7, 1155-62 12
- 844 Self-buffering and biocompatible ionic liquid based biological media for enzymatic research. **2015**, 5, 106764-106773 16
- 843 Copper(II) complexes of terminally free alloferon mutants containing two histidyl binding sites inside peptide chain structure and stability. **2015**, 44, 20659-74 9
- 842 Single and double crown macrocyclic derivatives of cyclotriphosphazene as receptors of silver(I) ions. **2015**, 5, 38435-38442 7
- 841 Coordination behaviour of new open chain and macrocyclic peptidomimetic compounds with copper(II). **2015**, 5, 72579-72589 5
- 840 Design and synthesis of novel pegylated iron chelators with decreased metabolic rate. **2015**, 7, 2439-49 3
- 839 Complex equilibrium study of some hydroxy aromatic ligands with beryllium ion. **2015**, 212, 524-531 5
- 838 pH-metric chemical speciation modeling and studies of in vitro antidiabetic effects of bis[(imidazolyl)carboxylato]oxidovanadium(IV) complexes. **2015**, 145, 11-8 13
- 837 "Why not stoichiometry" versus "stoichiometry--why not?" Part I: General context. **2015**, 45, 166-88 12
- 836 The Zinc(II) Coordination Polymer with Mixed-Ligand of 4-Hydroxypyridine-2,6-dicarboxylic Acid and Benzene-1,2,4,5-tetracarboxylic Acid in the Presence of Piperazine as a Counter Ion: Synthesis, Crystal Structure and Solution Study. **2015**, 45, 103-113 3
- 835 Novel biocompatible and self-buffering ionic liquids for biopharmaceutical applications. **2015**, 21, 4781-8 88

834	Bistren cryptands and cryptates: versatile receptors for anion inclusion and recognition in water. 2015 , 13, 3510-24		37
833	Complexation of curium(III) with DTPA at 10-70 °C: comparison with Eu(III)-DTPA in thermodynamics, luminescence, and coordination modes. 2015 , 54, 1232-9		14
832	Photoprocesses of alkyl meso-thiacarbocyanine dyes in the presence of cucurbit[7]uril. 2015 , 302, 69-77		13
831	A new neodymium(III)calcium(II) one-dimensional coordination polymer constructed from dipicolinic acid: synthesis, crystal structure, spectroscopic and thermal analysis, and solution studies. 2015 , 146, 1257-1266		2
830	H ₂ CHXdedpa and H ₄ CHXoctapa-chiral acyclic chelating ligands for (67/68)Ga and (111)In radiopharmaceuticals. 2015 , 54, 2017-31		47
829	Physicochemical studies on the copper(II) binding by glycated collagen telopeptides. 2015 , 13, 3058-63		10
828	Ciprofloxacin metalloantibiotic: an effective antibiotic with an influx route strongly dependent on lipid interaction?. 2015 , 248, 125-36		17
827	Equilibrium, kinetic, and computational studies on the formation of Cu ²⁺ and Zn ²⁺ complexes with an indazole-containing azamacrocyclic scorpionand: evidence for metal-induced tautomerism. 2015 , 54, 1983-91		7
826	DNA damage and induction of apoptosis in pancreatic cancer cells by a new dinuclear bis(triazacyclonane) copper complex. 2015 , 145, 101-7		31
825	Supramolecular complexes: Determination of stability constants on the basis of various experimental methods. 2015 , 51, 1-35		16
824	Metal ion mediated transition from random coil to β -sheet and aggregation of Bri2-23, a natural inhibitor of A β aggregation. 2015 , 7, 478-90		5
823	Effect of temperature on the protonation of N-(2-hydroxyethyl)ethylenediamine-N,N',N'-triacetic acid in aqueous solutions: Potentiometric and calorimetric studies. 2015 , 85, 35-41		10
822	Solution equilibria studies of complexes of divalent metal ions with 2-aminophenol and 3,4-dihydroxybenzoic acid. <i>Polyhedron</i> , 2015 , 88, 29-39	2.7	12
821	Spectroscopic investigation of europium benzoate in acetonitrile: Luminescence enhancement and complexation studies. 2015 , 161, 123-128		10
820	Complexation of Eu(III) with cucurbit[n]uril, n = 5 and 7: a thermodynamic and structural study. 2015 , 44, 4246-58		6
819	Unusual Zn(II) Affinities of Zinc Fingers of Poly(ADP-ribose)Polymerase 1 (PARP-1) Nuclear Protein. 2015 , 28, 191-201		11
818	Aromatic plane effect study in pseudorotaxane construction between β -Texas-sized β -molecular box and carboxylate anions. 2015 , 56, 820-823		6
817	Synthesis of N-methyl alkylaminomethane-1,1-diphosphonic acids and evaluation of their complex-formation abilities towards copper(II). <i>Polyhedron</i> , 2015 , 85, 675-684	2.7	11

816	Solution equilibria and antitumor activities of pentamethylcyclopentadienyl rhodium complexes of picolinic acid and deferiprone. 2015 , 68, 1583-1601		20
815	Physicochemical properties of ternary oxovanadium(IV) complexes with oxydiacetate and 1,10-phenanthroline or 2,2'-bipyridine. Cytoprotective activity in hippocampal neuronal HT22 cells. 2015 , 28, 307-20		18
814	Polypyridinic ligand coordination to Zn ²⁺ and Hg ²⁺ metal ions. 2015 , 119, 1267-1272		2
813	Fluorescent phenanthridine-based calix[4]arene derivatives: synthesis and thermodynamic and computational studies of their complexation with alkali-metal cations. 2015 , 5, 23900-23914		16
812	Synthesis, characterization, crystal structure and solution studies of a novel proton transfer (charge transfer) complex of 2,2'-dipyridylamine with 2,6-pyridine dicarboxylic acid. 2015 , 1089, 184-190		8
811	Bio-inspired approaches to accelerating metal ion-promoted reactions: enzyme-like rates for metal ion mediated phosphoryl and acyl transfer processes. 2015 , 87, 601-614		3
810	On the interaction of phytate with proton and monocharged inorganic cations in different ionic media, and modeling of acid-base properties at low ionic strength. 2015 , 90, 51-58		8
809	Potentiometric and spectroscopic study of the interaction of 3d transition metal ions with inositol hexakisphosphate. 2015 , 1098, 55-65		15
808	Structural, physico-chemical and antioxidant characteristics of 2,2'-bipyridyl(iminodiacetato)oxidovanadium(IV) dihydrate. <i>Polyhedron</i> , 2015 , 100, 74-81	2.7	22
807	Metal coordination and tyrosinase inhibition studies with Kojic- β -Ala-Kojic. 2015 , 151, 36-43		13
806	Metal-coordination-driven mixed ligand binding in supramolecular bisporphyrin tweezers. 2015 , 51, 14107-10		25
805	Copper(II) complexes of terminally free alloferon peptide mutants containing two different histidyl (H(1) and H(6) or H(9) or H(12)) binding sites Structure Stability and Biological Activity. 2015 , 151, 44-57		5
804	Solubility and modeling acid-base properties of adrenaline in NaCl aqueous solutions at different ionic strengths and temperatures. 2015 , 78, 37-46		8
803	Selective sensing of pyrophosphate in physiological media using zinc(II)dipicolylamino-functionalised peptides. 2015 , 13, 7822-9		25
802	Copper(ii) complexes of macrocyclic and open-chain pseudopeptidic ligands: synthesis, characterization and interaction with dicarboxylates. 2015 , 44, 12700-10		28
801	Anthelmintic activity in vivo of epiisopiloturine against juvenile and adult worms of <i>Schistosoma mansoni</i> . 2015 , 9, e0003656		39
800	Synthesis, antiplasmodial activity and mechanistic studies of pyrimidine-5-carbonitrile and quinoline hybrids. 2015 , 101, 52-62		21
799	Investigating the Complexation of the Pb(2+)/Bi(3+) Pair with Dipicolinate Cyclen Ligands. 2015 , 54, 7045-57		34

798	AcidBase and coordination properties of 2-phenyl-3-hydroxy-4-quinolones in aqueous media. 2015 , 5, 62116-62127	5
797	Copper(II) complexation of tacrine hybrids with potential anti-neurodegenerative roles. 2015 , 151, 58-66	18
796	Two fluorescent Schiff base sensors for Zn(2+): the Zn(2+)/Cu(2+) ion interference. 2015 , 140, 6031-9	26
795	"3 + 1 = 6 + 2" in Cu(II) coordination chemistry of 1H-pyrazole aza cryptands. 2015 , 44, 3378-83	5
794	Complexation of uranium(VI) with glutarimidoxime: thermodynamic and computational studies. 2015 , 44, 13835-44	49
793	Charge-transfer complexes of 2,3-dichloro-5,6-dicyano-1,4-benzoquinone with amino molecules in polar solvents. 2015 , 149, 75-82	12
792	Interaction of myo-inositol hexakisphosphate with biogenic and synthetic polyamines. 2015 , 13, 7500-12	6
791	Aminobisphosphonates based on cyclohexane backbone as coordinating agents for metal ions. Thermodynamic, spectroscopic and biological studies. 2018 , 42, 7723-7736	8
790	Recovery of metal oxoanions from basic solutions using cooperative sorption [Separation of Na ₂ MoO ₄ and NaOH. 2018 , 341, 578-587	4
789	Anion Recognition in Water, Including Sulfate, by a Bicyclam Bimetallic Receptor: A Process Governed by the Enthalpy/Entropy Compensatory Relationship. 2018 , 24, 5659-5666	12
788	Comparative solution equilibrium and structural studies of half-sandwich ruthenium(II)(η -toluene) complexes of picolinate derivatives. 2018 , 181, 74-85	19
787	Synthesis, thermodynamic, photophysical and DFT studies of some trivalent metal chelates of a hexadentate tripodal hydroxyquinolate-based ligand. 2018 , 71, 135-154	2
786	Binding of proton and iron to lignite humic acid size-fractions in aqueous matrix. 2018 , 254, 241-247	4
785	Halide and hydroxide anion binding in water. 2018 , 47, 3329-3338	19
784	Thermodynamic, Structural, and Computational Investigation on the Complexation between UO and Amine-Functionalized Diacetamide Ligands in Aqueous Solution. 2018 , 57, 2122-2131	18
783	Electrochemical Water Oxidation and Stereoselective Oxygen Atom Transfer Mediated by a Copper Complex. 2018 , 24, 5213-5224	28
782	Complexation of An(VI) with succinic acid in aqueous acid solutions: uranyl vs. plutonyl. 2018 , 42, 7780-7788	3
781	Toxic heavy metal [Pb, Cd, Sn]complexation by the octadentate hydroxypyridinonate ligand archetype 3,4,3-LI(1,2-HOPO). 2018 , 42, 7649-7658	18

780	Investigating the effects of structure on sulfate recognition by neutral dipeptide receptors. 2018 , 30, 667-673	6
779	Looking at new ligands for chelation therapy. 2018 , 42, 8021-8034	2
778	Histidine tracts in human transcription factors: insight into metal ion coordination ability. 2018 , 23, 81-90	11
777	A Zn(II) luminescent complex with a Schiff base ligand: solution, computational and solid state studies. 2018 , 71, 874-889	2
776	Tandem mass spectroscopy as a tool for investigation of complexes of PNP-lariat ether derivative with metal ions. 2018 , 53, 278-285	3
775	Pyrimidine-chloroquinoline hybrids: Synthesis and antiplasmodial activity. 2018 , 148, 39-53	20
774	Ibandronate metal complexes: solution behavior and antiparasitic activity. 2018 , 23, 303-312	8
773	New insights into the protogenic and spectroscopic properties of commercial tannic acid: the role of gallic acid impurities. 2018 , 42, 7703-7712	15
772	Comparative study of molecular recognition of folic acid subunits with cyclodextrins. 2018 , 184, 47-56	7
771	Binding of Zn(II) to Tropomyosin Receptor Kinase A in Complex with Its Cognate Nerve Growth Factor: Insights from Molecular Simulation and in Vitro Essays. 2018 , 9, 1095-1103	1
770	Turn-on fluorescence sensor for mono- and di-phosphonic acid derivatives using anthracene-based diamidine and its detection of amidinium-phosphonate and amidinium formation. 2018 , 74, 465-476	2
769	Characterization and in vivo efficacy of a heptapeptide ODT formulation for the treatment of neurogenic bladder dysfunction. 2018 , 536, 397-404	5
768	Specific and highly efficient condensation of GC and IC DNA by polyaza pyridinophane derivatives. 2018 , 109, 143-151	0
767	Copper-assisted interaction between amyloid- β and prion: Ternary metal complexes with A β N-terminus and octarepeat. 2018 , 472, 93-102	5
766	Self-Assembly of Pseudorotaxane Structures from a Dicopper(II) Molecular Cage and Dicarboxylate Axles. 2018 , 57, 3540-3547	7
765	A high-speed network of nanoswitches for on/off control of catalysis. 2018 , 47, 1786-1790	13
764	Levaquin drug complexing property towards platinum and palladium metal ions: Thermodynamic studies in aqueous solutions. 2018 , 253, 178-187	6
763	Influence of a Heterocyclic Nitrogen-Donor Group on the Coordination of Trivalent Actinides and Lanthanides by Aminopolycarboxylate Complexants. 2018 , 57, 1373-1385	17

762	Calorimetric and spectroscopic investigations of interactions between cucurbituril Q7 and gemcitabine in aqueous solutions. 2018 , 134, 595-607		7
761	Metal binding properties, stability and reactivity of zinc fingers. 2018 , 367, 18-64		87
760	Crystal structure and isothermal titration calorimetry studies of new cobalt(II) complex with 2-methylnitriilotriacetate ion. 2018 , 482, 554-560		
759	The experimental and theoretical studies of a merocyanine form based turn off fluorescent sensor for Fe ³⁺ ions with nanomolar level sensitivity in aqueous solution. 2018 , 201, 203-210		12
758	Development of Thioaryl-Based Matrix Metalloproteinase-12 Inhibitors with Alternative Zinc-Binding Groups: Synthesis, Potentiometric, NMR, and Crystallographic Studies. 2018 , 61, 4421-4435		18
757	Improvement of the extraction ability of bis(2-propyloxy)calix[4]arene-crown-6 toward cesium cation by introducing an intramolecular triple cooperative effect. <i>Separation and Purification Technology</i> , 2018 , 199, 97-104	8.3	4
756	Thermodynamic and spectroscopic study on the solvation and complexation behavior of Ln(III) in ionic liquids: binding of Ln(III) with CMPO in C4mimNTf2. 2018 , 42, 9098-9109		8
755	Synthesis of O6-Corona[3]arene[3]pyridazines and Their Molecular Recognition Property in Organic and Aqueous Media. 2018 , 36, 630-634		8
754	CdII/ZnII discrimination using 2,5-diphenyl[1,3,4]oxadiazole based fluorescent chemosensors. 2018 , 42, 7869-7883		12
753	The Cu(II) affinity of the N-terminus of human copper transporter CTR1: Comparison of human and mouse sequences. 2018 , 182, 230-237		18
752	A new tripodal-3-hydroxy-4-pyridinone for iron and aluminium sequestration: synthesis, complexation and in vivo studies. 2018 , 42, 8050-8061		8
751	Selective coordination of cyanate and thiocyanate in the end-on mode: synthesis, structures and properties of [NiII2L(1,1-NCO)] ⁺ and [NiII2L(1,1-NCS)] ⁺ (L2 ²⁻ macrocyclic N6S2 ligand). 2018 , 42, 7630-7639		2
750	Optical Properties of Trinuclear Citrate Complexes Containing 4f and 5f Block Metals. 2018 , 91, 882-890		1
749	Computer analysis of potentiometric data of complexes formation in the solution. 2018 , 3,		1
748	para-Aminosalicylic acid in the treatment of manganese toxicity. Complexation of Mn ²⁺ with 4-amino-2-hydroxybenzoic acid and its N-acetylated metabolite. 2018 , 42, 8035-8049		8
747	Effective binding of copper(II) with the peptide acetyl-GYDVEK-amide, model of the globular domain N-terminal of somatic histone H1 variants. 2018 , 472, 103-110		
746	Interplay between salt bridge, hydrogen bond and anion-π interactions in thiocyanate binding. 2018 , 470, 133-138		17
745	Influence of structural elements on iron(III) chelating properties in a new series of amino acid-derived monohydroxamates. 2018 , 473, 286-296		2

744	The N-terminus of hepcidin is a strong and potentially biologically relevant Cu(II) chelator. 2018 , 472, 76-81	15
743	Impact of histidine spacing on modified polyhistidine tag [Metal ion interactions. 2018 , 472, 119-126	10
742	A comparative study of π -N-pyridyl thiosemicarbazones: Spectroscopic properties, solution stability and copper(II) complexation. 2018 , 472, 264-275	17
741	Synthesis and anion recognition studies of new ureylbenzamide-based receptors. 2018 , 30, 9-19	3
740	Anion-induced isomerization of fluorescent semi(thio)carbazones. 2018 , 5, 391-397	7
739	Tuning of the properties of a picolinic acid-based bispidine ligand for stable copper(II) complexation. 2018 , 481, 98-105	9
738	Methylation as an effective way to generate SOD-activity in copper complexes of scorpion-like azamacrocyclic receptors. 2018 , 472, 139-148	4
737	Structural, luminescence, thermodynamic and theoretical studies on mononuclear complexes of Eu(III) with pyridine monocarboxylate-N-oxides in aqueous solution. 2018 , 190, 150-163	11
736	Hydroxypyridinone-benzofuran hybrids with potential protective roles for Alzheimer's disease therapy. 2018 , 179, 82-96	30
735	Three-in-one type fluorescent sensor based on a pyrene pyridoxal cascade for the selective detection of Zn(II), hydrogen phosphate and cysteine. 2018 , 47, 742-749	54
734	Antiviral activity and metal ion-binding properties of some 2-hydroxy-3-methoxyphenyl acylhydrazones. 2018 , 31, 81-89	2
733	Metal interactions with the transmembrane region of HupE Ni transporter explain its efficiency. 2018 , 180, 33-38	
732	Neutral glycoconjugated amide-based calix[4]arenes: complexation of alkali metal cations in water. 2018 , 16, 904-912	3
731	Thermodynamic studies on metal ions [Ninhydrin [Glycine interactions in aqueous solutions. 2018 , 118, 302-315	6
730	Complexation thermodynamics of tetraalkyl diglycolamides with trivalent f-elements in ionic liquids: spectroscopic, microcalorimetric and computational studies. 2018 , 42, 708-716	8
729	Synthesis and characterization of methyl substituted 3-hydroxypyridin-4-ones and their complexes with iron(III). 2018 , 96, 293-298	2
728	Simple and mixed complexes of copper(II) with 8-hydroxyquinoline derivatives and amino acids: Characterization in solution and potential biological implications. 2018 , 180, 89-100	22
727	Deltamides and Croconamides: Expanding the Range of Dual H-bond Donors for Selective Anion Recognition. 2018 , 24, 1140-1150	20

726	Complexation of a macrocyclic ligand, 2,6-di (N-methyl)formamide-calix[4]pyridine, with Eu(III) and extraction of Eu(III) and Am(III). 2018 , 106, 301-310	
725	Hydrogen-bonded self-assembly, spectral properties and structure of supramolecular complexes of thiamonomethine cyanines with cucurbit[5,7]urils. 2018 , 353, 34-45	5
724	Relationship Between Structure and Coordination Strength of N and N,O-Hybrid Donor Ligands with Trivalent Lanthanides. 2018 , 36, 633-646	9
723	Spectrophotometric study of the cation-induced dimerization of heteroleptic terbium(III) tetra-15-crown-5-bisphthalocyaninate. 2018 , 67, 2195-2200	0
722	Complexation of Pu(vi) with N,N,N',N'-tetramethyl-3-oxa-glutar-amide (TMOGA) and related ligands: optical properties and coordination modes. 2018 , 47, 15246-15253	7
721	The lanthanide complexes of 2,2'-bipyridyl-6,6'-dicarboxylic dimethylanilides: the influence of a secondary coordination sphere on the stability, structure, luminescence and f-element extraction. 2018 , 47, 16755-16765	13
720	Laser-Based Spectroscopic Studies of Actinide Complexes. 2018 , 1-14	
719	7. Computer Analysis of Potentiometric data of complexes formation in the Solution. 2018 , 177-194	
718	Bimacrocyclic Effect in Anion Recognition by a Copper(II) Bicyclam Complex. 2018 , 3, 15692-15701	2
717	Gly-His-Thr-Asp-Amide, an Insulin-Activating Peptide from the Human Pancreas Is a Strong Cu(II) but a Weak Zn(II) Chelator. 2018 , 57, 15507-15516	9
716	Hydrophobic Hydration Processes. I: Dual-Structure Partition Function for Biphasic Aqueous Systems. 2018 , 3, 15043-15065	4
715	Closing the Loop: Triazolylpyridine Coordination Drives the Self-Assembly of Metallomacrocycles with Tunable Topologies for Small-Molecule and Guanine-Quadruplex Recognition. 2018 , 24, 18718-18734	6
714	Exploring the chelating capacity of 2-hydroxyphenyl-benzimidazole based hybrids with multi-target ability as anti-Alzheimer's agents. 2018 , 42, 16503-16515	13
713	New bis-(3-hydroxy-4-pyridinone)-NTA-derivative: Synthesis, binding ability towards Ca ²⁺ , Cu ²⁺ , Zn ²⁺ , Al ³⁺ , Fe ³⁺ and biological assays. 2018 , 272, 609-624	6
712	To Loop or Not to Loop: Influence of Hinge Flexibility on Self-Assembly Outcomes for Acridine-Based Triazolylpyridine Chelates with Zinc(II), Iron(II), and Copper(II). 2018 , 24, 17318-17326	1
711	Solid State Selection between Nearly Isoenergetic Tautomeric Forms Driven by Right Hydrogen-Bonding Pairing. 2018 , 18, 6293-6301	5
710	Luminescent Supramolecular Heterometallic Macrocycles and their Encapsulation on Cholate Gels. 2018 , 2018, 4550-4555	2
709	Synthesis, Structure, Property, and Dinuclear Cu(II) Complexation of Tetraoxacalix[2]arene[2]phenanthrolines. 2018 , 57, 13461-13469	2

708	Hoctox: Versatile Bimodal Octadentate Acyclic Chelating Ligand for Medicinal Inorganic Chemistry. <i>Journal of the American Chemical Society</i> , 2018 , 140, 15487-15500	16.4	22
707	Synthesis and characterization of phytate-uranium (VI) complexes. 2018 , 318, 2129-2137		1
706	Solution Thermodynamics and Kinetics of Metal Complexation with a Hydroxypyridinone Chelator Designed for Thorium-227 Targeted Alpha Therapy. 2018 , 57, 14337-14346		28
705	Noncovalent Interaction of Tilmicosin with Bovine Serum Albumin. 2018 , 23,		3
704	Formation of homo- and heteronuclear complexes of 1-hydroxyethylidene-1,1-diphosphonic acid with MnII and FeIII in aqueous solutions. 2018 , 67, 1369-1375		
703	AcidBase Equilibria of Rupaadine Fumarate in Aqueous Media. 2018 , 63, 3150-3156		2
702	Rhodium(III) in a cage of the 1,3-propanediamine-N,N,N'-triacetate chelate: X-ray structure, solution equilibria, computational study and biological behavior. <i>Polyhedron</i> , 2018 , 156, 19-30	2.7	3
701	Anion Recognition by Partial Cone Dihomooxalix[4]arene-Based Receptors Bearing Urea Groups: Remarkable Affinity for Benzoate Ion. 2018 , 2018, 5657-5667		10
700	On the consequences of the stereochemical activity of the Bi(iii) 6s lone pair in cyclen-based complexes. The [Bi(DO3A)] case. 2018 , 47, 13830-13842		11
699	Copper Binding Features of Tropomyosin-Receptor-Kinase-A Fragment: Clue for Neurotrophic Factors and Metals Link. 2018 , 19,		4
698	Interaction of Uranium(VI) with α -Amylase and Its Implication for Enzyme Activity. 2018 , 31, 1032-1041		6
697	Coordination properties of ,'-bis(5-methylsalicylidene)-2-hydroxy-1,3-propanediamine with d- and f-electron ions: crystal structure, stability in solution, spectroscopic and spectroelectrochemical studies.. 2018 , 8, 30994-31007		11
696	Effect of an alkyl substituent and spacer length in benzene-centered tripodal diglycolamides on the sequestration of minor actinides. 2018 , 47, 13631-13640		5
695	Recognition of AMP, ADP and ATP through Cooperative Binding by Cu(II) and Zn(II) Complexes Containing Urea and/or Phenylboronic-Acid Moieties. 2018 , 23,		13
694	Kinetics and thermodynamic of reaction of oxydiacetate copper(II) complex with 2,2'-bipyridine and 1,10-phenanthroline in anionic and cationic surfactant solutions. 2018 , 264, 470-475		2
693	Aza-Macrocyclic Triphenylamine Ligands for G-Quadruplex Recognition. 2018 , 24, 10850-10858		8
692	Complexation-assisted reduction: complexes of glutarimide-dioxime with tetravalent actinides (Np(iv) and Th(iv)). 2018 , 47, 8134-8141		11
691	An Unsymmetric Ligand with a N5O2 Donor Set and Its Corresponding Dizinc Complex: A Structural and Functional Phosphoesterase Model. 2018 , 2018, 4004-4013		8

690	Metal Coordination to Ligand-Modified Peptide Nucleic Acid Triplexes. 2018 , 57, 6865-6872	11
689	Spectroscopy, molecular modeling and anti-oxidant activity studies on novel conjugates containing indole and uracil moiety. 2018 , 1169, 130-137	3
688	Structural and thermodynamic stability of uranyl-deferiprone complexes and the removal efficacy of U(vi) at the cellular level. 2018 , 47, 8764-8770	10
687	Thermodynamic and structural study of complexation of phenylboronic acid with salicylhydroxamic acid and related ligands. 2018 , 32, e4405	6
686	pseudo[1]Catenane-Type Pillar[5]thiacrown Whose Planar Chiral Inversion is Triggered by Metal Cation and Controlled by Anion. <i>Journal of the American Chemical Society</i> , 2018 , 140, 9669-9677	16.4 60
685	Peptides derived from the histidine-proline rich glycoprotein bind copper ions and exhibit anti-angiogenic properties. 2018 , 47, 9492-9503	10
684	A Systematic Analysis and Review of the Fundamental Acid-Base Properties of Biosorbents. 2018 , 73-133	4
683	Effect of the Composition of Ethanol/DMSO Solvents on the Stability of Silver(I) Complexes with 18-Crown-6. 2018 , 63, 687-690	4
682	Uranium(VI) Complexes with a Calix[4]arene-Based 8-Hydroxyquinoline Ligand: Thermodynamic and Structural Characterization Based on Calorimetry, Spectroscopy, and Liquid-Liquid Extraction. 2018 , 7, 467-474	6
681	Synthesis, antimycobacterial activity, and acid dissociation constants of polyfunctionalized 3-[2-(pyrrolidin-1-yl)thiazole-5-carbonyl]-2H-chromen-2-one derivatives. 2018 , 149, 1905-1918	10
680	Electrochemical, spectroscopic and theoretical studies on redox speciation of neptunium with phenylphosphonic acid. 2018 , 482, 307-316	5
679	Speciation of Ruthenium(III) Chloro Complexes in Hydrochloric Acid Solutions and Their Extraction Characteristics with an Amide-Containing Amine Compound. 2018 , 8, 558	11
678	Interactions of zearalenone and its reduced metabolites β -zearalenol and β -zearalenol with serum albumins: species differences, binding sites, and thermodynamics. 2018 , 34, 269-278	23
677	Benzoylguanidines as Anion-Responsive Systems. 2018 , 83, 845-854	3
676	Complexes in aqueous cobalt(II)-2-picolinehydroxamic acid system: Formation equilibria, DNA-binding ability, antimicrobial and cytotoxic properties. 2018 , 187, 62-72	6
675	Complex formation of anserine with uranyl in aqueous solution: Thermodynamic studies and structural analysis. 2018 , 143, 9-15	3
674	Multiwavelength UV-metric and pH-metric determination of the dissociation constants of the hypoxia-inducible factor prolyl hydroxylase inhibitor Roxadustat. 2018 , 268, 386-402	
673	Polarization spectroscopy methods in the determination of interactions of small molecules with nucleic acids - tutorial. 2018 , 14, 84-105	57

- 672 Curcumin derivatives and $\text{A}\beta$ -fibrillar aggregates: An interactions' study for diagnostic/therapeutic purposes in neurodegenerative diseases. **2018**, 26, 4288-4300 23
- 671 Thermodynamics of the Interactions of Aminobisphosphonates and Their Calcium Complexes with Bovine Serum Albumin. **2018**, 15, e1800272 1
- 670 Highly Efficient Trivalent Americium/Europium Separation by Phenanthroline-Derived Bis(pyrazole) Ligands. **2018**, 57, 5782-5790 24
- 669 Steric Effects on the Binding of Phosphate and Polyphosphate Anions by Zinc(II) and Copper(II) Dinuclear Complexes of m-Xylyl-bis-cyclen. **2018**, 57, 6466-6478 10
- 668 Protonation States of Glufosinate in Aqueous Solution. **2018**, 47, 705-714 4
- 667 Towards understanding the correlation between UO₂²⁺ extraction and substitute groups in 2,9-diamide-1,10-phenanthroline. **2018**, 61, 1285-1292 16
- 666 Investigating subtle 4f vs. 5f coordination differences using kinetically inert Eu(III), Tb(III), and Cm(III) complexes of a coumarin-appended 1,4,7,10-tetraazacyclododecane-1,4,7-triacetate (DO3A) ligand. **2018**, 47, 7362-7369 6
- 665 Complex formation constant of ferric ion with Gly, Pro-Hyp and Gly-Pro-Hyp.. **2018**, 8, 27157-27162
- 664 Molecular tweezers with a rotationally restricted linker and freely rotating porphyrin moieties. **2018**, 16, 6206-6223 9
- 663 Thermodynamic stability and structure in aqueous solution of the [Cu(PTA)] complex (PTA = aminophosphine-1,3,5-triaza-7-phosphaadamantane). **2018**, 188, 50-61 6
- 662 Tacrine-deferiprone hybrids as multi-target-directed metal chelators against Alzheimer's disease: a two-in-one drug. **2018**, 10, 1460-1475 22
- 661 Polynuclear complexes in solution: An experimental and theoretical study on the interaction of nitrilotripropionate anion with metal ions. **2018**, 483, 53-60 1
- 660 Biocoordination reactions in copper(II) ions and l-glutamic acid systems including tetramines: 1,11-diamino-4,8-diazaundecane or 1,12-diamino-4,9-diazadodecane. **2018**, 482, 905-913 2
- 659 Phosphatase-like Activity of Tetranuclear Iron(III) and Zinc(II) Complexes. **2018**, 57, 10802-10820 22
- 658 Coordination Chemistry of Cu Complexes of Small N-Alkylated Tetra-azacyclophanes with SOD Activity. **2018**, 57, 10961-10973 11
- 657 Complexation of NpO with Amine-Functionalized Diacetamide Ligands in Aqueous Solution: Thermodynamic, Structural, and Computational Studies. **2018**, 57, 6965-6972 6
- 656 Bifunctional 3-hydroxy-4-pyridinones as effective aluminium chelators: synthesis, solution equilibrium studies and in vivo evaluation. **2018**, 186, 116-129 7
- 655 Norleucine metal complexes: comments on their equilibrium constants data. **2018**, 38, 43-48

- 654 Structural and solution equilibrium studies on half-sandwich organorhodium complexes of (N,N) donor bidentate ligands. **2018**, 42, 11174-11184 11
- 653 Thermodynamic studies of iron(III) complex of some new dihydroxamic acids model of rhodotorulic acid. **2018**, 482, 187-194
- 652 Multiwavelength UV-metric and pH-metric determination of the multiple dissociation constants of the lesinurad. **2018**, 158, 236-246 3
- 651 cEST: a flexible tool for calorimetric data analysis. **2018**, 134, 1317-1326 8
- 650 The mono(catecholamine) derivatives as iron chelators: synthesis, solution thermodynamic stability and antioxidant properties research. **2018**, 5, 171492 14
- 649 Complexation of Uranium(VI) with N-(2-Hydroxyethyl)ethylenediamine- N, N', N'-triacetic Acid in Aqueous Solution: Thermodynamic Studies and Coordination Analyses. **2018**, 57, 7684-7693 7
- 648 Reversible pH-dependent curium(III) biosorption by the bentonite yeast isolate Rhodotorula mucilaginosa BII-R8. **2019**, 370, 156-163 8
- 647 Synthesis, screening and biological activity of potent thiosemicarbazone compounds as a tyrosinase inhibitor. **2019**, 43, 14102-14111 4
- 646 A Tetra-Porphyrin Host Exhibiting Interannular Cooperativity. **2019**, 25, 13037-13043 1
- 645 Synthesis, structure and metal ion coordination of novel benzodiazamacrocyclic ligands bearing pyridyl and picolate pendant side-arms. **2019**, 43, 15072-15086 2
- 644 Complexation of Chiral Zinc(II) Porphyrin Tweezer with Achiral Aliphatic Diamines : Molecular Dynamics, Electronic CD, and H NMR Analysis. **2019**, 58, 11420-11438 16
- 643 Properly handling negative values in the calculation of binding constants by physicochemical modeling of spectroscopic titration data. **2019**, 33, e3183 2
- 642 Complexation of 2-thenoyltrifluoroacetone (HTTA) with trivalent f-cations in an ionic liquid: solvent extraction and spectroscopy studies. **2019**, 43, 13675-13680 6
- 641 Syntheses of ester and amide derivatives of calix[6]arene and their complexation affinities towards La³⁺, Eu³⁺, and Yb³⁺. **2019**, 31, 723-731 0
- 640 Structural and Stability Trends of the Complexation of Hexavalent Actinides with Two Dipicolinic Acid Derivatives: An Experimental and Theoretical Study. **2019**, 58, 11664-11671 6
- 639 Coordination of Eu(III) with 1,10-Phenanthroline-2,9-dicarboxamide Derivatives: A Combined Study by MS, TRLIF, and DFT. **2019**, 58, 10239-10247 25
- 638 Different Antioxidant Efficacy of Two Mn-Containing Superoxide Anion Scavengers on Hypoxia/Reoxygenation-Exposed Cardiac Muscle Cells. **2019**, 9, 10320 11
- 637 Uncapping the N-terminus of a ubiquitous His-tag peptide enhances its Cu binding affinity. **2019**, 48, 13567-13579 1

- 636 Oxidative Cleavage of Cellobiose by Lytic Polysaccharide Monooxygenase (LPMO)-Inspired Copper Complexes. **2019**, 4, 10729-10740 8
- 635 Benzoazacrown compound: a highly effective chelator for therapeutic bismuth radioisotopes. **2019**, 10, 1641-1645 8
- 634 A calix[4]arene with acylguanidine units as an efficient catalyst for phosphodiester bond cleavage in RNA and DNA model compounds. **2019**, 17, 7482-7492 13
- 633 Controlling the Photophysics of Aromatic Guests Using a Cyclic Porphyrin Dimer: Synthesis, Structure, and Encapsulation-Mediated ON-OFF Switch. **2019**, 2019, 3629-3637 5
- 632 Coordination behavior of organothiophosphate ligands towards trivalent lanthanide complexes and potential use as V-series chemical warfare agent simulants. **2019**, 72, 2115-2126 1
- 631 A New Heterogeneous Catalyst Obtained via Supramolecular Decoration of Graphene with a Pd Azamacrocyclic Complex. **2019**, 24, 10
- 630 Reduction in Coordination Number of Eu(III) on Complexation with Pyrazine Mono- and Di-Carboxylates in Aqueous Medium. **2019**, 58, 11180-11194 13
- 629 Lanthanide coordination polymers based on flexible ligands derived from iminodiacetic acid. *Polyhedron*, **2019**, 170, 683-689 2.7 3
- 628 ²¹³Bi production and complexation with new picolinate containing ligands. **2019**, 321, 531-540 6
- 627 A potentiometric and microcalorimetric study of the complexation of trivalent europium with lactate: The ionic strength dependency of log $\beta_{M,n}$ and $\beta_{Sm,n}$. **2019**, 679, 178316 2
- 626 A novel ratiometric and turn-on fluorescent coumarin-based probe for Fe(III). **2019**, 43, 12032-12041 13
- 625 Comprehensive study on the degradation of ochratoxin A in water by spectroscopic techniques and DFT calculations.. **2019**, 9, 19844-19854 3
- 624 Hexadentate β -Dicarbonyl(bis-catecholamine) Ligands for Efficient Uranyl Cation Decorporation: Thermodynamic and Antioxidant Activity Studies. **2019**, 58, 14626-14634 2
- 623 Complexation of Light Trivalent Lanthanides with -(2-Hydroxyethyl)ethylenediamine-,',-triacetic Acid in Aqueous Solutions: Thermodynamic Analysis and Coordination Modes. **2019**, 58, 15618-15628 4
- 622 Solution Equilibria of Holmium(III) and Gadolinium(III) Complexes of Thymoquinone. **2019**, 48, 1716-1729 1
- 621 Studies of ternary complexes formed in the biocoordination systems including copper(II) ions, polyamines and l-lysine. *Polyhedron*, **2019**, 173, 114137 2.7 2
- 620 Oxovanadium(IV) Coordination Compounds with Kojic Acid Derivatives in Aqueous Solution. **2019**, 24, 1
- 619 Evaluation of the Tetrakis(3-Hydroxy-4-Pyridinone) Ligand THPN with Zirconium(IV): Thermodynamic Solution Studies, Bifunctionalization, and in Vivo Assessment of Macromolecular Zr-THPN-Conjugates. **2019**, 58, 14667-14681 8

618	Zwitterionic-hydrophilic interaction liquid chromatography for l-ascorbic acid 2-phosphate magnesium, a raw material in cell therapy. 2019 , 165, 338-345		1
617	Position Impact of Hydroxy Groups on Spectral, Acid-Base Profiles and DNA Interactions of Several Monohydroxy Flavanones. 2019 , 24,		4
616	Bioinorganic chemistry of calcitermin - the picklock of its antimicrobial activity. 2019 , 48, 13740-13752		8
615	Copper complexes of synthetic peptides mimicking neurotrophin-3 enhance neurite outgrowth and CREB phosphorylation. 2019 , 11, 1567-1578		4
614	Colorimetric and Fluorescence-Based Detection of Mercuric Ion Using a Benzothiazolinic Spiropyran. 2019 , 7, 35		14
613	Stability of Cu(ii) complexes with FomA protein fragments containing two His residues in the peptide chain. 2019 , 11, 1518-1531		4
612	O Generating Luminescent Lanthanide Complexes with 1,8-Naphthalimide-Based Sensitizers. 2019 , 58, 13471-13480		11
611	Gadolinium Complexes of Highly Rigid, Open-Chain Ligands Containing a Cyclobutane Ring in the Backbone: Decreasing Ligand Denticity Might Enhance Kinetic Inertness. 2019 , 58, 13170-13183		6
610	Complexation of UO(CO) with Mg at varying temperatures and its effect on U(vi) speciation in groundwater and seawater. 2019 , 48, 14769-14776		5
609	Copper(ii) complexes with alloferon analogues containing phenylalanine H6F and H12F stability and biological activity lower stabilization of complexes compared to analogues containing tryptophan. 2019 , 11, 1700-1715		4
608	New strong extrafunctionalizable tris(3,4-HP) and bis(3,4-HP) metal sequestering agents: synthesis, solution and in vivo metal chelation. 2019 , 48, 16167-16183		7
607	Synthesis and optical properties of copper(II) and nickel(II) complexes of a highly fluorescent morpholine-derivative. <i>Polyhedron</i> , 2019 , 171, 559-570	2.7	5
606	Physicochemical Characterization and Antioxidant Activity Evaluation of Idebenone/Hydroxypropyl-β-Cyclodextrin Inclusion Complex \square 2019 , 9,		27
605	Silver(I) complexes with long-chain diamines in non-aqueous solvents. 2019 , 138, 3257-3265		1
604	Eu(iii) and Tb(iii) complexes of 6-fold coordinating ligands showing high affinity for the hydrogen carbonate ion: a spectroscopic and thermodynamic study. 2019 , 48, 1202-1216		14
603	Supramolecular forces and their interplay in stabilizing complexes of organic anions: tuning binding selectivity in water. 2019 , 6, 75-86		15
602	Protonation and Anion Binding Properties of Aromatic Bis-Urea Derivatives-Comprehending the Proton Transfer. 2019 , 25, 4695-4706		6
601	Hybrid organic-inorganic supramolecular systems based on a pyridine end-decorated molybdenum(ii) halide cluster and zinc(ii) porphyrinate. 2019 , 48, 1835-1842		10

600	The role of methylation in the copper(ii) coordination properties of a His-containing decapeptide. 2019 , 48, 1859-1870		1
599	A structural and thermodynamic study of the complexes of U(vi) with azinecarboxylates. 2019 , 48, 566-577		10
598	Methylthiazolyl Tacn Ligands for Copper Complexation and Their Bifunctional Chelating Agent Derivatives for Bioconjugation and Copper-64 Radiolabeling: An Example with Bombesin. 2019 , 58, 2669-2685		8
597	Self-assembly of cucurbiturils and cyclodextrins to supramolecular millstones with naphthalene derivatives capable of translocations in the host cavities. 2019 , 43, 3673-3689		1
596	KEV: A free software for calculating the equilibrium composition and determining the equilibrium constants using UV-Vis and potentiometric data. <i>Talanta</i> , 2019 , 198, 200-205	6.2	34
595	Spectrophotometric, fluorimetric and electrochemical selective pyrophosphate/ATP sensing based on the dimethyltin(IV)-tiron system. 2019 , 1057, 51-59		6
594	Carboxylic acid recognition of diamidine having a fluorescent 1,8-diphenylanthracene unit and its detection of amidinium-carboxylate and amidinium formation. 2019 , 75, 1293-1305		7
593	AcidBase behaviour and binding to double stranded DNA/RNA of benzo[g]phthalazine-based ligands. 2019 , 43, 700-708		3
592	Solid State and Solution Study on the Formation of Inorganic Anion Complexes with a Series of Tetrazine-Based Ligands. 2019 , 24,		5
591	[2+2] Photocycloaddition of Styryl Dyes in the Cucurbit[8]uril Cavity and Its Ultrafast Dynamics. 2019 , 53, 204-210		1
590	Formation of 2-chloroallyl alcohol oligomers using a new crystalline dipicolinate complex of Cr(III) as a catalyst. 2019 , 375, 287-293		7
589	Aminomethylene-Phosphonate Analogue as a Cu(II) Chelator: Characterization and Application as an Inhibitor of Oxidation Induced by the Cu(II)-Prion Peptide Complex. 2019 , 58, 8995-9003		
588	Quantitative Analysis of Surface Sites on Carbon Dots and Their Interaction with Metal Ions by a Potentiometric Titration Method. 2019 , 91, 9690-9697		9
587	Implementing f-Block Metal Ions in Medicine: Tuning the Size Selectivity of Expanded Macrocycles. 2019 , 58, 10483-10500		42
586	Conformational Selection in Anion Recognition: cGMP-Selective Binding by a Naphthalimide-Functionalized Amido-Amine Macrocycle. 2019 , 84, 9034-9043		9
585	Phosphate and polyphosphate anion recognition by a dinuclear copper(ii) complex of an unsymmetrical squaramide. 2019 , 48, 10104-10115		6
584	A Search for the Protonation Model with Thermodynamic Dissociation Constants and (Extra)-Thermodynamics of Nilotinib Hydrochloride (TASIGNA). 2019 , 48, 702-731		0
583	Tales of the Unexpected: The Case of Zirconium(IV) Complexes with Desferrioxamine. 2019 , 24,		12

582	Ternary Complex Formation and Extraction Modeling in Malonate-Buffered Trivalent Actinide-Lanthanide Separations. 2019 , 58, 7554-7563	8
581	Synthesis and Study of Multifunctional Cyclodextrin-Deferasirox Hybrids. 2019 , 14, 1484-1492	4
580	Highly Efficient N-Pivot Tripodal Diglycolamide Ligands for Trivalent f-Cations: Synthesis, Extraction, Spectroscopy, and Density Functional Theory Studies. 2019 , 58, 8633-8644	15
579	The Issue of Misidentification of Kojic Acid with Flufuran in. 2019 , 24,	8
578	Highly Charged Ruthenium(II) Polypyridyl Complexes as Effective Photosensitizer in Photodynamic Therapy. 2019 , 25, 10606-10615	26
577	Copper(II) complexes of coumarin-derived Schiff base ligands: Pro- or antioxidant activity in MCF-7 cells?. 2019 , 197, 110702	16
576	Cu(II) Binding to the N-Terminal Model Peptide of the Human Ctr2 Transporter at Lysosomal and Extracellular pH. 2019 , 58, 7488-7498	1
575	Interaction of Mycotoxin Alternariol with Serum Albumin. 2019 , 20,	19
574	A Stereoselective Tyrosinase Model Compound Derived from an m-Xylyl-l-histidine Ligand. 2019 , 58, 7335-7344	5
573	Complexation of Lanthanides with N, N, N', N'-Tetramethylamide Derivatives of Bipyridinedicarboxylic Acid and Phenanthrolinedicarboxylic Acid: Thermodynamics and Coordination Modes. 2019 , 58, 7416-7425	16
572	Inducing selectivity and chirality in group IV metal coordination with high-denticity hydroxypyridinones. 2019 , 48, 8238-8247	8
571	endo- versus exo-Cyclic coordination in copper complexes with methylthiazolylcarboxylate tacn derivatives. 2019 , 48, 8740-8755	2
570	Functionally Versatile and Highly Stable Chelator for In and Lu: Proof-of-Principle Prostate-Specific Membrane Antigen Targeting. 2019 , 30, 1539-1553	26
569	First studies on the interactions of the C-terminal cystatin C fragment 8504 with Cu(II) ions. 2019 , 72, 1592-1602	
568	Comparative solution studies and cytotoxicity of gallium(III) and iron(III) complexes of 3-hydroxy-2(1H)-pyridinones. <i>Polyhedron</i> , 2019 , 172, 141-147	2.7 2
567	Complexation of U(VI) with BiPDA, DmBiPDA, and PhenDA: Comparison on Structures and Binding Strengths in Aqueous and DMSO/20%(v)HO Solutions. 2019 , 58, 6064-6074	8
566	N,N-Di(pyridin-2-yl)quinolin-6-amine: synthesis and coordination properties. 2019 , 68, 597-600	
565	Activity-based analysis of potentiometric pH titrations. 2019 , 1075, 49-56	1

564	The proton binding properties of biosorbents. 2019 , 17, 1281-1298	3
563	Complexation of Eu(III) with furan monocarboxylates in aqueous medium at variable temperatures: Luminescence and computational studies. 2019 , 212, 83-91	1
562	Copper(II)-Induced Restructuring of ZnuD, a Zinc(II) Transporter from <i>Neisseria meningitidis</i> . 2019 , 58, 5932-5942	5
561	Solution Studies and Crystal Structures of Heteropolynuclear Potassium/Copper Complexes with Phytate and Aromatic Polyamines: Self-Assembly through Coordinative and Supramolecular Interactions. 2019 , 84, 540-552	3
560	Characterization by Potentiometric Procedures of the Stability Constants of the Binary and Ternary Complexes of Cu(II) and Duloxetine Drug with Amino Acids. 2019 , 2019, 1-13	1
559	Sensitivity limits for determining 1:1 binding constants from spectrophotometric titrations via global analysis. 2019 , 33, e3119	3
558	[9]aneN-based fluorescent receptors for metal ion sensing, featuring urea and amide functional groups. 2019 , 48, 4949-4960	10
557	Complexation properties and structural character of lanthanides complexes of O,N-hetero donor ligand BIZA. 2019 , 54, 2077-2083	4
556	Comparative solution and structural studies of half-sandwich rhodium and ruthenium complexes bearing curcumin and acetylacetone. 2019 , 195, 91-100	11
555	Stability constant determination of sulfur and selenium amino acids with Cu(II) and Fe(II). 2019 , 195, 20-30	10
554	Thermochromic behaviour and thermodynamics of cobalt(II) chloride complexes in ammonium nitrate + N-methylformamide mixture. 2019 , 282, 264-274	3
553	Speciation of alumina in aqueous solution and its interaction with silicate ion. 2019 , 22, 232-238	2
552	Antimicrobial, cytotoxic, and antioxidant activities and physicochemical characteristics of chromium(III) complexes with picolinate, dipicolinate, oxalate, 2,2'-bipyridine, and 4,4'-dimethoxy-2,2'-bipyridine as ligands in aqueous solutions. 2019 , 282, 441-447	7
551	Strong Uranium(VI) Binding onto Bovine Milk Proteins, Selected Protein Sequences, and Model Peptides. 2019 , 58, 4173-4189	11
550	Tuning the properties of tris(hydroxypyridinone) ligands: efficient Ga chelators for PET imaging. 2019 , 48, 4299-4313	17
549	Selective Separation and Complexation of Trivalent Actinide and Lanthanide by a Tetradentate Soft-Hard Donor Ligand: Solvent Extraction, Spectroscopy, and DFT Calculations. 2019 , 58, 4420-4430	46
548	Thermodynamics of complex formation in dimethylsulfoxide: The case of Co(II) complexes with nitrogen donor ligands and their O ₂ adducts. 2019 , 493, 91-101	4
547	Formation of CaUO(CO) and CaUO(CO)(aq) complexes at variable temperatures (10-70 °C). 2019 , 48, 6942-6950	10

546	Pseudo-Crown Ethers as Novel Scaffolds for the Development of Al ³⁺ -Selective Fluorescent Probes. 2019 , 2019, 4196-4206		4
545	Metallobacitracins: Affinity and structural study in aqueous solution. 2019 , 104, 61-70		
544	A detailed spectrophotometric investigation of the stability constants of [PdCl _n (OH) _{4-n}] ²⁻ and [PdBr _n (OH) _{4-n}] ²⁻ (n = 0-4). 2019 , 186, 21-29		5
543	Formation and stability of the mixed-chelator complexes of Sr, Mg, Ca, Ba, and Y in solution with bio-relevant chelators. 2019 , 195, 141-148		8
542	Out-cage metal ion coordination by novel benzoazacrown bisamides with carboxyl, pyridyl and picolinate pendant arms. 2019 , 75, 2848-2859		6
541	Coordination of Nd(III) and Eu(III) with monodentate organophosphorus ligands in ionic liquids: spectroscopy and thermodynamics. 2019 , 43, 3866-3873		4
540	3-Hydroxy-2-Pyrrolidinone as a Potential Bidentate Ligand for in Vivo Chelation of Uranyl with Low Cytotoxicity and Moderate Decorporation Efficacy: A Solution Thermodynamics, Structural Chemistry, and in Vivo Uranyl Removal Survey. 2019 , 58, 3349-3354		10
539	Complexation of CMPO with trivalent f-cations in ionic liquid medium: Solvent extraction, spectroscopic, EXAFS and DFT studies. <i>Polyhedron</i> , 2019 , 162, 71-80	2.7	6
538	A new bis-(3-hydroxy-4-pyridinone)-DTPA-derivative: Synthesis, complexation of di-/tri-valent metal cations and in vivo M ³⁺ sequestering ability. 2019 , 281, 280-294		4
537	Complexation of Plutonium(IV) with trans-1,2-Diaminocyclohexane-N,N,N',N'-tetraacetic Acid (CDTA) in Acidic Solution. 2019 , 48, 212-233		1
536	Potential thermodynamic and kinetic roles of phytate as an inhibitor of kidney stone formation: theoretical modelling and crystallization experiments. 2019 , 47, 493-502		5
535	A new tripodal kojic acid derivative for iron sequestration: Synthesis, protonation, complex formation studies with Fe, Al, Cu and Zn, and in vivo bioassays. 2019 , 193, 152-165		10
534	Interactions of 7,8-Dihydroxyflavone with Serum Albumin as well as with CYP2C9, CYP2C19, CYP3A4, and Xanthine Oxidase Biotransformation Enzymes. 2019 , 9,		8
533	Speciation Studies of Bifunctional 3-Hydroxy-4-Pyridinone Ligands in the Presence of Zn at Different Ionic Strengths and Temperatures. 2019 , 24,		1
532	Coordination of 2,2'-(Trifluoroazanediyloxy)bis(N,N'-dimethylacetamide) with U(VI), Nd(III), and Np(V): A Thermodynamic and Structural Study. 2019 , 58, 15962-15970		7
531	Thermodynamic Characterization of the Interaction between the Antimicrobial Drug Sulfamethazine and Two Selected Cyclodextrins. 2019 , 24,		8
530	Synthesis and iron coordination properties of schizokinen and its imide derivative. 2019 , 48, 17395-17401		3
529	Thermodynamic and structural aspects of the aqueous uranium(IV) system - hydrolysis vs. sulfate complexation. 2019 , 48, 17898-17907		2

528	Thermodynamic and spectroscopic study of Cu(ii) and Zn(ii) complexes with the (148-156) peptide fragment of C4YJH2, a putative metal transporter of <i>Candida albicans</i> . 2019 , 11, 1988-1998	5
527	Experimental and computational studies of noncovalent interactions in the metal-free ternary Lys ⁵⁷ hATP system. 2019 , 43, 16898-16906	2
526	Water and oxoanion encapsulation chemistry in a 1H-pyrazole azacryptand. 2019 , 43, 18915-18924	
525	Selective Extraction of Light Lanthanides(III) by β -Di(2-ethylhexyl)-diglycolamic Acid: A Comparative Study with β -Dimethyl-diglycolamic Acid as a Chelator in Aqueous Solutions. 2019 , 4, 20797-20806	6
524	Explaining How β -Hydroxamate Ligands Control the Formation of Cu(II)-, Ni(II)-, and Zn(II)-Containing Metallacrowns. 2019 , 58, 16642-16659	7
523	Study of Iron Piperazine-Based Chelators as Potential Siderophore Mimetics. 2019 , 12,	2
522	Modification of Polyacrylonitrile Fibers by Coupling to Thiosemicarbazones. 2019 , 12,	2
521	Hydrophobic Hydration Processes: Intensity Entropy and Null Thermal Free Energy and Density Entropy and Motive Free Energy. 2019 , 4, 19526-19547	2
520	Ditopic Receptors Based on Dihomooxacalix[4]arenes Bearing Phenylurea Moieties With Electron-Withdrawing Groups for Anions and Organic Ion Pairs. 2019 , 7, 758	5
519	Coordination of a bis-histidine-oligopeptide to Re(i) and Ga(iii) in aqueous solution. 2019 , 48, 15184-15191	1
518	The curious case of opossum prion: a physicochemical study on copper(ii) binding to the bis-decarepeat fragment from the protein N-terminal domain. 2019 , 48, 17533-17543	2
517	Synthesis and anion recognition studies of new oligomethylene bis(nitrophenylureylbenzamide) receptors.. 2019 , 9, 39147-39162	0
516	A comparative evaluation of calix[4]arene-1,3-crown-6 as a ligand for selected divalent cations of radiopharmaceutical interest.. 2019 , 9, 32357-32366	12
515	A step forward in the development of superoxide dismutase mimetic nanozymes: the effect of the charge of the surface on antioxidant activity.. 2019 , 9, 41549-41560	4
514	Acid-base properties of phosphoric and acetic acid in aprotic organic solvents - A complete thermodynamic characterisation. 2019 , 1046, 77-92	6
513	Selective cloud point extraction of uranium from thorium and lanthanides using Cyanex 301 as extractant. <i>Separation and Purification Technology</i> , 2019 , 210, 835-842	8,3 26
512	Oligopeptides Generated by Neprilysin Degradation of β -Amyloid Have the Highest Cu(II) Affinity in the Whole β -Family. 2019 , 58, 932-943	15
511	Potent Anti-Cancer Properties of Phthalimide-Based Curcumin Derivatives on Prostate Tumor Cells. 2018 , 20,	17

510	Multidentate extracting agents based on calix[4]arene scaffold UVI/EuIII separation studies. <i>Separation and Purification Technology</i> , 2019 , 213, 246-254	8.3	6
509	New polyamine drugs as more effective antichagas agents than benznidazole in both the acute and chronic phases. 2019 , 164, 27-46		7
508	Structural studies of complexation of Cu(II) with aminosilane-modified silica surface in heterogeneous system in a wide range of pH. 2019 , 469, 566-572		5
507	Influence of a Pre-organized N-Donor Group on the Coordination of Trivalent Actinides and Lanthanides by an Aminopolycarboxylate Complexant. 2019 , 25, 2545-2555		6
506	Gemcitabine anticancer activity enhancement by water soluble celecoxib/sulfobutyl ether- β -cyclodextrin inclusion complex. 2019 , 206, 792-800		24
505	New Oxidovanadium(IV) Coordination Complex Containing 2-Methylnitriilotriacetate Ligands Induces Cell Cycle Arrest and Autophagy in Human Pancreatic Ductal Adenocarcinoma Cell Lines. 2019 , 20,		15
504	Thermodynamic Study on the Interaction of Ampicillin and Amoxicillin with Ca ²⁺ in Aqueous Solution at Different Ionic Strengths and Temperatures. 2019 , 64, 800-809		8
503	Spectrophotometric study of the uranyl monobenzoate complex at moderate ionic strength. <i>Polyhedron</i> , 2019 , 161, 120-125	2.7	2
502	Anthracene-Based Cyclophanes with Selective Fluorescent Responses for TTP and GTP: Insights into Recognition and Sensing Mechanisms. 2019 , 25, 3541-3549		9
501	Water soluble Eu(III) complexes of macrocyclic triamide ligands: Structure, stability, luminescence and redox properties. 2019 , 486, 252-260		8
500	New Water-Soluble Copper(II) Complexes with Morpholine-Thiosemicarbazone Hybrids: Insights into the Anticancer and Antibacterial Mode of Action. 2019 , 62, 512-530		51
499	Complexation of U(VI) with Cucurbit[5]uril: Thermodynamic and Structural investigation in aqueous medium. 2019 , 207, 354-362		4
498	New dual colorimetric/fluorimetric probes for Hg ²⁺ detection & extraction based on mesoporous SBA-16 nanoparticles containing porphyrin or rhodamine chromophores. 2019 , 161, 427-437		15
497	Stability constants for Zirconium(IV) complexes with EDTA, CDTA, and DTPA in perchloric acid solutions. 2019 , 484, 357-367		10
496	A new way of assessing the interaction of a metallic phase precursor with a modified oxide support substrate as a source of information for predicting metal dispersion. 2020 , 13, 2620-2627		
495	Methoxyphenyl N-sulfamoyloxazolidinone Cu(II) and Co(II) complexes: Synthesis, DFT/B3LYP (B2PLYP) study and molecular docking. 2020 , 1202, 127190		4
494	Exploring Soft Donor Character of the -2-Pyrazinylmethyl Group by Coordinating Trivalent Actinides and Lanthanides Using Aminopolycarboxylates. 2020 , 59, 138-150		8
493	Hydroxyphenyl thiosemicarbazones as inhibitors of mushroom tyrosinase and antibrowning agents. 2020 , 303, 125310		20

- 492 Potentiometric, spectral characterization, and antioxidant activity studies of ternary complexes involving Cu(II) and carbamoylcholine chloride drug with amino acids. **2020**, 67, 125-134
- 491 "Sweeping" Ortho Substituents Drive Desolvation and Overwhelm Electronic Effects in Nd Chelation: A Case of Three Aryldithiophosphinates. **2020**, 59, 161-171 4
- 490 Encapsulation of sulfamethazine by native and randomly methylated β -cyclodextrins: The role of the dipole properties of guests. **2020**, 225, 117475 4
- 489 Solution equilibrium, structural and cytotoxicity studies on Ru(β -p-cymene) and copper complexes of pyrazolyl thiosemicarbazones. **2020**, 202, 110883 7
- 488 Development of Polyamine-Substituted Triphenylamine Ligands with High Affinity and Selectivity for G-Quadruplex DNA. **2020**, 21, 1167-1177 6
- 487 On the modeling of heavy metals and rare earth elements adsorption on colloidal carbon-based nanoparticles. **2020**, 505, 144264 4
- 486 Tweezer-shaped hydrazone derivatives for the selective detection of cyanide ion. **2020**, 96, 181-195 3
- 485 Mass Spectrometry Reveals Complexing Properties of Modified PNP-Lariat Ether Containing Benzyl Derivative of (S)-Prolinamine. **2019**, 25, 2 2
- 484 A light controlled, reversible, sensitive and highly selective colorimetric sensor for mercuric ions in water. **2020**, 1206, 127702 9
- 483 Effect of Heterocyclic Ring on Ln Coordination, Luminescence and Extraction of Diamides of 2,2'-Bipyridyl-6,6'-Dicarboxylic Acid. **2019**, 25, 4 4
- 482 Cu(II) coordination to His-containing linear peptides and related branched ones: Equalities and diversities. **2020**, 205, 110980 2
- 481 Ditopic binuclear copper(II) complexes for DNA cleavage. **2020**, 205, 110995 0
- 480 Tripyridinophane Platform Containing Three Acetate Pendant Arms: An Attractive Structural Entry for the Development of Neutral Eu(III) and Tb(III) Complexes in Aqueous Solution. **2020**, 59, 1496-1512 7
- 479 Behavior of glutathione as ligand of lead (II). **2020**, 246, 125718 3
- 478 Lanthanides(III) and Silver(I) complex formation with triamines in DMSO: The effect of ligand cyclization. **2020**, 503, 119392 5
- 477 Fast dissolution of silver nanoparticles at physiological pH. **2020**, 563, 177-188 13
- 476 Synthesis and characterization of s-fac-[Co(dien)₂](4-np)₃(4-npH)·2H₂O containing symmetric, [4-np₂μ₂-np] and unsymmetric, [4-np-Hμ₂-np] dimers of 4-nitrophenolate (4-np) *Polyhedron*, **2020**, 177, 114274 2.7
- 475 A perspective on modeling evolution. **2020**, 34, e3205 1

- 474 Influence of DMSO organic liquid media on the solution equilibria of 2,3-dihydroxybenzoic acid. **2020**, 300, 112349
- 473 Naphthoquinones of natural origin: Aqueous chemistry and coordination to half-sandwich organometallic cations. **2020**, 907, 121070 3
- 472 Triplet of cysteines - Coordinational riddle?. **2020**, 204, 110957 1
- 471 Anthracene-Based Amido-Amine Cage Receptor for Anion Recognition under Neutral Aqueous Conditions. **2020**, 9, 171-175 8
- 470 Synthesis, characterization and anion recognition studies of new fluorescent alkyl bis(naphthylureylbenzamide)-based receptors. **2020**, 76, 130815 3
- 469 The influence of linkages between 1-hydroxy-2(1H)-pyridinone coordinating groups and a tris(2-aminoethyl)amine core in a novel series of synthetic hexadentate iron(III) chelators on antimicrobial activity. **2020**, 95, 103465 6
- 468 Novel tacrine-benzofuran hybrids as potential multi-target drug candidates for the treatment of Alzheimer's Disease. **2020**, 35, 211-226 23
- 467 A Rare Natural Benzo[,]xanthene as a Turn-Off Fluorescent Sensor for Cu Ion. **2020**, 21, 0
- 466 Tautomeric and conformational switching in a new versatile N-rich heterocyclic ligand. **2020**, 49, 14452-14462 2
- 465 Spectroscopic Study on Aqueous Uranyl(VI) Complexes with Methoxy- and Methylbenzoates: Electronic and Steric Effects of the Substituents. **2020**, 59, 15194-15203 1
- 464 Dissolution enthalpies and the thermodynamic properties of sodium metaborates. **2020**, 315, 113813 1
- 463 Multivariate analysis of protolytic and tautomeric equilibria of Erythrosine B and its ester derivatives in ionic and non-ionic micelles. **2020**, 313, 113320 6
- 462 Influence of the Molar Ratio and Solvent on the Coordination Modes of 1,7-Dibenzyl-4,10-bis(pyridin-4-ylmethyl)cyclen. **2020**, 59, 11166-11173 6
- 461 Interaction of curium(III) with surface-layer proteins from *Lysinibacillus sphaericus* JG-A12. **2020**, 190, 110950 1
- 460 Interaction of Ampicillin and Amoxicillin with Mn: A Speciation Study in Aqueous Solution. **2020**, 25, 7
- 459 Stability Constants of Metal Complexes in Solution. **2020**, 4
- 458 Speciation of Molybdenum(VI) in Chloride Media at Elevated Mo Concentrations. **2020**, 5, 23786-23792 1
- 457 Dipodal Molecular Device as Fluorescent Sensor for Na(I) Detection. **2020**, 87, 893-903

456	Complexation of environmentally and biologically relevant metals with bifunctional 3-hydroxy-4-pyridinones. 2020 , 319, 114349	1
455	Effect of Counteranions on the Extraction and Complexation of Trivalent Lanthanides with Tetradentate Phenanthroline-Derived Phosphonate Ligands. 2020 , 59, 17453-17463	14
454	Improving the Stability of EGFR Inhibitor Cobalt(III) Prodrugs. 2020 , 59, 17794-17810	3
453	Protonation Equilibria of γ -Acetylcysteine. 2020 , 5, 19598-19605	5
452	Detailed Insight into the Interaction of Bicyclic Somatostatin Analogue with Cu(II) Ions. 2020 , 21,	0
451	Condition-Dependent Coordination and Peroxidase Activity of Hemin-A β Complexes. 2020 , 25,	3
450	Complex formation and cytotoxicity of Triapine derivatives: a comparative solution study on the effect of the chalcogen atom and NH-methylation. 2020 , 49, 16887-16902	10
449	Full Visible Spectrum and White Light Emission with a Single, Input-Tunable Organic Fluorophore. <i>Journal of the American Chemical Society</i> , 2020 ,	16.4 9
448	Photophysical and Chiroptical Properties of the Enantiomers of β , β' -Bis(1-phenylpropyl)-2,6-pyridinecarboxamide and their Chiral 9-Coordinate Ln Complexes. 2020 , 2020, 3815-3828	4
447	Self-assembly involving hydrogen bonds. Spectral properties and structure of supramolecular complexes of bis-aza-18-crown-6-containing dienones with alkanediammonium salts. 2020 , 402, 112801	2
446	Effect of the Heteroaromatic Antenna on the Binding of Chiral Eu(III) Complexes to Bovine Serum Albumin. 2020 , 59, 12564-12577	5
445	Oxygen and peroxide bridged uranyl(VI) dimers bearing tetradentate hybrid ligands: supramolecular self-assembly and generation pathway. 2020 , 7, 3412-3423	3
444	Structural study of L-ascorbic acid 2-phosphate magnesium, a raw material in cell and tissue therapy. 2020 , 25, 875-885	3
443	Non-covalent Functionalization of Graphene to Tune Its Band Gap and Stabilize Metal Nanoparticles on Its Surface. 2020 , 5, 18849-18861	12
442	Mixed-ligand lanthanide complexes supported by ditopic bis(imino-methyl)-phenol/calix[4]arene macrocycles: synthesis, structures, and luminescence properties of [Ln(L)(MeOH)] (Ln = La, Eu, Tb, Yb). 2020 , 49, 11179-11191	6
441	Expanding the Scope of PycLen-Picolinate Lanthanide Chelates to Potential Theranostic Applications. 2020 , 59, 11736-11748	4
440	Extraction and complexation of trivalent rare earth elements with tetraalkyl diglycolamides. 2020 , 513, 119928	5
439	Binding ability of arsenate towards Cu and Zn: thermodynamic behavior and simulation under natural water conditions. 2020 , 22, 1731-1742	4

438	Functionality study of chalcone-hydroxypyridinone hybrids as tyrosinase inhibitors and influence on anti-tyrosinase activity. 2020 , 35, 1562-1567	3
437	Visible-NIR absorption spectroscopy study of the formation of ternary plutonyl(VI) carbonate complexes. 2020 , 49, 11605-11612	0
436	Zn(II)-alloferon complexes - Similar sequence, different coordination modes, no antibacterial activity. 2020 , 213, 111275	
435	Completing the α -CXY-dNTP Stereochemical Probe Toolkit: Synthetic Access to the dCTP Diastereomers and P and F NMR Correlations with Absolute Configurations. 2020 , 85, 14592-14609	3
434	Stabilization of polyiodide networks with Cu(II) complexes of small methylated polyazacyclophanes: shifting directional control from H-bonds to I...I interactions. 2020 , 7, 4239-4255	8
433	Aza- and Mixed Thia/Aza-Macrocyclic Receptors with Quinoline-Bearing Pendant Arms for Optical Discrimination of Zinc(II) or Cadmium(II) Ions. 2020 , 85, 1789-1799	3
432	Ternary Cu(II) Complex with GHK Peptide and -Urocanic Acid as a Potential Physiologically Functional Copper Chelate. 2020 , 21,	9
431	Allosteric Control of Naphthalene Diimide Encapsulation and Electron Transfer in Porphyrin Containers: Photophysical Studies and Molecular Dynamics Simulation. 2020 , 26, 17514-17524	5
430	Deconvolution of fast exchange equilibrium states in NMR spectroscopy using virtual reference standards and probability theory. 2020 , 18, 6927-6934	
429	Triapine Derivatives Act as Copper Delivery Vehicles to Induce Deadly Metal Overload in Cancer Cells. 2020 , 10,	8
428	Homo- and hetero-dinuclear Pt(II)/Pd(II) complexes: studies of hydrolysis, nucleophilic substitution reactions, DNA/BSA interactions, DFT calculations, molecular docking and cytotoxic activity. 2020 , 49, 14411-14431	9
427	Mn Complexes Containing Sulfonamide Groups with pH-Responsive Relaxivity. 2020 , 59, 14306-14317	5
426	Comment on "Investigation of Zr(IV) and Zr(IV) complexation with hydroxamates: progress towards designing a better chelator than desferrioxamine B for immuno-PET imaging" by F. Guillard, Y.-S. Lee, R. Tripier, L. P. Szajek, J. R. Deschamps and M. W. Brechbiel, Chem. Commun., 2013, 49, 1002. 2020 , 56, 12664-12666	2
425	Equilibria in Aqueous Cobalt(II)-Reduced Schiff Base -(2-hydroxybenzyl)alanine System: Chemical Characterization, Kinetic Analysis, Antimicrobial and Cytotoxic Properties. 2020 , 25,	1
424	Argentivorous Molecules Exhibiting Highly Selective Silver(I) Chiral Enhancement. 2020 , 59, 13435-13441	4
423	Host-Guest Complexation-Mediated Supramolecular Photon Upconversion. <i>Journal of the American Chemical Society</i> , 2020 , 142, 16600-16609	16.4 6
422	Characterizing the general chelating affinity of serum protein fetuin for lanthanides. 2020 , 25, 941-948	7
421	Alkyl Peptides: N-Terminal Truncation Yields Tunable Cu(II) Complexes. 2020 , 59, 14000-14011	4

- 420 Synthesis and characterization of new unsymmetrical diglycolamide extractants for lanthanide ion partitioning: part one—straight-chain alkyl derivatives. **2020**, 326, 789-800 2
- 419 Reactivities of cyclam derivatives with metal—amyloid- β . **2020**, 7, 4222-4238 4
- 418 Chiral Argentivorous Molecules Having Biphenyl Groups as Side-arms: Drastic Enhancements in CD Intensities. **2020**, 49, 1178-1180 1
- 417 Copper binding by the cystatin C fragment. The role of histidine residues. *Polyhedron*, **2020**, 192, 114824-7 2.7
- 416 Uranium(VI) complexation with trans-1,2-cyclohexanediaminetetraacetic acid in solution: thermodynamic and structural studies. **2020**, 73, 3382-3394 2
- 415 The Role of Copper (II) on Kininogen Binding to Tropomyosin in the Presence of a Histidine-Proline-Rich Peptide. **2020**, 21, 0
- 414 Supramolecular Sensing of a Chemical Warfare Agents Simulant by Functionalized Carbon Nanoparticles. **2020**, 25, 5
- 413 Cu(II) complexes with peptides from FomA protein containing -His-Xaa-Yaa-Zaa-His and -His-His-motifs. ROS generation and DNA degradation. **2020**, 212, 111250 2
- 412 Multi-Walled Carbon Nanotubes Supported Pd(II) Complexes: A Supramolecular Approach towards Single-Ion Oxygen Reduction Reaction Catalysts. **2020**, 13, 5539 2
- 411 Enhanced Fe binding through cooperativity of 3-hydroxypyridin-4-one groups within a linear co-polymer: wrapping effect leading to superior antimicrobial activity. **2020**, 33, 339-351 3
- 410 Determination of acid dissociation constants, enthalpy, entropy and Gibbs free energy of the baricitinib by the UV-metric and pH-metric analysis. **2020**, 191, 113532 1
- 409 Dihomooxacalix[4]arene-Based Fluorescent Receptors for Anion and Organic Ion Pair Recognition. **2020**, 25, 3
- 408 Zn(II) detection and biological activity of a macrocycle containing a bis(oxadiazole)pyridine derivative as fluorophore. **2020**, 49, 7496-7506 6
- 407 Helicity of a polyacetylene directed by molecular recognition of biscalixarene and fullerene. **2020**, 56, 6672-6675 3
- 406 Chemosensing of Guanosine Triphosphate Based on a Fluorescent Dinuclear Zn(II)-Dipicolylamine Complex in Water. **2020**, 59, 7739-7751 13
- 405 Complexation of Chiral Zinc(II)Porphyrin with Chiral Guests: Control, Discrimination and Rationalization of Supramolecular Chirality. **2020**, 59, 7795-7809 4
- 404 Synthesis and coordination properties of a new ligand designed for surface functionalization of carbon substrates. **2020**, 511, 119793 3
- 403 Zinc Interactions with a Soluble Mutated Rat Amylin to Mimic Whole Human Amylin: An Experimental and Simulation Approach to Understand Stoichiometry, Speciation and Coordination of the Metal Complexes. **2020**, 26, 13072-13084 3

402	Exploring the pH Dependent Aqueous Speciation of Metal Complexes through UV-Vis Spectroscopy. 2020 , 97, 1970-1975	2
401	The Binding Ability of a Bicyclic Somatostatin Analogue Towards Cu(II) Ions. 2020 , 17, e2000307	0
400	Redox and Emission Properties of Triazolo-Triazole Derivatives and Copper(II) Complexes. 2020 , 49, 504-521	1
399	L-argininato copper(II) complexes in solution exert significant selective anticancer and antimicrobial activities. 2020 , 34, e5698	4
398	Uracil-5-yl -Sulfamate: An Illusive Radiosensitizer. Pitfalls in Modeling the Radiosensitizing Derivatives of Nucleobases. 2020 , 124, 5600-5613	4
397	Hybrid GMP-polyamine hydrogels as new biocompatible materials for drug encapsulation. 2020 , 16, 6514-6522	1
396	Monitoring inorganic pyrophosphatase activity with the fluorescent dizinc(ii) complex of a macrocycle bearing one dansylamidoethyl antenna. 2020 , 49, 9487-9494	4
395	Probing the Interactions of Ochratoxin B, Ochratoxin C, Patulin, Deoxynivalenol, and T-2 Toxin with Human Serum Albumin. 2020 , 12,	8
394	Weak Interaction of the Antimetabolite Drug Methotrexate with a Cavitand Derivative. 2020 , 21,	1
393	Copper Complexes with 1,10-Phenanthroline Derivatives: Underlying Factors Affecting Their Cytotoxicity. 2020 , 59, 9116-9134	23
392	Copper(ii) and zinc(ii) complexes of mono- and bis-1,2,3-triazole-substituted heterocyclic ligands. 2020 , 49, 9002-9015	6
391	Ratiometric Detection of ATP by Fluorescent Cyclophanes with Bellows-Type Sensing Mechanism. 2020 , 26, 9991-9997	10
390	Influence of the chain length and metal : ligand ratio on the self-organization processes of Cu complexes of [1 + 1] 1H-pyrazole azamacrocycles. 2020 , 49, 8614-8624	5
389	Hetero-Tetranuclear Cu /Ca /Ca /Cu Architectures Based On Malten Ligand: Scaffold for Anion Binding. 2020 , 85, 1179-1189	1
388	Novel insights into the metal binding ability of ZinT periplasmic protein from Escherichia coli and Salmonella enterica. 2020 , 49, 9393-9403	4
387	Bivalent Metal-Chelating Properties of Harzianic Acid Produced by Associated to the Gastropod. 2020 , 25,	10
386	Switching on the Fluorescence Emission of Polypyridine Ligands by Simultaneous Zinc(II) Binding and Protonation. 2020 , 85, 659-671	6
385	Examination of pinanediol-boronic acid ester formation in aqueous media: relevance to the relative stability of trigonal and tetrahedral boronate esters. 2020 , 18, 2716-2726	2

- 384 Thermodynamic and Spectroscopic Studies of the Complexes Formed in Tartaric Acid and Lanthanide(III) Ions Binary Systems. **2020**, 25, 6
- 383 Sensing Zn in Aqueous Solution with a Fluorescent Scorpionate Macrocyclic Ligand Decorated with an Anthracene Bearing Tail. **2020**, 25, 10
- 382 Exploring the Specificity of Rationally Designed Peptides Reconstituted from the Cell-Free Extract of toward Mn(II) and Cu(II). **2020**, 59, 4661-4684 3
- 381 In vitro and in vivo anticancer activity of tridentate thiosemicarbazone copper complexes: Unravelling an unexplored pharmacological target. **2020**, 194, 112266 40
- 380 Oxyaapa: A Picolinate-Based Ligand with Five Oxygen Donors that Strongly Chelates Lanthanides. **2020**, 59, 5116-5132 9
- 379 CN128: A New Orally Active Hydroxypyridinone Iron Chelator. **2020**, 63, 4215-4226 10
- 378 Zinc and copper complexes with azacrown ethers and their comparative stability in vitro and in vivo. **2020**, 49, 6249-6258 6
- 377 Unraveling the complexation mechanism of actinide(III) and lanthanide(III) with a new tetradentate phenanthroline-derived phosphonate ligand. **2020**, 7, 1726-1740 23
- 376 Stability constants of bio-relevant, redox-active metals with amino acids: The challenges of weakly binding ligands. **2020**, 412, 213253 10
- 375 Performance and Mechanism for the Selective Separation of Trivalent Americium from Lanthanides by a Tetradentate Phenanthroline Ligand in Ionic Liquid. **2020**, 59, 3905-3911 12
- 374 Design and evaluation of bi-functional iron chelators for protection of dopaminergic neurons from toxicants. **2020**, 94, 3105-3123 6
- 373 Photophysical Studies of a Catechol Based Polyfunctional Dipodal Chelator: Application for Optical Probe for Selective Detection of Fe(III). **2020**, 30, 1131-1149 4
- 372 Formation of Heteropolynuclear Lanthanide Complexes Using Macrocyclic Phosphonated Cyclam-Based Ligands. **2020**, 59, 10311-10327 4
- 371 Control of Photoisomerization of an Azoazacryptand by Anion Binding and Cucurbit[8]uril Encapsulation in an Aqueous Solution. **2020**, 85, 9255-9263 4
- 370 Fluorescence detection of phosphonates in water by a naphthalimide-based receptor and its derived cryopolymers. **2020**, 44, 12113-12121 6
- 369 Carnoquinolines Target Copper Dyshomeostasis, Aberrant Protein-Protein Interactions, and Oxidative Stress. **2020**, 26, 16690-16705 2
- 368 Aquatic interaction of uranium with two naturally ubiquitous pyrazine compounds: Speciation studies by experiment and theory. **2020**, 249, 126116 6
- 367 Copper(II) and Amylin Analogues: A Complicated Relationship. **2020**, 59, 2527-2535 10

- 366 Highly Efficient Extraction of Trivalent f-Cations Using Several N-Pivot Tripodal Diglycolamide Ligands in an Ionic Liquid: The Role of Ligand Structure on Metal Ion Complexation. **2020**, 2020, 191-199 4
- 365 Playing with Structural Parameters: Synthesis and Characterization of Two New Maltol-Based Ligands with Binding and Antineoplastic Properties. **2020**, 25, 2
- 364 Complexation of 1,3-Diamino-2-hydroxypropane-N,N,N',N'-tetraacetic Acid (DHPTA) with Heavy Lanthanides (Tb³⁺, Ho³⁺, Lu³⁺) in Aqueous Solution. **2020**, 49, 166-178 1
- 363 Silver ion-induced chiral enhancement by argentivorous molecules. **2020**, 56, 3373-3376 9
- 362 A Maltol-Containing Ruthenium Polypyridyl Complex as a Potential Anticancer Agent. **2020**, 26, 4997-5009 12
- 361 Ligand rigidity and electronic effect on the complexation of hexavalent plutonyl with three dicarboxylic acids: a combined spectrophotometric and computational study. **2020**, 44, 3998-4003
- 360 Novel 1-hydroxypyridin-2-one metal chelators prevent and rescue ubiquitin proteasomal-related neuronal injury in an in vitro model of Parkinson's disease. **2020**, 94, 813-831 4
- 359 Donepezil-based hybrids as multifunctional anti-Alzheimer's disease chelating agents: Effect of positional isomerization. **2020**, 206, 111039 8
- 358 Design, Synthesis, and In Vitro Evaluation of Hydroxybenzimidazole-Donepezil Analogues as Multitarget-Directed Ligands for the Treatment of Alzheimer's Disease. **2020**, 25, 15
- 357 Synthesis of an anthracene-based diguanidine and its recognition of carboxylic acids and phosphonic acids. **2020**, 76, 131065 2
- 356 Europium(III) Macrocyclic Chelates Appended with Tyrosine-based Chromophores and Di-(2-picolyl)amine-based Receptors: Turn-On Luminescent Chemosensors Selective to Zinc(II) Ions. **2020**, 85, 806-814 4
- 355 Metal Complexes of Two Specific Regions of ZnuA, a Periplasmic Zinc(II) Transporter from. **2020**, 59, 1947-1958 5
- 354 Axial Ligation in Ytterbium(III) DOTAM Complexes Rationalized with Multireference and Ligand-Field ab Initio Calculations. **2020**, 124, 1362-1371 5
- 353 [Sc(pyppa)]: Thermodynamic Stability, Radiolabeling, and Biodistribution of a Prostate-Specific-Membrane-Antigen-Targeting Conjugate. **2020**, 59, 1985-1995 15
- 352 Selective Lanthanide Sensing with Gold Nanoparticles and Hydroxypyridinone Chelators. **2020**, 59, 2030-2036 15
- 351 Synthesis of Electron-Deficient Corona[5]arenes and Their Selective Complexation with Dihydrogen Phosphate: Cooperative Effects of Anion-π Interactions. **2020**, 59, 8078-8083 10
- 350 Mechanistic insights into heavy metal ion sensing by NOS-macrocyclic fluorosensors via the structure-function relationship: influences of fluorophores, solvents and anions. **2020**, 145, 1667-1676 5
- 349 Toward a Rational Design of Polyamine-Based Zinc-Chelating Agents for Cancer Therapies. **2020**, 63, 1199-1215 2

- 348 Zn and Cu complexes of a fluorescent scorpion-type oxadiazole azamacrocyclic ligand: crystal structures, solution studies and optical properties. **2020**, 49, 1897-1906 6
- 347 Synthesis, protonation constants and biological activity determination of amino acid-salicylaldehyde-derived Schiff bases. **2020**, 52, 397-407 5
- 346 Thiophene-derivatized pyridine-biscarboxamide as a sensitizer for Ln(III) luminescence and 1O₂ generation. **2020**, 224, 117309 6
- 345 Pyridine Polyaminocarboxylate Ligands for Use as Actinide-selective Holdback Reagents in Simplified TALSPEAK-like Extraction Systems. **2020**, 38, 401-416 1
- 344 Coordination chemistry of [Y(pypa)] and comparison immuno-PET imaging of [Sc]Sc- and [Y]Y-pypa-phenyl-TRC105. **2020**, 49, 5547-5562 5
- 343 A squaraine-based dipicolylamine derivative acting as a turn-on mercury(II) fluorescent probe in water. **2020**, 44, 6589-6600 5
- 342 Towards Building Blocks for Supramolecular Architectures Based on Azacryptates. **2020**, 25, 4
- 341 The first copper(II) complex with 1,10-phenanthroline and salubrinal with interesting biochemical properties. **2020**, 12, 891-901 6
- 340 Rapid Thermodynamically Stable Complex Formation of [In]In, [Y]Y, and [Lu]Lu with Hdappa. **2020**, 59, 7238-7251 3
- 339 The formation of di-copper (II) complexes with a hetero-site cyclopeptide: Spectroscopic and potentiometric studies. *Polyhedron*, **2020**, 185, 114585 2.7
- 338 Synthesis and characterisation of Co(III) complexes of N-formyl hydroxylamines and antibacterial activity of a Co(III) peptide deformylase inhibitor complex. **2020**, 49, 6980-6988 1
- 337 Ac-Hpy4pa for Targeted Alpha Therapy. **2021**, 32, 1348-1363 20
- 336 Nanomolar Detection of Palladium (II) through a Novel Seleno-Rhodamine-based fluorescent and colorimetric chemosensor. **2020**, 179, 108355 6
- 335 The N-terminal domain of *Helicobacter pylori*'s Hpn protein: The role of multiple histidine residues. **2021**, 214, 111304 1
- 334 Synthesis, structures and luminescence properties of dinuclear Nd, Eu, Tb, and Yb complexes supported by a pendant picolyl-imine calix[4]arene ligand. **2021**, 514, 119983 3
- 333 Going Platinum to the Tune of a Remarkable Guanine Quadruplex Binder: Solution- and Solid-State Investigations. **2021**, 60, 2500-2507 6
- 332 Multifunctional Porphyrin-based dyes for cations detection in solution and thermoresponsive low-cost materials. **2021**, 185, 108897 2
- 331 Hydroxypyridinone-based stabilization of Np(IV) enabling efficient U/Np/Pu separations in the Adapted PUREX process. *Separation and Purification Technology*, **2021**, 259, 118178 8.3 5

330	A different approach: highly encapsulating macrocycles being used as organic tectons in the building of CPs. 2021 , 23, 453-464	1
329	Synthesis of New Tyrosol-Based Phosphodiester Derivatives: Effect on Amyloid β Aggregation and Metal Chelation Ability. 2021 , 16, 1172-1183	4
328	Toxic metal sequential sequestration in water using new amido-aminoacid ligand as a model for the interaction with polyamidoamines. 2021 , 410, 124585	1
327	Complexes of Th(IV) with neutral O-N-N-O hybrid ligands: a thermodynamic and crystallographic study. 2021 , 50, 705-714	2
326	Recognition of carboxylic acids and phosphonic acids using 1,8-diphenylnaphthalene-based diguanidine. 2021 , 77, 131770	0
325	Hydrophilic Sulfonated 2,9-Diamide-1,10-phenanthroline Endowed with a Highly Effective Ligand for Separation of Americium(III) from Europium(III): Extraction, Spectroscopy, and Density Functional Theory Calculations. 2021 , 60, 357-365	11
324	A MC-spiropyran for smartphone assisted reversible, selective and nanomolar level detection of formic acid in water and gas phase. 2021 , 1223, 129249	8
323	Going Platinum to the Tune of a Remarkable Guanine Quadruplex Binder: Solution- and Solid-State Investigations.. 2021 , 133, 2530-2537	
322	Derivatives of Tenuazonic Acid as Potential New Multi-Target Anti-Alzheimer's Disease Agents. 2021 , 11,	3
321	Half-sandwich organometallic Ru and Rh complexes of (N,N) donor compounds: effect of ligand methylation on solution speciation and anticancer activity. 2021 , 50, 8218-8231	3
320	Metal specificity of the Ni(II) and Zn(II) binding sites of the N-terminal and G-domain of HypB. 2021 , 50, 12635-12647	
319	Critical factors affecting the albumin binding of half-sandwich Ru(ii) and Rh(iii) complexes of 8-hydroxyquinolines and oligopyridines. 2021 , 50, 11918-11930	1
318	Synthesis, physicochemical characterization, and TDFT calculations of monothiocarbohydrazone derivatives. 2021 , 32, 1231-1245	3
317	Stability, relaxometric and computational studies on Mn complexes with ligands containing a cyclobutane scaffold. 2021 , 50, 1076-1085	2
316	Exploring the Ability of Luminescent Metal Assemblies to Bind and Sense Anionic or Ionizable Analytes A Ru(phen)bipy-Based Dizinc Complex for Bisphenol A (BPA) Recognition. 2021 , 26,	3
315	Isoquinoline-based Eu(iii) luminescent probes for citrate sensing in complex matrix. 2021 , 50, 4700-4712	3
314	Protonation and anion-binding properties of aromatic sulfonylurea derivatives.. 2021 , 11, 23992-24000	1
313	Unexpected Trends in Copper Removal from A β Peptide: When Less Ligand Is Better and Zn Helps. 2021 , 60, 1248-1256	3

312	Coordination Properties of the Fungal Metabolite Harzianic Acid toward Toxic Heavy Metals. 2021 , 9,	7
311	Complexation and Separation of Trivalent Actinides and Lanthanides by a Novel DGA Derived from Macrocyclic Crown Ether: Synthesis, Extraction, and Spectroscopic and Density Functional Theory Studies. 2021 , 6, 2156-2166	4
310	Unfolding the Extraction and Complexation Behaviors of Trivalent f-Block Elements by a Tetradentate N,O-Hybrid Phenanthroline Derived Phosphine Oxide Ligand. 2021 , 60, 2805-2815	10
309	Effect of the Number of Donor Atoms in Calix[4]arene Derivatives for Selective Complexation and Extraction of Mercury(II) Cations, Thermodynamics and Extraction Studies. 2021 , 11, 165-179	
308	High denticity oxinate-linear-backbone chelating ligand for diagnostic radiometal ions [In]In and [Zr]Zr. 2021 , 50, 3874-3886	4
307	Cyclam-Based Chelators Bearing Phosphonated Pyridine Pendants for Cu-PET Imaging: Synthesis, Physicochemical Studies, Radiolabeling, and Bioimaging. 2021 , 60, 2634-2648	2
306	Determination of affinities of lanthanide-binding proteins using chelator-buffered titrations. 2021 , 651, 23-61	2
305	A colorimetric sensor array for the classification of biologically relevant tri-, di- and mono-phosphates. 2021 , 19, 1017-1021	4
304	Structural and Thermodynamics Studies on Polyaminophosphonate Ligands for Uranyl Decorporation. 2021 , 60, 2149-2159	2
303	Binding and Sensing Properties of a Hybrid Naphthalimide-Pyrene Aza-Cyclophane towards Nucleotides in an Aqueous Solution. 2021 , 26,	2
302	Dipeptides of α -Substituted Dehydrocysteine as Artzyme Building Blocks: Synthesis, Complexing Abilities and Antiproliferative Properties. 2021 , 22,	0
301	Mixed Ternary Complexes of Sparfloxacin with Some Biologically Important Amino Acids. 2021 , 50, 340-354	
300	Phosphonate Chelators for Medicinal Metal Ions. 2021 , 60, 5343-5361	2
299	Experimental and theoretical study on the coordination properties of quercetin towards aluminum(III), iron(III) and copper(II) in aqueous solution. 2021 , 325, 115171	5
298	Substituent Effect on the Selective Separation and Complexation of Trivalent Americium and Lanthanides by N,O-Hybrid 2,9-Diamide-1,10-phenanthroline Ligands in Ionic Liquid. 2021 , 60, 5131-5139	2
297	Probing the Structure and Function of the Cytosolic Domain of the Human Zinc Transporter ZnT8 with Nickel(II) Ions. 2021 , 22,	0
296	Acid Dissociation Constants, Enthalpy, Entropy and Gibbs Energy of Bedaquiline by UV-Metric Spectral and pH-Metric Analysis. 2021 , 50, 315-339	
295	Pillar[5]-trithiacrown: Influence of Host-Guest Interactions on the Formation of Coordination Networks. 2021 , 60, 5804-5811	2

294	Exploration of head-to-tail and head-to-head isomers of a guanine quadruplex platinum-based binder. 2021 , 518, 120236	3
293	A Metal-Based Receptor for Selective Coordination and Fluorescent Sensing of Chloride. 2021 , 26,	1
292	Complexation of Lanthanides and Heavy Actinides with Aqueous Sulfur-Donating Ligands. 2021 , 60, 6125-6134	4
291	Stabilization of the Computation of Stability Constants and Species Distributions from Titration Curves. 2021 , 9, 55	2
290	Linear, tripodal, macrocyclic: Ligand geometry and ORR activity of supported Pd(II) complexes. 2021 , 518, 120250	1
289	Helix-Like Receptors for Perrhenate Recognition Forming Hydrogen Bonds with All Four Oxygen Atoms. 2021 , 9, 93	1
288	Glyphosate and AMPA binding by two polyamino-phenolic ligands and their dinuclear Zn(II) complexes. 2021 , 519, 120261	3
287	Design and synthesis of N-hydroxyalkyl substituted deferiprone: a kind of iron chelating agents for Parkinson's disease chelation therapy strategy. 2021 , 26, 467-478	1
286	Complexation of chromium (III) with the antifibrinolytic drug tranexamic acid: Formation, kinetics, and molecular modeling studies. 2021 , 329, 115513	2
285	Binding Models of Copper(II) Thiosemicarbazone Complexes with Human Serum Albumin: A Speciation Study. 2021 , 26,	1
284	The influence of the structure of phosphine oxides on complexation with f-element ions. 2021 ,	
283	Comparison of Solution Chemical Properties and Biological Activity of Ruthenium Complexes of Selected -Diketone, 8-Hydroxyquinoline and Pyrithione Ligands. 2021 , 14,	3
282	A Macrocyclic Ligand Framework That Improves Both the Stability and -Weighted MRI Response of Quinol-Containing HO Sensors. 2021 , 60, 8368-8379	1
281	A fully automated system with an optical immersion probe (OIP) for high-precision spectrophotometric measurements. <i>Talanta</i> , 2021 , 226, 122185	6.2 1
280	Nerve Growth Factor Peptides Bind Copper(II) with High Affinity: A Thermodynamic Approach to Unveil Overlooked Neurotrophin Roles. 2021 , 22,	0
279	Study of the complexation reactions between dichloro-substituted 1,10-phenanthroline-2,9-dicarboxamide and lanthanide nitrates. 2021 ,	
278	Characterization of Thorium-Pyrazinoic acid complexation and its decorporation efficacy in human cells and blood. 2021 , 271, 129547	3
277	Bis-Pyrene Photo-Switch Open- and Closed-Form Differently Bind to ds-DNA, ds-RNA and Serum Albumin and Reveal Light-Induced Bioactivity. 2021 , 22,	1

276	Investigation of lanthanide complexation with acetohydroxamic acid in nitrate medium: experimental and DFT studies. 2021 , 133, 1	0
275	: Octa-Armed 24-Membered Cyclic Octaamine Synthesized from a Byproduct in the Preparation of 4-Benzyl-2,6-dioxocyclen. 2021 , 86, 9847-9853	
274	Modulation of Src Kinase Activity by Selective Substrate Recognition with Pseudopeptidic Cages. 2021 , 27, 9542-9549	3
273	The Role of the Disulfide Bridge in the Copper (II) Binding by the Cyclic His-Peptide. 2021 , 22,	0
272	The Unusual Role of Pro in Cu(II) Binding by His-Cyclopentapeptide. 2021 , 22,	
271	Zn-Enhanced Asp-Rich Antimicrobial Peptides: N-Terminal Coordination by Zn(II) and Cu(II), Which Distinguishes Cu(II) Binding to Different Peptides. 2021 , 22,	2
270	First Report on the Complexation of Uranyl Ion with Two Diglycolamide Ligands in a Room Temperature Ionic Liquid: Optical Spectroscopy and Calorimetric Studies. 2021 , 6, 6037-6042	1
269	Ditopic Aza-Scorpiand Ligands Interact Selectively with ds-RNA and Modulate the Interaction upon Formation of Zn Complexes. 2021 , 26,	0
268	Argentivorous Molecules with Chromophores in Side Arms: Silver Ion-Induced Turn On and Turn Off of Fluorescence. 2021 , 60, 9141-9147	2
267	Synthesis and biological characterization of a new fluorescent probe for vesicular trafficking based on polyazamacrocyclic derivative. 2021 , 402, 1225-1237	1
266	Comparative Investigation into the Complexation and Extraction Properties of Tridentate and Tetradentate Phosphine Oxide-Functionalized 1,10-Phenanthroline Ligands toward Lanthanides and Actinides. 2021 , 27, 10717-10730	6
265	Photochemical Reactivity of Naphthol-Naphthalimide Conjugates and Their Biological Activity. 2021 , 26,	0
264	Synthesis, solution studies and DFT investigation of a tripodal ligand with 3-hydroxypyran-4-one scaffold. 1	0
263	Influence of a N-Heterocyclic Core on the Binding Capability of N,O-Hybrid Diamide Ligands toward Trivalent Lanthanides and Actinides. 2021 , 60, 8754-8764	10
262	Experimental and theoretical approach to probe the aquatic speciation of transuranic (neptunyl) ion in presence of two omnipresent organic moieties. 2021 , 273, 129745	3
261	Heteroleptic Crown-Substituted Tris(phthalocyaninates) as Dynamic Supramolecular Scaffolds with Switchable Rotational States and Tunable Magnetic Properties. 2021 , 60, 9110-9121	1
260	Py-Macrodipa: A Janus Chelator Capable of Binding Medicinally Relevant Rare-Earth Radiometals of Disparate Sizes. <i>Journal of the American Chemical Society</i> , 2021 , 143, 10429-10440	16.4 6
259	Carboxylic acid recognition of a tetraamidine having a tetraphenylethylene unit based on aggregation-induced emission. 2021 , 92, 132254	1

258	Structure analysis and evaluation of two probes for the colorimetric detection of Hg ²⁺ and turn-on fluorescence-based detection of Cd ²⁺ ions in an aqueous solution. 2021 , 1235, 130233	3
257	Argentivorous Molecules with Oxyethylene Chains in Side-Arms: Silver Ion-Induced Selectivity Changes toward Alkali Metal Ions. 2021 , 60, 11320-11327	
256	Exploring the potential of highly charged Ru(II)- and heteronuclear Ru(II)/Cu(II)-polypyridyl complexes as antimicrobial agents. 2021 , 220, 111467	6
255	Development of lactobionic acid conjugated-copper chelators as anticancer candidates for hepatocellular carcinoma. 2021 , 14, 103241	0
254	Effect of salinity on the zinc(II) binding efficiency of siderophore functional groups and implications for salinity tolerance mechanisms in barley. 2021 , 11, 16704	2
253	Binding of permanganate anion to pentaammineazidocobalt(III) cation in solution and solid phases: synthesis, characterization, X-ray structure, and genotoxic effects of [Co(NH) ₅ N](MnO) ₂ HO. 2021 , 45, 1016-1029	
252	Selective Binding and Redox-Activity on Parallel G-Quadruplexes by Pegylated Naphthalene Diimide-Copper Complexes. 2021 , 26,	1
251	Review of Recent Progress on Dissolution of Precious Metals and Speciation of Their Complexes in Aqueous Solutions. 2021 , 85, 305-315	2
250	Investigating the Bismuth Complexes with Benzoazacrown Tri- and Tetra-Acetates. 2021 , 2021, 3344-3354	2
249	Ibuprofen as linker for calcium(II) in a 1D-coordination polymer: A solid state investigation complemented with solution studies. 2021 , 523, 120319	0
248	Boronic acid complexes with amino phenolic N,O-ligands and their use for non-covalent protein fluorescence labeling. 2021 , 113, 104993	1
247	HHBEDpa: Octadentate Chelate after A. E. Martell. 2021 , 60, 12855-12869	1
246	Effects of Microenvironmental Changes on the Fluorescence Signal of Alternariol: Magnesium Induces Strong Enhancement in the Fluorescence of the Mycotoxin. 2021 , 22,	0
245	Peptides Derived from Angiogenin Regulate Cellular Copper Uptake. 2021 , 22,	0
244	Binding Constants of Clinical Drugs and Other Organic Ligands with Human and Mammalian Serum Albumins. 2021 , 1, 344-358	1
243	Carboxylic acid recognition of an N-ethyl-substituted diamidine having a diphenylnaphthalene unit in competing protic solvents. 2021 , 96, 132373	0
242	Efficiency of dihydroxamic and trihydroxamic siderochelates to extract uranium and plutonium from contaminated soils. 2021 , 235-236, 106645	3
241	Luminescent molecularly imprinted polymer nanocomposites for emission intensity and lifetime rapid sensing of tenuazonic acid mycotoxin. 2021 , 230, 124041	7

- 240 Behavior of Antibacterial Ofloxacin; Hydration Constants and Solubility in Aqueous Solutions of Sodium Chloride at Different Temperatures. **2021**, 50, 1236-1257
- 239 Defined D-hexapeptides bind CUG repeats and rescue phenotypes of myotonic dystrophy myotubes in a *Drosophila* model of the disease. **2021**, 11, 19417
- 238 Isotope fractionation of zinc in the paddy rice soil-water environment and the role of 2,6-Dioxymugineic acid (DMA) as zincophore under Zn limiting conditions. **2021**, 577, 120271 4
- 237 Polyazulene-Based Materials for Heavy Metal Ion Detection. 3. (E)-5-((6-t-Butyl-4,8-dimethylazulen-1-yl) diazenyl)-1H-tetrazole-Based Modified Electrodes. **2021**, 13, 1642 3
- 236 Thioureidocalix[6]arenes Pseudorotaxanes. **2021**, 2021, 5788 2
- 235 Thermodynamic and MD studies of anion complexation by cyclopentaleucine in acetonitrile and dimethyl sulfoxide. **2021**, 340, 116848 0
- 234 Isothiocyanate l-argininato copper(II) complexes - Solution structure, DNA interaction, anticancer and antimicrobial activity. **2021**, 348, 109636 2
- 233 Selective extraction of Am(III) from Cm(III) and Eu(III) using a novel phenanthrolineamide ligand: Thermodynamics, species, and structure. *Separation and Purification Technology*, **2021**, 274, 119119 8.3 3
- 232 Key role of histidine residues orientation in affinity binding of model pentapeptides with Ni²⁺ ions: A theoretical supported experimental study. **2021**, 341, 117414 1
- 231 Bis-maltol-polyamine family: structural modifications at strategic positions. Synthesis, coordination and antineoplastic activity of two new ligands. **2021**, 45, 2659-2669 0
- 230 Quinol-containing ligands enable high superoxide dismutase activity by modulating coordination number, charge, oxidation states and stability of manganese complexes throughout redox cycling. **2021**, 12, 10483-10500 8
- 229 The impact of the histidyl residue position on the formation and stability of Cu(II) complexes and their ability of ROS generation. **2021**, 45, 8543-8556 1
- 228 Sometimes less is more-the impact of the number of His residues on the stability of Zn(II)-SmtB and BigR4 β domain complexes. **2021**, 50, 12118-12129 0
- 227 Stabilization of uranyl(v) by dipicolinic acid in aqueous medium. **2021**, 50, 1486-1495 6
- 226 Spectrophotometric methods to probe the solution chemistry of lanthanide complexes with macromolecules. **2021**, 651, 1-22 1
- 225 Solubility of folic acid and protonation of folate in NaCl at different concentrations, even in physiological solution. **2021**, 146, 2339-2347
- 224 Aqueous chemistry of the smallest rare earth: Comprehensive characterization of radioactive and non-radioactive scandium complexes for biological applications. **2021**, 651, 343-371
- 223 Getting a lead on Pb-amide chelators for Pb radiopharmaceuticals. **2021**, 50, 11579-11595 3

222	Hydroxylated 3-(pyridin-2-yl)coumarins as radical scavengers with potent lipoxygenase inhibitor activity. 2021 , 45, 10749-10760	0
221	Coarse-Grained Parameterization of Nucleotide Cofactors and Metabolites: Protonation Constants, Partition Coefficients, and Model Topologies. 2021 , 61, 335-346	1
220	Protonation of cyclen-based chelating agents containing fluorescent moieties. 2021 , 45, 16926-16938	0
219	Synthesis of Electron-Deficient Corona[5]arenes and Their Selective Complexation with Dihydrogen Phosphate: Cooperative Effects of Anion-Interactions. 2020 , 132, 8155-8160	5
218	Probing Biological Trace Metals with Fluorescent Indicators. 2017 , 71-107	3
217	Zn(II) and Ni(II) complexes with poly-histidyl peptides derived from a snake venom. 2018 , 472, 149-156	7
216	An 8-hydroxyquinoline-proline hybrid with multidrug resistance reversal activity and the solution chemistry of its half-sandwich organometallic Ru and Rh complexes. 2020 , 49, 7977-7992	8
215	Synthesis and Study in Solution of a New Dansyl-Modified Azacryptand. 2016 , 2016, 1-10	1
214	Siderocalin/Lcn2/NGAL/24p3 does not drive apoptosis through gentisic acid mediated iron withdrawal in hematopoietic cell lines. 2012 , 7, e43696	34
213	In silico discovery of substituted pyrido[2,3-d]pyrimidines and pentamidine-like compounds with biological activity in myotonic dystrophy models. 2017 , 12, e0178931	8
212	Extraction and Complexation Studies of N-methyl-N-phenyl-2-(1H-benzimidazol-2-yl)pyridine-6-carboxamide with Trivalent Lanthanide. 2013 , 20, 105-114	2
211	Synthesis and Determination of Acid Dissociation Constants in Dimethyl Sulfoxide-Water Hydroorganic Solvent of 5,5-Diphenylpyrrolidine N-Aroylthiourea Derivatives. 841-854	6
210	Zn Interaction with Amyloid- β Affinity and Speciation. 2019 , 24,	6
209	Recent Progress in the pKa Estimation of Druglike Molecules by the Nonlinear Regression of Multiwavelength Spectrophotometric pH-Titration Data. 2010 , 2010, 1-10	2
208	Gd-Complexes of DTPA-bis(amides) Functionalized by Pyridine and Picolinamide: Synthesis, Thermodynamic Stability, and Relaxivity Properties. 2008 , 29, 1211-1216	2
207	The aqueous interaction of neodymium with two omnipresent biomoietyies - a mechanistic understanding by experimental and theoretical studies. 2021 , 50, 16191-16204	1
206	A selective fluorescent probe for gadolinium in water based on a Pd-preorganized chromone-receptor. 2021 , 50, 15433-15440	1
205	Rigid versions of PDTA incorporating a 1,3-diaminocyclobutyl spacer for Mn complexation: stability, water exchange dynamics and relaxivity. 2021 , 50, 16290-16303	0

- 204 8-Hydroxyquinoline-Amino Acid Hybrids and Their Half-Sandwich Rh and Ru Complexes: Synthesis, Anticancer Activities, Solution Chemistry and Interaction with Biomolecules. **2021**, 22, 2
- 203 Thermodynamic Study of Oxidovanadium(IV) with Kojic Acid Derivatives: A Multi-Technique Approach. **2021**, 14, 0
- 202 Multifunctional Small Molecules as Potential Anti-Alzheimer's Disease Agents. **2021**, 26, 3
- 201 Comparative Study of Macrocyclic and Acyclic Picolinate Derivatives for Chelation of Copper Cations. 1
- 200 Concise behavior of Curcumin in water-ethanol: Critical Water Aggregation Percentage and multivariate analysis of protolytic equilibria. **2022**, 197, 109887 1
- 199 Solvent and structural effects on silver(I) complex formation: thermodynamics and modeling. 0
- 198 High-Energy-Density Materials: An Amphoteric N-Rich Bis(triazole) and Salts of Its Cationic and Anionic Species. **2021**, 60, 16213-16222 0
- 197 The effect of temperature on the speciation of U(VI) in sulfate solutions. **2008**, 763-770 1
- 196 Potentially Multidentate Tripodal Amine Catechol Ligands as Chelators for Ga(III) and In(III). **2009**, 30, 1956-1962
- 195 Supramolecular Assembly of Polycharged β -Cyclodextrin Derivatives: Formation of Heterodimers Between A Polyamino- and a Polysulfonato- β -Cyclodextrin. **1999**, 171-174
- 194 Bacterial Diversity in Clay and Actinide Interactions with Bacterial Isolates in Relation to Nuclear Waste Disposal. **2015**, 209-229
- 193  **2017**, 406-409
- 192 Simulation of equilibria of formation of mono- and polynuclear heteroligand cobalt(II) and nickel(II) complexonates in aqueous solutions. **2017**, 62, 1127-1133
- 191 Formation Constants of Mixed Ligand Complexes of Anti-Inflammatory Drug Piroxicam and Some Bioligands with Copper(II). **2019**, 31, 2937-2940
- 190 Protocatechuic acid-metal-nicotine complexation study for chelation of smoking-related poisoning. **2020**, 312, 113428
- 189 Speciation Study and Biological Activity of Copper (II) Complexes with Picolinic and 6-methylpicolinic Acid with Different Components of Blood Serum of Low Molecular Mass in KNO₃ 1.0 mol.L⁻¹ at 25 °C. *Polyhedron*, **2021**, 211, 115562 2.7 1
- 188 Complexation Reactions between N,N'-Diethyl-N,N'-Difluorophenyl-2,2'-Bipyridyl-6,6-Dicarboxamides with Europium in Ethanol: Spectrophotometric and Isothermal Titration Calorimetry Studies. **2020**, 94, 2674-2678
- 187 Aluminum(III), iron(III) and copper(II) complexes of luteolin: Stability, antioxidant, and anti-inflammatory properties. **2022**, 345, 117895 2

- 186 Potentiometric Studies of Mixed Copper(II) Complexes with α -Aminolevulinic Acid and Some Selected Peptides. **2020**, 32, 1251-1254
- 185 Solution and Solid State Study of Nickel(II) Ternary Complexes Containing 5-Aminolevulinic Acid Drug and Amino Acids. **2020**, 32, 1563-1568
- 184 Heterocyclic Diamines with Leishmanicidal Activity. **2021**, 7, 3168-3181 2
- 183 Cationic Peptides and Their Cu(II) and Ni(II) Complexes: Coordination and Biological Characteristics. **2021**, 22, 2
- 182 Sensing and Liquid-Liquid Extraction of Dicarboxylates Using Dicopper Cryptates. **2020**, 5, 26573-26582
- 181 Effect of Copper(II) Ion Binding by Porin P1 Precursor Fragments from on DNA Degradation. **2021**, 22, 0
- 180 Development of a Flexible Tripodal Hydroxypyridinone Ligand with Cyclohexane Framework: Complexation, Solution Thermodynamics, Spectroscopic and DFT Studies. **2021**, 6, 12165-12181 0
- 179 A Comprehensive Potentiometric Study of the Tartrate Complexes of Trivalent Arsenic, Antimony, and Bismuth in Aqueous Solution. **2021**, 60, 18360-18369 0
- 178 Salicylate coordination in metal-protocelin complexes. **2021**, 35, 87
- 177 Bifunctional 3-Hydroxy-4-Pyridinones as Potential Selective Iron(III) Chelators: Solution Studies and Comparison with Other Metals of Biological and Environmental Relevance. **2021**, 26, 1
- 176 [Zr][Zr(pypa)]: Thermodynamically Stable and Kinetically Inert Binary Nonadentate Complex for Radiopharmaceutical Applications. **2021**, 60, 18082-18093 1
- 175 Hydrogen-bonded supramolecular assemblies of folic acid with simple hexoses. **2021**, 1250, 131904
- 174 Chemical Characterization and Biological Evaluation of New Cobalt(II) Complexes with Bioactive Ligands, 2-Picolinehydroxamic Acid and Reduced Schiff Base -(2-Hydroxybenzyl)alanine, in Terms of DNA Binding and Antimicrobial Activity.. **2021**, 14, 0
- 173 New luminescent pH-responsive europium complex for multimodal sensing in extremely wide pH range. **2022**, 243, 118678 0
- 172 Binding of alkanesulfonates, $\text{CH}_3(\text{CH}_2)_n\text{O}_2\text{SO}_3^-$ (where $n = 2-8$) with hexaureachromium(III) in aqueous medium: synthesis, characterization and binding properties of $[\text{Cr}(\text{CO}(\text{NH}_2)_2)_6](\text{CH}_3(\text{CH}_2)_n\text{O}_2\text{SO}_3)_3 \cdot x\text{H}_2\text{O}$. **2022**, 1253, 132290
- 171 Sensing and Liquid-Liquid Extraction of Dicarboxylates Using Dicopper Cryptates. **2020**, 5, 26573-26582 0
- 170 Zn and Cu Binding to the Extramembrane Loop of Zrt2, a Zinc Transporter of .. **2022**, 12, 2
- 169 The Role of Triazole and Glucose Moieties in Alkali Metal Cation Complexation by Lower-Rim Tertiary-Amide Calix[4]arene Derivatives.. **2022**, 27,

168	Bidimensional Polyiodide Netting Stabilized by a Cu(II) Macrocyclic Complex. 2022 , 10, 12	0
167	Thermodynamic surprises of Cu(II)-amylin analogue complexes in membrane mimicking solutions.. 2022 , 12, 425	0
166	Ferrocene conjugates linked by 1,2,3-triazole and their Zn(II) and Cu(II) complexes: Synthesis, characterization and biological activity.	0
165	Tetra-substituted p-tert-butylcalix[4]arene with phosphoryl and salicylamide functional groups: synthesis, complexation and selective extraction of f-element cations.. 2021 ,	1
164	Synthesis and Characterization of Novel 2-Pyridine Mono(thio)carbohydrazones as Promising Antioxidant and Antimicrobial Agents. Experimental and Theoretical Approach. 2022 , 95, 185-194	0
163	Aza-Crown-Based Macrocyclic Probe Design for "PET-off" Multi-Cu Responsive and "CHEF-on" Multi-Zn Sensor: Application in Biological Cell Imaging and Theoretical Studies.. 2022 ,	1
162	Isolation of single crystals of a homoleptic UO ₂ ²⁺ -diglycolamide complex from a room temperature ionic liquid: X-ray crystallography and complexation studies. 2022 , 46, 950-954	1
161	Hydrogen-Bonding Interactions Trigger Induction of Chirality via Formation of a Cyclic Dimer.. 2022 ,	1
160	Complexation Behaviors of a Tridentate Phenanthroline Carboxamide Ligand with Trivalent f-Block Elements in Different Anion Systems: A Thermodynamic and Crystallographic Perspective.. 2022 ,	1
159	Synthesis, Structures, and Equilibrium Reactions of La(III) and Ba(II) Complexes with Pyridine Phosphonate Pendant Arms on a Diaza-18-crown-6 Ether.	1
158	Hydroquinone Solubility in Pure and Binary Solvent Mixture at Various Temperatures with FTIR. 2022 , 40-46	1
157	Synthesis, physicochemical characterization and neuroprotective evaluation of novel 1-hydroxypyrazin-2(1)-one iron chelators in an cell model of Parkinson's disease.. 2022 ,	0
156	Helicity-driven chiral self-sorting supramolecular polymerization with Ag: right- and left-helical aggregates.. 2022 , 13, 3109-3117	2
155	Development of low-cost colourimetric and pH sensors based on PMMA@Cyanine polymers. 2022 , 110154	0
154	Assembly of Polyiodide Networks with Cu(II) Complexes of Pyridinol-Based Tetraaza Macrocycles.. 2021 ,	2
153	Synthesis, photophysical characterization, relaxometric studies and molecular docking studies of gadolinium-free contrast agents for dual modal imaging. <i>Results in Chemistry</i> , 2022 , 4, 100307	2.1 0
152	Might Cu(II) binding, DNA cleavage and radical production by Yada fragments be involved in the promotion of related cancers?. 2022 ,	1
151	Complexation of uranyl(vi) with succinimidedioxime in comparison with glutarimidedioxime.	

- 150 Gd and Ga complexes with a new tris-3,4-HOPO ligand as new imaging probes: complex stability, magnetic properties and biodistribution.. **2022**, 0
- 149 Complexation Thermodynamics of Uo²²⁺/Diglycolamide Complex in a Room Temperature Ionic Liquid: A Study by Optical Spectroscopy and Microcalorimetry.
- 148 A Multi-Technique Investigation of the Complex Formation Equilibria between Bis-Deferiprone Derivatives and Oxidovanadium (IV).. **2022**, 27,
- 147 Development of Cyanine 813@Imidazole-Based Doped Supported Devices for Divalent Metal Ions Detection. **2022**, 10, 80 0
- 146 Ruthenium(II) Complexes with (3-Polyamino)phenanthrolines: Synthesis and Application in Sensing of Cu(II) Ions. **2022**, 10, 79 1
- 145 Mn(II) Complexes of Enlarged Scorpiand-Type Azamacrocycles as Mimetics of MnSOD Enzyme. **2022**, 12, 2447
- 144 Influence of Electronic Modulation of Phenanthroline-Derived Ligands on Separation of Lanthanides and Actinides.. **2022**, 27, 2
- 143 A Deeper Insight in Metal Binding to the hCtr1 N-terminus Fragment: Affinity, Speciation and Binding Mode of Binuclear Cu and Mononuclear Ag Complex Species.. **2022**, 23, 2
- 142 Quinoline-dihydropyrimidin-2(1H)-one hybrids: Synthesis, biological activity and mechanistic studies.. **2022**,
- 141 Solution Equilibrium Studies on Salicylidene Aminoguanidine Schiff Base Metal Complexes: Impact of the Hybridization with L-Proline on Stability, Redox Activity and Cytotoxicity.. **2022**, 27, 2
- 140 Solution speciation and human serum protein binding of indium(III) complexes of 8-hydroxyquinoline, deferiprone and maltol.. **2022**, 27, 315
- 139 Dynamic Combinatorial Optimization of and Heparin Antidotes.. **2022**,
- 138 Interaction of the Fungal Metabolite Harzianic Acid with Rare-Earth Cations (La, Nd, Sm, Gd).. **2022**, 27, 1
- 137 Stability of Manganese(II)-Pyrazine, -Quinoxaline or -Phenazine Complexes and Their Potential as Carbonate Sequestration Agents.. **2022**, 27, 2
- 136 New Cu(II) and Zn(II) complexes with diethyl phenyl (N-phenylsulfamoylamino) methyl phosphonate: synthesis, characterisation, DFT/M11 studies, NBO, DOS, QTAIM and RDG analysis. **2022**, 133003 0
- 135 The structural arrangement of the ligand-metal complex with centered zinc and nickel atoms and their optical features. **2022**, 133010 3
- 134 Bis(amido)bis(oxinate)diamine Ligands for theranostic radiometals.. **2022**, 231, 111789
- 133 Complexation thermodynamics of UO²²⁺/diglycolamide complex in a room temperature ionic liquid: A study by optical spectroscopy and microcalorimetry. *Polyhedron*, **2022**, 220, 115820 2.7

- 132 A comparative study on the complex formation of 2-aminoestradiol and 2-aminophenol with divalent metal ions: Solution chemistry and anticancer activity. **2022**, 1261, 132858 0
- 131 Complexation between uranyl(VI) and CMPO in a hydroxyl-functionalized ionic liquid: An extraction, spectrophotography, and calorimetry study. **2021**, 0
- 130 Interaction of a 1,3-Dicarbonyl Toxin with Ru(II)-Biimidazole Complexes for Luminescence Sensing: A Spectroscopic and Photochemical Experimental Study Rationalized by Time-Dependent Density Functional Theory Calculations.. **2021**, 1
- 129 Structural Insight into Complexation Ability and Coordination of Uranyl Nitrate by 1,10-Phenanthroline-2,9-diamides.. **2021**, 5
- 128 Tuning Receptor Properties of Metal-Amyloid Beta Complexes. Studies on the Interaction between Ni(II)-A β and Phosphates/Nucleotides. **2021**, 0
- 127 Metal Coordination Properties of a Chromophoric Desferrioxamine (DFO) Derivative: Insight on the Coordination Stoichiometry and Thermodynamic Stability of Zr Complexes.. **2021**, 27, 0
- 126 A Comparative Study on Nickel Binding to Hpn-like Polypeptides from Two Strains.. **2021**, 22, 0
- 125 Nanosized MRI Contrast Agent Based on a Polyamidoamine as Multidentate Gd Ligand.. **2021**, 27, 0
- 124 Chirality Induction in a Hydrophilic Metallohelicate.. **2022**, 0
- 123 Probing the Difference in the Complexation of Trivalent Actinides and Lanthanides with a Tridentate N,O-Hybrid Ligand: Spectroscopy, Thermodynamics, and Coordination Modes.. **2022**, 0
- 122 Structure-based design of novel donepezil-like hybrids for a multi-target approach to the therapy of Alzheimer's disease.. **2022**, 237, 114358 0
- 121 Data_Sheet_1.docx. **2019**, 0
- 120 Glyphosate sensing in aqueous solutions by fluorescent zinc(II) complexes of [9]aneN3-based receptors. 1
- 119 Efficient Separation of Americium from Lanthanide by a Task-Specific Ionic Liquid Decorated with 2,6-Bis-Triazolyl-Pyridine Moiety. 0
- 118 Fluoride-Selective Chemosensor Based on an Anion Imprinted Fluorescent Polymer. 0
- 117 Experimental and Molecular Modeling Studies on the Complexation of Chromium(III) with the Angiotensin-Converting Enzyme Inhibitor Captopril.. **2022**, 7, 15909-15918 0
- 116 1-Hydroxy-2(1)-pyridinone-Based Chelators with Potential Catechol -Methyl Transferase Inhibition and Neurorescue Dual Action against Parkinson's Disease.. **2022**, 27, 0
- 115 Study of the complexation reaction between substituted 6,6'-bis(diphenylphosphinoyl)-2,2'-bipyridyls and lanthanum ions. **2022**, 0

- 114 Novel Hybrid Benzoazacrown Ligand as a Chelator for Copper and Lead Cations: What Difference Does Pyridine Make. **2022**, 27, 3115 0
- 113 Cationic chromium urea complex as potential anion binder for nitro substituted-phenolates. **2022**, 1264, 133185
- 112 Polyamine receptors containing anthracene as fluorescent probes for ketoprofen in H₂O/EtOH solution.. 1
- 111 Equilibrium Studies of Iron (III) Complexes with Either Pyrazine, Quinoxaline, or Phenazine and Their Catecholase Activity in Methanol. **2022**, 27, 3257 2
- 110 Proton-Transfer Reactions of Re(II)-Nitrosyl Complexes: Potentiometric Studies, Dft and Td-Dft Calculations.
- 109 Enhanced luminescence of tris(carboxylato)uranyl(VI) complexes and energy transfer to Eu(III): A combined spectroscopic and theoretical investigation. 1
- 108 Anion Binding by Fluorescent Ureido-Hexahomotrioxacalix[3]arene Receptors: An NMR, Absorption and Emission Spectroscopic Study. **2022**, 27, 3247 1
- 107 Toward in Silico Modeling of Dynamic Combinatorial Libraries.
- 106 Identifying the Missing Protonated Complex Species and Revisiting the Overestimated Stability Constants of Two Known Complexes of Uranyl(VI) with Dipicolinic Acid. 0
- 105 Specific Zn(II) binding site in the C-terminus of AspF2, a zincophore from *Aspergillus fumigatus*. 0
- 104 Anion binding by receptors containing NH donating groups [What do anions prefer?]. **2022**, 132875 0
- 103 H₂ampa-Versatile Chelator for [203Pb]Pb²⁺, [213Bi]Bi³⁺, and [225Ac]Ac³⁺. **2022**, 61, 9119-9137 1
- 102 Chemical speciation, antioxidant activity and molecular docking of copper(II) complexes with pyridinedicarboxylic acids and different ligands of low molecular mass. 1-21
- 101 Protonation of Phosphonocarboxylates in Aqueous Medium: An Experimental and Theoretical Investigation. 1
- 100 Coordination Properties of the Zinc Domains of BigR4 and SmtB Proteins in Nickel Systems-Designation of Key Donors. 0
- 99 Anion-Sensing Properties of Cyclopentaphenylalanine. **2022**, 27, 3918
- 98 A Highly Water- and Air-Stable Iron-Containing MRI Contrast Agent Sensor for H₂O₂.
- 97 Evaluation of the Effect of Macrocyclic Ring Size on [203Pb]Pb(II) Complex Stability in Pyridyl-Containing Chelators. 0

- 96 Synthesis, crystal structure and determination of the pK_a value of 2,6-dimethoxycyclohexa-2,5-diene-1,4-dione 1-[2-(quinolin-8-yl)hydrazone]. **2022**, 78,
- 95 Potentiometric and spectroscopic studies of the complex formation in the 6-methyl-2-thiouracil and copper(ii) ion system. *Polyhedron*, **2022**, 223, 115964 2.7
- 94 2-Methylpyrrolidine derived 1,10-phenanthroline-2,9-diamides: promising extractants for Am(iii)/Ln(iii) separation. 3
- 93 Synthesis and structural analysis of push-pull imidazole-triazole based fluorescent bifunctional chemosensor for Cu²⁺ and Fe²⁺ detection. **2022**, 110539 1
- 92 Curcumin-Based β -Diketo Ligands for Ga³⁺: Thermodynamic Investigation of Potential Metal-Based Drugs. **2022**, 15, 854 0
- 91 Separation of Americium from Lanthanide by a Task-Specific Ionic Liquid Decorated with 2,6-Bis-Triazolyl-Pyridine Moiety. *Separation and Purification Technology*, **2022**, 121752 8.3 0
- 90 Fluoride-selective chemosensor based on an anion imprinted fluorescent polymer. *Polyhedron*, **2022**, 225, 116033 2.7
- 89 Exploring Structure-Property Relations of B,S-Doped Polycyclic Aromatic Hydrocarbons through the Trinity of Synthesis, Spectroscopy, and Theory. *Journal of the American Chemical Society*, 16.4 1
- 88 Proton-transfer reactions of Re(II)-nitrosyl complexes: Potentiometric studies, DFT and TD-DFT calculations. *Results in Chemistry*, **2022**, 100455 2.1 1
- 87 Bicyclopeptides: a new class of ligands for Cu(ii) ions.
- 86 A Light-Responsive, Highly Sensitive Probe to Perceive Mercuric Ions Using Fluorescence, Colorimetric and Electrochemical Techniques in Water as Well as in Biological Samples.
- 85 Interligand Charge-Transfer Processes in Zinc Complexes. **2022**, 4, 717-734
- 84 Regreening properties of the soil slow-mobile H₂bpcd/Fe³⁺ complex: Steps forward to the development of a new environmentally friendly Fe fertilizer. 13,
- 83 Chelating Rare-Earth Metals (Ln³⁺) and ²²⁵Ac³⁺ with the Dual-Size-Selective Macrocyclic Ligand Py₂-MacroDipa. **2022**, 61, 12847-12855 1
- 82 Aminoquinoxaline-Based Dual Colorimetric and Fluorescent Sensors for pH Measurement in Aqueous Media. **2022**, 10, 342 1
- 81 Mangiferin/ β -cyclodextrin complex: determination of the Inclusion constant in aqueous solution by Higuchi-Thomson method and molecular absorption and photoluminescence UV spectroscopies at pH 3.4. 0
- 80 Recognition of Heavy Metals by Using Resorcin[4]arenes Soluble in Water. **2022**, 10, 461 0
- 79 Interaction of the Emerging Mycotoxins Beauvericin, Cyclopiazonic Acid, and Sterigmatocystin with Human Serum Albumin. **2022**, 12, 1106 2

- 78 Effect of Zn(II) on pramlintide: structural kink, fibril formation, antifungal activity.
- 77 55/52Mn²⁺ Complexes with a Bispidine-Phosphonate Ligand: High Kinetic Inertness for Imaging Applications. 1
- 76 A Structure-Adaptive Ligand: The Conformation Changes to Fit with the Lengths and Angles of Tetravalent Bis-Paraquat Guests.
- 75 Array-Based Discrimination of Phenolic Acids in Water at Near-Neutral pH with Chromogenic and Fluorescent Cyclodextrin-Based Supramolecular Sensors.
- 74 Analysis of the relative stability of trigonal and tetrahedral boronate cyclic esters in terms of boronic acid and diol acidities and the strain release effect. 1
- 73 Lipophilic phenanthroline diamide ligands in 1-octanol for separation of Am(III) from Eu(III). **2022**, 10, 108401 0
- 72 Bacterial M10 metallopeptidase as a medicinal target & coordination chemistry of possible metal-based inhibition. 0
- 71 Grafting of the 2,8-dithia-5-aza-2,6-pyridinophane macrocycle on SBA-15 mesoporous silica for the removal of Cu²⁺ and Cd²⁺ ions from aqueous solutions: synthesis, adsorption, and complex stability studies. **2022**, 51, 12271-12281 0
- 70 Induction and rationalization of supramolecular chirality in a highly flexible Zn(ii)porphyrin dimer: structural, spectroscopic and theoretical investigations. **2022**, 51, 14125-14137 0
- 69 Interactions of neurokinin B with copper(ii) ions and their potential biological consequences. **2022**, 51, 14267-14276 1
- 68 The effect of outer-sphere anions on the spectroscopic response of metal-binding chemosensors. **2022**, 51, 14079-14087 0
- 67 Argentivorous molecules with chromophores: dependence of their fluorescence intensities on the distance between a donor and an acceptor. 0
- 66 Detection of catechins using a fluorescent molecule and its application toward the evaluation of astringent intensity. 0
- 65 Ni(II) Ions May Target the Entire Melatonin Biosynthesis Pathway: A Plausible Mechanism of Nickel Toxicity. **2022**, 27, 5582 0
- 64 Zn(II) and Cd(II) Complexes of AMT1/MAC1 Homologous Cys/His-Rich Domains: So Similar yet So Different. **2022**, 61, 14333-14343 0
- 63 A Benzimidazolium-Based Organic Cage with Antimicrobial Activity. **2022**, 4, 855-864 0
- 62 Role of the Cysteine in R3 Tau Peptide in Copper Binding and Reactivity. **2022**, 23, 10726 1
- 61 Gallium(III)-Pyridoxal Thiosemicarbazone Derivatives as Nontoxic Agents against Gram Negative Bacteria. 1

- 60 GEMS, a tool for microspeciation analysis from NMR data fitting. **2022**, 104672 ○
- 59 Semirigid Ligands Enhance Different Coordination Behavior of Nd and Dy Relevant to Their Separation and Recovery in a Non-aqueous Environment. ○
- 58 H4picoopa-Robust Chelate for 225Ac/111In Theranostics. 1
- 57 Entropy and Enthalpy Effects on Metal Complex Formation in Non-Aqueous Solvents: The Case of Silver(I) and Monoamines. **2022**, 24, 1253 ○
- 56 A Supramolecular Approach to Antimicrobial Surfaces. **2022**, 27, 5731 ○
- 55 Quick and Easy Covalent Grafting of Sulfonated Dyes to CMC: From Synthesis to Colorimetric Sensing Applications. **2022**, 14, 4061 ○
- 54 Stability and Structure of Silver-β-methionine Complexes. ○
- 53 Synthesis and fluorescence of N-squaraine dianions derived from electron-deficient primary anilines. **2022**, 207, 110746 1
- 52 Molecular Engineering of Ruthenium(II) Complexes with (3-Polyamino)phenanthroline Ligands for Developing Reusable Optical Sensors for Cu(II) ions. ○
- 51 Pseudopeptidic Host Adaptation in Peptide Recognition Unveiled by Ion Mobility Mass Spectrometry. ○
- 50 Tuning the coordination properties of chiral pseudopeptide bis(2-picolyl)amine and iminodiacetamide ligands in Zn(ii) and Cu(ii) complexes. ○
- 49 Killing two birds with one stone: phosphorylation by a tabun mimic and subsequent capture of cyanide using a single fluorescent chemodosimeter. ○
- 48 Separation and Complexation of Trivalent Actinides and Lanthanides by Two Novel Asymmetric N,O-Hybrid Pyridyl Ligands: A Combination of Phosphoryl and Triazinyl Groups. 1
- 47 Complex-Forming Properties of Ceftazidime with Fe(III) Ions in an Aqueous Solution. **2022**, 27, 7226 ○
- 46 Interaction of the Fungal Metabolite Harzianic Acid with Rare-Earth Cations (Pr³⁺, Eu³⁺, Ho³⁺, Tm³⁺). **2022**, 27, 6468 1
- 45 Ruthenium(II) polypyridyl complexes with benzothiophene and benzimidazole derivatives: Synthesis, antitumor activity, solution studies and biospeciation. **2022**, 112058 ○
- 44 Highly stable macro-porous N-donor CyMe₄-BTPPhen/SiO₂-P adsorbent for efficient selective extraction of actinides from HLLW: An experimental, mechanism, theoretical study. **2022**, 18, 100749 ○
- 43 Coordination properties of Cu(II) ions towards a phosphorylated fragment from the R1 domain of the tau protein. The effect of Ser phosphorylation on Cu(II) binding affinity. ○

42	Effects of Heme Site (FA1) Ligands Bilirubin, Biliverdin, Hemin, and Methyl Orange on the Albumin Binding of Site I Marker Warfarin: Complex Allosteric Interactions. 2022 , 23, 14007	2
41	Toward Personalized Medicine: One Chelator for Imaging and Therapy with Lutetium-177 and Actinium-225.	0
40	Grafted dinuclear zinc complexes for selective recognition of phosphatidylserine: Application to the capture of extracellular membrane microvesicles. 2022 , 112065	0
39	New Water-Soluble Au(III) Complexes with Xyloside-based Ligands: Synthesis, Structural Characterization, Solution Studies and Catalytic Evaluation.	0
38	Zn(II) binding to pramlintide results in a structural kink, fibril formation and antifungal activity. 2022 , 12,	0
37	Separation of Radioactive Ruthenium from Alkaline Solution: A Solvent Extraction and Detailed Mechanistic Approach. 2022 , 7, 43803-43812	0
36	Diquinol Functionality Boosts the Superoxide Dismutase Mimicry of a Zn(II) Complex with a Redox-Active Ligand while Maintaining Catalyst Stability and Enhanced Activity in Phosphate Solution. 2022 , 61, 19983-19997	1
35	Testing Serum Albumins and Cyclodextrins as Potential Binders of the Mycotoxin Metabolites Alternariol-3-Sulfate, Alternariol-9-Monomethylether and Alternariol-9-Monomethylether-3-Sulfate. 2022 , 23, 14353	2
34	N,N-Alkylation Clarifies the Role of N- and O-Protonated Intermediates in Cyclen-Based ⁶⁴ Cu Radiopharmaceuticals.	0
33	A potentiometric and spectrofluorimetric approach to unravel inhibitory effects of semi- and thiosemicarbazones on mushroom tyrosinase activity.	0
32	Complexes of bipyridinecarboxylate and phenanthrolinecarboxylate with trivalent actinides and lanthanides: Binding strength and structure. 2022 , 100046	0
31	Polyoxa- and Polyazamacrocycles Incorporating 6,7-Diaminoquinoxaline Moiety: Synthesis and Application as Tunable Optical pH-Indicators in Aqueous Solution. 2023 , 28, 512	0
30	A Tetranuclear Copper(II)/Calcium(II) Complex as Dual Chemosensor for Colorimetric and Fluorescent Detection of Non-steroidal Anti-inflammatory Drugs.	0
29	Hydroxylated Coumarin-Based Thiosemicarbazones as Dual Antityrosinase and Antioxidant Agents. 2023 , 24, 1678	0
28	Selective biosorption of lanthanides onto Galdieria sulphuraria. 2023 , 137818	0
27	Wide pH Range Potentiometric and Spectrophotometric Investigation into the Acidic Constants of Quercetin, Luteolin and L-Ascorbic Acid in Aqueous Media. 2023 , 13, 776	0
26	Cobalt Tris(4-Vinylphenyl)Corrole: Out of the Frying Pan into the Polymer.	0
25	Metal Complexes of a 5-Nitro-8-Hydroxyquinoline-Proline Hybrid with Enhanced Water Solubility Targeting Multidrug Resistant Cancer Cells. 2023 , 24, 593	0

- 24 Thermodynamic, Spectroscopic, and Structural Study on a Sodium Uranyl Tri-2-Methoxybenzoate Dodecahydrate Coordination Compound with Considerably Low Solubility in Acidic Conditions. **2023**, 62, 756-768 ○
- 23 Asymmetrical Platinum and Rhodium Dinuclear Complex Strongly Bound to Filled dz² Complexes by Unbridged Pt-metal Bonds Toward Heterometallic-Extended Metal Atom Chains. ○
- 22 Half-Sandwich Rhodium Complexes with Releasable N-Donor Monodentate Ligands: Solution Chemical Properties and the Possibility for Acidosis Activation. **2023**, 15, 356 ○
- 21 Construction of methylene-bridged electron-deficient corona[n]arenes and selective fluoride recognition through anion-π interactions. ○
- 20 Equilibria of complexes in the aqueous cobalt(II)-N-(2-hydroxybenzyl)phenylalanine system and their biological activity compared to analogous Schiff base structures. **2023**, 21, 1312-1323 1
- 19 Toward ⁶⁸Ga and ⁶⁴Cu Positron Emission Tomography Probes: Is H₂dedpa-N,N'-pram the Missing Link for dedpa Conjugation?. 1
- 18 Evaluation of In Vitro Distribution and Plasma Protein Binding of Selected Antiviral Drugs (Favipiravir, Molnupiravir and Imatinib) against SARS-CoV-2. **2023**, 24, 2849 ○
- 17 Supramolecular Recognition of Cytidine Phosphate in Nucleotides and RNA Sequences. **2023**, 3, 964-977 ○
- 16 A Novel Type of Tetradentate Dipyridyl-Derived Bis(pyrazole) Ligands for Highly Efficient and Selective Extraction of Am³⁺ Over Eu³⁺ From HNO₃ Solution. **2023**, 41, 119-142 ○
- 15 Novel water-soluble aromatic bisdiglycolamide masking agents for the separation of trivalent americium over lanthanides by NTAamide(n-Oct) extractant. **2023**, 11, 109536 ○
- 14 A New Family of Macrocyclic Polyamino Biphenolic Ligands: Acid-Base Study, Zn(II) Coordination and Glyphosate/AMPA Binding. **2023**, 28, 2031 1
- 13 Complexation of a Nitrilotriacetate-Derived Triamide Ligand with Trivalent Lanthanides: A Thermodynamic and Crystallographic Study. **2023**, 62, 3916-3928 ○
- 12 Circularly polarized activity from two photon excitable europium and samarium chiral bioprobes. **2023**, 11, 4188-4202 1
- 11 Macrocyclic Compounds Comprising Tris(3-Aminopropyl)Amine Units and Fluorophore Moieties: Synthesis and Spectroscopic Studies in the Presence of Metal Salts. **2023**, 11, 186 ○
- 10 Pyrrolidine-Derived Phenanthroline Diamides: An Influence of Fluorine Atoms on the Coordination of Lu(III) and Some Other f-Elements and Their Solvent Extraction. **2023**, 24, 5569 ○
- 9 Probing Serum Albumins and Cyclodextrins as Binders of the Mycotoxin Metabolites Alternariol-3-Glucoside, Alternariol-9-Monomethylether-3-Glucoside, and Zearalenone-14-Glucuronide. **2023**, 13, 446 ○
- 8 Speciation of borate in aqueous solutions studied experimentally by potentiometry and Raman spectroscopy and computationally by DFT calculations. ○
- 7 Harzianic Acid Activity against Staphylococcus aureus and Its Role in Calcium Regulation. **2023**, 15, 237 ○

- 6 Critical Analysis of Association Constants between Calixarenes and Nitroaromatic Compounds Obtained by Fluorescence. Implications for Explosives Sensing. **2023**, 28, 3052
- 5 One Scaffold, Two Conformations: The Ring-Flip of the Messenger InsP8 Occurs under Cytosolic Conditions. **2023**, 13, 645
- 4 A comparative study on the metal complexes of an anticancer estradiol-hydroxamate conjugate and salicylhydroxamic acid. **2023**, 244, 112223
- 3 Protolytic equilibria of ACE inhibitors in micellar solution of nonionic surfactant Brij 35.
- 2 Ultrafiltration separation of Am(VI)-polyoxometalate from lanthanides. **2023**, 616, 482-487
- 1 Is Perchlorate Innocent in the Study of Weak Complexations of Nitrate with Metal Ions by Spectrophotometric Titration?. **2023**, 913-927