

# CITATION REPORT

List of articles citing

**Excretion of infused  $^{14}\text{C}$ -steroid hormones via faeces and urine in domestic livestock**

**DOI: 10.1016/0378-4320(95)01458-6**  
**Animal Reproduction Science, 1996, 43, 43-63.**

**Source:** <https://exaly.com/paper-pdf/26766393/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
311	Faecal steroid analysis for non-invasive monitoring of reproductive status in farm, wild and zoo animals. <i>Animal Reproduction Science</i> , <b>1996</b> , 42, 515-526	2.1	255
310	Use of group-specific antibodies to detect fecal progesterone metabolites during the estrous cycle of cows. <b>1996</b> , 46, 23-32		26
309	Faecal Metabolites of Infused 14C-Progesterone in Domestic Livestock. <b>1997</b> , 32, 199-206		35
308	Comparison of different progestagen assays for measuring progesterone metabolites in faeces of the bitch. <b>1997</b> , 44, 573-8		5
307	Characterization of estrous cyclicity in the sable antelope ( <i>Hippotragus niger</i> ) through fecal progestagen monitoring. <b>1998</b> , 112, 129-37		34
306	Metabolism and excretion of oestradiol-17beta and progesterone in the Sumatran rhinoceros ( <i>Dicerorhinus sumatrensis</i> ). <i>Animal Reproduction Science</i> , <b>1998</b> , 53, 157-72	2.1	28
305	Faecal progesterone metabolite analysis for non-invasive monitoring of reproductive function in the white rhinoceros ( <i>Ceratotherium simum</i> ). <i>Animal Reproduction Science</i> , <b>1998</b> , 53, 173-90	2.1	61
304	Ovarian activity in the scimitar-horned oryx ( <i>Oryx dammah</i> ) determined by faecal steroid analysis. <i>Animal Reproduction Science</i> , <b>1998</b> , 53, 191-207	2.1	35
303	Determining Ovulation Frequency in Individually Penned Lactating Sows using a Faecal Progesterone Assay. <b>1999</b> , 34, 71-76		2
302	Fecal glucocorticoids document stress in female Barbary macaques ( <i>Macaca sylvanus</i> ). <b>1999</b> , 113, 80-6		44
301	Noninvasive fecal monitoring of glucocorticoids in spotted hyenas, <i>Crocuta crocuta</i> . <b>1999</b> , 114, 340-8		167
300	Measurement of glucocorticoid metabolite concentrations in faeces of domestic livestock. <b>1999</b> , 46, 621-31		133
299	Pain causes increased concentrations of glucocorticoid metabolites in horse feces. <b>2000</b> , 20, 586-590		51
298	Comparative aspects of the metabolism and excretion of cortisol in three individual nonhuman primates. <b>2000</b> , 117, 427-38		191
297	Seasonal relationships between plasma and fecal testosterone in response to GnRH in domestic ganders. <b>2000</b> , 118, 262-72		49
296	Faecal progesterone, estrogen, and androgen metabolites for noninvasive monitoring of reproductive function in the female Indian rhinoceros, <i>Rhinoceros unicornis</i> . <b>2000</b> , 119, 300-7		52
295	Excretion of corticosteroids in urine and faeces of hares ( <i>Lepus europaeus</i> ). <b>2000</b> , 170, 163-8		61

294	Effects of physiological and social challenges in different seasons on fecal testosterone and corticosterone in male domestic geese ( <i>Anser domesticus</i> ). <b>2000</b> , 2, 115-122		40
293	The measurement of glucocorticoid concentrations in the serum and faeces of captive African elephants ( <i>Loxodonta africana</i> ) after ACTH stimulation. <b>2000</b> , 71, 192-6		26
292	Effect of CRESTAR on estrus synchronization and the relationship between fecal and plasma concentrations of progestagens in buffalo cows. <b>2000</b> , 54, 1007-17		13
291	Progesterone metabolism in ovariectomised non-lactating Holstein-Friesian cows treated with progesterone with two levels of feed intake. <i>Animal Reproduction Science</i> , <b>2001</b> , 66, 35-46	2.1	17
290	The effect of level of feed intake on progesterone clearance rate by measuring faecal progesterone metabolites in grazing dairy cows. <i>Animal Reproduction Science</i> , <b>2001</b> , 67, 205-14	2.1	51
289	Identification of a series of C(21)O(2) pregnanes from fecal extracts of a pregnant black rhinoceros ( <i>Diceros bicornis minor</i> ). <b>2001</b> , 66, 875-81		8
288	Excretion rate of progesterone in milk and faeces in lactating dairy cows with two levels of milk yield. <b>2001</b> , 41, 309-19		16
287	The biology of stress and its application to livestock housing and transportation assessment. <b>2001</b> , 79, E260		81
286	Faecal oestrogens and progesterone metabolites in mares of different breeds during the last trimester of pregnancy. <b>2001</b> , 36, 273-7		7
285	Noninvasive monitoring of adrenocortical activity in roe deer ( <i>Capreolus capreolus</i> ) by measurement of fecal cortisol metabolites. <b>2001</b> , 123, 111-20		73
284	Excreted metabolites of gonadal steroid hormones and corticosterone in greylag geese ( <i>Anser anser</i> ) from hatching to fledging. <b>2001</b> , 124, 246-55		24
283	Measurement of faecal cortisol metabolites in cats and dogs: a non-invasive method for evaluating adrenocortical function. <b>2001</b> , 25, 271-87		135
282	Suppression of ovarian progesterone production in dairy cows using an implant of GnRH-agonist (deslorelin) for the purpose of evaluating progesterone metabolism [corrected]. <b>2001</b> , 79, 690-4		5
281	Hormones as indicators of stress. <b>2002</b> , 23, 67-74		666
280	Evolution of oestrogen functions in vertebrates. <b>2002</b> , 83, 219-26		56
279	Progesterone clearance rate in lactating dairy cows with two levels of dry matter and metabolisable energy intakes. <i>Animal Reproduction Science</i> , <b>2002</b> , 72, 11-25	2.1	18
278	Effects of level of feeding and progesterone dose on plasma and faecal progesterone in ovariectomised cows. <i>Animal Reproduction Science</i> , <b>2002</b> , 73, 185-95	2.1	17
277	Plasma, milk and faecal progesterone concentrations during the oestrous cycle of lactating dairy cows with different milk yields. <i>Animal Reproduction Science</i> , <b>2002</b> , 74, 121-31	2.1	9

276	Characterization of urinary and fecal metabolites of testosterone and their measurement for assessing gonadal endocrine function in male nonhuman primates. <b>2002</b> , 129, 135-45	125
275	Influence of housing on weanling horse behavior and subsequent welfare. <b>2002</b> , 78, 291-302	91
274	Sex hormones originating from different livestock production systems: fate and potential disrupting activity in the environment. <b>2002</b> , 473, 27-37	257
273	Fecal glucocorticoid metabolites as a measure of adrenal activity in dairy cattle. <b>2002</b> , 126, 229-41	103
272	Measurement of cortisol metabolites in faeces of ruminants. <b>2002</b> , 26, 127-39	235
271	Distribution and origin of steroid hormones in the yolk of Japanese quail eggs ( <i>Coturnix coturnix japonica</i> ). <b>2003</b> , 173, 327-31	92
270	Resource allocation in Wilson's storm-petrels <i>Oceanites oceanicus</i> determined by measurement of glucocorticoid excretion. <b>2003</b> , 5, 115-122	31
269	Glucocorticoid metabolites inhibit the metabolism of androstenedione in red blood cells of ruminants. <b>2003</b> , 50, 98-102	3
268	Effects of sex and time of day on metabolism and excretion of corticosterone in urine and feces of mice. <b>2003</b> , 130, 267-78	386
267	Non-invasive assessment of adrenocortical function in the male African elephant ( <i>Loxodonta africana</i> ) and its relation to musth. <b>2003</b> , 134, 156-66	136
266	Manure-borne estrogens as potential environmental contaminants: a review. <b>2003</b> , 37, 5471-8	394
265	Sorption and dissipation of testosterone, estrogens, and their primary transformation products in soils and sediment. <b>2003</b> , 37, 4098-105	215
264	Naturally produced steroid hormones and their release into the environment. <b>2003</b> , 75, 1859-1871	173
263	A comparative methodical study of the faecal steroid analysis on birds: looking for a valid method of testosterone determination. <b>2003</b> , 54, 285-98	6
262	Factors associated with fecal glucocorticoids in Alaskan brown bears ( <i>Ursus arctos horribilis</i> ). <b>2004</b> , 77, 313-20	50
261	Excreted corticosterone metabolites co-vary with ambient temperature and air pressure in male Greylag geese ( <i>Anser anser</i> ). <b>2004</b> , 137, 29-36	86
260	Noninvasive monitoring of adrenocortical activity in carnivores by fecal glucocorticoid analyses. <b>2004</b> , 137, 148-65	196
259	Experimentally elevated testosterone increases status signalling in male Greylag geese ( <i>Anser anser</i> ). <b>2004</b> , 7, 9	7

258	A Biosensor-Based Method for Non-invasively Monitoring Wildlife Reproduction in The Field Vole ( <i>Microtus agrestis</i> ) as a Potential Biomarker of Environmental Disruption. <b>2004</b> , 37, 1719-1735	4
257	Measurement of corticosterone metabolites in chicken droppings. <b>2004</b> , 45, 704-11	94
256	Analyzing corticosterone metabolites in fecal samples of mice: a noninvasive technique to monitor stress hormones. <b>2004</b> , 45, 10-22	257
255	Relationship between androgens, environmental factors and reproductive behavior in male white rhinoceros ( <i>Ceratotherium simum simum</i> ). <b>2004</b> , 45, 1-9	38
254	Fecal androgens of bison bulls during the rut. <b>2004</b> , 46, 392-8	30
253	Cortisol in saliva and plasma of cattle after ACTH administration and milking. <b>2004</b> , 87, 1713-8	80
252	Dairy wastewater, aquaculture, and spawning fish as sources of steroid hormones in the aquatic environment. <b>2004</b> , 38, 6377-84	233
251	Stress hormones in mammals and birds: comparative aspects regarding metabolism, excretion, and noninvasive measurement in fecal samples. <b>2005</b> , 1040, 162-71	311
250	Measurement of corticosterone metabolites in birds' droppings: an analytical approach. <b>2005</b> , 1046, 17-34	172
249	Measuring fecal glucocorticoid metabolites in mammals and birds: the importance of validation. <b>2005</b> , 1046, 54-74	503
248	Measuring fecal steroids: guidelines for practical application. <b>2005</b> , 1046, 75-80	295
247	A noninvasive technique to evaluate human-generated stress in the black grouse. <b>2005</b> , 1046, 81-95	43
246	Measuring corticosterone metabolites in droppings of capercaillies ( <i>Tetrao urogallus</i> ). <b>2005</b> , 1046, 96-108	48
245	Noninvasive measures of reproductive function and disturbance in the barred owl, great horned owl, and northern spotted owl. <b>2005</b> , 1046, 109-37	35
244	Legal requirements and assessment of stress and welfare during transportation and pre-slaughter handling of pigs. <b>2005</b> , 97, 81-87	23
243	Assessing reproductive status of right whales ( <i>Eubalaena glacialis</i> ) using fecal hormone metabolites. <b>2005</b> , 142, 308-17	111
242	Quantification of fecal estradiol and progesterone metabolites in Syrian hamsters ( <i>Mesocricetus auratus</i> ). <b>2005</b> , 38, 1711-7	10
241	Noninvasive monitoring of hormones in bird droppings: physiological validation, sampling, extraction, sex differences, and the influence of diet on hormone metabolite levels. <b>2005</b> , 1046, 35-53	162

240	Assessment of urine and fecal testosterone metabolite excretion in Chinchilla lanigera males. <i>Animal Reproduction Science</i> , <b>2005</b> , 86, 339-51	2.1	21
239	Faecal steroid metabolites for non-invasive assessment of reproduction in common warthogs ( <i>Phacochoerus africanus</i> ), red river hogs ( <i>Potamochoerus porcus</i> ) and babirusa ( <i>Babyrousa babyrussa</i> ). <i>Animal Reproduction Science</i> , <b>2006</b> , 91, 155-71	2.1	18
238	Monitoring ovarian cycles and pregnancy in brown brocket deer ( <i>Mazama gouazoubira</i> ) by measurement of fecal progesterone metabolites. <b>2006</b> , 65, 387-99		29
237	Non-invasive Monitoring of Estrous Cycle, Pregnancy and Postpartum Estrus by Enzyme Immunoassay for Fecal Progesterone in Addax ( <i>Addax nasomaculatus</i> ). <b>2006</b> , 11, 49-56		4
236	Effect of testosterone loading on the kinetic of faecal testosterone excretion in mallards. <b>2006</b> , 57, 13-21		1
235	Pregnancy stage and number of fetuses may influence maternal plasma leptin in ewes. <b>2006</b> , 54, 221-34		14
234	Non-invasive measurement of the physiological stress response of wild rabbits to the odour of a predator. <b>2006</b> , 16, 25-29		54
233	Experimental design: minimizing the number of subjects that suffer may not mean minimizing total suffering. <b>2006</b> , 71, 735-738		0
232	The potential steroid hormone contribution of farm animals to freshwaters, the United Kingdom as a case study. <b>2006</b> , 362, 166-78		136
231	Comparison of different enzyme-immunoassays for assessment of adrenocortical activity in primates based on fecal analysis. <b>2006</b> , 68, 257-73		161
230	Applying Fecal Endocrine Monitoring to Conservation and Behavior Studies of Wild Mammals: Important Considerations and Preliminary Tests. <b>2007</b> , 53, 439-460		50
229	Quantification of stress sensitive markers in single fecal samples do not accurately predict excretion of these in the pig. <b>2007</b> , 82, 423-8		24
228	Effects of reproductive status and management on cortisol secretion and fertility of oestrous horse mares. <i>Animal Reproduction Science</i> , <b>2007</b> , 102, 276-85	2.1	39
227	Non-invasive assessment of reproductive status in Chinese water deer ( <i>Hydropotes inermis</i> ): Correlation with sexual behaviour. <b>2007</b> , 72, 14-26		10
226	Non-invasive measurement of adrenocortical activity in male and female rats. <b>2007</b> , 41, 372-87		81
225	Behavioral and physiologic responses to environmental enrichment in the maned wolf ( <i>Chrysocyon brachyurus</i> ). <b>2007</b> , 26, 331-43		24
224	Measurement of faecal progesterone metabolites and its application for early screening of open cows post-insemination. <b>2007</b> , 42, 238-42		8
223	The many uses of non-invasive faecal steroid monitoring in zoo and wildlife species. <b>2007</b> , 41, 52-74		144

222	Effects of storage treatment on fecal steroid hormone concentrations of a rodent, the Cape ground squirrel ( <i>Xerus inauris</i> ). <b>2007</b> , 150, 1-11		24
221	Noninvasive monitoring of ovarian endocrine activity in the chinchilla ( <i>Chinchilla lanigera</i> ). <b>2007</b> , 150, 288-97		21
220	Male sexual attractiveness affects the investment of maternal resources into the eggs in peafowl ( <i>Pavo cristatus</i> ). <b>2007</b> , 61, 1043-1052		50
219	Excretion of catecholamines in rats, mice and chicken. <b>2008</b> , 178, 629-36		9
218	Urinary corticosteroid excretion patterns in the okapi ( <i>Okapia johnstoni</i> ). <b>2008</b> , 27, 381-93		7
217	Boldenone, testosterone and 1,4-androstadiene-3,17-dione determination in faeces from horses, untreated and after administration of androsta-1,4-diene-3,17-dione (boldione). <b>2008</b> , 22, 662-70		10
216	The influence of age on fecal steroid hormone levels in male Budongo Forest chimpanzees ( <i>Pan troglodytes schweinfurthii</i> ). <b>2008</b> , 70, 661-9		36
215	Within-pair testosterone covariation and reproductive output in Greylag Geese <i>Anser anser</i> . <b>2008</b> , 141, 577-586		49
214	Non-invasive measurement of adrenocortical and gonadal activity in male and female guinea pigs ( <i>Cavia aperea f. porcellus</i> ). <b>2008</b> , 156, 482-9		41
213	Non-invasive monitoring of hormones: a tool to improve reproduction in captive breeding of the Eurasian lynx. <b>2008</b> , 43 Suppl 2, 74-82		52
212	Correlation between serum and fecal concentrations of reproductive steroids throughout gestation in goats. <i>Animal Reproduction Science</i> , <b>2008</b> , 103, 78-86	2.1	18
211	The effects of sex, age and commensal way of life on levels of fecal glucocorticoid metabolites in spiny mice ( <i>Acomys cahirinus</i> ). <b>2008</b> , 95, 187-93		31
210	Seasonal and altitudinal effects on glucocorticoid metabolites in a wild primate ( <i>Theropithecus gelada</i> ). <b>2008</b> , 95, 508-14		54
209	Hormones and Pharmaceuticals Generated by Concentrated Animal Feeding Operations. <b>2009</b> ,		2
208	Presence and metabolism of endogenous androgenic-anabolic steroid hormones in meat-producing animals: a review. <b>2009</b> , 26, 640-71		56
207	Contaminants of Emerging Environmental Concern. <b>2009</b> ,		15
206	Gonadal activity in male and female captive fossas ( <i>Cryptoprocta ferox</i> ) during the mating season. <b>2009</b> , 44 Suppl 2, 98-102		2
205	A non-invasive method for measuring glucocorticoid metabolites (GCM) in Mountain hares ( <i>Lepus timidus</i> ). <b>2009</b> , 55, 615-620		25

204	Noninvasive monitoring of androgens in male Amazonian manatee ( <i>Trichechus inunguis</i> ): biologic validation. <b>2009</b> , 40, 458-65		12
203	Assessment of the stress response in Columbian ground squirrels: laboratory and field validation of an enzyme immunoassay for fecal cortisol metabolites. <b>2009</b> , 82, 291-301		53
202	Noninvasive assessment of stress in bank voles ( <i>Myodes glareolus</i> , Cricetidae, Rodentia) by means of enzyme-linked immunosorbent assay (ELISA). <b>2010</b> , 37, 959-964		4
201	Comparing plasma and faecal measures of steroid hormones in Adelie penguins <i>Pygoscelis adeliae</i> . <b>2010</b> , 180, 83-94		20
200	Sex differences in the excretion of fecal glucocorticoid metabolites in the Syrian hamster. <b>2010</b> , 180, 919-25		26
199	Influence of husbandry systems on physiological stress reactions of captive brown brocket ( <i>Mazama gouazoubira</i> ) and marsh deer ( <i>Blastocerus dichotomus</i> )—noninvasive analysis of fecal cortisol metabolites. <b>2010</b> , 56, 561-568		15
198	Simplified method to measure glucocorticoid metabolites in faeces of horses. <b>2010</b> , 34, 185-95		10
197	Fecal cortisol metabolite levels in free-ranging North American red squirrels: Assay validation and the effects of reproductive condition. <b>2010</b> , 167, 279-86		97
196	Differences in seasonal changes of fecal androgen levels between stabled and free-ranging Polish Konik stallions. <b>2010</b> , 168, 455-9		3
195	Noninvasive analysis of fecal reproductive hormone metabolites in female veiled chameleons ( <i>Chamaeleo calyptratus</i> ) by enzyme immunoassay. <b>2011</b> , 30, 95-115		15
194	The influence of parasites on faecal glucocorticoid metabolite levels in raccoons: an experimental assessment in a natural setting. <b>2010</b> , 282, no-no		17
193	Comparison of four treatments to suppress ovarian activity in ferrets ( <i>Mustela putorius furo</i> ). <b>2010</b> , 166, 74-8		23
192	Cortisol release, heart rate, and heart rate variability in transport-naive horses during repeated road transport. <b>2010</b> , 39, 205-13		81
191	Estrogenic chemicals and estrogenicity in river waters of South Korea and seven Asian countries. <b>2010</b> , 78, 286-93		131
190	Investigation on possible transformations of cortisol, cortisone and cortisol glucuronide in bovine faecal matter using liquid chromatography-mass spectrometry. <b>2010</b> , 75, 350-4		38
189	Cortisol release and heart rate variability in horses during road transport. <b>2010</b> , 57, 209-15		149
188	Oestrus in the Julia Creek dunnart ( <i>Sminthopsis douglasi</i> ) is associated with wheel running behaviour but not necessarily changes in body weight, food consumption or pouch morphology. <i>Animal Reproduction Science</i> , <b>2010</b> , 117, 135-46	2.1	14
187	Non-invasive methods of oestrus detection in captive southern hairy-nosed wombats ( <i>Lasiorhinus latifrons</i> ). <i>Animal Reproduction Science</i> , <b>2010</b> , 119, 293-304	2.1	15



186	Development of competitive ELISAs for 17beta-estradiol and 17beta-estradiol +estrone+estriol using rabbit polyclonal antibodies. <b>2010</b> , 45, 145-51	16
185	Indicadores do bem-estar em suínos. <b>2011</b> , 41, 1823-1830	13
184	Reproductive features and faecal progesterone metabolite profile in female ferrets. <b>2011</b> , 46, e54-61	2
183	Do glucocorticoids in droppings reflect baseline level in birds captured in the wild? A case study in snow geese. <b>2011</b> , 172, 440-5	19
182	How does diet affect fecal steroid hormone metabolite concentrations? An experimental examination in red squirrels. <b>2011</b> , 174, 124-31	50
181	Measuring stress in wildlife: techniques for quantifying glucocorticoids. <b>2011</b> , 166, 869-87	524
180	Non-invasive monitoring of adrenocortical activity in free-ranging fallow deer ( <i>Dama dama</i> L.). <b>2011</b> , 57, 77-81	12
179	Synthesis and characterization of radiolabeled 17 $\beta$ -estradiol conjugates. <b>2011</b> , 54, 267-271	8
178	Stress and stereotypic behaviour in mink ( <i>Mustela vison</i> ): a focus on adrenocortical activity. <b>2011</b> , 14, 312-23	25
177	Glucocorticoid response to changes in enclosure size and human proximity in the Persian onager ( <i>Equus hemionus onager</i> ). <b>2012</b> , 15, 52-61	16
176	Review: Minimally invasive sampling media and the measurement of corticosteroids as biomarkers of stress in animals. <b>2012</b> , 92, 227-259	92
175	Monitoring stress hormone metabolites as a useful, non-invasive tool for welfare assessment in farm animals. <b>2012</b> , 21, 331-337	132
174	Intrasample variation and the effect of storage delay on faecal metabolite concentrations in the southern hairy-nosed wombat ( <i>Lasiorhinus latifrons</i> ). <b>2012</b> , 34, 217	7
173	Hair cortisol: a parameter of chronic stress? Insights from a radiometabolism study in guinea pigs. <b>2012</b> , 182, 985-96	79
172	Non-invasive monitoring of physiological stress in the Western lowland gorilla ( <i>Gorilla gorilla gorilla</i> ): validation of a fecal glucocorticoid assay and methods for practical application in the field. <b>2012</b> , 179, 167-77	61
171	Non-invasive monitoring of glucocorticoid metabolites in banded mongooses ( <i>Mungos mungo</i> ) in response to physiological and biological challenges. <b>2012</b> , 179, 178-83	27
170	The effect of isoflurane anaesthesia and vasectomy on circulating corticosterone and ACTH in BALB/c mice. <b>2012</b> , 179, 406-13	20
169	Solid beef cattle manure application impacts on soil properties and 17 $\beta$ -estradiol fate in a clay loam soil. <b>2012</b> , 47, 495-504	4

168	Treatment of estrogens and androgens in dairy wastewater by a constructed wetland system. <b>2012</b> , 46, 2333-43	37
167	Steroids in a typical swine farm and their release into the environment. <b>2012</b> , 46, 3754-68	103
166	Fate and occurrence of steroids in swine and dairy cattle farms with different farming scales and wastes disposal systems. <b>2012</b> , 170, 190-201	78
165	Excreted corticosterone metabolites differ between two galliform species, Japanese Quail and Chicken, between sexes and between urine and faecal parts of droppings. <b>2012</b> , 153, 1179-1188	10
164	Validation of a fecal glucocorticoid metabolite assay for collared peccaries ( <i>Pecari tajacu</i> ). <b>2012</b> , 43, 275-82	6
163	Métodos de diagnóstico e pontos críticos de bem-estar de bovinos leiteiros. <b>2012</b> , 42, 1286-1293	8
162	Effect of short and long periods of separation on agonistic behaviour, injuries and stress in Hereford cows kept in loose housing. <b>2012</b> , 136, 96-103	7
161	On the use of non-invasive hormone research in uncontrolled, natural environments: the problem with sex, diet, metabolic rate and the individual. <b>2012</b> , 3, 757-765	190
160	RETRACTED ARTICLE: Endocrine disruptors in dairy wastewater. <b>2012</b> , 10, 107-107	
159	Assessment of adrenocortical activity by non-invasive measurement of faecal cortisol metabolites in dromedary camels ( <i>Camelus dromedarius</i> ). <b>2013</b> , 45, 1453-8	7
158	Physiological and Behavioral Effects of Capture Darting on Red Colobus Monkeys ( <i>Procolobus rufomitratus</i> ) with a Comparison to Chimpanzee ( <i>Pan troglodytes</i> ) Predation. <b>2013</b> , 34, 1020-1031	15
157	Methodological Considerations in the Analysis of Fecal Glucocorticoid Metabolites in Tufted Capuchins ( <i>Cebus</i> ). <b>2013</b> , 34, 879-898	31
156	Fecal estrogen, progestagen and glucocorticoid metabolites during the estrous cycle and pregnancy in the giant anteater ( <i>Myrmecophaga tridactyla</i> ): evidence for delayed implantation. <b>2013</b> , 11, 83	21
155	Investigation on the origin of prednisolone in urine and adrenal glands of cows. <b>2013</b> , 30, 1055-62	16
154	Detection of pregnancy and fertility status in big cats using an enzyme immunoassay based on 5 $\beta$ -pregnan-3 $\beta$ -ol-20-one. <b>2013</b> , 180, 33-8	24
153	Characterisation and validation of an enzyme-immunoassay for the non-invasive assessment of faecal glucocorticoid metabolites in cheetahs ( <i>Acinonyx jubatus</i> ). <b>2013</b> , 180, 15-23	20
152	Variation in milk cortisol during lactation in Murciano-Granadina goats. <b>2013</b> , 96, 897-905	4
151	Non-invasive evaluation of physiological stress in an iconic Australian marsupial: the Koala ( <i>Phascolarctos cinereus</i> ). <b>2013</b> , 187, 39-47	47

150	Plasma cortisol and faecal cortisol metabolites concentrations in stereotypic and non-stereotypic horses: do stereotypic horses cope better with poor environmental conditions?. <b>2013</b> , 9, 3	24
149	Development of a versatile enzyme immunoassay for non-invasive assessment of glucocorticoid metabolites in a diversity of taxonomic species. <b>2013</b> , 186, 16-24	62
148	Short communication: hair cortisol concentrations in Holstein-Friesian and crossbreed F1 heifers. <b>2013</b> , 96, 3023-7	29
147	Stress hormone concentration in Rocky Mountain populations of the American pika ( <i>Ochotona princeps</i> ). <b>2013</b> , 1, cot027	9
146	Response to long-distance relocation in Asian elephants ( <i>Elephas maximus</i> ): monitoring adrenocortical activity via serum, urine, and feces. <b>2013</b> , 59, 655-664	18
145	Overcoming the challenges of studying conservation physiology in large whales: a review of available methods. <b>2013</b> , 1, cot006	126
144	Increased immunoreactive 11-ketotestosterone concentrations in sheep feces after acth challenge. <b>2013</b> , 32, 1332-6	0
143	Measuring faecal glucocorticoid metabolites as a non-invasive tool for monitoring adrenocortical activity in South American camelids. <b>2013</b> , 22, 25-31	13
142	Gender, season and management affect fecal glucocorticoid metabolite concentrations in captive goral ( <i>Naemorhedus griseus</i> ) in Thailand. <b>2014</b> , 9, e91633	13
141	Investigation of the presence of prednisolone in bovine urine. <b>2014</b> , 31, 605-13	13
140	First attempt to monitor luteinizing hormone and reproductive steroids in urine samples of the Amazonian manatee ( <i>Trichechus inunguis</i> ). <b>2014</b> , 45, 843-51	5
139	Age-dependent baseline values of faecal cortisol metabolites in the American mink ( <i>Neovison vison</i> ) under semi-natural housing conditions. <b>2014</b> , 98, 497-503	1
138	Photoperiodic effects on reproductive development in male cavies ( <i>Cavia aperea</i> ). <b>2014</b> , 123, 142-147	14
137	The use of noninvasive and minimally invasive methods in endocrinology for threatened mammalian species conservation. <b>2014</b> , 203, 296-306	78
136	Corticosterone metabolites in laying hen droppings-Effects of fiber enrichment, genotype, and daily variations. <b>2014</b> , 93, 2615-21	11
135	Assessment of Reproductive Function in Southern African Spiny Mice ( <i>Acomys spinosissimus</i> ) using Faeces as Hormone Matrix. <b>2014</b> , 49, 44-53	8
134	Validation of an enzyme immunoassay for the measurement of faecal glucocorticoid metabolites in Eurasian ( <i>Lynx lynx</i> ) and Iberian lynx ( <i>Lynx pardinus</i> ). <b>2014</b> , 206, 166-77	16
133	Non-invasive assessment of adrenocortical function in captive Nile crocodiles ( <i>Crocodylus niloticus</i> ). <b>2014</b> , 177, 11-7	19

132	Assessment of ovarian activity in captive goral ( <i>Naemorhedus griseus</i> ) using noninvasive fecal steroid monitoring. <b>2014</b> , 82, 997-1006	6
131	Transport of steroid hormones, phytoestrogens, and estrogenic activity across a swine lagoon/sprayfield system. <b>2014</b> , 48, 11600-9	33
130	Physiological and analytical validations of fecal steroid hormone measures in black howler monkeys. <b>2014</b> , 55, 459-65	9
129	Occurrence of free estrogens, conjugated estrogens, and bisphenol A in fresh livestock excreta and their removal by composting in North China. <b>2014</b> , 21, 9939-47	25
128	Development and validation of a high-resolution mass-spectrometry-based method to study the long-term stability of natural and synthetic glucocorticoids in faeces. <b>2014</b> , 1336, 76-86	17
127	Assessment of reproductive function in southern African spiny mice ( <i>Acomys spinosissimus</i> ) using faeces as hormone matrix. <b>2014</b> , 49, 44-53	5
126	Faecal cortisol metabolites to assess stress in wildlife: evaluation of a field method in free-ranging chamois. <b>2015</b> , 6, 1349-1357	17
125	Non-Invasive Pregnancy Diagnosis in Big Cats using the PGFM (13,14-dihydro-15-keto-PGF <sub>2</sub> ) Assay. <b>2015</b> , 10, e0143958	6
124	Occurrence, source analysis and risk assessment of androgens, glucocorticoids and progestagens in the Hailing Bay region, South China Sea. <b>2015</b> , 536, 99-107	30
123	Behavioural and physiological responses of wood mice ( <i>Apodemus sylvaticus</i> ) to experimental manipulations of predation and starvation risk. <b>2015</b> , 149, 331-9	18
122	In vitro simulation of the equine hindgut as a tool to study the influence of phytosterol consumption on the excretion of anabolic-androgenic steroids in horses. <b>2015</b> , 152, 180-92	7
121	Seasonal variation in urinary and salivary reproductive hormone levels in Amazonian manatees ( <i>Trichechus inunguis</i> ). <b>2015</b> , 27, 1065-71	4
120	Noninvasive monitoring of female reproductive hormone metabolites in the endangered European mink ( <i>Mustela lutreola</i> ). <b>2015</b> , 84, 1472-81	5
119	Unloading or not unloading? Sheep welfare implication of rest stop at control post after a 29 h transport. <b>2015</b> , 130, 221-228	7
118	Pre-slaughter conditions influence skatole and androstenone in adipose tissue of boars. <b>2015</b> , 99, 60-7	24
117	Validation of a Fecal Glucocorticoid Assay to Assess Adrenocortical Activity in Meerkats Using Physiological and Biological Stimuli. <b>2016</b> , 11, e0153161	13
116	Determination of ovarian cyclicity and pregnancy using fecal progesterone in forest musk deer ( <i>Moschus berezovskii</i> ). <i>Animal Reproduction Science</i> , <b>2016</b> , 170, 1-9	2.1 6
115	A two-stage method to approach weaning stress in horses using a physical barrier to prevent nursing. <b>2016</b> , 183, 68-76	10

114	Assessment of faecal glucocorticoid metabolite excretion in captive female fishing cats ( <i>Prionailurus viverrinus</i> ) in Thailand. <b>2016</b> , 4, cow021	5
113	Phosphorus in Agriculture: 100 % Zero. <b>2016</b> ,	5
112	Biological matrices for sampling free-ranging cetaceans and the implications of their use for reproductive endocrine monitoring. <b>2016</b> , 46, 77-91	8
111	Organic Xenobiotics. <b>2016</b> , 267-307	1
110	When can we measure stress noninvasively? Postdeposition effects on a fecal stress metric confound a multiregional assessment. <b>2016</b> , 6, 502-13	15
109	Endocrine assessment of ovarian cycle activity in wild female mountain gorillas ( <i>Gorilla beringei beringei</i> ). <b>2016</b> , 157, 185-95	6
108	Validation of an enzyme-immunoassay for the non-invasive monitoring of faecal testosterone metabolites in male cheetahs ( <i>Acinonyx jubatus</i> ). <b>2016</b> , 228, 40-47	7
107	Sources of variance within and among young men in concentrations of $17\beta$ estradiol and testosterone in axillary perspiration. <b>2017</b> , 173, 23-29	10
106	Non-invasive monitoring of physiological markers in primates. <b>2017</b> , 91, 3-18	60
105	Bacteria and the Fate of Estrogen in the Environment. <b>2017</b> , 24, 652-653	10
104	Turning-ON Proteasomes. <b>2017</b> , 24, 653-655	4
103	Biochemical Mechanisms and Catabolic Enzymes Involved in Bacterial Estrogen Degradation Pathways. <b>2017</b> , 24, 712-724.e7	55
102	Behavioural and Hormonal Stress Responses to Social Separation in Ravens,. <b>2017</b> , 123, 123-135	4
101	Relocation stress induces short-term fecal cortisol increase in Tonkean macaques ( <i>Macaca tonkeana</i> ). <b>2017</b> , 58, 315-321	10
100	Exploration of Luteinizing hormone in murre buffalo ( <i>Bubalus bubalis</i> ) urine: Extended surge window opens door for estrus prediction. <b>2017</b> , 251, 121-126	10
99	Modeling the fate and transport of $17\beta$ estradiol in the South River watershed in Virginia. <b>2017</b> , 186, 780-789	6
98	Noninvasive measures of stress response in African buffalo ( <i>Syncerus caffer</i> ) reveal an age-dependent stress response to immobilization. <b>2017</b> ,	0
97	A robust high-throughput fungal biosensor assay for the detection of estrogen activity. <b>2017</b> , 126, 57-65	5

96	Characterizing the reproductive biology of the female pygmy hippopotamus ( <i>Choeropsis liberiensis</i> ) through non-invasive endocrine monitoring. <b>2017</b> , 102, 126-138	5
95	Hair cortisol and testosterone concentrations and semen production of <i>Bos taurus</i> bulls. <b>2017</b> , 16, 631-639	8
94	Subspecies-specific response to ACTH challenge test in the house mouse ( <i>Mus musculus</i> ). <b>2017</b> , 252, 186-192	6
93	Measuring fecal testosterone metabolites in spotted hyenas: Choosing the wrong assay may lead to erroneous results. <b>2017</b> , 38, 308-321	4
92	Stress assessment using hair cortisol of kangaroos affected by the lumpy jaw disease. <b>2017</b> , 79, 852-854	7
91	The effect of alphacypermethrin-treated mesh protection against African horse sickness virus vectors on jet stall microclimate, clinical variables and faecal glucocorticoid metabolites of horses. <b>2017</b> , 13, 283	
90	Fecal steroid hormones reveal reproductive state in female blue whales sampled in the Gulf of California, Mexico. <b>2018</b> , 261, 127-135	27
89	Evaluation of visible eye white and maximum eye temperature as non-invasive indicators of stress in dairy cows. <b>2018</b> , 198, 1-8	22
88	Prey cortisol affects the usefulness of fecal glucocorticoid metabolite concentration as an indicator of stress in a carnivore. <b>2018</b> , 96, 367-371	3
87	Systemic inflammatory and stress markers in cattle and sheep submitted to different reproductive procedures. <b>2018</b> , 48,	2
86	Effect of Artificial Piglet Suckling Sounds on Behavior and Performance of Piglets and Adrenal Responses of Sows. <b>2018</b> , 2018, 2762153	2
85	Behaviour and physiology of sheep exposed to ammonia at a similar concentration to those experienced by sheep during export by sea. <b>2018</b> , 205, 34-43	3
84	Exploring hair cortisol concentration as a novel tool to assess chronic stress in sheep with tick-borne fever. <b>2018</b> , 164, 110-119	5
83	Applications for non-invasive thyroid hormone measurements in mammalian ecology, growth, and maintenance. <b>2018</b> , 105, 66-85	20
82	Salivary Glucocorticoid and Fecal Glucocorticoid Metabolite Concentrations in Pony Mares During Transrectal Palpation of the Reproductive Tract by Veterinary Students. <b>2018</b> , 70, 7-12	1
81	HPLC-QTOF method for quantifying 11-ketoetiocholanolone, a cortisol metabolite, in ruminants' feces: Optimization and validation. <b>2018</b> , 8, 9218-9228	2
80	Non-invasive assessment of glucocorticoid and androgen metabolite levels in cooperatively breeding Damaraland mole-rats ( <i>Fukomys damarensis</i> ). <b>2018</b> , 266, 202-210	11
79	Monitoring corticoid metabolites in urine of white-tailed sea eagles: Negative effects of road proximity on breeding pairs. <b>2019</b> , 283, 113223	2

78	Cortisol in hair: a comparison between wild and feral cats in the north-eastern Alps. <b>2019</b> , 65, 1	7
77	Non-homogeneous distribution of steroids in fecal pellets: An example in brown brocket deer ( <i>Mazama gouazoubira</i> ) with progesterone metabolites. <b>2019</b> , 282, 113206	3
76	Attenuation, transport, and management of estrogens: A review. <b>2019</b> , 230, 462-478	29
75	Faecal metabolites and hair cortisol as biological markers of HPA-axis activity in the Rocky mountain goat. <b>2019</b> , 280, 147-157	15
74	Determination of Salivary Cortisol in Donkey Stallions. <b>2019</b> , 77, 68-71	9
73	Evaluation of fecal hormones for noninvasive research on reproduction and stress in humpback whales ( <i>Megaptera novaeangliae</i> ). <b>2019</b> , 280, 24-34	13
72	Non-invasive Fecal Steroid Measurements for Monitoring the Reproductive Status of a Critically Endangered Yangtze Finless Porpoises (). <b>2019</b> , 10, 606	2
71	Evaluation of Hair Characteristics and Animal Age on the Impact of Hair Cortisol Concentration in Feedlot Steers. <b>2019</b> , 6, 323	2
70	Measuring Faecal Glucocorticoid Metabolites to Assess Adrenocortical Activity in Reindeer. <b>2019</b> , 9,	2
69	Non-invasive monitoring of adrenocortical physiology in a threatened Australian marsupial, the western quoll (). <b>2019</b> , 7, coz069	4
68	Non-invasive measurement of glucocorticoids: Advances and problems. <b>2019</b> , 199, 229-243	214
67	Progesterone profiling in plasma during the estrous cycle in cattle using an LC-MS based approach. <b>2020</b> , 142, 376-383	3
66	Bioformation of boldenone and related precursors/metabolites in equine feces and urine, with relevance to doping control. <b>2020</b> , 12, 215-229	2
65	Fecal Metabolomics as a Novel Noninvasive Method for Short-Term Stress Monitoring in Beef Cattle. <b>2020</b> , 19, 845-853	3
64	Timed environmental exposure indicates sample stability for reliable noninvasive measurement of fecal cortisol metabolite concentrations in sheep. <b>2020</b> , 72, 106423	1
63	Measuring fecal metabolites of endogenous steroids using ESI-MS/MS spectra in Taiwanese pangolin, (order Pholidota, family Manidae, Genus: Manis): A non-invasive method for endangered species. <b>2020</b> , 299, 113607	2
62	The Analysis of Estrogen-Degrading and Functional Metabolism Genes in DSSKP-R-001. <b>2020</b> , 2020, 9369182	4
61	Higher dominance rank is associated with lower glucocorticoids in wild female baboons: A rank metric comparison. <b>2020</b> , 125, 104826	10

60	Social, Reproductive and Contextual Influences on Fecal Glucocorticoid Metabolites in Captive Yangtze Finless Porpoises ( <i>Neophocaena asiaeorientalis asiaeorientalis</i> ) and Bottlenose Dolphins ( <i>Tursiops truncatus</i> ). <b>2020</b> , 1, 24-41	5
59	Deslorelin subcutaneous implants in Oryx dammah males for reproductive control. <b>2020</b> , 149, 72-78	
58	Fate and Transport of Estrogens and Estrogen Conjugates in Manure-Amended Soils. <b>2020</b> , 183-199	1
57	It's getting hairy - External contamination may affect the validity of hair cortisol as an indicator of stress in pigs and cattle. <b>2020</b> , 295, 113531	7
56	Non-invasive monitoring of adrenocortical function in female domestic pigs using saliva and faeces as sample matrices. <b>2020</b> , 15, e0234971	1
55	Fecal stress, nutrition and reproductive hormones for monitoring environmental impacts on tigers (). <b>2020</b> , 8, coz091	6
54	Fecal progesterone and estrogen metabolite monitoring for cyclicity and pregnancy in southern tamandua ( <i>Tamandua tetradactyla</i> ). <b>2020</b> , 39, 239-245	1
53	Faecal glucocorticoid metabolites as a measure of adrenocortical activity in polar bears (). <b>2020</b> , 8, coaa012	2
52	Non-invasive stress evaluation in domestic horses (): impact of housing conditions on sensory laterality and immunoglobulin A. <b>2020</b> , 7, 191994	2
51	A non-invasive method to assess the reproductive status of the European badger ( <i>Meles meles</i> ) from urinary sex-steroid metabolites. <b>2021</b> , 301, 113655	4
50	Establishing models of corticosteroid patterns during the life history of killer whales ( <i>Orcinus orca</i> ) under human care. <b>2021</b> , 301, 113664	3
49	Shift of Maternal Gut Microbiota of Tibetan Antelope ( <i>Pantholops hodgsonii</i> ) During the Parturition Period. <b>2021</b> , 78, 727-738	3
48	Fecal glucocorticoid metabolites reflect hypothalamic-pituitary-adrenal axis activity in muskoxen ( <i>Ovibos moschatus</i> ). <b>2021</b> , 16, e0249281	1
47	Identification of Koala () Faecal Cortisol Metabolites Using Liquid Chromatography-Mass Spectrometry and Enzyme Immunoassays. <b>2021</b> , 11,	3
46	Steroid sulfates in domestic mammals and laboratory rodents. <b>2021</b> , 76, 106622	1
45	Measuring Faecal Glucocorticoid Metabolite Concentrations as an Indicator of Stress in Blue Wildebeest ( <i>Connochaetes taurinus</i> ). <b>2021</b> , 51,	
44	A field-friendly method of measuring faecal glucocorticoid metabolite concentration as a simple stress checker in snow leopards. <b>2021</b> , 12, 1734-1746	1
43	Evaluation of potential reproductive seasonality in brown brocket deer ( <i>Mazama gouazoubira</i> ) bucks. <b>2021</b> , 171, 104-112	1



42	Effects of faecal inorganic content variability on quantifying glucocorticoid and thyroid hormone metabolites in large felines: Implications for physiological assessments in free-ranging animals. <b>2021</b> , 310, 113833	0
41	Minimally invasive biomarkers to detect maternal physiological status in sow saliva and milk. <b>2021</b> , 15, 100369	1
40	Effect of growth and parturition on hair cortisol in Holstein cattle. <b>2021</b> , 92, e13518	0
39	Low levels of faecal cortisol in bank voles ( <i>Myodes glareolus</i> ) in response to live-trapping. <b>2021</b> , 27, 19-27	0
38	Comparative Aspects of Estrogen Biosynthesis and Metabolism and the Endocrinological Consequences in Different Animal Species. <b>1999</b> , 575-602	2
37	Sex and dose-dependent responses of urinary and faecal glucocorticoid metabolite concentrations following an ACTH challenge in eastern rock sengis ( <i>Elephantulus myurus</i> ). <b>2020</b> , 245, 110696	3
36	Hormones. <b>2009</b> , 186-234	1
35	Assessment of fecal steroid and thyroid hormone metabolites in eastern North Pacific gray whales. <b>2020</b> , 8, coaa110	6
34	Shift of maternal gut microbiome of Tibetan antelope ( <i>Pantholops hodgsonii</i> ) during the perinatal period.	2
33	Heart Rate Variability as an Indicator of Chronic Stress Caused by Lameness in Dairy Cows. <b>2015</b> , 10, e0134792	34
32	Low plasma cortisol and fecal cortisol metabolite measures as indicators of compromised welfare in domestic horses ( <i>Equus caballus</i> ). <b>2017</b> , 12, e0182257	38
31	A Survey on Endocrine Disrupting Chemicals in Animal Wastes Treated with Methane Fermentation. <b>2007</b> , 26, 62-68	
30	Hormones in Waste from Concentrated Animal Feeding Operations. <b>2007</b> , 291-329	
29	Steroid Hormones Generated by CAFOs. <b>2009</b> , 13-21	
28	Steroid Hormones and Enzymes. <b>2009</b> , 7-12	
27	Identification of Fecal Sex Steroid Metabolites and Evaluation of Ovarian Cycle and Pregnancy in Somali Wild Ass ( <i>Equus africanus somaliensis</i> ). <b>2014</b> , 19, 49-56	
26	In vitro Metabolic Changes of Glucocorticoids Added to the Faeces of Ruminants. <b>2014</b> , 9, 30-37	
25	In vitro Metabolic Changes in the Corticosteroidal Hormones in Faeces of Ruminants. <b>2015</b> , 3, 31-36	

- 24 Monitoramento não invasivo do estresse em animais silvestres mantidos em cativeiro. **2018**, 19,
- 23 MONITORING OF PROGESTERONE AND ESTRONE FECAL METABOLITES THROUGHOUT GESTATION IN EWES. **20**, ○
- 22 Comparing First Service Conception Rate Before and After Milking in Holstein Cows. **2019**, 10, 79-85
- 21 Ecological and human health risks of manure-borne steroid estrogens: A 20-year global synthesis study. **2022**, 301, 113708 ○
- 20 Effects of faecal inorganic contents in accurate measures of stress and nutrition hormone in large felines: implications for physiological assessments in free-ranging animals.
- 19 Temporal compositional shifts in an activated sludge microbiome during estrone biodegradation.. **2022**, 1 ○
- 18 Simultaneous investigation of urinary and faecal glucocorticoid metabolite concentrations reveals short- versus long-term drivers of HPA-axis activity in a wild primate (*Papio ursinus*).. **2022**, 113985 1
- 17 Insect-repelling behaviour in horses in relation to insect prevalence and access to shelters. **2022**, 247, 105560 1
- 16 Monitoring Blinks And Eyelid Twitches In Horses To Assess Stress During The Samples Collection Process.. **2021**, 1-10
- 15 Chapter 2. Presence and Metabolism of Endogenous Steroid Hormones in Meat-producing Animals. 48-96
- 14 Patterns of faecal glucocorticoid metabolite levels in captive roan antelope (*Hippotragus equinus*) in relation to reproductive status and season.. **2022**, 114052 1
- 13 Linking Glucocorticoid Variations to Monthly and Daily Behavior in a Wild Endangered Neotropical Primate (*Leontopithecus Chrysopygus*). ○
- 12 Dam (*Canis familiaris*) Welfare throughout the Peri-Parturient Period in Commercial Breeding Kennels. **2022**, 12, 2820 ○
- 11 Effects of vessel traffic and ocean noise on gray whale stress hormones. **2022**, 12, ○
- 10 Relationship between plasma, saliva, urinary and faecal cortisol levels in pigs. **2022**, 90, 768-772 ○
- 9 Multi-Endpoint Toxicity Tests and Effect-Targeting Risk Assessment of Surface Water and Pollution Sources in a Typical Rural Area in the Yellow River Basin, China. **2022**, 10, 502 ○
- 8 The Effect of Transportation on Puppy Welfare from Commercial Breeding Kennels to a Distributor. **2022**, 12, 3379 ○
- 7 Stress-associated metabolites vary with both season and habitat across populations of a climate sentinel species. **2022**, 54, 603-623 ○

- 6 Fecal cortisol metabolites reflect transport stress in 3-month-old dairy calves pre- and postweaning: A pilot study. **2023**, ○
- 5 Laissez-Faire Stallions? Males' Fecal Cortisol Metabolite Concentrations Do Not Vary with Increased Female Turnover in Feral Horses (*Equus caballus*). **2023**, 13, 176 1
- 4 Developmental toxicity and transcriptome analysis of equine estrogens in developing medaka (*Oryzias latipes*) using nanosecond pulsed electric field incorporation. **2023**, 266, 109547 ○
- 3 Comparative assessment of plasma cortisol and fecal corticoid metabolites (FCM) of Atlantic salmon (*Salmo salar* L.) subjected to acute- and long-term stress. **2023**, 568, 739299 ○
- 2 Bioconversion of 4-hydroxyestradiol by estradiol ring-cleavage dioxygenases from *Novosphingobium* sp. PP1Y. **2023**, 13, ○
- 1 Validation of Enzyme Immunoassays via an Adrenocorticotrophic Stimulation Test for the Non-Invasive Quantification of Stress-Related Hormone Metabolites in Naked Mole-Rats. **2023**, 13, 1424 ○