

CITATION REPORT

List of articles citing

Recommendations for the use of home (self) and ambulatory blood pressure monitoring. American Society of Hypertension Ad Hoc Panel

DOI: 10.1016/0895-7061(95)00341-x
American Journal of Hypertension, 1996, 9, 1-11.

Source: <https://exaly.com/paper-pdf/26770606/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 354 | Genetic variants of the renin-angiotensin system and ambulatory blood pressure in essential hypertension. 1997 , 15, 503-8 | | 14 |
| 353 | Low-dose oral contraceptives and 24-hour ambulatory blood pressure. 1997 , 59, 237-43 | | 49 |
| 352 | Endogenous erythropoietin correlates with blood pressure in essential hypertension. 1997 , 29, 376-82 | | 16 |
| 351 | Effects of controlled-onset extended-release verapamil on nocturnal blood pressure (dippers versus nondippers). COER-Verapamil Study Group. 1997 , 80, 469-74 | | 47 |
| 350 | Chronotherapeutics for cardiovascular disease. 1998 , 55, 631-43 | | 46 |
| 349 | Low-density lipoprotein oxidation and vitamins E and C in sustained and white-coat hypertension. <i>Hypertension</i> , 1998 , 31, 621-6 | 8.5 | 30 |
| 348 | White coat hypertension: time for action. 1998 , 98, 1834-6 | | 21 |
| 347 | Reference values for 24-hour ambulatory blood pressure monitoring based on a prognostic criterion: the Ohasama Study. <i>Hypertension</i> , 1998 , 32, 255-9 | 8.5 | 145 |
| 346 | What is the value of home (self) blood pressure monitoring in patients with hypertensive heart disease?. <i>American Journal of Hypertension</i> , 1998 , 11, 813-9 | 2.3 | 15 |
| 345 | Ambulatory blood pressure in the hypertensive population: patterns and prevalence of hypertensive subforms. 1998 , 16, 1735-43 | | 29 |
| 344 | Home blood pressure measurement has a stronger predictive power for mortality than does screening blood pressure measurement: a population-based observation in Ohasama, Japan. 1998 , 16, 971-5 | | 521 |
| 343 | Blood pressure biofeedback treatment, organ damage and sympathetic activity in mild hypertension. 1999 , 68, 341-7 | | 11 |
| 342 | Assessing ambulatory blood pressure in renal diseases: facts and concerns. 1999 , 14, 2564-8 | | 20 |
| 341 | Inadequate management of blood pressure in a hypertensive population. 1999 , 340, 1593; author reply 1594-5 | | 1 |
| 340 | Effect of alcohol abstinence on blood pressure: assessment by 24-hour ambulatory blood pressure monitoring. <i>Hypertension</i> , 1999 , 33, 653-7 | 8.5 | 78 |
| 339 | Comparison of oscillometric blood pressure measurements at the wrist with an upper-arm auscultatory mercury sphygmomanometer. 1999 , 26, 477-81 | | 15 |
| 338 | Home blood pressure teletransmission for better diagnosis and treatment. 1999 , 1, 489-94 | | 29 |

| | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 337 | Comparison of two home blood pressure monitors with a mercury sphygmomanometer in an ambulatory population. 1999 , 19, 333-9 | 3 |
| 336 | Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. 1999 , 41, 397-440 | 12 |
| 335 | Effects of combination antihypertensive therapy on baroreflex sensitivity and heart rate variability in systemic hypertension. 1999 , 83, 885-9 | 40 |
| 334 | Evaluation of Patients with Hypertension. 1999 , 5, 263-271 | |
| 333 | Blood pressure variability assessed by semiautomatic and ambulatorily functional devices for home use. 1999 , 21, 729-40 | 7 |
| 332 | What is "hypertension"?. 1999 , 353, 1541-3 | 29 |
| 331 | Determination of ambulatory blood pressure control in treated patients with controlled office blood pressures. 2000 , 5, 263-9 | 7 |
| 330 | Ambulatory blood pressure and neuroendocrine control after diet-assisted gastric restrictive surgery. 2000 , 18, 301-6 | 12 |
| 329 | Results of antihypertensive treatment by primary and secondary care physicians as assessed by ambulatory blood pressure monitoring. 2000 , 5, 223-6 | 4 |
| 328 | Diagnosis of hypertension using home or ambulatory blood pressure monitoring: comparison with the conventional strategy based on repeated clinic blood pressure measurements. 2000 , 18, 1745-51 | 84 |
| 327 | Contributing factors in resistant hypertension. Truly refractory disease is rarely found in a properly conducted workup. 2000 , 107, 57-60, 63-4, 67-8, 70 | 13 |
| 326 | Effect of pharmacist intervention and initiation of home blood pressure monitoring in patients with uncontrolled hypertension. 2000 , 20, 1384-9 | 115 |
| 325 | Importance of various methods of blood pressure measurement in clinical trials. 2000 , 2, 362-9 | 15 |
| 324 | Ambulatory blood pressure monitoring. 2000 , 2, 558-64 | 23 |
| 323 | Modern approaches to blood pressure measurement. 2000 , 57, 510-20 | 47 |
| 322 | Use and interpretation of ambulatory blood pressure monitoring: recommendations of the British hypertension society. 2000 , 320, 1128-34 | 288 |
| 321 | Prognostic value of ambulatory blood pressure : current evidence and clinical implications. <i>Hypertension</i> , 2000 , 35, 844-51 | 8.5 463 |
| 320 | White coat hypertension in type 1 diabetic patients without nephropathy. <i>American Journal of Hypertension</i> , 2000 , 13, 560-3 | 2.3 10 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 319 | Normal values of blood pressure self-measurement in view of the 1999 World Health Organization-International Society of Hypertension guidelines. <i>American Journal of Hypertension</i> , 2000 , 13, 940-3 | 2.3 | 27 |
| 318 | Impact of circadian amplitude and chronotherapy: relevance to prevention and treatment of stroke. 2001 , 55 Suppl 1, 125s-132s | | 14 |
| 317 | Blood pressure biofeedback treatment of white-coat hypertension. 2000 , 48, 161-9 | | 28 |
| 316 | Automedidas domiciliarias de presi3n arterial y su relaci3n con el diagn3stico de la hipertensi3n arterial y con la afecci3n org3nica: estudio comparativo con monitorizaci3n ambulatoria. 2000 , 115, 730-735 | | 17 |
| 315 | [Nocturnal arterial pressure and the cardiovascular risk factors in patients with arterial hypertension]. 2000 , 114, 85-8 | | 0 |
| 314 | [Self-measurement of arterial pressure: a critical review]. 2000 , 25, 644, 646-9 | | 7 |
| 313 | Equipos de monitorizaci3n ambulatoria de la presi3n arterial: normas e indicaciones para su utilizaci3n, an3lisis y valoraci3n de los diferentes par3metros. 2000 , 17, 307-316 | | |
| 312 | Automedidas de presi3n arterial domiciliarias con aparatos electr3nicos autom3ticos. Ventajas e inconvenientes en su utilizaci3n como t3cnica de medici3n de la presi3n arterial. 2000 , 17, 53-61 | | |
| 311 | [Self-measurement of blood pressure in primary care]. 2000 , 26, 261-6 | | 1 |
| 310 | Hypertension. 2001 , | | 1 |
| 309 | Effect of the angiotensin II type 2-receptor gene (+1675 G/A) on left ventricular structure in humans. 2001 , 37, 175-82 | | 76 |
| 308 | Hyperinsulinemia and hemostatic abnormalities are associated with silent lacunar cerebral infarcts in elderly hypertensive subjects. 2001 , 37, 871-7 | | 40 |
| 307 | Silent and clinically overt stroke in older Japanese subjects with white-coat and sustained hypertension. 2001 , 38, 238-45 | | 184 |
| 306 | Diferencias de presi3n arterial entre d3as laborables y festivos utilizando dispositivos autom3ticos de automedida en el domicilio. 2001 , 18, 357-363 | | |
| 305 | [Evolution of white coat hypertension to sustained hypertension. One year follow-up by ambulatory blood pressure monitoring]. 2001 , 116, 251-5 | | 4 |
| 304 | Ambulatory blood pressure monitoring: how important is it in estimating risk or guiding therapy?. 2001 , 3, 11-3 | | 2 |
| 303 | A plea for harmonising guidelines. 2001 , 79, 129-32 | | 0 |
| 302 | An evidence-based review of patient-centered behavioral interventions for hypertension. 2001 , 21, 221-32 | | 89 |

| | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 301 | [Variations in the prevalence and patient profile of white-coat syndrome, according to its definition using self-measurement of blood pressure at home]. 2001 , 28, 234-40 | 7 |
| 300 | Automedida de la presi3n arterial: estado actual de la cuesti3n. 2001 , 27, 70-79 | 7 |
| 299 | Detecci3n del fen3meno de bata blanca en atenci3n primaria. 2001 , 27, 51-53 | |
| 298 | Ambulatory blood pressure monitoring and clinical characteristics of the true and white-coat resistant hypertension. 2001 , 23, 203-11 | 34 |
| 297 | Usefulness of home blood pressure measurements in assessing the effect of treatment in a single-blind placebo-controlled open trial. 2001 , 19, 179-85 | 74 |
| 296 | Is C-reactive protein an independent risk factor for essential hypertension?. 2001 , 19, 857-61 | 203 |
| 295 | Evaluation of the overall efficacy of the Omron office digital blood pressure HEM-907 monitor in adults. 2001 , 6, 107-10 | 169 |
| 294 | How should we measure blood pressure in the doctor's office?. 2001 , 6, 257-62 | 44 |
| 293 | Reference values for ambulatory blood pressure and self-measured blood pressure based on prospective outcome data. 2001 , 6, 323-7 | 22 |
| 292 | Task Force II: blood pressure measurement and cardiovascular outcome. 2001 , 6, 355-70 | 141 |
| 291 | Self-measurement of blood pressure: accuracy, patient preparation for readings, technique and equipment. 2001 , 6, 133-8 | 24 |
| 290 | Reproducibility and cost of blood pressure self-measurement using the 'Loaned Self-measurement Equipment Model'. 2001 , 6, 225-32 | 5 |
| 289 | Clinic and ambulatory heart rate in sustained and white-coat hypertension. 2001 , 6, 239-44 | 5 |
| 288 | Evidence based treatment of hypertension. Measurement of blood pressure: an evidence based review. 2001 , 322, 908-11 | 94 |
| 287 | Relationships between 24 h blood pressure load and target organ damage in patients with mild-to-moderate essential hypertension. 2001 , 6, 115-23 | 33 |
| 286 | Using out of office blood pressure monitoring in the management of hypertension. 2001 , 3, 400-5 | 12 |
| 285 | Time course of aortic stiffness changes after acute myocardial infarction. 2001 , 10, 153-158 | |
| 284 | Blood pressure measuring devices: recommendations of the European Society of Hypertension. 2001 , 322, 531-6 | 588 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 283 | Blood pressure monitoring with home monitors versus mercury sphygmomanometer. 2001 , 35, 817-22 | | 17 |
| 282 | Stroke prognosis and abnormal nocturnal blood pressure falls in older hypertensives. <i>Hypertension</i> , 2001 , 38, 852-7 | 8.5 | 595 |
| 281 | The correlation between isolated interventricular septal hypertrophy and 24-h ambulatory blood pressure monitoring in apparently healthy air crew. 2002 , 7, 225-9 | | 7 |
| 280 | Wrist blood pressure-measuring devices: a comparative study of accuracy with a standard auscultatory method using a mercury manometer. 2002 , 7, 281-4 | | 18 |
| 279 | Disturbed circadian rhythm of urinary albumin excretion in non-dipper type of essential hypertension. 2002 , 22, 455-62 | | 17 |
| 278 | Systematic error in the determination of nocturnal blood pressure dipping status by ambulatory blood pressure monitoring. 2002 , 7, 131-4 | | 8 |
| 277 | Chronopharmacology of cardiovascular therapy. 2002 , 7, 199-207 | | 16 |
| 276 | . 2002 , 9, 123-129 | | 77 |
| 275 | Self-monitored blood pressure: a role in clinical practice?. 2002 , 7, 41-4 | | 10 |
| 274 | Psychological characteristics and responses to antihypertensive drug therapy. 2002 , 4, 25-34 | | 4 |
| 273 | The reliability of patient self-reported blood pressures. 2002 , 4, 259-64 | | 13 |
| 272 | Risk of cardiovascular disease in relation to achieved office and ambulatory blood pressure control in treated hypertensive subjects. 2002 , 39, 878-85 | | 115 |
| 271 | U-curve relationship between orthostatic blood pressure change and silent cerebrovascular disease in elderly hypertensives: orthostatic hypertension as a new cardiovascular risk factor. 2002 , 40, 133-41 | | 187 |
| 270 | Circadian variation of blood pressure and endothelial function in patients with essential hypertension: a comparison of dippers and non-dippers. 2002 , 40, 2039-43 | | 130 |
| 269 | How to use home blood pressure monitors in clinical practice. <i>American Journal of Hypertension</i> , 2002 , 15, 93-6 | 2.3 | 20 |
| 268 | [Validation of two systems of self-measurement of blood pressure, the OMRON HEM-705 CP and OMRON M1 (HEM 422C2-E) models]. 2002 , 30, 22-8 | | 23 |
| 267 | Factores que influyen en la hipertensi3n arterial refractaria. 2002 , 19, 163-171 | | 1 |
| 266 | Ambulatory blood pressure monitoring and white coat hypertension: saving costs. 2002 , 176, 571-2 | | 7 |

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 265 | Ambulatory blood pressure monitoring. 2002 , 176, 588-92 | 79 |
| 264 | Noninvasive 24-hour ambulatory blood pressure monitoring: overview of technology and clinical applications. 2002 , 22, 597-612 | 23 |
| 263 | White coat hypertension: understanding the concept and examining the significance. 2002 , 11, 715-22 | 9 |
| 262 | Comparison of trough effect of telmisartan vs perindopril using self blood pressure measurement: EVERESTE study. 2002 , 16, 865-73 | 23 |
| 261 | Improving the utility of the nocturnal hypertension definition by using absolute sleep blood pressure rather than the "dipping" proportion. 2003 , 92, 1439-41 | 49 |
| 260 | Favorable patient acceptance of ambulatory blood pressure monitoring in a primary care setting in the United States: a cross-sectional survey. 2003 , 4, 15 | 26 |
| 259 | Circulating homocysteine levels in sustained and white coat hypertension. 2003 , 17, 165-70 | 23 |
| 258 | Accuracy of telemedical home blood pressure measurement in the diagnosis of hypertension. 2003 , 17, 549-54 | 29 |
| 257 | Utilidad de la automedida de la presi3n arterial en el control del paciente hipertenso. 2003 , 20, 9-16 | |
| 256 | Hipertensi3n arterial de bata blanca o cl3nica aislada. 2003 , 20, 305-314 | |
| 255 | Importancia de la automedida de presi3n arterial domiciliaria en el diagn3stico de la hipertensi3n de Bata blanca2003, 20, 361-367 | |
| 254 | A practical approach to hypertension in the 21st century. 2003 , 14, 961-75 | 4 |
| 253 | Physician-nurse team approaches to improve blood pressure control. 2003 , 5, 386-92 | 4 |
| 252 | Using waist circumference as a screening tool to identify Colombian subjects at cardiovascular risk. 2003 , 10, 328-35 | 37 |
| 251 | Initial treatment of hypertension. 2003 , 348, 610-7 | 76 |
| 250 | Isolated ambulatory hypertension predicts cardiovascular morbidity in elderly men. 2003 , 107, 1297-302 | 277 |
| 249 | Seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. <i>Hypertension</i> , 2003 , 42, 1206-52 | 8.5 10207 |
| 248 | Morning surge in blood pressure as a predictor of silent and clinical cerebrovascular disease in elderly hypertensives. 2003 , 108, e72-3; author reply e72-3 | 27 |

| | | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 247 | Ambulatory blood pressure monitoring in the management of hypertension. 2003 , 89, 571-6 | 22 |
| 246 | Ambulatory blood pressure monitoring and prognosis in the management of essential hypertension. 2003 , 1, 79-89 | 8 |
| 245 | Greater impact of coexistence of hypertension and diabetes on silent cerebral infarcts. 2003 , 34, 2471-4 | 78 |
| 244 | Performance of the UA-787 oscillometric blood pressure monitor according to the European Society of Hypertension protocol. 2003 , 8, 91-5 | 23 |
| 243 | Increased C-reactive protein concentrations in never-treated hypertension: the role of systolic and pulse pressures. 2003 , 21, 1841-6 | 106 |
| 242 | Evaluation of two devices for self-measurement of blood pressure according to the international protocol: the Omron M5-I and the Omron 705IT. 2003 , 8, 127-33 | 188 |
| 241 | Therapeutic effects of evening administration of guanabenz and clonidine on morning hypertension: evaluation using home-based blood pressure measurements. 2003 , 21, 805-11 | 36 |
| 240 | Self-measured versus ambulatory blood pressure in the diagnosis of hypertension. 2003 , 21, 717-22 | 88 |
| 239 | Relevance of blood pressure variation in the circadian onset of cardiovascular events. 2003 , 21, S9-15 | 43 |
| 238 | Loaned self-measurement equipment model compared with ambulatory blood pressure monitoring. 2003 , 8, 63-70 | 6 |
| 237 | Ambulatory blood pressure measurement is indispensable to good clinical practice. 2003 , 21, S11-8 | 22 |
| 236 | European Society of Hypertension recommendations for conventional, ambulatory and home blood pressure measurement. 2003 , 21, 821-48 | 1173 |
| 235 | Ambulatory blood pressure monitoring in renal transplantation: should ABPM be routinely performed in renal transplant patients?. 2003 , 76, 1640-2 | 31 |
| 234 | Home or self blood pressure measurement? What is the correct term?. 2003 , 21, 2259-64 | 36 |
| 233 | Role of insulin resistance in nondipper essential hypertensive patients. 2003 , 26, 669-76 | 63 |
| 232 | Japanese society of hypertension (JSH) guidelines for self-monitoring of blood pressure at home. 2003 , 26, 771-82 | 271 |
| 231 | Relation of pulsatility of brachial artery pressure to resistant hypertension. 2004 , 27, 641-6 | |
| 230 | Home blood pressure monitoring: point-of-care testing. 2004 , 38, 868-73 | 8 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 229 | Home Blood Pressure Monitoring and Diabetes. 2004 , 22, 28-31 | | 3 |
| 228 | Endothelial NO synthase genotype and risk of preeclampsia: a multicenter case-control study. <i>Hypertension</i> , 2004 , 44, 702-7 | 8.5 | 112 |
| 227 | A double-blind ambulatory blood pressure monitoring study of the efficacy and tolerability of once-daily telmisartan 40 mg in comparison with losartan 50 mg in the treatment of mild-to-moderate hypertension in Taiwanese patients. 2004 , 58, 16-22 | | 14 |
| 226 | Diagnostic value of strategy for the detection of white coat hypertension based on ambulatory and home blood pressure monitoring. 2004 , 18, 85-9 | | 19 |
| 225 | Comparison of the antihypertensive effects of the fixed dose combination enalapril 10 mg/nitrendipine 20 mg vs losartan 50 mg/hydrochlorothiazide 12.5 mg, assessed by 24-h ambulatory blood pressure monitoring, in essential hypertensive patients. 2004 , 18, 215-22 | | 17 |
| 224 | Does blood pressure change in treated hypertensive patients depending on whether it is measured by a physician or a nurse?. 2004 , 13, 164-8 | | 7 |
| 223 | 17alpha-hydroxylase deficiency : biochemical and molecular findings in two sisters and their family. 2004 , 8, 171-8 | | |
| 222 | Medida de la presi3n arterial en el domicilio de pacientes hipertensos: ¿hay diferencias entre las lecturas registradas por el propio paciente o por un familiar?. 2004 , 21, 284-289 | | |
| 221 | Predictors of progression in hypertensive renal disease in children. 2004 , 6, 186-91 | | 1 |
| 220 | Why is self-monitoring reimbursed for blood glucose but not blood pressure?. 2004 , 6, 526-9 | | 0 |
| 219 | Progress on the development of the MediWatch ambulatory blood pressure monitor and related devices. 2004 , 9, 149-65 | | 29 |
| 218 | Hypertension: A Clinical Pharmacist's Synopsis of JNC 7. 2004 , 68, 71 | | |
| 217 | White coat hypertension in patients with obstructive sleep apnea-hypopnea syndrome. 2004 , 125, 817-22 | | 19 |
| 216 | Clinical prediction of normotension in borderline hypertensive men--a 10 year study. 2004 , 22, 471-8 | | 2 |
| 215 | Can improved software facilitate the wider use of ambulatory blood pressure measurement in clinical practice?. 2004 , 9, 237-41 | | 14 |
| 214 | Is the area under blood pressure curve the best parameter to evaluate 24-h ambulatory blood pressure monitoring data?. 2005 , 10, 263-70 | | 12 |
| 213 | White-coat hypertension in adults. 2005 , 10, 301-5 | | 44 |
| 212 | Validation of two devices for self-measurement of brachial blood pressure according to the International Protocol of the European Society of Hypertension: the SEINEX SE-9400 and the Microlife BP 3AC1-1. 2005 , 10, 325-31 | | 41 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|
| 211 | A reliable index for the prognostic significance of blood pressure variability. 2005 , 23, 505-11 | | 292 |
| 210 | Biofeedback-assisted relaxation training for essential hypertension: who is most likely to benefit?. <i>Journal of Cardiovascular Nursing</i> , 2005 , 20, 198-205 | 2.1 | 19 |
| 209 | Effect of the angiotensin-converting enzyme inhibitor perindopril on 24-hour blood pressure in patients with lacunar infarction: comparison between dippers and non-dippers. 2005 , 28, 571-8 | | 2 |
| 208 | Effects of valsartan and perindopril combination therapy on left ventricular hypertrophy and aortic arterial stiffness in patients with essential hypertension. 2005 , 61, 353-9 | | 54 |
| 207 | Beyond the Evidence of the New Hypertension Guidelines. Blood pressure measurement - is it good enough for accurate diagnosis of hypertension? Time might be in, for a paradigm shift (I). 2005 , 6, 6 | | 25 |
| 206 | Devices for ambulatory and home monitoring of blood pressure, lipids, coagulation, and weight management, part 1. 2005 , 62, 1802-12 | | 4 |
| 205 | How can we use the results of ambulatory blood pressure monitoring in clinical practice?. <i>Hypertension</i> , 2005 , 46, 25-6 | 8.5 | 18 |
| 204 | Ambulatory blood pressure and 10-year risk of cardiovascular and noncardiovascular mortality: the Ohasama study. <i>Hypertension</i> , 2005 , 45, 240-5 | 8.5 | 320 |
| 203 | Recommendations for blood pressure measurement in humans and experimental animals: part 1: blood pressure measurement in humans: a statement for professionals from the Subcommittee of Professional and Public Education of the American Heart Association Council on High Blood Pressure Research. 2005 , 111, 697-716 | | 1596 |
| 202 | Colombian study to assess the use of noninvasive determination of the endothelium-mediated vasodilation (CANDEV) II: does location of the occlusion device affects the accuracy of the diagnosis?. 2005 , 12, 107-11 | | 11 |
| 201 | Influence of Repeated Measurement on One Occasion, on Successive Days, and on Workdays on Home Blood Pressure Values. 2005 , 27, 215-222 | | 23 |
| 200 | Eficacia de la intervenci3n mediante automedici3n de la presi3n arterial en el control de la hipertensi3n arterial. 2005 , 22, 100-108 | | 3 |
| 199 | Circadian and circaseptan (about-weekly) aspects of immigrant Indians' blood pressure and heart rate in California, USA. 2005 , 59 Suppl 1, S76-85 | | 2 |
| 198 | Recommendations for blood pressure measurement in humans and experimental animals: Part 1: blood pressure measurement in humans: a statement for professionals from the Subcommittee of Professional and Public Education of the American Heart Association Council on High Blood Pressure Research. 2005 , 111, 697-716 | 8.5 | 1743 |
| 197 | Recommendations for blood pressure measurement in humans: an AHA scientific statement from the Council on High Blood Pressure Research Professional and Public Education Subcommittee. 2005 , 7, 102-9 | | 269 |
| 196 | Efficacy of Combination Antihypertensive Therapy with Low-Dose Indapamide: Assessment by Blood Pressure Self-Monitoring at Home. 2005 , 27, 331-341 | | 9 |
| 195 | Blood pressure variability and prognosis in uncomplicated mild hypertension. 2005 , 149, 934-8 | | 24 |
| 194 | Improving blood pressure control by tailored feedback to patients and clinicians. 2005 , 149, 795-803 | | 31 |

| | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 193 | [Effectiveness of self-monitoring of blood pressure in white coat hypertension diagnosis. Rationale and design]. 2005 , 35, 208-12 | 1 |
| 192 | Prognosis of "masked" hypertension and "white-coat" hypertension detected by 24-h ambulatory blood pressure monitoring 10-year follow-up from the Ohasama study. 2005 , 46, 508-15 | 459 |
| 191 | Eficacia de la intervenci3n mediante automedici3n de la presi3n arterial en el control de la hipertensi3n arterial. 2005 , 22, 100-108 | |
| 190 | Applications of 24-hour noninvasive ambulatory blood pressure monitoring. 2006 , 105, 955-63 | 9 |
| 189 | Hyperhomocysteinemia is a significant risk factor for silent cerebral infarction in patients with chronic renal failure undergoing hemodialysis. 2006 , 55, 656-61 | 16 |
| 188 | Measuring the efficacy of antihypertensive therapy by ambulatory blood pressure monitoring in the primary care setting. 2006 , 151, 176-84 | 55 |
| 187 | 24-hour ambulatory blood pressure monitoring. 2006 , 151, 962-8 | 11 |
| 186 | An effectiveness study comparing algorithm-based antihypertensive therapy with previous treatments using conventional and ambulatory blood pressure measurements. 2006 , 8, 241-50; quiz 251-2 | 1 |
| 185 | Increased high sensitivity C-reactive protein and neutrophil count are related to increased standard cardiovascular risk factors in healthy Chinese men. 2006 , 110, 191-8 | 21 |
| 184 | Ambulatory Monitoring. 2006 , | |
| 183 | Recommendations for Blood Pressure Measurement in Humans and Experimental Animals: Part 1. Blood Pressure Measurement in Humans. A Statement for Professionals From the Subcommittee of Professional and Public Education of the American Heart Association Council on High Blood Pressure Research. 2006 , 2006, 3-4 | 2 |
| 182 | Cardiovascular risk in patients receiving double therapy with false and true nonresponder hypertension. 2006 , 11, 303-7 | 4 |
| 181 | Home blood pressure self-monitoring: diagnostic performance in white-coat hypertension. 2006 , 11, 47-52 | 32 |
| 180 | Prevalence of the white-coat effect at multiple visits before and during treatment. 2006 , 24, 2357-63 | 32 |
| 179 | Clinical evaluation of the Braun BP 3000 Easy Click according to the ANSI/AAMI SP 10:2002. 2006 , 11, 91-5 | |
| 178 | Validation of two automatic devices for self-measurement of blood pressure according to the International Protocol of the European Society of Hypertension: the Omron M6 (HEM-7001-E) and the Omron R7 (HEM 637-IT). 2006 , 11, 165-71 | 112 |
| 177 | Improving patient outcomes with ambulatory blood pressure monitoring in elderly with hypertension. 2006 , 18, 104-15 | |
| 176 | A randomized, double-blind, placebo-controlled, parallel-group study to assess the efficacy and safety of dual ACE/NEP inhibitor GW660511X in mild-to-moderate hypertensive patients. 2006 , 20, 496-503 | 8 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 175 | Tissue Doppler imaging in the evaluation of left ventricular function in young adults with autosomal dominant polycystic kidney disease. 2006 , 47, 587-92 | | 15 |
| 174 | Ambulatory blood pressure for cardiovascular risk stratification. 2007 , 115, 2091-3 | | 46 |
| 173 | High-density lipoprotein cholesterol and insulin resistance are independent and additive markers of left ventricular hypertrophy in essential hypertension. 2007 , 30, 125-31 | | 15 |
| 172 | Home-measured blood pressure is more strongly associated with electrocardiographic left ventricular hypertrophy than is clinic blood pressure: the Finn-HOME study. 2007 , 21, 788-94 | | 34 |
| 171 | Defining Hypertension. 2007 , 49-57 | | 1 |
| 170 | Self-measurement of blood pressure at home reduces the need for antihypertensive drugs: a randomized, controlled trial. <i>Hypertension</i> , 2007 , 50, 1019-25 | 8.5 | 137 |
| 169 | Validation of the SAA-102 home blood pressure monitor according to the protocols of the European Society of Hypertension, the Association for the Advancement of Medical Instrumentation and the British Society of Hypertension. 2007 , 12, 363-8 | | 7 |
| 168 | Awakenings change results of nighttime ambulatory blood pressure monitoring. 2007 , 12, 9-15 | | 21 |
| 167 | Relative utility of home, ambulatory, and office blood pressures in the prediction of end-organ damage. <i>American Journal of Hypertension</i> , 2007 , 20, 476-82 | 2.3 | 37 |
| 166 | The Take Control of Your Blood pressure (TCYB) study: study design and methodology. 2007 , 28, 33-47 | | 45 |
| 165 | Ambulatory Blood Pressure Monitoring in Hypertension. 2007 , 85-92 | | |
| 164 | Out-of-Office Blood Pressure Monitoring. 2007 , 535-555 | | |
| 163 | White coat hypertension in childhood: evidence for end-organ effect. 2007 , 150, 491-7 | | 114 |
| 162 | The impact of perceived hypertension status on anxiety and the white coat effect. 2007 , 34, 1-9 | | 53 |
| 161 | Twenty-four hour ambulatory blood pressure in a population of elderly men. <i>Journal of Internal Medicine</i> , 2008 , 248, 501-510 | 10.8 | |
| 160 | ASH Position Paper: Home and ambulatory blood pressure monitoring. When and how to use self (home) and ambulatory blood pressure monitoring. 2008 , 10, 850-5 | | 55 |
| 159 | Managing white-coat effect. 2008 , 10, 649-54 | | 3 |
| 158 | [Normal values in self-blood pressure measurement in relation to the presence of target organ disease. Data from the VAMPAHICA study]. 2008 , 130, 321-6 | | |

157 Cardiology. **2008**, 95-126

156 Prognostic relevance of masked hypertension in subjects with prehypertension. *American Journal of Hypertension*, **2008**, 21, 879-83 2.3 42

155 Role of ambulatory blood pressure monitoring in the management of hypertension. **2008**, 65, 209-18 28

154 When and how to use self (home) and ambulatory blood pressure monitoring. **2008**, 2, 119-24 59

153 Ambulatory blood pressure is a better marker than clinic blood pressure in predicting cardiovascular events in patients with/without type 2 diabetes. *American Journal of Hypertension*, **2008**, 21, 443-50 2.3 155

152 Identification of hypertension and efficacy of treatment in a rural Australian population. **2008**, 30, 359-66 3

151 Utility of semiautomatic clinic and 24-h ambulatory blood pressure measurements to evaluate combination therapy: the Ramipril-Hydrochlorothiazide Hypertension trial. **2008**, 22, 559-68 5

150 Call to action on use and reimbursement for home blood pressure monitoring: a joint scientific statement from the American Heart Association, American Society Of Hypertension, and Preventive Cardiovascular Nurses Association. *Hypertension*, **2008**, 52, 10-29 8.5 339

149 Short- and long-term risk of cardiovascular events in white-coat hypertension. **2008**, 22, 408-14 36

148 Postchallenge plasma glucose and glycemic spikes are associated with pulse pressure in patients with impaired glucose tolerance and essential hypertension. **2008**, 31, 1565-71 8

147 The importance of the clinical observer in the development of a white-coat effect in African-American patients with hypertension. **2008**, 13, 139-42 8

146 Risk of atrial fibrillation in dipper and nondipper sustained hypertensive patients. **2008**, 13, 193-7 26

145 Call to action on use and reimbursement for home blood pressure monitoring: a joint scientific statement from the American Heart Association, American Society of Hypertension, and Preventive Cardiovascular Nurses Association. *Journal of Cardiovascular Nursing*, **2008**, 23, 299-323 2.1 49

144 Longitudinal association of sleep-disordered breathing and nondipping of nocturnal blood pressure in the Wisconsin Sleep Cohort Study. *Sleep*, **2008**, 31, 795-800 1.1 138

143 Home Blood Pressure Measurements Will Not Replace 24-Hour Ambulatory Blood Pressure Monitoring. *Hypertension*, **2009**, 54, 188-95 8.5 51

142 Clinical trial to assess the effect of physical exercise on endothelial function and insulin resistance in pregnant women. **2009**, 10, 104 17

141 Home blood pressure monitoring in clinical practice: a review. **2009**, 122, 803-10 31

140 What is the optimal interval between successive home blood pressure readings using an automated oscillometric device?. **2009**, 27, 1172-7 28

- 139 Preventing misdiagnosis of ambulatory hypertension: algorithm using office and home blood pressures. **2009**, 27, 1775-83 15
- 138 Importance of Therapy Intensification and Medication Nonadherence for Blood Pressure Control in Patients With Coronary Disease. **2009**, 2009, 14-16
- 137 Self-Measurement of Blood Pressure at Home Reduces the Need for Antihypertensive Drugs: A Randomized, Controlled Trial. **2009**, 2009, 54-55
- 136 Call to Action on Use and Reimbursement for Home Blood Pressure Monitoring: Executive Summary: A Joint Scientific Statement From the American Heart Association, American Society of Hypertension, and Preventive Cardiovascular Nurses Association. **2009**, 2009, 82-84
- 135 Office and 24-h ambulatory blood pressure control by treatment in general practice: the 'Monitoraggio della pressione ARteriosa nella medicina TErritoriale' study. **2010**, 28, 910-7 24
- 134 Ambulatory blood pressure monitoring in type 2 diabetes and metabolic syndrome: a review. **2010**, 15, 1-7 28
- 133 Computerized reporting improves the clinical use of ambulatory blood pressure measurement. **2010**, 15, 115-23 7
- 132 A proposed algorithm for diagnosing hypertension using automated office blood pressure measurement. **2010**, 28, 703-8 57
- 131 Effect of self-measurement of blood pressure on adherence to treatment in patients with mild-to-moderate hypertension. **2010**, 28, 622-7 29
- 130 Definition of ambulatory blood pressure targets for diagnosis and treatment of hypertension in relation to clinic blood pressure: prospective cohort study. **2010**, 340, c1104 110
- 129 Stress biomarkers as outcomes for HIV+ prevention: participation, feasibility and findings among HIV+ Latina and African American mothers. **2010**, 14, 339-50 16
- 128 Nighttime blood pressure: a target for therapy?. **2010**, 12, 474-9 8
- 127 Knowledge, perceptions and practices of lifestyle-modification measures among adult hypertensives in Nigeria. **2010**, 104, 55-60 24
- 126 Glu298Asp polymorphism of the endothelial nitric oxide synthase gene and plasma concentrations of asymmetric dimethylarginine in Turkish pre-eclamptic women without fetal growth retardation. **2010**, 36, 495-501 15
- 125 Correlation Between Nocturnal Dip and Progression of Glaucoma. **2010**, 51, 1471 4
- 124 Home Blood Pressure Measurement. **2010**, 1, 46-56
- 123 Review of isolated systolic hypertension in older adults. **2010**, 25, 374-8 1
- 122 Are metabolic risk factors and target organ damage more frequent in masked hypertension than in white coat hypertension?. **2010**, 32, 480-5 11

| | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 121 | Self blood pressure monitoring: a worthy substitute for ambulatory blood pressure?. 2010 , 24, 801-6 | 25 |
| 120 | Validez de la automedida de la presi3n arterial en el diagn3stico de hipertensi3n arterial, hipertensi3n cl3nica aislada e hipertensi3n enmascarada. 2010 , 27, 146-153 | 0 |
| 119 | El ejercicio f3sico aer3bico incrementa la vasodilataci3n dependiente del endotelio y el consumo de ox3geno de mujeres primigestantes saludables. Ensayo cl3nico controlado, aleatorizado. NCT00741312. 2010 , 17, 273-281 | |
| 118 | When and how to use self (home) and ambulatory blood pressure monitoring. 2010 , 4, 56-61 | 69 |
| 117 | Usefulness of assessing masked and white-coat hypertension by ambulatory blood pressure monitoring for determining prevalent risk of chronic kidney disease: the Ohasama study. 2010 , 33, 1192-8 | 34 |
| 116 | Morning hypertension in treated hypertensives: baseline characteristics and clinical implications. 2011 , 41, 733-43 | 5 |
| 115 | Combined effects of office and 24-h blood pressure on aortic stiffness in human hypertension. 2011 , 29, 869-75 | 33 |
| 114 | A factorial randomized controlled trial to evaluate the effect of micronutrients supplementation and regular aerobic exercise on maternal endothelium-dependent vasodilatation and oxidative stress of the newborn. 2011 , 12, 60 | 16 |
| 113 | Demonstration of safety in Alzheimer's patients for intervention with an anti-hypertensive drug Nilvadipine: results from a 6-week open label study. 2011 , 26, 1038-45 | 31 |
| 112 | Home blood pressure monitoring in the diagnosis and treatment of hypertension: a systematic review. <i>American Journal of Hypertension</i> , 2011 , 24, 123-34 | 2,3 116 |
| 111 | Can pulse pressure predict the white-coat effect in treated hypertensive patients?. 2012 , 34, 555-60 | 7 |
| 110 | The Japanese Society of Hypertension Guidelines for Self-monitoring of Blood Pressure at Home (Second Edition). 2012 , 35, 777-95 | 135 |
| 109 | The great myth of office blood pressure measurement. 2012 , 30, 1894-8 | 79 |
| 108 | Does home blood pressure allow for a better assessment of the white-coat effect than ambulatory blood pressure?. 2012 , 30, 2118-24 | 6 |
| 107 | Meal-induced blood pressure variation and cardiovascular mortality in ambulatory hypertensive elderly patients: preliminary results. 2012 , 30, 2125-32 | 21 |
| 106 | Design and rationale for Home Blood Pressure Telemonitoring and Case Management to Control Hypertension (HyperLink): a cluster randomized trial. 2012 , 33, 794-803 | 27 |
| 105 | Challenges in blood pressure self-measurement. 2012 , 2012, 437350 | 9 |
| 104 | Blood pressure measurement: clinic, home, ambulatory, and beyond. 2012 , 60, 449-62 | 64 |

| | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 103 | Home and office blood pressure monitoring in renal transplant recipients. 2012 , 2012, 702316 | 9 |
| 102 | Is it possible to manage hypertension and evaluate therapy without ambulatory blood pressure monitoring?. 2012 , 14, 366-73 | 11 |
| 101 | Ambulatory blood pressure monitoring: from old concepts to novel insights. 2012 , 44, 173-82 | 18 |
| 100 | Effect of home blood pressure telemonitoring and pharmacist management on blood pressure control: a cluster randomized clinical trial. 2013 , 310, 46-56 | 324 |
| 99 | Non-dipping pattern of nocturnal blood pressure in obstructive sleep apnea syndrome: Possible role of oxidative stress and endothelin-1 precursor Available online 14 February 2013 View all notes Peer review under responsibility of Alexandria University Faculty of Medicine. View all notes. 2013 , 49, 153-161 | 1 |
| 98 | What should we know about white coat hypertension. 2013 , 2, 33-37 | |
| 97 | Ambulatory Blood Pressure Monitoring in Clinical Hypertension Management. 2013 , 57-63 | |
| 96 | Defining Hypertension. 2013 , 27-33 | |
| 95 | Bringing the laboratory and clinic to the community: mobile technologies for health promotion and disease prevention. 2013 , 64, 471-98 | 113 |
| 94 | Labile hypertension: characteristics of a referred cohort. 2013 , 35, 207-12 | 1 |
| 93 | The effect of non-dipper and dipper blood pressure patterns on aortic elasticity in patients with metabolic syndrome. 2013 , 35, 632-6 | 6 |
| 92 | Relationship among Water-Shed Zone, Nocturnal Dip and Visual Field Progression in Open Angle Glaucoma. 2014 , 55, 1030 | |
| 91 | Completion of therapeutic and safety monitoring tests in Lebanese outpatients on chronic medications: a cross-sectional study. 2014 , 8, 1195-204 | 9 |
| 90 | The Relationship between Non-Dipper Blood Pressure and Thoracic Aortic Diameter in Metabolic Syndrome. 2014 , 46, 120-5 | 6 |
| 89 | Is mini-mental score examination scoring a new predictor of uncontrolled hypertension?. 2014 , 16, 348-53 | 7 |
| 88 | Update: ambulatory blood pressure monitoring in children and adolescents: a scientific statement from the American Heart Association. <i>Hypertension</i> , 2014 , 63, 1116-35 | 8.5 387 |
| 87 | Uneven Accuracy of Home Blood Pressure Measurement: A Multicentric Survey. 2015 , 17, 638-43 | 8 |
| 86 | A cross-sectional study of Colombian University students' self-perceived lifestyle. 2015 , 4, 289 | 6 |

| | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 85 | Refractory Hypertension: Evidence of Heightened Sympathetic Activity as a Cause of Antihypertensive Treatment Failure. <i>Hypertension</i> , 2015 , 66, 126-33 | 8.5 | 70 |
| 84 | A Successful Multifaceted Trial to Improve Hypertension Control in Primary Care: Why Did it Work?. 2015 , 30, 1665-72 | | 33 |
| 83 | Managing hypertension with ambulatory blood pressure monitoring. 2015 , 17, 2 | | 15 |
| 82 | Thresholds for Diagnosing Hypertension Based on Automated Office Blood Pressure Measurements and Cardiovascular Risk. <i>Hypertension</i> , 2015 , 66, 489-95 | 8.5 | 76 |
| 81 | Clinical value of ambulatory blood pressure: evidence and limits. 2015 , 116, 1034-45 | | 120 |
| 80 | White coat hypertension and obstructive sleep apnea. 2015 , 19, 1199-203 | | 3 |
| 79 | Ambulatory Blood Pressure Monitoring in the Diagnosis, Prognosis, and Management of Resistant Hypertension: Still a Matter of our Resistance?. 2015 , 17, 78 | | 11 |
| 78 | White Coat Hypertension: Definition, Terminology and Prevalence. 2015 , 1-19 | | |
| 77 | Development of a real time blood pressure, temperature measurement and reporting system for inpatients. 2016 , 11, 225-232 | | 2 |
| 76 | Hypertension: Implications of Current JNC 8 Guidelines on Treatment. 2016 , 30-49 | | |
| 75 | Abnormal circadian blood pressure regulation in children with nocturnal enuresis. 2016 , 38, 899-905 | | 3 |
| 74 | The effects of urate lowering therapy on inflammation, endothelial function, and blood pressure (SURPHER) study design and rationale. 2016 , 50, 238-44 | | 4 |
| 73 | Blood Pressure Variability, Antihypertensive Therapy and Stroke Risk. 2016 , 233-244 | | |
| 72 | Blood Pressure Self-Measurement. 2017 , 956, 97-107 | | 4 |
| 71 | Blood Pressure Management in Hemodialysis Patients: What We Know And What Questions Remain. 2017 , 30, 203-212 | | 15 |
| 70 | The role of occult hypertension in retinal vein occlusions and diabetic retinopathy. 2017 , 52, 225-228 | | 3 |
| 69 | Twenty-four-hour ambulatory blood pressure monitoring for clinical evaluation of hypertensive patients in primary care: which groups would most benefit?. 2017 , 22, 72-78 | | 3 |
| 68 | The role of occult hypertension in retinal vein occlusions and diabetic retinopathy. 2017 , 52 Suppl 1, S30-S33 | | 5 |

| | | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 67 | White-Coat Effect Is Uncommon in Patients With Refractory Hypertension. <i>Hypertension</i> , 2017 , 70, 645-654 | 15 |
| 66 | [Usefulness of different techniques of blood pressure measurements in 2016]. 2017 , 38, 243-249 | |
| 65 | Arterioventricular interaction after coarctation repair. 2018 , 201, 49-53 | 4 |
| 64 | Smart blood pressure holter. 2018 , 156, 1-12 | 3 |
| 63 | Long-term results of balloon angioplasty for native coarctation of the aorta in childhood in comparison with surgery. 2018 , 53, 262-268 | 9 |
| 62 | Ambulatory Blood Pressure Monitoring in Clinical Hypertension Management. 2018 , 96-103 | |
| 61 | Long-term renal follow-up of children treated with cisplatin, carboplatin, or ifosfamide: a pilot study. 2018 , 33, 2311-2320 | 20 |
| 60 | Key components of success in a randomized trial of blood pressure telemonitoring with medication therapy management pharmacists. 2018 , 58, 614-621 | 9 |
| 59 | Guidelines for blood pressure measurement: development over 30 years. 2018 , 20, 1089-1091 | 11 |
| 58 | Refractory Hypertension Is not Attributable to Intravascular Fluid Retention as Determined by Intracardiac Volumes. <i>Hypertension</i> , 2018 , 72, 343-349 | 8.5 19 |
| 57 | Elevated preoperative blood pressures in adult surgical patients are highly predictive of elevated home blood pressures. 2018 , 12, 303-310 | 5 |
| 56 | Masked Uncontrolled Hypertension Is Not Attributable to Medication Nonadherence. <i>Hypertension</i> , 2019 , 74, 652-659 | 8.5 8 |
| 55 | Promoting Consumer Engagement in Health and Health Care. 2019 , 3-24 | 3 |
| 54 | A clinical evaluation of blood pressure measurement by iHealth BP5 in pregnancy. <i>Pregnancy Hypertension</i> , 2019 , 17, 69-74 | 2.6 |
| 53 | Evaluation and Treatment of Hypertension. 2019 , 251-270 | |
| 52 | Out-of-Clinic Sympathetic Activity Is Increased in Patients With Masked Uncontrolled Hypertension. <i>Hypertension</i> , 2019 , 73, 132-141 | 8.5 18 |
| 51 | Antihypertensive Medication Adherence and Confirmation of True Refractory Hypertension. <i>Hypertension</i> , 2020 , 75, 510-515 | 8.5 10 |
| 50 | Reserpine Substantially Lowers Blood Pressure in Patients With Refractory Hypertension: A Proof-of-Concept Study. <i>American Journal of Hypertension</i> , 2020 , 33, 741-747 | 2.3 9 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 49 | Ambulatory Blood Pressure Monitoring to Diagnose and Manage Hypertension. <i>Hypertension</i> , 2021 , 77, 254-264 | 8.5 | 13 |
| 48 | Advances in Ambulatory Blood Pressure Monitoring for the Evaluation of Antihypertensive Therapy in Research and Practice. 2001 , 273-298 | | 4 |
| 47 | Ambulatory Monitoring of Blood Pressure. 2001 , 57-75 | | 6 |
| 46 | Prognostic Value of Ambulatory Blood Pressure Monitoring. 2001 , 191-218 | | 2 |
| 45 | Evaluation of Journals, Diaries, and Indexes of Work-Site and Environmental Stress. 2007 , 39-58 | | 9 |
| 44 | Ambulatory Monitoring of Blood Pressure: An Overview of Devices, Analyses, and Clinical Utility. 2016 , 55-76 | | 1 |
| 43 | Twenty-four hour ambulatory blood pressure in a population of elderly men. <i>Journal of Internal Medicine</i> , 2000 , 248, 501-10 | 10.8 | 23 |
| 42 | Factors influencing blood pressure: development of a risk model. <i>Journal of Cardiovascular Nursing</i> , 2000 , 15, 62-79 | 2.1 | 10 |
| 41 | Ambulatory blood pressure monitoring. <i>Southern Medical Journal</i> , 2003 , 96, 563-8 | 0.6 | 16 |
| 40 | Personalized Hypertension Management Using Patient-Generated Health Data Integrated With Electronic Health Records (EMPOWER-H): Six-Month Pre-Post Study. <i>Journal of Medical Internet Research</i> , 2017 , 19, e311 | 7.6 | 32 |
| 39 | Prevalence, predictive factor, and clinical significance of white-coat hypertension and masked hypertension in Korean hypertensive patients. <i>Korean Journal of Internal Medicine</i> , 2007 , 22, 256-62 | 2.5 | 19 |
| 38 | Impact of Different Normality Thresholds for 24-hour ABPM at the Primary Health Care Level. <i>Arquivos Brasileiros De Cardiologia</i> , 2017 , 108, 143-148 | 1.2 | 7 |
| 37 | White-Coat Hypertension: State of the Art. <i>Developments in Cardiovascular Medicine</i> , 2000 , 343-349 | | |
| 36 | Special Situations in the Management of Hypertension. 2001 , 252-274 | | |
| 35 | Evaluation of Journals, Diaries, and Indexes of Worksite and Environmental Stress. 2001 , 29-44 | | |
| 34 | Arterielle Hypertonie. 2002 , 590-663 | | |
| 33 | Special Situations in the Management of Hypertension. 2003 , 257-281 | | |
| 32 | 24-hour blood pressure monitoring in clinical practice: do we overestimate its value?. <i>Arterial Hypertension (Russian Federation)</i> , 2004 , 10, 5-12 | 0.7 | 3 |

- 31 Initial Choices in the Treatment of Hypertension. **2005**, 507-511
- 30 Sovremennye podkhody k diagnostike arterial'noy gipertenzii. *Obesity and Metabolism*, **2006**, 3, 2-10 0.6
- 29 Home Monitoring of Blood Pressure. **2007**, 69-84
- 28 Hypertension. **2007**, 428-449
- 27 Case 21. Hypertension. **2009**,
- 26 Intrarenal blood flow Doppler spectra in diabetes mellitus type 2. *Arterial Hypertension (Russian Federation)*, **2009**, 15, 652-659 0.7
- 25 Arterielle Hypertonie. **2010**, 361-406
- 24 Home Blood Pressure Measurement. **2012**, 278-289
- 23 Hypertension [Diagnosis And Treatment. *Developments in Cardiovascular Medicine*, **1999**, 127-147
- 22 Could Ambulatory Blood Pressure Monitoring Be a Routine Investigation for Patients with Mild Cognitive Impairment?. *Neuroscience and Medicine*, **2015**, 06, 50-57 0.3
- 21 13. High Blood Pressure. **2016**,
- 20 Effects of intranasal mometasone furoate on blood pressure in patients with allergic rhinitis. *Allergologie Select*, **2018**, 2, 138-143 4.1 1
- 19 White-Coat and Masked Hypertension. **2018**, 104-114
- 18 Guidelines for Home Blood Pressure Monitoring. *Updates in Hypertension and Cardiovascular Protection*, **2020**, 165-170 0.1 0
- 17 Self-Monitoring of Blood Pressure. **2007**, 3-37
- 16 Prognostic Value of Ambulatory Blood Pressure Monitoring. **2007**, 225-252
- 15 Ambulatory Monitoring of Blood Pressure. **2007**, 73-95
- 14 Arterielle Hypertonie. **2007**, 351-396

| | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 13 | 1999 Canadian recommendations for the management of hypertension. Task Force for the Development of the 1999 Canadian Recommendations for the Management of Hypertension. <i>Cmaj</i> , 1999 , 161 Suppl 12, S1-17 | 3.5 | 38 |
| 12 | Clinical problem solving based on the 1999 Canadian recommendations for the management of hypertension. <i>Cmaj</i> , 1999 , 161 Suppl 12, S18-22 | 3.5 | 2 |
| 11 | Diagnosis and treatment of high blood pressure. New directions and new approaches: 1999 Canadian recommendations for management of hypertension. <i>Canadian Family Physician</i> , 2000 , 46, 1479-84 | 0.9 | 1 |
| 10 | Validation of four automatic devices for self-measurement of blood pressure according to the International Protocol of the European Society of Hypertension. <i>Vascular Health and Risk Management</i> , 2007 , 3, 389-400 | 4.4 | 47 |
| 9 | Sleep disordered breathing and hypertension: does self-reported sleepiness modify the association?. <i>Sleep</i> , 2008 , 31, 1127-32 | 1.1 | 82 |
| 8 | The 894T allele of endothelial nitric oxide synthase gene is related to left ventricular mass in African Americans with high-normal blood pressure. <i>Journal of the National Medical Association</i> , 2005 , 97, 197-205 | 2.3 | 11 |
| 7 | Routine self-tracking of health: reasons, facilitating factors, and the potential impact on health management practices. 2017 , 2017, 706-714 | 0.7 | 6 |
| 6 | Reach in a pragmatic hypertension trial: A critical RE-AIM component. 2022 , 106896 | | |
| 5 | Addressing global disparities in blood pressure control: perspectives of the International Society of Hypertension. | | 0 |
| 4 | Role of Ambulatory Blood Pressure Monitoring in Hypertensive Patients Having Controlled Office Blood Pressure. 2022 , | | 0 |
| 3 | Factors Associating with Non-Dipping Pattern of Nocturnal Blood Pressure in Patients with Essential Hypertension. 2023 , 12, 570 | | 0 |
| 2 | Remote physiologic monitoring for hypertension in primary care: a prospective pragmatic pilot study in electronic health records using propensity score matching. 2023 , 6, | | 0 |
| 1 | Adverse cardiac remodeling is absent in patients with true controlled resistant hypertension. | | 0 |