CITATION REPORT List of articles citing

EuroQol: the current state of play

DOI: 10.1016/0168-8510(96)00822-6 Health Policy, 1996, 37, 53-72.

Source: https://exaly.com/paper-pdf/26783420/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2286	9 Economic evaluation in obstetrics and gynaecology. 1996 , 10, 661-675		
2285	Measuring patient benefit from botulinum toxin in the treatment of dystonia. Feasibility of cost-utility analysis. 1997 , 12, 675-84		9
2284	Comment: Aggregating Health State Valuations. 1997 , 2, 166-167		1
2283	The comparability and reliability of five health-state valuation methods. 1997, 45, 1641-52		108
2282	Use of the EuroQoL among elderly acute care patients. 1998 , 7, 1-10		66
2281	Health-related quality of life following liver transplantation. 1998, 7, 115-20		64
2280	Proxy-perceived prior health status and hospital outcome among the critically ill: is there any relationship?. 1998 , 24, 691-8		22
2279	Health economics and quality of life in cancer trials: report based on a UKCCCR workshop. United Kingdom Coordinating Committee on Cancer Research. 1998 , 77, 1543-8		10
2278	The cost-effectiveness of preference-based treatment allocation: the case of hysterectomy versus endometrial resection in the treatment of menorrhagia. 1998 , 7, 129-42		21
2277	Using the person trade-off approach to examine differences between individual and social values. 1998 , 7, 307-12		33
2276	Effect of dystonia and botulinum toxin treatment on health-related quality of life. 1998 , 13, 941-6		54
2275	Randomized double-blind placebo-controlled multicenter evaluation of efficacy and dose finding of midodrine hydrochloride in women with mild to moderate stress urinary incontinence: a phase II study. 1998 , 9, 145-50		32
2274	Economic evaluation of rehabilitation: The quality of life approach using EuroQol. 1998 , 4, 192-201		2
2273	A survey of women's preferences regarding alternative surgical treatments for menorrhagia. 1998 , 1, 96-105		14
2272	Economic evaluation of end stage renal disease treatment. <i>Health Policy</i> , 1998 , 44, 215-32	3.2	161
2271	Translation, validation, and norming of the Dutch language version of the SF-36 Health Survey in community and chronic disease populations. 1998 , 51, 1055-68		2250
2270	Sequence effects, health profiles, and the QALY model: in search of realistic modeling. 1998 , 18, 178-86	5	57

2269	Intermittent claudication: symptom severity versus health values. 1998 , 27, 422-30	48
2268	An outline for a cost-effectiveness analysis of a drug for patients with Alzheimer's disease. 1998 , 13, 21-34	31
2267	The influence of ill-health experience on the valuation of health. 1998 , 13, 687-96	40
2266	Validation of a harmonized Spanish version of the IPSS: evidence of equivalence with the original American scale. International Prostate Symptom Score. 1998 , 52, 614-20	58
2265	A cost-utility analysis of abdominal hysterectomy versus transcervical endometrial resection for the surgical treatment of menorrhagia. 1998 , 14, 302-19	39
2264	Short-term effects of population-based screening for prostate cancer on health-related quality of life. 1998 , 90, 925-31	133
2263	Variations in population health status: results from a United Kingdom national questionnaire survey. 1998 , 316, 736-41	773
2262	Qualitative comparison of the reliability of health status assessments with the EuroQol and SF-36 questionnaires after stroke. United Kingdom Collaborators in the International Stroke Trial. 1998 , 29, 63-8	182
2261	Abandoning babies safely. 1999 , 319, 1546	
2260	Randomised controlled trial of exercise for low back pain: clinical outcomes, costs, and preferences. 1999 , 319, 279-83	262
2259	Reliability and validity of the EuroQol in patients with osteoarthritis of the knee. 1999 , 38, 807-13	154
2258	The ARTS (Arterial Revascularization Therapies Study): Background, goals and methods. 1999 , 2, 41-50	17
2257	The measurement of health related quality of life. 1999 , 81, 331-2	15
2257	The measurement of health related quality of life. 1999, 81, 331-2 Quality of life pre and post epilepsy surgery. 2000, 38, 67-74	15 60
37		
2256	Quality of life pre and post epilepsy surgery. 2000 , 38, 67-74	60
2256	Quality of life pre and post epilepsy surgery. 2000 , 38, 67-74 Public involvement in health care priority setting: an economic perspective. 1999 , 2, 235-244 Methodological limitations of cost-effectiveness analysis in health care: implications for decision	60

2251	Measuring Quality of Live in Disorders of Sleep and Breathing. 1999 , 3, 139-146	4
2250	Economic evaluation of cancer treatments: a review of the methods. 1999 , 11, 78-83	4
2249	Health-related quality of life of Colles' fracture patients. 1999 , 9, 196-9	59
2248	[Common effect measures in medical and health economics studies? Results of an exploratory survey of physicians]. 1999 , 94, 665-72	1
2247	Cost-utility analysis of pacemakers for the treatment of vasovagal syncope. 1999 , 84, 1356-9, A8	10
2246	Inconsistent responses in three preference-elicitation methods for health states. 1999 , 49, 943-50	48
2245	Internal consistency and validity of an observational method for assessing disability in mobility in patients with osteoarthritis. 1999 , 12, 19-25	22
2244	Modelling the EuroQol data: a comparison of discrete choice conjoint and conditional preference modelling. 1999 , 8, 103-16	53
2243	A comparison of patient and social tariff values derived from the time trade-off method. 1999 , 8, 541-5	29
2242	The role of a pre-scored multi-attribute health classification measure in validating condition-specific health state descriptions. 1999 , 8, 685-99	7
2241	Quality of life after infrainguinal bypass grafting surgery. Dutch Bypass Oral Anticoagulants or Aspirin (BOA) Study Group. 1999 , 29, 913-9	53
2240	Benefit valuation in economic evaluation of cancer therapies. A systematic review of the published literature. 1999 , 16, 17-31	2
2239	Quality of life instruments in oncology. 1999 , 35, 1571-80	98
2238	The effect of adding a cognitive dimension to the EuroQol multiattribute health-status classification system. 1999 , 52, 293-301	169
2237	Estimating parametric relationships between health description and health valuation with an application to the EuroQol EQ-5D. 1999 , 18, 551-71	55
2236	Priorities in healthcare: a perspective from Spain. <i>Health Policy</i> , 1999 , 50, 55-70 3.2	8
2235	Spinal-cord stimulation in critical limb ischaemia: a randomised trial. ESES Study Group. 1999 , 353, 1040-4	144
2234	Quality-adjusted life-years and other health indices: a comparative analysis. 1999 , 21, 1605-29; discussion 1604	6

(2000-1999)

2233	Assessing quality of life in dementia. 1999 , 3, 101-111	45
2232	Randomised controlled trial of effectiveness of Leicester hospital at home scheme compared with hospital care. 1999 , 319, 1542-6	75
2231	A randomized study comparing instruments for measuring health-related quality of life in HIV-infected patients. Spanish MOS-HIV and MQOL-HIV Validation Group. Medical Outcomes Study HIV Health Survey. 1999 , 13, 1727-35	54
2230	Effect of age on health state valuations. 2000 , 5, 17-21	33
2229	Consumers' willingness to pay for pharmacy services that reduce risk of medication-related problems. 2000 , 40, 818-27	22
2228	Cost utility analysis of sildenafil compared with papaverine-phentolamine injections. 2000 , 320, 1165-8	48
2227	Understanding the choices that patients make. 2000 , 13, 124-33	26
2226	Preference-based health outcome measures in low back pain. 2000 , 25, 3161-6	29
2225	Measuring health state preferences in women with breast hypertrophy. 2000 , 106, 280-8	48
2224	Sensitivity and perspective in the valuation of health status: whose values count?. 2000 , 9, 109-26	149
2223	A guide to undertaking economic evaluations within randomized controlled trials of treatments for lower urinary tract symptoms. 2000 , 85 Suppl 1, 36-41	1
2222	The effect of endometriosis and its radical laparoscopic excision on quality of life indicators. 2000 , 107, 44-54	215
2221	The Octopus Study: rationale and design of two randomized trials on medical effectiveness, safety, and cost-effectiveness of bypass surgery on the beating heart. 2000 , 21, 595-609	33
2220	Performance of the EuroQol in children with imperforate anus. 2000 , 9, 29-38	59
2219	Comparison of the Health Utilities Index Mark 3 (HUI3) and the EuroQol EQ-5D in patients treated for intermittent claudication. 2000 , 9, 591-601	65
2218	Assessing patient outcomes in acute exacerbations of chronic bronchitis: the measure your medical outcome profile (MYMOP), medical outcomes study 6-item general health survey (MOS-6A) and EuroQol (EQ-5D). 2000 , 9, 521-7	61
2217	The dawn of a new century: reflections on surgical issues. 2000 , 14, 1-4	8
2216	A bridge between cultures: A report on the process of translating the EQ-5D instrument into Shona. 2000 , 56, 3-9	7

2215	The design and analysis of a randomized controlled trial to evaluate computerized decision support in primary care: the COGENT study. 2000 , 17, 180-6	38
2214	Chapter 32 The measurement of health-related quality of life for use in resource allocation decisions in health care. 2000 , 1, 1723-1760	70
2213	Observational study of home visits in Slovene general practice: patient characteristics, practice characteristics and health care utilization. 2000 , 17, 389-93	7
2212	[Organ shortage in transplant centersapproaches to a solution from the economic viewpoint]. 2000 , 62, 93-9	5
2211	Measuring process and outcomes: professional compliance, professional opinions and patients' well-being. 2000 , 17 Suppl 1, S21-5	2
2210	Use of health status measures in patients with low back pain in clinical settings. Comparison of specific, generic and preference-based instruments. 2000 , 39, 783-90	102
2209	The EQ-5Da generic quality of life measure-is a useful instrument to measure quality of life in patients with Parkinson's disease. 2000 , 69, 67-73	219
2208	Patient-assessed measures of health outcome in asthma: a comparison of four approaches. 2000 , 94, 597-606	24
2207	Quality of life in long-term home enteral nutrition patients. 2000 , 19, 23-8	69
2206	The economic evaluation of complementary medicine: a staged approach at the Royal London Homoeopathic Hospital. 2000 , 89, S23-S26	6
2205	Extended outcome assessment in the care of vascular diseases: revising the paradigm for the 21st century. Ad Hoc Committee to Study Outcomes Assessment, Society for Vascular Surgery/International Society for Cardiovascular Surgery, North American Chapter. 2000 , 32, 1239-50	29
2204	Comparison of Finnish and U.Sbased visual analog scale valuations of the EQ-5D measure. 2000 , 20, 281-9	35
2203	Il costo sociale del diabete di tipo 2 in Italia: lo studio CODE-2. 2000 , 2, 1-21	24
2202	Depression, anxiety and quality of life among scheduled cosmetic surgery patients: multicentre prospective study. 2001 , 29, 177-180	32
2201	The cost-effectiveness of neonatal surgery and subsequent treatment for congenital anorectal malformations. 2001 , 36, 1471-8	19
2200	The UK version of the Seattle Angina Questionnaire (SAQ-UK): reliability, validity and responsiveness. 2001 , 54, 907-15	47
2199	The importance of health-related quality-of-life data in determining the value of drug therapy. 2001 , 23, 168-75	23
2198	Comparison of once- and twice-daily clarithromycin in the treatment of adults with severe acute lower respiratory tract infections. 2001 , 23, 1958-68	11

(2001-2001)

2197	Health-related quality of life by disease and socio-economic group in the general population in Sweden. <i>Health Policy</i> , 2001 , 55, 51-69	3.2	182
2196	Does routine use of the radial artery increase complexity or morbidity of coronary bypass surgery?. 2001 , 71, 555-9; discussion 559-60		20
2195	Influence of sociodemographic and health status variables on the American Urological Association symptom scores in patients with lower urinary tract symptoms. 2001 , 57, 71-7		27
2194	Economics of surgery. 2001 , 358, 1077-81		25
2193	[EuroQol-5D: a simple alternative for measuring health-related quality of life in primary care]. 2001 , 28, 425-30		185
2192	[Socioclinical and diagnostic characteristics of prostatism in Spain at the end of the 20th century]. 2001 , 25, 200-6		1
2191	EQ-5D: a measure of health status from the EuroQol Group. 2001, 33, 337-43		3193
2190	Quality of life and utility in patients with non-small cell lung cancer. Quality-of-life Study Group of the Master 2 Project in Pharmacoeconomics. 2001 , 19, 855-63		80
2189	A comparison of United Kingdom and Spanish general population time trade-off values for EQ-5D health states. 2001 , 21, 7-16		257
2188	Assessing quality of life in dementia: Preliminary psychometric testing of the Quality of Life Assessment Schedule (QOLAS). 2001 , 11, 219-243		77
2187	The 15D instrument of health-related quality of life: properties and applications. 2001 , 33, 328-36		805
2186	Contribution of multiple glaucoma medications to visual function and quality of life in patients with glaucoma. 2001 , 36, 385-90		12
2185	A Comparison of Quality of Life of Patients on Automated and Continuous Ambulatory Peritoneal Dialysis. 2001 , 21, 306-312		52
2184	EQ-5D in patients with dementia: an investigation of inter-rater agreement. 2001 , 39, 760-71		134
2183	Responsiveness of generic and specific measures of health outcome in low back pain. 2001 , 26, 71-7; discussion 77		72
2182	Does the method of injection alter the outcome of epidural injections?. 2001 , 14, 507-10		18
2181	The Bronchitis Randomized On NAC Cost-Utility Study (BRONCUS): hypothesis and design. BRONCUS-trial Committee. 2001 , 17, 329-36		32
2180	Effect of mode of administration on I-PSS scores in a large BPH patient population. 2001 , 40, 451-7		9

2179	The health burden of breast hypertrophy. 2001 , 108, 1591-9	120
2178	Using the EuroQol-5D to measure changes in quality of life 12 months after discharge from an intensive care unit. 2001 , 27, 1901-7	153
2177	A cost-effectiveness analysis of stays in intensive care units. 2001 , 27, 146-53	80
2176	Costs and quality of life in multiple sclerosis. 2001 , 2, 60-68	46
2175	A comparison of the EuroQol and the Health Utilities Index in patients treated for congenital anomalies. 2001 , 2, 54-59	1
2174	Are needs and satisfaction of care associated with quality of life? An epidemiological survey among the severely mentally ill in the Netherlands. 2001 , 251, 239-46	78
2173	A study of the reliability of health state valuations in the Japanese EuroQol instrument. 2001 , 6, 189-91	6
2172	Responsiveness of the EuroQol in breast cancer patients undergoing high dose chemotherapy. 2001 , 10, 479-86	27
2171	Swedish population health-related quality of life results using the EQ-5D. 2001 , 10, 621-35	454
2170	The effect of medical care by a helicopter trauma team on the probability of survival and the quality of life of hospitalised victims. 2001 , 33, 129-38	62
2169	Home artificial nutritional support: the value of the British Artificial Nutrition Survey. 2001 , 20, 61-66	18
2168	Health status and healthy life measures for population health need assessment: modelling variability and uncertainty. 2001 , 7, 13-25	12
2167	Quality of life following radical excision of rectovaginal endometriosis associated with complete obliteration of the posterior cul de sac. 2001 , 10, 107-110	7
2166	Health related quality of life is improved by botulinum neurotoxin type A in long term treated patients with focal dystonia. 2001 , 71, 193-9	60
2165	Assessment of quality of life in lung transplantation using a simple generic tool. 2001 , 56, 218-22	64
2164	Prospective study of selective peripheral denervation for botulinum-toxin resistant patients with cervical dystonia. 2001 , 124, 769-83	66
2163	Severity of illness versus expected benefit in societal evaluation of healthcare interventions. 2001 , 1, 85-92	21
2162	Nutrition and quality of life in older adults. 2001 , 56 Spec No 2, 54-64	176

(2002-2001)

2161	Cost-effectiveness of coronary stenting in acute myocardial infarction: results from the stent primary angioplasty in myocardial infarction (stent-PAMI) trial. 2001 , 104, 3039-45	70
2160	How disturbing is it to be approached for a genetic cascade screening programme for familial hypercholesterolaemia? Psychological impact and screenees' views. 2001 , 4, 244-52	27
2159	A UK trial-based costutility analysis of transmyocardial laser revascularization compared to continued medical therapy for treatment of refractory angina pectoris. 2001 , 20, 312-8	18
2158	United Kingdom Alcohol Treatment Trial (UKATT): hypotheses, design and methods. 2001 , 36, 11-21	68
2157	Measuring health care quality: comparing and contrasting the medical and the marketing approaches. 2002 , 17, 136-44	36
2156	Reduction mammaplasty: defining medical necessity. 2002 , 22, 208-17	57
2155	Effect of computerised evidence based guidelines on management of asthma and angina in adults in primary care: cluster randomised controlled trial. 2002 , 325, 941	233
2154	Quality of Life and Femoral Neck Fractures. 2002 , 74, 1-60	1
2153	Study design for concurrent development, assessment, and implementation of new diagnostic imaging technology. 2002 , 222, 604-14	64
2152	Quality of life studies in unselected gynaecological outpatients and inpatients before and after hysterectomy. 2002 , 22, 523-6	16
2151	Health profiles and health preferences of dialysis patients. 2002 , 17, 86-92	32
2150	The effectiveness of surgical and nonsurgical interventions in relieving the symptoms of macromastia. 2002 , 109, 1556-66	163
2149	Validation of the EuroQol questionnaire in patients with inflammatory bowel disease. 2002 , 14, 1205-15	92
2148	Modelling valuations for Eq-5d health states: an alternative model using differences in valuations. 2002 , 40, 442-6	126
2147	Evaluation of the hospital anxiety and depression scale in patients with Parkinson's disease. 2002 , 25, 318-24	126
2146	Quality of life related to fracture displacement among elderly patients with femoral neck fractures treated with internal fixation. 2002 , 16, 34-8	78
2145	The quality of life in chronic diseaseheart failure is as bad as it gets. 2002 , 23, 1806-8	9
2144	Quality-of-Life Assessment in Neurosurgical Patients. 2002 , 12, 132-141	6

2143	Health-related quality of life and cost impact of irritable bowel syndrome in a UK primary care setting. 2002 , 20, 455-62	143
2142	Valuing health-related quality of life in diabetes. 2002 , 25, 2238-43	262
2141	Telemedicine, Outcomes and Policy Decisions. 2002 , 10, 269-276	9
2140	Health-related quality of life and treatment satisfaction in Dutch patients with type 2 diabetes. 2002 , 25, 458-63	354
2139	Disability in an urban black community in Zimbabwe. 2002 , 24, 851-9	23
2138	Disability Adjusted Life Years (DALYs) and rehabilitation. 2002 , 24, 378-82	9
2137	Quality-of-life assessment in osteoporosis: health-status and preference-based measures. 2002 , 20, 289-303	63
2136	Cognitive function and health-related quality of life in elderly patients with hypertensionbaseline data from the study on cognition and prognosis in the elderly (SCOPE). 2002 , 11, 157-65	31
2135	The Multicentre Aneurysm Screening Study (MASS) into the effect of abdominal aortic aneurysm screening on mortality in men: a randomised controlled trial. 2002 , 360, 1531-9	909
2134	Steroids may compromise quality of life of renal transplant recipients on a tacrolimus-based regimen. 2002 , 34, 1691-2	14
2133	The cost-effectiveness of treatment for congenital diaphragmatic hernia. 2002 , 37, 1245-52	20
2132	Groningen Manipulation Study. The effect of manipulation of the structures of the shoulder girdle as additional treatment for symptom relief and for prevention of chronicity or recurrence of shoulder symptoms. Design of a randomized controlled trial within a comprehensive prognostic	16
2131	Pelvic pain scores in women without pelvic pathology. 2002 , 9, 414-7	6
2130	The estimation of a preference-based measure of health from the SF-36. 2002 , 21, 271-92	2124
2129	A proposal to solve the comparability problem in cost-utility analysis. 2002 , 21, 397-403	10
2128	Clinical Performance Measurement: Part 1thetting the Best Out of it. 2002 , 95, 508-510	6
2127	Choosing measures to assess quality of life (QOL) in epilepsy. 2002 , 323-342	
2126	An economic evaluation of lung transplantation. 2002 , 123, 411-8; discussion 418-20	47

(2002-2002)

2125	To what extent can we explain time trade-off values from other information about respondents?. 2002 , 54, 919-29	66
2124	Modeling the progression of rheumatoid arthritis: a two-country model to estimate costs and consequences of rheumatoid arthritis. 2002 , 46, 2310-9	89
2123	The practicality and validity of directly elicited and SF-36 derived health state preferences in patients with low back pain. 2002 , 11, 71-85	62
2122	Estimating an EQ-5D population value set: the case of Japan. 2002 , 11, 341-53	395
2121	Socio-economic evaluation of mental health as a basis for financing health care in Sweden. 2002 , 8, 107-118	
2120	A systematic review of health state utility values for osteoporosis-related conditions. 2002 , 13, 768-76	86
2119	Models for assessing the cost-effectiveness of the treatment and prevention of osteoporosis. 2002 , 13, 841-57	51
2118	Is EQ-5D a valid measure of HRQoL in patients with movement disorders? A comparison with SF-36 and FIM questionnaires. 2002 , 3, 125-30	16
2117	Randomized clinical trial of non-mesh versus mesh repair of primary inguinal hernia. 2002 , 89, 293-7	129
2116	Automated current health time-trade-off assessments in women's health. 2002 , 5, 98-105	11
2115	Long-term quality of life of postoperative rectal cancer patients. 2002, 17, 571-6	62
2114	Quality of life 6-months after cardiac arrest. 2002 , 55, 37-44	48
2113	Neuropathic pain and quality of life. 2002 , 6 Suppl B, 19-24	6
2112	Quality of life after intensive careevaluation with EQ-5D questionnaire. 2002 , 28, 898-907	102
2111	Does rehabilitation meet the needs of care and improve the quality of life of patients with schizophrenia or other chronic mental disorders?. 2002 , 38, 61-70	20
2110	Femoral neck fractures in the elderly: functional outcome and quality of life according to EuroQol. 2002 , 11, 473-81	111
2109	Assessing health-related quality of life pre- and post-liver transplantation: a prospective multicenter study. 2002 , 8, 263-70	109
2108	Quality of life, sleep, mood and alcohol consumption: a complex interaction. 2002 , 7, 55-65	37

2107	Validity and feasibility of the use of condition-specific outcome measures in economic evaluation. 2003 , 12, 363-71	49
2106	The effect of prandial glucose regulation with repaglinide on treatment satisfaction, wellbeing and health status in patients with pharmacotherapy nalle Type 2 diabetes: a placebo-controlled, multicentre study. 2003 , 12, 413-25	36
2105	A comparison of the responsiveness of different generic health status measures in patients with asthma. 2003 , 12, 555-63	25
2104	Responsiveness of the EuroQol (EQ 5-D) and the SF-36 in elderly patients with displaced femoral neck fractures. 2003 , 12, 1069-79	104
2103	Validity and reliability of the EQ-5D self-report questionnaire in English-speaking Asian patients with rheumatic diseases in Singapore. 2003 , 12, 87-92	86
2102	Evaluating podiatry services: testing a treatment specific measure of health status. 2003 , 12, 177-88	11
2101	Quality of life in acute respiratory distress syndrome survivors may be no worst than in other ICU survivors. 2003 , 29, 1744-50	31
2100	A single European currency for EQ-5D health states. Results from a six-country study. 2003 , 4, 222-31	320
2099	Micropuncture cholecystectomy vs conventional laparoscopic cholecystectomy: a randomized controlled trial. 2003 , 17, 766-72	38
2098	Patients' preferences for MR angiography and duplex US in the work-up of peripheral arterial disease. 2003 , 26, 537-43	8
2097	Immediate full-weight-bearing mobilisation for repaired Achilles tendon ruptures: a pilot study. 2003 , 34, 874-6	43
2096	Logical inconsistencies in survey respondents' health state valuations a methodological challenge for estimating social tariffs. 2003 , 12, 529-44	76
2095	An empirical comparison of EQ-5D and SF-6D in liver transplant patients. 2003 , 12, 1061-7	153
2094	Health-related quality of life in patients with progressive supranuclear palsy. 2003 , 18, 1464-9	53
2093	Midterm cost-effectiveness of the liver transplantation program of England and Wales for three disease groups. 2003 , 9, 1295-307	58
2092	A Rasch model analysis to test the cross-cultural validity of the EuroQoL-5D in the Schizophrenia Outpatient Health Outcomes Study. 2003 , 107, 24-9	52
2091	Use of health-related quality of life in prescribing research. Part 1: why evaluate health-related quality of life?. 2003 , 28, 513-21	61
2090	How do Zimbabweans value health states?. 2003 , 1, 11	95

2089 Cross-national agreement on disability weights: the European Disability Weights Project. 2	2003 , 1, 9 51
Productivity, vitality and utility in a group of healthy professionally active individuals with ${f 2003}, 91, 190-5$	nocturia. 122
Quality of life measurement in patients with transfusion-dependent myelodysplastic synd 2003 , 121, 270-4	romes.
Including the quality-of-life effects in the evaluation of prostate cancer screening: expert revisited?. 2003 , 92 Suppl 2, 101-5	opinions 32
Health-related quality of life and symptom experience in tacrolimus-based regimens after transplantation: a multicentre study. 2003 , 16, 653-664	renal 53
Trial Design and Reporting Standards for Intraarterial Cerebral Thrombolysis for Acute Isc Stroke. 2003 , 14, E1-E31	hemic 62
A double-blind randomized trial comparing the Cavaterm and the NovaSure endometrial a systems for the treatment of dysfunctional uterine bleeding. 2003 , 80, 203-8	iblation 92
$_{2082}$ Does nutrition influence quality of life in cancer patients undergoing radiotherapy?. 2003 ,	67, 213-20 132
2081 Reply. 2003 , 41, 1850-1851	
Cost-effectiveness of a heart failure management program from the societal perspective? 41, 1850; author reply 1850-1	² . 2003 ,
	² . 2003,
²⁰⁸⁰ 41, 1850; author reply 1850-1	1
41, 1850; author reply 1850-1 2079 Reply. 2003, 41, 1849-1850 Do English and Chinese EQ-5D versions demonstrate measurement equivalence? An explo	oratory 49
2079 Reply. 2003, 41, 1849-1850 2078 Do English and Chinese EQ-5D versions demonstrate measurement equivalence? An explositudy. 2003, 1, 7 Determining an appropriate threshold for referral to surgery for gastroesophageal reflux	oratory 49 disease. 14
2079 Reply. 2003, 41, 1849-1850 2078 Do English and Chinese EQ-5D versions demonstrate measurement equivalence? An explostudy. 2003, 1, 7 Determining an appropriate threshold for referral to surgery for gastroesophageal reflux 2003, 133, 5-12	disease. 14 003, 31, 46-50 53
2076 A1, 1850; author reply 1850-1 2079 Reply. 2003, 41, 1849-1850 2078 Do English and Chinese EQ-5D versions demonstrate measurement equivalence? An explositudy. 2003, 1, 7 Determining an appropriate threshold for referral to surgery for gastroesophageal reflux 2003, 133, 5-12 2076 Depression, anxiety and quality of life: outcome 9 months after facial cosmetic surgery. 20 The cost-effectiveness of infliximab (Remicade) in the treatment of rheumatoid arthritis in	disease. 14 003, 31, 46-50 53 n Sweden 131
2079 Reply. 2003, 41, 1849-1850 2078 Do English and Chinese EQ-5D versions demonstrate measurement equivalence? An explositudy. 2003, 1, 7 2077 Determining an appropriate threshold for referral to surgery for gastroesophageal reflux 2003, 133, 5-12 2076 Depression, anxiety and quality of life: outcome 9 months after facial cosmetic surgery. 20 2075 The cost-effectiveness of infliximab (Remicade) in the treatment of rheumatoid arthritis in and the United Kingdom based on the ATTRACT study. 2003, 42, 326-35 Are patients and the general public like-minded about the effect of erectile dysfunction of	oratory 49 disease. 14 003, 31, 46-50 53 n Sweden 131 n quality 13

2071	The validity of time trade-off values in calculating QALYs: constant proportional time trade-off versus the proportional heuristic. 2003 , 22, 445-58	53
2070	Quality of life should be considered the primary outcome for measuring success of endometrial ablation. 2003 , 10, 491-5; discussion 495	25
2069	A short psychosocial questionnaire for patients with Parkinson's disease: the SCOPA-PS. 2003 , 56, 61-7	86
2068	Defining clinically meaningful change in health-related quality of life. 2003 , 56, 395-407	891
2067	The costs of type 2 diabetes mellitus in Italy: a CODE-2 sub-study. 2003 , 2, 121-33	30
2066	Changes in the quality of life in severely disabled people following provision of powered indoor/outdoor chairs. 2003 , 25, 286-90	79
2065	Internal fixation compared with total hip replacement for displaced femoral neck fractures in the elderly. A randomised, controlled trial. 2003 , 85, 380-8	210
2064	Measuring health-related quality of life in women on hormone replacement therapy. 2003, 3, 351-61	5
2063	A review about the impact of multiple sclerosis on health-related quality of life. 2003, 25, 1291-303	227
2062	Cost-effectiveness of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: a decision-making approach. 2003 , 33, 977-86	58
2061	Duration of condition is unrelated to health-state valuation on the EuroQoL. 2003, 17, 209-15	17
2060	Fluid restriction in heart failure patients: is it useful? The design of a prospective, randomised study. 2003 , 2, 237-42	22
2059	Quality of life in a family based genetic cascade screening programme for familial hypercholesterolaemia: a longitudinal study among participants. 2003 , 40, e3	31
2058	Health-related quality of life in pacemaker patients: a single and multidimensional self-rated health comparison study. 2003 , 2, 291-302	6
2057	A novel quality of life instrument for deep brain stimulation in movement disorders. 2003 , 74, 1023-30	37
2056	Quality of life in patients with newly diagnosed chronic phase chronic myeloid leukemia on imatinib versus interferon alfa plus low-dose cytarabine: results from the IRIS Study. 2003 , 21, 2138-46	153
2055	Randomized, multinational, phase III study of docetaxel plus platinum combinations versus vinorelbine plus cisplatin for advanced non-small-cell lung cancer: the TAX 326 study group. 2003 , 21, 3016-24	780
2054	Quality trials and quality of life in non-small-cell lung cancer. 2003 , 21, 3007-8	9

2053	Use of visual analog scales in economic evaluation. 2003 , 3, 293-302	33
2052	Quality of life and femoral neck fractures. 2003 , 74, 1-62	55
2051	Measuring the public health impact of injuries. 2003 , 25, 3-19	128
2050	Trial design and reporting standards for intra-arterial cerebral thrombolysis for acute ischemic stroke. 2003 , 34, e109-37	989
2049	Home versus Office blood pressure MEasurements: Reduction of Unnecessary treatment Study: rationale and study design of the HOMERUS trial. 2003 , 12, 326-33	24
2048	QUALITY OF LIFE: ISSUES CONCERNING ASSESSMENT AND ANALYSIS. 2003 , 195-231	
2047	The Short Musculoskeletal Function Assessment Questionnaire (SMFA): cross-cultural adaptation, validity, reliability and responsiveness of the Swedish SMFA (SMFA-Swe). 2003 , 74, 756-63	57
2046	Primary total hip arthroplasty with a Burch-Schneider antiprotrusion cage and autologous bone grafting for acetabular fractures in elderly patients. 2003 , 17, 193-7	91
2045	Design Strategies and Innovations in the Medical Expenditure Panel Survey. 2003, 41, III-5-III-12	20
2044	Variation in the estimation of quality-adjusted life-years by different preference-based instruments. 2003 , 41, 791-801	123
2043	Quality of life related to fracture displacement among elderly patients with femoral neck fractures treated with internal fixation. 2002. 2003 , 17, S17-21	15
2042	. 2003 , 41, III-5-III-12	
2041	Design strategies and innovations in the medical expenditure panel survey. 2003, 41, III5-III12	80
2040	Health professionals' perceptions of health status after renal transplantation: a comparison with transplantation candidates' expectations. 2003 , 76, 176-82	21
2039	Effectiveness of Supervised Physical Therapy in the Early Period After Arthroscopic Partial Meniscectomy. 2003 , 83, 520-535	48
2038	Cost of care and quality of life for patients with hemophilia complicated by inhibitors: the COCIS Study Group. 2003 , 102, 2358-63	314
2037	Measures of health-related quality of life and physical function. 2003 , 90-105	140
2036	Understanding the Concepts Behind Health Economics. 25-33	

2035	A socioeconomic model for evaluation of postal and telecommunication services for disabled persons. 2004 , 16, 91-99	4
2034	A comparative study of text telephone and videophone relay services. 2004 , 16, 101-109	3
2033	The reliability and validity of the Xhosa version of the EQ-5D. 2004 , 26, 103-8	36
2032	Psychometric validation of a generic health-related quality of life measure (EQ-5D) in a sample of schizophrenic patients. 2004 , 20, 827-35	56
2031	Positive self-assessed general health in patients with medical problems. A qualitative study from general practice. 2004 , 22, 11-5	31
2030	Effectiveness of extracorporeal shock wave therapy in the treatment of previously untreated lateral epicondylitis: a randomized controlled trial. 2004 , 32, 1660-7	89
2029	Patient-reported outcome in total hip replacement. A comparison of five instruments of health status. 2004 , 86, 801-8	214
2028	Differences in outcome of a multidisciplinary treatment between subgroups of chronic low back pain patients defined using two multiaxial assessment instruments: the multidimensional pain inventory and lumbar dynamometry. 2004 , 18, 566-79	47
2027	Is no news good news? Organized follow-up, an absolute necessity for the evaluation of myocardial revascularization. 2004 , 26, 667-70	14
2026	Assessing health-related quality of life among older people in rural Bangladesh. 2004 , 15, 298-307	18
2025	Using the EQ-5D to assess health-related quality of life in older people. 2004 , 33, 504-7	21
2024	Are occupational therapists more effective than social workers when assessing frail older people? Results of CAMELOT, a randomised controlled trial. 2005 , 34, 41-6	19
2023	Quality of life and illness costs in irritable bowel syndrome. 2004 , 69, 254-61	28
2022	Agreement between patient and proxy assessments of health-related quality of life after stroke using the EQ-5D and Health Utilities Index. 2004 , 35, 607-12	150
2021	TNF inhibitors in the treatment of rheumatoid arthritis in clinical practice: costs and outcomes in a follow up study of patients with RA treated with etanercept or infliximab in southern Sweden. 2004 , 63, 4-10	90
2020	Prevalence of remediable disability due to low vision among institutionalised elderly people. 2004 , 50, 96-101	18
2019	Quality of life after treatment of unruptured intracranial aneurysms by neurosurgical clipping or by embolisation with coils. A prospective, observational study. 2004 , 17, 44-52	99
2018	National Institute for Clinical Excellence and its value judgments. 2004 , 329, 224-7	524

(2004-2004)

2017	Quality of life on chronic dialysis: comparison between haemodialysis and peritoneal dialysis. 2004 , 19, 1594-9	90
2016	Determinants of patient satisfaction with cataract surgery and length of time on the waiting list. 2004 , 88, 1305-9	37
2015	Assessment of health state utilities and quality of life in patients with malignant esophageal Dysphagia. 2004 , 99, 1044-9	32
2014	Coping in patients with chronic whiplash-associated disorders: a descriptive study. 2004 , 36, 28-35	41
2013	Descriptions of functioning and health and relations to a gross motor classification in adults with cerebral palsy. 2004 , 26, 1023-31	81
2012	The health-related quality of life of people living with HIV/AIDS. 2004, 26, 371-6	79
2011	Cost-utility analysis in evaluating prophylaxis in haemophilia. 2004 , 10 Suppl 1, 50-7	8
2010	Pilot study of botulinum toxin type A in the treatment of chronic pelvic pain associated with spasm of the levator ani muscles. 2004 , 44, 46-50	119
2009	Estimating a preference-based single index for the Impact of Weight on Quality of Life-Lite (IWQOL-Lite) instrument from the SF-6D. 2004 , 7, 490-8	48
2008	The construct and concurrent validity of the EQ-5D in a renal transplant population. 2004 , 7, 499-509	39
2007	Conducting translation research in the home care setting: lessons from a just-in-time reminder study. 2004 , 1, 49-59	18
2006	Impact of screening for breast cancer in high-risk women on health-related quality of life. 2004 , 91, 69-76	55
2005	Use of a visual analogue scale in a daily patient diary: modelling cross-sectional time-series data on health-related quality of life. 2004 , 59, 351-60	39
2004	A prospective randomised controlled trial of nutritional supplementation in malnourished elderly in the community: clinical and health economic outcomes. 2004 , 23, 195-204	106
2003	An investigation into the relationships between quality of life, nutritional status and physical function. 2004 , 23, 213-21	57
2002	Effects of protein-rich supplementation and nandrolone in lean elderly women with femoral neck fractures. 2004 , 23, 587-96	91
2001	Examining discharge outcomes and health status of critically ill patients: some practical considerations. 2004 , 20, 366-77	16
2000	The validity and reliability of EQ-5D health state valuations in a survey of MBri. 2004 , 13, 271-4	17

1999	Feasibility and reliability of health-related quality of life measurements among tuberculosis patients. 2004 , 13, 653-65	46
1998	Understanding health state valuations: a qualitative analysis of respondents' comments. 2004 , 13, 1265-77	34
1997	Responsiveness of the generic EQ-5D summary measure compared to the disease-specific EORTC QLQ C-30. 2004 , 13, 1247-53	57
1996	Condition-specific outcome measures for low back pain. Part II: scale construction. 2004 , 13, 314-24	22
1995	Re-scaling social preference data: implications for modelling. 2004 , 5, 290-8	8
1994	Perceived cognitive function is a major determinant of health related quality of life in a non-selected population of patients with coronary artery diseasea principal components analysis. 2004 , 13, 1621-31	22
1993	Performance of two measures of general health-related quality of life, the EQ-5D and the RAND-36 among critically ill patients. 2004 , 30, 2245-52	43
1992	The PINE study: rationale and design of a randomised comparison of epidural injection of local anaesthetics and steroids versus care-as-usual to prevent postherpetic neuralgia in the elderly [ISRCTN32866390]. 2004 , 4, 2	12
1991	Disability weights for the burden of oral disease in South Australia. 2004 , 2, 7	12
1990	Report on "Burden of Skin Disease" Workshop. NIAMS, September 2002. 2004 , 9, 111-9	5
1989	Lack of multiplicative transitivity in person trade-off responses. 2004 , 13, 171-81	9
1988	A comparison of the EQ-5D and SF-6D across seven patient groups. 2004 , 13, 873-84	584
1987	Leisure time in economic evaluation: theoretical and practical considerations. 2004, 4, 1-3	12
1986	Deep venous thrombosis: a new task for primary health care. A randomised economic study of outpatient and inpatient treatment. 2004 , 22, 44-9	17
1985	Cost effectiveness of interventions for lateral epicondylitis: results from a randomised controlled trial in primary care. 2004 , 22, 185-95	42
1984	The economic implications of non-adherence after renal transplantation. 2004 , 22, 1217-34	53
1983	EQ-5D versus SF-6D in an older, chronically Ill patient group. 2004 , 3, 91-102	40
1982	Health state utilities in gastroesophageal reflux disease patients with heartburn: a study in Germany and Sweden. 2004 , 24, 40-52	20

(2004-2004)

1981	survive critical illness. 2004 , 8, R91-8	77
1980	Quality of life after lung transplantation. 2004 , 14, 385-407	13
1979	Symptom severity and QOL scales for urinary incontinence. 2004 , 126, S114-23	53
1978	The Warfarin and Antiplatelet Therapy in Heart Failure trial (WATCH): rationale, design, and baseline patient characteristics. 2004 , 10, 101-12	82
1977	Dimensions of oral health related quality of life measured by EQ-5D+ and OHIP-14. 2004 , 2, 35	41
1976	Ability to perform activities of daily living is the main factor affecting quality of life in patients with dementia. 2004 , 2, 52	226
1975	Validity of the AusTOM scales: a comparison of the AusTOMs and EuroQol-5D. 2004 , 2, 64	28
1974	A behavioural treatment for chronic shoulder complaints: concepts, development, and study design. 2004 , 50, 33-8	16
1973	Quality of life after palliative treatment for oesophageal carcinoma a prospective comparison between stent placement and single dose brachytherapy. 2004 , 40, 1862-71	90
1972	Response shift influenced estimates of change in health-related quality of life poststroke. 2004 , 57, 561-70	81
1971	Waiting for total hip arthroplasty: avoidable loss in quality time and preventable deterioration. 2004 , 19, 302-9	82
		8 ₂
	2004, 19, 302-9 Does preoperative hip rehabilitation advice improve recovery and patient satisfaction?. 2004, 19, 464-8	
1970	2004, 19, 302-9 Does preoperative hip rehabilitation advice improve recovery and patient satisfaction?. 2004, 19, 464-8	78
1970 1969	2004, 19, 302-9 Does preoperative hip rehabilitation advice improve recovery and patient satisfaction?. 2004, 19, 464-8 Laparoscopic excision of endometriosis: a randomized, placebo-controlled trial. 2004, 82, 878-84 Screening and referral for brief intervention of alcohol-misusing patients in an emergency	78 306
1970 1969 1968 1967	Does preoperative hip rehabilitation advice improve recovery and patient satisfaction?. 2004, 19, 464-8 Laparoscopic excision of endometriosis: a randomized, placebo-controlled trial. 2004, 82, 878-84 Screening and referral for brief intervention of alcohol-misusing patients in an emergency department: a pragmatic randomised controlled trial. 2004, 364, 1334-9 Criteria of candidacy for unilateral cochlear implantation in postlingually deafened adults II:	78 306 222
1970 1969 1968 1967	Does preoperative hip rehabilitation advice improve recovery and patient satisfaction?. 2004, 19, 464-8 Laparoscopic excision of endometriosis: a randomized, placebo-controlled trial. 2004, 82, 878-84 Screening and referral for brief intervention of alcohol-misusing patients in an emergency department: a pragmatic randomised controlled trial. 2004, 364, 1334-9 Criteria of candidacy for unilateral cochlear implantation in postlingually deafened adults II: cost-effectiveness analysis. 2004, 25, 336-60	78 306 222 68

1963	Hallucination focused integrative treatment: a randomized controlled trial. 2004, 30, 133-45	31
1962	Answering important questions reliablyGISSI Heart Failure, a factorially designed trial with composite (co)primary outcome measures. 2004 , 6, 531-3	2
1961	Do general and multiple sclerosis-specific quality of life instruments differ?. 2004 , 31, 64-71	23
1960	Magnetic resonance imaging for investigation of the knee joint: a clinical and economic evaluation. 2004 , 20, 222-9	13
1959	Prioritization of patients on waiting lists for hip and knee replacement: validation of a priority criteria tool. 2004 , 20, 509-15	30
1958	Cost-utility and cost-benefit analyses: how did we get here and where are we going?. 2004 , 16, 527-34	23
1957	A concise alternative for researching health-related quality of life in older people. 2004 , 5, 13-24	1
1956	Development of the Korean version of Short-Form 36-Item Health Survey: health related QOL of healthy elderly people and elderly patients in Korea. 2004 , 203, 189-94	201
1955	Shock wave therapy for chronic Achilles tendon pain: a randomized placebo-controlled trial. 2005 , 440, 199-204	93
1954	Psychosocial impact of screening for intracranial aneurysms in relatives with familial subarachnoid hemorrhage. 2005 , 36, 836-40	36
1953	Strategic learning: linking resident training to outcomes for patients. 2005 , 33, 1655-6	
1952	Acute respiratory distress syndrome and long-term outcomes: what should we follow?. 2005 , 33, 1656-8	4
1951	Scoliosis research society outcome instrument in evaluation of long-term surgical results in spondylolysis and low-grade isthmic spondylolisthesis in young patients. 2005 , 30, 336-41	42
1950	Extracorporeal cardiopulmonary resuscitation: another piece of the jigsaw. 2005 , 33, 1659-60	2
1949	Outcomes of Home-Based Rehabilitation Provided by Primary Therapists for Patients with Rheumatoid Arthritis: Pilot Study. 2005 , 57, 255-264	4
1948	Evaluating Health-related Quality of Life in Asthma. 2005 , 54, 181-186	3
1947	Effectiveness of treatment for alcohol problems: findings of the randomised UK alcohol treatment trial (UKATT). 2005 , 331, 541	179
1946	Lipopolysaccharide binding by plasma proteins: an important protective effect?. 2005 , 33, 1664-6	11

1945	Positive end-expiratory pressure in severe airflow obstruction: more than a "one-trick pony"?. 2005 , 33, 1652-3	16
1944	Is the end-game penetration (of the airway)?. 2005 , 33, 1654-5	25
1943	Noninvasive ventilation outside the intensive care unit: a new standard of care?. 2005, 33, 1642-3	3
1942	Hyperglycemia and subarachnoid hemorrhage: the critical care part of neurocritical care. 2005, 33, 1663-4	2
1941	Pharmacological aspects of albumin as a niche product in the intensive care unit. 2005 , 33, 1667-9	11
1940	Do we need another pediatric severity of illness score?. 2005 , 33, 1643-5	2
1939	A national catalog of preference-based scores for chronic conditions in the United States. 2005 , 43, 736-49	300
1938	Role of preexisting disease in patients' perceptions of health-related quality of life after intensive care. 2005 , 33, 1557-64	51
1937	Helicobacter pylori and stress ulceration: an ongoing puzzle. 2005 , 33, 1650-2	1
1936	Evaluation of the critical care patient with Brugada syndrome. 2005 , 33, 1666-7	2
1935	Valuation of arthritis health states across ethnic groups and between patients and community members. 2005 , 43, 921-8	25
1934	Assistive technology in the measurement of rehabilitation and health outcomes: a review and analysis of instruments. 2005 , 84, 780-93; quiz 794-6	29
1933	Prevalence and determinants of disabilities and return to work after major trauma. 2005 , 58, 126-35	155
1932	As we move into the new millennium. 2005 , 33, 1647-8	3
1931	Tetracycline: from antibiotic to antisepsis. 2005 , 33, 1660-1	3
1930	Health-related quality-of-life assessment after intensive care therapy: preexisting disease matters. 2005 , 33, 1658-9	1
1929	Detailing and clarifying cortisol's role in the metabolic response to injury. 2005 , 33, 1648-50	1
1928	Community-associated organisms in the intensive care unitdangerous or just passing through?. 2005 , 33, 1645-7	1

1927	Blood viscosity: a factor in tissue survival?. 2005 , 33, 1662-3	10
1926	Long-term effectiveness of extracorporeal shockwave therapy in the treatment of previously untreated lateral epicondylitis. 2005 , 15, 305-12	28
1925	Self-reported health status of the general adult U.S. population as assessed by the EQ-5D and Health Utilities Index. 2005 , 43, 1078-86	303
1924	Cost utility analysis of co-prescribed heroin compared with methadone maintenance treatment in heroin addicts in two randomised trials. 2005 , 330, 1297	80
1923	Patient education and health-related quality of life: surgical hospital patients as a case in point. 2005 , 20, 307-16; quiz 317-8	64
1922	US valuation of the EQ-5D health states: development and testing of the D1 valuation model. 2005 , 43, 203-20	991
1921	Valuations of EQ-5D health states: are the United States and United Kingdom different?. 2005 , 43, 221-8	181
1920	A review of the instruments used to assess the quality of life of adult patients with chronic intestinal failure receiving parenteral nutrition at home. 2005 , 94, 633-8	23
1919	Economic consequence of local control with radiotherapy: cost analysis of internal mammary and medial supraclavicular lymph node radiotherapy in breast cancer. 2005 , 63, 1122-31	8
1918	Randomized pilot of a self-guided internet coping group for women with early-stage breast cancer. 2005 , 30, 54-64	156
1917	Health-related quality of life in patients with class II and class III obesity. 2005 , 15, 1070-6	40
1916	The use of botulinum toxin type A (BOTOX) as treatment for intractable chronic pelvic pain associated with spasm of the levator ani muscles. 2005 , 112, 247-9	49
1915	Just-in-time evidence-based e-mail "reminders" in home health care: impact on patient outcomes. 2005 , 40, 865-85	59
1914	An assessment of the impact of informative dropout and nonresponse in measuring health-related quality of life using the EuroQol (EQ-5D) descriptive system. 2005 , 8, 53-8	11
1913	Estimating utilities from individual health preference data: a nonparametric Bayesian method. 2005 , 54, 879-895	24
1912	Electrical muscle stimulation acutely mimics exercise in neurologically intact individuals but has limited clinical benefits in patients with type 2 diabetes. 2005 , 7, 344-51	16
1911	Acute urinary retention: what is the impact on patients' quality of life?. 2005, 95, 72-6	47
1910	Evaluation of the association between the EQ-5D (health-related utility) and body mass index (obesity) in hospital-treated people with Type 1 diabetes, Type 2 diabetes and with no diagnosed diabetes. 2005 , 22, 1482-6	64

1909	Individualized care, quality of life and satisfaction with nursing care. 2005 , 50, 283-92	60
1908	A longitudinal prospective study of health-related quality of life in breast cancer patients following high-dose chemotherapy with autologous blood stem cell transplantation. 2005 , 36, 251-9	47
1907	Genotype-phenotype studies in nail-patella syndrome show that LMX1B mutation location is involved in the risk of developing nephropathy. 2005 , 13, 935-46	104
1906	The silver-releasing foam dressing, Contreet Foam, promotes faster healing of critically colonised venous leg ulcers: a randomised, controlled trial. 2005 , 2, 64-73	100
1905	A systematic review of utility measurements in the surgical literature. 2005 , 200, 954-64	12
1904	Quality of life and its assessment in multiple sclerosis: integrating physical and psychological components of wellbeing. 2005 , 4, 556-66	345
1903	Validation of a modified version of the Brief Pain Inventory for painful diabetic peripheral neuropathy. 2005 , 23, 97-104	38
1902	A comparison of generic, indirect utility measures (the HUI2, HUI3, SF-6D, and the EQ-5D) and disease-specific instruments (the RAQoL and the HAQ) in rheumatoid arthritis. 2005 , 60, 1571-82	301
1901	Validation of a modified version of the brief pain inventory for painful diabetic peripheral neuropathy. 2005 , 29, 401-10	138
	Data associativita diabatic anciaband associativita associated with action 6 continuing association	
1900	Pain severity in diabetic peripheral neuropathy is associated with patient functioning, symptom levels of anxiety and depression, and sleep. 2005 , 30, 374-85	350
1900 1899		35° 24
	levels of anxiety and depression, and sleep. 2005 , 30, 374-85 Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised	
1899	levels of anxiety and depression, and sleep. 2005, 30, 374-85 Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial [ISRCTN64716113]. 2005, 5, 6 An investigation into the empirical validity of the EQ-5D and SF-6D based on hypothetical	24
1899 1898	levels of anxiety and depression, and sleep. 2005, 30, 374-85 Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial [ISRCTN64716113]. 2005, 5, 6 An investigation into the empirical validity of the EQ-5D and SF-6D based on hypothetical preferences in a general population. 2005, 14, 1169-89 Long-term followup of health status in patients with severe rheumatoid arthritis after high-dose chemotherapy followed by autologous hematopoietic stem cell transplantation. 2005, 52, 2272-6	24
1899 1898 1897	levels of anxiety and depression, and sleep. 2005, 30, 374-85 Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial [ISRCTN64716113]. 2005, 5, 6 An investigation into the empirical validity of the EQ-5D and SF-6D based on hypothetical preferences in a general population. 2005, 14, 1169-89 Long-term followup of health status in patients with severe rheumatoid arthritis after high-dose chemotherapy followed by autologous hematopoietic stem cell transplantation. 2005, 52, 2272-6	2414625
1899 1898 1897 1896	levels of anxiety and depression, and sleep. 2005, 30, 374-85 Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial [ISRCTN64716113]. 2005, 5, 6 An investigation into the empirical validity of the EQ-5D and SF-6D based on hypothetical preferences in a general population. 2005, 14, 1169-89 Long-term followup of health status in patients with severe rheumatoid arthritis after high-dose chemotherapy followed by autologous hematopoietic stem cell transplantation. 2005, 52, 2272-6 Palliative therapy. 2005, 92, 246-56	241462545
1899 1898 1897 1896	levels of anxiety and depression, and sleep. 2005, 30, 374-85 Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial [ISRCTN64716113]. 2005, 5, 6 An investigation into the empirical validity of the EQ-5D and SF-6D based on hypothetical preferences in a general population. 2005, 14, 1169-89 Long-term followup of health status in patients with severe rheumatoid arthritis after high-dose chemotherapy followed by autologous hematopoietic stem cell transplantation. 2005, 52, 2272-6 Palliative therapy. 2005, 92, 246-56 Impact of the motor complications of Parkinson's disease on the quality of life. 2005, 20, 224-30	241462545387

1891 <i>A</i>	A "new and improved" EQ-5D valuation questionnaire? Results from a pilot study. 2005 , 6, 73-82	11
1890 \	Validating the EQ-5D with time trade off for the German population. 2005 , 6, 124-30	261
1889 1	The economic and quality of life impact of hypoglycemia. 2005 , 6, 197-202	130
1888 E	Estimating utility data from clinical indicators for patients with stable angina. 2005 , 6, 347-53	46
	Trial-based cost-utility comparison of percutaneous myocardial laser revascularisation and continued medical therapy for treatment of refractory angina pectoris. 2005 , 6, 288-97	7
	Health-related quality of life assessment by the EuroQol-5D can provide cost-utility data in the field of low-back surgery. 2005 , 14, 1000-7	137
1885 N	Manipulaties en mobilisaties bij schouderklachten. 2005 , 24, 126-132	
1884 <i>F</i>	Aanvullende manuele therapie bij patifiten met schouderklachten. 2005 , 48, 358-364	
1883 (Quality of life in children with systemic lupus erythematosus. 2005 , 7, 447-52	12
1882 (Cost-Effective Prevention of Hip Fractures. 2005 , 11, 49-67	3
1881	Cost-Effective Prevention of Hip Fractures. 2005 , 11, 49-67 Changes in quality of life in chronic psychiatric patients: a comparison between EuroQol (EQ-5D) and WHOQoL. 2005 , 14, 441-51	67
1881	Changes in quality of life in chronic psychiatric patients: a comparison between EuroQol (EQ-5D)	
1881 (a)	Changes in quality of life in chronic psychiatric patients: a comparison between EuroQol (EQ-5D) and WHOQoL. 2005 , 14, 441-51 The relationship between productivity and health-related quality of life: an empirical exploration in	67
1881 a	Changes in quality of life in chronic psychiatric patients: a comparison between EuroQol (EQ-5D) and WHOQoL. 2005 , 14, 441-51 The relationship between productivity and health-related quality of life: an empirical exploration in persons with low back pain. 2005 , 14, 805-13 Medical technologies, nonhuman aids, human assistance, and environmental factors in the	67 34
1881 (a) 1880 [1879 [a] 1878 [1878 [a]	Changes in quality of life in chronic psychiatric patients: a comparison between EuroQol (EQ-5D) and WHOQoL. 2005, 14, 441-51 The relationship between productivity and health-related quality of life: an empirical exploration in persons with low back pain. 2005, 14, 805-13 Medical technologies, nonhuman aids, human assistance, and environmental factors in the assessment of health states. 2005, 14, 867-74	67 34 3
1881 (a) 1880 [1879 [a] 1878 [a] 1877 [a]	Changes in quality of life in chronic psychiatric patients: a comparison between EuroQol (EQ-5D) and WHOQoL. 2005, 14, 441-51 The relationship between productivity and health-related quality of life: an empirical exploration in persons with low back pain. 2005, 14, 805-13 Medical technologies, nonhuman aids, human assistance, and environmental factors in the assessment of health states. 2005, 14, 867-74 The health status of the Dutch population as assessed by the EQ-6D. 2005, 14, 655-63 EQ-5D in a general population survey—a description of the most commonly reported EQ-5D health	67343136
1881 6 1880 7 1879 8 1878 7 1877 5	Changes in quality of life in chronic psychiatric patients: a comparison between EuroQol (EQ-5D) and WHOQoL. 2005, 14, 441-51 The relationship between productivity and health-related quality of life: an empirical exploration in persons with low back pain. 2005, 14, 805-13 Medical technologies, nonhuman aids, human assistance, and environmental factors in the assessment of health states. 2005, 14, 867-74 The health status of the Dutch population as assessed by the EQ-6D. 2005, 14, 655-63 EQ-5D in a general population surveya description of the most commonly reported EQ-5D health states using the SF-36. 2005, 14, 1099-109	67 34 3 136 34

(2005-2005)

1873	Satisfaction is not all-patients' perceptions of outcome of general practice consultations, a qualitative study. 2005 , 6, 43	29
1872	Income related inequality in prescription drugs in Denmark. 2005 , 14, 307-17	12
1871	The standard Gamma nail or the Medoff sliding plate for unstable trochanteric and subtrochanteric fractures. 2005 , 87-B, 68-75	87
1870	Cost of lipid lowering in patients with coronary artery disease by Case Method Learning. 2005 , 21, 180-186	3
1869	Cost-Effectiveness in Clinical Trials. 2005,	
1868	Health-related quality of life for those with myelodysplastic syndrome: conceptualization, measurement, and implications for research and practice. 2005 , 263-296	1
1867	[A new test (VITTORIO Test) for functional fitness assessment in rehabilitation after cardiac surgery]. 2005 , 64, 8-18	
1866	Psoriatic Arthritis. 2005, 118-123	18
1865	Modelling the effect of function and disease activity on costs and quality of life in rheumatoid arthritis. 2005 , 44, 1169-75	81
1864	Long-term follow-up after acute unilateral vestibular loss and comparison between subjects with and without remaining symptoms. 2005 , 125, 946-53	43
1863	The impact of chronic heart failure on health-related quality of life data acquired in the baseline phase of the CARE-HF study. 2005 , 7, 243-51	149
1862	Internal fixation versus hemiarthroplasty for displaced fractures of the femoral neck in elderly patients with severe cognitive impairment. 2005 , 87, 523-9	87
1861	Reliability and validity of the short form of the child health questionnaire for parents (CHQ-PF28) in large random school based and general population samples. 2005 , 59, 75-82	121
1860	Cost effectiveness of treatment for alcohol problems: findings of the randomised UK alcohol treatment trial (UKATT). 2005 , 331, 544	126
1859	Revision of cemented hip arthroplasty using a hydroxyapatite-ceramic-coated femoral component. 2005 , 87, 1061-7	29
1858	Measuring Outcomes using the Australian Therapy Outcome Measures for Occupational Therapy (AusTOMs-OT): Data Description and Tool Sensitivity. 2005 , 68, 354-366	16
1857	[Health Status of the German population: results of a representative survey using the EuroQol questionnaire]. 2005 , 67, 173-82	99
1856	Quality of life (QOL) in patients with acromegaly is severely impaired: use of a novel measure of QOL: acromegaly quality of life questionnaire. 2005 , 90, 3337-41	155

1855 [Geriatric urology -- incontinence in the elderly]. **2005**, 36, 495-502

1854	[Measuring preferences for depressive health states]. 2005 , 32, 122-31	4
1853	[Efficacy of a disease management programme in asthma]. 2005 , 59, 101-7	6
1852	Development of a questionnaire to assess the quality of care in Dutch dialysis centers from the patient's perspective. 2005 , 5, 255-65	1
1851	Acute peripheral joint injury: cost and effectiveness of low-field-strength MR imagingresults of randomized controlled trial. 2005 , 236, 958-67	38
1850	Cost-effectiveness of cardiac resynchronization therapy: results from the CARE-HF trial. 2005 , 26, 2681-8	105
1849	Effects of N-acetylcysteine on outcomes in chronic obstructive pulmonary disease (Bronchitis Randomized on NAC Cost-Utility Study, BRONCUS): a randomised placebo-controlled trial. 2005 , 365, 1552-60	520
1848	Effectiveness of a graded exercise therapy program for patients with chronic shoulder complaints. 2005 , 51, 87-94	43
1847	CHART in lung cancer: economic evaluation and incentives for implementation. 2005 , 75, 171-8	15
1846	P186 - Peaux sensibles : impact sur la qualit⊡e vie et la symptomatologie dBressive. 2005 , 132, 184-185	
1845	P184 - Expatriß dans des pays fort ensoleillement : comportements dexposition et de protection solaire de 8 084 adultes frangis ayant particip lude SU.VI.MAX. 2005 , 132, 183-184	
1844	Validation of the EQ-5D in patients with a history of acute coronary syndrome. 2005 , 21, 1209-16	69
1843	A comparison of the quality of life of hearing-impaired people as estimated by three different utility measures. 2005 , 44, 157-63	47
1842	Reliability of clinical balance tests and subjective ratings in dizziness and disequilibrium. 2005 , 7, 96-107	47
1841	Self-perceived health status of schizophrenic patients in Spain: analysis of geographic differences. 2005 , 5, 531-40	4
1840	Evaluation of the cost effectiveness of escitalopram versus venlafaxine XR in major depressive disorder. 2005 , 23, 155-67	39
1839	Parent-proxy EQ-5D ratings of children with attention-deficit hyperactivity disorder in the US and the UK. 2005 , 23, 777-90	45
1838	Eliciting social preference weights for Functional Assessment of Cancer Therapy-Lung health states. 2005 , 23, 1143-53	31

(2005-2005)

1837	An investigation into the health-related quality of life of individuals living with HIV who are receiving HAART. 2005 , 17, 579-88	120
1836	The effect of cardiac resynchronization on morbidity and mortality in heart failure. 2005 , 352, 1539-49	466 7
1835	Health-related quality of life in patients before and after surgery for a herniated lumbar disc. 2005 , 87, 959-64	74
1834	Issues for selection of outcome measures in stroke rehabilitation: ICF Participation. 2005 , 27, 507-28	148
1833	Patients' recollections of experiences in the intensive care unit may affect their quality of life. 2005 , 9, R96-109	162
1832	Cost and health status analysis after autologous chondrocyte implantation and mosaicplasty: a retrospective comparison. 2005 , 21, 359-67	29
1831	Microwave endometrial ablation for menorrhagia in patients with systemic disorders. 2005 , 91, 32-5	2
1830	Characteristics of female outpatients with urinary incontinence participating in a 6-month observational study in 14 European countries. 2005 , 52 Suppl 2, S13-23	26
1829	Patient-reported impact of urinary incontinenceresults from treatment seeking women in 14 European countries. 2005 , 52 Suppl 2, S24-34	67
1828	Measuring health status: information for primary care decision making. <i>Health Policy</i> , 2005 , 71, 303-13 3.2	17
1827	Treatment of acute bronchitis in adults with a pelargonium sidoides preparation (EPs 7630): a randomized, double-blind, placebo-controlled trial. 2005 , 1, 437-45	53
1826	Identification of cut-points for mild, moderate and severe pain due to diabetic peripheral neuropathy. 2005 , 115, 29-36	160
1825	Medical-expulsive therapy for distal ureterolithiasis: randomized prospective study on role of corticosteroids used in combination with tamsulosin-simplified treatment regimen and health-related quality of life. 2005 , 66, 712-5	91
1824	Waiting for hip arthroplasty: economic costs and health outcomes. 2005 , 20, 990-7	48
1823	Comparison of losartan and captopril on heart failure-related outcomes and symptoms from the losartan heart failure survival study (ELITE II). 2005 , 150, 123-31	28
1822	Are decisions using cost-utility analyses robust to choice of SF-36/SF-12 preference-based algorithm?. 2005 , 3, 11	47
1821	Radiology cost and outcomes studies: standard practice and emerging methods. 2005 , 185, 833-9	28
1820	Health-related quality of life after interventional or conservative strategy in patients with unstable angina or non-ST-segment elevation myocardial infarction: one-year results of the third Randomized Intervention Trial of unstable Angina (RITA-3). 2005 , 45, 221-8	82

1819	Pain, medication use, and health-related quality of life in older persons with postherpetic neuralgia: results from a population-based survey. 2005 , 6, 356-63	179
1818	P185 - Qualitde vie du personnel soignant du service de dermatologie et de r\u00e4nimation m\u00e4icale. 2005 , 132, 184	
1817	Calidad de vida relacionada con la salud: definicili y utilizacili en la prlitica milica. 2005 , 2, 31-43	8
1816	What value health?: A review of health state values used in early technology assessments for NICE. 2005 , 4, 219-28	24
1815	Methodologic issues in the comparison of microsurgical flaps/techniques in head and neck reconstruction. 2005 , 32, 347-59, vi	8
1814	Health, quality of life, social network and use of health care: a comparison between those granted and those not granted disability pensions. 2006 , 28, 25-32	14
1813	Quality-of-life valuations of advanced breast cancer by New Zealand women. 2006 , 24, 281-92	17
1812	Uterine fibroids: a review of health-related quality of life assessment. 2006 , 15, 818-29	44
1811	Uso de las medidas de salud autopercibida en las evaluaciones econfinicas de tecnolog\(\text{B}\)sanitarias. 2006 , 3, 173-182	0
1810	Socket wall addition device in the treatment of recurrent hip prosthesis dislocation: good outcome in 12 patients followed for 4.5 (1-9) years. 2006 , 77, 87-91	7
1809	Concepts underlying outcome measures in studies of consultations in general practice. 2006 , 24, 218-23	12
1808	The economic value of anti-IgE in severe persistent, IgE-mediated (allergic) asthma patients: adaptation of INNOVATE to Sweden. 2006 , 22, 1765-76	69
1807	Self-reported chronic conditions and EQ-5D index scores in the US adult population. 2006 , 22, 2065-71	37
1806	[Cross-cultural adaptation and validation of a Spanish version of a specific instrument to measure health-related quality of life in patients with ankylosing spondylitis]. 2006 , 2, 64-9	7
1805	Clinical and quality-of-life outcomes after fertility-sparing laparoscopic surgery with bowel resection for severe endometriosis. 2006 , 13, 436-41	67
1804	Evaluacili de la incapacidad funcional y de la calidad de vida en ortopedia. 2006 , 39, 1-24	
1803	[Health economics: the cost of illness and economic evaluation in respiratory diseases]. 2006, 42, 207-10	1
1802	Comparison of the SF-6D and the EQ-5D in patients with coronary heart disease. 2006 , 4, 20	88

1801	Quality of life in age-related macular degeneration: a review of the literature. 2006 , 4, 97	168
1800	A cost effectiveness analysis within a randomised controlled trial of post-acute care of older people in a community hospital. 2006 , 333, 228	14
1799	Burden of illness in painful diabetic peripheral neuropathy: the patients' perspectives. 2006 , 7, 892-900	190
1798	Cost effectiveness of brace, physiotherapy, or both for treatment of tennis elbow. 2006 , 40, 637-43; discussion 643	37
1797	Displaced femoral neck fracture: comparison of primary total hip replacement with secondary replacement after failed internal fixation: a 2-year follow-up of 84 patients. 2006 , 77, 638-43	58
1796	[Psychometric properties of the Euroqol measure in patients with muscular dystrophy]. 2006, 49, 105-12	3
1795	Balance self-efficacy and its relevance to physical function and perceived health status after stroke. 2006 , 87, 364-70	101
1794	Psychometric evaluation of the original and Canadian French version of the activities-specific balance confidence scale among people with stroke. 2006 , 87, 1597-604	77
1793	Quality of life measurement and alcoholism: Another arm to nursing practice?. 2006 , 9, e295-e301	10
1792	Health-related quality of life, work productivity, and health care resource utilization of subjects with irritable bowel syndrome: baseline results from LOGIC (Longitudinal Outcomes Study of Gastrointestinal Symptoms in Canada), a naturalistic study. 2006 , 28, 1726-35; discussion 1710-1	137
1791	Quality of life among pregnant women with chronic energy deficiency in rural Bangladesh. <i>Health Policy</i> , 2006 , 78, 128-34	16
1790	Validity of the EQ-5D as a generic health outcome instrument in a heroin-dependent population. 2006 , 82, 111-8	53
1789	Prostate cancer diagnosis: the impact on patients' mental health. 2006 , 42, 165-70	31
1788	Quality of life: questionnaires and questions. 2006 , 11, 327-41	15
1787	Proxy respondents reliably assessed the quality of life of elective cardiac surgery patients. 2006 , 59, 153-9	20
1786	Health outcomes of patients undergoing cardiac surgery: repeated measures using Short Form-36 and 15 Dimensions of Quality of Life questionnaire. 2006 , 35, 245-51	25
1785	Patients' perceived health status following primary surgery for oral and oropharyngeal cancer. 2006 , 35, 913-9	52
1784	An innovative education programme for people with Parkinson's disease and their carers. 2006 , 12, 478-85	51

1783	Sedative hypnotic use in Alberta. 2006 , 51, 287-94	17
1782	Changing face of spine trauma care in North America. 2006 , 31, S2-8; discussion S36	43
1781	Methodological approach for assessing the cost-effectiveness of treatments using longitudinal observational data: the SOHO study. 2006 , 22, 460-8	10
1780	Cost-effectiveness of a graded exercise therapy program for patients with chronic shoulder complaints. 2006 , 22, 76-83	28
1779	☑aluation de l'incapacit[fonctionnelle et de la qualit[de vie en orthop@ie. 2006 , 1, 1-24	
1778	Escitalopram versus venlafaxine XR in the treatment of depression. 2006 , 21, 297-309	40
1777	Posterolateral, anterior, or circumferential fusion in situ for high-grade spondylolisthesis in young patients: a long-term evaluation using the Scoliosis Research Society questionnaire. 2006 , 31, 190-6	46
1776	Reliability and validity of the Dutch version of the American Burn Association/Shriners Hospital for Children Burn Outcomes Questionnaire (5-18 years of age). 2006 , 27, 790-802	29
1775	Evaluating treatment effectiveness: benchmarks for rehabilitation after partial meniscectomy knee arthroscopy. 2006 , 85, 490-501	11
1774	Psychosocial and physical impairment after mini-incision open and laparoscopic donor nephrectomy: A prospective study. 2006 , 82, 1291-7	33
1773	Prevalence, risk factors, and preference-based health states of low back pain in a Turkish population. 2006 , 31, E968-72	57
1772	Long-term survival, quality of life, and quality-adjusted life-years among critically ill elderly patients. 2006 , 34, 2120-6	178
1771	Predictors of fatigue in rescue workers and residents in the aftermath of an aviation disaster: a longitudinal study. 2006 , 68, 605-12	21
1770	Depression in Irish migrants living in London: case-control study. 2006 , 188, 560-6	57
1769	Does quality of life of COPD patients as measured by the generic EuroQol five-dimension questionnaire differentiate between COPD severity stages?. 2006 , 130, 1117-28	153
1768	Methodology for the Randomised Injecting Opioid Treatment Trial (RIOTT): evaluating injectable methadone and injectable heroin treatment versus optimised oral methadone treatment in the UK. 2006 , 3, 28	38
1767	Reliability of the Australian Therapy Outcome Measures for Occupational Therapy Self-care scale. 2006 , 53, 265-276	15
1766	Measuring the psychosocial impact of population-based prostate-specific antigen testing for prostate cancer in the UK. 2006 , 98, 777-82	35

(2006-2006)

1765	Gender differences in health-related quality of life among stroke patients. 2006 , 6, 165-173	10
1764	Performance of the EQ-5D in patients with irritable bowel syndrome. 2006 , 9, 90-7	45
1763	Outcomes of low-vision services using optometric and multidisciplinary approaches: a non-randomized comparison. 2006 , 26, 535-44	35
1762	Defining success in overactive bladder management: the importance of patient-focused outcomes. 2006 , 113, 9-18	2
1761	Patient burden of trigeminal neuralgia: results from a cross-sectional survey of health state impairment and treatment patterns in six European countries. 2006 , 6, 153-60	138
1760	Sleep disturbances reported by refractory partial-onset epilepsy patients receiving polytherapy. 2006 , 47, 1176-83	70
1759	Experiences and expectations of patients after oesophageal cancer surgery: an explorative study. 2006 , 15, 324-32	36
1758	The effect of emergency department delay on outcome in critically ill medical patients: evaluation using hospital mortality and quality of life at 6 months. 2006 , 260, 586-91	45
1757	Quality of life is associated to the orthopaedic status in haemophilic patients with inhibitors. 2006 , 12, 154-62	124
1756	Dealing with multiple endpoints. 2006 , 30, 298-306	1
1755	The burden of neuropathic pain: results from a cross-sectional survey. 2006 , 10, 127-35	270
1754	Computer-based education for patients with chronic heart failure. A randomised, controlled, multicentre trial of the effects on knowledge, compliance and quality of life. 2006 , 64, 128-35	86
1753	Herstelmogelijkheden en gezondheidsstatus. 2006 , 14, 519-523	1
1752	Evaluation of cross-sectional and longitudinal construct validity of two vision-related quality of life questionnaires: the LVQOL and VCM1. 2006 , 15, 233-48	28
1751	The impact of 29 chronic conditions on health-related quality of life: a general population survey in Finland using 15D and EQ-5D. 2006 , 15, 1403-14	280
1750	Measuring health-related quality of life in bipolar disorder: relationship of the EuroQol (EQ-5D) to condition-specific measures. 2006 , 15, 1271-80	41
1749	Economic evaluation of a multi-stage return to work program for workers on sick-leave due to low back pain. 2006 , 16, 557-78	84
1748	Predictors for work ability and disability in men and women with low-back or neck problems. 2006 , 15, 780-93	42

1747	Comments on "Health economic evaluation in lumbar spinal fusion. A systematic literature review anno 2005". 2006 , 15, 1174-5	3
1746	Health related quality of life outcome instruments. 2006 , 15 Suppl 1, S44-51	65
1745	A practical approach to spine registers in Europe: the Swedish experience. 2006 , 15 Suppl 1, S57-63	16
1744	Back related outcome assessment instruments. 2006 , 15 Suppl 1, S25-31	32
1743	Quality of life assessment in cardiac populations. 2006 , 118, 715-7	0
1742	Intangible costs and benefits of ulcerative colitis surveillance: a patient survey. 2006, 49, 1177-83	5
1741	A decomposition of income-related health inequality applied to EQ-5D. 2006 , 7, 231-7	16
1740	Predictors of early recovery of health status after intensive care. 2006 , 32, 1832-8	23
1739	Costs and quality of life associated with osteoporosis-related fractures in Sweden. 2006 , 17, 637-50	236
1738	Quality of Life in Multiply Injured Patients. 2006 , 32, 44-62	19
1737	Housing related difficulties, housing tenure and variations in health status: evidence from older people in Wales. 2006 , 12, 267-78	46
1736	A review of the quality of life of adult patients treated with long-term parenteral nutrition. 2006 , 25, 543-53	107
1735	Painful diabetic neuropathy: a cross-sectional survey of health state impairment and treatment patterns. 2006 , 20, 26-33	139
1734	The PEX study - Exercise therapy for patellofemoral pain syndrome: design of a randomized clinical trial in general practice and sports medicine [ISRCTN83938749]. 2006 , 7, 31	15
1733	Mapping oral health related quality of life to generic health state values. 2006, 6, 96	54
1732	Econom de la salud: el coste de la enfermedad y la evaluaci de econ de las enfermedades respiratorias. 2006 , 42, 207-210	2
1731	Cost-effectiveness analysis of surgery versus conservative treatment for uncomplicated varicose veins in a randomized clinical trial. 2006 , 93, 182-6	38

(2006-2006)

1729	Uridine diphosphate glucuronosyl transferase 1A1 promoter polymorphism predicts the risk of gastrointestinal toxicity and fatigue induced by irinotecan-based chemotherapy. 2006 , 106, 1007-16	98
1728	Does the whole equal the sum of the parts? Patient-assigned utility scores for IBS-related health states and profiles. 2006 , 15, 543-51	10
1727	Towards a better QALY model. 2006 , 15, 665-76	37
1726	The Dutch tariff: results and arguments for an effective design for national EQ-5D valuation studies. 2006 , 15, 1121-32	439
1725	Comparison of EQ-5D and SF-6D utilities in mental health patients. 2006 , 15, 1229-36	114
1724	Botulinum toxin type A for chronic pain and pelvic floor spasm in women: a randomized controlled trial. 2006 , 108, 915-23	195
1723	The long-term outcome of tendon lengthening for chronic Achilles tendon pain. 2006, 27, 672-6	20
1722	[Discriminative ability, construct validity and sensitivity to change of the EQ-5D quality of life questionnaire in paranoid schizophrenia]. 2006 , 33, 330-6	4
1721	Psychosocial impact of finding small aneurysms that are left untreated in patients previously operated on for ruptured aneurysms. 2006 , 77, 748-52	21
1720	The burden of upper gastrointestinal endoscopy in patients with Barrett's esophagus. 2006 , 38, 873-8	43
1719	Characterization of patients with an inadequate clinical outcome from osteoporosis therapy: the Observational Study of Severe Osteoporosis (OSSO). 2006 , 99, 531-43	28
1718	Social-economic costs and quality of life of Alzheimer disease in the Canary Islands, Spain. 2006 , 67, 2186-91	64
1717	Mapping the EQ-5D index from the SF-12: US general population preferences in a nationally representative sample. 2006 , 26, 401-9	134
1716	Treatment of the young active patient with osteoarthritis of the hip. A five- to seven-year comparison of hybrid total hip arthroplasty and metal-on-metal resurfacing. 2006 , 88, 592-600	200
1715	Can the results 6 months after anterior cervical decompression and fusion identify patients who will have remaining deficit at long-term?. 2006 , 28, 117-24	19
1714	Valuation structures of health states revealed with singular value decomposition. 2006 , 26, 30-7	10
1713	Quality of life one year after myocardial revascularization. Is preoperative quality of life important?. 2006 , 5, 115-20	8
1712	A cross-sectional survey of health state impairment and treatment patterns in patients with postherpetic neuralgia. 2006 , 35, 132-7	88

1711	Physical activity and self-perceived health status. 2006 , 19, 61-9	47
1710	Phase III trial comparing supportive care alone with supportive care with oral topotecan in patients with relapsed small-cell lung cancer. 2006 , 24, 5441-7	434
1709	Income-related inequality in utilization of health services in Denmark: evidence from Funen County. 2006 , 34, 462-71	28
1708	General health and well-being in outpatients with depressive and bipolar disorders. 2006 , 60, 150-6	11
1707	Inconsistencies in TTO and VAS values for EQ-5D health states. 2006 , 26, 173-81	54
1706	Validation of the EuroQol questionnaire in cardiac rehabilitation. 2006 , 92, 62-7	115
1705	Randomised controlled trials of immediate weight-bearing mobilisation for rupture of the tendo Achillis. 2006 , 88, 69-77	146
1704	Postoperative analgesia in total hip arthroplasty: a randomized double-blinded, placebo-controlled study on peroperative and postoperative ropivacaine, ketorolac, and adrenaline wound infiltration. 2007 , 78, 187-92	110
1703	Quality of Life in Old Age. 2007 ,	13
1702	A review of the effects of antihyperglycaemic agents on body weight: the potential of incretin targeted therapies. 2007 , 23, 1493-507	51
1701	Cost-effectiveness of selective serotonin reuptake inhibitors and routine specialist care with and without cognitive behavioural therapy in adolescents with major depression. 2007 , 191, 521-7	7 ²
1700	Estimating the Economic and Social Costs of the Fear of Crime. 2007 , 47, 121-132	74
1699	Quality of life in children with systemic lupus erythematosus: a review. 2007 , 16, 663-9	16
1698	Ambulatory disabilities and the use of walking aids in patients with hereditary motor and sensory neuropathy type I (HMSN I). 2007 , 2, 35-41	4
1697	Health status and health-related quality of life preference-based outcomes of children who are aged 7 to 9 years and have bilateral permanent childhood hearing impairment. 2007 , 120, 1044-52	27
1696	Cost-effectiveness of a vaccine to prevent herpes zoster and postherpetic neuralgia in older adults. 2007 , 44, 1280-8	107
1695	Ankle/hindfoot arthrodesis in rheumatoid arthritis improves kinematics and kinetics of the knee and hip: a prospective gait analysis study. 2007 , 46, 1024-8	19
1694	The Canadian ACE-inhibitor trial to improve renal outcomes and patient survival in kidney transplantationstudy design. 2008 , 23, 354-8	45

1693	Renal artery stenosis: cost-effectiveness of diagnosis and treatment. 2007 , 244, 505-13	15
1692	Untersuchung zur Reliabilitiund Validitider deutschen Version eines Fragebogens zur psychosozialen Beeintrühtigung von Parkinsonpatienten (SCOPA-PS). 2007 , 34, 267-271	4
1691	[The burden of depressive disorders in Germany - results from the European Study of the Epidemiology of Mental Disorders (ESEMeD)]. 2007 , 34, 292-301	13
1690	Impact of psychiatric disorders on health-related quality of life: general population survey. 2007 , 190, 326-32	253
1689	Posttraumatic hypopituitarism is associated with an unfavorable body composition and lipid profile, and decreased quality of life 12 months after injury. 2007 , 92, 3861-8	66
1688	A randomised controlled trial comparing bipolar hemiarthroplasty with total hip replacement for displaced intracapsular fractures of the femoral neck in elderly patients. 2007 , 89, 160-5	254
1687	Quality of life and congenital heart defects: comparing parent and professional values. 2007, 92, 388-93	11
1686	Self-reported health status and health-related quality of life of teenagers who were born before 29 weeks' gestational age. 2007 , 120, e86-93	36
1685	Cardiovascular Prevention and Rehabilitation. 2007,	14
1684	Quality of life and disability weights associated with periodontal disease. 2007 , 86, 713-7	60
1684	Quality of life and disability weights associated with periodontal disease. 2007, 86, 713-7 Falls and health status in elderly women following first eye cataract surgery: an economic evaluation conducted alongside a randomised controlled trial. 2007, 91, 1675-9	60 32
	Falls and health status in elderly women following first eye cataract surgery: an economic	
1683 1682	Falls and health status in elderly women following first eye cataract surgery: an economic evaluation conducted alongside a randomised controlled trial. 2007 , 91, 1675-9 A pan-European housing and health survey: description and evaluation of methods and approaches.	32
1683 1682	Falls and health status in elderly women following first eye cataract surgery: an economic evaluation conducted alongside a randomised controlled trial. 2007 , 91, 1675-9 A pan-European housing and health survey: description and evaluation of methods and approaches. 2007 , 30, 363	32 17
1683 1682 1681	Falls and health status in elderly women following first eye cataract surgery: an economic evaluation conducted alongside a randomised controlled trial. 2007, 91, 1675-9 A pan-European housing and health survey: description and evaluation of methods and approaches. 2007, 30, 363 Response and completion rates for postal outcomes booklets in stroke rehabilitation. 2007, 14, 440-445 Effectiveness and cost-effectiveness of three types of physiotherapy used to reduce chronic low	32 17 6
1683 1682 1681	Falls and health status in elderly women following first eye cataract surgery: an economic evaluation conducted alongside a randomised controlled trial. 2007, 91, 1675-9 A pan-European housing and health survey: description and evaluation of methods and approaches. 2007, 30, 363 Response and completion rates for postal outcomes booklets in stroke rehabilitation. 2007, 14, 440-445 Effectiveness and cost-effectiveness of three types of physiotherapy used to reduce chronic low back pain disability: a pragmatic randomized trial with economic evaluation. 2007, 32, 1474-81 Liposuction breast reduction: a prospective trial in African American women. 2007, 119, 718-26;	32 17 6
1683 1682 1681 1680	Falls and health status in elderly women following first eye cataract surgery: an economic evaluation conducted alongside a randomised controlled trial. 2007, 91, 1675-9 A pan-European housing and health survey: description and evaluation of methods and approaches. 2007, 30, 363 Response and completion rates for postal outcomes booklets in stroke rehabilitation. 2007, 14, 440-445 Effectiveness and cost-effectiveness of three types of physiotherapy used to reduce chronic low back pain disability: a pragmatic randomized trial with economic evaluation. 2007, 32, 1474-81 Liposuction breast reduction: a prospective trial in African American women. 2007, 119, 718-26; discussion 727-8	32 17 6 132 23

1675	Cost effectiveness of laparoscopic versus mini-incision open donor nephrectomy: a randomized study. 2007 , 83, 1582-7	21
1674	Cost-effectiveness of physical therapy and general practitioner care for sciatica. 2007 , 32, 1942-8	24
1673	A primer on health-related quality of life in chronic pain medicine. 2007 , 104, 703-18	47
1672	Quality-of-life weights for the US population: self-reported health status and priority health conditions, by demographic characteristics. 2007 , 45, 618-28	68
1671	Use of the U.S. and U.K. scoring algorithm for the EuroQol-5D in an economic evaluation of cardiac care. 2007 , 45, 269-73	7
1670	The transformation of utilities for health states worse than death: consequences for the estimation of EQ-5D value sets. 2007 , 45, 238-44	63
1669	Self-management education programmes by lay leaders for people with chronic conditions. 2007 , CD005108	263
1668	On the assessment of preferences for health and duration: maximal endurable time and better than dead preferences. 2007 , 45, 835-41	35
1667	Predictors of psychological adjustment after bereavement. 2007 , 19, 921-34	29
1666	Cost-effectiveness of an education and activation program for patients with acute and subacute shoulder complaints compared to usual care. 2007 , 23, 80-8	7
1665	Implications of chronic obstructive pulmonary disease (COPD) on patients' health status: a western view. 2007 , 101, 661-9	27
1664	Cost-effectiveness of GRAZAX for prevention of grass pollen induced rhinoconjunctivitis in Southern Europe. 2007 , 101, 1885-94	49
1663	Costs of asthma in Italy: results of the SIRIO (Social Impact of Respiratory Integrated Outcomes) study. 2007 , 101, 2511-9	19
1662	Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: a double blind sham controlled randomized clinical trial. 2007 , 127, 173-82	178
1661	Catheter-directed Venous Thrombolysis in acute iliofemoral vein thrombosisthe CaVenT study: rationale and design of a multicenter, randomized, controlled, clinical trial (NCT00251771). 2007 , 154, 808-14	86
1660	The EQ-5D in alcohol dependent patients: relationships among health-related quality of life, psychopathology and social functioning. 2007 , 86, 253-64	41
1659	Efficacy of a pelargonium sidoides preparation in patients with the common cold: a randomized, double blind, placebo-controlled clinical trial. 2007 , 3, 573-84	59
1658	Psychometric evaluation of health-related quality of life measures in women after different types of delivery. 2007 , 63, 275-81	56

1657	Modelling SF-6D health state preference data using a nonparametric Bayesian method. 2007 , 26, 597-612	158
1656	The behavioral assessment scale: a measure of community living skills. 2007 , 18, 42-54	
1655	Racial/ethnic differences in preferences for the EQ-5D health states: results from the U.S. valuation study. 2007 , 60, 479-90	33
1654	The health-related quality-of-life impact of chronic conditions varied with age in general population. 2007 , 60, 1288-97	57
1653	Interpreting parental proxy reports of (health-related) quality of life for children with unilateral cochlear implants. 2007 , 71, 435-45	38
1652	Validity of the EQ-5D in assessing and valuing health status in patients with schizophrenic, schizotypal or delusional disorders. 2007 , 22, 177-87	60
1651	Rationale and methodology for a population-based study of eye diseases in Malay people: The Singapore Malay eye study (SiMES). 2007 , 14, 25-35	350
1650	A comparison of EQ-5D index scores derived from the US and UK population-based scoring functions. 2007 , 27, 321-6	52
1649	Impact of visual impairment on quality of life: a comparison with quality of life in the general population and with other chronic conditions. 2007 , 14, 119-26	123
1648	Patient compliance with alendronate, risedronate and raloxifene for the treatment of osteoporosis in postmenopausal women. 2007 , 23, 2677-87	19
1647	Impact of hirsutism on women's quality of life and their valuation of an effective treatment. 2007 , 10, 107-118	1
1646	Measuring preferences for cost-utility analysis: how choice of method may influence decision-making. 2007 , 25, 93-106	78
1645	The use of disease-specific outcome measures in cost-utility analysis: the development of Dutch societal preference weights for the FACT-L scale. 2007 , 25, 591-603	14
1644	Outcome after distal metatarsal osteotomy for hallux valgus: a prospective randomized controlled trial of two methods. 2007 , 28, 778-87	49
1643	Inconsistent health perceptions for US women and men with diabetes. 2007, 16, 1421-8	12
1642	Die Psoriasis-Krankheitskosten korrelieren mit der Schwere des klinischen Befundes und nicht mit der psychischen Krankheitslast. 2007 , 5, 3-12	O
1641	Telemedicine in pediatric and perinatal cardiology: economic evaluation of a service in English hospitals. 2007 , 23, 116-25	25
1640	Intensive care unit acquired infection has no impact on long-term survival or quality of life: a prospective cohort study. 2007 , 11, R35	11

1639	Quantification of health states with rank-based nonmetric multidimensional scaling. 2007 , 27, 395-405	21
1638	Quality of life in growth hormone deficiency and acromegaly. 2007 , 36, 221-32	20
1637	The EUCCLID study: proposed European study on care and complications in people with type 2 diabetes in primary care. 2007 , 1, 167-71	3
1636	Time trends of chest pain symptoms and health related quality of life in coronary artery disease. 2007 , 5, 13	10
1635	Performance of the EQ-5D and the EQ-5D+C in elderly patients with cognitive impairments. 2007 , 5, 33	83
1634	Health related quality of life six months following surgical treatment for secondary peritonitisusing the EQ-5D questionnaire. 2007 , 5, 35	10
1633	L-Carnitine in the treatment of fatigue in adult celiac disease patients: a pilot study. 2007 , 39, 922-8	23
1632	Patients with Barrett's esophagus perceive their risk of developing esophageal adenocarcinoma as low. 2007 , 65, 26-30	24
1631	Gender-related differences in presentation, treatment, and outcome of patients with atrial fibrillation in Europe: a report from the Euro Heart Survey on Atrial Fibrillation. 2007 , 49, 572-7	301
1630	Motor development in children living within resource poor areas of the Western Cape. 2007, 63,	
1629	Health economic and process evaluation of AT interventions for persons with dementia and their relatives [A suggested assessment model. 2007 , 19, 61-71	5
1628	Incorporating Quality of Life and Patient Satisfaction Measures into a Transplant Outcomes Assessment Program: Technical and Practical Considerations. 2007 , 17, 121-128	17
1627	Randomized clinical trial of the impact of early enteral feeding on postoperative ileus and recovery. 2007 , 94, 555-61	135
1626	Using the health assessment questionnaire to estimate preference-based single indices in patients with rheumatoid arthritis. 2007 , 57, 963-71	63
1625	Seeing for yourself: feasibility study towards valuing visual impairment using simulation spectacles. 2007 , 16, 537-43	9
1624	Prevention of fall incidents in patients with a high risk of falling: design of a randomised controlled trial with an economic evaluation of the effect of multidisciplinary transmural care. 2007 , 7, 15	25
1623	Internet-based treatment for adults with depressive symptoms: the protocol of a randomized controlled trial. 2007 , 7, 72	19
1622	Brief Intervention in Type 1 diabetes - Education for Self-efficacy (BITES): Protocol for a randomised control trial to assess biophysical and psychological effectiveness. 2007 , 7, 6	3

1621	measurements in asthmatics: results of a randomised controlled trial. 2007 , 5, 10	34
1620	Tonsil surgery in youths: good results with a less invasive method. 2007 , 117, 654-61	37
1619	Long-term improvement of quality of life as a result of tonsillotomy (with radiofrequency technique) and tonsillectomy in youths. 2007 , 117, 1272-9	41
1618	The relationship between body mass index and health-related quality of life: comparing the EQ-5D, EuroQol VAS and SF-6D. 2007 , 31, 189-96	183
1617	Critical review of generic and dermatology-specific health-related quality of life instruments. 2007 , 127, 2726-39	192
1616	Assessment of impairment in health-related quality of life in patients with difficult asthma: psychometric performance of the Asthma Quality of Life Questionnaire. 2007 , 12, 227-33	13
1615	Is laparoscopic colectomy for cancer cost-effective relative to open colectomy?. 2007 , 77, 782-6	31
1614	Cost-effectiveness of grass allergen tablet (GRAZAX) for the prevention of seasonal grass pollen induced rhinoconjunctivitis - a Northern European perspective. 2007 , 37, 772-9	72
1613	Treatment of acromegaly improves quality of life, measured by AcroQol. 2007, 67, 358-62	52
1612	The effects of gender and age on health-related quality of life following kidney transplantation. 2008 , 17, 82-9	11
1611	Mapping from disease-specific measures to utility: an analysis of the relationships between the Inflammatory Bowel Disease Questionnaire and Crohn's Disease Activity Index in Crohn's disease and measures of utility. 2007 , 10, 214-20	63
1610	Economic evaluation of tegaserod vs. placebo in the treatment of patients with irritable bowel syndrome: an analysis of the TENOR study. 2007 , 10, 238-46	12
1609	Physical activity on prescription in primary health care: a follow-up of physical activity level and quality of life. 2008 , 18, 154-61	100
1608	Health status impairment and costs associated with COPD exacerbation managed in hospital. 2007 , 61, 1112-20	41
1607	Protocol for the PACE trial: a randomised controlled trial of adaptive pacing, cognitive behaviour therapy, and graded exercise, as supplements to standardised specialist medical care versus standardised specialist medical care alone for patients with the chronic fatigue syndrome/myalgic	96
1606	encephalomyelitis or encephalopathy. 2007 , 7, 6 The UK burden of injury study - a protocol. [National Research Register number: M0044160889]. 2007 , 7, 317	22
1605	Efficacy of confrontational counselling for smoking cessation in smokers with previously undiagnosed mild to moderate airflow limitation: study protocol of a randomized controlled trial. 2007 , 7, 332	23
1604	The effectiveness of adding cognitive behavioural therapy aimed at changing lifestyle to managed diabetes care for patients with type 2 diabetes: design of a randomised controlled trial. 2007 , 7, 74	30

1603	INvestigational Vertebroplasty Efficacy and Safety Trial (INVEST): a randomized controlled trial of percutaneous vertebroplasty. 2007 , 8, 126	62
1602	Effectiveness of computer-navigated minimally invasive total hip surgery compared to conventional total hip arthroplasty: design of a randomized controlled trial. 2007 , 8, 4	18
1601	Exercise on prescription: trial protocol and evaluation of outcomes. 2007 , 7, 36	18
1600	Measuring disability and quality of life in established rheumatoid arthritis. 2007 , 21, 827-40	69
1599	Long-term outcome in patients with combined spinal and pelvic fractures. 2007 , 38, 598-606	18
1598	Will cardiac surgery improve my quality of life?: Visual analogue score as a first step in preoperative counseling. 2007 , 15, 51-4	5
1597	Randomized trial of health-related quality of life after open and laparoscopic surgery for colon cancer. 2007 , 21, 747-53	81
1596	High abstinence rates in heroin addicts by a new comprehensive treatment approach. 2007 , 16, 124-30	29
1595	Responsiveness of the EuroQol (EQ-5D) and the Nottingham Health Profile (NHP) in elderly patients with femoral neck fractures. 2007 , 16, 321-30	43
1594	US and UK versions of the EQ-5D preference weights: does choice of preference weights make a difference?. 2007 , 16, 1065-72	37
1593	Choosing between measures: comparison of EQ-5D, HUI2 and HUI3 in persons with hearing complaints. 2007 , 16, 1439-49	60
1592	Different perceptions of the burden of upper GI endoscopy: an empirical study in three patient groups. 2007 , 16, 1309-18	28
1591	Respondent satisfaction regarding SF-36 and EQ-5D, and patients' perspectives concerning health outcome assessment within routine health care. 2007 , 16, 1647-54	24
1590	Response shift due to diagnosis and primary treatment of localized prostate cancer: a then-test and a vignette study. 2007 , 16, 1627-34	46
1589	Utility loss and indirect costs following cardiovascular events in hypertensive patients: the ASCOT health economic substudy. 2007 , 8, 25-30	24
1588	Long-term randomised comparison between a carbon fibre cage and the Cloward procedure in the cervical spine. 2007 , 16, 173-8	41
1587	Health-related quality of life in patients with adolescent idiopathic scoliosis after treatment: short-term effects after brace or surgical treatment. 2007 , 16, 83-9	55
1586	The cost-utility of lumbar disc herniation surgery. 2007 , 16, 329-37	73

(2008-2007)

1585	Environmental assessment of building properties. Where natural and social sciences meet: The case of EcoEffect. 2007 , 42, 1458-1464	46
1584	Health-related quality of life (HRQoL) domains most valued by urban isiXhosa-speaking people. 2008 , 17, 137-45	4
1583	Health-related quality of life of day-case surgery patients: a pre/posttest survey using the EuroQoL-5D. 2008 , 17, 169-77	20
1582	Tooth loss, chewing ability and quality of life. 2008 , 17, 227-35	141
1581	Health-related quality of life (HRQoL) domains most valued by urban IsiXhosa-speaking people. 2008 , 17, 347-55	7
1580	The feasibility and responsiveness of the health utilities index in patients with early-stage breast cancer: a prospective longitudinal study. 2008 , 17, 333-45	11
1579	Identifying response shift statistically at the individual level. 2008 , 17, 627-39	36
1578	How consistent are health utility values?. 2008, 17, 1031-42	30
1577	Health-related quality of life in unselected outpatients with heart failure across Spain in two different health care levels. Magnitude and determinants of impairment: the INCA study. 2008 , 17, 1229-38	26
1576	Lower visual acuity predicts worse utility values among patients with type 2 diabetes. 2008 , 17, 1277-84	22
1575	Personality and EQ-5D scores among individuals with chronic conditions. 2008 , 17, 1195-204	15
1574	Health-related quality of life and utilities in primary-care patients with generalized anxiety disorder. 2008 , 17, 1285-94	44
1573	Een gezondere leefstijl voor vrouwelijke migranten met chronische pijnklachten. 2008 , 51, 45-50	2
1572	[Critical observations on measuring quality of life of persons suffering from dementia]. 2008, 79, 1023-35	8
1571	Quality of life in postoperative Japanese hip fracture patients: a hospital-based prospective study. 2008 , 3, 7-15	5
1570	Quality of life after TKA for patients with juvenile rheumatoid arthritis. 2008, 466, 167-78	15
1569	Does greater exposure to own-health data make a difference on the visual analog scale?. 2008 , 9, 63-7	2
1568	An assessment of the discriminative ability of the EQ-5Dindex, SF-6D, and EQ VAS, using sociodemographic factors and clinical conditions. 2008 , 9, 237-49	45

1567	In pursuit of QALY weights for relatives: empirical estimates in relatives caring for older people. 2008 , 9, 285-92	17
1566	Internal fixation of traumatic diastasis of pubic symphysis: is plate removal essential?. 2008 , 128, 325-31	45
1565	Primary prevention of diabetes mellitus type 2 and cardiovascular diseases using a cognitive behavior program aimed at lifestyle changes in people at risk: Design of a randomized controlled trial. 2008 , 8, 6	33
1564	Physical function assessment tools in pediatric rheumatology. 2008 , 6, 9	16
1563	Efficacy of tibolone and raloxifene for the maintenance of skeletal muscle strength, bone mineral density, balance, body composition, cognitive function, mood/depression, anxiety and quality of life/well-being in late postmenopausal women >/= 70 years: study design of a randomized,	7
1562	Design paper: The CapOpus trial: a randomized, parallel-group, observer-blinded clinical trial of specialized addiction treatment versus treatment as usual for young patients with cannabis abuse and psychosis. 2008 , 9, 42	11
1561	A review of RCTs in four medical journals to assess the use of imputation to overcome missing data in quality of life outcomes. 2008 , 9, 51	62
1560	Early intervention in panic: randomized controlled trial and cost-effectiveness analysis. 2008, 9, 67	13
1559	Social economic costs and health-related quality of life in patients with degenerative cerebellar ataxia in Spain. 2008 , 23, 212-7	66
1558	Do adolescents with eating disorder not otherwise specified or full-syndrome bulimia nervosa differ in clinical severity, comorbidity, risk factors, treatment outcome or cost?. 2008 , 41, 498-504	54
1557	Social capital and its relationship with measures of health status: evidence from the Health Survey for England 2003. 2008 , 17, 127-43	67
1556	A comparison of the performance of the EQ-5D and SF-6D for individuals aged >or= 45 years. 2008 , 17, 815-32	80
1555	Impact of the recall period on measuring health utilities for acute events. 2008, 17, 1413-9	11
1554	Coaching patients with early rheumatoid arthritis to healthy physical activity: a multicenter, randomized, controlled study. 2008 , 59, 325-31	83
1553	Efficacy and safety of etanercept 50 mg twice a week in patients with rheumatoid arthritis who had a suboptimal response to etanercept 50 mg once a week: results of a multicenter, randomized, double-blind, active drug-controlled study. 2008 , 58, 1921-30	66
1552	Prolonged-release oxycodone enhances the effects of existing gabapentin therapy in painful diabetic neuropathy patients. 2008 , 12, 804-13	169
1551	Efficacy and safety of pregabalin in patients with diabetic peripheral neuropathy or postherpetic neuralgia: Open-label, non-comparative, flexible-dose study. 2008 , 12, 850-8	34
1550	Economic aspects of a therapy and support service for people with long-term stroke and aphasia. 2008 , 43, 233-44	12

1549 Preventie van valincidenten. **2008**, 33, 162-166

Poor health-related quality of life of patients with indication for chronic cardiac pacemaker therapy, 2008, 31, 480-6 Economics of COPD: literature review and experiences from field work. 2008, 2 Suppl 1, 104-10 S Valuation of the SF-6D Health States is Feasible, Acceptable, Reliable, and Valid in a Chinese Population. 2008, 11, 295-303 1545 A cost-benefit analysis using contingent valuation techniques: a feasibility study in spinal surgery. 2008, 11, 575-88 1544 Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 35 1544 Validity of the EuroQot. (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 92 1544 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 1540 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1539 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life after myocardial infarction is associated with level of left ventricular election fraction. 2008, 8, 28 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 26 1535 Health-related quality of life after myocardial infarction is associated with level of left ventricular election fraction. 2008, 8, 28	therapy, 2008, 31, 480-6 Economics of COPD: literature review and experiences from field work. 2008, 2 Suppl 1, 104-10 Javaluation of the SF-6D Health States is Feasible, Acceptable, Reliable, and Valid in a Chinese Population, 2008, 11, 295-303 A cost-benefit analysis using contingent valuation techniques: a feasibility study in spinal surgery. Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis, 2008, 11, 733-41 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1162-9 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1170-7 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1170-7 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1170-7 Javalidity of the EuroQoL (EQ-5D) instrument in a Greek general population, 2008, 11, 1170-7 Javalidity of the EuroQoL (EQ-5D) instrument in			
Valuation of the SF-6D Health States is Feasible, Acceptable, Reliable, and Valid in a Chinese Population. 2008, 11, 295-303 1545 A cost-benefit analysis using contingent valuation techniques: a feasibility study in spinal surgery. 18 1544 Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 1542 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 1541 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 1540 Long-term outcomes of continuous intrathecal bactofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1540 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1539 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 1530 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1531 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	Valuation of the SF-6D Health States is Feasible, Acceptable, Reliable, and Valid in a Chinese Population. 2008, 11, 295-303 1545 Acost-benefit analysis using contingent valuation techniques: a feasibility study in spinal surgery. 18 1544 Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 1542 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 1544 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 1540 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1539 Cagnitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 1538 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1535 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1548		14
A cost-benefit analysis using contingent valuation techniques: a feasibility study in spinal surgery. A cost-benefit analysis using contingent valuation techniques: a feasibility study in spinal surgery. 2008, 11, 575-88 1544 Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 35 1542 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 92 1544 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 1549 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1539 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 1538 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	A cost-benefit analysis using contingent valuation techniques: a feasibility study in spinal surgery. A cost-benefit analysis using contingent valuation techniques: a feasibility study in spinal surgery. Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1544 Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 35 1544 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 92 1541 II, 1178-85 1540 Long-term outcomes of continuous intrathecal baclofan infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1540 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 1538 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 1539 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1547	Economics of COPD: literature review and experiences from field work. 2008, 2 Suppl 1, 104-10	5
Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1544 Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 35 1544 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 92 1544 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 1549 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1539 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 92 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 1539 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 1544 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 1545 1, 1178-85 1546 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1549 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 1538 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 1539 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1546		93
meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 1542 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 1544 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 1540 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1539 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 28 1537 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1538 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	meta-analysis. 2008, 11, 733-41 1543 Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7 1542 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 1544 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 1540 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1530 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 1538 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1535 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1545		18
Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 292 1537 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1542 Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9 1541 Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 1540 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1539 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 28 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1544		139
Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	Health state utility scores for cancer-related anemia through societal and patient valuations. 2008, 11, 1178-85 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1543	Hispanic valuation of the EQ-5D health states: a social value set for Latin Americans. 2008, 11, 1170-7	35
1541 11, 1178-85 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1539 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 92 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 28 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1541 11, 1178-85 Long-term outcomes of continuous intrathecal baclofen infusion for treatment of spasticity: a prospective multicenter follow-up study. 2008, 11, 227-36 1539 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 28 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1542	Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008, 11, 1162-9	92
cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 1538 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 92 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 28 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 25 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	prospective multicenter follow-up study. 2008, 11, 227-36 Cognitive, functional, and quality-of-life outcomes of patients aged 80 and older who survived at least 1 year after planned or unplanned surgery or medical intensive care treatment. 2008, 56, 816-22 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1541		27
Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 92 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 28 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 23 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 Lack of effectiveness of a multidisciplinary fall-prevention program in elderly people at risk: a randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1540		18
1538 randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 28 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	randomized, controlled trial. 2008, 56, 1390-7 1537 Quality of life 2-7 years after major trauma. 2008, 52, 195-201 28 1536 Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 29 1535 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 23 1533 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1539		99
Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008, 27, 1053-70 Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 1534 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28 (Gest) Section 2008, 8, 28	1538		110
Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	Description of self-reported fluid intake and its effects on body weight, symptoms, quality of life and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1537	Quality of life 2-7 years after major trauma. 2008 , 52, 195-201	92
and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	and physical capacity in patients with stable chronic heart failure. 2008, 17, 2318-26 Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008, 22, 337-43 Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008, 8, 28	1536		28
Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008 , 8, 28	Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008 , 8, 28	1535		28
ejection fraction. 2008 , 8, 28	ejection fraction. 2008 , 8, 28	1534	Cost-outcome analysis of joint replacement: evidence from a Spanish public hospital. 2008 , 22, 337-43	23
(Cont)-66-times - 616-times -	1532 (Cost)effectiveness of life review for older adults: design of a randomized controlled trial. 2008 , 8, 211 9	1533		26
1532 (Cost)errectiveness or lire review for older adults: design or a randomized controlled trial. 2008 , 8, 211		1532	(Cost)effectiveness of life review for older adults: design of a randomized controlled trial. 2008, 8, 211	9

1531	Clinical and cost-effectiveness of computerised cognitive behavioural therapy for depression in primary care: design of a randomised trial. 2008 , 8, 224	27
1530	Health-related quality of life among general practice patients with differing chronic diseases in Germany: cross sectional survey. 2008 , 8, 246	89
1529	Sickness absence and self-reported health a population-based study of 43,600 individuals in central Sweden. 2008 , 8, 426	40
1528	Cost-utility of a visiting service for older widowed individuals: randomised trial. 2008 , 8, 128	16
1527	Exercise on Prescription. Effect of attendance on participants' psychological factors in a Danish version of Exercise on Prescription: a study protocol. 2008 , 8, 139	8
1526	Further validation of the peripheral artery questionnaire: results from a peripheral vascular surgery survey in the Netherlands. 2008 , 36, 582-91	15
1525	The responsiveness of EQ-5D utility scores in patients with depression: A comparison with instruments measuring quality of life, psychopathology and social functioning. 2008 , 105, 81-91	44
1524	Comparative assessment of migrant farm worker health in conventional and organic horticultural systems in the United Kingdom. 2008 , 391, 55-65	24
1523	Eccentric calf muscle training compared with therapeutic ultrasound for chronic Achilles tendon paina pilot study. 2008 , 13, 484-91	41
1522	Music therapy for depression. 2008 , CD004517	155
1522 1521	Music therapy for depression. 2008, CD004517 Health state utility scores in advanced non-small cell lung cancer. 2008, 62, 374-80	155 79
1521	Health state utility scores in advanced non-small cell lung cancer. 2008 , 62, 374-80 How do medical students value health on the EQ-5D? Evaluation of hypothetical health states	79
1521 1520	Health state utility scores in advanced non-small cell lung cancer. 2008 , 62, 374-80 How do medical students value health on the EQ-5D? Evaluation of hypothetical health states compared to the general population. 2008 , 6, 111	79 5
1521 1520 1519	Health state utility scores in advanced non-small cell lung cancer. 2008 , 62, 374-80 How do medical students value health on the EQ-5D? Evaluation of hypothetical health states compared to the general population. 2008 , 6, 111 How discriminating are discriminative instruments?. 2008 , 6, 36 Development of the knee quality of life (KQoL-26) 26-item questionnaire: data quality, reliability,	79 5 14
1521 1520 1519 1518	Health state utility scores in advanced non-small cell lung cancer. 2008, 62, 374-80 How do medical students value health on the EQ-5D? Evaluation of hypothetical health states compared to the general population. 2008, 6, 111 How discriminating are discriminative instruments?. 2008, 6, 36 Development of the knee quality of life (KQoL-26) 26-item questionnaire: data quality, reliability, validity and responsiveness. 2008, 6, 48 Do estimates of cost-utility based on the EQ-5D differ from those based on the mapping of utility	79 5 14 18
1521 1520 1519 1518 1517	Health state utility scores in advanced non-small cell lung cancer. 2008, 62, 374-80 How do medical students value health on the EQ-5D? Evaluation of hypothetical health states compared to the general population. 2008, 6, 111 How discriminating are discriminative instruments?. 2008, 6, 36 Development of the knee quality of life (KQoL-26) 26-item questionnaire: data quality, reliability, validity and responsiveness. 2008, 6, 48 Do estimates of cost-utility based on the EQ-5D differ from those based on the mapping of utility scores?. 2008, 6, 51 Simple imputation methods were inadequate for missing not at random (MNAR) quality of life data.	79 5 14 18 63

1513	Costs, quality of life, treatment satisfaction and compliance in patients with beta-thalassemia major undergoing iron chelation therapy: the ITHACA study. 2008 , 24, 1905-17	77
1512	Quality-of-life assessment in rheumatoid arthritis. 2008 , 26, 831-46	36
1511	Long-term cost and effect on quality of life of osteoporosis-related fractures in Sweden. 2008 , 79, 269-80	79
1510	Medically unexplained presentations and quality of life: a study of a predominantly South Asian primary care population in England. 2008 , 65, 311-7	33
1509	[Prevent postnatal urinary incontinence by prenatal pelvic floor exercise? Rationale and protocol of the multicenter randomized study PreNatal Pelvic floor Prevention (3PN)]. 2008 , 37, 441-8	9
1508	Is risk attitude outcome specific within the health domain?. 2008 , 27, 706-17	26
1507	Cost-effectiveness of C-leg compared with non-microprocessor-controlled knees: a modeling approach. 2008 , 89, 24-30	43
1506	Repeated treatments with botulinum toxin type a produce sustained decreases in the limitations associated with focal upper-limb poststroke spasticity for caregivers and patients. 2008 , 89, 799-806	81
1505	Predictors of improved quality of life 1 year after pacemaker implantation. 2008, 156, 491-7	19
1504	Costs of chronic obstructive pulmonary disease (COPD) in Italy: the SIRIO study (social impact of respiratory integrated outcomes). 2008 , 102, 92-101	50
1503	Repeatability of health economic data in COPD. 2008 , 102, 1556-62	5
1502	Evaluation of the Dutch version of the Parkinson's Disease Questionnaire 39. 2008 , 14, 24-7	18
1501	Cost and cost-effectiveness of childhood vaccination against rotavirus in France. 2008 , 26, 706-15	54
1500	Socio-economic cost and health-related quality of life of burn victims in Spain. 2008, 34, 975-81	46
1499	Responsiveness of EQ-5D utility indices in alcohol-dependent patients. 2008, 92, 291-5	18
1498	Health-related quality of life and beneficiaries of long-term care insurance in Japan. <i>Health Policy</i> , 2008 , 85, 349-55	24
1497	Disease management programmes for patients with coronary heart diseasean empirical study of German programmes. <i>Health Policy</i> , 2008 , 88, 176-85	22
1496	Long-term danazol prophylaxis does not lead to increased carotid intima-media thickness in hereditary angioedema patients. 2008 , 198, 184-91	25

1495	Factors influencing depression endpoints research (FINDER): study design and population characteristics. 2008 , 23, 57-65	20
1494	Prescribing patterns of antidepressants in Europe: results from the Factors Influencing Depression Endpoints Research (FINDER) study. 2008 , 23, 66-73	128
1493	Estimation of a preference-based index from a condition-specific measure: the King's Health Questionnaire. 2008 , 28, 113-26	96
1492	Promoting independence in residential care: successful recruitment for a randomized controlled trial. 2008 , 9, 251-6	9
1491	Capsule endoscopy for the detection of oesophageal mucosal disorders: a comparison of two different ingestion protocols. 2008 , 43, 870-7	15
1490	Liberal versus restricted fluid prescription in stabilised patients with chronic heart failure: result of a randomised cross-over study of the effects on health-related quality of life, physical capacity, thirst and morbidity. 2008 , 42, 316-22	47
1489	Home-based video exercise intervention for community-dwelling frail older women: a randomized controlled trial. 2008 , 20, 479-86	43
1488	Cost-utility analysis of treatment with olanzapine compared with other antipsychotic treatments in patients with schizophrenia in the pan-European SOHO study. 2008 , 26, 341-58	23
1487	Valuing health States for use in cost-effectiveness analysis. 2008 , 26, 769-79	66
1486	Questionnaire investigation of musicians' use of hearing protectors, self reported hearing disorders, and their experience of their working environment. 2008 , 47, 160-8	61
1485	Willingness of patients to change surgeons for a shorter waiting time for joint arthroplasty. 2008 , 179, 327-32	16
1484	Quality of life, work ability, and self employment: a population survey of entrepreneurs, farmers, and salary earners. 2008 , 65, 98-103	25
1483	Methodology of acute trials in stroke. 2009 , 94, 1251-9	
1482	Out-patient psychotherapy for borderline personality disorder: cost-effectiveness of schema-focused therapy v. transference-focused psychotherapy. 2008 , 192, 450-7	120
1481	Computer-assisted and conventional total knee replacement: a comparative, prospective, randomised study with radiological and CT evaluation. 2008 , 90, 1039-44	107
1480	Quality of life several years after myocardial infarction: comparing the MONICA/KORA registry to the general population. 2009 , 30, 436-43	81
1479	Estimating EuroQol EQ-5D scores from Population Healthy Days data. 2008 , 28, 491-9	43
1478	Estimating utility scores in young children with acute rotavirus gastroenteritis in the UK. 2008 , 11, 471-84	32

(2008-2008)

1477	Shoulder acute pain in primary healthcare: is retraining effective for GP principals? SAPPHIREa randomized controlled trial. 2008 , 47, 1795-802	22
1476	Symptomatic uterine fibroids: treatment with uterine artery embolization or hysterectomyresults from the randomized clinical Embolisation versus Hysterectomy (EMMY) Trial. 2008 , 246, 823-32	129
1475	Cost-effectiveness of a disease management programme for secondary prevention of coronary heart disease and heart failure in primary care. 2008 , 94, 1601-6	38
1474	Employment status and self rated health. 2008, 21, 227-36	24
1473	Design and methods of a randomized controlled trial on early speech and language therapy in patients with acute stroke and aphasia. 2008 , 15, 256-61	13
1472	Overall quality of diabetes care in a defined geographic region: different sides of the same story. 2008 , 58, 339-45	15
1471	Alcohol consumption, abstaining, health utility, and quality of lifea general population survey in Finland. 2008 , 43, 376-86	56
1470	Late-stage, primary open-angle glaucoma in Europe: social and health care maintenance costs and quality of life of patients from 4 countries. 2008 , 24, 1763-70	41
1469	Investigating Choice Experiments for Preferences of Older People (ICEPOP): evaluative spaces in health economics. 2008 , 13 Suppl 3, 31-7	30
1468	The psoriatic arthritis cost evaluation study: a cost-of-illness study on tumour necrosis factor inhibitors in psoriatic arthritis patients with inadequate response to conventional therapy. 2008 , 47, 1664-70	66
1467	Patient satisfaction, pain, and quality of life 4 months after displaced femoral neck fractures: a comparison of 663 fractures treated with internal fixation and 906 with bipolar hemiarthroplasty reported to the Norwegian Hip Fracture Register. 2008 , 79, 594-601	48
1466	Individual and population burdens of major trauma in the Netherlands. 2008, 86, 111-7	38
1465	Measures of Functional Status and Quality-of-Life in Schizophrenia. 2008 , 4, 28-38	8
1464	Outcome measures for orthopaedic interventions on the hip. 2008 , 90, 545-9	39
1463	Changes in quality of life, physical activity, and symptomatic status one year after myocardial revascularization for stable angina. 2008 , 34, 1009-15	18
1462	Befriending carers of people with dementia: randomised controlled trial. 2008 , 336, 1295-7	53
1461	The Norwegian Hip Fracture Register: experiences after the first 2 years and 15,576 reported operations. 2008 , 79, 583-93	111
1460	Thoughts about death and perceived health status in elderly patients with heart failure. 2008 , 10, 608-13	36

1459	Gender and physical activity one year after myocardial revascularization for stable angina. 2008 , 7, 96-100	4
1458	Costs and cost-effectiveness of family CBT versus individual CBT in clinically anxious children. 2008 , 13, 543-64	39
1457	Modeling HUI 2 Health State Preference Data Using a Nonparametric Bayesian Method. 2008 , 28, 875-887	16
1456	The design of a project to assess bilateral versus unilateral hearing aid fitting. 2008, 12, 137-44	7
1455	Implementation of locally adapted guidelines on type 2 diabetes. 2008 , 25, 430-7	30
1454	The cost-effectiveness of an early interventional strategy in non-ST-elevation acute coronary syndrome based on the RITA 3 trial. 2008 , 94, 717-23	33
1453	Varicella-zoster virus-specific immune responses in elderly recipients of a herpes zoster vaccine. 2008 , 197, 825-35	279
1452	Stuart Gatehouse: a brief life. 2008 , 12, 67-75	1
1451	Health status and access to health care of British nationals living on the Costa Blanca, Spain. 2008 , 28, 85-102	22
1450	Post-acute care for older people in community hospitalsa cost-effectiveness analysis within a multi-centre randomised controlled trial. 2008 , 37, 513-20	29
1449	Randomized phase III trial of adjuvant chemotherapy with gemcitabine versus S-1 in patients with resected pancreatic cancer: Japan Adjuvant Study Group of Pancreatic Cancer (JASPAC-01). 2008 , 38, 227-9	86
1448	Utility loss and indirect costs after stroke in Sweden. 2008 , 15, 230-3	28
1447	An evaluation by teachers of a decision aid for viewing bitewing radiographs. 2008, 37, 425-32	1
1446	A European consensus on outcome measures for psychosocial intervention research in dementia care. 2008 , 12, 14-29	272
1445	Utility of health states in chronic kidney disease: a structured review of the literature. 2008 , 24, 193-206	30
1444	Integrated multidisciplinary diagnostic approach for dementia care: randomised controlled trial. 2008 , 192, 300-5	60
1443	Does a functional activity programme improve function, quality of life, and falls for residents in long term care? Cluster randomised controlled trial. 2008 , 337, a1445	92
1442	Spinal or local anesthesia in lichtenstein hernia repair: a randomized controlled trial. 2008 , 247, 428-33	42

(2009-2008)

1441	33, 2819-30	48
1440	Decision Making. 2008 , 23, 288-295	12
1439	Effects of two guideline implementation strategies on patient outcomes in primary care: a cluster randomized controlled trial. 2008 , 33, 473-80	57
1438	Long-term outcomes after acute kidney injury. 2008 , 36, S193-7	344
1437	Traumatic thoracic and lumbar spinal fractures: operative or nonoperative treatment: comparison of two treatment strategies by means of surgeon equipoise. 2008 , 33, 1006-17	42
1436	Thurstone scaling as a measurement method to quantify subjective health outcomes. 2008, 46, 357-65	44
1435	A comparison of the superficial inferior epigastric artery flap and deep inferior epigastric perforator flap in postmastectomy reconstruction: A cost-effectiveness analysis. 2008 , 16, 77-84	17
1434	Using Economic Evaluation Techniques to Inform Policy: Reflections from Some UK Studies. 2008 , 35, 427-446	1
1433	T20QoL: an observational multicenter cohort study to evaluate the quality of life in HIV-patients treated with enfuvirtide (ENF, T-20) in combination with an optimized background therapy. 2008 , 2, 577-81	3
1432	Visual impairment, causes of vision loss, and falls: the singapore malay eye study. 2008 , 49, 528-33	158
1431	Health Care Policy, Quality Improvement, and Patient Safety in Pain Medicine Practice. 2008 , 51-109	1
1430	Can personality disorder be treated? [] 00 words. 2008, 192, 457-457	1
1429	Assessing the impact of a new delivery method of insulin on glycemic control using a novel trial design. 2009 , Volume 2, 1-10	2
1428	Measuring the benefits of treatment for psychosis: validity and responsiveness of the EQ-5D. 2009 , 195, 170-7	34
1427	A randomized trial of vertebroplasty for osteoporotic spinal fractures. 2009 , 361, 569-79	1034
1426	Psychometric properties of the EuroQol-5D and Short Form-6D in patients with systemic lupus erythematosus. 2009 , 36, 1209-16	60
1425	Survival and quality of life for patients with COPD or asthma admitted to intensive care in a UK multicentre cohort: the COPD and Asthma Outcome Study (CAOS). 2009 , 64, 128-32	32
1424	Immediate versus delayed surgical intervention for reconstructive therapy of HIV-associated facial lipoatrophy: a randomized open-label study. 2009 , 25, 979-87	9

1423	A randomized controlled clinical trial of palliative therapies for patients with inoperable esophageal cancer. 2009 , 104, 1674-85	62
1422	Baseline comorbidities in a population-based cohort of rheumatoid arthritis patients receiving biological therapy: data from the Australian rheumatology association database. 2009 , 2009, 861481	18
1421	Outcome of treatment for dislocation after primary total hip replacement. 2009 , 91, 321-6	77
1420	Health-related quality of life (EQ-5D) before and one year after surgery for lumbar spinal stenosis. 2009 , 91, 210-6	170
1419	Valuing health: does enriching a scenario lead to higher utilities?. 2009 , 29, 334-42	7
1418	Health-related quality of life in women with coronary artery disease. 2009 , 8, 18-25	16
1417	Patient-reported outcome at 62 to 67 years of age in 83 patients treated for congenital clubfoot. 2009 , 91, 1316-21	7
1416	Estimating preference-based health utilities index mark 3 utility scores for childhood conditions in England and Scotland. 2009 , 29, 291-303	59
1415	Quality of life measurement in antidepressant trials. Is there an added value?. 2009 , 78, 212-9	17
1414	The development and preliminary validation of a scale measuring the impact of syncope on quality of life. 2009 , 11, 1369-74	32
1413	The epidemiology of infertility in the North East of Scotland. 2009 , 24, 3096-107	87
1412	Quality of life of patients with advanced HIV/AIDS: measuring the impact of both AIDS-defining events and non-AIDS serious adverse events. 2009 , 51, 631-9	37
1411	Lifestyle interventions for knee pain in overweight and obese adults aged > or = 45: economic evaluation of randomised controlled trial. 2009 , 339, b2273	20
1410	A population-based study of the prevalence of fatigue after transient ischemic attack and minor stroke. 2009 , 40, 757-61	109
1409	The Western Ontario Shoulder Instability Index (WOSI): validity, reliability, and responsiveness retested with a Swedish translation. 2009 , 80, 233-8	61
1408	En hypotesgenererande studie av nattfastans lligd, undernling och hlisorelaterad livskvalitet hos lidre. 2009 , 29, 45-48	0
1407	National heart, lung, and blood institute-initiated program "interventions to improve hypertension control rates in African Americans": background and implementation. 2009 , 2, 236-40	7
1406	Randomized phase III trial comparing biweekly infusional fluorouracil/leucovorin alone or with irinotecan in the adjuvant treatment of stage III colon cancer: PETACC-3. 2009 , 27, 3117-25	354

(2009-2009)

1405	Factors determining quality of life and level of sporting activity after internal fixation of an isolated acetabular fracture. 2009 , 91, 1354-9	25
1404	The consequences of early discharge after hip arthroplasty for patient outcomes and health care costs: comparison of three centres with differing durations of stay. 2009 , 23, 1067-77	30
1403	Using EQ-5D in children with asthma, rheumatic disorders, diabetes, and speech/language and/or hearing disorders. 2009 , 25, 391-9	32
1402	Home-based, peer-led chronic illness self-management training: findings from a 1-year randomized controlled trial. 2009 , 7, 319-27	40
1401	Design of FitFor2 study: the effects of an exercise program on insulin sensitivity and plasma glucose levels in pregnant women at high risk for gestational diabetes. 2009 , 9, 1	111
1400	Prevention of depression and anxiety in later life: design of a randomized controlled trial for the clinical and economic evaluation of a life-review intervention. 2009 , 9, 250	17
1399	The economic costs and health-related quality of life of people with HIV/AIDS in the Canary Islands, Spain. 2009 , 9, 55	37
1398	Stepped care for depression and anxiety: from primary care to specialized mental health care: a randomised controlled trial testing the effectiveness of a stepped care program among primary care patients with mood or anxiety disorders. 2009 , 9, 90	29
1397	A cost-utility analysis of nursing intervention via telephone follow-up for injured road users. 2009 , 9, 98	3
1396	Quality of life after a subtrochanteric fracture: a prospective cohort study on 87 elderly patients. 2009 , 40, 371-6	74
1395	Large diameter femoral head uncemented total hip replacement to treat fractured neck of femur. 2009 , 40, 752-5	10
1394	Quality of life outcomes among patients with depression after 6 months of starting treatment: results from FINDER. 2009 , 113, 296-302	44
1393	Decision Analysis and Cost-effectiveness Analysis. 2009 , 21, 216-222	28
1392	An open-label, phase 2 trial of denosumab in the treatment of relapsed or plateau-phase multiple myeloma. 2009 , 84, 650-6	86
1391	Assessment of the risk of postoperative delirium in elderly patients using E-PASS and the NEECHAM Confusion Scale. 2009 , 24, 1304-10	34
1390	Statistical implications of utility weighted and equally weighted HRQL measures: an empirical study. 2010 , 19, 101-10	13
1389	The validity of EQ-5D US preference weights in liver transplant candidates and recipients. 2009 , 15, 88-95	17
1388	Randomized clinical trial of concomitant or sequential phlebectomy after endovenous laser therapy for varicose veins. 2009 , 96, 369-75	87

1387	Cost utility analysis of knee prosthesis with complete microprocessor control (C-leg) compared with mechanical technology in trans-femoral amputees. 2009 , 10, 47-55	47
1386	Importance of sociodemographic and morbidity aspects in measuring health-related quality of life: performances of three tools: comparison of three questionnaire scores. 2009 , 10, 389-97	39
1385	Clinic-based training in comparison to home-based training after first-time lumbar disc surgery: a randomised controlled trial. 2009 , 18, 398-409	35
1384	Zuurremmers: hoog inzetten, of juist laag?. 2009 , 52, 374-381	
1383	What mediates the effect of confrontational counselling on smoking cessation in smokers with COPD?. 2009 , 76, 16-24	30
1382	Comparing SF-6D and EQ-5D utilities across groups differing in health status. 2009 , 18, 87-97	68
1381	The first stage of developing preference-based measures: constructing a health-state classification using Rasch analysis. 2009 , 18, 253-65	60
1380	Reliability and validity of the SF-12v2 in the medical expenditure panel survey. 2009 , 18, 727-35	226
1379	Alternative approaches to derive disability weights in injuries: do they make a difference?. 2009 , 18, 657-65	30
1378	The concurrent validity and responsiveness of the health utilities index (HUI 3) among patients with advanced HIV/AIDS. 2009 , 18, 815-24	9
1377	Negative and positive affect are independently associated with patient-reported health status following percutaneous coronary intervention. 2009 , 18, 953-60	18
1376	The classification systems of the EQ-5D, the HUI II and the SF-6D: what do they have in common?. 2009 , 18, 1249-61	19
1375	Quality of life after dislocation of hip arthroplasty: a prospective cohort study on 319 patients with femoral neck fractures with a one-year follow-up. 2009 , 18, 1177-84	51
1374	LangzeitBerleben nach akutem Nierenversagen. 2009 , 4, 135-141	4
1373	Long-Term Health-Related Quality of Life in Major Pediatric Trauma: A Pilot Study. 2009 , 35, 371-7	5
1372	[Validated instruments to measure quality of life in patients with chronic rhinosinusitis]. 2009 , 57, 873-81	7
1371	Design of the POSSIBLE UStrade mark Study: postmenopausal women's compliance and persistence with osteoporosis medications. 2009 , 20, 463-72	15
1370	Auswirkung von ausgewälten pr	2

(2009-2009)

1369	Refill adherence and polypharmacy among patients with type 2 diabetes in general practice. 2009 , 18, 983-91	44
1368	Effects of self-monitoring of glucose in non-insulin treated patients with type 2 diabetes: design of the IN CONTROL-trial. 2009 , 10, 26	10
1367	To make a differencehow GPs conceive consultation outcomes. A phenomenographic study. 2009 , 10, 4	6
1366	Effectiveness and cost-effectiveness of an educational intervention for practice teams to deliver problem focused therapy for insomnia: rationale and design of a pilot cluster randomised trial. 2009 , 10, 9	7
1365	The EQ-5D (Euroqol) is a valid generic instrument for measuring quality of life in patients with dyspepsia. 2009 , 9, 20	35
1364	Systematic care for caregivers of people with dementia in the ambulatory mental health service: designing a multicentre, cluster, randomized, controlled trial. 2009 , 9, 21	10
1363	Implementation of outpatient schema therapy for borderline personality disorder: study design. 2009 , 9, 64	16
1362	Protocol for Physiotherapy Or TVT Randomised Efficacy Trial (PORTRET): a multicentre randomised controlled trial to assess the cost-effectiveness of the tension free vaginal tape versus pelvic floor muscle training in women with symptomatic moderate to severe stress urinary incontinence. 2009,	13
1361	Comparing the performance of the EQ-5D and SF-6D when measuring the benefits of alleviating knee pain. 2009 , 7, 12	39
1360	Factors Influencing Depression Endpoints Research (FINDER): baseline results of Italian patients with depression. 2009 , 8, 14	3
1359	Cost-effectiveness of postural exercise therapy versus physiotherapy in computer screen-workers with early non-specific work-related upper limb disorders (WRULD); a randomized controlled trial. 2009 , 10, 103	9
1358	REFINE (Reducing Falls in In-patient Elderly)a randomised controlled trial. 2009, 10, 83	11
1357	Measuring patient-reported outcomes in haemophilia clinical research. 2009 , 15, 843-52	15
1356	Wolff-Parkinson-White syndrome and atrioventricular nodal re-entry tachycardia in a Swedish population: consequences on health-related quality of life. 2009 , 32, 1299-306	27
1355	Metabolic syndrome and quality of life (QOL) using generalised and obesity-specific QOL scales. 2009 , 63, 735-41	42
1354	An economic evaluation of NIOX MINO airway inflammation monitor in the United Kingdom. 2009 , 64, 431-8	30
1353	Effect of improved home ventilation on asthma control and house dust mite allergen levels. 2009 , 64, 1671-80	43
1352	Patient-reported outcomes in a survey of patients treated with oral antihyperglycaemic medications: associations with hypoglycaemia and weight gain. 2009 , 11, 1138-44	59

1351	Cross-national burden of painful diabetic peripheral neuropathy in Asia, Latin America, and the Middle East. 2009 , 9, 35-42	35
1350	Social and economic costs of food allergies in Europe: development of a questionnaire to measure costs and health utility. 2009 , 44, 1662-78	34
1349	Mapping the EORTC QLQ C-30 onto the EQ-5D instrument: the potential to estimate QALYs without generic preference data. 2009 , 12, 167-71	99
1348	Argentine valuation of the EQ-5D health states. 2009 , 12, 587-96	77
1347	Comparison of different valuation methods for population health status measured by the EQ-5D in three European countries. 2009 , 12, 750-8	67
1346	Challenges of patient-reported outcome assessment in hemophilia carell state of the art review. 2009 , 12, 808-20	32
1345	Mapping the cancer-specific EORTC QLQ-C30 to the preference-based EQ-5D, SF-6D, and 15D instruments. 2009 , 12, 1151-7	94
1344	Patient-reported outcomes in subjects with painful trigeminal neuralgia receiving pregabalin: evidence from medical practice in primary care settings. 2009 , 29, 781-90	34
1343	Self-help treatment for insomnia through television and book: a randomized trial. 2009, 74, 29-34	31
1342	☑aluation clinique des douleurs chroniques. Les principaux outils. 2009 , 76, 507-510	4
1341	Repeated measures proportional odds logistic regression analysis of ordinal score data in the statistical software package R. 2009 , 53, 632-641	22
1340	Internettherapie bij depressieve klachten: een gerandomiseerde studie. 2009 , 37, 202-212	1
1339	Costs and effectiveness of a brief MRI examination of patients with acute knee injury. 2009 , 19, 409-18	19
1338	Psychiatric comorbidity reduces quality of life in chronic methadone maintained patients. 2009 , 18, 470-80	84
1337	Outcome measures for evaluation of treatments for osteonecrosis. 2009 , 40, 179-91	8
1336	General health and quality-of-life measures in active, recent, and comorbid mental disorders: a population-based health 2000 study. 2009 , 50, 108-14	28
1335	Treatment response in psychotic patients classified according to social and clinical needs, drug side effects, and previous treatment; a method to identify functional remission. 2009 , 50, 453-62	6
1334	Does farm worker health vary between localised and globalised food supply systems?. 2009 , 35, 1004-14	23

(2009-2009)

1333	Implementation of outpatient schema therapy for borderline personality disorder with versus without crisis support by the therapist outside office hours: A randomized trial. 2009 , 47, 961-73	160
1332	Validation of the EQ-5D questionnaire in burn injured adults. 2009 , 35, 723-32	69
1331	Abnormal uterine bleeding: a review of patient-based outcome measures. 2009 , 92, 205-16	42
1330	Keep it simple: ranking health states yields values similar to cardinal measurement approaches. 2009 , 62, 296-305	40
1329	Rasch analysis informed the development of a classification system for a diabetes-specific preference-based measure of health. 2009 , 62, 845-56	13
1328	[Linguistic adaptation of the endometriosis health profile 5: EHP 5]. 2009 , 38, 404-10	14
1327	Reducing risk of falling in older people discharged from hospital: a randomized controlled trial comparing seated exercises, weight-bearing exercises, and social visits. 2009 , 90, 1317-24	51
1326	Efficacy of time pressure management in stroke patients with slowed information processing: a randomized controlled trial. 2009 , 90, 1672-9	52
1325	Cognitive behaviour therapy for improving social recovery in psychosis: cost-effectiveness analysis. 2009 , 112, 158-63	25
1324	(vi) Hip outcome measures. 2009 , 23, 40-45	2
1323	Converting the SF-12 into the EQ-5D: an empirical comparison of methodologies. 2009 , 27, 491-505	31
1322	Assessing the empirical validity of alternative multi-attribute utility measures in the maternity context. 2009 , 7, 40	31
1321	One-year health-related quality of life outcomes in weight loss trial participants: comparison of three measures. 2009 , 7, 53	71
1320	Investigating the missing data mechanism in quality of life outcomes: a comparison of approaches. 2009 , 7, 57	41
1319	Protocol for the Foot in Juvenile Idiopathic Arthritis trial (FiJIA): a randomised controlled trial of an integrated foot care programme for foot problems in JIA. 2009 , 2, 21	9
1318	The use of data-mining to identify indicators of health related quality of life in patients with irritable bowel syndrome. 2009 ,	2
1317	Methodology of the Singapore Indian Chinese Cohort (SICC) eye study: quantifying ethnic variations in the epidemiology of eye diseases in Asians. 2009 , 16, 325-36	269
1316	Social economic costs and health-related quality of life in patients with amyotrophic lateral sclerosis in Spain. 2009 , 10, 237-43	54

1315	Economic evaluation of Sinfrontal in the treatment of acute maxillary sinusitis in adults. 2009, 7, 181-91	10
1314	Utility assessment in patients with mental disorders: validity and discriminative ability of the time trade-off method. 2009 , 27, 405-19	17
1313	Health-related quality of life and quality of life in type 2 diabetes: relationships in a cross-sectional study. 2009 , 2, 121-33	21
1312	The role of patient preferences in cost-effectiveness analysis: a conflict of values?. 2009 , 27, 705-12	51
1311	Proposta di linee guida per la valutazione economica degli interventi sanitari in Italia. 2009 , 11, 83-93	74
1310	Comparison of ticagrelor, the first reversible oral P2Y(12) receptor antagonist, with clopidogrel in patients with acute coronary syndromes: Rationale, design, and baseline characteristics of the PLATelet inhibition and patient Outcomes (PLATO) trial. 2009 , 157, 599-605	302
1309	Effect and cost-effectiveness of step-up versus step-down treatment with antacids, H2-receptor antagonists, and proton pump inhibitors in patients with new onset dyspepsia (DIAMOND study): a primary-care-based randomised controlled trial. 2009 , 373, 215-25	62
1308	Bosch osteotomy and scarf osteotomy for hallux valgus correction. 2009 , 40, 515-24, ix-x	68
1307	Quality of life in food allergy: valid scales for children and adults. 2009 , 9, 214-21	34
1306	Efficacy of microcurrent therapy in the treatment of chronic nonspecific back pain: a pilot study. 2009 , 25, 495-9	15
1305	Selection of outcome measures for patients with hip fracture. 2009 , 23, 434-41	36
1304	Adult scoliosis in patients over sixty-five years of age: outcomes of operative versus nonoperative treatment at a minimum two-year follow-up. 2009 , 34, 2165-70	113
1303	Prevalence, bowel habit subtypes and medical care-seeking behaviour of patients with irritable bowel syndrome in Northern Greece. 2009 , 21, 183-9	28
1302	Comparison of population health status in six european countries: results of a representative survey using the EQ-5D questionnaire. 2009 , 47, 255-61	149
1301	Proxy assessment of health-related quality of life in african american and white respondents with prostate cancer: perspective matters. 2009 , 47, 176-83	23
1300	Outcome after injury-a systematic literature search of studies using the EQ-5D. 2009 , 67, 883-90	36
1299	Estimating Domestic Values for EQ-5D Health States Using Survey Data From External Sources. 2009 , 47, 168-75	4
1298	Outcomes in microsurgery. 2009 , 124, e303-e312	13

(2010-2009)

1297	Efficacy of pregabalin and venlafaxine-XR in generalized anxiety disorder: results of a double-blind, placebo-controlled 8-week trial. 2009 , 24, 87-96	68
1296	Survival and outcome of neurosurgical patients requiring ventilatory support after intensive care unit stay. 2009 , 65, 530-7; discussion 537-8	11
1295	Quality of life after a stable trochanteric fracturea prospective cohort study on 148 patients. 2009 , 23, 39-44	45
1294	Differences between individual and societal health state valuations: any link with personality?. 2009 , 47, 902-7	16
1293	Evaluating the validity of computerized content analysis programs for identification of emotional expression in cancer narratives. 2009 , 21, 79-88	106
1292	Measuring overall population health: the use and abuse of QALYs. 2009 , 148-168	10
1291	Effectiveness of nurse delivered endoscopy: findings from randomised multi-institution nurse endoscopy trial (MINuET). 2009 , 338, b231	36
1290	How do common chronic conditions affect health-related quality of life?. 2009 , 59, e353-8	98
1289	Clinical benefit and cost effectiveness of total knee arthroplasty in the older patient. 2009, 14, 76-84	34
1288	Relative efficiency of the EQ-5D, HUI2, and HUI3 index scores in measuring health burden of chronic medical conditions in a population health survey in the United States. 2009 , 47, 53-60	41
1287	Comparing cost-utility estimates: does the choice of EQ-5D or SF-6D matter?. 2009 , 47, 889-94	54
1286	Stratgies d'Naluation des douleurs neuropathiques. 2010 , 7, 1-10	1
1285	Qualidade de vida em doentes com asma. 2010 , 16, 23-55	11
1284	Traumatic left ventricular intramural dissection. 2010 , 31, 2481	
1283	Low back pain in primary care: costs of care and prediction of future health care utilization. 2010 , 35, 1714-20	176
1282	Raloxifene improves verbal memory in late postmenopausal women: a randomized, double-blind, placebo-controlled trial. 2010 , 17, 309-14	32
1281	Incidence of extrapyramidal symptoms and tardive dyskinesia in schizophrenia: thirty-six-month results from the European schizophrenia outpatient health outcomes study. 2010 , 30, 531-40	57
1280	Quality of life of people with schizophrenia, bipolar disorder and other psychotic disorders. 2010 , 197, 386-94	145

1279	Is the EQ-5D fit for purpose in mental health?. 2010 , 197, 348-9	91
1278	Cost-effectiveness analysis of an occupational therapy-led lifestyle approach and routine general practitioner's care for panic disorder. 2010 , 45, 741-50	14
1277	[Clinical pathway for total knee arthroplasty. I: Pathway conception and effect on functional quality of results]. 2010 , 39, 853-9	4
1276	Persistence and switching patterns among women with varied osteoporosis medication histories: 12-month results from POSSIBLE US. 2010 , 21, 1769-80	27
1275	Patient-reported-outcomes in subjects with painful lumbar or cervical radiculopathy treated with pregabalin: evidence from medical practice in primary care settings. 2010 , 30, 1005-15	52
1274	Quality of life (EQ-5D) and hand-arm vibration syndrome. 2010 , 83, 209-16	15
1273	A review of studies mapping (or cross walking) non-preference based measures of health to generic preference-based measures. 2010 , 11, 215-25	324
1272	Review of metastatic spine tumour classification and indications for surgery: the consensus statement of the Global Spine Tumour Study Group. 2010 , 19, 215-22	196
1271	Validation of EQ-5D in patients with cervical cancer in Taiwan. 2010 , 18, 1279-86	37
1270	Baseline observations from the POSSIBLE EUÜ study: characteristics of postmenopausal women receiving bone loss medications. 2010 , 5, 61-72	15
1269	Les douleurs neuropathiques chroniques: diagnostic, Daluation, traitement en milecine ambulatoire. Recommandation pour la pratique clinique de la SociliFranilise dilude et de Traitement de la Douleur. 2010 , 23, 51-66	17
1268	Justice and the allocation of healthcare resources: should indirect, non-health effects count?. 2010 , 13, 237-46	10
1267	Exploring the impact of changes in neurogenic urinary incontinence frequency and condition-specific quality of life on preference-based outcomes. 2010 , 19, 323-31	14
1266	Factors determining utility measured with the EQ-5D in patients with atrial fibrillation. 2010 , 19, 381-90	46
1265	Discriminative capacity of the EQ-5D, SF-6D, and SF-12 as measures of health status in population health survey. 2010 , 19, 853-64	78
1264	Sociodemographic and neighbourhood determinants of health-related quality of life among grade-five students in Canada. 2010 , 19, 969-76	17
1263	Stress-mediated quality of life outcomes in parents of childhood cancer and brain tumor survivors: a case-control study. 2010 , 19, 995-1005	67
1262	New model to explain the EQ-5D VAS in patients who have undergone spinal fusion. 2010 , 19, 1541-50	3

(2010-2010)

1261	How do changes in pain severity levels correspond to changes in health status and function in patients with painful diabetic peripheral neuropathy?. 2010 , 149, 194-201	141
1260	Health-related quality of life in patients with peripheral arterial disease undergoing percutaneous transluminal angioplasty: a prospective one-year follow-up. 2010 , 28, 72-7	14
1259	The cost effectiveness of an early transition from hospital to nursing home for stroke patients: design of a comparative study. 2010 , 10, 279	1
1258	Design of an internet-based health economic evaluation of a preventive group-intervention for children of parents with mental illness or substance use disorders. 2010 , 10, 470	22
1257	Effectiveness and cost-effectiveness of early assisted discharge for chronic obstructive pulmonary disease exacerbations: the design of a randomised controlled trial. 2010 , 10, 618	21
1256	Health related quality of life of Canary Island citizens. 2010 , 10, 675	22
1255	A tailored lifestyle intervention to reduce the cardiovascular disease risk of individuals with Familial Hypercholesterolemia (FH): design of the PRO-FIT randomised controlled trial. 2010 , 10, 69	21
1254	The effectiveness and cost-evaluation of manual therapy and physical therapy in patients with sub-acute and chronic non specific neck pain. Rationale and design of a Randomized Controlled Trial (RCT). 2010 , 11, 14	15
1253	IMPaCT Back study protocol. Implementation of subgrouping for targeted treatment systems for low back pain patients in primary care: a prospective population-based sequential comparison. 2010 , 11, 186	19
1252	Predictors of shoulder pain and disability index (SPADI) and work status after 1 year in patients with subacromial shoulder pain. 2010 , 11, 218	34
1251	Effectiveness of diclofenac versus acetaminophen in primary care patients with knee osteoarthritis: [NTR1485], DIPA-trial: design of a randomized clinical trial. 2010 , 11, 7	10
1250	Health-related quality of life before planned admission to intensive care: memory over three and six months. 2010 , 8, 103	12
1249	Validity and responsiveness of the EQ-5D in assessing and valuing health status in patients with anxiety disorders. 2010 , 8, 47	65
1248	Energy delivery during 810 nm endovenous laser ablation of varicose veins and post-procedural morbidity. 2010 , 40, 393-8	14
1247	Uterine artery embolization vs hysterectomy in the treatment of symptomatic uterine fibroids: 5-year outcome from the randomized EMMY trial. 2010 , 203, 105.e1-13	109
1246	Pregabalin and gabapentin in matched patients with peripheral neuropathic pain in routine medical practice in a primary care setting: Findings from a cost-consequences analysis in a nested case-control study. 2010 , 32, 1357-70	34
1245	Economic analysis of decitabine versus best supportive care in the treatment of intermediate- and high-risk myelodysplastic syndromes from a US payer perspective. 2010 , 32, 2444-56	20
1244	Quality of life among opiate-dependent individuals: A review of the literature. 2010 , 21, 364-80	135

1243	Health and cost consequences of surgical versus conservative treatment for a comminuted proximal humeral fracture in elderly patients. 2010 , 41, 599-605	48
1242	Health-related quality of life and symptom classification in patients with irritable bowel syndrome. 2010 , 2, 4-12	7
1241	Support/services among family caregivers of persons with dementiaperceived importance and services received. 2010 , 25, 240-8	20
1240	Preference-based condition-specific measures of health: what happens to cross programme comparability?. 2010 , 19, 125-9	59
1239	Validity, reliability, and responsiveness of the EQ-5D in inflammatory bowel disease in Germany. 2010 , 16, 42-51	63
1238	Spousesæducational needs and perceptions of health in partners with type 2 diabetes. 2010 , 7, 63-69	5
1237	Utility-based outcomes made easy: the number needed per quality-adjusted life year gained. An observational cohort study of tumor necrosis factor blockade in inflammatory arthritis from Southern Sweden. 2010 , 62, 1399-406	16
1236	A randomized, double-blind, controlled study of ultrasound-guided corticosteroid injection into the joint of patients with inflammatory arthritis. 2010 , 62, 1862-9	123
1235	Valuation of health states in the US study to establish disability weights: lessons from the literature. 2010 , 19, 18-33	24
1234	Health-related quality of life following carotid stenting versus endarterectomy: results from the SAPPHIRE (Stenting and Angioplasty with Protection in Patients at HIgh Risk for Endarterectomy) trial. 2010 , 3, 515-23	42
1233	Towards a more efficient diabetes control in primary care: six-monthly monitoring compared with three-monthly monitoring in type 2 diabetes - The EFFIMODI trial. Design of a randomised controlled patient-preference equivalence trial in primary care. 2010 , 11, 35	11
1232	The independent contribution of executive functions to health related quality of life in older women. 2010 , 10, 16	89
1231	Evaluation of a system of structured, pro-active care for chronic depression in primary care: a randomised controlled trial. 2010 , 10, 61	26
1230	The MATISSE study: a randomised trial of group art therapy for people with schizophrenia. 2010 , 10, 65	24
1229	How do children at special schools and their parents perceive their HRQoL compared to children at open schools?. 2010 , 8, 72	19
1228	Guided self-help on the Internet for Turkish migrants with depression: the design of a randomized controlled trial. 2010 , 11, 101	9
1227	The effectiveness of a web-based self-help intervention to reduce suicidal thoughts: a randomized controlled trial. 2010 , 11, 25	57
1226	A single blind randomized controlled trial of cognitive behavioural therapy in a help-seeking population with an At Risk Mental State for psychosis: the Dutch Early Detection and Intervention Evaluation (EDIE-NL) trial. 2010 , 11, 30	43

(2010-2010)

1225	P3MC: a double blind parallel group randomised placebo controlled trial of Propranolol and Pizotifen in preventing migraine in children. 2010 , 11, 71	7
1224	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. 2010 , 11, 99	29
1223	Adverse events in total knee arthroplasty: Results of a physician independent survey in 260 patients. 2010 , 4, 12	8
1222	Outcome predictors and quality of life of severe burn patients admitted to intensive care unit. 2010 , 18, 24	93
1221	A comparison of United States and United Kingdom EQ-5D health states valuations using a nonparametric Bayesian method. 2010 , 29, 1622-34	22
1220	Disability associated with alcohol abuse and dependence. 2010 , 34, 1871-8	89
1219	Valuation of EQ-5D health states in Poland: first TTO-based social value set in Central and Eastern Europe. 2010 , 13, 289-97	67
1218	In or out? Income losses in health state valuations: a review. 2010 , 13, 298-305	33
1217	A median model for predicting United States population-based EQ-5D health state preferences. 2010 , 13, 278-88	30
1216	A valuation of infusion therapy to preserve islet function in type 1 diabetes. 2010 , 13, 636-42	4
1215	Cost-utility analysis of topical intranasal steroids for otitis media with effusion based on evidence from the GNOME trial. 2010 , 13, 543-51	19
1214	General population reference values for the French version of the EuroQol EQ-5D health utility instrument. 2010 , 13, 631-5	85
1213	Clustering Rasch results: a novel method for developing rheumatoid arthritis states for use in valuation studies. 2010 , 13, 787-95	4
1212	Case managers for frail older people: a randomised controlled pilot study. 2010 , 24, 755-63	16
1211	Ethnic variation, epidemiological factors and quality of life impairment associated with dyspepsia in urban Malaysia. 2010 , 31, 1141-51	44
1210	Abdominal massage for people with constipation: a cost utility analysis. 2010 , 66, 1719-29	22
1209	Quality of life in patients with advanced renal cell carcinoma treated with temsirolimus or interferon-alpha. 2010 , 102, 1456-60	27
1208	Second-eye cataract surgery in elderly women: a cost-utility analysis conducted alongside a randomized controlled trial. 2010 , 24, 276-83	19

1207	Preferences and opinions of patients with Type 2 diabetes on education and self-care: a cross-sectional survey. 2010 , 27, 85-91	12
1206	Prevalence of pain and association with quality of life, depression and glycaemic control in patients with diabetes. 2010 , 27, 578-84	46
1205	A cost-effectiveness analysis of modafinil therapy for psychostimulant dependence. 2010 , 29, 235-42	13
1204	Present and past carers' health: some considerations. 2010 , 16, 609-15	3
1203	Patient-reported outcome measures and performance measurement. 63-86	2
1202	Some economic and policy considerations for outcome measurement. 242-253	
1201	Methodological issues arising from a pilot RCT investigating the effectiveness of joint protection. 2010 , 17, 654-664	3
1200	Bayesian variable selection in cost-effectiveness analysis. 2010 , 7, 1577-96	2
1199	Outcome measurement in economic evaluations of public health interventions: a role for the capability approach?. 2010 , 7, 2274-89	80
1198	A double-blind, randomized, placebo-controlled, parallel-group study of Sativex, in subjects with symptoms of spasticity due to multiple sclerosis. 2010 , 32, 451-9	190
1198 1197		190 42
	symptoms of spasticity due to multiple sclerosis. 2010 , 32, 451-9	Í
1197	symptoms of spasticity due to multiple sclerosis. 2010 , 32, 451-9 Patient-reported outcomes in a randomized trial of etanercept in psoriatic arthritis. 2010 , 37, 1221-7 The measurement of long-term health-related quality of life after injury: comparison of EQ-5D and	42
119 7 1196	Patient-reported outcomes in a randomized trial of etanercept in psoriatic arthritis. 2010 , 37, 1221-7 The measurement of long-term health-related quality of life after injury: comparison of EQ-5D and the health utilities index. 2010 , 16, 147-53 Patient assessed health profile: a six-month quality of life questionnaire survey after day surgery. 2010 , 38, 574-9	33
1197 1196 1195	Patient-reported outcomes in a randomized trial of etanercept in psoriatic arthritis. 2010 , 37, 1221-7 The measurement of long-term health-related quality of life after injury: comparison of EQ-5D and the health utilities index. 2010 , 16, 147-53 Patient assessed health profile: a six-month quality of life questionnaire survey after day surgery. 2010 , 38, 574-9	42 33 23
1197 1196 1195 1194	Patient-reported outcomes in a randomized trial of etanercept in psoriatic arthritis. 2010, 37, 1221-7 The measurement of long-term health-related quality of life after injury: comparison of EQ-5D and the health utilities index. 2010, 16, 147-53 Patient assessed health profile: a six-month quality of life questionnaire survey after day surgery. 2010, 38, 574-9 Cost of illness and economic evaluation in rare diseases. 2010, 686, 273-82 Economic evaluation of PET and PET/CT in oncology: evidence and methodologic approaches. 2010, 51, 401-12	42 33 23 16
1197 1196 1195 1194 1193	Patient-reported outcomes in a randomized trial of etanercept in psoriatic arthritis. 2010, 37, 1221-7 The measurement of long-term health-related quality of life after injury: comparison of EQ-5D and the health utilities index. 2010, 16, 147-53 Patient assessed health profile: a six-month quality of life questionnaire survey after day surgery. 2010, 38, 574-9 Cost of illness and economic evaluation in rare diseases. 2010, 686, 273-82 Economic evaluation of PET and PET/CT in oncology: evidence and methodologic approaches. 2010, 51, 401-12	42 33 23 16 81

1189	Health experiences of adolescents with uncontrolled severe asthma. 2010 , 95, 985-91	41
1188	Predicting missing quality of life data that were later recovered: an empirical comparison of approaches. 2010 , 7, 333-42	12
1187	Cost-effectiveness of therapist-delivered online cognitive-behavioural therapy for depression: randomised controlled trial. 2010 , 197, 297-304	78
1186	A comparison of the performance of the EQ-5D and the EQ-5D-Y health-related quality of life instruments in South African children. 2010 , 33, 172-7	22
1185	Is INTERdisciplinary COMmunity-based COPD management (INTERCOM) cost-effective?. 2010 , 35, 79-87	62
1184	Are fish eaters healthier and do they consume less health-care resources?. 2010 , 13, 453-60	5
1183	Statistical analysis of EQ-5D profiles: does the use of value sets bias inference?. 2010 , 30, 556-65	61
1182	Effects of a visiting service for older widowed individuals: a randomized clinical trial. 2010 , 34, 777-803	10
1181	Identification of cutpoints for acceptable health status and important improvement in patient-reported outcomes, in rheumatoid arthritis, psoriatic arthritis, and ankylosing spondylitis. 2010 , 37, 26-31	54
1180	Risk factors associated with dyspepsia in a rural Asian population and its impact on quality of life. 2010 , 105, 904-12	44
1179	Elicitation of health state utilities in metastatic renal cell carcinoma. 2010 , 26, 1091-6	43
1178	Gastrointestinal side effects in postmenopausal women using osteoporosis therapy: 1-year findings in the POSSIBLE US study. 2010 , 26, 1003-9	26
1177	Comparison of utility measures and their relationship with other health status measures in 1041 patients with rheumatoid arthritis. 2010 , 69, 1762-7	27
1176	Rationale and design of a randomized, double-blind, placebo-controlled outcome trial of ivabradine in chronic heart failure: the Systolic Heart Failure Treatment with the I(f) Inhibitor Ivabradine Trial (SHIFT). 2010 , 12, 75-81	72
1175	Physical-activity coaching and health status in rheumatoid arthritis: a person-oriented approach. 2010 , 32, 816-25	17
1174	Internal screw fixation compared with bipolar hemiarthroplasty for treatment of displaced femoral neck fractures in elderly patients. 2010 , 92, 619-28	121
1173	Impact of BehBt's syndrome on health-related quality of life: influence of the type and number of symptoms. 2010 , 49, 2165-71	36
1172	A prospective study of cognitive behavioural factors as predictors of pain, disability and quality of life one year after lumbar disc surgery. 2010 , 32, 521-9	55

1171	An economic evaluation of rosuvastatin treatment in systolic heart failure: evidence from the CORONA trial. 2010 , 12, 66-74	15
1170	Economic evaluation of a workplace intervention for sick-listed employees with distress. 2010 , 67, 603-10	25
1169	Health as Perceived by the Inhabitants of Russia. 2010 , 49, 37-58	
1168	Cost-effectiveness of a short stay admission programme for breast cancer surgery. 2010 , 49, 338-46	14
1167	Patients' Perceived Health and Anxiety Pre and Post Implantable Cardioverter Defibrillator Insertion. 2010 , 30, 43-44	
1166	Measuring quality of life after injury. 2010 , 16, 145-6	7
1165	Early graft patency after off-pump and on-pump coronary bypass surgery: a prospective randomized study. 2010 , 31, 2492-9	58
1164	Implantation of a new extracorporeal life support system during resuscitation in complicated percutaneous coronary intervention with occlusion of the left main artery. 2010 , 31, 2499	3
1163	[Health status of adults in Germany: results from a representative survey using the EuroQol 5D (EQ-5D)]. 2010 , 72, 476-86	20
1162	Effectiveness and cost-effectiveness of admissions to women's crisis houses compared with traditional psychiatric wards: pilot patient-preference randomised controlled trial. 2010 , 53, s32-40	24
1161	Quality of life in relation to constipation among opioid users. 2010 , 13, 129-35	35
1160	Les douleurs neuropathiques chroniques : diagnostic, Valuation et traitement en mbecine ambulatoire. Recommandations pour la pratique clinique de la SociEffranBise dbude et de traitement de la douleur. 2010 , 11, 3-21	61
1159	[Evaluation of chronic pelvic and perineal pain]. 2010 , 20, 865-71	3
1158	Impact of prevalent fractures on quality of life: baseline results from the global longitudinal study of osteoporosis in women. 2010 , 85, 806-13	128
1157	Efficacy and safety of tapentadol extended release for the management of chronic low back pain: results of a prospective, randomized, double-blind, placebo- and active-controlled Phase III study. 2010 , 11, 1787-804	185
1156	[Results of lung transplantation]. 2010 , 27, 921-38	6
1155	Computerized training of working memory in a group of patients suffering from acquired brain injury. 2010 , 24, 1173-83	125
1154	Results from a randomized controlled study between total disc replacement and fusion compared with results from a spine register. 2010 , 4, 68-74	10

(2010-2010)

The European EUCCLID pilot study on care and complications in an unselected sample of people with type 2 diabetes in primary care. 2010 , 4, 17-23	9
Efficacy of functional strength training on restoration of lower-limb motor function early after stroke: phase I randomized controlled trial. 2010 , 24, 88-96	61
Health status of the advanced elderly in six European countries: results from a representative survey using EQ-5D and SF-12. 2010 , 8, 143	77
Efficacy and safety of Tapentadol extended release compared with oxycodone controlled release for the management of moderate to severe chronic pain related to osteoarthritis of the knee: a randomized, double-blind, placebo- and active-controlled phase III study. 2010 , 30, 489-505	169
1149 Hirsutism and Quality of Life. 2010 , 1825-1837	
Sex differences in patient-reported outcomes after anterior cruciate ligament reconstruction: data from the Swedish knee ligament register. 2010 , 38, 1334-42	153
Pre-existing disease: the most important factor for health related quality of life long-term after critical illness: a prospective, longitudinal, multicentre trial. 2010 , 14, R67	98
Quality of life and functional outcome after a 2-part proximal humeral fracture: a prospective cohort study on 50 patients treated with a locking plate. 2010 , 19, 814-22	58
1145 Ordering anomalies in choice experiments. 2010 , 59, 271-285	59
The quality of eight health status measures were compared for chronic opioid dependence. 2010 , 63, 1132-44	27
OUTCOMES OF PATIENTS UNDERGOING CHIROPRACTIC CARE: PHASE 1. 2010 , 13, 185-186	
1142 Are Swiss Chiropractors So Different? Results of the Job Analysis Survey 2009. 2010 , 13, 186-188	
1141 Explorations of the effect of experience on preferences for a health-care service. 2010 , 39, 407-419	15
1140 Evaluacifi de la calidad de vida en pacientes con sfidrome postromb f ico. 2010 , 62, 140-145	2
Comorbidities, quality of life and patients' willingness to pay for a cure for type 2 diabetes in Taiwan. 2010 , 124, 284-94	18
Cost and health outcome of primary percutaneous coronary intervention versus thrombolysis in acute ST-segment elevation myocardial infarction-Results of the Swedish Early Decision reperfusion Study (SWEDES) trial. 2010 , 160, 322-8	30
The multicenter uveitis steroid treatment trial: rationale, design, and baseline characteristics. 2010 149, 550-561.e10	133
1136 Burden of disease resulting from hemophilia in the U.S. 2010 , 38, S482-8	21

1135	Heroin-assisted treatment in the Netherlands: History, findings, and international context. 2010 , 20 Suppl 2, S105-58	42
1134	Beyond the Global Assessment of Functioning: Learning From Virginia Apgar. 2010 , 51, 515-519	7
1133	The A1chieve study: a 60 000-person, global, prospective, observational study of basal, meal-time, and biphasic insulin analogs in daily clinical practice. 2010 , 88 Suppl 1, S11-6	34
1132	Quality of life in asthma patients. 2010 , 16, 23-55	5
1131	The EQ-5D Health-Related Quality of Life Questionnaire. 2010 , 87-99	71
1130	Prevalence of painful diabetic peripheral neuropathy among patients suffering from diabetes mellitus in Saudi Arabia. 2010 , 26, 337-43	53
1129	Quality of life and wellbeing of the elderly in Lebanese nursing homes. 2010 , 23, 72-93	34
1128	Influence of outdoor recreation on self-rated human health: comparing three categories of Swedish recreationists. 2010 , 25, 234-244	19
1127	Valutazione economica del trattamento con alteplase di pazienti con ictus ischemico in fase acuta, con riferimento all i talia. 2010 , 12, 91-103	4
1126	Economic evaluation of PET and PET/CT in oncology: evidence and methodologic approaches. 2010 , 38, 6-17	60
1125	Physical and psychosocial risk factors for musculoskeletal disorders in New Zealand nurses, postal workers and office workers. 2010 , 16, 96-100	64
1124	Randomized trial to compare bilateral vs. single internal mammary coronary artery bypass grafting: 1-year results of the Arterial Revascularisation Trial (ART). 2010 , 31, 2470-81	276
1123	Congenital clubfoot. Aspects on epidemiology, residual deformity and patient reported outcome. 2010 , 81, 1-25	29
1122	Audit of Diabetes-Dependent Quality of Life (ADDQoL) [Chinese Version for Singapore] questionnaire: reliability and validity among Singaporeans with type 2 diabetes mellitus. 2010 , 8, 239-49	32
1121	Estimation of a valuation function for a diabetes mellitus-specific preference-based measure of health: the Diabetes Utility Index. 2010 , 28, 201-16	10
1120	A review and critique of studies reporting utility values for schizophrenia-related health states. 2010 , 28, 1109-21	14
1119	Cost effectiveness of leukotriene receptor antagonists versus long-acting beta-2 agonists as add-on therapy to inhaled corticosteroids for asthma: a pragmatic trial. 2010 , 28, 597-608	14
1118	A structured review and guide through studies on health-related quality of life in kidney cancer, hepatocellular carcinoma, and leukemia. 2010 , 28, 312-22	29

(2011-2010)

1117	meta-analysis and systematic review. 2010 , 81, 684-95	42
1116	Health-related quality of life (EQ-5D) before and after orthopedic surgery. 2011 , 82, 82-9	104
1115	Valutazione economica di ticagrelor vs Clopidogrel nel trattamento di pazienti con sindrome coronarica acuta. 2011 , 13, 53-64	
1114	La calidad de vida y los costes asociados a la salud de los pacientes con trastorno de ansiedad generalizada: una aproximaci bayesiana. 2011 , 8, 3-15	
1113	Clinical outcome after undisplaced femoral neck fractures. 2011 , 82, 268-74	90
1112	Subacromial corticosteroid injection or acupuncture with home exercises when treating patients with subacromial impingement in primary carea randomized clinical trial. 2011 , 28, 355-65	40
1111	Development of an electronic daily uterine fibroid symptom diary. 2011 , 4, 31-44	10
1110	Economic evaluation of policy options for prevention and control of cervical cancer in Thailand. 2011 , 29, 781-806	44
1109	Health-related quality of life in non-small-cell lung cancer: an update of a systematic review on methodologic issues in randomized controlled trials. 2011 , 29, 2104-20	79
1108	Comparison of bipolar hemiarthroplasty with total hip arthroplasty for displaced femoral neck fractures: a concise four-year follow-up of a randomized trial. 2011 , 93, 445-50	147
1107	Multifactorial fall prevention for pairs of frail community-dwelling older fallers and their informal caregivers: a dead end for complex interventions in the frailest fallers. 2011 , 12, 451-8	31
1106	Systematic care for caregivers of patients with dementia: a multicenter, cluster-randomized, controlled trial. 2011 , 19, 521-31	11
1105	Influence of Restrictive Ventilation Impairment on Physical Function and Activities of Homebound Elderly Persons. 2011 , 5, 69-74	
1104	The Burden of Fibromyalgia: Assessment of Health Status Using the EuroQol (EQ-5D) in Patients with Fibromyalgia Relative to Other Chronic Conditions. 2011 , 2, e203-e214	5
1103	Economic evaluation alongside randomised controlled trials: design, conduct, analysis, and reporting. 2011 , 342, d1548	184
1102	Effects of Pilates-based exercise on life satisfaction, physical self-concept and health status in adult women. 2011 , 51, 240-55	29
1101	Huisarts of ketenzorg: wat wilde de diabetespatifit?. 2011 , 54, 238-243	2
1100	Another study showing that two preference-based measures of health-related quality of life (EQ-5D and SF-6D) are not interchangeable. But why should we expect them to be?. 2011 , 14, 531-8	37

1099	Analysis of EQ-5D scores from two phase 3 clinical trials of romiplostim in the treatment of immune thrombocytopenia (ITP). 2011 , 14, 90-6	21	
1098	Using HAQ-DI to estimate HUI-3 and EQ-5D utility values for patients with rheumatoid arthritis in Spain. 2011 , 14, 192-200	21	
1097	The responsiveness of quality of life utilities to change in depression: a comparison of instruments (SF-6D, EQ-5D, and DFD). 2011 , 14, 732-9	25	
1096	Deriving a preference-based measure for cancer using the EORTC QLQ-C30. 2011 , 14, 721-31	119	
1095	Comparison of the underlying constructs of the EQ-5D and Oxford Hip Score: implications for mapping. 2011 , 14, 884-91	23	
1094	Social valuation of EQ-5D health states: the Chilean case. 2011 , 14, 1135-41	41	
1093	Growth Hormone Related Diseases and Therapy. 2011 ,	1	
1092	The effect of health state selection on the valuation of EQ-5D. 2011 , 31, 186-94	10	
1091	Recovery after acute unilateral vestibular loss and predictors for remaining symptoms. 2011 , 32, 366-75	12	
1090	Antral localization worsens the efficacy of enteral stents in malignant digestive tumors. 2011 , 34, 63-8	7	
1089	Do established health-related quality-of-life measures adequately capture the impact of chronic conditions on subjective well-being?. <i>Health Policy</i> , 2011 , 100, 91-5	2 35	
1088	The importance of patient expectations as a determinant of satisfaction with waiting times for hip and knee replacement surgery. <i>Health Policy</i> , 2011 , 101, 245-52	2 32	
1087	Return to work after burna prospective study. 2011 , 37, 1117-24	26	
1086	BODE index and quality of life in advanced chronic obstructive pulmonary disease before and after lung transplantation. 2011 , 30, 1334-41	40	
1085	The quality of life in patients after peripheral bypass surgery deteriorates at long-term follow-up. 2011 , 53, 643-50	20	
1084	Assessment of functional status and quality of life in claudication. 2011 , 53, 1410-21	65	
1083	Internal fixation versus nonoperative treatment of displaced 3-part proximal humeral fractures in elderly patients: a randomized controlled trial. 2011 , 20, 747-55	241	
1082	Hemiarthroplasty versus nonoperative treatment of displaced 4-part proximal humeral fractures in elderly patients: a randomized controlled trial. 2011 , 20, 1025-33	188	

1081	Reliability, agreement and validity of the 1988 version of the Rowe Score. 2011 , 20, 1041-9	35
1080	Responsiveness of the EQ-5D in patients with proximal humeral fractures. 2011 , 20, 1200-6	42
1079	Colonic stenting versus emergency surgery for acute left-sided malignant colonic obstruction: a multicentre randomised trial. 2011 , 12, 344-52	329
1078	[Quality of life of living kidney donor: a national report]. 2011 , 7 Suppl 1, S1-39	4
1077	Nutrition management of patients with malignancies of the head and neck. 2011 , 91, 631-9	28
1076	Assessing physical function and activity for survivors of a critical illness: a review of instruments. 2011 , 24, 155-66	55
1075	Stressed individuals preferences for activities and environmental characteristics in green spaces. 2011 , 10, 295-304	59
1074	Health related quality of life trajectories of patients in opioid substitution treatment. 2011 , 118, 259-64	45
1073	[Health related quality of life assessment in patients with systemic sclerosis]. 2010, 62, 210-4	10
1072	The Relationship between Diabetes Mellitus and Health-Related Quality of Life in Korean Adults: The Fourth Korea National Health and Nutrition Examination Survey (2007-2009). 2011 , 35, 587-94	45
1071	Stroke Rehabilitation in Frail Elderly with the Robotic Training Device ACRE: A Randomized Controlled Trial and Cost-Effectiveness Study. 2011 , 2011, 1-10	2
1070	Haemophilia B: impact on patients and economic burden of disease. 2011 , 106, 398-404	50
1069	Comparison of trapeziectomy and trapeziectomy with ligament reconstruction and tendon interposition: a systematic literature review. 2011 , 128, 199-207	54
1068	Recovery after injury: an individual patient data meta-analysis of general health status using the EQ-5D. 2011 , 71, 1003-10	33
1067	Functional and quality-of-life results of displaced and nondisplaced proximal humeral fractures treated conservatively. 2011 , 25, 581-7	37
1066	Clinical characteristics, pain, and disability in relation to alar ligament MRI findings. 2011 , 36, E862-7	19
1065	Assessment of health state in patients with tinnitus: a comparison of the EQ-5D and HUI mark III. 2011 , 32, 428-35	20
1064	Musculoskeletal function and quality of life in elderly patients after a subtrochanteric femoral fracture treated with a cephalomedullary nail. 2011 , 25, 208-13	22

1063	Spinal cord stimulation is effective in management of complex regional pain syndrome I: fact or fiction. 2011 , 69, 566-78; discussion 5578-80	89
1062	A comparison between the carbon fiber cage and the cloward procedure in cervical spine surgery: a ten- to thirteen-year follow-up of a prospective randomized study. 2011 , 36, 919-25	32
1061	Single-level/single-stage debridement and posterior instrumented fusion in the treatment of spontaneous pyogenic osteomyelitis/discitis: long-term functional outcome and health-related quality of life. 2011 , 24, 110-5	27
1060	Cost-effectiveness analysis of the bone-anchored hearing device. 2011 , 32, 1192-7	15
1059	The At Home/Chez Soi trial protocol: a pragmatic, multi-site, randomised controlled trial of a Housing First intervention for homeless individuals with mental illness in five Canadian cities. 2011 , 1, e000323	200
1058	Evaluation of job stress models for predicting health at work. 2011 , 40, 229-37	7
1057	Meeting the needs of elderly with bathing disability. 2011 , 58, 164-71	16
1056	Factors influencing dyspepsia-related consultation: differences between a rural and an urban population. 2011 , 23, 846-53	10
1055	The cost-effectiveness of introducing nucleic acid testing to test for hepatitis B, hepatitis C, and human immunodeficiency virus among blood donors in Sweden. 2011 , 51, 421-9	23
1054	Cost-effectiveness of decompressive craniectomy in non-traumatic neurological emergencies. 2011 , 18, 402-9	10
1053	Economic burden of Parkinson's disease in Singapore. 2011 , 18, 519-26	18
1052	Cost-effectiveness of decompressive craniectomy in traumatic brain injuries. 2011 , 18, 656-62	18
1051	Effectiveness of involving a nurse specialist for patients with urinary incontinence in primary care: results of a pragmatic multicentre randomised controlled trial. 2011 , 65, 705-12	21
1050	General health and oral health self-ratings, and impact of oral problems among older adults. 2011 , 119, 469-73	34
1049	Understanding the effect of disease adaptation information on general population values for hypothetical health states. 2011 , 72, 1904-12	17
1048	The impact of adding an extra dimension to a preference-based measure. 2011 , 73, 245-53	14
1047	Randomised controlled trial of tailored interventions to improve the management of anxiety and depressive disorders in primary care. 2011 , 6, 75	15
1046	Use of patient versus population preferences in economic evaluations of health care interventions. 2011 , 33, 898-900	1

1045	Impact of medication adherence on health care utilization and productivity: self-reported data from a cohort of postmenopausal women on osteoporosis therapy. 2011 , 33, 2006-15	7
1044	Assessment of patients' satisfaction in carotid surgery under local anaesthesia by psychometrical testinga prospective cohort study. 2011 , 41, 76-82	18
1043	Minimum 5-year follow-up of a cementless, modular, tapered stem in hip revision arthroplasty. 2011 , 26, 16-23	79
1042	Clinimetric evaluations of patients with chronic widespread pain. 2011 , 25, 249-70	16
1041	Is anemia at admission related to short-term outcomes of elderly hip fracture patients?. 2011 , 6, 483-489	2
1040	Discrepancy in rating health-related quality of life of depression between patient and general population. 2011 , 20, 273-9	8
1039	Patient-rated health status predicts prognosis following percutaneous coronary intervention with drug-eluting stenting. 2011 , 20, 559-67	12
1038	The development and validation of a general measure of well-being: the BBC well-being scale. 2011 , 20, 1035-42	26
1037	Quality of life among parents of children with cancer or brain tumors: the impact of child characteristics and parental psychosocial factors. 2011 , 20, 1261-9	66
1036	Race and gender associations between obesity and nine health-related quality-of-life measures. 2011 , 20, 665-74	58
1035	Using the knee-specific Hughston Clinic Questionnaire, EQ-5D and SF-6D following arthroscopic partial meniscectomy surgery: a comparison of psychometric properties. 2011 , 20, 1437-46	9
1034	Development and preliminary testing of the new five-level version of EQ-5D (EQ-5D-5L). 2011 , 20, 1727-36	3690
1033	Mid-term (2-8 years) follow-up of open reduction and internal fixation of patella fractures: does the surgical technique influence the outcome?. 2011 , 131, 399-404	13
1032	Validation of the caregivers' satisfaction with Stroke Care Questionnaire: C-SASC hospital scale. 2011 , 258, 1008-12	15
1031	The impact of disease severity on EQ-5D and SF-6D utility discrepancies in chronic heart failure. 2011 , 12, 383-91	25
1030	Health and welfare in animals and humans. 2011 , 59, 139-52	15
1029	Unipolar hemiarthroplasty versus bipolar hemiarthroplasty in the most elderly patients with displaced femoral neck fractures: a randomised, controlled trial. 2011 , 35, 1703-11	71
1028	Multifactorial evaluation and treatment of persons with a high risk of recurrent falling was not cost-effective. 2011 , 22, 2187-96	21

1027	Zoledronic acid results in better health-related quality of life following hip fracture: the HORIZON-Recurrent Fracture Trial. 2011 , 22, 2539-49	26
1026	Evaluation of health-related quality of life using EQ-5D in Takamatsu, Japan. 2011 , 16, 25-35	28
1025	Overweight and obese patients do not seem to adequately recognize their own risk for colorectal cancer. 2011 , 26, 767-73	8
1024	Long-term outcome of slipped capital femoral epiphysis: a 38-year follow-up of 66 patients. 2011 , 5, 75-82	47
1023	The comprehensive cohort model in a pilot trial in orthopaedic trauma. 2011 , 11, 39	9
1022	"Do I really want to do this?" Longitudinal cohort study participants' perspectives on postal survey design: a qualitative study. 2011 , 11, 8	8
1021	Delay to celiac disease diagnosis and its implications for health-related quality of life. 2011 , 11, 118	92
1020	Effect of in-hospital comprehensive geriatric assessment (CGA) in older people with hip fracture. The protocol of the Trondheim Hip Fracture trial. 2011 , 11, 18	39
1019	[Cost] effectiveness of withdrawal of fall-risk increasing drugs versus conservative treatment in older fallers: design of a multicenter randomized controlled trial (IMPROveFALL-study). 2011 , 11, 48	24
1018	The influences of childlessness on the psychological well-being and social network of the oldest old. 2011 , 11, 78	12
1017	Effects of shared medical appointments on quality of life and cost-effectiveness for patients with a chronic neuromuscular disease. Study protocol of a randomized controlled trial. 2011 , 11, 106	7
1016	A multi-centre, randomised controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. 2011 , 11, 155	14
1015	Effectiveness and cost-effectiveness of 'BeweegKuur', a combined lifestyle intervention in the Netherlands: rationale, design and methods of a randomized controlled trial. 2011 , 11, 815	13
1014	The Maastricht Ultrasound Shoulder pain trial (MUST): ultrasound imaging as a diagnostic triage tool to improve management of patients with non-chronic shoulder pain in primary care. 2011 , 12, 154	27
1013	Self management, joint protection and exercises in hand osteoarthritis: a randomised controlled trial with cost effectiveness analyses. 2011 , 12, 156	18
1012	UK DRAFFT - a randomised controlled trial of percutaneous fixation with kirschner wires versus volar locking-plate fixation in the treatment of adult patients with a dorsally displaced fracture of the distal radius. 2011 , 12, 201	17
1011	Clustering patients on the basis of their individual course of low back pain over a six month period. 2011 , 12, 99	64
1010	Feasibility test of a UK-scalable electronic system for regular collection of patient-reported outcome measures and linkage with clinical cancer registry data: the electronic Patient-reported Outcomes from Cancer Survivors (ePOCS) system. 2011 , 11, 66	26

1009	The IRYSS-COPD appropriateness study: objectives, methodology, and description of the prospective cohort. 2011 , 11, 322	21
1008	Evaluation of stroke services in Anglia Stroke Clinical Network to examine the variation in acute services and stroke outcomes. 2011 , 11, 50	14
1007	Long term follow-up of a randomised controlled trial of services for urinary symptoms. 2011 , 11, 58	2
1006	Mapping of the Insomnia Severity Index and other sleep measures to EuroQol EQ-5D health state utilities. 2011 , 9, 119	12
1005	Comparison between the disease-specific Airways Questionnaire 20 and the generic 15D instruments in COPD. 2011 , 9, 4	24
1004	A cohort study of short-term functional outcomes following injury: the role of pre-injury socio-demographic and health characteristics, injury and injury-related healthcare. 2011 , 9, 68	49
1003	The positive mental health instrument: development and validation of a culturally relevant scale in a multi-ethnic Asian population. 2011 , 9, 92	43
1002	The effect of comorbidity on health-related quality of life for injury patients in the first year following injury: comparison of three comorbidity adjustment approaches. 2011 , 9, 10	31
1001	A Depression Recognition and Treatment package for families living with Stroke (DepReT-Stroke): study protocol for a randomised controlled trial. 2011 , 12, 105	5
1000	Prevention of: self harm in British South Asian women: study protocol of an exploratory RCT of culturally adapted manual assisted Problem Solving Training (C- MAP). 2011 , 12, 159	4
999	The serious mental illness health improvement profile [HIP]: study protocol for a cluster randomised controlled trial. 2011 , 12, 167	17
998	Improving mood with psychoanalytic and cognitive therapies (IMPACT): a pragmatic effectiveness superiority trial to investigate whether specialised psychological treatment reduces the risk for relapse in adolescents with moderate to severe unipolar depression: study protocol for a	86
997	The use of carer assisted adherence therapy for people with Parkinson's disease and their carers (CAAT-PARK): study protocol for a randomised controlled trial. 2011 , 12, 251	6
996	The effects of an Internet based self-help course for reducing panic symptomsDon't Panic Online: study protocol for a randomised controlled trial. 2011 , 12, 75	15
995	Assessment of severity and frequency of self-reported hypoglycemia on quality of life in patients with type 2 diabetes treated with oral antihyperglycemic agents: A survey study. 2011 , 4, 251	92
994	Physical activity coaching of patients with rheumatoid arthritis in everyday practice: a long-term follow-up. 2011 , 9, 75-85	38
993	Preference-based index measurement of health-related quality of life: when does it reflect only arbitrary settings of the researcher?. 2011 , 20, 471-83	2
992	Intolerance to tyrosine kinase inhibitors in chronic myeloid leukemia: Definitions and clinical implications. 2011 , 117, 688-97	49

991	Randomized clinical trial of endovenous laser ablation compared with conventional surgery for great saphenous varicose veins. 2011 , 98, 501-10	123
990	Economic evaluation of a randomized controlled trial of ultrasound therapy for hard-to-heal venous leg ulcers. 2011 , 98, 1099-106	15
989	Thirst in the elderly with and without heart failure. 2011 , 53, 174-8	31
988	Outcome after spontaneous subarachnoid hemorrhage measured with the EQ-5D. 2011 , 42, 3284-6	18
987	Relationship between patient-reported disease severity and other clinical outcomes in osteoarthritis: a European perspective. 2011 , 14, 381-9	12
986	The WHICH? trial: rationale and design of a pragmatic randomized, multicentre comparison of home-vs. clinic-based management of chronic heart failure patients. 2011 , 13, 909-16	30
985	Predicting EQ-5D utility scores from the Seattle Angina Questionnaire in coronary artery disease: a mapping algorithm using a Bayesian framework. 2011 , 31, 481-93	18
984	National EQ-5D tariffs and quality-adjusted life-year estimation: comparison of UK, US and Danish utilities in south Swedish rheumatoid arthritis patients. 2011 , 70, 2163-6	34
983	Influence of attention deficit hyperactivity disorder and conduct disorder on opioid dependence severity and psychiatric comorbidity in chronic methadone-maintained patients. 2011 , 17, 10-20	67
982	A longitudinal comparison of 5 preference-weighted health state classification systems in persons with intervertebral disk herniation. 2011 , 31, 270-80	28
981	Systematic review and empirical comparison of contemporaneous EQ-5D and SF-6D group mean scores. 2011 , 31, E34-44	47
980	The growing role of pharmacoeconomic evaluations and their impact on the European pharmaceutical industry. 2011 , 13, 29-40	
979	Internet-based prevention of posttraumatic stress symptoms in injured trauma patients: design of a randomized controlled trial. 2011 , 2,	18
978	The impact of coronary artery disease on the quality of life of patients undergoing aortic valve replacement. 2011 , 13, 128-32	5
977	Cost-effectiveness of a lifestyle intervention in preventing Type 2 diabetes. 2011 , 27, 275-82	20
976	Parkinson's disease and dementia: a longitudinal study (DEMPARK). 2011 , 37, 168-76	35
975	Cost-effectiveness analysis of renal replacement therapy in Austria. 2011 , 26, 2988-95	114
974	Cost effectiveness of cardiac resynchronization therapy in Greece: an analysis based on the CArdiac REsychronization in Heart Failure trial. 2011 , 13, 1597-603	6

973	Exercise on prescription: changes in physical activity and health-related quality of life in five Danish programmes. 2011 , 21, 56-62	38
972	Exploration of health dimensions to be included in multi-attribute health-utility assessment. 2011 , 23, 52-9	19
971	Antihypertensive treatment using an angiotensin receptor blocker and a thiazide diuretic improves patients' quality of life: the Saga Challenge Antihypertensive Study (S-CATS). 2011 , 34, 1288-94	6
970	LAPPRO: a prospective multicentre comparative study of robot-assisted laparoscopic and retropubic radical prostatectomy for prostate cancer. 2011 , 45, 102-12	52
969	Trabectedin in the treatment of metastatic soft tissue sarcoma: cost-effectiveness, cost-utility and value of information. 2011 , 22, 215-223	23
968	Exercise in elderly patients with chronic heart failure in primary care: effects on physical capacity and health-related quality of life. 2011 , 10, 150-8	28
967	A medium-term comparison of hybrid hip replacement and Birmingham hip resurfacing in active young patients. 2011 , 93, 158-63	49
966	Measuring the population burden of injuriesimplications for global and national estimates: a multi-centre prospective UK longitudinal study. 2011 , 8, e1001140	79
965	ICRS Recommendation Document: Patient-Reported Outcome Instruments for Use in Patients with Articular Cartilage Defects. 2011 , 2, 122-36	84
964	Well-being and belief in a just world among rest home residents. 2011 , 39, 655-670	8
964 963	Well-being and belief in a just world among rest home residents. 2011 , 39, 655-670 Telehealth with 3D games for stroke rehabilitation. 2011 , 10,	8
963	Telehealth with 3D games for stroke rehabilitation. 2011 , 10, Specialized rheumatology nurse substitutes for rheumatologists in the diagnostic process of	4
963 962	Telehealth with 3D games for stroke rehabilitation. 2011 , 10, Specialized rheumatology nurse substitutes for rheumatologists in the diagnostic process of fibromyalgia: a cost-consequence analysis and a randomized controlled trial. 2011 , 38, 1413-22 Cost-effectiveness of treating upper limb spasticity due to stroke with botulinum toxin type A:	7
963 962 961	Telehealth with 3D games for stroke rehabilitation. 2011, 10, Specialized rheumatology nurse substitutes for rheumatologists in the diagnostic process of fibromyalgia: a cost-consequence analysis and a randomized controlled trial. 2011, 38, 1413-22 Cost-effectiveness of treating upper limb spasticity due to stroke with botulinum toxin type A: results from the botulinum toxin for the upper limb after stroke (BoTULS) trial. 2012, 4, 1415-26 Rimonabant improves obesity but not the overall cardiovascular risk and quality of life; results from CARDIO-REDUSE (CArdiometabolic Risk reDuctIOn by Rimonabant: the Effectiveness in Daily	4 7 13
963 962 961	Telehealth with 3D games for stroke rehabilitation. 2011, 10, Specialized rheumatology nurse substitutes for rheumatologists in the diagnostic process of fibromyalgia: a cost-consequence analysis and a randomized controlled trial. 2011, 38, 1413-22 Cost-effectiveness of treating upper limb spasticity due to stroke with botulinum toxin type A: results from the botulinum toxin for the upper limb after stroke (BoTULS) trial. 2012, 4, 1415-26 Rimonabant improves obesity but not the overall cardiovascular risk and quality of life; results from CARDIO-REDUSE (CArdiometabolic Risk reDuctIOn by Rimonabant: the Effectiveness in Daily practice and its USE). 2012, 29, 521-7	4 7 13
963962961960959	Telehealth with 3D games for stroke rehabilitation. 2011 , 10, Specialized rheumatology nurse substitutes for rheumatologists in the diagnostic process of fibromyalgia: a cost-consequence analysis and a randomized controlled trial. 2011 , 38, 1413-22 Cost-effectiveness of treating upper limb spasticity due to stroke with botulinum toxin type A: results from the botulinum toxin for the upper limb after stroke (BoTULS) trial. 2012 , 4, 1415-26 Rimonabant improves obesity but not the overall cardiovascular risk and quality of life; results from CARDIO-REDUSE (CArdiometabolic Risk reDuctIOn by Rimonabant: the Effectiveness in Daily practice and its USE). 2012 , 29, 521-7 Cognition, daily living, and health-related quality of life in 85-year-olds in Sweden. 2012 , 19, 421-32 Traumatic and non-traumatic spinal cord impairment in New Zealand: incidence and characteristics	4 7 13 10 26

955	Patients' characteristics associated with readmission to a surgical intensive care unit. 2012, 21, e120-8	22
954	Pregabalin beneficial effects on sleep quality or health-related quality of life are poorly correlated with reduction on pain intensity after an 8-week treatment course. 2012 , 35, 21-4	9
953	Use of electroconvulsive therapy in Parkinson disease with residual axial symptoms partially unresponsive to L-dopa: a pilot study. 2012 , 28, 87-91	16
952	Inpatient versus home-based rehabilitation for older adults with musculoskeletal disorders: a systematic review. 2012 , 26, 387-402	31
951	Prognostic value of preoperative quality of life on mortality after isolated elective myocardial revascularization. 2012 , 15, 651-4	3
950	Estimating the Education-Health Relationship: A Cost-Utility Approach. 2012 , 11,	
949	Total hip arthroplasty versus resurfacing arthroplasty in the treatment of patients with arthritis of the hip joint: single centre, parallel group, assessor blinded, randomised controlled trial. 2012 , 344, e2147	52
948	Critical limb ischemia and its impact on patient health preferences and quality of life-an international study. 2012 , 21, 139-46	4
947	Cost-utility analysis of adjuvant therapies for breast cancer in Iran. 2012 , 28, 110-4	9
946	Vitamin D status and pain: analysis from the Health Survey for England among English adults aged 65 years and over. 2012 , 107, 1080-4	23
945	Economic burden and quality of life of vulvodynia in the United States. 2012, 28, 601-8	64
944	A cost-utility analysis of pregabalin versus duloxetine for the treatment of painful diabetic neuropathy. 2012 , 26, 153-64	13
943	Bilateral mini-invasive adductor tenotomy for the management of chronic unilateral adductor longus tendinopathy in athletes. 2012 , 40, 1880-6	36
942	A review of preference-based health-related quality of life questionnaires in spinal cord injury research. 2012 , 50, 646-54	31
941	Symptoms, functional status and quality of life in patients with controlled and uncontrolled atrial fibrillation: data from the RealiseAF cross-sectional international registry. 2012 , 98, 195-201	87
940	What factors are associated with patient self-reported health status among HIV outpatients? A multi-centre UK study of biomedical and psychosocial factors. 2012 , 24, 963-71	39
939	Community falls prevention for people who call an emergency ambulance after a fall: an economic evaluation alongside a randomised controlled trial. 2012 , 41, 635-41	24
938	Life review therapy for older adults with moderate depressive symptomatology: a pragmatic randomized controlled trial. 2012 , 42, 1163-73	93

(2012-2012)

937	Responsiveness of the Manchester-Oxford Foot Questionnaire (MOXFQ) compared with AOFAS, SF-36 and EQ-5D assessments following foot or ankle surgery. 2012 , 94, 215-21	84
936	Impact of impairment and secondary health conditions on health preference among Canadians with chronic spinal cord injury. 2012 , 35, 361-70	39
935	Saphenopopliteal ligation and stripping of small saphenous vein: does extended stripping provide better results?. 2012 , 27, 390-7	5
934	Psychometric validation of the PROQOL-HIV questionnaire, a new health-related quality of life instrument-specific to HIV disease. 2012 , 59, 506-15	38
933	Exploring the cost-utility of stratified primary care management for low back pain compared with current best practice within risk-defined subgroups. 2012 , 71, 1796-802	50
932	Questionnaire to assess treatment outcomes of acetabular fractures. 2012 , 20, 55-60	7
931	Comparing the treatment response of great saphenous and small saphenous vein incompetence following surgery and endovenous laser ablation: a retrospective cohort study. 2012 , 27, 128-34	15
930	The performance and publication of cost-utility analyses in plastic surgery: Making our specialty relevant. 2012 , 20, 187-93	18
929	Group art therapy as an adjunctive treatment for people with schizophrenia: multicentre pragmatic randomised trial. 2012 , 344, e846	72
928	Robotic compared with conventional laparoscopic hysterectomy: a randomized controlled trial. 2012 , 120, 604-11	140
927	Implementation of a guideline for low back pain management in primary care: a cost-effectiveness analysis. 2012 , 37, 701-10	37
926	The Dysphagia Short Questionnaire: an instrument for evaluation of dysphagia: a validation study with 12 months' follow-up after anterior cervical spine surgery. 2012 , 37, 996-1002	46
925	The use of patient-reported outcomes (PRO) within comparative effectiveness research: implications for clinical practice and health care policy. 2012 , 50, 1060-70	191
924	A pragmatic multicentered randomized controlled trial of yoga for chronic low back pain: economic evaluation. 2012 , 37, 1593-601	43
923	The importance of health capital in an ageing population: a QALY approach. 2012, 3, 106	
922	Quality of life, anxiety, and depression in patients with an unruptured intracranial aneurysm with or without aneurysm occlusion. 2012 , 70, 868-72	36
921	A randomised clinical trial of comprehensive cardiac rehabilitation versus usual care for patients treated for infective endocarditisthe CopenHeartIE trial protocol. 2012 , 2,	9
920	Internal fixation versus shoulder hemiarthroplasty for displaced 4-part proximal humeral fractures in elderly patients. 2012 , 35, e1340-6	46

919	Promoting research in advanced dementia: early clinical results of the Alzheimer Center Reina Sofi Foundation. 2012 , 28, 211-22	11
918	Assessment of health related quality of life (HRQoL) in irritable bowel syndrome. 2012 , 10, 31-35	2
917	Etanercept improves quality of life outcomes and treatment satisfaction in patients with moderate to severe plaque psoriasis in clinical practice. 2012 , 16, 407-16	9
916	Translation, cross-cultural adaptation and validation of the Danish version of the Oxford hip score: Assessed against generic and disease-specific questionnaires. 2012 , 1, 225-33	45
915	WITHDRAWN: Utility and Work Productivity Data for Economic Evaluation of Breast Cancer Therapies in the Netherlands and Sweden. 2012 ,	
914	The cost-effectiveness of single-row compared with double-row arthroscopic rotator cuff repair. 2012 , 94, 1369-77	70
913	How to measure the cost-effectiveness of periodontal treatments. 2012 , 60, 138-46	27
912	The use of data-mining to identify indicators of health-related quality of life in patients with irritable bowel syndrome. 2012 , 21, 2761-71	10
911	Psychometric performance of the CushingQoL questionnaire in conditions of real clinical practice. 2012 , 167, 337-42	43
910	Clinimetric properties of the EuroQol-5D in patients with chronic low back pain. 2012 , 12, 1035-9	90
909	Population-based incidence, mortality and quality of life in critically ill patients treated with renal replacement therapy: a nationwide retrospective cohort study in Finnish intensive care units. 2012 , 16, R13	43
908	Obsessivecompulsive disorder: prevalence, correlates, help-seeking and quality of life in a multiracial Asian population. 2012 , 47, 2035-43	78
907	Health-related quality of life in patients with osteoporosis in the absence of vertebral fracture: a systematic review. 2012 , 23, 2749-68	49
906	Predictors of work status and quality of life 9-13 years after aneurysmal subarachnoid hemorrahage. 2012 , 154, 1437-46	15
905	Physical performance tests are useful for evaluating and monitoring the severity of locomotive syndrome. 2012 , 17, 782-8	68
904	Satisfaction with care as a quality-of-life predictor for stroke patients and their caregivers. 2012 , 21, 1719-25	31
903	Juvenile arthritis patients report favorable subjective outcomes of hip arthroplasty despite poor standard outcome scores. 2012 , 27, 1622-8	2
902	Factors associated with patient satisfaction with foot and ankle surgery in a large prospective study. 2012 , 22, 211-8	11

(2012-2012)

901	Do hospital treatments represent a 'teachable moment' for quitting smoking? A study from a stage-theoretical perspective. 2012 , 27, 1291-307	28
900	Virologic response to therapy increases health-related quality of life for patients with chronic hepatitis B. 2012 , 10, 291-6	12
899	Quality of life with advanced metastatic prostate cancer. 2012 , 39, 505-15	19
898	Are English and Chinese Versions of the Audit of Diabetes-Dependent Quality of Life Equivalent? An Exploratory Study Based on the Universalist Approach. 2012 , 1, 75-81	6
897	Management of displaced surgical neck fractures of the humerus: health related quality of life, functional and radiographic results. 2012 , 43 Suppl 2, S12-9	13
896	Measurement properties of the Groningen Frailty Indicator in home-dwelling and institutionalized elderly people. 2012 , 13, 546-51	198
895	Frequency of Monitoring Diabetes in Primary Care: What Do Well-Controlled Patients Prefer?. 2012 , 36, 187-192	3
894	Radical Laparoscopic Resection of Bowel Endometriosis: Long-Term Implications for Psychologic Well-Being. 2012 , 28, 183-187	7
893	Alcune considerazioni su HTA e innovazione. 2012 , 14, 1-2	
892	Anllsis econfinico de oxicodona LP/ naloxona LP en el manejo del dolor intenso y el estrefiniento asociado al tratamiento con opioides en Espafi. 2012 , 9, 23-34	
891	Return to work after acquired brain injury: a patient perspective. 2012 , 26, 1574-85	18
890	Elicitation of health state utilities in neuroendocrine tumours. 2012 , 15, 681-7	21
889	Anxiety and quality of life: clinically anxious children with and without autism spectrum disorders compared. 2012 , 41, 731-8	77
888	The effect of risedronate (17.5 mg/week) treatment on quality of life in Japanese women with osteoporosis: a prospective observational study. 2012 , 30, 715-21	7
887	Crisis intervention for people with severe mental illnesses. 2012 , CD001087	27
886	The development of a QALY measure for epilepsy: NEWQOL-6D. 2012 , 24, 36-43	51
885	Is grip strength associated with length of stay in hospitalised older patients admitted for rehabilitation? Findings from the Southampton grip strength study. 2012 , 41, 641-6	46
884	Regression estimators for generic health-related quality of life and quality-adjusted life years. 2012 , 32, 56-69	98

883	Using a discrete choice experiment to estimate health state utility values. 2012, 31, 306-18	154
882	The use of weekly text messaging over 6 months was a feasible method for monitoring the clinical course of low back pain in patients seeking chiropractic care. 2012 , 65, 454-61	78
881	K-wire position in tension-band wiring technique affects stability of wires and long-term outcome in surgical treatment of olecranon fractures. 2012 , 21, 405-11	58
880	Hypoglycemia is associated with increased worry and lower quality of life among patients with type 2 diabetes treated with oral antihyperglycemic agents in the Asia-Pacific region. 2012 , 96, 141-8	36
879	Analysing randomised controlled trials with missing data: choice of approach affects conclusions. 2012 , 33, 461-9	34
878	Measuring patient-reported outcomes in psychosis: conceptual and methodological review. 2012 , 201, 262-7	48
877	Protocol for a home-based integrated physical therapy program to reduce falls and improve mobility in people with Parkinson's disease. 2012 , 12, 54	8
876	Health-related quality of life and strain in caregivers of Australians with Parkinson's disease: an observational study. 2012 , 12, 57	18
875	Diagnostic and economic evaluation of new biomarkers for Alzheimer's disease: the research protocol of a prospective cohort study. 2012 , 12, 72	20
874	Protocol for diaphragm pacing in patients with respiratory muscle weakness due to motor neurone disease (DiPALS): a randomised controlled trial. 2012 , 12, 74	6
873	The effectiveness of exercise as a treatment for postnatal depression: study protocol. 2012 , 12, 45	9
872	Stepped care targeting psychological distress in head and neck and lung cancer patients: a randomized clinical trial. 2012 , 12, 173	42
871	The impact of childhood acute rotavirus gastroenteritis on the parents' quality of life: prospective observational study in European primary care medical practices. 2012 , 12, 58	26
870	Weight gain prevention among black women in the rural community health center setting: the Shape Program. 2012 , 12, 305	33
869	Getting back to work after injury: the UK Burden of Injury multicentre longitudinal study. 2012 , 12, 584	34
868	Ending homelessness among people with mental illness: the At Home/Chez Soi randomized trial of a Housing First intervention in Toronto. 2012 , 12, 787	62
867	The Diabetes Pearl: Diabetes biobanking in The Netherlands. 2012 , 12, 949	24
866	Strengthening and stretching for rheumatoid arthritis of the hand (SARAH): design of a randomised controlled trial of a hand and upper limb exercise interventionISRCTN89936343. 2012 , 13, 230	8

865	Study protocol: the Back Pain Outcomes using Longitudinal Data (BOLD) registry. 2012 , 13, 64	35
864	Osteo-cise: strong bones for life: protocol for a community-based randomised controlled trial of a multi-modal exercise and osteoporosis education program for older adults at risk of falls and fractures. 2012 , 13, 78	27
863	Postoperative recovery and its association with health-related quality of life among day surgery patients. 2012 , 11, 24	17
862	Population health status of South Asian and African-Caribbean communities in the United Kingdom. 2012 , 12, 101	7
861	Clinicians' and patients' views of metrics of change derived from patient reported outcome measures (PROMs) for comparing providers' performance of surgery. 2012 , 12, 171	23
860	Patient anxiety and concern as predictors for the perceived quality of treatment and patient reported outcome (PRO) in orthopaedic surgery. 2012 , 12, 244	7
859	Social and economic costs and health-related quality of life in stroke survivors in the Canary Islands, Spain. 2012 , 12, 315	52
858	Both cardiovascular and non-cardiovascular comorbidity are related to health status in well-controlled type 2 diabetes patients: a cross-sectional analysis. 2012 , 11, 121	24
857	Measuring patient experiences in Fabry disease: validation of the Fabry-specific Pediatric Health and Pain Questionnaire (FPHPQ). 2012 , 10, 116	24
856	Validation study of the prototype of a disease-specific index measure for health-related quality of life in dementia. 2012 , 10, 118	18
855	Mapping EORTC QLQ-C30 onto EQ-5D for the assessment of cancer patients. 2012 , 10, 151	48
854	Retrospective evaluation versus population norms for the measurement of baseline health status. 2012 , 10, 68	51
853	Validation of the osteoporosis quality of life questionnaire QUALEFFO-41 for the Serbian population. 2012 , 10, 74	17
852	Changes in health-related quality of life in people with morbid obesity attending a learning and mastery course. A longitudinal study with 12-months follow-up. 2012 , 10, 95	11
851	The Well London programa cluster randomized trial of community engagement for improving health behaviors and mental wellbeing: baseline survey results. 2012 , 13, 105	15
850	Health and economic effects from linking bedside and outpatient tobacco cessation services for hospitalized smokers in two large hospitals: study protocol for a randomized controlled trial. 2012 , 13, 129	14
849	Brief intervention for alcohol misuse in people attending sexual health clinics: study protocol for a randomized controlled trial. 2012 , 13, 149	4
848	Computerised therapy for depression with clinician vs. assistant and brief vs. extended phone support: study protocol for a randomised controlled trial. 2012 , 13, 151	3

847	Patient directed self management of pain (PaDSMaP) compared to treatment as usual following total knee replacement: study protocol for a randomized controlled trial. 2012 , 13, 204	3
846	UK Dermatology Clinical Trials Network's STOP GAP trial (a multicentre trial of prednisolone versus ciclosporin for pyoderma gangrenosum): protocol for a randomised controlled trial. 2012 , 13, 51	28
845	Self-help materials for the prevention of smoking relapse: study protocol for a randomized controlled trial. 2012 , 13, 69	9
844	A multi-centre randomised controlled trial of rehabilitation aimed at improving outdoor mobility for people after stroke: study protocol for a randomised controlled trial. 2012 , 13, 86	5
843	Pain alleviation and patient-reported health outcomes following switching to pregabalin in individuals with gabapentin-refractory neuropathic pain in routine medical practice. 2012 , 32, 401-12	16
842	Endovenous laser ablation in the treatment of small saphenous varicose veins: does site of access influence early outcomes?. 2012 , 46, 310-4	10
841	Willingness to pay for obesity pharmacotherapy. 2012 , 20, 2019-26	14
840	ABSORB II randomized controlled trial: a clinical evaluation to compare the safety, efficacy, and performance of the Absorb everolimus-eluting bioresorbable vascular scaffold system against the XIENCE everolimus-eluting coronary stent system in the treatment of subjects with ischemic heart	105
839	Surveillance for hereditary cancer: does the benefit outweigh the psychological burden?A systematic review. 2012 , 83, 329-40	52
838	Androgen Deprivation Therapy for Prostate Cancer Prevention: What Impact Do Related Adverse Events Have on Quality of Life?. 2012 , 3, e169-e180	3
837	Impact of Treatment Attributes of Peginterferon for Hepatitis C on Quality of Life and Treatment Preference. 2012 , 3, e153-e167	4
836	Impaired health-related quality of life in elderly women is associated with multimorbidity: results from the Korean National Health and Nutrition Examination Survey. 2012 , 9, 309-18	42
835	An economic evaluation of pregabalin versus usual care in the management of community-treated patients with refractory painful diabetic peripheral neuropathy in primary care settings. 2012 , 6, 303-12	18
834	Calidad de vida en artroplastia de rodilla. Utilidad de la escala RAPT. 2012 , 46, 147-156	2
833	Whiplash Associated Disorders (WAD): Responses to pharmacological challenges and psychometric tests. 2012 , 3, 151-163	3
832	The cost-effectiveness of different chemotherapy strategies for patients with poor prognosis advanced colorectal cancer (MRC FOCUS). 2012 , 15, 22-31	6
831	Priority symptoms in advanced breast cancer: development and initial validation of the National Comprehensive Cancer Network-Functional Assessment of Cancer Therapy-Breast Cancer Symptom Index (NFBSI-16). 2012 , 15, 183-90	20
830	Improving the measurement of QALYs in dementia: developing patient- and carer-reported health state classification systems using Rasch analysis. 2012 , 15, 323-33	33

829	Deriving input parameters for cost-effectiveness modeling: taxonomy of data types and approaches to their statistical synthesis. 2012 , 15, 639-49	33
828	Time trade-off and ranking exercises are sensitive to different dimensions of EQ-5D health states. 2012 , 15, 777-82	3
827	Effect of acute bleeding on daily quality of life assessments in patients with congenital hemophilia with inhibitors and their families: observations from the dosing observational study in hemophilia. 2012 , 15, 916-25	43
826	[Reference guidelines for the 12-Item Short-Form Health Survey version 2 based on the Catalan general population]. 2012 , 139, 613-25	62
825	Comparison of the effectiveness of trauma-focused cognitive behavioral therapy and paroxetine treatment in PTSD patients: design of a randomized controlled trial. 2012 , 12, 166	12
824	Speech and language therapy for aphasia following stroke. 2012 , CD000425	153
823	High survivorship of cemented sockets with roof graft for severe acetabular dysplasia. 2012, 470, 3032-40	13
822	Design and methodology of the COACH-2 (Comparative study on guideline adherence and patient compliance in heart failure patients) study: HF clinics versus primary care in stable patients on optimal therapy. 2012 , 20, 307-12	8
821	Comparison of generic, condition-specific, and mapped health state utility values for multiple myeloma cancer. 2012 , 15, 1059-68	36
820	Think of your art-eries: arts participation, behavioural cardiovascular risk factors and mental well-being in deprived communities in London. 2012 , 126 Suppl 1, S57-S64	28
819	Health state values for use in the economic evaluation of treatments for Alzheimer's disease. 2012 , 29, 31-43	34
818	Femoral neck fractures in Lithuania and Sweden. The differences in care and outcome. 2012 , 36, 1681-6	3
817	Musculoskeletal function and quality of life after an unstable trochanteric fracture treated with the trochanteric gamma nail. 2012 , 132, 1495-503	4
816	Is the development of Modic changes associated with clinical symptoms? A 14-month cohort study with MRI. 2012 , 21, 2271-9	60
815	Reliability and validity of the cross-culturally adapted Italian version of the Core Outcome Measures Index. 2012 , 21 Suppl 6, S737-49	33
814	Estimating preference-based EQ-5D health state utilities or item responses from neuropathic pain scores. 2012 , 5, 185-97	7
813	The burden of immune thrombocytopenia in adults: evaluation of the thrombopoietin receptor agonist romiplostim. 2012 , 15, 956-76	9
812	Effectiveness and cost-effectiveness of web-based treatment for phobic outpatients on a waiting list for psychotherapy: protocol of a randomised controlled trial. 2012 , 12, 131	9

811	Nutrition and physical activity programs for obesity treatment (PRONAF study): methodological approach of the project. 2012 , 12, 1100	17
810	Burden of Crohn's disease: economics and quality of life aspects in Italy. 2012 , 4, 209-18	9
809	Economic impact of dyspepsia in rural and urban malaysia: a population-based study. 2012, 18, 43-57	26
808	Methodologies used in cost-effectiveness models for evaluating treatments in major depressive disorder: a systematic review. 2012 , 10, 1	30
807	A critical re-evaluation of the regression model specification in the US D1 EQ-5D value function. 2012 , 10, 2	5
806	The ToT study: helping with Touch or Talk (ToT): a pilot randomised controlled trial to examine the clinical effectiveness of aromatherapy massage versus cognitive behaviour therapy for emotional distress in patients in cancer/palliative care. 2012 , 21, 563-9	37
805	Cost-effectiveness of diacetylmorphine versus methadone for chronic opioid dependence refractory to treatment. 2012 , 184, E317-28	60
804	Previous fractures at multiple sites increase the risk for subsequent fractures: the Global Longitudinal Study of Osteoporosis in Women. 2012 , 27, 645-53	110
803	Comparative responsiveness of the EuroQol-5D and Short Form 6D to improvement in patients with rheumatoid arthritis treated with tumor necrosis factor blockers: results of the Dutch Rheumatoid Arthritis Monitoring registry. 2012 , 64, 826-32	14
802	Comprehensive medication review: development of a collaborative procedure. 2012, 34, 510-4	21
801	Measuring health-related quality-of-life for Alzheimer's disease using the general public. 2012 , 21, 593-601	4
800	Assessing health-related quality-of-life changes in informal caregivers: an evaluation in parents of children with major congenital anomalies. 2012 , 21, 849-61	33
799	Reliability and Validity of EQ-5D in Malaysian Population. 2012 , 7, 209-221	4
798	Cost-effectiveness of long-term outpatient buprenorphine-naloxone treatment for opioid dependence in primary care. 2012 , 27, 669-76	60
797	Dietary, self-reported oral health and socio-demographic predictors of general health status among older adults. 2012 , 16, 437-41	23
796	SF-6D and EQ-5D result in widely divergent incremental cost-effectiveness ratios in a clinical trial of older women: implications for health policy decisions. 2012 , 23, 1849-57	20
795	Cross-cultural adaptation and validation of the knee and hip health-related quality of life (OAKHQoL) in a Moroccan Arabic-speaking population. 2012 , 32, 1015-23	13
794	Health-related quality of life after tonsillotomy versus tonsillectomy in young adults: 6 years postsurgery follow-up. 2012 , 269, 1951-8	23

(2021-2012)

793	Development of a screening tool for risk of locomotive syndrome in the elderly: the 25-question Geriatric Locomotive Function Scale. 2012 , 17, 163-72	207
792	Problem areas reported by substance abusing individuals and their concerned significant others. 2012 , 21, 38-46	20
791	Randomized controlled trial of a lay-facilitated angina management programme. 2012, 68, 2267-79	17
790	A cluster randomized controlled trial of a structured training programme for caregivers of inpatients after stroke (TRACS). 2012 , 7, 94-9	27
789	Clinical outcomes, resource use, and costs at 1 year in patients with acute coronary syndrome undergoing PCI: results from the multinational APTOR registry. 2012 , 25, 19-27	12
788	Outcome and quality of life of elderly critically ill patients: an Italian prospective observational study. 2012 , 54, e193-8	17
787	Sentic PROMs: Application of sentic computing to the development of a novel unified framework for measuring health-care quality. 2012 , 39, 10533-10543	69
786	Venous thromboembolism after total knee arthroplasty is associated with a worse functional outcome at one year. 2021 , 103-B, 1254-1260	1
785	Remote Patient Monitoring with Wearable Sensors Following Knee Arthroplasty. 2021, 21,	4
784	Cost-effectiveness of behavioral and pelvic floor muscle therapy combined with midurethral sling surgery vs surgery alone among women with mixed urinary incontinence: results of the Effects of Surgical Treatment Enhanced With Exercise for Mixed Urinary Incontinence randomized trial. 2021,	1
783	A comprehensive multidisciplinary care pathway for hip fractures better outcome than usual care?. 2021 , 52, 1819-1825	0
782	Health-related quality of life in different trimesters during pregnancy. 2021 , 19, 182	3
781	Patient-Reported Outcomes for Migraine in the US and Europe: Burden Associated with Multiple Preventive Treatment Failures. 2021 , 13, 647-660	0
780	Cement augmentation of internal fixation for trochanteric fracture: a systematic review and meta-analysis. 2021 , 1	O
779	Use of Intensive Care Unit Diary as an Integrated Tool in an Italian General Intensive Care Unit: A Mixed-Methods Pilot Study. 2021 , 40, 248-256	1
778	Post-concussion symptoms three months after mild-to-moderate TBI: characteristics of sick-listed patients referred to specialized treatment and consequences of intracranial injury. 2021 , 35, 1054-1064	2
777	The use of online visual analogue scales in idiopathic pulmonary fibrosis. 2021,	0
776	Long-term patient-related quality of life after successfully treated aseptic non-unions of the long bones. 2021 , 52, 1880-1885	2

775	Patient-reported outcome measures after hip fracture in patients with chronic cognitive impairment: results from 34,675 patients in the Norwegian Hip Fracture Register. 2021 , 2, 454-465	
774	Changes over Time in Patient Stated Values and Treatment Preferences Regarding Aggressive Therapies: Insights from the DECIDE-LVAD Trial. 2021 , 272989X211028234	2
773	Mycophenolate Mofetil Versus Cyclophosphamide for Remission Induction in Childhood Polyarteritis Nodosa: An Open-Label, Randomized, Bayesian Noninferiority Trial. 2021 , 73, 1673-1682	5
772	Patient Utilities in Health States Based on Hoehn and Yahr and Off-Time in Parkinson's Disease: A Swedish Register-Based Study in 1823 Observations. 2021 , 39, 1141-1149	O
771	Performance of the EQ-5D-5L Plus Respiratory Bolt-On in the Birmingham Chronic Obstructive Pulmonary Disease Cohort Study. 2021 , 24, 1667-1675	
770	Modeling SF-6D Health Utilities: Is Bayesian Approach Appropriate?. 2021 , 18,	O
769	Long-term evaluation of pediatric ACL reconstruction: high risk of further surgery but a restrictive postoperative management was related to a lower revision rate. 2021 , 1	2
768	The Effect of Teriparatide Treatment on the Risk of Fragility Fractures in Postmenopausal Women with Osteoporosis: Results from the Asian and Latin America Fracture Observational Study (ALAFOS). 2021 , 1	2
767	Protocol for a randomised controlled feasibility study of psychologically informed vestibular rehabilitation for people with persistent dizziness: INVEST trial. 2021 , 7, 156	1
766	Progressive exercise compared with best-practice advice, with or without corticosteroid injection, for rotator cuff disorders: the GRASP factorial RCT. 2021 , 25, 1-158	2
765	Association of Childbirth Pain with Postnatal Depressive and Anxiety Disorders in Nulliparous Parturients: A Prospective Study. 2021 , 17, 2625-2636	0
764	Increasing access to cognitiveBehavioural therapy for patients with psychosis by evaluating the feasibility of a randomised controlled trial of brief, targeted cognitiveBehavioural therapy for distressing voices delivered by assistant psychologists: the GiVE2 trial. 2021 , 7,	2
763	Health-Related Quality of Life Norm Data of the Peruvian Adolescents: Results Using the EQ-5D-Y. 2021 , 18,	0
762	Cost-effectiveness of a stepped care program to prevent depression among primary care patients with diabetes mellitus type 2 and/or coronary heart disease and subthreshold depression in comparison with usual care. 2021 , 21, 402	
761	Making Use of Patient-Reported Outcome Measures for Haemorrhoidal Disease in Clinical Practice: A Perspective. 2021 , 8, 728532	O
760	Effects of the Norfolk diabetes prevention lifestyle intervention (NDPS) on glycaemic control in screen-detected type 2 diabetes: a randomised controlled trial. 2021 , 19, 183	1
759	Mapping World Health Organization Quality of Life-BREF Onto 5-Level EQ-5D in Thai Patients With Chronic Diseases. 2021 , 24, 1089-1094	0
758	Treatment of hallux rigidus (HARD trial): study protocol of a prospective, randomised, controlled trial of arthrodesis versus watchful waiting in the treatment of a painful osteoarthritic first metatarsophalangeal joint. 2021 , 11, e049298	O

757	Predictors of persistent postoperative pain after surgery for idiopathic scoliosis. 2021 , 15, 458-463	1
756	Results from a cross-sectional, observational study to assess inadequate pain relief in patients with knee and/or hip osteoarthritis in Mexico. 2021 , 17, 397-403	1
755	Individuals With Pre-arthritic Hip Pain Walk With Hip Motion Alterations Common in Individuals With Hip OA. 2021 , 3, 719097	1
754	Musculoskeletal Pain and Cardiovascular Risk in Hispanic/Latino Meatpacking Workers. 2021 , 216507992	211016 9 08
753	Conceptualising 'Benefits Beyond Health' in the Context of the Quality-Adjusted Life-Year: A Critical Interpretive Synthesis. 2021 , 39, 1383-1395	0
75 ²	Physical Activity and Perceived Health in People With Parkinson Disease During the First Wave of Covid-19 Pandemic: A Cross-sectional Study From Sweden. 2021 , 45, 266-272	7
751	Tricyclic antidepressants versus 'active placebo', placebo or no intervention for adults with major depressive disorder: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. 2021 , 10, 227	2
75 ⁰	Results from a cross-sectional, observational study to assess inadequate pain relief in patients with knee and/or hip osteoarthritis in Mexico. 2021 , 17, 397-403	1
749	Cost-effectiveness of surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: an economic evaluation of the UK FROST trial. 2021 , 2, 685-695	1
748	Wearing an Activating Spinal Orthosis and Physical Training in Women With Osteoporosis and Back Pain: A Postintervention Follow-Up Study 2021 , 3, 100154	1
747	Social factors and pain worsening: a retrospective cohort study. 2021 , 127, 289-295	
746	Sex differences in medical cannabis-related adverse effects. 2021 ,	3
745	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: a model-based retrospective analysis.	
744	Health utilities in burn injury survivors: A systematic review. 2021 , 48, 13-13	2
743	Obesity and Mental Health: A Longitudinal, Cross-Cultural Examination in Germany and China. 2021 , 12, 712567	4
742	Personalization of Treatment for Patients with Childhood-Abuse-Related Posttraumatic Stress Disorder. 2021 , 10,	3
741	An online family-based self-monitoring and goal-setting intervention to improve children physical activity: the FRESH feasibility trial and three-arm pilot RCT. 2021 , 9, 1-116	
740	The anemia-independent impact of myelodysplastic syndromes on health-related quality of life. 2021 , 100, 2921-2932	Ο

739	Dying within dyads: Stress, sense of security and support during palliative home care. 2021 , 16, e0257274	0
738	Quality of life in a randomized phase II study to determine the optimal dose of 3-week cycle nab-paclitaxel in patients with metastatic breast cancer. 2021 , 1	1
737	Effects of safinamide on pain in patients with fluctuating Parkinson's disease. 2021 , 11, e2336	5
736	Cost-Effectiveness of a Culturally Adapted Manual-Assisted Brief Psychological Intervention for Self-Harm in Pakistan: A Secondary Analysis of the Culturally Adapted Manual-Assisted Problem-Solving Training Randomized Controlled Trial. 2021 , 25, 150-156	
735	Filipino Multicomponent Intervention to Maintain Cognitive Performance in High-Risk Population (FINOMAIN): Study Protocol for a Cluster Randomized Controlled Trial. 2021 , 12, 685721	1
734	Correlation of preference- and profile-based quality of life of Japanese oral cancer patients during the perioperative period measured using EQ-5D-5L and FACT-H&N. 2021 ,	O
733	Retrospectively Collected EQ-5D-5L Data as Valid Proxies for Imputing Missing Information in Longitudinal Studies. 2021 , 24, 1720-1727	1
732	Does robot-assisted spine surgery for multi-level lumbar fusion achieve better patient-reported outcomes than free-hand techniques?. 2021 , 25, 101214	O
731	The Association Between Physical Performance and Health-Related Quality of Life Based on the EuroQol 5-Dimensional Questionnaire in Patients With Chagas Disease. 2021 , 25, 112-117	0
730	The estimation of a preference-based single index for the IBS-QoL by mapping to the EQ-5D-5L in patients with irritable bowel syndrome. 2021 , 1	O
729	Association of multimorbidity and changes in health-related quality of life following myocardial infarction: a UK multicentre longitudinal patient-reported outcomes study. 2021 , 19, 227	1
728	Burn scar contracture release surgery effectively improves functional range of motion, disability and quality of life: A pre/post cohort study with long-term follow-up in a Low- and Middle-Income Country. 2021 , 47, 1285-1294	1
727	Systematic Review of Cost-Effectiveness Models in Prostate Cancer: Exploring New Developments in Testing and Diagnosis 2022 , 25, 133-146	1
726	Quality of life among people living with HIV in England and the Netherlands: a population-based study. 2021 , 8, 100177	2
725	Comparison of EuroQol-5D-3L and Short Form-6D Utility Scores in Family Caregivers of Colorectal Cancer Patients: A Cross-Sectional Survey in China. 2021 , 9, 742332	1
724	Association of sensory phenotype with quality of life, functionality, and emotional well-being in patients suffering from neuropathic pain. 2021 ,	O
723	Assessment in pulmonary rehabilitation. 2021 , 23-52	1
722	Head-to-head comparison of sirolimus- versus paclitaxel-coated balloon angioplasty in the femoropopliteal artery: study protocol for the randomized controlled SIRONA trial. 2021 , 22, 665	3

721	Music to prevent deliriUm during neuroSurgerY (MUSYC) Clinical trial: a study protocol for a randomised controlled trial. 2021 , 11, e048270	О
720	Anterior posterior fusion surgery in idiopathic scoliosis: a comparison of health-related quality of life and radiographic outcomes in Lenke 5C curves - results from the Swedish spine registry. 2021 , 15, 464-471	O
719	Health benefits of "Thursdays at the Montreal Museum of Fine Arts": Results of a randomized clinical trial. 2021 , 153, 26-32	0
718	Comparison of EQ-5D Values Sets Among South American Countries. 2021 , 26, 56-65	1
717	Psychometric Evaluation of the Health State Description Questionnaire in Chile: A Proposal for a Latent Variable Approach for Valuating Health States. 2021 , 26, 142-149	1
716	A longitudinal examination of the relationship between smoking and panic, anxiety, and depression in Chinese and German students. 2021 , 14, 100347	
715	Psycho-Social Factors in Patients with Cardiovascular Disease Attending a Family-Centred Prevention and Rehabilitation Programme: EUROACTION Model in Spain. 2021 , 11,	3
714	Anxiety Symptoms After Orthopedic Injury: A Systematic Review. 2021 , 28, 46-55	1
713	. 2021 , 9, 44813-44824	4
712	Psychometric validation of the Korean Patient-Reported Outcome Measurement Information System (PROMIS)-29 Profile V2.1 among patients with chronic pulmonary diseases. 2021 , 13, 5752-5764	О
	System (internity 2) internet very among patients when emonic patients glascases, 2021, 15/5/52 5/61	
711	Robotic arm-assisted versus manual total hip arthroplasty. 2021 , 10, 22-30	10
711		
,	Robotic arm-assisted versus manual total hip arthroplasty. 2021 , 10, 22-30 The minimally important difference of the Gastrointestinal Quality of Life Index for symptomatic	10
710	Robotic arm-assisted versus manual total hip arthroplasty. 2021 , 10, 22-30 The minimally important difference of the Gastrointestinal Quality of Life Index for symptomatic gallstone surgery. 2021 , 35, 6938-6948 Psychometric Properties of Preference-Based Measures for Economic Evaluation in Amyotrophic	10
710	Robotic arm-assisted versus manual total hip arthroplasty. 2021 , 10, 22-30 The minimally important difference of the Gastrointestinal Quality of Life Index for symptomatic gallstone surgery. 2021 , 35, 6938-6948 Psychometric Properties of Preference-Based Measures for Economic Evaluation in Amyotrophic Lateral Sclerosis: A Systematic Review. 2021 , 2021, 6681554 Comparison of inequity in health-related quality of life among unemployed and employed	10
710 709 708	Robotic arm-assisted versus manual total hip arthroplasty. 2021, 10, 22-30 The minimally important difference of the Gastrointestinal Quality of Life Index for symptomatic gallstone surgery. 2021, 35, 6938-6948 Psychometric Properties of Preference-Based Measures for Economic Evaluation in Amyotrophic Lateral Sclerosis: A Systematic Review. 2021, 2021, 6681554 Comparison of inequity in health-related quality of life among unemployed and employed individuals in China. 2021, 21, 52 Dutch utility weights for the EORTC cancer-specific utility instrument: the Dutch EORTC QLU-C10D.	10
710 709 708 707	Robotic arm-assisted versus manual total hip arthroplasty. 2021, 10, 22-30 The minimally important difference of the Gastrointestinal Quality of Life Index for symptomatic gallstone surgery. 2021, 35, 6938-6948 Psychometric Properties of Preference-Based Measures for Economic Evaluation in Amyotrophic Lateral Sclerosis: A Systematic Review. 2021, 2021, 6681554 Comparison of inequity in health-related quality of life among unemployed and employed individuals in China. 2021, 21, 52 Dutch utility weights for the EORTC cancer-specific utility instrument: the Dutch EORTC QLU-C10D. 2021, 30, 2009-2019 Costs and cost-effectiveness of the meeting centres support programme for people living with	10 2 4

703	Behavioural activation therapies for depression in adults.	3
702	Should We Consider Deep Brain Stimulation Discontinuation in Late-Stage Parkinson's Disease?. 2020 , 35, 1379-1387	4
701	Measuring Quality of Life in Macular Degeneration. 2010 , 2633-2647	1
700	Subjective Quality of Life Measures General Principles and Concepts. 2010 , 381-399	5
699	Quality of Life in Dementia Patients and Their Proxies: A Narrative Review of the Concept and Measurement Scales. 2010 , 3671-3689	4
698	Quality of Life in Patients on Peritoneal Dialysis. 2009 , 523-541	1
697	Health and Quality of Life. 2007 , 195-213	7
696	Quality of Life in Acromegaly and Growth Hormone Deficiency. 2011 , 237-250	4
695	Health-Related Quality of Life in Cardiac Patients. 2007, 256-268	2
694	Diabetes Distress and Quality of Life in Adults with Diabetes. 2020 , 303-328	2
693	Introduction. 2015 , 1-21	1
692	SenticNet. 2015 , 23-71	6
691	A Guide to PROMs Methodology and Selection Criteria. 2016 , 21-58	3
690	Estimating the Fuzzy Trade-Offs Between Health Dimensions with Standard Time Trade-Off Data. 2018 , 266-277	2
689	Health Services Research. 2005, 1473-1543	4
688	Valuation. 2012 , 79-129	1
687	Long-term prognosis after kidney donation: a propensity score matched comparison of living donors and non-donors from two population cohorts. 2020 , 35, 699-707	8
686	Modelling a preference-based index for EQ-5D-3L and EQ-5D-3L + Sleep using a Bayesian framework. 2020 , 29, 1495-1507	1

685	Health-Related Quality of Life and Associated Factors among Oldest-Old in China. 2020, 24, 330-338	7
684	Measuring patient-centred outcomes. 2008 , 77-93	2
683	Social networks and cognitive function in older adults receiving home- and community-based aged care. 2020 , 89, 104083	4
682	Using the EuroQoI 5-D in the Catalan general population: feasibility and construct validity. 1998 , 7, 311-22	82
681	Developing an Index of Capability for Older People: A New Form of Measure for Public Health Interventions?. 2009 , 193-206	1
680	One-Year Quality of Life Post-Pneumonia Diagnosis in Japanese Adults. 2021 , 73, 283-290	4
679	An empirical comparison of four generic health status measures. The Nottingham Health Profile, the Medical Outcomes Study 36-item Short-Form Health Survey, the COOP/WONCA charts, and the EuroQol instrument. 1997 , 35, 522-37	300
678	Determining correspondence between scores on the EQ-5D "thermometer" and a 5-point categorical rating scale. 1999 , 37, 671-7	56
677	Comparison of the EQ-5D and SF-12 health surveys in a general population survey in Alberta, Canada. 2000 , 38, 115-21	210
676	Arthroscopy assisted fixation of posterior malleolar fractures: case series for novel approach. 2018 , 29, 250-255	1
675	Long-term Radiological and Clinical Outcomes After Using Bone Marrow Mesenchymal Stem Cells Concentrate Obtained With Selective Retention Cell Technology in Posterolateral Spinal Fusion. 2017 , 42, 1871-1879	16
674	Development and preliminary validation of the Menopause Symptoms Treatment Satisfaction Questionnaire (MS-TSQ). 2007 , 14, 1047-55	21
673	Estimates for quality of life loss due to RSV.	1
672	Rates of perfect self-reported adherence to direct-acting antiviral therapy and its correlates among people who inject drugs on medications for opioid use disorder: The PREVAIL study. 2021 , 28, 548-557	2
671	Randomised controlled trial comparing effectiveness and acceptability of an early discharge, hospital at home scheme with acute hospital care. 1998 , 316, 1796-801	99
670	Bypassing nearest hospital for more distant neuroscience care in head-injured adults with suspected traumatic brain injury: findings of the head injury transportation straight to neurosurgery (HITS-NS) pilot cluster randomised trial. 2017 , 7, e016355	13
669	Valuation study for a preference-based quality of life measure for dental caries (Dental Caries Utility Index - DCUI) among Australian adolescents - study protocol. 2020 , 10, e038626	1
668	Protocol of a multicentre, prospective cohort study that evaluates cost-effectiveness of two perioperative care strategies for potential obstructive sleep apnoea in morbidly obese patients undergoing bariatric surgery. 2020 , 10, e038830	3

667	Personal Wellbeing Score (PWS)-a short version of ONS4: development and validation in social prescribing. 2019 , 8, e000394	20
666	Definitions and Clinical Trial Design Principles for Coronary Artery Chronic Total Occlusion Therapies: CTO-ARC Consensus Recommendations. 2021 , 143, 479-500	34
665	Cost Analysis in Shoulder Surgery: A Systematic Review. 2020 , 8, 2325967120917121	5
664	The importance of different frailty domains in a population based sample in England. 2020 , 20, 16	5
663	A real-world analysis of patient-reported outcomes in patients with migraine by preventive treatment eligibility status in the US and Europe. 2020 , 4, 53	6
662	EQ-5D: a plea for accurate nomenclature. 2020 , 4, 52	8
661	Collection and use of EQ-5D for follow-up, decision-making, and quality improvement in health care - the case of the Swedish National Quality Registries. 2020 , 4, 78	8
660	Quality of life among patients seeking treatment for substance use disorder, as measured with the EQ-5D-3L. 2020 , 4, 92	2
659	Clinical performance measurement: part 1getting the best out of it. 2002 , 95, 508-10	8
658	Scaling-up primary health care-based prevention and management of alcohol use disorder at the municipal level in middle-income countries in Latin America: Background and pre-protocol for a three-country quasi-experimental study. 2017 , 6, 311	8
657	Analysis of differences in subjective health status according to characteristics of hospitalized cancer patients. 2018 , 14, 810-816	2
656	Predictors of health-related quality of life in patients at risk for cardiovascular disease in European primary care. 2011 , 6, e29334	39
655	Canadian valuation of EQ-5D health states: preliminary value set and considerations for future valuation studies. 2012 , 7, e31115	130
654	Quality of data entry using single entry, double entry and automated forms processingan example based on a study of patient-reported outcomes. 2012 , 7, e35087	66
653	Limit allogeneic blood use with routine re-use of patient's own blood: a prospective, randomized, controlled trial in total hip surgery. 2012 , 7, e44503	12
652	Gastrointestinal symptoms are still prevalent and negatively impact health-related quality of life: a large cross-sectional population based study in The Netherlands. 2013 , 8, e69876	33
651	The development of the Older Persons and Informal Caregivers Survey Minimum DataSet (TOPICS-MDS): a large-scale data sharing initiative. 2013 , 8, e81673	101
650	Patterns of anti-osteoporosis medication use among women at high risk of fracture: findings from the Global Longitudinal Study of Osteoporosis in Women (GLOW). 2013 , 8, e82840	6

649	Levonorgestrel-releasing intrauterine system vs. usual medical treatment for menorrhagia: an economic evaluation alongside a randomised controlled trial. 2014 , 9, e91891	16
648	Association between lifestyle factors and quality-adjusted life years in the EPIC-NL cohort. 2014 , 9, e111480	18
647	Association of Hearing Loss and Tinnitus with Health-Related Quality of Life: The Korea National Health and Nutrition Examination Survey. 2015 , 10, e0131247	38
646	Construct Validity of the SF-12v2 for the Homeless Population with Mental Illness: An Instrument to Measure Self-Reported Mental and Physical Health. 2016 , 11, e0148856	12
645	Long-Term Health-Related Quality of Life in German Patients with Juvenile Idiopathic Arthritis in Comparison to German General Population. 2016 , 11, e0153267	33
644	Pre-Surgery Depression and Confidence to Manage Problems Predict Recovery Trajectories of Health and Wellbeing in the First Two Years following Colorectal Cancer: Results from the CREW Cohort Study. 2016 , 11, e0155434	53
643	Health-Related Quality of Life in Korean Adults with Hearing Impairment: The Korea National Health and Nutrition Examination Survey 2010 to 2012. 2016 , 11, e0163999	4
642	Validation of Brunei's Malay EQ-5D Questionnaire in Patients with Type 2 Diabetes. 2016 , 11, e0165555	14
641	Cost-effectiveness of adjunct non-pharmacological interventions for osteoarthritis of the knee. 2017 , 12, e0172749	38
640	Chronic pain and sex-differences; women accept and move, while men feel blue. 2017 , 12, e0175737	52
639	Determinants of enrollment of informal sector workers in cooperative based health scheme in Bangladesh. 2017 , 12, e0181706	4
638	The effect of brief case management on emergency department use of frequent users in mental health: Findings of a randomized controlled trial. 2017 , 12, e0182157	15
637	Minimal important change and other measurement properties of the Oxford Elbow Score and the Quick Disabilities of the Arm, Shoulder, and Hand in patients with a simple elbow dislocation; validation study alongside the multicenter FuncSiE trial. 2017 , 12, e0182557	22
636	The quality-of-life burden of knee osteoarthritis in New Zealand adults: A model-based evaluation. 2017 , 12, e0185676	39
635	Comparing the self-perceived quality of life of multimorbid patients and the general population using the EQ-5D-3L. 2017 , 12, e0188499	22
634	Eye tracking to explore attendance in health-state descriptions. 2018 , 13, e0190111	6
633	Effects of a population-based, person-centred and integrated care service on health, wellbeing and self-management of community-living older adults: A randomised controlled trial on Embrace. 2018 , 13, e0190751	25
632	Allergic rhinitis and rhinosinusitis synergistically compromise the mental health and health-related quality of life of Korean adults: A nationwide population-based survey. 2018 , 13, e0191115	14

631	A systematic review of randomised controlled trials assessing effectiveness of prosthetic and orthotic interventions. 2018 , 13, e0192094	27
630	Residual clinical damage after COVID-19: A retrospective and prospective observational cohort study. 2020 , 15, e0239570	69
629	Volar locking plate versus external fixation for unstable dorsally displaced distal radius fractures-A 3-year cost-utility analysis. 2020 , 15, e0240377	1
628	Cross-cultural adaptation and validation of the Korean version of the Central Sensitization Inventory in patients undergoing total knee arthroplasty for knee osteoarthritis. 2020 , 15, e0242912	2
627	Medial buttressing of the quadrilateral surface in acetabular and periprosthetic acetabular fractures. 2020 , 15, e0243592	О
626	Patients with shoulder pain referred to specialist care; treatment, predictors of pain and disability, emotional distress, main symptoms and sick-leave: a cohort study with a six-months follow-up. 2020 , 20, 775-783	3
625	The BSS - A Valid Clinical Instrument to Measure the Severity of Acute Bronchitis. 2014 , 1, 72-80	5
624	Association between Oral Health Status and Perceived General Health (EuroQol-5D). 2014 , 14, 364-370	10
623	Improving Quality of Life in Patients with Pituitary Tumours. 2013 , 9, 32-36	4
622	Implementation and evaluation of a pharmacist-led hypertension management service in primary care: outcomes and methodological challenges. 2016 , 14, 723	19
621	HEALTH-RELATED QUALITY OF LIFE MEASUREMENT USING EQ-5D-3L QUESTIONNAIRE. 2019 , 25, 202-209	3
620	COMPARISON OF INTERNAL FIXATION WITH TOTAL HIP REPLACEMENT FOR DISPLACED FEMORAL NECK FRACTURES. 2005 , 87, 1680-1688	4
619	THE INFLUENCE OF COGNITIVE FUNCTION ON OUTCOME AFTER A HIP FRACTURE. 2006 , 88, 2115-2123	1
618	Outcomes of Posterolateral Fusion with and without Instrumentation and of Interbody Fusion for Isthmic Spondylolisthesis: A Prospective Study. 2017 , 99, 743-752	30
617	Health-related quality of life: a population based study from Slovenia. 2011 , 19, 7-12	7
616	Assessing the Performance of the EQ-VAS in the NHS PROMs Programme.	2
615	Patients' Perceptions Of The Quality Of Palliative Care And Satisfaction - A Cluster Analysis. 2019 , 12, 903-915	4
614	Broadening of Generalized Anxiety Disorders Definition Does not Affect the Response to Psychiatric Care: Findings from the Observational ADAN Study. 2012 , 8, 158-68	8

613	WHAT INFLUENCE ON EARLY POSTOPERATIVE PAIN INTENSITY AFTER TOTAL KNEE ARTHROPLASTY?. 2017 , 23, 45-58	4
612	Improving Self-Management Skills Among People With Spinal Cord Injury: Protocol for a Mixed-Methods Study. 2018 , 7, e11069	5
611	Peer Adoption and Development of Health Innovations by Patients: National Representative Study of 6204 Citizens. 2019 , 21, e11726	5
610	Effectiveness of a Web- and Mobile-Guided Psychological Intervention for Depressive Symptoms in Turkey: Protocol for a Randomized Controlled Trial. 2019 , 8, e13239	2
609	An App-Delivered Self-Management Program for People With Low Back Pain: Protocol for the selfBACK Randomized Controlled Trial. 2019 , 8, e14720	16
608	Mindfulness-Based Cognitive Therapy for Improving Subjective Well-Being Among Healthy Individuals: Protocol for a Randomized Controlled Trial. 2020 , 9, e15892	3
607	The Use of a Smartphone App and an Activity Tracker to Promote Physical Activity in the Management of Chronic Obstructive Pulmonary Disease: Randomized Controlled Feasibility Study. 2020 , 8, e16203	13
606	Usability and Acceptability of an App (SELFBACK) to Support Self-Management of Low Back Pain: Mixed Methods Study. 2020 , 7, e18729	8
605	Assessment of Cancer Survivors' Experiences of Using a Publicly Available Physical Activity Mobile Application. 2016 , 2, e7	42
604	Internet-based treatment for adults with depressive symptoms: randomized controlled trial. 2008 , 10, e44	188
603	Cost-utility and cost-effectiveness of internet-based treatment for adults with depressive symptoms: randomized trial. 2010 , 12, e53	104
602	Internet-based, culturally sensitive, problem-solving therapy for Turkish migrants with depression: randomized controlled trial. 2013 , 15, e227	38
601	The Effectiveness of Web-Based Asthma Self-Management System, My Asthma Portal (MAP): A Pilot Randomized Controlled Trial. 2016 , 18, e313	37
600	Preventing Depression in Adults With Subthreshold Depression: Health-Economic Evaluation Alongside a Pragmatic Randomized Controlled Trial of a Web-Based Intervention. 2017 , 19, e5	45
599	Directions for the International Society for Research on Internet Interventions (ISRII). 2006 , 8, e23	75
598	Effectiveness of a web-based self-help intervention for symptoms of depression, anxiety, and stress: randomized controlled trial. 2008 , 10, e7	197
597	The Effects of an E-Mental Health Program and Job Coaching on the Risk of Major Depression and Productivity in Canadian Male Workers: Protocol for a Randomized Controlled Trial. 2016 , 5, e218	9
596	A Decision Support System to Enhance Self-Management of Low Back Pain: Protocol for the selfBACK Project. 2018 , 7, e167	17

595	Post-COVID-19 follow-up clinic: depicting chronicity of a new disease. 2020 , 91, 22-28	27
594	Crosswalk EQ-5D-5L Value Set for Slovenia. 2020 , 59, 189-194	6
593	Missed low-grade infection in suspected aseptic loosening has no consequences for the survival of total hip arthroplasty. 2015 , 86, 678-83	14
592	Burden and Treatment Patterns of Neuropathic Pain in Patients with Cervical Radiculopathy. 2006 , 2, 43-51	O
591	Postoperative structured rehabilitation in patients undergoing surgery for cervical radiculopathy: a 2-year follow-up of a randomized controlled trial. 2019 , 31, 60-69	6
590	The assessment of quality of life in clinical practice in patients with schizophrenia. 2014 , 16, 185-95	68
589	A randomised placebo-controlled Phase III multicentre trial: low-dose intravenous immunoglobulin treatment for long-standing complex regional pain syndrome (LIPS trial). 2017 , 4, 1-82	3
588	Radically open dialectical behaviour therapy for refractory depression: the RefraMED RCT. 2018 , 5, 1-112	5
587	Variations in outcome and costs among NHS providers for common surgical procedures: econometric analyses of routinely collected data. 2014 , 2, 1-90	17
586	The INCENTIVE study: a mixed-methods evaluation of an innovation in commissioning and delivery of primary dental care compared with traditional dental contracting. 2016 , 4, 1-126	6
585	Can Health-care Assistant Training improve the relational care of older people? (CHAT) A development and feasibility study of a complex intervention. 2017 , 5, 1-202	4
584	The role of digital communication in patientEllinician communication for NHS providers of specialist clinical services for young people [the Long-term conditions Young people Networked Communication (LYNC) study]: a mixed-methods study. 2018 , 6, 1-270	8
583	Alternative community-based models of care for young people with anorexia nervosa: the CostED national surveillance study. 2019 , 7, 1-78	7
582	Development of DEMQOL-U and DEMQOL-PROXY-U: generation of preference-based indices from DEMQOL and DEMQOL-PROXY for use in economic evaluation. 2013 , 17, v-xv, 1-140	106
581	Probiotics for Antibiotic-Associated Diarrhoea (PAAD): a prospective observational study of antibiotic-associated diarrhoea (including Clostridium difficile-associated diarrhoea) in care homes. 2014 , 18, 1-84	22
580	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. 2015 , 19, viii, xxi-171	40
579	INVESTIGATE-I (INVasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic Effect?): a mixed-methods study to assess the feasibility of a future randomised controlled trial of invasive urodynamic testing prior to surgery for stress urinary incontinence in	8
578	UK DRAFFT: a randomised controlled trial of percutaneous fixation with Kirschner wires versus volar locking-plate fixation in the treatment of adult patients with a dorsally displaced fracture of the distal radius. 2015 , 19, 1-124, v-vi	55

577	Strengthening And stretching for Rheumatoid Arthritis of the Hand (SARAH). A randomised controlled trial and economic evaluation. 2015 , 19, 1-222	27
576	The ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial - a pragmatic multicentre randomised controlled trial evaluating the clinical effectiveness and cost-effectiveness of surgical compared with non-surgical treatment for proximal fracture of the humerus in adults.	49
575	A feasibility randomised controlled trial of a motivational interviewing-based intervention for weight loss maintenance in adults. 2015 , 19, v-vi, xix-xxv, 1-378	29
574	Effectiveness and economic evaluation of self-help educational materials for the prevention of smoking relapse: randomised controlled trial. 2015 , 19, 1-70, v-vi	13
573	Individual cognitive stimulation therapy for dementia: a clinical effectiveness and cost-effectiveness pragmatic, multicentre, randomised controlled trial. 2015 , 19, 1-108	51
572	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). 2015 , 19, 1-124	36
571	Does home oxygen therapy (HOT) in addition to standard care reduce disease severity and improve symptoms in people with chronic heart failure? A randomised trial of home oxygen therapy for patients with chronic heart failure. 2015 , 19, 1-120	19
570	Clinical effectiveness and cost-effectiveness of open and arthroscopic rotator cuff repair [the UK Rotator Cuff Surgery (UKUFF) randomised trial]. 2015 , 19, 1-218	80
569	The Head Injury Transportation Straight to Neurosurgery (HITS-NS) randomised trial: a feasibility study. 2016 , 20, 1-198	16
568	The Protease Inhibitor Monotherapy Versus Ongoing Triple Therapy (PIVOT) trial: a randomised controlled trial of a protease inhibitor monotherapy strategy for long-term management of human immunodeficiency virus infection. 2016 , 20, 1-158	7
567	Evaluating Acupuncture and Standard carE for pregnant women with Back pain (EASE Back): a feasibility study and pilot randomised trial. 2016 , 20, 1-236	24
566	Comparison Of iNfliximab and ciclosporin in STeroid Resistant Ulcerative Colitis: pragmatic randomised Trial and economic evaluation (CONSTRUCT). 2016 , 20, 1-320	35
565	The feasibility of determining the effectiveness and cost-effectiveness of medication organisation devices compared with usual care for older people in a community setting: systematic review, stakeholder focus groups and feasibility randomised controlled trial. 2016 , 20, 1-250	9
564	A randomised trial of the effect and cost-effectiveness of early intensive multifactorial therapy on 5-year cardiovascular outcomes in individuals with screen-detected type 2 diabetes: the Anglo-Danish-Dutch Study of Intensive Treatment in People with Screen-Detected Diabetes in	11
563	CollAborative care and active surveillance for Screen-Positive EldeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. 2017 , 21, 1-196	7
562	Randomised controlled trial of silk therapeutic garments for the management of atopic eczema in children: the CLOTHES trial. 2017 , 21, 1-260	20
561	Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls with ORthoses and a Multifaceted podiatry intervention trial). 2017 , 21, 1-198	14
560	A randomised controlled trial to assess the cost-effectiveness of intensive versus no scheduled follow-up in patients who have undergone resection for colorectal cancer with curative intent. 2017 , 21, 1-86	31

559	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive-compulsive disorder: the Obsessive-Compulsive Treatment Efficacy randomised controlled Trial (OCTET). 2017 , 21, 1-132	27
558	The Age of BLood Evaluation (ABLE) randomised controlled trial: description of the UK-funded arm of the international trial, the UK cost-utility analysis and secondary analyses exploring factors associated with health-related quality of life and health-care costs during the 12-month follow-up.	14
557	A multicentre, randomised controlled trial of position during the late stages of labour in nulliparous women with an epidural: clinical effectiveness and an economic evaluation (BUMPES). 2017 , 21, 1-176	7
556	CollAborative care for Screen-Positive EldeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. 2017 , 21, 1-252	36
555	PET-PANC: multicentre prospective diagnostic accuracy and health economic analysis study of the impact of combined modality 18fluorine-2-fluoro-2-deoxy-d-glucose positron emission tomography with computed tomography scanning in the diagnosis and management of pancreatic cancer. 2018 ,	50
554	22, 1-114 Computerised interpretation of the fetal heart rate during labour: a randomised controlled trial (INFANT). 2018 , 22, 1-186	8
553	Routine low-dose continuous or nocturnal oxygen for people with acute stroke: three-arm Stroke Oxygen Supplementation RCT. 2018 , 22, 1-88	5
552	Intramedullary nail fixation versus locking plate fixation for adults with a fracture of the distal tibia: the UK FixDT RCT. 2018 , 22, 1-148	10
551	Managing with Learning Disability and Diabetes: OK-Diabetes - a case-finding study and feasibility randomised controlled trial. 2018 , 22, 1-328	8
550	Early, specialist vocational rehabilitation to facilitate return to work after traumatic brain injury: the FRESH feasibility RCT. 2018 , 22, 1-124	21
549	A pedometer-based walking intervention in 45- to 75-year-olds, with and without practice nurse support: the PACE-UP three-arm cluster RCT. 2018 , 22, 1-274	12
548	Triple versus guideline antiplatelet therapy to prevent recurrence after acute ischaemic stroke or transient ischaemic attack: the TARDIS RCT. 2018 , 22, 1-76	6
547	Negative-pressure wound therapy versus standard dressings for adults with an open lower limb fracture: the WOLLF RCT. 2018 , 22, 1-162	32
546	Goal-oriented cognitive rehabilitation for early-stage Alzheimer's and related dementias: the GREAT RCT. 2019 , 23, 1-242	32
545	Three biomarker tests to help diagnose preterm labour: a systematic review and economic evaluation. 2019 , 23, 1-226	5
544	Therapist telephone-delivered CBT and web-based CBT compared with treatment as usual in refractory irritable bowel syndrome: the ACTIB three-arm RCT. 2019 , 23, 1-154	13
543	Manualised cognitive-behavioural therapy in treating depression in advanced cancer: the CanTalk RCT. 2019 , 23, 1-106	13
542	The Arthroplasty Candidacy Help Engine tool to select candidates for hip and knee replacement surgery: development and economic modelling. 2019 , 23, 1-216	16

541	Low-dose oral theophylline combined with inhaled corticosteroids for people with chronic obstructive pulmonary disease and high risk of exacerbations: a RCT. 2019 , 23, 1-146	5
540	Retrograde intramedullary nail fixation compared with fixed-angle plate fixation for fracture of the distal femur: the TrAFFix feasibility RCT. 2019 , 23, 1-132	6
539	C-reactive protein point-of-care testing for safely reducing antibiotics for acute exacerbations of chronic obstructive pulmonary disease: the PACE RCT. 2020 , 24, 1-108	16
538	Total versus partial knee replacement in patients with medial compartment knee osteoarthritis: the TOPKAT RCT. 2020 , 24, 1-98	14
537	Six versus 12 months' adjuvant trastuzumab in patients with HER2-positive early breast cancer: the PERSEPHONE non-inferiority RCT. 2020 , 24, 1-190	2
536	Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. 2020 , 24, 1-234	2
535	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. 2020 , 24, 1-162	2
534	Development and evaluation of tools and an intervention to improve patient- and carer-centred outcomes in Longer-Term Stroke care and exploration of adjustment post stroke: the LoTS care research programme. 2014 , 2, 1-224	7
533	Changing practice in dementia care in the community: developing and testing evidence-based interventions, from timely diagnosis to end of life (EVIDEM). 2015 , 3, 1-596	18
532	A programme of research to set priorities and reduce uncertainties for the prevention and treatment of skin disease. 2016 , 4, 1-488	5
531	Acupuncture for chronic pain and depression in primary care: a programme of research. 2017 , 5, 1-316	20
530	Improving pregnancy outcome in obese women: the UK Pregnancies Better Eating and Activity randomised controlled Trial. 2017 , 5, 1-414	6
529	CHOICE: Choosing Health Options In Chronic Care Emergencies. 2017 , 5, 1-272	1
528	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. 2019 , 7, 1-140	3
527	Antidepressant treatment with sertraline for adults with depressive symptoms in primary care: the PANDA research programme including RCT. 2019 , 7, 1-108	3
526	Results of the First Steps study: a randomised controlled trial and economic evaluation of the Group Family Nurse Partnership (gFNP) programme compared with usual care in improving outcomes for high-risk mothers and their children and preventing abuse. 2017 , 5, 1-152	2
525	Training teachers in classroom management to improve mental health in primary school children: the STARS cluster RCT. 2019 , 7, 1-150	6
524	Novel dynamic outcome indicators and clinical endpoints in myelodysplastic syndrome; the European LeukemiaNet MDS Registry and MDS-RIGHT project perspective. 2020 , 105, 2516-2523	3

523	Anhedonia to Gentle Touch in Fibromyalgia: Normal Sensory Processing but Abnormal Evaluation. 2020 , 10,	10
522	Cannabidiol prescription in clinical practice: an audit on the first 400 patients in New Zealand. 2020 , 4,	20
521	Operative versus nonoperative treatment for complex proximal humeral fractures: a meta-analysis of randomized controlled trials. 2014 , 37, e543-51	15
520	[General population time trade-off values for 42 EQ-5D health states in South Korea]. 2007 , 40, 169-76	12
519	Association between Physical Activity and Health-Related Quality of Life in Korean: The Korea National Health and Nutrition Examination Survey IV. 2014 , 35, 152-9	8
518	Quality-of-Life among Elderly with Untreated Fracture of Neck of Femur: A Community Based Study from Southern India. 2013 , 2, 270-3	5
517	Rationale and methodology for trial-based economic evaluation. 2012 , 2, 1191-1200	6
516	Quality of life in patients with osteoporotic vertebral fractures. 2014 , 8, 653-8	17
515	Effectiveness of Istradefylline for Fatigue and Quality of Life in Parkinson Disease Patients and of Their Caregivers (12016, 05, 24-28)	7
514	Utility of l bco-check, l self-checklist for l bcomotive syndromel l s a tool for estimating the physical dysfunction of elderly people. 2013 , 05, 97-102	1
513	Investigating the minimally important difference of the Diabetes Health Profile (DHP-18) and the EQ-5D and SF-6D in a UK diabetes mellitus population. 2013 , 05, 1045-1054	3
512	Psycho-Social Predictors of Childbirth Fear in Pregnant Women: An Australian Study. 2014 , 04, 531-543	22
511	Personal control in rehabilitation: An internet platform for patients with schizophrenia and their caregivers. 2012 , 02, 355-361	5
510	Computerized Training of Working Memory for Patients with Acquired Brain Injury. 2015 , 03, 46-55	11
509	Economic evidence of interventions for acute myocardial infarction: a review of the literature. 2012 , 8 Suppl P, P71-6	4
508	Relationship between initial treatment strategy and quality of life in patients with coronary chronic total occlusions. 2014 , 9, 1165-72	57
507	Rationale and design of a large registry on renal denervation: the Global SYMPLICITY registry. 2013 , 9, 484-92	42
506	Four-year experience with the CoreValve transcatheter heart valve. 2016 , 12, e1039-e1046	6

505	Value of quality of life analysis in liver cancer: A clinician's perspective. 2017, 9, 867-883	25
504	Occurrence of Chronic Stage Chikungunya in the General Population of Martinique during the First 2014 Epidemic: A Prospective Epidemiological Study. 2018 , 99, 182-190	7
503	The usefulness of "analysisof burden of irritable bowel syndrome from national health insurance claims database" in the healthcare policy in Korea. 2014 , 20, 138-40	1
502	Impact of Surgical Excision of Deep Infiltrating Bowel Endometriosis on Health-Related Quality of Life: Review of Current Literature. 2015 , 7, 3-9	3
501	Total hip replacement using MINIMA short stem: A short-term follow-up study. 2020 , 11, 232-242	9
500	Evaluation of utility in shoulder pathology: Correlating the American Shoulder and Elbow Surgeons and Constant scores to the EuroQoL. 2012 , 3, 20-4	11
499	The influence of a ten week Tai Chi program with seniors. 2015 , 45, 77-84	1
498	Exercise Program Improves Functional Capacity and Quality of Life in Uncorrected Atrial Septal Defect-Associated Pulmonary Arterial Hypertension: A Randomized-Control Pilot Study. 2020 , 44, 468-480	2
497	Depressive Symptoms and Well-being of Individuals with Obesity; Race and Gender Differences. 2017 , In Press,	4
496	Mapping Catquest Scores onto EQ-5D Utility Values in Patients With Cataract Disease. 2016 , 19,	2
495	Clinical comparison between a percutaneous hydraulic pressure delivery system and balloon tamp system using high-viscosity cement for the treatment of osteoporotic vertebral compression fractures. 2019 , 74, e741	3
494	Incorporating quality of life and patient satisfaction measures into a transplant outcomes assessment program: technical and practical considerations. 2007 , 17, 121-128	10
493	Depression and Age at First Neurology Appointment Associated with Receipt of Behavioral Medicine Services Within 1 Year in a Multiple Sclerosis Population. 2017 , 19, 199-207	2
492	Dynamics and liver disease specific aspects of quality of life among patients with chronic liver disease in Yunnan, China. 2014 , 15, 4765-71	14
491	Self-Reported Quality of Life Before, During and after Pregnancy in Women With Congenital Heart Disease.	
490	Prevalence of depression and anxiety in patients with chronic obstructive pulmonary disease and their association with psychosocial outcomes: A cross-sectional study from Pakistan. 2021 , 9, 2050312121103	32813
489	An Observational Study on Health Related Quality of Life and Persistent Symptoms in COVID-19 Patients After Hospitalization at Telangana Institute of Medical Sciences and Research, Gachibowli.	
488	Effectiveness of mindfulness-based cognitive therapy follow-up programs for pharmacotherapy refractory anxiety disorders: a study protocol for a randomized controlled feasibility trial (Preprint).	

487	Effectiveness of mindfulness-based cognitive therapy follow-up programs for pharmacotherapy refractory anxiety disorders: a study protocol for a randomized controlled feasibility trial. 2021 ,	O
486	The iHand clinical trial protocol: the therapeutic effect of using a soft-robotic glove as assistive device to support people with impaired hand strength during activities of daily living (Preprint).	
485	A Novel Multi-Dimensional Clinical Response Index Dedicated to Improving Global Assessment of Pain in Patients with Persistent Spinal Pain Syndrome after Spinal Surgery, Based on a Real-Life Prospective Multicentric Study (PREDIBACK) and Machine Learning Techniques. 2021 , 10,	2
484	Feasibility of the EQ-5D in the elderly population: a systematic review of the literature. 2021 , 1	2
483	The use of patient-reported outcome measures in hip and knee arthroplasty in Alberta. 2021 , 5, 87	O
482	Effects of a digital reminiscing intervention on people with dementia and their care-givers and relatives. 1-18	2
481	The effect evaluation of Individual Placement and Support (IPS) for patients with substance use disorders: study protocol for a randomized controlled trial of IPS versus enhanced self-help. 2021 , 22, 705	1
480	Associations Between Relapses and Psychosocial Outcomes in Patients With Schizophrenia in Real-World Settings in the United States. 2021 , 12, 695672	O
479	Cost-effectiveness of exergaming compared to regular day-care activities in dementia: Results of a randomised controlled trial in The Netherlands. 2021 ,	
478	The Impact of Amyloid PET Disclosure on Quality of Life in Patients With Young Onset Dementia 2022 , 36, 1-6	
477	Internal fixation versus hip arthroplasty in patients with nondisplaced femoral neck fractures: short-term results from a geriatric trauma registry. 2021 , 1	0
476	Japanese project for telepsychiatry evaluation during COVID-19: Treatment comparison trial (J-PROTECT): Rationale, design, and methodology. 2021 , 111, 106596	0
475	Outcomes research: costs and quality of life. 2003 , 261-274	
474	Hoofdstuk 20 Kwaliteit van leven en de ziekte van Parkinson: klinimetrische eigenschappen van de Nederlandse versie van de Parkinson Disease Quality of Life Questionnaire 39. 2004 , 247-262	
473	Hoofdstuk 9 Manipulaties en mobilisaties bij schouderklachten; een gerandomiseerd klinisch onderzoek. 2004 , 105-116	
472	The Effect of Alcohol on Quality of Life. 2005 , 295-308	
471	COST-UTILITY ANALYSES IN ORTHOPAEDIC SURGERY. 2005 , 87, 1253-1259	1
470	Treatment of acute bronchitis in adults with extract of Pelargonium Sidoides: a randomised, double-blind, placebo controlled trial. 2007 , 49-55	3

(2012-2008)

Modelos de prescripci\(\text{de}\) de antidepresivos en Europa: Resultados del estudio de los Factores que 469 Influyen en la Investigaci\(\textit{B}\) de los Criterios de Valoraci\(\textit{B}\) de la Depresi\(\textit{B}\) (FINDER). 2008, 15, 167-175 Factores que influyen en la investigacia de los criterios de valoracia de la depresia (FINDER): 468 Disell del studio y caracterliticas de la poblacill. **2008**, 15, 187-196 467 Health-Related Quality of Life Measures in the Information Age. 2009, 725-745 Areas of Controversy and Future Research. 2009, 117-132 466 Effectiviteit en kosteneffectiviteit bij klinisch angstige kinderen. 2009, 71-90 465 The FDA Perspective on Heart Failure Devices. 2010, 89-117 464 Health-related quality of life assessment in bipolar disorder. 2010, 41-45 463 Quality of Life Measurement and Alcoholism: A Nursing Perspective. 2010, 3727-3746 462 Service mbical rendu, Valuation et qualitble vie. 2010, 360-375 461 Health-Related Quality of Life in Pain Medicine: A Review of Theory and Practice. 2010, 3917-3932 460 Outcomes Research for Spinal Disorders. 2011, 158-168 459 Individuelle Ergebniskontrolle. 2012, 401-410 458 From a Concept® Evolution Analysis to the Definition of a New Methodological Evaluation Tool of 457 Health-Related Quality of Life (HRQoL) Questionnaires. 2012, 265-290 EuroQol Organisation and Administration. 2012, 145-195 456 Introduction. 2012, 1-12 455 Outcomes Research. **2012**, 140-156.e8 454 Metodologias para Hallar Qalys - Una Revisili de Literatura (Methodologies for the Estimation of 453 Qalys - A Review of the Literature). Applications. **2012**, 103-146 452

451	Estimating Preference-Based EQ-5D Health State Utilities or Item Responses from Neuropathic Pain Scores. 2012 , 5, 185-197	11
450	Evolu B psicossom E ica e clāica de pacientes com estenose do canal lombar operados com sistema interespinhoso. 2013 , 12, 212-217	
449	Epidemiologie van lage rugpijn. 2013 , 1-20	
448	Health Services Research. 2014 , 837-902	
447	Neurosurgery for obsessive-compulsive disorder, other anxiety disorders and depressive disorders.	
446	Functional Evaluation of Spinal Osteotomy. 2015 , 245-252	
445	Sentic Applications. 2015 , 107-153	О
444	Conclusion. 2015 , 155-160	
443	Sentic Patterns. 2015 , 73-106	
442	Safety and Efficacy of a Transdermal Rotigotine for the Treatment of Fatigue and Quality of Life in Patients with Parkinson Disease. 2015 , 04, 79-83	
441	Quality of Life in Survivors of Myocardial Infarction. 2015 , 1-18	1
440	??????? ?? ?? ?? ?? ??? ??? ?? ?? ?? . 2015 , 3, 48-58	2
439	Disability Weight lein umstrittenes Malzur Bewertung von Gesundheitsbeeintrilhtigungen. 2016 , 237-257	
438	References. 585-612	
437	A Review of Quality-of-Life Assessment Measures in Schizophrenia: Limitations and Future Developments. 2016 , 65-77	
436	The Link between Health Condition Costs and Standard of Living Through Out-of-Pocket Health Expenditures and Labour Market Outcomes in Turkey: A Structural Equation Modelling.	
435	Measuring and Valuing Health-Related Quality of Life in Children with Terminal and Life-Limiting Illness. 2016 , 177-192	
434	Health-Related Quality of Life in Schizophrenia: Health Policy and Resource Allocation. 2016 , 185-195	

433	Assessment of Lifestyle Risk Factors in Female Citizens of Saudi-Arabia with Type 2 Diabetes: Dietary Factors and Physical Activity. 2016 , 4,	1
432	THE QUALITY OF LIFE OF LIVING LIVER FRAGMENT DONORS. 2016 , 18, 131-141	
431	Assessing Outcomes. 2017, 67-74	
430	Patient-Reported Outcome Measures Available for Adult Lumbar Scoliosis. 2017 , 31-47	Ο
429	Health Economic Issues Related to Adult Lumbar Scoliosis. 2017 , 267-280	
428	Chapter 4: Health Surveys (Disease-Specific and Generic Questionnaires) and Utility Assessment. 2017 ,	
427	Assessment Methods of Quality of Life of Living Organ Donors. 2017, 19, 82-88	
426	Scaling-up primary health care-based prevention and management of alcohol use disorder at the municipal level in middle-income countries in Latin America: Background and pre-protocol for a three-country quasi-experimental study. 6, 311	2
425	The Impact of Oral Health on Quality of Life: Questionnaires Most Commonly Used in the Literature. 2017 , 8,	
424	Fuzzy Approach to Elicitation of Preferences for Health States. 2018 , 441-450	
423	Quality of Life and Person-Centered Outcomes: Considerations for Behavioral Medicine. 2018, 987-1019	1
422	Estimating the Membership Function of the Fuzzy Willingness-to-Pay/Accept for Health via Bayesian Modelling. 2018 , 537-547	1
421	[Efficiency of the multimodal approach to analgesia in total knee arthroplasty]. 2018, 83-90	2
420	Validity and Reliability of the Persian Version of the Quality of Life ScaleIn Schizophrenia. 2018 , In Press,	
419	User Needs and Limitations of Existing Mobility Devices. 2018 , 7, 1-19	
418	Prognostic models for identifying risk of poor outcome in people with acute ankle sprains: the SPRAINED development and external validation study. 2018 , 22, 1-112	25
417	Psychometric characteristics of the Serbian version of the Licester Cough Questionnaire in sarcoidosis patients. 2019 , 6, 728-737	
416	Can early assessment of hand grip strength in elderly hip fracture patients predict functional outcome?.	

415	Organizational interventions for promoting person-centred care for people with dementia.	1
414	Platelet Rich Plasma as a Modality of Treatment for Primary Knee Osteoarthritis. 2019 , 8, 3057-3063	
413	Advances in the Functional Assessment of Patients with Sarcoma. 2020, 1257, 31-41	
412	Worse Than Death: Survey of Public Perceptions of Disability Outcomes After Hypothetical Traumatic Brain Injury. 2021 , 273, 500-506	2
411	What Best Predicts the Use of Hearing Protection Devices?. 2020 , 133, 313	
410	Patients selected to participate in multimodal pain rehabilitation programmes in primary care-a multivariate cross-sectional study focusing on gender and sick leave. 2020 , 20, 511-524	O
409	Validity and reliability of EQ-5D-5L among patients with axial spondyloarthritis in Singapore. 2020 , 7, 71-78	2
408	The Effect of Korean Medicine Treatment on Suspected Menierell Disease with Headache in a Patient Hospitalized at a Korean Medicine Hospital: A Case Report. 2020 , 41, 213-223	
407	Evaluation of the usefulness of EQ-5D as a patient-reported outcome measure using the Paretian classification of health change among patients with chronic heart failure. 2020 , 4, 50	3
406	Negative-pressure wound therapy compared with standard dressings following surgical treatment of major trauma to the lower limb: the WHiST RCT. 2020 , 24, 1-86	5
405	Cost-Effectiveness of Volar Locking Plate Compared with Augmented External Fixation for Displaced Intra-Articular Wrist Fractures. 2020 , 102, 2049-2059	1
404	Dimensions of quality of life in the different stages of chronic kidney disease patients IA cross-sectional study. 2020 , 8, 797-801	
403	Factors associated with carer psychological and physical health during end-of-life caregiving: an observational analysis of a population-based post-bereavement survey of carers of people with cancer. 2021 , 11, e047275	1
402	Health related quality of life among Rheumatic Fever and Rheumatic Heart Disease patients in India. 2021 , 16, e0259340	2
401	The effect of two weeks of spinal manipulative therapy and home stretching exercises on pain and disability in patients with persistent or recurrent neck pain; a randomized controlled trial. 2021 , 22, 903	3
400	Investigating the physical activity, health, wellbeing, social and environmental effects of a new urban greenway: a natural experiment (the PARC study). 2021 , 18, 142	O
399	Caring for Children with an Autism Spectrum Disorder: Factors Associating with Health- and Care-Related Quality of Life of the Caregivers. 2021 , 1	2
398	The Association Between Physical Performance and Health-Related Quality of Life Based on the EQ-5D-3L Questionnaire in Patients With Chagas Disease. 2021 , 26, 191-196	

(2021-2021)

397	What Mediates Treatment Effects in a Presurgery Physiotherapy Treatment in Surgical Candidates With Degenerative Lumbar Spine Disorders? A Mediation and Conditional Process Analysis of the PREPARE Randomized Controlled Trial. 2021 , 37, 168-176	О
396	Factors associated with self-reported capacity to walk, jog and run in individuals with systemic lupus erythematosus. 2021 , 36, 89-100	
395	Development of the Chinese, Malay and Tamil translations of the Positive Mental Health Instrument: Cross-cultural adaptation, validity and internal consistency. 2021 , 58, 76-95	1
394	Evaluating reliability and validity of the modified radiographic union scale for tibia (mRUST) among North American and Tanzanian surgeons. 2021 , 4, e093	1
393	Major Metrics, Concerns, and Assessment Strategy for Mobility Assistive Devices. 2020 , 171-203	
392	The impact of factor infusion frequency on health-related quality of life in people with haemophilia. 2020 , 7, 102-109	3
391	Protocol for a multi-centre, definitive randomised controlled trial of the effectiveness of Individual Placement and Support for employment support among people with alcohol and drug dependence.	
390	Evaluation of osteoarthritis knee and hip quality of life (OAKHQoL): adaptation and validation of the questionnaire in the Hungarian population. 2020 , 12, 1759720X20959570	3
389	Telemonitoring of Home Oxygen Therapy: A Review of the State of the Art and Introduction of a New Cloud-based System. 2020 , 63, 239-245	0
388	Improving the assessment and management of obesity in UK children and adolescents: the PROMISE research programme including a RCT. 2020 , 8, 1-264	1
387	Text messaging to help women with overweight or obesity lose weight after childbirth: the intervention adaptation and SMS feasibility RCT. 2020 , 8, 1-152	0
386	Preoperative behavioural intervention to reduce drinking before elective orthopaedic surgery: the PRE-OP BIRDS feasibility RCT. 2020 , 24, 1-176	3
385	Evaluation of the Efficacy of a Smoking Cessation Intervention for Cervical Cancer Survivors and Women With High-Grade Cervical Dysplasia: Protocol for a Randomized Controlled Trial 2021 , 10, e34502	О
384	A Randomized Clinical Trial to Evaluate the Efficacy of a Smoking Cessation Intervention for Cervical Cancer Survivors and Women with High-Grade Cervical Dysplasia: Study Protocol and Design (Preprint).	
383	Decision coaching for people making healthcare decisions. 2021 , 11, CD013385	6
382	Remission of Type 2 Diabetes Following a Short-term Intensive Intervention With Insulin Glargine, Sitagliptin, and Metformin: Results of an Open-label Randomized Parallel-Design Trial. 2021 ,	O
381	Health Inequality Analysis in Europe: Exploring the Potential of the EQ-5D as Outcome. 2021 , 9, 744405	1
380	The impact of participant mental health on attendance and engagement in a trial of behavioural weight management programmes: secondary analysis of the WRAP randomised controlled trial. 2021 , 18, 146	Ο

379	Exploring the benefits of participation in community-based running and walking events: a cross-sectional survey of parkrun participants. 2021 , 21, 1978	6
378	Spironolactone to improve exercise tolerance in people with permanent atrial fibrillation and preserved ejection fraction: the IMPRESS-AF RCT. 2020 , 7, 1-42	Ο
377	Comparison of quality of life in patients with musculoskeletal symptoms, those with other comorbidities, and healthy people, in a Colombian open population study. 2020 , 27, 166-176	Ο
376	Economic Evaluation of THA. 2005 , 360-366	
375	Quality of Life after Lung Cancer Surgery. 2006 , 537-544	
374	Rectal Cancer and Quality of Life. 2005 , 89-95	
373	Measurement of breathlessness. 134-152	
372	Outcome Assessment in Spinal Surgery. 2008 , 1123-1142	
371	The (cost-)effectiveness and cost-utility of a novel integrative care initiative for patients with chronic musculoskeletal pain: the pragmatic trial protocol of Network Pain Rehabilitation Limburg. 2020 , 18, 320	1
370	Self-Kinematic Training for Flight-Associated Neck Pain: a Randomized Controlled Trial. 2020 , 91, 790-797	1
369	Effectiveness of a healthy lifestyle promotion program as adjunctive teletherapy for treatment-resistant major depression during COVID 19 pandemic: A randomized clinical trial protocol. 2020 , 99, e22958	2
368	External Validation of Achieving the Patient Acceptable Symptom State for the EuroQol-5 Dimension 1 Year After Total Hip Arthroplasty. 2021 , 103, e5	1
367	A Case Report of Digestive Symptoms in Gastric Ulcer Treated with Insamyangwi-tang. 2020, 41, 754-760	
366	Review of Classifications and Scoring Systems for Metastatic Spine Tumors Used in Surgical Treatment. 2020 , 5, 35-44	
365	Active design of built environments for increasing levels of physical activity in adults: the ENABLE London natural experiment study. 2020 , 8,	Ο
364	The importance of empathy in the enablement of patients attending the Glasgow Homoeopathic Hospital. 2002 , 52, 901-5	62
363	A comparison of irritable bowel syndrome patients managed in primary and secondary care: the Episode IBS study. 2004 , 54, 503-7	27
362	Prognosis of trochanteric pain in primary care. 2005 , 55, 199-204	96

(2020-2001)

361	Primary care in Bosnia and Herzegovina. Health care and health status in general practice ambulatory care centres. 2001 , 47, 289-97	5
360	Evidence-Based Surgery. Users' guide to the surgical literature: how to assess an article on health-related quality of life. 2008 , 51, 215-24	13
359	Evaluation of long-term quality of life after reoperative coronary artery surgery: preliminary results. 2003 , 11, 500-505	
358	Comprehensibility of measures of health-related quality of life in minority and low-income patients. 2002 , 94, 327-35	15
357	Quality of life in multiple sclerosis. 2010 , 3, 352-8	44
356	Assessing the impact of a new delivery method of insulin on glycemic control using a novel trial design. 2009 , 2, 1-10	
355	Quality of life outcomes in a hospitalized sample of road users involved in crashes. 2006 , 50, 253-68	4
354	Beyond the global assessment of functioning: learning from Virginia Apgar. 2010 , 51, 515-9	1
353	Quality of life in Parkinson's disease. 2012 , 5, 375-81	44
352	MISSING DATA IN REGRESSION MODELS FOR NON-COMMENSURATE MULTIPLE OUTCOMES. 2011 , 9, 37-55	1
351	Quality of life during hemodialysis and study dialysis treatment in patients referred to teaching hospitals in Urmia-Iran in 2007. 2011 , 2, 183-8	6
350	Using surveys to calculate disability-adjusted life-year. 2013 , 35, 128-33	4
349	Traditional Chinese Medicine for Fibromyalgia. 2010 , 10,	
348	Perineural Liposomal Bupivacaine for Postoperative Pain Control in Patients Undergoing Upper Extremity Orthopedic Surgery: A Prospective and Randomized Pilot Study. 2016 , 16, 436-442	3
347	Home-Telemonitoring Lung Cancer Intervention in Appalachia: A Pilot Study. 2016 , 2, 21-30	2
346	Randomised controlled feasibility trial of standard wound management versus negative-pressure wound therapy in the treatment of adult patients having surgical incisions for hip fractures. 2018 , 8, e020632	9
345	Bilateral Cochlear Implantation: A Health Technology Assessment. 2018 , 18, 1-139	10
344	Platelet rich plasma versus placebo for the management of Achilles tendinopathy: protocol for the UK study of Achilles tendinopathy management (ATM) multi-centre randomised trial. 2020 , 10, e034076	1

343	Different Stroke Scales; Which Scale or Scales Should Be Used?. 2021 , 12, 1-21	1
342	The dual presence of frailty and locomotive syndrome is associated with a greater decrease in the EQ-5D-5L index. 2021 , 83, 159-167	1
341	Machine Learning Algorithms Provide Greater Prediction of Response to SCS Than Lead Screening Trial: A Predictive AI-Based Multicenter Study. 2021 , 10,	1
340	Cost-Effectiveness of a Culturally Adapted Manual-Assisted Brief Psychological Intervention for Self-Harm in Pakistan: A Secondary Analysis of the Culturally Adapted Manual-Assisted Brief Psychological Randomized Controlled Trial. 2021 , 27, 65-71	О
339	A Bayesian Nonparametric Approach for Modeling Short-Form 6-Dimension Health State Utility Scores. 2021 , 27, 1-11	
338	Machine Learning Algorithms Provide Greater Prediction of Response to SCS Than Lead Screening Trial: A Predictive AI-Based Multicenter Study. 2021 , 10, 4764	3
337	Autonomic Symptoms in Older Adults Are Common and Associated With Health-Related Quality of Life. 2021 , 12, 757748	O
336	Experiences with tailoring of primary diabetes care in well-organised general practices: a mixed-methods study. 2021 , 21, 1218	O
335	Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. 2021 , 25, 1-126	O
	n I i li l	
334	Psychometric validation of the Korean version of PROMIS 29 Profile V2.1 among patients with lower extremity problems. 2021 , 13, 148	
334		2
	lower extremity problems. 2021 , 13, 148	3
333	lower extremity problems. 2021, 13, 148 The EQ-5D-5L Valuation Study in Egypt. 2021, 40, 433 Quality of Life Surveys as a Method of Obtaining Data for Sustainable City DevelopmentResults	
333	lower extremity problems. 2021, 13, 148 The EQ-5D-5L Valuation Study in Egypt. 2021, 40, 433 Quality of Life Surveys as a Method of Obtaining Data for Sustainable City DevelopmentResults of Empirical Research. 2021, 14, 7592 Comprehensive and long-term surveys of COVID-19 sequelae in Japan, an ambidirectional	3
333 332 331	In the EQ-5D-5L Valuation Study in Egypt. 2021, 40, 433 Quality of Life Surveys as a Method of Obtaining Data for Sustainable City DevelopmentResults of Empirical Research. 2021, 14, 7592 Comprehensive and long-term surveys of COVID-19 sequelae in Japan, an ambidirectional multicentre cohort study: study protocol. 2021, 8,	3 1
333 332 331 330	In the EQ-5D-5L Valuation Study in Egypt. 2021, 40, 433 Quality of Life Surveys as a Method of Obtaining Data for Sustainable City DevelopmentResults of Empirical Research. 2021, 14, 7592 Comprehensive and long-term surveys of COVID-19 sequelae in Japan, an ambidirectional multicentre cohort study: study protocol. 2021, 8, Comparing measurement properties of EQ-5D-Y-3L and EQ-5D-Y-5L in paediatric patients. 2021, 19, 256 Mental health burden of patients with diabetes before and after the initial outbreak of COVID-19:	1
333 332 331 330 329	The EQ-5D-5L Valuation Study in Egypt. 2021, 40, 433 Quality of Life Surveys as a Method of Obtaining Data for Sustainable City DevelopmentResults of Empirical Research. 2021, 14, 7592 Comprehensive and long-term surveys of COVID-19 sequelae in Japan, an ambidirectional multicentre cohort study: study protocol. 2021, 8, Comparing measurement properties of EQ-5D-Y-3L and EQ-5D-Y-5L in paediatric patients. 2021, 19, 256 Mental health burden of patients with diabetes before and after the initial outbreak of COVID-19: predictors of mental health impairment. 2021, 21, 2068	3 1 1

325	Fatigue after acquired brain injury impacts health-related quality of life: an exploratory cohort study. 2021 , 11, 22153	О
324	Benefit-harm analysis of azithromycin for the prevention of acute exacerbations of chronic obstructive pulmonary disease. 2021 ,	
323	Fitness enhances psychosocial well-being and self-confidence in young men with hemophilia: Results from Project GYM. 2021 , 5, e12622	Ο
322	Effects of Perioperative Selective Serotonin Reuptake Inhibitor Use in Primary Total Hip and Knee Arthroplasty. 2021 ,	
321	Project GYM: A randomized feasibility study investigating effect on motivation of personal trainer-led exercise in young men with hemophilia. 2021 , 5, e12613	1
320	Effect of an mHealth self-help intervention on readmission after adult cardiac surgery: Protocol for a pilot randomized controlled trial. 2021 ,	1
319	Changes and thresholds in the Forgotten Joint Score after total hip arthroplasty: minimal clinically important difference, minimal important and detectable changes, and patient-acceptable symptom state. 2021 , 103-B, 1759-1765	1
318	Smoking Cessation therapy is a cost-effective intervention to avoid tooth loss in Brazilian subjects with periodontitis: an economic evaluation. 2021 , 21, 616	
317	Point-in-time survey of healthcare resource utilization, employment, quality of life and caregiver status by disease severity in patients with schizophrenia in the US. 2021 , 1-10	1
316	Multicentre randomised controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin (ROSHNI-2): study protocol. 2022 , 8,	1
315	MRI Characteristics at a Mean of Thirteen Years After Lumbar Disc Herniation Surgery in Adolescents: A Case-Control Study. 2021 , 6,	
314	Chronic non-communicable diseases, risk factors, and quality of life in patients with malignancies of various localizations. 2021 , 24, 45	1
313	Evolving short- and long-term goals of management of IBD: getting it right, making it last 2021,	1
312	Adding a fatigue item to the EQ-5D-5L improves its psychometric performance in the general population 2022 , 6, 1	Ο
311	No added value of duloxetine for patients with chronic pain due to hip or knee osteoarthritis: a cluster randomised trial 2022 ,	0
310	COVID-19 lockdowns' effects on the quality of life, perceived health and well-being of healthy elderly individuals: A longitudinal comparison of pre-lockdown and lockdown states of well-being 2021 , 99, 104606	6
309	Healthcare resource utilization and quality of life by cognitive impairment in patients with schizophrenia 2022 , 28, 100233	2
308	Impact of a Postintensive Care Unit Multidisciplinary Follow-up on the Quality of Life (SUIVI-REA): Protocol for a Multicenter Randomized Controlled Trial 2022 , 11, e30496	

307 Quality Indicators and Outcomes in a Prospective Cohort of Colorectal Cancer Patients. **2021**, 1

306	Prevalence of Sarcopenia and Its Association with Quality of Life, Postural Stability, and Past Incidence of Falls in Postmenopausal Women with Osteoporosis: A Cross-Sectional Study 2022 , 10,	1
305	The burden of the most common rheumatic disease in Colombia 2022, 6, 7	O
304	Relationships Between Self-Rated Health at Three Time Points: Past, Present, Future 2021 , 12, 763158	O
303	Developing a New Generic Health and Wellbeing Measure: Psychometric Survey Results for the EQ-HWB 2022 , 25, 525-533	1
302	Preoperative predictors of health-related quality of life changes (EQ-5D and EQ VAS) after total hip and knee replacement: a systematic review 2022 , 23, 58	2
301	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: a model-based retrospective analysis 2022 , 1-32	О
300	Acute burn care in resource-limited settings: A cohort study on treatment and outcomes in a rural regional referral hospital in Tanzania 2022 ,	
299	mHealth Intervention to Improve Cardiometabolic Health in Rural Hispanic Adults: A Pilot Study 2022 ,	O
298	Does Pain Extent Predict Ongoing Pain and Disability in Patients with Chronic Whiplash-Associated Disorders?. 2022 , 11,	O
297	The effects of golimumab on patient centric outcomes amongst rheumatoid arthritis patients in Greece. The GO-Q study 2022 , 1	
296	Robotic- and orthosensor-assisted versus manual (ROAM) total knee replacement: a study protocol for a randomised controlled trial 2022 , 23, 70	O
295	Psychometric properties of the EQ-5D-3L in South Australia: a multi-method non-preference-based validation study 2022 , 1-30	1
294	Prospective observational study investigating the effectiveness, safety, women's experiences and quality of life at 3 months regarding cervical ripening methods for induction of labor at term-The MATUCOL study protocol 2022 , 17, e0262292	O
293	OUP accepted manuscript.	Ο
292	Patient-Reported Outcomes in Total Knee Arthroplasty. 2022 , 123-133	
291	Group cognitive behavioral therapy with interoceptive exposure for drug-refractory irritable bowel syndrome: a randomized controlled trial 2022 ,	O
290	Prevalence of benign prostatic hyperplasia among the adult general population of five Middle Eastern Countries: Results of the SNAPSHOT programme 2022 , 20, 14-23	O

289	Effects of Olympic Combat Sports on Health-Related Quality of Life in Middle-Aged and Older People: A Systematic Review 2021 , 12, 797537	2
288	Patient-Reported Symptoms after Midfacial Trauma 2022 , 8, e22-e27	О
287	Sensitivity of the EQ-5D-5L for fatigue and cognitive problems and their added value in Q-fever patients 2022 , 1	О
286	Intramedullary nail versus sliding hip screw for stable and unstable trochanteric and subtrochanteric fractures: 17,341 patients from the Norwegian Hip Fracture Register 2022 , 104-B, 274-282	1
285	Psychologic distress and QOL in medical staff after a disaster: A longitudinal 4-year study 2022 , 68,	1
284	Multimorbidity and co-occurring musculoskeletal pain do not modify the effect of the SELFBACK app on low back pain-related disability 2022 , 20, 53	O
283	Health-Related Quality of Life and Utility Scores of Lung Cancer Patients Treated with Traditional Chinese Medicine in China 2022 , 16, 297-306	1
282	Cost-utility analysis of community occupational therapy in dementia (COTiD-UK) versus usual care: Results from VALID, a multi-site randomised controlled trial in the UK 2022 , 17, e0262828	
281	Minimally invasive fasciotomy for symptomatic tibialis anterior muscle hernia 2022,	
280	Cost Effectiveness of Endovascular Revascularisation vs. Exercise Therapy for Intermittent Claudication Due to Iliac Artery Obstruction 2022 ,	1
279	Randomised controlled feasibility trial of standard wound management versus negative-pressure wound therapy in the treatment of adult patients having surgical incisions for hip fractures. 2018 , 8, e020632	6
278	Clustering of motivational constructs based on self-determination theory for diet and physical activity and their associations with behaviour: a cross-sectional study 2022 , 11, e22	
277	Health-Related Quality of Life Among Liver Disorder Patients in Northern India 2022, 47, 76-81	
276	Efficacy of Treatment With Armodafinil for Cancer-Related Fatigue in Patients With High-grade Glioma: A Phase 3 Randomized Clinical Trial. 2021 ,	2
275	Pre-Burn Health-Related Quality of Life: Patient and Partner Perspectives. 2022, 3, 135-144	
274	Functional Symmetry after Surgical Treatment of Pertrochanteric Fractures in the Elderly. 2022 , 14, 393	O
273	Determinants of Health Preferences Using Data from the Egyptian EQ-5D-5L Valuation Study 2022 , 1	О
272	Health and Well-Being of Persons of Working Age up to Seven Years after Severe Traumatic Brain Injury in Northern Sweden: A Mixed Method Study 2022 , 11,	

271	A Cost-Utility Analysis of Robotic Arm-Assisted Total Hip Arthroplasty: Using Robotic Data from the Private Sector and Manual Data from the National Health Service 2022 , 2022, 5962260	O
270	Effect of comorbidities on long-term outcomes of colorectal cancer patients 2022, e13561	O
269	Physiotherapists' prognosis of 1-year outcome after lumbar spinal fusion - A prospective cohort study 2022 , 1-12	
268	Motor skills, cognitive impairment, and quality of life in normal pressure hydrocephalus: early effects of shunt placement 2022 , 1	0
267	Effect of Prehabilitation Before Total Knee Replacement for Knee Osteoarthritis on Functional Outcomes: A Randomized Clinical Trial 2022 , 5, e221462	1
266	Understanding volunteer retention in a complex, community-centred intervention: A mixed methods study in Ontario, Canada 2022 ,	
265	Methodological challenges surrounding QALY estimation for paediatric economic evaluation 2022 , 20, 10	1
264	Quality of life and informal care burden associated with duchenne muscular dystrophy in Portugal: the COIDUCH study 2022 , 20, 36	
263	Effectiveness and implementation of a multidisciplinary lifestyle focused approach in the treatment of inpatients with mental illness (MULTI +): a stepped wedge study protocol 2022 , 22, 230	
262	Cost-Effectiveness of Drug-Coated Balloon Angioplasty Versus Conventional Balloon Angioplasty for Treating Below-the-Knee Arteries in Chronic Limb-Threatening Ischemia: The SINGA-PACLI Trial 2022 , 1	0
261	Association between the Orthopaedic Trauma Society classification of open fractures and economic costs 2022 , 104-B, 408-412	1
260	Minimally Invasive and Open Donor Nephrectomy: Lessons Learned From a French Multicenter Experience 2022 , 54, 696-696	
259	The effects of partial wrist denervation in wrist osteoarthritis: patient-reported outcomes and objective function 2022 , 17531934221088498	0
258	Physiotherapist or physician as primary assessor for patients with suspected knee osteoarthritis in primary care - a cost-effectiveness analysis of a pragmatic trial 2022 , 23, 260	O
257	Health-Related Quality of Life in Metastatic Colorectal Cancer Patients Treated with Curative Resection and/or Local Ablative Therapy or Systemic Therapy in the Finnish RAXO-Study 2022 , 14,	1
256	Flexibility and resistance exercises versus usual care for improving pain and function after distal radius fracture in adults aged 50 years or over: protocol for the WISE randomised multicentre feasibility trial 2022 , 8, 55	1
255	Patient-Reported Outcome Measures of the Foot and Ankle. 2022 , 26, 1-8	
254	Model development to improve primary care services using an innovative network of homecare providers (WinCare) to promote blood pressure control among elderly patients with noncommunicable diseases in Thailand: a prospective cohort study 2022 , 23, 40	

253	The EQ Health and Wellbeing: Overview of the Development of a Measure of Health and Wellbeing and Key Results 2022 ,	3
252	MINIMA Short Stem Versus Standard Profemur (TL) Stem in Primary Total Hip Replacement: A Comparative Study 2022 , 14, e23771	Ο
251	Therapeutic Effect of a Soft Robotic Glove for Activities of Daily Living In People With Impaired Hand Strength: Protocol for a Multicenter Clinical Trial (iHand) 2022 , 11, e34200	1
250	Pain Outcomes Following Mechanochemical Ablation vs Cyanoacrylate Adhesive for the Treatment of Primary Truncal Saphenous Vein Incompetence: The MOCCA Randomized Clinical Trial 2022 ,	1
249	Measuring carer quality of life in Duchenne muscular dystrophy: a systematic review of the reliability and validity of self-report instruments using COSMIN 2022 , 20, 57	0
248	Independent predictors of major adverse cardiovascular events at 3 years after aortoiliac stent implantation 2022 ,	
247	Assessment of Neuromuscular and Psychological Function in People with Recurrent Neck Pain during a Period of Remission: Cross-Sectional and Longitudinal Analyses 2022 , 11,	Ο
246	Timing of antibiotic administration, wound debridement, and the stages of reconstructive surgery for open long bone fractures of the upper and lower limbs 2022 , 4, CD013555	1
245	Real-world disease-modifying therapy usage in persons with relapsing-remitting multiple sclerosis: Cross-sectional data from the Swiss Multiple Sclerosis Registry 2022 , 60, 103706	1
244	The Preference-Based Multiple Sclerosis Index: an assessment of its psychometric properties and translation into Turkish 2022 , 1-7	
243	Patient-reported health-related quality of life after colorectal surgery. 2021 , 94, 1-5	1
242	Orthoplastic Reconstruction of Type IIIB Open Tibial Shaft Fractures Utilising Debrided Devitalised Cortical Segments. 2021 , Publish Ahead of Print,	
241	Screening of unruptured intracranial aneurysms in 50 to 60-year-old female smokers: a pilot study. 2021 , 11, 23729	0
240	An open-label, single-arm, multi-center, phase II clinical trial of single-dose [I]meta-iodobenzylguanidine therapy for patients with refractory pheochromocytoma and paraganglioma. 2021 , 36, 267	1
239	Comparison of Existing and New Total Knee Arthroplasty Implant Systems From the Same Manufacturer: A Prospective, Multicenter Study 2021 , 5,	
238	Work Ability After Anterior Cervical Decompression and Fusion Followed by a Structured Postoperative Rehabilitation: Secondary Outcomes of a Prospective Randomized Controlled Multi-Centre Trial with a 2-year Follow-up. 2021 , 1	O
237	Association of Temporomandibular Disorders and Tinnitus with Health-Related Quality of Life: A Cross-Sectional Study Using the Fifth Korea National Health and Nutrition Examination Survey. 2021 ,	
236	Symptoms and health-related quality of life in patients with newly diagnosed multiple myeloma: a multicenter prospective cohort study. 2021 ,	O

235	Non-disease specific patient-reported outcome measures of health-related quality of life in juvenile idiopathic arthritis: a systematic review of current research and practice 2021 , 42, 191	
234	Development of a working core outcome set for cutaneous lupus erythematosus: a practical approach to an urgent unmet need 2021 , 8,	O
233	Clinical Trial Protocol for PSMA-SELECT: A Dutch National Randomised Study of Prostate-specific Membrane Antigen Positron Emission Tomography/Computed Tomography as a Triage Tool for Pelvic Lymph Node Dissection in Patients Undergoing Radical Prostatectomy 2021 ,	0
232	Real-World Rates of Bleeding, Factor VIII Use, and Quality of Life in Individuals with Severe Haemophilia A Receiving Prophylaxis in a Prospective, Noninterventional Study 2021 , 10,	1
231	Subjective and Objective Quality-of-Life Assessment of Outcome Measures in Cervical Spine Surgery for Degenerative Changes 2021 ,	
230	Implementation, efficacy and cost effectiveness of the unified protocol in a blended format for the transdiagnostic treatment of emotional disorders: a study protocol for a multicentre, randomised, superiority controlled trial in the Spanish National Health System 2021 , 11, e054286	
229	Spanish Adaptation of the Overall Anxiety and Depression Severity and Impairment Scales in University Students 2021 , 19,	Ο
228	Atrial fibrillation and clinical outcomes 1 to 3 years after myocardial infarction 2021, 8,	O
227	Challenges in Using Recommended Quality of Life Measures to Assess Fluctuating Health: A Think-Aloud Study to Understand How Recall and Timing of Assessment Influence Patient Responses. 2021 , 1	0
226	The Development of the EQ-5D-5L and its Value Sets. 2022 , 1-12	
225	Exercise to prevent shoulder problems after breast cancer surgery: the PROSPER RCT 2022, 26, 1-124	О
224	Quality of life in neurofibromatosis 1: development and validation of a tool dedicated to cutaneous neurofibromas in adults 2022 ,	
223	Baseline characteristics of 547 new onset heart failure patients in the PREFERS heart failure study 2022 ,	
222	Participant characteristics associated with changes in mental health in a trial of behavioural weight management programmes: Secondary analysis of the WRAP trial 2022 ,	
221	Telerehabilitation for individuals with spinal cord injury in low-and middle-income countries: a systematic review of the literature 2022 ,	3
220	Improvement in prescriptions while maintaining overall health outcomes: a prospective observational study conducted in Japanese facilities for older people 2022 , 22, 323	
219	Low-dose mesenchymal stem cell therapy for discogenic pain: safety and efficacy results from a 1-year feasibility study.	1
218	Improved health status of severe COPD patients after being included in an integrated primary care service: A prospective cohort study 2022 , 28, 66-74	

217	Quality of life, healthcare use and costs in 'at-risk' children after early antibiotic treatment versus placebo for influenza-like illness: within-trial descriptive economic analyses of the ARCHIE randomised controlled trial 2022 , 12, e049373	
216	Dizziness in older persons at high risk of future hospitalization: prevalence, differences between those with and without dizziness, and effect of a proactive primary care intervention 2022 , 22, 315	
215	Mid-term outcomes of exercise therapy for the non-surgical management of femoroacetabular impingement syndrome: are short-term effects persisting?. 2022 , 55, 168-175	1
214	A qualitative investigation of the relevance of skin irritation and self-confidence bolt-ons and their conceptual overlap with the EQ-5D in patients with psoriasis 2022 , 1	О
213	Analyzing the concept of spillover effects for expanded inclusion in health economics research. 2020 , 9, 755-766	1
212	Predictors of home discharge after scheduled surgery for degenerative cervical myelopathy 2022, 1-6	
211	Health Status. 2022 , 125-140	
21 0	Costs of Treatment Non-adherence in Obstructive Sleep Apnoea. 2022 , 125-140	
209	Major Metrics, Concerns, and Assessment Strategy for Mobility Assistive Devices. 2022 , 725-751	
208	Improved joint awareness two years after total knee arthroplasty with a handheld image-free robotic system 2022 , 88, 47-52	O
207	Cost-effectiveness of Same-day Discharge Surgery for Primary Total Hip Arthroplasty: A Pragmatic Randomized Controlled Study 2022 , 10, 825727	0
206	Assessment of Acceptability and Initial Effectiveness of a Unified Protocol Prevention Program to Train Emotional Regulation Skills in Female Nursing Professionals during the COVID-19 Pandemic 2022 , 19,	O
205	Patient-reported outcome measures in vitreoretinal surgery: a systematic review 2022,	
204	Effectiveness of Dietary Counselling With or Without Nutritional Supplementation in Hospitalised Patients who are Malnourished or at Risk of Malnutrition - A Systematic Review and Meta-Analysis 2022 ,	O
203	ACL Surgery Necessity in Non-Acute Patients (ACL SNNAP): a statistical analysis plan for a randomised controlled trial 2022 , 23, 389	О
202	Non-pharmacological interventions in primary care to improve the quality of life of older patients with palliative care needs: a systematic review protocol 2022 , 12, e060517	O
201	Five-year outcomes for patients sustaining severe fractures of the lower limb: mid-term results from the Wound management for Open Lower Limb Fracture (WOLLF) trial 2022 , 104-B, 633-639	1
200	Comorbidities, Health-Related Quality of Life, Health-care Utilization in Older Persons with Hemophilia-Hematology Utilization Group Study Part VII (HUGS VII) 2022 , 13, 229-241	1

199	Efficacy and Safety of Once-Daily Combination Therapy with Didanosine, Lamivudine and Nevirapine in Antiretroviral-Naive HIV-Infected Patients. 2005 , 10, 605-614	10
198	Prognostic Factors, Surgical Outcomes, and Guidelines for Managing Metastatic Spine Cancer. 2017 , 1002-1010.e3	
197	Comparison of standard prophylactic, intermediate prophylactic and therapeutic anticoagulation in patients with severe COVID-19: protocol for the ANTICOVID multicentre, parallel-group, open-label, randomised controlled trial 2022 , 12, e059383	0
196	Youth Culturally adapted Manual Assisted Problem Solving Training (YCMAP) in Pakistani adolescent with a history of self-harm: protocol for multicentre clinical and cost-effectiveness randomised controlled trial 2022 , 12, e056301	
195	Improving the mental and physical health of older community-dwellers with a museum participatory art-based activity: results of a multicentre randomized controlled trial 2022 ,	O
194	The implications of the foot health status in Parkinson patients: A case-control study 2022,	O
193	A head-to-head comparison of the EQ-5D-3L index scores derived from the two EQ-5D-3L value sets for China 2022 , 20, 80	
192	Multiple cannulated screw fixation of femoral neck fractures with comminution in young- and middle-aged patients 2022 , 17, 280	O
191	Feasibility properties of the EQ-5D-3L and 5L in the general population: evidence from the GP Patient Survey on the impact of age 2022 , 12, 28	О
190	Success and failure after surgery of degenerative disease of the lumbar spine: an operational definition based on satisfaction, pain, and disability from a prospective cohort. 2022 , 23,	
189	Health-Related Quality of Life in Spanish Schoolchildren and Its Association with the Fitness Status and Adherence to the Mediterranean Diet. 2022 , 14, 2322	3
188	The Effectiveness and Safety of Medical Cannabis for Treating Cancer Related Symptoms in Oncology Patients. 3,	1
187	Atypical Treatment Switches in Schizophrenia Patients: Drivers and Associated Outcomes. Volume 18, 1057-1067	
186	Disability specific equivalence scales: a caseflontrol approach applied to the cost of acquired brain injuries.	O
185	Association between Physical Activity Guidelines and Sedentary Time with Workers Health-Related Quality of Life in a Spanish Multinational Company. 2022 , 19, 6592	
184	Anticipatory care planning for community-dwelling older adults at risk of functional decline: a feasibility cluster randomized controlled trial. 2022 , 22,	O
183	Acceptance and Commitment Therapy in the Transdiagnostic Treatment of a Breast Cancer Survivor: A Case Study.	
182	Comparison of day-case versus inpatient uni-compartmental knee replacement.	O

181	EQ-5D-5L: a value set for Romania.	1
180	Randomised controlled trial comparing intraoperative cell salvage and autotransfusion with standard care in the treatment of hip fractures: a protocol for the WHITE 9 study. 2022 , 12, e062338	1
179	Comparison of the measurement properties of SF-6Dv2 and EQ-5D-5L in a Chinese population health survey. 2022 , 20,	1
178	The Role of Comorbid Mood Disorders in Cognitive Behavioral Therapy for Childhood Social Anxiety.	
177	The FACT-8D, a new cancer-specific utility algorithm based on the Functional Assessment of Cancer Therapies-General (FACT-G): a Canadian valuation study. 2022 , 20,	
176	Comparison of functional outcome and patient satisfaction between patients with socket prosthesis and patients treated with transcutaneous osseointegrated prosthetic systems (TOPS) after transfemoral amputation.	O
175	Use of a Non-parametric Bayesian Method to Model Health State Preferences: An Application to Polish and Irish EQ-5D-5L Valuations. 10,	
174	Psychiatric disorders, diagnosed in psychiatric clinics, in patients with back pain: A cohort study. 1403494	182211001
173	A longitudinal validation of the EQ-5D-5L and EQ-VAS stand-alone component utilising the Oxford Hip Score in the Australian hip arthroplasty population. 2022 , 6,	
172	The impact of psychological factors on outcome after salvage surgery for wrist osteoarthritis. 17531934	22110 4 6
171	Tibial metaphyseal cones combined with short stems perform as well as long stems in revision total knee arthroplasty.	
171 170		O
	knee arthroplasty. A Systematic Review of Inequalities in the Mental Health Experiences of Black African, Black	0
170	A Systematic Review of Inequalities in the Mental Health Experiences of Black African, Black Caribbean and Black-mixed UK Populations: Implications for Action. Safety of disinvestment in mid- to late-term follow-up post primary hip and knee replacement: the	
170 169	A Systematic Review of Inequalities in the Mental Health Experiences of Black African, Black Caribbean and Black-mixed UK Populations: Implications for Action. Safety of disinvestment in mid- to late-term follow-up post primary hip and knee replacement: the UK SAFE evidence synthesis and recommendations. 2022, 10, 1-172 HEART rate variability biofeedback for LOng Covid symptoms (HEARTLOC): protocol for a	
170 169 168	A Systematic Review of Inequalities in the Mental Health Experiences of Black African, Black Caribbean and Black-mixed UK Populations: Implications for Action. Safety of disinvestment in mid- to late-term follow-up post primary hip and knee replacement: the UK SAFE evidence synthesis and recommendations. 2022, 10, 1-172 HEART rate variability biofeedback for LOng Covid symptoms (HEARTLOC): protocol for a feasibility study. Self-Reported Measures Have a Stronger Association With Dizziness-Related Handicap Compared	
170 169 168 167	knee arthroplasty. A Systematic Review of Inequalities in the Mental Health Experiences of Black African, Black Caribbean and Black-mixed UK Populations: Implications for Action. Safety of disinvestment in mid- to late-term follow-up post primary hip and knee replacement: the UK SAFE evidence synthesis and recommendations. 2022, 10, 1-172 HEART rate variability biofeedback for LOng Covid symptoms (HEARTLOC): protocol for a feasibility study. Self-Reported Measures Have a Stronger Association With Dizziness-Related Handicap Compared With Physical Tests in Persons With Persistent Dizziness. 13, Mapping analysis to predict the associated EuroQol five-dimension three-level utility values from	

163	The economic burden of osteoporosis in Iran in 2020.	
162	Estimating the impact of changes in weight and BMI on EQ-5D-3L: a longitudinal analysis of a behavioural group-based weight loss intervention.	
161	A Comparison of EQ-5D-3L, EQ-5D-5L, and SF-6D Utilities of Patients with Musculoskeletal Disorders of Different Severity: A Health-Related Quality of Life Approach. 2022 , 11, 4097	0
160	The association between different outcome measures and prognostic factors in patients with neck pain: a cohort study. 2022 , 23,	O
159	Patients with femoral neck fractures treated by bipolar hemiarthroplasty have superior to unipolar hip function and lower erosion rates and pain: a systematic review and meta-analysis of randomized controlled studies.	
158	Effectiveness and safety of Korean medicine treatment based on the clinical practice guidelines in patients with acute peripheral facial palsy: A protocol for a multicenter, prospective, observational study. 2022 , 101, e29864	1
157	Feedback of aggregate patient-reported outcomes (PROs) data to clinicians and hospital end users: findings from an Australian codesign workshop process. 2022 , 12, e055999	
156	Psychological consequences of motor vehicle accidents: A systematic review. 2022 , 89, 249-264	Ο
155	Patient-centric surgeonsstase mix problem. 2022 , 12, 111-129	
154	An Intelligent Learning System for Unbiased Prediction of Dementia Based on Autoencoder and Adaboost Ensemble Learning. 2022 , 12, 1097	4
153	One-Year Outcome Trajectories and Factors Associated with Functional Recovery Among Survivors of Intracerebral and Intraventricular Hemorrhage With Initial Severe Disability.	2
152	Occupational Therapy Using Coping Lists After Total Knee Arthroplasty: A Case Series. 2022 ,	
151	Health-related quality of life among adult patients with visual impairments in Yazd, Iran. 2022, 11, 242	
150	Swefoot I The Swedish national quality register for foot and ankle surgery. 2022,	O
149	Surgical Outcomes and Analysis of Quality of Life Following Knee Arthroplasty in Very Elderly Patients.	
148	The feasibility of delivering the ADVANCE digital intervention to reduce intimate partner abuse by men receiving substance use treatment: protocol for a non-randomised multi-centre feasibility study and embedded process evaluation. 2022 , 8,	
147	Follow-up management service and health outcomes of hypertensive patients in China: A cross-sectional analysis from the national health service survey in Jiangsu province. 10,	0
146	Factors associated with care- and health-related quality of life of caregivers of children with juvenile idiopathic arthritis. 2022 , 20,	

145	Five-Year Outcomes of the Danish Cardiovascular Screening (DANCAVAS) Trial.	3
144	Implementation of a shared decision-making training program for clinicians based on the major depressive disorder guidelines in Japan: A multi-center cluster randomized trial. 13,	
143	Long-term cost-effectiveness of quality of diabetes care; experiences from private and public diabetes centers in Iran. 2022 , 12,	
142	The Significance of Pain Drawing as a Screening Tool for Cervicogenic Headache and Associated Symptoms in Chronic Fatigue. Volume 15, 2547-2556	
141	Extended-release pharmacotherapy for opioid use disorder (EXPO): protocol for an open-label randomised controlled trial of the effectiveness and cost-effectiveness of injectable buprenorphine versus sublingual tablet buprenorphine and oral liquid methadone. 2022 , 23,	O
140	Benefits of a 3-month cycle of weekly virtual museum tours in community dwelling older adults: Results of a randomized controlled trial. 9,	1
139	Analyzing the Pain/Discomfort and Anxiety/Depression Composite Domains and the Meaning of Discomfort in the EQ-5D: A Mixed-Methods Study. 2022 ,	0
138	COVID-19 pandemic and the international classification of functioning in multiple system atrophy: a cross-sectional, nationwide survey in Japan. 2022 , 12,	O
137	Quality of life after fracture-related infection of the foot. 2022 ,	
136	Dilelopper la psychonutrition dans la pratique clinique psychiatrique. 2022 , 180, 674-676	
135	Deadistors of pain radiustica fallowing a program of manual thoronics for patients with	
	Predictors of pain reduction following a program of manual therapies for patients with temporomandibular disorders: A prospective observational study. 2022 , 62, 102634	
134		o
	temporomandibular disorders: A prospective observational study. 2022 , 62, 102634 A randomised placebo-controlled trial of the effectiveness of early metformin in addition to usual	0
134	A randomised placebo-controlled trial of the effectiveness of early metformin in addition to usual care in the reduction of gestational diabetes mellitus effects (EMERGE): study protocol. 2022, 23, The role of a multidisciplinary heart failure clinic in optimization of guideline-directed medical	
134	A randomised placebo-controlled trial of the effectiveness of early metformin in addition to usual care in the reduction of gestational diabetes mellitus effects (EMERGE): study protocol. 2022, 23, The role of a multidisciplinary heart failure clinic in optimization of guideline-directed medical therapy: HF-optimize. 2023, 57, 95-101	o
134 133 132	A randomised placebo-controlled trial of the effectiveness of early metformin in addition to usual care in the reduction of gestational diabetes mellitus effects (EMERGE): study protocol. 2022, 23, The role of a multidisciplinary heart failure clinic in optimization of guideline-directed medical therapy: HF-optimize. 2023, 57, 95-101 Ureteral Stents. Impact on Patient Quality of Life. 2022, 49-58	0
134 133 132	A randomised placebo-controlled trial of the effectiveness of early metformin in addition to usual care in the reduction of gestational diabetes mellitus effects (EMERGE): study protocol. 2022, 23, The role of a multidisciplinary heart failure clinic in optimization of guideline-directed medical therapy: HF-optimize. 2023, 57, 95-101 Ureteral Stents. Impact on Patient® Quality of Life. 2022, 49-58 Preference-Weighted Health States. 2022, 1-2 The Effect of Ulnar Styloid Fractures on Patient-Reported Outcomes After Surgically Treated Distal	0 0

127	Measuring Quality of Life after Venous Thromboembolism: Who, When, and How?.	0
126	Treatment of Periprosthetic Joint Infection and Fracture-Related Infection With a Temporary Arthrodesis Made by PMMA-Coated Intramedullary Nails Evaluation of Technique and Quality of Life in Implant-Free Interval. 9,	O
125	THE IMPACT OF THE COVID-19 PANDEMIC ON RECOVERY FROM CARDIAC SURGERY: 1 YEAR OUTCOMES.	O
124	Assessing the psychometric performance of EQ-5D-5L in dementia: a systematic review. 2022 , 20,	O
123	Understanding the socioeconomic costs of dystrophic epidermolysis bullosa in Europe: a costing and health-related quality of life study. 2022 , 17,	0
122	Can supplementary private health insurance further supplement health. 10,	O
121	Feasibility of EMDR in Older Adults with PTSD to Reduce Frailty and Improve Quality of Life. 1-11	O
120	Estimating the Burden of Stroke: Two-Year Societal Costs and Generic Health-Related Quality of Life of the Restore4Stroke Cohort. 2022 , 19, 11110	O
119	Effectiveness and cost-effectiveness of referral to a commercial open group behavioural weight management programme in adults with overweight and obesity: 5-year follow-up of the WRAP randomised controlled trial. 2022 , 7, e866-e875	O
118	Palliative care needs and symptom burden in younger and older patients with end-stage renal disease undergoing maintenance hemodialysis: A cross-sectional study. 2022 ,	O
117	A post-trial follow-up study of pentosan polysulfate monotherapy on preventing recurrent urinary tract infection in women. 2022 , 12,	O
116	A Study of Self-Care Practice in Routine Radiotherapy Care: Identifying Differences Between Practitioners and Non-Practitioners in Sociodemographic, Clinical, Functional, and Quality-of-Life-Related Characteristics. 2022 , 21, 153473542211303	O
115	The RA-BE-REAL Multinational, Prospective, Observational Study in Patients with Rheumatoid Arthritis Receiving Baricitinib, Targeted Synthetic, or Biologic Disease-Modifying Therapies: a 6-Month Interim Analysis.	О
114	Cardiopulmonary work up of patients with and without fatigue 6 months after COVID-19. 2022 , 12,	O
113	The Antidepressant Advisor (ADeSS): A Decision Support System for Antidepressant Treatment for Depression in UK primary care 🗈 feasibility study.	O
112	Heart failure symptoms as predictors of hospital admission, readmission and all-cause mortality. 2022 , 2022,	O
111	Evaluation of an Intervention to Promote Self-Management Regarding Cardiovascular Disease: The Social Engagement Framework for Addressing the Chronic-Disease-Challenge (SEFAC). 2022 , 19, 13145	0
110	COVID-19 ARDS ICU Survivor Telemedicine Clinic: A Randomized, Prospective, Single-Center Exploratory Study. (Preprint).	O

109	Health-Related Quality of Life and Mental Well-Being during the COVID-19 Pandemic in Five Countries: A One-Year Longitudinal Study. 2022 , 11, 6467	1
108	Effects of Physical Activity Interventions in the Elderly with Anxiety, Depression, and Low Social Support: A Clinical Multicentre Randomised Trial. 2022 , 10, 2203	O
107	Integrating Cardiac MRI Imaging and Multidisciplinary Clinical Care is associated with Improved Outcomes in Patients with Fabry Disease 2022 , 101476	0
106	Significant deterioration in quality of life and increased frailty in patients waiting more than six months for total hip or knee arthroplasty. 2022 , 104-B, 1215-1224	3
105	Exploring experiences and health-related quality of life of caregivers of patients who start home dialysis: study protocol for a prospective, multicentre cohort study. 2022 , 12, e064172	0
104	Association of social determinants of health with frailty, cognitive impairment, and self-rated health among older adults. 2022 , 17, e0277290	O
103	Mapping of the World Health Organization Quality of Life Brief (WHOQOL-BREF) to the EQ-5D-5L in the General Thai Population.	0
102	Disease burden of ageing, sex and regional disparities and health resources allocation: a longitudinal analysis of 31 provinces in Mainland China. 2022 , 12, e064641	O
101	Comparison of three health-related quality of life instruments in relation to visual acuity: EQ-5D, 15D, and EUROHIS-QOL8.	0
100	Patient acceptable symptom state (PASS): thresholds for the EQ-5D-5L and Oxford hip and knee scores for patients with total hip and knee replacement.	O
99	Sensory Symptoms and effects on Health-related Quality of Life of Patients Undergoing Lumbar Spine Surgery. 2022 ,	O
98	Brief Educational Workshops in Secondary Schools Trial (BESST): protocol for a school-based cluster randomised controlled trial of open-access psychological workshop programme for 16¶8-year-olds. 2022, 23,	O
97	Impairment of Quality of Life in Patients with Implanted Subcutaneous Cardioverter Defibrillator (S-ICD) Compared to Implanted Transvenous Cardioverter Defibrillator Therapy. Volume 16, 3027-3033	O
96	Anxiety, depression, and social connectedness among the general population of eight countries during the COVID-19 pandemic. 2022 , 80,	O
95	Gender differences in diagnostic tools, medication, time to medication, and nonmotor symptoms in Parkinsonian patients. 2022 , 8, 192	0
94	Clinical efficacy of tolperisone hydrochloride sustained release tablets in patients with acute or exacerbation of chronic musculoskeletal pain. 2022 , 20, 35	O
93	Efficacy of an adjuvant non-face-to-face multimodal lifestyle modification program for patients with treatment-resistant major depression: A randomized controlled trial. 2023 , 319, 114975	O
92	Sequential and comparative evaluation of pain treatment effectiveness response (SCEPTER), a pragmatic trial for conservative chronic low back pain treatment. 2023 , 125, 107041	O

91	Quality of life, patient preferences, and implant survival and success of tapered implant-retained mandibular overdentures as a function of the attachment system. 52,	O
90	Alpha-Stim AID Cranial Electrotherapy Stimulation (CES) for Anxiety Treatment: Outcomes in a Community Healthcare Service. 2022 , 11, 80-92	O
89	Severe COVID-19 anxiety among adults in the UK: protocol for a cohort study and nested feasibility trial of modified cognitiveBehavioural therapy for health anxiety. 2022 , 12, e059321	O
88	A Case Report of Chronic Gastritis in a Patient with Spinal Stenosis Hospitalized at a Korean Medicine Hospital and Treated with Korean Medicine. 2022 , 43, 854-863	O
87	A Case Report on Functional Dyspepsia Treated with Korean Medicine in a Patient with Panic Disorder and Lower Back Pain. 2022 , 43, 918-928	O
86	Impact of telecare interventions on quality of life in older adults: a systematic review.	O
85	HEART rate variability biofeedback for long COVID symptoms (HEARTLOC): protocol for a feasibility study. 2022 , 12, e066044	O
84	Health-related quality of life in adult patients with asthma according to asthma control and severity: A systematic review and meta-analysis. 13,	O
83	Health-related quality of life of Chinese AIDS patients: a multi-region study.	O
82	A cost-utility analysis between decompression only and fusion surgery for elderly patients with lumbar spinal stenosis and sagittal imbalance. 2022 , 12,	O
81	Psychometric evaluation of the subjective well-being measure GP-CORE in a group of older adults in Sweden. 2022 , 22,	O
80	Partial sleep restriction-induced changes in stress, quality of life, and lipid metabolism in relation to cold hypersensitivity: A before-and-after intervention study. 2022 , 101, e31933	O
79	Smart Continence Care for People With Profound Intellectual and Multiple Disabilities: Protocol for a Cluster Randomized Trial and Trial-Based Economic Evaluation. 2022 , 11, e42555	O
78	Teriparatide treatment in severe osteoporosis 🖟 controlled 10-year follow-up study. 2022 , 23,	1
77	Health-related quality of life after severe trauma and available PROMS: an updated review (part I).	O
76	Culturally adapted psychoeducation for bipolar disorder in a low-resource setting: protocol for a multicentre randomised controlled trial. 2022 , 8,	O
75	Investigating the relationship between self-perception of fracture risk and prior fracture: findings from the Hertfordshire Cohort Study.	O
74	Quality of life for men with metastatic castrate-resistant prostate cancer participating in an aerobic and resistance exercise pilot intervention. 2022 ,	O

73	Decisional Conflict in Patients With Head and Neck Cancer.	0
7 ²	Applying patient-reported outcome measures (PROMs) in physiotherapy: an evaluation based on the QUALITOUCH Activity Index. 2022 , 12,	O
71	Measuring the quality of life of long-term care service users in Japan: a cross-sectional questionnaire study. 2022 , 22,	0
70	Impact of health literacy and its interventions on health outcomes in those with atrial fibrillation: a systematic review protocol. 2022 , 12, e065407	o
69	Preoperative health-related quality of life is independently associated with postoperative mortality risk following total hip or knee arthroplasty. 2022 , 3, 933-940	O
68	Cost-effectiveness of implementing a suicide prediction tool (OxMIS) in severe mental illness: economic modelling study. 1-14	o
67	Culturally Congruent And Linguistically Correct Translations Of Proms As A Basis For Communication In Healthcare. 14-21	0
66	The EORTC QLU-C10D Idevelopment and investigation of general population utility norms for Canada, France, Germany, Italy, Poland and the U.K 2022 ,	o
65	Obtaining EQ-5D-3L utility index from the health status scale of traditional Chinese medicine (TCM-HSS) based on a mapping study. 2022 , 20,	0
64	The clinical relevance of quality of life in heart failure patients with preserved ejection fraction.	O
63	Family members long-term grief management: A prospective study of factors during ongoing palliative care and bereavement. 1-12	O
62	A health promotion program for older adults (KABAN!): effects on health literacy, quality of life, and emotions. 1-18	o
61	Associations between inflexible job conditions, health and healthcare utilisation in England: retrospective cross-sectional study. 2022 , 12, e062942	О
60	Prehabilitation in elective patients undergoing cardiac surgery: a randomised control trial (THE PrEPS TRIAL) & study protocol. 2023 , 13, e065992	0
59	Disentangling the Association Between Neurologic Deficits, Patient-Reported Impairments, and Quality of Life After Ischemic Stroke. 10.1212/WNL.000000000206747	O
58	Exercise Capacity and Health-Related Quality of Life in Patients After Lung Resection for Non-small Cell Lung Cancer. 2022 , 111-134	0
57	The proGnostic role of caRdiac rehAbilitation in patients with left ventriCular anEurysm formation after anterior myocardial infarction (the GRACE study): Study rationale and design of a prospective randomized controlled trial. 9,	0
56	The relationship between big five personality and quality of life of people with disabilities: The mediating effect of social support. 13,	0

55	Clinical impact of rehabilitation and ICU diary on critically ill patients: A systematic review and meta-analysis.	O
54	Balneotherapy for chronic venous insufficiency. 2023 , 2023,	О
53	Do Determinants of Quality of Life Differ in Older People Living in the Community and Nursing Homes?. 2023 , 20, 916	1
52	Lived experience of patients with sleep apnea: a systematic synthesis of qualitative evidence.	O
51	Five-year patient reported outcomes in NRG Oncology RTOG 0938, evaluating two ultrahypofractionated regimens for prostate cancer. 2022 ,	0
50	Patient-reported outcome for 17,648 patients in 5 different Swedish orthopaedic quality registers before and 1 year after surgery: an observational study. 94, 1-7	O
49	The trend in quality of life of Chinese population: analysis based on population health surveys from 2008 to 2020. 2023 , 23,	0
48	The Use of a Discrete Choice Experiment Including Both Duration and Dead for the Development of an EQ-5D-5L Value Set for Australia.	О
47	Patella resurfacing is not associated with a difference in the Oxford knee score after total knee arthroplasty but stair descent is enhanced.	0
46	The effectiveness and cost-effectiveness of Acceptance and Commitment Therapy as a transdiagnostic intervention for transitional-age youth: study protocol of a randomized controlled trial. 2023 , 23,	O
45	Patients Expectations Before Initiation of Intrathecal Baclofen Treatment: A Longitudinal Study with 1-Year Follow-Up. 55, jrm00371	0
44	Cultural participation and extra disability and health costs of Syrian migrants in Turkey.	О
43	Clinical evaluation of knee joint diseases. 2023 , 1, 9-17	О
42	Cross-Cultural Adaptation and Validation of Singapore Malay and Tamil Versions of the EQ-5D. 2007 , 36, 403-408	O
41	A Comparison of Spinopelvic Alignment and Quality of Life between Farmers and Non-Farmers: A Cross-Sectional Population-Based Study in a Japanese Rural Area. 2023 , 12, 1393	0
40	Orthogeriatric co-management for older patients with a major osteoporotic fracture: Protocol of an observational pre-post study. 2023 , 18, e0283552	o
39	Health state utility values in patients undergoing chest masculinization surgery. 2023, 81, 26-33	0
38	Editorial: Health-related quality of life in health care. 11,	О

37	Early Prediction of Dementia Using Feature Extraction Battery (FEB) and Optimized Support Vector Machine (SVM) for Classification. 2023 , 11, 439	1
36	Temporary treatment cessation versus continuation of first-line tyrosine kinase inhibitor in patients with advanced clear cell renal cell carcinoma (STAR): an open-label, non-inferiority, randomised, controlled, phase 2/3 trial. 2023 , 24, 213-227	0
35	Essential tremor and the scales: Quality of life in essential tremor, the Fahn-Tolosa-Marin Tremor Rating Scale; and, the Bain and Findley Clinical Tremor Rating Scale. 2023 , 226, 107628	0
34	The relationship between well-being and HbA1c in adults with type 1 diabetes: A systematic review. 2023 , 15, 152-164	O
33	Evaluation of a Standardized Training and Adherence Surveillance Programme to Overcome Quality-of-Life Impairments and Enhance Compliance in Patients Treated with Wearable Cardioverter Defibrillator. Volume 17, 433-440	0
32	A Direct Comparison of the Measurement Properties of EQ-5D-5L, PROMIS-29+2 and PROMIS Global Health Instruments and EQ-5D-5L and PROPr Utilities in a General Population Sample. 2023 ,	O
31	Can Arthroplasty Stem Influence Outcome: A Randomized Controlled Trial of Stem Length in Cemented Total Hip Arthroplasty. 2023 ,	O
30	Modified prolonged exposure therapy as Early Intervention after Rape (The EIR-study): study protocol for a multicenter randomized add-on superiority trial. 2023 , 24,	O
29	Clinical Recovery and Long-Term Association of Specialized Early Intervention Services vs Treatment as Usual Among Individuals With First-Episode Schizophrenia Spectrum Disorder. 2023 , 80, 371	0
28	Favorable long-term health-related quality of life after surgery for lumbar disc herniation in young adult patients. 2023 , 165, 797-805	O
27	Progressive exercise versus best practice advice for adults aged 50 years or over after ankle fracture: the AFTER pilot randomised controlled trial. 2022 , 12, e059235	1
26	Effects of COVID-19 Acute Respiratory Distress Syndrome Intensive Care Unit Survivor Telemedicine Clinic on Patient Readmission, Pain Perception, and Self-Assessed Health Scores: Randomized, Prospective, Single-Center, Exploratory Study. 7, e43759	0
25	Cross-cultural adaptation and validation of Diabetes Quality of Life Brief Clinical Inventory in Turkish patients with type 2 diabetes mellitus. 1-10	0
24	Pain intensity and psychological distress show different associations with interference and lack of life control: A clinical registry-based cohort study of >40,000 chronic pain patients from SQRP. 4,	O
23	Comparing measurement properties of EQ-5D and SF-6D in East and South-East Asian populations: a scoping review. 1-20	0
22	A national survey of Iranian general population to estimate a value set for the EQ-5D-5L.	O
21	Interdisciplinary Multimodal Pain Rehabilitation in Patients with Chronic Musculoskeletal Pain in Primary Care Cohort Study from the Swedish Quality Registry for Pain Rehabilitation (SQRP). 2023 , 20, 5051	0
20	A highly challenging balance training intervention for people with multiple sclerosis: a feasibility trial. 2023 , 9,	0

19	Investigating survival, quality of life and cognition in PROton versus photon therapy forIDH-mutated diffuse grade 2 and 3 GLIOmas (PRO-GLIO): a randomised controlled trial in Norway and Sweden. 2023 , 13, e070071	0
18	Suture-tape augmentation of anterior cruciate ligament reconstruction: a prospective, randomised controlled trial (STACLR). 2023 , 24,	O
17	Examining the relationship between the Short Warwick-Edinburgh Mental Well-being Scale (SWEMWBS) and EQ-5D-5L and comparing their psychometric properties. 2023 , 21,	O
16	Describing the health-related quality of life of Möri adults in Aotearoa me Te Waipounamu (New Zealand).	O
15	Integrating health promotion with and for older people - eHealth (IHOPe) Levaluating remote integrated person-centred care. 2023 , 23,	O
14	Long-term effects of restriction of intravenous fluid in adult ICU patients with septic shock.	O
13	The risks of adverse events with venlafaxine and mirtazapine versus \(\textit{Bctive}\) placebo\(\perp\)placebo, or no intervention for adults with major depressive disorder: a protocol for two separate systematic reviews with meta-analysis and Trial Sequential Analysis. \(\textit{2023}\), 12,	O
12	Impact of frailty on long-term mortality in older patients receiving intensive care via the emergency department. 2023 , 13,	O
11	Clinical frailty is independently associated with joint-specific function and health-related quality of life in patients awaiting a total hip or knee arthroplasty. 2023 , 4, 241-249	0
10	Impact of vision on generic health-related quality of life 🏿 systematic review.	O
9	The Beneficial Effect of Preoperative Exercise on Postoperative Clinical Outcome, Quality of Life and Return to Work after Microsurgical Resection of Spinal Meningiomas. 2023 , 12, 2804	O
8	Correlates of quality of life and mental health among youth experiencing homelessness in Iran. 2023 , 11,	O
7	Normative profile of the EQ-5D-5L dimensions, EQ-5D-5L index and EQ-VAS scores for the general Thai population.	O
6	Measuring Quality of Life in Residential Aged Care Using the EQ-5D-5L: A Cross-Sectional Study on the Impact of Cognition Level and Proxy Perspective on Interrater Agreement. 2023 , 2023, 1-11	O
5	The effectiveness of a primary care-based collaborative care model to improve quality of life in people with severe mental illness: PARTNERS2 cluster randomised controlled trial. 1-11	O
4	A community-based Advanced Nurse Practitioner-led integrated oncology care model for adults receiving oral anticancer medication: A pilot study.	O
3	Non-response for health-related quality of life outcomes in ICU patients: A systematic review of the reporting in randomised trials.	О
2	Evolution of Patient-Reported Outcome Measures, 1, 2, and 5 years after Surgery for Subaxial Cervical Spine Fractures, A Nation-Wide Registry Study 2023 ,	O

Effects of interdisciplinary pain rehabilitation programs on neuropathic and non-neuropathic chronic pain conditions he registry-based cohort study from Swedish Quality Registry for Pain Rehabilitation (SQRP). **2023**, 24,

О