

CITATION REPORT

List of articles citing

High-efficiency full-length cDNA cloning by
biotinylated CAP trapper

DOI: 10.1006/geno.1996.0567
Genomics, 1996, 37, 327-36.

Source: <https://exaly.com/paper-pdf/26800389/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
282	Construction and characterization of a full length-enriched and a 5'-end-enriched cDNA library. 1997 , 200, 149-56		229
281	High-efficiency cloning of Arabidopsis full-length cDNA by biotinylated CAP trapper. <i>Plant Journal</i> , 1998 , 15, 707-20	6.9	189
280	Characterization of gene expression in mouse blastocyst using single-pass sequencing of 3995 clones. <i>Genomics</i> , 1998 , 49, 167-79	4.3	39
279	Association of a redefined proximal mouse chromosome 11 imprinting region and U2afbp-rs/U2af1-rs1 expression. 1998 , 80, 41-7		19
278	Thermostabilization and thermoactivation of thermolabile enzymes by trehalose and its application for the synthesis of full length cDNA. 1998 , 95, 520-4		205
277	Identification of genes expressed in human CD34(+) hematopoietic stem/progenitor cells by expressed sequence tags and efficient full-length cDNA cloning. 1998 , 95, 8175-80		135
276	Increased specificity of reverse transcription priming by trehalose and oligo-blockers allows high-efficiency window separation of mRNA display. <i>Nucleic Acids Research</i> , 1999 , 27, 1345-9	20.1	28
275	CapSelect: A highly sensitive method for 5' CAP-dependent enrichment of full-length cDNA in PCR-mediated analysis of mRNAs. <i>Nucleic Acids Research</i> , 1999 , 27, i-iv	20.1	8
274	High-efficiency full-length cDNA cloning. <i>Methods in Enzymology</i> , 1999 , 303, 19-44	1.7	147
273	Amino acid sequence of a putative transposase protein of the medaka fish transposable element Tol2 deduced from mRNA nucleotide sequences. 1999 , 461, 295-8		21
272	Chapter 2.2.1 Subtractive cDNA hybridization and brain: then, now and tomorrow. 1999 , 189-199		
271	Direct cDNA selection using large genomic DNA targets. <i>Methods in Enzymology</i> , 1999 , 303, 111-26	1.7	4
270	High quality cDNA libraries for discovery and validation of novel drug targets. 2000 , 4, 113-120		1
269	RIKEN integrated sequence analysis (RISA) system--384-format sequencing pipeline with 384 multicapillary sequencer. <i>Genome Research</i> , 2000 , 10, 1757-71	9.7	48
268	Normalization and subtraction of cap-trapper-selected cDNAs to prepare full-length cDNA libraries for rapid discovery of new genes. <i>Genome Research</i> , 2000 , 10, 1617-30	9.7	221
267	Cloning and functional analysis of cDNAs with open reading frames for 300 previously undefined genes expressed in CD34+ hematopoietic stem/progenitor cells. <i>Genome Research</i> , 2000 , 10, 1546-60	9.7	135
266	Growth suppression of Escherichia coli by induction of expression of mammalian genes with transmembrane or ATPase domains. 2000 , 268, 553-61		14

265	Toward a protein-protein interaction map of the budding yeast: A comprehensive system to examine two-hybrid interactions in all possible combinations between the yeast proteins. 2000 , 97, 1143-7		662
264	Functional annotation of a full-length mouse cDNA collection. 2001 , 409, 685-90		560
263	Balanced-size and long-size cloning of full-length, cap-trapped cDNAs into vectors of the novel lambda-FLC family allows enhanced gene discovery rate and functional analysis. <i>Genomics</i> , 2001 , 77, 79-90	4.3	70
262	Comparative evaluation of 5'-end-sequence quality of clones in CAP trapper and other full-length-cDNA libraries. 2001 , 263, 93-102		36
261	Expression sequence tag-specific full-length cDNA cloning: actin cDNAs. 2001 , 263, 265-72		3
260	Genomics Protocols. 2001 ,		
259	IDENTIFICATION OF NOVEL GENE FAMILY MEMBERS BASED ON EFFICIENT FULL-LENGTH CDNA CLONING. 2001 , 5-19		
258	Removal of polyA tails from full-length cDNA libraries for high-efficiency sequencing. <i>BioTechniques</i> , 2001 , 31, 1042, 1044, 1048-9	2.5	13
257	Full-length cDNAs: more than just reaching the ends. 2001 , 6, 57-80		47
256	Cloning full-length, cap-trapper-selected cDNAs by using the single-strand linker ligation method. <i>BioTechniques</i> , 2001 , 30, 1250-4	2.5	47
255	cDNA detection and analysis. 2001 , 5, 15-20		14
254	Arabidopsis encyclopedia using full-length cDNAs and its application. <i>Plant Physiology and Biochemistry</i> , 2001 , 39, 211-220	5.4	30
253	Embryogenomics: developmental biology meets genomics. 2001 , 19, 511-8		58
252	Monitoring the Expression Pattern of 1300 Arabidopsis Genes under Drought and Cold Stresses by Using a Full-Length cDNA Microarray. 2001 , 13, 61		12
251	Comparison of sequences of cDNA clones obtained from oligo-capping cDNA libraries with those from unigene. <i>DNA Research</i> , 2001 , 8, 255-62	4.5	4
250	Construction of long-transcript enriched cDNA libraries from submicrogram amounts of total RNAs by a universal PCR amplification method. <i>Genome Research</i> , 2001 , 11, 1553-8	9.7	16
249	Monitoring the expression pattern of 1300 Arabidopsis genes under drought and cold stresses by using a full-length cDNA microarray. 2001 , 13, 61-72		910
248	Construction of full-length-enriched cDNA libraries. The oligo-capping method. <i>Methods in Molecular Biology</i> , 2001 , 175, 143-53	1.4	31

247	A computer-based method of selecting clones for a full-length cDNA project: simultaneous collection of negligibly redundant and variant cDNAs. <i>Genome Research</i> , 2002 , 12, 1127-34	9.7	23
246	Characterization of size-fractionated cDNA libraries generated by the in vitro recombination-assisted method. <i>DNA Research</i> , 2002 , 9, 47-57	4.5	17
245	Functional annotation of a full-length Arabidopsis cDNA collection. 2002 , 296, 141-5		588
244	Efficient cloning of full-length cDNAs based on cDNA size fractionation. <i>Genomics</i> , 2002 , 79, 603-7	4.3	13
243	Asb4, Ata3, and Dcn are novel imprinted genes identified by high-throughput screening using RIKEN cDNA microarray. 2002 , 290, 1499-505		121
242	Extra-long first-strand cDNA synthesis. <i>BioTechniques</i> , 2002 , 32, 984-5	2.5	27
241	Identification of a novel mouse membrane-bound family 1 glycosidase-like protein, which carries an atypical active site structure. 2002 , 1576, 341-5		78
240	Resources for full-length cDNAs. 2002 , 27, 266-7		6
239	A framework for integrating the songbird brain. 2002 , 188, 961-80		24
238	Monitoring the expression pattern of around 7,000 Arabidopsis genes under ABA treatments using a full-length cDNA microarray. 2002 , 2, 282-91		353
237	Mechanism of postoperative liver failure after excessive hepatectomy investigated using a cDNA microarray. 2002 , 9, 352-9		45
236	Monitoring the expression profiles of 7000 Arabidopsis genes under drought, cold and high-salinity stresses using a full-length cDNA microarray. <i>Plant Journal</i> , 2002 , 31, 279-92	6.9	1501
235	Mapping of 19032 mouse cDNAs on mouse chromosomes. 2002 , 2, 23-8		2
234	Practical application of transcriptional sequencing for GC-rich templates. 2003 , 4, 35-9		1
233	RIKEN mouse genome encyclopedia. 2003 , 124, 93-102		17
232	Agarose gel size fractionation of RNA for the cloning of full-length cDNAs. 2003 , 323, 252-5		1
231	Comparative genomics of <i>Physcomitrella patens</i> gametophytic transcriptome and <i>Arabidopsis thaliana</i> : implication for land plant evolution. 2003 , 100, 8007-12		301
230	The Riken mouse genome encyclopedia project. 2003 , 326, 923-9		14

229	Small open reading frames in 5' untranslated regions of mRNAs. 2003 , 326, 987-91		17
228	LNCIB human full-length cDNAs collection: towards a better comprehension of the human transcriptome. 2003 , 326, 967-70		1
227	The Arabidopsis thaliana peptide deformylase 1 protein is localized to both mitochondria and chloroplasts. 2003 , 165, 751-758		18
226	Characterization of the mouse Abcc12 gene and its transcript encoding an ATP-binding cassette transporter, an orthologue of human ABCC12. 2003 , 310, 17-28		39
225	Unwrapping glial biology: Gcm target genes regulating glial development, diversification, and function. 2003 , 38, 567-80		298
224	Construction of a full-length enriched and a 5'-end enriched cDNA library using the oligo-capping method. <i>Methods in Molecular Biology</i> , 2003 , 221, 73-91	1.4	69
223	Generation of cDNA Libraries. 2003 ,		1
222	Targeting a complex transcriptome: the construction of the mouse full-length cDNA encyclopedia. <i>Genome Research</i> , 2003 , 13, 1273-89	9.7	141
221	Impact of alternative initiation, splicing, and termination on the diversity of the mRNA transcripts encoded by the mouse transcriptome. <i>Genome Research</i> , 2003 , 13, 1290-300	9.7	148
220	PromoSer: A large-scale mammalian promoter and transcription start site identification service. <i>Nucleic Acids Research</i> , 2003 , 31, 3554-9	20.1	62
219	Discovery of imprinted transcripts in the mouse transcriptome using large-scale expression profiling. <i>Genome Research</i> , 2003 , 13, 1402-9	9.7	87
218	RIKEN Arabidopsis full-length (RAFL) cDNA and its applications for expression profiling under abiotic stress conditions. 2004 , 55, 213-23		72
217	An improved method for constructing a full-length enriched cDNA library using small amounts of total RNA as a starting material. 2003 , 35, 586-90		12
216	Transcriptome analysis in abiotic stress conditions in higher plants. 2003 , 271-308		12
215	Construction of size-fractionated cDNA library assisted by an in vitro recombination reaction. <i>Methods in Molecular Biology</i> , 2003 , 221, 59-71	1.4	2
214	High-throughput viral expression of cDNA-green fluorescent protein fusions reveals novel subcellular addresses and identifies unique proteins that interact with plasmodesmata. 2003 , 15, 1507-23		181
213	Mouse Genome Encyclopedia Project. 2003 , 68, 195-204		6
212	Improved method for the construction of full-length enriched cDNA libraries. <i>BioTechniques</i> , 2003 , 34, 954-7	2.5	7

211	Aptamer-dependent full-length cDNA synthesis by overlap extension PCR. <i>BioTechniques</i> , 2004 , 37, 124, 126, 128-9	2.5	6
210	Determination of the capped site sequence of mRNA based on the detection of cap-dependent nucleotide addition using an anchor ligation method. <i>DNA Research</i> , 2004 , 11, 305-9	4.5	21
209	Improved full-length cDNA production based on RNA tagging by T4 DNA ligase. <i>Nucleic Acids Research</i> , 2004 , 32, e6	20.1	18
208	Characterization of full-length enriched expressed sequence tags of stress-treated poplar leaves. 2004 , 45, 1738-48		76
207	Gene expression profile analysis of regenerating liver after portal vein ligation in rats by a cDNA microarray system. 2004 , 24, 253-8		15
206	Interrogating the transcriptome. 2004 , 22, 23-30		52
205	Dynamic transcriptome of mice. 2004 , 22, 161-7		15
204	Construction of multi-purpose vectors, pCNS and pCNS-D2, are suitable for collection and functional study of large-scale cDNAs. 2004 , 51, 217-26		10
203	SMART amplification combined with cDNA size fractionation in order to obtain large full-length clones. 2004 , 5, 36		59
202	Simple cDNA normalization using kamchatka crab duplex-specific nuclease. <i>Nucleic Acids Research</i> , 2004 , 32, e37	20.1	319
201	Alternative usage of 5' exons in the chicken nerve growth factor gene: refined characterization of a weakly expressed gene. 2004 , 334, 83-97		6
200	Mechanism of liver regeneration after partial hepatectomy using mouse cDNA microarray. 2004 , 40, 464-71		53
199	Isolation and annotation of 10828 putative full length cDNAs from indica rice. 2005 , 48, 445-51		16
198	A new 5' terminal murine GAPDH exon identified using 5'RACE LaNe. 2005 , 29, 39-46		3
197	Tag-based approaches for transcriptome research and genome annotation. 2005 , 2, 495-502		148
196	Genomic technologies and the interrogation of the transcriptome. 2005 , 126, 153-9		1
195	Metagenomic gene discovery: past, present and future. 2005 , 23, 321-9		214
194	Pharmacologic preconditioning effects: prostaglandin E1 induces heat-shock proteins immediately after ischemia/reperfusion of the mouse liver. 2005 , 9, 758-68		15

193	[A method for the preparation of normalized cDNA libraries enriched with full-length sequences]. 2005 , 31, 186-94		27
192	CDNA library construction from a small amount of RNA: adaptor-ligation approach for two-round cRNA amplification using T7 and SP6 RNA polymerases. <i>BioTechniques</i> , 2005 , 38, 451-8	2.5	4
191	Complex Transcription Mechanisms in Mammalian Genomes - The Transcriptome of FANTOM3. 2005 , 6, 619-625		2
190	Computational analysis suggests that alternative first exons are involved in tissue-specific transcription in rice (<i>Oryza sativa</i>). 2005 , 21, 1758-63		24
189	Signal sequence and keyword trap in silico for selection of full-length human cDNAs encoding secretion or membrane proteins from oligo-capped cDNA libraries. <i>DNA Research</i> , 2005 , 12, 117-26	4.5	30
188	Transcriptome analysis of the aphid bacteriocyte, the symbiotic host cell that harbors an endocellular mutualistic bacterium, <i>Buchnera</i> . 2005 , 102, 5477-82		168
187	Vector-capping: a simple method for preparing a high-quality full-length cDNA library. <i>DNA Research</i> , 2005 , 12, 53-62	4.5	66
186	Preparation of a set of expression-ready clones of mammalian long cDNAs encoding large proteins by the ORF trap cloning method. <i>DNA Research</i> , 2005 , 12, 257-67	4.5	15
185	Complete open reading frame (C-ORF) technology: simple and efficient technique for cloning full-length protein-coding sequences. 2005 , 353, 1-7		8
184	Discovery of 342 putative new genes from the analysis of 5'-end-sequenced full-length-enriched cDNA human transcripts. <i>Genomics</i> , 2005 , 85, 739-51	4.3	5
183	Performance assessment of promoter predictions on ENCODE regions in the EGASP experiment. 2006 , 7 Suppl 1, S3.1-13		54
182	Genome-wide review of transcriptional complexity in mouse protein kinases and phosphatases. 2006 , 7, R5		41
181	Sequencing and analysis of 14,842 expressed sequence tags of burma mangrove, <i>Bruguiera gymnorrhiza</i> . 2006 , 171, 234-241		32
180	Placing extra components into RNA by specific transcription using unnatural base pair systems. <i>BioTechniques</i> , 2006 , 40, 711, 713, 715 passim	2.5	27
179	Comparative analysis of expression profiles of counterpart gene sets between <i>Brassica rapa</i> and <i>Arabidopsis thaliana</i> during fungal pathogen <i>Colletotrichum higginsianum</i> infection. 2006 , 23, 503-508		8
178	Genomics of hybrid poplar (<i>Populus trichocarpax deltoides</i>) interacting with forest tent caterpillars (<i>Malacosoma disstria</i>): normalized and full-length cDNA libraries, expressed sequence tags, and a cDNA microarray for the study of insect-induced defences in poplar. 2006 , 15, 1275-97		159
177	The molecular ecologist's guide to expressed sequence tags. 2007 , 16, 907-24		276
176	A high-throughput screen for genes from castor that boost hydroxy fatty acid accumulation in seed oils of transgenic <i>Arabidopsis</i> . <i>Plant Journal</i> , 2006 , 45, 847-56	6.9	115

175	Annotation and expression profile analysis of 2073 full-length cDNAs from stress-induced maize (<i>Zea mays</i> L.) seedlings. <i>Plant Journal</i> , 2006 , 48, 710-27	6.9	80
174	CAGE: cap analysis of gene expression. 2006 , 3, 211-22		328
173	CAFTAN: a tool for fast mapping, and quality assessment of cDNAs. 2006 , 7, 473		
172	Generation and analysis of large-scale expressed sequence tags (ESTs) from a full-length enriched cDNA library of porcine backfat tissue. 2006 , 7, 36		27
171	DBTSS: DataBase of Human Transcription Start Sites, progress report 2006. <i>Nucleic Acids Research</i> , 2006 , 34, D86-9	20.1	84
170	An ankyrin repeat-containing protein, characterized as a ubiquitin ligase, is closely associated with membrane-enclosed organelles and required for pollen germination and pollen tube growth in lily. 2006 , 140, 1374-83		32
169	Searching for IRES. 2006 , 12, 1755-85		239
168	Constructing the landscape of the mammalian transcriptome. 2007 , 210, 1497-506		38
167	CAGE-TSSchip: promoter-based expression profiling using the 5'-leading label of capped transcripts. 2007 , 8, R42		3
166	Cancer genomics and proteomics. Methods and Protocols. Preface. <i>Methods in Molecular Biology</i> , 2007 , 383, v-vii	1.4	1
165	Systematic analysis of mRNA 5' coding sequence incompleteness in <i>Danio rerio</i> : an automated EST-based approach. 2007 , 2, 34		4
164	Normalization of cDNA Libraries. 2007 , 97-124		12
163	A reverse proves to be an advance. <i>Nature Reviews Genetics</i> , 2007 , 8, S8-S8	30.1	
162	Informatic and genomic analysis of melanocyte cDNA libraries as a resource for the study of melanocyte development and function. 2007 , 20, 201-9		3
161	Identification of plant promoter constituents by analysis of local distribution of short sequences. 2007 , 8, 67		117
160	Construction and characterization of a full-length cDNA library for the wheat stripe rust pathogen (<i>Puccinia striiformis</i> f. sp. <i>tritici</i>). 2007 , 8, 145		45
159	Statistical Approaches in Eukaryotic Gene Prediction. 2008 , 97-159		30
158	3G vector-primer plasmid for constructing full-length-enriched cDNA libraries. 2008 , 380, 149-51		2

139	Aphids acquired symbiotic genes via lateral gene transfer. 2009 , 7, 12		124
138	Heterogeneity of Arabidopsis core promoters revealed by high-density TSS analysis. <i>Plant Journal</i> , 2009 , 60, 350-62	6.9	81
137	Tiny RNAs associated with transcription start sites in animals. <i>Nature Genetics</i> , 2009 , 41, 572-8	36.3	302
136	An unbiased expression screen for synaptogenic proteins identifies the LRRTM protein family as synaptic organizers. 2009 , 61, 734-49		286
135	Discovery of transcriptional regulators and signaling pathways in the developing pituitary gland by bioinformatic and genomic approaches. <i>Genomics</i> , 2009 , 93, 449-60	4.3	58
134	Gene expression during liver regeneration after partial hepatectomy in mice lacking type 1 tumor necrosis factor receptor. 2009 , 152, 178-88		8
133	Generation of full-length cDNA libraries: focus on plants. <i>Methods in Molecular Biology</i> , 2009 , 533, 49-68	1.4	1
132	Expressed Sequence Tags (ESTs). <i>Methods in Molecular Biology</i> , 2009 ,	1.4	12
131	Construction of CAGE Libraries. 2009 , 21-39		
130	The development of a novel vector for construction of a full-length cDNA library. 2010 , 4, 353-361		
129	Mouse brain full-length cDNA library construction by negative selection of intact mRNAs. 2010 , 5, 627-31		
128	Duplication of a well-conserved homeodomain-leucine zipper transcription factor gene in barley generates a copy with more specific functions. 2010 , 10, 123-33		40
127	Large-scale analysis of full-length cDNAs from the tomato (<i>Solanum lycopersicum</i>) cultivar Micro-Tom, a reference system for the Solanaceae genomics. 2010 , 11, 210		141
126	A full-length cDNA resource for the pea aphid, <i>Acyrtosiphon pisum</i> . 2010 , 19 Suppl 2, 23-31		19
125	High-throughput characterization of plant gene functions by using gain-of-function technology. 2010 , 61, 373-93		36
124	Identification of immune-relevant genes by expressed sequence tag analysis of head kidney from grass carp (<i>Ctenopharyngodon idella</i>). 2010 , 5, 116-23		8
123	Normalizing cDNA libraries. 2010 , Chapter 5, Unit 5.12.1-27		11
122	Genome Analysis: The State of Knowledge of Barley Genes. 2010 , 85-111		4

121	Analysis of gene expression profiles in fatal hepatic failure after hepatectomy in mice. 2011 , 169, 36-43		2
120	RNA captor: a tool for RNA characterization. <i>PLoS ONE</i> , 2011 , 6, e18445	3-7	8
119	<i>Ustilago maydis</i> transcript features identified through full-length cDNA analysis. 2011 , 286, 143-59		7
118	Prediction of RNA Polymerase II recruitment, elongation and stalling from histone modification data. 2011 , 12, 544		25
117	Comprehensive sequence analysis of 24,783 barley full-length cDNAs derived from 12 clone libraries. 2011 , 156, 20-8		165
116	The rocks and shallows of deep RNA sequencing: Examples in the <i>Vibrio cholerae</i> RNome. 2011 , 17, 1357-66		26
115	NanoCAGE: a high-resolution technique to discover and interrogate cell transcriptomes. 2011 , 2011, pdb.prot5559		51
114	Genome-wide analysis of promoter architecture in <i>Drosophila melanogaster</i> . <i>Genome Research</i> , 2011 , 21, 182-92	9-7	178
113	Construction and characterization of a cDNA library from wheat infected with <i>Fusarium graminearum</i> Fg 2. <i>International Journal of Molecular Sciences</i> , 2011 , 12, 613-26	6-3	9
112	5' end-centered expression profiling using cap-analysis gene expression and next-generation sequencing. <i>Nature Protocols</i> , 2012 , 7, 542-61	18.8	182
111	Genome-scale analysis of human mRNA 5' coding sequences based on expressed sequence tag (EST) database. <i>Genomics</i> , 2012 , 100, 125-30	4-3	10
110	CAGE (cap analysis of gene expression): a protocol for the detection of promoter and transcriptional networks. <i>Methods in Molecular Biology</i> , 2012 , 786, 181-200	1.4	61
109	DeepCAGE: Genome-Wide Mapping of Transcription Start Sites. 2012 , 23-46		1
108	Definition of Promotome Transcriptome Architecture Using CAGEScan. 2012 , 47-61		
107	RACE: New Applications of an Old Method to Connect Exons. 2012 , 63-71		
106	RNA-PET: Full-Length Transcript Analysis Using 5'- and 3'-Paired-End Tag Next-Generation Sequencing. 2012 , 73-90		1
105	Gene Regulatory Networks. <i>Methods in Molecular Biology</i> , 2012 ,	1.4	2
104	Functional Genomics. <i>Methods in Molecular Biology</i> , 2012 ,	1.4	2

103	Tonoplast- and plasma membrane-localized aquaporin-family transporters in blue hydrangea sepals of aluminum hyperaccumulating plant. <i>PLoS ONE</i> , 2012 , 7, e43189	3.7	83
102	Transgenic Plants as a Tool for Plant Functional Genomics. 2012 ,		3
101	Analysis of Retinal Development and Diseases Using RNA-Seq. 2012 , 1,		5
100	Genome wide full-length transcript analysis using 5' and 3' paired-end-tag next generation sequencing (RNA-PET). <i>Methods in Molecular Biology</i> , 2012 , 809, 535-62	1.4	26
99	Construction and characterization of a full-length cDNA library and identification of genes involved in salinity stress in wild eggplant (<i>Solanum torvum</i> Swartz). 2012 , 53, 158-166		4
98	Plasma membrane-localized Al-transporter from blue hydrangea sepals is a member of the anion permease family. 2013 , 18, 341-52		25
97	High-fidelity promoter profiling reveals widespread alternative promoter usage and transposon-driven developmental gene expression. <i>Genome Research</i> , 2013 , 23, 169-80	9.7	133
96	Proof that dinoflagellate spliced leader (DinoSL) is a useful hook for fishing dinoflagellate transcripts from mixed microbial samples: <i>Symbiodinium kawagutii</i> as a case study. 2013 , 164, 510-27		36
95	Suppression of artifacts and barcode bias in high-throughput transcriptome analyses utilizing template switching. <i>Nucleic Acids Research</i> , 2013 , 41, e44	20.1	46
94	Novel bioresources for studies of <i>Brassica oleracea</i> : identification of a kale MYB transcription factor responsible for glucosinolate production. <i>Plant Biotechnology Journal</i> , 2013 , 11, 1017-27	11.6	24
93	RAMPAGE: promoter activity profiling by paired-end sequencing of 5'-complete cDNAs. 2013 , 104, Unit 25B.11		44
92	Unlocking Triticeae genomics to sustainably feed the future. 2013 , 54, 1931-50		43
91	High-throughput sequencing and de novo assembly of <i>Brassica oleracea</i> var. <i>Capitata</i> L. for transcriptome analysis. <i>PLoS ONE</i> , 2014 , 9, e92087	3.7	33
90	Construction of sized eukaryotic cDNA libraries using low input of total environmental metatranscriptomic RNA. 2014 , 14, 80		16
89	5?-Cap selection methods and their application in full-length cDNA library construction and transcription start site profiling. 2014 , 19, 580-586		1
88	Multiple novel promoter-architectures revealed by decoding the hidden heterogeneity within the genome. <i>Nucleic Acids Research</i> , 2014 , 42, 12388-403	20.1	8
87	Comparison of CAGE and RNA-seq transcriptome profiling using clonally amplified and single-molecule next-generation sequencing. <i>Genome Research</i> , 2014 , 24, 708-17	9.7	66
86	Cereal Genomics. <i>Methods in Molecular Biology</i> , 2014 ,	1.4	4

85	RNA sequencing: from tag-based profiling to resolving complete transcript structure. 2014 , 71, 3537-51		29
84	Genome-wide identification of transcript start and end sites by transcript isoform sequencing. <i>Nature Protocols</i> , 2014 , 9, 1740-59	18.8	46
83	Sequencing and comparative genomics analysis in Buch.-Ham. Ex D. Don, based on full-length cDNA library. 2014 , 28, 805-812		1
82	Functional and expression analyses of transcripts based on full-length cDNAs of <i>Sorghum bicolor</i> . <i>DNA Research</i> , 2015 , 22, 485-93	4.5	2
81	Library Resources: BACs, ESTs, Full-Length cDNAs, and Y2H. <i>Plant Genetics and Genomics: Crops and Models</i> , 2015 , 171-181	0.2	1
80	Paradigm shifts in genomics through the FANTOM projects. <i>Mammalian Genome</i> , 2015 , 26, 391-402	3.2	73
79	Targeted reduction of highly abundant transcripts using pseudo-random primers. <i>BioTechniques</i> , 2016 , 60, 169-74	2.5	17
78	Pervasive isoform-specific translational regulation via alternative transcription start sites in mammals. <i>Molecular Systems Biology</i> , 2016 , 12, 875	12.2	55
77	Global transcript structure resolution of high gene density genomes through multi-platform data integration. <i>Nucleic Acids Research</i> , 2016 , 44, e145	20.1	59
76	Establishing the Architecture of Plant Gene Regulatory Networks. <i>Methods in Enzymology</i> , 2016 , 576, 251-304	1.7	5
75	Transcriptome and proteome analyses provide insight into laticifer's defense of <i>Euphorbia tirucalli</i> against pests. <i>Plant Physiology and Biochemistry</i> , 2016 , 108, 434-446	5.4	14
74	Base-pair-resolution genome-wide mapping of active RNA polymerases using precision nuclear run-on (PRO-seq). <i>Nature Protocols</i> , 2016 , 11, 1455-76	18.8	208
73	Genetics and Genomics of <i>Brachypodium</i> . <i>Plant Genetics and Genomics: Crops and Models</i> , 2016 ,	0.2	9
72	Genome-wide identification and characterization of transcription start sites and promoters in the tunicate <i>Ciona intestinalis</i> . <i>Genome Research</i> , 2016 , 26, 140-50	9.7	10
71	Large-scale collection of full-length cDNA and transcriptome analysis in <i>Hevea brasiliensis</i> . <i>DNA Research</i> , 2017 , 24, 159-167	4.5	15
70	Promoter Associated RNA. <i>Methods in Molecular Biology</i> , 2017 ,	1.4	
69	NanoCAGE: A Method for the Analysis of Coding and Noncoding 5'-Capped Transcriptomes. <i>Methods in Molecular Biology</i> , 2017 , 1543, 57-109	1.4	18
68	Deep Cap Analysis of Gene Expression (CAGE): Genome-Wide Identification of Promoters, Quantification of Their Activity, and Transcriptional Network Inference. <i>Methods in Molecular Biology</i> , 2017 , 1543, 111-126	1.4	4

67	The FANTOM5 collection, a data series underpinning mammalian transcriptome atlases in diverse cell types. <i>Scientific Data</i> , 2017 , 4, 170113	8.2	35
66	Application of a CAGE Method to an Avian Development Study. <i>Methods in Molecular Biology</i> , 2017 , 1650, 101-109	1.4	1
65	Robust identification of Ptbp1-dependent splicing events by a junction-centric approach in <i>Xenopus laevis</i> . <i>Developmental Biology</i> , 2017 , 426, 449-459	3.1	3
64	Difficulty in obtaining the complete mRNA coding sequence at 5'UTR region (5'UTR mRNA artifact): Causes, consequences in biology and medicine and possible solutions for obtaining the actual amino acid sequence of proteins (Review). <i>International Journal of Molecular Medicine</i> , 2017 , 39, 1063-1071	4.4	2
63	Cancer transcriptome profiling at the juncture of clinical translation. <i>Nature Reviews Genetics</i> , 2018 , 19, 93-109	30.1	128
62	SLIC-CAGE: high-resolution transcription start site mapping using nanogram-levels of total RNA. <i>Genome Research</i> , 2018 , 28, 1943-1956	9.7	17
61	A Short Tandem Repeat-Enriched RNA Assembles a Nuclear Compartment to Control Alternative Splicing and Promote Cell Survival. <i>Molecular Cell</i> , 2018 , 72, 525-540.e13	17.6	57
60	Epigenetic Regulation of Skin Development and Regeneration. <i>Pancreatic Islet Biology</i> , 2018 ,	0.4	
59	Enhancer-Promoter Interactions and Their Role in the Control of Epidermal Differentiation. <i>Contributions To Management Science</i> , 2018 , 231-262	0.4	
58	Towards a complete map of the human long non-coding RNA transcriptome. <i>Nature Reviews Genetics</i> , 2018 , 19, 535-548	30.1	248
57	Characterization of a long noncoding RNA Pcdh17it as a novel marker for immature premyelinating oligodendrocytes. <i>Glia</i> , 2019 , 67, 2166-2177	9	9
56	NET-CAGE characterizes the dynamics and topology of human transcribed cis-regulatory elements. <i>Nature Genetics</i> , 2019 , 51, 1369-1379	36.3	33
55	Quantifying the RNA cap epitranscriptome reveals novel caps in cellular and viral RNA. <i>Nucleic Acids Research</i> , 2019 , 47, e130	20.1	62
54	Two Separation-of-Function Isoforms of Human TPP1 Dictate Telomerase Regulation in Somatic and Germ Cells. <i>Cell Reports</i> , 2019 , 27, 3511-3521.e7	10.6	12
53	An Overview of Methodologies in Studying lncRNAs in the High-Throughput Era: When Acronyms ATTACK!. <i>Methods in Molecular Biology</i> , 2019 , 1933, 1-30	1.4	7
52	Establishing a System for Functional Characterization of Full-Length cDNAs of <i>Camellia sinensis</i> . <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	
51	Overexpression of a developing xylem cDNA library in transgenic poplar generates high mutation rate specific to wood formation. <i>Plant Biotechnology Journal</i> , 2020 , 18, 1434-1443	11.6	3
50	History and future perspectives of barley genomics. <i>DNA Research</i> , 2020 , 27,	4.5	9

49	Bioinformatics for Cancer Immunotherapy. <i>Methods in Molecular Biology</i> , 2020 ,	1.4	
48	GENCODE 2021. <i>Nucleic Acids Research</i> , 2021 , 49, D916-D923	20.1	82
47	Metabolic Versatility of during Infection and Dormancy. <i>Metabolites</i> , 2021 , 11,	5.6	9
46	Antisense RNAs during early vertebrate development are divided in groups with distinct features. <i>Genome Research</i> , 2021 , 31, 995-1010	9.7	3
45	De novo activated transcription of inserted foreign coding sequences is inheritable in the plant genome. <i>PLoS ONE</i> , 2021 , 16, e0252674	3.7	1
44	Plasticity and heterogeneity of thermogenic adipose tissue. <i>Nature Metabolism</i> , 2021 , 3, 751-761	14.6	8
43	To cap it all off, again: dynamic capping and recapping of coding and non-coding RNAs to control transcript fate and biological activity. <i>Cell Cycle</i> , 2021 , 20, 1347-1360	4.7	4
42	Isoform Age - Splice Isoform Profiling Using Long-Read Technologies. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 711733	5.6	3
41	Identifying transcript 5' capped ends in. <i>PeerJ</i> , 2021 , 9, e11983	3.1	0
40	Cryptic promoter activation occurs by at least two different mechanisms in the Arabidopsis genome. <i>Plant Journal</i> , 2021 , 108, 29-39	6.9	1
39	Cap analysis of gene expression (CAGE) and noncoding regulatory elements. <i>Seminars in Immunopathology</i> , 2021 , 1	12	0
38	Global approaches for profiling transcription initiation. <i>Cell Reports Methods</i> , 2021 , 1, 100081-100081		1
37	Low Quantity Single Strand CAGE (LQ-ssCAGE) Maps Regulatory Enhancers and Promoters. <i>Methods in Molecular Biology</i> , 2021 , 2351, 67-90	1.4	1
36	Genomes and Databases. 2004 , 17-35		1
35	Gene Tagging, Gene- and Enhancer-Trapping, and Full-Length cDNA Overexpression in <i>Physcomitrella Patens</i> . 2004 , 111-132		6
34	Cap Analysis of Gene Expression (CAGE): A Quantitative and Genome-Wide Assay of Transcription Start Sites. <i>Methods in Molecular Biology</i> , 2020 , 2120, 277-301	1.4	7
33	Strategies for undertaking expressed sequence tag (EST) projects. <i>Methods in Molecular Biology</i> , 2009 , 533, 13-32	1.4	14
32	Preparation of full-length cDNA libraries: focus on metazoans. <i>Methods in Molecular Biology</i> , 2009 , 533, 69-107	1.4	1

31	Generating EST libraries: trans-spliced cDNAs. <i>Methods in Molecular Biology</i> , 2009 , 533, 125-51	1.4	1
30	Full-length transcriptome analysis using a bias-free cDNA library prepared with the vector-capping method. <i>Methods in Molecular Biology</i> , 2011 , 729, 53-70	1.4	2
29	Normalization of full-length-enriched cDNA. <i>Methods in Molecular Biology</i> , 2011 , 729, 85-98	1.4	12
28	cDNA library preparation. <i>Methods in Molecular Biology</i> , 2014 , 1099, 29-40	1.4	2
27	Antisense ncRNAs during early vertebrate development are divided in groups with distinct features.		2
26	Low Quantity single strand CAGE (LQ-ssCAGE) maps regulatory enhancers and promoters.		1
25	Of mice, men, and the genome. <i>Genome Research</i> , 2000 , 10, 1431-2	9.7	1
24	Computer-based methods for the mouse full-length cDNA encyclopedia: real-time sequence clustering for construction of a nonredundant cDNA library. <i>Genome Research</i> , 2001 , 11, 281-9	9.7	25
23	Transcription Factors, Gene Regulatory Networks and Agronomic Traits. <i>Advances in Agroecology</i> , 2011 , 65-94		1
22	Large-scale collection and analysis of full-length cDNAs from <i>Brachypodium distachyon</i> and integration with <i>Pooideae</i> sequence resources. <i>PLoS ONE</i> , 2013 , 8, e75265	3.7	25
21	On the presence and role of human gene-body DNA methylation. <i>Oncotarget</i> , 2012 , 3, 462-74	3.3	295
20	Structural analysis of expressed sequence tags inimmature seed of <i>Oryza sativa</i> L.. <i>Journal of Plant Biotechnology</i> , 2009 , 36, 130-136	0.6	2
19	Analysis of germinating seed stage expressed sequence tags in <i>Oryza sativa</i> L.. <i>Journal of Plant Biotechnology</i> , 2009 , 36, 281-288	0.6	2
18	Complete open reading frame (C-ORF) technique: rapid and efficient method for obtaining complete protein coding sequences. <i>Methods in Molecular Biology</i> , 2007 , 383, 123-33	1.4	2
17	[Advances of gene enrichment in plant genome]. <i>Yi Chuan = Hereditas / Zhongguo Yi Chuan Xue Hui Bian Ji</i> , 2009 , 31, 799-808	1.4	
16	[A novel vector for construction of a cDNA library]. <i>Biomeditsinskaya Khimiya</i> , 2010 , 56, 329-41	0.8	
15	Construction and analysis of full-length and normalized cDNA libraries from citrus. <i>Methods in Molecular Biology</i> , 2012 , 815, 51-65	1.4	
14	Effective Procedure for Development of EST-SSR Markers Using cDNA Library. <i>American Journal of Plant Sciences</i> , 2012 , 03, 1322-1327	0.5	

13	Construction of Full-Length Goose Muscle cDNA Library. <i>Journal of Animal and Veterinary Advances</i> , 2012 , 11, 2106-2109		0.1
12	SLIC-CAGE: high-resolution transcription start site mapping using nanogram-levels of total RNA.		
11	Two separation-of-function isoforms of human TPP1 and a novel intragenic noncoding RNA dictate telomerase regulation in somatic and germ cells.		
10	Quantifying the RNA cap epitranscriptome reveals novel caps in cellular and viral RNA.		0
9	Dynamics and Topology of Human Transcribed Cis-regulatory Elements.		
8	ReCappable Seq: Comprehensive Determination of Transcription Start Sites derived from all RNA polymerases.		1
7	De novo activated transcription of inserted foreign coding sequences is inheritable in the plant genome.		0
6	Automated filtration-based high-throughput plasmid preparation system. <i>Genome Research</i> , 1999 , 9, 463-70	9.7	10
5	Automated Filtration-Based High-Throughput Plasmid Preparation System. <i>Genome Research</i> , 1999 , 9, 463-470	9.7	20
4	Computer-Based Methods for the Mouse Full-Length cDNA Encyclopedia: Real-Time Sequence Clustering for Construction of a Nonredundant cDNA Library. <i>Genome Research</i> , 2001 , 11, 281-289	9.7	4
3	Expression of matrix metalloproteinase-3 and -10 is up-regulated in the periodontal tissues of aged mice.. <i>Journal of Periodontal Research</i> , 2022 ,	4.3	0
2	Genome-Wide Mapping of 5' Isoforms with 5'Seq.		0
1	Genome-Wide Mapping of 5' Isoforms with 5'-Seq. 2023 , 3,		0