

# CITATION REPORT

List of articles citing

## The role of laparoscopy in the diagnosis of cirrhosis

DOI: 10.1016/s0016-5107(96)70192-x  
Gastrointestinal Endoscopy, 1996, 43, 568-71.

**Source:** <https://exaly.com/paper-pdf/26841154/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
190	Diagnostic laparoscopy: is it "safe" in the hands of our surgical colleagues?. <i>Gastrointestinal Endoscopy</i> , <b>1997</b> , 45, 442-3	5.2	1
189	Incidental liver abnormalities at laparoscopy for benign gynecologic conditions. <b>1998</b> , 5, 403-6		9
188	Small-diameter (2 mm) laparoscopy in the evaluation of liver disease. <i>Gastrointestinal Endoscopy</i> , <b>1998</b> , 48, 620-3	5.2	6
187	Current laparoscopic gastrointestinal surgery. <i>Gastrointestinal Endoscopy</i> , <b>1998</b> , 47, 500-11	5.2	3
186	Factors contributing to the evolution and outcome of cirrhosis in hepatitis C. <b>1999</b> , 3, 741-55, viii		4
185	Diagnostic laparoscopy: let's do it again. <i>Gastrointestinal Endoscopy</i> , <b>1999</b> , 50, 297-9; discussion 299-301	5.2	3
184	Distinction between chronic hepatitis and liver cirrhosis in patients with hepatitis C virus infection. Practical discriminant function using common laboratory data. <i>Hepatology Research</i> , <b>2000</b> , 18, 252-266	5.1	50
183	Prospective study of laparoscopic findings with regard to the development of hepatocellular carcinoma in patients with hepatitis C virus-associated cirrhosis. <i>Gastrointestinal Endoscopy</i> , <b>2001</b> , 53, 449-55	5.2	7
182	Minilaparoscopy versus conventional laparoscopy in the diagnosis of hepatic diseases. <i>Gastrointestinal Endoscopy</i> , <b>2001</b> , 53, 771-5	5.2	21
181	Diagnostic laparoscopy guidelines for clinical application. <i>Gastrointestinal Endoscopy</i> , <b>2001</b> , 54, 818-20	5.2	5
180	The Role of Laparoscopy in the Evaluation of Liver Transplant Patients. <b>2001</b> , 11, 65-78		0
179	Hepatosplenomegaly and progressive neurological symptoms - Late manifestation of Niemann-Pick disease type C - a case report -. <i>Zeitschrift Fur Gastroenterologie</i> , <b>2001</b> , 39, 971-4	1.6	4
178	Laparoscopic findings in primary sclerosing cholangitis. <b>2001</b> , 33, 267-70		6
177	Sampling error and intraobserver variation in liver biopsy in patients with chronic HCV infection. <b>2002</b> , 97, 2614-8		1610
176	Noninvasive monitoring of patients with chronic hepatitis C. <b>2002</b> , 36, S57-S64		109
175	Noninvasive monitoring of patients with chronic hepatitis C. <b>2002</b> , 36, S57-64		73
174	Diagnosing fibrosis in hepatitis C: is the pendulum swinging from biopsy to blood tests?. <b>2003</b> , 37, 972-4		96

173	Hepatitis C and liver fibrosis. <b>2003</b> , 10 Suppl 1, S59-67		154
172	Pretreatment laparoscopic appearance of the liver can predict response to combination therapy with interferon alpha 2B and ribavirin in chronic hepatitis C. <i>Gastrointestinal Endoscopy</i> , <b>2003</b> , 58, 380-3	5.2	3
171	Severe liver fibrosis or cirrhosis: accuracy of US for detection--analysis of 300 cases. <i>Radiology</i> , <b>2003</b> , 227, 89-94	20.5	246
170	Liver assessment and biopsy in patients with marked coagulopathy: value of mini-laparoscopy and control of bleeding. <b>2003</b> , 98, 893-900		45
169	Minilaparoscopy in the diagnosis of cirrhosis: superiority in patients with Child-Pugh A and macronodular disease. <b>2003</b> , 35, 55-60		29
168	21 Leberbiopsie. <b>2004</b> ,		
167	Liver biopsy sampling in chronic viral hepatitis. <i>Seminars in Liver Disease</i> , <b>2004</b> , 24, 89-97	7.3	146
166	Diagnostic laparoscopy. <b>2004</b> , 36, 289-93		7
165	Noninvasive diagnosis of fibrosis in chronic liver disease. <b>2004</b> , 4, 715-26		33
164	[Treatment of hepatitis C and drug addiction: is the development of "clinically significant" fibrosis a good decision-making criterion?]. <b>2004</b> , 28, 529-31		
163	Portal fibrosis and hepatic steatosis in morbidly obese subjects: A spectrum of nonalcoholic fatty liver disease. <b>2004</b> , 40, 475-83		160
162	Controversies in the management of hepatitis C patients with advanced fibrosis and cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2004</b> , 2, 183-97	6.9	16
161	Evaluation of liver fibrosis: a concise review. <b>2004</b> , 99, 1160-74		478
160	New Doppler ultrasound signs improve the non-invasive diagnosis of cirrhosis or severe liver fibrosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2004</b> , 16, 743-51	2.2	48
159	Diagnosis of liver cirrhosis: a comparison of modified ultrasound and laparoscopy in 100 consecutive patients. <b>2005</b> , 39, 529-32		11
158	Serum fibrosis markers as predictors of an antifibrotic effect of interferon alfa in children with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2005</b> , 17, 843-8	2.2	17
157	Alkohol und Leber. <b>2005</b> , 230-274		
156	[The diagnosis of liver cirrhosis: a comparative evaluation of standard laparoscopy, mini-laparoscopy and histology]. <i>Zeitschrift Fur Gastroenterologie</i> , <b>2005</b> , 43, 17-21	1.6	13

155	The reverse target sign in liver disease: a potential ultrasound feature in cirrhotic liver nodules characterization. <i>British Journal of Radiology</i> , <b>2005</b> , 78, 355-7	3.4	6
154	Prediction of hepatic fibrosis in HIV/HCV co-infected patients using serum fibrosis markers: the SHASTA index. <i>Journal of Hepatology</i> , <b>2005</b> , 43, 78-84	13.4	172
153	Sampling variability of liver biopsy in nonalcoholic fatty liver disease. <b>2005</b> , 128, 1898-906		1346
152	Noninvasive assessment of liver fibrosis. <b>2005</b> , 9, 667-83, vii		30
151	Molecular determination of liver fibrosis by synchrotron infrared microspectroscopy. <b>2006</b> , 1758, 960-7		30
150	Assessment of liver fibrosis in co-infected patients. <i>Journal of Hepatology</i> , <b>2006</b> , 44, S126-31	13.4	22
149	Stepwise combination algorithms of non-invasive markers to diagnose significant fibrosis in chronic hepatitis C. <i>Journal of Hepatology</i> , <b>2006</b> , 44, 686-93	13.4	222
148	[Serum markers of non-invasive fibrosis in chronic hepatitis C virus infection]. <b>2006</b> , 27, 751-61		5
147	Correlation between ultrasonographic and pathologic diagnosis of liver fibrosis due to chronic virus hepatitis. <i>World Journal of Gastroenterology</i> , <b>2006</b> , 12, 1292-5	5.6	50
146	Laparoscopic findings in patients with nonalcoholic steatohepatitis. <i>Liver International</i> , <b>2006</b> , 26, 32-8	7.9	17
145	Comparison of simple tests for the non-invasive diagnosis of clinically silent cirrhosis in chronic hepatitis C. <b>2006</b> , 24, 797-804		19
144	A discriminant score based on four routine laboratory blood tests for accurate diagnosis of severe fibrosis and/or liver cirrhosis in Egyptian patients with chronic hepatitis C. <i>Hepatology Research</i> , <b>2006</b> , 34, 163-9	5.1	21
143	Noninvasive tests for liver fibrosis. <i>Seminars in Liver Disease</i> , <b>2006</b> , 26, 337-47	7.3	13
142	Liver fibrosis: noninvasive diagnosis with double contrast material-enhanced MR imaging. <i>Radiology</i> , <b>2006</b> , 239, 425-37	20.5	159
141	Prospective randomized comparison of minilaparoscopy and percutaneous liver biopsy: diagnosis of cirrhosis and complications. <b>2007</b> , 41, 103-10		64
140	<sup>13</sup> C-methacetin breath test shortened: 2-point-measurements after 15 minutes reliably indicate the presence of liver cirrhosis. <b>2007</b> , 41, 33-7		38
139	Assessment of FIBROSpect II to detect hepatic fibrosis in chronic hepatitis C patients. <b>2007</b> , 120, 280.e9-14		48
138	Non-invasive assessment of chronic liver and gastric diseases. <i>Clinica Chimica Acta</i> , <b>2007</b> , 381, 39-49	6.2	18

137	Superparamagnetic iron oxides and low molecular weight gadolinium chelates are synergistic for direct visualization of advanced liver fibrosis. <i>Journal of Magnetic Resonance Imaging</i> , <b>2007</b> , 26, 728-37	5.6	19
136	Serum globulin levels in predicting the extent of hepatic fibrosis in patients with recurrent post-transplant hepatitis C infection. <b>2007</b> , 21, 391-7		8
135	Efficacy and safety of 6-month iron reduction therapy in patients with hepatitis C virus-related cirrhosis: a pilot study. <i>Journal of Gastroenterology</i> , <b>2007</b> , 42, 49-55	6.9	15
134	What is the role of diagnostic laparoscopy in a gastroenterology unit?. <i>Journal of Gastroenterology</i> , <b>2007</b> , 42, 881-6	6.9	8
133	Prediction of chronic hepatitis B, liver cirrhosis and hepatocellular carcinoma by SELDI-based serum decision tree classification. <b>2007</b> , 133, 825-34		30
132	Correlations of laparoscopy with histology and laboratory studies on liver diseases in bariatric patients. <i>Obesity Surgery</i> , <b>2008</b> , 18, 204-11	3.7	4
131	Hepatic venous pressure gradient as a predictor of fibrosis in chronic liver disease because of hepatitis B virus. <i>Liver International</i> , <b>2008</b> , 28, 690-8	7.9	34
130	Combining non-invasive methods for assessment of liver fibrosis. <b>2008</b> , 32, 73-9		11
129	Diagnosis of liver fibrosis in 2008 and beyond. <b>2008</b> , 32, 88-90		2
128	Diagnosis and quantitation of fibrosis. <b>2008</b> , 134, 1670-81		319
127	In vivo confocal laser laparoscopy allows real time subsurface microscopy in animal models of liver disease. <i>Journal of Hepatology</i> , <b>2008</b> , 48, 91-7	13.4	27
126	A non-invasive algorithm accurately predicts advanced fibrosis in hepatitis C: a comparison using histology with internal-external validation. <i>Journal of Hepatology</i> , <b>2008</b> , 49, 564-71	13.4	28
125	Potential of laparoscopy in chronic liver disease with hepatitis B and C viruses. <i>Hepatology Research</i> , <b>2008</b> , 38, 877-85	5.1	5
124	Assessing liver fibrosis. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2008</b> , 2, 541-52	4.2	31
123	In vivo confocal laser endomicroscopy of the human liver: a novel method for assessing liver microarchitecture in real time. <b>2008</b> , 40, 554-62		51
122	The <sup>13</sup> C-caffeine breath test detects significant fibrosis in patients with nonalcoholic steatohepatitis. <b>2008</b> , 42, 408-12		14
121	Proteomics in liver fibrosis is more than meets the eye. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2008</b> , 20, 450-64	2.2	14
120	Diagnosis of cirrhosis by spiral computed tomography: a case-control study with feature analysis and assessment of interobserver agreement. <b>2008</b> , 32, 198-203		14

119	Protocol liver allograft biopsies. <b>2008</b> , 85, 1686-92		39
118	Use of AST platelet ratio index (APRI Score) as an alternative to liver biopsy for treatment indication in chronic hepatitis C. <b>2009</b> , 8, 26-31		39
117	The correlation between sonographic diagnosis and laparoscopic observations on fatty liver. <b>2009</b> , 19, 163-9		2
116	Influence of biopsy specimen size, tissue fixation, and assay variation on copper, iron, and zinc concentrations in canine livers. <b>2009</b> , 70, 1502-11		20
115	MR imaging of liver fibrosis: current state of the art. <b>2009</b> , 29, 1615-35		186
114	Non-invasive assessment of liver fibrosis in chronic liver diseases: implementation in clinical practice and decisional algorithms. <i>World Journal of Gastroenterology</i> , <b>2009</b> , 15, 2190-203	5.6	62
113	Liver biopsy. <b>2009</b> , 49, 1017-44		1386
112	Changes in hepatic venous morphology with cirrhosis on MRI. <i>Journal of Magnetic Resonance Imaging</i> , <b>2009</b> , 29, 1085-92	5.6	20
111	Leberbiopsie und Laparoskopie in der Hepatologie. <b>2009</b> , 4, 241-254		
110	An evaluation of the potential cost-effectiveness of non-invasive testing strategies in the diagnosis of significant liver fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2009</b> , 24, 786-91	4	25
109	Hazardous drinking is associated with an elevated aspartate aminotransferase to platelet ratio index in an urban HIV-infected clinical cohort. <b>2009</b> , 10, 133-42		51
108	Early detection in routine clinical practice of cirrhosis and oesophageal varices in chronic hepatitis C: comparison of transient elastography (FibroScan) with standard laboratory tests and non-invasive scores. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 59-68	13.4	289
107	EUS-guided liver biopsy: a procedure looking for an indication. <i>Gastrointestinal Endoscopy</i> , <b>2009</b> , 69, 543-52		9
106	Does liver appearance predict histopathologic findings: prospective analysis of routine liver biopsies during bariatric surgery. <b>2009</b> , 5, 323-8		33
105	A simple noninvasive score predicts gastroesophageal varices in patients with chronic viral hepatitis. <b>2009</b> , 43, 81-7		25
104	Hepatic vein morphology: a new sonographic diagnostic parameter in the investigation of cirrhosis?. <b>2009</b> , 28, 1219-27		13
103	Analysis of intrahepatic vascular morphological changes of chronic liver disease for assessment of liver fibrosis stages by micro-flow imaging with contrast-enhanced ultrasound: preliminary experience. <i>European Radiology</i> , <b>2010</b> , 20, 2749-57	8	16
102	Gasless balloon laparoscopy. <b>2010</b> , 24, 1566-72		1

101	Laparoscopic findings of reddish markings predict hepatocellular carcinoma in patients with hepatitis B virus-related liver disease. <i>Journal of Gastroenterology</i> , <b>2010</b> , 45, 1172-82	6.9	1
100	The clinical value of serum connective tissue growth factor in the assessment of liver fibrosis. <b>2010</b> , 55, 767-74		21
99	Comparison of transient elastography and liver biopsy for the assessment of liver fibrosis in HIV/hepatitis C virus-coinfected patients and correlation with noninvasive serum markers. <i>Journal of Viral Hepatitis</i> , <b>2010</b> , 17, 280-6	3.4	85
98	Toward surface quantification of liver fibrosis progression. <b>2010</b> , 15, 056007		21
97	Near-infrared confocal imaging during mini-laparoscopy: a novel rigid endomicroscope with increased imaging plane depth. <i>Journal of Hepatology</i> , <b>2010</b> , 53, 84-90	13.4	55
96	Terahertz spectroscopy of liver cirrhosis: investigating the origin of contrast. <b>2010</b> , 55, 7587-96		195
95	Liver Biopsy and Laparoscopy. <b>2011</b> , 44-57		
94	Fibro- $\beta$ score as a simple and useful non-invasive test for predicting significant liver fibrosis in chronic hepatitis C patients. <b>2011</b> , 12, 74-9		19
93	Diagnostic criteria for autoimmune hepatitis. <b>2011</b> , 25, 665-71		18
92	Rolls Royce for everybody? Diagnosing liver disease by mini-laparoscopy. <i>Journal of Hepatology</i> , <b>2011</b> , 54, 584-5	13.4	4
91	Autoimmune hepatitis. <i>Journal of Hepatology</i> , <b>2011</b> , 55, 171-82	13.4	135
90	Evaluation of liver fibrosis by transient elastography using acoustic radiation force impulse: comparison with Fibroscan( $\square$ ). <i>Journal of Gastroenterology</i> , <b>2011</b> , 46, 1238-48	6.9	87
89	T1rho MR imaging is sensitive to evaluate liver fibrosis: an experimental study in a rat biliary duct ligation model. <i>Radiology</i> , <b>2011</b> , 259, 712-9	20.5	103
88	Non-invasive assessment of liver fibrosis: it is time for laboratory medicine. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2011</b> , 49, 13-32	5.9	16
87	Diagnostic value of the C methacetin breath test in various stages of chronic liver disease. <i>Gastroenterology Research and Practice</i> , <b>2011</b> , 2011, 235796	2	13
86	Mini-laparoscopy in the endoscopy unit. <i>Current Opinion in Gastroenterology</i> , <b>2012</b> , 28, 461-6	3	1
85	Liver T1 $\rho$ MRI measurement in healthy human subjects at 3 T: a preliminary study with a two-dimensional fast-field echo sequence. <i>British Journal of Radiology</i> , <b>2012</b> , 85, e590-5	3.4	43
84	ARFI elastography in patients with chronic autoimmune liver diseases: A preliminary study. <i>Journal of Ultrasound</i> , <b>2012</b> , 15, 226-31	3.4	20

83	Real-time elastography as a noninvasive technique for quantification of fibrosis in patients with chronic viral liver disease: Preliminary findings. <i>Journal of Ultrasound</i> , <b>2012</b> , 15, 220-5	3.4	7
82	Complications and risk factors in 2731 diagnostic mini-laparoscopies in patients with liver disease. <i>Liver International</i> , <b>2012</b> , 32, 970-6	7.9	8
81	[New developments in ultrasound imaging for chronic liver diseases: from anatomic imaging to structural and functional imaging]. <i>Presse Medicale</i> , <b>2012</b> , 41, 153-68	2.2	1
80	Development of a novel score for liver fibrosis staging and comparison with eight simple laboratory scores in large numbers of HCV-monoinfected patients. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 1725-30	6.2	18
79	Serum albumin is present at higher levels in alcoholic liver cirrhosis as compared to HCV-related cirrhosis. <i>Experimental and Therapeutic Medicine</i> , <b>2012</b> , 3, 72-75	2.1	5
78	3D-liver perfusion MRI with the MS-325 blood pool agent: a noninvasive protocol to asses liver fibrosis. <i>Journal of Magnetic Resonance Imaging</i> , <b>2012</b> , 35, 1380-7	5.6	16
77	Noninvasive classification of hepatic fibrosis based on texture parameters from double contrast-enhanced magnetic resonance images. <i>Journal of Magnetic Resonance Imaging</i> , <b>2012</b> , 36, 1154-61	5.6	41
76	MR T1 $\rho$ as an imaging biomarker for monitoring liver injury progression and regression: an experimental study in rats with carbon tetrachloride intoxication. <i>European Radiology</i> , <b>2012</b> , 22, 1709-16	8	50
75	How far is noninvasive assessment of liver fibrosis from replacing liver biopsy in hepatitis C?. <i>Journal of Viral Hepatitis</i> , <b>2012</b> , 19 Suppl 1, 18-32	3.4	34
74	Feasibility study and control values of transient elastography in healthy children. <i>European Journal of Pediatrics</i> , <b>2012</b> , 171, 353-60	4.1	99
73	Diagnostic laparoscopy in the era of modern imaging--retrospective analysis from a single center. <i>Indian Journal of Gastroenterology</i> , <b>2013</b> , 32, 302-6	1.9	1
72	Non-invasive assessment of liver fibrosis in patients with chronic hepatitis B. <i>Hepatology International</i> , <b>2013</b> , 7, 356-68	8.8	20
71	Do the needle type and the operator experience influence liver biopsy specimen quality?. <i>Open Medicine (Poland)</i> , <b>2013</b> , 8, 669-673	2.2	
70	Liver fat volume fraction quantification with fat and water T1 and T2* estimation and accounting for NMR multiple components in patients with chronic liver disease at 1.5 and 3.0 T. <i>European Radiology</i> , <b>2013</b> , 23, 2175-86	8	26
69	Noninvasive diagnosis of liver fibrosis and cirrhosis in chronic hepatitis C patients. <i>Journal of Clinical Laboratory Analysis</i> , <b>2013</b> , 27, 121-9	3	9
68	Transient elastography is a useful noninvasive tool for the evaluation of fibrosis in paediatric chronic liver disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2013</b> , 56, 72-6	2.8	92
67	Hepatic fibrosis: evaluation with semiquantitative contrast-enhanced CT. <i>Radiology</i> , <b>2013</b> , 266, 151-8	20.5	63
66	Magnetic resonance laparoscopy: A new non-invasive technique for the assessment of chronic viral liver disease. <i>Hepatology Research</i> , <b>2013</b> , 43, 836-45	5.1	3



65	Enabling 3D-Liver Perfusion Mapping from MR-DCE Imaging Using Distributed Computing. <i>Journal of Medical Engineering</i> , <b>2013</b> , 2013, 471682		1
64	Chronic hepatitis C and liver fibrosis. <i>World Journal of Gastroenterology</i> , <b>2014</b> , 20, 11033-53	5.6	130
63	Mini-laparoscopy is superior in detecting liver cirrhosis and metastases in liver cancer: an over 10-year experience in 1,788 cases. <i>Digestion</i> , <b>2014</b> , 89, 156-64	3.6	4
62	Normal values of liver elasticity measured by real-time tissue elastography (RTE) in healthy infants and children. <i>Journal of Medical Ultrasonics (2001)</i> , <b>2014</b> , 41, 31-8	1.4	8
61	The breathprints in patients with liver disease identify novel breath biomarkers in alcoholic hepatitis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2014</b> , 12, 516-23	6.9	68
60	Mini-laparoscopy guided liver biopsy increases diagnostic accuracy in acute liver failure. <i>Digestion</i> , <b>2014</b> , 90, 240-7	3.6	15
59	[S2k guideline: quality requirements for gastrointestinal endoscopy, AWMF registry no. 021-022]. <i>Zeitschrift Fur Gastroenterologie</i> , <b>2015</b> , 53, E1-227	1.6	25
58	Potential Serum Markers for Monitoring the Progression of Hepatitis B Virus-Associated Chronic Hepatic Lesions to Liver Cirrhosis. <i>Gut and Liver</i> , <b>2015</b> , 9, 665-71	4.8	4
57	Prospective Evaluation of Acoustic Radiation Force Impulse (ARFI) Elastography and High-Frequency B-Mode Ultrasound in Compensated Patients for the Diagnosis of Liver Fibrosis/Cirrhosis in Comparison to Mini-Laparoscopic Biopsy. <i>Ultraschall in Der Medizin</i> , <b>2015</b> , 36, 581-9	3.8	14
56	Diagnostic performance of collagen IV and laminin for the prediction of fibrosis and cirrhosis in chronic hepatitis C patients: a multicenter study. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2015</b> , 27, 378-85	2.2	25
55	Diagnostic Value of Conventional and Doppler Ultrasound Findings in Liver Fibrosis in Patients with Chronic Viral Hepatitis. <i>Journal of Medical Ultrasound</i> , <b>2015</b> , 23, 123-128	0.8	0
54	Optimization of intra-voxel incoherent motion imaging at 3.0 Tesla for fast liver examination. <i>Journal of Magnetic Resonance Imaging</i> , <b>2015</b> , 41, 1209-17	5.6	37
53	Magnetic resonance elastography and acoustic radiation force impulse for staging hepatic fibrosis: a meta-analysis. <i>Abdominal Imaging</i> , <b>2015</b> , 40, 818-34		62
52	Liver Cirrhosis/Severe Fibrosis Is a Risk Factor for Anastomotic Leakage after Colorectal Surgery. <i>Gastroenterology Research and Practice</i> , <b>2016</b> , 2016, 1563037	2	7
51	Hepatic steatosis and fibrosis: Non-invasive assessment. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 9880-9897	5.6	39
50	Contrast-enhanced ultrasound and computerized tomography perfusion imaging of a liver fibrosis-early cirrhosis in dogs. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2016</b> , 31, 1604-10 <sup>4</sup>		9
49	Combining routine markers improves the accuracy of transient elastography for hepatitis B cirrhosis detection. <i>Digestive and Liver Disease</i> , <b>2016</b> , 48, 512-518	3.3	8
48	Use of Non-invasive Testing to Stage Liver Fibrosis in Patients with HIV. <i>Current HIV/AIDS Reports</i> , <b>2016</b> , 13, 279-88	5.9	10

47	Transient elastography in autoimmune hepatitis: Timing determines the impact of inflammation and fibrosis. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 769-775	13.4	82
46	Routine Liver Biopsy During Bariatric Surgery: an Analysis of Evidence Base. <i>Obesity Surgery</i> , <b>2016</b> , 26, 177-81	3.7	18
45	Morphologic severity of cirrhosis determines the extent of liver resection in patients with hepatocellular carcinoma and Child-Pugh grade A cirrhosis. <i>Journal of Surgical Research</i> , <b>2016</b> , 200, 444-515	5.5	13
44	Acoustic radiation force impulse elastography: comparison and combination with other noninvasive tests for the diagnosis of compensated liver cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 29, 524-530	2.2	4
43	Assessment of functional liver reserve: old and new in 99mTc-sulfur colloid scintigraphy. <i>Nuclear Medicine Communications</i> , <b>2017</b> , 38, 577-586	1.6	12
42	Noninvasive Diagnostic and Prognostic Assessment Tools for Liver Fibrosis and Cirrhosis in Patients with Chronic Liver Disease. <b>2017</b> ,		2
41	Clinical relevance of liver histopathology and different histological classifications of NASH in adults. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2018</b> , 12, 351-367	4.2	34
40	Endoscopic Ultrasound for the Hepatologist: A Comprehensive Review. <i>Seminars in Liver Disease</i> , <b>2018</b> , 38, 145-159	7.3	4
39	Intrahepatic diffuse periportal enhancement patterns on hepatobiliary phase gadoxetate disodium-enhanced liver MR images: Do they correspond to periportal hyperintense patterns on T2-weighted images?. <i>Medicine (United States)</i> , <b>2019</b> , 98, e14784	1.8	2
38	The Effect of Laparoscopic Sleeve Gastrectomy on Nonalcoholic Fatty Liver Disease. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2019</b> , 29, 509-512	1.3	3
37	The effect of cirrhosis on trauma outcomes: A systematic review and meta-analysis. <i>Journal of Trauma and Acute Care Surgery</i> , <b>2020</b> , 88, 536-545	3.3	2
36	Guidelines on the use of liver biopsy in clinical practice from the British Society of Gastroenterology, the Royal College of Radiologists and the Royal College of Pathology. <i>Gut</i> , <b>2020</b> , 69, 1382-1403	19.2	45
35	Utility and accuracy of transient elastography in determining liver fibrosis: a case-control study. <i>European Journal of Pediatrics</i> , <b>2020</b> , 179, 671-677	4.1	3
34	How Much Liver Tissue Is Required for Sufficient Histological Staging in Patients with Primary Biliary Cholangitis?. <i>Digestion</i> , <b>2021</b> , 102, 428-436	3.6	0
33	Fibrogenic Reaction. <b>2010</b> , 251-268		1
32	New serum biomarkers for detection of HBV-induced liver cirrhosis using SELDI protein chip technology. <i>World Journal of Gastroenterology</i> , <b>2004</b> , 10, 2327-9	5.6	45
31	Accuracy of a predictive model for severe hepatic fibrosis or cirrhosis in chronic hepatitis C. <i>World Journal of Gastroenterology</i> , <b>2005</b> , 11, 7318-22	5.6	24
30	Non invasive fibrosis biomarkers reduce but not substitute the need for liver biopsy. <i>World Journal of Gastroenterology</i> , <b>2006</b> , 12, 3682-94	5.6	197

29	Transient elastography: a non-invasive tool for assessing liver fibrosis in HIV/HCV patients. <i>World Journal of Gastroenterology</i> , <b>2010</b> , 16, 5225-32	5.6	9
28	Checkmate to liver biopsy in chronic hepatitis C?. <i>World Journal of Gastroenterology</i> , <b>2012</b> , 18, 5514-20	5.6	13
27	Is laparoscopy an advantage in the diagnosis of cirrhosis in chronic hepatitis C virus infection?. <i>World Journal of Gastroenterology</i> , <b>2003</b> , 9, 745-50	5.6	7
26	Further exploration of MRI techniques for liver T1rho quantification. <i>Quantitative Imaging in Medicine and Surgery</i> , <b>2013</b> , 3, 308-15	3.6	9
25	Endoscopic ultrasound guided liver biopsy: Recent evidence. <i>World Journal of Gastrointestinal Endoscopy</i> , <b>2020</b> , 12, 83-97	2.2	16
24	Mini-laparoscopy in the endoscopy unit: Safety and outcomes in over one thousand patients. <i>World Journal of Gastrointestinal Endoscopy</i> , <b>2011</b> , 3, 6-10	2.2	9
23	Limitations and opportunities of non-invasive liver stiffness measurement in children. <i>World Journal of Hepatology</i> , <b>2017</b> , 9, 409-417	3.4	6
22	Enhancement rate of venous phase to portal venous phase computed tomography and its correlation with ultrasound elastography determination of liver fibrosis. <i>Radiography</i> , <b>2021</b> ,	2	
21	Liver cirrhosis. <b>2002</b> , 649-680		
20	Liver biopsy and laparoscopy. <b>2002</b> , 127-150		
19	Sozialmedizinische Aspekte bei hepatobiliären Erkrankungen. <b>2003</b> , 895-903		
18	Assessment of liver fibrosis: gold standard biopsy?. <b>2009</b> , 163-173		
17	Laparoscopy. <b>2010</b> , 485-510		1
16	Interventionelle Sonographie. <b>2012</b> , 303-315		
15	Mini-Laparoscopy in the Endoscopy Unit. 70-79		
14	A case of sarcoidosis liver caused rupture of esophageal varices due to sudden portal hypertension. <i>Acta Hepatologica Japonica</i> , <b>2013</b> , 54, 354-362	0.3	2
13	Modern possibilities of diagnosis and quantification of liver fibrosis. <i>Shidnoevropejskij Zurnal Vnutrisnoi Ta Simejnoi Medicini</i> , <b>2015</b> , 2015, 55-60	0.1	
12	Liver Biopsy. <b>2020</b> , 349-354		

11	Liver cirrhosis. <b>2006</b> , 716-749		0
10	Liver biopsy and laparoscopy. <b>2006</b> , 141-167		
9	Liver cirrhosis. <b>2008</b> , 737-772		
8	Correlation of Laparoscopic Liver Biopsy to Elasticity Measurements (FibroScan) in Patients With Chronic Liver Disease. <i>Gastroenterology and Hepatology</i> , <b>2008</b> , 4, 862-70	0.7	7
7	Prospective Evaluation of FIBROSpect II for Fibrosis Detection in Hepatitis C and B Patients Undergoing Laparoscopic Biopsy. <i>Gastroenterology and Hepatology</i> , <b>2007</b> , 3, 367-76	0.7	3
6	Clinical Utility of Biomarkers of Liver Fibrosis. <i>Gastroenterology and Hepatology</i> , <b>2006</b> , 2, 48-57	0.7	2
5	The Treatment of Hepatic Fibrosis: Reversal of the Underlying Disease Process. <i>Gastroenterology and Hepatology</i> , <b>2006</b> , 2, 819-825	0.7	
4	Noninvasive Assessment of HCV Patients Using Ultrasound Elastography.		
3	Noninvasive Diagnostic Methods for the Assessment of Hepatic Fibrosis in Liver Transplant Recipients. <i>Transplantation Proceedings</i> , <b>2022</b> ,	1.1	
2	The discriminatory ability of FibroScan liver stiffness measurement, controlled attenuation parameter, and FibroScan $\Gamma$ -spartate aminotransferase to predict severity of liver disease in children.		0
1	Right and left liver lobe biopsies by minilaparoscopy reveal clinically significant sampling error in staging and grading of autoimmune hepatitis.		0